



Dependency-Check is an open source tool performing a best effort analysis of 3rd party dependencies; false positives and false negatives may exist in the analysis performed by the tool. Use of the tool and the reporting provided constitutes acceptance for use in an AS IS condition, and there are NO warranties, implied or otherwise, with regard to the analysis or its use. Any use of the tool and the reporting provided is at the user's risk. In no event shall the copyright holder or OWASP be held liable for any damages whatsoever arising out of or in connection with the use of this tool, the analysis performed, or the resulting report.

[How to read the report](#) | [Suppressing false positives](#) | [Getting Help: github issues](#)

 [Sponsor](#)

## Project: project ':server'

helpdesk:server:24.10

Scan Information ([show all](#)):

- *dependency-check version:* 10.0.3
- *Report Generated On:* Sat, 16 Nov 2024 15:52:57 +0100
- *Dependencies Scanned:* 1517 (1402 unique)
- *Vulnerable Dependencies:* 0
- *Vulnerabilities Found:* 0
- *Vulnerabilities Suppressed:* 101 ([show](#))
- ...
- *NVD API Last Checked:* 2024-11-16T14:50:08Z
- *NVD API Last Modified:* 2024-09-18T11:15:10Z
- *NVD Cache Last Checked:* 2024-11-16T14:50:08Z
- *NVD Cache Last Modified:* 2024-09-18T11:15:10Z

## Summary

Display: [Showing Vulnerable Dependencies \(click to show all\)](#)

Dependency	Vulnerability IDs	Package	Highest Severity
<a href="#">BarcodePDF417Bean.jar</a>			
<a href="#">JBarcodeBean.jar</a>			
<a href="#">Merlia-0.jar</a>		<a href="#">pkg:maven/lib/Merlia@0</a>	
<a href="#">Merlia.jar</a>			
<a href="#">Oranxo.jar</a>			
<a href="#">ZxingBarCodes.jar</a>			
<a href="#">adhoc.zip: adhoc.jar</a>			
<a href="#">adhoc.zip: adhoc.jar: adhocmodule.js</a>			
<a href="#">adhoc.zip: adhocClient.jar</a>			
<a href="#">attachments.zip: attachments.jar</a>	cpe:2.3:a: inetsoftware: helpdesk:24.10.221:		

	*****		
<a href="#">authentication.pam.zip: authentication.pam.jar</a>			
<a href="#">authentication.product.zip: authentication.product.jar</a>			
<a href="#">authentication.windows.zip: authentication.windows.jar</a>			
<a href="#">authentication.windows.zip: caffeine.jar</a>			
<a href="#">authentication.windows.zip: jna-platform.jar</a>			
<a href="#">authentication.windows.zip: waffle-jna.jar</a>		<a href="#">pkg:maven/com.github.waffle/waffle-jna@3.4.0</a>	
<a href="#">autolinking.zip: autolinking.jar</a>	cpe:2.3:a:inetsoftware:helpdesk:24.10.221:*****		
<a href="#">collaboration.zip: collaboration.jar</a>			
<a href="#">commons-logging.jar</a>		<a href="#">pkg:maven/commons-logging/commons-logging@1.3.3</a>	
<a href="#">configuration.zip: configuration.jar</a>			
<a href="#">configuration.zip: configuration.jar: authentication.js</a>			
<a href="#">configuration.zip: configuration.jar: boolean.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: booleanButton.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: colorInput.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: controller.js</a>			
<a href="#">configuration.zip: configuration.jar: datafactory.js</a>			
<a href="#">configuration.zip: configuration.jar: fileUploadRenderer.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: filesystemInputButton.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: filesystemInputDirectory.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: filesystemInputFile.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: iconDropRenderer.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: inlinerenderer.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: keyLabelText.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: labelLink.directive.js</a>			

[configuration.zip: configuration.jar: labelText.directive.js](#)

[configuration.zip: configuration.jar: licensekey.js](#)

[configuration.zip: configuration.jar: list.js](#)

[configuration.zip: configuration.jar: logopreview.js](#)

[configuration.zip: configuration.jar: multiLineText.directive.js](#)

[configuration.zip: configuration.jar: multiLingualTextRenderer.directive.js](#)

[configuration.zip: configuration.jar: passwordText.directive.js](#)

[configuration.zip: configuration.jar: reloadSelectInputsTrigger.directive.js](#)

[configuration.zip: configuration.jar: renderer.directive.js](#)

[configuration.zip: configuration.jar: repository.js](#)

[configuration.zip: configuration.jar: selectEditText.directive.js](#)

[configuration.zip: configuration.jar: selectFilteredText.directive.js](#)

[configuration.zip: configuration.jar: selectLanguageChooserRenderer.directive.js](#)

[configuration.zip: configuration.jar: selectSimpleText.directive.js](#)

[configuration.zip: configuration.jar: simpleDate.directive.js](#)

[configuration.zip: configuration.jar: simpleSlider.directive.js](#)

[configuration.zip: configuration.jar: simpleText.directive.js](#)

[configuration.zip: configuration.jar: table.js](#)

[configuration.zip: configuration.jar: tree.js](#)

[configuration.zip: configuration.jar: userandgroupselect.js](#)

[core.jar](#)

[pkg:maven/com.google.zxing/core@3.5.3](#)

[cowork.tickets.zip: cowork.tickets.jar](#)

[cpe:2.3:a:tickets\\_project:tickets:24.10.221:\\*:\\*:\\*.\\*.\\*.\\*.\\*](#)

[cowork.tickets.zip: cowork.tickets.jar: coworkchatextension.js](#)

[cowork.zip: cowork-javadoc.jar](#)

[cowork.zip: cowork-javadoc.jar: jquery-3.6.1.min.js](#)

<a href="#">cowork.zip: cowork-javadoc.jar: jquery-ui.min.js</a>		<a href="#">pkg:javascript/jquery-ui@1.13.1</a>	
<a href="#">cowork.zip: cowork-javadoc.jar: member-search-index.js</a>			
<a href="#">cowork.zip: cowork-javadoc.jar: module-search-index.js</a>			
<a href="#">cowork.zip: cowork-javadoc.jar: package-search-index.js</a>			
<a href="#">cowork.zip: cowork-javadoc.jar: script.js</a>			
<a href="#">cowork.zip: cowork-javadoc.jar: search.js</a>			
<a href="#">cowork.zip: cowork-javadoc.jar: tag-search-index.js</a>			
<a href="#">cowork.zip: cowork-javadoc.jar: type-search-index.js</a>			
<a href="#">cowork.zip: cowork.jar</a>			
<a href="#">cowork.zip: cowork.jar: MessageCreationChart.js</a>			
<a href="#">cowork.zip: cowork.jar: cowork.diagnostics.js</a>			
<a href="#">cowork.zip: cowork.jar: coworkcomponents.js</a>			
<a href="#">cowork.zip: cowork.jar: coworkcontroller.js</a>			
<a href="#">cowork.zip: cowork.jar: coworkconversation.js</a>			
<a href="#">cowork.zip: cowork.jar: coworkfactory.js</a>			
<a href="#">cowork.zip: cowork.jar: coworkinputbox.js</a>			
<a href="#">cowork.zip: cowork.jar: coworkmodel.js</a>			
<a href="#">cowork.zip: cowork.jar: coworksettingscontroller.js</a>			
<a href="#">cowork.zip: cowork.jar: flexibledropdownmenu.js</a>			
<a href="#">cowork.zip: cowork.jar: inetmarkdown.js</a>			
<a href="#">cowork.zip: cowork.jar: showreactionscontroller.js</a>			
<a href="#">cowork.zip: cowork.jar: teamsettingscontroller.js</a>			
<a href="#">dataimport.zip: dataimport.jar</a>	cpe:2.3:a: inetsoftware: helpdesk:24.10.221: *****		
<a href="#">dataimport.zip: dataimport.jar: actionsBar.directive.js</a>			
<a href="#">dataimport.zip: dataimport.jar: controller.js</a>			
<a href="#">dataimport.zip: dataimport.jar: deviceDataImport.directive.js</a>			
<a href="#">dataimport.zip: dataimport.jar: filtereablevalueselection.directive.js</a>			
<a href="#">dataimport.zip: dataimport.jar: importfactory.js</a>			
<a href="#">dataimport.zip: dataimport.jar: importjob.directive.js</a>			
<a href="#">dataimport.zip: dataimport.jar: itemRenderer.directive.js</a>			

<a href="#">dataimport.zip: dataimport.jar: userDataImport.directive.js</a>			
<a href="#">diagnostics.reporting.zip: diagnostics.reporting.jar</a>			
<a href="#">diagnostics.reporting.zip: diagnostics.reporting.jar: connectionPool.js</a>			
<a href="#">diagnostics.reporting.zip: diagnostics.reporting.jar: reportcache.js</a>			
<a href="#">diagnostics.reporting.zip: diagnostics.reporting.jar: server-datasource.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar</a>			
<a href="#">diagnostics.zip: diagnostics.jar: MemoryPieChart.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: MemoryUsageChart.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: WebServerErrorChart.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: benchmarkCtrl.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: client-server.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: controller.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: cpu.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: cpuspeed.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: directives.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: errorHistoryChart.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: flotr2.min.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: global.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: harddisk.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: heapdumpCtrl.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: informationCtrl.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: intArrayUtils.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: iospeed.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: jobs.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: logging.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: memory.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: overviewCtrl.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: pde.diagnostics.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: timeformat.js</a>			
<a href="#">drive.zip: drive.jar</a>			
<a href="#">drive.zip: drive.jar: actions.js</a>			
<a href="#">drive.zip: drive.jar: actions.service.js</a>			
<a href="#">drive.zip: drive.jar: contentextension.js</a>			

<a href="#">drive.zip: drive.jar: controller.js</a>			
<a href="#">drive.zip: drive.jar: drivecleanup.js</a>			
<a href="#">drive.zip: drive.jar: drivecontroller.js</a>			
<a href="#">drive.zip: drive.jar: drivefactory.js</a>			
<a href="#">drive.zip: drive.jar: drivemodel.js</a>			
<a href="#">drive.zip: drive.jar: dropzone.directive.js</a>			
<a href="#">drive.zip: drive.jar: entryactions.directive.js</a>			
<a href="#">drive.zip: drive.jar: folderlist.directive.js</a>			
<a href="#">drive.zip: drive.jar: linkdialog.js</a>			
<a href="#">drive.zip: drive.jar: locationchooser.js</a>			
<a href="#">drive.zip: drive.jar: mountdialog.js</a>			
<a href="#">drive.zip: drive.jar: permissionsextension.js</a>			
<a href="#">drive.zip: drive.jar: progress.service.js</a>			
<a href="#">drive.zip: drive.jar: progresspanel.directive.js</a>			
<a href="#">drive.zip: drive.jar: resolve.service.js</a>			
<a href="#">drive.zip: drive.jar: responsivetoolbar.directive.js</a>			
<a href="#">drive.zip: drive.jar: selectedextension.js</a>			
<a href="#">drive.zip: drive.jar: thumbnailextension.js</a>			
<a href="#">drive.zip: drive.jar: toolbaraction.directive.js</a>			
<a href="#">drive.zip: drive.jar: unzipextension.js</a>			
<a href="#">drive.zip: drive.jar: zipextension.js</a>			
<a href="#">exceljconnect.jar</a>			
<a href="#">fieldsettings.zip: fieldsettings.jar</a>			
<a href="#">fieldsettings.zip: fieldsettings.jar: FieldSettingsPropertyRenderer.js</a>			
<a href="#">fieldsettings.zip: fieldsettings.jar: UserFieldSettingsPropertyRenderer.js</a>			
<a href="#">hamcrest-2.2.jar</a>		<a href="#">pkg:maven/org.hamcrest/hamcrest@2.2</a>	
<a href="#">help.zip: commons-beanutils.jar</a>	<a href="#">cpe:2.3:a:apache:commons-beanutils:1.9.4:*:*:*:*:*</a>	<a href="#">pkg:maven/commons-beanutils/commons-beanutils@1.9.4</a>	
<a href="#">help.zip: commons-digester3.jar</a>		<a href="#">pkg:maven/org.apache.commons/commons-digester3@3.2</a>	

<a href="#">help.zip: help.jar</a>			
<a href="#">help.zip: help.jar: app.js</a>			
<a href="#">help.zip: help.jar: controller.js</a>			
<a href="#">help.zip: help.jar: shared.factory.js</a>			
<a href="#">help.zip: help.jar: shared.highlighter.js</a>			
<a href="#">help.zip: jsoup.jar</a>	<a href="#">cpe:2.3:a:jsoup:jsoup:1.16.2:*:*:*:*:*</a>	<a href="#">pkg:maven/org.jsoup/jsoup@1.16.2</a>	
<a href="#">helpdesk.forms.zip: helpdesk.forms.jar</a>	<a href="#">cpe:2.3:a:inetsoftware:helpdesk:24.10.221:*:*:*:*:*</a>		
<a href="#">helpdesk.forms.zip: helpdesk.forms.jar: configuration.ticketforms.edit.js</a>			
<a href="#">helpdesk.forms.zip: helpdesk.forms.jar: configuration.ticketforms.js</a>			
<a href="#">helpdesk.forms.zip: helpdesk.forms.jar: editFormField.js</a>			
<a href="#">helpdesk.forms.zip: helpdesk.forms.jar: fieldrenderer.js</a>			
<a href="#">helpdesk.forms.zip: helpdesk.forms.jar: fieldrenderer_conditionValue.js</a>			
<a href="#">helpdesk.forms.zip: helpdesk.forms.jar: fieldrenderer_defaultValue.js</a>			
<a href="#">helpdesk.forms.zip: helpdesk.forms.jar: folderPermissionsDisplay.js</a>			
<a href="#">helpdesk.forms.zip: helpdesk.forms.jar: formExecution.js</a>			
<a href="#">helpdesk.forms.zip: helpdesk.forms.jar: formfields.js</a>			
<a href="#">helpdesk.forms.zip: helpdesk.forms.jar: formicondropzone.js</a>			
<a href="#">helpdesk.forms.zip: helpdesk.forms.jar: formmetadata.js</a>			
<a href="#">helpdesk.forms.zip: helpdesk.forms.jar: formrenderer.js</a>			
<a href="#">helpdesk.forms.zip: helpdesk.forms.jar: formsections.js</a>			
<a href="#">helpdesk.forms.zip: helpdesk.forms.jar: sectionid.js</a>			
<a href="#">helpdesk.forms.zip: helpdesk.forms.jar: ticketformsfactory.js</a>			
<a href="#">helpdesk.forms.zip: helpdesk.forms.jar: ticketformsmodel.js</a>			
<a href="#">helpdesk.zip: helpdesk.jar</a>	<a href="#">cpe:2.3:a:inetsoftware:helpdesk:24.10.221:*:*:*:*:*</a>		
<a href="#">helpdesk.zip: helpdesk.jar: TicketFieldSettingsPropertyRenderer.js</a>			

<a href="#">helpdesk.zip: helpdesk.jar: attachmentdisplay.js</a>			
<a href="#">helpdesk.zip: helpdesk.jar: configuration.autotext.edit.js</a>			
<a href="#">helpdesk.zip: helpdesk.jar: configuration.autotext.js</a>			
<a href="#">helpdesk.zip: helpdesk.jar: configuration.mailtemplates.edit.js</a>			
<a href="#">helpdesk.zip: helpdesk.jar: configuration.mailtemplates.js</a>			
<a href="#">helpdesk.zip: helpdesk.jar: effectiveactionscontroller.js</a>			
<a href="#">helpdesk.zip: helpdesk.jar: helpdeskconfig.js</a>			
<a href="#">helpdesk.zip: helpdesk.jar: predeletionhandler.js</a>			
<a href="#">helpdesk.zip: helpdesk.jar: promptuserselectrenderer.js</a>			
<a href="#">helpdesk.zip: helpdesk.jar: renderer.js</a>			
<a href="#">helpdesk.zip: helpdesk.jar: setdefaultguipreferencesaction.js</a>			
<a href="#">helpdesk.zip: helpdesk.jar: usersandgroupsreports.js</a>			
<a href="#">helpdesk.zip: rhino.jar</a>			
<a href="#">helpdesk.zip: rhino.jar: test.js</a>			
<a href="#">helpdesksetupwizard.zip: helpdesksetupwizard.jar</a>	cpe:2.3:a: inetsoftware: helpdesk:24.10.221: *****		
<a href="#">helpdesksetupwizard.zip: helpdesksetupwizard.jar: controller.js</a>			
<a href="#">helpdesksetupwizard.zip: helpdesksetupwizard.jar: controller.js</a>			
<a href="#">helpdesksetupwizard.zip: helpdesksetupwizard.jar: controller.js</a>			
<a href="#">htmlengine.zip: JWebEngine.jar</a>			
<a href="#">htmlengine.zip: htmlengine.jar</a>			
<a href="#">htmlviewer.toolbar.zip: htmlviewer.toolbar.jar</a>			
<a href="#">htmlviewer.toolbar.zip: htmlviewer.toolbar.jar: htmlviewer.angular.js</a>			
<a href="#">inetcore-24.10-tools.jar</a>		<a href="#">pkg:maven/shared/inetcore@24.10</a>	
<a href="#">inetcore-24.10.jar (shaded: com.inet.shared:inetcore:null)</a>			
<a href="#">inetcore-24.10.jar</a>		<a href="#">pkg:maven/shared/inetcore@24.10</a>	
<a href="#">inetloggeradapter.jar</a>			



<a href="#">inventory.zip: inventory.jar</a>	cpe:2.3:a: inetsoftware: helpdesk:24.10.221: *****		
<a href="#">inventory.zip: inventory.jar: genericfieldrenderer.js</a>			
<a href="#">inventory.zip: inventory.jar: inventory.3drenderer.directive.js</a>			
<a href="#">inventory.zip: inventory.jar: inventory.3dview.directive.js</a>			
<a href="#">inventory.zip: inventory.jar: inventory.asset3d.directive.js</a>			
<a href="#">inventory.zip: inventory.jar: inventory.assetdetailsform.directive.js</a>			
<a href="#">inventory.zip: inventory.jar: inventory.assetimage.directive.js</a>			
<a href="#">inventory.zip: inventory.jar: inventory.assetimagehover.directive.js</a>			
<a href="#">inventory.zip: inventory.jar: inventory.assetmenu.directive.js</a>			
<a href="#">inventory.zip: inventory.jar: inventory.default3dbox.directive.js</a>			
<a href="#">inventory.zip: inventory.jar: inventory.devicefieldrenderer.directive.js</a>			
<a href="#">inventory.zip: inventory.jar: inventory.devicefieldrenderercurrency.directive.js</a>			
<a href="#">inventory.zip: inventory.jar: inventory.devicefieldrendererdatetime.directive.js</a>			
<a href="#">inventory.zip: inventory.jar: inventory.devicefieldrendererlink.directive.js</a>			
<a href="#">inventory.zip: inventory.jar: inventory.devicefieldrendererselect.directive.js</a>			
<a href="#">inventory.zip: inventory.jar: inventory.devicefieldrenderertime.directive.js</a>			
<a href="#">inventory.zip: inventory.jar: inventory.devicefieldrendereruser.directive.js</a>			
<a href="#">inventory.zip: inventory.jar: inventory.deviceimagerenderer.directive.js</a>			
<a href="#">inventory.zip: inventory.jar: inventory.fieldgroup.filter.js</a>			
<a href="#">inventory.zip: inventory.jar: inventory.inventoryattachmentcontent.directive.js</a>			
<a href="#">inventory.zip: inventory.jar: inventory.inventoryattachments.directive.js</a>			
<a href="#">inventory.zip: inventory.jar: inventory.invoicepaper.directive.js</a>			
<a href="#">inventory.zip: inventory.jar: inventory.lazydetailfields.directive.js</a>			

[inventory.zip: inventory.jar: inventory.levelslider.  
directive.js](#)

[inventory.zip: inventory.jar: inventory.licensepaper.  
directive.js](#)

[inventory.zip: inventory.jar: inventory.listview.directive.  
js](#)

[inventory.zip: inventory.jar: inventory.listviewrow.  
directive.js](#)

[inventory.zip: inventory.jar: inventory.locationbox.  
directive.js](#)

[inventory.zip: inventory.jar: inventory.roombox.  
directive.js](#)

[inventory.zip: inventory.jar: inventory.slaper.  
directive.js](#)

[inventory.zip: inventory.jar: inventory.structuretoolbar.  
directive.js](#)

[inventory.zip: inventory.jar: inventory.structurereview.  
directive.js](#)

[inventory.zip: inventory.jar: inventory.tile.directive.js](#)

[inventory.zip: inventory.jar: inventory.tilelane.directive.  
js](#)

[inventory.zip: inventory.jar: inventory.tileview.directive.  
js](#)

[inventory.zip: inventory.jar: inventory.treegrouping.  
directive.js](#)

[inventory.zip: inventory.jar: inventory.typehandheld.  
directive.js](#)

[inventory.zip: inventory.jar: inventory.usertable.  
directive.js](#)

[inventory.zip: inventory.jar: inventorycontroller.js](#)

[inventory.zip: inventory.jar: inventoryextension.  
assetpreview.directive.js](#)

[inventory.zip: inventory.jar: inventoryextension.  
detailscontroller.js](#)

[inventory.zip: inventory.jar: inventoryextension.js](#)

[inventory.zip: inventory.jar: inventoryextension.  
treenode.directive.js](#)

[inventory.zip: inventory.jar: inventoryfactory.js](#)

[inventory.zip: inventory.jar: inventorymodel.js](#)

[inventory.zip: inventory.jar: inventoryticketpagefactory.  
js](#)

[inventory.zip: inventory.jar: printinventory.js](#)

[inventory.zip: inventory.jar: resizableColumn.js](#)

[inventory.zip: inventory.jar: treegroupingsettings.js](#)

<a href="#">jakarta.servlet-api.jar</a>	cpe:2.3:a:oracle:projects:4.0.4:*:*:*:*:*:*	<a href="#">pkg:maven/jakarta.servlet-api@4.0.4</a>	
<a href="#">jakarta.websocket-api.jar</a>		<a href="#">pkg:maven/jakarta.websocket-api@1.1.2</a>	
<a href="#">java-21-jre-x64-linux.tar.gz</a> : <a href="#">java-21-jre-x64-linux.tar-jrt-fs.jar</a>	cpe:2.3:a:eclipse:platform:21.0.5:*:*:*:*:*		
<a href="#">javase.jar</a>		<a href="#">pkg:maven/com.google.zxing/javase@3.5.3</a>	
<a href="#">jlessc-1.12.jar</a>		<a href="#">pkg:maven/de.inetsoftware/jlessc@1.12</a>	
<a href="#">jna.jar</a>	cpe:2.3:a:oracle:java_se:5.14.0:*:*:*:*:*		
<a href="#">jna.jar: jnidispatch.dll</a>			
<a href="#">jna.jar: jnidispatch.dll</a>			
<a href="#">jna.jar: jnidispatch.dll</a>			
<a href="#">junit-4.13.2.jar</a>	cpe:2.3:a:junit:junit4:4.13.2:*:*:*:*:*	<a href="#">pkg:maven/junit/junit@4.13.2</a>	
<a href="#">junit-jupiter-5.10.3.jar</a>		<a href="#">pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3</a>	
<a href="#">junit-jupiter-api-5.10.3.jar</a>		<a href="#">pkg:maven/org.junit.jupiter/junit-jupiter-api@5.10.3</a>	
<a href="#">junit-jupiter-engine-5.10.3.jar</a>		<a href="#">pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.10.3</a>	
<a href="#">junit-jupiter-params-5.10.3.jar</a>		<a href="#">pkg:maven/org.junit.jupiter/junit-jupiter-params@5.10.3</a>	
<a href="#">junit-platform-commons-1.10.3.jar</a>		<a href="#">pkg:maven/org.junit.platform/junit-platform-commons@1.10.3</a>	
<a href="#">junit-platform-engine-1.10.3.jar</a>		<a href="#">pkg:maven/org.junit.platform/junit-platform-engine@1.10.3</a>	

<a href="#">junit-platform-launcher-1.10.3.jar</a>		<a href="#">pkg:maven/org.junit.platform/junit-platform-launcher@1.10.3</a>	
<a href="#">junit-platform-suite-1.10.3.jar</a>		<a href="#">pkg:maven/org.junit.platform/junit-platform-suite@1.10.3</a>	
<a href="#">junit-platform-suite-api-1.10.3.jar</a>		<a href="#">pkg:maven/org.junit.platform/junit-platform-suite-api@1.10.3</a>	
<a href="#">junit-platform-suite-commons-1.10.3.jar</a>		<a href="#">pkg:maven/org.junit.platform/junit-platform-suite-commons@1.10.3</a>	
<a href="#">junit-platform-suite-engine-1.10.3.jar</a>		<a href="#">pkg:maven/org.junit.platform/junit-platform-suite-engine@1.10.3</a>	
<a href="#">junit-vintage-engine-5.10.3.jar</a>		<a href="#">pkg:maven/org.junit.vintage/junit-vintage-engine@5.10.3</a>	
<a href="#">knowledgebase.zip: knowledgebase.jar</a>	cpe:2.3:a:inetsoftware:helpdesk:24.10.221:*****		
<a href="#">knowledgebase.zip: knowledgebase.jar: controllerArticleDetails.js</a>			
<a href="#">knowledgebase.zip: knowledgebase.jar: controllerArticleDialog.js</a>			
<a href="#">knowledgebase.zip: knowledgebase.jar: controllerArticleEditDialog.js</a>			
<a href="#">knowledgebase.zip: knowledgebase.jar: controllerKnowledgeBase.js</a>			
<a href="#">knowledgebase.zip: knowledgebase.jar: fuzzysearcharticleextension.js</a>			
<a href="#">knowledgebase.zip: knowledgebase.jar: knowledgeBaseFactory.js</a>			
<a href="#">knowledgebase.zip: knowledgebase.jar: ticketlist.extension.js</a>			
<a href="#">livesupport.zip: livesupport.jar</a>	cpe:2.3:a:inetsoftware:helpdesk:24.10.221:*****		
<a href="#">livesupport.zip: livesupport.jar: attachments.js</a>			

<a href="#">livesupport.zip: livesupport.jar: connections.js</a>			
<a href="#">livesupport.zip: livesupport.jar: controller.js</a>			
<a href="#">livesupport.zip: livesupport.jar: dragging.js</a>			
<a href="#">livesupport.zip: livesupport.jar: events.js</a>			
<a href="#">livesupport.zip: livesupport.jar: fetch-promise.min.js</a>			
<a href="#">livesupport.zip: livesupport.jar: i18n.js</a>			
<a href="#">livesupport.zip: livesupport.jar: lazy-load.js</a>			
<a href="#">livesupport.zip: livesupport.jar: prototype.array.js</a>			
<a href="#">livesupport.zip: livesupport.jar: prototype.element.js</a>			
<a href="#">livesupport.zip: livesupport.jar: ui-components.js</a>			
<a href="#">mail.zip: bc-fips.jar</a>			
<a href="#">mail.zip: bcmail-fips.jar</a>			
<a href="#">mail.zip: bcpkg-fips.jar</a>	<a href="#">cpe:2.3:a:openpgp:openpgp:1.0.7.1:*:*:*:*:*</a>		
<a href="#">mail.zip: bcpkix-fips.jar</a>			
<a href="#">mail.zip: jakarta.activation.jar</a>		<a href="#">pkg:maven/com.sun.activation/jakarta.activation@1.2.2</a>	
<a href="#">mail.zip: jakarta.mail.jar</a>		<a href="#">pkg:maven/com.sun.mail/jakarta.mail@1.6.7</a>	
<a href="#">mail.zip: mail.jar</a>			
<a href="#">mail.zip: mail.jar: smimeconfig.js</a>			
<a href="#">maintenance.helpdesk.zip: maintenance.helpdesk.jar</a>	<a href="#">cpe:2.3:a:inetsoftware:helpdesk:24.10.221:*:*:*:*:*</a>		
<a href="#">maintenance.helpdesk.zip: maintenance.helpdesk.jar: app.js</a>			
<a href="#">maintenance.helpdesk.zip: maintenance.helpdesk.jar: datacare.js</a>			
<a href="#">maintenance.helpdesk.zip: maintenance.helpdesk.jar: dbmigration.js</a>			
<a href="#">maintenance.helpdesk.zip: maintenance.helpdesk.jar: loginmodification.js</a>			
<a href="#">maintenance.reporting.zip: maintenance.reporting.jar</a>			
<a href="#">maintenance.zip: maintenance-javadoc.jar</a>			
<a href="#">maintenance.zip: maintenance-javadoc.jar: member-search-index.js</a>			

[maintenance.zip: maintenance-javadoc.jar: package-search-index.js](#)

[maintenance.zip: maintenance-javadoc.jar: tag-search-index.js](#)

[maintenance.zip](#): [maintenance-javadoc.jar](#): [type-search-index.js](#)

[maintenance.zip: maintenance.jar](#)

[maintenance.zip](#): [maintenance.jar](#): [controller.js](#)

[maintenance.zip](#): [maintenance.jar](#): [controller.js](#)

[maintenance.zip](#): [maintenance.jar](#): [controller.js](#)

maintenance.zip: maintenance.jar: controller.js

maintenance.zip: maintenance.jar: controller.js

maintenance.zip: maintenance.jar: filechooser.js

maintenance.zip: maintenance.jar: multieditusers.js

[mariadb-java-client.jar](#)

[pkg:maven/org.mariadb.jdbc/mariadb-java-client@3.4.1](https://pkg:maven/org.mariadb.jdbc/mariadb-java-client@3.4.1)

[mysql-connector-j.jar](#)

```
cpe:2.3:a:mysql:  
mysql:8.2.0:*.*.*.*.*.*  
*  
_  
cpe:2.3:a:oracle:  
connectorVj:8.2.0:*.*.  
*.*.*.*  
_  
cpe:2.3:a:oracle:  
jdbc:8.2.0:*.*.*.*.*.*  
cpe:2.3:a:oracle:  
mysql_connectorVj:  
8.2.0:*.*.*.*.*.*  
cpe:2.3:a:oracle:  
mysql_connectors:  
8.2.0:*.*.*.*.*.*
```

notification.zip: notification.jar

notification.zip: notification.jar: notification.js

notification.zip: notification.jar: notification\_config.js

notification.zip: notification.jar: notification\_taskplanner.js

notification.zip: notification.jar: targetrenderer.js

odbc.jar

opentest4j-1.3.0.jar

pkg:maven/org.opentest4j/opentest4j@1.3.0

pdfviewer.zip: pdfjs-dist.jar

[pkg:maven/org.webjars/npm/pdfjs-dist@4.4.168](https://pkg.maven.org/webjars/npm/pdfjs-dist@4.4.168)

pdfviewer.zip: pdfjs-dist.jar: package.json

<a href="#">pdfviewer.zip: pdfviewer.jar</a>			
<a href="#">pdfviewer.zip: pdfviewer.jar: drive.js</a>			
<a href="#">pdfviewer.zip: pdfviewer.jar: pdfviewer.angular.js</a>			
<a href="#">pdfviewer.zip: pdfviewer.jar: pdfviewer.factory.js</a>			
<a href="#">pdfviewer.zip: pdfviewer.jar: pdfviewer.model.js</a>			
<a href="#">pdfviewer.zip: pdfviewer.jar: pdfviewer.renderer.js</a>			
<a href="#">pluginstore.client.zip: pluginstore.client.jar</a>			
<a href="#">pluginstore.client.zip: pluginstore.client.jar: controller.js</a>			
<a href="#">pluginstore.client.zip: pluginstore.client.jar: pluginstorehelpcontroller.js</a>			
<a href="#">pluginstore.client.zip: pluginstore.client.jar: publicstoreconfig.js</a>			
<a href="#">pluginstore.client.zip: pluginstore.client.jar: storecontroller.js</a>			
<a href="#">pluginstore.client.zip: pluginstore.client.jar: storedirectives.js</a>			
<a href="#">pluginstore.client.zip: pluginstore.client.jar: storemodel.js</a>			
<a href="#">promptdialog.zip: promptdialog.jar</a>			
<a href="#">promptdialog.zip: promptdialog.jar: promptcontroller.js</a>			
<a href="#">promptdialog.zip: promptdialog.jar: promptcustomrenderer.js</a>			
<a href="#">promptdialog.zip: promptdialog.jar: promptfactory.js</a>			
<a href="#">promptdialog.zip: promptdialog.jar: promptpanel.js</a>			
<a href="#">promptdialog.zip: promptdialog.jar: promptrenderer.js</a>			
<a href="#">quickticket.zip: quickticket.jar</a>	cpe:2.3:a:inetsoftware:helpdesk:24.10.221:*****		
<a href="#">quickticket.zip: quickticket.jar: configuration.quickticket.createfolder.js</a>			
<a href="#">quickticket.zip: quickticket.jar: configuration.quickticket.edit.js</a>			
<a href="#">quickticket.zip: quickticket.jar: configuration.quickticket.js</a>			
<a href="#">quickticket.zip: quickticket.jar: configuration.quickticket.renderer.js</a>			
<a href="#">quickticket.zip: quickticket.jar: ticketlist.extension.js</a>			
<a href="#">quickticket.zip: quickticket.jar: ticketlist.quickticket.apply.js</a>			
<a href="#">remotegui.zip: Echo2-FileTransfer_App.jar</a>	cpe:2.3:a:file-transfer:file_transfer:2.*****		

<a href="#">remotegui.zip: Echo2-FileTransfer_WebContainer.jar</a>	<a href="#">cpe:2.3:a:file-transfer:file_transfer:2.*.*.*.*.*.*.*</a> <a href="#">cpe:2.3:a:web_project:web:2.*.*.*.*.*.*.*</a>		
<a href="#">remotegui.zip: Echo2-FileTransfer_WebContainer.jar: Download.js</a>			
<a href="#">remotegui.zip: Echo2-FileTransfer_WebContainer.jar: Upload.js</a>			
<a href="#">remotegui.zip: angular-animate.jar</a>		<a href="#">pkg:maven/org.webjars.npm/angular-animate@1.8.3</a>	
<a href="#">remotegui.zip: angular-animate.jar: angular-animate.js</a>		<a href="#">pkg:javascript/angularjs@1.8.3</a>	
<a href="#">remotegui.zip: angular-animate.jar: angular-animate.min.js</a>		<a href="#">pkg:javascript/angularjs@1.8.3</a>	
<a href="#">remotegui.zip: angular-animate.jar: index.js</a>			
<a href="#">remotegui.zip: angular-animate.jar: package.json</a>			
<a href="#">remotegui.zip: angular-cookies.jar</a>		<a href="#">pkg:maven/org.webjars.npm/angular-cookies@1.8.3</a>	
<a href="#">remotegui.zip: angular-cookies.jar: angular-cookies.js</a>		<a href="#">pkg:javascript/angularjs@1.8.3</a>	
<a href="#">remotegui.zip: angular-cookies.jar: angular-cookies.min.js</a>		<a href="#">pkg:javascript/angularjs@1.8.3</a>	
<a href="#">remotegui.zip: angular-cookies.jar: index.js</a>			
<a href="#">remotegui.zip: angular-cookies.jar: package.json</a>			
<a href="#">remotegui.zip: angular-sanitize.jar</a>		<a href="#">pkg:maven/org.webjars.npm/angular-sanitize@1.8.3</a>	
<a href="#">remotegui.zip: angular-sanitize.jar: angular-sanitize.js</a>		<a href="#">pkg:javascript/angularjs@1.8.3</a>	
<a href="#">remotegui.zip: angular-sanitize.jar: angular-sanitize.min.js</a>		<a href="#">pkg:javascript/angularjs@1.8.3</a>	
<a href="#">remotegui.zip: angular-sanitize.jar: index.js</a>			
<a href="#">remotegui.zip: angular-sanitize.jar: package.json</a>			
<a href="#">remotegui.zip: angular.jar</a>		<a href="#">pkg:maven/org.webjars.npm/angular@1.8.3</a>	
<a href="#">remotegui.zip: angular.jar: angular.js</a>		<a href="#">pkg:javascript</a>	



[/angularjs@1.8.3](#)

[remotegui.zip: angular.jar: angular.min.js](#)

[pkg:javascript/angularjs@1.8.3](#)

[remotegui.zip: angular.jar: index.js](#)

[remotegui.zip: angular.jar: package.json](#)

[remotegui.zip: bootstrap.jar](#)

[pkg:javascript/bootstrap@3.4.1](#)  
[pkg:maven/org.webjars/bootstrap@3.4.1](#)

[remotegui.zip: bootstrap.jar: affix.js](#)

[remotegui.zip: bootstrap.jar: alert.js](#)

[remotegui.zip: bootstrap.jar: button.js](#)

[remotegui.zip: bootstrap.jar: carousel.js](#)

[remotegui.zip: bootstrap.jar: collapse.js](#)

[remotegui.zip: bootstrap.jar: dropdown.js](#)

[remotegui.zip: bootstrap.jar: modal.js](#)

[remotegui.zip: bootstrap.jar: npm.js](#)

[remotegui.zip: bootstrap.jar: popover.js](#)

[remotegui.zip: bootstrap.jar: scrollspy.js](#)

[remotegui.zip: bootstrap.jar: tab.js](#)

[remotegui.zip: bootstrap.jar: tooltip.js](#)

[remotegui.zip: bootstrap.jar: transition.js](#)

[remotegui.zip: bootstrap.jar: webjars-requirejs.js](#)

[remotegui.zip: codemirror.jar](#)

[cpe:2.3:a:codemirror:codemirror:6.65.7:\\*:\\*:\\*:\\*:\\*](#)

[pkg:maven/org.webjars.npm/codemirror@6.65.7](#)

[remotegui.zip: codemirror.jar: CodeMirror.js](#)

[remotegui.zip: codemirror.jar: ContentEditableInput.js](#)

[remotegui.zip: codemirror.jar: Display.js](#)

[remotegui.zip: codemirror.jar: Doc.js](#)

[remotegui.zip: codemirror.jar: StringStream.js](#)

[remotegui.zip: codemirror.jar: TextareaInput.js](#)

[remotegui.zip: codemirror.jar: active-line.js](#)

[remotegui.zip: codemirror.jar: annotatescrollbar.js](#)

[remotegui.zip: codemirror.jar: anyword-hint.js](#)

<a href="#">remotegui.zip: codemirror.jar: apl.js</a>			
<a href="#">remotegui.zip: codemirror.jar: asciarmor.js</a>			
<a href="#">remotegui.zip: codemirror.jar: asn.1.js</a>			
<a href="#">remotegui.zip: codemirror.jar: asterisk.js</a>			
<a href="#">remotegui.zip: codemirror.jar: autorefresh.js</a>			
<a href="#">remotegui.zip: codemirror.jar: bidi.js</a>			
<a href="#">remotegui.zip: codemirror.jar: brace-fold.js</a>			
<a href="#">remotegui.zip: codemirror.jar: brainfuck.js</a>			
<a href="#">remotegui.zip: codemirror.jar: browser.js</a>			
<a href="#">remotegui.zip: codemirror.jar: change_measurement.js</a>			
<a href="#">remotegui.zip: codemirror.jar: changes.js</a>			
<a href="#">remotegui.zip: codemirror.jar: chunk.js</a>			
<a href="#">remotegui.zip: codemirror.jar: clike.js</a>			
<a href="#">remotegui.zip: codemirror.jar: clojure.js</a>			
<a href="#">remotegui.zip: codemirror.jar: closebrackets.js</a>			
<a href="#">remotegui.zip: codemirror.jar: closetag.js</a>			
<a href="#">remotegui.zip: codemirror.jar: cmake.js</a>			
<a href="#">remotegui.zip: codemirror.jar: cobol.js</a>			
<a href="#">remotegui.zip: codemirror.jar: codemirror-standalone.js</a>			
<a href="#">remotegui.zip: codemirror.jar: codemirror.js</a>			
<a href="#">remotegui.zip: codemirror.jar: codemirror.js</a>			
<a href="#">remotegui.zip: codemirror.jar: codemirror.node.js</a>			
<a href="#">remotegui.zip: codemirror.jar: coffeescript-lint.js</a>			
<a href="#">remotegui.zip: codemirror.jar: coffeescript.js</a>			
<a href="#">remotegui.zip: codemirror.jar: colorize.js</a>			
<a href="#">remotegui.zip: codemirror.jar: commands.js</a>			
<a href="#">remotegui.zip: codemirror.jar: comment-fold.js</a>			
<a href="#">remotegui.zip: codemirror.jar: comment.js</a>			
<a href="#">remotegui.zip: codemirror.jar: commonlisp.js</a>			
<a href="#">remotegui.zip: codemirror.jar: continuecomment.js</a>			
<a href="#">remotegui.zip: codemirror.jar: continuelist.js</a>			
<a href="#">remotegui.zip: codemirror.jar: crystal.js</a>			
<a href="#">remotegui.zip: codemirror.jar: css-hint.js</a>			
<a href="#">remotegui.zip: codemirror.jar: css-lint.js</a>			
<a href="#">remotegui.zip: codemirror.jar: css.js</a>			

[remotegui.zip: codemirror.jar: cypher.js](#)

[remotegui.zip: codemirror.jar: d.js](#)

[remotegui.zip: codemirror.jar: dart.js](#)

[remotegui.zip: codemirror.jar: deleteNearSelection.js](#)

[remotegui.zip: codemirror.jar: dialog.js](#)

[remotegui.zip: codemirror.jar: diff.js](#)

[remotegui.zip: codemirror.jar: django.js](#)

[remotegui.zip: codemirror.jar: dockerfile.js](#)

[remotegui.zip: codemirror.jar: document\\_data.js](#)

[remotegui.zip: codemirror.jar: dom.js](#)

[remotegui.zip: codemirror.jar: drop\\_events.js](#)

[remotegui.zip: codemirror.jar: dtd.js](#)

[remotegui.zip: codemirror.jar: dylan.js](#)

[remotegui.zip: codemirror.jar: ebnf.js](#)

[remotegui.zip: codemirror.jar: ecl.js](#)

[remotegui.zip: codemirror.jar: eiffel.js](#)

[remotegui.zip: codemirror.jar: elm.js](#)

[remotegui.zip: codemirror.jar: emacs.js](#)

[remotegui.zip: codemirror.jar: erlang.js](#)

[remotegui.zip: codemirror.jar: event.js](#)

[remotegui.zip: codemirror.jar: factor.js](#)

[remotegui.zip: codemirror.jar: fcl.js](#)

[remotegui.zip: codemirror.jar: feature\\_detection.js](#)

[remotegui.zip: codemirror.jar: focus.js](#)

[remotegui.zip: codemirror.jar: foldcode.js](#)

[remotegui.zip: codemirror.jar: foldgutter.js](#)

[remotegui.zip: codemirror.jar: forth.js](#)

[remotegui.zip: codemirror.jar: fortran.js](#)

[remotegui.zip: codemirror.jar: fromTextArea.js](#)

[remotegui.zip: codemirror.jar: fullscreen.js](#)

[remotegui.zip: codemirror.jar: gas.js](#)

[remotegui.zip: codemirror.jar: gfm.js](#)

[remotegui.zip: codemirror.jar: gherkin.js](#)

[remotegui.zip: codemirror.jar: global\\_events.js](#)

[remotegui.zip: codemirror.jar: go.js](#)

<a href="#">remotegui.zip: codemirror.jar: groovy.js</a>			
<a href="#">remotegui.zip: codemirror.jar: gutters.js</a>			
<a href="#">remotegui.zip: codemirror.jar: haml.js</a>			
<a href="#">remotegui.zip: codemirror.jar: handlebars.js</a>			
<a href="#">remotegui.zip: codemirror.jar: hardwrap.js</a>			
<a href="#">remotegui.zip: codemirror.jar: haskell-literate.js</a>			
<a href="#">remotegui.zip: codemirror.jar: haskell.js</a>			
<a href="#">remotegui.zip: codemirror.jar: haxe.js</a>			
<a href="#">remotegui.zip: codemirror.jar: highlight.js</a>			
<a href="#">remotegui.zip: codemirror.jar: highlight_worker.js</a>			
<a href="#">remotegui.zip: codemirror.jar: history.js</a>			
<a href="#">remotegui.zip: codemirror.jar: html-hint.js</a>			
<a href="#">remotegui.zip: codemirror.jar: html-lint.js</a>			
<a href="#">remotegui.zip: codemirror.jar: htmlembdedded.js</a>			
<a href="#">remotegui.zip: codemirror.jar: htmlmixed.js</a>			
<a href="#">remotegui.zip: codemirror.jar: http.js</a>			
<a href="#">remotegui.zip: codemirror.jar: idl.js</a>			
<a href="#">remotegui.zip: codemirror.jar: indent-fold.js</a>			
<a href="#">remotegui.zip: codemirror.jar: indent.js</a>			
<a href="#">remotegui.zip: codemirror.jar: input.js</a>			
<a href="#">remotegui.zip: codemirror.jar: javascript-hint.js</a>			
<a href="#">remotegui.zip: codemirror.jar: javascript-lint.js</a>			
<a href="#">remotegui.zip: codemirror.jar: javascript.js</a>			
<a href="#">remotegui.zip: codemirror.jar: jinja2.js</a>			
<a href="#">remotegui.zip: codemirror.jar: json-lint.js</a>			
<a href="#">remotegui.zip: codemirror.jar: jsx.js</a>			
<a href="#">remotegui.zip: codemirror.jar: julia.js</a>			
<a href="#">remotegui.zip: codemirror.jar: jump-to-line.js</a>			
<a href="#">remotegui.zip: codemirror.jar: key_events.js</a>			
<a href="#">remotegui.zip: codemirror.jar: keymap.js</a>			
<a href="#">remotegui.zip: codemirror.jar: keynames.js</a>			
<a href="#">remotegui.zip: codemirror.jar: legacy.js</a>			
<a href="#">remotegui.zip: codemirror.jar: line_data.js</a>			
<a href="#">remotegui.zip: codemirror.jar: line_numbers.js</a>			
<a href="#">remotegui.zip: codemirror.jar: line_widget.js</a>			

[remotegui.zip: codemirror.jar: lint.js](#)

[remotegui.zip: codemirror.jar: livescript.js](#)

[remotegui.zip: codemirror.jar: loadmode.js](#)

[remotegui.zip: codemirror.jar: lua.js](#)

[remotegui.zip: codemirror.jar: main.js](#)

[remotegui.zip: codemirror.jar: mark-selection.js](#)

[remotegui.zip: codemirror.jar: mark\\_text.js](#)

[remotegui.zip: codemirror.jar: markdown-fold.js](#)

[remotegui.zip: codemirror.jar: markdown.js](#)

[remotegui.zip: codemirror.jar: match-highlighter.js](#)

[remotegui.zip: codemirror.jar: matchbrackets.js](#)

[remotegui.zip: codemirror.jar: matchesonscrollbar.js](#)

[remotegui.zip: codemirror.jar: matchtags.js](#)

[remotegui.zip: codemirror.jar: mathematica.js](#)

[remotegui.zip: codemirror.jar: mbox.js](#)

[remotegui.zip: codemirror.jar: merge.js](#)

[remotegui.zip: codemirror.jar: meta.js](#)

[remotegui.zip: codemirror.jar: methods.js](#)

[remotegui.zip: codemirror.jar: mirc.js](#)

[remotegui.zip: codemirror.jar: misc.js](#)

[remotegui.zip: codemirror.jar: mllike.js](#)

[remotegui.zip: codemirror.jar: mode\\_state.js](#)

[remotegui.zip: codemirror.jar: modelica.js](#)

[remotegui.zip: codemirror.jar: modes.js](#)

[remotegui.zip: codemirror.jar: mouse\\_events.js](#)

[remotegui.zip: codemirror.jar: movement.js](#)

[remotegui.zip: codemirror.jar: mscgen.js](#)

[remotegui.zip: codemirror.jar: multiplex.js](#)

[remotegui.zip: codemirror.jar: multiplex\\_test.js](#)

[remotegui.zip: codemirror.jar: mumps.js](#)

[remotegui.zip: codemirror.jar: nginx.js](#)

[remotegui.zip: codemirror.jar: nsis.js](#)

[remotegui.zip: codemirror.jar: ntriples.js](#)

[remotegui.zip: codemirror.jar: octave.js](#)

[remotegui.zip: codemirror.jar: operation\\_group.js](#)

<a href="#">remotegui.zip: codemirror.jar: operations.js</a>			
<a href="#">remotegui.zip: codemirror.jar: options.js</a>			
<a href="#">remotegui.zip: codemirror.jar: overlay.js</a>			
<a href="#">remotegui.zip: codemirror.jar: oz.js</a>			
<a href="#">remotegui.zip: codemirror.jar: package.json</a>			
<a href="#">remotegui.zip: codemirror.jar: panel.js</a>			
<a href="#">remotegui.zip: codemirror.jar: pascal.js</a>			
<a href="#">remotegui.zip: codemirror.jar: pegjs.js</a>			
<a href="#">remotegui.zip: codemirror.jar: perl.js</a>			
<a href="#">remotegui.zip: codemirror.jar: php.js</a>			
<a href="#">remotegui.zip: codemirror.jar: pig.js</a>			
<a href="#">remotegui.zip: codemirror.jar: placeholder.js</a>			
<a href="#">remotegui.zip: codemirror.jar: pos.js</a>			
<a href="#">remotegui.zip: codemirror.jar: position_measurement.js</a>			
<a href="#">remotegui.zip: codemirror.jar: powershell.js</a>			
<a href="#">remotegui.zip: codemirror.jar: properties.js</a>			
<a href="#">remotegui.zip: codemirror.jar: protobuf.js</a>			
<a href="#">remotegui.zip: codemirror.jar: pug.js</a>			
<a href="#">remotegui.zip: codemirror.jar: puppet.js</a>			
<a href="#">remotegui.zip: codemirror.jar: python.js</a>			
<a href="#">remotegui.zip: codemirror.jar: q.js</a>			
<a href="#">remotegui.zip: codemirror.jar: r.js</a>			
<a href="#">remotegui.zip: codemirror.jar: rollup.config.js</a>			
<a href="#">remotegui.zip: codemirror.jar: rpm.js</a>			
<a href="#">remotegui.zip: codemirror.jar: rst.js</a>			
<a href="#">remotegui.zip: codemirror.jar: ruby.js</a>			
<a href="#">remotegui.zip: codemirror.jar: rulers.js</a>			
<a href="#">remotegui.zip: codemirror.jar: runmode-standalone.js</a>			
<a href="#">remotegui.zip: codemirror.jar: runmode-standalone.js</a>			
<a href="#">remotegui.zip: codemirror.jar: runmode.js</a>			
<a href="#">remotegui.zip: codemirror.jar: runmode.node.js</a>			
<a href="#">remotegui.zip: codemirror.jar: runmode.node.js</a>			
<a href="#">remotegui.zip: codemirror.jar: rust.js</a>			
<a href="#">remotegui.zip: codemirror.jar: sas.js</a>			
<a href="#">remotegui.zip: codemirror.jar: sass.js</a>			

[remotegui.zip: codemirror.jar: saw\\_special\\_spans.js](#)

[remotegui.zip: codemirror.jar: scheme.js](#)

[remotegui.zip: codemirror.jar: scroll\\_events.js](#)

[remotegui.zip: codemirror.jar: scrollbars.js](#)

[remotegui.zip: codemirror.jar: scrolling.js](#)

[remotegui.zip: codemirror.jar: scrollpastend.js](#)

[remotegui.zip: codemirror.jar: search.js](#)

[remotegui.zip: codemirror.jar: searchcursor.js](#)

[remotegui.zip: codemirror.jar: selection-pointer.js](#)

[remotegui.zip: codemirror.jar: selection.js](#)

[remotegui.zip: codemirror.jar: selection.js](#)

[remotegui.zip: codemirror.jar: selection\\_updates.js](#)

[remotegui.zip: codemirror.jar: shell.js](#)

[remotegui.zip: codemirror.jar: show-hint.js](#)

[remotegui.zip: codemirror.jar: sieve.js](#)

[remotegui.zip: codemirror.jar: simple.js](#)

[remotegui.zip: codemirror.jar: simplescrollbars.js](#)

[remotegui.zip: codemirror.jar: slim.js](#)

[remotegui.zip: codemirror.jar: smalltalk.js](#)

[remotegui.zip: codemirror.jar: smarty.js](#)

[remotegui.zip: codemirror.jar: solr.js](#)

[remotegui.zip: codemirror.jar: soy.js](#)

[remotegui.zip: codemirror.jar: spans.js](#)

[remotegui.zip: codemirror.jar: sparql.js](#)

[remotegui.zip: codemirror.jar: spreadsheet.js](#)

[remotegui.zip: codemirror.jar: sql-hint.js](#)

[remotegui.zip: codemirror.jar: sql.js](#)

[remotegui.zip: codemirror.jar: stex.js](#)

[remotegui.zip: codemirror.jar: stylus.js](#)

[remotegui.zip: codemirror.jar: sublime.js](#)

[remotegui.zip: codemirror.jar: swift.js](#)

[remotegui.zip: codemirror.jar: tcl.js](#)

[remotegui.zip: codemirror.jar: tern.js](#)

[remotegui.zip: codemirror.jar: textile.js](#)

[remotegui.zip: codemirror.jar: tiddlywiki.js](#)

<a href="#">remotegui.zip: codemirror.jar: tiki.js</a>			
<a href="#">remotegui.zip: codemirror.jar: toml.js</a>			
<a href="#">remotegui.zip: codemirror.jar: tornado.js</a>			
<a href="#">remotegui.zip: codemirror.jar: trailingspace.js</a>			
<a href="#">remotegui.zip: codemirror.jar: troff.js</a>			
<a href="#">remotegui.zip: codemirror.jar: ttcn-cfg.js</a>			
<a href="#">remotegui.zip: codemirror.jar: ttcn.js</a>			
<a href="#">remotegui.zip: codemirror.jar: turtle.js</a>			
<a href="#">remotegui.zip: codemirror.jar: twig.js</a>			
<a href="#">remotegui.zip: codemirror.jar: update_display.js</a>			
<a href="#">remotegui.zip: codemirror.jar: update_line.js</a>			
<a href="#">remotegui.zip: codemirror.jar: update_lines.js</a>			
<a href="#">remotegui.zip: codemirror.jar: utils.js</a>			
<a href="#">remotegui.zip: codemirror.jar: utils_line.js</a>			
<a href="#">remotegui.zip: codemirror.jar: vb.js</a>			
<a href="#">remotegui.zip: codemirror.jar: vbscript.js</a>			
<a href="#">remotegui.zip: codemirror.jar: velocity.js</a>			
<a href="#">remotegui.zip: codemirror.jar: verilog.js</a>			
<a href="#">remotegui.zip: codemirror.jar: vhdl.js</a>			
<a href="#">remotegui.zip: codemirror.jar: view_tracking.js</a>			
<a href="#">remotegui.zip: codemirror.jar: vim.js</a>			
<a href="#">remotegui.zip: codemirror.jar: vue.js</a>			
<a href="#">remotegui.zip: codemirror.jar: wast.js</a>			
<a href="#">remotegui.zip: codemirror.jar: webidl.js</a>			
<a href="#">remotegui.zip: codemirror.jar: widgets.js</a>			
<a href="#">remotegui.zip: codemirror.jar: worker.js</a>			
<a href="#">remotegui.zip: codemirror.jar: xml-fold.js</a>			
<a href="#">remotegui.zip: codemirror.jar: xml-hint.js</a>			
<a href="#">remotegui.zip: codemirror.jar: xml.js</a>			
<a href="#">remotegui.zip: codemirror.jar: xquery.js</a>			
<a href="#">remotegui.zip: codemirror.jar: yacas.js</a>			
<a href="#">remotegui.zip: codemirror.jar: yaml-frontmatter.js</a>			
<a href="#">remotegui.zip: codemirror.jar: yaml-lint.js</a>			
<a href="#">remotegui.zip: codemirror.jar: yaml.js</a>			
<a href="#">remotegui.zip: codemirror.jar: z80.js</a>			



<a href="#">remotegui.zip: commons-fileupload.jar</a>	<a href="#">cpe:2.3:a:apache:commons_fileupload:1.5:*****</a>	<a href="#">pkg:maven/commons-fileupload/commons-fileupload@1.5</a>	
<a href="#">remotegui.zip: commons-io.jar</a>	<a href="#">cpe:2.3:a:apache:commons_io:2.16.1:*****</a>	<a href="#">pkg:maven/commons-io/commons-io@2.16.1</a>	
<a href="#">remotegui.zip: crypto-js.jar</a>		<a href="#">pkg:maven/org.webjars.bower/crypto-js@4.1.1</a>	
<a href="#">remotegui.zip: crypto-js.jar: aes.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: cipher-core.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: core.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: crypto-js.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: enc-base64.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: enc-base64url.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: enc-hex.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: enc-latin1.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: enc-utf16.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: enc-utf8.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: evpkdf.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: format-hex.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: format-openssl.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: hmac-md5.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: hmac-ripemd160.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: hmac-sha1.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: hmac-sha224.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: hmac-sha256.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: hmac-sha3.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: hmac-sha384.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: hmac-sha512.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: hmac.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: index.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: lib-typedarrays.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: md5.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: mode-cfb.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: mode-ctr-gladman.js</a>			

<a href="#">remotegui.zip: crypto-js.jar: mode-ctr.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: mode-ecb.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: mode-ofb.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: package.json</a>			
<a href="#">remotegui.zip: crypto-js.jar: pad-ansix923.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: pad-iso10126.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: pad-iso97971.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: pad-nopadding.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: pad-pkcs7.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: pad-zeropadding.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: pbkdf2.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: rabbit-legacy.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: rabbit.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: rc4.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: ripemd160.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: sha1.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: sha224.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: sha256.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: sha3.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: sha384.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: sha512.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: tripledes.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: x64-core.js</a>			
<a href="#">remotegui.zip: echo2-app.jar</a>	<a href="#">cpe:2.3:a:nextapp:echo2:*****:*</a>		
<a href="#">remotegui.zip: echo2-webcontainer.jar: BrowserCommand.js</a>			
<a href="#">remotegui.zip: echo2-webcontainer.jar: Button.js</a>			
<a href="#">remotegui.zip: echo2-webcontainer.jar: ContentPane.js</a>			
<a href="#">remotegui.zip: echo2-webcontainer.jar: ListComponent.js</a>			
<a href="#">remotegui.zip: echo2-webcontainer.jar: SplitPane.js</a>			
<a href="#">remotegui.zip: echo2-webcontainer.jar: Table.js</a>			
<a href="#">remotegui.zip: echo2-webcontainer.jar: TextComponent.js</a>			
<a href="#">remotegui.zip: echo2-webcontainer.jar: WebContainer.js</a>			
<a href="#">remotegui.zip: echo2-webcontainer.jar: WindowPane.js</a>			

<a href="#">remotegui.zip: echo2-webrender.jar: ClientEngine.js</a>			
<a href="#">remotegui.zip: echo2extras-app.jar</a>	<a href="#">cpe:2.3:a:nextapp:echo:2:*:*:*:*:*</a>		
<a href="#">remotegui.zip: echo2extras-webcontainer.jar: AccordionPane.js</a>			
<a href="#">remotegui.zip: echo2extras-webcontainer.jar: CalendarSelect.js</a>			
<a href="#">remotegui.zip: echo2extras-webcontainer.jar: ColorSelect.js</a>			
<a href="#">remotegui.zip: echo2extras-webcontainer.jar: DND.js</a>			
<a href="#">remotegui.zip: echo2extras-webcontainer.jar: ExtrasUtil.js</a>			
<a href="#">remotegui.zip: echo2extras-webcontainer.jar: Menu.js</a>			
<a href="#">remotegui.zip: echo2extras-webcontainer.jar: TabPane.js</a>			
<a href="#">remotegui.zip: echo2extras-webcontainer.jar: TransitionPane.js</a>			
<a href="#">remotegui.zip: echopointng.jar</a>			
<a href="#">remotegui.zip: echopointng.jar: blankcanvas.js</a>			
<a href="#">remotegui.zip: echopointng.jar: button.js</a>			
<a href="#">remotegui.zip: echopointng.jar: calculator.js</a>			
<a href="#">remotegui.zip: echopointng.jar: colorchooser.js</a>			
<a href="#">remotegui.zip: echopointng.jar: combobox.js</a>			
<a href="#">remotegui.zip: echopointng.jar: command.js</a>			
<a href="#">remotegui.zip: echopointng.jar: containerex.js</a>			
<a href="#">remotegui.zip: echopointng.jar: csscommand.js</a>			
<a href="#">remotegui.zip: echopointng.jar: datechooser.js</a>			
<a href="#">remotegui.zip: echopointng.jar: directhtml.js</a>			
<a href="#">remotegui.zip: echopointng.jar: ep.js</a>			
<a href="#">remotegui.zip: echopointng.jar: epdrag.js</a>			
<a href="#">remotegui.zip: echopointng.jar: epfx.js</a>			
<a href="#">remotegui.zip: echopointng.jar: epstretch.js</a>			
<a href="#">remotegui.zip: echopointng.jar: expandablesection.js</a>			
<a href="#">remotegui.zip: echopointng.jar: flyoutpane.js</a>			
<a href="#">remotegui.zip: echopointng.jar: historymonitor.js</a>			
<a href="#">remotegui.zip: echopointng.jar: keystroke.js</a>			
<a href="#">remotegui.zip: echopointng.jar: labelex.js</a>			
<a href="#">remotegui.zip: echopointng.jar: lightbox.js</a>			

<a href="#">remotegui.zip: echopointng.jar: livetable.js</a>			
<a href="#">remotegui.zip: echopointng.jar: lookupcache.js</a>			
<a href="#">remotegui.zip: echopointng.jar: menu.js</a>			
<a href="#">remotegui.zip: echopointng.jar: nativewindow.js</a>			
<a href="#">remotegui.zip: echopointng.jar: popup.js</a>			
<a href="#">remotegui.zip: echopointng.jar: rta.js</a>			
<a href="#">remotegui.zip: echopointng.jar: slider.js</a>			
<a href="#">remotegui.zip: echopointng.jar: stackedpaneex.js</a>			
<a href="#">remotegui.zip: echopointng.jar: tableex.js</a>			
<a href="#">remotegui.zip: echopointng.jar: templatepanel.js</a>			
<a href="#">remotegui.zip: echopointng.jar: textfieldex.js</a>			
<a href="#">remotegui.zip: echopointng.jar: titlebar.js</a>			
<a href="#">remotegui.zip: echopointng.jar: tree.js</a>			
<a href="#">remotegui.zip: jquery-ui.jar</a>		<a href="#">pkg:maven/org.webjars/jquery-ui@1.13.3</a>	
<a href="#">remotegui.zip: jquery-ui.jar: jquery-ui.js</a>			
<a href="#">remotegui.zip: jquery-ui.jar: jquery-ui.min.js</a>			
<a href="#">remotegui.zip: jquery-ui.jar: package.json</a>			
<a href="#">remotegui.zip: jquery-ui.jar: webjars-requirejs.js</a>			
<a href="#">remotegui.zip: jquery.jar</a>		<a href="#">pkg:javascript/jquery@2.2.4</a> <a href="#">pkg:maven/org.webjars/jquery@2.2.4</a>	
<a href="#">remotegui.zip: jquery.jar: webjars-requirejs.js</a>			
<a href="#">remotegui.zip: moment-timezone.jar</a>		<a href="#">pkg:maven/org.webjars.npm/moment-timezone@0.5.45</a>	
<a href="#">remotegui.zip: moment-timezone.jar: index.js</a>			
<a href="#">remotegui.zip: moment-timezone.jar: moment-timezone-utils.js</a>			
<a href="#">remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.js</a>			
<a href="#">remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.min.js</a>			
<a href="#">remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.js</a>			
<a href="#">remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.min.js</a>			
<a href="#">remotegui.zip: moment-timezone.jar: moment-</a>			

<a href="#">timezone-with-data-2012-2022.js</a>			
<a href="#">remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.min.js</a>			
<a href="#">remotegui.zip: moment-timezone.jar: moment-timezone-with-data.js</a>			
<a href="#">remotegui.zip: moment-timezone.jar: moment-timezone-with-data.min.js</a>			
<a href="#">remotegui.zip: moment-timezone.jar: moment-timezone.js</a>			
<a href="#">remotegui.zip: moment-timezone.jar: moment-timezone.min.js</a>			
<a href="#">remotegui.zip: moment-timezone.jar: package.json</a>			
<a href="#">remotegui.zip: momentjs.jar</a>		<a href="#">pkg:maven/org.webjars/momentjs@2.29.4</a>	
<a href="#">remotegui.zip: momentjs.jar: af.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ar-dz.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ar-kw.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ar-ly.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ar-ma.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ar-sa.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ar-tn.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ar.js</a>			
<a href="#">remotegui.zip: momentjs.jar: az.js</a>			
<a href="#">remotegui.zip: momentjs.jar: be.js</a>			
<a href="#">remotegui.zip: momentjs.jar: bg.js</a>			
<a href="#">remotegui.zip: momentjs.jar: bm.js</a>			
<a href="#">remotegui.zip: momentjs.jar: bn-bd.js</a>			
<a href="#">remotegui.zip: momentjs.jar: bn.js</a>			
<a href="#">remotegui.zip: momentjs.jar: bo.js</a>			
<a href="#">remotegui.zip: momentjs.jar: br.js</a>			
<a href="#">remotegui.zip: momentjs.jar: bs.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ca.js</a>			
<a href="#">remotegui.zip: momentjs.jar: cs.js</a>			
<a href="#">remotegui.zip: momentjs.jar: cv.js</a>			
<a href="#">remotegui.zip: momentjs.jar: cy.js</a>			
<a href="#">remotegui.zip: momentjs.jar: da.js</a>			
<a href="#">remotegui.zip: momentjs.jar: de-at.js</a>			

[remotegui.zip: momentjs.jar: de-ch.js](#)

[remotegui.zip: momentjs.jar: de.js](#)

[remotegui.zip: momentjs.jar: dv.js](#)

[remotegui.zip: momentjs.jar: el.js](#)

[remotegui.zip: momentjs.jar: en-au.js](#)

[remotegui.zip: momentjs.jar: en-ca.js](#)

[remotegui.zip: momentjs.jar: en-gb.js](#)

[remotegui.zip: momentjs.jar: en-ie.js](#)

[remotegui.zip: momentjs.jar: en-il.js](#)

[remotegui.zip: momentjs.jar: en-in.js](#)

[remotegui.zip: momentjs.jar: en-nz.js](#)

[remotegui.zip: momentjs.jar: en-sg.js](#)

[remotegui.zip: momentjs.jar: eo.js](#)

[remotegui.zip: momentjs.jar: es-do.js](#)

[remotegui.zip: momentjs.jar: es-mx.js](#)

[remotegui.zip: momentjs.jar: es-us.js](#)

[remotegui.zip: momentjs.jar: es.js](#)

[remotegui.zip: momentjs.jar: et.js](#)

[remotegui.zip: momentjs.jar: eu.js](#)

[remotegui.zip: momentjs.jar: fa.js](#)

[remotegui.zip: momentjs.jar: fi.js](#)

[remotegui.zip: momentjs.jar: fil.js](#)

[remotegui.zip: momentjs.jar: fo.js](#)

[remotegui.zip: momentjs.jar: fr-ca.js](#)

[remotegui.zip: momentjs.jar: fr-ch.js](#)

[remotegui.zip: momentjs.jar: fr.js](#)

[remotegui.zip: momentjs.jar: fy.js](#)

[remotegui.zip: momentjs.jar: ga.js](#)

[remotegui.zip: momentjs.jar: gd.js](#)

[remotegui.zip: momentjs.jar: gl.js](#)

[remotegui.zip: momentjs.jar: gom-deva.js](#)

[remotegui.zip: momentjs.jar: gom-latn.js](#)

[remotegui.zip: momentjs.jar: gu.js](#)

[remotegui.zip: momentjs.jar: he.js](#)

[remotegui.zip: momentjs.jar: hi.js](#)

<a href="#">remotegui.zip: momentjs.jar: hr.js</a>			
<a href="#">remotegui.zip: momentjs.jar: hu.js</a>			
<a href="#">remotegui.zip: momentjs.jar: hy-am.js</a>			
<a href="#">remotegui.zip: momentjs.jar: id.js</a>			
<a href="#">remotegui.zip: momentjs.jar: is.js</a>			
<a href="#">remotegui.zip: momentjs.jar: it-ch.js</a>			
<a href="#">remotegui.zip: momentjs.jar: it.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ja.js</a>			
<a href="#">remotegui.zip: momentjs.jar: jv.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ka.js</a>			
<a href="#">remotegui.zip: momentjs.jar: kk.js</a>			
<a href="#">remotegui.zip: momentjs.jar: km.js</a>			
<a href="#">remotegui.zip: momentjs.jar: kn.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ko.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ku.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ky.js</a>			
<a href="#">remotegui.zip: momentjs.jar: lb.js</a>			
<a href="#">remotegui.zip: momentjs.jar: lo.js</a>			
<a href="#">remotegui.zip: momentjs.jar: locales.js</a>			
<a href="#">remotegui.zip: momentjs.jar: locales.min.js</a>			
<a href="#">remotegui.zip: momentjs.jar: lt.js</a>			
<a href="#">remotegui.zip: momentjs.jar: lv.js</a>			
<a href="#">remotegui.zip: momentjs.jar: me.js</a>			
<a href="#">remotegui.zip: momentjs.jar: mi.js</a>			
<a href="#">remotegui.zip: momentjs.jar: mk.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ml.js</a>			
<a href="#">remotegui.zip: momentjs.jar: mn.js</a>			
<a href="#">remotegui.zip: momentjs.jar: moment-with-locales.js</a>			
<a href="#">remotegui.zip: momentjs.jar: moment-with-locales.min.js</a>			
<a href="#">remotegui.zip: momentjs.jar: moment.js</a>			
<a href="#">remotegui.zip: momentjs.jar: moment.min.js</a>			
<a href="#">remotegui.zip: momentjs.jar: mr.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ms-my.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ms.js</a>			
<a href="#">remotegui.zip: momentjs.jar: mt.js</a>			

[remotegui.zip: momentjs.jar: my.js](#)

[remotegui.zip: momentjs.jar: nb.js](#)

[remotegui.zip: momentjs.jar: ne.js](#)

[remotegui.zip: momentjs.jar: nl-be.js](#)

[remotegui.zip: momentjs.jar: nl.js](#)

[remotegui.zip: momentjs.jar: nn.js](#)

[remotegui.zip: momentjs.jar: oc-lnc.js](#)

[remotegui.zip: momentjs.jar: pa-in.js](#)

[remotegui.zip: momentjs.jar: package.js](#)

[remotegui.zip: momentjs.jar: package.json](#)

[remotegui.zip: momentjs.jar: pl.js](#)

[remotegui.zip: momentjs.jar: pt-br.js](#)

[remotegui.zip: momentjs.jar: pt.js](#)

[remotegui.zip: momentjs.jar: ro.js](#)

[remotegui.zip: momentjs.jar: ru.js](#)

[remotegui.zip: momentjs.jar: sd.js](#)

[remotegui.zip: momentjs.jar: se.js](#)

[remotegui.zip: momentjs.jar: si.js](#)

[remotegui.zip: momentjs.jar: sk.js](#)

[remotegui.zip: momentjs.jar: sl.js](#)

[remotegui.zip: momentjs.jar: sq.js](#)

[remotegui.zip: momentjs.jar: sr-cyrl.js](#)

[remotegui.zip: momentjs.jar: sr.js](#)

[remotegui.zip: momentjs.jar: ss.js](#)

[remotegui.zip: momentjs.jar: sv.js](#)

[remotegui.zip: momentjs.jar: sw.js](#)

[remotegui.zip: momentjs.jar: ta.js](#)

[remotegui.zip: momentjs.jar: te.js](#)

[remotegui.zip: momentjs.jar: tests.js](#)

[remotegui.zip: momentjs.jar: tet.js](#)

[remotegui.zip: momentjs.jar: tg.js](#)

[remotegui.zip: momentjs.jar: th.js](#)

[remotegui.zip: momentjs.jar: tk.js](#)

[remotegui.zip: momentjs.jar: tl-ph.js](#)

[remotegui.zip: momentjs.jar: tlh.js](#)



<a href="#">remotegui.zip: momentjs.jar: tr.js</a>			
<a href="#">remotegui.zip: momentjs.jar: tzl.js</a>			
<a href="#">remotegui.zip: momentjs.jar: tzm-latn.js</a>			
<a href="#">remotegui.zip: momentjs.jar: tzm.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ug-cn.js</a>			
<a href="#">remotegui.zip: momentjs.jar: uk.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ur.js</a>			
<a href="#">remotegui.zip: momentjs.jar: uz-latn.js</a>			
<a href="#">remotegui.zip: momentjs.jar: uz.js</a>			
<a href="#">remotegui.zip: momentjs.jar: vi.js</a>			
<a href="#">remotegui.zip: momentjs.jar: webjars-requirejs.js</a>			
<a href="#">remotegui.zip: momentjs.jar: x-pseudo.js</a>			
<a href="#">remotegui.zip: momentjs.jar: yo.js</a>			
<a href="#">remotegui.zip: momentjs.jar: zh-cn.js</a>			
<a href="#">remotegui.zip: momentjs.jar: zh-hk.js</a>			
<a href="#">remotegui.zip: momentjs.jar: zh-mo.js</a>			
<a href="#">remotegui.zip: momentjs.jar: zh-tw.js</a>			
<a href="#">remotegui.zip: remotegui.jar</a>			
<a href="#">remotegui.zip: remotegui.jar: DbClickButton.js</a>			
<a href="#">remotegui.zip: remotegui.jar: DbClickDragSource.js</a>			
<a href="#">remotegui.zip: remotegui.jar: DbClickTable.js</a>			
<a href="#">remotegui.zip: remotegui.jar: HeightDetermineButton.js</a>			
<a href="#">remotegui.zip: remotegui.jar: InetContentPane.js</a>			
<a href="#">remotegui.zip: remotegui.jar: MouseOverTarget.js</a>			
<a href="#">remotegui.zip: remotegui.jar: PreventSelectionSplitPane.js</a>			
<a href="#">remotegui.zip: remotegui.jar: ScrollEventWindow.js</a>			
<a href="#">remotegui.zip: remotegui.jar: SortDbClickTable.js</a>			
<a href="#">remotegui.zip: remotegui.jar: angular-websocket.js</a>			
<a href="#">remotegui.zip: remotegui.jar: app.js</a>			
<a href="#">remotegui.zip: remotegui.jar: app.js</a>			
<a href="#">remotegui.zip: remotegui.jar: app.js</a>			
<a href="#">remotegui.zip: remotegui.jar: app.js</a>			
<a href="#">remotegui.zip: remotegui.jar: appbadge.service.js</a>			
<a href="#">remotegui.zip: remotegui.jar: authInterceptor.service.js</a>			
<a href="#">remotegui.zip: remotegui.jar: avatarcard.directive.js</a>			

<a href="#">remotegui.zip: remotegui.jar: avatardetails.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: avatarimage.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: avatarimagedetails.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: basic.js</a>			
<a href="#">remotegui.zip: remotegui.jar: bootstrap-colorpicker.js</a>			
<a href="#">remotegui.zip: remotegui.jar: bootstrap-datetimepicker.js</a>			
<a href="#">remotegui.zip: remotegui.jar: browsercheck.js</a>			
<a href="#">remotegui.zip: remotegui.jar: changeavatar.js</a>			
<a href="#">remotegui.zip: remotegui.jar: changeavatarcontroller.controller.js</a>			
<a href="#">remotegui.zip: remotegui.jar: changeavatar.service.js</a>			
<a href="#">remotegui.zip: remotegui.jar: clearreports.controller.js</a>			
<a href="#">remotegui.zip: remotegui.jar: collapse.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: colorPicker.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: connectionstate.js</a>			
<a href="#">remotegui.zip: remotegui.jar: controller.js</a>			
<a href="#">remotegui.zip: remotegui.jar: controller.js</a>			
<a href="#">remotegui.zip: remotegui.jar: controller.js</a>			
<a href="#">remotegui.zip: remotegui.jar: controllerAbout.js</a>			
<a href="#">remotegui.zip: remotegui.jar: controllerShortcuts.controller.js</a>			
<a href="#">remotegui.zip: remotegui.jar: controllerUserTheme.controller.js</a>			
<a href="#">remotegui.zip: remotegui.jar: controllers.js</a>			
<a href="#">remotegui.zip: remotegui.jar: controllers.js</a>			
<a href="#">remotegui.zip: remotegui.jar: controllers.js</a>			
<a href="#">remotegui.zip: remotegui.jar: controllers.js</a>			
<a href="#">remotegui.zip: remotegui.jar: controllers.js</a>			
<a href="#">remotegui.zip: remotegui.jar: controllers.js</a>			
<a href="#">remotegui.zip: remotegui.jar: controllers.js</a>			
<a href="#">remotegui.zip: remotegui.jar: controllers.js</a>			
<a href="#">remotegui.zip: remotegui.jar: currencyNumber.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: currencyValidator.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar:</a>			

[customEmojiUploadConfigItemRenderer.directive.js](#)

[remotegui.zip: remotegui.jar: customEmojiUploadConfigRenderer.directive.js](#)

[remotegui.zip: remotegui.jar: customemojiupload.js](#)

[remotegui.zip: remotegui.jar: dataservice.service.js](#)

[remotegui.zip: remotegui.jar: datepicker-de.js](#)

[remotegui.zip: remotegui.jar: debug.directive.js](#)

[remotegui.zip: remotegui.jar: dialogservice.service.js](#)

[remotegui.zip: remotegui.jar: directives.js](#)

[remotegui.zip: remotegui.jar: emojiModel.service.js](#)

[remotegui.zip: remotegui.jar: emojiselector.directive.js](#)

[remotegui.zip: remotegui.jar: errorservice.service.js](#)

[remotegui.zip: remotegui.jar: filechooser.service.js](#)

[remotegui.zip: remotegui.jar: fixNumber.directive.js](#)

[remotegui.zip: remotegui.jar: fixNumberValidator.directive.js](#)

[remotegui.zip: remotegui.jar: floatNumber.directive.js](#)

[remotegui.zip: remotegui.jar: floatNumberValidator.directive.js](#)

[remotegui.zip: remotegui.jar: globalactionservice.service.js](#)

[remotegui.zip: remotegui.jar: hdField.directive.js](#)

[remotegui.zip: remotegui.jar: hdMandatory.directive.js](#)

[remotegui.zip: remotegui.jar: hdNeedchange.directive.js](#)

[remotegui.zip: remotegui.jar: hdValidate.directive.js](#)

[remotegui.zip: remotegui.jar: hdattachment.js](#)

[remotegui.zip: remotegui.jar: hdfileupload.js](#)

[remotegui.zip: remotegui.jar: hsimp.min.js](#)

[remotegui.zip: remotegui.jar: hsimp.renderer.js](#)

[remotegui.zip: remotegui.jar: html5modeurls.js](#)

[remotegui.zip: remotegui.jar: htmleditor.directive.js](#)

[remotegui.zip: remotegui.jar: htmleditorFactory.service.js](#)

[remotegui.zip: remotegui.jar: htmleditorModel.service.js](#)

[remotegui.zip: remotegui.jar: icons.js](#)

[remotegui.zip: remotegui.jar: initUsernameField.directive.js](#)

[remotegui.zip: remotegui.jar: introduction.js](#)

<a href="#">remotegui.zip: remotegui.jar: jquery.fileupload.js</a>			
<a href="#">remotegui.zip: remotegui.jar: keyservice.service.js</a>			
<a href="#">remotegui.zip: remotegui.jar: locationservice.service.js</a>			
<a href="#">remotegui.zip: remotegui.jar: modalservice.service.js</a>			
<a href="#">remotegui.zip: remotegui.jar: moduledragdrop.js</a>			
<a href="#">remotegui.zip: remotegui.jar: navtabsoverflow.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: ng-tinymce.js</a>			
<a href="#">remotegui.zip: remotegui.jar: numberUtil.js</a>			
<a href="#">remotegui.zip: remotegui.jar: ocLazyLoad.min.js</a>			
<a href="#">remotegui.zip: remotegui.jar: pageablenavbaractiondropdown.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: paged.filter.js</a>			
<a href="#">remotegui.zip: remotegui.jar: pagination.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: piechart.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: popover.js</a>			
<a href="#">remotegui.zip: remotegui.jar: pwa-service-worker.js</a>			
<a href="#">remotegui.zip: remotegui.jar: pwa.js</a>			
<a href="#">remotegui.zip: remotegui.jar: qrcode.min.js</a>			
<a href="#">remotegui.zip: remotegui.jar: rangeSlider.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: resizableDivider.js</a>			
<a href="#">remotegui.zip: remotegui.jar: scrollabledropdownmenu.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: search-panel.js</a>			
<a href="#">remotegui.zip: remotegui.jar: selectInput.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: shadowLogger.factory.js</a>			
<a href="#">remotegui.zip: remotegui.jar: sidenavigation.js</a>			
<a href="#">remotegui.zip: remotegui.jar: takeoutDataController.controller.js</a>			
<a href="#">remotegui.zip: remotegui.jar: takeoutDataFactory.factory.js</a>			
<a href="#">remotegui.zip: remotegui.jar: takeoutDataModel.service.js</a>			
<a href="#">remotegui.zip: remotegui.jar: timeInput.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: timeInputContainer.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: timeInputUtil.js</a>			
<a href="#">remotegui.zip: remotegui.jar: timeMeridiemContainer.directive.js</a>			

<a href="#">remotegui.zip: remotegui.jar: translate.js</a>			
<a href="#">remotegui.zip: remotegui.jar: unitFixNumber.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: unitFloatNumber.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: userservice.js</a>			
<a href="#">remotegui.zip: remotegui.jar: usersorgroupsselection.js</a>			
<a href="#">remotegui.zip: remotegui.jar: websitedownload.renderer.js</a>			
<a href="#">remotegui.zip: remotegui.jar: websocketdataservice.js</a>			
<a href="#">remotegui.zip: remotegui.jar: websocketkeepaliveworker.js</a>			
<a href="#">remotegui.zip: remotegui.jar: windowdatastore.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: ar.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: bg_BG.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: ca.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: cs.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: cy.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: da.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: de.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: el.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: eo.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: es.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: es_ES.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: es_MX.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: eu.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: fa.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: fa_IR.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: fi.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: fr_FR.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: gl.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: he_IL.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: hr.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: hu_HU.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: id.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: it.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: it_IT.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: ja.js</a>			

<a href="#">remotegui.zip: tinymce-languages.jar: kk.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: ko_KR.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: lt.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: nb_NO.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: nl.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: pl.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: pt_BR.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: pt_PT.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: ro.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: ro_RO.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: ru.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: sk.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: sl.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: sl_SI.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: sv_SE.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: ta.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: ta_IN.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: th_TH.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: tr.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: tr_TR.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: uk.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: vi.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: zh_CN.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: zh_TW.js</a>			
<a href="#">remotegui.zip: tinymce.jar</a>	<a href="#">cpe:2.3:a:tinymce:tinymce:5.10.9:*:*:*:*:*</a>	<a href="#">pkg:maven/org.webjars.bower/tinymce@5.10.9</a>	
<a href="#">remotegui.zip: tinymce.jar: emojiimages.js</a>			
<a href="#">remotegui.zip: tinymce.jar: emojiimages.min.js</a>			
<a href="#">remotegui.zip: tinymce.jar: emojis.js</a>			
<a href="#">remotegui.zip: tinymce.jar: emojis.min.js</a>			
<a href="#">remotegui.zip: tinymce.jar: icons.js</a>			
<a href="#">remotegui.zip: tinymce.jar: icons.min.js</a>			
<a href="#">remotegui.zip: tinymce.jar: index.js</a>			
<a href="#">remotegui.zip: tinymce.jar: index.js</a>			

[remotegui.zip: tinymce.jar: index.js](#)

[remotegui.zip: tinymce.jar: index.js](#)

[remotegui.zip: tinymce.jar: index.js](#)

[remotegui.zip: tinymce.jar: index.js](#)

[remotegui.zip: tinymce.jar: index.js](#)

[remotegui.zip: tinymce.jar: index.js](#)

[remotegui.zip: tinymce.jar: index.js](#)

[remotegui.zip: tinymce.jar: index.js](#)

[remotegui.zip: tinymce.jar: index.js](#)

[remotegui.zip: tinymce.jar: index.js](#)

[remotegui.zip: tinymce.jar: index.js](#)[remotegui.zip: tinymce.jar: index.js](#)

[remotegui.zip](#): [tinymce.jar](#): [index.js](#)

[remotegui.zip](#): [tinymce.jar](#): [index.js](#)

[remotegui.zip](#): [tinymce.jar](#): [index.js](#)

remotegui.zip: tinymce.jar: index.js

remotegui.zip: tinymce.jar: index.js

[remotegui.zip](#): [tinymce.jar](#): [index.js](#)

[remotegui.zip](#): [tinymce.jar](#): [index.js](#)

[remotegui.zip](#): [tinymce.jar](#): [index.js](#)

[remotegui.zip: tinymce.jar: index.js](#)

[remotegui.zip](#): [tinymce.jar](#): [index.js](#)

[remotegui.zip: tinymce.jar: index.js](#)

remotegui.zip: tinymce.jar: index.js

remotegui.zip: tinymce.jar: index.js

remotegui.zip: tinymce.jar: index.js

remotegui.zip: tinymce.jar: index.js

[remotegui.zip: tinymce.jar: index.js](#)

remotegui.zip: tinymce.jar: index.js

remotegui.zip: tinymce.jar: index.js

remotegui.zip: tinymce.jar: index.js

remotequi.zip: tinymce.jar: index.js

remotequi.zip: tinymce.jar: index.js

remotequi.zip: tinymce.jar: index.js

remotegui.zip: tinymce.jar: index.js

[illegible]





<a href="#">remotegui.zip: tinymce.jar: plugin.min.js</a>			
<a href="#">remotegui.zip: tinymce.jar: plugin.min.js</a>			
<a href="#">remotegui.zip: tinymce.jar: plugin.min.js</a>			
<a href="#">remotegui.zip: tinymce.jar: plugin.min.js</a>			
<a href="#">remotegui.zip: tinymce.jar: plugin.min.js</a>			
<a href="#">remotegui.zip: tinymce.jar: plugin.min.js</a>			
<a href="#">remotegui.zip: tinymce.jar: plugin.min.js</a>			
<a href="#">remotegui.zip: tinymce.jar: plugin.min.js</a>			
<a href="#">remotegui.zip: tinymce.jar: plugin.min.js</a>			
<a href="#">remotegui.zip: tinymce.jar: plugin.min.js</a>			
<a href="#">remotegui.zip: tinymce.jar: plugin.min.js</a>			
<a href="#">remotegui.zip: tinymce.jar: plugin.min.js</a>			
<a href="#">remotegui.zip: tinymce.jar: plugin.min.js</a>			
<a href="#">remotegui.zip: tinymce.jar: plugin.min.js</a>			
<a href="#">remotegui.zip: tinymce.jar: plugin.min.js</a>			
<a href="#">remotegui.zip: tinymce.jar: plugin.min.js</a>			
<a href="#">remotegui.zip: tinymce.jar: plugin.min.js</a>			
<a href="#">remotegui.zip: tinymce.jar: plugin.min.js</a>			
<a href="#">remotegui.zip: tinymce.jar: plugin.min.js</a>			
<a href="#">remotegui.zip: tinymce.jar: plugin.min.js</a>			
<a href="#">remotegui.zip: tinymce.jar: plugin.min.js</a>			
<a href="#">remotegui.zip: tinymce.jar: plugin.min.js</a>			
<a href="#">remotegui.zip: tinymce.jar: plugin.min.js</a>			
<a href="#">remotegui.zip: tinymce.jar: plugin.min.js</a>			
<a href="#">remotegui.zip: tinymce.jar: plugin.min.js</a>			
<a href="#">remotegui.zip: tinymce.jar: plugin.min.js</a>			
<a href="#">remotegui.zip: tinymce.jar: plugin.min.js</a>			
<a href="#">remotegui.zip: tinymce.jar: plugin.min.js</a>			
<a href="#">remotegui.zip: tinymce.jar: plugin.min.js</a>			
<a href="#">remotegui.zip: tinymce.jar: theme.js</a>			
<a href="#">remotegui.zip: tinymce.jar: theme.js</a>		<a href="#"><u>pkg:javascript /DOMPurify@2.3.8</u></a>	
<a href="#">remotegui.zip: tinymce.jar: theme.min.js</a>			
<a href="#">remotegui.zip: tinymce.jar: theme.min.js</a>			
<a href="#">remotegui.zip: tinymce.jar: tinyMCE.js</a>		<a href="#"><u>pkg:javascript /tinyMCE@5.</u></a>	

<a href="#">remotegui.zip: tinymce.jar: tinymce.min.js</a>		<a href="#">pkg:javascript/tinymce@5.10.9</a>	
<a href="#">remotegui.zip: twemoji.jar</a>		<a href="#">pkg:maven/lib/twemoji-null@1.0</a>	
<a href="#">reporting.zip: jcommon.jar</a>		<a href="#">pkg:maven/org.jfree/jcommon@1.0.24</a>	
<a href="#">reporting.zip: jfreechartCC.jar</a>			
<a href="#">reporting.zip: reporting-javadoc.jar</a>			
<a href="#">reporting.zip: reporting-javadoc.jar: member-search-index.js</a>			
<a href="#">reporting.zip: reporting-javadoc.jar: package-search-index.js</a>			
<a href="#">reporting.zip: reporting-javadoc.jar: tag-search-index.js</a>			
<a href="#">reporting.zip: reporting-javadoc.jar: type-search-index.js</a>			
<a href="#">reporting.zip: reporting.jar</a>			
<a href="#">reporting.zip: reporting.jar: events.js</a>			
<a href="#">reporting.zip: reporting.jar: export.js</a>			
<a href="#">reporting.zip: reporting.jar: functions.js</a>			
<a href="#">reporting.zip: reporting.jar: generator.js</a>			
<a href="#">reporting.zip: reporting.jar: grouptree.js</a>			
<a href="#">reporting.zip: reporting.jar: htmlreportextension.js</a>			
<a href="#">reporting.zip: reporting.jar: jstorage.js</a>			
<a href="#">reporting.zip: reporting.jar: keylistener.js</a>			
<a href="#">reporting.zip: reporting.jar: menubar.js</a>			
<a href="#">reporting.zip: reporting.jar: page.js</a>			
<a href="#">reporting.zip: reporting.jar: pagecount.js</a>			
<a href="#">reporting.zip: reporting.jar: popup.js</a>			
<a href="#">reporting.zip: reporting.jar: print.js</a>			
<a href="#">reporting.zip: reporting.jar: prompts.js</a>			
<a href="#">reporting.zip: reporting.jar: prototype.array.js</a>			
<a href="#">reporting.zip: reporting.jar: prototype.element.js</a>			
<a href="#">reporting.zip: reporting.jar: prototype.string.js</a>			
<a href="#">reporting.zip: reporting.jar: renderreportextension.js</a>			
<a href="#">reporting.zip: reporting.jar: reorder.js</a>			

<a href="#">reporting.zip: reporting.jar: script.js</a>			
<a href="#">reporting.zip: reporting.jar: search.js</a>			
<a href="#">reporting.zip: reporting.jar: serverping.js</a>			
<a href="#">reporting.zip: reporting.jar: stacktrace.js</a>			
<a href="#">reporting.zip: reporting.jar: tabbar.js</a>			
<a href="#">security.zip: security.jar</a>			
<a href="#">setuplauncher.jar</a>			
<a href="#">slf4j-api-2.0.13.jar</a>		<a href="#">pkg:maven/org.slf4j/slf4j-api@2.0.13</a>	
<a href="#">taskplanner.helpdesk.zip: taskplanner.helpdesk.jar</a>	cpe:2.3:a:inetsoftware:helpdesk:24.10.221:*.***.***.*		
<a href="#">taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar</a>			
<a href="#">taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: member-search-index.js</a>			
<a href="#">taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: package-search-index.js</a>			
<a href="#">taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: type-search-index.js</a>			
<a href="#">taskplanner.reporting.zip: taskplanner.reporting.jar</a>			
<a href="#">taskplanner.reporting.zip: taskplanner.reporting.jar: crttaskplanner.js</a>			
<a href="#">taskplanner.zip: commons-cli.jar</a>		<a href="#">pkg:maven/commons-cli/commons-cli@1.8.0</a>	
<a href="#">taskplanner.zip: cron-utils.jar</a>	cpe:2.3:a:cron-utils_project:cron-utils:9.2.1:*.***.***.* cpe:2.3:a:utils_project:utils:9.2.1:*.***.***.*	<a href="#">pkg:maven/com.cronutils/cron-utils@9.2.1</a>	
<a href="#">taskplanner.zip: guava.jar</a>	cpe:2.3:a:google:guava:33.2.1:*.***.***.* *.*** .*	<a href="#">pkg:maven/com.google.guava/guava@33.2.1-jre</a>	
<a href="#">taskplanner.zip: taskplanner-javadoc.jar</a>			
<a href="#">taskplanner.zip: taskplanner-javadoc.jar: member-search-index.js</a>			
<a href="#">taskplanner.zip: taskplanner-javadoc.jar: package-search-index.js</a>			
<a href="#">taskplanner.zip: taskplanner-javadoc.jar: type-search-index.js</a>			

<a href="#">taskplanner.zip: taskplanner.jar</a>			
<a href="#">taskplanner.zip: taskplanner.jar: app.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: boolean.directive.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: colorField.directive.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: controller.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: factory.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: filechooserAddonButton.directive.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: model.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: numberRange.directive.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: numberWrapper.directive.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: passwordTextField.directive.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: renderer.directive.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: simpleCurrencyField.directive.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: simpleDateTimeField.directive.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: simpleFileFolderField.directive.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: simpleGroup.directive.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: simpleLabel.directive.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: simpleLink.directive.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: simpleSelect.directive.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: simpleTextField.directive.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: stringTable.directive.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: taskplanner_maintenance.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: textAreaField.directive.js</a>			
<a href="#">theme.zip: bootstrap.jar: bootstrap.js</a>		<a href="#">pkg:javascript/bootstrap@3.4.1</a>	
<a href="#">theme.zip: bootstrap.jar: bootstrap.min.js</a>		<a href="#">pkg:javascript/bootstrap@3.4.1</a>	
<a href="#">theme.zip: theme.jar</a>			
<a href="#">ticketlist.zip: ticketlist.jar</a>	cpe:2.3:a:		

inetsoftware:  
helpdesk:24.10.221:  
\*\*\*\*\*

<a href="#">ticketlist.zip: ticketlist.jar: annotationextension.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: applyactionfieldrenderer.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: arearenderer.directive.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: attachmentsextension.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: booleanrenderer.directive.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: cardobserver.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: currencyrenderer.directive.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: daterenderer.directive.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: doublerenderer.directive.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: draganddrop.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: expertlayout.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: extendedpagelayout.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: fullviewpagelayout.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: htmeditorrenderer.directive.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: inputrenderer.directive.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: integerrenderer.directive.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: itilselectrenderer.directive.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: linksextension.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: newticket.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: ownerrenderer.directive.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: print.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: relativeabsolutedateswitcher.directive.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: relativetimerenderer.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: resizeableColumn.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: selectionCountBadge.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: selectmultirenderer.directive.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: selectrenderer.directive.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: sorter.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: stopwatch.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: tabspagelayout.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: ticketattachment.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: ticketdetailsextension.js</a>			

<a href="#">ticketlist.zip: ticketlist.jar: ticketeditor.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: ticketfactory.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: ticketfieldrenderer.directive.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: ticketlist.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: ticketlistadditionalcomponents.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: ticketlistapp.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: ticketlistapplyaction.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: ticketlisteditproperties.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: ticketlistlayoutsettings.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: ticketmodel.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: ticketownerextension.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: ticketpage.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: ticketpageheader.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: ticketpagehintsextension.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: ticketpagelayoutsettings.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: ticketpagesteps.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: ticketpreview.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: ticketproperties.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: ticketrenderer.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: ticketsharing.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: ticketviewsortsettings.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: timelineextension.js</a>			
<a href="#">ticketlist.zip: ticketlist.jar: userticketshistoryextension.js</a>			
<a href="#">ticketprocess.zip: ticketprocess.jar</a>	cpe:2.3:a: inetsoftware: helpdesk:24.10.221: *****		
<a href="#">ticketprocess.zip: ticketprocess.jar: applyProcessRenderer.js</a>			
<a href="#">ticketprocess.zip: ticketprocess.jar: configuration.ticketprocess.edit.js</a>			
<a href="#">ticketprocess.zip: ticketprocess.jar: configuration.ticketprocess.js</a>			
<a href="#">ticketprocess.zip: ticketprocess.jar: ticketlist.ticketprocess.js</a>			
<a href="#">ticketprocess.zip: ticketprocess.jar: ticketprocess.changeticketprocess.js</a>			
<a href="#">ticketprocess.zip: ticketprocess.jar: ticketprocess.parallelticket.preview.js</a>			

<a href="#">ticketprocess.zip: ticketprocess.jar: ticketprocessdirectives.js</a>			
<a href="#">ticketprocess.zip: ticketprocess.jar: ticketprocessfactory.js</a>			
<a href="#">ticketprocess.zip: ticketprocess.jar: ticketprocessmodel.js</a>			
<a href="#">usersandgroupsmanager.zip: usersandgroupsmanager.jar</a>			
<a href="#">usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagercontroller.js</a>			
<a href="#">usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdetailscontroller.js</a>			
<a href="#">usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdialogcontroller.js</a>			
<a href="#">usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdirectives.js</a>			
<a href="#">usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagereffectivepermissionscontroller.js</a>			
<a href="#">usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerfactory.js</a>			
<a href="#">usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagermodel.js</a>			
<a href="#">usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerpredeletionwarning.js</a>			
<a href="#">usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerrenderer.js</a>			
<a href="#">usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerstatisticscontroller.js</a>			
<a href="#">usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagertakeoutcontroller.js</a>			
<a href="#">webserver.defender.zip: webserver.defender.jar</a>			
<a href="#">webserver.zip: acme4j-client.jar</a>		<a href="#">pkg:maven/org.shredzone.acme4j/acme4j-client@2.16</a>	
<a href="#">webserver.zip: jetty-websocket-core-client.jar</a>	<a href="#">cpe:2.3:a:eclipse:jetty:12.0.12.*.*.*.*.*</a> <a href="#">cpe:2.3:a:jetty:jetty:</a>	<a href="#">pkg:maven/org.eclipse.jetty/websocket/jetty-</a>	



	<a href="#">12.0.12:*****</a> <a href="#">cpe:2.3:a:mortbay_jetty:jetty:12.0.12:*****</a>	<a href="#">websocket-core-client@12.0.12</a>	
<a href="#">webserver.zip: jetty-websocket-core-server.jar</a>	<a href="#">cpe:2.3:a:eclipse:jetty:12.0.12:*****</a> <a href="#">cpe:2.3:a:jetty:jetty:12.0.12:*****</a> <a href="#">cpe:2.3:a:jetty:jetty_http_server:12.0.12:*****</a> <a href="#">cpe:2.3:a:mortbay_jetty:jetty:12.0.12:*****</a>	<a href="#">pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-server@12.0.12</a>	
<a href="#">webserver.zip: jose4j.jar</a>	<a href="#">cpe:2.3:a:jose4j_project:jose4j:0.9.6:*****</a>	<a href="#">pkg:maven/org.bitbucket.b_c/jose4j@0.9.6</a>	
<a href="#">webserver.zip: webserver.jar</a>			

Dependencies (vulnerable)

BarcodePDF417Bean.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/BarcodePDF417Bean.jar

**MD5:** fb424eb2ded0bcc626e7819a34a4be2b

**SHA1:** 293d688fa6491923bccf610bc18030790e713248

**SHA256:**c4e0c0b6b5e1d446764408adc72c3e902afd0d73de8532a587a36d086174808a

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	BarcodePDF417Bean	High
Vendor	jar	package name	beans	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdf417	Low
Vendor	Manifest	built-date	2024-11-16 14:28	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	BarcodePDF417Bean	High

Product	jar	package name	beans	Low
Product	jar	package name	pdf417	Low
Product	Manifest	built-date	2024-11-16 14:28	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	BarcodePDF417Bean	High
Product	Manifest	specification-title	BarcodePDF417Bean	Medium
Version	file	name	BarcodePDF417Bean	Medium
Version	file	version	417	Medium
Version	Manifest	Implementation-Version	24.10.221	High

#### Identifiers

- None

## JBarcodeBean.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/JBarcodeBean.jar

**MD5:** c650fda9e7f38dd5059e775f67e4c738

**SHA1:** fd113b0c0b4f4e5a90c59b95504b6255a466c566

**SHA256:** 6a876a81e622477c2dfc059f95411bd02109c418a471a497917b89e4ff7bf551

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	JBarcodeBean	High
Vendor	jar	package name	jbarcodebean	Low
Product	file	name	JBarcodeBean	High

#### Identifiers

- None

## Merlia-0.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/lib/Merlia/0

/a6d457a3b6469de885ef03655d1216936ef43f1b/Merlia-0.jar

**MD5:** 0cd5423a663f69dd7875b0c82304cc3b

**SHA1:** a6d457a3b6469de885ef03655d1216936ef43f1b

**SHA256:** 08cbc9ffcc7c98eb772c900ec406f6be93f48ccc819c22ef8522bbc45b326057

**Referenced In Project/Scope:** server:inetPlugin

**Included by:** pkg:maven/helpdesk/server@24.10

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	Merlia-0	High
Vendor	gradle	artifactid	Merlia	Highest
Vendor	gradle	groupid	lib	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	tds	Low
Product	file	name	Merlia-0	High
Product	gradle	artifactid	Merlia	Highest
Product	jar	package name	tds	Low
Version	file	name	Merlia-0	Medium
Version	file	version	0	Medium
Version	gradle	version	0	Highest
Version	Manifest	driver-version	8.13	Medium

### Identifiers

- [pkg:maven/lib/Merlia@0](#) (*Confidence:*Highest)

## Merlia.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems

/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/Merlia.jar

**MD5:** f0b67366bbb04872c12e601ad7104cfa

**SHA1:** f64fe1d3b47d1da0e933b83e3f72d50f5d34fefa

**SHA256:** 21950866b996afd94013973c2bd1b7583bf05d066f0385af4e6512293d6f8145

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	Merlia	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	tds	Low
Product	file	name	Merlia	High
Product	jar	package name	tds	Low
Version	Manifest	driver-version	8.13	Medium

#### Identifiers

- None

### Oranxo.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/Oranxo.jar

**MD5:** 1cbcb1af7c72a36aabe2811a24ec6fc0

**SHA1:** 9200e3c4f3504736a4a2249ad908b3adae14a4b1

**SHA256:** e314d253190c47673ec58f03bcf3ac52f35f04c2f92cb0f5514d376e36a633f6

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	Oranxo	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	ora	Low
Product	file	name	Oranxo	High
Product	jar	package name	ora	Low
Version	Manifest	driver-version	4.06	Medium

#### Identifiers

- None

### ZxingBarCodes.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/ZxingBarCodes.jar  
**MD5:** 58ff507a14eb055dd10eb66e382ee7a8  
**SHA1:** 83b41c67c15d958ead4030e98169ba3a78952910  
**SHA256:** dd25ab4df5f4093e09dc99cd3c6332332f6678046a6d3e8cd7b8a458856c1388  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	ZxingBarCodes	High
Vendor	jar	package name	beans	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	zxing	Low
Vendor	Manifest	built-date	2024-11-16 14:28	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	ZxingBarCodes	High
Product	jar	package name	beans	Low
Product	jar	package name	zxing	Low
Product	jar	package name	zxingbarcodes	Highest
Product	Manifest	built-date	2024-11-16 14:28	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	ZxingBarCodes	High
Product	Manifest	specification-title	ZxingBarCodes	Medium
Version	Manifest	Implementation-Version	24.10.221	High

Identifiers

- None

adhoc.zip: adhoc.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar  
**MD5:** 3a7dcf2191f1971fe95623a3d450c3db  
**SHA1:** 33650a390652be79102cc74fa3d11dd70aac6edf  
**SHA256:**894641f7c9b15b1b17aed0a9e5e703be70db8f724669e19b0519801d45c10ec8  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	adhoc	High
Vendor	jar	package name	gui	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	remote	Low
Vendor	Manifest	built-date	2024-11-16 14:24	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	adhoc	High
Product	jar	package name	adhoc	Highest
Product	jar	package name	gui	Low
Product	jar	package name	modules	Low
Product	jar	package name	remote	Low
Product	Manifest	built-date	2024-11-16 14:24	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	adhoc	High
Product	Manifest	specification-title	adhoc	Medium
Version	Manifest	Implementation-Version	24.10.221	High

## Identifiers

- None

## adhoc.zip: adhoc.jar: adhocmodule.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/remote/gui/modules/adhoc/adhocmodule.js

**MD5:** e3ba97da1119b592c496af42ffcf21f5

**SHA1:** 5ea07dccea534e3fb002c2a73a56348dfb0c7865

**SHA256:** 9d9098877dca876c869511dcee7afdf7693d67b0af234d0a3938da6a15884764

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Identifiers

- None

## adhoc.zip: adhocClient.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhocClient.jar

**MD5:** e5c6193251ef8862156981dd7d502a06

**SHA1:** 96d8730b2a698d1a6e2d9ac43af3116f666ffa3e

**SHA256:** 166ea368bf1d5fac63058fd30696a0ba4beac51724e38c5f3d473d2da6846514

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	adhocClient	High
Vendor	jar	package name	adhoc	Low
Vendor	jar	package name	client	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low

Vendor	Manifest	built-date	2024-11-16 14:23	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	adhocClient	High
Product	jar	package name	adhoc	Low
Product	jar	package name	client	Low
Product	jar	package name	page	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-11-16 14:23	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	adhocClient	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	adhocClient	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	24.10.221	High

## Identifiers

- None



**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/attachments.zip/attachments.jar  
**MD5:** 844a8e4eee99f1bf7619cb50eca5c810  
**SHA1:** a874f031a2c1376705c0342e07fc5771ceab6200  
**SHA256:**bb90bc11bbf12365294613c8f0a4c9a11aeb942857ff67c3b7c45e96a2b5fd61  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	attachments	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2024-11-16 15:34	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	attachments	High
Product	jar	package name	attachments	Highest
Product	jar	package name	attachments	Low
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	plugins	Low
Product	Manifest	built-date	2024-11-16 15:34	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	attachments	High
Product	Manifest	specification-title	attachments	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	24.10.221	High

Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:24.10.221:\*:\*:\*:\*:\* (Confidence:Low) suppress

authentication.pam.zip: authentication.pam.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.pam.zip/authentication.pam.jar  
**MD5:** 9321ce118d5c9e49082c5a7f09926e3b  
**SHA1:** 1022501098eaef9dbb8dbbe69795b4dfeceb79d3  
**SHA256:**884a0816b8acbc9985116c831f846c6c3120ddef4f86d53e2671c525358ef661  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.pam	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pam	Low
Vendor	Manifest	built-date	2024-11-16 12:56	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.pam	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	libpam	Low
Product	jar	package name	pam	Highest
Product	jar	package name	pam	Low
Product	Manifest	built-date	2024-11-16 12:56	Low
Product	Manifest	implementation-	shared	Low

## group

Product	Manifest	Implementation-Title	authentication.pam	High
Product	Manifest	specification-title	authentication.pam	Medium
Version	Manifest	Implementation-Version	24.10.221	High

## Identifiers

- None

## authentication.product.zip: authentication.product.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.product.zip/authentication.product.jar

**MD5:** d73d334b0fc32270d05f00e78d48d977

**SHA1:** 279269a8ec0abd146824748df3cf9ed10f18b30a

**SHA256:** d4627d922d0bc80b36afccf4631926576fde60c2a1017022b2646698a6ab1b8c

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.product	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	product	Low
Vendor	Manifest	built-date	2024-11-16 13:01	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.product	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low

Product	jar	package name	product	Highest
Product	jar	package name	product	Low
Product	Manifest	built-date	2024-11-16 13:01	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.product	High
Product	Manifest	specification-title	authentication.product	Medium
Version	Manifest	Implementation-Version	24.10.221	High

#### Identifiers

- None

### authentication.windows.zip: authentication.windows.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.windows.zip/authentication.windows.jar

**MD5:** 5af82c611c6d4176643c7dda31e712b0

**SHA1:** 6801c51b935d802ad4691f37afb082c6a11a8178

**SHA256:**28430f351c56e9720f0f35f27d1de687e2c35edbc4825168a6450afc32799fdf

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.windows	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	windows	Low
Vendor	Manifest	built-date	2024-11-16 12:57	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low

Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.windows	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	windows	Highest
Product	jar	package name	windows	Low
Product	Manifest	built-date	2024-11-16 12:57	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.windows	High
Product	Manifest	specification-title	authentication.windows	Medium
Version	Manifest	Implementation-Version	24.10.221	High

#### Identifiers

- None

### authentication.windows.zip: caffeine.jar

#### Description:

A high performance caching library

#### License:

<https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.windows.zip/caffeine.jar

**MD5:** 7661b25999918646ec802846cc4c16bc

**SHA1:** 3646a0d1b1abe6a31f72f2237d9004d10a5be91d

**SHA256:** 0311f9d5d9750aa2a1c11cbdba5a5cb7fec91c8870d6f179f324b3f5295b87dd

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	caffeine	High
Vendor	jar	package name	benmanes	Highest
Vendor	jar	package name	benmanes	Low

Vendor	jar	package name	caffeine	Highest
Vendor	jar	package name	caffeine	Low
Vendor	jar	package name	github	Highest
Vendor	jar	package name	github	Low
Vendor	Manifest	automatic-module-name	com.github.benmanes.caffeine	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-symbolicname	com.github.ben-manes.caffeine	Medium
Product	file	name	caffeine	High
Product	jar	package name	benmanes	Highest
Product	jar	package name	benmanes	Low
Product	jar	package name	cache	Low
Product	jar	package name	caffeine	Highest
Product	jar	package name	caffeine	Low
Product	jar	package name	github	Highest
Product	Manifest	automatic-module-name	com.github.benmanes.caffeine	Medium
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	Bundle-Name	com.github.ben-manes.caffeine	Medium
Product	Manifest	bundle-symbolicname	com.github.ben-manes.caffeine	Medium
Product	Manifest	Implementation-Title	A high performance caching library	High
Version	Manifest	build-jdk-spec	11	Low
Version	Manifest	Bundle-Version	3.1.6	High
Version	Manifest	Implementation-Version	3.1.6	High

#### Identifiers

- None

## authentication.windows.zip: jna-platform.jar

### Description:

JNA Platform Library

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.windows.zip/jna-platform.jar  
**MD5:** 3bc3f09a698e6ad250dd093f64fbb8a7  
**SHA1:** 28934d48aed814f11e4c584da55c49fa7032b31b  
**SHA256:** ae4caceb3840730c2537f9b7fb55a01baba580286b4122951488bcee558c2449  
**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jna-platform	High
Vendor	jar	package name	jna	Highest
Vendor	jar	package name	jna	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	sun	Highest
Vendor	jar	package name	sun	Low
Vendor	jar (hint)	package name	oracle	Highest
Vendor	jar (hint)	package name	oracle	Low
Vendor	Manifest	automatic-module-name	com.sun.jna.platform	Medium
Vendor	Manifest	bundle-category	jni	Low
Vendor	Manifest	bundle-requiredexecution	J2SE-1.4	Low
Vendor	Manifest	bundle-symbolicname	com.sun.jna.platform	Medium
Vendor	Manifest	Implementation-Vendor	JNA Development Team	High
Vendor	Manifest	require-bundle	com.sun.jna;bundle-version="5.14.0"	Low
Vendor	Manifest	specification-vendor	JNA Development Team	Low
Product	file	name	jna-platform	High
Product	jar	package name	jna	Highest
Product	jar	package name	jna	Low
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	sun	Highest
Product	jar	package name	win32	Low
Product	Manifest	automatic-module-name	com.sun.jna.platform	Medium

Product	Manifest	bundle-category	jni	Low
Product	Manifest	Bundle-Name	jna-platform	Medium
Product	Manifest	bundle-requiredexecution	J2SE-1.4	Low
Product	Manifest	bundle-symbolicname	com.sun.jna.platform	Medium
Product	Manifest	Implementation-Title	com.sun.jna	High
Product	Manifest	require-bundle	com.sun.jna;bundle-version="5.14.0"	Low
Product	Manifest	specification-title	Java Native Access (JNA)	Medium
Version	jar	package name	jna	Highest
Version	jar	package name	sun	Highest
Version	Manifest	Bundle-Version	5.14.0	High
Version	Manifest	Implementation-Version	5.14.0 (b0)	High

#### Identifiers

- None

## authentication.windows.zip: waffle-jna.jar

### Description:

WAFFLE JNA implementation

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.windows.zip/waffle-jna.jar

**MD5:** 72644924463cce2b4a2bbb8969a60345

**SHA1:** a1836f06f9728e1c126064c5fd8e747507edbd5e

**SHA256:** 9797c878bc7b4142b8967265a5aa76969dfd0341f49b016a097c0ca034aaeaa0

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	waffle-jna	High
Vendor	jar	package name	waffle	Highest
Vendor	Manifest	automatic-module-name	waffle.jna	Medium
Vendor	Manifest	build-jdk-spec	22	Low



Vendor	Manifest	copyright	2024	Low
Vendor	Manifest	git-revision	894fadbe03fa86dc0880e3b27b2ea1798e3525	Low
Vendor	Manifest	Implementation-Vendor	com.github.waffle	High
Vendor	Manifest	specification-vendor	com.github.waffle	Low
Vendor	pom	artifactid	waffle-jna	Low
Vendor	pom	groupid	com.github.waffle	Highest
Vendor	pom	name	waffle-jna	High
Vendor	pom	parent-artifactid	waffle	Low
Vendor	pom	url	https://waffle.github.io/waffle/	Highest
Product	file	name	waffle-jna	High
Product	jar	package name	waffle	Highest
Product	Manifest	automatic-module-name	waffle.jna	Medium
Product	Manifest	build-jdk-spec	22	Low
Product	Manifest	copyright	2024	Low
Product	Manifest	git-revision	894fadbe03fa86dc0880e3b27b2ea1798e3525	Low
Product	Manifest	Implementation-Title	waffle-jna	High
Product	Manifest	specification-title	waffle-jna	Medium
Product	pom	artifactid	waffle-jna	Highest
Product	pom	groupid	com.github.waffle	Highest
Product	pom	name	waffle-jna	High
Product	pom	parent-artifactid	waffle	Medium
Product	pom	url	https://waffle.github.io/waffle/	Medium
Version	Manifest	Implementation-Version	3.4.0	High
Version	pom	version	3.4.0	Highest

#### Identifiers

- [pkg:maven/com.github.waffle/waffle-jna@3.4.0](https://maven.com.github.waffle/waffle-jna@3.4.0) (*Confidence:High*)

**autolinking.zip: autolinking.jar**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/autolinking.zip/autolinking.jar  
**MD5:** 181002dde2573e8d92d4f15b6a2d92a7  
**SHA1:** 21c504f33720b4011765ece118705aeced1b7589  
**SHA256:** de87de872ff457bdfcc84893ec02ec811051a72f532618e8885de77e8f283cbb  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	autolinking	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2024-11-16 15:37	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	autolinking	High
Product	jar	package name	autolinking	Highest
Product	jar	package name	autolinking	Low
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	plugins	Low
Product	Manifest	built-date	2024-11-16 15:37	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	autolinking	High
Product	Manifest	specification-title	autolinking	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	24.10.221	High

Identifiers

• cpe:2.3:a:inetsoftware:helpdesk:24.10.221:\*:\*:\*:\*:\* (Confidence:Low) suppress

## collaboration.zip: collaboration.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/collaboration.zip/collaboration.jar

**MD5:** 2d38cd3838c39eac517d1fd55080f425

**SHA1:** aed43c4bbb7f55912bf01848986ce41d10db8130

**SHA256:** fab566d9a6cc0c30e676871709603d9288bf20fbab15e1f72ac2afc53aab066

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	collaboration	High
Vendor	jar	package name	bot	Low
Vendor	jar	package name	collaboration	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2024-11-16 13:07	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	collaboration	High
Product	jar	package name	bot	Low
Product	jar	package name	collaboration	Highest
Product	jar	package name	collaboration	Low
Product	Manifest	built-date	2024-11-16 13:07	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	collaboration	High
Product	Manifest	specification-title	collaboration	Medium
Version	Manifest	Implementation-	24.10.221	High

Version

#### Identifiers

- None

## commons-logging.jar

#### Description:

Apache Commons Logging is a thin adapter allowing configurable bridging to other, well-known logging systems.

#### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/core/commons-logging.jar

**MD5:** 62de1aea096b3ac52e46b908dac4ac97

**SHA1:** 580ad1a4f34876c4f964c083361de31b3d60be68

**SHA256:** 5828f96c09d886f9b1a0993c7804b27cf4fcec8534517164f5137ac8b67ea9b9

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-logging	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	logging	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.logging	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-logging/">https://commons.apache.org/proper/commons-logging/</a>	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-logging	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-logging	Low

Vendor	pom	developer email	baliuka@apache.org	Low
Vendor	pom	developer email	costin@apache.org	Low
Vendor	pom	developer email	craigmcc@apache.org	Low
Vendor	pom	developer email	dennisl@apache.org	Low
Vendor	pom	developer email	donaldp@apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	morgand@apache.org	Low
Vendor	pom	developer email	rdonkin@apache.org	Low
Vendor	pom	developer email	rsitze@apache.org	Low
Vendor	pom	developer email	rwaldhoff@apache.org	Low
Vendor	pom	developer email	sanders@apache.org	Low
Vendor	pom	developer email	skitching@apache.org	Low
Vendor	pom	developer email	tn@apache.org	Low
Vendor	pom	developer id	baliuka	Medium
Vendor	pom	developer id	bstansberry	Medium
Vendor	pom	developer id	costin	Medium
Vendor	pom	developer id	craigmcc	Medium
Vendor	pom	developer id	dennisl	Medium
Vendor	pom	developer id	donaldp	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	morgand	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	rsitze	Medium
Vendor	pom	developer id	rwaldhoff	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	skitching	Medium
Vendor	pom	developer id	tn	Medium
Vendor	pom	developer name	Brian Stansberry	Medium
Vendor	pom	developer name	Costin Manolache	Medium
Vendor	pom	developer name	Craig McClanahan	Medium
Vendor	pom	developer name	Dennis Lundberg	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Juozas Baliuka	Medium
Vendor	pom	developer name	Morgan Delagrance	Medium
Vendor	pom	developer name	Peter Donald	Medium

Vendor	pom	developer name	Richard Sitze	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Rodney Waldhoff	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Simon Kitching	Medium
Vendor	pom	developer name	Thomas Neidhart	Medium
Vendor	pom	developer org	Apache	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	<a href="https://www.apache.org/">https://www.apache.org/</a>	Medium
Vendor	pom	groupid	commons-logging	Highest
Vendor	pom	name	Apache Commons Logging	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	<a href="https://commons.apache.org/proper/commons-logging/">https://commons.apache.org/proper/commons-logging/</a>	Highest
Product	file	name	commons-logging	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	logging	Highest
Product	Manifest	automatic-module-name	org.apache.commons.logging	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-logging/">https://commons.apache.org/proper/commons-logging/</a>	Low
Product	Manifest	Bundle-Name	Apache Commons Logging	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-logging	Medium
Product	Manifest	Implementation-Title	Apache Commons Logging	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Apache Commons Logging	Medium
Product	pom	artifactid	commons-logging	Highest
Product	pom	developer email	baliuka@apache.org	Low
Product	pom	developer email	costin@apache.org	Low
Product	pom	developer email	craigmcc@apache.org	Low
Product	pom	developer email	dennisl@apache.org	Low
Product	pom	developer email	donaldp@apache.org	Low

Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	morgand@apache.org	Low
Product	pom	developer email	rdonkin@apache.org	Low
Product	pom	developer email	rsitze@apache.org	Low
Product	pom	developer email	rwaldhoff@apache.org	Low
Product	pom	developer email	sanders@apache.org	Low
Product	pom	developer email	skitching@apache.org	Low
Product	pom	developer email	tn@apache.org	Low
Product	pom	developer id	baliuka	Low
Product	pom	developer id	bstansberry	Low
Product	pom	developer id	costin	Low
Product	pom	developer id	craigmcc	Low
Product	pom	developer id	dennisl	Low
Product	pom	developer id	donaldp	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	morgand	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	rsitze	Low
Product	pom	developer id	rwaldhoff	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	skitching	Low
Product	pom	developer id	tn	Low
Product	pom	developer name	Brian Stansberry	Low
Product	pom	developer name	Costin Manolache	Low
Product	pom	developer name	Craig McClanahan	Low
Product	pom	developer name	Dennis Lundberg	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Juozas Baliuka	Low
Product	pom	developer name	Morgan Delagrangue	Low
Product	pom	developer name	Peter Donald	Low
Product	pom	developer name	Richard Sitze	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Rodney Waldhoff	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Simon Kitching	Low

Product	pom	developer name	Thomas Neidhart	Low
Product	pom	developer org	Apache	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	https://www.apache.org/	Low
Product	pom	groupid	commons-logging	Highest
Product	pom	name	Apache Commons Logging	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper/commons-logging/	Medium
Version	Manifest	Bundle-Version	1.3.3	High
Version	Manifest	Implementation-Version	1.3.3	High
Version	pom	parent-version	1.3.3	Low
Version	pom	version	1.3.3	Highest

Identifiers

- [pkg:maven/commons-logging/commons-logging@1.3.3](#) (Confidence:High)

configuration.zip: configuration.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar  
**MD5:** d43e2b694454ca4df915c1dc153655d0  
**SHA1:** 64486d55dc177b276584c03e6b33e7eb6eafc884  
**SHA256:**b3ea0f3c58f76f471277ca6230f102a945a1a47bac00ca52fea5a8d8557f04be  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	configuration	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2024-11-16 13:04	Low



Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	configuration	High
Product	jar	package name	config	Low
Product	jar	package name	plugins	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2024-11-16 13:04	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	configuration	High
Product	Manifest	specification-title	configuration	Medium
Version	Manifest	Implementation-Version	24.10.221	High

Identifiers

- None

configuration.zip: configuration.jar: authentication.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip  
/configuration.jar/com/inet/report/plugins/config/client/js/renderer/authentication.js  
**MD5:** 32ddfe3c441b22f84dccb1898413ea55  
**SHA1:** 77d3f3ea6c58e3c215ac86777ee25b0b8004bc7b  
**SHA256:** 818c4819e64813929560eee3008b485c637a80725488cbb3b9627983f8bc9e3f  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

#### configuration.zip: configuration.jar: boolean.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/boolean.directive.js

**MD5:** e155af571b4efd086c739fd329edd72f

**SHA1:** e744f3d28b6acc4d597b224624309e38bdffc1d8

**SHA256:** df48567df109fb82d1717821e737691ce7fecdd882706819667acd78d18b7b63e

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### configuration.zip: configuration.jar: booleanButton.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/booleanButton.directive.js

**MD5:** c241b163692b903546728aaffff56b4b

**SHA1:** bf6d026e12d320d169e1ffb3395ad3db12034c26

**SHA256:** 9cbc71701e24de928f61a38d03145a74b5a9dd28a350551401f9bda81207a1ff

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

## configuration.zip: configuration.jar: colorInput.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/colorInput.directive.js

**MD5:** 58e908e9ef96d3bcd1131d61d874217c

**SHA1:** 99397bcc5aded52857da548839a5499075ce1263

**SHA256:** f8d8afc3d949399b38a1f2393044ad00fecad4dd65ef4c077565610cd18fb768

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## configuration.zip: configuration.jar: controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/controller.js

**MD5:** c94ecf184500c119c4c14f420da1639a

**SHA1:** 6b23d960301fed13feffdba715d1c8d78e617f5b

**SHA256:** cc1cf1a093bd14390d50467fb6ac075ffeeea1c20defb7b23a6e3d82241b6e54

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## configuration.zip: configuration.jar: datafactory.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/datafactory.js

**MD5:** 82981086799b82a43914933c55726077

**SHA1:** 4c7a01134e474a05e2b585153c404c8a5d2e398a  
**SHA256:** e4df2f34d78e5c98a049903ddd37ea2c8fab0f57913ec2cca63b35b52c6748f2  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: fileUploadRenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/fileUploadRenderer.directive.js  
**MD5:** 85d08433c73dac44667b1676da1751df  
**SHA1:** 314d18af752a74666d8cd2b1638f5b117bc8eb13  
**SHA256:** 74777f865fedb0c9c34912e94ae05282fa95d19db7dd504f92cf91ecadd3664  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: filesystemInputButton.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/filesystemInputButton.directive.js  
**MD5:** 3c06874891ddcf135375de6930eb2972  
**SHA1:** f3f8ebcb367f1c4fcc299b1c9283dd45104629c4  
**SHA256:** 1622147d4e44563556ecf8497149f63940e54c8e8ad154911e647f1ca6fc85b9  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## configuration.zip: configuration.jar: filesystemInputDirectory.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/filesystemInputDirectory.directive.js  
**MD5:** 464b7aad35c25f84dc7e308a1fe6a722  
**SHA1:** 5fc9baf862f3ca082c6c155db16d624bf719f5be  
**SHA256:**47d0025e066bd0d1e6f1fb735b492b74a83b23965439b7535a8ac463a47c786c  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## configuration.zip: configuration.jar: filesystemInputFile.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/filesystemInputFile.directive.js  
**MD5:** 75c2038e7e6b1f9dc84d3b8c0da844c0  
**SHA1:** 4cdc8f450f07880a55c2e7bdb85a7bce91b967d3  
**SHA256:**7af905ffb59a3346c2b2d9fc8e44860ff5d48a993c6054e6b41a092505c00384  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### configuration.zip: configuration.jar: iconDropRenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/iconDropRenderer.directive.js  
**MD5:** dcf87cadacb90bd6e699be6fd8ccb1ed  
**SHA1:** b8e2d814a43645560caa81da45a3b8983f63acf0  
**SHA256:** 1bb2fa796d6965a6bc2f9d06dc81b72dd8d54eca1cc37d053cc80a5a5d6a5e43  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: inlinerenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/inlinerenderer.directive.js  
**MD5:** f688e91a43726306b599b1305cf3e8ef  
**SHA1:** 1f1070b374c15f053320172897cb24c8da3aceb5  
**SHA256:** 23a9a23e577a3819d3a06c015ab483cd48bc6f4af28ec01caac32fe5d0cb0fe8  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: keyLabelText.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/keyLabelText.directive.js  
**MD5:** aae3ab4eeda740d7d15ddef1c828db3b  
**SHA1:** abdc48d7145e6d4dbf8b5a48a66d371539969197  
**SHA256:** ef01886de025e76cb0e1701d67e6b8d869a4094d64392544a135be20010a6ea3  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: labelLink.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/labelLink.directive.js  
**MD5:** 71d23ea76be9b9ec2cea163bc32ad083  
**SHA1:** 503e26b0f8ca5b5b3917ebac0c98a6d34bbcb438  
**SHA256:** 057367f35129b73dfaecbe928def62aa8e9ec18a4264d8d878783674c277a7b7  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: labelText.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/labelText.directive.js  
**MD5:** 18e1f8fac9693e53597d2e3bb8694fca

**SHA1:** cfa806fe980c7ed1e542c690acd70301919d3e58  
**SHA256:** c63fb2c0b52c28a949125b15795221bd4b8da8081d010f9f24632888d1664ebb  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: licensekey.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/licensekey.js  
**MD5:** 6e9886fe0ffdc7a3f09b795b08c04f7a  
**SHA1:** f72bc4783d6ce165c80850580d704b7129365454  
**SHA256:** d6046640dca6ae3ff00226f96ef5e004abc5668554e001e9504edf3c631aa00b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: list.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/list.js  
**MD5:** a836484a595c5d6c6449f038258df4e5  
**SHA1:** 00645dd0c191b9dc14914d3545aa2766e667e43a  
**SHA256:** 8043edb5edb0de6b1ce449c935f8f2763a27b05e15425a982552a1775d5f45fe  
**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
Identifiers				
• None				

configuration.zip: configuration.jar: logopreview.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/logopreview.js  
**MD5:** d17d19917c5f2d8623d48e8b29d736b7  
**SHA1:** 76c40068fcec7c2dcc10f296fe5b01eaabdb4cc3  
**SHA256:** 70d01317b11a922e3c32c8f66746570b73a8a2a4de51d9c2dc23fddae00fd7bf  
**Referenced In Project/Scope:** server

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

configuration.zip: configuration.jar: multiLineText.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/multiLineText.directive.js  
**MD5:** 48640b97e578b7a0f7f7dde48bb644ba  
**SHA1:** bfadc5063ee207897ece27d2a2845bbb8e88a9fa  
**SHA256:** d48311d3bb4afd93126cca8a7e868e54f66a0fdb3bc893ffeb20e819f96f745d  
**Referenced In Project/Scope:** server

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				

- None

#### configuration.zip: configuration.jar: multiLingualTextRenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/multiLingualTextRenderer.directive.js  
**MD5:** 3495c2a8f809eb949a3237f33b1c7f31  
**SHA1:** 6c774480a0b9fdf9766de6a29fa09c945d42b592  
**SHA256:** ae2d68ba82c2ee734d84a36fd23b6041d2e287995759eb8779e04236db74fd56  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### configuration.zip: configuration.jar: passwordText.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/passwordText.directive.js  
**MD5:** 54fcd4fce63f0170cb34f1eeaf8ddcd  
**SHA1:** 6fac78e6e5880df10a6d0c98f1cdb03a233f65bf  
**SHA256:** 486cbf613d304295084a004076fd9c09a041ce36e31f85eeee8fa67ccc5fcb85  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### configuration.zip: configuration.jar: reloadSelectInputsTrigger.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/reloadSelectInputsTrigger.directive.js  
**MD5:** 2b65f41ff8971b50599781ed7f6f1b9c  
**SHA1:** b7a5e4e76d95c5f96453a3575b3809b705dca42f  
**SHA256:** 704980a404d603911917a43262e9a4eed8f8b6f157800b8d7596e7094f326ef7  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: renderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/renderer.directive.js  
**MD5:** 263d5878b3b00e3de3a6faedbd460e84  
**SHA1:** e1a40b927f1b13b0d228d06c91a2fb05917eec07  
**SHA256:** 748a2d88fd4e366a306e1b62f0f6bd046ae05b5238330b48376449ddf01e874c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: repository.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/repository.js  
**MD5:** baedc19f91eab554dca893cb4388b2e4

**SHA1:** e2a4899a91ce2813a147c8d9ef15a00ff973c080  
**SHA256:** 81e835deda02b4a0b9aae45e7e7a018c08761ebc710ca53fb742b62ac56bb065  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: selectEditText.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectEditText.directive.js  
**MD5:** 1a61bac200dea54f8eb9d9921681e5eb  
**SHA1:** 6dbd0bcd00cb2578923b81550bf53a41df913362  
**SHA256:** b8a181150c341024f59852828b84e69e756debc3bf0ea47c2ab19ffd6c712a72  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: selectFilteredText.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectFilteredText.directive.js  
**MD5:** 7b58d68dc3a35304dc78fee8d4ccaf6c  
**SHA1:** cb18981f11083c559b202e9192f33afe65af6873  
**SHA256:** 294ca27a4b15d42a525a5e5e306dd8a4bba38c8d620f39b87a75cd1f90072ee7  
**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				


configuration.zip: configuration.jar: selectLanguageChooserRenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectLanguageChooserRenderer.directive.js  
**MD5:** a0d2d369508b0efdded68fb3f063a8fd  
**SHA1:** d1fab8af7e386206b0ccd790a22869003470af9a  
**SHA256:**b45062353d252f869be07fb2a81814bf14b6117103466f948fa419615f5174cd  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

configuration.zip: configuration.jar: selectSimpleText.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectSimpleText.directive.js  
**MD5:** f847feb7c380b15f650e9c557d8c28c8  
**SHA1:** 6c862eb40e515e329c0734b281ebaa686291eca6  
**SHA256:**7c48f1f408923db44696e2cb46f622b319a99c55a3347a486013850165f6bfb8  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				

- None

#### configuration.zip: configuration.jar: simpleDate.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/simpleDate.directive.js

**MD5:** 84b924c4d2de15ff64fea4260894d4b6

**SHA1:** 2cbf856da10bf3a9d879c5bb77c077bc3d9cf7de

**SHA256:** a51408c5ae46df303a8cfea7c2b9af411aeee1f13e960868c44454d3872d024e

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### configuration.zip: configuration.jar: simpleSlider.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/simpleSlider.directive.js

**MD5:** b1fe4875ba680fe6af9cdaaf163f22e7

**SHA1:** d39121dc651a4a559b3bfe6a5bf978467bf77ff5

**SHA256:** f95956394c8a2beede215ab8da75b2ad9f5b8173efc191709ae34549946d7924

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

## configuration.zip: configuration.jar: simpleText.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/simpleText.directive.js

**MD5:** 33c94b7ec8d613fcfe3dfd5b1a43b193

**SHA1:** cbb60f6da1447f14dc1cb5da735f99f028a666a3

**SHA256:** f2d82ae8ac664b0b76fcee6f324b63285cd7ab38f3d976085ef9f13c9b77f5b9

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## configuration.zip: configuration.jar: table.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/table.js

**MD5:** 2c157de784e3eec579cd51152f0dfb43

**SHA1:** cedb0262a4f9f5ae7b56c3ed44f87138bbd4e575

**SHA256:** 84bd10f7ab5957c5f7b40784a77c2896e50fc0f4f433c11a81ec07b749e8a12e

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## configuration.zip: configuration.jar: tree.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/tree.js

**MD5:** a8ffdd7b210ce889d5f5d0573d1c856d

**SHA1:** a2abe4e4790d1e1a223815493184cc6b198bbe0e  
**SHA256:** 3ac39fa4b58becc837930f692e807a43921a8fd338e75ba0245eecb872ec0b88  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: userandgroupselect.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/userandgroupselect.js  
**MD5:** bb0a3c1cabd58185c8795a27ed408e95  
**SHA1:** 112c3a781cc72c8accad43d0e5207c7cb464885e  
**SHA256:** a495983186ba7dc1cf3a3041cdfee1ad3790c008856e51252c78460e3ba57bd5  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### core.jar

#### Description:

Core barcode encoding/decoding library

#### License:

"The Apache Software License, Version 2.0";link="https://www.apache.org/licenses/LICENSE-2.0.txt"

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/zxing/core.jar  
**MD5:** b5269d7bf1eea1d064240c342829b117  
**SHA1:** ca1349214a356cd7958651b2d5a0e1f3811a9c4b



## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	core	High
Vendor	jar	package name	google	Highest
Vendor	jar	package name	zxing	Highest
Vendor	Manifest	automatic-module-name	com.google.zxing	Medium
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-developers	zxing-authors;name="ZXing Authors"	Low
Vendor	Manifest	bundle-docurl	https://github.com/zxing/zxing/core	Low
Vendor	Manifest	bundle-symbolicname	com.google.zxing.core	Medium
Vendor	pom	artifactid	core	Low
Vendor	pom	groupid	com.google.zxing	Highest
Vendor	pom	name	ZXing Core	High
Vendor	pom	parent-artifactid	zxing-parent	Low
Product	file	name	core	High
Product	jar	package name	google	Highest
Product	jar	package name	zxing	Highest
Product	Manifest	automatic-module-name	com.google.zxing	Medium
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	bundle-developers	zxing-authors;name="ZXing Authors"	Low
Product	Manifest	bundle-docurl	https://github.com/zxing/zxing/core	Low
Product	Manifest	Bundle-Name	ZXing Core	Medium
Product	Manifest	bundle-symbolicname	com.google.zxing.core	Medium
Product	pom	artifactid	core	Highest
Product	pom	groupid	com.google.zxing	Highest
Product	pom	name	ZXing Core	High
Product	pom	parent-artifactid	zxing-parent	Medium
Version	Manifest	Bundle-Version	3.5.3	High
Version	pom	version	3.5.3	Highest

Identifiers

- pkg:maven/com.google.zxing/core@3.5.3 (Confidence:High)

cowork.tickets.zip: cowork.tickets.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/cowork.tickets.zip/cowork.tickets.jar  
**MD5:** c8e9b44516c58405c5189d72edd1166c  
**SHA1:** 63639505f83b921f7de3bb39b1ada150c6a66f1d  
**SHA256:**b645f05092c4bc6ee2d26a4ffa9771687775cfaecce409babef12249c8b1620e  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	cowork.tickets	High
Vendor	jar	package name	cowork	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	integration	Low
Vendor	Manifest	built-date	2024-11-16 15:37	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	cowork.tickets	High
Product	jar	package name	cowork	Highest
Product	jar	package name	cowork	Low
Product	jar	package name	integration	Low
Product	jar	package name	ticketlist	Low
Product	Manifest	built-date	2024-11-16 15:37	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-	cowork.tickets	High

## Title

Product	Manifest	specification-title	cowork.tickets	Medium
Version	Manifest	Implementation-Version	24.10.221	High

## Identifiers

- [cpe:2.3:a:tickets\\_project:tickets:24.10.221:\\*:\\*:\\*:\\*:\\*](#) (Confidence:High) suppress

## cowork.tickets.zip: cowork.tickets.jar: coworkchatextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/cowork.tickets.zip/cowork.tickets.jar/com/inet/cowork/integration/ticketlist/ticketpageextension/coworkchatextension.js  
**MD5:** c4933002ca8acac0d6463e1f6bdd0502  
**SHA1:** ece46f3e496f2b54e13b7d19ec78c62a3cc923ac  
**SHA256:** 0695879bd759b27522ddd15a7c7a566be4b977a351a4bde0d65748a638dfead5  
**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Identifiers

- None

## cowork.zip: cowork-javadoc.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork-javadoc.jar  
**MD5:** 90fd29002120ae252b7af1d5655ad215  
**SHA1:** 2bc7b7ab896b22f31ce1484b4d05077411d50bf6  
**SHA256:** b88750f06a3b964e8cdc3228fdd2fa966d28119f101d9c5f6ce16249be919c6b  
**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	cowork-javadoc	High
Product	file	name	cowork-javadoc	High

#### Identifiers

- None

### cowork.zip: cowork-javadoc.jar: jquery-3.6.1.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork-javadoc.jar/script-dir/jquery-3.6.1.min.js

**MD5:** 00727d1d5d9c90f7de826f1a4a9cc632

**SHA1:** ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2

**SHA256:** a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- maintenance.zip: maintenance-javadoc.jar: jquery-3.6.1.min.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance-javadoc.jar/script-dir/jquery-3.6.1.min.js
  - MD5: 00727d1d5d9c90f7de826f1a4a9cc632
  - SHA1: ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2
  - SHA256: a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74
- reporting.zip: reporting-javadoc.jar: jquery-3.6.1.min.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting-javadoc.jar/script-dir/jquery-3.6.1.min.js
  - MD5: 00727d1d5d9c90f7de826f1a4a9cc632
  - SHA1: ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2
  - SHA256: a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: jquery-3.6.1.min.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/script-dir/jquery-3.6.1.min.js
  - MD5: 00727d1d5d9c90f7de826f1a4a9cc632
  - SHA1: ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2
  - SHA256: a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74
- taskplanner.zip: taskplanner-javadoc.jar: jquery-3.6.1.min.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner-javadoc.jar/script-dir/jquery-3.6.1.min.js
  - MD5: 00727d1d5d9c90f7de826f1a4a9cc632

- SHA1: ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2
- SHA256: a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74

#### Identifiers

- None

### cowork.zip: cowork-javadoc.jar: jquery-ui.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork-javadoc.jar/script-dir/jquery-ui.min.js

**MD5:** 32059df39c14a910ccc2325f6a3cd62f

**SHA1:** d3289f1b527a3f054d303ec769402e037fbfcf4b

**SHA256:** 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jquery-ui	High
Product	file	name	jquery-ui	High
Version	file	version	1.13.1	High

#### Related Dependencies

- maintenance.zip: maintenance-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance-javadoc.jar/script-dir/jquery-ui.min.js
  - MD5: 32059df39c14a910ccc2325f6a3cd62f
  - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
  - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
  - [pkg:javascript/jquery-ui@1.13.1](#)
- reporting.zip: reporting-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting-javadoc.jar/script-dir/jquery-ui.min.js
  - MD5: 32059df39c14a910ccc2325f6a3cd62f
  - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
  - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
  - [pkg:javascript/jquery-ui@1.13.1](#)
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/script-dir/jquery-ui.min.js
  - MD5: 32059df39c14a910ccc2325f6a3cd62f
  - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b

- SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
- [pkg:javascript/jquery-ui@1.13.1](#)
- taskplanner.zip: taskplanner-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner-javadoc.jar/script-dir/jquery-ui.min.js
  - MD5: 32059df39c14a910ccc2325f6a3cd62f
  - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
  - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
  - [pkg:javascript/jquery-ui@1.13.1](#)

#### Identifiers

- [pkg:javascript/jquery-ui@1.13.1](#) (*Confidence: Highest*)

### cowork.zip: cowork-javadoc.jar: member-search-index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork-javadoc.jar/member-search-index.js

**MD5:** b53fed2c85f54971f9814355b8658c01

**SHA1:** 0214b99220b6797c45f01569549fcc923694a5d7

**SHA256:** 8d88b33f1eebff05ff24ecdd0d7685ba49518f2fb0dfda9e31318a930d29e445

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### cowork.zip: cowork-javadoc.jar: module-search-index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork-javadoc.jar/module-search-index.js

**MD5:** a33da0f469acbd03f77bf407bac505f5

**SHA1:** 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8

**SHA256:** 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- maintenance.zip: maintenance-javadoc.jar: module-search-index.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance-javadoc.jar/module-search-index.js
  - MD5: a33da0f469acbd03f77bf407bac505f5
  - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
  - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18
- reporting.zip: reporting-javadoc.jar: module-search-index.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting-javadoc.jar/module-search-index.js
  - MD5: a33da0f469acbd03f77bf407bac505f5
  - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
  - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: module-search-index.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/module-search-index.js
  - MD5: a33da0f469acbd03f77bf407bac505f5
  - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
  - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18
- taskplanner.zip: taskplanner-javadoc.jar: module-search-index.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner-javadoc.jar/module-search-index.js
  - MD5: a33da0f469acbd03f77bf407bac505f5
  - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
  - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18

#### Identifiers

- None

#### cowork.zip: cowork-javadoc.jar: package-search-index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork-javadoc.jar/package-search-index.js

**MD5:** 7843e0fe10197c0f0117f699e1e7cd40

**SHA1:** e48fd8df27e997b6b55659eac22ae3a2d68c20a5

**SHA256:** 1aba1d547394c186ec32485f12fa55450a73511ab1cefa478a92dcf1d359520a

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### cowork.zip: cowork-javadoc.jar: script.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork-javadoc.jar/script.js

**MD5:** baf9d9e16237acbdce975a33c54ee8ae

**SHA1:** cc6a3c8d72f17eff0d613ddfcf7c1095535573f7

**SHA256:** 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- maintenance.zip: maintenance-javadoc.jar: script.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance-javadoc.jar/script.js
  - MD5: baf9d9e16237acbdce975a33c54ee8ae
  - SHA1: cc6a3c8d72f17eff0d613ddfcf7c1095535573f7
  - SHA256: 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975
- reporting.zip: reporting-javadoc.jar: script.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting-javadoc.jar/script.js
  - MD5: baf9d9e16237acbdce975a33c54ee8ae
  - SHA1: cc6a3c8d72f17eff0d613ddfcf7c1095535573f7
  - SHA256: 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: script.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/script.js
  - MD5: baf9d9e16237acbdce975a33c54ee8ae
  - SHA1: cc6a3c8d72f17eff0d613ddfcf7c1095535573f7
  - SHA256: 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975
- taskplanner.zip: taskplanner-javadoc.jar: script.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner-javadoc.jar/script.js
  - MD5: baf9d9e16237acbdce975a33c54ee8ae
  - SHA1: cc6a3c8d72f17eff0d613ddfcf7c1095535573f7
  - SHA256: 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975



## Identifiers

- None

## cowork.zip: cowork-javadoc.jar: search.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork-javadoc.jar/search.js

**MD5:** cb277f670590ffec20a12745260518dc

**SHA1:** 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca

**SHA256:** 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f

**Referenced In Project/Scope:** server

## Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Related Dependencies

- maintenance.zip: maintenance-javadoc.jar: search.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance-javadoc.jar/search.js
  - MD5: cb277f670590ffec20a12745260518dc
  - SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
  - SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f
- reporting.zip: reporting-javadoc.jar: search.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting-javadoc.jar/search.js
  - MD5: cb277f670590ffec20a12745260518dc
  - SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
  - SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: search.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/search.js
  - MD5: cb277f670590ffec20a12745260518dc
  - SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
  - SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f
- taskplanner.zip: taskplanner-javadoc.jar: search.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner-javadoc.jar/search.js
  - MD5: cb277f670590ffec20a12745260518dc
  - SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
  - SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f

### Identifiers

- None

## cowork.zip: cowork-javadoc.jar: tag-search-index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork-javadoc.jar/tag-search-index.js

**MD5:** acda0a4d961a2dbb052cf81694d1c50b

**SHA1:** 4853e0d2a022b5098359e59d740952ee1e187c04

**SHA256:** 4394bc27c97d0c9018c2fb763bfc045db14433b160e3c1fec16795d1d1967aaf

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## cowork.zip: cowork-javadoc.jar: type-search-index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork-javadoc.jar/type-search-index.js

**MD5:** 8c30fed2a2e350ef639f9b7bda912507

**SHA1:** 5670fb1b145339466f0ea57751f0d816cd8eb8b3

**SHA256:** 6340ac435040dd803b2df28710ff32c54598221a2e79d45bf7dbcec174962a57

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork.jar  
**MD5:** a72ec86ebc388790125f3f94c868b593  
**SHA1:** 69d0bd0e6851172f108c7c59a04cba9c7bb852f6  
**SHA256:**875d1ab0b7062edd3c7cf5862c4f3776e5d653d87a321b1cd1ed87aadaa68c45  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	cowork	High
Vendor	jar	package name	cowork	Low
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	server	Low
Vendor	Manifest	built-date	2024-11-16 13:32	Low
Vendor	Manifest	implementation-group	cowork	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	cowork	High
Product	jar	package name	cowork	Highest
Product	jar	package name	cowork	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2024-11-16 13:32	Low
Product	Manifest	implementation-group	cowork	Low
Product	Manifest	Implementation-Title	cowork	High
Product	Manifest	specification-title	cowork	Medium
Version	jar	package name	cowork	Highest
Version	Manifest	Implementation-Version	24.10.221	High

### Identifiers

- None

## cowork.zip: cowork.jar: MessageCreationChart.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork.jar/com/inet/cowork/integration/diagnostics/MessageCreationChart.js

**MD5:** 6f3398cc9560094e95f943d6b84aae06

**SHA1:** 5079a14766d99d21918e01d8847c2aec34efe94a

**SHA256:** 9f2e95303f979a5ae2cb30188d387dce1b015282689fbcca447488ed96a8809e

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## cowork.zip: cowork.jar: cowork.diagnostics.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork.jar/com/inet/cowork/integration/diagnostics/cowork.diagnostics.js

**MD5:** a6e5e510de8c405a11ec693dc62334d7

**SHA1:** ceaf22817b194cbc9b1cb1e1a4f4d4fc235adf1d

**SHA256:** 594d4b75bab085edc78d9706d5630a46bd961e647ef35155066a37c13513135b

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### cowork.zip: cowork.jar: coworkcomponents.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork.jar/com/inet/cowork/client/js/coworkcomponents.js

**MD5:** 2cac3bc9729938a66e3f43a72fe94d3b

**SHA1:** 5e21f32f953334e7256ae5ed0cb083991b117697

**SHA256:** cad0cf5c0073e08deaa4485d7d1f89de4e2cf770c4eb36068fd6c2b92c0d2575

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### cowork.zip: cowork.jar: coworkcontroller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork.jar/com/inet/cowork/client/js/coworkcontroller.js

**MD5:** 0b6c6b4f946132e8fcd00832e32c661b

**SHA1:** e6b3a59f7ccf66b7cf71503e59fd8a8504a45948

**SHA256:** f46da733ed3a09eec77d5d71cc4686fc880fd5541e43765ec4ee382662c41851

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### cowork.zip: cowork.jar: coworkconversation.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork.jar/com/inet/cowork/client/js/coworkconversation.js

**MD5:** 1c00cc78852b08bd9e5f9c28dc6665cc  
**SHA1:** 26b4bff6898e246ff7c46fbaea35fbab417038b3  
**SHA256:** 55b165b34c7d45448a57ad9f2a1acec27f8bb0940f50b0c192aba41c294345f8  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### cowork.zip: cowork.jar: coworkfactory.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork.jar/com  
/inet/cowork/client/js/coworkfactory.js

**MD5:** 6b0b49174e8506aa8831f5caf596bb31  
**SHA1:** c229d71ef1e56c11807569310b11690c365aa118  
**SHA256:** 522d3ba67ef2ff39d10f83783f66961bb8e2b6fb07b40038032e173d230ac4b7  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### cowork.zip: cowork.jar: coworkinputbox.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork.jar/com  
/inet/cowork/client/js/coworkinputbox.js

**MD5:** 34580b052fdf8f6b259963e2eeade14b  
**SHA1:** 020082991a1dbfe3593cdbe9609e595b111d9142  
**SHA256:** db436db4b0dec28810da9d28cfc66b537cd8dcc4b0a904cd665a6ed5d7d09ef  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### cowork.zip: cowork.jar: coworkmodel.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork.jar/com/inet/cowork/client/js/coworkmodel.js

**MD5:** 0f81ca1764413e9acaafc76d12db81a6

**SHA1:** cff25d04ef5f52c6b889aade9eea8b455ea4e4fe

**SHA256:** fd9a6034a39d29a1497e8b5fdb95769e412aa66167a50ebe6374407b43692447

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### cowork.zip: cowork.jar: coworksettingscontroller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork.jar/com/inet/cowork/client/js/coworksettingscontroller.js

**MD5:** e9b29099ef185ae3bbe8d4da5926b52d

**SHA1:** 38fbd19feeb6d6426b017343864d9ccb978a50ed

**SHA256:** 504c7d3abc6bc8e2d3d645d2d5ebb9c37af63d420ba505415bdd797de4c9363b

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### cowork.zip: cowork.jar: flexibledropdownmenu.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork.jar/com/inet/cowork/client/js/flexibledropdownmenu.js

**MD5:** 4582b3fd20828e7b4fcf950fce29ecf3

**SHA1:** 2ee09d9810f335847f65a165c783fe0f0a11d47a

**SHA256:** 37169231f655fbca06cf6e7cf117beaa66036bc1b3404af32d977e5f1b82c7f1

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### cowork.zip: cowork.jar: inetmarkdown.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork.jar/com/inet/cowork/client/js/inetmarkdown.js

**MD5:** ddd9901dff0fdd3681f4010e34cfaa89

**SHA1:** 95b44114f78f900bec4240c840284f45d6cb775e

**SHA256:** 42008dca21256bafc93373a860532990f1c923ed0d431388e5da7de016d4a9d8

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### cowork.zip: cowork.jar: showreactionscontroller.js



**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork.jar/com/inet/cowork/client/js/showreactionscontroller.js  
**MD5:** abd357e703ac1dcfa2dba14cf5a337be  
**SHA1:** 28e5cd68780721034959fa99f07e6c0408e299eb  
**SHA256:** c2d24acddff8e4bb06a81ac849c81a18b4ce4072932e78795cbe14f1583a6871  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### cowork.zip: cowork.jar: teamsettingscontroller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork.jar/com/inet/cowork/client/js/teamsettingscontroller.js  
**MD5:** 23505db20f3ea0279bab51dbff09fe0b  
**SHA1:** 86eae40ed16f444c5d166064eb4fefe399d28827  
**SHA256:** bfbf9a2ca243bb401ac7bf7921b26b58997bebac3111e79cd3c0970bccf06b31  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### dataimport.zip: dataimport.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/dataimport.zip/dataimport.jar  
**MD5:** 1661455e4f882448044c27ea5a4f68f1

SHA1: 6a7c6182c18b3bddf97fae4e0b7f4fdc486bede5  
SHA256:774d3ed903b394c1e6be392a74f39c206cde50eadce7a45d2af3f322f0faeafc  
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	dataimport	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2024-11-16 15:33	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	dataimport	High
Product	jar	package name	dataimport	Highest
Product	jar	package name	dataimport	Low
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	plugins	Low
Product	Manifest	built-date	2024-11-16 15:33	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	dataimport	High
Product	Manifest	specification-title	dataimport	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	24.10.221	High

Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:24.10.221:\*:\*:\*:\*:\* (Confidence:Low)

suppress

### dataimport.zip: dataimport.jar: actionsBar.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/dataimport.zip/dataimport.jar/com/inet/helpdesk/plugins/dataimport/resources/js/actionsBar.directive.js

**MD5:** ad7b7bd9294d75249483c5e164a18781

**SHA1:** 4c14733e65e0f7b638520f68c8d9f2a55f0bd55e

**SHA256:** aed7e128811ac49888160037e6fb5b5b2fd52ab406ef8f91631d2f9077949149

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### dataimport.zip: dataimport.jar: controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/dataimport.zip/dataimport.jar/com/inet/helpdesk/plugins/dataimport/resources/js/controller.js

**MD5:** eea88f4ac55f10d0a3ae336058a60ff7

**SHA1:** b661963abf1daa551807a68bd3fd7b3fe2e14ad0

**SHA256:** 8db09105e0b8906914ab55e98429c67c8a0328659333ecf4eba8687a727feabd

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### dataimport.zip: dataimport.jar: deviceDataImport.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/dataimport.zip/dataimport.jar/com/inet/helpdesk/plugins/dataimport/resources/js/deviceDataImport.directive.js  
**MD5:** 4089e0c42aa90aad20d5f1978338e35d  
**SHA1:** 212f4201548eb066816cc26dde89d778f1a46baf  
**SHA256:** 8f602097c8b09e0d6dcb43af21dc4f1771909b9113f7105ae161dd054f352bae  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### dataimport.zip: dataimport.jar: filtereablevalueselection.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/dataimport.zip/dataimport.jar/com/inet/helpdesk/plugins/dataimport/resources/js/filtereablevalueselection.directive.js  
**MD5:** b09180d5fad4a3d4138919f045777708  
**SHA1:** d32a9d82988c50b76fb9a40da1791490ab85516b  
**SHA256:** 8437532bdfae486252028931a6afb693ae6293dee97804372516fcc0db35dba4  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### dataimport.zip: dataimport.jar: importfactory.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/dataimport.zip/dataimport.jar/com/inet/helpdesk/plugins/dataimport/resources/js/importfactory.js  
**MD5:** 72207696d51fd6e20c673b6534cba54a  
**SHA1:** 2b6f0c63622a7a947d616dbb52c12a3b39993a91  
**SHA256:** 855e5826f0e032b23b007a9328ef4a0ef8e6a697d02afca8e2c58468bfcda6d0  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## dataimport.zip: dataimport.jar: importjob.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/dataimport.zip/dataimport.jar/com/inet/helpdesk/plugins/dataimport/resources/js/importjob.directive.js

**MD5:** d3ca879dfba9e72bc420e797f47c3d2d

**SHA1:** e88d915859393814e77aef7c385da11fc87c6d4f

**SHA256:** 5c684219acac2021721748b9180d1ba675b998cd8ff2104d4a03412b4aa23e0c

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## dataimport.zip: dataimport.jar: itemRenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/dataimport.zip/dataimport.jar/com/inet/helpdesk/plugins/dataimport/resources/js/itemRenderer.directive.js

**MD5:** 35d81dd2eb0bfafb4fa987d3d6f2ff77

**SHA1:** a8adf7bb7392bda8d843ab1a801b53781dfcc923

**SHA256:** f022b0752586bc116a1766558dca25f93c32c1bd843197c49d42a7d0f79c5473

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

dataimport.zip: dataimport.jar: userDataImport.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/dataimport.zip/dataimport.jar/com/inet/helpdesk/plugins/dataimport/resources/js/userDataImport.directive.js  
**MD5:** c62157d25ad7b4e0a2da3a984ecc68a0  
**SHA1:** 0ae487f3a3d945de593774846c1f6187ad2cfb73  
**SHA256:**2ac9bca5600704a3d53e23fc241c23f8d74d412004baff15ddf3e96f26f63d74  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.reporting.zip: diagnostics.reporting.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.reporting.zip/diagnostics.reporting.jar  
**MD5:** 815f00e338e41a40c8edecd88574f49b  
**SHA1:** 995f26cf9ef649d211f60c6f17481b33a45e1ee2  
**SHA256:**37e827ddac7f231cd06a3146f6a623bcd9e7014ab95fe46fe841c21012d2504e  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	diagnostics.reporting	High
Vendor	jar	package name	diagnostics	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2024-11-16 14:23	Low

Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	diagnostics.reporting	High
Product	jar	package name	diagnostics	Highest
Product	jar	package name	diagnostics	Low
Product	jar	package name	report	Low
Product	jar	package name	widgets	Low
Product	Manifest	built-date	2024-11-16 14:23	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	diagnostics.reporting	High
Product	Manifest	specification-title	diagnostics.reporting	Medium
Version	Manifest	Implementation-Version	24.10.221	High

#### Identifiers

- None

### diagnostics.reporting.zip: diagnostics.reporting.jar: connectionPool.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.reporting.zip/diagnostics.reporting.jar/com/inet/report/diagnostics/widgets/connectionpool/resources/connectionPool.js  
**MD5:** d2265e01795b8cc905909cec6066d54d  
**SHA1:** 0267230cc5c09f4b0aa21c2fd7f8ea46f8c65dff  
**SHA256:** 06a2990dbb4ed24f6c6d8c4cd7f0cf22ec3634436cd56554f4f7ecac7dcda0c3  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## diagnostics.reporting.zip: diagnostics.reporting.jar: reportcache.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.reporting.zip/diagnostics.reporting.jar/com/inet/report/diagnostics/widgets/reportcache/resources/reportcache.js

**MD5:** 153a5e9e133c2840303d9f3e1ae5876f

**SHA1:** 5dd04ef59fe3d4ea75b1d700aa578f674088e6be

**SHA256:** 97398f1657e15070641fc579e844266bcd51cc9971442b43324d19ca9926d62a

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## diagnostics.reporting.zip: diagnostics.reporting.jar: server-datasource.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.reporting.zip/diagnostics.reporting.jar/com/inet/report/diagnostics/widgets/benchmark/datasource/server-datasource.js

**MD5:** dcc7cb153b98c98a9284b8355fe059f3

**SHA1:** a2b9c989ecd08ecf852b254abb88ce4994b28e94

**SHA256:** 53d10a9c4356d0339a94952cb656230a9e2c73dbdb2501dfa68f2fa761436d71

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None



diagnostics.zip: diagnostics.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar

**MD5:** 9a55c001c91e9050718fde2f9d971845

**SHA1:** 07ab48d25e1be727f436c40803131f5361e087a6

**SHA256:**9b2378dddf0fb9a91b74ecfeface5b6607b8b5210b9d00fa36f814b0f7f149cb

**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	diagnostics	High
Vendor	jar	package name	diagnostics	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	shared	Low
Vendor	Manifest	built-date	2024-11-16 13:12	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	diagnostics	High
Product	jar	package name	diagnostics	Highest
Product	jar	package name	diagnostics	Low
Product	jar	package name	shared	Highest
Product	jar	package name	shared	Low
Product	jar	package name	widgets	Low
Product	Manifest	built-date	2024-11-16 13:12	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	diagnostics	High
Product	Manifest	specification-title	diagnostics	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	24.10.221	High

### Identifiers

- None

## diagnostics.zip: diagnostics.jar: MemoryPieChart.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/information/resources/MemoryPieChart.js

**MD5:** 42626a4c9ca338a4fcab2f76023b3066

**SHA1:** eb0f8d225202d92c5eb85fa4280223bf13556bb3

**SHA256:** 745789d5c53cb94947ce85fd4a0db43b1551b479217aface82a44d58001f5377

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## diagnostics.zip: diagnostics.jar: MemoryUsageChart.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/information/resources/MemoryUsageChart.js

**MD5:** b79e192fd1f5ea3d4f9be1dcc001d1a

**SHA1:** 1dcbddea47f2917610777a5220510b75e2145fe4

**SHA256:** 8ef4ff98ec97575059f8b76c80e660c9451b654faa4bc4096db04f3041f41a9b

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### diagnostics.zip: diagnostics.jar: WebServerErrorChart.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/webserver/resources/WebServerErrorChart.js  
**MD5:** 4934e98916d9180d7713313276bd51b0  
**SHA1:** a97ee17d4f0c0be6de32add6f433a0253e7baf60  
**SHA256:** b493af38d4b841a79beffd85e99cdf23fda5eb7b3bc810ba2956a75905600054  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: benchmarkCtrl.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/resources/benchmarkCtrl.js  
**MD5:** b9bdb18908cc80ce56da5cdaeee67466  
**SHA1:** 90ca53aaae57cf06537d9bb37eaf7787452431ac  
**SHA256:** 52ced4ea204372bec8672a726612cec4fc3973db7e5fa10438bd9416875ad1b3  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: client-server.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip  
/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/clientserver/client-server.js  
**MD5:** 9775c53615ccd0633dc879e29740d1d7  
**SHA1:** 235fb16ef3b9c8ca2d35c383fc7ea7ccd0fbe35a  
**SHA256:** b3e66a6f53af1654e7c444678e571870b4e96d48f2bb30a15a315eb8568ff8af  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip  
/diagnostics.jar/com/inet/shared/diagnostics/resources/js/controller.js  
**MD5:** 9c44be81e0e4ab33d11335181b5c5050  
**SHA1:** a46ec4fdbba6040d7b22c9676e439bd7323c5d2dd  
**SHA256:** 12062f4ac444c0d35b0f4540c25666ef8f21eff25f56afde8b7435abddde2ea9  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: cpu.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip  
/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/cpu/cpu.js  
**MD5:** efc8a1bacbf8abea4c10226fef04dde  
**SHA1:** 125b6c7b2803418a18b0991129aadcc9274b3abc  
**SHA256:** 7c6656ce270748b123397d36aebc01cedc7f19ce8000840f9eb3e1782548dadab  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## diagnostics.zip: diagnostics.jar: cpuspeed.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/cpuspeed/cpuspeed.js

**MD5:** e6773bb5fcc69118e1f9fc5d97d29ed9

**SHA1:** 4b76e6970f1a54c296f68631ed4631dc8be5a9ac

**SHA256:** 72f628d2b4ac181a67b1deb3fbb35f65ee9da07b998a07582433637ef90d9bcd

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## diagnostics.zip: diagnostics.jar: directives.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/directives.js

**MD5:** 75a66dfaec3f8a8d22ba5189f7d333b2

**SHA1:** b1513528d04cba4f2d55b6cb48f0d3fd64ffbe54

**SHA256:** 6da91d6fd4de0e0e30b050cdef3f1b654d3862fc280d76c2bcf64742dd693d3b

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## diagnostics.zip: diagnostics.jar: errorHistoryChart.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/logging/resources/errorHistoryChart.js

**MD5:** 7db1c5d1ff857966be61bb2f1f7ae6a8

**SHA1:** a4844b6cf9ae6ccfcb17b1796276fc6f05593946

**SHA256:** 29b643d551eb9a16c5efa6836a3e505699a5085da1228ff5d0279125f7150223

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## diagnostics.zip: diagnostics.jar: flot2.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/flotr2.min.js

**MD5:** 0b7015815b97473a69b1917da6dc9c7c

**SHA1:** d23aa3eb0326ea5ae26e4d98383e80f3f63a05de

**SHA256:** 8e91d325cb89a573c87ec87930a17a0dd4e16b59926d4bcc06691c26e37ab9fc

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### diagnostics.zip: diagnostics.jar: global.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/global.js

**MD5:** 18534cf8124e29a00282ed71477686f7

**SHA1:** 5adadf64dae9d41f975a75cfbaba4d02b6f943eb

**SHA256:** ba0e9b50f542cff2f0ee14105970cb6551d58367e4d4af7384717dc046cf438f

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: haddisk.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/haddisk/haddisk.js

**MD5:** 8455e549f56617f12154038a8f83662d

**SHA1:** 5c534bed65bb8ce9e652f2a9fb7248f098b69782

**SHA256:** fcd4d80fb7abbcc8882f12e5000b5230b03788bc358b3e2fa17666833f434344

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: heapdumpCtrl.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip

/diagnostics.jar/com/inet/shared/diagnostics/widgets/dump/resources/heapdumpCtrl.js

**MD5:** 210e1e95e6e689731e7d2699982fe594

**SHA1:** 0dcfb258e6458141cf7280821d6ad465f1335563

**SHA256:** eeb11a6c813f787e527db15712d25bd6c6521dd12a491038d5c7c9731ace36a2

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: informationCtrl.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip  
/diagnostics.jar/com/inet/shared/diagnostics/widgets/information/resources/informationCtrl.js

**MD5:** feaacfee3731e1867feb8317e33bd58

**SHA1:** ccce0ab7f6e6726bb3ec13a0af239231716409db

**SHA256:** c7f15cdb740db3f48bf013b2f15eb263072512714b8cb1cf5ea656aad4d59be

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: intArrayUtils.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip  
/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/intArrayUtils.js

**MD5:** 79a290bdef5c5e77f5d3bdfd8e3c957d

**SHA1:** f9c1a98a645712d8ee60897d29d634eca8888e1a

**SHA256:** 1fa5d253aa76306556a34f27144c0a2549fb10741c3b2dfece3a5135c85058f6

**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: iospeed.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/iospeed/iospeed.js

**MD5:** 9513a5cc6db5b11ac8ccec13ebc66cf4

**SHA1:** 77dca27656bc1f6302f35d56f7c1d0fa08383de1

**SHA256:**111f6477977551d4f341f5e495bb47a0cd4e34b8af74cda2b7a60006da45dce3

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: jobs.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/jobs/resources/jobs.js

**MD5:** b78864906d5e65d639ce619c3b78dc57

**SHA1:** dad23495bc8488158dcd7cc5c6532a88097050f9

**SHA256:**c0b0df3fd4e121d3f248c92014e41459ab2cfcc23af039b9fa6271a8db326e3d

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

### diagnostics.zip: diagnostics.jar: logging.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/logging/resources/logging.js

**MD5:** 69b1212755915952c874044cf173e8f5

**SHA1:** 3c8ddbcca0058c420b2ce85abee5f5281195b826

**SHA256:** c4080e6e0fe9cd1f0ffc5d52ad660ead4b434afdc9d7c8b4859b3fa1a34ef053

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: memory.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/memory/memory.js

**MD5:** a8e6f6a6db1d1d5642d9660c410ef86a

**SHA1:** e77983c1ac1019e864eb9e6a80693bf5672882

**SHA256:** 97f74086b8273426e3c9b5550fc07624ab60f585a46d1a1218793b7e78da0d88

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## diagnostics.zip: diagnostics.jar: overviewCtrl.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/overview/resources/overviewCtrl.js

**MD5:** e5b43d270ebf9a9ad22979995dd75aba

**SHA1:** 7bef88b1bb39b0c83bfec6937ee39e63c5618aa

**SHA256:** b8302f76b57f0af058b713eda0ffae316c7948c193814e2bc36f4db06828f65

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## diagnostics.zip: diagnostics.jar: pde.diagnostics.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/webserver/resources/pde.diagnostics.js

**MD5:** e1cfa8fcb3e071eec07859c25e18992

**SHA1:** 3ba533c28f4cb5977be5b98ecf9ca77e0e97339c

**SHA256:** c71bb9125ac341046d989d319686118882eb5b2d661db86383e611b23c8ff7af

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## diagnostics.zip: diagnostics.jar: timeformat.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/timeformat.js

**MD5:** d8d84b44477ea45bab0f78152b2f4c49

**SHA1:** 625f35b9aca48a8eafc02a4acbecf41aca1caa88  
**SHA256:**daae300534ae12d16f3d88482713f677a14074940450f80c293f917e2da47d71  
**Referenced In Project/Scope:** server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar  
**MD5:** 59b7d4aa0878ecdf008f71d690d8ee4f  
**SHA1:** 74f309c83882c81b5cce4f6a17d25e363a9c04a6  
**SHA256:**651b7680f4e703ab751c3845c5b157aaaf35b44140e5661f3d2d5e0847113ae7  
**Referenced In Project/Scope:** server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	drive	High
Vendor	jar	package name	drive	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2024-11-16 13:15	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	drive	High
Product	jar	package name	drive	Highest
Product	jar	package name	drive	Low
Product	jar	package name	server	Low

Product	Manifest	built-date	2024-11-16 13:15	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	drive	High
Product	Manifest	specification-title	drive	Medium
Version	Manifest	Implementation-Version	24.10.221	High

#### Identifiers

- None

### drive.zip: drive.jar: actions.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/actions.js

**MD5:** 3d3d275eb30155df30871bc783487824

**SHA1:** 9dec3b2b822aa5debb1a8fdd1d0affb059628e9f

**SHA256:** fc0489129d314a1ebdc7ce3b7f263f0dea6976f14cb69a217b858698bf9483fc

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### drive.zip: drive.jar: actions.service.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/service/actions.service.js

**MD5:** 06585f1a62539e4ef0e60612a18f934b

**SHA1:** 6f0d6a23bb5490c21386a32b942f357ac64353a5

**SHA256:** 9c67d37be2ac7b8f2b14b5f20821b41a158337a3f5358ff6dc93c3d6b198a6b8

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## drive.zip: drive.jar: contentextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/contentextension.js  
**MD5:** 00689403c0e32161c56dc2a3ac908ba2  
**SHA1:** ed1576fba1a3cb52d10859f4b58c90d4804ed058  
**SHA256:** 70938fae8885f3e86daffd98e970b07f2e494518d63d79b3534c7523b4897cd6  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## drive.zip: drive.jar: controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/setup/controller.js  
**MD5:** 9b84367746009eef398d77d884b154a6  
**SHA1:** 1cef8b024cf08eaf0d0a526778f5297635cdae1e  
**SHA256:** 2ef8f14ee5aa793584e5ffdf6df7701877b7f97a6db04f12733129cfb8c3612b  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## drive.zip: drive.jar: drivecleanup.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/server/maintenance/js/drivecleanup.js

**MD5:** 26ac230e5c14e92eddfef4fdbb5052a8f

**SHA1:** a550d9e0c198f15d2327587c32bcc7667b5987ff

**SHA256:** b17f17d04eec7b77450e7084f3a0a5e3a6b50f751821e1f88e6cc574b3fa18ec

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## drive.zip: drive.jar: drivecontroller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/drivecontroller.js

**MD5:** 859cc56e871db4de1bfafef2f9e6fde7

**SHA1:** 98bef5d44b75233c7226ae3c01b48a834a7e6b89

**SHA256:** b1f049a2d9f7d740f6a7a02df593551f4d88b0cdf49110a18ed56cc54db34dae

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## drive.zip: drive.jar: drivefactory.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/drivefactory.js

**MD5:** de20ba216ff35e80247d2070266aa284

**SHA1:** 6e48d074248f1400009d5ae48846f44f4d8aac97

**SHA256:** 96bd4b1aa30978f549c701c3111477af0e2efd6c86036159ca517c3cf811009d

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## drive.zip: drive.jar: drivemodel.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/drivemodel.js

**MD5:** e6a270a8460c988b8328ee291e867388

**SHA1:** b5c130c1a3ec4ead3c26afcc1a6a4b3aa5287cf6

**SHA256:** f5780833532de8fd96c44471bc9a27d261ea56aa559293758a88741af3c1d0a3

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## drive.zip: drive.jar: dropzone.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/dropzone.directive.js



**MD5:** 1e5fb3262ff7f502260fd1b571271d2a  
**SHA1:** 7140a1e8d0604fe5e8f64c89e769dad5db447aac  
**SHA256:** 0e74e1cad3ddcc0c6f90c42aa57a9ea518ed0f9b89cb8b346915b271e9a736fe  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### drive.zip: drive.jar: entryactions.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet  
/drive/webgui/client/js/directive/entryactions.directive.js

**MD5:** c03cc53b5e6e9197aade6ea4f5bc88f6  
**SHA1:** 524bd245e11acca716f021350181192e09423b44  
**SHA256:** f0d31214592e0c0e125a93267738b9f2df9827d51326768cb40a8952a8ff8d4c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### drive.zip: drive.jar: folderlist.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet  
/drive/webgui/client/js/directive/folderlist.directive.js

**MD5:** 876291e76208fd3ed602ad4ea188af73  
**SHA1:** 309fe9358bb6816e07a9f9f68c5f5da60aa4bbf5  
**SHA256:** 588f904947b4f78f28d444d71b15db3a0ceeffdaa1469af9a66bc91c206cbaab  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: linkdialog.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/linkdialog.js

**MD5:** 8bd554613d9aefe7707adae374579d3b

**SHA1:** 4e87ed3c9497de78e7b46d506de9a4b15e0d21d3

**SHA256:**6902f24c66660d5b1aa440c595337753ad8b5e2dc75a1fc565c4504aaf2377c4

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: locationchooser.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/locationchooser.js

**MD5:** e1bde8bc9a2ec6b100d2a26c2dc100ac

**SHA1:** 27abe39821d30f33418291d0947cf46abd2c9bc8

**SHA256:**69c9f894195902c5b696692e4999534f90e7b56abb7e82ebf5c0c5494b64a755

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

#### drive.zip: drive.jar: mountdialog.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/mountdialog.js

**MD5:** 9ddcc359d4872a789dd6971dfbd0f15c

**SHA1:** 0487f52f87d2b8082db8b5b1fbba3b6adbfddaf

**SHA256:** 9f333799e177a1b89585045bb59435c968666209b928c4b11ab2e0b9c1f7e716

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### drive.zip: drive.jar: permissionsextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/extensions/permissionsextension.js

**MD5:** 82d7f1629df1bf988dee79b94e66367a

**SHA1:** 30c32d7ab81d96f93122dbfdd9bb7ae27a4d6b0f

**SHA256:** 76ddeaceaacd69a0ddba037162649d6367460635703e867275c4a95c2e7f4acd

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### drive.zip: drive.jar: progress.service.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/service/progress.service.js  
**MD5:** 61378778da59a5e5fb1db5eb5a6b1dac  
**SHA1:** f074907898f0e77690ea39a1c0a916cbf3f009ba  
**SHA256:** 7a942ab911d7c7b291a2c5131f531115afda27e1519b2bd1b1cfb5dde8ffdbaf  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### drive.zip: drive.jar: progresspanel.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/progresspanel.directive.js  
**MD5:** f63b2bcfbea6800b8e7d065bc4c7ef83  
**SHA1:** e128d09bd1e3445ec18290ea55286ab9514b0b07  
**SHA256:** 8c8ac2b1c3db7703f39ae301b3c212970d558eac38c818012b2c9ef8b3e23026  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### drive.zip: drive.jar: resolve.service.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/service/resolve.service.js  
**MD5:** ba3326c0013f1ad827eac7b43babb1bd  
**SHA1:** 36b3d94acffa898b9aa05bb5b86976ebb8cc4276

**SHA256:**1ddd89ff0b52ef4b757f1fdd6803c94e3a2b8dda40c218600d8f1c9174fc8879  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### drive.zip: drive.jar: responsivetoolbar.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/responsivetoolbar.directive.js  
**MD5:** 0514676eab5c3cbb605cdc725cf6e0a2  
**SHA1:** 51755caa7e7cda9c1df5f51ff4541a51f8de3190  
**SHA256:**8b3f3f6111e191d4225716e470f593fb41d86e826a9a78d7310392decb1476f8  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### drive.zip: drive.jar: selectedextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/selectedextension.js  
**MD5:** def7dd4baa75fb99d6f028cf593c89f2  
**SHA1:** 4ae31c010fa7eeebf0c6581c42df0065f5002594  
**SHA256:**be162be53153d56b8b410e8a0b2b215e4571eb3883eb30c2cdd83d44b5ee6702  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## drive.zip: drive.jar: thumbnailextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/thumbnailextension.js  
**MD5:** 481c6a02104bcd6dcf1017a1b9c43bb2  
**SHA1:** f8fa4fed16c5975ee116eacd49d95f962a46d5b7  
**SHA256:** 9e535930662b6aebaa92f5c8ea8e94d1721e9b9650137394294208c8acb23f52  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## drive.zip: drive.jar: toolbaraction.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/toolbaraction.directive.js  
**MD5:** fb68211b153024df5d5df904a849ed05  
**SHA1:** a08e0aeb010a782a76679870cfb6d0b6856de793  
**SHA256:** 79e1a51f62975ae7ef7429e2640ef031ad705f07f5e701c3262618cb83172b10  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## drive.zip: drive.jar: unzipextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/extensions/unzipextension.js  
**MD5:** 82fbfeb109964349d67ae99c5641b0f2  
**SHA1:** 4007f9daf1f9734fd0b68646180def84cf7d56c6  
**SHA256:** bf3c8f846f5e97a14ff48f38631f8927831b8643bddf05e9b8deea3f01da65a1  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## drive.zip: drive.jar: zipextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/extensions/zipextension.js  
**MD5:** b7b6cf212e939bf91700f83e735a8893  
**SHA1:** 5911e53cc6dad277cc78bb5972ba189f610d4640  
**SHA256:** a1b81ac11c19a5c8f61a1bb01f419cb7c86f666970d1dd6d50492e278d51d2d5  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## exceljconnect.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/exceljconnect.jar  
**MD5:** b982d56a619863a31f4f3a348934940d  
**SHA1:** 35253a9b22fe561d9d7e3b3c656e82b0e6358b32  
**SHA256:** 6293004aa0862e83901e33bd661d811af96fefb6a7d38b2663eb24cba346131c  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	exceljconnect	High
Vendor	jar	package name	excel	Low
Vendor	jar	package name	inet	Low
Product	file	name	exceljconnect	High
Product	jar	package name	excel	Low

Identifiers

- None

fieldsettings.zip: fieldsettings.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/fieldsettings.zip /fieldsettings.jar  
**MD5:** f1fca2cb80989cd48bb4e013f12e7c8f  
**SHA1:** abcc037a2d599e8e6c6ae25db74956752879152c  
**SHA256:** 7a8d3b2c75de5ce11879f6f9ed21549b9288c1d5825cb3b423cba9827427d47d  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	fieldsettings	High
Vendor	jar	package name	fieldsettings	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2024-11-16 13:14	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-	de.inetsoftware	Medium



		Vendor-Id		
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	fieldsettings	High
Product	jar	package name	fieldsettings	Highest
Product	jar	package name	fieldsettings	Low
Product	Manifest	built-date	2024-11-16 13:14	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	fieldsettings	High
Product	Manifest	specification-title	fieldsettings	Medium
Version	Manifest	Implementation-Version	24.10.221	High

Identifiers

- None

fieldsettings.zip: fieldsettings.jar: FieldSettingsPropertyRenderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/fieldsettings.zip /fieldsettings.jar/com/inet/fieldsettings/structure/js/FieldSettingsPropertyRenderer.js

**MD5:** efc92dfa1ffc62c8362d3c914a3c1ae7

**SHA1:** f3a81f7d010fe18517b168f66cbde9ee5a62ba62

**SHA256:**cf8ccee8cc5668ba117a546a7026646dc8420bd563232bfed6efbf2488c1ea4f

**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

## fieldsettings.zip: fieldsettings.jar: UserFieldSettingsPropertyRenderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/fieldsettings.zip/fieldsettings.jar/com/inet/fieldsettings/user/structure/js/UserFieldSettingsPropertyRenderer.js

**MD5:** 3453225fcbf24d282f8b46ca0f24374f

**SHA1:** 9fea404a9433f6f566e9b1a004d5cd0334b0ae8c

**SHA256:**f36df26f784e439f59c40e41157117c5b071896633470f7790799b3c0cda7446

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## hamcrest-2.2.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.hamcrest/hamcrest/2.2/1820c0968dba3a11a1b30669bb1f01978a91dedc/hamcrest-2.2.jar

**MD5:** 10b47e837f271d0662f28780e60388e8

**SHA1:** 1820c0968dba3a11a1b30669bb1f01978a91dedc

**SHA256:**5e62846a89f05cd78cd9c1a553f340d002458380c320455dd1f8fc5497a8a1c1

**Referenced In Project/Scope:** server:inetPlugin

**Included by:** pkg:maven/helpdesk/server@24.10

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	hamcrest	High
Vendor	gradle	artifactid	hamcrest	Highest
Vendor	gradle	groupid	org.hamcrest	Highest
Vendor	jar	package name	hamcrest	Highest
Vendor	jar	package name	hamcrest	Low
Vendor	Manifest	automatic-module-name	org.hamcrest	Medium
Vendor	Manifest	bundle-symbolicname	org.hamcrest	Medium
Vendor	Manifest	Implementation-Vendor	hamcrest.org	High
Product	file	name	hamcrest	High

Product	gradle	artifactid	hamcrest	Highest
Product	jar	package name	hamcrest	Highest
Product	Manifest	automatic-module-name	org.hamcrest	Medium
Product	Manifest	Bundle-Name	hamcrest	Medium
Product	Manifest	bundle-symbolicname	org.hamcrest	Medium
Product	Manifest	Implementation-Title	hamcrest	High
Version	file	version	2.2	High
Version	Manifest	Implementation-Version	2.2	High

#### Identifiers

- [pkg:maven/org.hamcrest/hamcrest@2.2](https://pkg:maven/org.hamcrest/hamcrest@2.2) (Confidence:High)

## help.zip: commons-beanutils.jar

### Description:

Apache Commons BeanUtils provides an easy-to-use but flexible wrapper around reflection and introspection.

### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/help.zip/commons-beanutils.jar

**MD5:** 07dc532ee316fe1f2f0323e9bd2f8df4

**SHA1:** d52b9abcd97f38c81342bb7e7ae1eee9b73cba51

**SHA256:** 7d938c81789028045c08c065e94be75fc280527620d5bd62b519d5838532368a

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-beanutils	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	beanutils	Highest
Vendor	jar	package name	commons	Highest
Vendor	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-beanutils/">https://commons.apache.org/proper/commons-beanutils/</a>	Low

Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-beanutils	Medium
Vendor	Manifest	implementation-build	UNKNOWN_BRANCH@r??????; 2019-07-28 22:14:44+0000	Low
Vendor	Manifest	implementation-url	https://commons.apache.org/proper/commons-beanutils/	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-beanutils	Low
Vendor	pom	developer email	britter@apache.org	Low
Vendor	pom	developer email	chtompki@apache.org	Low
Vendor	pom	developer email	craigmcc@apache.org	Low
Vendor	pom	developer email	dion@apache.org	Low
Vendor	pom	developer email	epugh@apache.org	Low
Vendor	pom	developer email	geirm@apache.org	Low
Vendor	pom	developer email	ggregory@apache.org	Low
Vendor	pom	developer email	jcarman@apache.org	Low
Vendor	pom	developer email	jconlon@apache.org	Low
Vendor	pom	developer email	jstrachan@apache.org	Low
Vendor	pom	developer email	morgand@apache.org	Low
Vendor	pom	developer email	mvdb@apache.org	Low
Vendor	pom	developer email	niallp@apache.org	Low
Vendor	pom	developer email	rdonkin@apache.org	Low
Vendor	pom	developer email	rwaldhoff@apache.org	Low
Vendor	pom	developer email	sanders@apache.org	Low
Vendor	pom	developer email	scolebourne@apache.org	Low
Vendor	pom	developer email	skitching@apache.org	Low
Vendor	pom	developer email	stain@apache.org	Low
Vendor	pom	developer email	tobrien@apache.org	Low
Vendor	pom	developer email	yoavs@apache.org	Low
Vendor	pom	developer id	britter	Medium
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	craigmcc	Medium
Vendor	pom	developer id	dion	Medium

Vendor	pom	developer id	epugh	Medium
Vendor	pom	developer id	geirm	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jcarman	Medium
Vendor	pom	developer id	jconlon	Medium
Vendor	pom	developer id	jstrachan	Medium
Vendor	pom	developer id	morgand	Medium
Vendor	pom	developer id	mvdb	Medium
Vendor	pom	developer id	niallp	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	rwaldhoff	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	scolebourne	Medium
Vendor	pom	developer id	skitching	Medium
Vendor	pom	developer id	stain	Medium
Vendor	pom	developer id	tobrien	Medium
Vendor	pom	developer id	yoavs	Medium
Vendor	pom	developer name	Benedikt Ritter	Medium
Vendor	pom	developer name	Craig McClanahan	Medium
Vendor	pom	developer name	David Eric Pugh	Medium
Vendor	pom	developer name	Dion Gillard	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Geir Magnusson Jr.	Medium
Vendor	pom	developer name	James Carman	Medium
Vendor	pom	developer name	James Strachan	Medium
Vendor	pom	developer name	John E. Conlon	Medium
Vendor	pom	developer name	Martin van den Bemt	Medium
Vendor	pom	developer name	Morgan James Delagrang	Medium
Vendor	pom	developer name	Niall Pemberton	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Rodney Waldhoff	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Simon Kitching	Medium
Vendor	pom	developer name	Stephen Colebourne	Medium

Vendor	pom	developer name	Stian Soiland-Reyes	Medium
Vendor	pom	developer name	Tim O'Brien	Medium
Vendor	pom	developer name	Yoav Shapira	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	groupid	commons-beanutils	Highest
Vendor	pom	name	Apache Commons BeanUtils	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	<a href="https://commons.apache.org/proper/commons-beanutils/">https://commons.apache.org/proper/commons-beanutils/</a>	Highest
Product	file	name	commons-beanutils	High
Product	jar	package name	apache	Highest
Product	jar	package name	beanutils	Highest
Product	jar	package name	commons	Highest
Product	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-beanutils/">https://commons.apache.org/proper/commons-beanutils/</a>	Low
Product	Manifest	Bundle-Name	Apache Commons BeanUtils	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-beanutils	Medium
Product	Manifest	implementation-build	UNKNOWN_BRANCH@r?????; 2019-07-28 22:14:44+0000	Low
Product	Manifest	Implementation-Title	Apache Commons BeanUtils	High
Product	Manifest	implementation-url	<a href="https://commons.apache.org/proper/commons-beanutils/">https://commons.apache.org/proper/commons-beanutils/</a>	Low
Product	Manifest	specification-title	Apache Commons BeanUtils	Medium
Product	pom	artifactid	commons-beanutils	Highest
Product	pom	developer email	britter@apache.org	Low
Product	pom	developer email	chtompki@apache.org	Low
Product	pom	developer email	craigmcc@apache.org	Low
Product	pom	developer email	dion@apache.org	Low
Product	pom	developer email	epugh@apache.org	Low
Product	pom	developer email	geirm@apache.org	Low
Product	pom	developer email	ggregory@apache.org	Low
Product	pom	developer email	jcarman@apache.org	Low
Product	pom	developer email	jconlon@apache.org	Low
Product	pom	developer email	jstrachan@apache.org	Low
Product	pom	developer email	morgand@apache.org	Low

Product	pom	developer email	mvdb@apache.org	Low
Product	pom	developer email	niallp@apache.org	Low
Product	pom	developer email	rdonkin@apache.org	Low
Product	pom	developer email	rwaldhoff@apache.org	Low
Product	pom	developer email	sanders@apache.org	Low
Product	pom	developer email	scolebourne@apache.org	Low
Product	pom	developer email	skitching@apache.org	Low
Product	pom	developer email	stain@apache.org	Low
Product	pom	developer email	tobrien@apache.org	Low
Product	pom	developer email	yoavs@apache.org	Low
Product	pom	developer id	britter	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	craigmcc	Low
Product	pom	developer id	dion	Low
Product	pom	developer id	epugh	Low
Product	pom	developer id	geirm	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jcarman	Low
Product	pom	developer id	jconlon	Low
Product	pom	developer id	jstrachan	Low
Product	pom	developer id	morgand	Low
Product	pom	developer id	mvdb	Low
Product	pom	developer id	niallp	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	rwaldhoff	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	scolebourne	Low
Product	pom	developer id	skitching	Low
Product	pom	developer id	stain	Low
Product	pom	developer id	tobrien	Low
Product	pom	developer id	yoavs	Low
Product	pom	developer name	Benedikt Ritter	Low
Product	pom	developer name	Craig McClanahan	Low
Product	pom	developer name	David Eric Pugh	Low
Product	pom	developer name	Dion Gillard	Low

Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Geir Magnusson Jr.	Low
Product	pom	developer name	James Carman	Low
Product	pom	developer name	James Strachan	Low
Product	pom	developer name	John E. Conlon	Low
Product	pom	developer name	Martin van den Bemt	Low
Product	pom	developer name	Morgan James Delagrang	Low
Product	pom	developer name	Niall Pemberton	Low
Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Rodney Waldhoff	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Simon Kitching	Low
Product	pom	developer name	Stephen Colebourne	Low
Product	pom	developer name	Stian Soiland-Reyes	Low
Product	pom	developer name	Tim O'Brien	Low
Product	pom	developer name	Yoav Shapira	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	groupid	commons-beanutils	Highest
Product	pom	name	Apache Commons BeanUtils	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper/commons-beanutils/	Medium
Version	Manifest	Bundle-Version	1.9.4	High
Version	Manifest	Implementation-Version	1.9.4	High
Version	pom	parent-version	1.9.4	Low
Version	pom	version	1.9.4	Highest

## Identifiers

- [pkg:maven/commons-beanutils/commons-beanutils@1.9.4](#) (*Confidence:High*)
- [cpe:2.3:a:apache:commons\\_beanutils:1.9.4:\\*\\*\\*\\*:\\*](#) (*Confidence:Highest*)

suppress



## help.zip: commons-digester3.jar

### Description:

The Apache Commons Digester package lets you configure an XML to Java object mapping module which triggers certain actions called rules whenever a particular pattern of nested XML elements is recognized.

### License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/help.zip/commons-digester3.jar

**MD5:** 41d2c62c7aedefa7a3627794abc83f71

**SHA1:** c3f68c5ff25ec5204470fd8fdf4cb8feff5e8a79

**SHA256:** 1c150e3d2df4b4237b47e28fea2079fb0da324578d5cca6a5fed2e37a62082ec

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-digester3	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	digester	Highest
Vendor	jar	package name	digester3	Highest
Vendor	jar	package name	rules	Highest
Vendor	Manifest	bundle-docurl	http://commons.apache.org/digester/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.digester	Medium
Vendor	Manifest	implementation-build	tags/DIGESTER3_3_2_RC2@r1212807; 2011-12-10 15:57:06+0100	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-digester3	Low
Vendor	pom	developer email	craigmcc@apache.org	Low
Vendor	pom	developer email	jfarcan@apache.org	Low
Vendor	pom	developer email	jstrachan@apache.org	Low
Vendor	pom	developer email	jvanzyl@apache.org	Low
Vendor	pom	developer email	mbenson AT apache DOT org	Low

Vendor	pom	developer email	rahul AT apache DOT org	Low
Vendor	pom	developer email	rdonkin@apache.org	Low
Vendor	pom	developer email	sanders@totalsync.com	Low
Vendor	pom	developer email	simonetripodi AT apache DOT org	Low
Vendor	pom	developer email	skitching@apache.org	Low
Vendor	pom	developer email	tobrien@apache.org	Low
Vendor	pom	developer id	craigmcc	Medium
Vendor	pom	developer id	jfarcand	Medium
Vendor	pom	developer id	jstrachan	Medium
Vendor	pom	developer id	jvanzyl	Medium
Vendor	pom	developer id	mbenson	Medium
Vendor	pom	developer id	rahul	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	simonetripodi	Medium
Vendor	pom	developer id	skitching	Medium
Vendor	pom	developer id	tobrien	Medium
Vendor	pom	developer name	Craig McClanahan	Medium
Vendor	pom	developer name	James Strachan	Medium
Vendor	pom	developer name	Jason van Zyl	Medium
Vendor	pom	developer name	Jean-Francois Arcand	Medium
Vendor	pom	developer name	Matt Benson	Medium
Vendor	pom	developer name	Rahul Akolkar	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Simon Kitching	Medium
Vendor	pom	developer name	Simone Tripodi	Medium
Vendor	pom	developer name	Tim OBrien	Medium
Vendor	pom	groupid	org.apache.commons	Highest
Vendor	pom	name	Apache Commons Digester	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	url	http://commons.apache.org/digester/	Highest
Product	file	name	commons-digester3	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest

Product	jar	package name	digester	Highest
Product	jar	package name	digester3	Highest
Product	jar	package name	rules	Highest
Product	Manifest	bundle-docurl	http://commons.apache.org/digester/	Low
Product	Manifest	Bundle-Name	Apache Commons Digester	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.digester	Medium
Product	Manifest	implementation-build	tags/DIGESTER3_3_2_RC2@r1212807; 2011-12-10 15:57:06+0100	Low
Product	Manifest	Implementation-Title	Apache Commons Digester	High
Product	Manifest	specification-title	Apache Commons Digester	Medium
Product	pom	artifactid	commons-digester3	Highest
Product	pom	developer email	craigmcc@apache.org	Low
Product	pom	developer email	jfarcand@apache.org	Low
Product	pom	developer email	jstrachan@apache.org	Low
Product	pom	developer email	jvanzyl@apache.org	Low
Product	pom	developer email	mbenson AT apache DOT org	Low
Product	pom	developer email	rahul AT apache DOT org	Low
Product	pom	developer email	rdonkin@apache.org	Low
Product	pom	developer email	sanders@totalsync.com	Low
Product	pom	developer email	simonetripodi AT apache DOT org	Low
Product	pom	developer email	skitching@apache.org	Low
Product	pom	developer email	tobrien@apache.org	Low
Product	pom	developer id	craigmcc	Low
Product	pom	developer id	jfarcand	Low
Product	pom	developer id	jstrachan	Low
Product	pom	developer id	jvanzyl	Low
Product	pom	developer id	mbenson	Low
Product	pom	developer id	rahul	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	simonetripodi	Low
Product	pom	developer id	skitching	Low
Product	pom	developer id	tobrien	Low
Product	pom	developer name	Craig McClanahan	Low
Product	pom	developer name	James Strachan	Low

Product	pom	developer name	Jason van Zyl	Low
Product	pom	developer name	Jean-Francois Arcand	Low
Product	pom	developer name	Matt Benson	Low
Product	pom	developer name	Rahul Akolkar	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Simon Kitching	Low
Product	pom	developer name	Simone Tripodi	Low
Product	pom	developer name	Tim OBrien	Low
Product	pom	groupid	org.apache.commons	Highest
Product	pom	name	Apache Commons Digester	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	url	http://commons.apache.org/digester/	Medium
Version	Manifest	Implementation-Version	3.2	High
Version	pom	parent-version	3.2	Low
Version	pom	version	3.2	Highest

#### Identifiers

- <pkg:maven/org.apache.commons/commons-digester3@3.2> (*Confidence:High*)

### help.zip: help.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/help.zip/help.jar

**MD5:** 89526397fa4086722aa17a270a082f3e

**SHA1:** 8f0c13be6d1428e2de125f0b2fa152f5ef00856b

**SHA256:**202ec6b3475d30ea9ea230226efb4c1fa31f4159c678cefeeb9a762c5fe6b7b4

**Referenced In Project/Scope:** server

#### Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	help	High
Vendor	jar	package name	help	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2024-11-16 13:04	Low

Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	help	High
Product	jar	package name	help	Highest
Product	jar	package name	help	Low
Product	Manifest	built-date	2024-11-16 13:04	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	help	High
Product	Manifest	specification-title	help	Medium
Version	Manifest	Implementation-Version	24.10.221	High

### Identifiers

- None

## help.zip: help.jar: app.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/help.zip/help.jar/com/inet/help/resources/js/app.js  
**MD5:** 33e7e0d008199ab0d98395ed9868abc4  
**SHA1:** b062faef11230309ec707c5cdc18976822367f0d  
**SHA256:**44fdf1156cbace5a1e53a2bd9147db3858861e9fc8c51c81410f44d34a6cb022  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### help.zip: help.jar: controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/help.zip/help.jar/com/inet/help/resources/js/controller.js

**MD5:** 2794600b6f3e7f2d77dbc49daec3dc4f

**SHA1:** 81eb1b85dbee3683e1efb2782f43902e8432886e

**SHA256:** 9de6c152ae6c3bb23e422cf5281c55dd17d13326979c2fddf540304d2e06554

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### help.zip: help.jar: shared.factory.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/help.zip/help.jar/com/inet/help/resources/js/shared.factory.js

**MD5:** d9560114c61a027daa602124caa8f0bd

**SHA1:** a5199190b480c68dbd769d4186ed73b24849d83e

**SHA256:** 94a69c6c0d5950ecb14d3bb24e8ecc1a6bea836b79c165714257631fda39bf51

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### help.zip: help.jar: shared.highlighter.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/help.zip/help.jar/com/inet/help/resources/js/shared.highlighter.js  
**MD5:** 89519d94e7239a3edb9aa847dc4ad933  
**SHA1:** f85c6f02a034326315b2e4a71eff5baac51e601f  
**SHA256:** d962320ae6469953d5c64d0fb6527a5d45d7ac7176f36bbd9b1524dc68af1f74  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## help.zip: jsoup.jar

### Description:

jsoup is a Java library for working with real-world HTML. It provides a very convenient API for fetching URLs and extracting and manipulating data, using the best of HTML5 DOM methods and CSS selectors. jsoup implements the WHATWG HTML5 specification, and parses HTML to the same DOM as modern browsers do.

### License:

The MIT License: <https://jsoup.org/license>

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/help.zip/jsoup.jar  
**MD5:** 9d8108ff1fa767c93cb67267ec8c7542  
**SHA1:** 5d39ff6d1b8331c376a04c50c6716afbcdfe567d  
**SHA256:** a73a1eb5d02b51490547c46485e30f4f14e68af3624840b57abe8c4580a00b83  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jsoup	High
Vendor	jar	package name	jsoup	Highest
Vendor	jar	package name	parser	Highest
Vendor	Manifest	automatic-module-name	org.jsoup	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	<a href="https://jsoup.org/">https://jsoup.org/</a>	Low

Vendor	Manifest	bundle-symbolicname	org.jsoup	Medium
Vendor	Manifest	Implementation-Vendor	Jonathan Hedley	High
Vendor	pom	artifactid	jsoup	Low
Vendor	pom	developer email	jonathan@hedley.net	Low
Vendor	pom	developer id	jhy	Medium
Vendor	pom	developer name	Jonathan Hedley	Medium
Vendor	pom	groupid	org.jsoup	Highest
Vendor	pom	name	jsoup Java HTML Parser	High
Vendor	pom	organization name	Jonathan Hedley	High
Vendor	pom	organization url	https://jhy.io/	Medium
Vendor	pom	url	https://jsoup.org/	Highest
Product	file	name	jsoup	High
Product	jar	package name	jsoup	Highest
Product	jar	package name	parser	Highest
Product	Manifest	automatic-module-name	org.jsoup	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	https://jsoup.org/	Low
Product	Manifest	Bundle-Name	jsoup Java HTML Parser	Medium
Product	Manifest	bundle-symbolicname	org.jsoup	Medium
Product	Manifest	Implementation-Title	jsoup Java HTML Parser	High
Product	pom	artifactid	jsoup	Highest
Product	pom	developer email	jonathan@hedley.net	Low
Product	pom	developer id	jhy	Low
Product	pom	developer name	Jonathan Hedley	Low
Product	pom	groupid	org.jsoup	Highest
Product	pom	name	jsoup Java HTML Parser	High
Product	pom	organization name	Jonathan Hedley	Low
Product	pom	organization url	https://jhy.io/	Low
Product	pom	url	https://jsoup.org/	Medium
Version	Manifest	Bundle-Version	1.16.2	High
Version	Manifest	Implementation-Version	1.16.2	High



Identifiers

- pkg:maven/org.jsoup/jsoup@1.16.2 (Confidence:High)
- cpe:2.3:a:jsoup:jsoup:1.16.2:\*:\*:\*:\*:\* (Confidence:Highest) 

suppress

helpdesk.forms.zip: helpdesk.forms.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar  
**MD5:** f6b7b35f261cc9c393fee07628059990  
**SHA1:** db9a4a798b7f951a49492468ccb04dca54df4c97  
**SHA256:**b9cfa14e0e0e1ceefd78ed3d876428fe294861090f497d0f1bfc8f5fea7eb399  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	helpdesk.forms	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2024-11-16 15:34	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	helpdesk.forms	High
Product	jar	package name	forms	Highest
Product	jar	package name	forms	Low
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	plugins	Low

Product	Manifest	built-date	2024-11-16 15:34	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	helpdesk.forms	High
Product	Manifest	specification-title	helpdesk.forms	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	24.10.221	High

Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:24.10.221:\*:\*:\*:\*:\* (Confidence:Low) suppress

helpdesk.forms.zip: helpdesk.forms.jar: configuration.ticketforms.edit.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/configuration.ticketforms.edit.js  
**MD5:** 4fa13e8a3d74504e49655d76484c8acc  
**SHA1:** f84f5e65033064a8aedd3561bd3a8f9502769745  
**SHA256:** 912ef72ee782a51694dd287c061adcbc95a799b4c5ee46210d9e0aee51d56dc4  
**Referenced In Project/Scope:** server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

helpdesk.forms.zip: helpdesk.forms.jar: configuration.ticketforms.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/configuration.ticketforms.js  
**MD5:** 63c37096f7a116a81f86c62dc27414c5

**SHA1:** bc35d032c995aeceb33445aeda3005aec0fcd509  
**SHA256:** b1f6dcc69e0012696da40ac485a214ad3a722a7d744c4e31c76fca83cf5f9fc0  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### helpdesk.forms.zip: helpdesk.forms.jar: editFormField.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/directives/editFormField.js

**MD5:** e6662b223a3e50355854b7e960be1e92

**SHA1:** d40354a252a0cd139dd837913cdb52f62ed09e1d

**SHA256:** f8776b11b67db21787325e4a240d88855aca632a432087cc505176935a6c7e35

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### helpdesk.forms.zip: helpdesk.forms.jar: fieldrenderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/directives/fieldrenderer.js

**MD5:** f9842b48a7bb8a8f20258a5dd7d6d963

**SHA1:** 2e81fad495147de11ca0b19ad82ab9268cc2061f

**SHA256:** 62b4d0808d2ea65738198c845a9eb04f8838b92ea62e821d0b16eabce3ec1262

**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				


helpdesk.forms.zip: helpdesk.forms.jar: fieldrenderer\_conditionValue.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/directives/fieldrenderer\_conditionValue.js  
**MD5:** 6759b81fdf3d3f61b7a5eb40b9b766b3  
**SHA1:** 8b81a70fc4b49586620e2ed89ce529b587047800  
**SHA256:** 704dbdd24b296cfa5257b59cc08a54da11f08280c2c86d5521d1482dfc579601  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

helpdesk.forms.zip: helpdesk.forms.jar: fieldrenderer\_defaultValue.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/directives/fieldrenderer\_defaultValue.js  
**MD5:** ff839a51962904077c35832dc2c8a7ae  
**SHA1:** 5a9619769049a6a29086f900966c24a8cda5a131  
**SHA256:** 84b0359f24fef9fa24c451876cd760652e615854b8c6e89f3e655c26b528e784  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				

- None

### helpdesk.forms.zip: helpdesk.forms.jar: folderPermissionsDisplay.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/directives/folderPermissionsDisplay.js  
**MD5:** 0cccfb5751b6fd801ec6fb3df8cbfd20  
**SHA1:** 76c35f70f5562f7b7e72b0e8e86828f5e0298f91  
**SHA256:** e508929350b45fd9d6a6e89dd9a24ac1009c81102c28a0ad19ba236ee04b78d8  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### helpdesk.forms.zip: helpdesk.forms.jar: formExecution.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/formExecution.js  
**MD5:** 9a4f55b51e9fefe741526d1c1a6ad27d  
**SHA1:** effd62530365d18df16f2b2d3b0f0a9c9e30fd11  
**SHA256:** bb60f3514409ba685821ae9174890748c7eee6662ba9750d65dcec9ee08ff8f3  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### helpdesk.forms.zip: helpdesk.forms.jar: formfields.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/directives/formfields.js  
**MD5:** a0992f904e4dcdfab173108467170af1  
**SHA1:** 7f5c0363c9d1133af349ca74b87639710a7bdab4  
**SHA256:** 9ad9c2b5d28ac0f7c70c8326db7fcf1bbc4a2547af647fcf986912157a37236e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### helpdesk.forms.zip: helpdesk.forms.jar: formicondropzone.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/directives/formicondropzone.js  
**MD5:** 9ee54c8cab8615339604a19b24fb15fa  
**SHA1:** fe69ab0e6a19ff499e5bd0fb850923da07f539e2  
**SHA256:** 7d3880f932a7012efe4f8a7f576541745368ef8a9c3f8381c8f1bdc8aa9d7fb3  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### helpdesk.forms.zip: helpdesk.forms.jar: formmetadata.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/directives/formmetadata.js  
**MD5:** f0d592349a9d2cc5288b7e23d2a02fbb

**SHA1:** 63962baa7e63904bc82e20c264781c2d6c7f48e9  
**SHA256:**387d1a2dceed32ead6297cf0ce27caa1aa661ed73f859e1712ed5a37e81fa43b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### helpdesk.forms.zip: helpdesk.forms.jar: formrenderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/directives/formrenderer.js

**MD5:** 8a29234aadd028d74926a9bef09bba5c

**SHA1:** b9f1ebe77a6e368523ccd18a8c222edb28073322

**SHA256:**fa017042cca52ad1e611c848de0bf0a74e4aeabd633c43b4c2e73d87d7ffb112

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### helpdesk.forms.zip: helpdesk.forms.jar: formsections.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/directives/formsections.js

**MD5:** 8dd19cf64dac1ed128d384a3d6d584fb

**SHA1:** c965a11efb176c2e7379ce1b85d6d5168ac41d41

**SHA256:**74ab676d7c1010e215ff8af28bd79325f4bef92f11c9b68a1a7bb092b53f6c3d

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## helpdesk.forms.zip: helpdesk.forms.jar: sectionid.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/directives/sectionid.js  
**MD5:** e022b56cf9f4d83f4c89525c7a43b324  
**SHA1:** d37adaebc382e71035ec4be9a32cc6ea9b3d317a  
**SHA256:**b0e2ef52d6c9b25e56813d11c254ab99d536c0bf70296715e4cd835b7a2112cf  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## helpdesk.forms.zip: helpdesk.forms.jar: ticketformsfactory.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/ticketformsfactory.js  
**MD5:** 0414e92e4ebbfef5ed2028d508a24498  
**SHA1:** f9af899cdec6733e18dc11d4fbddaac9e0ccb491  
**SHA256:**a753da9a6cf4ddb0051fbf1ce4f59686a80a70780dc1285afefd89e6be3f6da4  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

### helpdesk.forms.zip: helpdesk.forms.jar: ticketformsmode1.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/ticketformsmode1.js

**MD5:** c67e6f6d73e94f6b638e30e0bcf9ab81

**SHA1:** 61a3cf6fa047d0784035a852fb7273b78e0d86ce

**SHA256:**c88060662f626aa369eea8161589958ff8109505b28846371022ce8049b76872

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### helpdesk.zip: helpdesk.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar

**MD5:** cfbfc0a61161c1393879f4fbc9f9f4af

**SHA1:** fcdff63eb251a3268fbc626ab9f30f6ecb4e12ca

**SHA256:**e1141fb6829ec4833afa16dfeec33cb230fed4bcddb817085ac75f953a9b3d50

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	helpdesk	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2024-11-16 15:27	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-	de.inetsoftware	Medium

		Vendor-Id		
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	helpdesk	High
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	Manifest	built-date	2024-11-16 15:27	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	helpdesk	High
Product	Manifest	specification-title	helpdesk	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	24.10.221	High

Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:24.10.221:\*:\*:\*:\*:\* (Confidence:Low) suppress

helpdesk.zip: helpdesk.jar: TicketFieldSettingsPropertyRenderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/core/ticketfieldsettings/config/js/TicketFieldSettingsPropertyRenderer.js  
**MD5:** 03b0895784855f49e572fd5f839c197a  
**SHA1:** 844899bfd0e770b3f7609e998505c34fd3affb00  
**SHA256:** 908d11c8715fe1e93ac8fbde98c1372901f9d216fb00f5ac796a7974f98657bf  
**Referenced In Project/Scope:** server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

## helpdesk.zip: helpdesk.jar: attachmentdisplay.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/attachmentdisplay/attachmentdisplay.js

**MD5:** 0459c92475395cd2f267ace7ff877d4b

**SHA1:** 983b551604937ee989c0a573b4fee2a710816cc7

**SHA256:** 58e10fb7b33e3f9483fc97d70f407e99d59b5203026fdd412fe17d077f5687b0

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## helpdesk.zip: helpdesk.jar: configuration.autotext.edit.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/config/autotext/configuration.autotext.edit.js

**MD5:** 422e083dbd8b928baed6742bb7557b21

**SHA1:** fc7d5fa30668a55491592c077bb09b1ed2929785

**SHA256:** 82485a36624e9701bb32dd1d7ed3371b09fcf9378963850c46acf4bf16930729

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## helpdesk.zip: helpdesk.jar: configuration.autotext.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com

/inet/helpdesk/config/autotext/configuration.autotext.js

**MD5:** 105a65a19bb286e35ad81ebe74f4c292

**SHA1:** e4709c325881df591dae26cc243483b41b6d8667

**SHA256:** 77faf70bae1f3caf7a7c1eaff224abd75c5825d882957245f225890f3616823c

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### helpdesk.zip: helpdesk.jar: configuration.mailtemplates.edit.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com  
/inet/helpdesk/config/mailtemplates/configuration.mailtemplates.edit.js

**MD5:** 6067d24f726298c2cf6372044125130c

**SHA1:** cc5bb25755d7063e3f040bf08fc6df79aa9348c8

**SHA256:** f49a482293391c5c03288a3ab13af24a8923e6fb68d2fc473590500e8b634a00

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### helpdesk.zip: helpdesk.jar: configuration.mailtemplates.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com  
/inet/helpdesk/config/mailtemplates/configuration.mailtemplates.js

**MD5:** 155c7bfc70922fa8149d9129dbfbfb10

**SHA1:** b8fe6c21bbb0385ac46d23ebf1cfe85f731cf4c2

**SHA256:** 25aa5e33d61df9bd78ed94932d72a65059cea1e20ee130b090fbef4e581c95d7

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### helpdesk.zip: helpdesk.jar: effectiveactionscontroller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/usersandgroups/ui/js/effectiveactionscontroller.js

**MD5:** 8196d1a299d58b9a7ffd476510a66dcd

**SHA1:** fdd18e036d29673538f9629efa29cabb33daefab

**SHA256:**8ff98f4d6956fa5438a9974eee2d5605bf1b9a89427e3c76edd2a4a6f97ff837

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### helpdesk.zip: helpdesk.jar: helpdeskconfig.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/plugin/helpdeskconfig/helpdeskconfig.js

**MD5:** 84836adce9c9f9e8f053f317c5f4adf6

**SHA1:** f37857fda1b7d5a2b823608ca0df54137e401f35

**SHA256:**51daa1b406b229ca7e839811ed418dcb371d5ba980bfbb9a3c5e69a9c9cd9e77

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### helpdesk.zip: helpdesk.jar: predeletionhandler.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/usersandgroups/ui/js/predeletionhandler.js  
**MD5:** a91c4d5d2ca5fb6e7ebaabec6a125ea7  
**SHA1:** 14bd5873ad427447d8f90e8036070141aa6d97df  
**SHA256:** 056a87a165e8b948e4738c115fb2f0e058f9cfa8ad67c0756d3b2e861c87297a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### helpdesk.zip: helpdesk.jar: promptuserselectrenderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/plugins/reporting/client/js/promptuserselectrenderer.js  
**MD5:** 568ecc46e94c00ed2bd10c3dd310587f  
**SHA1:** 4b952ce6e2268d982d19c26b527e3927c7c6f56b  
**SHA256:** 46e9e2baea18056db596b93b03f4ca7c02f9dd8420288fb5d63aa72a467d94be  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## helpdesk.zip: helpdesk.jar: renderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com  
/inet/helpdesk/usersandgroups/ui/js/renderer.js

**MD5:** e0b83a820ef82fb8c8c51a5368e7f52c

**SHA1:** 03404b4d872fdb1e871031fafece1c5b40bba30f

**SHA256:** 9b0934c716666799f103042aa114373956ee1ee3049b3ed81229fa665a6154f8

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## helpdesk.zip: helpdesk.jar: setdefaultguipreferencesaction.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com  
/inet/helpdesk/usersandgroups/ui/js/setdefaultguipreferencesaction.js

**MD5:** 69b3054c0e6f8c37ec3db8e874cb01cc

**SHA1:** c4b7e26415c792e4c48739d70cee05f3706ca338

**SHA256:** f8f13fbe5f6a1c528585c41be61b02aacc8dabfc871cf29dc325fe06ee536d08

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## helpdesk.zip: helpdesk.jar: usersandgroupsreports.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com  
/inet/helpdesk/usersandgroups/ui/js/usersandgroupsreports.js

**MD5:** f6fdb7e3a091580b1669aaf155b7f5e6

**SHA1:** b7e6d72193d202354df258ba6f2704a56eb1b401  
**SHA256:**4c2c4089c6767086a11bbfc0925018f86e4755d62bd50cf4bfdccf798be4ae7b  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

helpdesk.zip: rhino.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/rhino.jar  
**MD5:** dec889e14cf8b3ceecba3a0f2d6dc0e6  
**SHA1:** 39e53f8e769ea9a7e799f266aa47c85edd99a29e  
**SHA256:**2427fdbc149ca0a25ccfbb7c71b01f39ad42708773a47816cd2342861766b63  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	rhino	High
Vendor	jar	package name	javascript	Low
Vendor	jar	package name	mozilla	Highest
Vendor	jar	package name	mozilla	Low
Vendor	Manifest	automatic-module-name	org.mozilla.rhino	Medium
Vendor	Manifest	bundle-symbolicname	org.mozilla.rhino	Medium
Vendor	Manifest	implementation-url	http://www.mozilla.org/rhino	Low
Vendor	Manifest	Implementation-Vendor	Mozilla Foundation	High
Product	file	name	rhino	High
Product	jar	package name	javascript	Low
Product	jar	package name	mozilla	Highest
Product	Manifest	automatic-module-name	org.mozilla.rhino	Medium



Product	Manifest	bundle-symbolicname	org.mozilla.rhino	Medium
Product	Manifest	Implementation-Title	Mozilla Rhino	High
Product	Manifest	implementation-url	http://www.mozilla.org/rhino	Low
Version	jar	package name	mozilla	Highest
Version	Manifest	Bundle-Version	1.7.15	High
Version	Manifest	Implementation-Version	1.7.15	High

#### Identifiers

- None

### helpdesk.zip: rhino.jar: test.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/rhino.jar/org/mozilla/javascript/tools/debugger/test.js

**MD5:** 3f4137118304ccd25816067cf8d1edd6

**SHA1:** d3c7ae4c10cb6c7ac191cb65a39e53ba6a4e6cfb

**SHA256:** 950d2db0a646488500b58ba76a02c33501a048708c083e3b743b73b16e105331

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### helpdesksetupwizard.zip: helpdesksetupwizard.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesksetupwizard.zip/helpdesksetupwizard.jar

**MD5:** 14ef62d2636ef53a39b066cf06cad418

SHA1: dee4a3f32f67642d6c23bd25a15742fb3e0a2808  
SHA256:eec5c0170a3cf29ba2ef9e1c7a9541a77ec1f2c3636024210489280d434e1b57  
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	helpdesksetupwizard	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2024-11-16 15:42	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	helpdesksetupwizard	High
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	plugins	Low
Product	jar	package name	setupwizard	Low
Product	Manifest	built-date	2024-11-16 15:42	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	helpdesksetupwizard	High
Product	Manifest	specification-title	helpdesksetupwizard	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	24.10.221	High

Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:24.10.221:\*:\*:\*:\*:\* (Confidence:Low) suppress

## helpdesksetupwizard.zip: helpdesksetupwizard.jar: controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesksetupwizard.zip/helpdesksetupwizard.jar/com/inet/helpdesk/plugins/setupwizard/steps/database/controller.js  
**MD5:** 7e7e5bff423cf0ce1c7712a8e668ec4b  
**SHA1:** f52a201722ffe4239d468023329aa4f749d1d9f7  
**SHA256:** 83c764eb55862ae054b8491dfd24d69b61b52edd5ee70a55bf0d01b2d4ace10e  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## helpdesksetupwizard.zip: helpdesksetupwizard.jar: controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesksetupwizard.zip/helpdesksetupwizard.jar/com/inet/helpdesk/plugins/setupwizard/steps/scheduledtasks/controller.js  
**MD5:** 88a55c5c1e295f21619553d0cd4f9aa3  
**SHA1:** 81e46e4ecc58f6b7defd7f18b777398344b69c6f  
**SHA256:** 2229426fa780e04dde70536e811aeab7de78fc64bae4dab5869e0cff366f7eac  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## helpdesksetupwizard.zip: helpdesksetupwizard.jar: controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesksetupwizard.zip

/helpdesksetupwizard.jar/com/inet/helpdesk/plugins/setupwizard/steps/scheduledtasks/preCondition/controller.js

**MD5:** d41d8cd98f00b204e9800998ecf8427e

**SHA1:** da39a3ee5e6b4b0d3255bfef95601890afd80709

**SHA256:** e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: remotegui.jar: usestrict.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/usestrict.js
  - MD5: d41d8cd98f00b204e9800998ecf8427e
  - SHA1: da39a3ee5e6b4b0d3255bfef95601890afd80709
  - SHA256: e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855

#### Identifiers

- None

### htmlengine.zip: JWebEngine.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/htmlengine.zip/JWebEngine.jar

**MD5:** 82861d5dd482af1462eac450df5537c8

**SHA1:** add4bc6a919626f133f0302d447ed229f85e05a9

**SHA256:** 76989fb421b641baa5c2ba7f9ceb0f275450be5a5afd7b156a586f0060f34703

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	JWebEngine	High
Vendor	jar	package name	html	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low

Vendor	Manifest	built-date	2024-11-15 01:23	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	lib	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	JWebEngine	High
Product	jar	package name	html	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-11-15 01:23	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	lib	Low
Product	Manifest	Implementation-Title	JWebEngine	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	JWebEngine	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	1.13.1467	High

#### Identifiers

- None

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/htmlengine.zip/htmlengine.jar  
**MD5:** 4703c3b846fb2c18c61e26f8c4ede1b8  
**SHA1:** e02f078cb9d46afb9e26d2cb5bacc1cab174b21a  
**SHA256:**a97402e2c45c6271049e701553bdd1624a11a7528c7349b0688b21e1a5380151  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	htmlengine	High
Vendor	jar	package name	htmlengine	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2024-11-16 13:15	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	htmlengine	High
Product	jar	package name	hmtlengineserverplugin	Low
Product	jar	package name	htmlengine	Highest
Product	jar	package name	htmlengine	Low
Product	Manifest	built-date	2024-11-16 13:15	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	htmlengine	High
Product	Manifest	specification-title	htmlengine	Medium
Version	Manifest	Implementation-Version	24.10.221	High

Identifiers

- None

htmlviewer.toolbar.zip: htmlviewer.toolbar.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/htmlviewer.toolbar.zip /htmlviewer.toolbar.jar

**MD5:** 4ec0ec3d7fb51b2630fe463b6582dc35

**SHA1:** e060fedabb182f9c061c0d363287725fa5d7deda

**SHA256:**545b3b204f203316759ae43d02464cb35d88ec579fe43348e3e2163fd6e08e17

**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	htmlviewer.toolbar	High
Vendor	jar	package name	htmlviewer	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2024-11-16 14:26	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	htmlviewer.toolbar	High
Product	jar	package name	htmlviewer	Highest
Product	jar	package name	htmlviewer	Low
Product	Manifest	built-date	2024-11-16 14:26	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	htmlviewer.toolbar	High
Product	Manifest	specification-title	htmlviewer.toolbar	Medium
Version	Manifest	Implementation-Version	24.10.221	High

Identifiers

- None

## htmlviewer.toolbar.zip: htmlviewer.toolbar.jar: htmlviewer.angular.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/htmlviewer.toolbar.zip/htmlviewer.toolbar.jar/com/inet/htmlviewer/client/htmlviewer.angular.js

**MD5:** 91217e8c67fba6941bf2d0ab48ba2395

**SHA1:** fa39a89c256a3c0fb4898e0c22bea108b86f46d0

**SHA256:** e3aa6737380008451dcacf400959fe23fc34901d74aa11a90d51121800306797

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## inetcore-24.10-tools.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/24.10/b2caf689aa6ff99ce2c77b1790b7b4d486f7e5a3/inetcore-24.10-tools.jar

**MD5:** 5a4e65ccdad889e1b9dceb88061b936b

**SHA1:** b2caf689aa6ff99ce2c77b1790b7b4d486f7e5a3

**SHA256:** 430a59318046eb2340c53385ca0636e9c43a958fa007ca17c37557839726ab3b

**Referenced In Project/Scope:** server:inetPlugin

**Included by:** pkg:maven/helpdesk/server@24.10

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	inetcore	High
Vendor	gradle	artifactid	inetcore	Highest
Vendor	gradle	groupid	shared	Highest
Vendor	jar	package name	test	Low
Product	file	name	inetcore	High
Product	gradle	artifactid	inetcore	Highest
Version	file	name	inetcore	Medium
Version	file	version	24.10	High
Version	gradle	version	24.10	Highest



## Identifiers

- [pkg:maven/shared/inetcore@24.10](#) (*Confidence*:Highest)

## inetcore-24.10.jar (shaded: com.inet.shared:inetcore:null)

### Description:

A blend composite defines the rule according to which a drawing primitive (known as the source) is mixed with existing graphics (known as the destination.)

ColorUtilities contains a set of tools to perform common color operations easily.

### License:

LGPL: <http://www.gnu.org/licenses/lgpl.txt>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/24.10/6530cbd98703c9172106ad293be4f0f541c7c857/inetcore-24.10.jar/META-INF/com/inet/shared/Utils/BlendComposite/pom.xml

**MD5:** b7bc59004e73f85cce4369bc5e034e6b

**SHA1:** 9caff88589bdd8fdc3c3f320340b76830f3818de

**SHA256:** aab973b164e2d64808cd34c47b78399c4f016ec308900f5393733d3bc5c706bc

### Referenced In Projects/Scopes:

- server
- server:inetPlugin

## Evidence



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	inetcore	Low
Vendor	pom	developer email	contact@inetsoftware.de	Low
Vendor	pom	developer email	morgand@apache.org	Low
Vendor	pom	developer id	inetsoftware	Medium
Vendor	pom	developer id	romainguy	Medium
Vendor	pom	developer id	sun	Medium
Vendor	pom	developer name	i-net /// software	Medium
Vendor	pom	developer name	Romain Guy	Medium
Vendor	pom	developer name	Sun	Medium
Vendor	pom	developer org	Sun	Medium
Vendor	pom	groupid	com.inet.shared	Highest
Vendor	pom	name	BlendComposite and ColorUtils	High
Vendor	pom (hint)	developer id	oracle	Medium

Vendor	pom (hint)	developer name	oracle	Medium
Vendor	pom (hint)	developer org	oracle	Medium
Product	pom	artifactid	inetcore	Highest
Product	pom	developer email	contact@inetsoftware.de	Low
Product	pom	developer email	morgand@apache.org	Low
Product	pom	developer id	inetsoftware	Low
Product	pom	developer id	romainguy	Low
Product	pom	developer id	sun	Low
Product	pom	developer name	i-net /// software	Low
Product	pom	developer name	Romain Guy	Low
Product	pom	developer name	Sun	Low
Product	pom	developer org	Sun	Low
Product	pom	groupid	com.inet.shared	Highest
Product	pom	name	BlendComposite and ColorUtils	High

#### Identifiers

- None

## inetcore-24.10.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/24.10/6530cbd98703c9172106ad293be4f0f541c7c857/inetcore-24.10.jar

**MD5:** d73f6e0b5429113ee41fa3637793650c

**SHA1:** 6530cbd98703c9172106ad293be4f0f541c7c857

**SHA256:** 2e5a5090484b024316e444c2ec707abfaace0990f954b4e72ee3062155496923

#### Referenced In Projects/Scopes:

- server
- server:inetPlugin

**Included by:** pkg:maven/helpdesk/server@24.10

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	inetcore	High
Vendor	gradle	artifactid	inetcore	Highest
Vendor	gradle	groupid	shared	Highest

Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-11-16 12:23	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	inetcore	High
Product	gradle	artifactid	inetcore	Highest
Product	jar	package name	permissions	Highest
Product	jar	package name	shared	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-11-16 12:23	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	inetcore	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	inetcore	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	file	name	inetcore	Medium
Version	file	version	24.10	High
Version	gradle	version	24.10	Highest

Version	jar	package name	permissions	Highest
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	24.10.221	High

### Related Dependencies

- inetcore.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/core/inetcore.jar
  - MD5: d73f6e0b5429113ee41fa3637793650c
  - SHA1: 6530cbd98703c9172106ad293be4f0f541c7c857
  - SHA256: 2e5a5090484b024316e444c2ec707abfaace0990f954b4e72ee3062155496923

### Identifiers

- [pkg:maven/shared/inetcore@24.10](#) (*Confidence: Highest*)

## inetloggeradapter.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/core/inetloggeradapter.jar  
**MD5:** f4cae4b3fd340251a2df0701e1d12135  
**SHA1:** 871a4bdd46bb5d3af277b51668d1e94dec475917  
**SHA256:** d9b0bb1f500d0709573f6a63222eb675a019e7c5048b89429421b0683fd0d24d  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	inetloggeradapter	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	slf4j	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-11-16 12:55	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low

Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	inetloggeradapter	High
Product	jar	package name	slf4j	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-11-16 12:55	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	i-net Logger Adapter	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	inetloggeradapter	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	24.10.221	High

Identifiers

- None

inventory.zip: inventory.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar  
**MD5:** b3be62c2e2a35716d697443dcfc24a1d  
**SHA1:** 1b38fc81b7d4fd02a20dc40483201b08225095bf  
**SHA256:**5a72e7e109aa1fae39813a595ce1e224d8a9d5f4deba52b630467686198ba8c1  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	inventory	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2024-11-16 15:34	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	inventory	High
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	inventory	Highest
Product	jar	package name	inventory	Low
Product	jar	package name	plugins	Low
Product	Manifest	built-date	2024-11-16 15:34	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	inventory	High
Product	Manifest	specification-title	inventory	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	24.10.221	High

Identifiers

• cpe:2.3:a:inetsoftware:helpdesk:24.10.221:\*:\*:\*:\*:\* (Confidence:Low)

suppress

## inventory.zip: inventory.jar: genericfieldrenderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/genericfieldrenderer.js

**MD5:** a3870e0e9ad0d5aede9bee88c0d8ba82

**SHA1:** 1330acfc6f59f7f483ea187312691c4b31f8475

**SHA256:** 8d07607cef372a6d1a291dbc7277187112354b474ba21e3a00a9c1be5a5778b6

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## inventory.zip: inventory.jar: inventory.3drenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.3drenderer.directive.js

**MD5:** cc594ecf06056a35b41596d554035cb4

**SHA1:** 435464416a38e20e8f11e125b0a5fb359d7ff0f0

**SHA256:** 07c2f74e5369b572346dff7ca75111a12f44ab75a3209d27afd1d1ec411e99e7

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## inventory.zip: inventory.jar: inventory.3dview.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.3dview.directive.js

**MD5:** 19c7df948db56b24f8f91e286b602b95  
**SHA1:** 257cf091b41c263157d19ec5f3555e0b38107c40  
**SHA256:** e7f39752f2a595ed64e8be3e9cd8c8aef6e675196cd3df0597419e080a7c3c67  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### inventory.zip: inventory.jar: inventory.asset3d.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com  
/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.asset3d.directive.js

**MD5:** 67ee11d5a8643338af0dacdea5d7db5d  
**SHA1:** 44195b83026628bdd811a67e37ea61a5180d8b00  
**SHA256:** 0709ae368096d58baa3cb784daaa284c5f806a3bac9986d76e320005b3a4804b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### inventory.zip: inventory.jar: inventory.assetdetailsform.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com  
/inet/helpdesk/plugins/inventory/client/js/inventory.assetdetailsform.directive.js

**MD5:** f79f6e443763cb3b3432852dfe3f38d3  
**SHA1:** 9bb65d9641eb1df7d6239913b8aab16d01b39e14  
**SHA256:** a14be742cf16bf6731795f83799048304ad711397d2983039c1aab87d8809027  
**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: inventory.assetimage.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.assetimage.directive.js

**MD5:** 1956562bb934d6950c45e6eb10d0b29e

**SHA1:** 67651193018a2429e2782272f753a877cb092cf9

**SHA256:**f4952f1480d7329b318f4220923c9201766c37870ffa3c98943edebde3117bc3

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: inventory.assetimagehover.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.assetimagehover.directive.js

**MD5:** c71e85f174ff14c1cfc7a258df7c955b

**SHA1:** 8a8b18960fac4d1803fb7c2ab194c093ef7a5698

**SHA256:**b3c897c1e135741d8eacb148ad6610c7e83c90032ef9b0dd8c5b2a4c213b52bd

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

### inventory.zip: inventory.jar: inventory.assetmenu.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.assetmenu.directive.js

**MD5:** 3e63b4f444fb232cbdab0a122a178177

**SHA1:** 5250c6acd08a197a4b3913aaa2a80e568a25fb4c

**SHA256:** 7510833a65076830cc5d3af181a58e13416d29e3ed80a82e2d84adc5ce3a7d1e

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### inventory.zip: inventory.jar: inventory.default3dbox.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.default3dbox.directive.js

**MD5:** 5d2c30f3839c0f1fcedfc62dafef1814

**SHA1:** 0a735ab11868e5166f9da921be95e3f6242bdff0

**SHA256:** e032bd710f9782d3c3f27f274414162b68de4e4ee2967a9e3d7f18fa75789904

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### inventory.zip: inventory.jar: inventory.devicefieldrenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.devicefieldrender.directive.js  
**MD5:** 76049bc6c6ec39551b7bc7cb54019da9  
**SHA1:** 6bd23c63bab05c458f10f7038300086165d10e89  
**SHA256:** 10903a7c2ee435f162ddfcaaf22c4ef943e1f7670fefdc57ad9791559e54b24  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### inventory.zip: inventory.jar: inventory.devicefieldrendercurrency.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.devicefieldrendercurrency.directive.js  
**MD5:** b82cdf232673fbe821e42e959246a1ba  
**SHA1:** 001d6662eaec4c622ea94abc6080a246475df10c  
**SHA256:** 192f1b24f72c5f691cfb430c60ad7ca0b221666db2d3ef6b2212470eed4cdf2b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------


#### Identifiers

- None

### inventory.zip: inventory.jar: inventory.devicefieldrendererdatetime.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.devicefieldrendererdatetime.directive.js  
**MD5:** 0a2503bd3b3e15d057800ea8ddd937c0  
**SHA1:** 8c0fe1f1322c6dcc22595bdb42c348a38817c818

**SHA256:**ddf65049b8cdf6ac6b693a21a8c771754450dba3b3c48cbc16448737849b858  
**Referenced In Project/Scope:** server

Evidence 


Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

**inventory.zip: inventory.jar: inventory.devicefieldrendererlink.directive.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.devicefieldrendererlink.directive.js  
**MD5:** 238891686706f264a7065fe7428a1f8f  
**SHA1:** f981ee364fa8944f70b83c9dc937363640c68dce  
**SHA256:**e28d0ea73001d85b08361ef8b9068c052db02c5b560122ff8d8ea6f273eb4e84  
**Referenced In Project/Scope:** server

Evidence 


Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

**inventory.zip: inventory.jar: inventory.devicefieldrendererselect.directive.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.devicefieldrendererselect.directive.js  
**MD5:** 095b67a31d592e404cae768c09ea1e65  
**SHA1:** 13f191a6431b228956e9e7d41df57996f26f42a6  
**SHA256:**328337ca9a4c312c04060ecb05cf5fc8ec1c989eb34b186a1fb640de58dac6ce  
**Referenced In Project/Scope:** server

Evidence 

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## inventory.zip: inventory.jar: inventory.devicefieldrenderertime.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderertime.directive.js  
**MD5:** 0bff88bc57449757da3b18090b4046c9  
**SHA1:** 0d7c8eaf94677d7302ac6afdd12b6e28397c3306  
**SHA256:** 2c3bc7501220e7974bff9905278ac1e049796d329cc2afeb3d304e43534df09d  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## inventory.zip: inventory.jar: inventory.devicefieldrendereruser.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderertime.directive.js  
**MD5:** 953e0ed5b359ba534013a0b68c9f9eec  
**SHA1:** 3b5a13a60a80504346f855ec9733da85354b359f  
**SHA256:** 1282a3cb55dad96ae702bbc58b3f40338f02e45e45e61fd321f36abb6ccffbad  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### inventory.zip: inventory.jar: inventory.deviceimagerenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.deviceimagerenderer.directive.js  
**MD5:** 740dc8d25bfa9b6c8c70667457d69b17  
**SHA1:** a8027247a1570f2ca22d15c783c827ab06e32d34  
**SHA256:** 8a029e97dcdc4733c7f181ba2d0b3b773143d33396bd12adba72716451117bf5  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### inventory.zip: inventory.jar: inventory.fieldgroup.filter.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.fieldgroup.filter.js  
**MD5:** a8cefa83f570373fee7df4b34620fc29  
**SHA1:** 7b4265a3a651330b42fdcc061a6b24c8831b429c  
**SHA256:** 749d90545a450994f83be62ac6bf19e96ec9bbfaf690fea7733ae49f71825fb2  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### inventory.zip: inventory.jar: inventory.inventoryattachmentcontent.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com  
/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.inventoryattachmentcontent.directive.js  
**MD5:** 67ffdba13a479ab706d786483c680b33  
**SHA1:** 28d197fe76f56371aa8820c0386fe3fe9ebe5a8d  
**SHA256:** a25aba9b08af52d189ae8592d43f78525b25c817c7c6c601c1abd2cad5f76287  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### inventory.zip: inventory.jar: inventory.inventoryattachments.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com  
/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.inventoryattachments.directive.js  
**MD5:** 6abddff7faea04cec390924df7050b1e  
**SHA1:** db8a50f6c9839f4d0762253b66f3cecbac4ee83  
**SHA256:** 5b9a7049f23cf788664098030a66da3371f0bb372a55ce7b5807ade94dde9571  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### inventory.zip: inventory.jar: inventory.invoicepaper.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com  
/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.invoicepaper.directive.js  
**MD5:** 1117c7cebae9e32c77c699b9d3c70c98  
**SHA1:** dfc62b4c829eb1d683acb09bc9a9ed630ee99d5a  
**SHA256:** 97f90c0dea32ced537f1eadbcfe48dd421c957317f50837354fa3ebd86ec549c  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## inventory.zip: inventory.jar: inventory.lazydetailfields.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.lazydetailfields.directive.js  
**MD5:** 9826fccd589cb5501ed008f299a6a317  
**SHA1:** 32fca538e7e0b1309b0ca6d1131b06bd17546e8e  
**SHA256:** 7e81ae17dab6289dac9caee37bd4454b9af22f0b93c4ccb6c046728f17ba4fbe  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## inventory.zip: inventory.jar: inventory.levelslider.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.levelslider.directive.js  
**MD5:** 13de84844892f7283bb7d544639f7b72  
**SHA1:** 831e01bd9799d36f8e41626951659c77494f078c  
**SHA256:** 8b06fbb99db8732bd1e4785e145dcf612c04280d8d1c43438fb48c7c254cd709  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



### Identifiers

- None

## inventory.zip: inventory.jar: inventory.licensepaper.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.licensepaper.directive.js

**MD5:** 45cd97d26f0fbe404f39f0bb2b7695b6

**SHA1:** b246e16ed9e7c24e47714ecfb87c11458426e213

**SHA256:** fdb49ba806e84527af61ebd88976dc882da932c5e2eeb3319813493b4ffcd7ff

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## inventory.zip: inventory.jar: inventory.listview.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.listview.directive.js

**MD5:** d096e12f7f054ddb605e2451032e3ebb

**SHA1:** b3b87dd3147b48bb2040d2ef1f7477a2b7fbb121

**SHA256:** 1cc732c5a0cf124a5ba6db09c96be24417cd354665c62f890a8f4230477bab97

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## inventory.zip: inventory.jar: inventory.listviewrow.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.listviewrow.directive.js

**MD5:** f5500fd04005bc7e00b9c87dc47ad12e

**SHA1:** c868a127974c044fafaf0465ccf3e6bb4f49f7bd

**SHA256:** 54fb48a501cf0947336ae2b1583520b1ebbf7cd182caabcce55e0f2437dbcb38

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## inventory.zip: inventory.jar: inventory.locationbox.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.locationbox.directive.js

**MD5:** 19c8e03e2022742c324cc387bef5186c

**SHA1:** 5a8cdf1c792bc9b016bc70d996211e2c50d4a3c2

**SHA256:** 067a748528251683471f2c789235b4363f0ec51e605ff15562257e22c285754a

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## inventory.zip: inventory.jar: inventory.roombox.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com

/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.roombox.directive.js  
**MD5:** a672b7710c975bd4b29ae7f51761f97a  
**SHA1:** 7c557844baf6b9386b6259e71814cf45e655fbbe  
**SHA256:** 69505a2bd144a6ec2ebbe6bc8b023e75587b032c58304c36ebc412b08f76f4fd  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### inventory.zip: inventory.jar: inventory.slaper.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com  
/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.slaper.directive.js  
**MD5:** 78c1209d9c7568439aa1ac27077c2aaa  
**SHA1:** bf2f81f5d4c9e2d09c036fa9a971f0d3a07885e9  
**SHA256:** 8b4cf18f49ad0b7b83d4ae824612773a7aa84e92a04a71759ea3b5cfc1e198c2  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### inventory.zip: inventory.jar: inventory.structuretoolbar.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com  
/inet/helpdesk/plugins/inventory/client/js/inventory.structuretoolbar.directive.js  
**MD5:** c3289bd2a227b4e2461de88e3fb68a6a  
**SHA1:** 2cd5ecd6f4c7610dfc21eb9f7a249c362f0a19  
**SHA256:** 24345dbf848b4e5a936f9a7e070f267cd5d39675f04cb43118dae1a4a8634f58  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### inventory.zip: inventory.jar: inventory.structurereview.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.structurereview.directive.js  
**MD5:** 021c7dd740a522a52b648a24960af637  
**SHA1:** 383e3c3779473b4d7d6ee696d7812c706e507d22  
**SHA256:**95053c42a715f054cbaa26e931430da9f2c60f13558760616e8370622a2dda15  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### inventory.zip: inventory.jar: inventory.tile.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.tile.directive.js  
**MD5:** cb9f082bc053004c724f1a43660ff47e  
**SHA1:** 06d77808ca77b7a6edc73ec133608c102eb80f54  
**SHA256:**e93d071df3ee2e15b1c3c1ae9886b38e0ed12e2ec50a241134af567f80a13d7f  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### inventory.zip: inventory.jar: inventory.tilelane.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.tilelane.directive.js  
**MD5:** 0100953763ea523da932bdf3b32859df  
**SHA1:** 7bf189f102152469d50a2b3516873ce89b676ca1  
**SHA256:** 74e562b6f36df3914ae0b0a70e6f145b23e41210c82598f611ab45441e9a1b42  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### inventory.zip: inventory.jar: inventory.tileview.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.tileview.directive.js  
**MD5:** 4dc179fd29dbc9466f5f39dc61380dac  
**SHA1:** fea78f44c725f4156a8d311a90ecec7438502ea4  
**SHA256:** 3897e6e042466b7bf195e3d9ce5ecd9b5ec8ce7fcbdfbdb34035c032b3ff6282  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## inventory.zip: inventory.jar: inventory.treegrouping.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com  
/inet/helpdesk/plugins/inventory/client/js/inventory.treegrouping.directive.js

**MD5:** 322a8f30f89259535d8b49520ccf93ac

**SHA1:** abaf6b1307a4da38340616b00665a170cd957b86

**SHA256:** 1c639de2f894e00977c981188fde54cd4887b09168f68c2aa4d3f9e46933f41f

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## inventory.zip: inventory.jar: inventory.typehandheld.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com  
/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.typehandheld.directive.js

**MD5:** d7a76aabbcb657cb9c5789e41ae5ceab5

**SHA1:** 5f1d4515da5bbd4ce36025aa14f3cb1b7d3f479a

**SHA256:** f4b1e7c7ecb03dea56c0add9708b4d8e3bc643ce76f9ba801a3e85d24efb6b0f

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## inventory.zip: inventory.jar: inventory.usertable.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com  
/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.usertable.directive.js

**MD5:** 05d754ff78e4260ee1e622351693dcf4

**SHA1:** f3c73007e56e577cdf91d65b5b93db64e2a11a78  
**SHA256:** b2382e43cda0675ccbba9e6a98fb441fa3f643c26dca7a6dca370a923974b39e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### inventory.zip: inventory.jar: inventorycontroller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com  
/inet/helpdesk/plugins/inventory/client/js/inventorycontroller.js  
**MD5:** ce8fef43446bba7f7a7a6c583947fd2  
**SHA1:** 9028ef70131e371c1d29f9745894b429f56a90a1  
**SHA256:** 4e36c25f0dcf83b441123328fab1b3654e510295b5eb349a89c5b4f30277eb20  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### inventory.zip: inventory.jar: inventoryextension.assetpreview.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com  
/inet/helpdesk/plugins/inventory/client/ticketpageextension/inventoryextension.assetpreview.directive.js  
**MD5:** 8cf4d3d8fd02e546551fe45686af64e5  
**SHA1:** 6b8193f565852fcfb28d1a907e32ce7d6106ee73  
**SHA256:** c48546bf1f138718c108a87ab9a7d972fd1ff0f34da0a7782c18e65db71f1f63  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: inventoryextension.detailscontroller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/ticketpageextension/inventoryextension.detailscontroller.js  
**MD5:** 72bb0a1480eca6ee425112a4d1a5fa4d  
**SHA1:** f38bad643fbee538dd788313528205fdde6f16a  
**SHA256:**a184800353363303e016fe03487c314647daa7c863954c12fd831991f31b32c1  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: inventoryextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/ticketpageextension/inventoryextension.js  
**MD5:** 365037ef0f877c2f0e988213cca6eeb  
**SHA1:** a30c881d5780ebeaa2e1fb154ee3eb4131a33fec  
**SHA256:**70249cd5bd92f1033168d949eb012ba131d6fbe4f31ed1673b54a2034ead2bb7  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers



- None

### inventory.zip: inventory.jar: inventoryextension.treenode.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/ticketpageextension/inventoryextension.treenode.directive.js  
**MD5:** e66f5fa448139cae78674065974d5383  
**SHA1:** 678b94b8ed98d20ad6d06a4ba24784c4f1f6fc6d  
**SHA256:** 469face35a7220c18e5af1781150e5dbff07410ca504632ae92fd8b7a1282676  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### inventory.zip: inventory.jar: inventoryfactory.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventoryfactory.js  
**MD5:** 7eedf135236eea30a2bcf44f8949b8dd  
**SHA1:** f9e556387fae5c30a887268d1e449df2dab96cf9  
**SHA256:** 25ce1fd7bbd3e56d630759e24539c09c819c470bfbef8849df54f9b79434aad3  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### inventory.zip: inventory.jar: inventorymodel.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventorymodel.js  
**MD5:** 5ab7d23c5596bbf21d3834f30dc36b90  
**SHA1:** 18bd9cdc22480a2c725dc8c0427cbd2521a5d90c  
**SHA256:**f33090d463c90f6753506a994113af001163433b616e99568db4be091efee82e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### inventory.zip: inventory.jar: inventoryticketpagefactory.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/ticketpageextension/inventoryticketpagefactory.js  
**MD5:** 54f97aeef829a4200c6db7c23a37002c  
**SHA1:** a139fa12324b64553543fb312e016546122ed411  
**SHA256:**9f663f4f2c30be1c23d399baf596259751e17ed494d38a76af8dece840f1406b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### inventory.zip: inventory.jar: printinventory.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/print/printinventory.js  
**MD5:** 733fce29a2aa9c63e425fb528600203d

**SHA1:** adbe36b7f0ae1b6101bec23f940ba731a0a983b6  
**SHA256:** 8f0fd3e44ce9cdde85e7e2f8221ef845cb800f59d91064d595e0f7038e3c45dc  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### inventory.zip: inventory.jar: resizableColumn.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com  
/inet/helpdesk/plugins/inventory/client/js/resizableColumn.js  
**MD5:** c9520a35d6540951cc46bdf080dfc5bf  
**SHA1:** d12e0af269ac8ef24cdb802f0ba1f9b986d07b44  
**SHA256:** f076654f980dd3aba3f40ba1472f2696628aa5e2fb93c7e5ed94eba5fafaca64  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### inventory.zip: inventory.jar: treegroupingsettings.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com  
/inet/helpdesk/plugins/inventory/client/js/treegroupingsettings.js  
**MD5:** 65972f3482462f83dac79c7b0ecc056a  
**SHA1:** 768af312b53372d1c646fd6a3982ce2902414288  
**SHA256:** 86ba25588946cf6e5f4cef72ab3eea131836d89d5d7e855616777ff7126ce019  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## jakarta.servlet-api.jar

#### Description:

Jakarta Servlet 4.0

#### License:

EPL 2.0: <http://www.eclipse.org/legal/epl-2.0>

GPL2 w/ CPE: <https://www.gnu.org/software/classpath/license.html>

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/core/jakarta.servlet-api.jar

**MD5:** f5d1d7a29978e4ae0be5a456ee1c65c3

**SHA1:** b8a1142e04838fe54194049c6e7a18dae8f9b960

**SHA256:**586e27706c21258f5882f43be06904f49b02db9ac54e345d393fe4a32494d127

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.servlet-api	High
Vendor	jar	package name	javax	Highest
Vendor	jar	package name	servlet	Highest
Vendor	Manifest	automatic-module-name	java.servlet	Medium
Vendor	Manifest	bundle-docurl	<a href="https://www.eclipse.org">https://www.eclipse.org</a>	Low
Vendor	Manifest	bundle-symbolicname	jakarta.servlet-api	Medium
Vendor	Manifest	extension-name	javax.servlet	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.eclipse	Medium
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.servlet-api	Low
Vendor	pom	developer id	yaminikb	Medium

Vendor	pom	developer name	Yamini K B	Medium
Vendor	pom	developer org	Oracle Corporation	Medium
Vendor	pom	developer org URL	http://www.oracle.com/	Medium
Vendor	pom	groupid	jakarta.servlet	Highest
Vendor	pom	name	Jakarta Servlet	High
Vendor	pom	parent-artifactid	project	Low
Vendor	pom	parent-groupid	org.eclipse.ee4j	Medium
Vendor	pom	url	https://projects.eclipse.org/projects/ee4j.servlet	Highest
Product	file	name	jakarta.servlet-api	High
Product	jar	package name	javax	Highest
Product	jar	package name	servlet	Highest
Product	Manifest	automatic-module-name	java.servlet	Medium
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta Servlet	Medium
Product	Manifest	bundle-symbolicname	jakarta.servlet-api	Medium
Product	Manifest	extension-name	javax.servlet	Medium
Product	pom	artifactid	jakarta.servlet-api	Highest
Product	pom	developer id	yaminikb	Low
Product	pom	developer name	Yamini K B	Low
Product	pom	developer org	Oracle Corporation	Low
Product	pom	developer org URL	http://www.oracle.com/	Low
Product	pom	groupid	jakarta.servlet	Highest
Product	pom	name	Jakarta Servlet	High
Product	pom	parent-artifactid	project	Medium
Product	pom	parent-groupid	org.eclipse.ee4j	Medium
Product	pom	url	https://projects.eclipse.org/projects/ee4j.servlet	Medium
Version	Manifest	Implementation-Version	4.0.4	High
Version	pom	parent-version	4.0.4	Low
Version	pom	version	4.0.4	Highest

## Identifiers

- [pkg:maven/jakarta.servlet/jakarta.servlet-api@4.0.4](#) (*Confidence:High*)
- [cpe:2.3:a:oracle:projects:4.0.4:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*) suppress

## jakarta.websocket-api.jar

### Description:

Jakarta WebSocket - Server API

### License:

<https://projects.eclipse.org/license/epl-2.0>, <https://projects.eclipse.org/license/secondary-gpl-2.0-cp>

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/core/jakarta.websocket-api.jar

**MD5:** 60cc2e06d3a1e5ea820f8aed5cdb1728

**SHA1:** 69c2fd7b75081cc935bc9d6c5616d12b0b73815f

**SHA256:** e2f4e99e04130a29fc8e57e334fa029e96e2ca6672ba0166585c59d19798904c

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.websocket-api	High
Vendor	jar	package name	javax	Highest
Vendor	jar	package name	server	Highest
Vendor	jar	package name	websocket	Highest
Vendor	Manifest	bundle-docurl	<a href="https://www.eclipse.org">https://www.eclipse.org</a>	Low
Vendor	Manifest	bundle-symbolicname	javax.websocket-api	Medium
Vendor	Manifest	extension-name	javax.websocket	Medium
Vendor	pom	artifactid	jakarta.websocket-api	Low
Vendor	pom	groupid	jakarta.websocket	Highest
Vendor	pom	name	Jakarta WebSocket - Server API	High
Vendor	pom	parent-artifactid	jakarta.websocket-all	Low
Vendor	pom	url	<a href="https://projects.eclipse.org/projects/ee4j.websocket">https://projects.eclipse.org/projects/ee4j.websocket</a>	Highest
Product	file	name	jakarta.websocket-api	High
Product	jar	package name	javax	Highest
Product	jar	package name	server	Highest
Product	jar	package name	websocket	Highest
Product	Manifest	bundle-docurl	<a href="https://www.eclipse.org">https://www.eclipse.org</a>	Low

Product	Manifest	Bundle-Name	Jakarta WebSocket - Server API	Medium
Product	Manifest	bundle-symbolicname	javax.websocket-api	Medium
Product	Manifest	extension-name	javax.websocket	Medium
Product	pom	artifactid	jakarta.websocket-api	Highest
Product	pom	groupid	jakarta.websocket	Highest
Product	pom	name	Jakarta WebSocket - Server API	High
Product	pom	parent-artifactid	jakarta.websocket-all	Medium
Product	pom	url	https://projects.eclipse.org/projects/ee4j.websocket	Medium
Version	Manifest	Bundle-Version	1.1.2	High
Version	Manifest	Implementation-Version	1.1.2	High
Version	pom	version	1.1.2	Highest

#### Identifiers

- <pkg:maven/jakarta.websocket/jakarta.websocket-api@1.1.2> (Confidence:High)

### java-21-jre-x64-linux.tar.gz: java-21-jre-x64-linux.tar: jrt-fs.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/java-21-jre-x64-linux.tar.gz/java-21-jre-x64-linux.tar/jre-11/lib/jrt-fs.jar

**MD5:** e2138468a2337af9f0acf041d47ae631

**SHA1:** 8ef69b54cab31de533182a0d3ec4e7d6f9207016

**SHA256:** 644d3383b1bacc328b0f3e6676abfe32b2af105c0c6177b34eaa7fb6bba9f7a0

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jrt-fs	High
Vendor	jar	package name	internal	Low
Vendor	jar	package name	jdk	Low
Vendor	jar	package name	jimage	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Adoptium	High
Vendor	Manifest	specification-vendor	Oracle Corporation	Low

Product	file	name	jrt-fs	High
Product	jar	package name	internal	Low
Product	jar	package name	jimage	Low
Product	Manifest	Implementation-Title	Java Runtime Environment	High
Product	Manifest	specification-title	Java Platform API Specification	Medium
Version	Manifest	Implementation-Version	21.0.5	High

#### Identifiers

- [cpe:2.3:a:eclipse:platform:21.0.5:\\*\\*\\*\\*:\\*](#) (*Confidence:Medium*) suppress

## javase.jar

### Description:

Java SE-specific extensions to core ZXing library

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/zxing/javase.jar

**MD5:** 1a5b45e1a7235398bdccfbc94a287d0c

**SHA1:** 55d93bb3ffee425a7be56cd6ff572fb64ac84593

**SHA256:** d65795b789efac8a2156cb2a4b648d20e58bfe03613165bb5dce6870ecef798e

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	javase	High
Vendor	jar	package name	google	Highest
Vendor	jar	package name	zxing	Highest
Vendor	Manifest	automatic-module-name	com.google.zxing.javase	Medium
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	pom	artifactid	javase	Low
Vendor	pom	groupid	com.google.zxing	Highest
Vendor	pom	name	ZXing Java SE extensions	High
Vendor	pom	parent-artifactid	zxing-parent	Low
Product	file	name	javase	High



Product	jar	package name	google	Highest
Product	jar	package name	zxing	Highest
Product	Manifest	automatic-module-name	com.google.zxing.javase	Medium
Product	Manifest	build-jdk-spec	1.8	Low
Product	pom	artifactid	javase	Highest
Product	pom	groupid	com.google.zxing	Highest
Product	pom	name	ZXing Java SE extensions	High
Product	pom	parent-artifactid	zxing-parent	Medium
Version	pom	version	3.5.3	Highest

### Identifiers

- <pkg:maven/com.google.zxing/javase@3.5.3> (*Confidence:High*)

## jlessc-1.12.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/de.inetsoftware/jlessc/1.12/8ea5dba973ee8e969a243e08e47a27ca48121b5c/jlessc-1.12.jar

**MD5:** 8e0d57ed6e6809be8002db58024c370e

**SHA1:** 8ea5dba973ee8e969a243e08e47a27ca48121b5c

**SHA256:** 0969bc655eba47f824791ef12ed90c96baac2238a775b0ceaa0921deeb6681f8

**Referenced In Projects/Scopes:**

- server
- server:inetPlugin

**Included by:** pkg:maven/helpdesk/server@24.10

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jlessc	High
Vendor	gradle	artifactid	jlessc	Highest
Vendor	gradle	groupid	de.inetsoftware	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	less	Low
Vendor	jar	package name	lib	Low
Vendor	Manifest	automatic-module-name	de.inetsoftware.jlessc	Medium
Vendor	Manifest	bundle-	de.inetsoftware.jlessc	Medium

## symbolicname

Vendor	Manifest	Implementation-Vendor	i-net software GmbH, Berlin, Germany	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Product	file	name	jlessc	High
Product	gradle	artifactid	jlessc	Highest
Product	jar	package name	less	Low
Product	jar	package name	lib	Low
Product	Manifest	automatic-module-name	de.inetsoftware.jlessc	Medium
Product	Manifest	bundle-symbolicname	de.inetsoftware.jlessc	Medium
Product	Manifest	Implementation-Title	JLessC, a Less CSS compiler	High
Version	file	version	1.12	High
Version	Manifest	Implementation-Version	1.12	High

## Related Dependencies



- theme.zip: jlessc.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/theme.zip/jlessc.jar
  - MD5: 8e0d57ed6e6809be8002db58024c370e
  - SHA1: 8ea5dba973ee8e969a243e08e47a27ca48121b5c
  - SHA256: 0969bc655eba47f824791ef12ed90c96baac2238a775b0ceaa0921deeb6681f8

## Identifiers

- [pkg:maven/de.inetsoftware/jlessc@1.12](#) (*Confidence: Highest*)

## jna.jar

## Description:

JNA Library

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/jna.jar

**MD5:** 9bb1338e58031463c300f643cb3c41fa

**SHA1:** d9c6794f22c2e3c846b02d51c6a95c304e8e056b

**SHA256:** 336f2ae25222389eb9f3c90f8f7c3a6258c33581964b2338bf836b3b865b049e

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jna	High
Vendor	jar	package name	jna	Highest
Vendor	jar	package name	jna	Low
Vendor	jar	package name	sun	Highest
Vendor	jar	package name	sun	Low
Vendor	jar (hint)	package name	oracle	Highest
Vendor	jar (hint)	package name	oracle	Low
Vendor	Manifest	automatic-module-name	com.sun.jna	Medium
Vendor	Manifest	bundle-activationpolicy	lazy	Low
Vendor	Manifest	bundle-category	jni	Low
Vendor	Manifest	bundle-nativecode	com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win32, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win32, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64; osname=win32, com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64;osname=win, com/sun/jna/w32ce-arm/jnidispatch.dll; processor=arm;osname=wince, com/sun/jna/sunos-x86/libjnidispatch.so; processor=x86; osname=sunos, com/sun/jna/sunos-x86-64/libjnidispatch.so; processor=x86-64; osname=sunos, com/sun/jna/sunos-sparc/libjnidispatch.so; processor=sparc; osname=sunos, com/sun/jna/sunos-sparcv9/libjnidispatch.so; processor=sparcv9; osname=sunos, com/sun/jna/aix-ppc/libjnidispatch.a; processor=ppc; osname=aix, com/sun/jna/aix-ppc64/libjnidispatch.a; processor=ppc64; osname=aix, com/sun/jna/linux-ppc/libjnidispatch.so; processor=ppc; osname=linux, com/sun/jna/linux-ppc64/libjnidispatch.so; processor=ppc64; osname=linux, com/sun/jna/linux-ppc64le/libjnidispatch.so; processor=ppc64le; osname=linux, com/sun/jna/linux-x86/libjnidispatch.so; processor=x86; osname=linux, com/sun/jna/linux-x86-64/libjnidispatch.so; processor=x86-64;	Low

			osname=linux, com/sun/jna/linux-arm /libjnidispatch.so; processor=arm; osname=linux, com/sun/jna/linux-arm /libjnidispatch.so; processor=arm_le; osname=linux, com/sun/jna/linux-armel /libjnidispatch.so; processor=armel; osname=linux, com/sun/jna/linux-aarch64 /libjnidispatch.so; processor=aarch64; osname=linux, com/sun/jna/linux-ia64 /libjnidispatch.so; processor=ia64; osname=linux, com/sun/jna/linux-sparcv9 /libjnidispatch.so; processor=sparcv9; osname=linux, com/sun/jna/linux-mips64el /libjnidispatch.so; processor=mips64el; osname=linux, com/sun/jna/linux-s390x /libjnidispatch.so; processor=S390x; osname=linux, com/sun/jna/linux- loongarch64/libjnidispatch.so; processor=loongarch64;osname=linux, com /sun/jna/freebsd-x86/libjnidispatch.so; processor=x86;osname=freebsd, com/sun /jna/freebsd-x86-64/libjnidispatch.so; processor=x86-64;osname=freebsd, com /sun/jna/openbsd-x86/libjnidispatch.so; processor=x86;osname=openbsd, com/sun /jna/openbsd-x86-64/libjnidispatch.so; processor=x86-64;osname=openbsd, com /sun/jna/darwin-ppc/libjnidispatch.jnilib; osname=macosx;processor=ppc, com/sun /jna/darwin-ppc64/libjnidispatch.jnilib; osname=macosx;processor=ppc64, com/sun /jna/darwin-x86/libjnidispatch.jnilib; osname=macosx;processor=x86, com/sun /jna/darwin-x86-64/libjnidispatch.jnilib; osname=macosx;processor=x86-64, com /sun/jna/darwin-aarch64/libjnidispatch.jnilib; osname=macosx;processor=aarch64	
Vendor	Manifest	bundle- requiredexecution	JavaSE-1.6	Low
Vendor	Manifest	bundle- symbolicname	com.sun.jna	Medium
Vendor	Manifest	Implementation- Vendor	JNA Development Team	High
Vendor	Manifest	specification- vendor	JNA Development Team	Low
Product	file	name	jna	High
Product	jar	package name	jna	Highest
Product	jar	package name	jna	Low
Product	jar	package name	library	Highest
Product	jar	package name	native	Highest
Product	jar	package name	sun	Highest
Product	jar	package name	win32	Highest
Product	Manifest	automatic- module-name	com.sun.jna	Medium
Product	Manifest	bundle- activationpolicy	lazy	Low

Product	Manifest	bundle-category	jni	Low
Product	Manifest	Bundle-Name	jna	Medium
Product	Manifest	bundle-nativecode	com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win32, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win32, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64;osname=win32, com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64;osname=win, com/sun/jna/w32ce-arm/jnidispatch.dll; processor=arm;osname=wince, com/sun/jna/sunos-x86/libjnidispatch.so; processor=x86;osname=sunos, com/sun/jna/sunos-x86-64/libjnidispatch.so; processor=x86-64;osname=sunos, com/sun/jna/sunos-sparc/libjnidispatch.so; processor=sparc;osname=sunos, com/sun/jna/sunos-sparcv9/libjnidispatch.so; processor=sparcv9;osname=sunos, com/sun/jna/aix-ppc/libjnidispatch.a; processor=ppc;osname=aix, com/sun/jna/aix-ppc64/libjnidispatch.a; processor=ppc64;osname=aix, com/sun/jna/linux-ppc/libjnidispatch.so; processor=ppc;osname=linux, com/sun/jna/linux-ppc64/libjnidispatch.so; processor=ppc64;osname=linux, com/sun/jna/linux-ppc64le/libjnidispatch.so; processor=ppc64le;osname=linux, com/sun/jna/linux-x86/libjnidispatch.so; processor=x86;osname=linux, com/sun/jna/linux-x86-64/libjnidispatch.so; processor=x86-64;osname=linux, com/sun/jna/linux-arm/libjnidispatch.so; processor=arm;osname=linux, com/sun/jna/linux-arm/libjnidispatch.so; processor=arm_le;osname=linux, com/sun/jna/linux-armel/libjnidispatch.so; processor=armel;osname=linux, com/sun/jna/linux-aarch64/libjnidispatch.so; processor=aarch64;osname=linux, com/sun/jna/linux-ia64/libjnidispatch.so; processor=ia64;osname=linux, com/sun/jna/linux-sparcv9/libjnidispatch.so; processor=sparcv9;osname=linux, com/sun/jna/linux-mips64el/libjnidispatch.so; processor=mips64el;osname=linux, com/sun/jna/linux-s390x/libjnidispatch.so; processor=S390x;osname=linux, com/sun/jna/linux-loongarch64/libjnidispatch.so; processor=loongarch64;osname=linux, com/sun/jna/freebsd-x86/libjnidispatch.so; processor=x86;osname=freebsd, com/sun/jna/freebsd-x86-64/libjnidispatch.so; processor=x86-64;osname=freebsd, com/sun/jna/openbsd-x86/libjnidispatch.so; processor=x86;osname=openbsd, com/sun/jna/openbsd-x86-64/libjnidispatch.so; processor=x86-64;osname=openbsd, com/sun/jna/darwin-ppc/libjnidispatch.jnilib;osname=macosx;processor=ppc, com/sun	Low

			/jna/darwin-ppc64/libjnidispatch.jnilib; osname=macosx;processor=ppc64, com/sun /jna/darwin-x86/libjnidispatch.jnilib; osname=macosx;processor=x86, com/sun /jna/darwin-x86-64/libjnidispatch.jnilib; osname=macosx;processor=x86-64, com /sun/jna/darwin-aarch64/libjnidispatch.jnilib; osname=macosx;processor=aarch64	
Product	Manifest	bundle-requiredexecution	JavaSE-1.6	Low
Product	Manifest	bundle-symbolicname	com.sun.jna	Medium
Product	Manifest	Implementation-Title	com.sun.jna	High
Product	Manifest	specification-title	Java Native Access (JNA)	Medium
Version	jar	package name	jna	Highest
Version	jar	package name	sun	Highest
Version	jar	package name	win32	Highest
Version	Manifest	Bundle-Version	5.14.0	High
Version	Manifest	Implementation-Version	5.14.0 (b0)	High

Related Dependencies



- authentication.pam.zip: jna.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.pam.zip/jna.jar
  - MD5: 9bb1338e58031463c300f643cb3c41fa
  - SHA1: d9c6794f22c2e3c846b02d51c6a95c304e8e056b
  - SHA256: 336f2ae25222389eb9f3c90f8f7c3a6258c33581964b2338bf836b3b865b049e
- authentication.windows.zip: jna.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.windows.zip/jna.jar
  - MD5: 9bb1338e58031463c300f643cb3c41fa
  - SHA1: d9c6794f22c2e3c846b02d51c6a95c304e8e056b
  - SHA256: 336f2ae25222389eb9f3c90f8f7c3a6258c33581964b2338bf836b3b865b049e

Identifiers

- cpe:2.3:a:oracle:java\_se:5.14.0:\*:\*:\*:\*:\* (Confidence:Low) suppress

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/jna.jar/com/sun/jna/win32-aarch64/jnidispatch.dll  
**MD5:** f6bef568e690d361a5dcc165f5ad4b1f  
**SHA1:** 05638a4aaafa689a6c246530823afdc18d3fd438  
**SHA256:**b9d1479b9619b7ece4a36b6ae31365faf15a1355d4f6da02f8b5f09df2fa82f  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jnidispatch	High
Product	file	name	jnidispatch	High

Related Dependencies

- authentication.pam.zip: jna.jar: jnidispatch.dll
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.pam.zip/jna.jar/com/sun/jna/win32-aarch64/jnidispatch.dll
  - MD5: f6bef568e690d361a5dcc165f5ad4b1f
  - SHA1: 05638a4aaafa689a6c246530823afdc18d3fd438
  - SHA256: b9d1479b9619b7ece4a36b6ae31365faf15a1355d4f6da02f8b5f09df2fa82f
- authentication.windows.zip: jna.jar: jnidispatch.dll
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.windows.zip/jna.jar/com/sun/jna/win32-aarch64/jnidispatch.dll
  - MD5: f6bef568e690d361a5dcc165f5ad4b1f
  - SHA1: 05638a4aaafa689a6c246530823afdc18d3fd438
  - SHA256: b9d1479b9619b7ece4a36b6ae31365faf15a1355d4f6da02f8b5f09df2fa82f

Identifiers

- None

jna.jar: jnidispatch.dll

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/jna.jar/com/sun/jna/win32-x86-64/jnidispatch.dll  
**MD5:** 719d6ba1946c25aa61ce82f90d77ffd5  
**SHA1:** 94d2191378cac5719daecc826fc116816284c406  
**SHA256:**69c45175ecfd25af023f96ac0bb2c45e6a95e3ba8a5a50ee7969ccab14825c44  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jnidispatch	High
Product	file	name	jnidispatch	High

#### Related Dependencies

- authentication.pam.zip: jna.jar: jnidispatch.dll
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.pam.zip/jna.jar/com/sun/jna/win32-x86-64/jnidispatch.dll
  - MD5: 719d6ba1946c25aa61ce82f90d77ffd5
  - SHA1: 94d2191378cac5719daecc826fc116816284c406
  - SHA256: 69c45175ecfd25af023f96ac0bb2c45e6a95e3ba8a5a50ee7969ccab14825c44
- authentication.windows.zip: jna.jar: jnidispatch.dll
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.windows.zip/jna.jar/com/sun/jna/win32-x86-64/jnidispatch.dll
  - MD5: 719d6ba1946c25aa61ce82f90d77ffd5
  - SHA1: 94d2191378cac5719daecc826fc116816284c406
  - SHA256: 69c45175ecfd25af023f96ac0bb2c45e6a95e3ba8a5a50ee7969ccab14825c44

#### Identifiers

- None

### jna.jar: jnidispatch.dll

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/jna.jar/com/sun/jna/win32-x86/jnidispatch.dll

**MD5:** e15183ef9c6c255b76fda73d01ca7ecb

**SHA1:** f816f998c43204230d9ea3eecff5f8372a32c2e

**SHA256:** 38650a0612730c52580c9f32ff766b44b1c5a426d52e7dd7a53687bf3389ac2c

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jnidispatch	High
Product	file	name	jnidispatch	High

#### Related Dependencies



- authentication.pam.zip: jna.jar: jnidispatch.dll
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.pam.zip/jna.jar/com/sun/jna/win32-x86/jnidispatch.dll
  - MD5: e15183ef9c6c255b76fda73d01ca7ecb
  - SHA1: f816f998c43204230d9ea3eecffb5f8372a32c2e
  - SHA256: 38650a0612730c52580c9f32ff766b44b1c5a426d52e7dd7a53687bf3389ac2c
- authentication.windows.zip: jna.jar: jnidispatch.dll
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.windows.zip/jna.jar/com/sun/jna/win32-x86/jnidispatch.dll
  - MD5: e15183ef9c6c255b76fda73d01ca7ecb
  - SHA1: f816f998c43204230d9ea3eecffb5f8372a32c2e
  - SHA256: 38650a0612730c52580c9f32ff766b44b1c5a426d52e7dd7a53687bf3389ac2c

#### Identifiers

- None

### junit-4.13.2.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/junit/junit/4.13.2

/8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12/junit-4.13.2.jar

**MD5:** d98a9a02a99a9acd22d7653cbcc1f31f

**SHA1:** 8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12

**SHA256:** 8e495b634469d64fb8acfa3495a065cbacc8a0fff55ce1e31007be4c16dc57d3

**Referenced In Project/Scope:** server:inetPlugin

**Included by:** pkg:maven/helpdesk/server@24.10

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit	High
Vendor	gradle	artifactid	junit	Highest
Vendor	gradle	groupid	junit	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	Manifest	automatic-module-name	junit	Medium
Vendor	Manifest	implementation-url	http://junit.org	Low
Vendor	Manifest	Implementation-Vendor	JUnit	High
Vendor	Manifest	Implementation-Vendor-Id	junit	Medium
Product	file	name	junit	High

Product	gradle	artifactid	junit	Highest
Product	jar	package name	junit	Highest
Product	Manifest	automatic-module-name	junit	Medium
Product	Manifest	Implementation-Title	JUnit	High
Product	Manifest	implementation-url	http://junit.org	Low
Version	file	version	4.13.2	High
Version	Manifest	Implementation-Version	4.13.2	High

### Identifiers

- [pkg:maven/junit/junit@4.13.2](#) (Confidence: Highest)
- [cpe:2.3:a:junit:junit4:4.13.2:\\*:\\*:\\*:\\*:\\*](#) (Confidence: Highest) suppress

## junit-jupiter-5.10.3.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter/5.10.3/6686d8bf251f9bf8ecba413cab57b9e00f9134d/junit-jupiter-5.10.3.jar

**MD5:** 8312d239f10b3aaa94c3dc69f84a250f

**SHA1:** 6686d8bf251f9bf8ecba413cab57b9e00f9134d

**SHA256:** e6fc09f881eba8b8d8a7660a6c7f4d582fa7881f306136afe2d82964a2e7c22f

**Referenced In Project/Scope:** server:inetPlugin

**Included by:**

- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3
- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3
- pkg:maven/helpdesk/server@24.10

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter	High
Vendor	gradle	artifactid	junit-jupiter	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	module-info	Low
Vendor	Manifest	build-date	2024-06-27	Low
Vendor	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Vendor	Manifest	build-time	16:07:04.699+0200	Low

Vendor	Manifest	bundle-symbolicname	junit-jupiter	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-jupiter	High
Product	gradle	artifactid	junit-jupiter	Highest
Product	Manifest	build-date	2024-06-27	Low
Product	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Product	Manifest	build-time	16:07:04.699+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter (Aggregator)	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter	Medium
Product	Manifest	Implementation-Title	junit-jupiter	High
Product	Manifest	specification-title	junit-jupiter	Medium
Version	file	version	5.10.3	High
Version	Manifest	Implementation-Version	5.10.3	High

Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3](https://pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3) (Confidence: Highest)

junit-jupiter-api-5.10.3.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-api/5.10.3/a22aa91d1d6c69b2020a9aeb6d095ea81132bfa5/junit-jupiter-api-5.10.3.jar  
**MD5:** 9c5af4543b8784a55eab254418cc367b  
**SHA1:** a22aa91d1d6c69b2020a9aeb6d095ea81132bfa5  
**SHA256:** 6efe6e01ca1ff79b7bf4c6f1eed0b29292e166c27eaf7b00ac981a14d4de61aa  
**Referenced In Project/Scope:** server:inetPlugin  
**Included by:**

- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3
- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter-api	High

Vendor	gradle	artifactid	junit-jupiter-api	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	api	Highest
Vendor	jar	package name	api	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	Manifest	build-date	2024-06-27	Low
Vendor	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Vendor	Manifest	build-time	16:07:04.699+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-api	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-jupiter-api	High
Product	gradle	artifactid	junit-jupiter-api	Highest
Product	jar	package name	api	Highest
Product	jar	package name	api	Low
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	Manifest	build-date	2024-06-27	Low
Product	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Product	Manifest	build-time	16:07:04.699+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter API	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-api	Medium
Product	Manifest	Implementation-Title	junit-jupiter-api	High
Product	Manifest	specification-title	junit-jupiter-api	Medium
Version	file	version	5.10.3	High
Version	Manifest	Implementation-Version	5.10.3	High

## Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter-api@5.10.3](#) (*Confidence: Highest*)

## junit-jupiter-engine-5.10.3.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-engine/5.10.3/48c14e866bb1a87ca35d24ff068463bb202ada24/junit-jupiter-engine-5.10.3.jar

**MD5:** c87ca6659d594120a6030a2760bcd14

**SHA1:** 48c14e866bb1a87ca35d24ff068463bb202ada24

**SHA256:** bbd3ce8dc11e9925071ef9691d68af1ab6e712faa6851f7c5275bc8aafc88673

**Referenced In Project/Scope:** server:inetPlugin

**Included by:**

- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3
- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter-engine	High
Vendor	gradle	artifactid	junit-jupiter-engine	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	Manifest	build-date	2024-06-27	Low
Vendor	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Vendor	Manifest	build-time	16:07:04.699+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-jupiter;version:Version="5.10.3"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-jupiter-engine	High
Product	gradle	artifactid	junit-jupiter-engine	Highest

Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	Manifest	build-date	2024-06-27	Low
Product	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Product	Manifest	build-time	16:07:04.699+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter Engine	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-engine	Medium
Product	Manifest	Implementation-Title	junit-jupiter-engine	High
Product	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-jupiter;version:Version="5.10.3"	Low
Product	Manifest	specification-title	junit-jupiter-engine	Medium
Version	file	version	5.10.3	High
Version	Manifest	Implementation-Version	5.10.3	High

### Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.10.3](#) (*Confidence*:Highest)

## junit-jupiter-params-5.10.3.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-params/5.10.3/4852f4e4af9074d9214213b199751f99efeab8b9/junit-jupiter-params-5.10.3.jar

**MD5:** 8c0d875131fa73e688df785a3b2f338d

**SHA1:** 4852f4e4af9074d9214213b199751f99efeab8b9

**SHA256:** 7c3ed8cefb12496b76c53c3da986ea8f0bf3f426781869475551ae3a506c1ad8

**Referenced In Project/Scope:** server:inetPlugin

**Included by:**

- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3
- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter-params	High

Vendor	gradle	artifactid	junit-jupiter-params	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	jar	package name	params	Highest
Vendor	jar	package name	params	Low
Vendor	Manifest	build-date	2024-06-27	Low
Vendor	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Vendor	Manifest	build-time	16:07:04.699+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-params	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-jupiter-params	High
Product	gradle	artifactid	junit-jupiter-params	Highest
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	jar	package name	params	Highest
Product	jar	package name	params	Low
Product	jar	package name	shadow	Low
Product	Manifest	build-date	2024-06-27	Low
Product	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Product	Manifest	build-time	16:07:04.699+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter Params	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-params	Medium
Product	Manifest	Implementation-Title	junit-jupiter-params	High
Product	Manifest	specification-title	junit-jupiter-params	Medium
Version	file	version	5.10.3	High
Version	Manifest	Implementation-Version	5.10.3	High

Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter-params@5.10.3](#) (Confidence: Highest)

junit-platform-commons-1.10.3.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-commons/1.10.3/a353d42a2f13343a7cb80c5228ae66ff64495481/junit-platform-commons-1.10.3.jar  
**MD5:** 83ff374dd428b03f1cf70d0143259f01  
**SHA1:** a353d42a2f13343a7cb80c5228ae66ff64495481  
**SHA256:** 9787f04d49db59397cdd7555d421a5bd2d1445666997d327b94f85e38bed57f1  
**Referenced In Project/Scope:** server:inetPlugin  
**Included by:**

- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3
- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-commons	High
Vendor	gradle	artifactid	junit-platform-commons	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	commons	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	org	Highest
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2024-06-27	Low
Vendor	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Vendor	Manifest	build-time	16:07:04.699+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-commons	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-commons	High



Product	gradle	artifactid	junit-platform-commons	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	commons	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	util	Low
Product	Manifest	build-date	2024-06-27	Low
Product	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcdc39ade5	Low
Product	Manifest	build-time	16:07:04.699+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Commons	Medium
Product	Manifest	bundle-symbolicname	junit-platform-commons	Medium
Product	Manifest	Implementation-Title	junit-platform-commons	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	junit-platform-commons	Medium
Version	file	version	1.10.3	High
Version	Manifest	Implementation-Version	1.10.3	High

Identifiers

- [pkg:maven/org.junit.platform/junit-platform-commons@1.10.3](#) (*Confidence*:Highest)

junit-platform-engine-1.10.3.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-engine/1.10.3/365a320c3cfd47f3346625e541e424e35dc75c42/junit-platform-engine-1.10.3.jar

**MD5:** 8fe56ec6a59c1e208e8ba0def9e47bf3

**SHA1:** 365a320c3cfd47f3346625e541e424e35dc75c42

**SHA256:**df7c32bf75cf47c4c8ddd1942091027947a7d765d30b731fe00830115fafa133

**Referenced In Project/Scope:** server:inetPlugin

**Included by:**

- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3
- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	junit-platform-engine	High
Vendor	gradle	artifactid	junit-platform-engine	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2024-06-27	Low
Vendor	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Vendor	Manifest	build-time	16:07:04.699+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-engine	High
Product	gradle	artifactid	junit-platform-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	support	Low
Product	Manifest	build-date	2024-06-27	Low
Product	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Product	Manifest	build-time	16:07:04.699+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Engine API	Medium
Product	Manifest	bundle-symbolicname	junit-platform-engine	Medium
Product	Manifest	Implementation-Title	junit-platform-engine	High
Product	Manifest	specification-title	junit-platform-engine	Medium
Version	file	version	1.10.3	High
Version	Manifest	Implementation-Version	1.10.3	High

Identifiers

- [pkg:maven/org.junit.platform/junit-platform-engine@1.10.3](#) (Confidence: Highest)

junit-platform-launcher-1.10.3.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-launcher/1.10.3/2e07e6389624f3e93fb2e87aec2fdc30cc84b069/junit-platform-launcher-1.10.3.jar

**MD5:** 2bc703d74e40b64a2c7964e3ef4da945

**SHA1:** 2e07e6389624f3e93fb2e87aec2fdc30cc84b069

**SHA256:** deaeede2f011eaf94f5bc681e04eee2f4a0f6d69771e1a79aa950d898b405d8d

**Referenced In Project/Scope:** server:inetPlugin

**Included by:**

- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3
- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-launcher	High
Vendor	gradle	artifactid	junit-platform-launcher	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	launcher	Highest
Vendor	jar	package name	launcher	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2024-06-27	Low
Vendor	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Vendor	Manifest	build-time	16:07:04.699+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-launcher	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.launcher;org.junit.platform.launcher=junit-platform-launcher;version:Version="1.10.3"	Low
Vendor	Manifest	specification-	junit.org	Low

vendor

Product	file	name	junit-platform-launcher	High
Product	gradle	artifactid	junit-platform-launcher	Highest
Product	jar	package name	junit	Highest
Product	jar	package name	launcher	Highest
Product	jar	package name	launcher	Low
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	Manifest	build-date	2024-06-27	Low
Product	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Product	Manifest	build-time	16:07:04.699+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Launcher	Medium
Product	Manifest	bundle-symbolicname	junit-platform-launcher	Medium
Product	Manifest	Implementation-Title	junit-platform-launcher	High
Product	Manifest	provide-capability	org.junit.platform.launcher;org.junit.platform.launcher=junit-platform-launcher;version:Version="1.10.3"	Low
Product	Manifest	specification-title	junit-platform-launcher	Medium
Version	file	version	1.10.3	High
Version	Manifest	Implementation-Version	1.10.3	High

#### Identifiers

- <pkg:maven/org.junit.platform/junit-platform-launcher@1.10.3> (*Confidence*:Highest)

## junit-platform-suite-1.10.3.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite/1.10.3/48ea585d380c250428cd440b354e344461a887b4/junit-platform-suite-1.10.3.jar

**MD5:** d508bda8927cf328d45dc2a128f073c1

**SHA1:** 48ea585d380c250428cd440b354e344461a887b4

**SHA256:** 17f9384f40dcb480784277b2d1a96e560d69936eda6296c15c68c209e476828b

**Referenced In Project/Scope:** server:inetPlugin

**Included by:**

- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3
- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3
- pkg:maven/helpdesk/server@24.10

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite	High
Vendor	gradle	artifactid	junit-platform-suite	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	module-info	Low
Vendor	Manifest	build-date	2024-06-27	Low
Vendor	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Vendor	Manifest	build-time	16:07:04.699+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-suite	High
Product	gradle	artifactid	junit-platform-suite	Highest
Product	Manifest	build-date	2024-06-27	Low
Product	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Product	Manifest	build-time	16:07:04.699+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite (Aggregator)	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite	Medium
Product	Manifest	Implementation-Title	junit-platform-suite	High
Product	Manifest	specification-title	junit-platform-suite	Medium
Version	file	version	1.10.3	High
Version	Manifest	Implementation-Version	1.10.3	High

Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite@1.10.3](#) (*Confidence:*Highest)

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-api/1.10.3/8358a40913929201e7ba817ca7a66456165fa7eb/junit-platform-suite-api-1.10.3.jar  
**MD5:** 689122f3641d81b7756fec816e79a6f9  
**SHA1:** 8358a40913929201e7ba817ca7a66456165fa7eb  
**SHA256:**bdb1de13d1a86a17a8093f2612014cd3271a1625b46fedee01c9982a3b4287af  
**Referenced In Project/Scope:** server:inetPlugin  
**Included by:**

- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3
- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite-api	High
Vendor	gradle	artifactid	junit-platform-suite-api	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	api	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2024-06-27	Low
Vendor	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Vendor	Manifest	build-time	16:07:04.699+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-api	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-suite-api	High
Product	gradle	artifactid	junit-platform-suite-api	Highest
Product	jar	package name	api	Highest
Product	jar	package name	api	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low

Product	Manifest	build-date	2024-06-27	Low
Product	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcdc39ade5	Low
Product	Manifest	build-time	16:07:04.699+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite API	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-api	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-api	High
Product	Manifest	specification-title	junit-platform-suite-api	Medium
Version	file	version	1.10.3	High
Version	Manifest	Implementation-Version	1.10.3	High

#### Identifiers

- <pkg:maven/org.junit.platform/junit-platform-suite-api@1.10.3> (*Confidence*:Highest)

### junit-platform-suite-commons-1.10.3.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-commons/1.10.3/e184697bc6e8d96072815df8ca40eaed940c3fd8/junit-platform-suite-commons-1.10.3.jar

**MD5:** 4218be8526eab4fdb25437440a1225d5

**SHA1:** e184697bc6e8d96072815df8ca40eaed940c3fd8

**SHA256:** da51c58786762602848f38bcf45d9d18387ed10d030308ebd8d4989cfae7fd59

**Referenced In Project/Scope:** server:inetPlugin

**Included by:**

- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3
- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite-commons	High
Vendor	gradle	artifactid	junit-platform-suite-commons	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low

Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2024-06-27	Low
Vendor	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Vendor	Manifest	build-time	16:07:04.699+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-commons	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-suite-commons	High
Product	gradle	artifactid	junit-platform-suite-commons	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	commons	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2024-06-27	Low
Product	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Product	Manifest	build-time	16:07:04.699+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite Commons	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-commons	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-commons	High
Product	Manifest	specification-title	junit-platform-suite-commons	Medium
Version	file	version	1.10.3	High
Version	Manifest	Implementation-Version	1.10.3	High

## Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite-commons@1.10.3](https://pkg:maven/org.junit.platform/junit-platform-suite-commons@1.10.3) (*Confidence*:Highest)



## junit-platform-suite-engine-1.10.3.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-engine/1.10.3/a3585e7639577aa12b24e90f2ab7f0433997b5e0/junit-platform-suite-engine-1.10.3.jar

**MD5:** 1f4805e105121cea17015917c1411ace

**SHA1:** a3585e7639577aa12b24e90f2ab7f0433997b5e0

**SHA256:** 65887849bc0ae1e11f19500116e1c1a68bfb101813bfc4c63e72225cf3354340

**Referenced In Project/Scope:** server:inetPlugin

**Included by:**

- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3
- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite-engine	High
Vendor	gradle	artifactid	junit-platform-suite-engine	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2024-06-27	Low
Vendor	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Vendor	Manifest	build-time	16:07:04.699+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-suite-engine	High
Product	gradle	artifactid	junit-platform-suite-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest

Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2024-06-27	Low
Product	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Product	Manifest	build-time	16:07:04.699+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite Engine	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-engine	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-engine	High
Product	Manifest	specification-title	junit-platform-suite-engine	Medium
Version	file	version	1.10.3	High
Version	Manifest	Implementation-Version	1.10.3	High

#### Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite-engine@1.10.3](https://pkg:maven/org.junit.platform/junit-platform-suite-engine@1.10.3) (*Confidence*:Highest)

### junit-vintage-engine-5.10.3.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.vintage/junit-vintage-engine/5.10.3/18ddfc904011b7b8ab7bcf606ca77b7469c05f48/junit-vintage-engine-5.10.3.jar

**MD5:** 794a99a9431931e019e4fe9ea5b06bd5

**SHA1:** 18ddfc904011b7b8ab7bcf606ca77b7469c05f48

**SHA256:** d60288d3e850ba9f2af4701203a5171ef30634efd34da40ab47facebd2c65d6c

**Referenced In Project/Scope:** server:inetPlugin

**Included by:**

- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3
- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3
- pkg:maven/helpdesk/server@24.10

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-vintage-engine	High
Vendor	gradle	artifactid	junit-vintage-engine	Highest
Vendor	gradle	groupid	org.junit.vintage	Highest
Vendor	jar	package name	engine	Highest

Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	vintage	Highest
Vendor	jar	package name	vintage	Low
Vendor	Manifest	build-date	2024-06-27	Low
Vendor	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Vendor	Manifest	build-time	16:07:04.699+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-vintage-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-vintage;version:Version="5.10.3"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-vintage-engine	High
Product	gradle	artifactid	junit-vintage-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	vintage	Highest
Product	jar	package name	vintage	Low
Product	Manifest	build-date	2024-06-27	Low
Product	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Product	Manifest	build-time	16:07:04.699+0200	Low
Product	Manifest	Bundle-Name	JUnit Vintage Engine	Medium
Product	Manifest	bundle-symbolicname	junit-vintage-engine	Medium
Product	Manifest	Implementation-Title	junit-vintage-engine	High
Product	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-vintage;version:Version="5.10.3"	Low
Product	Manifest	specification-title	junit-vintage-engine	Medium
Version	file	version	5.10.3	High
Version	Manifest	Implementation-Version	5.10.3	High

Identifiers

- [pkg:maven/org.junit.vintage/junit-vintage-engine@5.10.3](#) (Confidence: Highest)

knowledgebase.zip: knowledgebase.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/knowledgebase.zip/knowledgebase.jar  
**MD5:** 021769b4fb2f0a84cc93b37f64b31fea  
**SHA1:** 3fd1143433232e6ea0ec0c183c45d26e23eeca7  
**SHA256:** 6609f7041e0f2a26eb713ac456e211f9682aca1ea47e187def705e20419c8a81  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	knowledgebase	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2024-11-16 15:35	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	knowledgebase	High
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	knowledgebase	Highest
Product	jar	package name	knowledgebase	Low
Product	jar	package name	plugins	Low
Product	Manifest	built-date	2024-11-16 15:35	Low
Product	Manifest	implementation-group	helpdesk	Low

Product	Manifest	Implementation-Title	knowledgebase	High
Product	Manifest	specification-title	knowledgebase	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	24.10.221	High

#### Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:24.10.221:\*:\*:\*:\*:\* (Confidence:Low) suppress

### knowledgebase.zip: knowledgebase.jar: controllerArticleDetails.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/knowledgebase.zip  
/knowledgebase.jar/com/inet/helpdesk/plugins/knowledgebase/client/knowledgebase  
/controllerArticleDetails.js

**MD5:** aa5140f5fb3f636a0e3cae7939df3dc9

**SHA1:** 1c54ef58220800232a6aa35d7da4e9a154e3ffc9

**SHA256:** c4d83f3033398979e7c1ecc9fb0153d1cbbad23cdb4b17bd4ea8e36146927d7e

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### knowledgebase.zip: knowledgebase.jar: controllerArticleDialog.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/knowledgebase.zip  
/knowledgebase.jar/com/inet/helpdesk/plugins/knowledgebase/client/knowledgebase  
/controllerArticleDialog.js

**MD5:** 54023345582e6739e0fe66179d97ddc3

**SHA1:** 6abfc229a578dc17a6c595232eea651295cbb779

**SHA256:** 08c0a910ad9dc24c0bb71e9f7e32a9618f7b53dd1fff1a49fde40425354fdf73

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## knowledgebase.zip: knowledgebase.jar: controllerArticleEditDialog.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/knowledgebase.zip/knowledgebase.jar/com/inet/helpdesk/plugins/knowledgebase/client/knowledgebase/controllerArticleEditDialog.js

**MD5:** bd9b8c2319f3b71e5ce72b764eed86da

**SHA1:** fbd0ba2faf3e2a48a28dc96c681e2d56f8510e53

**SHA256:** 554ca5eb51d6526c2e708d35cac139caff55a93625b33e957244374e2051f9d8

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## knowledgebase.zip: knowledgebase.jar: controllerKnowledgeBase.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/knowledgebase.zip/knowledgebase.jar/com/inet/helpdesk/plugins/knowledgebase/client/knowledgebase/controllerKnowledgeBase.js

**MD5:** 54e87894bd3002eda0f8291c42c5c9e6

**SHA1:** 6bcba7adf56aef6f34694a82daecbe83a7d440d0

**SHA256:** 3bfb49a381c27dd7fac0161a566a4c3c9a74556d4997fd83a5e1efe9f7ee71b1

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### knowledgebase.zip: knowledgebase.jar: fuzzysearcharticleextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/knowledgebase.zip/knowledgebase.jar/com/inet/helpdesk/plugins/knowledgebase/server/ticketextension/fuzzysearcharticleextension.js

**MD5:** 4db6268ac2c919f2eb1d83874a099ba6

**SHA1:** 9c228e8951d14feb18ce7eae592851f3929efa09

**SHA256:** 5411835e97634b68d6e27c4331bd40e8c78f0827c507a018e74d1dd593470d45

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### knowledgebase.zip: knowledgebase.jar: knowledgeBaseFactory.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/knowledgebase.zip/knowledgebase.jar/com/inet/helpdesk/plugins/knowledgebase/client/knowledgebase/knowledgeBaseFactory.js

**MD5:** 99f81d8ec27af11bd30bd93f40f9517e

**SHA1:** 7de1285893bce7a9008f00f62648b3fe68b8bf31

**SHA256:** ff26fbd6f03b13062f463027036981c7069a668693553ff71e18dce3de529ed2

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

knowledgebase.zip: knowledgebase.jar: ticketlist.extension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/knowledgebase.zip/knowledgebase.jar/com/inet/helpdesk/plugins/knowledgebase/client/knowledgebase/ticketlist.extension.js  
**MD5:** f5967f9c4bd620384913cbee6e34d140  
**SHA1:** d620a6455eb859f7d27819d738b9ae34f610d290  
**SHA256:**fb0bd36e7a233aa611dbc564cf347bcce2ac23b1bb0cddb7f2bba544c976b53c  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

livesupport.zip: livesupport.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/livesupport.zip/livesupport.jar  
**MD5:** 39b84f20749c4807b6dae85a47a1cf9d  
**SHA1:** 21809a5aa81a7f34e50b8c6f1ffec66251cb6cd2  
**SHA256:**20a3b458c9254e3ff97ab6f9bc25c85315624fbe5d9318ddae3be041675f3a57  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	livesupport	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2024-11-16 15:37	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-	de.inetsoftware	Medium



Vendor-Id				
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	livesupport	High
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	livesupport	Highest
Product	jar	package name	livesupport	Low
Product	jar	package name	plugins	Low
Product	Manifest	built-date	2024-11-16 15:37	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	livesupport	High
Product	Manifest	specification-title	livesupport	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	24.10.221	High

Identifiers

• cpe:2.3:a:inetsoftware:helpdesk:24.10.221:\*:\*:\*:\*:\* ( *Confidence:Low* ) suppress

livesupport.zip: livesupport.jar: attachments.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/attachments.js  
**MD5:** bbafe69867f0449e9a09b4da169b1f76  
**SHA1:** b81c0ae764fdb78f088309905890a9a970065590  
**SHA256:**3bd08d056c68cfb6217eababa5585349576157621a5425a50dc61d885c2f5a3e  
**Referenced In Project/Scope:** server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

### livesupport.zip: livesupport.jar: connections.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/connections.js  
**MD5:** 2efa1b98a5bf3d462d9271d2258c00c  
**SHA1:** 8bfb16d2b3cc4e68f0520da4ad31b617a5f49642  
**SHA256:** b8fdbcfb737792a42ead735f9dfd91b392f2812088a9bb9baca458d7a13ebec5b  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### livesupport.zip: livesupport.jar: controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/controller.js  
**MD5:** ede7ebd46af6b2094ecd1dbbd512db89  
**SHA1:** d5890024a94c8b03bfacc756d30f4f3e55ac32de  
**SHA256:** b75366f5c144503cb5604f1accb0c2c593dd518546643dcee0e14345c4813782  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## livesupport.zip: livesupport.jar: dragging.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/lib/dragging.js  
**MD5:** 0b71570c16534ca2d13c687e21c00017  
**SHA1:** 62fc899fa0f0452efb8556fee2756c35383fdb35  
**SHA256:** a5884efeab4465033d4fdcedf03f7dc2138d938ae6d566c4f70d3a4d8ea8519a  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## livesupport.zip: livesupport.jar: events.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/lib/events.js  
**MD5:** 2b3d46a27ea9601db330eead65c08798  
**SHA1:** 84b4be596cf504baf3ccc5c198b1424852019444  
**SHA256:** b21b4dbc664ae47a61fb5ecfd87dc4760009386a8d98c127836b4dd07e97ffb1  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## livesupport.zip: livesupport.jar: fetch-promise.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/lib/fetch-promise.min.js  
**MD5:** 58b3e33a90cd1b4b5f31f2cab8add76e

**SHA1:** 59e1613cc5ba26d993c2f61a32aa6d7e62bd4f6c  
**SHA256:** 9563fb9eaf9f5e97c1462bf433c895d0ff340e8ec0500938fbefa5a9e0081a0a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### livesupport.zip: livesupport.jar: i18n.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/livesupport.zip/livesupport.jar/com  
/inet/helpdesk/plugins/livesupport/client/js/i18n.js  
**MD5:** c89b6920d9110d27b24a3331f4122e73  
**SHA1:** 05c2e21a21e82bb1c31679afafb4ed101e439d1b  
**SHA256:** 65add5efb15f1b83ec945dd64677e41fcc9adfa7cfddcd8a050937b3ffe5bee5  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### livesupport.zip: livesupport.jar: lazy-load.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/livesupport.zip/livesupport.jar/com  
/inet/helpdesk/plugins/livesupport/client/js/lazy-load.js  
**MD5:** c8c4f76c76d8c4e6226ad139ca512a4d  
**SHA1:** 622d10441ded57bfdac20d655e796feeb2337f09  
**SHA256:** 1f32ead7094f11b9f7169ecb93d39bc03071ae342575631e77a2f58171e4f8bb  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

livesupport.zip: livesupport.jar: prototype.array.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/lib/prototype.array.js  
**MD5:** 45dacd23529e4c8be70b74ff815261b1  
**SHA1:** 5a5989506e8ddefd3434852cbe7edc89d22a8bab  
**SHA256:**5b4e150fe813fa86ccb19ea06ec77b49419da7ddfb24e65ef1e5d2b4db20571e  
**Referenced In Project/Scope:** server

Evidence				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

livesupport.zip: livesupport.jar: prototype.element.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/lib/prototype.element.js  
**MD5:** 0d8f35b62c37bdfd08b010fe47e0e846  
**SHA1:** af759b73a0606a38c90a97ab72042a4c316a4dac  
**SHA256:**0c006137f6a64c709924d17e2dd341474c99f3352fe27247c2f85500d99a61aa  
**Referenced In Project/Scope:** server

Evidence				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

### livesupport.zip: livesupport.jar: ui-components.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/ui-components.js  
**MD5:** ef79170cc59310589f6ecb6a30970c11  
**SHA1:** 3dc1e961aaba01e18c669a0c0b6a6192ba61cecf  
**SHA256:** 4b39c8a654792bc04aafe8b5c52e098353d0fe8c0fbdf23ad8b5dc7e496db43a  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### mail.zip: bc-fips.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/bc-fips.jar  
**MD5:** 6dbb5bd5f7ba5e2827d845556e85f868  
**SHA1:** 704e65f7e4fe679e5ab2aa8a840f27f8ced4c522  
**SHA256:** 50e4c7a0d0c68413d3d8587560d56945ac09e7c89c41bd971cd22d76be6f1085  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	bc-fips	High
Vendor	jar	package name	bc	Highest
Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	fips	Highest
Vendor	jar	package name	provider	Highest
Vendor	Manifest	application-library-allowable-	*	Low

		codebase		
Vendor	Manifest	application-name	Bouncy Castle FIPS Provider	Medium
Vendor	Manifest	automatic-module-name	org.bouncycastle.fips.core	Medium
Vendor	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Vendor	Manifest	bundle-symbolicname	bc-fips	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcfips	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Product	file	name	bc-fips	High
Product	jar	package name	bc	Highest
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	fips	Highest
Product	jar	package name	permissions	Highest
Product	jar	package name	provider	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle FIPS Provider	Medium
Product	Manifest	automatic-module-name	org.bouncycastle.fips.core	Medium
Product	Manifest	Bundle-Name	bc-fips	Medium
Product	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Product	Manifest	bundle-symbolicname	bc-fips	Medium
Product	Manifest	caller-allowable-codebase	*	Low

Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcfips	Medium
Product	Manifest	multi-release	true	Low
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Version	jar	package name	permissions	Highest
Version	Manifest	Bundle-Version	1.0.2.5	High
Version	Manifest	Implementation-Version	1.0.2.5	High

#### Related Dependencies

- webserver.zip: bc-fips.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/bc-fips.jar
  - MD5: 6dbb5bd5f7ba5e2827d845556e85f868
  - SHA1: 704e65f7e4fe679e5ab2aa8a840f27f8ced4c522
  - SHA256: 50e4c7a0d0c68413d3d8587560d56945ac09e7c89c41bd971cd22d76be6f1085

#### Identifiers

- None

### mail.zip: bcmail-fips.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/bcmail-fips.jar  
**MD5:** 933222383d59e919cef64e1db42b6eb1  
**SHA1:** e93795499065ef7fd43df063e68ee474b03c4fbc  
**SHA256:** f50bddda7e4cfa88dd8afddf07d0ed86e76bf26d2e1b96dc124410947a555e06  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	bcmail-fips	High
Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	mail	Highest
Vendor	jar	package name	mail	Low



Vendor	jar	package name	smime	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle FIPS S/MIME API	Medium
Vendor	Manifest	automatic-module-name	org.bouncycastle.fips.mail	Medium
Vendor	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Vendor	Manifest	bundle-symbolicname	bcmail-fips	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcfips.mail	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Product	file	name	bcmail-fips	High
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	mail	Highest
Product	jar	package name	mail	Low
Product	jar	package name	smime	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle FIPS S/MIME API	Medium
Product	Manifest	automatic-module-name	org.bouncycastle.fips.mail	Medium
Product	Manifest	Bundle-Name	bcmail-fips	Medium
Product	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Product	Manifest	bundle-symbolicname	bcmail-fips	Medium
Product	Manifest	caller-allowable-	*	Low

		codebase		
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcips.mail	Medium
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Version	Manifest	Bundle-Version	1.0.4	High
Version	Manifest	Implementation-Version	1.0.4	High

#### Identifiers

- None

### mail.zip: bcpq-fips.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/bcpq-fips.jar

**MD5:** d5dbb089be98a4c7b4bb5b78d6b2d629

**SHA1:** 5e1952428655ea822066f86df2e3ecda8fa0ba2b

**SHA256:** fea1a096c098395eb67d48700c349d5f75321ef0c7c6af9198bc38f4cc836622

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	bcpq-fips	High
Vendor	jar	package name	bcpq	Highest
Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	openpgp	Highest
Vendor	jar	package name	openpgp	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle FIPS OpenPGP API	Medium
Vendor	Manifest	automatic-module-name	org.bouncycastle.fips.pg	Medium
Vendor	Manifest	bundle-requiredexecution	J2SE-1.5	Low

Vendor	Manifest	bundle-symbolicname	bcpq-fips	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcfixs.pg	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Product	file	name	bcpq-fips	High
Product	jar	package name	bcpq	Highest
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	openpgp	Highest
Product	jar	package name	openpgp	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle FIPS OpenPGP API	Medium
Product	Manifest	automatic-module-name	org.bouncycastle.fips.pg	Medium
Product	Manifest	Bundle-Name	bcpq-fips	Medium
Product	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Product	Manifest	bundle-symbolicname	bcpq-fips	Medium
Product	Manifest	caller-allowable-codebase	*	Low
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcfixs.pg	Medium
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Version	Manifest	Bundle-Version	1.0.7.1	High
Version	Manifest	Implementation-Version	1.0.7.1	High

## Identifiers

- [cpe:2.3:a:openpggp:openpggp:1.0.7.1:\\*:\\*:\\*:\\*:\\*](#) (*Confidence: Highest*) suppress

## mail.zip: bcpkix-fips.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/bcpkix-fips.jar  
**MD5:** 5eb817346ccced24509b5b18d49b44e1  
**SHA1:** fe07959721cfa2156be9722ba20fdfee2b5441b0  
**SHA256:** 2f6a0e9edf56f815f7771f91e7a099fa2a73642e92345fd05a25ee3a036dc664  
**Referenced In Project/Scope:** server

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	bcpkix-fips	High
Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	pkix	Highest
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle FIPS PKIX API	Medium
Vendor	Manifest	automatic-module-name	org.bouncycastle.fips.pkix	Medium
Vendor	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Vendor	Manifest	bundle-symbolicname	bcpkix-fips	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcfips.pkix	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	permissions	all-permissions	Low

Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Product	file	name	bcpkix-fips	High
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	pkix	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle FIPS PKIX API	Medium
Product	Manifest	automatic-module-name	org.bouncycastle.fips.pkix	Medium
Product	Manifest	Bundle-Name	bcpkix-fips	Medium
Product	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Product	Manifest	bundle-symbolicname	bcpkix-fips	Medium
Product	Manifest	caller-allowable-codebase	*	Low
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcfips.pkix	Medium
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Version	Manifest	Bundle-Version	1.0.7	High
Version	Manifest	Implementation-Version	1.0.7	High

## Related Dependencies



- webserver.zip: bcpkix-fips.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/bcpkix-fips.jar
  - MD5: 5eb817346ccced24509b5b18d49b44e1
  - SHA1: fe07959721cfa2156be9722ba20fdfee2b5441b0
  - SHA256: 2f6a0e9edf56f815f7771f91e7a099fa2a73642e92345fd05a25ee3a036dc664

## Identifiers

- None

## mail.zip: jakarta.activation.jar

### Description:

Jakarta Activation

### License:

<http://www.eclipse.org/org/documents/edl-v10.php>

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/jakarta.activation.jar

**MD5:** 0b8bee3bf29b9a015f8b992035581a7c

**SHA1:** 74548703f9851017ce2f556066659438019e7eb5

**SHA256:** 02156773e4ae9d048d14a56ad35d644bee9f1052a791d072df3ded3c656e6e1a

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.activation	High
Vendor	jar	package name	activation	Highest
Vendor	jar	package name	sun	Highest
Vendor	jar (hint)	package name	oracle	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	com.sun.activation.jakarta.activation	Medium
Vendor	Manifest	extension-name	jakarta.activation	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	com.sun	Medium
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.activation	Low
Vendor	pom	groupid	com.sun.activation	Highest
Vendor	pom	name	Jakarta Activation	High
Vendor	pom	parent-artifactid	all	Low
Product	file	name	jakarta.activation	High
Product	jar	package name	activation	Highest
Product	jar	package name	javax	Highest
Product	jar	package name	sun	Highest

Product	Manifest	bundle-docurl	<a href="https://www.eclipse.org">https://www.eclipse.org</a>	Low
Product	Manifest	Bundle-Name	Jakarta Activation	Medium
Product	Manifest	bundle-symbolicname	com.sun.activation.jakarta.activation	Medium
Product	Manifest	extension-name	jakarta.activation	Medium
Product	Manifest	Implementation-Title	javax.activation	High
Product	Manifest	specification-title	Jakarta Activation Specification	Medium
Product	pom	artifactid	jakarta.activation	Highest
Product	pom	groupid	com.sun.activation	Highest
Product	pom	name	Jakarta Activation	High
Product	pom	parent-artifactid	all	Medium
Version	Manifest	Bundle-Version	1.2.2	High
Version	Manifest	Implementation-Version	1.2.2	High
Version	pom	version	1.2.2	Highest

#### Identifiers

- <pkg:maven/com.sun.activation/jakarta.activation@1.2.2> (Confidence:High)

## mail.zip: jakarta.mail.jar

#### Description:

Jakarta Mail API

#### License:

<http://www.eclipse.org/legal/epl-2.0>, <https://www.gnu.org/software/classpath/license.html>, <http://www.eclipse.org/org/documents/edl-v10.php>

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/jakarta.mail.jar

**MD5:** 17eb378c9dd574be23e71014ce9d5d30

**SHA1:** 319df0e9d536c1a01acdfc49b6e82b97d2393073

**SHA256:** 1b258ef45fae93059b65d0a0dd109e59ab93e8cd8a735ff66b2ba85f870d5150

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.mail	High

Vendor	jar	package name	javax	Highest
Vendor	jar	package name	mail	Highest
Vendor	jar	package name	provider	Highest
Vendor	jar	package name	sun	Highest
Vendor	jar (hint)	package name	oracle	Highest
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	http://www.oracle.com	Low
Vendor	Manifest	bundle-symbolicname	com.sun.mail.jakarta.mail	Medium
Vendor	Manifest	extension-name	javax.mail	Medium
Vendor	Manifest	Implementation-Vendor	Oracle	High
Vendor	Manifest	Implementation-Vendor-Id	com.sun	Medium
Vendor	Manifest	probe-provider-xml-file-names	META-INF/gfprobe-provider.xml	Medium
Vendor	Manifest	specification-vendor	Oracle	Low
Vendor	Manifest (hint)	Implementation-Vendor	sun	High
Vendor	Manifest (hint)	specification-vendor	sun	Low
Vendor	pom	artifactid	jakarta.mail	Low
Vendor	pom	groupid	com.sun.mail	Highest
Vendor	pom	name	Jakarta Mail API	High
Vendor	pom	parent-artifactid	all	Low
Product	file	name	jakarta.mail	High
Product	jar	package name	javax	Highest
Product	jar	package name	mail	Highest
Product	jar	package name	provider	Highest
Product	jar	package name	sun	Highest
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	http://www.oracle.com	Low
Product	Manifest	Bundle-Name	Jakarta Mail API	Medium
Product	Manifest	bundle-symbolicname	com.sun.mail.jakarta.mail	Medium
Product	Manifest	extension-name	javax.mail	Medium
Product	Manifest	Implementation-Title	javax.mail	High



Product	Manifest	probe-provider-xml-file-names	META-INF/gfprobe-provider.xml	Medium
Product	Manifest	specification-title	Jakarta Mail API Design Specification	Medium
Product	pom	artifactid	jakarta.mail	Highest
Product	pom	groupid	com.sun.mail	Highest
Product	pom	name	Jakarta Mail API	High
Product	pom	parent-artifactid	all	Medium
Version	Manifest	Bundle-Version	1.6.7	High
Version	Manifest	Implementation-Version	1.6.7	High
Version	pom	version	1.6.7	Highest

### Identifiers

- [pkg:maven/com.sun.mail/jakarta.mail@1.6.7](#) (Confidence:High)

### mail.zip: mail.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/mail.jar  
**MD5:** 339251347ecca018758ed8542a31993d  
**SHA1:** 0e2bfe4d1fb692c3c8199a9d2ccf770ac6b14daa  
**SHA256:**49285bc116b771075d40e3135969fbfe660b69faf620c55059b40494911dba8d  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	mail	High
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	mail	Low
Vendor	Manifest	built-date	2024-11-16 13:12	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-	i-net software	Low

		vendor		
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	mail	High
Product	jar	package name	mail	Highest
Product	jar	package name	mail	Low
Product	jar	package name	shared	Highest
Product	Manifest	built-date	2024-11-16 13:12	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	mail	High
Product	Manifest	specification-title	mail	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	24.10.221	High

Identifiers

- None

mail.zip: mail.jar: smimeconfig.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/mail.jar/com/inet/mail/structure/smimeconfig.js

**MD5:** f2b5d666d67cf13f7ab451cf08b4629f

**SHA1:** 6c308ede709181fe63c6e00140c661ad35bdfc0d

**SHA256:** 68015cd2a0a4bba7d3d9853b9f2c00029d0549093b58993e998cb5f220791b96

**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/maintenance.helpdesk.zip/maintenance.helpdesk.jar  
**MD5:** 493e383fbc02bea6b8619683cbf0b7c9  
**SHA1:** 91dee08f6c06a89d4a3f8ae0ed0489940191a6a0  
**SHA256:**ef30d29b3078725740eeb1f026755bf20d7e413636890dbd28312c06225c3cb1  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	maintenance.helpdesk	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2024-11-16 15:34	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	maintenance.helpdesk	High
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	maintenance	Highest
Product	jar	package name	maintenance	Low
Product	jar	package name	plugins	Low
Product	Manifest	built-date	2024-11-16 15:34	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	maintenance.helpdesk	High
Product	Manifest	specification-title	maintenance.helpdesk	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	24.10.221	High

### Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:24.10.221.\*.\*.\*.\*.\* (Confidence:Low) suppress

## maintenance.helpdesk.zip: maintenance.helpdesk.jar: app.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/maintenance.helpdesk.zip/maintenance.helpdesk.jar/com/inet/helpdesk/plugins/maintenance/server/datacare/js/app.js

**MD5:** 52a0959e0d631f3110283fc69ef65833

**SHA1:** 6326b9129b3f552b9b3141c1445645f005e4b6d4

**SHA256:** 7b01584ba3e3a5040dfc21ce0cc3698f98ad17d2513a7da5da470e5e5a2d218b

**Referenced In Project/Scope:** server

### Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## maintenance.helpdesk.zip: maintenance.helpdesk.jar: datacare.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/maintenance.helpdesk.zip/maintenance.helpdesk.jar/com/inet/helpdesk/plugins/maintenance/server/datacare/js/datacare.js

**MD5:** 6955f63e6d45aba29174fbabd77a7b82

**SHA1:** 1f27026a80a1427ae69bfd5623789ccda4c674c7

**SHA256:** 6b4bad0721e79323a95e705b0ae57728c6bde00671681afd11b2461d1f0b9510

**Referenced In Project/Scope:** server

### Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## maintenance.helpdesk.zip: maintenance.helpdesk.jar: dbmigration.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/maintenance.helpdesk.zip/maintenance.helpdesk.jar/com/inet/helpdesk/plugins/maintenance/server/dbmigration/js/dbmigration.js

**MD5:** 4f6250430da8828853acd7e6b8736786

**SHA1:** d58cf500346553af31279b26b87f17e4c2a83e14

**SHA256:** de3d437a07ff3cabd46d8f33710401154b19a539adebf2e299c39b5a8617c48e

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## maintenance.helpdesk.zip: maintenance.helpdesk.jar: loginmodification.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/maintenance.helpdesk.zip/maintenance.helpdesk.jar/com/inet/helpdesk/plugins/maintenance/server/loginmodification/js/loginmodification.js

**MD5:** 8b55e991dcec8c5fb2951048aa1f3554

**SHA1:** d049a6fbf649a40e91e22dea80095dac7cb42b63

**SHA256:** 89bd9ce8d4a3925cc89281408ad520f7221f030f98b774e04d8b1a5163dd529c

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## maintenance.reporting.zip: maintenance.reporting.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.reporting.zip/maintenance.reporting.jar  
**MD5:** fa794703bec1ffb3561b371405239ac1  
**SHA1:** 3a32079797c3950c21fe95440b6866e06c90dabf  
**SHA256:**d196da3da949eb6fbee9a437e31c7baa9b05438f4ff0df51524a2cfa6b0997c8  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	maintenance.reporting	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2024-11-16 14:23	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	maintenance.reporting	High
Product	jar	package name	maintenance	Highest
Product	jar	package name	maintenance	Low
Product	jar	package name	plugins	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2024-11-16 14:23	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	maintenance.reporting	High
Product	Manifest	specification-title	maintenance.reporting	Medium
Version	Manifest	Implementation-Version	24.10.221	High

Identifiers

- None

## maintenance.zip: maintenance-javadoc.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance-javadoc.jar

**MD5:** ae173b0cd467ddcbb797949baa1e5731

**SHA1:** edfc7ebe3ce8ad535303c11ff1527f452c174142

**SHA256:** 25ffc7204893585310793c608a8faa1efa0d5af868c5792f36bf0f34181650d3

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	maintenance-javadoc	High
Product	file	name	maintenance-javadoc	High

### Identifiers

- None

## maintenance.zip: maintenance-javadoc.jar: member-search-index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance-javadoc.jar/member-search-index.js

**MD5:** 93b51609403fe383f95ae75000fd9e09

**SHA1:** 32a7d291fa90846ef3a1b919485866573b8bd07b

**SHA256:** 5902db037c53061d68cc19ef2af2e3578c16ce0ec0397438e34dd8119c609087

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## maintenance.zip: maintenance-javadoc.jar: package-search-index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance-javadoc.jar/package-search-index.js

**MD5:** e89f47c422716f6284a74cd96ed0cd3f

**SHA1:** 658d9c6eebf7c62d01f7808a26b6024b8c39ecf4

**SHA256:** 9687f5061532bbd21fa8c795aca6a657bdac71e356eb43f7103a1cd02bd9306d

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## maintenance.zip: maintenance-javadoc.jar: tag-search-index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance-javadoc.jar/tag-search-index.js

**MD5:** 3236248138000d701400e0346999c1a8

**SHA1:** 565146643a30712208f9299bd94a37566eab76b8

**SHA256:** 72960c457566fe509fb1610d2612152b3f78b15485c891197f1053febdf8f8d1

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Related Dependencies



- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: tag-search-index.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/tag-search-index.js
  - MD5: 3236248138000d701400e0346999c1a8
  - SHA1: 565146643a30712208f9299bd94a37566eab76b8
  - SHA256: 72960c457566fe509fb1610d2612152b3f78b15485c891197f1053febdf8f8d1

### Identifiers



- None

### maintenance.zip: maintenance-javadoc.jar: type-search-index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance-javadoc.jar/type-search-index.js  
**MD5:** 4fc01a884f0b77974cfda0ecd2b9008f  
**SHA1:** d9610bba6879a5a4f88fb61427b75cd69bce1546  
**SHA256:**cb975e5713d5cd570800e6107aceaa23f53deee11f68222408fec819358da987  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### maintenance.zip: maintenance.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance.jar  
**MD5:** 1364d97aaf6e0d8607eb63b729e1cb32  
**SHA1:** fb11eba77fd40eb6c93a39279e16bb45b67f45bc  
**SHA256:**6630baa4c2c504ed0bc84fc0a7d2132d970a49654a23613c82522324f9c59c04  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	maintenance	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	maintenance	Low
Vendor	jar	package name	server	Low
Vendor	Manifest	built-date	2024-11-16 12:56	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-	i-net software	High

		Vendor		
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	maintenance	High
Product	jar	package name	maintenance	Highest
Product	jar	package name	maintenance	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2024-11-16 12:56	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	maintenance	High
Product	Manifest	specification-title	maintenance	Medium
Version	Manifest	Implementation-Version	24.10.221	High

Identifiers

- None

**maintenance.zip: maintenance.jar: controller.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip  
/maintenance.jar/com/inet/maintenance/resources/backup/js/controller.js  
**MD5:** 6c7bc118d5a12ff0137c9081e4b3e4d8  
**SHA1:** eeb2db5c7dba407c1c63273a08d36425effb5283  
**SHA256:** 551c7731ef6ec5fe0ae46a06851d481b56ad4c0dee13b4f8edcc37da421e620a  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

### maintenance.zip: maintenance.jar: controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/cache/js/controller.js

**MD5:** 75a2a467d59514437fe8d40d7c759ab3

**SHA1:** 5c1142a7bb98e8e80e42c0f969b4efb54db8b0b7

**SHA256:** c404cedb100ab444adacbf48eb3ddafb2ee13793af5f4f1b7e5eb8e441515f

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### maintenance.zip: maintenance.jar: controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/main/js/controller.js

**MD5:** 55014fba3d1f72a4197c2d3079557108

**SHA1:** 69c7a58b818cdfcb5149482b60463a8971a79a5c

**SHA256:** a109462f5780c90bba9589fdc18018c8a47ae5045ba5b94ddd4de9b8177557f0

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### maintenance.zip: maintenance.jar: controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip  
/maintenance.jar/com/inet/maintenance/resources/programdata/js/controller.js  
**MD5:** e9102b50be7a4c99936f78f337122fcc  
**SHA1:** ceffe7a5a653bc9c1ed03fc866b7eef1de8a07be  
**SHA256:** d1be524371b0378c644e2ac040712dcb9356a4956f5ad2c9d425c53b43e26b48  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### maintenance.zip: maintenance.jar: controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip  
/maintenance.jar/com/inet/maintenance/resources/usercleanup/js/controller.js  
**MD5:** 13b062f030afac2de064955c790e8205  
**SHA1:** a46f83d0ec22734fe9d3f2ca5d66feaa34f96a7e  
**SHA256:** aa29fef4c672581ac659925321e6e6206d1861647510cb643bcc6180d0452c59  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### maintenance.zip: maintenance.jar: filechooser.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip  
/maintenance.jar/com/inet/maintenance/resources/main/js/filechooser.js  
**MD5:** 52060fad0a0e317f59c61d2e3bfbdeb5  
**SHA1:** 3129730f85be06fd1eed6847e458000844da3491  
**SHA256:** f3e8211c1c4548989d34b0365366acdbe66f41ace7fe764dcfb261e070810da3  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## maintenance.zip: maintenance.jar: multieditusers.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip  
/maintenance.jar/com/inet/maintenance/resources/usercleanup/js/multieditusers.js

**MD5:** 4fb706fcaf12a1ea85ca0be863b60859

**SHA1:** a2e696a0927f0027f95bf3c8ce08f3f64e117e23

**SHA256:** 834e075ae9681fbe5332f1575cf178b5994ed4698849010b618552eaa4c90c8e

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## mariadb-java-client.jar

### Description:

JDBC driver for MariaDB and MySQL

### License:

LGPL-2.1

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/mariadb-java-client.jar

**MD5:** 8baa1ac1429d446905206d09e5866f3a

**SHA1:** 7599bff3a38ae943d8e055848b3fe943772b12c9

**SHA256:** f60e4b282f1f4bdb74f0a26436ba7078a5e480b6f6702f6a7b45d9ba5e604a24

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	mariadb-java-client	High
Vendor	jar	package name	client	Highest
Vendor	jar	package name	driver	Highest
Vendor	jar	package name	jdbc	Highest
Vendor	jar	package name	mariadb	Highest
Vendor	jar	package name	org	Highest
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-developers	mariadbJdbcDevelopers;name="mariadb jdbc developers"	Low
Vendor	Manifest	bundle-docurl	<a href="https://mariadb.com/kb/en/mariadb/about-mariadb-connector-j/">https://mariadb.com/kb/en/mariadb/about-mariadb-connector-j/</a>	Low
Vendor	Manifest	bundle-symbolicname	mariadb-java-client	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	pom	artifactid	mariadb-java-client	Low
Vendor	pom	developer id	mariadbJdbcDevelopers	Medium
Vendor	pom	developer name	mariadb jdbc developers	Medium
Vendor	pom	groupid	org.mariadb.jdbc	Highest
Vendor	pom	name	mariadb-java-client	High
Vendor	pom	organization name	mariadb.com	High
Vendor	pom	organization url	<a href="https://mariadb.com">https://mariadb.com</a>	Medium
Vendor	pom	url	<a href="https://mariadb.com/kb/en/mariadb/about-mariadb-connector-j/">https://mariadb.com/kb/en/mariadb/about-mariadb-connector-j/</a>	Highest
Product	file	name	mariadb-java-client	High
Product	jar	package name	11	Highest
Product	jar	package name	client	Highest
Product	jar	package name	driver	Highest
Product	jar	package name	jdbc	Highest
Product	jar	package name	mariadb	Highest
Product	jar	package name	org	Highest
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-developers	mariadbJdbcDevelopers;name="mariadb jdbc developers"	Low
Product	Manifest	bundle-docurl	<a href="https://mariadb.com/kb/en/mariadb/about-mariadb-connector-j/">https://mariadb.com/kb/en/mariadb/about-mariadb-connector-j/</a>	Low

Product	Manifest	Bundle-Name	mariadb-java-client	Medium
Product	Manifest	bundle-symbolicname	mariadb-java-client	Medium
Product	Manifest	multi-release	true	Low
Product	pom	artifactid	mariadb-java-client	Highest
Product	pom	developer id	mariadbJdbcDevelopers	Low
Product	pom	developer name	mariadb jdbc developers	Low
Product	pom	groupid	org.mariadb.jdbc	Highest
Product	pom	name	mariadb-java-client	High
Product	pom	organization name	mariadb.com	Low
Product	pom	organization url	https://mariadb.com	Low
Product	pom	url	https://mariadb.com/kb/en/mariadb/about-mariadb-connector-j/	Medium
Version	Manifest	Bundle-Version	3.4.1	High
Version	pom	version	3.4.1	Highest

#### Identifiers

- <pkg:maven/org.mariadb.jdbc/mariadb-java-client@3.4.1> (Confidence:High)

## mysql-connector-j.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/mysql-connector-j.jar

**MD5:** a331817ab5c572777e25539a70b51bb6

**SHA1:** 56d34aea30915904b1c883f1cfae731dd2df6029

**SHA256:** 06f14fbd664d0e382347489e66495ca27ab7e6c2e1d9969a496931736197465f

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	mysql-connector-j	High
Vendor	hint analyzer	vendor	oracle	Highest
Vendor	hint analyzer (hint)	vendor	sun	Highest
Vendor	jar	package name	cj	Highest

Vendor	jar	package name	cj	Low
Vendor	jar	package name	mysql	Highest
Vendor	jar	package name	mysql	Low
Vendor	Manifest	bundle-symbolicname	com.mysql.cj	Medium
Vendor	Manifest	Implementation-Vendor	Oracle	High
Vendor	Manifest	Implementation-Vendor-Id	com.mysql	Medium
Vendor	Manifest	specification-vendor	Oracle Corporation	Low
Vendor	Manifest (hint)	Implementation-Vendor	sun	High
Product	file	name	mysql-connector-j	High
Product	hint analyzer	product	mysql_connector/j	Highest
Product	hint analyzer	product	mysql_connector_j	Highest
Product	hint analyzer	product	mysql_connectors	Highest
Product	jar	package name	cj	Highest
Product	jar	package name	cj	Low
Product	jar	package name	driver	Highest
Product	jar	package name	jdbc	Highest
Product	jar	package name	mysql	Highest
Product	jar	package name	xdevapi	Highest
Product	Manifest	Bundle-Name	Oracle Corporation's JDBC and XDevAPI Driver for MySQL	Medium
Product	Manifest	bundle-symbolicname	com.mysql.cj	Medium
Product	Manifest	Implementation-Title	MySQL Connector/J	High
Product	Manifest	specification-title	JDBC	Medium
Version	Manifest	Bundle-Version	8.2.0	High
Version	Manifest	Implementation-Version	8.2.0	High

## Identifiers

- [cpe:2.3:a:mysql:mysql:8.2.0:\\*.~\\*~\\*~\\*~\\*~\\*](#) (Confidence: Highest) suppress
- [cpe:2.3:a:oracle:connectorVj:8.2.0:\\*.~\\*~\\*~\\*~\\*~\\*](#) (Confidence: Highest) suppress
-



- [cpe:2.3:a:oracle:jdbc:8.2.0:\\*.~\\*~\\*~\\*~\\*~\\*](#) (Confidence:High) suppress
- [cpe:2.3:a:oracle:mysql\\_connector\j:8.2.0:\\*.~\\*~\\*~\\*~\\*~\\*](#) (Confidence:High) suppress
- [cpe:2.3:a:oracle:mysql\\_connectors:8.2.0:\\*.~\\*~\\*~\\*~\\*~\\*](#) (Confidence:High) suppress

## notification.zip: notification.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/notification.zip/notification.jar

**MD5:** 4eb08b29af1112e0c601071635c6bbc3

**SHA1:** 9ee613799a6fb841a373109f6816f69f99ed03ef

**SHA256:** daa4aefad8c627c41f51a4ca128863b668ea9447115379c79f9f67d7ea95921f

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	notification	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	notificationui	Low
Vendor	jar	package name	server	Low
Vendor	Manifest	built-date	2024-11-16 13:09	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	notification	High
Product	jar	package name	notificationui	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2024-11-16 13:09	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	notification	High
Product	Manifest	specification-title	notification	Medium

Version Manifest Implementation- 24.10.221  
Version

High

Identifiers

- None

notification.zip: notification.jar: notification.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/notification.js  
**MD5:** f8387cffb5164fff66a86ded1d486990  
**SHA1:** 945ef321d19796c37f81d45e7e8f331214b5419c  
**SHA256:**b6aa1532919a6c4dd50967c51c715e9b1d80ab27a34c73163089b3a52d805bca  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

notification.zip: notification.jar: notification\_config.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/notification\_config.js  
**MD5:** 8099d9e9137b19562db90c54b7f751a4  
**SHA1:** cbb5313de5b113e7e00433bce106a009a6271e0b  
**SHA256:**5278757870dbe3ee393df0bf18ecb468539c9f96971cc134b8fe9c800f357f4d  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

#### notification.zip: notification.jar: notification\_taskplanner.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/notification\_taskplanner.js

**MD5:** 1fd307d62ba19fbdc038c44cd72b62d2

**SHA1:** 1952936593bdbbea48df6a9a9e3fb0915be76f188

**SHA256:** 6c0ced9e67d00af753087cf43514b7dbf029727aa5177bbfd69b5b3c17bc0d51

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### notification.zip: notification.jar: targetrenderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/targetrenderer.js

**MD5:** 94d7d514f946077f0c8acc5797a372ef

**SHA1:** d7fbcfb1863ebea41303cce8c7ba15488e7678c

**SHA256:** 0e7851f6b57913d9a8042927978c4f8d501a5285e0574f13ebd5a29360b42a7e

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

## odbc.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems

/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/odbc.jar

**MD5:** f633114e085fdb90dfc693cadccc9190

**SHA1:** 4ac12dc234b22614c5a6a2e84ad9a7a0a4830dd0

**SHA256:** 09f8cb6c8cec042361360be8d768ea7156701561fd54ccb1bef33ca6e1501792

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	odbc	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	odbc	Low
Vendor	Manifest	Implementation-Vendor	i-net software GmbH, Berlin, Germany	High
Vendor	Manifest	specification-vendor	i-net software GmbH, Berlin, Germany	Low
Product	file	name	odbc	High
Product	jar	package name	odbc	Highest
Product	jar	package name	odbc	Low
Product	Manifest	Implementation-Title	odbc	High
Product	Manifest	specification-title	odbc	Medium
Version	Manifest	Implementation-Version	5.0.168	High

### Identifiers

- None

## opentest4j-1.3.0.jar

### License:

The Apache License, Version 2.0

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.opentest4j/opentest4j/1.3.0

/152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e/opentest4j-1.3.0.jar

**MD5:** 03c404f727531f3fd3b4c73997899327

**SHA1:** 152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e

SHA256:48e2df636cab6563ced64dcdff8abb2355627cb236ef0bf37598682ddf742f1b

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3
- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	opentest4j	High
Vendor	gradle	artifactid	opentest4j	Highest
Vendor	gradle	groupid	org.opentest4j	Highest
Vendor	jar	package name	opentest4j	Highest
Vendor	jar	package name	opentest4j	Low
Vendor	Manifest	build-date	2023-07-06	Low
Vendor	Manifest	build-revision	214973bfa4e7e9be7d04e623202cc4147c7036	Low
Vendor	Manifest	build-time	14:25:06.116+0200	Low
Vendor	Manifest	bundle-symbolicname	org.opentest4j	Medium
Vendor	Manifest	Implementation-Vendor	opentest4j.org	High
Vendor	Manifest	specification-vendor	opentest4j.org	Low
Product	file	name	opentest4j	High
Product	gradle	artifactid	opentest4j	Highest
Product	jar	package name	opentest4j	Highest
Product	Manifest	build-date	2023-07-06	Low
Product	Manifest	build-revision	214973bfa4e7e9be7d04e623202cc4147c7036	Low
Product	Manifest	build-time	14:25:06.116+0200	Low
Product	Manifest	Bundle-Name	opentest4j	Medium
Product	Manifest	bundle-symbolicname	org.opentest4j	Medium
Product	Manifest	Implementation-Title	opentest4j	High
Product	Manifest	specification-title	opentest4j	Medium
Version	file	version	1.3.0	High
Version	Manifest	Implementation-Version	1.3.0	High

Identifiers

- [pkg:maven/org.opentest4j/opentest4j@1.3.0](https://pkg:maven/org.opentest4j/opentest4j@1.3.0) (Confidence: Highest)

## pdfviewer.zip: pdfjs-dist.jar

### Description:

WebJar for pdfjs-dist

### License:

Apache-2.0

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pdfviewer.zip/pdfjs-dist.jar

**MD5:** 8a3a36f556f971d9aba4bc2069ddcf52

**SHA1:** d3d23e9d05cb08b9693591260971884963374fe7

**SHA256:** 45e6ab30b4688bc7b259b6841b38a35247ea6d2e5432b102a3adfb72b608551

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	pdfjs-dist	High
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	org.webjars.npm.pdfjs-dist	Medium
Vendor	pom	artifactid	pdfjs-dist	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	pdfjs-dist	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	pdfjs-dist	High
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	pdfjs-dist	Medium
Product	Manifest	bundle-symbolicname	org.webjars.npm.pdfjs-dist	Medium
Product	pom	artifactid	pdfjs-dist	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	pdfjs-dist	High
Product	pom	url	https://www.webjars.org	Medium
Version	Manifest	Bundle-Version	4.4.168	High

Version	pom	version	4.4.168	Highest
---------	-----	---------	---------	---------

Identifiers

- [pkg:maven/org.webjars.npm/pdfjs-dist@4.4.168](#) (*Confidence:High*)

pdfviewer.zip: pdfjs-dist.jar: package.json

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pdfviewer.zip/pdfjs-dist.jar/META-INF/resources/webjars/pdfjs-dist/4.4.168/package.json  
**MD5:** 605de233fcb483d2ea6702c5d2874ee4  
**SHA1:** 464a579f8e7fe8d7935b25f90194a4e96512e657  
**SHA256:**16bf677c80e30a147c23518be6e3ebe2344b67c8e103ec88fc9bdcf68234b80f  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfviewer.zip: pdfviewer.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pdfviewer.zip/pdfviewer.jar  
**MD5:** 75be6257b5f3eec3c79d1126f563b615  
**SHA1:** b5e13b4b092cd675261530e99e4fddb0e5858a1b  
**SHA256:**ff36928a1f3297505a1264decfbd84270632abd5f17af4934e391960550040fd  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	pdfviewer	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdf	Low
Vendor	jar	package name	viewer	Low

Vendor	Manifest	built-date	2024-11-16 14:26	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pdfviewer	High
Product	jar	package name	pdf	Low
Product	jar	package name	viewer	Low
Product	Manifest	built-date	2024-11-16 14:26	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	pdfviewer	High
Product	Manifest	specification-title	pdfviewer	Medium
Version	Manifest	Implementation-Version	24.10.221	High

Identifiers

- None

pdfviewer.zip: pdfviewer.jar: drive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/drive/js/drive.js  
**MD5:** 872ee34fbcc718214a90b24f91a81f7d  
**SHA1:** 520b471c5f91a5b94f08bc9120f97b47412fd708  
**SHA256:** 3bcfb5cb5d2b6aa168cf59cb805d2f56011a0b7065f0ce29f9ada72c5103bd1c  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



### Identifiers

- None

## pdfviewer.zip: pdfviewer.jar: pdfviewer.angular.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.angular.js

**MD5:** c1b5de42e459ee7e0ce8a54acfd5f864

**SHA1:** 48348931bb0fe437f6398c846b9e4d3961c98881

**SHA256:** a7384212fb8e49f43fd9049a7b4983d5a5907316aeb5cdcd5e1df071aba31

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## pdfviewer.zip: pdfviewer.jar: pdfviewer.factory.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.factory.js

**MD5:** 81070f9c2408f843b9efe88cb420f0f7

**SHA1:** 192cbe69979f5fb32b448b3e9608f7f38fec395d

**SHA256:** a656af04cf38b30f256b4a5f57ee5a6b31e4bbd6d04763075cc6545cbc7752d8

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### pdfviewer.zip: pdfviewer.jar: pdfviewer.model.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pdfviewer.zip/pdfviewer.jar  
/com/inet/viewer/pdf/client/js/pdfviewer.model.js

**MD5:** 667f1194aa6d4a773eaae968cc6be927

**SHA1:** aba9547b0342ada01d521d4f66829a065f3b5357

**SHA256:** e66c21ae7e55a1217c3b354315aaef69d6df57553bcbe3b4b298404e9f97df6

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### pdfviewer.zip: pdfviewer.jar: pdfviewer.renderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pdfviewer.zip/pdfviewer.jar  
/com/inet/viewer/pdf/client/js/pdfviewer.renderer.js

**MD5:** 92a3089cdcdf4f10a8c055b64e305186

**SHA1:** 04a2c0c79e945201dc00633fc11cf1cc892384b0

**SHA256:** f7b4ae373d7348799db640f996353f4418fa2b4631358a27dc8a4c9d0855683b

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### pluginstore.client.zip: pluginstore.client.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pluginstore.client.zip  
/pluginstore.client.jar

**MD5:** fc9d28df26e6639b2154686534035bc0  
**SHA1:** d5275c404421811f0995281967256de83ec0b0dc  
**SHA256:**5cfc766bf770ed4ba4e6f6559c79727bff8a55924cac4b3747564e1ef18f9d9f  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	pluginstore.client	High
Vendor	jar	package name	client	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	store	Low
Vendor	Manifest	built-date	2024-11-16 13:13	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pluginstore.client	High
Product	jar	package name	client	Highest
Product	jar	package name	client	Low
Product	jar	package name	shared	Highest
Product	jar	package name	store	Low
Product	Manifest	built-date	2024-11-16 13:13	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	pluginstore.client	High
Product	Manifest	specification-title	pluginstore.client	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	24.10.221	High

Identifiers

- None

### pluginstore.client.zip: pluginstore.client.jar: controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/setup/controller.js

**MD5:** bae377e07f3c94980792a3cb0a3777e6

**SHA1:** c7766396cbe87781ad46c96d70b7195c0a92dc68

**SHA256:** 94beaf8244f013ef5d078cc7e91b1220066099c5cdb4e0cc5071e8dae13e038

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### pluginstore.client.zip: pluginstore.client.jar: pluginstorehelpcontroller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/plugin/help/js/pluginstorehelpcontroller.js

**MD5:** c3dc92673a48896ebd4b078a9f8bc3f5

**SHA1:** cfaaee1a9ccf2f87f04e65a6b307ec87a113d4a4

**SHA256:** 9c5e2c5e0ef86786d4510659545eca13d7c295c8bcdd05b1007e432bf8a06770

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### pluginstore.client.zip: pluginstore.client.jar: publicstoreconfig.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pluginstore.client.zip  
/pluginstore.client.jar/com/inet/store/client/ui/js/publicstoreconfig.js  
**MD5:** 3a2e6acd20c105a43ac4619718c827d0  
**SHA1:** 1bf76948f8a34e8dfd05727bcb0c9ca296fba5d1  
**SHA256:** dea50e7705e039c90045df2de735fa73dafaf495f15d8340b6ba20a73b7ba8c3  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### pluginstore.client.zip: pluginstore.client.jar: storecontroller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pluginstore.client.zip  
/pluginstore.client.jar/com/inet/store/client/ui/js/storecontroller.js  
**MD5:** af556d7e2c4bae9776d437cd93eea551  
**SHA1:** a98fce8a180acbe1dfd71d39e35ed0e1f0f4089b  
**SHA256:** a9bc78c775062341636bc3078ff6855f52fc9780bbda8a113c5580c2a074ac20  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### pluginstore.client.zip: pluginstore.client.jar: storedirectives.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pluginstore.client.zip  
/pluginstore.client.jar/com/inet/store/client/ui/js/storedirectives.js  
**MD5:** 6cffae155ded574b03d1f692d68557f0  
**SHA1:** 6930db09754b3772d66f1b772a79e6d9bf48cfd  
**SHA256:** 51ed09643a2160292a878c8fec7d341ffd1d2c16122b3256768fecf58da0c2c6  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## pluginstore.client.zip: pluginstore.client.jar: storemodel.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/storemodel.js

**MD5:** a78920788d8a75fb41bd9078799b0788

**SHA1:** 4b992085177ea0c322466734d28a70a288d6fa9f

**SHA256:** 8e1f6274d60360a99a77414d2295db4eb3891a3edd2c51cea24fb91d28cdd463

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## promptdialog.zip: promptdialog.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/promptdialog.zip/promptdialog.jar

**MD5:** 8aff9ead517a43c124548221c9323e90

**SHA1:** 8da2c625d0e288576165be28d987f0b88b6e4dd1

**SHA256:** 1b390a2e863ae464882f1d77bde733518951d7b8d183c960488d547ac6fe586a

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	promptdialog	High
--------	------	------	--------------	------

Vendor	jar	package name	inet	Low
Vendor	jar	package name	promptdialog	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2024-11-16 14:27	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	promptdialog	High
Product	jar	package name	promptdialog	Highest
Product	jar	package name	promptdialog	Low
Product	jar	package name	report	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2024-11-16 14:27	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	promptdialog	High
Product	Manifest	specification-title	promptdialog	Medium
Version	Manifest	Implementation-Version	24.10.221	High

#### Identifiers

- None

### promptdialog.zip: promptdialog.jar: promptcontroller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/promptdialog.zip  
/promptdialog.jar/com/inet/report/promptdialog/client/js/promptcontroller.js

**MD5:** 346d17a50af0c06df6ba0de6b150cf88

**SHA1:** 8066ab29b7eb73a7e41ac6eb4b4cbd11be48665f

**SHA256:** dd12baf52fe0bdb46c44a615c0742d4f5fba1089f1e748f5dab4ade4b0f69ed9

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## promptdialog.zip: promptdialog.jar: promptcustomrenderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptcustomrenderer.js  
**MD5:** 903f55fd1cf6d194702b6c44da232fe7  
**SHA1:** a9a51b7d73abff23bde49251e5d665ffd53616ec  
**SHA256:** d9e704c473ef407691db2c72cb7724901a9bcb981dbb69df4eed1f3037cbc1c3  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## promptdialog.zip: promptdialog.jar: promptfactory.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptfactory.js  
**MD5:** d1ad03b4146d9531ad016232cfdb53f7  
**SHA1:** a6e10201c62f2da9c3e8050818466091f8ecac4b  
**SHA256:** 16bea0fa17b79ef9fcbe5ac3acc0719b71ef2e6607a4b18e12ebd6dfcc600b13  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



### Identifiers

- None

## promptdialog.zip: promptdialog.jar: promptpanel.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptpanel.js

**MD5:** f9a2de239e8ef965a691f174f070b58e

**SHA1:** c56971b402f4d3d74aa2cb61cd94e911f936c63a

**SHA256:** 933f511bf8aa53c1ee9201730a12f4ac8f00245481f9cbc498a399b3631387b0

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## promptdialog.zip: promptdialog.jar: promptrenderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptrenderer.js

**MD5:** 4cae959715306b53c9c3bdbab13ae5b6

**SHA1:** 939efedb917cc7f65f48599194db8b949c506e28

**SHA256:** a1e386842ee09abf460ce97cb21598376fea0ed45449ce936db041d48cce5ce7

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

quicketicket.zip: quickticket.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/quicketicket.zip/quicketicket.jar  
**MD5:** 67c3c353472ed32a4370fcbb94fa7cb7  
**SHA1:** 728e22553ccc3b72396e67539bf37cd291a097b7  
**SHA256:**42e91e97f1b49eb7c4ceb07ca6b76c2c0726d6bab6eb9717b8ff204e41954abd  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	quicketicket	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2024-11-16 15:33	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	quicketicket	High
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	plugins	Low
Product	jar	package name	quicketicket	Highest
Product	jar	package name	quicketicket	Low
Product	Manifest	built-date	2024-11-16 15:33	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	quicketicket	High
Product	Manifest	specification-title	quicketicket	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	24.10.221	High

### Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:24.10.221.\*.\*.\*.\*.\* (Confidence:Low) suppress

## quickticket.zip: quickticket.jar: configuration.quickticket.createfolder.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/quickticket.zip/quickticket.jar/com/inet/helpdesk/plugins/quickticket/client/config/configuration.quickticket.createfolder.js

**MD5:** 0acca039ac68bd854d5864f400189648

**SHA1:** ff71156139fb2293bcb6f1103a0b0ea72393ddd4

**SHA256:** f3bf1017ac9e9060cb5235db711be19714864b1ec5bb5419118e2d5af0a32b81

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## quickticket.zip: quickticket.jar: configuration.quickticket.edit.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/quickticket.zip/quickticket.jar/com/inet/helpdesk/plugins/quickticket/client/config/configuration.quickticket.edit.js

**MD5:** e822d2192752f24ad31a860787d1b03f

**SHA1:** 56af9d108e691bd28ac6b482f149671ae4cc8a75

**SHA256:** b0bd5e1ffb9321a94ef82a378dfe657889ccf788a00cdc6adbaba067fceefac0

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### quickticket.zip: quickticket.jar: configuration.quickticket.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/quickticket.zip/quickticket.jar/com/inet/helpdesk/plugins/quickticket/client/config/configuration.quickticket.js  
**MD5:** 4c84ed001ea962d772f7982ae068eb76  
**SHA1:** d4f7e63b8d46207bd43b5959b6816856b26fca3b  
**SHA256:** 6240197f64643c7acd1ab72e68eaeaa58dadfa4b47280c3dd9dbefd3d770956a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### quickticket.zip: quickticket.jar: configuration.quickticket.renderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/quickticket.zip/quickticket.jar/com/inet/helpdesk/plugins/quickticket/client/config/configuration.quickticket.renderer.js  
**MD5:** 707cb95b1edfa7305e5310887cef6285  
**SHA1:** a298d0bc94a5c2d2e0be431927631de1b09b0f82  
**SHA256:** f5a879c5f745948cca415ce9e8d397d94cd9e716bcbbac58c5b89ea3c278577d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### quickticket.zip: quickticket.jar: ticketlist.extension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/quickticket.zip/quickticket.jar/com/inet/helpdesk/plugins/quickticket/client/ticketlist/ticketlist.extension.js  
**MD5:** d533e34a257c157749dd5d4728694e91  
**SHA1:** c6972a0988651a3cd6977877d5f6b661a8c40cc8  
**SHA256:** aff429be287d6a51121ed475c0d710ff3eaa63214d14d7a758e55fe95169ae91  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### quickticket.zip: quickticket.jar: ticketlist.quickticket.apply.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/quickticket.zip/quickticket.jar/com/inet/helpdesk/plugins/quickticket/client/ticketlist/ticketlist.quickticket.apply.js  
**MD5:** f2b128b425474730378a251a65c5bb16  
**SHA1:** a3fc31c66be29d4d210330380d5f67bce745ac2f  
**SHA256:** 5ae5bf2ce4906edf26d6e85a2c9e3f2f2a6d285558409db3a5ab4d47df9d344e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: Echo2-FileTransfer\_App.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/Echo2-FileTransfer\_App.jar  
**MD5:** 6fd2b10e224c844ed153e2b22c15e55c  
**SHA1:** cdcf0ec282bca45eachf90358ddfb78fcbd87b06  
**SHA256:** cd6ef6577f47dad417e9cdea6c5a7bd07b01ae02fffc189c1096c8297a7aee0f  
**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	Echo2-FileTransfer_App	High
Vendor	jar	package name	app	Low
Vendor	jar	package name	echo2	Low
Vendor	jar	package name	nextapp	Low
Product	file	name	Echo2-FileTransfer_App	High
Product	jar	package name	app	Low
Product	jar	package name	echo2	Low
Product	jar	package name	filetransfer	Low
Version	file	name	Echo2-FileTransfer_App	Medium
Version	file	version	2	Medium

## Identifiers

- [cpe:2.3:a:file-transfer:file\\_transfer:2.\\*.\\*.\\*.\\*.\\*](#) (Confidence:High) suppress

## remotegui.zip: Echo2-FileTransfer\_WebContainer.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/Echo2-FileTransfer\_WebContainer.jar

**MD5:** 92dbd034fab7348d296ac68e4db7a08

**SHA1:** cbf567ae2536ccfb7d131381e39418db16a202db

**SHA256:** 6e4917ed3243e589d12be95a22679b53293477a86ead9341c7bf6fe6baf8e9a3

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	Echo2-FileTransfer_WebContainer	High
Vendor	jar	package name	echo2	Low
Vendor	jar	package name	nextapp	Low
Vendor	jar	package name	webcontainer	Low
Product	file	name	Echo2-FileTransfer_WebContainer	High
Product	jar	package name	echo2	Low

Product	jar	package name	filetransfer	Low
Product	jar	package name	webcontainer	Low
Version	file	name	Echo2-FileTransfer_WebContainer	Medium
Version	file	version	2	Medium

#### Identifiers

- [cpe:2.3:a:file-transfer:file\\_transfer:2:.\\*.\\*.\\*.\\*.\\*](#) (*Confidence:High*) suppress
- [cpe:2.3:a:web\\_project:web:2:.\\*.\\*.\\*.\\*.\\*](#) (*Confidence:High*) suppress

### remotegui.zip: Echo2-FileTransfer\_WebContainer.jar: Download.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/Echo2-FileTransfer\_WebContainer.jar/nextapp/echo2/webcontainer/filetransfer/resource/js/Download.js  
**MD5:** 69ff0dd778973ed673d040ea99553c6d  
**SHA1:** 2f6f79a0fac16ba28942b9bf70c460ca317c81be  
**SHA256:** eae8dd34aee905956fb2fbfdd023015eec242b1f0969f8340e1ce445bad5863  
**Referenced In Project/Scope:** server

#### Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: Echo2-FileTransfer\_WebContainer.jar: Upload.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/Echo2-FileTransfer\_WebContainer.jar/nextapp/echo2/webcontainer/filetransfer/resource/js/Upload.js  
**MD5:** a7717a7b4972a81a08cf43f074c34dc8  
**SHA1:** 7504304ad8e1d53035726c91f2630d21f38ddb88  
**SHA256:** c69ec375cc81b5fba88b087c20377fd71b4b226780a2496adf145fb5177ddfb2  
**Referenced In Project/Scope:** server

#### Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## remotegui.zip: angular-animate.jar

### Description:

WebJar for angular-animate

### License:

MIT

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-animate.jar

**MD5:** 1dcc988a8392618e7c5127f57b3453d1

**SHA1:** 7ea94213dad8a46ab088e1a3dd6a5def2ecf8e78

**SHA256:** dbbce06145963ef7bfd197c1646722fedfe76a9b54b01f1b6dc7ccf7e8b51163

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angular-animate	High
Vendor	pom	artifactid	angular-animate	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	angular-animate	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	angular-animate	High
Product	pom	artifactid	angular-animate	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	angular-animate	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	1.8.3	Highest



## Identifiers

- [pkg:maven/org.webjars.npm/angular-animate@1.8.3](#) (*Confidence:High*)

## remotegui.zip: angular-animate.jar: angular-animate.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/angular-animate.js

**MD5:** 31312b87e7226c8bf0714fcef0ea5d18

**SHA1:** dc9fb55f2c7f922c5ba83449266239ba1353db45

**SHA256:** 58e79e0e7cbb1e1502d216701e1fae41c405d92320aea1b68a223054096fda93

**Referenced In Project/Scope:** server

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

## Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence:Highest*)

## remotegui.zip: angular-animate.jar: angular-animate.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/angular-animate.min.js

**MD5:** 5d2d0f42bb7e1b5503e914674f59dad0

**SHA1:** 4c15a58541e53c451c6f946d2048104f88b833c7

**SHA256:** 8e6202b1330a469a61ccdeebbd1cb3a20d0ecd8d106f68da5b85e9b67a1cd5

**Referenced In Project/Scope:** server

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

### Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence: Highest*)

## remotegui.zip: angular-animate.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/index.js  
**MD5:** eca59ea32960ae595dd18ad9480185b1  
**SHA1:** b8fe1c0a06b723a75c7e596fd8a86d91965f681c  
**SHA256:** 7f2f9350e5624bf86e8760d1deae03fae4477949284b49471eb67e2b6498cb7d  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: angular-animate.jar: package.json

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/package.json  
**MD5:** 13957f0482b591f50a2e9528a5b84330  
**SHA1:** 16ec0d9e9e70f179261a1bd672e610b159876ff5  
**SHA256:** e2fc9996d890ec0c6601b2c9176a1ada7806e1dcd6eca8549bba9022235877  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: angular-cookies.jar

### Description:

WebJar for angular-cookies

### License:

MIT

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-cookies.jar

**MD5:** 5d743cd15e44b5a942478abaa3a008ae

**SHA1:** 2ebe196f9032e261a470467b5a14632d81d3d4f9

**SHA256:** 0809dd125183f03e6682985208de5f1221478221ed41667545133f7e729dd000

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angular-cookies	High
Vendor	pom	artifactid	angular-cookies	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	angular-cookies	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	angular-cookies	High
Product	pom	artifactid	angular-cookies	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	angular-cookies	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	1.8.3	Highest

### Identifiers

- [pkg:maven/org.webjars.npm/angular-cookies@1.8.3](https://mvnrepository.com/artifact/org.webjars.npm/angular-cookies/1.8.3) (*Confidence:High*)

## remotegui.zip: angular-cookies.jar: angular-cookies.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.js

**MD5:** e17187aea1f0e6dbd25722e34b754915

**SHA1:** 20f43f716b9fef7d72537bc1b0e5aa2bc480cee5

**SHA256:** f3291c552042f6d0c500167769912a78ab3ecec9917128b2d6ea8e7c6714bb97

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

### Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence:*Highest)

## remotegui.zip: angular-cookies.jar: angular-cookies.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.min.js

**MD5:** c41aff8423276d46f0d02de6dcb71524

**SHA1:** 7dc53f75d5bf7dd2c770cb50f31242c70193c086

**SHA256:** 926509b494009bea03288bba191a2b238032188e9112377e50fbfe7814c6639b

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

### Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence:*Highest)

### remotegui.zip: angular-cookies.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/index.js

**MD5:** 88188b8869bb0cbae63eb86aa6c1059a

**SHA1:** ce388b565b0d0392802138b2a7d4bf393c3d49f9

**SHA256:** b1b8d54ed8400d4f997da0f2fa672e8728d4771a77028d9f495cf1732fcb1e6f

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: angular-cookies.jar: package.json

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/package.json

**MD5:** 6785fbb341602e147af808078db0d42b

**SHA1:** a30ac55dae62b1a7c8921c7687a3276dbeeed564

**SHA256:** 81847196d700fe42834ebf82cb0c68267d9c237134566556a466e070659c7222

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: angular-sanitize.jar

**Description:**

WebJar for angular-sanitize

**License:**

MIT

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-sanitize.jar

**MD5:** f47ca0f7e843acea25d245b34ce30feb

**SHA1:** 8050e163f66fb899645cc67ffa67d92a25096902

**SHA256:** 4de072c9e746b2bf70aee70cc1c9b61350e017002dd71089e5f66a587f7ed92f

**Referenced In Project/Scope:** server

**Evidence**



Type	Source	Name	Value	Confidence
Vendor	file	name	angular-sanitize	High
Vendor	pom	artifactid	angular-sanitize	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	angular-sanitize	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	angular-sanitize	High
Product	pom	artifactid	angular-sanitize	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	angular-sanitize	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	1.8.3	Highest

**Identifiers**

- <pkg:maven/org.webjars.npm/angular-sanitize@1.8.3> (*Confidence:High*)

**remotegui.zip: angular-sanitize.jar: angular-sanitize.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.js

**MD5:** 0127d7a139abfc8bd45875a9c8ea6348

**SHA1:** 197aea2acc25a0fa821766400950cac58a3627a5

**SHA256:** c84c65250afe5a1265f36a7e16c6010652e55c2ae3a779c351fb68536c42bf64

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

#### Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence: Highest*)

### remotegui.zip: angular-sanitize.jar: angular-sanitize.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.min.js

**MD5:** f3c62abeec216e9431e7d5b22d8e813b

**SHA1:** 21355ef18c5e1ce2b2c711b9dba21cbea0655646

**SHA256:** cc80a30ad0439c2e9c209b3d7fcfb1d10e6007fd1d00c9cc144f393664a7045

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

#### Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence: Highest*)

### remotegui.zip: angular-sanitize.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/index.js  
**MD5:** 796078246b8e97f002ea5c97c4c7de54  
**SHA1:** 0ce03000a4c04ae0a8b4353715bda54b8a8e8c69  
**SHA256:** 44cbd8c36c3e2818d011eb0dc7d95293730667fa5a98a23449e9b4add369f65b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: angular-sanitize.jar: package.json

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/package.json  
**MD5:** 515d23261280a10a4d84ed267c425880  
**SHA1:** 84d37bbaefc2117ac59c79b0d87a953a1abd4911  
**SHA256:** 5e5c191e41b4e9902cfaeb95878d5b92333585e6dad936588fe1adfd1445af86  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: angular.jar

#### Description:

WebJar for angular

#### License:

MIT



**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular.jar  
**MD5:** f339a9a66a64c67eebb21ec3b251dfc6  
**SHA1:** cff4aee339a9ca4ae2f095079930edeaad6a94ee  
**SHA256:** a997eb40987ddb5d3bf64adf3d33afc3ac2b1eb2e7255b5203a387f8097cd0  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angular	High
Vendor	pom	artifactid	angular	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	angular	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	angular	High
Product	pom	artifactid	angular	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	angular	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	1.8.3	Highest

#### Identifiers

- [pkg:maven/org.webjars.npm/angular@1.8.3](https://www.webjars.org/angular/1.8.3) (*Confidence:High*)

### remotegui.zip: angular.jar: angular.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular.jar  
/META-INF/resources/webjars/angular/1.8.3/angular.js  
**MD5:** e09f650a016c24bc1b5a1edc93bfade  
**SHA1:** 0f1f7445b761b9bbd5385f9f0b316dbf1ca48696  
**SHA256:** fdca889e76f55fdee7ab661920f37ce19233563bf7f4ac8120f8ebc2ac768768  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

#### Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence*:Highest)

### remotegui.zip: angular.jar: angular.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/angular.min.js  
**MD5:** 967a32633fa8f38f4ac3376c1a37b992  
**SHA1:** b53b74d8e0b732dcdb98f521146b88299ea2f1  
**SHA256:** 396dc1a03d6cc02e9c51a80246e0db53c5c8df9bd07287e3b51bce4a29dab355  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

#### Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence*:Highest)

### remotegui.zip: angular.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/index.js  
**MD5:** 0d848853205d22ab8be985876aec948a  
**SHA1:** a2bfe847bea879ad2775509c4421291c404d8c21  
**SHA256:** d469f8e93a4c345f01d81d162a803116de1bc6afd4bfeba8b45951449956b686  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: angular.jar: package.json

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/package.json  
**MD5:** c5e0d73dc5121cf479c775248d2ca497  
**SHA1:** bc29d1f7c080dfb1f701ad4f1c4ff548916f28e5  
**SHA256:** 95ad7872af90c37e7a5597581f5bb2362d59c49fc3f2766dd9f2568a041cf10a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: bootstrap.jar

#### Description:

WebJar for Bootstrap

#### License:

Apache License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/bootstrap.jar  
**MD5:** ba2f9fda2c1fece5ff121e8abc385475  
**SHA1:** 2c6a8508a4f1484abcaf334cf2fe3df97cf93eac  
**SHA256:** 90fdaa23fb3a9cbce04f4c51699312ab1f1fae2d70c0d1a84541b7e9a76e6e54  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	bootstrap	High
Vendor	pom	artifactid	bootstrap	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	Bootstrap	High
Vendor	pom	url	http://webjars.org	Highest
Product	file	name	bootstrap	High
Product	pom	artifactid	bootstrap	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	Bootstrap	High
Product	pom	url	http://webjars.org	Medium
Version	pom	version	3.4.1	Highest

#### Related Dependencies



- theme.zip: bootstrap.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/theme.zip/bootstrap.jar
  - MD5: ba2f9da2c1fece5ff121e8abc385475
  - SHA1: 2c6a8508a4f1484abcaf334cf2fe3df97cf93eac
  - SHA256: 90fdaa23fb3a9cbce04f4c51699312ab1f1fae2d70c0d1a84541b7e9a76e6e54
  - [pkg:maven/org.webjars/bootstrap@3.4.1](http://pkg:maven/org.webjars/bootstrap@3.4.1)

#### Identifiers

- [pkg:javascript/bootstrap@3.4.1](http://pkg:javascript/bootstrap@3.4.1) (Confidence: Highest)
- [pkg:maven/org.webjars/bootstrap@3.4.1](http://pkg:maven/org.webjars/bootstrap@3.4.1) (Confidence: High)

### remotegui.zip: bootstrap.jar: affix.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/bootstrap.jar

/META-INF/resources/webjars/bootstrap/3.4.1/js/affix.js  
**MD5:** 235b2a9f9be29d377cadbe6d09823d9f  
**SHA1:** 69a480bef250eabc4226f378b70792fd47560e2e  
**SHA256:** 9a9859329afe1518320c8d730c0585199c3792009cb4307bd8a33b1040a67331  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: bootstrap.jar: affix.js.gz: affix.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/affix.js.gz/affix.js
  - MD5: 235b2a9f9be29d377cadbe6d09823d9f
  - SHA1: 69a480bef250eabc4226f378b70792fd47560e2e
  - SHA256: 9a9859329afe1518320c8d730c0585199c3792009cb4307bd8a33b1040a67331
- theme.zip: bootstrap.jar: affix.js.gz: affix.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/affix.js.gz/affix.js
  - MD5: 235b2a9f9be29d377cadbe6d09823d9f
  - SHA1: 69a480bef250eabc4226f378b70792fd47560e2e
  - SHA256: 9a9859329afe1518320c8d730c0585199c3792009cb4307bd8a33b1040a67331
- theme.zip: bootstrap.jar: affix.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/affix.js
  - MD5: 235b2a9f9be29d377cadbe6d09823d9f
  - SHA1: 69a480bef250eabc4226f378b70792fd47560e2e
  - SHA256: 9a9859329afe1518320c8d730c0585199c3792009cb4307bd8a33b1040a67331

#### Identifiers

- None

### remotegui.zip: bootstrap.jar: alert.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/alert.js  
**MD5:** 2be558ae78dedb0556f8c7bd632c1204  
**SHA1:** 1e3fa67e881909a71bf98ef37a4d3c013888d33b  
**SHA256:** 1ec1bacee3ed0bb73aa9a799d4e07376b0f9356d093f2f343f7fad07fd7844b4  
**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Related Dependencies



- remotegui.zip: bootstrap.jar: alert.js.gz: alert.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/alert.js.gz/alert.js
  - MD5: 2be558ae78dedb0556f8c7bd632c1204
  - SHA1: 1e3fa67e881909a71bf98ef37a4d3c013888d33b
  - SHA256: 1ec1bacee3ed0bb73aa9a799d4e07376b0f9356d093f2f343f7fad07fd7844b4
- theme.zip: bootstrap.jar: alert.js.gz: alert.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/alert.js.gz/alert.js
  - MD5: 2be558ae78dedb0556f8c7bd632c1204
  - SHA1: 1e3fa67e881909a71bf98ef37a4d3c013888d33b
  - SHA256: 1ec1bacee3ed0bb73aa9a799d4e07376b0f9356d093f2f343f7fad07fd7844b4
- theme.zip: bootstrap.jar: alert.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/alert.js
  - MD5: 2be558ae78dedb0556f8c7bd632c1204
  - SHA1: 1e3fa67e881909a71bf98ef37a4d3c013888d33b
  - SHA256: 1ec1bacee3ed0bb73aa9a799d4e07376b0f9356d093f2f343f7fad07fd7844b4

## Identifiers

- None

## remotegui.zip: bootstrap.jar: button.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/button.js

**MD5:** 28900c815e911dbbae28594126e66fb4

**SHA1:** 2cc97dd04216865ef67fbec9b54040eaf83dd9f2

**SHA256:** fa31bcbae72f8f82c2b25ec0421917b1c3a9cd60e7c03baca7429f44ec693f04

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Related Dependencies



- remotegui.zip: bootstrap.jar: button.js.gz: button.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/button.js.gz/button.js
  - MD5: 28900c815e911dbbae28594126e66fb4
  - SHA1: 2cc97dd04216865ef67fbec9b54040eaf83dd9f2
  - SHA256: fa31bcbae72f8f82c2b25ec0421917b1c3a9cd60e7c03baca7429f44ec693f04
- theme.zip: bootstrap.jar: button.js.gz: button.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/button.js.gz/button.js
  - MD5: 28900c815e911dbbae28594126e66fb4
  - SHA1: 2cc97dd04216865ef67fbec9b54040eaf83dd9f2
  - SHA256: fa31bcbae72f8f82c2b25ec0421917b1c3a9cd60e7c03baca7429f44ec693f04
- theme.zip: bootstrap.jar: button.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/button.js
  - MD5: 28900c815e911dbbae28594126e66fb4
  - SHA1: 2cc97dd04216865ef67fbec9b54040eaf83dd9f2
  - SHA256: fa31bcbae72f8f82c2b25ec0421917b1c3a9cd60e7c03baca7429f44ec693f04

## Identifiers

- None

## remotegui.zip: bootstrap.jar: carousel.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/carousel.js

**MD5:** a8188dce14f888a29886bff2559dce10

**SHA1:** 146b160152d3f0740590fc575f82f2653ca54626

**SHA256:** 20dc2395e0d21da3776db73634934a69b9a7dd4770c24757ef26bd60a287d857

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Related Dependencies



- remotegui.zip: bootstrap.jar: carousel.js.gz: carousel.js

- File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/carousel.js.gz/carousel.js
- MD5: a8188dce14f888a29886bff2559dce10
- SHA1: 146b160152d3f0740590fc575f82f2653ca54626
- SHA256: 20dc2395e0d21da3776db73634934a69b9a7dd4770c24757ef26bd60a287d857
- theme.zip: bootstrap.jar: carousel.js.gz: carousel.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/carousel.js.gz/carousel.js
  - MD5: a8188dce14f888a29886bff2559dce10
  - SHA1: 146b160152d3f0740590fc575f82f2653ca54626
  - SHA256: 20dc2395e0d21da3776db73634934a69b9a7dd4770c24757ef26bd60a287d857
- theme.zip: bootstrap.jar: carousel.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/carousel.js
  - MD5: a8188dce14f888a29886bff2559dce10
  - SHA1: 146b160152d3f0740590fc575f82f2653ca54626
  - SHA256: 20dc2395e0d21da3776db73634934a69b9a7dd4770c24757ef26bd60a287d857

#### Identifiers

- None

### remotegui.zip: bootstrap.jar: collapse.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/collapse.js

**MD5:** 5f3ce339f7a59b240fa9ede502c2bcaa

**SHA1:** 5b0dd11d3cd7a230f41c521a6c04256fbd34e984

**SHA256:** 407419f6c4ea29e13ada7134380a0fcb10d38e9e8611db54f60cb6278a424a70

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence

#### Related Dependencies

- remotegui.zip: bootstrap.jar: collapse.js.gz: collapse.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/collapse.js.gz/collapse.js
  - MD5: 5f3ce339f7a59b240fa9ede502c2bcaa
  - SHA1: 5b0dd11d3cd7a230f41c521a6c04256fbd34e984



- SHA256: 407419f6c4ea29e13ada7134380a0fcb10d38e9e8611db54f60cb6278a424a70
- theme.zip: bootstrap.jar: collapse.js.gz: collapse.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/collapse.js.gz/collapse.js
  - MD5: 5f3ce339f7a59b240fa9ede502c2bcaa
  - SHA1: 5b0dd11d3cd7a230f41c521a6c04256fbd34e984
  - SHA256: 407419f6c4ea29e13ada7134380a0fcb10d38e9e8611db54f60cb6278a424a70
- theme.zip: bootstrap.jar: collapse.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/collapse.js
  - MD5: 5f3ce339f7a59b240fa9ede502c2bcaa
  - SHA1: 5b0dd11d3cd7a230f41c521a6c04256fbd34e984
  - SHA256: 407419f6c4ea29e13ada7134380a0fcb10d38e9e8611db54f60cb6278a424a70

#### Identifiers

- None

### remotegui.zip: bootstrap.jar: dropdown.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/dropdown.js

**MD5:** 953819e6d09848299341fcd7ff93d1d4

**SHA1:** 72fe5a40eef90daa254dbb15d46e033cda2f6e9e

**SHA256:** 0261c06fcfe41df6cca79148c3b4f2cd7e6966ce61c93ea325b6c8f2295e8904

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence

#### Related Dependencies

- remotegui.zip: bootstrap.jar: dropdown.js.gz: dropdown.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/dropdown.js.gz/dropdown.js
  - MD5: 953819e6d09848299341fcd7ff93d1d4
  - SHA1: 72fe5a40eef90daa254dbb15d46e033cda2f6e9e
  - SHA256: 0261c06fcfe41df6cca79148c3b4f2cd7e6966ce61c93ea325b6c8f2295e8904
- theme.zip: bootstrap.jar: dropdown.js.gz: dropdown.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/dropdown.js.gz/dropdown.js

- MD5: 953819e6d09848299341fcd7ff93d1d4
- SHA1: 72fe5a40eef90daa254dbb15d46e033cda2f6e9e
- SHA256: 0261c06fcfe41df6cca79148c3b4f2cd7e6966ce61c93ea325b6c8f2295e8904
- theme.zip: bootstrap.jar: dropdown.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/dropdown.js
  - MD5: 953819e6d09848299341fcd7ff93d1d4
  - SHA1: 72fe5a40eef90daa254dbb15d46e033cda2f6e9e
  - SHA256: 0261c06fcfe41df6cca79148c3b4f2cd7e6966ce61c93ea325b6c8f2295e8904

#### Identifiers

- None

### remotegui.zip: bootstrap.jar: modal.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/modal.js

**MD5:** d73745175d40f05b339406f168bfd100

**SHA1:** 16ff1ea73c055e81d65a44a509e67669dd351862

**SHA256:** 102481f4363d9070b4bf992b3c1d6c4d3e59f41e1a5384eb7cc56b2fa0a03da2

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence

#### Related Dependencies

- remotegui.zip: bootstrap.jar: modal.js.gz: modal.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/modal.js.gz/modal.js
  - MD5: d73745175d40f05b339406f168bfd100
  - SHA1: 16ff1ea73c055e81d65a44a509e67669dd351862
  - SHA256: 102481f4363d9070b4bf992b3c1d6c4d3e59f41e1a5384eb7cc56b2fa0a03da2
- theme.zip: bootstrap.jar: modal.js.gz: modal.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/modal.js.gz/modal.js
  - MD5: d73745175d40f05b339406f168bfd100
  - SHA1: 16ff1ea73c055e81d65a44a509e67669dd351862
  - SHA256: 102481f4363d9070b4bf992b3c1d6c4d3e59f41e1a5384eb7cc56b2fa0a03da2
- theme.zip: bootstrap.jar: modal.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server

/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/modal.js

- MD5: d73745175d40f05b339406f168bfd100
- SHA1: 16ff1ea73c055e81d65a44a509e67669dd351862
- SHA256: 102481f4363d9070b4bf992b3c1d6c4d3e59f41e1a5384eb7cc56b2fa0a03da2

#### Identifiers

- None

### remotegui.zip: bootstrap.jar: npm.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/npm.js

**MD5:** ccb7f3909e30b1eb8f65a24393c6e12b

**SHA1:** e2b7590d6ec1fdac66b01fdf66ae0879f53b1262

**SHA256:** c7aa82a1aa7d45224a38d926d2adaff7fe4aef5bcdafa2a47bdac057f4422c2d

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: bootstrap.jar: npm.js.gz: npm.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/npm.js.gz/npm.js
  - MD5: ccb7f3909e30b1eb8f65a24393c6e12b
  - SHA1: e2b7590d6ec1fdac66b01fdf66ae0879f53b1262
  - SHA256: c7aa82a1aa7d45224a38d926d2adaff7fe4aef5bcdafa2a47bdac057f4422c2d
- theme.zip: bootstrap.jar: npm.js.gz: npm.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/npm.js.gz/npm.js
  - MD5: ccb7f3909e30b1eb8f65a24393c6e12b
  - SHA1: e2b7590d6ec1fdac66b01fdf66ae0879f53b1262
  - SHA256: c7aa82a1aa7d45224a38d926d2adaff7fe4aef5bcdafa2a47bdac057f4422c2d
- theme.zip: bootstrap.jar: npm.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/npm.js
  - MD5: ccb7f3909e30b1eb8f65a24393c6e12b
  - SHA1: e2b7590d6ec1fdac66b01fdf66ae0879f53b1262
  - SHA256: c7aa82a1aa7d45224a38d926d2adaff7fe4aef5bcdafa2a47bdac057f4422c2d

## Identifiers

- None

## remotegui.zip: bootstrap.jar: popover.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/popover.js

**MD5:** 3782df41a2ebe1257eded4e19f39ca02

**SHA1:** 38b589512e09181dba3ad56caca00199c9cd20c3

**SHA256:** 415e3c557d74388c551d77497112a216601c88025d95e3c28b3fad4082d8863e

**Referenced In Project/Scope:** server

## Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Related Dependencies

- remotegui.zip: bootstrap.jar: popover.js.gz: popover.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/popover.js.gz/popover.js
  - MD5: 3782df41a2ebe1257eded4e19f39ca02
  - SHA1: 38b589512e09181dba3ad56caca00199c9cd20c3
  - SHA256: 415e3c557d74388c551d77497112a216601c88025d95e3c28b3fad4082d8863e
- theme.zip: bootstrap.jar: popover.js.gz: popover.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/popover.js.gz/popover.js
  - MD5: 3782df41a2ebe1257eded4e19f39ca02
  - SHA1: 38b589512e09181dba3ad56caca00199c9cd20c3
  - SHA256: 415e3c557d74388c551d77497112a216601c88025d95e3c28b3fad4082d8863e
- theme.zip: bootstrap.jar: popover.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/popover.js
  - MD5: 3782df41a2ebe1257eded4e19f39ca02
  - SHA1: 38b589512e09181dba3ad56caca00199c9cd20c3
  - SHA256: 415e3c557d74388c551d77497112a216601c88025d95e3c28b3fad4082d8863e

## Identifiers

- None

remotegui.zip: bootstrap.jar: scrollspy.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/scrollspy.js  
**MD5:** 86ed481e7ffa3549beb6108a5ad1e4d5  
**SHA1:** 73f97f2354272103cc030712a317260e7126a445  
**SHA256:** 7d2c33a3ec324089813056cf4a8120db1db77f9ff620fa55c38de06ac417fed7  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: bootstrap.jar: scrollspy.js.gz: scrollspy.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/scrollspy.js.gz/scrollspy.js
  - MD5: 86ed481e7ffa3549beb6108a5ad1e4d5
  - SHA1: 73f97f2354272103cc030712a317260e7126a445
  - SHA256: 7d2c33a3ec324089813056cf4a8120db1db77f9ff620fa55c38de06ac417fed7
- theme.zip: bootstrap.jar: scrollspy.js.gz: scrollspy.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/scrollspy.js.gz/scrollspy.js
  - MD5: 86ed481e7ffa3549beb6108a5ad1e4d5
  - SHA1: 73f97f2354272103cc030712a317260e7126a445
  - SHA256: 7d2c33a3ec324089813056cf4a8120db1db77f9ff620fa55c38de06ac417fed7
- theme.zip: bootstrap.jar: scrollspy.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/scrollspy.js
  - MD5: 86ed481e7ffa3549beb6108a5ad1e4d5
  - SHA1: 73f97f2354272103cc030712a317260e7126a445
  - SHA256: 7d2c33a3ec324089813056cf4a8120db1db77f9ff620fa55c38de06ac417fed7

Identifiers

- None

remotegui.zip: bootstrap.jar: tab.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/tab.js  
**MD5:** a19cc7ef41a2f9683a10c8d29f1e1241  
**SHA1:** b8bd432a8ada22a323df822fe1e77028130f100d  
**SHA256:** d41c1f213273a374add7c9a4fb57798812d5d3472cd961237a1782998e7be82e  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: bootstrap.jar: tab.js.gz: tab.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/tab.js.gz/tab.js
  - MD5: a19cc7ef41a2f9683a10c8d29f1e1241
  - SHA1: b8bd432a8ada22a323df822fe1e77028130f100d
  - SHA256: d41c1f213273a374add7c9a4fb57798812d5d3472cd961237a1782998e7be82e
- theme.zip: bootstrap.jar: tab.js.gz: tab.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/tab.js.gz/tab.js
  - MD5: a19cc7ef41a2f9683a10c8d29f1e1241
  - SHA1: b8bd432a8ada22a323df822fe1e77028130f100d
  - SHA256: d41c1f213273a374add7c9a4fb57798812d5d3472cd961237a1782998e7be82e
- theme.zip: bootstrap.jar: tab.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/tab.js
  - MD5: a19cc7ef41a2f9683a10c8d29f1e1241
  - SHA1: b8bd432a8ada22a323df822fe1e77028130f100d
  - SHA256: d41c1f213273a374add7c9a4fb57798812d5d3472cd961237a1782998e7be82e

Identifiers

- None

remotegui.zip: bootstrap.jar: tooltip.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/tooltip.js  
**MD5:** 6ae9dc400f463921e1ded65db0556dfc

**SHA1:** 0001130406c5f241ba069035dc380f3579ba24eb  
**SHA256:** efef210198a75adacd0d3e726500fde192fc94320e4acbf90eb3a4d877215a2d  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: bootstrap.jar: tooltip.js.gz: tooltip.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/tooltip.js.gz/tooltip.js
  - MD5: 6ae9dc400f463921e1ded65db0556dfc
  - SHA1: 0001130406c5f241ba069035dc380f3579ba24eb
  - SHA256: efef210198a75adacd0d3e726500fde192fc94320e4acbf90eb3a4d877215a2d
- theme.zip: bootstrap.jar: tooltip.js.gz: tooltip.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/tooltip.js.gz/tooltip.js
  - MD5: 6ae9dc400f463921e1ded65db0556dfc
  - SHA1: 0001130406c5f241ba069035dc380f3579ba24eb
  - SHA256: efef210198a75adacd0d3e726500fde192fc94320e4acbf90eb3a4d877215a2d
- theme.zip: bootstrap.jar: tooltip.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/tooltip.js
  - MD5: 6ae9dc400f463921e1ded65db0556dfc
  - SHA1: 0001130406c5f241ba069035dc380f3579ba24eb
  - SHA256: efef210198a75adacd0d3e726500fde192fc94320e4acbf90eb3a4d877215a2d

Identifiers

- None

remotegui.zip: bootstrap.jar: transition.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/transition.js  
**MD5:** 0a47aaff7afca3b3485a6a845782947f  
**SHA1:** 91c2a7be5c53a856679830e0681a31d57395bf28  
**SHA256:** dfd38a036a1ed2f6362413696c71555c108aa06b2ffef68577705df1b1983bc2  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: bootstrap.jar: transition.js.gz: transition.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/transition.js.gz/transition.js
  - MD5: 0a47aaff7afca3b3485a6a845782947f
  - SHA1: 91c2a7be5c53a856679830e0681a31d57395bf28
  - SHA256: dfd38a036a1ed2f6362413696c71555c108aa06b2ffef68577705df1b1983bc2
- theme.zip: bootstrap.jar: transition.js.gz: transition.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/transition.js.gz/transition.js
  - MD5: 0a47aaff7afca3b3485a6a845782947f
  - SHA1: 91c2a7be5c53a856679830e0681a31d57395bf28
  - SHA256: dfd38a036a1ed2f6362413696c71555c108aa06b2ffef68577705df1b1983bc2
- theme.zip: bootstrap.jar: transition.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/transition.js
  - MD5: 0a47aaff7afca3b3485a6a845782947f
  - SHA1: 91c2a7be5c53a856679830e0681a31d57395bf28
  - SHA256: dfd38a036a1ed2f6362413696c71555c108aa06b2ffef68577705df1b1983bc2

#### Identifiers

- None

### remotegui.zip: bootstrap.jar: webjars-requirejs.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/webjars-requirejs.js

**MD5:** 66507db20354e58b4c9ba7ab8f9ce714

**SHA1:** 80f18f9b3ec47cf5854cb30dcd6b9548c32b9567

**SHA256:** b9a900c1c14f8b4980d34de9f2787b0bac576efc4f176aa70433a71950a14b26

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



## Related Dependencies



- remotegui.zip: bootstrap.jar: webjars-requirejs.js.gz: webjars-requirejs.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/webjars-requirejs.js.gz/webjars-requirejs.js
  - MD5: 66507db20354e58b4c9ba7ab8f9ce714
  - SHA1: 80f18f9b3ec47cf5854cb30dcd6b9548c32b9567
  - SHA256: b9a900c1c14f8b4980d34de9f2787b0bac576efc4f176aa70433a71950a14b26
- theme.zip: bootstrap.jar: webjars-requirejs.js.gz: webjars-requirejs.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/webjars-requirejs.js.gz/webjars-requirejs.js
  - MD5: 66507db20354e58b4c9ba7ab8f9ce714
  - SHA1: 80f18f9b3ec47cf5854cb30dcd6b9548c32b9567
  - SHA256: b9a900c1c14f8b4980d34de9f2787b0bac576efc4f176aa70433a71950a14b26
- theme.zip: bootstrap.jar: webjars-requirejs.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/webjars-requirejs.js
  - MD5: 66507db20354e58b4c9ba7ab8f9ce714
  - SHA1: 80f18f9b3ec47cf5854cb30dcd6b9548c32b9567
  - SHA256: b9a900c1c14f8b4980d34de9f2787b0bac576efc4f176aa70433a71950a14b26

## Identifiers

- None

## remotegui.zip: codemirror.jar

### Description:

WebJar for codemirror

### License:

MIT

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar

**MD5:** 669061572ba6292cc848f48535366409

**SHA1:** c1c5b1fda926e89ab3204a2b4d2871078ce6d448

**SHA256:** b5f4ff56ec0eb788f4c150fc67b7a127e189e555e2438318742003e01c78282c

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	codemirror	High

Vendor	pom	artifactid	codemirror	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	codemirror	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	codemirror	High
Product	pom	artifactid	codemirror	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	codemirror	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	6.65.7	Highest

#### Identifiers

- [pkg:maven/org.webjars.npm/codemirror@6.65.7](#) (Confidence:High)
- [cpe:2.3:a:codemirror:codemirror:6.65.7:\\*:\\*:\\*:\\*:\\*](#) (Confidence:High)

suppress

### remotegui.zip: codemirror.jar: CodeMirror.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/CodeMirror.js

**MD5:** d154477df9eebe156a1a493731acb01d

**SHA1:** 69efd74f28f36317a2bb9101dbbaec73f5ca3735

**SHA256:** 258db73a89eb6d88475013d38f4e0e01cc1476788f931058bf470db1ee26ca53

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## remotegui.zip: codemirror.jar: ContentEditableInput.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/ContentEditableInput.js

**MD5:** 40e61dbb4388425c66403ecd7e9a5a10

**SHA1:** 70cfc8bedef61e8d2f6cbb85ee41d65088d44c53

**SHA256:** 5c07c3caef1fc6122ef3ce8d681afb87d65f86aaead8db5d1ca3466803b57da8

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: Display.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/Display.js

**MD5:** bbf05006cf414f786e21cdb02b443aac

**SHA1:** 6bcab3100f9fd46d39f5c47d78b6ad9ad863b464

**SHA256:** 6e26756a9ae829558cf81a83fd9d48dd0f605241c7c7e8028a8bcf94bfa7a9d4

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: Doc.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/Doc.js

**MD5:** 66f02c635454d1ae55f7472709417566

**SHA1:** 8799d7becd0b3ee9bfd397c157c43ca6ebb264d0

**SHA256:** 32bf377fa99365b49732f69c5e565c61995fefdf8d0bc6f3404d4fc00ed8ac7f

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: StringStream.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/StringStream.js

**MD5:** d187f08909bf9bb188d04c79f089c26a

**SHA1:** f5c4fc956b8b4de762087204024eb625cb00a790

**SHA256:** 9f1ab50bba4ae102fa5c611d4ef5b056d063a63a7f20cfef59eea64e93c3e04e

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: TextareaInput.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/TextareaInput.js

**MD5:** 87e959dd1978b0e022083d3e5ad65158

**SHA1:** d08b9e7e675368968faf8e93bb1dbaddf9996410

**SHA256:** 48684a26a28a3fd1793a80aa67509c4281b56d6924d25511540a1d19aed72eb9

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: active-line.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/selection/active-line.js  
**MD5:** 774e515fe054cbcd6cc869bfd550b17d  
**SHA1:** 3d950f5055286088e93e0ee4c8a1d62eaf8aedac  
**SHA256:**3afbcbf78835c9bdc342e3992c53d9b74286722613bb1a8adc9d140edc8737ee8  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: annotatescrollbar.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/scroll/annotatescrollbar.js  
**MD5:** a9dfd7f9d78bd36c617429ed88cb67e5  
**SHA1:** ad1133e5432a7c65881747c87c84529fed297ecb  
**SHA256:**9041e8d81e3cebc481cabfae90d3b80596f3194de75d98e5526d3bfa44ae3bbc  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: codemirror.jar: anyword-hint.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/anyword-hint.js  
**MD5:** ba7fa17b24f0937d9431f93b9de2da37  
**SHA1:** a87db7c6de5231a1bfd702e26ecf4aa76d822a0a  
**SHA256:** e834ad178bd23449476e29179e8cb9f0c1ebaed35dab9059ed9a46b388271f3e  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: apl.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/apl/apl.js  
**MD5:** c0d55e310ae0a4290d3fcca84bff448  
**SHA1:** 006c98d2b17e85168065eebf44c3fdd91b9ff874  
**SHA256:** 47e0fdac0a39e0186019064e13b674dda4223b03b2748d34cccc09489fde2674  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: asciiarmor.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/asciiarmor/asciiarmor.js  
**MD5:** 42e5c7f3f48fa085f63bd7708bb204fd  
**SHA1:** b15cdadbf5a869d06a79e6a9e187d0509dca1239  
**SHA256:** bdc6b68c4b0c9dc53b2af587673461a495f123a5b9da8f6be79d97fee2790f9ae  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: asn.1.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/asn.1/asn.1.js  
**MD5:** a928fdb102ef88113a9d1c0d9e520114  
**SHA1:** f293930644bd6093dbb02475e8b409fe9794f437  
**SHA256:** 5b50cca4b34820cb3d57c218945ff2d870d57eba83e13c2c66590063e2a23acc  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: asterisk.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/asterisk/asterisk.js  
**MD5:** 2f4e25e805d878f43b8568609c48dba8

**SHA1:** 109a76d631e43dd32c13cbb0c23ad83e1851ad0a  
**SHA256:** 0849e3a141e967559d752de2205956cb690f1d4ba0a5ace5481c6c565db9b674  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: autorefresh.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/autorefresh.js  
**MD5:** 16b07faa9ef79a1fb79432fb4f4a9e3a  
**SHA1:** 091a2b17758e7c3182542314256139a2247b508c  
**SHA256:** 2ec9d5585bd24d7611f30ebbb1cd8fedf79747cf89c1f83852dd1dd9981f10bd  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: bidi.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/bidi.js  
**MD5:** 22a12be2f1e24a9bfddc5c3b0d187ede  
**SHA1:** ab735d3376e0040172b6dc972f97df663f231dc4  
**SHA256:** 0a4646d7a1214acfc71ad351d021f31795b056ce7a08f80d29857aeca1a5163b  
**Referenced In Project/Scope:** server

#### Evidence






Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: brace-fold.js


**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/brace-fold.js  
**MD5:** d56849bd7cce8a10ccb842d50f0de179  
**SHA1:** 4103103f28436925442d5397c24425fbaf660fce  
**SHA256:**2907087538a295e5b4f084f8c5ee7eba35cc973db194cbf596ab13a6c97a6834  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: codemirror.jar: brainfuck.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/brainfuck/brainfuck.js  
**MD5:** f3ff733b3609dfb34a49652f6a4a2d09  
**SHA1:** 41a8164ddba5e25fe2401265eb9fd4222e415549  
**SHA256:**67496a83fe1ea3304a3f65a8f8196f3a4a40060ea4febcb60a82c7657205abd  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

### remotegui.zip: codemirror.jar: browser.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/browser.js  
**MD5:** 564eafde7c1566f1b9b0d976cc3ace2f  
**SHA1:** 2c592606b3242ac9cf080d138aae3516cc2ef05d  
**SHA256:** de647094595511fabe9d548d9e45dacf746d7b83a198cb69b5b8859fa3eccb30  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: change\_measurement.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/change\_measurement.js  
**MD5:** 39707c0eb637648efc07d95bb60253d3  
**SHA1:** 025a52f620cc5b6edee8fb9c63a3f6ecf4c2284c  
**SHA256:** 1d1648706bf317acc33a64673cb4fbc2d2a7db8205bcc1cd9fe52819c13b87f0  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: changes.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/changes.js  
**MD5:** 822465b81d600e9a703579605e2147bc  
**SHA1:** 1b77f1034de1cac51a8ff50e48f9604bc62556e5  
**SHA256:** 13b0b2c417e0181ec9cb012932c1fa167c50171133391c00582e2939206362a0  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: chunk.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/chunk.js  
**MD5:** 7dd1b45f75341b5a03a01f6607da69a4  
**SHA1:** 89dfb21758e8a384033d09678a8d5b1ce8983e6f  
**SHA256:** 18f55da6b39c1b12fb5406c7962a88884e00d2122566622784720cbe612fc676  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: clike.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/clike/clike.js  
**MD5:** 145b41ea6cde47e8889ef8b2214eecde

**SHA1:** d0ae7cc4040a57a76b86265f492f87e251d1cc9d  
**SHA256:** a1ff458a030f8b1db2d901811344f3e178eaceb19b598277d054bf83dacfec2  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: clojure.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/clojure/clojure.js  
**MD5:** 7f3277e322bd000aefbfb172d3edf7e6  
**SHA1:** e701f8e843e3390a0a411700d3c8989dc147780c  
**SHA256:** 86b7b779ab84fa77bc6e461a05fd0887d85a3c8cd42a96576cad973b355bb1b8  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: closebrackets.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/closebrackets.js  
**MD5:** 667059f346609f6ad778936b17c43824  
**SHA1:** 248b45be826a8856a0ed0733c8511d9d0c595507  
**SHA256:** 143c3014c29254f3531cc30be6d90205084bcfc36cfa6f9b2a46fd42a40be20  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: closetag.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/closetag.js  
**MD5:** 744876ab906996c429eef7654278f514  
**SHA1:** 0e0e10e59f93f87c9bc35247b14831091113adb4  
**SHA256:** 6fbe2b93cc1744d9e14ad1d613449f7e16df4c2aa2842f658efc17abf662f850  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: cmake.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/cmake/cmake.js  
**MD5:** fc204bb5f2393f59bcd34a860f1e1a57  
**SHA1:** 73985b80cdb80d12831a7476b740733e3fdd065d  
**SHA256:** 6379ded0f75af38659031d1eaa803d2bd5be0fa7cebc216e55ca65d01a35bf1a  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

#### remotegui.zip: codemirror.jar: cobol.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/cobol/cobol.js  
**MD5:** d8a271c0bf27ef5cc2dd8ea19886aa75  
**SHA1:** 93072b3c895318fc58f8ed16d68cc213ac7910de  
**SHA256:** 0cecf82da2915c20187ab4e29cfc4abbb0078536874b27978726d48371487e4c  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: codemirror-standalone.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/codemirror-standalone.js  
**MD5:** f1f47322e6af5937de4a14fb10863e3e  
**SHA1:** 843d01e1379550e5fed3e64aba1af1a359441e7a  
**SHA256:** a18754c4ae17e27b7bba46b338c404d28804e237f41425aed96904c0aa1f49f2  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: codemirror.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/lib/codemirror.js  
**MD5:** 15fc3cdf569fa38b1f91d86ebbea13d  
**SHA1:** c5f9252d9467c2af70c5e6fc579e696648ee242b  
**SHA256:**a4f1c30365d5f85951a22160b07a7ce34048cb640c283545c8192132b46efba8  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: codemirror.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/codemirror.js  
**MD5:** 0d4d22de0bcdf7f7afd8131d4e59f130  
**SHA1:** 819f8c37a4df0c61ef735d5b884c6c598bc0983e  
**SHA256:**b2a1b676605c6428b6dd7ce21a8a0d2509d4652ceb2297be93078ca6d66926dd  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------


#### Identifiers

- None

### remotegui.zip: codemirror.jar: codemirror.node.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/codemirror.node.js  
**MD5:** a524724c274d1c038c7984e164428b3d

**SHA1:** 18fd7183236cbf1437175c8d31509ffa6cd4ba64  
**SHA256:** fdc02024dc3845f85b38046ae842b0f572f91adc5f34a6979cd92ead0fe4a0a1  
**Referenced In Project/Scope:** server

Evidence 


Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: coffeescript-lint.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/coffeescript-lint.js  
**MD5:** e852ea5b9ebb97947ffd169523eca098  
**SHA1:** 58ec1f05cb6893a519fe2d7ad1b9716f15219b89  
**SHA256:** 824caa68710a7f931ebd30491fec19dcd2c6fa166c21158f5ccd61321069da2d  
**Referenced In Project/Scope:** server

Evidence 

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: coffeescript.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/coffeescript/coffeescript.js  
**MD5:** 438a52e20ca46a26383d4eb6d33a5c6f  
**SHA1:** 8dd398cbd2955bcffcd70180f9fb560f56acf567  
**SHA256:** 67792b36933d29b482307761ee03da520a19b3b30ca60f54df9cdef4051db628  
**Referenced In Project/Scope:** server

Evidence 



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: colorize.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/colorize.js  
**MD5:** 626a64f8687ca9576bb017843ab2c30b  
**SHA1:** 4899e8d499849fb02f134afb39711d3ab2c28903  
**SHA256:**9d39f5267c05d930f079fc4f223b453e8f9fd54cae6cf52db9b5dc3a0b9dd694  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: commands.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/commands.js  
**MD5:** 9f984e904c9556f8e270502eaf1d5a5b  
**SHA1:** d16928b2cc389c46f7b77121beb7376a50f11c35  
**SHA256:**5f23178d2f8f62f97af955560fb192e5aa898f81153b9c24cee8ed6ac567f658  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: codemirror.jar: comment-fold.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/comment-fold.js  
**MD5:** 3bf750756a24d5a0ba9cf16819bf5cfe  
**SHA1:** ad4d1534287f90692567139c0b007be29aac4a9d  
**SHA256:** a79d02eb1b425d8a4823f2d962b7b9f49af578fc9042b928b892417c00e7d13a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: comment.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/comment/comment.js  
**MD5:** 18fc449bec0798e43182173ba47455b9  
**SHA1:** 29442cfbafce86a08679824a999b87ec1acdf567  
**SHA256:** a65c038258c6541658a0e9f24c56c78255e0e20d4cf06aa9ad83342069a589be  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: commonlisp.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/commonlisp/commonlisp.js  
**MD5:** 9449ffe942392a1ad14eaa723578b606  
**SHA1:** c734ecc91ff4949d4cac179a55bec5cee55da153  
**SHA256:** 0efe46913f843f5c335c79e05ae758e60212dde9cd3c45d99fae8066bd13c128  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: continuecomment.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/comment/continuecomment.js  
**MD5:** 174c186ec1902fdb1aa708a9dea1aa4  
**SHA1:** 7c3bb959b0c3befa4395c61ee8fbba3f7f6c6033  
**SHA256:** eb64c50f80cb3080052971bc075bbbf421ab50287804af8ce47b0536da5365e9  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: continuelist.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/continuelist.js  
**MD5:** 630509c4379923d8c811b3f1acc931fc

**SHA1:** 09118fd53589fe18289006df5cc57b4818321197  
**SHA256:** 6ba9cd9528b74e7f76f4b9ce9ed0677bfed7057d1aade0050185368cfd0ea2e3  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: crystal.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/crystal/crystal.js  
**MD5:** ae980ca83523592958a2c7f8144bd365  
**SHA1:** b52f1f9ec7c854891491f792ae93aae419efd2ac  
**SHA256:** 5e6e8458e3fa4079ff438060ac7f93b8b7a160212b1cce92516f1ea9680b57da  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: css-hint.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/css-hint.js  
**MD5:** 55823389add79e8c52ffa7df6ba94515  
**SHA1:** 59e0f4c17ecd9595fe88a84bc47fbb994803fab6  
**SHA256:** 0e22d6efa1ea084e8316ec6d5e4c809534f0e36f363bbc4156609201d95c6601  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: css-lint.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/css-lint.js  
**MD5:** e392cd5f86989535e38b3cbfb5134985  
**SHA1:** 0986b3dc26b02d98a91b91bb38d46065b5c0214d  
**SHA256:**f3fc7474cbefded7f1b06d63efe980d58970785831cb35f29874ec371cb4ece8  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: css.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/css/css.js  
**MD5:** 3675078ada8a185a353a6560bda2d5ac  
**SHA1:** 1045cdc88a58fb002511eb21db184ed242730f05  
**SHA256:**60f0689e5c6af7f36c341e8e1341a4f10b4f0a04cebf7341bcbdba9b572b32  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: codemirror.jar: cypher.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/cypher/cypher.js  
**MD5:** 0439f14eea37e69f9bd0af1b9c57e014  
**SHA1:** c65b82f89865edb564d52f00afddafc3d18a8d6b  
**SHA256:** 6d8c9c8993fdeb724f1f68e9574fdab0001da1d31196e33ac6112303005d3f63  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: d.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/d/d.js  
**MD5:** 0632861907c7e77ea48e0952d2081136  
**SHA1:** f000ac2fe16c377837034c69cdace651a45f4e7a  
**SHA256:** 8e3994ce4f507e692b65aa73ffbfd58112c4a22771b84b8ad86152578d4e8130  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: dart.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dart/dart.js  
**MD5:** 0bfa12b4210e1faba31c98d2fcbd226f  
**SHA1:** 4caa7d422c3c931f7df5b46e09c9596a9ca19ed0  
**SHA256:** b09be809dc1f9e3ad59374b198b0e5c4992788b9ff524765fccd0b84fde52212  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: deleteNearSelection.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/deleteNearSelection.js  
**MD5:** 813d638d2d4693bd14f7b6490445a417  
**SHA1:** eec62305710c8c0a032933bbee41c3fd45142669  
**SHA256:** dac971ad5b761896b830e95f5e2240e2748fb83c909ef4c5ea4fd1f60ae031fd  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: dialog.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/dialog/dialog.js  
**MD5:** 1b33c63e7d89d740d4738ce9766b19b0

**SHA1:** 14cccbefbfc2f33d928c4a41d854237cda5dd97  
**SHA256:** fd8c925fcc25357617faff21220c026bb91a617b995268d96c5d39232fd42833  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: diff.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/diff/diff.js  
**MD5:** f80746d74770ee6dcf444e99f75d5537  
**SHA1:** 45f65817bf0cfe00f52a620c44e48031e926e5bc  
**SHA256:** 3fd0e844e22f475503415744b7e7af24df4cd0670709c77e5e43e92185ba32fd  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: django.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/django/django.js  
**MD5:** 3c02fcac64b6100a0f369edc8d145f97  
**SHA1:** 9ab00e90ea9a3788178187e9451bdaf61bd311fe  
**SHA256:** 71a3fa0ac63fe080a12097209e509c36abe0fde9c9709610be1656163d25a8bc  
**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: dockerfile.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dockerfile/dockerfile.js  
**MD5:** 35fd7d7d73ad6c400c0afed686a383da  
**SHA1:** b6574f6951c483c563456c9094178769ea733631  
**SHA256:**fca390cea85e1b711389d1a91b99faeccf7b4df0f48e3ceaecf2e517982cb2b7  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: document\_data.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/document\_data.js  
**MD5:** 86420f7d4afaa1aa00313618bff8292f  
**SHA1:** c26428a7245c7ccbc2da6e15ea8071a308efe21e  
**SHA256:**bded28025266e28229d4328e2a4ff6c829e26757b12861ec0c561c495d4b87e5  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

### remotegui.zip: codemirror.jar: dom.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/dom.js  
**MD5:** b56830faf8f75c5daea99bdc94508b38  
**SHA1:** 6425ef8de5f6d50a057a5cdaced4da9ed166ddfe  
**SHA256:** 20275e6018fa90811c51e20246d4803c01d7e744f64434bb9194c7b1df41d1b1  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: drop\_events.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/drop\_events.js  
**MD5:** 940690e5c792ff535ef797090cb7ed5d  
**SHA1:** 05108fb9bb15e761e86ef290e006cb7c620de955  
**SHA256:** 60fa1577514a516587de192c7c779b4447aff1b6d26de0498030340e12945390  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: dtd.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dtd/dtd.js  
**MD5:** eb3e9b71c4e33120225df386c29a0b30  
**SHA1:** c91a19fca8b5bb610ff35e8ea7c9190c9ef996f0  
**SHA256:** 3f04995b147addeee1637bbfd0054676e78d13f7acc2f589c55837d70148c1  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: dylan.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dylan/dylan.js  
**MD5:** 99e3fa83adb7b3af2e363942a5b720ac  
**SHA1:** 795b6199d3643d0a9eb0b018a02357da66be8f3d  
**SHA256:** 999b862ebc559366e71a731e2a28b2762ae4fe7c7882ba5f6bf20c33a2d737b7  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: ebnf.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ebnf/ebnf.js  
**MD5:** 8d8a62f6874e4e8378d16d02b09ada60

**SHA1:** 84295b3d4f48cd3080508f3c5c12ecca2842dca4  
**SHA256:** 1175e07f831fd02ccf09d4582351c5932a48fa03be5c0eb1028c8f96c051935f  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: ecl.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ecl/ecl.js  
**MD5:** 04722d23df4c17765bb397d871875452  
**SHA1:** 63a19016bf2e53ba5c73fde154b9bbc19d96130d  
**SHA256:** c78998872dd14cdb356d5a9bd196f7d3525e3cb03a591133e0e904afaaec11b7  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: eiffel.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/eiffel/eiffel.js  
**MD5:** d202831cfe3aa85bdedffd44534dc98e  
**SHA1:** e5767dbfb329d8e3786acf893d038e1e4dd35c39  
**SHA256:** 183e855f6474cc2c4cf0b6c5e5c40ea7821707d37ac414277dcda294ffae1721  
**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: elm.js


**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/elm/elm.js  
**MD5:** c37089c171d4384ec97f9af66d5ac972  
**SHA1:** e28a667656ac12ff06766d2ee857962dcd9146e2  
**SHA256:**e343ffaaff2dc6fd9c5923228b46c23723c396993459eca6217871f1c087ebc  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: codemirror.jar: emacs.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/keymap/emacs.js  
**MD5:** 258e09f1d4cdb812940d869afce12a11  
**SHA1:** fa3b963c38f809ab13c37fd7aa654ac46a39e740  
**SHA256:**af2f42c9f461951f13e9785f634cc9f8e5d63b0c5c2375b331105dea19a71fef  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

### remotegui.zip: codemirror.jar: erlang.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/erlang/erlang.js  
**MD5:** 29f92a4be923242d30cf1f4288c89adc  
**SHA1:** 45f94b33af2bc74d8c5eed73de27eb8a4047c20  
**SHA256:** 2ae29808247e9d6a58a83893b0e8b627c0ca337cfa541ef16fb506edfdb77e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: event.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/event.js  
**MD5:** b700f1676589e7f88e59c943cc209156  
**SHA1:** 516c718a9b2f86f68127680267b92d10fbf5a579  
**SHA256:** 1b13113fab8763c3c9e2284d1b6bdf1f84ab3424999a2eacffb771ea8b75513  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: factor.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/factor/factor.js  
**MD5:** d497dd1c4f0f85b83245bfb80943e5cc  
**SHA1:** ec2430a02377f3b14692370e329b8f83b017d1b9  
**SHA256:** baf7c16c387e7abfc308dfcb7fcc1ea9ae0a898d13455349083ea72c7bfa4c4a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: fcl.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/fcl/fcl.js  
**MD5:** bfa4a30d52fa501346b203c8ab6aa0cc  
**SHA1:** 9befb1efc7f051c189e1c2c7cccd976576bcefca  
**SHA256:** 7c9d372be44c1c418a101885662d80d4bf6104e1b717d36cbdbd05a5956abc70  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: feature\_detection.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/feature\_detection.js  
**MD5:** 3b63813f217d9351f7a1d90edf345310

**SHA1:** f236ad77f54768dfaf4b78905be71b6873691698  
**SHA256:** 4aeaf197f379b3450c8c297f23e449df3795a9954bec48cfcddf4b3615d5f371  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: focus.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/focus.js  
**MD5:** 307daeb9d6322c3905fc5b2ba846fa16  
**SHA1:** d1e1cceb41ec90a9b18fd25ae6cad9805e86811d  
**SHA256:** 2f6ad1d093d5d933ad58ded481d34002320d2887b5d06badb35918289338757e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: foldcode.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/foldcode.js  
**MD5:** f520bc635201c451609403065b8bacfa  
**SHA1:** 78958ff57ef86b84ac8a8085a4f0923433eea9d3  
**SHA256:** 07f353e02abcc300739b09f31a9d32a958ebe5d2f76959291e5643c6e40a26a5  
**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: foldgutter.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/foldgutter.js  
**MD5:** 9606e4f3ca8c5ac259c2cf703753017b  
**SHA1:** 2f4f7e099042dcbde74bfd3a8f5856f595326ecd  
**SHA256:**fc85fcd61894dc551a4c7c221ec41b7fa4007d1e33239b1cf8faf56ef1811727  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: forth.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/forth/forth.js  
**MD5:** 3e09048506ea36823a8a5e6ad244c7d5  
**SHA1:** ef3e2632de5a4c57f8b14225026940309167d270  
**SHA256:**1c6c0a8fb3572fba544083795b3259f8a35cae81ec2ddb19b4fd7af2a91ab34a  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: codemirror.jar: fortran.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/fortran/fortran.js  
**MD5:** acf9c5ff78882f6ee77416eb957e881e  
**SHA1:** 30130e625c08eedd8d62021c0dc77a71d066fd1d  
**SHA256:** b3351c6cd6e696c2ebf0e6ae1ff7925ed65add92947007402e0b3112634f6392  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: fromTextArea.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/fromTextArea.js  
**MD5:** a910ea4413c5f8fabb9be57bc80a7cc7  
**SHA1:** c2bb053e04c5cc11df632ae7332863f5f0d30c70  
**SHA256:** 796a25d1e7f2a7c35ac9289bdb21e9c56c1253779a71c1b9e8a8c04160829e2d  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: fullscreen.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/fullscreen.js  
**MD5:** dffe3df188ef201ff7f04977d0ead894  
**SHA1:** 29d2bbd2368fb2dfc02a06aac6db6aa9691ab330  
**SHA256:** 8e4a21aa77765df8893fc854c4b6be56279e12d9a70cbde913083c307ac769e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: gas.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/gas/gas.js  
**MD5:** 9403b8d57b58f52a0d02efd3d6d99571  
**SHA1:** afdd8ef0502d68ba8020134c780ebce498f65ac9  
**SHA256:** 414899aed81f9bdb726a6729047f1afb538679ee58623beb8fa51dc7412db6e9  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: gfm.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/gfm/gfm.js  
**MD5:** da48b005ec4e651d019aa09b3d6d4aac

**SHA1:** ea5f855ce519bf55f09cb2c968dce9660615c698  
**SHA256:** 1fcd9bf9a611c238acf53f906126fba93ae0550d74858efad61d72b8b3ed6e0bc  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: gherkin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/gherkin/gherkin.js  
**MD5:** 3d87a67e559ce2d1851c4f1fcca83fe2  
**SHA1:** 289ab840bb7ad7d5cf292406eff4fb8e55ece301  
**SHA256:** 732eb81eccbef7db49729af3f23d477dc8f27a4d9bf2fb2c6bb520d8ec19bddb  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: global\_events.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/global\_events.js  
**MD5:** 288615615004321c6abe2bf66842b8bc  
**SHA1:** 858b4b90c061cf34960b0bd4231a2b7dd7ec5f3b  
**SHA256:** fa803fc7e109d232afd12dfd4d99adea71081cc4b71e547d4b1c2bf46cc9ca2  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: go.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/go/go.js  
**MD5:** 51890857b15156f02106103dd73d2b0e  
**SHA1:** ef0de14a73f6656facd0d7355a11b1d17df86b16  
**SHA256:**4e3b08bda2f85c9ef68c03f24c0c5ca3b8ba479127b6cbc50f33cb9593dbaf00  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: groovy.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/groovy/groovy.js  
**MD5:** d6ca518a6aa5ab5b420bbf21d65b2d05  
**SHA1:** 48fb64db46a7408334eeda329d755dd09aec41ec  
**SHA256:**6641a0b1555ee0f1bca36975a4fcadd43d512de7ca814328cc6402e1ce836b4c  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: codemirror.jar: gutters.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/gutters.js

**MD5:** af3de2621d2ef402646889be16bcde7b

**SHA1:** 130d94f44dea7f614a15009677e496ad2b853025

**SHA256:** 2143db3d42d9a3408b556eb50068870d138041a9b98ab256d070d982e09346df

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: haml.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haml/haml.js

**MD5:** 7d65bfd39de90f56597eb8e278a39af7

**SHA1:** 7bafda0fd81e500fb2f364d2e657fd9dec939505

**SHA256:** 9e9606fecf19869e51c32a84e18c4447c0d4ad2031730e5690b571f318409022

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: handlebars.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/handlebars/handlebars.js  
**MD5:** efacd8d006bf9f83baec2fc5a8c71feb  
**SHA1:** 7fefb944ec70e00d262252956fdc71f04c1046b2  
**SHA256:**60bac3d6993264e155b5a06f52cda56b7bab2fb5923f3d1cc7e8caf704fca724  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: hardwrap.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/wrap/hardwrap.js  
**MD5:** 049ed63630662fcb8a977fa43f86e058  
**SHA1:** 535a020f7839e52da6fc7b8af3d249f641c5e055  
**SHA256:**bee81aee6222a46b1aeb14d6fc738d3cc09a4e421f808e29b3c6989710ccbf8  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: haskell-literate.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haskell-literate/haskell-literate.js  
**MD5:** f0bd7313413cdc35018db90a6522d1ef

**SHA1:** 670b7735a8c85e5251aeadf51f5005d5cf45df44

**SHA256:** 7519d0b515603244f029c3031a4625fdccac88cb640fcb6e117718ec2c0b3c50

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: haskell.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haskell/haskell.js

**MD5:** e4f82d95d10c028eebae3338e678be22

**SHA1:** 30c46651b2b0b5a7fc70910b22e52e2d1d8687ff

**SHA256:** 4745a90832e950c9536f0bf498e5bf6fb3753a4a98bea09ec152b92354c0fdaa

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: haxe.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haxe/haxe.js

**MD5:** 13c21da31a992b536d4f37ee53e09605

**SHA1:** 6a694b4a0a68b148e0b2e0b761a521a5fa4a0296

**SHA256:** f3596c7efe948a3331bb1bea299f6fcb8e7733777dc2114a9f2147dfc1c69257

**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: highlight.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/highlight.js  
**MD5:** d7710bcd63c26c5fdc37c19b15e02d4e  
**SHA1:** cc5bac275e64696339642c6f5a52c254f139fbfd  
**SHA256:** ccf8b3a879acfa0013ee5b11e036b822b68ec5a136c218400775fe2e35a3fd9b  
**Referenced In Project/Scope:** server

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: highlight\_worker.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/highlight\_worker.js  
**MD5:** fc6f314859dad397c1f867ed5d73205f  
**SHA1:** 80e56feeeffb3ad7b76e40dc4577962a60becc11  
**SHA256:** fc9d8bf90534b9a6c7d5a45e8f8f79a4f8827a661c4271f812776e7c3d2bdc09  
**Referenced In Project/Scope:** server

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				

- None

#### remotegui.zip: codemirror.jar: history.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/history.js  
**MD5:** 34cb233d1bf8cc676a0c5fc9e9c24b04  
**SHA1:** 4c42d70f020d1fd9397fa16ea34f5cf54487e93d  
**SHA256:** 961d52432f8f463614f83e660c2945f9bfbbc9c8fb7767575b9221c3e88821a2  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: html-hint.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/html-hint.js  
**MD5:** 609fea85a7894f8098719813c58219c5  
**SHA1:** f593de64cb802e0e456482b88959a68260e06bff  
**SHA256:** 64d3ef9293ed8917e40ed4e8196da6919379a3b4970c007785c7ed27ab9a0478  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: html-lint.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/html-lint.js  
**MD5:** 0844a30ecec022fb60101fc0cc6a5cfe  
**SHA1:** 3ed8b2f11d4c7462cf29fc93b58e579680bcc32f  
**SHA256:** ab7827913934f06a8b4d00e41d5954974c90d5085d1295fe02c484c782c75843  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: htmlembdedded.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/htmlembdedded/htmlembdedded.js  
**MD5:** e7a464409318dee8c3c6e0b68225d461  
**SHA1:** 548ebed43650c26970abca5933aa237b4a1950c5  
**SHA256:** 8afc8da4e446322cf92d78bef9940f9444aee339f56c8b9af5452fadfb867601  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: htmlmixed.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/htmlmixed/htmlmixed.js  
**MD5:** 4c5a6f44d738b718d1f6164c1c8d6904

**SHA1:** a4f9c3552740fb908e14fb0f47832d10a3f535d6  
**SHA256:** fe5912e1d10f8fecb98bd31e2f957c0bbc9abf6b505d11b6dbcd27542d0fdcad  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: http.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/http/http.js  
**MD5:** 42dcfb1c4b83e85eea0303f75a3f08e1  
**SHA1:** 7fa224e2e3ab674ca61cedd48fd430c5e62e1218  
**SHA256:** 89842864a707564a989a841ce934b61659f34b012f2349e5c4fd9a09c5982f6c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: idl.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/idl/idl.js  
**MD5:** 1ae58242a3b61aae5bdc5665bd5fc2ed  
**SHA1:** c25b0c5644c33ee3993ee3152df8f4c27235e172  
**SHA256:** 7d45bc0899e019f558e68eca684ed84660bf4687cd64fb4ed2c959ad249b763d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: indent-fold.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/indent-fold.js  
**MD5:** 623d14360009d84560611f43b83e6759  
**SHA1:** 731e1d84971dcafb20d1417761c18c55883c3d98  
**SHA256:**a835ed1af176b96a1bf00379622e76573a1f6327bd76b583d9c4757a2c4a4194  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: indent.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/indent.js  
**MD5:** 835649b199c40a992e89a61de3514147  
**SHA1:** e3d98527805fcef17ac4f710d7600fe0da52db33  
**SHA256:**f28260cac8eba83de19891709eb8545ecaa6cfa3ec716e617992e14cd0112404  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: codemirror.jar: input.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/input.js  
**MD5:** 8347e0beb43b7f458587e94f323c58bd  
**SHA1:** 62cfb278476d7f293b853e92e35bd9221c6d1a1c  
**SHA256:**bbfc32c56077171637375314abe257f54f925e8142b3f3a9eb669296ec3f12ff  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: javascript-hint.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/javascript-hint.js  
**MD5:** de72c8e29800ee9ae93e5c8a43c6c6a4  
**SHA1:** e348c54c78f75047c06629a13422c0aee0ee3253  
**SHA256:**e4dfa3414b3b9535514737074cec2fb0cbf0bfea7e765307122295c98c5137fb  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: javascript-lint.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/javascript-lint.js  
**MD5:** 55eb8a1558ef8c9da7d355a32334d62e  
**SHA1:** d452acc1222c992a222c6c4bc55c0546eb2a465f  
**SHA256:** 69906dbb83d60e0d104ddf395e29dc4f4a05063f24c085975b9c09693dc860c1  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: javascript.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/javascript/javascript.js  
**MD5:** 178dfcd5f64c97da22a3d3a62713b7a9  
**SHA1:** 969b4a80be53b334612b44a0cc6ef57cfe171a26  
**SHA256:** 21fa74c1638c7a4eb3e8cd04b5c8c997181394568330b341c83716da18ffad8e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: jinja2.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/jinja2/jinja2.js  
**MD5:** 82ad8f3f5eac62b4012d21c9deabfc69

**SHA1:** f1b92b1cce15292571979194dc1331accc5fb2d9  
**SHA256:** b408eeadec21747f7c4ed41dcb9ec4e540aa1493d0a7971e74aa1eed05049b93  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: json-lint.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/json-lint.js  
**MD5:** b01056a065c6df2ed0f61038c88e5ecc  
**SHA1:** 8fcdcb87fd1c9f8fc04f3fc325fa590b27441183  
**SHA256:** cb3522e1bdffb075461c848ba2091cc781b52ef0e69cb39d9a33e1b74dc35ae2  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: jsx.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/jsx/jsx.js  
**MD5:** 5dcc6cfebb32872e929bee63d517295e  
**SHA1:** f22b5965deb7b3f6e434d6012b22af7a7ba4c9c6  
**SHA256:** c6babd67df23bb0278d432fba3d2dbd03bb1fb3862d4d70549cda1b0d9953abf  
**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: julia.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/julia/julia.js

**MD5:** 544d9103cd9877e0a7dbb26dd5a34eea

**SHA1:** 4d6fef3f38c3c9717b6ac72fa4fa3c6d48ca189f

**SHA256:**54d93c9a83269af3bd8bc6593be2368f07b4efa4223074b54f3aad44097a4d32

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: jump-to-line.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/jump-to-line.js

**MD5:** ae33156dd047f75a6d2539b21ac92df9

**SHA1:** 4b8098d4df0e0bdbda6b27961ffc7bdaac14e85a

**SHA256:**39b7d80ee80cabe2f5936673b3cadbfd4d260dfe6dc6f936523a334044962ffa

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: codemirror.jar: key\_events.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/key\_events.js  
**MD5:** c299e1b06d3f6ec725718c1dc60141c7  
**SHA1:** 09df110e22b2eccc9f3deb5a2dbe0a6fa884d23  
**SHA256:** f24d2b392714dc1fe63b23f79d45d01503a1a8860cb7b92dff6e5eb05e35cc69  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: keymap.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/keymap.js  
**MD5:** 1c8d554d0dfbb08ac3b4ff11303f313a  
**SHA1:** bcbddfc0d1411afa8455d75564758dacde1e15d5  
**SHA256:** 9be4f88cba00a971a1a007ca4fcc56f244ac84fb8b24f165f6ce2793c2f83a95  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: keynames.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/keynames.js  
**MD5:** e4ae7351260c5e7b9f2253e21b5ca9dd  
**SHA1:** 9b6381177e6d4afdd03388c548a00bef7e101b0b  
**SHA256:** 7054358c3e0ad3945e0c3c31fde7b77d1af78874a5fd436a908aa0e8eeab7b03  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: legacy.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/legacy.js  
**MD5:** dfa5acb74b48161d442a6d83e1abbc03  
**SHA1:** 70f5248919c6a806ec8da7a53b9167ea0d28f28e  
**SHA256:** 663e30df9fb1f4994092c95d5a4a2a127d67d59896b4795807ac912773a759a4  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: line\_data.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/line\_data.js  
**MD5:** 0239405c8ea2b45a5a3a2de75bc481b7

**SHA1:** 936ff2393f4614f8fb907274c896d2435d34250d  
**SHA256:**11203cf446205f30a8eb2f5633369c7a6c00cc778b3cdbf1da16570571937d92  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: line\_numbers.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/line\_numbers.js  
**MD5:** 22976744e5315917483bef53cab4d368  
**SHA1:** 32c75bf2e39c2315fd1a1d04cbcbddb666c998e0  
**SHA256:**2474c6d14659ccbd6664aa88eaac7f1bb5589cc44f5acff4c5d8a22ed5da5d4c  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: line\_widget.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/line\_widget.js  
**MD5:** 2a58b1a6d7eadb596d3968096f1493e4  
**SHA1:** e06ec6ee060c9b180dd6269107c1643618024acf  
**SHA256:**4557109a8ced89105c13e911cd0d4036a043ce83abcfaefe9b6889ea8d058b16  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: lint.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/lint.js  
**MD5:** 7930c46b5411e82099bf4d021be44897  
**SHA1:** 9d4fcf298565cd2e6b6234c331113e5ee80a996f  
**SHA256:**7c2e8241383104a6188c43b657b17ff7633e0de89d9b98f7d09df29570341e76  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: livescript.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/livescript/livescript.js  
**MD5:** 303cf9371fc666702d07b7892d4d69b8  
**SHA1:** cc1a29423cc292dab8ceccbe8d1d4995426ce11d  
**SHA256:**b9b5f3fca094c735f94174d463746bc39d0930dc42b70bf5004efaed96b080ea  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: codemirror.jar: loadmode.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/loadmode.js  
**MD5:** 43a51215f06278be12990128bf16cffa  
**SHA1:** 62a2787a4f3b623af185185edaedc7eaed7ffc08  
**SHA256:** be81c0312e7041f56c217430a177fea61e572bcb9579a39ca1922a2e4d51abec  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: lua.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/lua/lua.js  
**MD5:** ccf279dcbcb882c0e99fc9dfda9dd734d  
**SHA1:** 13ec1f41c7c723c70f185f6c22e116cdf532d8dd  
**SHA256:** 5c702747f50d5d4158ab8c096b33a7e0092529d5682a728a20624b01dfd86e2a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: main.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/main.js  
**MD5:** cc33d6b2c4f87f24fe91b103cfee3da7  
**SHA1:** 7a267e163871e4d9c505a7dbda69289619573e76  
**SHA256:**2644139a384fcda2ff3bcb59fad7a45a3faa166c443fcd2d05315558dc7d1f99  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: mark-selection.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/selection/mark-selection.js  
**MD5:** f2b8639c24afc6cc370f4097eb6bb217  
**SHA1:** 62883a7928526106b19fa78a1195fadf463550b4  
**SHA256:**5b9c6a0031fe895641f2eb2198df2592ec769a6685d6bb10f3f9b92a7822e286  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: mark\_text.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/mark\_text.js  
**MD5:** 7611054f886606aed04a7a3f3c4d5a78

**SHA1:** 3e6ac9ae6a89f720e9c148d25746ff37f9207d07  
**SHA256:** b17ada4f3979fa8170a4abc071035badcddd87870a212cd92dc5b0a70fac19e0  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: markdown-fold.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/markdown-fold.js  
**MD5:** e9844099dad7cf95607a804988677f22  
**SHA1:** 400fdaaf493a4d15e10b397553549b6b4e09dc92  
**SHA256:** 6a81721447c7260578e8e306c89b33a49e98edc1c2cb0c52a18ca0e913684d96  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: markdown.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/markdown/markdown.js  
**MD5:** a7326be775e85028373f9236c26a572e  
**SHA1:** c7dda08f12cf129cba6b317f70ee7ce0abf775b9  
**SHA256:** 8fe7b11848f79cc9119b2a239f38a00944f6f2bb764a00bc837ecf8d34cf7690  
**Referenced In Project/Scope:** server

Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: match-highlighter.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/match-highlighter.js  
**MD5:** d7d3dd2592e2df81c743b86a46ccc555  
**SHA1:** 21bd58338eb506c53cd367b4e30c6aefa2e7edee  
**SHA256:**8c3e196f9a5f9e5cf9d7e71751132a05293e7cdb180defacf28be9fe919682cb  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: matchbrackets.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/matchbrackets.js  
**MD5:** 2d2902edcfd32a8f481124c0957889ff  
**SHA1:** 1555a87118f8082edd03c7b7c1363ebd1daaea45  
**SHA256:**9d0e5ee4c199fcbе487a901860c2cf7d007263852677dd5858098fcaa8580f1e  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: codemirror.jar: matchesonscrollbar.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/matchesonscrollbar.js  
**MD5:** e005f8b0c7cedc509a29ea1a517cc829  
**SHA1:** 73a8bbcf26072f44bc7003faea790d1f3d59096f  
**SHA256:** a2deca7f8ca380dc7772929cc7c23b6737109f3cf0a55e7e18832808d98530c8  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: matchtags.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/matchtags.js  
**MD5:** 6e8c7c68653d8d6b912138fe6f155e1f  
**SHA1:** 99f7135d209eb1da2c326486eb53ecdd330f0f2c  
**SHA256:** 263d752f850b20890f0506fcb277b094b474138692a58b45d7b9bb03e20aa00c  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: mathematica.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mathematica/mathematica.js  
**MD5:** a8c37dcebeb98162e29e9d1483edf7c4  
**SHA1:** 82d9653bf7ca5b228759c5ad53845a8237625792  
**SHA256:** a301011fbb5d9ea4f39fc574718c2d27afd9425e31a1a5bf9005617603b45c0a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: mbox.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mbox/mbox.js  
**MD5:** 9ce449eaef8f2c3e6253bb202a3da0d0  
**SHA1:** 6848c5a33d4ea2c76fc6abb4fdc3c9253eedbc9b  
**SHA256:** 9affa80931d9bb09746d08b9b0f90286d2b47f5b16a0bd8a1a06227b496c4b07  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: merge.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/merge/merge.js  
**MD5:** d2a6bc0c40e52723665afdc3b17ab226

**SHA1:** c2c82dc8159b4d4b38ac4e74d88b513cae40be01  
**SHA256:** 916279b765e93236826a1aa71f96924084707d50486739e9b4524a3f773d41ae  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: meta.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/meta.js  
**MD5:** 11f14aa114ed56768aa48301be3b9f03  
**SHA1:** 516781b99334a9aeaed0d9f1b9463d8330d00ab2  
**SHA256:** f95786f9c83e631225fe7866f39892f808aeb015e80ce9d8a58d5a1d4e9c4bb6  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: methods.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/methods.js  
**MD5:** e0aee4bf62e8df22b1edf8c98171c1ff  
**SHA1:** ec9e2b700a1252d5787249b1c8046b5fb0df6073  
**SHA256:** 80aa117e54c13edec48656384e623b81f8ae5ecece3f426ba9b4638872fd88e6  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: mirc.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mirc/mirc.js  
**MD5:** 23555fdd21b7305d57c24d1378a03754  
**SHA1:** 373c327846304793f8016feaa0164226d6fd5020  
**SHA256:**ac173799c5f81a8c8813a5b0c20b700b27a1f571d1e70132e67d8451c3efaa5e  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: misc.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/misc.js  
**MD5:** e94bdb7dadf69d57a0baf69e7780  
**SHA1:** 7d04fd04c64f91033740df1756ceb180fe1ec38b  
**SHA256:**dec9a3df5d525da109210c8f63bc47ef6270de5d0336e446c54d6c490f45bbfd  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

#### remotegui.zip: codemirror.jar: mllike.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mllike/mllike.js  
**MD5:** b30e7da7837eee7a5966685fa03522f0  
**SHA1:** 648a539e28df2714182163665b797d783cd47d80  
**SHA256:** a887947e50c37db0215fa4076c3b211093dd9abf643518a2f304677bef848211  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: mode\_state.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/mode\_state.js  
**MD5:** ffc05060eaa3b3d89beaaaae86b0483a  
**SHA1:** ad4db1fa999cdec7dca274bc0d440b9817706fcb  
**SHA256:** 7d986b2f9cea39f7829ffd57fe70a6d891afb68bda46557f3d361fce6abddedb  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: modelica.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/modelica/modelica.js  
**MD5:** 9d173268d73ae885e07741f6a60913ef  
**SHA1:** 2cebfe05d43ff1b9a4608bde365d0e340b9e2b08  
**SHA256:** 96befada89421de8d32f6355c326510128e429167390c60ba81d93dfce4b360a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: modes.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/modes.js  
**MD5:** bcf367e11e7fac26e7f1668e8f1d1968  
**SHA1:** 26c51a0d675e8420deabe41af39537b98b494f6a  
**SHA256:** faf6b57425b7b95a14650da5da6a488cde013e23c1ca57e4223146ccd369230b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: mouse\_events.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/mouse\_events.js  
**MD5:** 9a8c2a4f4b71ceb0d641c905ea325dfa

**SHA1:** 88d8b3f37ba37358b2f270ac184852f0f53c4e8d  
**SHA256:** 17a6d6d77b3607cfd0ba1d551fef84d161747a62b42ecd9454d7427a1c3da610  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: movement.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/movement.js  
**MD5:** 386a27ecd12315f9eff836ce5ab2091f  
**SHA1:** 3170cd5a925774250a79d9e1c9130040e89a6be8  
**SHA256:** 45f4ab6d34f817b4d945449664a35848a252a87f7aa7e917cbefd5710cc06334  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: mscgen.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mscgen/mscgen.js  
**MD5:** 8e06dd81adc9a26c6c708d253868c290  
**SHA1:** d44dd69d6fe4e456417da210928371090d426921  
**SHA256:** 91eff4cccc80f0048d1f7efce0197be483a013dd299e2718b49315639a3d4885  
**Referenced In Project/Scope:** server

#### Evidence






Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: multiplex.js


**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/multiplex.js  
**MD5:** 0bdb637f0ca08689fe55e572cc10ab16  
**SHA1:** c1eb99a3fdd03722c84c78cb9351791428ff0bbe  
**SHA256:** 09ec21386de4e951c1eefe0f1db478a9f57701b202ce18424f2b89d4f74aeff5  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: codemirror.jar: multiplex\_test.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/multiplex\_test.js  
**MD5:** 8a377bbbcf33896551524b1ccebcb823f  
**SHA1:** bf15c3dc16b8de593577266b9ef1f5625d67a0ea  
**SHA256:** 73e22c6765036bce1db37e31f8c46d62a56ca232840fb4fb968d17c24c3e8f74  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

### remotegui.zip: codemirror.jar: mumps.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mumps/mumps.js  
**MD5:** 8e0c6375b6bbe74f633feed856f4283c  
**SHA1:** 6944b10c9a28d7097d90291dcae08e9924461140  
**SHA256:** 1455108cba483e767bc5072ebda6c4c219395adb574aa70f7d7ec856225c3d42  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: nginx.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/nginx/nginx.js  
**MD5:** 63e717882de52ba3a4bb62c9e7bef83d  
**SHA1:** f008d01cd0b803de9bd5bf1088feec56c6eac9c5  
**SHA256:** e35111d1834678cd34bfec04abe169cb11739f39750d1c41ab57c8f2524748fe  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: nsis.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/nsis/nsis.js  
**MD5:** 4851ad88c595ddafbe3979f2e47b4d0a  
**SHA1:** c27aea13ecb53b8797926e831d8730099a585d42  
**SHA256:** 5f9aab831632e1de8d8a4f6fcf52dcd75eb704ab8fe47e2c76aac24c8c30fbd7  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: ntriples.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ntriples/ntriples.js  
**MD5:** a21f011183564e5725ea16a6ca11b089  
**SHA1:** 62d7d39e91ecca5bad75c91241aa31421a303ba4  
**SHA256:** d7a1fd7fba26679ecb0a6ac0b67164ed12a37db25d32ece3472920c6f25a74cd  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: octave.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/octave/octave.js  
**MD5:** d830f31f1647efb252a53d0cb1f18aa1

**SHA1:** 1abba38966f306c238e8f9cf168f95db0e16d5a5  
**SHA256:** b6c6966b9a564ceafa2b2c5ddde2f2efb0349cacdab3f61d90fce2544ece8615  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: operation\_group.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/operation\_group.js  
**MD5:** 72f0c675f45f87c9a45b5f5784212fa9  
**SHA1:** 8ca609f3cf238954efccc55c720e733a56f5029d  
**SHA256:** aaa9c34bd1240b164897a412a257d2e693d2ad35bec219cf8959561de6559edb  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: operations.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/operations.js  
**MD5:** f2e13ff94b86a05aa5daff82022da8d2  
**SHA1:** dbbbc8bf0cd26ed344d48e6be8ba83d3a3ad983a  
**SHA256:** 6570698684e4da9507306248649b72c362cb918b63180b3b3571d91ffed78f83  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: options.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/options.js  
**MD5:** feecb2723f03f979c8b8c9a85c553a1d  
**SHA1:** 99d3d0aa7ab678573f2970b2273404ed4c7cc73b  
**SHA256:** feb45909b7d01751e0edd20b7156ad016ec045cb2eea8e92b96b1505bf6e2159  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: overlay.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/overlay.js  
**MD5:** 3cb76447dd1f64cc2bb037f3ec8c88a9  
**SHA1:** 1ad72da6c675d9b6074f69404c66118ff24389c7  
**SHA256:** 1b44334e2a04d90f2b473c26847798859039190142e53f72f3b7de0f82696d0e  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

### remotegui.zip: codemirror.jar: oz.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/oz/oz.js  
**MD5:** a097901a9fe996b190b9103a64ace0c6  
**SHA1:** d49b86c59bab331924fc03e3f680af92a6bd79d5  
**SHA256:** 641554f9736e5260ff1aea064749a590cba2a854bad6fc334db8ffa2bc1a6892  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: package.json

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/package.json  
**MD5:** e2faa7704d8de49e9d70e7a834d83ae8  
**SHA1:** cab269db696fc76be4a9c83dc82f287546253792  
**SHA256:** 352f4e90706a839430cb2cee1a2080b0c1a0660243d4d2a544e81a57cf8c006a  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: panel.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/panel.js  
**MD5:** f647c5e58b5c032c1691693333104941  
**SHA1:** 5c8285f946d9888b499ae0266e8e165696947074  
**SHA256:** 2b137f8e8631c717d2af81edc341d436cd3a6debb8e9fdcdc20630296685d3cb  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: pascal.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pascal/pascal.js  
**MD5:** bdc6c5432f1408c29254a933f45ca2e7  
**SHA1:** 541ec18ed0863a528118a8026b6a5aa11a9c5918  
**SHA256:** 5eaac022259857d3b9b127ac0deb76c84d2523dee102d203738293f95ce5086c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: pegjs.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pegjs/pegjs.js  
**MD5:** ad4350eff079b204cd634114959c0904

**SHA1:** 978baa600d3539e1eb05834fd0b7d659f0fed792  
**SHA256:**8cc7fe980c79a1ded9265d338062c8ecdfe6e0d044fb795bf11eb8d9813dc492  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: perl.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/perl/perl.js  
**MD5:** c6a3b40a8b2971690ff06860516bd140  
**SHA1:** 08bb3e219af9990114dda08e2ad935c5992dd39f  
**SHA256:**a614830dc6e71770cb4feabc487dfa1b72e29444789b94d1bcad62490827ca1e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: php.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/php/php.js  
**MD5:** f2f1668dbc8a4b0fd9f031dceda0e4ab  
**SHA1:** 31d6961d6d4cbe7bf5deb2f0b5ba099c49e5c962  
**SHA256:**07819ae34d5830a3cf040e1904d4b641cb70142845394211f7fb63c891d80945  
**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: pig.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pig/pig.js  
**MD5:** 40f967482626259f7cdfb972548743cd  
**SHA1:** bd2d7d6522d69e9849f8a6cf3b631ddaf50a091e  
**SHA256:**e9a9ec475aeee8b2f75fd1c8a58ea0a2d0cffd383b1a3fb8bdc460881d612352  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: placeholder.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/placeholder.js  
**MD5:** b5b4d8391f1b94044cda61cc979cc772  
**SHA1:** af7eaa5519c4e0fa823224593b0ae0b7fda73a23  
**SHA256:**44619626e2301fc16ebade252564e2c064113483e02f2fc8d8d262aed2485b9c  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: codemirror.jar: pos.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/pos.js  
**MD5:** d1fc4bdcc5a93ac92f4c3c9cb34bd220  
**SHA1:** 810afb684197135ac8ac6626a4a7eebef9ad5cc3  
**SHA256:** b708bfbb9ce809d5ce2d1490d806933fad9b471ac63e0f4c72a31ada57e05f9b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: position\_measurement.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/measurement/position\_measurement.js  
**MD5:** 6c17908c000f5a7beb67e75b1340c3ef  
**SHA1:** c5dd40151e773a61694906cf92f941fe27ce51de  
**SHA256:** c5c488b91320e33d6e25fbb8ce4fbd3c28621511328b48e9690f797b81d51c32  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: powershell.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/powershell/powershell.js  
**MD5:** cf3b0559e54ae537a420d86a07b441a5  
**SHA1:** 992cbac5ee6c618eab5f646438ba5fb54f66cfe1  
**SHA256:** 9530fdf52d164be6d021a87de567acb8738f86f6fd98577533a9db3545e873c8  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: properties.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/properties/properties.js  
**MD5:** fdca15c3c811413459ed12fce119db54  
**SHA1:** 715881cc0ccd13302e302dade67f675d37cfdbd4  
**SHA256:** 3f85f36e32edf82eba526ad56edadf04c33864d72bf0cfae2592a490530a4966  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: protobuf.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/protobuf/protobuf.js  
**MD5:** 3e57a349742d01647347b7339572d9fe

**SHA1:** 909346135655b3aacdb909a19acb59876e2810dd  
**SHA256:** 93d1459ed6cc4e2a4701fc17959fe7f56b797d1d35b47f44b8030c0d19adf5b3  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: pug.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pug/pug.js  
**MD5:** 63473aabe4ad7435cc804132bf743ec3  
**SHA1:** 4e624a3174fd238241f692c1f935ae75d41269f4  
**SHA256:** 1f9e975ab889f6dd9183758bc7b454224dd11859b8e045ce5b98e2c4a05bcf9b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: puppet.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/puppet/puppet.js  
**MD5:** be03e9aad763ae4b5ee3d6a226aa8c78  
**SHA1:** 7dae96b96e285c5e747624c864be8f1b0cb61e5e  
**SHA256:** 237b966a50a514c6beabddfb83649797f764a29f7f2c7100dac1f411709040af  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: python.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/python/python.js  
**MD5:** 9b50648e6f546e4f63f1a8eb25adb039  
**SHA1:** b178c4d31cc4eeefe58e97a60723d47af96b79ed  
**SHA256:**ec56443dfebe73f332cc639289ad2de6921560c8952a3e2127397a0849882657  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: q.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/q/q.js  
**MD5:** ec0a69917f7ff85ef3c89ab34cbd0ee9  
**SHA1:** c52261047f62fbf5a52a2fb36e0e926859505ac3  
**SHA256:**1fecda8902c9c63fa36833c073370e479c7b8def1b883147c364f81cc6ac9171  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: codemirror.jar: r.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/r/r.js  
**MD5:** 32999ceba0af47e9e6b4042314e2cdc0  
**SHA1:** f044c32fe6998d6c6fbf774910766fca456273d5  
**SHA256:** d4b1d1ad4275187d4f371fb61ca77ec10f63deba233644c484667750f934b23c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: rollup.config.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/rollup.config.js  
**MD5:** 73a1da56a828ad2854d28749fc155632  
**SHA1:** 48bed29223b72a22a9939b57333c2d6e58bdfd39  
**SHA256:** 8c887c6ebd69fc77f4d1690cc0eb5afaaad25f0e18baaa5c7fdb16a6618ee08  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: rpm.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/rpm/rpm.js  
**MD5:** 5fbb2d4919f2d396e78074f4c98812c0  
**SHA1:** 719d22639e2bbb16d80df811da20013f3998c42b  
**SHA256:** 5e8a8253eb986b58fb170e2d58bdd134b05fc7dc02a456374a034d7564f77fcb  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: rst.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/rst/rst.js  
**MD5:** bd89a589282ae08505026ef31cd4c6ad  
**SHA1:** bfc1dea7ab7b49ed20e4127add87019c8dc56850  
**SHA256:** b50d542cf38074c392f7fde44ef2cbab24b45bbfd178c426cfef6848d6d3e90d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: ruby.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ruby/ruby.js  
**MD5:** b0b2ef072186390edb0444a0eb2e315f

**SHA1:** d63568f7de026f9c17e0a4124161ad5007c0c709  
**SHA256:** 953daad8a24225d56733f77c0c4451cf05436f70ad00e5dd1618486a1d5e01b9  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: rulers.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/rulers.js  
**MD5:** 267bb54847534c8bfb41dcf227f7aeb0  
**SHA1:** ef8505818354f0e8e79d6ef7a902ec0feaaa0ed7  
**SHA256:** 175d32d6794e2d917f446c4bcc8053c9a9e69eb9fcb3b805daaf015189b6ec03  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: runmode-standalone.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/runmode-standalone.js  
**MD5:** 51867497bb73c2eba5e2e6cd1352f29d  
**SHA1:** 591c22764dd7599a2d443c593bd5d4fd77928e65  
**SHA256:** c1c9bc16a627699da49d9733f93d75963603175081a540b276f11c604739abc9  
**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: runmode-standalone.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/runmode-standalone.js

**MD5:** 8bb22c65e3d5cb3b6466654c7c6ec4c8

**SHA1:** 942779dcd636d8372e9d8c9949858ea5b68bfdcf

**SHA256:**8a06491ff4969718a7bbe2f8ae9d380e9f05f0947d7f5e0d940930e5a929e469

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

• None

remotegui.zip: codemirror.jar: runmode.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/runmode.js

**MD5:** 6b9c51f3ec2f5a79c75836a0f75569c0

**SHA1:** 88d7a8053ef7fe9996f63800076992a5f65c4dba

**SHA256:**920d8eeee55e987468236ba7ed2886de0bb8b2fed9d7060383a39ea29924ae885

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

#### remotegui.zip: codemirror.jar: runmode.node.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/runmode.node.js  
**MD5:** 3847af673a6ae44d53fa8d697df2b8e0  
**SHA1:** 91e688f6fc356c47f9bea928ea3768b7c7a57693  
**SHA256:** 0d796745f8db549e4ade4132025a45994f45dd6f4765402ee75e4113019edea6  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: runmode.node.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/runmode.node.js  
**MD5:** fe41270e99f973a568d5a823cd6e2bfe  
**SHA1:** c78b8d45e3db1891ad28f93b64ebd5ec6d0b9c98  
**SHA256:** 016bd87dc725d65c80cfa58d2e58033e013e703878cc05f322f938d58ddbcf9e  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: rust.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/rust/rust.js  
**MD5:** bfb43032004a8d5d115c6b817cbbbe2ba  
**SHA1:** af76d8276b553e168b5fab49108e715452cff07e  
**SHA256:** 797a9abcf8581f192bc49b11434346d3f8014763f4967ae260fbe31f25b2bdfb  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: sas.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sas/sas.js  
**MD5:** 46f6d321e806768f9ebbc0155a5f9807  
**SHA1:** 441d94bf2da7c5299662ba76dba352aac7df705a  
**SHA256:** b69f2877e395b89682a4066f62f686c12cb66eac441b6c1d3ee15d5004859f43  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: sass.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sass/sass.js  
**MD5:** 0067718b0d6fa922bcf032b58966c3fa

**SHA1:** 1dbee553e6dfa3d57a3aa6548b43a753ccdb7380  
**SHA256:** 01ba99f4a91e70d2a5d3ef881c542f14a1f59f3ded58672484bcd56b41921866  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: saw\_special\_spans.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/saw\_special\_spans.js  
**MD5:** 72b6184ab657ca37a0d984dc73e7088c  
**SHA1:** d84fccfe8c3cd0f1a0b5b2f388de87e57503df3  
**SHA256:** fb122060ec500dd99a179c002fbb6a8709eba030bf8f7695d868109b470b31ff  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: scheme.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/scheme/scheme.js  
**MD5:** a64f664dcef608b26dea48b1ea52b622  
**SHA1:** 1e90715a9ecc9c8cc9500e9b064ffe0defc60b9c  
**SHA256:** 0bc81b318e12c7c5bbd94943d9d64cf1a64674c3bcc7057788ed1ade8701ab80  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: scroll\_events.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/scroll\_events.js  
**MD5:** 8c96ad450d94581a7a461c44fa1e7cfd  
**SHA1:** c92034958533fbaa6512c99d715a6032d43355b0  
**SHA256:**b0472dfdc7a904f6a082f064c9384dde3ce1ec95953d9c276216424da03ffa01  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: scrollbars.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/scrollbars.js  
**MD5:** f06876b47feef8deb64e7cd59d76ab1f  
**SHA1:** 73c1a417818efb800852fec0742136fb1c891c1f  
**SHA256:**11cdf1fc628da528adf11b23bf19cc06072bb573cde470669343d27be9b0ab4  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

### remotegui.zip: codemirror.jar: scrolling.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/scrolling.js  
**MD5:** 104c04ec259e68a53516216e4947e9b1  
**SHA1:** 54446fd791e3331041e6e9a0874fa66d4794bcb4  
**SHA256:** 07f6964d12cb85a698967bcfeca73824a7b602475d488ed6f57e2981879e7487  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: scrollpastend.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/scroll/scrollpastend.js  
**MD5:** 74be53ff23fb5eda7725c96f1ff683b2  
**SHA1:** 1aec49fd4f7f5571fac13fddaad9eb1705cd522d  
**SHA256:** 6cd389df1da1ff9ba25728e03afb7f47df3162c3d9bdb5cedd06fc91c6199479  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: search.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/search.js  
**MD5:** aee5a4efc34387df3d1974e09cd2965e  
**SHA1:** aa36dc4a27460ccc0b4b40ee643907303b64a880  
**SHA256:** 4949580371fcd81c0ad70164b169dd8bcab2bd9869eddaa0d7e295508bec7a04  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: searchcursor.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/searchcursor.js  
**MD5:** ca8612c41c44b87a10703ffe71d4f750  
**SHA1:** 6bc4c36ea23ce7bf583f95ba4ad49e599bc646a1  
**SHA256:** 2c0b8cd8fe7ca5ca2253f4aacc914b390bff5b3cac3475df66c43a9ea8c8ccbe  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: selection-pointer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/selection/selection-pointer.js  
**MD5:** 3ea743f9f1b458692e5258bcd8afbd8

**SHA1:** 4306383d109eb987ee62a6e2defa8926dec870ba  
**SHA256:**fdd7ff53d0ca796c5e3792ceb5063c84d0735bcaf198a1c06c78880f1c664a22  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: selection.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/selection.js  
**MD5:** 34d76a4a0d6602f8d4ff937e499f7906  
**SHA1:** c759ce0c87a62abdd8916125e3bad601e4ce4efe  
**SHA256:**ca2d26085ea9380b686c57d5ef8789e3c3032ed8c5d90ae0e1c9dba69635a89f  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: selection.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/selection.js  
**MD5:** 8f89f30a603010383e7c118550697100  
**SHA1:** da2d4548c10827c45fd625bdfd1ffdf0e28e0c30  
**SHA256:**03cb03c86030e258ed013dc958cab854e2978893145cb096468ff8149417502f  
**Referenced In Project/Scope:** server

Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: selection\_updates.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/selection\_updates.js  
**MD5:** 252e2ea7a38323b8d82902e6595d23ae  
**SHA1:** 27719d66e1ff98e650abbc5b48f2f4635f65df13  
**SHA256:**a285a62ec8522c5d8271505b1438dddaf39c3dbfd4dec5ac01971728e21a765  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: shell.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/shell/shell.js  
**MD5:** ab0fc779b5fb9bdc1310a28d7dccc379  
**SHA1:** ece7e7661886871cc46ef71248c67ea53a61ac7d  
**SHA256:**24f77cb162ea9d9e9fc79b95ba547a7cc10a0767e3a5a52c786d4c24253736fe  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

### remotegui.zip: codemirror.jar: show-hint.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/show-hint.js  
**MD5:** c9e3db9bd2540c05ac67b249f8122387  
**SHA1:** e8092d9477bb1ad4d17d44522d99cc67ead53b16  
**SHA256:** 28d2123fd1c9cf197651c2a0b3cb65762ba06dc073e023c75ec05b1f139b0af5  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: sieve.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sieve/sieve.js  
**MD5:** 88c6148d955c6542b3f10482b736e553  
**SHA1:** 72627a945e27e3044717e5b8db378f3d776ad0fc  
**SHA256:** c233866cf4990e2f28f11c96ecedc7e7dc465c19c5b445b30bdc037118f7b65d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: simple.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/simple.js  
**MD5:** 282f2d54ca2c7b60ab4bc0cd762b943d  
**SHA1:** f08a5e5394568164edb85911dfc452f433bb2483  
**SHA256:** 400f49309b31197c0c4ec76519c93647b494ab80f59f96d7f051463e0aa37eb0  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: simplescrollbars.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/scroll/simplescrollbars.js  
**MD5:** 34d6903cded2822fb2261678e1a479cc  
**SHA1:** 0707d27834fdde0fe2c32935af79d4575cf9f1ad  
**SHA256:** 62b48bff43436bfb8ecc5e3273e6047f0b934c1d873c81e863e13bb462d1e1ab  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: slim.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/slim/slim.js  
**MD5:** 447874e5c5dd225949004c357d17ffe2

**SHA1:** 2cdc3263aa6d9766131d73157afbf05fc6767b50  
**SHA256:** a8d555221c610512119f2107d58bb1c57d294cebc91f82638ea6e235286b5c15  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: smalltalk.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/smalltalk/smalltalk.js  
**MD5:** f6e7ef04f9f907a13604ea5b1938d3d7  
**SHA1:** 57f009cf2b2147f14c530f697fdcbd3ac493e053  
**SHA256:** 9f649668162a61cfa6a3528dbe513d012162932c742c7b0696078bd2a6d3b190  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: smarty.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/smarty/smarty.js  
**MD5:** 3ccd6f2129ee79c85ef96a8237f1de7a  
**SHA1:** 5fc274f49b704c0a99e0f0b9030c90f56fc7c1f7  
**SHA256:** 9e95bcd71635efe200c3871c57cbb1c07edc1f8206d173f4552fd2dfbcf9e9af  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: solr.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/solr/solr.js  
**MD5:** df4ba46ed00e24c144deaef9a817d024  
**SHA1:** c880da8431afd54034ae7fbfedb45d94966638b7  
**SHA256:**17f16060f00cd932914722bf2cd1a01318c402503b62f3bd2bda09bab6b42b85  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: soy.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/soy/soy.js  
**MD5:** 1db8a99a573b2ab07cf30cc58da1bb2a  
**SHA1:** 7c0a178caed0b849f140d0b21de6548a0355f9c1  
**SHA256:**358a1861e92366d238eb240fd5d5cf8ea6f5fe219f389667d277031c0a1a47c5  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: codemirror.jar: spans.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/spans.js  
**MD5:** 52150a5a01dd7c56de003aa132f71e25  
**SHA1:** 92cc8b4ab38a103a106f574c40d25d16e97d48eb  
**SHA256:** 719ad01e720518e7594a76ed4dc4904fec7c495b12d87fc4599b40032975789  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: sparql.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sparql/sparql.js  
**MD5:** 856d73e41310b4dd6a18f13d64fec0be  
**SHA1:** 1669e717cbfb9fa9b30e99415a6e5f7a66feb286  
**SHA256:** e646ae1e2796c936a8760af321089f5814d0158ef72aa3f3efb60765430a2e6b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: spreadsheet.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/spreadsheet/spreadsheet.js  
**MD5:** 370c01bed3c433131f942ef7e6f69187  
**SHA1:** 94b3e4c80f954a378ab94f13068d879e9ab3394b  
**SHA256:** 0807dd557c55f5b6d8579c5c9019c5eddcda9c56ce559190e5f2985b156a00da  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: sql-hint.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/sql-hint.js  
**MD5:** 8d41549d89ca9bfa3ef068190df379ca  
**SHA1:** 6a2cbde78c9311f75509d3350877a8018499e8c7  
**SHA256:** 60703945eb6cc93d4f47d70b65f955e66ae8a22c0cb1ceefa69cf0890564544d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: sql.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sql/sql.js  
**MD5:** b48a3934b20b392ae812b17df05355f4

**SHA1:** 40d1a558afba1f5043b23131e496de37d8e2dfb4  
**SHA256:**ac23d3f196deb9be25cfcecb966bdc1789b9e177aac683ddccde1420670c4d8a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: stex.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/stex/stex.js  
**MD5:** c7ef8ac785ee813860cc414ea17dbf6d  
**SHA1:** 3e46d97b4e694c7389cd0df4d13b914697d28c8f  
**SHA256:**edc1f57c69920967a31defb66954aa29f5751fdb2f7ed8e52fa08978ff890e3b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: stylus.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/stylus/stylus.js  
**MD5:** 7e6d36c0cc269b4e518bd48b9b6342d6  
**SHA1:** ea339b15b178a1082a2acdadae82ef1f4a599f32  
**SHA256:**85683adfef4f0129670fc2e5ee9148ad956213f5fa0c8dd05ac7970ad7f0b337  
**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: sublime.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/keymap/sublime.js  
**MD5:** 1d7ea7f929183e76740bd9d98e9cac41  
**SHA1:** 84a64b60b5802e86b0689ccfa95665339347f0c7  
**SHA256:**1d532a67594845cb7163b090a06da9287b896944ab5f22df67f14e176bd434e5  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: swift.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/swift/swift.js  
**MD5:** bf859160b6f348fc2d72673fc40b9da9  
**SHA1:** c6b46b402c9b1fc3166712d68eb10ad29c5d01f9  
**SHA256:**939dc67bbef9f0f6847f5bc2a89b0c8f4b411d57fbeed4f9d5cc21fabd7e191c  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: codemirror.jar: tcl.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tcl/tcl.js  
**MD5:** 28a739b5550bd5ad13b47dbec84a9716  
**SHA1:** 2ce8afb99f36fece39e1b3df7be02509f77b19ee  
**SHA256:** 98552bab94ce9adc9fce5658da2965994a84e852c83098e94564884815b3026  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: tern.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/tern/tern.js  
**MD5:** b9418efb9c0d90a3432dff86169fd293  
**SHA1:** e4d1225e756d51fcb69c2f14ddce1b09fa2a23b7  
**SHA256:** 1ebb5ad38f72115c49865b5537fd9c77da506b7ed2be38bd310306af3c698e44  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: textile.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/textile/textile.js  
**MD5:** d3923b19d37114a9e2a346c191c318e1  
**SHA1:** 979b17e6363d63ac2d1b3a6854ba6196564fc5d4  
**SHA256:** c121fcf3e641a7433b9e328c76aa0b1755aa4c0412e4f59a1d8d6ac24b36df06  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: tiddlywiki.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tiddlywiki/tiddlywiki.js  
**MD5:** 3e4fb7a08d9df5cbe9822cb1756bec86  
**SHA1:** 84885a1cb7be096c19a3dfddd70252efcc83960e  
**SHA256:** 4b62acf34df4acb1a4bc1a2729edaf221583679761d35e0e9077883810fccbfe  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: tiki.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tiki/tiki.js  
**MD5:** 6e4bd43879571d0fdfa79714f550a3bf

**SHA1:** 6fd2ece4b20160c1859f34cb245b173459c21163  
**SHA256:**af92cd0858a99f3c5cacf240874db7eac2704a7b193a3cdfddfc5ba70382a293  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: toml.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/toml/toml.js  
**MD5:** dc2ba16cf830b53759b71306e9473ed5  
**SHA1:** 1a394f9f45c508febc270b7c0a1f72460fc897d9  
**SHA256:**67bbbc2696788633071f2a2b8a1cf6ca4f4ac82213e3d85b7cd183d60b117679  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: tornado.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tornado/tornado.js  
**MD5:** f45c2ec37cc008dc5dbd5f9c077ba666  
**SHA1:** 8b55c6a85279c8f7d6b3f539fa097fed877c16b9  
**SHA256:**d006020d7d093cb4f5ed5088ed151d4c45417fe5ccde69d960eb82cfcb9e0ecc  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: trailingspace.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/trailingspace.js  
**MD5:** 43599469275c2b662b7907971147c978  
**SHA1:** de4d3ee3d32f01f94921b8b3944c7383da7ba970  
**SHA256:**a0d2c0196d8f4991cd58f320498f7aece971e502e4811ecf58cb5af8e83007c6  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: troff.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/troff/troff.js  
**MD5:** e7f5f0a2bf68a81f0f3e547ab5640627  
**SHA1:** f59246b4ff5ce93afc87a4ed30a0cba0e6ba4775  
**SHA256:**f7714fdc46774467c168e75fc36eca90e6df16e27afd0b608b882b2df769b8c3  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

#### remotegui.zip: codemirror.jar: ttcn-cfg.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ttcn-cfg/ttcn-cfg.js  
**MD5:** d847dacea4534ee2841f01f5ac419060  
**SHA1:** 0df7a9b8f5e91e2ae8d5a8a02c99bf779e221743  
**SHA256:** 22983894e4a3794c9bcf396e7a4119efa5ea07a4f97e060e15f3c13ec2c1a01b  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: ttcn.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ttcn/ttcn.js  
**MD5:** f94e618b386e8bfd0ffa2252482e9c84  
**SHA1:** a463a8817c26dcec47a7d006aa097dacf74b28d1  
**SHA256:** 10be6704eac48032ce00890bdfffa03d445aae18e3ef7bd74eb14a26e5867a28  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: turtle.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/turtle/turtle.js  
**MD5:** f36ec21c639822b370b87c63415533f1  
**SHA1:** 9b6341bdf7330b71a5959cde815241b6e7deaf05  
**SHA256:** 0f82b51ecc43b95e55a752f80f719f8a39b607697b86d3fa4523a5e8280d3520  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: twig.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/twig/twig.js  
**MD5:** 09ab2491f1056e9d142e233dbc9dc1de  
**SHA1:** 4cb5eb7c9bf77dce80f92f2498d83af92f3398b8  
**SHA256:** 72b6e091bbd6a7c6eb786db2591c1f6f59c7880ef224ce5365ed39ec786d583b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: update\_display.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/update\_display.js  
**MD5:** 8a51230ca1be6a91aebe25d4d0f7b55a

**SHA1:** 79b7a1faa3bfaa65f28ab4e324fa88b485ed21e2  
**SHA256:** cf96f09d7f210f2cbf0c1912058eca1f96b51e63b1bf7b39016c0156c2b9ffc6  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: update\_line.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/update\_line.js  
**MD5:** b9b8f3c5e697e33d73d1044eaaa86dc9  
**SHA1:** 4f7c764ac36b54c918f06b68129b8835b22b55f4  
**SHA256:** 5fafd013fc16591f0c978c6a4bacb3cf054d52f5051becd4325de8c21ba07f7d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: update\_lines.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/update\_lines.js  
**MD5:** c864b2f05d2101a47c52b9c01aad5b47  
**SHA1:** c63e8555c30976387f5904fda11fb55174743a88  
**SHA256:** 80e80a6c8ad664587c2f01128e85c5c931f29cd021381584e2195073a53df45b  
**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: utils.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/utils.js  
**MD5:** 4e9e033cb9daa0702d84b88dfcebae20  
**SHA1:** 8e5257ed7b93a00cb5eccbf544d6a1043f2edac7  
**SHA256:**06220f9e424434492b73e0aea65bebba1fe74fc3002f8b3672d1d0d3a445f20d  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: utils\_line.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/utils\_line.js  
**MD5:** 0f6f365b60c1688d8f0fcb8d57a9d9d4  
**SHA1:** 574435cdc400815c829db19a67652b7077b00433  
**SHA256:**a8b39ff57b6d43dfceda786380d6dacef7b1738a81fb6033e7573502501d4b6e  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: codemirror.jar: vb.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vb/vb.js  
**MD5:** fa430588a34292ebd66e33fa60217b4a  
**SHA1:** a89cb1b315fbed1886d709d921ae95b216d89fc9  
**SHA256:** e8f8e4496baed70b1e6ff44979382bad81b921b9570b7da1a377835e973f28f6  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: vbscript.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vbscript/vbscript.js  
**MD5:** 2da61e304ec310d9291e372c53c6b06a  
**SHA1:** 9c582c79ac9ef6d1c08850c180f988bf974aedb5  
**SHA256:** 77109e0c2218502dac03b5bc3b290cfe0b46ea00f4d267f3dc4378d9abe1bdc9  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: velocity.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/velocity/velocity.js  
**MD5:** be30a2a88271b692c85d7de9744f7c16  
**SHA1:** d45880a6f5d3d4840ed1297d7b3f14ba4c9a4be7  
**SHA256:** 3c076c7bdb1e2d3d25bffa1a682556ae449f1545c3731935306333b5831aa951  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: verilog.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/verilog/verilog.js  
**MD5:** a79b1a94e41866ba625c37e77a76ba16  
**SHA1:** 4818788973bd3f66d3b9e14992710d96a7ec18d4  
**SHA256:** ae7c58b13650019ca08760e04f3ece3315e889eb5aa849a34400f16542610eb1  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: vhdl.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vhdl/vhdl.js  
**MD5:** 4f804b6884d0d7c233a0acc15fdab384

**SHA1:** d30d775adce22818b6e3955fae1d653028abb5dc  
**SHA256:** da078efdda01a1245fb8ed5a16cfeb0a51823e5917e3802457041dc48243539  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: view\_tracking.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/view\_tracking.js  
**MD5:** a26525bd629440e84b02128d6eb323b4  
**SHA1:** 2cb6103f9dad13f5ee416f272cc9f8f14084ffc6  
**SHA256:** 077f385b690f0c7af9976cb7b6d2b60a175f762753a77b3060a6db2686a5ee81  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: vim.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/keymap/vim.js  
**MD5:** 3a5542b6dabf86e3983f29c5c5a184b6  
**SHA1:** b8afaac94045745d4517c9635a5d0c1c266db7ca  
**SHA256:** c8124370e0ba7e76d5cde3c18d257c5c99e5578d6505f0eeaab5c791673c40e8  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: vue.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vue/vue.js  
**MD5:** 9e7dbdd0bcaee6279ed4e77f5ebc36ad  
**SHA1:** dc5c50230fdd556f9c3530f781b7a2b16ad30a20  
**SHA256:**8b9c4f59c1230c537f44f593f5d608a81604e4b3dfd345ea938939d0d62f668e  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: wast.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/wast/wast.js  
**MD5:** fb1f6ce81911f07db605e2e5ccf41cf2  
**SHA1:** be86e08e18cc74130b483022c355846d72116c20  
**SHA256:**8e8ae8ab4475c66d2f05960ffda597af6279c8c93f62cdab443407bea74c0091  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: codemirror.jar: webidl.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/webidl/webidl.js  
**MD5:** f31e84cde3fcc1fa2efec9889038d7e5  
**SHA1:** 0757847217a95faf4defc9685f6821accb9d8988  
**SHA256:** a12293542727a69514ae5477a65e33eed4f871fc207c6b275c9d8be1f2177062  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: widgets.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/measurement/widgets.js  
**MD5:** 675098b5f0aea0bf351a1b5762febfa6  
**SHA1:** c922dccdf98c79f92fa086bc2a36d970c76b56df  
**SHA256:** 09874ad13a856fad11b3afd084e58411741ee2735e61b4d95fetc060b60bfd65  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: worker.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/tern/worker.js  
**MD5:** c6d16e68bc203e9489fbbd11b5b100ef  
**SHA1:** f8adb9ac9944f88bf6e69048c001f89537f32198  
**SHA256:** 80c0e9bc4e2ef9ca9c97199818318429d26fae0d2452a20547b1e458eccf794d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: xml-fold.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/xml-fold.js  
**MD5:** bcfaae27958026e83cd442b5df731da4  
**SHA1:** 7ad4740f2ecbaa3869b066156b19401075a0315f  
**SHA256:** 4ad0fdc2f93882174c9071e9a3c2324d15d4deb0c43fe607f9efe01dda1af9b4  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: xml-hint.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/xml-hint.js  
**MD5:** f2651770cad286ae58d12e9f5c4e9e6f

**SHA1:** 17bce6be75e45d7a291a32d0c1e346e4818296db  
**SHA256:** 6b78f04d2137358d5a01e9fa2b3a8f069acc70f925cc7efc39448ebe9599a805  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: xml.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/xml/xml.js  
**MD5:** c93fe254ef100aeb5c9dfcda4c91d27f  
**SHA1:** 510c71566cf81560cb5bd1bb25287ed6502dde75  
**SHA256:** dc7e44d410399326f802e2924573cbf6f942a79f647fd0b97f0b607973bc9a09  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: xquery.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/xquery/xquery.js  
**MD5:** 56cd9562591919c15b7610f13cd112be  
**SHA1:** b294546669da04806196e6aca774914a30a0b3f8  
**SHA256:** 618685277efde78e0e48fd5cf95948ae32a4d57de942038ed0579415f3f2f9dc  
**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: yacas.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/yacas/yacas.js  
**MD5:** a70c01cdbd7d4311d4dda287ace27a79  
**SHA1:** e853bda930d5fed1db0bd56ab9426612e759f9b3  
**SHA256:**edab39fac054aaee5ea8ad3d09e0d38f57d5b24f826df7561526b5efb229fc72  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: yaml-frontmatter.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/yaml-frontmatter/yaml-frontmatter.js  
**MD5:** c2dc6071833d8d9bf02d81244403cbd6  
**SHA1:** 212780f18d78644233eb826c8c660eee51b6ac70  
**SHA256:**98baa91eee7ba77aaf150a59d7e5146d4964ddb271076cd963cce43f9928b3f8  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: codemirror.jar: yaml-lint.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/yaml-lint.js  
**MD5:** 925332d44aefcb89b106d4fe9b32e93d  
**SHA1:** 19221be874d11d57582a77dd08fd2f244e9b5500  
**SHA256:** ee7249600f6b395c302b24054060f8abe87cbaa68a9f426593ca5e5f3748bbf9  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: yaml.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/yaml/yaml.js  
**MD5:** 77fd959da1bbaeff5cdd97689da94570  
**SHA1:** 9b206b33cc7b2b5e1e21d39bd177b1c6500e9722  
**SHA256:** 3256b4e40302d4488834925a990edb32cef7d431f70a40917c1c5398468d861b  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: z80.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/z80/z80.js  
**MD5:** 85b28ee5eafe8552bf842eeba91325f7  
**SHA1:** 34971fc9b5ed5aa2f8714030186cd3e0056cb2ac  
**SHA256:** 0f501d7b8c9c48942900b4d7131f5bb18130395024e66ea5d98aea480f845e2e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: commons-fileupload.jar

#### Description:

The Apache Commons FileUpload component provides a simple yet flexible means of adding support for multipart file upload functionality to servlets and web applications.

#### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/commons-fileupload.jar

**MD5:** e57ac8a1a6412886a133a2fa08b89735

**SHA1:** ad4ad2ab2961b4e1891472bd1a33fabefb0385f3

**SHA256:** 51f7b3dcb4e50c7662994da2f47231519ff99707a5c7fb7b05f4c4d3a1728c14

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-fileupload	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	fileupload	Highest
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper">https://commons.apache.org/proper</a>	Low

/commons-fileupload/

Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-fileupload	Medium
Vendor	Manifest	implementation-build	UNKNOWN@r\${buildNumber}; 2023-02-01 12:39:33+0000	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-fileupload	Low
Vendor	pom	developer email	chtompki@apache.org	Low
Vendor	pom	developer email	dion@apache.org	Low
Vendor	pom	developer email	dlr@finemaltcoding.com	Low
Vendor	pom	developer email	ggregory@apache.org	Low
Vendor	pom	developer email	jason@zenplex.com	Low
Vendor	pom	developer email	jmcnally@collab.net	Low
Vendor	pom	developer email	jochen.wiedmann@gmail.com	Low
Vendor	pom	developer email	martinc@apache.org	Low
Vendor	pom	developer email	rdonkin@apache.org	Low
Vendor	pom	developer email	sean [at] seansullivan [dot] com	Low
Vendor	pom	developer email	simonetripodi@apache.org	Low
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	dion	Medium
Vendor	pom	developer id	dlr	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jmcnally	Medium
Vendor	pom	developer id	jochen	Medium
Vendor	pom	developer id	jvanzyl	Medium
Vendor	pom	developer id	martinc	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	simonetripodi	Medium
Vendor	pom	developer id	sullis	Medium
Vendor	pom	developer name	Daniel Rall	Medium
Vendor	pom	developer name	dlon Gillard	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Jason van Zyl	Medium

Vendor	pom	developer name	Jochen Wiedmann	Medium
Vendor	pom	developer name	John McNally	Medium
Vendor	pom	developer name	Martin Cooper	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Sean C. Sullivan	Medium
Vendor	pom	developer name	Simone Tripodi	Medium
Vendor	pom	developer org	Adobe	Medium
Vendor	pom	developer org	CollabNet	Medium
Vendor	pom	developer org	Multitask Consulting	Medium
Vendor	pom	developer org	Yahoo!	Medium
Vendor	pom	developer org	Zenplex	Medium
Vendor	pom	groupid	commons-fileupload	Highest
Vendor	pom	name	Apache Commons FileUpload	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	https://commons.apache.org/proper/commons-fileupload/	Highest
Product	file	name	commons-fileupload	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	fileupload	Highest
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-fileupload/	Low
Product	Manifest	Bundle-Name	Apache Commons FileUpload	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-fileupload	Medium
Product	Manifest	implementation-build	UNKNOWN@r\${buildNumber}; 2023-02-01 12:39:33+0000	Low
Product	Manifest	Implementation-Title	Apache Commons FileUpload	High
Product	Manifest	specification-title	Apache Commons FileUpload	Medium
Product	pom	artifactid	commons-fileupload	Highest
Product	pom	developer email	chtompki@apache.org	Low
Product	pom	developer email	dion@apache.org	Low
Product	pom	developer email	dlr@finemaltcoding.com	Low

Product	pom	developer email	gggregory@apache.org	Low
Product	pom	developer email	jason@zenplex.com	Low
Product	pom	developer email	jmcnally@collab.net	Low
Product	pom	developer email	jochen.wiedmann@gmail.com	Low
Product	pom	developer email	martinc@apache.org	Low
Product	pom	developer email	rdonkin@apache.org	Low
Product	pom	developer email	sean [at] seansullivan [dot] com	Low
Product	pom	developer email	simonetripodi@apache.org	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	dion	Low
Product	pom	developer id	dlr	Low
Product	pom	developer id	gggregory	Low
Product	pom	developer id	jmcnally	Low
Product	pom	developer id	jochen	Low
Product	pom	developer id	jvanzyl	Low
Product	pom	developer id	martinc	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	simonetripodi	Low
Product	pom	developer id	sullis	Low
Product	pom	developer name	Daniel Rall	Low
Product	pom	developer name	dlon Gillard	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Jason van Zyl	Low
Product	pom	developer name	Jochen Wiedmann	Low
Product	pom	developer name	John McNally	Low
Product	pom	developer name	Martin Cooper	Low
Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Sean C. Sullivan	Low
Product	pom	developer name	Simone Tripodi	Low
Product	pom	developer org	Adobe	Low
Product	pom	developer org	CollabNet	Low
Product	pom	developer org	Multitask Consulting	Low
Product	pom	developer org	Yahoo!	Low
Product	pom	developer org	Zenplex	Low

Product	pom	groupid	commons-fileupload	Highest
Product	pom	name	Apache Commons FileUpload	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper/commons-fileupload/	Medium
Version	Manifest	Implementation-Version	1.5	High
Version	pom	parent-version	1.5	Low
Version	pom	version	1.5	Highest

### Identifiers

- [pkg:maven/commons-fileupload/commons-fileupload@1.5](#) (*Confidence:High*)
- [cpe:2.3:a:apache:commons\\_fileupload:1.5:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*)

suppress

## remotegui.zip: commons-io.jar

### Description:

The Apache Commons IO library contains utility classes, stream implementations, file filters, file comparators, endian transformation classes, and much more.

### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/commons-io.jar

**MD5:** ed8191a5a217940140001b0acfed18d9

**SHA1:** 377d592e740dc77124e0901291dbfaa6810a200e

**SHA256:** f41f7baacd716896447ace9758621f62c1c6b0a91d89acee488da26fc477c84f

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-io	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	file	Highest
Vendor	jar	package name	io	Highest

Vendor	Manifest	automatic-module-name	org.apache.commons.io	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-io/">https://commons.apache.org/proper/commons-io/</a>	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-io	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-io	Low
Vendor	pom	developer email	bayard@apache.org	Low
Vendor	pom	developer email	dion@apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	jeremias@apache.org	Low
Vendor	pom	developer email	jochen.wiedmann@gmail.com	Low
Vendor	pom	developer email	krosenvold@apache.org	Low
Vendor	pom	developer email	martinc@apache.org	Low
Vendor	pom	developer email	matth@apache.org	Low
Vendor	pom	developer email	nicolaken@apache.org	Low
Vendor	pom	developer email	roxspring@apache.org	Low
Vendor	pom	developer email	sanders@apache.org	Low
Vendor	pom	developer id	bayard	Medium
Vendor	pom	developer id	dion	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jeremias	Medium
Vendor	pom	developer id	jochen	Medium
Vendor	pom	developer id	jukka	Medium
Vendor	pom	developer id	krosenvold	Medium
Vendor	pom	developer id	martinc	Medium
Vendor	pom	developer id	matth	Medium
Vendor	pom	developer id	niallp	Medium
Vendor	pom	developer id	nicolaken	Medium
Vendor	pom	developer id	roxspring	Medium
Vendor	pom	developer id	sanders	Medium



Vendor	pom	developer id	scolebourne	Medium
Vendor	pom	developer name	dlon Gillard	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Henri Yandell	Medium
Vendor	pom	developer name	Jeremias Maerki	Medium
Vendor	pom	developer name	Jochen Wiedmann	Medium
Vendor	pom	developer name	Jukka Zitting	Medium
Vendor	pom	developer name	Kristian Rosenvold	Medium
Vendor	pom	developer name	Martin Cooper	Medium
Vendor	pom	developer name	Matthew Hawthorne	Medium
Vendor	pom	developer name	Niall Pemberton	Medium
Vendor	pom	developer name	Nicola Ken Barozzi	Medium
Vendor	pom	developer name	Rob Oxspring	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Stephen Colebourne	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	<a href="https://www.apache.org/">https://www.apache.org/</a>	Medium
Vendor	pom	groupid	commons-io	Highest
Vendor	pom	name	Apache Commons IO	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	<a href="https://commons.apache.org/proper/commons-io/">https://commons.apache.org/proper/commons-io/</a>	Highest
Product	file	name	commons-io	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	file	Highest
Product	jar	package name	io	Highest
Product	Manifest	automatic-module-name	org.apache.commons.io	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-io/">https://commons.apache.org/proper/commons-io/</a>	Low
Product	Manifest	Bundle-Name	Apache Commons IO	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-io	Medium
Product	Manifest	Implementation-	Apache Commons IO	High

## Title

Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Apache Commons IO	Medium
Product	pom	artifactid	commons-io	Highest
Product	pom	developer email	bayard@apache.org	Low
Product	pom	developer email	dion@apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	jeremias@apache.org	Low
Product	pom	developer email	jochen.wiedmann@gmail.com	Low
Product	pom	developer email	krosenvold@apache.org	Low
Product	pom	developer email	martinc@apache.org	Low
Product	pom	developer email	matth@apache.org	Low
Product	pom	developer email	nicolaken@apache.org	Low
Product	pom	developer email	roxspring@apache.org	Low
Product	pom	developer email	sanders@apache.org	Low
Product	pom	developer id	bayard	Low
Product	pom	developer id	dion	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jeremias	Low
Product	pom	developer id	jochen	Low
Product	pom	developer id	jukka	Low
Product	pom	developer id	krosenvold	Low
Product	pom	developer id	martinc	Low
Product	pom	developer id	matth	Low
Product	pom	developer id	niallp	Low
Product	pom	developer id	nicolaken	Low
Product	pom	developer id	roxspring	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	scolebourne	Low
Product	pom	developer name	dlon Gillard	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Henri Yandell	Low
Product	pom	developer name	Jeremias Maerki	Low
Product	pom	developer name	Jochen Wiedmann	Low
Product	pom	developer name	Jukka Zitting	Low

Product	pom	developer name	Kristian Rosenvold	Low
Product	pom	developer name	Martin Cooper	Low
Product	pom	developer name	Matthew Hawthorne	Low
Product	pom	developer name	Niall Pemberton	Low
Product	pom	developer name	Nicola Ken Barozzi	Low
Product	pom	developer name	Rob Oxspring	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Stephen Colebourne	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	https://www.apache.org/	Low
Product	pom	groupid	commons-io	Highest
Product	pom	name	Apache Commons IO	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper/commons-io/	Medium
Version	Manifest	Bundle-Version	2.16.1	High
Version	Manifest	Implementation-Version	2.16.1	High
Version	pom	parent-version	2.16.1	Low
Version	pom	version	2.16.1	Highest

### Identifiers

- [pkg:maven/commons-io/commons-io@2.16.1](#) (*Confidence:High*)
- [cpe:2.3:a:apache:commons\\_io:2.16.1:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*)

## remotegui.zip: crypto-js.jar

### Description:

WebJar for crypto-js

### License:

MIT

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar

**MD5:** d612eb229d3193ec311013353dcc81c2

**SHA1:** 0d834be82064934dd3cf5b6ebc0bbfef1638302f

**SHA256:** 6a5e4423940162b371d78d923924acd9ae692e33ce5c23a89c531a140a85b73a

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	crypto-js	High
Vendor	pom	artifactid	crypto-js	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.bower	Highest
Vendor	pom	name	crypto-js	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	crypto-js	High
Product	pom	artifactid	crypto-js	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.bower	Highest
Product	pom	name	crypto-js	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	4.1.1	Highest

#### Identifiers

- [pkg:maven/org.webjars.bower/crypto-js@4.1.1](https://mvnrepository.com/artifact/org.webjars.bower/crypto-js/4.1.1) (*Confidence:High*)

### remotegui.zip: crypto-js.jar: aes.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems

/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar

/META-INF/resources/webjars/crypto-js/4.1.1/aes.js

**MD5:** da81b91b1b57c279c29b3469649d9b86

**SHA1:** 5441866409bd32d32331c4b4b652057fb90bc298

**SHA256:** d6bb48feacbd63fd455becce7a5528877242f70e73ba1f7838c186ed8f35fd3c

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: crypto-js.jar: cipher-core.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/cipher-core.js

**MD5:** dfddc0e33faf7a794e0c3c140544490e

**SHA1:** f3a446e5a4f8afea7f841e64f351d47b4af433c6

**SHA256:** bce5bc055bee363d142f0a717d4a4cf2fe1af648cc0dc65bb43d4d376cfbaf12

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: crypto-js.jar: core.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/core.js

**MD5:** b55ae8027253d4d54c4f1ef3b6254646

**SHA1:** 06951bbea3ba1ca54de91f0feefc13fb62b66f38

**SHA256:** 2638bdd7224472f801890636d42df16c144ca46c84229ef3087190d21f935daf

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: crypto-js.jar: crypto-js.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/crypto-js.js  
**MD5:** f716a02969e459fdc8f37dee235e925  
**SHA1:** 6f2bb245feaa0997fa30b085af0e8990d21395cc  
**SHA256:** f0bdf25fda8f9af5920c82070775864c7e1166eb31540d030e6b80a382e39ce1  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: crypto-js.jar: enc-base64.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/enc-base64.js  
**MD5:** f551ce1340a86e5edbfef4a6aefa798f  
**SHA1:** 9e1b1bf75f35833ca2480ee401b4cff8b7eb1fe3  
**SHA256:** 84b69d1625474179d55622a8333c3aac376dd8bc77de7b06c21695762cb69cab  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: crypto-js.jar: enc-base64url.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar

/META-INF/resources/webjars/crypto-js/4.1.1/enc-base64url.js

**MD5:** 2aaf8cb964cbe7c2650fddaa2fe53de9

**SHA1:** 411a390b33297c971db47026af8806cc60d166ea

**SHA256:** 8177807d1e08a925e69470a8dc485d6a0d02992a064fda93dce0fff8fa18c24a

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: enc-hex.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems

/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar

/META-INF/resources/webjars/crypto-js/4.1.1/enc-hex.js

**MD5:** efb02f85686d948c69ad13ec6a7d479c

**SHA1:** 27f6a54ae346ef0a9a63084990591e0f986bea38

**SHA256:** c7dad9931250921c24508ba9949abb818745b38891da44693359249b11ed143d

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: enc-latin1.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems

/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar

/META-INF/resources/webjars/crypto-js/4.1.1/enc-latin1.js

**MD5:** a8c77d13f48479c2f76678c6e7f06ca8

**SHA1:** 9753af5959867f998f0feffd6f1699e88c92f39e

**SHA256:** 24dfec2cc51ec0481aad1f62933bd0ae1238c34c5b0e73aeb1729027c913a26b

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: enc-utf16.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/enc-utf16.js

**MD5:** e24e079fb22a2f7063cb9f856bdff10b

**SHA1:** 01f29539d0bc1e2c10638d0f3b9af99d978e15f7

**SHA256:**c35339900b45fa701c390c924009a95270b4b4d91b427e40984f117c2f7ec67d

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: enc-utf8.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/enc-utf8.js

**MD5:** 5a9aaa6b97e87bf258edf26223bdcf61

**SHA1:** 16bab2dd76daec10b9b3e2569f3fc1a207b5f726

**SHA256:**8c7e44dc2d49b20fd78a44827fa962a28a5e22e0adfe036aa0fdcfc7adb89984

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers



- None

### remotegui.zip: crypto-js.jar: evpkdf.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/evpkdf.js  
**MD5:** 7106e06bc97d1f59a9324ef5ef9c14c2  
**SHA1:** 89cccca6c0e5261d31302cb4726a26f21a84ef39  
**SHA256:** 03a8ec00db105b3b813902400ed65169d12ecd382fa13402fd62c55e251caacc  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: format-hex.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/format-hex.js  
**MD5:** e2f78f02b844140cb8763fa7cd8daa45  
**SHA1:** a359182575c8d43c6e5381209472f8954e4d5496  
**SHA256:** 040a2918bec8cb8ba0a6303fa3c1bbfd899bc8644643e8ac493e3c08a0c09097  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## remotegui.zip: crypto-js.jar: format-openssl.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar  
/META-INF/resources/webjars/crypto-js/4.1.1/format-openssl.js

**MD5:** 502d6df5aa16084bf5abb0f3077c13b5

**SHA1:** 7507a0c1ccf7049a8a10bf2ed73f24af5ed00aa3

**SHA256:** 1ffa86862e66b6c0fff35cb96875e97a793aaf86ca749b29381cbc67a0877bba

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: crypto-js.jar: hmac-md5.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar  
/META-INF/resources/webjars/crypto-js/4.1.1/hmac-md5.js

**MD5:** 95b2fb61fbadc00bb3dce9098e37256a

**SHA1:** 143d92d0c7d56bc57036c318cf78dc50cd72b557

**SHA256:** d3072014eb4186d02e335c511b3cc6e163a5cfebaa8c4ae13634af24887078e6

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: crypto-js.jar: hmac-ripemd160.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar  
/META-INF/resources/webjars/crypto-js/4.1.1/hmac-ripemd160.js

**MD5:** 6d51886c1d976bc143c790593cdc0920

**SHA1:** 29a848612a72b95abd8d8a9ee8d4874939fac6f0  
**SHA256:** 28e2bdc143840e4e01eff312a728e0f652d7dcb0d1bbdceab0bf48ff5cae8ac  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: hmac-sha1.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/hmac-sha1.js  
**MD5:** 4acf006c1688cf4513ed375d7a94f86e  
**SHA1:** 8f8e2f8ecb2caa64f74c0393f9f6641f78e3b732  
**SHA256:** e104acb7379b834bd9249e3cfc2196acbf90a22bb10947feb2a1f8e30ded105  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: hmac-sha224.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/hmac-sha224.js  
**MD5:** 875a7a330903a92828b279818e6b06b8  
**SHA1:** 586cc496e368eb6f6119e0a6089ef7f8f421dee6  
**SHA256:** 35208e1e4631ff5f9bd83220dbfbef63290eb93e914055b35583fbf19eb76693  
**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: crypto-js.jar: hmac-sha256.js


**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/hmac-sha256.js  
**MD5:** 69817fc0da86033d4ef559f0febd3d32  
**SHA1:** 84c60e2a1dce8f06c1e4340542199cc9cc9a3454  
**SHA256:**11d26c11f858b74bf0f106c74ddb579a112d3e7321fd684365a77ba2a7a5dffc  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: crypto-js.jar: hmac-sha3.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/hmac-sha3.js  
**MD5:** ea6cba03f7c6b257b70c1497022b5514  
**SHA1:** 0d8f8002491a9311c7035aaf07d4a0329f38ced0  
**SHA256:**bc63c36741416fb55fbbe3c7c4a78b5e056d9b902a471bb16b6f5672fbbacb8  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

#### remotegui.zip: crypto-js.jar: hmac-sha384.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/hmac-sha384.js  
**MD5:** 7afbdf157b81970eb00a50bc421e7ce1  
**SHA1:** 9196d839c46163f6e51c63410ba0076a09ccf178  
**SHA256:** 93494b918b2eb79cd1be66145a41137ac0d65739ed6cb9e04f82bf1d7cdc7019  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: crypto-js.jar: hmac-sha512.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/hmac-sha512.js  
**MD5:** 5d3e9930daf490e45b446cb42b31833e  
**SHA1:** 4b07089a6c56852d15ec948b58408d5b5d32cafd  
**SHA256:** 6c2b59ac5e27099986b28d32e425ed3d65a4621c1c6512d03d40b336c6e88a2d  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: crypto-js.jar: hmac.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/hmac.js  
**MD5:** ee162ca0ed3b55dd9b2fe74a3464bb74  
**SHA1:** d68f1ed4e3aed7807fe17a8193fca4775221dfa3  
**SHA256:** c89f8f08ae06990edbc0763cd46853d16c70eaf513de8592b1ffb74a2ad2f7da  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/index.js  
**MD5:** cb562c09323e042b35ca6e5335579542  
**SHA1:** 8ec84f102ee7cce9d370ac4bdbe29aca1c07968  
**SHA256:** 6f82946296b10ccf775008877319312b9785c616301d4d773cb9d700510c79e8  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: lib-typedarrays.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/lib-typedarrays.js  
**MD5:** b8bac2e22a7a589167e014be77736c72

**SHA1:** 622fc0f297b3799ff91b08469989e6fe113cbda4

**SHA256:**a5875f287e6cc6dea0ab64024db32783229a7db55f74deccf6566973bbd76ec9

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: md5.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar  
/META-INF/resources/webjars/crypto-js/4.1.1/md5.js

**MD5:** 349498f298a6e6e6a85789d637e89109

**SHA1:** e626c530154c07527abcfb1f83b9ec578a81b234

**SHA256:**97dc67431dbd3360ea838fecad611a30f540f8389bbd15b89a1e14ba8dbb54aa

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: mode-cfb.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar  
/META-INF/resources/webjars/crypto-js/4.1.1/mode-cfb.js

**MD5:** 5847dafc1beecdcd23925f9f4989b2

**SHA1:** c9972596e02db6c6221ae019dcf1498d30e9ffb4

**SHA256:**a3626b78fe53d7d32fbcaeaeb92750db305e84e2ccb84e61d735ac7a4dc7345c

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: crypto-js.jar: mode-ctr-gladman.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/mode-ctr-gladman.js  
**MD5:** c4bd3b4755cf275747f8e68b0eed7995  
**SHA1:** cabbcc4100b4d363f1b55d42b930ec547ad67dd1  
**SHA256:**fcd6166981435cc01bdfd2fb8f9e2773acfb144ab8c47e0c71473d9bdee755b0  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: crypto-js.jar: mode-ctr.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/mode-ctr.js  
**MD5:** 6cec0458e4e62c1ff8b534e59f9132ff  
**SHA1:** 591484053ed26919fa6e4cecf7aa723dcade4bb6  
**SHA256:**9e67161f61922a475b142b2e18cb4470ed7860ef61bc6e7a41f327f7a59be96f  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

### remotegui.zip: crypto-js.jar: mode-ecb.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/mode-ecb.js  
**MD5:** 3a84195b8427195dd9c345a0f3aa2313  
**SHA1:** fe621e95709e31a5289c78d114aad4a920f14923  
**SHA256:** 4f563373ba4af442e1b425b7b7dd1030ed84b9babe9821949922d9677bf14701  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: mode-ofb.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/mode-ofb.js  
**MD5:** 48f5529799d5eac8fa9f855ba1402737  
**SHA1:** 4e97befa1e4d0003cd2fe9d21d85d6636513fdb4  
**SHA256:** b49077bf4bf5e8f2cbb2de0e2d48c4d941a3feba2bc7c629abd51fe2ac8bdb2f  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: package.json

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/package.json  
**MD5:** 061334ee463d77ae9f4cbd513f19671e  
**SHA1:** e9cfcdf1705722502212095c9aa76bfc82ddd834  
**SHA256:** 6d39bc6ae898b85aba801a99ed4d6c79a6b5d9d3a56a1df9343f5d3d4e487072  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: pad-ansix923.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/pad-ansix923.js  
**MD5:** ca8ab3266976ddad6e811577212b8c88  
**SHA1:** 505018913484e110aa81842a4511a2a52cbf2231  
**SHA256:** 7d950bc42f262159a2786eea30d1153a3d0bca9aab9acdbcc1a981a8d2854ef7  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: pad-iso10126.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/pad-iso10126.js  
**MD5:** b1c4aa95c8bc79280076e66352b6c219

**SHA1:** 9c081665a8d0f4399c5f3874f38f811932900d54  
**SHA256:**d3695304e8e7a001cc6e1b84d4b58abd429dd7e3f09514c260bcd3122a3aa685  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: pad-iso97971.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/pad-iso97971.js  
**MD5:** 4027c92ac1ed3c95f39e8e2a391500d3  
**SHA1:** b7034e19bcb012cf7549baea65a70d25b8e71480  
**SHA256:**f7f7179b8bea5b6ef4f0891f23b563db8aa530376795cd99ef84942cfc62d328  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: pad-nopadding.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/pad-nopadding.js  
**MD5:** e288e14e2cd299c3247120114e1178e6  
**SHA1:** af4df0df185ab10e12fe8c01f885027eabe3c8f3  
**SHA256:**a722d1f11486b807b34076ec3277ea3a65f21837db2d9f76eb5daa7de312479a6  
**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: crypto-js.jar: pad-pkcs7.js


**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/pad-pkcs7.js  
**MD5:** 23c101a5a832bfa8a894b9813323044c  
**SHA1:** d21f12b724eccd65c9f20503bdac2c41eb8ce985  
**SHA256:**9a3c909e8c3b6604bfd7a48a3c7e61504292744d894bce1266b44691b857c1bc  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: crypto-js.jar: pad-zeropadding.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/pad-zeropadding.js  
**MD5:** 23b4116306620a01bed22b52014c7c65  
**SHA1:** 34360c2d2f9a38e5c3d197223a2f5b6777cbc1e9  
**SHA256:**d99e781985e817da7c6af30d957c45419b1a7e176bf52160424ebbbf970df906  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

### remotegui.zip: crypto-js.jar: pbkdf2.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/pbkdf2.js  
**MD5:** b9511c07dfe692c2fd7a9ecd3f27650e  
**SHA1:** d9383ee2dc36eb56abadba701c3168d2556a7d8d  
**SHA256:** 77a10ae4b1d93686539ea2d37a837d56e6f9e8cd3ce49d782a4cbbf34094e800  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: rabbit-legacy.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/rabbit-legacy.js  
**MD5:** 8fdb6b7d8bcf3aef27398d47d13dacb9  
**SHA1:** 23dc78f4b418c296ffc166bbcad8c678d6ab2efa  
**SHA256:** cf9afefa87b216dd4d8be00524f8904bba1147fbb90273e5e6a7b2824b52e56f  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: rabbit.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/rabbit.js  
**MD5:** b3bae9fc93314924cbd6c4283c1e91ef  
**SHA1:** 4bd339e3a9e954c2766a07a96cf7ec2547e76cab  
**SHA256:** dc93dba650db41783f8a3faba6ba17ad82cb0eb1b6fa84df406f71d520d84b42  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: rc4.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/rc4.js  
**MD5:** 846a99f1e90dbcbb5773793c3fe8aa5c  
**SHA1:** fbb684811bde18ce2faad2ffbda3aa9c00939e90  
**SHA256:** 571eca05c055a26c729f757f83b9f849968ae0dc0ba9870e5be9526019c53a33  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: ripemd160.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/ripemd160.js  
**MD5:** 1d13fd2d4858d87c36c43a0a6436f0d4

**SHA1:** 9187ea140085390e357f1e7804f95e7a5812d494  
**SHA256:** 3d7eea732acb8f27ba7be5ec54cc1c5ea198be2f7b12ae78cf03ce3b87d78da1  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: sha1.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/sha1.js  
**MD5:** 5fbc23cf1d5cf34e9f7798650d07b333  
**SHA1:** 7401e77dccaff4ecaab8e57fd11fccfaf5f33c75  
**SHA256:** fca2d5560acb8de760ebc94679ff210056722af8193871e75176a61a977ac30f  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: sha224.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/sha224.js  
**MD5:** bd908518f276d2df58277bb38185b307  
**SHA1:** b10b13e02fadeea29119f6976b346d9b06c84342  
**SHA256:** 542ddc722d9711595c11d57caa9424beca928b3553747a51e3f1c57c2c08ec16  
**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: crypto-js.jar: sha256.js


**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/sha256.js  
**MD5:** 561d24c90633fb34c13537a330d12786  
**SHA1:** 7593f14b59ba2099cbb4ffb806e75758fdeb12f5  
**SHA256:**d8074f23cbd27aa6c2f231b8bdad34bbd8d49c7e47ffa0d7cd07a2c4d1d3c798  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: crypto-js.jar: sha3.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/sha3.js  
**MD5:** 6fe2614bbdfb802fa873f118621c7fb8  
**SHA1:** d977f518e609149d1b51932648669a4be7a97f27  
**SHA256:**6ee08cd3d69b181cb735011acd0a0d57b6a4a071baf8ecbbbb9aa18cf1e4d6ac  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--



- None

### remotegui.zip: crypto-js.jar: sha384.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/sha384.js  
**MD5:** 6ae085f20325eb927ff673ef20568137  
**SHA1:** 8d7bb4a99b713d53723f8f1ad3442cf9e9edf9a4  
**SHA256:** 8d902216aef6840bb9951117bdd3aa6331078e68ee04987aa1d59c73b5ff3066  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: sha512.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/sha512.js  
**MD5:** 0e5e8946947671eefe910c58f1272c48  
**SHA1:** 7b4efa121b30865b12f7546f1e99e22c6c2a3c40  
**SHA256:** 986ca486a1c9e58e9d8fc38d1db4e652e14c751ba1a6a15fd81439d261efe2b0  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: tripledes.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/tripledes.js  
**MD5:** fcd80fd597ef5e6a0fe34cdf484a8825  
**SHA1:** 94c5615ac7a0f2ee61bb5325e46d61151893dfa6  
**SHA256:** 8d8de06235e08f38ddc855070ef8cb86d7c69a67b3a5278f8cbf2af64b55122d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: x64-core.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/x64-core.js  
**MD5:** 677577ca38d04508f116ebc977dcb11b  
**SHA1:** 966f596f1adb7e7780021ae463a62890de8b19fc  
**SHA256:** c54130dcd19ae2c7f8c4b4a69cb2038a65d363899cddf7ebaae0102bfc8fe086  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echo2-app.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echo2-app.jar  
**MD5:** 6524d488cd7402977af43d02a32e52ce

SHA1: b4445286d07023c764ed9d02092fd76733f19fe4  
SHA256:8cebf7a13bdc5a671d1b659ff05faed1e1d68e95813ad52597718fef38746556  
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	echo2-app	High
Vendor	jar	package name	app	Low
Vendor	jar	package name	echo2	Low
Vendor	jar	package name	nextapp	Low
Product	file	name	echo2-app	High
Product	jar	package name	app	Low
Product	jar	package name	echo2	Low
Version	file	name	echo2-app	Medium
Version	file	version	2	Medium

Related Dependencies

- remotegui.zip: echo2-webcontainer.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echo2-webcontainer.jar
  - MD5: 783b5f05163587c4d19ce43977f564ec
  - SHA1: e401d4249ef1bdd399f6fee652bf1120a48b5882
  - SHA256: 4b4e1d96c4b304d6bbbfefbd4ccdb85bc7c05070a93388e652d7331bc72d9119
- remotegui.zip: echo2-webrenderer.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echo2-webrenderer.jar
  - MD5: cf2fcfc745ac1f7374007788b8fb30e3
  - SHA1: 8c912e8ce2e23407058bf8f55a6d68e2d4737f7d
  - SHA256: 72851edfb13406ec61dee6eeb347c5c8640244b80a89f3ed75a15d925caaad2c

Identifiers

- [cpe:2.3:a:nextapp:echo2:.\\*:.\\*:.\\*:.\\*:.\\*:.\\*:.\\*](#) (Confidence:Low) suppress

remotegui.zip: echo2-webcontainer.jar: BrowserCommand.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/BrowserCommand.js

**MD5:** cec5ed45ed5d929439b2ae615b645097

**SHA1:** aeea282f11788e5be7dafd78adb833e539ab75f4

**SHA256:** dcdc9a977d80f20f45d9f487692b7d5ba9dcc538da5b4a750b7ba03ee852f5af

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echo2-webcontainer.jar: Button.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/Button.js

**MD5:** 81215c8587cea98fc2c9f41d81e99386

**SHA1:** 4cc203b7f5b48a3672447f13dc333af29a02cb1c

**SHA256:** e6639e7a2eee92dd4c86c1a548ce8106d7358d8c7dea7c747e6fc2377050d138

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echo2-webcontainer.jar: ContentPane.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/ContentPane.js

**MD5:** 6da93a27f5afe89ad3dc8161cc60450

**SHA1:** 2a715f6111f70e16c1baab3b9960b9af31ff9409

**SHA256:** 830454078b8dca968b15c1b002066c6c7c21da19b3e2e0b87afeea17e07b562b

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echo2-webcontainer.jar: ListComponent.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/ListComponent.js

**MD5:** 3baac4b4c7d7570210bc70337f079511

**SHA1:** 2b40df2cc63611728d0154fb9a1f0ff5590e268e

**SHA256:**64a4f73273b6e27fa3641d23fc15a230f07e059aa3e37e2fa11466359dfed721

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echo2-webcontainer.jar: SplitPane.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/SplitPane.js

**MD5:** 73030d7f65e69b1963de89475dfca752

**SHA1:** e6f525f36c46d3e9581c786d16ce4e59dac0260c

**SHA256:**8f2ae429c270a4ae095f2aaa3cdddb5adb6249a61d35defbe6079d01f37872b4

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

#### remotegui.zip: echo2-webcontainer.jar: Table.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/Table.js

**MD5:** 83c78e8bfb81930f1c4646b765ef01c9

**SHA1:** 8a900c967b2ee0bb2abb2244075734f4907da416

**SHA256:** 1fb14e2d9998d1cc09ef9bbb94c7492f27418e6cd23c82606041554bcd48be1a

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: echo2-webcontainer.jar: TextComponent.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/TextComponent.js

**MD5:** 44c40be87a258f223636a3b1e81223be

**SHA1:** a46b2983414fd8bf6873bcd7155c1b226f46df37

**SHA256:** 78d3b72d552e28209db2b832cff0fd0e4ec0848ba43d5b4ecd8d4c3f76b3d2f9

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: echo2-webcontainer.jar: WebContainer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/WebContainer.js

**MD5:** 3187e8b29a8357e96be24bde33f479dc

**SHA1:** 4208f56c5424a86cbf114d4638c068446baa31f8

**SHA256:** a303d0bd198f7590a251d6485cce0d34855ac9485d97d7d5880aab1ec72aa088

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echo2-webcontainer.jar: WindowPane.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/WindowPane.js

**MD5:** c9446071fff586f20e7f677e5dbb8597

**SHA1:** 58915a592236e816dd9f83eefc0977b542262d32

**SHA256:** da1fc1c3e27e3ce28847e410e51e66dc33f1f744650d9051afbaebe92f032977

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echo2-webrenderer.jar: ClientEngine.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echo2-webrenderer.jar/nextapp/echo2/webrenderer/resource/ClientEngine.js

**MD5:** b97d4b63d35a8f8a9cb5a99b720215de

**SHA1:** 4a2124b33e4d7e9db720d92924905aa1e7297378

**SHA256:**57e9f7be3af39ba8f736cc97efa958335463959271b0885c74ee668f41b5f4a5  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2extras-app.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echo2extras-app.jar

**MD5:** e1ba37ba20c3021c38e362cac081d986

**SHA1:** 64e7748149ca2af54ee693c8e232343d64c1b966

**SHA256:**ad4489475b3c77aeeb62ec1c1bc211c8659b84649fdb1e72f4ee6e005b21e37b

**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	echo2extras-app	High
Vendor	jar	package name	echo2	Low
Vendor	jar	package name	extras	Low
Vendor	jar	package name	nextapp	Low
Product	file	name	echo2extras-app	High
Product	jar	package name	app	Low
Product	jar	package name	echo2	Low
Product	jar	package name	extras	Low
Version	file	name	echo2extras-app	Medium
Version	file	version	2	Medium

Related Dependencies



- remotegui.zip: echo2extras-webcontainer.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echo2extras-webcontainer.jar



- MD5: df488c27f775875afc2efa1ba1a14778
- SHA1: 8b9c1d082e3baac3daea4821cd6fb56116c44c7a
- SHA256: 50dabd57f50caf8df7d1fced59f7285d7b6179c47bf9b22aae7e7ee1d62e62c0

#### Identifiers

- [cpe:2.3:a:nextapp:echo:2.\\*.\\*.\\*.\\*.\\*](#) (Confidence:Low) suppress

### remotegui.zip: echo2extras-webcontainer.jar: AccordionPane.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echo2extras-webcontainer.jar/nextapp/echo2/extras/webcontainer/resource/js/AccordionPane.js

**MD5:** 5e2309292be34670965e17a63f3d67e2

**SHA1:** 136a82463b674894191f92a08a7fb2c127728e68

**SHA256:** 2b02ad757a502013be2834c414c90832cce07e657f9c8fe4823f94351429aa4a

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echo2extras-webcontainer.jar: CalendarSelect.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echo2extras-webcontainer.jar/nextapp/echo2/extras/webcontainer/resource/js/CalendarSelect.js

**MD5:** ee105b17e6a49ca6894f6a89b93038ca

**SHA1:** deb92e218480368f3d1e1b4471fa716e615d2694

**SHA256:** 333078b2953145f5c2798ec878ff5f7859cb7c73e5383b5f04e0641377dd882a

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: echo2extras-webcontainer.jar: ColorSelect.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echo2extras-webcontainer.jar/nextapp/echo2/extras/webcontainer/resource/js/ColorSelect.js

**MD5:** bb2817813b145fb047035165f4609e11

**SHA1:** 60ed59f4adf34e81089e8a6ed835a52952186b1f

**SHA256:** 154ab0e5af207065ae91524a90a06acecd3c88d914c541ed19f6f0e15e10170a

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: echo2extras-webcontainer.jar: DND.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echo2extras-webcontainer.jar/nextapp/echo2/extras/webcontainer/resource/js/DND.js

**MD5:** c3190a4d76a03ff134dbe71d572d6093

**SHA1:** 29d971a57365ecd29d6233f6be54cd5e638cad5f

**SHA256:** 052a40f554e33a722e4e157a1f9c1dfb8bd26160ac98f5036ddf5cb594cb44bd

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: echo2extras-webcontainer.jar: ExtrasUtil.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echo2extras-webcontainer.jar/nextapp/echo2/extras/webcontainer/resource/js/ExtrasUtil.js

**MD5:** bb41e331c7cda7542545723669087b7d

**SHA1:** 94b6f7023b77af6bab7942d71edaa0a317a18741

**SHA256:** 27f7d1bc497b52e3c81cad90d7f8857d86534389649c01f58455d6e506e065d9

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: echo2extras-webcontainer.jar: Menu.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echo2extras-webcontainer.jar/nextapp/echo2/extras/webcontainer/resource/js/Menu.js

**MD5:** dff4844bd2e7e0ace646cfc026a22e2b

**SHA1:** 14a08892f49057de2266a978d3df2ba62ca6f0af

**SHA256:** 9955938b46227d85dc73b917640bc28c5c02ffddeb4b2d0b727a2527293d14b1

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: echo2extras-webcontainer.jar: TabPane.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echo2extras-webcontainer.jar/nextapp/echo2/extras/webcontainer/resource/js/TabPane.js

**MD5:** 7203f99e669e30e5bf1278610d799c25  
**SHA1:** 6e706337109b8bc1931bfd90cd02051168617261  
**SHA256:** 1b484543b2a8a9a473d7cdb39d8c939a8320f21b73cfd70f3fae4d43688435db  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echo2extras-webcontainer.jar: TransitionPane.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echo2extras-webcontainer.jar/nextapp/echo2/extras/webcontainer/resource/js/TransitionPane.js

**MD5:** 52cfea31f2f87e072ff5b0a826655658  
**SHA1:** 798043e69001103030dcb146240e387e77d2e587  
**SHA256:** 18fd61e5fbf3dd6b5d63b1916714fb4a0239f7d9a9f4ec1411bfe41d70e954f3  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echopointng.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echopointng.jar

**MD5:** b97311541ad7a3a8d9bce707c0b5ae81  
**SHA1:** 9da2843de342b6195589687135c44a1327ff494a  
**SHA256:** fb4297263e65a013f39d2b2982343736476f22cd9b4bd2bafd1ac195a39efe8c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	echopointng	High
Vendor	jar	package name	echopointng	Low
Product	file	name	echopointng	High

#### Identifiers

- None

### remotegui.zip: echopointng.jar: blankcanvas.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/blankcanvas.js

**MD5:** af461ae7fcc7c2982dc7a2c9d66db238

**SHA1:** bbb3c48fedb35f63655e6604a7e2303077e0457a

**SHA256:** d402afcceaa4f1e5efaf55009c56886cd53c86d880a6b03e608d79ded024ee45

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echopointng.jar: button.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/button.js

**MD5:** 8531b2c1536e2d30e3df983e2c7a2217

**SHA1:** c7ed360795011104ccf8c63338ed8e06e923797f

**SHA256:** 77646e360a21f4294cf45d839366dbc1a91b69573c87ba7234f2d09f7f0c7724

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: echopointng.jar: calculator.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/calculator.js

**MD5:** c1585b51055b1631271c922d5555daad

**SHA1:** 3f285a1af63b444cbbb9361792b71a0ff16345f6

**SHA256:** 1475ac04db0d45f0b1b6e5de7355c73b61934207eea96dc1239ae8e1261f3f4f

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: echopointng.jar: colorchooser.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/colorchooser.js

**MD5:** 76363342cd06ffe0e205fca9110d902c

**SHA1:** 77f2ba109f495b87b6224ef890ae08ab577561e4

**SHA256:** a1fecdd15a23c349ded1cbe91f0ad252d07086b75a9a0a6cf411a39208fb56418

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: echopointng.jar: combobox.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/combobox.js

**MD5:** bc172893359138d97f3ccdda6b51c32b

**SHA1:** 4ebac02f8d296eebbbe9f1bb44a1c0d0a5f2acf0

**SHA256:** f6d39c6d806bfff5b67a76f89b5fef3ffa4f542a38282e9b23c9838bbbefaf770

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echopointng.jar: command.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/command.js

**MD5:** 22524ba396f3b6193c57855db5041085

**SHA1:** 62dc2c5692866d1222946c225c00d1aedef154b8

**SHA256:** 3c55d005e1dd2f2723e2ce7c9cb906ccc99753230882f671e08e3f4196a9a842

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echopointng.jar: containerex.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/containerex.js  
**MD5:** b080ee991e18c93e892ed63a43299893  
**SHA1:** fe5ed5851f627cee32c72bad88351e25689a18f1  
**SHA256:** b1b2a5b2daf9d4d22c646d4caeb0d9cfe33eecde3a89910e0b6c511b9164583d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echopointng.jar: csscommand.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/csscommand.js  
**MD5:** dc731de6fea7b372aad1676f4f188c11  
**SHA1:** 292d006070a00a557aca505771fccf3b15d819c4  
**SHA256:** 3720eb758aa628f0817484a4c8dea8c26da92a6bd44612e2794ad1b8f9d18b04  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echopointng.jar: datechooser.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/datechooser.js  
**MD5:** 03360772d464936c4db0853af7f293ac  
**SHA1:** 9ca7aa251deb9d6bfa224de421b405a77ceaab76  
**SHA256:** beb9c8189e4a2ecb449b025fdce8a5af22e6fbd705f908ebe38970be44e2cae5  
**Referenced In Project/Scope:** server



### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: echopointng.jar: directhtml.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/directhtml.js

**MD5:** 67fe6a6d53c7f7a31ec424cca0cb113c

**SHA1:** 176ab2c18503d4f6f09e7939987ef9bbda793f50

**SHA256:** e98b3372e5a1dcbd3df5c922e05d738344f4078f09236f335bf5cc1097429af4

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: echopointng.jar: ep.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/ep.js

**MD5:** 909939bf59b597cb43bab18b58915d45

**SHA1:** 1eb058d7ec9e90df36cee746342423df26cfdeb1

**SHA256:** 2310adacdc07bdc68bc04f67b438385735ddd2f7b8c094363061743e550eb3bd

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: echopointng.jar: epdrag.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/epdrag.js

**MD5:** 9b2e790d15782ac504510920b8047dcd

**SHA1:** 7165f0c117bff0d7d58de91811f865fef0115b32

**SHA256:** 738d39774c0bc2b962b78d3aae1b64beb832d0197b9c6daa9b68750757041518

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: echopointng.jar: epfx.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/epfx.js

**MD5:** 4e3b34df6d6fd962bee24cc944307e6d

**SHA1:** d8e0b8b1ed022c29c93d8aba4f00f79243f62d3d

**SHA256:** 2e0466c152814468619f3008887429aaef26139f41adbd74dd18ee83f17fb6b5

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: echopointng.jar: epstretch.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/epstretch.js

**MD5:** c06366200854d236a636ca39933736a6

**SHA1:** 39cbb54acbcc28878997d30c13e80ff868267b64

**SHA256:** 56e934dbaca23f709e52c48d3894207f4d89b7275aa33d44a1a7464d85e20e98

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echopointng.jar: expandablesection.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/expandablesection.js

**MD5:** 9ddcbeef2af11dd42386e18db317d250

**SHA1:** 86dd0803c2361c4e70d99c4f6f1836320dabc9b7

**SHA256:** 9e107c496ba94ece3ca6e4d8b4849bcdce46c05ce481b5c28ca40840354cb1e8

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echopointng.jar: flyoutpane.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip

/echopointng.jar/echopointng/ui/resource/js/flyoutpane.js

**MD5:** d56994dc24bf63ff67511e059ac153b8

**SHA1:** 3f36629e0fd1e7aa2806c177a593e74fa0840ab1

**SHA256:** a12d2eb0d62b961ae4866d040e86c3a991b9c75bbd052cb8ab980f8db4232a69

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echopointng.jar: historymonitor.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip  
/echopointng.jar/echopointng/ui/resource/js/historymonitor.js

**MD5:** a021bbe0a65436f4d5b0fada7f7a2e95

**SHA1:** bcc78b12603aaf90eef91e06041bfb00950ed5b1

**SHA256:** 6e2ffa35896b2c08cedf06ead4d6c2b39f9ce848ae138d68cf211f17f94188cc

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echopointng.jar: keystroke.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip  
/echopointng.jar/echopointng/ui/resource/js/keystroke.js

**MD5:** 2abc4444f27c24f3250735d0e24dd929

**SHA1:** 0165ba94e6678efe34006b14257abd8ab5f59b70

**SHA256:** 75cb2b3ec2ef321babcb2c9d048a26090138205cf8aa8b072bc432e496e1959f

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echopointng.jar: labelex.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/labelex.js

**MD5:** 5e68e9198394e79d5344002a5c0ca388

**SHA1:** a46e072aa92701659c8961718c64de8cabb05672

**SHA256:** 2e8ebe8b669daefe4675d3fe025cef8bccefebae3360f36bd443a3a9e09b00bf

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echopointng.jar: lightbox.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/lightbox.js

**MD5:** 1da8a9321b1a9537e9db1633be4e93ff

**SHA1:** 4acc96a88fd3711611a5479883fec0c577e61278

**SHA256:** 68cb57c9cbfa41837b0b8e0a297ff5f63ed2e3dbcdcc99ddb327e6eb2c344fa7

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echopointng.jar: livetable.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/livetable.js

**MD5:** e3d9068b389a26b6dc20cf8f649d6728

**SHA1:** dd4d66ee287098de8c3e310633fcef522bb6b38a

**SHA256:** 9940cbf5b950edb0d00334bdb02edd45a9656a619bed29a6e14bfacc941db9f6

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echopointng.jar: lookupcache.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/lookupcache.js

**MD5:** d396ded32ccfc4c0eb7ea8d620f95c6b

**SHA1:** 5b0f6d8dc50f2e66bba7b6dfa816243a9564c13f

**SHA256:** 2b8fbdcc66a72a3ab518039278db8b86ad0f3cd43545c3e2fb2dcc88c076e075

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## remotegui.zip: echopointng.jar: menu.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/menu.js

**MD5:** ceb33b1b06161e20409918ac849ecc3a

**SHA1:** 2da105247ee62c35765d686a545486b0fc0c7e17

**SHA256:** aefb0d8e30e6c56e52ce37a9f2cf6a1561477e23c4f2a0c8137b8452f445418d

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: echopointng.jar: nativewindow.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/nativewindow.js

**MD5:** 21205429823868aed449bbef8866781e

**SHA1:** d4e0c7cfee3fa5a642b2cf4e19330f8f7dd60923

**SHA256:** 11e864c5e9349791fc04530b21860d5a5189cfbebf8c61749723bfe40d152a3

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: echopointng.jar: popup.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/popup.js

**MD5:** 526c00e6fd13059fe0e1d0e27e00ee6b

**SHA1:** 44d553436551d74f1e0b4d5b4beba24ad8619970  
**SHA256:** 48e5e3afa1f17d32392c4d87336f0aa593fdd6a434d347cbcb74a7383256d8e6  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echopointng.jar: rta.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/rta.js  
**MD5:** a3b886886418bad087f21cb3e41246f3  
**SHA1:** 3d5230d844995ea50b3e79875f051de5c2b585d6  
**SHA256:** 58ce95bc3f07abfd9c8e13a1837ff7eabd766f57fc220396d5c4755da3a22706  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echopointng.jar: slider.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/slider.js  
**MD5:** 09c92eedaa0aa605eafc7c933ca451c1  
**SHA1:** 339e0448113b76695bfeb102d2e5194766676763  
**SHA256:** d36f46f7fc6e97a81417c6c67490bab3755092070689d390b211e7112c834182  
**Referenced In Project/Scope:** server

#### Evidence






Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: echopointng.jar: stackedpaneex.js


**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/stackedpaneex.js  
**MD5:** a9be9e800bb757b5173b2b33d26b36d9  
**SHA1:** 8191a7c71fc4deea30a836cfde3e425e4cc41984  
**SHA256:**61793aba49962d4477232f8577c3208d1ec89cd76f02a61b0164df69adad71d8  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: echopointng.jar: tableex.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/tableex.js  
**MD5:** ed81c9b7a76bc66c2865d09c5603fe95  
**SHA1:** c896c1b21be028b1a27af5ab129e74279b22d718  
**SHA256:**069ffd460c63e5b3bb788f723cd9bcd16c3e97e083a2068f0300da8038af5d97  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

### remotegui.zip: echopointng.jar: templatepanel.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/templatepanel.js  
**MD5:** 5323649865617422da0db27f9314834f  
**SHA1:** 0510c58e3e49d4ed459b9154d508f67bb7dc458a  
**SHA256:** ef8da75ec048040e466e45d48a774b2a0eabd54b50eeb3aae6195742fa8eeac5  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echopointng.jar: textfieldex.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/textfieldex.js  
**MD5:** 72dbe933a2629cbced5859f30899435c  
**SHA1:** 16f3d36326cf6c168d85cf9327258b2cab5ba42f  
**SHA256:** ab7a0b4d02015202f5abe9b33fb286deab007a42ee9adff2dd025482b6df802a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echopointng.jar: titlebar.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/titlebar.js  
**MD5:** e44b0a7d883fa295f513ae66e8baf3b6  
**SHA1:** a73818b6bee622a8c949bc6f0ada96ac29527075  
**SHA256:** 08457a169a8298c85215704f8e3acadd29ef4f01f7a07decdefcc520540d5f4c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echopointng.jar: tree.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/tree.js  
**MD5:** 9657b74610592c6e68183de9a17a8014  
**SHA1:** 663ca96d35d89bdf25b2eff628d7a1d854a68ff3  
**SHA256:** dde9bc5bda4b2e85e21e69367624fb98b30de5af452a7ede67c4cc6a3afdc597  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: jquery-ui.jar

#### Description:

WebJar for jQuery UI

#### License:

MIT License: <https://github.com/jquery/jquery-ui/blob/master/MIT-LICENSE.txt>

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/jquery-ui.jar  
**MD5:** cbaf1cfaeb0fc89be26e397b6e51e32c  
**SHA1:** bb7f2842643efa3a4212b96cb8b755377f61acfe  
**SHA256:** 1c22db2906fa807f551ddf3a18092ea0939a517a6ff57618aef3d09b632c7e59  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jquery-ui	High
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	pom	artifactid	jquery-ui	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	jQuery UI	High
Vendor	pom	url	<a href="http://webjars.org">http://webjars.org</a>	Highest
Product	file	name	jquery-ui	High
Product	Manifest	build-jdk-spec	1.8	Low
Product	pom	artifactid	jquery-ui	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	jQuery UI	High
Product	pom	url	<a href="http://webjars.org">http://webjars.org</a>	Medium
Version	pom	version	1.13.3	Highest

#### Identifiers

- [pkg:maven/org.webjars/jquery-ui@1.13.3](https://mvnrepository.com/artifact/org.webjars/jquery-ui/1.13.3) (*Confidence:High*)

remotegui.zip: jquery-ui.jar: jquery-ui.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.13.3/jquery-ui.js  
**MD5:** c0267985b7818a95c73695dc59f76190  
**SHA1:** 63d570e6878bec574b7efe72dcb4018d97619072  
**SHA256:** 27c6b2f3873315acc9f70713b920cba4f9b0a4c5ce9b9ef7394b591cf42aa445  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: jquery-ui.jar: jquery-ui.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.13.3/jquery-ui.min.js  
**MD5:** 3305041b1dfc2ada01dd1f54417f300  
**SHA1:** aa006fccf39c5fe50d87f0596f6c5c437588dae2  
**SHA256:** b30d2234d5e63896d085816e0bd385da43a50f929029ed72e657c19f80bd4a38  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: jquery-ui.jar: package.json

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.13.3/package.json  
**MD5:** 645d09e57f82c95d14c163a16e4eebfa  
**SHA1:** b3d04f70205a16221ea9986d7876c3ed71770fea  
**SHA256:** 06186eb9102592a39fae3fff136074462dbe9d7bd97364ad01af5dae95c8bc00  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: jquery-ui.jar: webjars-requirejs.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.13.3/webjars-requirejs.js

**MD5:** 2b45f24ce91f8c0d5c764e705b1eed88

**SHA1:** 03056311ea772e4b7b09a70f108cb2733ae13766

**SHA256:** a0f18ed7e4b55b53dcf2752e99573c9f7363fd4ba7d98f14a65c36cf34fe1ec3

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: jquery.jar

### Description:

WebJar for jQuery

### License:

MIT License: <https://github.com/jquery/jquery/blob/master/MIT-LICENSE.txt>

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/jquery.jar

**MD5:** 4af65e569248d8a2411f66498d720280

**SHA1:** c3dc40b1b5f24c56afa36fd9a463bb9f378ac4ab

**SHA256:** de28c4da0ea9f16101352dd3582ec8021ee5e2de5f45104ca171876003d54db6

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jquery	High
Vendor	pom	artifactid	jquery	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	jquery	High
Vendor	pom	url	http://webjars.org	Highest
Product	file	name	jquery	High
Product	pom	artifactid	jquery	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	jquery	High
Product	pom	url	http://webjars.org	Medium
Version	pom	version	2.2.4	Highest

## Identifiers

- [pkg:javascript/jquery@2.2.4](#) (Confidence: Highest)
- [pkg:maven/org.webjars/jquery@2.2.4](#) (Confidence: High)

## remotegui.zip: jquery.jar: webjars-requirejs.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/jquery.jar/META-INF/resources/webjars/jquery/2.2.4/webjars-requirejs.js  
**MD5:** 30e1a7f167b667001f50e32ea87bf7b5  
**SHA1:** d18dc733350ad3549af2df096599e824c10f777e  
**SHA256:** daca7b23bc4d8302a8961373b92b78d36d5c85d730fc14130e29d55d976aa420  
**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Identifiers

- None

## remotegui.zip: moment-timezone.jar

### Description:

WebJar for moment-timezone

### License:

MIT

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar

**MD5:** 04a64de4a96254db675bbbed71644d071

**SHA1:** 4e3e19133400f6385d843657a50922eefcb70542

**SHA256:** 9f779d557eddeb5696301b0e24a0e59d3796d8a56a29b36092dd3a6be8a43925

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	moment-timezone	High
Vendor	pom	artifactid	moment-timezone	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	moment-timezone	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	moment-timezone	High
Product	pom	artifactid	moment-timezone	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	moment-timezone	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	0.5.45	Highest

## Identifiers



- [pkg:maven/org.webjars/npm/moment-timezone@0.5.45](https://pkg:maven/org.webjars/npm/moment-timezone@0.5.45) (*Confidence*:High)

### remotegui.zip: moment-timezone.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.45/index.js

**MD5:** 16b10b9be0471f35921bc17b645c6fcd

**SHA1:** 7e9c41f04cff37b876169e1e5108b5b757305822

**SHA256:**b93bc1a0ab15d56e12f0e281bf005d39166952d9208b828e8d056563f3ff1fd1

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: moment-timezone.jar: moment-timezone-utils.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.45/moment-timezone-utils.js

**MD5:** 579107755699fb6b30aa384f2caeb848

**SHA1:** 487ebe0e9964b41caa2ada9507850a010a225bd2

**SHA256:**19f7fc016c96cc5b892236a74f0450afeb9e267710d21dfaf9e1c46618b97a28

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.45/builds/moment-timezone-with-data-10-year-range.js

**MD5:** b9d422d23f9f0b0dee8eae34d982d08c

**SHA1:** f705e45b1914b7aac459f29da8e099db045dd0a5

**SHA256:** a7b718fadfa1280623b213df574645975dde05171ca2a02a2755aa93221caf20

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.45/builds/moment-timezone-with-data-10-year-range.min.js

**MD5:** abfffa6339038e5d81a2fa555cf255cf

**SHA1:** be0fa5bca6e3fdbbc4fdeb691cc79f53e41bd88dd

**SHA256:** e63db076f981057ebc2c875905f3ef76117054049b23f4f2d8508186978c180d

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.45/builds/moment-timezone-with-data-1970-2030.js  
**MD5:** f42eae0bfdddf30780220b75022b63e1  
**SHA1:** 571756c350bad85b0ed39de3dbf9c101a2958e56  
**SHA256:** 2e1eeb37b1804f4497545a6be95e98fc6b0f8f4d11bda4e2a5dc65571b9063b4  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.45/builds/moment-timezone-with-data-1970-2030.min.js  
**MD5:** 0bce06bb915d4d8fac04746f9aa0ee2e  
**SHA1:** 93f8dce379f6f44b5995e28d2de7b2b16256bf9f  
**SHA256:** f0cb10986aed10cfa09926282d243fa40b58c154776629c721c4ca9a30547ee3  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.45/builds/moment-timezone-with-data-2012-2022.js  
**MD5:** b150e9de1d3919dd2060d006fd802cf6

**SHA1:** dfc034d914212af50361bc33ce5ca90db4516d2f  
**SHA256:** 517518bf7a55901c2d178da889d536c328993fa792cf2d8cc83db639af2f1f7c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.45/builds/moment-timezone-with-data-2012-2022.min.js

**MD5:** 361d8db01726bfe6840af8224cab1962

**SHA1:** 7bd627c40d22f4106f161fed80c12942483fc9c0

**SHA256:** fca1ff8c91bceaada54cef4ee36388b2fa7f9a1724738315719bfd400ffbda1e

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: moment-timezone.jar: moment-timezone-with-data.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.45/builds/moment-timezone-with-data.js

**MD5:** 80966a6123064683d43c677d618784ac

**SHA1:** 74f6c5dc19fb20f0a7da9fc1acba9e119a9457cf

**SHA256:** c05c6086aa185613925f46feab5418c68255c0825c661fd9dd38a27a711070ca

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-with-data.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.45/builds/moment-timezone-with-data.min.js

**MD5:** 7dd827ed873b280985ea8b75f0014f97

**SHA1:** 37b954c6e1985fc9fb2258902d64889f1ffdee80

**SHA256:**2404ed433c928ea23b184f4edcfa63563c1c1a423c372ec44b1f4fba27f43586

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.45/moment-timezone.js

**MD5:** 6f4c3207902f923e882074c916143539

**SHA1:** 0f6b6111f209443eb3b11dac95e04f9a5ac821d9

**SHA256:**0c9a4268aa9cd624f8c7ff72240984c55fb0122d5f013afe22b1e04f6cdc6880

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

### remotegui.zip: moment-timezone.jar: moment-timezone.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.45/builds/moment-timezone.min.js  
**MD5:** cec638fb4c4f4c65c140088d6ba7b4c2  
**SHA1:** 654ce0ea1d64cc03630288dcaabf8532e9253e7b  
**SHA256:** fd83b6ec6339eab2299d706b656c15f6d12c7fce7aca613d8769f41195473354  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: moment-timezone.jar: package.json

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.45/package.json  
**MD5:** ea548430d41ba9d916ddee742457b950  
**SHA1:** de4da1797956ae35e9c0460568b3eb9a43c81ea6  
**SHA256:** d8fdb9a79b5404ab290a253d3115d0c18fc1da7895ee71b539e6e332a1afe5ed  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## remotegui.zip: momentjs.jar

### Description:

WebJar for Moment.js

### License:

MIT License: <http://opensource.org/licenses/MIT>

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar

**MD5:** 72ad6b420b3b741d7def80f4837682f5

**SHA1:** 6087f9eb29294249887afa1eb4ec8308657c35f1

**SHA256:** 71f0cbc7e4d2c943077dc758f7c8f0c7d48e1ddc7f9e7cfd27aecbc12712cfcfd

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	momentjs	High
Vendor	pom	artifactid	momentjs	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	Moment.js	High
Vendor	pom	url	<a href="http://webjars.org">http://webjars.org</a>	Highest
Product	file	name	momentjs	High
Product	pom	artifactid	momentjs	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	Moment.js	High
Product	pom	url	<a href="http://webjars.org">http://webjars.org</a>	Medium
Version	pom	version	2.29.4	Highest

### Identifiers

- <pkg:maven/org.webjars/momentjs@2.29.4> (Confidence:High)

### remotegui.zip: momentjs.jar: af.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/af.js

**MD5:** abbd3f78270e280c248535ca3e3b3e3b

**SHA1:** 489ddba9b2a2f15e2a8d59d751a45c5ed7041f14

**SHA256:** c59e2f2d09098829d00f5dab85e6ec623f6aa9e70285ec2aac12030a014e4161

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ar-dz.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-dz.js

**MD5:** 10e8f6da8f425e389f9dd462018dcece

**SHA1:** d638dc753916f10981ce562c7e7543944aa5755e

**SHA256:** 2fcf1465ad9fcb33a1ee00188d0d8cb19e0d9094da9e27f56444b67e50c6810c

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ar-kw.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-kw.js



jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-kw.js

**MD5:** 5ad9681e194f33543d33a588e2a21f09

**SHA1:** da190c4671145eb702d41ee980b985a9816bc9c5

**SHA256:**ebcd2afd129890e49aa91cbd6718916ceb743122a4d264c681a533d8066de673

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ar-ly.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-ly.js

**MD5:** 293c5c572f1e70336fb5a5cab29faded

**SHA1:** d969dc63c258a2c5587efa0cb2ac80034c44a5f3

**SHA256:**0a70bf3f66b074d68453af125059d60f1ce4d5a96d3401b0bb7f013fb7a56696

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ar-ma.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-ma.js

**MD5:** 6f5179b883bce68003df4d2c99caa156

**SHA1:** 3af849ad551cc126ea26fe472770b0f2c86363b2

**SHA256:**ae28a7c4d994a1d4059f2dc1e6385182f3d5aab262d637a6bdfc80f3e3f5471e

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ar-sa.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-sa.js

**MD5:** 92455d26a00821fe9aba7ea8e23ec89c

**SHA1:** 18d22d6e22b460fb0d248426001e4cbfd9a69393

**SHA256:**4913900a380ed33b662fc5299fda05cfba74367870ba23f3d9db5dfd0775c876

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ar-tn.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-tn.js

**MD5:** bf6b33329fd589f8b3b393f6e64717d4

**SHA1:** adf2dc833a46ad99f030b5761a7e6a97497ca764

**SHA256:**2b6a611f7d21a0752d9101347b22943dcdd91293f7e09ac11c3b04cee41f594f

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ar.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar.js  
**MD5:** b0110c65e23d25860762820db7d2150e  
**SHA1:** 249cc300a99b9cdc47ff3fd70c9b4cb22f0aed61  
**SHA256:** 73485f16cb9317f156bab05ba8a3233fa87513cf1cb52728fefc53703ffd5b3e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: az.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/az.js  
**MD5:** ec1a4acd4aa555dd71722c2639df4db6  
**SHA1:** 49b4198f1b008f9deeb9aa5d33e27647e812f0df  
**SHA256:** 21cfe14e920b3edc4bc394709929f61aa5f2f9e51d3ca0c6edd1e51f29d7e3c9  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## remotegui.zip: momentjs.jar: be.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/be.js

**MD5:** 5c38f8d3d5da2b1b930f109553918781

**SHA1:** 181a1762773de78de3e2d21696e77a49a9e188a5

**SHA256:** aa0657f4f1e9f9ef3a3ce289bc882f5971195e4681499f02409486ed985e1407

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: bg.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bg.js

**MD5:** ebd43c527dac81f273926142beec5553

**SHA1:** 46101d46348f560c622895e9e65465dd26e92d6a

**SHA256:** 0d034309eedbd03f17e22dbd963c8cc8d490c8e877f39c6c4081636d1cd28fca

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: bm.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bm.js

**MD5:** 2ef1c37399931e14e2a4471ebc57bd21

**SHA1:** 1e10777797f13333027873cf0a1e05e52c2a9264  
**SHA256:** 1f3217d69f6512ea3984fb7428e1afe0c7779cf3822582c52e6eaa8982ac23b1  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: bn-bd.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bn-bd.js  
**MD5:** f2988fa9e29bc5573603a8140b321051  
**SHA1:** ddca0b09ab220aa3e7d8b6d01e98b06071942e4a  
**SHA256:** 87296cd8b904b633d89b0a72b779aaf04e8d625fd8ed772e3227046b3a3acf80  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: bn.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bn.js  
**MD5:** f5037a3495a3fefb37d9456b6745537a  
**SHA1:** 5d8e28e5703371e674a9b2947426e23a1429455a  
**SHA256:** a43f974ec15f638e67cec9d73cb33c339ce7cb35bb7041b478a930197977a890  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: bo.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bo.js  
**MD5:** 7dc25ead6d51909386b03c060b891690  
**SHA1:** 5b47f8a1cd1b1dad8e8ae1c6f408dadda7cd6983  
**SHA256:**dbf83d196ab69149d5f056a2b44e06441626f1e5d3c3aa1a300e64dc5150565f  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: br.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/br.js  
**MD5:** 65949057a5632b430fce65f65c89ace7  
**SHA1:** eda5bd14e942c85896b263b137e2e14f161836e6  
**SHA256:**35b4113f7552400639dc76ea40d55f1be6f44af2eaf4289e7c37e4e657522ba4  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

### remotegui.zip: momentjs.jar: bs.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bs.js  
**MD5:** fac80361cb7d5e0c44f8956063e8eb07  
**SHA1:** e0f831af87ad28205b93fbe4d7ef9001227eb1e4  
**SHA256:** 1d185f2b71c18bb14d0e5db063d59912396d42a04aec97cfbbec19a5bb8bb5ec  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ca.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ca.js  
**MD5:** 9c6c8738154552a40a29505cf41311af  
**SHA1:** 65eee9703d130c7a90d085214ee60c4e087b9d1d  
**SHA256:** c0ebe3bb033ce8f82c66a46dd297c19b30c80ba64036c721aca36a7f86f1b234  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: cs.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/cs.js  
**MD5:** 8f0a7bef088e6698b6a090a6f6fe22de  
**SHA1:** b137a5adfe662d0b1c258fe7bb2b73b971e2268e  
**SHA256:** 0dcf511c06f565a917e4718cce467392bf898ba60af2b3fdb032b1910599ebc5  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: cv.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/cv.js  
**MD5:** baf681a1e97ac68186325a98d5ef1861  
**SHA1:** c0433a02791baf8efe6945a4ae0370c6d8d55b6  
**SHA256:** 231b3a65bc4beb4d6f0920962dafc82611403df4979655cea53d9740d2986904  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: cy.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/cy.js  
**MD5:** 868cca92c4392ae5b0627f305f9633b4



**SHA1:** 9c0f75132a2eaa3fdf0631a08f210f0e29208501

**SHA256:** 05d100692e8cdd4a6b3b0eb56eb37c9c64dacab3254aaeba18c24689b18a6cf8

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: da.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/da.js

**MD5:** 47fe4d0a5079542391abdc125b4cb60

**SHA1:** 423a66383275eaf3f441f384c69b2d6e2cf905d1

**SHA256:** 891e90544d1061ea578b51173a2dc4638c0e9af95cc2986f1f89ad5008e301e7

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: de-at.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/de-at.js

**MD5:** c2df366205b041e50b0dc27fe427c54d

**SHA1:** c52be9218cfbe8ae8d51f78af3494d3a2ed5d35f

**SHA256:** 0575c8ba66974f2eb3d7d74e16a265c40dbfe7802cefdecc9f196f92c0ecee97

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: de-ch.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/de-ch.js  
**MD5:** 1f9bf40d5d392a14bb758de02e9d98df  
**SHA1:** 838d95c91f39f7e28483c660e6f5005921d3da11  
**SHA256:**b3c3d71abc98200d579cbbef89d470a6cbb272c4faa71e31232a68ef6451edd4  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: de.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/de.js  
**MD5:** 260cdaa4a123af8e02f5aa4001cceaac  
**SHA1:** b928a076571a81fde7fc1fd4a2adb45d9a9a2279  
**SHA256:**20fb0d0967e2720d135a6894165bf96e327b42bdedcbf45a9b2f9e44da7986dc  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: dv.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/dv.js  
**MD5:** b3ac7e877fac1116b8759c6e7384e86d  
**SHA1:** 3321dfc6f7147d148167b23a3642212fb10b1b89  
**SHA256:** 94a1563faab9fe61f359a515042f56e2672886200e084de98bbd98769f71ba69  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: el.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/el.js  
**MD5:** 7a1966e1fd7848aabcbeafa28ff2a445e  
**SHA1:** 29af743b2dd9c09d9962080c3a5b4cdac2b09409  
**SHA256:** a73fa8b59dd099d28a7824980577379437273f6ef35a90409cf36492bc2b3600  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: en-au.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-au.js  
**MD5:** fc0b9a852c77ef21ee6deb24d95769f8  
**SHA1:** 829e7b64e421cc91fbb306243b31d71f06fabdc2  
**SHA256:** 6a84d80e99d57f1ca1faa1dcca9f48e9925de4013ac5ceab52cbf20b059cff8c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: en-ca.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-ca.js  
**MD5:** b6f095c75787cb0eb2421b32b2e9ea14  
**SHA1:** 415ffbaa1c99a53d233979f5e907e83b59d54c9a  
**SHA256:** d7b47d71cd5b63a0cd7bc3945ca1799d9345ba9dc3e85356231dbb4f6becdd01  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: en-gb.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-gb.js  
**MD5:** 5ebfadfe47485b65c484822391d0aad1

**SHA1:** 4154fff794c0118f1c280d4e3c222b0b3f96a6eb  
**SHA256:**46e86bfd873ce2ba61885faa9e0ba2ae1a510574f698d6a3aba7da49d1505eb9  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: en-ie.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-ie.js  
**MD5:** f5175b64f4c382500e7a00ed4113c3a3  
**SHA1:** 12cf24c0dcfa4f82be14783a2889022043fe1f80  
**SHA256:**41a3d03fb561db37dc1e3a63cba10467c0bcabb2ab7e788329f86b6be6f72d9e  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: en-il.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-il.js  
**MD5:** 8f131247f11cf746d1b477c75de2e0a2  
**SHA1:** f1fbc068a029ca0fcb5755fc5211ae43c9b2dd00  
**SHA256:**494c5f26d0a16c8c1645d70cfc327e19086831ce78bc98599f4e5abc321db7d7  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: en-in.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-in.js  
**MD5:** 2d5a9ac86d2a83833aec6a68bc8947ae  
**SHA1:** 64d4492b47eac3212f09a9dd1fdfe2afc9721142  
**SHA256:**290dd53cb6262cfc22c961faf969851adfa8c38b30c80c496b8c8f19232a13e8  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: en-nz.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-nz.js  
**MD5:** 3a68b41d7982ae7bbc8a396d23e9d1a1  
**SHA1:** 0c30117c176ae1c60d35e54c3c0cd47b5104e28e  
**SHA256:**9590cf61d2ab1b83f793be9f074340397e639fbb112a80c8bb7d2e3a77c45448  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

### remotegui.zip: momentjs.jar: en-sg.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-sg.js  
**MD5:** d32a209c24b07b617c68fb03e081061c  
**SHA1:** 34729febed76ec17cccafdc06ce4f51902daaf42  
**SHA256:** e3b29449d67e5d53d3420b5f4ec207dbd70f651380573b59f39aee2b1b9ca52d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: eo.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/eo.js  
**MD5:** f19d7f5dae34785b6ffd82971ff01712  
**SHA1:** 8a6937235d4219a192ae127506cca9479097abdf  
**SHA256:** 823d3e21f85f9d3801f7004cc5cde82d5f45d98e977979322543a65908411e4c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: es-do.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es-do.js  
**MD5:** 3f09c253c2e7ed72706b062bdb3ecee6  
**SHA1:** 3bcd2f7f697c4241a5f47985835b0190a643630a  
**SHA256:**a1d29019dcff0ce2a11cdf97018c20e99fbc739163c059ad8bf2408f77d3161  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: es-mx.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es-mx.js  
**MD5:** d16f10cddba51c3467b316318e592f22  
**SHA1:** 4cc238005f4d59b4e3877449babf5cc8b3595f38  
**SHA256:**a233573f641cc9c93c87b555fc5564c2e5ebb97e251338e971ba76e74d512646  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: es-us.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es-us.js  
**MD5:** 276e7c3c7756f9e962f6141f5048894d



**SHA1:** bab0d54cfa34f527dcf6960f5379aeef05cc66c8  
**SHA256:**3923c6bd6137387d5edc62f6dc0174cc9eef8363238c16eef78bd9d9c69bfafc  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: es.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es.js  
**MD5:** 0e92f45548e01672fc6a2f73979c397e  
**SHA1:** 6e6385cb5f6e39ed9ba95ebc1fb66526e2c3371a  
**SHA256:**2a8f1790d492fc338933a032a862f99998f31bcaf7a0e4fc298b6a3cb04cdf7e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: et.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/et.js  
**MD5:** 8b5c6c8136c1bcb3dd35ff204c28b1fc  
**SHA1:** 82ecebf743869c8231a6ef06cf5959e5cdabc7fc9  
**SHA256:**95c974679dba419b7d835fa51340c430bd0066bdc38a7a139caa575b67389d7e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: eu.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/eu.js  
**MD5:** 1f0f32ac558d6bf2591f0e7c59b09e88  
**SHA1:** e8989f9da9ff458c51d7d4c21f9bfc99ddcd72a7  
**SHA256:**ecbc07cdb215cf9996405fa56ef306761ec6a9383e19a53c2b45d6a1c5c4dc68  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: fa.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fa.js  
**MD5:** bad9e9e51e7cd982360114a2d6b9a03a  
**SHA1:** 7285494b159552cdee8bb7050d1278144da80b04  
**SHA256:**15ca66ce1faa865c68998fcc8ab1160207636b9161ad76f7cf7acd0d7c0ebd1f  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

#### remotegui.zip: momentjs.jar: fi.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fi.js  
**MD5:** 08d74def02ac724471fce607ab87f4af  
**SHA1:** 7f40cb04e95803f706af5caf5a983f7aa3f2365b  
**SHA256:** 1339d4170019588a6764a56236c2a7c5b2389ace52a9ec5e8c09f1997935741f  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: momentjs.jar: fil.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fil.js  
**MD5:** fbc9e6bd5b49897ba8503d27e2d061ec  
**SHA1:** 2121d4a7333acb3b7b120c1580a809a8a5927dc6  
**SHA256:** d24cac0d0069d89c48b4c8cee34cddcb7e39892c91f07b884574fe0cafb66ef7  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: momentjs.jar: fo.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fo.js  
**MD5:** 85d4a1a25dd5c3fa021f9e6f63fd01ac  
**SHA1:** 95d11e45e86f344a148706df7f5c86019e02ae30  
**SHA256:** 6338de573601e330030918569b8d2f80f98a57754e748a03ff56e3672fa25be7  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: fr-ca.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fr-ca.js  
**MD5:** c0ef60f7029fe6ab773c090320f0a66e  
**SHA1:** 8970ff163faa9c8702be24f65f95e94b962d8622  
**SHA256:** 59c5acfbfa5605fa641721bf16123300164ccc043f4bad6009aa8d880b159124a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: fr-ch.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fr-ch.js  
**MD5:** 3345c9d13645ae5fb2964c17559326f5

**SHA1:** d0cd4c6466797300434db0d6c8028bf46fe35bc0  
**SHA256:** b32f50aa3d147ba5441d7728a45bce592125fd0a97117ca4b93b32c6393d847d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: fr.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fr.js  
**MD5:** 775f1eb59d6f597b1c398036002ae329  
**SHA1:** e6f1741f5598b62a83bb071459d9e8cae4b3a127  
**SHA256:** d87b4eb850bc7742c104557450d0a70d18a48a917335221af08d23850667523e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: fy.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fy.js  
**MD5:** a54d9827ca1a619a839a15c94b7893a0  
**SHA1:** 66863e3aaff531e89e83acd8844ca87f8516cf38  
**SHA256:** c33ae59d9a05aca0dbe86d74bff25eb44d04ee97b738034fcb72a21b73ec1cf1  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ga.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ga.js  
**MD5:** 264a960fc2850670387b1cc90dc29dbb  
**SHA1:** ddd261054362b16567ba858afae968cf2380bb6c  
**SHA256:** fc6d5d441553b23b5ebc3c79896499a093a3285f1e6134a680b8899b5cca4c86  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: gd.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gd.js  
**MD5:** 0f3b98fcc8a06995436819446130320f  
**SHA1:** 0050fa33180aa1f35c739cecb397846bff7d24e4  
**SHA256:** efa1d779f65671809a63f900479c69bed19c262f2fe7936076793bd13deda080  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: gl.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gl.js  
**MD5:** 0d346a7ad989c39c04631e181056acb5  
**SHA1:** 74c436284f15589fd53c9d4c090a4f75ff8376aa  
**SHA256:** 825e6fad55094c13118d2cada0b6c5945a97ea9b647686c2b00dc6980bea4608  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: gom-deva.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gom-deva.js  
**MD5:** 6d2091e4ba1b31399eb4f1f3d92acaa2  
**SHA1:** 9e27b24c4f8ff43da0373ca75738e0322cc1bd77  
**SHA256:** ff5ebf00d100f610caa956ea22c45584e34067f762c2e9811326d5903ccd819c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: gom-latn.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gom-latn.js  
**MD5:** 45f0c567784f534e16f304dd625682ad  
**SHA1:** fc4b281f7d57696decbf3bd5e8c572f4191c9289  
**SHA256:** caa6b3cafb8d463c7cb0b47783b84d7f7637f685b8d33d1224548f7f9a124cd5  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: gu.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gu.js  
**MD5:** e108958bf473fcc52349ecba7dcff10e  
**SHA1:** 977667ee217d20d2ff2338dfa6ea9bda2e0c13d5  
**SHA256:** 5155f3aa5fe43b18c7b06cf02ff6e9d6c157d7da822c658fbd8e2f0edceef161  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: he.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/he.js  
**MD5:** f5e7fb20bbb7618d95e4928fee094f7e



**SHA1:** cbc69bf9fa2cc2493d086af3a5cb15e893c7d64  
**SHA256:** 93b540d4f1bc21d5668854475e8efd2d6fcaa2f596704752a586ce07d471d475  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: hi.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hi.js  
**MD5:** 10451c28a31c032807f1fbf1bea5c32f  
**SHA1:** 8ab3e8fd6823a63a2348cca98ca4eba215ad01a9  
**SHA256:** 482f9289851cc5add17895787d427259acf8d9467db37000d383021aa097a1e3  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: hr.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hr.js  
**MD5:** bfeb6da022ce8f5d4610a485f6063935  
**SHA1:** 0e475a985f8f3612c397a07781933bc4235be646  
**SHA256:** 4af37cc6b498a4c3418f0b5d90efe5354422b3d158681454dc2eedee31ce1469  
**Referenced In Project/Scope:** server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: momentjs.jar: hu.js


**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hu.js  
**MD5:** d485a763ba31196c55bafddc763cf98e  
**SHA1:** 83c283112870db2a37b8d6a96e2ff423f27addac  
**SHA256:**518c3c1b849d41be9ef9673726ac3c71290096a727ff29c9edfb0f7489e3253f  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: momentjs.jar: hy-am.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hy-am.js  
**MD5:** 8fedcd99fde263a8a5a906b27de70605  
**SHA1:** 3fbec521a9f7cddb7576fb37a3f35ba2705e88  
**SHA256:**2c3bf5ef8c5162c7c4ed0ce4b144fad24eefd691911d7c8b86c21cab84f3bfe6  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

#### remotegui.zip: momentjs.jar: id.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/id.js  
**MD5:** 3000b8d8d73e16384fd2a13aa7259d3e  
**SHA1:** 1bcd369482f53edce0c1d34aeb15a918f3c7af7c  
**SHA256:** 036154641aa4cba94ac8a65b98af75d2fa0ec29156674947d1148fa146689dc3  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: momentjs.jar: is.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/is.js  
**MD5:** 0f5a457d3457dfef1c5d256436b5e442  
**SHA1:** af0c0c6573bb9628ee8c97479651f65571d6a56e  
**SHA256:** 6943c853ee0ad65ad2e3e38baecc90dc8088071f10406ee8a5ad995d7cf5f6e6  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: momentjs.jar: it-ch.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/it-ch.js  
**MD5:** 0c0cd69247909aeca5d78d255b30a617  
**SHA1:** 71631e4e4ce3a8466d80d4960a86605634a713dd  
**SHA256:** 9670e2244dd63556408fc20671fd763fb91be52041eee92934710e75e2b3b7fa  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: it.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/it.js  
**MD5:** 1abd9a8f32e7930bbdebd23a2bfa4afb  
**SHA1:** 40cc21bf11475c48c1681ebc18a63a2bea4b8962  
**SHA256:** 2fe7346bd6fdf02aee19fde76bd2ca0b5e65903ddd45d097be2342ee7b0b9470  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ja.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ja.js  
**MD5:** f39b4bc3b33715242a84fed53b50d596

**SHA1:** 8bebb66d25df95fc67d48f4ebc4b519fbc7d9482

**SHA256:** 9720de4592dd94861f2fabb51110533fe44620f517e50448dd828a7f2eef7009

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: jv.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/jv.js

**MD5:** 307628de0dbfe42c1aedc98c3afc1aae

**SHA1:** 7620cfee82f0241100b34de89cefd40412456ef6

**SHA256:** 707617feaac7459e5d5c39ff3ea4a5e5da0cf398384902c1cd5975cbd1a113cd

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ka.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ka.js

**MD5:** 629be6bde33738ff66f7119b3b617798

**SHA1:** 02209d78bf7dfa3b5e585e64ebfc61ce561e5f3d

**SHA256:** 2c15068d2ceb1f34e4b92f95710b181bd1034410b8a96ae15dd11ee24d0ff0fa

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: kk.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/kk.js  
**MD5:** 4532f947979a50597d1c82a42f0facb8  
**SHA1:** 9a8cad32d8e4350e40184813f4d19aa05882a8c9  
**SHA256:**430c86f6c0ea0199d8622045883048b35875bea37b44424663bbe573056ec981  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: km.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/km.js  
**MD5:** f73d0c92be21341d171e019c00173f3d  
**SHA1:** 6adb747842bb733d90ce2b7dcf4963f1d62a7a4b  
**SHA256:**01b837409a1ee03d8269886915f10ae1b9460b2cc42cc5f6fac862f7360ba103  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: momentjs.jar: kn.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/kn.js  
**MD5:** 72e237c519a91674447b268b61983bbe  
**SHA1:** d72624462d7dbcf362ccc15385d5cb5a124304c2  
**SHA256:** 9673f6d7a10086cda8228f1c080ec032e8f34e3a3de2f1413582e0a6cc6f2128  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ko.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ko.js  
**MD5:** 14369b837e9e15378938754b04bd2189  
**SHA1:** 9c886434ef46530e25cea737272027ac505b6adc  
**SHA256:** f15f592b5d7d5bbbd061c5ad31d4c45f462ad43acad74808c6a7105b108ec0eb  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ku.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ku.js  
**MD5:** ba513eb127fa22206ca1a67ad8467da2  
**SHA1:** 45c0c079a209932f8a8be25a94f0fb97be8ebf84  
**SHA256:** 816c9c27f4237f1fa595c5be0a60b7e5c58ec0336d5a908e03f73fd8596e1caf  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ky.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ky.js  
**MD5:** 68f9c0556546367a8c25903bb8348b80  
**SHA1:** 5bc99ba86f969c07cd1b0dc62510c572707adb64  
**SHA256:** d3c35f2c47610c7c921268cb98cf398599068d24d51e7a89167707130c85ad59  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: lb.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lb.js  
**MD5:** 474c1a2279d961b67a8329372fb54367



**SHA1:** c6acf49c446bb128ce8aa5f980664107e92523cd  
**SHA256:** cecd52da4e3f3a7a69d4cde1692c90d000a3726772f8e00a9c232faf4d6ff985  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: lo.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lo.js  
**MD5:** 629f0195acb5feb16432ffc78b6418d0  
**SHA1:** 10730e85c79a5c325f30a5f0fd1b83928918cde2  
**SHA256:** 83c284d16d40e861cd01c28683acf77475813993b2a17201f17127e238e5bcd6  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: locales.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/locales.js  
**MD5:** 3aabc3a57ff7796110a9d427e6e61280  
**SHA1:** 59155d41e1b7a2f651f26f8db2768c42206bc4b7  
**SHA256:** a6d8d341af2a118463f8dbec697f3b5210552997ef51e0d9a77c84235f2eb2dd  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: locales.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/locales.min.js  
**MD5:** 5d62f0a64211c2d3e0d009cc69c48202  
**SHA1:** 4c6bb9ae2e43259229cc16e9eb7ef70f3c8cea12  
**SHA256:**1a3224b3cabca0fa92ca56e14da46d7f209ed28ce68ed50940b4fa6ed2ffd254  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: lt.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lt.js  
**MD5:** fc931f5db9a4d5b832e7c53985cfb233  
**SHA1:** 6d5575d2ab06036bb29e50e7b4607985b0c10aec  
**SHA256:**a02ce50203e4cc9e85db77632d41f489f14c893f986199c8dd04191199924094  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: momentjs.jar: lv.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lv.js  
**MD5:** bc6f1396c4b85e2b01b4b2fca550c0b7  
**SHA1:** a18e4175ecd49b5e3382dac1bbcdc48c3279c60f  
**SHA256:** e4f68dbe7147bdc76d7614102eb525f9a5d8dacc690dd661091412b0c9505cb1  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: me.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/me.js  
**MD5:** 4b76ccc2617dfc9bd6a54643659bec05  
**SHA1:** 924aea795ae1a9581ed184b384806891ce336e27  
**SHA256:** 24103df1e95500b3fdc4aa60b933c66d2cf33aa4ff8d2401ae847c516285679e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: mi.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mi.js  
**MD5:** 89179085b30d2752584c4f4e9c3ac04a  
**SHA1:** dbf999f790c8e7f99c27c55d8184cb46d1f0ee85  
**SHA256:**9cc67dce66cf3f0f9a57ce732af6878cc23fedcf256fd5302c6cf57df87eac3a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: mk.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mk.js  
**MD5:** 7a6a2a4ae623481704f78bb0ed6e1968  
**SHA1:** 3d984281f4acbb38920919c47916a0ecc46d8d82  
**SHA256:**c38140b5408a91d9632765d23f4368f0cc98dfb6aafb0fcca452b6b4bfa93efd  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ml.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ml.js  
**MD5:** adaeaf5c9b5995567c7723ded581c647

**SHA1:** 3cbb01a59dbfdd3b86caf1b30938598c52e1dac8  
**SHA256:**d45ac595a918393ae8f76838688fcd569c917b945e9c53861ec4a1f11f20aed2  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: mn.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mn.js

**MD5:** 2229e9c27b35b688a4211bad4d7574eb

**SHA1:** 7fb0c3b04afb903aaa0a3a1b4b478a8b2d9d6bf3

**SHA256:**0f1f5bbc9eaf020931f8cb54ae085e51c41c0761ffc7fd265dbb60cbe7d84076

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: moment-with-locales.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/moment-with-locales.js

**MD5:** d07131713d356424c14481ed9e77ced2

**SHA1:** 6ef93c81041412f1b60d1254595cb04b53f8ec39

**SHA256:**f37cad4429c2815e53699ca98abd4e8773737f696fff554c63a58f4d6589200b

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: moment-with-locales.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/moment-with-locales.min.js  
**MD5:** d458b68730a7330653700489333a7837  
**SHA1:** 4059aeca1d0b99aec8006b37a927f09d9c0e794d  
**SHA256:**430725b95468277dcbccc27e08e3d873276c0082737310b0b1ad330392511847  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: moment.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/moment.js  
**MD5:** 6e5aa6783efbeff584f4292398326b32  
**SHA1:** 450696675b814c89ec016901b570c05891ca2c04  
**SHA256:**c33f09a4e1230f3075be8d2a94081108d52f62d3c30b9a238941fe80790267c6  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: momentjs.jar: moment.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/moment.min.js  
**MD5:** 6c0a2330b0d8d6ea185d4669a0eddeab  
**SHA1:** d4f50308961144876b2b5fa57684b737694a4b04  
**SHA256:** f343aa319a17a3fc372ee6ad5af482b9bf6a298cb22652b4aa7502604821071f  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: momentjs.jar: mr.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mr.js  
**MD5:** cd715ac0f919538bf79acdb4a477763e  
**SHA1:** 467bc9f9b59ee399af6ef3f89886c150f74ae52a  
**SHA256:** f6347f442281844a205245620f9e469f52cacb7dd41640ef67d32a94f2c583d0  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: momentjs.jar: ms-my.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ms-my.js  
**MD5:** cb7a91cedb211e85abf06a4683d39800  
**SHA1:** 05754f446f94d9b0d34885bdb0dd40d08df23295  
**SHA256:** fa77f6b23884ace43199d189a596c8cd436ab20b2b6966599dd9fd589e51548f  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ms.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ms.js  
**MD5:** 3f2df63e4e8e99e5f3a23b44e135f90a  
**SHA1:** 7e8563a8e513fb3f2f711395992fb34d6039e841  
**SHA256:** 6b6301d42544281a07e51e517a1acd2e498e6289b29e74817433a86751761f71  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: mt.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mt.js  
**MD5:** 3cc610e1a28bb045e3f21adfa96614ce



**SHA1:** f22377dc419295b8cf22ca6459df3f834475ddf9

**SHA256:** 6af1d3643bd218941f30da0f6ba7bd64d4c2d0c49336876308af3af0387b0440

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: my.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/my.js

**MD5:** 1de06907d41a2fbf6861958ee0eaaba6

**SHA1:** 1b5eaf3d04d7a45a9e93db791963bfa0cf999383

**SHA256:** 92732cb26a774bc3e049c7e212d8ef1425413d63522ccca1fb1b0696854da4ad

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: nb.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nb.js

**MD5:** ee293037089769cbdbbf9f2dba3e01e6

**SHA1:** bfed5520bb401c83f0b391cf09ab1907e4362f2e

**SHA256:** 36f088dce675389ff1b12afe35703b6d166cef8df8a24e1e1d6ecfcf7be84fd5

**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: momentjs.jar: ne.js


**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ne.js  
**MD5:** f09e1496b96096e594254145053e777d  
**SHA1:** 601e6b5e8ead8fac21d661c4cb1f5aee22c96755  
**SHA256:**804bbd6c30dc3b74de711a44f9019db06210323a0db31e53ce730feab5ea6275  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: momentjs.jar: nl-be.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nl-be.js  
**MD5:** e50c24ded5247900814470d1a6cc8854  
**SHA1:** 73d12dfe3645a5ea9e0b6c4d5b2a5f28ac022af2  
**SHA256:**2bd27e18811c7363a1b46b815173d626102523a2f76854792885166f4a99eb5f  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

#### remotegui.zip: momentjs.jar: nl.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nl.js  
**MD5:** 843085f588379356ba9556d93aa9ccdb  
**SHA1:** afe70913ffce08e256c3c9ffe350272bcb791a0  
**SHA256:** 037e055b18b4376112d853e3d357b217dcc0bfd3990e0155b980ff622b4ff8d9  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: momentjs.jar: nn.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nn.js  
**MD5:** 7c29b42f21ff6b7e0b1f16ebb20d2a5a  
**SHA1:** 9464502746665d34779fd3e7c9c05212db534556  
**SHA256:** 66007f84c945a3475100a3024d5fa3d430d6e11e64de81849e50ea73e3f390be  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: momentjs.jar: oc-lnc.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/oc-lnc.js  
**MD5:** 16a8d7288d0007906a6ebb39fd954265  
**SHA1:** 5442e9e7ee72e6f2ed438139d5779ddcfaaf471c  
**SHA256:** 1e03cd598c495e4dca3bae56e3822cacde57333ab5a85f555c582e104f54261c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: pa-in.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pa-in.js  
**MD5:** 8247ac1929cfdcc902a77542e9fa470c  
**SHA1:** a0270710978d4f03b32a4d5cd38065d6d274729a  
**SHA256:** 5ba548ba7844a1c5c4a7f003337237f940b5e8aa67254fb90e1a05a66f2b43ac  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: package.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/package.js  
**MD5:** a26087930b5278aa21fd79491b952ac0

**SHA1:** ea880b139fa5aad30129356d4c2b61c7acad7452  
**SHA256:**6334f70497c6d8fd22adb3089eec30bf1e2b3dacf92508df52eaa7a8aee12bba  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: package.json

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/package.json  
**MD5:** f1965dc95e9d5ef4816ffbb597d484ab  
**SHA1:** fa7b033b3a1adcb85370480289e6a60cfd21ac89  
**SHA256:**25f5d25a676dda5763fea169d93a31dc12bd0a6d5d7f352379c8afcb1e3d794e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: pl.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pl.js  
**MD5:** ea2f9b5ff7c97f62603f1e8786708d7a  
**SHA1:** a9b097f9c1dfe0872befdf47995602029bbd22c9  
**SHA256:**5435a1265dacc269403f275095e24a63ff3b8bb0f95908f7a2a987fbe2ab9e43  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: pt-br.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pt-br.js  
**MD5:** b70a96c3353ca41f14b5628aaeef6461  
**SHA1:** 02e3841b0ed1fbf086a5b8bc1be8cf835cc9d8c2  
**SHA256:**8a8b165be42795d9e945e7494f38ea353ee2f7eee7eab123073f3a42ce755687  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: pt.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pt.js  
**MD5:** 71f120e6f7682b0e80a9d5982b8a4711  
**SHA1:** 49494f7c1cdb36294b6d640a524c2cf19eed12b5  
**SHA256:**89e4c2f2d351ad7e2fefec9332778b16cd4a31858ded9ad6fece12fd9db94ac2  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: momentjs.jar: ro.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ro.js  
**MD5:** 84b1a53a794d8749061a53eb558110f3  
**SHA1:** c2241e36357a248cdc870a8f83c19d12a031b479  
**SHA256:** f66bcaadde14018ffb3bce26ea8ffc3ce36cc65c4c1e9ef9ed6cb321b7ae9481  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ru.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ru.js  
**MD5:** c66d22693e1e950330471ed9de408aaa  
**SHA1:** 3f4b2156029a26bc408cdfccf5812bd125c760cd  
**SHA256:** 47b9c98d906dc3d7b7f40e604d793fff2e142f7d788f6ac0deac5030458ef5  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: sd.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sd.js  
**MD5:** 115132c218de16cbea034b2762b9df9d  
**SHA1:** ff940a6362744a8258e15cb09c4e4b46c48f3ec9  
**SHA256:** e5f27127927a41eb82e45491e52bd6a529d3db5e6cd519c48f7473268909f6c3  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: se.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/se.js  
**MD5:** d63f9c00eb2beeff26eabfea1406a3bc  
**SHA1:** 8fc07d6276adf84ab94a1d352d55c105769f9017  
**SHA256:** 424ed10805d004f217b44ff6a0da5bad51d8f3b25577306f6e1f59c387525da2  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: si.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/si.js  
**MD5:** 0bdd326bd6fe7e94a1c3fed06cf79cdb



**SHA1:** 6dc83c8bee2af014c11994abd5f0718ed9c4dc64  
**SHA256:**8e7582efb99ff00bb7aeb6de0bfa65792592a5b4e81ae6caa7bf8cd8cb3180de  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: sk.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sk.js  
**MD5:** 0d4c93cc1adf0c2fe5bdcde7b1cca213  
**SHA1:** 17c72fd3b31573f097f962b851fc82db22f217c1  
**SHA256:**7685c076b71fd8e36c2cb84c645bb3a75d84566f26c3682a2792f0113b4d9b16  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: sl.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sl.js  
**MD5:** 11bbdf40343f7ee615144b2c3df93d54  
**SHA1:** 853a6dcfaa15df6205729d754739633de7e3f667  
**SHA256:**ff2e8352962c2d13d114356c863701f2473651f6491639e1826ab417d0377f90  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: sq.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sq.js  
**MD5:** f5c6cad85947f97d184ce17397145e3c  
**SHA1:** 1817cdeeb3261b7f03f13902a7d8adfe46c36a65  
**SHA256:**9d7d061c245349d6897732c90ad57841c9132b9b556be07a24dc76ff17cf75a0  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: sr-cyrl.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sr-cyrl.js  
**MD5:** 403a704d0b31d44f5d43a05f060f879d  
**SHA1:** fe545c0831b16a2393a771221f2daf3f8af50cf8  
**SHA256:**e62567ebcb6434f8652b1867386d7324c06d1f226fe9fad0517e658503ab496a  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

### remotegui.zip: momentjs.jar: sr.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sr.js  
**MD5:** b5752681e826802ad4578a65d446d2ab  
**SHA1:** 18c79b7064d378b578c83facf15be80314e34581  
**SHA256:** 307eb8be823a2997ce88c5ad8c3ca19e7a6345f116331fe3856659665de0d453  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ss.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ss.js  
**MD5:** e61a001b0c3ea5bebde2d4d96d7c19c6  
**SHA1:** a26e124883144d6ac990722d7915ceb80a44f7c8  
**SHA256:** 0d8a08574cc28602738aca72bed6364e88dd93fb2131a20c06630e3dd7565945  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: sv.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sv.js  
**MD5:** a276c85890a03d5a55715768969516fc  
**SHA1:** 135396ef7e63b71af3df1cbafc5b060a32aaea4e  
**SHA256:** 08f8dbba970b89522adaabe609f47a3f20857c0985967888124f9204f4c3e2f0  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: sw.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sw.js  
**MD5:** b9e0ae98f621d6f9a622fe09225978cf  
**SHA1:** 42f76f09c8d7049758cf8f78e30881e6681c40e  
**SHA256:** d6056ac79071a9f60793825357dac3ecf35c43acf10e02a65f1892f1fd9cc0c1  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ta.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ta.js  
**MD5:** 2b48e3a057ec1ecf49d4e16d56263ed8

**SHA1:** 94a700dff6eda352ad3a2c4d7f5a4dc5e6219321  
**SHA256:** 2dae88a3138adda69fdec54914461ec28d4fa5e720d7626ddb3fb91a74a2ab6b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: te.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/te.js  
**MD5:** 39e36c17c46798dfdcf0ddae92610807  
**SHA1:** 1168038e9d7c735ac44fc0eca95796067ca7b51b  
**SHA256:** 2cc07292a2ab5702d8e1e849ae3b28cca5c6194d0d150ec637c6289d9d864e32  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: tests.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/tests.js  
**MD5:** d39f31787b27fc1bb028ef80e699cd7c  
**SHA1:** 4c0335c7f8c19e26ecd2f9f0ed08323507031d7  
**SHA256:** 895d3ab9bb945f1f86903438a18c9fb308e84a912e4859da39fd1bb08da63e44  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: tet.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tet.js  
**MD5:** 0a6f7fbd649b280c8fff433d32591867  
**SHA1:** 15f108397be93776a1c232f3de813e27f305550e  
**SHA256:**d80dcb236c671594af031c93d32ed883c322a6f32bd25637d454d7b9d9e81593  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: tg.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tg.js  
**MD5:** 83e93f32f7f488c26def6938e280b716  
**SHA1:** 59886e50e9d7e53beb111b317d5195ee0382050e  
**SHA256:**24c8928619c471831467afc05aca6f0299e40b418b78bb30b4d66942d872d2bb  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: momentjs.jar: th.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/th.js  
**MD5:** e14a3488b2c85b54f65262d6fcc6b1b5  
**SHA1:** 7697e04cbe08eefdc5ad4cefca7ea7ef42cac791  
**SHA256:** 9911634c353a7ce63a81139f914552fc80a499029a803ced8b32b6af88c53bf4  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: tk.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tk.js  
**MD5:** c01b5d264b1cfa34c4723e995439ebb9  
**SHA1:** 8445ede8c1ce77556495f9a5469ead5d3b2b3ee8  
**SHA256:** fc6654229cf3f6e6bb2aeb5b70dc4e6adf7f307575af9d15b7a31aab897a9988  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: tl-ph.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tl-ph.js  
**MD5:** ae5a584c5d3e7690a710b144fc505a7d  
**SHA1:** ccc8535e56aeb0b2c2991ec7c2c232a16334f09b  
**SHA256:** e324f1791432534af3ada36c185637db02eaf3d3ed8f88ddf143538dc484cc3a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: tlh.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tlh.js  
**MD5:** 59508c37879615bd0a0beee8f69a28da  
**SHA1:** 15324b9edf1a3e7bbc52b1e510ac53def8ce02ef  
**SHA256:** dccea1319a2e92d9bf373e1d8dadcd4a130e1fa2457d7a66dd035c3cb93601cd  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: tr.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tr.js  
**MD5:** 0cf5765f4f245b2cd8a21dee0c3c92ba



**SHA1:** 7eb8afffa83fb85eba987c80a934c6ad30a23b23  
**SHA256:** e8af125b0bdb3c15ff5ef2eb171bfe698507a026a9cab54bedb0770cdca34fb2  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: tzl.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tzl.js  
**MD5:** a2587bce05b5fa3015dce4ccedbdc802  
**SHA1:** b9c4bb7a9f9ad9dd515bb9de82be90d0d4932fe6  
**SHA256:** 393e6424d498fd2abbf646217a197b61c4c57706e6b29ec2873ab20e7bdf6970  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: tzm-latn.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tzm-latn.js  
**MD5:** 582198d314e9ced1007620d4e7701734  
**SHA1:** 17859d3345ae82ce39d5d036649c1976b9e4474a  
**SHA256:** 7909cef0eb3080599c24794c079e05ba07af565f198450df0ad411c85be45030  
**Referenced In Project/Scope:** server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: momentjs.jar: tzm.js


**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tzm.js  
**MD5:** 69d71f7f7674fd7f8b35f14dc179339b  
**SHA1:** b5166e0443eb54c38185227e954cd5cc2b1f589b  
**SHA256:**e6f3a2e2e3ca86953e2c06ca562607a95d2b5129e751e5e0905270f3e56a1f52  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: momentjs.jar: ug-cn.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ug-cn.js  
**MD5:** aad8845e8fb63517d21b322fef4a3545  
**SHA1:** aff6b2361311a6475b9fd755bf63d23e3e6132b1  
**SHA256:**58de2ad653876b1eb27ceaffb0037ddb0e4fb7917e111fa7a88ef8ab01fd041d  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

### remotegui.zip: momentjs.jar: uk.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/uk.js  
**MD5:** fbe69f339b236b654b3e41d8d8b56536  
**SHA1:** d9fdc9224f535c1338048858a9e457558f95349e  
**SHA256:** 725764b2851d3db79d8fb20b96ce7708cd1dc60c6ca6f37bac4df2350f3ccbf4  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ur.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ur.js  
**MD5:** 3da71179953500680163984295abe43d  
**SHA1:** 2fdee5b33f8d29a565d84927fd333a2d9d41e5b2  
**SHA256:** c89fc485a14cb20c0576ff20bc3d157e1296f2b2ddfa8035f71e8b58f61a29a4  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: uz-latn.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/uz-latn.js  
**MD5:** 75ce0ce4c28806c32575c4f28ded6185  
**SHA1:** 2648a6adc3ebb4dc12b070a5cc0a126050cf685a  
**SHA256:** 3943e946fcad9c965f147c50e08da71d3270239175de530d1f48be6fb44956ed  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: uz.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/uz.js  
**MD5:** 3d11efeaad9c7b7f344eb8beb691a2d3  
**SHA1:** 73ce197519648ecb5e6756bb2fb953688b42af2a  
**SHA256:** 9f22344f9ff69b1cf5546c975fd8847884bb032216d15054ea267cb964a09b08  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------


#### Identifiers

- None

### remotegui.zip: momentjs.jar: vi.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/vi.js  
**MD5:** 28c7ec0c4bf82120245da0d15112f4b0

**SHA1:** 1470d1969733e49331f2e435910b045e6a0a518b  
**SHA256:** c5db03ae438e4c55a6edfa004540aaf1def14fe0968f9ed3e03fe7dd7c3faf03  
**Referenced In Project/Scope:** server

Evidence 


Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

**remotegui.zip: momentjs.jar: webjars-requirejs.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/webjars-requirejs.js  
**MD5:** 34b1a7dcca0ee03eed1432670ed9c472  
**SHA1:** 9de80e951270f04bbafd39d9d7822df4f7d08839  
**SHA256:** 197295e6af66b25f2aaa0909c6911f7c1c76e24eaf170d9cba2d84644146bfeb  
**Referenced In Project/Scope:** server

Evidence 

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

**remotegui.zip: momentjs.jar: x-pseudo.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/x-pseudo.js  
**MD5:** 18b5b8d8f2f327f6d5ec947e550f35e0  
**SHA1:** acc470244b95f709e4b68e7ab94b2c645f929f47  
**SHA256:** ca8ab052a09b2f320574c71c472609e026b4aa72c87a06f204ff33670249e2bf  
**Referenced In Project/Scope:** server

Evidence 

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: yo.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/yo.js  
**MD5:** 42b28f7a2ea67c7b5a342c87ef0a5771  
**SHA1:** 84f6d714e3aadf74ab8a755b465df7ec8215fada  
**SHA256:**d80655b604558af2855f5b67b21b28ec5770985b67fde59e94e1168e5f4795c8  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: zh-cn.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-cn.js  
**MD5:** 49fa27dd7c374122f336369f30a87973  
**SHA1:** 768eeb42e5372200634e8825680c6e18b0c8db8d  
**SHA256:**53138532aad7c571af10cf6b17a678552e9a9e7ef5014d250f97af8dc61ae6e1  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

#### remotegui.zip: momentjs.jar: zh-hk.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-hk.js  
**MD5:** 9338eb6ad8e887a63be4fbaa05cab197  
**SHA1:** 92340e4f48872df241a47bf9bd13647092fd25c9  
**SHA256:** c6d7de0d1f5544a1d3bb64c7eb27481b30316766f1214fbb5b1c6be358a4b921  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: momentjs.jar: zh-mo.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-mo.js  
**MD5:** a986f68bda18d9751f6bedd7356e6e7c  
**SHA1:** 6cac0e5b7b9e15ea799ce6a1575be93df4832c87  
**SHA256:** 874ca3806f556c5809842613ba410c965111ea9441fb949a32abe2a7c3bf7f8a  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: momentjs.jar: zh-tw.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-tw.js  
**MD5:** 94fb46a7c1ce21f0a91512b170d4fdea  
**SHA1:** cb69c6ca687ace454432d994ae5b624ba9011b62  
**SHA256:**62fb1b36d24050120cadf807b975ffe9d7986aeb41a0f4ac218c3ad23a1c9b1a  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar  
**MD5:** 3e1b25ab3ea6e1621d109b8c36bfbacf  
**SHA1:** 91f84d7cd6534ddb8160479882fcb255353b1308  
**SHA256:**b90f6fd4b21ceb4eb7a2665c64e5abacd07f01309b36989f2bc6c776569d9d0d  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	remotegui	High
Vendor	jar	package name	gui	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	remote	Low
Vendor	Manifest	built-date	2024-11-16 12:40	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low



Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	remotegui	High
Product	jar	package name	gui	Low
Product	jar	package name	remote	Low
Product	jar	package name	shared	Highest
Product	Manifest	built-date	2024-11-16 12:40	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	remotegui	High
Product	Manifest	specification-title	remotegui	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	24.10.221	High

#### Identifiers

- None

### remotegui.zip: remotegui.jar: DbClickButton.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/DbClickButton.js  
**MD5:** c35cd6abda035a7828fad8a14272397a  
**SHA1:** 65385b9909c63a872d6a2fe776b2e05bffd029bc  
**SHA256:** daa55ecad70e86d0ff8182c9193cd0e9ba9fd0d627632109caf441ddf984b709  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: DbClickDragSource.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/DbClickDragSource.js  
**MD5:** b9f567f02c81be5c2f843f6e38aa894a  
**SHA1:** 5136acd6b661d044d804e9075d286f0db02bc380  
**SHA256:** 736fd4a9a895d5388b84bad8f3a6b9b9bd54120fff2e9a86d583a7a7a72e8e49  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: DbClickTable.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/DbClickTable.js  
**MD5:** b5ac6f4dd2ae20f04e66f4384127629b  
**SHA1:** fa13ae5a5dfa28c5608f82a6a60efc6ed89b319f  
**SHA256:** 42b699f934a4f02836b0d8f168b210e1d6c1b4502e2fcf8ba7bc385d5b0eb7b4  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: HeightDetermineButton.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/HeightDetermineButton.js  
**MD5:** abd8bb7d4d3390b42e7d292435e79584

**SHA1:** aa34d0ec2c59d29e1e07fa92074913df1f9c4974  
**SHA256:**345d53ff522d1d288a06c1ce4be2fc7b7310cb25946366df704836a6fbd65606  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: InetContentPane.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/InetContentPane.js  
**MD5:** d92edf895b367267a18b164461f7450a  
**SHA1:** e8024cc29237e47f8e635125073cb13d0ad2a4ff  
**SHA256:**b3e4706e5af04905f36bf92cd50c159d92248cbd01051320fbb84acb48a69ea3  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: MouseOverTarget.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/MouseOverTarget.js  
**MD5:** 0a897d206c56960e7839e11480367771  
**SHA1:** 3766f3e726b8ed774c85a1591878d430d846f97c  
**SHA256:**48b3c5e519a54b4c43292470ededa7a21c9ab836b34a9dab6e84280ed7e07a27  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: PreventSelectionSplitPane.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/PreventSelectionSplitPane.js  
**MD5:** 5b86b53aada37ddc636b5a0a1884ae66  
**SHA1:** dc90617fb1c00b4f53e74202adbcc543bc75003f  
**SHA256:**294120a9528e6dfd99a1eed73f3ef53be16d71e73cdc51648840ac7cbaa64534  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: ScrollEventWindow.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/ScrollEventWindow.js  
**MD5:** 8f8242238182a1beac5f5c64f600ae6a  
**SHA1:** bc28865113709558b01ba63b49831aa940f18349  
**SHA256:**9b68c31583e928ef7f79e3bc75cd162c21a8ae81a8b6d790bff3075d532f3ee4  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: remotegui.jar: SortDbClickTable.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/SortDbClickTable.js  
**MD5:** e2e630e3637693634dda02f4dab7f5ef  
**SHA1:** dbd89c0ef9cd8321e46aa55a331419fd2b4ccf2f  
**SHA256:** 5f535d195fd0e603255eb4ef18f9c2127bc4f4338b2e138f11d9e1f7ec2d4c65  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: angular-websocket.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/angularwebsocket/angular-websocket.js  
**MD5:** 3f86ccf4a10e6badf8742df346ba50d0  
**SHA1:** 78b01247a82172c53701ab5056d999fd884d8788  
**SHA256:** cee290dab1dfa96a8353cbbd27c783964862299fb03094f07a1a6d9785479d25  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: app.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/app.js  
**MD5:** 5c38f06f9aabe99bd5fc8518de5d3d6  
**SHA1:** c2bb6f8e58bbd39980d007af801dce7f2a0a9a96  
**SHA256:** 27571139c971b40e378d135cb1fde1f5e758c17be6a8f17630d30251919d8999  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: app.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/login/js/app.js  
**MD5:** 5c9a07ad00aa493976b33fe9a25fc49e  
**SHA1:** cdafe6cc723c95ce2483b92b6863c31c929951a  
**SHA256:** 14b0bb8264d77d914174be291932c419fdf34be10ae054464f69c90ccfe5e681  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: remotegui.jar: app.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/logout/js/app.js
  - MD5: 5c9a07ad00aa493976b33fe9a25fc49e
  - SHA1: cdafe6cc723c95ce2483b92b6863c31c929951a
  - SHA256: 14b0bb8264d77d914174be291932c419fdf34be10ae054464f69c90ccfe5e681
- remotegui.zip: remotegui.jar: app.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/masterlogin/js/app.js
  - MD5: 5c9a07ad00aa493976b33fe9a25fc49e
  - SHA1: cdafe6cc723c95ce2483b92b6863c31c929951a
  - SHA256: 14b0bb8264d77d914174be291932c419fdf34be10ae054464f69c90ccfe5e681

- remotegui.zip: remotegui.jar: app.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/passwordreset/js/app.js
  - MD5: 5c9a07ad00aa493976b33fe9a25fc49e
  - SHA1: cdaafd6cc723c95ce2483b92b6863c31c929951a
  - SHA256: 14b0bb8264d77d914174be291932c419fdf34be10ae054464f69c90ccfe5e681
- remotegui.zip: remotegui.jar: app.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signup/js/app.js
  - MD5: 5c9a07ad00aa493976b33fe9a25fc49e
  - SHA1: cdaafd6cc723c95ce2483b92b6863c31c929951a
  - SHA256: 14b0bb8264d77d914174be291932c419fdf34be10ae054464f69c90ccfe5e681
- remotegui.zip: remotegui.jar: app.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signupbasic/js/app.js
  - MD5: 5c9a07ad00aa493976b33fe9a25fc49e
  - SHA1: cdaafd6cc723c95ce2483b92b6863c31c929951a
  - SHA256: 14b0bb8264d77d914174be291932c419fdf34be10ae054464f69c90ccfe5e681

#### Identifiers

- None

### remotegui.zip: remotegui.jar: app.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/reporterror/js/app.js

**MD5:** d44f777bda98c2575c0fd09b0fed6365

**SHA1:** e9a9d78155906a6701e6651297d5938b30783ac6

**SHA256:** dde14cae0d8536b58b9231cdb02116c3913e24001aeb11e7c69cf1b867ca1c27

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: app.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/start/js/app.js  
**MD5:** c5a25c30b25493ddba670b39a30fb2ec  
**SHA1:** 818255f797fadcd160ac04bf5bc006795f1ddbe2  
**SHA256:** c8376d288d31f979994d422e0f9adc8cdaff08c40a7ec3e5187f573363e4f1d0  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: appbadge.service.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/appbadge.service.js  
**MD5:** 972c23014cebfa2b2d70c29f9b40301d  
**SHA1:** a787173bae8c89a77b0362f4b249d05878c12060  
**SHA256:** ac37dc5111bef5fdd39faed0fe8c617c01759e8f60c1b0a2aad623d4477e227e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: authInterceptor.service.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/authInterceptor.service.js  
**MD5:** af8f02f6ad340927c21ce655cf258248  
**SHA1:** a3f84bac4f7a9abd8730199949c5be016ece4b7f



**SHA256:**f3fd2795c125a72579fececc03b6685d2c4d6ebfc034314b7bba2ec4a397c333  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: avatarcard.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatarcard.directive.js

**MD5:** e5a03411e6902f6c977982d411eb38fb

**SHA1:** 2aed1a0da4c20568a5e9107f811f83f522599933

**SHA256:**c278c755858a96f159658670fd4d441b8373cf2cf878aa3d3d906be6a0ec9ee6

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: avatardetails.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatardetails.directive.js

**MD5:** 7e62c6d3e57a23a175f1bb87e5c5b415

**SHA1:** da38a8275289aab5dbb842c525da24711e9fd25c

**SHA256:**81301bcba85d66a11853cdaff4e09aaae57eb3a7d4333e672688a10ada169f1c

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: avatarimage.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatarimage.directive.js

**MD5:** 82978a2f8971f9bf3ddf556dcfd32f3a

**SHA1:** 3459940aae24e5890b32d423e6c31bae9451a7c6

**SHA256:** ba811ab159edc428cfc8db17f43e374ee6bf5f72b64388b74b32e72aa45e016e

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: avatarimagedetails.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatarimagedetails.directive.js

**MD5:** 905d2a497e6ed8997df0e99deddd4559

**SHA1:** cf8401a401619f010afad2e1a37650df433ad544

**SHA256:** 1b96348942ce42790d9b00e07e14f2e4376d871befb506b3a5ab160fb5401e54

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: basic.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/basic.js  
**MD5:** 10fbd668e22541d20ab33438566547e3  
**SHA1:** af1162e3d994efe285c738295fe8f4bd34730901  
**SHA256:** efa6257a997e3c57adfd095580cd7e3065239750146ddb13d8c04e1f2c4d9274  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: bootstrap-colorpicker.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/colorpicker/bootstrap-colorpicker.js  
**MD5:** 38a888ab6355c15700e39fda8851c719  
**SHA1:** a2af9a785f593166a5423658cf538be030893351  
**SHA256:** afd393ba344c3e45d53ec3a472194b2222a2d2188429f0049b74fd87d2e30d8  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: bootstrap-datetimepicker.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/datetimepicker/js/bootstrap-datetimepicker.js  
**MD5:** 660b0d1aaaec63a24899af6ab6cafa00  
**SHA1:** 0bf9628c8b8d5b1d180dd51df71d5107b374846a  
**SHA256:** 785a0b48dd539cd5b0fb890d114f56f45ab464bc78a5812afcea49bc514584b1  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: browsercheck.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/browsercheck.js  
**MD5:** 0757d9ff2514240f35f22ff5b4bd76d1  
**SHA1:** 75c63027cab5857414d60d3720419e065f632432  
**SHA256:** 31ae343e89fec66445b23bf0e4d124c374927ea4596199fab0ab451ffefc6d17  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: changeavatar.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/changeavatar/changeavatar.js  
**MD5:** 8befaf77b8b0a9433cf48b8d0b81a259  
**SHA1:** 12a3dcee0541ac0cd4f4683f298ec6893d5b2f06  
**SHA256:** f17ced7cbe05239ae76bcfef5771ea1bdc12ca9997f4986fa51deedb6b88b72e  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: changeavatarcontroller.controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/changeavatar/changeavatarcontroller.controller.js  
**MD5:** 499e90268582c3b3f845528b67e3497e  
**SHA1:** f7442696ad9c959cc2506116c96f7b7bc2f67c2c  
**SHA256:** 5aba7e5c2ed387ef7931624f7fcaef909ab3ffa37cf02af6ccb898b3b4055bf2  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: changeavatar.service.service.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/changeavatar/changeavatar.service.service.js  
**MD5:** fe5e6f25a784d065b7878064fcf50538  
**SHA1:** 0b3bdb359d4cfc20115209168feb2f8441d49e7a  
**SHA256:** 4d7246d1c83272fe99d27d13ab3a93bcbf169de5dbfa4686327dda4c142c9154  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: clearreports.controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/clearreports.controller.js

**MD5:** 570f37323d279636982e30499154fb74

**SHA1:** 074675d5534e73ff5acf1ffb9259f58385e71715

**SHA256:** 607d498713d1d37e1044f2ac9e938604178bcfaee1e7967f1d3b20458a71455d

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: collapse.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/collapse.directive.js

**MD5:** b5a0a930afa2a472aecac76fdf7dbb26

**SHA1:** 353dfe5129d32b4e7980a4add00a039877f3b631

**SHA256:** 14875f54306512d11d46ebeca561f837d49217353deb6450b0081b4eb89cdc9d

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: remotegui.jar: colorPicker.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/colorPicker.directive.js

**MD5:** 6e50ccf1829e11bb6b28095a001da6c1

**SHA1:** bb615fc7432b151b2ea2118d6017dc9475658d9b

**SHA256:** b74ba64710291260135de1a9377a54ac5a3f7c43ba8bba430c3a0181aa9ef268

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: connectionstate.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/connectionstate.js

**MD5:** de6e3bd6cfcfb3c335c1f14d35a3791f

**SHA1:** c658eac71cb8f96150f11beeb4acbf435cacdeea

**SHA256:** 9ea2c586fd94a9a164b505ed6e072b323b1a3937699fc2c8741aab0465bdc7e5

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/controller.js

jar/com/inet/remote/gui/angular/template/js/controller.js  
**MD5:** 0f514365f507a235ae17a7a6b8c8e61d  
**SHA1:** 2e2309c306686d270cfb274ed2acf9a27bd64f40  
**SHA256:**5dd8138aae2e85b33914a6103df028146a1d5c5e646ddd6cb891c27b01f1fe30  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/invalidlicense/js/controller.js  
**MD5:** 6a9c7da3b28e059445113ff0457a4109  
**SHA1:** 1a0145ed9606de216e01b300e65258628a045b41  
**SHA256:**e034a8a0023946b8ce43fe9f859934f50cfb0c5b99c9112a5cf6e2dae6643a86  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/vetomessage/js/controller.js  
**MD5:** 69828c190c9a3d68ec14a74b4ce6d5fe  
**SHA1:** b1c31c079bd5b13735b5de12dd2475430db211c1  
**SHA256:**a46821dc18ffe0a34e1d3ddb08f19e03667b6142a9e9122936b9e6d6c2e88727  
**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: controllerAbout.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/about/controllerAbout.js

**MD5:** 35cded32079795971fb724b6d26735cc

**SHA1:** 03289bf22bef143d9ad78851e1fc0ada0a3ef36a

**SHA256:**f5b0244b69882e2da83b93969abb8310c342f0e53ce38c19996deb65391cf647

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: controllerShortcuts.controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/shortcuts/controllerShortcuts.controller.js

**MD5:** 7e08d417343bb72558e38cf6f05b84ba

**SHA1:** 48f2c68979f50ad77692888065084b4bc68cb6a9

**SHA256:**93b106ce893bd88230ff821050e33d164def642890aefd5100a0dbdf0ba92eb4

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

#### remotegui.zip: remotegui.jar: controllerUserTheme.controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/usertheme/controllerUserTheme.controller.js  
**MD5:** 2419e6bbca06ff5b9c17a728b2aff262  
**SHA1:** f13e9d9759faef5ebf1aa54f0200aeec1696a47b  
**SHA256:** 0ed2c2d396972928c92b6276cfaa0a2d863fb132298bcb93a400e8f4e1bffce5  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/login/js/controllers.js  
**MD5:** 9b566414fac0eced4b8841f4db83d8e0  
**SHA1:** 53c6b5cab63a5cccb7bc17f4b2e902356efb39f0  
**SHA256:** 309414a04de96d90e3867f80882c6f6e053c692de32153634b2edf3e87345bf3  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

## remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/logout/js/controllers.js

**MD5:** 121869415ea7816bb918b9c68fe7bdbbc

**SHA1:** c5d65e44689b950f60cdafdfb35d9952d85ab954

**SHA256:** 753bb859f340c4661cc8dc52e8b9cff14c64b76fc11c293e43756b88d2645a3d

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/masterlogin/js/controllers.js

**MD5:** 462625767102cb7377da8be78dae903a

**SHA1:** f5dc35669733dc62cbb0b42a7e5aa0361304ef43

**SHA256:** b603ad6fe88b6c854a3bb987de4ce52d8c72879925ec044cdabd9abd647fb256

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/passwordreset/js/controllers.js

**MD5:** 8d3baf10c981cf3ef2091887fc1a480f

**SHA1:** 58be4dbbd1c46f9b21cdef9390da9a76681a7fd5  
**SHA256:** ef1ae84002371512ac903a8ef6e32082f6993dd14f3913e63cbf617dd13894da  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/reporterror/js/controllers.js  
**MD5:** 6b359ae31904f03ac96f7f92dd242c30  
**SHA1:** a6d0b74ee7f74702eaae6920c15d3aeac157a845  
**SHA256:** b746e03e54a0e5ed0e0b0d4bf6e221197e2852b5da7d0a780cee0da6bf84dfa5  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signup/js/controllers.js  
**MD5:** 688d8965140b9c59317d9acfa14bf6b  
**SHA1:** c79713a9cc6ea4147cff0f2b232dbd027ac5da10  
**SHA256:** 2a50e2bda57fc853fab7190ed8968169465299194e2c56e2813f316529795881  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signupbasic/js/controllers.js

**MD5:** 4766cae43e55c5fd3e9e67b7459cffb3

**SHA1:** b8eb388c32b77a58874b0d5cc3a6402de717f33a

**SHA256:** dee426242e22731a4a42b29f187170c5db81030c9491b62eade40306d6e34668

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

• None

remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/start/js/controllers.js

**MD5:** ad69cde99b1307241b273905f4d0f9df

**SHA1:** f3ee193ed164808c0ff16881d8b89e22ef6cca8e

**SHA256:** c30bee314884174d4dd107284b7fbb1752919830bdc24b692e31a14d27b9324d

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

#### remotegui.zip: remotegui.jar: currencyNumber.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/currencyNumber.directive.js  
**MD5:** 84c1f2b0eb43d1e198e70233d831dbdb  
**SHA1:** 28fecf0f626f8820482b1272d47195dd27844460  
**SHA256:** fed16cd6195b7be36cdf911a263ccdca56ecee26d959f2b5326e09b724d24225  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: currencyValidator.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/currencyValidator.directive.js  
**MD5:** 4670996c5b36afdf8a34c3e94e64cb38  
**SHA1:** efeeb5e78c999fce3aed86dc03f0e837ba0789bd  
**SHA256:** d54158b0a13b9db3712752bafd7274b43e787b8f5708f9ecd9b1453fbaaf0220  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: customEmojiUploadConfigItemRenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/customEmojiUploadConfigItemRenderer.directive.js  
**MD5:** b7b88c52dac551c7746fca21a6019994  
**SHA1:** 3f319ac29a326cb6c80b62f320f8ccd0da1124c2  
**SHA256:** a2ab98032bdf293622028340940cd808fa08399503942e0eaa11b550d2724c44  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: customEmojiUploadConfigRenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/customEmojiUploadConfigRenderer.directive.js  
**MD5:** 89bf8e753f5a791fdc4d2c15cf9e3573  
**SHA1:** 4786bbb83c90e38f01eafba11d444c242e08fc4b  
**SHA256:** 582e1f75192f8df57f94e7ba15590205ec8c8323057fb01262ceec36b5ba9537  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: customemojiupload.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/customemojiupload.js  
**MD5:** 44cabe61802b87ce058c07fe138d2fcf

**SHA1:** 730a519b12b6e984e2f9e081f3eb3fe988c3db78  
**SHA256:**d761c78e232d3679a269936f1c5fe238b0ce885c30e2e686f1d9545c365efee4  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: dataservice.service.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/dataservice.service.js  
**MD5:** ca2b9229f2663fa29bcd49387bac9017  
**SHA1:** c75eb0d4c29555370191b273e281aa2c3d123da6  
**SHA256:**0c3ffb95fde866543dad63f46e4b16b5025d778dc83b585035c5f376bdda889f  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: datepicker-de.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/jquery/i18n/datepicker-de.js  
**MD5:** d3355f1506a6f5cf222a7cb6b46037fe  
**SHA1:** 100a3ca249cc93a6eab6d1569d8f80bd28764802  
**SHA256:**bd2e4bfcebf6c88ce926e78b181dc56e649546f13f35bab1c0a31bb57dc6d6df  
**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: debug.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/debug.directive.js  
**MD5:** c118fc525f6b6f7124bba2d41c5f8189  
**SHA1:** 56fc9afe8f39c52e0a2dfb247229993702d9bf81  
**SHA256:**3cc717984e3be467497cf61fcd49f00374d82753b076d3a473adcc19e2d99829  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: dialogservice.service.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/dialogservice.service.js  
**MD5:** 003d20f66f36bbfa6e0d28c9eb26d6bd  
**SHA1:** a39e3e0e03b54ca573a499e5c25dd9e1419ceb1d  
**SHA256:**4d784121a75f717c4ee085ab4708540295f378db6698ff5957a2fa22edbd40f0  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: remotegui.jar: directives.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/directives.js  
**MD5:** 647946aa279661f6e0523740053c5adc  
**SHA1:** ed24248f5cbb57901326433c5f7585d767b80d0d  
**SHA256:** b5456966b7f862c95df2cc6d4f47f0444ca9450e72873fbb67e6ffee6160fb37  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: emojiModel.service.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/emojiModel.service.js  
**MD5:** 0178d406afdf93aae07ceef6a5c137d0  
**SHA1:** c548e1837375d598dc44e80a757e720032c6aa2c  
**SHA256:** 57597f5706b3e0e74966d2da6576d0e278fdda1613a86b434642c9ea18f62060  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: emojiselector.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/emojiselector.directive.js  
**MD5:** 0c135b17461c32042cb2c1c537e0bc07  
**SHA1:** 7cee6e9153d6a8ed9cfea9484a5f2303a2076d3c  
**SHA256:** 5c6dda1d48c214b6bac17c642e9df4fb7c3ee8cfff604f9c8ca5fbc1ab391261  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: errorservice.service.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/errorservice.service.js  
**MD5:** 12808d1c097dfe1abaa51d4b3835af45  
**SHA1:** bbc42b93b80dfd42d70ddf55ea4f3132084cfd36  
**SHA256:** 8aa0a02ba4b9867d360fb7dc2c6a010c72e5de05fe02edc0ef94a42343dd2c27  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: filechooser.service.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/filechooser.service.js  
**MD5:** 1e0ad59c3868668240d931a55fa5e304

**SHA1:** 407d95d03a0512bf65f18374c53712e47fb5b04e  
**SHA256:** 5dd7493048c88b622b477ac34d8596483de8752b81136d435393b5232f12acda  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: fixNumber.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/fixNumber.directive.js  
**MD5:** 0d490e8241a7067d2c32a16b2608f419  
**SHA1:** e2e8d4c2aa40297233791719784946b22041e311  
**SHA256:** f278c7400b8ea7f1ea4e6af57dc4d340ba81b6e00a7261efbaea1853c3dae53d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: fixNumberValidator.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/fixNumberValidator.directive.js  
**MD5:** 975c9166c7c681ef96345662bb55bb49  
**SHA1:** b4d51cdd3d97e274a15ba3f1a10d2bae2a19c376  
**SHA256:** 381341642ccbe83afdb104904d9761c2b885d6de300b5fdd4af7a19b49e531fd  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: floatNumber.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/floatNumber.directive.js  
**MD5:** 2d4b2142d6c67326eed229f9aaff4393  
**SHA1:** 98f6a991a36437ba55e005a0144233eb03fc506b  
**SHA256:**f4dd76261d408567850a4861bb9597851920e45902a9279215114d1568c7262a  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: floatNumberValidator.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/floatNumberValidator.directive.js  
**MD5:** 8d0553f6288c3971f447c7456016dbe1  
**SHA1:** 49c8744f849875e3911cb7b2d1e641a6ebcc7065  
**SHA256:**2b3bc213487d4ef2929a5a841d53a1c7c0025134b4b0b31824eafa67a7d15b59  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: remotegui.jar: globalactionservice.service.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/globalactionservice.service.js  
**MD5:** a9e7e389f95d95d455bae3e378d2e2c9  
**SHA1:** 0ff96fb14eba73ae10f0e2569da6d6dd366b8f95  
**SHA256:** 76d3db82466040c12a6c7534519cbd2e831095f8b22c49748c3d1bbb1c0b8cd5  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: hdField.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdField.directive.js  
**MD5:** 42df5f488878bd827a995a300927a5f1  
**SHA1:** 8517f66bd2b7bb48841a953c825e81a8de51d24b  
**SHA256:** 71f7449ac8125372e1dc6c969ab5bce1c91fd3c77e1ef7fc56b1b7a2ab320a90  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: hdMandatory.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdMandatory.directive.js  
**MD5:** 13066a9536d97560903a35c06b9d62e4  
**SHA1:** 83f181828bfe9e43910852a2e09e85fe22cfd08  
**SHA256:** 551bad1dd574976b0346f6f1e0e7b4920d3d0bd2b4a80bbb338610462c5f59c9  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: hdNeedchange.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdNeedchange.directive.js  
**MD5:** 5239a81e120888887704634c0ceb01f4  
**SHA1:** 8210293686bd9ed47448412c4721f39465e5e0de  
**SHA256:** e4532aaa760ec553636521e1247f2c2323785555a10e739848711b527a954eb8  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: hdValidate.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdValidate.directive.js  
**MD5:** 70f6e853f5be943600ff9713ef515404

**SHA1:** b4c72e6afe51f48776cfe4ebb4da0187480b439c  
**SHA256:** f8f4a528177d50b67143d77f60d7364410a757c50f93a61294de1922255bb237  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: hdattachment.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdattachment.js  
**MD5:** 1f09ae47da7013f08adadc844775cbe3  
**SHA1:** c9d174e04faf404e93e41969058419c32d23fffc  
**SHA256:** cd790ef6b7109253c5cb87808137d25df02920ca502816b32957ef3c16fbd28d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: hdfileupload.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdfileupload.js  
**MD5:** 4f50a72fb8ccb5ffbf7e4fbc2621ad43  
**SHA1:** 9e90c0d8d2fd0630710a64a6d557f6263553ba43  
**SHA256:** 8c059f37866135b1e77afd575619973967f8e3fc457739b381c8d4d0ca632ea8  
**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: hsimp.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/hsimp/js/hsimp.min.js  
**MD5:** 31da02c3356fe92d686f09c9e9a2d3b5  
**SHA1:** 77c9d1aae30a77bb4f4ff1015d9886a9fb2bad93  
**SHA256:**44cdb7ca377e6793dac301775332a628e89b3624b6330964a9e2592d1f5b0389  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: hsimp.renderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/hsimp/js/hsimp.renderer.js  
**MD5:** 145524977d38143d0d8feda731bbbb40  
**SHA1:** 330f0ed3b8bc30fa516fde8e9de35d5e6b0f334c  
**SHA256:**f9496f9d714ee4632e63bf04344ee2ba16ce23cc76e45c2ead2b17bac859d47f  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

#### remotegui.zip: remotegui.jar: html5modeurls.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/html5modeurls.js  
**MD5:** a58e0f5ab5e75fd4738493fb471f11eb  
**SHA1:** 945f1a10acd5202137ad6991a784667c1f1ae59a  
**SHA256:** cda6265dc9848b22a9d38fc76a030abae2b6c7f6c42ed18a26606ec3e8575d40  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: htmleditor.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/htmleditor.directive.js  
**MD5:** 36e007f8e87624dc0c93f5e0c0443184  
**SHA1:** f83d8d33d370297ecdede6a1eb6fb4496a478ea8  
**SHA256:** bff83e7b0dff55272890bc2d740becaf96d3408341e77d66736152f8e5be520  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: htmleditorFactory.service.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/htmleditorFactory.service.js  
**MD5:** 60afb054d2f87d5e2894cff959008704  
**SHA1:** ce78f82daea98bcfbf5a8b264290f69df2fbc063  
**SHA256:** 41ae8eabe8ea60d928c8d21adbb357f3abf1d3d00ad2dcd64b81e8c3dd10cc32  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: htmleditorModel.service.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/htmleditorModel.service.js  
**MD5:** 07bbb19fede16469b98401455373a882  
**SHA1:** 66c15ae2d4b9d63c961710bc86e0da67b4ce6a6a  
**SHA256:** 2adb40a0401b9524b4c6d10d55bfe92f9059fdee378d29a2156723299d259d70  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: icons.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/customtinymce/icons/inet/icons.js  
**MD5:** be1529db0e0f990348104f5e10c63489

**SHA1:** 783305e7601e4b163f98770d53c28dc1b0ffd45c  
**SHA256:** e71d6ba9022259ce04226a84128038dc92bd2f648aa463b09954dec1237ffc8b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: initUsernameField.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/initUsernameField.directive.js  
**MD5:** e83a0f83b94932e21d0b675d2649f0ec  
**SHA1:** e0371c84a3750d1476292b4e5e9f0dcbff707e67  
**SHA256:** 1aede8b89590e2782d1c29f208579364f851778f652b298eac196d2c524dab4fc  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: introduction.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/introduction.js  
**MD5:** 4a44c1c75eac7fadf99edd2be27f5df9  
**SHA1:** 2382e9cbd377fcfe99d9a7adede421bf8e6a97c  
**SHA256:** 0217b44c41758f2d83518c55a60f10cd8ce0eec56a4b635e0d578a0c6aa9d3e6  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: jquery.fileupload.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/jquery.fileupload.js  
**MD5:** 015c382ec73373f5adeb299de71f986d  
**SHA1:** 587a3366d6c4e74ad0e30a2264b86bfa6e06a39a  
**SHA256:**4493d721690b35f554daebaa2d1cb0d642519211cff94f1d1f3e14fc7a78556b  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: keyservice.service.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/keyservice.service.js  
**MD5:** d409a33286c8275ecbf8bc8e40262977  
**SHA1:** 45969aebde921b9544cc2f726f1acc3392db90ef  
**SHA256:**9c83869fb06886a3b44cbae8067213a34a1d33f60b0c107ef7fad5b4c1a5b45d  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: remotegui.jar: locationservice.service.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/locationservice.service.js  
**MD5:** 1dd077296104d0706de341b300bc1b9f  
**SHA1:** 1bb5d8ca1fb5e96c0da53e2782a5bb56779c52da  
**SHA256:** df1f45ba3a0020dd15aeb87ce716fc88db01447a18743adbcc7339d50e856ec8  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: modalservice.service.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/modalservice.service.js  
**MD5:** 44b27ceaa66f08885acd3f6f7bea5a32  
**SHA1:** 0b10e0d98e7998f0a68265f2c893585a2f4254aa  
**SHA256:** 3aba2cf23556877fe65d313a92ed0f1032f11f1b833ebf5c31feb7010d0d6886  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: moduledragdrop.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/moduledragdrop.js  
**MD5:** f33abdb637c0db60e1d05ea891579e65  
**SHA1:** 4dd4b05fd62dfe236d540c16e7f250233b9afffb  
**SHA256:** 4575f0f735e9cd5309a486308f0f04ab41b3cfbafaa9e93ca6910a5a70fcc20d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: navbaroverflow.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/navbaroverflow.directive.js  
**MD5:** 5e2ecd2135858fd1fca074bd14577896  
**SHA1:** 2f2ced6f25612b3feda462f72ddb830843934ed0  
**SHA256:** 4d61532247516102b8ed61a658bbad21e166c1cc16f8d8d1ab57a4a10964a70e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: ng-tinymce.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/ngtinymce/ng-tinymce.js  
**MD5:** eff24233364fbe3aaed624713794f8e4

**SHA1:** f9c63cb4910a28597c5e3850b6bea363d535b192  
**SHA256:** 0d8792cbf77d3281afe7b229a3e42dcd56b97021648946de2f93b13c961a92e9  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: numberUtil.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/numberUtil.js  
**MD5:** 32abe159e5e48c514889bd8d2b896597  
**SHA1:** 297275901dbbd08ee1058f062637b62f39a1d37e  
**SHA256:** 40645f2d1c5858aca6a6f98e0a5b8f430ac454012dc521a4970d73c11ffb42e5  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: ocLazyLoad.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/ocLazyLoad.min.js  
**MD5:** f2d4908265b909369078aed0cfaffa3  
**SHA1:** 2d19edef03246ca520c6b3d658e75fad0d791695  
**SHA256:** a5f7c8f4292aba0f63174bbb86fef9e919d97ed72f80857e83065c66ddbbcb5a4  
**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: pageablenavbaractiondropdown.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/pageablenavbaractiondropdown.directive.js  
**MD5:** 0e891cb1efe8d7329586abc7a79b2091  
**SHA1:** 7eab2e0b6268c3cc513fde52d198b5d4543b3dce  
**SHA256:**db54aa685133a7b32a6020f94b561e3f0cefe9af09c92704bfffdb01c89b7173  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: paged.filter.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/paged.filter.js  
**MD5:** 4517ac89c1193aa004655d37534756d0  
**SHA1:** 8987e7b45fbad3a23c566f82b43b615d528a32fd  
**SHA256:**f8a3ba8d018a615e81511dff8c572c3f97e60fb339fd801673124b6b1ac06365  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: remotegui.jar: pagination.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/pagination.directive.js  
**MD5:** 89b7e3878c21bee24c47f57630716850  
**SHA1:** 2ec014a73bc9ecb7f8d4a24145e8a1a38a0ff09a  
**SHA256:** 7e4f6b98b13aff0786071b8dbdb89c0e1afa7951efcda87cb5841775d47d7916  
**Referenced In Project/Scope:** server

##### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: piechart.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/piechart.directive.js  
**MD5:** 9e310689849b1cf084faad9abaeffdd2  
**SHA1:** 0456656b2d9097dd03e38b9cf8b8efffed37f5f  
**SHA256:** 87ab77404d853f3ebcb2ed4df1898e5db294aad833e7426b12e58a914c111973  
**Referenced In Project/Scope:** server

##### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: popover.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/popper.js  
**MD5:** cdc4db21d30d395a755e5ae3cf047c9a  
**SHA1:** 76d28eb50f3a6c643e69328a49e15107d2ec48db  
**SHA256:** 472771d51f26607c75fd52072b3c037e386dfa73f579d8f6711a4681f37bce05  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: pwa-service-worker.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/pwa/pwa-service-worker.js  
**MD5:** 95a33b245d3237810fe50090f6719728  
**SHA1:** 1092e1c782d256a86ba9034dfc86b2af50d3117  
**SHA256:** 933121280fca1f5ea88c243ffecbf998a62fdc3b62b5ca70875a990c18c9edd  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: pwa.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/pwa/pwa.js  
**MD5:** d5f6fdc8eb151d3a71ca5eefe74f6dd9

**SHA1:** e7e28c16da057e3d23295da872a11d99239f67cb  
**SHA256:** cd0a4ccc24239ef74ccf067d2eac8ac8989524fc41b0e7ce4946295f92a75b72  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: qrcode.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/reporterror/js/qrcode.min.js  
**MD5:** 4b36f8e71a871112384d908a90471a76  
**SHA1:** f103f61ed24f3dd86bbee1aecb91ad4ff0a15282  
**SHA256:** 6afbe1ebc2ba9b4bb0833f9f55c4eb80edb582903ea9611a9be49633a7aa3b09  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: rangeSlider.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/rangeSlider.directive.js  
**MD5:** 20376051d3ea2a6162db3ad58f076fa9  
**SHA1:** e47bf7c8863847aac27395ad204e978818b02d29  
**SHA256:** 394dace84214f70c8ffb4d86f4499bd0b0a5c909c1220255d203a21ad8ae9dd2  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: resizableDivider.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/resizableDivider.js  
**MD5:** 82f72e48f14e09943bc701a560208dd3  
**SHA1:** 0e7909ad9a6e89023e73c0f47093802a8ff0256c  
**SHA256:**adbee78b7f4d5266967c45a67dec85e13a1d83fdd14f8c4c2caf4aaec379f380  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: scrollabledropdownmenu.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/scrollabledropdownmenu.directive.js  
**MD5:** 37b89effd017ae7b70a657835a692cd6  
**SHA1:** 35113f4ae36e6b2bfeb53755969c8fa57e3d84d2  
**SHA256:**058c0a6580a8472236e3e097695cd1a2da78169ce39d42e065c09c8710cae4e3  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: remotegui.jar: search-panel.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/search-panel.js  
**MD5:** ec16e5fc794c4aeb3cc96fd398a4e50d  
**SHA1:** 48094431c7ca194a6f4f1290c05b6739c88e0bb4  
**SHA256:** 1b02efa4e69d42ff44c4a497af20905efa45165004d44eca096d02b2318f3354  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: selectInput.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/selectInput.directive.js  
**MD5:** 3e0b0207e32d810d2f2cc83e1810d1ce  
**SHA1:** 27d24f7499bf2e7ec318031f58c2f50f33648e32  
**SHA256:** 79525122156f759dc8deebbe92a444623f2d12ebcb367f3d277ec4487b3c0a24  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: shadowLogger.factory.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/shadowLogger.factory.js  
**MD5:** 7fb285ba68fd8f73752378984e7d64b3  
**SHA1:** 8c9a157918399ff6a7e161847985955118fed3e1  
**SHA256:** 2af095330d60bd76f3b0644e42d9ad3203184fc37897356e7fbbc38c27e85f18  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: sidenavigation.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/sidenavigation.js  
**MD5:** f7b0e471a51d333b6f6ad8a4758c3580  
**SHA1:** 1e6d16e56ababd657543dcd76835df4df31a3722  
**SHA256:** 1ba9a45faf6ce28dfe3b19c36f4129a3f5f56f04e0e2c4d3f1b8fa543a1cfbf2  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: takeoutDataController.controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/takeout/js/takeoutDataController.controller.js  
**MD5:** 2db0d42505769d9ad4488d61de46dc23

**SHA1:** 8334c9966238cd1744439982992440aa3dc9a392

**SHA256:** ec576037a423ef29d952d37e4a7f088e0ccb85b1a61a1fc581361679f3a75323

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: takeoutDataFactory.factory.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/takeout/js/takeoutDataFactory.factory.js

**MD5:** f0f7bf8b0db5939aa4f95efee40c9a7d

**SHA1:** 9d2bb947861af7eeeace922dac84caeb9dfc5fd4

**SHA256:** 61701863dd18ab12e3a4e8d1c748b2edaef7f1e72359e2e7507d9f779a35d450

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: takeoutDataModel.service.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/takeout/js/takeoutDataModel.service.js

**MD5:** 89340a5c50b020ccf235d29a59ba7aa1

**SHA1:** c04271bde4da616aa448ef3dcb220995ddf210d1

**SHA256:** 7d6d634870c9dc64b1798e78a6d240b31b07335478e5d374fc48e352f66b21e9

**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: timelInput.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timelInput.directive.js  
**MD5:** 1acc1f70f51486a7069b687eb818e7e9  
**SHA1:** fd242d13a1648203f7223dd837304f183567881b  
**SHA256:** 7558ff325af4ebe198fd18db6b2f80ce97f4e0d26c167804638c623c8ad4ca3d  
**Referenced In Project/Scope:** server

Evidence				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: remotegui.jar: timelInputContainer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timelInputContainer.directive.js  
**MD5:** 38ebda66df735a153e899bdb455ba627  
**SHA1:** 6d76490fba423fbb26ad2e2379e0469e354bd8d7  
**SHA256:** 0505ad1f8c7b7c1502da18d67b80c5e1abdb4097082002223bfe0c65557fed7b  
**Referenced In Project/Scope:** server

Evidence				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

#### remotegui.zip: remotegui.jar: timeInputUtil.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timeInputUtil.js  
**MD5:** 6e6b983b79ecc163db62de048fad0bea  
**SHA1:** a04fbc0b3fb9e92c0548af34d256b1397ec57b6d  
**SHA256:** 9cfd6b9003b254130229958097af006a91232afae599a92b1b17341cfa40a4df  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: timeMeridiemContainer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timeMeridiemContainer.directive.js  
**MD5:** 793a2ad3d2499b3489eed22bf75dd074  
**SHA1:** 04d3cebd678f9c6a6341547c11c2e7849f444a06  
**SHA256:** 56e23ca00cbe13915bc605e8a8fa62bf7cb01652f1d7e0a696e7a4359e36fac5  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: translate.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/translate.js  
**MD5:** b8a0528dad77053405c013f8d3093688  
**SHA1:** f7efb58c31f4446a20da7228aa33290b0a731f6f  
**SHA256:** 39ca4976fe9345f0ca61017824798e5b0cfe45df53a2f0dcf0bf31bf453c58da  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: unitFixNumber.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/unitFixNumber.directive.js  
**MD5:** 2c99db1a894118323d3dc106a41d4c81  
**SHA1:** 1ad8472f6ac831b0c078cca7051d527e41497537  
**SHA256:** d449ce86b07059187db42b8d1b92cfd6bf8b53177904899d18e301f3eb720437  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: unitFloatNumber.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/unitFloatNumber.directive.js  
**MD5:** 71eee99887bff0e562cec97048d525a5

**SHA1:** a531c1cd9664d2b737ffe3d78ebf9c5cc6685171  
**SHA256:** 9edba0f7a5d1a5225b8176ca66b5b84ae36ea796cfc19a131692c934ec9ca22c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: userservice.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/userdetails/userservice.js  
**MD5:** 31ec7bb6ba4b2c54d81358431b0ce243  
**SHA1:** d233b2957563a31ad7ca112d91b7aba841a2ad38  
**SHA256:** 93a0b3747689d9bc27c0f56908c62f8c8079599e9402263e1e0df94fa031c4ea  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: usersorgroupsselection.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/usersorgroupsselection/usersorgroupsselection.js  
**MD5:** 573637af00a7f86d27f1321b1a6fc01e  
**SHA1:** e56f47b408517383abfcd1da6278dc20ad34da84  
**SHA256:** 5782af6078b195e4c2bc71cfc758bf94076ba7a1a6911b5a5e3a556be31e4a3b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: websitedownload.renderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/website/js/websitedownload.renderer.js  
**MD5:** d84df8cb02320562184713facc448e3  
**SHA1:** 463b4cef63842cb3677086c49abe33efcdd20937  
**SHA256:**f09a47bc77779cc93eb0554f787159f93a4b5c2eef4b94278ad064a6d579d11d  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: websocketdataservice.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/websocketdataservice.js  
**MD5:** a3bcb3515414d041649e01b0dd83bbc7  
**SHA1:** 2ef00c578f3c3c1826216dcb76fa3b9bdbcd3735  
**SHA256:**3dfe4b0c83acfb560196389571f2daa4de562d3ea161349598fd6f6bc795ba53  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: remotegui.jar: websocketkeepaliveworker.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/websocketkeepaliveworker.js  
**MD5:** 23dd8025d25c06b00bbb9d2f690e8c24  
**SHA1:** 1f8530d396532bf8a0d474fca70f42785edc5872  
**SHA256:** 765e139c05a131aae143639b5906986915d9031f47b0dee52e4b9b54e75b54b8  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: windowdatarestore.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/windowdatarestore.js  
**MD5:** 8509ee4c50d6ba4530a9d3c3975ef21f  
**SHA1:** 26c0406862209b38c67b931c13787a3c3c547710  
**SHA256:** 908719da1d0ac1d416ccd359fd6a8ff1bb5854b0f8ad0e4613392d0ca5d56e41  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: ar.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ar.js  
**MD5:** 0f886efdc70323a44979e1cefce05038  
**SHA1:** 9d6816b96f0b595631ec3f0a8ef095b79d2aad2  
**SHA256:** 7f3e6c66626d88d970c57d3883e155c93d97cf378b6e8b27c3e0294eaf1c3cd2  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: bg\_BG.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/bg\_BG.js  
**MD5:** 4e9304054a5dba87c44a97301ad66b18  
**SHA1:** b4c2faa214f8b1439ad6fcbf25064557a609cdf  
**SHA256:** b1430ba8c8ffca397dcc798611def8cec0ebd83965fff5fb0799090aa2c8f12  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: ca.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ca.js  
**MD5:** 089ce05c476ac2670a3e7191e27cac9a

**SHA1:** 1e076c780755f0ca6dc33f275f615cd3bf4480ca  
**SHA256:** 41d6c5ca9f26f3d51b65ec32dfc001eb5b31dba3b7ebe634fe722115ff449c94  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: cs.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/cs.js  
**MD5:** d10d9585dcd93ae57323c6a655aa2c3d  
**SHA1:** 9349c258353e88585b5400726f66d9d49b329f26  
**SHA256:** f876fc46225f5d756b7c93868a122d13ee141f32b4083c7f7ef6592b9004a059  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: cy.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/cy.js  
**MD5:** 2a0728ef1086a55e02eb37af4eb5b0b1  
**SHA1:** d35bd8d1c3c3397fdec0db042d0c0c17ea7fdaf9  
**SHA256:** df7b1c6f8cedac1f23dd1ab8c9f180665d66c7325eba121dca192c18a06f58a9  
**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce-languages.jar: da.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/da.js  
**MD5:** 481aa7c5d1ceb5a94c54bd71af91b607  
**SHA1:** fa4a7ecb526f6b215f8da7853dd2326a99838c06  
**SHA256:**440828eeb73162291e2f8eee67763d7e34039e5b9fe4d4ad506a521e48fbd438  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce-languages.jar: de.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/de.js  
**MD5:** 42f1476160d0c1c8da694470a77af56a  
**SHA1:** 4862a9cb5f4ed83a312bcc769d520440f1f95a0a  
**SHA256:**bd997ca871108f0124849619dc28981047f7e7a1ade9360e2d258a3a86ad02af  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: tinymce-languages.jar: el.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/el.js  
**MD5:** 5416576d60c441187a77aae0846865ba  
**SHA1:** 0f11a7714c7e4da72cd55dd70f5dbc2f0829f8fe  
**SHA256:** 970b4322bdfe3fedb6e4544b65a9684099e82d208a6c2ad86e6550fe2d79543a  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce-languages.jar: eo.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/eo.js  
**MD5:** c1f238debe6f92e597d18890a9b9cf39  
**SHA1:** f10c044ef2e30b353442bc536c3c6302f83b42f4  
**SHA256:** c316804de553f2aaa5c7724f0e1a8e2f1aaf2b7342f236358a7e12365e212384  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce-languages.jar: es.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/es.js  
**MD5:** 833bb31f5d452f0b036f558304f7bd43  
**SHA1:** 0c34ae192edba65fa21b762ddfa7226b129c8da  
**SHA256:**f020e09f41ca04101127c4236b44d0d5b4938587f7449421b38f666ba9159ed1  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: es\_ES.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/es\_ES.js  
**MD5:** f2bf4385f9ac938c22d699caa13805fd  
**SHA1:** 08cd53fb716153b4a47d34b2181e53d49ea45a36  
**SHA256:**b2356afb30584c7359dd65ceffb42296b0e420650033e73422be09da30511cd0  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: es\_MX.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/es\_MX.js  
**MD5:** 0d9bd141cec3e0a3c3b32d6dcf0a1739

**SHA1:** 976438b6d6a826cb437a4a7be47a6ba4c107be73  
**SHA256:** 8be7384d5888618e3ef7ea227c3f10cb0533db5f01fd8ecd75309cf0652008ec  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: eu.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/eu.js  
**MD5:** c674049d2a4b1c0c2bbbedb9f5e519858  
**SHA1:** d8458d8d1c93154c51a0d724785d972506cdf2a1  
**SHA256:** 3942f6abba9679f58ccc36ba38a1f3fd6ec5a5824fb2910a3b3a922c740d1df7  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: fa.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/fa.js  
**MD5:** f4242d89d4890093b57c6435a0feef5d  
**SHA1:** f84cbc6d12884492dcae0bb2fb25de3bd8a54fcf  
**SHA256:** 1465f18074f43b691afb310e5dfdbb8f4f1d70f5817e5e26a1ddd23753ce962b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: fa\_IR.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/fa\_IR.js  
**MD5:** e2e4fffe84b41b1763eec91c0d41c879  
**SHA1:** df983f084fa4b2acbbaf8c2f42e2e9cb981645f8  
**SHA256:** 019a970f6414584cd6e87515d3fe7dff153c9fc49dbc7a7bbc25b33803f19b32  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: fi.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/fi.js  
**MD5:** b5688fed7ee5c373ebb60f499959b374  
**SHA1:** 07eced4202e01f9fe821ff7a917b65917cd814f7  
**SHA256:** 1f1e100752101230f1b10717f8ea615f816388a79dd5ad1c47605c553f9ad935  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

#### remotegui.zip: tinymce-languages.jar: fr\_FR.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/fr\_FR.js  
**MD5:** 39a6068252db59fd4692c3ddb15a5707  
**SHA1:** 8b7cfcf0ed4fccaf10ec9ead72c39ea6f566a4c9  
**SHA256:** 0eef8817097810e7cbfe4ca46e9347b2e14ba0d2c91bc02d0f217ac6a2bf6bdb  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce-languages.jar: gl.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/gl.js  
**MD5:** 4c87b5345d76e5fb9fa24d89824cbfda  
**SHA1:** 46bae6aaf29f1d534c0312c9e8c5f8934e9196bd  
**SHA256:** ae5a04893fc2f1900a2358fa8b43134f8f69bf72a4e7b2be58344296a788be38  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce-languages.jar: he\_IL.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/he\_IL.js  
**MD5:** ab3335919ec5e713be56b82a8df6252f  
**SHA1:** 4b9a0a979384da17166919e5f584a59226244a97  
**SHA256:**c411d772751ae83c939e62ee23459abf33465b9f364b89fff5d1402591eee2a5  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: hr.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/hr.js  
**MD5:** ab6217dad69a25ec43e59f1a76b0c060  
**SHA1:** 9e7f2bd0909ead0e63258d24b18cbe5c1d79c44a  
**SHA256:**02002bcccf9d9a73114794022ac7d48d0a4b9acb0ae1094b98a001cda06d9543  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: hu\_HU.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/hu\_HU.js  
**MD5:** 2afccb31e0cdea6f08c23750f5531a3e

**SHA1:** 47b7ffbe8714c92446e18065bb622ffdabfca060

**SHA256:** 795f98a9f97ea2a3a0edf1056ab6dd697d9138a8cc7d6c0416a24b293c79751d

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: id.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/id.js

**MD5:** 804ca5c83b16e8aa31011340aa43cfde

**SHA1:** d85239b65123d712897c0b9705b1d75140320b6a

**SHA256:** ee0a95c92105fea050a683bc2b617332366e3f5ffda2f5b4a4df6b558ccf210e

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: it.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/it.js

**MD5:** 2307d7e18f4d82323f8460b954366d6c

**SHA1:** 2dd5945ec46a5fc412a03dfe3e706096169cb50a

**SHA256:** 853effa3129e6856e7c555788753721d89c48efa7f35536ef08fd9d5e2860b68

**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce-languages.jar: it\_IT.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/it\_IT.js  
**MD5:** f5f75ba5738d186bea305abd351699d4  
**SHA1:** 80449c059f59ab177abe08deb15d2a0fd55b25f3  
**SHA256:**5bd51b8d9f3bb9fa4c44b54df600ba4468c16511f8272c5c30f816dea88cebd1  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce-languages.jar: ja.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ja.js  
**MD5:** 7199e3d236184cf0a06a219442b578c9  
**SHA1:** 16add7d88b9628d906e62a8b7d88e52057b93e29  
**SHA256:**f250108ef667f96cf5b0e8fd061e15306267a23d9f0d6d06ac3443e268a542d9  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: kk.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/kk.js  
**MD5:** adf69e41309e0553b26d71ad07cfbb92  
**SHA1:** 6dad67ba7364db9096844dedf946a13d8e796109  
**SHA256:** 97e466a88551bac32d4ac08dd86dee6d8db34d763ec9c9c2db42044299f79280  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: ko\_KR.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ko\_KR.js  
**MD5:** c60c7a4d77abf22380711ea8c1982bb1  
**SHA1:** 631fe4673b89932fc6855b13284f22febb9a1d41  
**SHA256:** 66fb29bdfd16163298e024e448a6774d5ddc1b4fff7e6683173ad2e6f20f2dbd  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: lt.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/lt.js  
**MD5:** 2219c653129ccc476847f054786ec676  
**SHA1:** d6ef2ce6c2d82e07fe9e59cc2d22f3767ac94625  
**SHA256:**22195ef38c08fdbee31662434b50c6928b10e0adde3d0d86cd10a72230304e9b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: nb\_NO.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/nb\_NO.js  
**MD5:** 0a7352214f0ce32fcd9c1e6522df1bbe  
**SHA1:** ee23293fd4b9972547400cf4a3249a2059b6b165  
**SHA256:**944131baab48a0af7fa0aed2c8bd2ebb3e9064b3772712f22e976909914971f0  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: nl.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/nl.js  
**MD5:** 6f571210666a2f5e6337080e579baba6

**SHA1:** 836f979abe265e75b745b723288058a708392756  
**SHA256:** 7f5b894c53f3e6cdaac59ea898930837fd21369800ab6d16136427c7a773916e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: pl.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/pl.js  
**MD5:** e250adf7e075ad1f30905b07ad627631  
**SHA1:** 3c4f16669f023e06b0c6a3527b7465c67b57c90d  
**SHA256:** a22b468acd116dea2dea78bd49ea798fae8e5ca8c09af7afded580fb77a19171  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: pt\_BR.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/pt\_BR.js  
**MD5:** cc070dfc893595619ae7c8e5349376ce  
**SHA1:** 147966d1e0e89574988c516b1debb37add6df970  
**SHA256:** dd8b585165d8ba7f896a08bf038278f0f0ca7bd9e4ecc80b9c1c7a8bcc2881df  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: pt\_PT.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/pt\_PT.js  
**MD5:** 4dd1d7b30c2fd8e55f9880b7581977c5  
**SHA1:** 11642b53c34e4ca6a5062cd3077ed4f4bad123b7  
**SHA256:** de802efbfdbc321426edb9cde7e6422597bdf15c173b116afc097298e96bdfc4  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: ro.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ro.js  
**MD5:** e23437166aef4c09b1b704399f8aba35  
**SHA1:** e9bdcf37aee82113f51cbe365ed71cf0b28b7b8b  
**SHA256:** f9337551af759ed5b346f36393b77800d9cfff670e830decdb3908027f49852c  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

#### remotegui.zip: tinymce-languages.jar: ro\_RO.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ro\_RO.js

**MD5:** 3f2950ecf56ad7a4afda95cac7e2bb65

**SHA1:** fa5af1a474a2b0e73af2dcf25d7b2446ccdacfbd

**SHA256:** 2d4ed665899adbe9e64a5aff8a5d686a320935e0fcac8ad5d41e1061abb0343c

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce-languages.jar: ru.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ru.js

**MD5:** 511a44e58e8fc2713a4544de603ab7bd

**SHA1:** 06132cf2444c50c1b3910bbbf82902444128f8ed

**SHA256:** 3fc08c1c46f210eeca7a90d384b4ba7ebf4d9655beb3b7b87e597f1e9608043d

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce-languages.jar: sk.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/sk.js  
**MD5:** 1b3c7faef9a1e74b2b8f0543732da813  
**SHA1:** e9b96981febbd3d364add8502420c656621bebad  
**SHA256:** bcf6c8f5e62ee6dd60ebbd78fcb002ab1f93ba553d8e0fcd980c5559da6dc787  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: sl.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/sl.js  
**MD5:** e70856ec865c4becf6af5ee48190ed91  
**SHA1:** a0271f39bc7d4a46c9b5b5377ee4d1eae45c6518  
**SHA256:** 0917a76a02bd84a46cd31d22a4486fc15fc5217b0da405faa980d3b4513c12cf  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: sl\_SI.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/sl\_SI.js  
**MD5:** 3de18771671f7e28f3df9b68e53552ce

**SHA1:** 1dd6b41b237df4033169ea3293fd15a36135fcef  
**SHA256:** 1e9ac60048fe7e452b59441876289e7a7a42a90820d7a8ef67ac1339e1b9dcee  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: sv\_SE.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/sv\_SE.js  
**MD5:** ed26794df73aa50316d1ffbbf86e51b  
**SHA1:** ba4720adf16d253917e5718508b9d261ff317d85  
**SHA256:** 9ddd42e6af9c413ef5e26c9b69b2f5620bf442c1cd7005bc56c1380e4b6ac7b9  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: ta.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ta.js  
**MD5:** 28baeda3ba8aad2c457984c138420160  
**SHA1:** 8ecfbcc9693bef79e05fbde679c6576327bc1f55  
**SHA256:** ecb0d22d12a6262265057d41923a35430e18fe42f4b7f1d12e3fe3ec52cb7cfb  
**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce-languages.jar: ta\_IN.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ta\_IN.js  
**MD5:** c245824dc4a046048a23355d513b545b  
**SHA1:** 064cb44b3e558377efaaa14af781563e18d184e6  
**SHA256:**b601b126c40b5c19c89a4e7724ddad003a7db0f41357c12cbdb0be440ca6f8e5  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce-languages.jar: th\_TH.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/th\_TH.js  
**MD5:** 5f149677f7303a92c615738a19bd43cf  
**SHA1:** 3f4882111c0163aa3f1189ae12b9cbab25b9ff3c  
**SHA256:**6d1838ea80df11333cb5844f5ca276ac6222481e4e9c4bf1d5c5484d8e05a67c  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: tinymce-languages.jar: tr.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/tr.js  
**MD5:** 1d942271407e5a9e69b3ec4ccb11ac50  
**SHA1:** 6eac1370cf372727316c7fb02d92cc6e5dd75b1d  
**SHA256:** 7e7130921470f315dd16d4cc12dc0ee7c1590671129d22fe5d663bd8b65b35b8  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce-languages.jar: tr\_TR.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/tr\_TR.js  
**MD5:** 21a6afe57b91f50fdc2a04d40330ae97  
**SHA1:** 2aa3e1a82924df177c986869e3eb2dbe9e5b33fc  
**SHA256:** ba178265ac4f4d1f4c4caba3d9b04f3c4a4254773dbde4228a68484715b300dc  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce-languages.jar: uk.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/uk.js  
**MD5:** acb23eed47495327f505e52144615a23  
**SHA1:** 67d20eda3fa76c5327e39093ffc9de28b28e5a6a  
**SHA256:** a057713c5ba1ace10f76f58e4dd6dee88a84d2e78ca957480f5459b21cf5d94f  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: vi.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/vi.js  
**MD5:** 5dacd7e85f49ada603617302ff7571b0  
**SHA1:** a1bb8e49ba273ec276154fe04cce93edec4d64e8  
**SHA256:** 86da5c88594ba0b5377f5a7e20b04dae1251be817879a47645d60e25cf8e42d5  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: zh\_CN.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/zh\_CN.js  
**MD5:** c3ceccb2b20bc1c32a74b8ee394c399e

**SHA1:** 970871e70fa9c310de345b1c590335c9a75adb52

**SHA256:**bbf4bc7f799bd37f6a52eb032b1708583ca401e778a85c0e58cbeed4c71ef3c7

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: zh\_TW.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/zh\_TW.js

**MD5:** 8b3673b738b3b96f90997fdf09121fff

**SHA1:** 392e2f7e6a83c9c5f4c187f371f4d0fdafd239a6

**SHA256:**7868b9dbbae773b768f477746f7d72383603963069426a6281c4d24298160ef1

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar

#### Description:

WebJar for tinymce

#### License:

LGPL-2.1

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar

**MD5:** fd9f87ce352ee6c8d270db931c0e6026

**SHA1:** 9174bcf85629c63f7cc55439ff890bb7893fe451

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	tinymce	High
Vendor	pom	artifactid	tinymce	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.bower	Highest
Vendor	pom	name	tinymce	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	tinymce	High
Product	pom	artifactid	tinymce	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.bower	Highest
Product	pom	name	tinymce	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	5.10.9	Highest

Related Dependencies



- remotegui.zip: tinymce-languages.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar
  - MD5: 47bff91bb6cd602682ddc705ba5872fb
  - SHA1: 06c508488e5d6f2ce5c92aa8b3fa165ca871d597
  - SHA256: fa2ecf575248fc802677c26f54fd5f23a636d496223e1a654f5d6540f6c36200
  - [pkg:maven/org.webjars.bower/tinymce-languages@5.10.9](#)

Identifiers

- [pkg:maven/org.webjars.bower/tinymce@5.10.9](#) (Confidence:High)
- [cpe:2.3:a:tinymce:tinymce:5.10.9:\\*:\\*:\\*:\\*:\\*](#) (Confidence:High) suppress

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/js/emojiimages.js  
**MD5:** b7c1a7f3d27f00745fb752c8bcad1476  
**SHA1:** 96af86fa69e17db88d8c1ddb8dd5af8f01aede1  
**SHA256:** 498c4614b7363884c469599aed4290a30c8eb2eebbbf07d5bb16886d8090aa43  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: emojiimages.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/js/emojiimages.min.js  
**MD5:** cd8d1bac37c0a70d1d4d2005bf7c4e8e  
**SHA1:** 29651e17ac1dd07e21f81edfaf56cdded37e8600  
**SHA256:** 39ede17a1386121cbd7a543ab27a27f2b4dd79c7873377bea577fc0c9e942a8b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: emojis.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/js/emojis.js  
**MD5:** a64de2c5911dd74a7c8ce92819084843  
**SHA1:** d9b37d490e6cf339e85f0bb008e673c823cc6cda  
**SHA256:** 2f086a646d26f121f214f9de1df8c2ac45020e40dba0cbe4d8fd31b1df3381d7  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: emojis.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/js/emojis.min.js

**MD5:** 1f434c25c9c5ee365c94af299372298f

**SHA1:** 16d23948cbb0716178f14b58e7b50f3869d76307

**SHA256:** 57bb9d32b2a696c30269a8af59d2d13ca7724e501bd054986c9702069acb9b0b

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: icons.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/icons/default/icons.js

**MD5:** 9034bf9d33164db799056592af8f8041

**SHA1:** f48380a7f8ea48f94f20df7526a6dbc33aa802ee

**SHA256:** cddbc569467f55c984f4236d0e6b7a54b35006c47eb18813ad7ca367b14c45bb

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: icons.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/icons/default/icons.min.js

**MD5:** 18db240f0cf5635332dbadd948cc500

**SHA1:** 4421813e10fd371e67d15dbf74bf748a0a5c1794

**SHA256:** 6c5a69c090aa1418082e7ad5e707bbe6c531269607e080821a7089a16e0f2b61

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/icons/default/index.js

**MD5:** 9c5b7a740ca30e13e64b6a4de5b17c77

**SHA1:** cf4e63fb059346d52364a6e7592dfdd9b00eb0a8

**SHA256:** 772e5e2b50c2288b47f812cd3219901d992020c71940628b4cdd0ee23f3c8cc2

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None



## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/advlist/index.js

**MD5:** 344ca56d8dedfae33380a44b89dfdd1d

**SHA1:** 2ce6aeb71809802341499202ed673788fc04149

**SHA256:** 0e88dc5e755ed26a62535b443dc90fed27844b58677a97fb1ffa3cccdc6d410c

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/anchor/index.js

**MD5:** dd697e3891ed83de226860a7aa436b10

**SHA1:** 775e112dbcdb929e3c3ac944f65b91ad9b41dc35

**SHA256:** 199df9a5149e52b35f0fad38f46eca0ccfc98e3c7b09de4a6e3562ed97f8190d

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autolink/index.js  
**MD5:** fa84bd3bd42aeb01da94b784344d4d84  
**SHA1:** 2f2169188eaa6ee85da0c015f878de6ee9bd34b4  
**SHA256:** cf9dbb0d6d43ecab9faa41baf38db169f11d668573349d2d7f879be5868e8d43  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autosize/index.js  
**MD5:** 00116480a9865b9b84937b8c6ec471ed  
**SHA1:** 9d33c32c4cc484f5c7c011b16157b63f32004e7e  
**SHA256:** f218e9db68e5e70965a405e2c2204ce9711067ae0c277f014844a40f7c7fee66  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autosave/index.js  
**MD5:** 8d9bb78be9ddbce43bfd7964b71678ae  
**SHA1:** e3695d2b623495a93594f23e4132f6226b309012  
**SHA256:** 3b68f2f8049499f537ba66c2fa27aa9648aa93a43e81b977dac7ae20eeb803fe  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/bbcode/index.js

**MD5:** bed89377ddde78f2d27067c6b3dcc633

**SHA1:** e4d0c191e90df0249d2f50c12f9979902581ab1a

**SHA256:** 98fe74eb6872c6e65d9a400d9da7b9b77d6fc4cfbfd7acc0fb9bbe697e43c73c

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/charmap/index.js

**MD5:** 18775f459a8bd073ba47b3ad3e2f6bdf

**SHA1:** f991e9bd8cd4912b0cd28d806beb7c1a4ec6c8c0

**SHA256:** 1701e8a9ccea8f198bf323636b8ceeb6dd8972625d07b466f92c65b16fc635bb

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/code/index.js

**MD5:** d2db687200588ab654afd39728df329f

**SHA1:** 55bfce05960107cf42e7d3687e330a3f42164c23

**SHA256:** defd6476de2e2c8f411eed38d53a774d52c7408565280806bcba0bc32e98192f

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/codesample/index.js

**MD5:** 23fdb57b1d401abe9ff929ab26ec394e

**SHA1:** c3f3fc7e21c7627247fcd2069ebb3a36bc755c0c

**SHA256:** 60856a5c13ac87dcb4e3ecea3ce3eefd47e348c4b696b5b74f0be9766cbd1f08

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/colorpicker/index.js

**MD5:** f1771fdd14cab627310b813da43fa5ba

**SHA1:** 30f7ba13c981711ac0f84662dbf6c50e2af6c27c

**SHA256:** 15de4cb9a7437d15f6631509fd379df2fdf4cc6c6c35dfcaad47c87e899e96b0

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/contextmenu/index.js

**MD5:** 92e19a31db91abb704ccaa13cc28b766

**SHA1:** 8fe36efc411a29d7579d3754f039ff35786c2e64

**SHA256:** f24829122684173e779bcd89afb1736b6cad304d08b002698753504db32b80e

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/directionality/index.js  
**MD5:** cd2c90f18e8c7d1215bc4ede4a2ed3ff  
**SHA1:** f16e46d6103a081937651c9824bda91c37906e86  
**SHA256:** 75a8d057b97663fbd36db445ac97baedc0d4ca3948f4ee6ee5a45ca56c6fc5f  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/index.js  
**MD5:** 57e489f4ab69ca17dc7c95aef7052d88  
**SHA1:** b665f4f4f94b9a2aab91235965d594b8932e75be  
**SHA256:** 5b3937add68158ae4add69fa47d2c47ae49ce17165a08dc7ce26f376979126a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/fullpage/index.js  
**MD5:** f5837caffaa3ead2f0b68daa0463cac0  
**SHA1:** 6acc21854086d6155a19b3c1060ab5dbd98251b7  
**SHA256:** b1d2d7667f4be6d981f9fd5f58219a414d83c4068cd77c3b0c9d2fbac6ec90f1  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/fullscreen/index.js

**MD5:** 2a071ce05b6865fc1a874f298b920e9e

**SHA1:** 898dd0ec802d60ee716f9ab55401720dc05840d0

**SHA256:** ecfc6baf3a081373dfc60f97efc1f14f7a6840f398ee8dee57502ed547370190

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/help/index.js

**MD5:** b7c64e9d5f9003aacb929b6944987c2e

**SHA1:** 92f87e4057b89c4faf476fc34898d688fea0b52a

**SHA256:** 90ef3eb5f05933c63e52ac470156c1eee495583b1184ae9a6abc8702e9685b36

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/hr/index.js

**MD5:** 95e49e5a2cd979c3e7345c78d2d15779

**SHA1:** 48a187d6a5e4539029a140c36b3b1010d3473975

**SHA256:** 1dbf6d7a4b2d4cea2135823eea377fd6052a510cca33935d23f4f58e3d49af98

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/image/index.js

**MD5:** 27415d3d43098d4bdb48c6c45c15e08c

**SHA1:** 5a081de74c9d2bf97decb82753cbdaad6366db76

**SHA256:** ba0e02cc9a0a8ab32790d825b0711c27452e297c4c72c8479cfd00c00a228c36

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None



## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/imagetools/index.js

**MD5:** 1fcd4ed72eff27ef54bdd585e306d29

**SHA1:** 00c9be7d060282e6d5ec5d0779b977275c28b8b5

**SHA256:** 3a075c96ab9819e53918f2fdf308f1390e339cee21755ea4112c71a9d012b53f

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/importcss/index.js

**MD5:** 2409fda93c2625fad2c9dffe31b1473

**SHA1:** 39d57c8b02129997bf23302916dd7166c3726a43

**SHA256:** da3a35bf760696421d5dee9795c287730c310cc56f2f955ef8d7418f243ea5ef

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/insertdatetime/index.js  
**MD5:** 4ece334f6233df3aa3e5becbfe1f9a8e  
**SHA1:** 6734731b620634cbfa9a06a57d3ce35f3c24296c  
**SHA256:** 6a58d89cb41c85fe3ec472376fcd55bb875b6397a054bf4a3d53e7734fd440  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/legacyoutput/index.js  
**MD5:** cddb9783bca4eebefc56e308b5fd8169  
**SHA1:** b1f84b1fa17eae3d22bb380a22eff3efea2e7fa3  
**SHA256:** a6ad834a6a462e968bdb77190a1d8660d3bccc4e5b55b905420d6c6a1707cbeb  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/link/index.js  
**MD5:** 5837f9d0ed7b2cc610dbffa6a7d7dfe  
**SHA1:** d3d6b6d764556d547dfe70694b8e26bbeabd4b8a  
**SHA256:** 393a397a9577a880392172405182506aeabc1a368da461853f6fd98c19b96292  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/lists/index.js

**MD5:** 959bf9c345e983ce032814178b94cb09

**SHA1:** adc80fe2030cfe121d120440dcf49498f526c7af

**SHA256:** 8ca0f39fb279b30498948068be734b8a2a2178e32b094b98931622ee4c649ae5

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/media/index.js

**MD5:** 22710d182e71e1bef50ee3838ac15b07

**SHA1:** d8f008c3f8abebcf2efdce06032350e2a1b80fc7

**SHA256:** 2cf1f01a424a6e9981e16a7c162bd51ecd2785cd5d7e36d78edba78aa91b0c0

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/nonbreaking/index.js

**MD5:** 851e4039437062e49d5729f1fe30cb40

**SHA1:** a1acce39f47b74cb33d2e0c0070d8af323ca0018

**SHA256:** ec23845a38bfd445146565839769274deb1c0d83adb74c8e464c2714f6509b87

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/noneditable/index.js

**MD5:** 6f84addf13157d5abd4c1f2e9f1189f5

**SHA1:** 974a855b957d74c47f1fca8b3582b6db5f562f51

**SHA256:** 73b8c1e02264f43e6acd2d72b9882d87550b913c71b87a6ccd1caa2d88c0ee24

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/pagebreak/index.js

**MD5:** b2ec3630c22897879bc089749ca3466e

**SHA1:** eeef9066bc1642e349bbaf234f20bd363f89ef19

**SHA256:** 3239c47c5ea169f05c26f2cb0726e85aa4a365a4e3cff8d16f79bec35d393ee4

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/paste/index.js

**MD5:** cd72ad7d99e1849620ff535b4f64daed

**SHA1:** 2e48dacc929d42922ccb634392e26310531f1d83

**SHA256:** ce91452b503e136d45e552ab157ab3f8b123530950cc02e7b778d04bcb6a0de0

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/preview/index.js  
**MD5:** ac924715206330e49ae83f0ce0a41a7c  
**SHA1:** b9fb134e272eaad188c9da26d8c6aa22621e6cdf  
**SHA256:** da5b43a242cf576435e63e27522182fe61afb1ea0d28aee116193c24d60c18f3  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/print/index.js  
**MD5:** 7f3c93e1e7cf55fb60d83431fbe0af2c  
**SHA1:** 77a64982ff692d12b1086a70ed0796bcf45c35c3  
**SHA256:** c54ff5c05b484d6eac7bb601ddd4bcf916faf8dbdebf65a707fa6f7510a99c52  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/quickbars/index.js  
**MD5:** 24942b053967586fefe96a215c44ae07  
**SHA1:** 4a72eaaeb0dbddb84dbb4268e618b4451a482670  
**SHA256:** a61d6bc69e64f107292c929d2ac70819a3970890e79c9895bc0fe0999803ce2d  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/save/index.js

**MD5:** d2a87bcc64b326fc6dfa962fcbc662e8

**SHA1:** dd1516808ce28ded9008890e2dac0b24d5a7dae0

**SHA256:** bcda64c02c52e23430e42fd33907ffe16b02d163174a5896f6e9f96cc1b08411

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/searchreplace/index.js

**MD5:** 027916795b63233ba94d3938bc15cc28

**SHA1:** 61bdc3b8ffb05818fa9b91a399abeafb2a4fd8d8

**SHA256:** 7f93e70dba14735765044f7199ff8b24fcd517b285f806d34cefb0d2e55a098c

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/spellchecker/index.js

**MD5:** e22949d41a8208123a8694f0c8e6dec4

**SHA1:** 9d66cbf780b982f778e561ce35786b7589b8fa85

**SHA256:** bcb0b4911bd0fef17ee195fc758585e7717500248fafdc58f32c94f6a12f08bd

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/tabfocus/index.js

**MD5:** c8dd5b7b07c3808712c5000e3b1d252a

**SHA1:** c9e127134794c715139acb1bba1fc9a90541e7b5

**SHA256:** 779f4c8d8f7804301d0d3d63c6f4d7d12e5a4f3fc409b6433aa465ce51309bad

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None



## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/table/index.js

**MD5:** dc0a57cf52e5c96e8886974820620f30

**SHA1:** 63b104aa10ee6b0e09f6beeb420028164214037a

**SHA256:** d571c3bcfa2fb750545e52334325e494d60916f8db2504a8e64fbd421e901929

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/template/index.js

**MD5:** 4629fcd244d51c5f71a77cca7a6f0b36

**SHA1:** d33e8183488bfd00554ccc12b63efdcc46acbf12

**SHA256:** 07acf1abcbf6231d2ca53a091fa7cc1fb6206e4b268301750ef9020d6881425c

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/textcolor/index.js  
**MD5:** ceb47c7e6b71b1089ec10b30a6aac374  
**SHA1:** 21d607e821838299375c0ed523bca0a33c0acc05  
**SHA256:** 4c54b2959afce4d61251463bbbd0d2e32dad074d3634192bce2bc937ee59633  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/textpattern/index.js  
**MD5:** 4ca571ec216214e68d950539134d2e66  
**SHA1:** 9ed373e0e6e173e7b1663344b83acd313d37cefd  
**SHA256:** 955780d950579ce70deeb8e7ba2ca04eff56e53fe983ce81e9bf932c69d7652c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/toc/index.js  
**MD5:** 4fb0e875239aec497c229dcdf18d7bb5  
**SHA1:** 1c9880a27fd0487d99bcbe666d90fde1c4fa41fa  
**SHA256:** 2f3e63d7b8e0f9597a78fa84e92790bc91099fb7382037e870f06afc8e23d95f  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/visualblocks/index.js

**MD5:** 1f348278fc3fa3ae9d560a2c6074537d

**SHA1:** d55ebc12b7d22b21a6f06a7b1e8a4d869ddba0af

**SHA256:** ac58944fdb4136e5d63fd08b6070d40a9c964ba2739ea46970f1c27464f0059f

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/visualchars/index.js

**MD5:** 01e4394764848c643482a4e060c3c16c

**SHA1:** fa3c991ab8a4b06d3022a1a9050d12f97eca084a

**SHA256:** 4cc095ed74a300b53b61907f46468821a3fd16e9abfd9b96157e72c5a6a4f901

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/wordcount/index.js

**MD5:** 8702637f4301b2c60b0d036a74a57952

**SHA1:** 10150542a5551da1d75408d86ba07b45d78a24cf

**SHA256:** ea19d7ceae4197532bdfdb08d97f4b64ff025cfd3016ec12428b81517f2e92fb

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/mobile/index.js

**MD5:** a136bd2faba801a12080888b27e65afb

**SHA1:** 58533b052ba5b2cbee9fe44e6a3cebd042efb7d1

**SHA256:** e20188436d5d6ad6bd97a590c274fdbe955fc83715e800509e4a61b25bda4e0e

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/silver/index.js

**MD5:** 7281b0268319c90508a1a300a7c06d97

**SHA1:** 0e3a4056988e7a06c5f4ded3f30006f1be55d445

**SHA256:** 3bc724f73bd41f1c6af41d5c08cd472a1da8ccf6db49c6fad853998a130231d6

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: jquery.tinymce.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/jquery.tinymce.js

**MD5:** abc669a993b54748fbd9e3f1b04ab3bf

**SHA1:** edddd7e07aa9ace3afd2f3bc1579f7901708ce69

**SHA256:** 20e802d69c0fd9912eb39bfdaad9f85f089e383d415ef193ac6aaa2e108a8949

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Related Dependencies



- remotegui.zip: tinymce.jar: jquery.tinymce.min.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/jquery.tinymce.min.js
  - MD5: abc669a993b54748fbd9e3f1b04ab3bf
  - SHA1: edddd7e07aa9ace3afd2f3bc1579f7901708ce69
  - SHA256: 20e802d69c0fd9912eb39bfdaad9f85f089e383d415ef193ac6aaa2e108a8949

### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/advlist/plugin.js

**MD5:** 9a469d4c30ceeb89187f85215a5e5161

**SHA1:** be1f2023c91a4fef2828a452272319447f80b786

**SHA256:**d9457557927bd306e2cd90b622494db6d36d346ffd04aa825e71d061c243f7d6

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/anchor/plugin.js

**MD5:** e204923e44d53e7610828846fdb23722

**SHA1:** 550446f55b597c4c376992addf459bf00fc2e0dc

**SHA256:**8bf2878b95bfbe4ddef911cfebb70a07815060a6c52d85227695267900a45085

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar  
/META-INF/resources/webjars/tinymce/5.10.9/plugins/autolink/plugin.js

**MD5:** f62ca8be62d1dbe910069c09b20b53a1

**SHA1:** 9bc811f23db52d4081a089f9774fafd7e3f21f67

**SHA256:** 2b218bd0095199604914b22b67b4b1a68fbc0fab309a734f2fae54496f734b9

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar  
/META-INF/resources/webjars/tinymce/5.10.9/plugins/autosize/plugin.js

**MD5:** 3130530b80820d2fe333f0a434987ebc

**SHA1:** 0c8b231c3d55b9724a4564ba02ad4be38c197293

**SHA256:** 4c7802957b5f7ddc47a97d1cab371e7c0b39592f17fbb86103626762e593c872

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar  
/META-INF/resources/webjars/tinymce/5.10.9/plugins/autosave/plugin.js

**MD5:** 78ae76cf436707ded3a0ae8cb1f8f4be  
**SHA1:** 2db5d96907012d7ad0c4c50abd11994a63637507  
**SHA256:** 8739940eef76bbc0ad0ea5e4b6f7ded4e1ceda9aba15a52543fd00c180373756  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/bbcode/plugin.js

**MD5:** 5baedc3309a92d6d3b3fe7944984845f  
**SHA1:** c3bc65277f12b71bffab0ac04fe737deb6634b8c  
**SHA256:** 960eb4c3c3d150b615d4ee81042b4a5f0616d876af4ca66d7841597192313ac1  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/charmap/plugin.js

**MD5:** 132a6594d2c2580c00fe3fc881f64a3e  
**SHA1:** d4a2ccf9d64dd6eeebdbf4cbf9d4c2e2834737f  
**SHA256:** 07beee90d71107fff1fd218d552ede08c0393118345c052ef1540d2070221de  
**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/code/plugin.js  
**MD5:** 6a3b1fa39f64d704ab9c8d8ffa3b85d5  
**SHA1:** 2acb5fbaec43ab35346e8a564fb3104f197086bd  
**SHA256:**bb6ada6875a1d6432000990c110825e5c12cc9d13a33dc1fc215c199f96c27e4  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/codesample/plugin.js  
**MD5:** 2f0097d95781f1a4d2711d9f8fc5c334  
**SHA1:** e181f02bd7bfcf5816508dde0b0ad1c99d9c40c9  
**SHA256:**8a19cde548a1dd6b0970a24eead3e04e85e69a3117642891a42d7b7b5361495d  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

#### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/colorpicker/plugin.js

**MD5:** fb7f0cac79b75d40a9ec81581acf75e7

**SHA1:** 0ed6610a578326d03411345bf8027c443cd7d105

**SHA256:** b7ff65effc877a633ad79dfc82ef0b3cd6c6c16107cd03580479b1239006091b

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/contextmenu/plugin.js

**MD5:** 63f32e24fb0dd17b1fe982314c29b55a

**SHA1:** 42b09e6b0cc5674ec3497c9c4d4c4d3de6a39047

**SHA256:** e7070041c1a1edfa77a48438ef4294f8da38caeb50411c25207e16316cd0c889

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/directionality/plugin.js  
**MD5:** b73632a4533311d6dfca1b3841534ebc  
**SHA1:** 0c6aef806245b102e3332080c811d3375337a662  
**SHA256:** 2e201c96ce771956becaf72e4f2d4abf67d4941e5735f5d0dce965d5150a5ed5  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/plugin.js  
**MD5:** ff191fd241bd1933c67f5fea4a52107b  
**SHA1:** 7a9cbb74716ce1e0e86d90690f7de79162c60db3  
**SHA256:** 374fb04498849e7e18bc5a698387055dbe1de48fff78f7fc8bd5668c73b73d54  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------


#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/fullpage/plugin.js  
**MD5:** 3c14f849d19f550aaf23f9e4bc2b647b  
**SHA1:** 5e95acd51eb15d13129fab8bca354ca5aa440c52

**SHA256:**b6a5c94a76cf5fb719b6455c239d39e678e3fbb7c053e049103d2d02bbd2ea04  
**Referenced In Project/Scope:** server

Evidence 


Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

**remotegui.zip: tinymce.jar: plugin.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/fullscreen/plugin.js  
**MD5:** 2227d3ff362f92145a0d66ba1bf68f1e  
**SHA1:** 37fbe66ad5aa755498bc8ceb5e421b56df27539f  
**SHA256:**197cc4190c8782e40dfca6b28225cb4766c1ab0b1bf60cc445fe024265d18db2  
**Referenced In Project/Scope:** server

Evidence 


Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

**remotegui.zip: tinymce.jar: plugin.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/help/plugin.js  
**MD5:** 667d246d02a71436f2f4a4fb80f720ab  
**SHA1:** 0691382a7959a2ce6fe97b92bc08d737d8fb385b  
**SHA256:**35d0d9f12208794695c9e3594e309feb53af67897d9a31ce0eb85d06f17e9953  
**Referenced In Project/Scope:** server

Evidence 

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/hr/plugin.js  
**MD5:** 70b7ff4273d8b9374b7d35a570e60eff  
**SHA1:** ec2f770c33132f6aa30982fc444d56da76ffe337  
**SHA256:** e11ffde0e9f4d65d0ce9214df8176401176b795d5fa15e95d00458e39328ffef  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/image/plugin.js  
**MD5:** 25e0f52ab1477d0d8d7eb7500760cb50  
**SHA1:** 75de5182c87d9ea18ef952ee17fa0d7131128973  
**SHA256:** 47fa10a331f5515c0d838a0f33d6b5447a55e32342351fd20c95b00c4265e6bc  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/imagetools/plugin.js  
**MD5:** a0523d774ffc8fc8cd0049100a2336e2  
**SHA1:** ce5fe228f3eaecace4cff2459dac6d430311903b  
**SHA256:** cd6286fa790dcb7351a562f856620986a8a2d68f7095c1a3aad5a4f2d96887ff  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/importcss/plugin.js  
**MD5:** 6142b879008bd87224ca38716e663f4e  
**SHA1:** a9296ae9c5141bfbeffe856412663f7aaf1ec9a1  
**SHA256:** e7d53d5e29ff44e1505671f160bf2c300864e7b8de6ef937661af0e77fd15067  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar  
/META-INF/resources/webjars/tinymce/5.10.9/plugins/insertdatetime/plugin.js  
**MD5:** 8d40733352776d516145934e3afc7bff  
**SHA1:** 9bf39632e2eb45d37130f66081589ec5ada617fd  
**SHA256:** 6d5492320474868f5ec67e14057819a762c46f8962726b307eb3d26d011c49f9  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar  
/META-INF/resources/webjars/tinymce/5.10.9/plugins/legacyoutput/plugin.js  
**MD5:** acac6af2d9e273f2b23a63a08dd3c558  
**SHA1:** c07692391443114f0d7e0b4a6aa521007e3bd8df  
**SHA256:** 5ba6ccaa7469904d908818b1dd6c5331c643b586f9489987411faecaccae6de6  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar  
/META-INF/resources/webjars/tinymce/5.10.9/plugins/link/plugin.js  
**MD5:** 584389affa07184e25c194a8fdabb9d5  
**SHA1:** 10746d4434b26d0ae62fd1e3b3d538b6aaf67e94  
**SHA256:** 34de8ceb8abf707ad68cdcde8a7d0aa174f0814891be74edf444fee067a2b855  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/lists/plugin.js  
**MD5:** 37f5953ed2ff9078029c1a7259991b9f  
**SHA1:** ecd87c0474db0e683895008b64b0813603e32e96  
**SHA256:** c9b0aa3c06581904734ac6b8b3fb4aea155e39d1e91f1f039bb338a5b9e72b01  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/media/plugin.js  
**MD5:** 9099b48009886ed8e16a4c118f5238d3  
**SHA1:** c3ea8c6ca9bd1d99f11b849f809548139473a928  
**SHA256:** c7e3539ab59b62e06199f97fa9f24b57810a1089419ae10b4120be59d1ef1e73  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/nonbreaking/plugin.js

**MD5:** 749eb6330381762948b2f20a202bdbbc8

**SHA1:** 734c7fc31992486d576ddf4cf2be102364eb269d

**SHA256:** db5d0af653b72f4eed01361aadbdbd8d6156166764a6560f26094bb8af4b1dd0

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/noneditable/plugin.js

**MD5:** 0cd8420a08e51a6933403f015aaa3411

**SHA1:** f134de62fb37750ba86539b494fb2d1a4a8c3375

**SHA256:** b744c8b53bfd3743261cdf34c97adcc906ee0e8bb4d6e5f678ec17aa94ace620

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/pagebreak/plugin.js

**MD5:** 7c4ccd64b6155d8214b5b1a3f73f3b7b

**SHA1:** 0a4109c7fd5c0e8c3fc0ed4c5a0327d89127eb33

**SHA256:** 428ed1c11ed3db50d423675174945be116a37f9f0272962ee963c5761e46ee53

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/paste/plugin.js

**MD5:** cfdc8703816a9737a79ae9ed7beabf8d

**SHA1:** efd58468ce97492f8ea66bed478b128ba718c6f6

**SHA256:** 3707fd09dec450191849481685e06a0f772fdb864ecc65ea7d44408bb5eda060

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar

/META-INF/resources/webjars/tinymce/5.10.9/plugins/preview/plugin.js

**MD5:** 155059d4164fa84a11a8fcf832c167ef

**SHA1:** 4e9f13defe9e7105e46f8c5abd3dcd90f72884de

**SHA256:** bea49d22120d6084722e0622159923503c64ef38381627ba59453315c79899fe

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems

/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar

/META-INF/resources/webjars/tinymce/5.10.9/plugins/print/plugin.js

**MD5:** 512f5958e5be1292e0b40b81acb3961b

**SHA1:** a593a69a04d2ee2d87500e43b22887a79d1cc0ab

**SHA256:** c2ed0f9eb835dbe6dbc07720f357d305d6d92f5f3b3f6c93582a08913f071a38

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems

/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar

/META-INF/resources/webjars/tinymce/5.10.9/plugins/quickbars/plugin.js

**MD5:** 2a2749604c1d1c01d6449640386921a4

**SHA1:** 700d9a8bdb922519681b7066110d8ffbfb6d35af

**SHA256:** edc7cac600a5a192dd9631e1ce4486a9b2a4cf57130a854f95ed14407957a7ed

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/save/plugin.js  
**MD5:** 1c596c6695f6fb677724104a5cb6ef09  
**SHA1:** 1ab96f1ecc15c8464f4a21e6d87a8abfc5b6301f  
**SHA256:** b1ceb34483e8524a67f86f0afe3a4912b9cdbc459edd836d7d68782278929aa  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/searchreplace/plugin.js  
**MD5:** d3638fa2fe4ff0254d106f74919fd5ba  
**SHA1:** 7a97e21f55ddbdd50bebe88e7d1eb87961592238  
**SHA256:** 352556506ab24dcc232614318170876cbfb89cdf3d4365b6b8b7768c9d10048b  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/spellchecker/plugin.js  
**MD5:** 5c3a67b4eabdcdb17750b9515bf92835  
**SHA1:** c3de092a25b1f541d896740a2d63ba1198376712  
**SHA256:**a4a22a608a50d5674a7e92f3c9049eb69932b9641f8356f4ce200b38c38f29d3  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/tabfocus/plugin.js  
**MD5:** 548f7a6c2fbfb65617f46ab7fe2bfd2e  
**SHA1:** 74d5dfb9f0338becd85ce7c5333ff8cdca2e1160  
**SHA256:**f5b1882e884a14b216bc1d7edd8a61e1b50161cf5010dca09566d35aa53a6c0e  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar  
/META-INF/resources/webjars/tinymce/5.10.9/plugins/table/plugin.js

**MD5:** e1ea98e3eca4999c14dc0951b666d993

**SHA1:** 6a09bb055bdaa37a0b45ce400f928b80b675c26d

**SHA256:** 858bd022fa57b3d57340a2c87a58f8ef7e653e866f1cc22b0123391a0fb11977

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar  
/META-INF/resources/webjars/tinymce/5.10.9/plugins/template/plugin.js

**MD5:** 47caf788dd51be3ebcf03d4eaa0d50f1

**SHA1:** e271f8d918420b03bb2a07510fb96eb51363ee

**SHA256:** 339a4e659e0647090aee2bc5fc343479303dea8e928cac3c5ede9f1584ea61d0

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar  
/META-INF/resources/webjars/tinymce/5.10.9/plugins/textcolor/plugin.js

**MD5:** aa12124c60995407172b2ae1fa8206cd

**SHA1:** 09b8f038908b04a597a16cbcb1ab7fc50b77e2ad  
**SHA256:**09c4059de65cd8ce14bb8fcf927787e77ec90d4daaa0160fd0e21002b8078171  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/textpattern/plugin.js  
**MD5:** 215e9c4d9865b6321a969f773e0a7193  
**SHA1:** 8ffc9ff16531e40c2bd3cf614c8019a3a52caff6  
**SHA256:**8dd84aec717ae70a619ad5f4d3f3fbe4119ff590884537d47d4225aa7b5ab460  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/toc/plugin.js  
**MD5:** 78afdfe32c32fcd51a56fe5ce479238f  
**SHA1:** 874e7bd351c0928cd7346816f3cf18a323d5436f  
**SHA256:**4d27f86380b38c414e7b626863811d39bc6a3a1e7ab47e253259dadaca3a2830  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/visualblocks/plugin.js

**MD5:** 89774b121e225bb29c44c53f47e2a183

**SHA1:** 6069c8d84a6dcf9c2f92864d6d1758510ef8b4d9

**SHA256:**33e5237bfeffe2ed9eb14a2418ebe6be1baf4395465661f66c3f9ca00bdc72cb

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

• None

remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/visualchars/plugin.js

**MD5:** b85145891b077f3216852bc21e7677c1

**SHA1:** f3ceee80fa4bbc6d0205e610ed39688d4fa65d66

**SHA256:**5be2c7c5ad1025ad62c0e89d39bf6b8ee44c97e21d2f30e21ca13794e1cd7bdc

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers



- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/wordcount/plugin.js  
**MD5:** d1c1769efd1232e07105603c1032e43d  
**SHA1:** a2d9f7f149ad34bedecdb6bb5cad1ae4a4b5c0d8  
**SHA256:** d3c70ee49b0f099523d93bcf93f9e37d6a248c35c960f49a76085b17e5fb0958  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/advlist/plugin.min.js  
**MD5:** 202d95b04d93c98fa6faea3b20ee2ac4  
**SHA1:** 0107c4ede81a2681847699b607b0f5d4a8e9dcfa  
**SHA256:** d30b35f56c2366c7e0a291f1be18171851d412d926ea4b91784d212101e36cde  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/anchor/plugin.min.js  
**MD5:** 3112de0d66e518fc6e87e5b4bc54ff4b  
**SHA1:** 022a805c78fe6f3c5c5b8a91125d98fb54b1d15e  
**SHA256:** cf1e93f7be5e348ee4776f6e65f54298aef6b6fca5d44aa24997b9d4b9d7212e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autolink/plugin.min.js  
**MD5:** edc2ccc56661043eb8418dfd9703b5e  
**SHA1:** ee1a580f7c7f1281e770e7d9c34123b59e59178b  
**SHA256:** 309c10e01eb2a9d35f84ed872ccbacbef6d5c4d2f5f2d8355bc9ec2bf44eb346  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autresize/plugin.min.js  
**MD5:** ae63cbe86bfd1dcffa4b04660f28aaa0

**SHA1:** f9a63a98a97eab4d781ca01f71cc1addc3c5c56e  
**SHA256:**8ac4ad0984018281d653b8ba59747a797d7d8cf9ad2c6d4097f626686d75f7ed  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autosave/plugin.min.js  
**MD5:** e2a4aacd72790b6845b73b65a11c6b3b  
**SHA1:** 2733e8839d95a76fb62e9cf2ef3cb299c2842fa9  
**SHA256:**6e409f97910c72655fd039e18989d8014b12e78bdb05857e8d6c7bbe54aac446  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/bbcode/plugin.min.js  
**MD5:** d1562b4cfafdf0f1ba200fea776bd78a  
**SHA1:** eacba8561e2fdec7c46448aa157a67b382731363  
**SHA256:**74a9c60d78820683b8ce5aab6ca007bf4272c79365cc3e38c76c15b32707c7f3  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/charmmap/plugin.min.js

**MD5:** 329bc956fdd115d17a570e1c012aa29b

**SHA1:** d8c16a0341fb4bf0a68bdda349854578ac7930c9

**SHA256:**f02db784fa9fbff1ad2c355d51b7f5ac1eb88f66323d88d6ab7a9de24ca40941

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

• None

remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/code/plugin.min.js

**MD5:** 16a00a8a00e7bedfb8eca0b51cf91582

**SHA1:** ffe9b8ffe7ce4697a1dc933df3df85babceea49d

**SHA256:**2bd8c63c4d6361b92ce0babca4926c162dc03af995d9e4d16f3ee7a04719840f0

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/codesample/plugin.min.js  
**MD5:** 1b42aad83df23dddcdb3eb08051adad4  
**SHA1:** 6e51ce3687f2c008d37e1697107d4e3512fbc54e  
**SHA256:** 2259133ad05e1690cb479fd270193fa560462ac382ddddd37059f5fa9260802  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/colorpicker/plugin.min.js  
**MD5:** f2f33bb1a07f8fde712895df570c6dfa  
**SHA1:** c3e7bc5ba0f4b176c86d0f71edbe598584ec10e4  
**SHA256:** 5a00b7584123d24eebedd3b90ba83e82eb3d92e6b25b308138e85b2b1ca9dcf3  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/contextmenu/plugin.min.js  
**MD5:** 742eaeecaa0020e9bdf8d3e1727f4dfd  
**SHA1:** 4a58d3d2bc2d4b0497c3bc849841ee6071dd9d92  
**SHA256:**a5ac1a81055ca6448c15958011faeba3c194fc1b9028336a13d50dd121abf4e7  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/directionality/plugin.min.js  
**MD5:** 88407de4bae634b4b861f1784d6765ee  
**SHA1:** d6cb3dd73846f0ebc118ee4e191261416b65f8ec  
**SHA256:**f6c7d021ff2c3298dd324d3de5d468a37aedd3919fdfa04738c38878ad43f64f  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/plugin.min.js  
**MD5:** 8e3a6564df728a54bbfc2007d35dd2fc

**SHA1:** 2bc65bce44cebef706234bddaa3fef61fddc2791

**SHA256:** 4ee4a74d6b13afa099bc6dd48f7a240219b87a24626d25a80cdf06f3535b840

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/fullpage/plugin.min.js

**MD5:** 12f9d416422e0984dfb0ad3c124a30e8

**SHA1:** 4c0cf1305cd1b0b8373bbf11342e7c494cac4f8

**SHA256:** 3563499ed8b42c6d986ed4f805de9066a7a04f99d3343e2123369491fb6daa6c

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/fullscreen/plugin.min.js

**MD5:** 28c6f465baeeeba5f7711483c4a0e426

**SHA1:** 09ad73eeb65c59def15937ea120b3ed6682b6513

**SHA256:** 72033751454cb26f52d9981653f49b2eb2b727e500b8a6ac941cebe0c6287c10

**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: tinymce.jar: plugin.min.js


**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/help/plugin.min.js  
**MD5:** c1cf37a849f126f10d8ac2b826aa39ce  
**SHA1:** b7ddc1cfab6f87604bb7aa4577eb2b3812297340  
**SHA256:**611e336e89f80588550f49e8c15ba06bafba2902af4f81dbd63193548f18cfb1  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/hr/plugin.min.js  
**MD5:** 25ffeedf184858ee3d71823eaf4990e0  
**SHA1:** ade2fbb0b51b6d889b2a768e556cf96815bac0e1  
**SHA256:**ee59ded600aa421083e0787156220364a82df074ef9b325c3238440404fb2c81  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--



- None

#### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/image/plugin.min.js  
**MD5:** a1410f44dc4dae7dde1ad1b37cfcf5c2  
**SHA1:** 794592d3040282761a5a3c186558f5edc87c40ea  
**SHA256:** b0b7035786562496f47ccc7f69e2917966d1227a9f405f67e5e61d75deb619a3  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/imagetools/plugin.min.js  
**MD5:** bf4eeab4ff114a3ca465e2e00e0ed817  
**SHA1:** 7c4796ab1f08d4a30fa1ea15734af2c89d33b673  
**SHA256:** d6993e4195cf8098114f3024c8c556a9aaee2ad2249150ac84d9b5230f076dbb  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/importcss/plugin.min.js  
**MD5:** 4dfbf3010085640e499ffa4ed53f3e9f  
**SHA1:** 806b76dbeef2d9c4fd1aa243d1af03bba35b555e  
**SHA256:** 3c92a77bb7032d571c3c6c0a18123891e06bb40ae4498f137743d25ee6414ea8  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/insertdatetime/plugin.min.js  
**MD5:** 5a27df4fa9592be99446da8e6d67a2cf  
**SHA1:** a031aff6bf079251c757636841a29b2e9d6a8b1c  
**SHA256:** 321c0a514308e5c84257d8cdd3969e350486a6db0978e0e5ad143c0bc6a4ce0c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/legacyoutput/plugin.min.js  
**MD5:** 5516e774422ea64df103c3c2234a4ec6

**SHA1:** 657da397fb739dd03cb8aafa7177716b40f9d45b  
**SHA256:**57c72a86b59964c2b67e744ae14557c3eeb3839eed6bca42883e3190dc2620eb  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar  
/META-INF/resources/webjars/tinymce/5.10.9/plugins/link/plugin.min.js  
**MD5:** d7059f353e02e66f01aa09b0fb193b61  
**SHA1:** 5d94fa0eed6547f0bbd61c15bb0b9fd66ee095fc  
**SHA256:**d539e25d6b9b7c1d912d731846be75285fd7813e9d23e6868a0fd602ed4d9bfe  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar  
/META-INF/resources/webjars/tinymce/5.10.9/plugins/lists/plugin.min.js  
**MD5:** 153f9440390dfd0852bc13b37e4a99cf  
**SHA1:** 098629a46a42755f921a2a6a8d2eee46dbbd6254  
**SHA256:**2e7d9385c8fd8248220ff2c5f34b30ad92a6bf34e65f05b611f24c9fd820a2a2  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/media/plugin.min.js

**MD5:** bff1f8494661523d9d921dd568dea68f

**SHA1:** 47b1e97c66ac4532a1cc0cdc213e84b2e1e5cb3d

**SHA256:**c4ddc7ef78871c0e384b32eede7953b391f1ebfab367fd6e38cd24aacb74808b

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

• None

remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/nonbreaking/plugin.min.js

**MD5:** 22cec5d1cd67de1710ac237a51b1eff2

**SHA1:** b78369ddc84f703ff894b59a951eb8713fbb0eaf

**SHA256:**9bb250342be2c9a4b71b46f553e5700b958b90356796f9d136c2d30cf51613af

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

#### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/noneditable/plugin.min.js  
**MD5:** b559bf0c485035ccc5adc2cc5d27edc2  
**SHA1:** d9535a360c55123550f45d2a13112e5c54613b09  
**SHA256:** a3dcfa365c12b7cdc0102e3a3ba5f139cffbcb58c93de5cfd1cfd6758787e3f8  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/pagebreak/plugin.min.js  
**MD5:** 2e7175073fbd4c9d0d41a620b87f47c8  
**SHA1:** c3808c1045cf485075c41586755b610a5e56f2c3  
**SHA256:** e8796cc7df647c286d04bca204e397e9f77e274aa31a982196424842284dc11f  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/paste/plugin.min.js  
**MD5:** e6ceced2c0b57ae7a093c250025d4b93  
**SHA1:** 83000fb948b32522f4c391a21deca3c6ab3a41cd  
**SHA256:** 02f6cf2f00a0470edc2ce45521fe9e7ef083f1c0315558ee42c0f8c90d5059b8  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/preview/plugin.min.js  
**MD5:** 3662f07953f093e774ef09cd282aa456  
**SHA1:** 995e14b009b09f1eb9f8a6694f2a63d3f03b28cc  
**SHA256:** c56fdc4fc82a79bdcaffa7173b9d73eb4ece00386a1cd6a3cf08441eaeca800  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/print/plugin.min.js  
**MD5:** 779799d120a0e0ad3822f9e54640cf19

**SHA1:** d5848caf54e8617ad251491c9251d8f339a216e3  
**SHA256:** b4dd176e085a39bddd30362cc503b757e8648fa763374927cc1f771032f2c432  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/quickbars/plugin.min.js  
**MD5:** cf09c9aca413bc4fbb19c1b8db79bd2a  
**SHA1:** f540a233d19ab3f34123e7dd97d09a12c0946139  
**SHA256:** 4f0a83cc96e7e818d2ee734b8dabcb31e2de69516c2f6a3338cc412d53795ab5  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/save/plugin.min.js  
**MD5:** 1d255a40141338ace9a468f382ebc116  
**SHA1:** 0f0dcf709e333cdd51f50dbffaa8249cb46ab218  
**SHA256:** 887deb37b92ba8b6aff6e65565fd22e338d267622e308d30c768cc5b1d11527e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/searchreplace/plugin.min.js  
**MD5:** ac0e1a41a7ac38053f65df3d3e899d50  
**SHA1:** 2e7f1c6e0210b98b18cd48cc7a79ebd5ff9bf7bc  
**SHA256:**2c00411b358e2836734b729c7dd85155c7398086f52be27124b314536d1ced65  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/spellchecker/plugin.min.js  
**MD5:** ba970e24a9000a62537e9a61dc67af21  
**SHA1:** 975d4817120905cdba5d2f3c41c8d40548c79b15  
**SHA256:**4e7e4741970c39f8c2e10f4b9375e2841ef82520e2f092daabfdec68bcd72c50  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

#### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/tabfocus/plugin.min.js  
**MD5:** b3ed291355f244a08de7c6cdd28bdc24  
**SHA1:** be298bad6688fb4979fe9acb1949ea89c4afa36b  
**SHA256:** 13c873fca170d4949c38b556f8d76c09abfedb4c4a01b4e056a2d1ddaeaf915f  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/table/plugin.min.js  
**MD5:** e49127ac5d6d510bcfee6d834109d7d9  
**SHA1:** 3e845f3a31bc77ff139f6c738afc05eddaee9573  
**SHA256:** 9130f4972ccd49565986d6e624d3a70109de6b5dfd56a9e0ff23954f17877e6d  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/template/plugin.min.js  
**MD5:** f5d5437a7c23a78a945a8db00bae1dc5  
**SHA1:** ec33f38e54858e4f4282fc27f8e635fa8d054701  
**SHA256:**9bb402bbdba8a4d4b5a73a9f91d8150ef2805dda6ed96fd393c11e369c92a8ac  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/textcolor/plugin.min.js  
**MD5:** c423242c5a16c97be3b9a24d6b4f1062  
**SHA1:** d50ad5bd7ea69a614899837e4cd3ecace1df2621  
**SHA256:**1a882eb097c9d69037a035c897a63cbbad1bd3b59cf5d22bacb4784d8994a3c1  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/textpattern/plugin.min.js  
**MD5:** 4d23619babf8fc972428cfe3dd010411

**SHA1:** f57a6cebae882fb8d9c3a507de83d9b1fdb3a1a8  
**SHA256:** 166cbcd9d86dce2a0890c62f6757500d3d4212a26c39757d9921f9e2615ba948  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/toc/plugin.min.js  
**MD5:** 13707deaf5f0430745e57d913ea31257  
**SHA1:** 2d23b19db8821b9910ba04c34d8bc1d4800e90b0  
**SHA256:** 3a2df41858244f3207c16189f0eb78079e3da18d1151fe2a99c1adab3f117331  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/visualblocks/plugin.min.js  
**MD5:** 9c96006cef6c3ac93b762398112b4855  
**SHA1:** f9ec40c80b863f409947844e841cc0037b379657  
**SHA256:** 0f1e3d314633726deea43eff70a76e1308fcc6d85570aa4cf6392abaa7d81e78  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/visualchars/plugin.min.js  
**MD5:** 9869c6e0ff649172df808ed22c7b9a08  
**SHA1:** 592dc0de3aa1d7e3a7f572a8d51e67fe3b2c7a43  
**SHA256:**469be54f8ba9ddbb9c8020d65aae0521d43f05a9197b8412e0247501f8da4490  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/wordcount/plugin.min.js  
**MD5:** ca6ae0cddf594fd58d16eedfbf25e5a2  
**SHA1:** da6fa1c97cb33defad55c1767e08f40b4955aa66  
**SHA256:**7b59f6d1fd0047cf530d9358dcbb7af7cc8982ab52642d230e10b0534ef1480e  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: tinymce.jar: theme.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/mobile/theme.js  
**MD5:** bf71e3c8a676f9f33cae81ef702d5077  
**SHA1:** cd57219abb6d0a23e19a100979d353f2ef5d98c1  
**SHA256:** a0ca0d72dd1b77c66cbcd1eab25daa174ed8048507027218477bacf04e4cef11  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: theme.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/silver/theme.js  
**MD5:** b99cdf5dcb718bb3d31d6c8667ae2462  
**SHA1:** 26d8486e0ec39d27e79b0b37965b28e2b45afb6d  
**SHA256:** 0147750f4214d0acd55cadda52809ac73766443333bb65947c7fe1e0684d85c7  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	DOMPurify	High
Product	file	name	DOMPurify	High
Version	file	version	2.3.8	High

#### Identifiers

- [pkg:javascript/DOMPurify@2.3.8](#) (*Confidence: Highest*)

## remotegui.zip: tinymce.jar: theme.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/mobile/theme.min.js

**MD5:** 16cae3454aa3d42affaa77affd250d0f

**SHA1:** d1aabb81b26a0cea4f2463fc3834e19b96577db

**SHA256:** 41c734ae3943763aa08ab0b42b85aa755621e26124f15a7a0708ccb8b3ae3c63

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: theme.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/silver/theme.min.js

**MD5:** 9f7fbf793a00485e1943e7270b1194b2

**SHA1:** 2dbf1744e59360da304128ddd7cc25476e376af5

**SHA256:** 05f5cf013cd5b6c793f9d5f745350088d3c5686ba001197b7ce2e1cb8c961f99

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: tinymce.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar  
/META-INF/resources/webjars/tinymce/5.10.9/tinymce.js  
**MD5:** f7a8350f10f92d58a952e1feb0d28f2c  
**SHA1:** d3ecc2861e41722d51e1ede38da5ead47a530c14  
**SHA256:** a78ee6bd10002d050a314768a523533144228f654d80571a8ed28ff3011208a1  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	tinyMCE	High
Product	file	name	tinyMCE	High
Version	file	version	5.10.9	High

#### Identifiers

- [pkg:javascript/tinyMCE@5.10.9](#) (*Confidence: Highest*)

### remotegui.zip: tinymce.jar: tinymce.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar  
/META-INF/resources/webjars/tinymce/5.10.9/tinymce.min.js  
**MD5:** 10df005254d5668ccedbdba2614354acd  
**SHA1:** fbcd5a3f14b7c3dd8a9d203b9b30acfba49a38f4  
**SHA256:** 3c3041cb95a1c979ee2205901cf1c670a36c192ef089e6f63b94beabef386c30  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	tinyMCE	High
Product	file	name	tinyMCE	High
Version	file	version	5.10.9	High

#### Identifiers

- [pkg:javascript/tinyMCE@5.10.9](#) (*Confidence: Highest*)

## remotegui.zip: twemoji.jar

### License:

MIT

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/twemoji.jar

**MD5:** af9b535ef495075dfb0a7d5bec95eee6

**SHA1:** 0a559adee289b6b855ad1294b17dd71d9f3d21eb

**SHA256:** 9ce4f61ef563851b37c3918c54a876a865d2f66fda5f80dd2bfecebb2d7e386f

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	twemoji	High
Vendor	Manifest	url	https://github.com/twitter/twemoji/blob/master/LICENSE	Low
Vendor	pom	artifactid	twemoji-null	Low
Vendor	pom	groupid	lib	Highest
Vendor	pom	url	twitter/twemoji/blob/master/LICENSE	Highest
Product	file	name	twemoji	High
Product	Manifest	url	https://github.com/twitter/twemoji/blob/master/LICENSE	Low
Product	pom	artifactid	twemoji-null	Highest
Product	pom	groupid	lib	Highest
Product	pom	url	twitter/twemoji/blob/master/LICENSE	High
Version	pom	version	1.0	Highest

### Identifiers

- [pkg:maven/lib/twemoji-null@1.0](#) (*Confidence:High*)

## reporting.zip: jcommon.jar

### Description:

JCommon is a free general purpose Java class library that is used in several projects at [www.jfree.org](http://www.jfree.org), including JFreeChart and JFreeReport.

### License:



**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
 /HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/jcommon.jar  
**MD5:** 3872e82627df950d40a949144a93e491  
**SHA1:** d5016f7703896c38f9e511f8a9edda2585cbac8b  
**SHA256:** 13e2596044935f76694cce65a22d1df908907ddcba0da2b49ff030930262d417  
**Referenced In Project/Scope:** server

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jcommon	High
Vendor	jar	package name	jcommon	Highest
Vendor	jar	package name	jfree	Highest
Vendor	jar	package name	jfree	Low
Vendor	jar	package name	library	Highest
Vendor	jar	package name	ui	Low
Vendor	pom	artifactid	jcommon	Low
Vendor	pom	developer email	dave@jfree.org	Low
Vendor	pom	developer name	David Gilbert	Medium
Vendor	pom	developer org	Object Refinery Limited	Medium
Vendor	pom	developer org URL	<a href="http://www.object-refinery.com">http://www.object-refinery.com</a>	Medium
Vendor	pom	groupid	org.jfree	Highest
Vendor	pom	name	JCommon	High
Vendor	pom	organization name	JFree.org	High
Vendor	pom	organization url	<a href="http://www.jfree.org/">http://www.jfree.org/</a>	Medium
Vendor	pom	url	<a href="http://www.jfree.org/jcommon/">http://www.jfree.org/jcommon/</a>	Highest
Product	file	name	jcommon	High
Product	jar	package name	jcommon	Highest
Product	jar	package name	jfree	Highest
Product	jar	package name	library	Highest
Product	jar	package name	ui	Low
Product	pom	artifactid	jcommon	Highest
Product	pom	developer email	dave@jfree.org	Low
Product	pom	developer name	David Gilbert	Low
Product	pom	developer org	Object Refinery Limited	Low
Product	pom	developer org URL	<a href="http://www.object-refinery.com">http://www.object-refinery.com</a>	Low

Product	pom	groupid	org.jfree	Highest
Product	pom	name	JCommon	High
Product	pom	organization name	JFree.org	Low
Product	pom	organization url	http://www.jfree.org/	Low
Product	pom	url	http://www.jfree.org/jcommon/	Medium
Version	pom	version	1.0.24	Highest

### Identifiers

- [pkg:maven/org.jfree/jcommon@1.0.24](https://pkg:maven/org.jfree/jcommon@1.0.24) (*Confidence:High*)

## reporting.zip: jfreechartCC.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/jfreechartCC.jar

**MD5:** e488eb7e5346d66119b12e4ea1b52238

**SHA1:** fc3d008c994f71eca83b28fb8a8dd7942e86e423

**SHA256:** 6d5b217516327531e7e66b888a5ded07d4aaa32601187e99cf42399eaacf0d56

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jfreechartCC	High
Vendor	jar	package name	chart	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	jfree	Low
Vendor	Manifest	built-date	2024-11-16 14:05	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	jfreechartCC	High

Product	jar	package name	chart	Low
Product	jar	package name	jfree	Low
Product	Manifest	built-date	2024-11-16 14:05	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	jfreechartCC	High
Product	Manifest	specification-title	jfreechartCC	Medium
Version	Manifest	Implementation-Version	24.10.221	High

#### Identifiers

- None

### reporting.zip: reporting-javadoc.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting-javadoc.jar

**MD5:** 72bdbe71658c655262223f895595c756

**SHA1:** 0b545590323643985ed79c13b1e6d3d785a9990d

**SHA256:** 47c253dac00565c95344ec357af3961b46d59814301f76615149a11a92c7d779

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	reporting-javadoc	High
Product	file	name	reporting-javadoc	High

#### Identifiers

- None

### reporting.zip: reporting-javadoc.jar: member-search-index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting-javadoc.jar/member-search-index.js  
**MD5:** 8af27ece49893f09322fc2bdf2e8131  
**SHA1:** 59e5990f654f976ca57aa9b17a10b8e92f90ab98  
**SHA256:** bc3377b43159de04c5235b9b17bdf01639f77a2ece327a5acbddbed70e2af32c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting-javadoc.jar: package-search-index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting-javadoc.jar/package-search-index.js  
**MD5:** 2c0f8742f3f9b12b580ebbb1d05b246c  
**SHA1:** 4ab261d1781d9f77c131e641ec031d38e39a0444  
**SHA256:** 40e580f6c42f5eaad108580601b9279ee0d06eb1b35574573d0d2a3798580d82  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting-javadoc.jar: tag-search-index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting-javadoc.jar/tag-search-index.js  
**MD5:** 95810a7878ddd3f49d938eb6b5c0f1b2  
**SHA1:** 4d0358e131242bfb1a29d1db368e9e24381ad979  
**SHA256:** e31bd7c6847cd8b49a884fe01244f740ad184cdb7aa6449830be21985158f0d9  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Related Dependencies



- taskplanner.zip: taskplanner-javadoc.jar: tag-search-index.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner-javadoc.jar/tag-search-index.js
  - MD5: 95810a7878ddd3f49d938eb6b5c0f1b2
  - SHA1: 4d0358e131242bfb1a29d1db368e9e24381ad979
  - SHA256: e31bd7c6847cd8b49a884fe01244f740ad184cdb7aa6449830be21985158f0d9

### Identifiers

- None

## reporting.zip: reporting-javadoc.jar: type-search-index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting-javadoc.jar/type-search-index.js

**MD5:** 8008687a1ad6ed821adc84cca8826520

**SHA1:** a21713c3a63548a6651afc41259760ad85b6226d

**SHA256:** a9e4cb81069076017cfaf4566173432128024441225b5c4d9bc20a04637f5416

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar

**MD5:** 6a71e8e50d0023af5e8e351d49034e9f

**SHA1:** 110dc278c3a8487053d9dd3b77c8ef13ca65f097

**SHA256:** 09cc0f4af0ec64dab1331bed57f096c21c4c4e6ec052e2dd8d67dac6b6ba3231

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	reporting	High
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-11-16 14:08	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	reporting	High
Product	jar	package name	permissions	Highest
Product	jar	package name	report	Low
Product	jar	package name	reporting	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-11-16 14:08	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-	reporting	High

### Title

Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	reporting	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	permissions	Highest
Version	jar	package name	reporting	Highest
Version	Manifest	Implementation-Version	24.10.221	High

### Identifiers

- None

## reporting.zip: reporting.jar: events.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/events.js  
**MD5:** 3fc9838e053b31f8807cae4d3ec8af0e  
**SHA1:** 2c49faf9585fe00cd134370a8f36129390838fcc  
**SHA256:** 562e707e5a6fc06e50bdbd6526050ce0b5a71c62839d1a6fce3b6b262904a1fa  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: export.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/export.js  
**MD5:** 746424b1fba005660a7543737f5703d7  
**SHA1:** 5c1c20fbf6ee1d2bbbaeb1a71199142b9584da86

**SHA256:**f01740cc1eb338fbea1ddab973b535fb3295517e8717471370fcd9a28f438e28  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: functions.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/functions.js  
**MD5:** c61acd956e7e6e92515853862714af13  
**SHA1:** c9291385e7554de67b326a813b9132a242d95b7c  
**SHA256:**54ebca9f31c4b878439b3dde01b4efd9652ec1a0ad1871dd2dcc767f81fa7b5d  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: generator.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/generator.js  
**MD5:** 1e299743754f9f1d759bdd0159f8c4c8  
**SHA1:** bf9ccac664dd094ccf0cd9ce4708709a6b84a198  
**SHA256:**fb466011f0d2e7e592ddbdb1edf4bf6656b3c39abedcf17e5974983ead5bcc0a  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



#### Identifiers

- None

### reporting.zip: reporting.jar: grouptree.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/grouptree.js

**MD5:** 6a2aa37dcc827ae76a73fbb380bb9841

**SHA1:** 3491c58a0f544f3d322528aef0cf315170cb64d7

**SHA256:** 535046b4e6210984327183beea7f2a22eda39fa2d9aa71f385095cbf60f154f8

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: htmlreportextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/plugins/drive/client/js/htmlreportextension.js

**MD5:** 4a91827e853ef0bf19cf06f343e18e98

**SHA1:** fda14009355a1098b25c75a307900e27d43a5e09

**SHA256:** 004b3358d2bc621a7bb7c3b3f7e350876ed7904cd41c4d51d88533babf4cf590

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: jstorage.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/jstorage.js  
**MD5:** e3cf61a603c85bf3f8487da7e9548f71  
**SHA1:** 62f878b97e407836ac78c7f53e0dcc6dc253326c  
**SHA256:** 6d1e04ec7c76349ee41b892f465b8c0e110a6f5438da5cce419589a73d370cbc  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: keylistener.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/keylistener.js  
**MD5:** c5d832994dccb5bebcaf8bc39cf5daad  
**SHA1:** c5f6f54e81c1d0d3386bbd47bbdc0f9ca0c33170  
**SHA256:** 9f415b33cfcb34f2156906e04601fd9bd845bb992003f660737c0269c6e9ac9e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: menubar.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar  
/com/inet/report/renderer/html/viewer/modules/menuubar.js  
**MD5:** 84eac9769fcf64aac757adae2ae20b6b  
**SHA1:** c44fd0b0e9ffbc652c5a87c07422d8d2f9294d01  
**SHA256:** 35b71bf5c90a9c40f6080dd0721edfba6796582e66ddd86d6a620d6ffd5a7099  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: page.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar  
/com/inet/report/renderer/html/viewer/page.js  
**MD5:** 462d52c659dc09d5014cf48338eabd95  
**SHA1:** 7aab284e6c75d5b2f47b57fff793a0d7c2ee754e  
**SHA256:** 555c503389751372bc5d54cdbda777902740ce4b4fea22718cda901b66eb035c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: pagecount.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar  
/com/inet/report/renderer/html/viewer/modules/pagecount.js  
**MD5:** 24cfe9e8f48f278f1602d02864d58624  
**SHA1:** 2eddd3a44c190d4bdfe4be0c9326fcb2910760ea  
**SHA256:** c9ab8247c75b8a064609e6215bc095afaa2195537592e1dd33edfb1a1071ad90  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: popup.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/popup.js  
**MD5:** f3f883333f0bd365b876eb3239027ccc  
**SHA1:** 472c339e9c2fcc57ea152f0a7fd292cfaf8d5d94  
**SHA256:** b529ecd0c9c789d9927cc186a070f59185749ec3bec95485953ac5fad8ed4b1b  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: print.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/print.js  
**MD5:** 7b8d31c1093a5780e3456b1a89e5691d  
**SHA1:** 92e65e0247c6a554b240fbd6ec9f765536971b4f  
**SHA256:** 1bff0ec49ffd73d721476a42c7fdd790c11de9247708d0359634c5b1108a7454  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: prompts.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/prompts.js

**MD5:** 85a496ebe2cba4bc70869321d184d7f7

**SHA1:** 2b57162a46aaac6509d82d643a2b3cd2c0cff35d

**SHA256:** d881fb2545a4d0bd5deee4a5201d22ecfd71bfa516d8005b227882ae920753b1

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: prototype.array.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.array.js

**MD5:** e7397419b474ed77e1919362d648e76e

**SHA1:** d51d04cd807648ebbf8147fb35a372b1be405a0c

**SHA256:** 32757f40fca37f8e5fa83f29618e3d6193dbe2a87df85bdf4b01f804e5ee10fa

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: prototype.element.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.element.js

**MD5:** 22a460c748d56bbf5abe35fd13fef26f

**SHA1:** 5d0d84fb2fb8fc2e19b11b1ff02a40c78a496836

**SHA256:** f29e8a4e3940edaf6a6dd88dfdd1dd683cf67289bfe5b078a0f54a98c0717d2b

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: prototype.string.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.string.js

**MD5:** df4a28167933f1a8e7c46a2764aa042e

**SHA1:** 34da7d4649052f159e8ce3cdb620575cc06851a5

**SHA256:** 1b72a0129d32dd94172c575ab52a27f78f5083dded4a68a2a840c16a674d8376

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: renderreportextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar

/com/inet/report/plugins/drive/client/js/renderreportextension.js

**MD5:** e67734f6f2305fbaf3c63dfb7d4b0600

**SHA1:** 967bbcbcd0cb3711e63c889b7c45531dafcc9249

**SHA256:**859f4c56ecd9785d1b9323347f4763e5e80510783091c5e2b33b7a4214ba0994

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: reorder.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems

/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar

/com/inet/report/renderer/html/viewer/modules/reorder.js

**MD5:** f69e929be3921597233d5f40cdb42d96

**SHA1:** 34dbc14d130c63bf8bc084fd2e0738072ad7531c

**SHA256:**bedbbe31cdf43b2581eb22c908587b90a090c8d3dec4f1f9473381f595cafc5

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: script.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems

/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar

/com/inet/report/renderer/html/viewer/script.js

**MD5:** e587df16aef59326cd23dcf903f4f0a0

**SHA1:** d6f93bbe5f92a93bcf505cdcc33265537c9ac1b4

**SHA256:**af8ce5bb839284bf28ef6b7a534490e2f3e6679b6e381cef66332dd86ab6d776

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: search.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/search.js

**MD5:** fc23b96b436d7e9cd6f6eaa37a8b4889

**SHA1:** c3ebabfdf678fa695918802942aa1a31e35e12d5

**SHA256:** e7c4c4ec44df06542deb241ce66375e83e38511cc3beb60eb9cdb712493aa3a8

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: serverping.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/serverping.js

**MD5:** cf0aa28426a5f0c3072bebe454ac51db

**SHA1:** d470b75dd064d62d773fcffa20de301811048660

**SHA256:** d78350702ac53e3094357533c45e45d6b0de57dfa8ce4a14045fbabc3c1e2496

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers



- None

### reporting.zip: reporting.jar: stacktrace.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/stacktrace.js  
**MD5:** 15af09e55c4ba39e41953f1a3e5a14c9  
**SHA1:** 3c92835b1e605bca8aac7bd82d094c98ccbfb79b  
**SHA256:** 1133134dddfd7d0cab8d43b06e47825631b50d02cd54299c7dd80ff5a0d19457  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: tabbar.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/tabbar.js  
**MD5:** 491f95aea1cf85555dd3f39b6eeb667f  
**SHA1:** ce3c162c5224fa0224928c77ef243a60e7b00aed  
**SHA256:** ff58c9a193a7e9c38f46b120943ad919d22242b1b08710900db2028eb5d22f48  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

security.zip: security.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/security.zip/security.jar  
**MD5:** 841f2d82a4c452e427f539acca591adb  
**SHA1:** 71c032eb558fb3eb7b7a60c976e7ecfc28198d8b  
**SHA256:**6e81345bbe712aee66c93236e8a5deebeaad73fb70e071f52859dc6b0351a867  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	security	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	security	Low
Vendor	jar	package name	server	Low
Vendor	Manifest	built-date	2024-11-16 13:11	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	security	High
Product	jar	package name	security	Highest
Product	jar	package name	security	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2024-11-16 13:11	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	security	High
Product	Manifest	specification-title	security	Medium
Version	Manifest	Implementation-Version	24.10.221	High

Identifiers

- None

# setuplauncher.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/core/setuplauncher.jar  
**MD5:** 13fc3627f09631c23aa153d4fdc53cb  
**SHA1:** 8c89018f79097476977329c72a17ea540c15e49f  
**SHA256:** 4c6b2c8582df664a14356ad4b25fe52b3c30939380afc51619e12b347becfec3  
**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	setuplauncher	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	setuplauncher	Low
Vendor	Manifest	built-date	2024-11-16 12:56	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	setuplauncher	High
Product	jar	package name	setuplauncher	Highest
Product	jar	package name	setuplauncher	Low
Product	Manifest	built-date	2024-11-16 12:56	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	setuplauncher	High
Product	Manifest	specification-title	setuplauncher	Medium
Version	Manifest	Implementation-Version	24.10.221	High

## Identifiers

- None

## slf4j-api-2.0.13.jar

### Description:

The slf4j API

### License:

<http://www.opensource.org/licenses/mit-license.php>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.slf4j/slf4j-api/2.0.13/80229737f704b121a318bba5d5deacbcf395bc77/slf4j-api-2.0.13.jar

**MD5:** 7f4028aa04f75427327f3f30cd62ba4e

**SHA1:** 80229737f704b121a318bba5d5deacbcf395bc77

**SHA256:** e7c2a48e8515ba1f49fa637d57b4e2f590b3f5bd97407ac699c3aa5efb1204a9

### Referenced In Projects/Scopes:

- server
- server:inetPlugin

**Included by:** pkg:maven/helpdesk/server@24.10

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	slf4j-api	High
Vendor	gradle	artifactid	slf4j-api	Highest
Vendor	gradle	groupid	org.slf4j	Highest
Vendor	jar	package name	slf4j	Highest
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	<a href="http://www.slf4j.org">http://www.slf4j.org</a>	Low
Vendor	Manifest	bundle-symbolicname	slf4j.api	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	pom	artifactid	slf4j-api	Low
Vendor	pom	groupid	org.slf4j	Highest
Vendor	pom	name	SLF4J API Module	High
Vendor	pom	parent-artifactid	slf4j-parent	Low
Vendor	pom	url	<a href="http://www.slf4j.org">http://www.slf4j.org</a>	Highest
Product	file	name	slf4j-api	High
Product	gradle	artifactid	slf4j-api	Highest
Product	jar	package name	slf4j	Highest
Product	Manifest	build-jdk-spec	21	Low

Product	Manifest	bundle-docurl	http://www.slf4j.org	Low
Product	Manifest	Bundle-Name	SLF4J API Module	Medium
Product	Manifest	bundle-symbolicname	slf4j.api	Medium
Product	Manifest	Implementation-Title	slf4j-api	High
Product	Manifest	multi-release	true	Low
Product	pom	artifactid	slf4j-api	Highest
Product	pom	groupid	org.slf4j	Highest
Product	pom	name	SLF4J API Module	High
Product	pom	parent-artifactid	slf4j-parent	Medium
Product	pom	url	http://www.slf4j.org	Medium
Version	file	version	2.0.13	High
Version	gradle	version	2.0.13	Highest
Version	Manifest	Bundle-Version	2.0.13	High
Version	Manifest	Implementation-Version	2.0.13	High
Version	pom	version	2.0.13	Highest

#### Related Dependencies



- slf4j-api.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/core/slf4j-api.jar
  - MD5: 7f4028aa04f75427327f3f30cd62ba4e
  - SHA1: 80229737f704b121a318bba5d5deacbcf395bc77
  - SHA256: e7c2a48e8515ba1f49fa637d57b4e2f590b3f5bd97407ac699c3aa5efb1204a9

#### Identifiers

- <pkg:maven/org.slf4j/slf4j-api@2.0.13> (*Confidence:High*)

### taskplanner.helpdesk.zip: taskplanner.helpdesk.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/taskplanner.helpdesk.zip/taskplanner.helpdesk.jar  
**MD5:** ecb4b02139e566f3f4bd1ecb9f33bf71

SHA1: 79f3addcd2a7a7d1d7cb628955ca73c6ed8d207  
SHA256:f5e5b7d8aad59760a6a1e308a0cc61ef3b1415d626be4f8698f5454565700765  
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner.helpdesk	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2024-11-16 15:34	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner.helpdesk	High
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	plugins	Low
Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low
Product	Manifest	built-date	2024-11-16 15:34	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	taskplanner.helpdesk	High
Product	Manifest	specification-title	taskplanner.helpdesk	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	24.10.221	High

Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:24.10.221:\*:\*:\*:\*:\* (Confidence:Low) 

suppress

## taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar  
**MD5:** b811fa1aa48bff7c5b967e40340d96d7  
**SHA1:** 46049d15507596e6cfce2e03f76d49e974d967a3  
**SHA256:** 889664f028dbc31e53a772b002633e8282d0be6adcd0d1cf4b0ade15afdb95f3  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner.reporting-javadoc	High
Product	file	name	taskplanner.reporting-javadoc	High

### Identifiers

- None

## taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: member-search-index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/member-search-index.js  
**MD5:** 129109d2f67ec6f406b60107b610d11a  
**SHA1:** dc505388484f1177b6849c5ff60038a174b27cfb  
**SHA256:** ef24a0fcdfafa687ed57452909bd0f7af891ca00d1214008edc2366815de0545  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: package-search-index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/package-search-index.js

**MD5:** 53fb7ab8ab8de6b33f33254e2c32fbc9

**SHA1:** f9bac0ca4dca6228416bed44f903f85acc19d969

**SHA256:** 4dc686e5e4b0138073c3ffc1106bea2df96559da6d6e7d7ec2273bb12978c8ed

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: type-search-index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/type-search-index.js

**MD5:** b0dcdeedc2201c62287cfb168bca35f5

**SHA1:** aabb00fe2be134923fb716b9b6d1909e247d0dfa

**SHA256:** c655265fb2ffb91913da0407621313cf8139ee6bf04a9374cde419395878e64e

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## taskplanner.reporting.zip: taskplanner.reporting.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.reporting.zip/taskplanner.reporting.jar

**MD5:** 29c2121649f9fddc3df9a16895c56ac3



SHA1: 70e8b6fdd5bd82bb9a6a56998965b64a683b2222  
SHA256:50d2707b7e4024699fe29345e70731e840da47210f6046940d5fb2823baf9798  
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner.reporting	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	jar	package name	taskplanner	Low
Vendor	Manifest	built-date	2024-11-16 14:27	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner.reporting	High
Product	jar	package name	report	Low
Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low
Product	Manifest	built-date	2024-11-16 14:27	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	taskplanner.reporting	High
Product	Manifest	specification-title	taskplanner.reporting	Medium
Version	Manifest	Implementation-Version	24.10.221	High

Identifiers

- None

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.reporting.zip/taskplanner.reporting.jar/com/inet/report/taskplanner/client/crtaskplanner.js  
**MD5:** 195a34cea815e3cc1ded3d994cee6a15  
**SHA1:** f2050d0e60bff7b8f1c2b02256c4f6657ecd5391  
**SHA256:** d09e2796c2d6e25dd9ae9e2b2781b005cd74025f995356b82f3332e4b914eec5  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: commons-cli.jar

#### Description:

Apache Commons CLI provides a simple API for presenting, processing and validating a Command Line Interface.

#### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/commons-cli.jar

**MD5:** 631937816bd22302ae49828e9b764313

**SHA1:** 41a4bff12057eecb6daaf9c7f36c237815be3da1

**SHA256:** f94c98bbcfaf1c1dac6956d6c3f494ec40265c67bf54ddefc95df4ffdd73ae6d5

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-cli	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	cli	Highest
Vendor	jar	package name	commons	Highest
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-cli/">https://commons.apache.org/proper/commons-cli/</a>	Low

Vendor	Manifest	bundle-symbolicname	org.apache.commons.cli	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-cli	Low
Vendor	pom	developer email	bob@werken.com	Low
Vendor	pom	developer email	chtompki@apache.org	Low
Vendor	pom	developer email	ebourg@apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	jbjk@mac.com	Low
Vendor	pom	developer email	jstrachan@apache.org	Low
Vendor	pom	developer email	roxspring@imapmail.org	Low
Vendor	pom	developer email	tn@apache.org	Low
Vendor	pom	developer id	bob	Medium
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	ebourg	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jkeyes	Medium
Vendor	pom	developer id	jstrachan	Medium
Vendor	pom	developer id	roxspring	Medium
Vendor	pom	developer id	tn	Medium
Vendor	pom	developer name	Bob McWhirter	Medium
Vendor	pom	developer name	Emmanuel Bourg	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	James Strachan	Medium
Vendor	pom	developer name	John Keyes	Medium
Vendor	pom	developer name	Rob Oxspring	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Thomas Neidhart	Medium
Vendor	pom	developer org	Ariane Software	Medium
Vendor	pom	developer org	Indigo Stone	Medium
Vendor	pom	developer org	integral Source	Medium

Vendor	pom	developer org	SpiritSoft, Inc.	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org	Werken	Medium
Vendor	pom	developer org URL	<a href="https://www.apache.org/">https://www.apache.org/</a>	Medium
Vendor	pom	groupid	commons-cli	Highest
Vendor	pom	name	Apache Commons CLI	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	<a href="https://commons.apache.org/proper/commons-cli/">https://commons.apache.org/proper/commons-cli/</a>	Highest
Product	file	name	commons-cli	High
Product	jar	package name	apache	Highest
Product	jar	package name	cli	Highest
Product	jar	package name	commons	Highest
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-cli/">https://commons.apache.org/proper/commons-cli/</a>	Low
Product	Manifest	Bundle-Name	Apache Commons CLI	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.cli	Medium
Product	Manifest	Implementation-Title	Apache Commons CLI	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Apache Commons CLI	Medium
Product	pom	artifactid	commons-cli	Highest
Product	pom	developer email	bob@werken.com	Low
Product	pom	developer email	chtompki@apache.org	Low
Product	pom	developer email	ebourg@apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	jbjk@mac.com	Low
Product	pom	developer email	jstrachan@apache.org	Low
Product	pom	developer email	roxspring@imapmail.org	Low
Product	pom	developer email	tn@apache.org	Low
Product	pom	developer id	bob	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	ebourg	Low
Product	pom	developer id	ggregory	Low

Product	pom	developer id	jkeyes	Low
Product	pom	developer id	jstrachan	Low
Product	pom	developer id	roxspring	Low
Product	pom	developer id	tn	Low
Product	pom	developer name	Bob McWhirter	Low
Product	pom	developer name	Emmanuel Bourg	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	James Strachan	Low
Product	pom	developer name	John Keyes	Low
Product	pom	developer name	Rob Oxspring	Low
Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Thomas Neidhart	Low
Product	pom	developer org	Ariane Software	Low
Product	pom	developer org	Indigo Stone	Low
Product	pom	developer org	integral Source	Low
Product	pom	developer org	SpiritSoft, Inc.	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org	Werken	Low
Product	pom	developer org URL	<a href="https://www.apache.org/">https://www.apache.org/</a>	Low
Product	pom	groupid	commons-cli	Highest
Product	pom	name	Apache Commons CLI	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	<a href="https://commons.apache.org/proper/commons-cli/">https://commons.apache.org/proper/commons-cli/</a>	Medium
Version	Manifest	Bundle-Version	1.8.0	High
Version	Manifest	Implementation-Version	1.8.0	High
Version	pom	parent-version	1.8.0	Low
Version	pom	version	1.8.0	Highest

## Identifiers

- [pkg:maven/commons-cli/commons-cli@1.8.0](#) (*Confidence:High*)

## taskplanner.zip: cron-utils.jar

### Description:

A Java library to parse, migrate and validate crons as well as describe them in human readable language

### License:

Apache 2.0: <http://www.apache.org/licenses/LICENSE-2.0.html>

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/cron-utils.jar

**MD5:** 4c27537eecc6fa37ed5740b5383643c8

**SHA1:** 5d3738bc7a2eaa45a94a76c6e87af54a95414637

**SHA256:** 02af0e8b2fe93c9fa6eef97b53b39faae14c5b996356edb132e9fe620013744

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	cron-utils	High
Vendor	jar	package name	cron	Highest
Vendor	jar	package name	cronutils	Highest
Vendor	jar	package name	utils	Highest
Vendor	Manifest	automatic-module-name	com.cronutils	Medium
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	com.cronutils.cron-utils	Medium
Vendor	pom	artifactid	cron-utils	Low
Vendor	pom	developer id	jmrozanec	Medium
Vendor	pom	groupid	com.cronutils	Highest
Vendor	pom	name	cron-utils	High
Vendor	pom	url	<a href="http://cron-parser.com/">http://cron-parser.com/</a>	Highest
Product	file	name	cron-utils	High
Product	jar	package name	cron	Highest
Product	jar	package name	cronutils	Highest
Product	jar	package name	utils	Highest
Product	Manifest	automatic-module-name	com.cronutils	Medium
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	cron-utils	Medium

Product	Manifest	bundle-symbolicname	com.cronutils.cron-utils	Medium
Product	pom	artifactid	cron-utils	Highest
Product	pom	developer id	jmrozanec	Low
Product	pom	groupid	com.cronutils	Highest
Product	pom	name	cron-utils	High
Product	pom	url	http://cron-parser.com/	Medium
Version	Manifest	Bundle-Version	9.2.1	High
Version	pom	version	9.2.1	Highest

### Identifiers

- [pkg:maven/com.cronutils/cron-utils@9.2.1](#) (*Confidence:High*)
- [cpe:2.3:a:cron-utils\\_project:cron-utils:9.2.1:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*) suppress
- [cpe:2.3:a:utils\\_project:utils:9.2.1:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*) suppress

## taskplanner.zip: guava.jar

### Description:

Guava is a suite of core and expanded libraries that include utility classes, Google's collections, I/O classes, and much more.

### License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/guava.jar

**MD5:** 872309e5982530bdc7e68096c0d53cd2

**SHA1:** 818e780da2c66c63bbb6480fef1f3855eeafa3e4

**SHA256:** 452b2d9787b7d366fa8cf5ed9a1c40404542d05effa7a598da03bbbbb76d9f31

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	guava	High
Vendor	jar	package name	common	Highest
Vendor	jar	package name	google	Highest
Vendor	Manifest	automatic-	com.google.common	Medium

## module-name

Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	https://github.com/google/guava/	Low
Vendor	Manifest	bundle-symbolicname	com.google.guava	Medium
Vendor	pom	artifactid	guava	Low
Vendor	pom	groupid	com.google.guava	Highest
Vendor	pom	name	Guava: Google Core Libraries for Java	High
Vendor	pom	parent-artifactid	guava-parent	Low
Vendor	pom	url	google/guava	Highest
Product	file	name	guava	High
Product	jar	package name	common	Highest
Product	jar	package name	google	Highest
Product	Manifest	automatic-module-name	com.google.common	Medium
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	https://github.com/google/guava/	Low
Product	Manifest	Bundle-Name	Guava: Google Core Libraries for Java	Medium
Product	Manifest	bundle-symbolicname	com.google.guava	Medium
Product	pom	artifactid	guava	Highest
Product	pom	groupid	com.google.guava	Highest
Product	pom	name	Guava: Google Core Libraries for Java	High
Product	pom	parent-artifactid	guava-parent	Medium
Product	pom	url	google/guava	High
Version	pom	version	33.2.1-jre	Highest

## Identifiers

- [pkg:maven/com.google.guava/guava@33.2.1-jre](#) (*Confidence:High*)
- [cpe:2.3:a:google:guava:33.2.1:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*) suppress

## taskplanner.zip: taskplanner-javadoc.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner-javadoc.jar



**MD5:** aeb5b380077c6cf291ece67ebddf5579

**SHA1:** 8b2ad0b16017d5602174e0bde6439d2805896ffc

**SHA256:** e37eded2699329f00c89362703d089e7fdac2af1d8febf067b4e7973dd324c37

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner-javadoc	High
Product	file	name	taskplanner-javadoc	High

#### Identifiers

- None

### taskplanner.zip: taskplanner-javadoc.jar: member-search-index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip  
/taskplanner-javadoc.jar/member-search-index.js

**MD5:** 3c6738282cef47c985dd13f2fbf8d550

**SHA1:** 5f57fac0d134067600a3700879a39a71ba68d945

**SHA256:** d98f0d17735d3c58c3b0af9b264b0c8d17b76453d634afcdbbdb44c2d450584a

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner-javadoc.jar: package-search-index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip  
/taskplanner-javadoc.jar/package-search-index.js

**MD5:** 664e97ca24dfa41c9d227a21aa0d43c5

**SHA1:** 4594dfafaa4e3780974c8476ea5a1ea1b9898f41

**SHA256:** d5638352f038b195118792e06962bd06f15b8ca6ebd6df9db669aa096012ec0d

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## taskplanner.zip: taskplanner-javadoc.jar: type-search-index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner-javadoc.jar/type-search-index.js

**MD5:** d4cdbbc6c76d43ead6c21a98fcbe5e61

**SHA1:** df7c0c10fdb529b9419bd2a38286160b47eda99c

**SHA256:** 7c7aa1396f244a9a3375bbda8e04124171c29b5858c2847f548cd0b4c3361427

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## taskplanner.zip: taskplanner.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar

**MD5:** 74683109020d8917676cc3d492d30eb2

**SHA1:** 0c7cf3836cee5f9e3af9e51bfce26d0a3283b6af

**SHA256:** bcacef9d5909c5ff3fc264648e91d8c23610a57095adbe6ea9d8c694bd19e3c7

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	taskplanner	High
--------	------	------	-------------	------

Vendor	jar	package name	inet	Low
Vendor	jar	package name	server	Low
Vendor	jar	package name	taskplanner	Low
Vendor	Manifest	built-date	2024-11-16 12:44	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner	High
Product	jar	package name	api	Low
Product	jar	package name	server	Low
Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low
Product	Manifest	built-date	2024-11-16 12:44	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	taskplanner	High
Product	Manifest	specification-title	taskplanner	Medium
Version	Manifest	Implementation-Version	24.10.221	High

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: app.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/app.js  
**MD5:** e7b627af28a93866105b9b57aafc0679  
**SHA1:** 402728104da80b566caf6f4674001072e563d911  
**SHA256:** da6db86c4194737b7fdb2711a94e4d8cd69e9f1274d26faec3bbb615a12488da  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## taskplanner.zip: taskplanner.jar: boolean.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/boolean.directive.js

**MD5:** f531e8f8667e86c17cef683b1743260f

**SHA1:** 84b65d0f4fe2c374e6b46e82eaac428794992ca0

**SHA256:** 45bb097fc4aca863f20530b6bfca687d3fdd89c4f4a05424f080fbd5fab6ab8e

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## taskplanner.zip: taskplanner.jar: colorField.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/colorField.directive.js

**MD5:** b5da6d7c728f3f5308311693ad7fbf79

**SHA1:** 9a706740764283a49b2ebe8179ab7c399bf2b8b2

**SHA256:** 81de63033979d47a1cf4332821f31902a503640395534a366acd569999770c14

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## taskplanner.zip: taskplanner.jar: controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/controller.js

**MD5:** eb0875af8bf9bf8c352f6da8b630119c

**SHA1:** 1e1ead739c22751979af9e8d39e51ef4b09a885f

**SHA256:** 6261811a9bcec647a53455090be5b1763436925800cc3ea73a8878e57a379fed

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## taskplanner.zip: taskplanner.jar: factory.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/factory.js

**MD5:** 0dc2651090f757e675e2b5d76f0b9b56

**SHA1:** cc05ec55ba81c3351b7f44b94ba95c8105895c99

**SHA256:** 31211ba7ff692d1d259ed5ba8dc5fa0572ec581f6a9bffc36d8e0c8a7802dc38

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### taskplanner.zip: taskplanner.jar: filechooserAddonButton.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/filechooserAddonButton.directive.js

**MD5:** ae2be99ef1f5e3cbf7d7964e1cb81f85

**SHA1:** 5cfa5eff49baf4ad4a97c0637f1e51b74e68969a

**SHA256:** 03f55a5b7c5537061e2fef0b9cf3cd23bdb8cf5280b155d7b8a1c60306ec3360

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: model.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/model.js

**MD5:** b4b97107a6584246eafe1dd0aaf4a716

**SHA1:** 7ea27bc843a68b3db912e89de7f137cafeaf492d

**SHA256:** 04b44d0b7eb5a52d0f6a12d5f56d87dff2c477f8fc00482bfc1e0c83f9f70fef

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: numberRange.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip

/taskplanner.jar/com/inet/taskplanner/client/js/fields/numberRange.directive.js

**MD5:** cb75296ed007746a29e5beeae1680307

**SHA1:** 9c64aa51d424760f5c5a0152cb245518ff3ba4f2

**SHA256:** eb920acf02ea30a8e0c58ff358ac403f90e4166fabcca78edf7480028499834a

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: numberWrapper.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip  
/taskplanner.jar/com/inet/taskplanner/client/js/fields/numberWrapper.directive.js

**MD5:** 01558be43abbecea6a8a4dc5465564da

**SHA1:** 76425827ef255a6691dfc76e09bec9c14741adef

**SHA256:** cb32cf68353ba376be9b063109a9e4c6fb9ae669402001688528edf1235a93d1

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: passwordTextField.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip  
/taskplanner.jar/com/inet/taskplanner/client/js/fields/passwordTextField.directive.js

**MD5:** 27d77b18f41b95941478ea6b72c0a47c

**SHA1:** 63b78bacbd073ba1abcafdcb55006c90ae9053b4

**SHA256:** 0a842ca033aa23d848437fb8012011200322b8a470e061250e7b25d6df2061c5

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: renderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/renderer.directive.js

**MD5:** 2642fb8ea6a297cf750b6a9398a1f204

**SHA1:** 8d41d76415639dc6765b5d090061cdaf46107ecd

**SHA256:** 4fabad86c05fe6b50644e1bcc9515dbf124d210fa4956caae4e1702dd0b4fa18

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: simpleCurrencyField.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleCurrencyField.directive.js

**MD5:** 4190e85221516e62be70113e2173523b

**SHA1:** f6bad86eca85fdc32cc3e5a6d6ac776f5113a7ee

**SHA256:** c3c6d4f9ab274d8df78e7cd25d9c9eaad65f36d706778846ace6a077d76f0614

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers



- None

#### taskplanner.zip: taskplanner.jar: simpleDateTimeField.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleDateTimeField.directive.js

**MD5:** 9de7a6e7a496b3e3bef3df2b26d4e7c2

**SHA1:** 051d92e8c3d56d9d01d9417abdfedb95afbb40f9

**SHA256:** 87943d426a50cdccc995916dcbf4bcb4025ad19f4f7873456f8b48ac2d167dc8

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### taskplanner.zip: taskplanner.jar: simpleFileFolderField.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleFileFolderField.directive.js

**MD5:** 9d25649fffb239e85236a847271bb73d

**SHA1:** 39808e484449e303ec91ea2a807ee74b6a4c183a

**SHA256:** df6e89174c5b419ff5443d9e1c52ea256c2b48d9f3975b2c53ac107d0464453d

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

## taskplanner.zip: taskplanner.jar: simpleGroup.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleGroup.directive.js

**MD5:** 3b651cad87fb717564e40c13608b28cc

**SHA1:** 4a43a9443d46bdb0e9fe8be6c1d562556c73dfc8

**SHA256:** 5273fe8d5e750006128f6d067ccd6772cb490d74b169e5766451cef6a53f05be

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## taskplanner.zip: taskplanner.jar: simpleLabel.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleLabel.directive.js

**MD5:** ff52c05345b7217bd851e4411fb6054e

**SHA1:** e22379a33c2eb2e439d1e49d86e94471076392e6

**SHA256:** c67b03a8d7b878f7581ab867b06d327508d078d6d865201180465b6d33da299b

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## taskplanner.zip: taskplanner.jar: simpleLink.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleLink.directive.js

**MD5:** b4b3aeddcc0a895cd791acd470f6cb4d

**SHA1:** bd7ffe21309f05d5fe9c01ba14d8a0821be63802  
**SHA256:**2db5a71052dd2d4db296b71d5c1650cb8ed399ee696e3b8600bbefe89221acb6  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: simpleSelect.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip  
/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleSelect.directive.js  
**MD5:** ea64083ea7a066d09d3cb59c7a6f33fa  
**SHA1:** a1b6a6d66d644440216a6d550b347bb0633be4ce  
**SHA256:**a26d1ed5bfac8d5bc681af542708b7ed6f370341a83648f687f07b7dd3f19089  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: simpleTextField.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip  
/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleTextField.directive.js  
**MD5:** 48d92cb780021dd4822c6e8740d26ce6  
**SHA1:** 654d1a8049b64f41362c0bbe3644e7206b151311  
**SHA256:**c4cc8ca624af917fef0c261d6aa82c806c29eb4fd796670b724c69a686c5b211  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## taskplanner.zip: taskplanner.jar: stringTable.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/stringTable.directive.js  
**MD5:** 37a1f354d71a7d60288652c206db7271  
**SHA1:** b37c87c654e8c12307c5b3126667142cf5d80a22  
**SHA256:**f6450635963e62bb85b83ea201b352c624dcc90a7cd452899aa0dc239d4bcd6d  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## taskplanner.zip: taskplanner.jar: taskplanner\_maintenance.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/maintenance/taskplanner\_maintenance.js  
**MD5:** 5945f5ec8198b3f4a2e005048f5a3492  
**SHA1:** 866b04e5046c38115c0cac54e7440ba6ceef3afc  
**SHA256:**0f09a0d4a0b1210bd88ca8a59bb084d70aeb7347cfe830139ba0b5c056297eae  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### taskplanner.zip: taskplanner.jar: textAreaField.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/textAreaField.directive.js

**MD5:** 5a75eb0d834b4b4f41702dbf6f1ce2ea

**SHA1:** f438ca050ee2e69a73ada30726205d295f6546b1

**SHA256:** 5e2ae08f0a40ba0da474e8dcc53d9dfcaf53b2727bace92d266f13aa9eda9b0c

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### theme.zip: bootstrap.jar: bootstrap.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/bootstrap.js

**MD5:** 894d79839facf38d9fd672bdbe57443d

**SHA1:** 11277f4e04cf070a350e566b053ef2215993720c

**SHA256:** dbd2a35e72edc7d6bde483481a912f1c38aa57fab2747d9b071d317339ee03a2

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	bootstrap	High
Product	file	name	bootstrap	High
Version	file	version	3.4.1	High

#### Related Dependencies

- theme.zip: bootstrap.jar: bootstrap.js.gz: bootstrap.js

- File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/bootstrap.js.gz/bootstrap.js
- MD5: 894d79839facf38d9fd672bdbe57443d
- SHA1: 11277f4e04cf070a350e566b053ef2215993720c
- SHA256: dbd2a35e72edc7d6bde483481a912f1c38aa57fab2747d9b071d317339ee03a2
- [pkg:javascript/bootstrap@3.4.1](#)

#### Identifiers

- [pkg:javascript/bootstrap@3.4.1](#) (*Confidence: Highest*)

### theme.zip: bootstrap.jar: bootstrap.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/bootstrap.min.js

**MD5:** 2f34b630ffe30ba2ff2b91e3f3c322a1

**SHA1:** b16fd8226bd6bfb08e568f1b1d0a21d60247cefb

**SHA256:** 9ee2fcff6709e4d0d24b09ca0fc56aade12b4961ed9c43fd13b03248bfb57afe

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	bootstrap	High
Product	file	name	bootstrap	High
Version	file	version	3.4.1	High

#### Related Dependencies

- theme.zip: bootstrap.jar: bootstrap.min.js.gz: bootstrap.min.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/bootstrap.min.js.gz/bootstrap.min.js
  - MD5: 2f34b630ffe30ba2ff2b91e3f3c322a1
  - SHA1: b16fd8226bd6bfb08e568f1b1d0a21d60247cefb
  - SHA256: 9ee2fcff6709e4d0d24b09ca0fc56aade12b4961ed9c43fd13b03248bfb57afe
  - [pkg:javascript/bootstrap@3.4.1](#)

#### Identifiers

- [pkg:javascript/bootstrap@3.4.1](#) (*Confidence: Highest*)

theme.zip: theme.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/theme.zip/theme.jar  
**MD5:** 9170414bb9090e25538c81778ca01a8b  
**SHA1:** fc7083e5b0996e9e2cc5af8c20f106815ca64a45  
**SHA256:**439b9519ef03d177b14f647e4cc1727f3125e805f34e23c7d97501497dfd45f6  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	theme	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	jar	package name	shared	Low
Vendor	Manifest	built-date	2024-11-16 12:37	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	theme	High
Product	jar	package name	plugins	Low
Product	jar	package name	shared	Highest
Product	jar	package name	shared	Low
Product	jar	package name	theme	Highest
Product	jar	package name	theme	Low
Product	Manifest	built-date	2024-11-16 12:37	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	theme	High
Product	Manifest	specification-title	theme	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-	24.10.221	High

Version

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar  
**MD5:** 7ef1cd9a6745e78d54c0c1f187f283fa  
**SHA1:** 0aed26232faf1515dd0e2dc76e68508de1c40273  
**SHA256:** 78177d6502daef295737e29b4a302532758aaba891b5fdb8ec92dcd1ab0897bb  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ticketlist	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2024-11-16 15:35	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	ticketlist	High
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	plugins	Low
Product	jar	package name	ticketlist	Highest
Product	jar	package name	ticketlist	Low
Product	Manifest	built-date	2024-11-16 15:35	Low



Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	ticketlist	High
Product	Manifest	specification-title	ticketlist	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	24.10.221	High

#### Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:24.10.221:\*:\*:\*:\*:\* ( *Confidence:Low* ) suppress

### ticketlist.zip: ticketlist.jar: annotationextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet /helpdesk/plugins/ticketlist/client/ticketpage/extensions/annotationextension.js

**MD5:** a416b4e2155474909e5ebbce208e0e7e

**SHA1:** 312f694139c3e0078ceded0f7ba6432c8d6cf452

**SHA256:** 72d43f5b5db7684c85ca2228d530c9b88f4f84a388fc4f65b6ad5f5b0163b1f8

**Referenced In Project/Scope:** server

#### Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: applyactionfieldrenderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet /helpdesk/plugins/ticketlist/client/ticketmanipulation/applyactionfieldrenderer.js

**MD5:** 1dccfba9343cd5ca8a96338a45bffc46

**SHA1:** eec1c404790b044138e67088d9e67e5d89f778d0

**SHA256:** 575dc452ec8052f14da599e7b5a7c4042187a41dc8ad663baef8093e9ce8d208

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## ticketlist.zip: ticketlist.jar: arearenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer/arearenderer.directive.js  
**MD5:** f5275b7c216375c0cc9757e0bc56c1ad  
**SHA1:** 214c4ddb93e9a1292bcc78db63d14ab494294e8  
**SHA256:** 7f84cb1f097e05985a456ebcd7ae91a1f6d11b7eac461483c7d0b682f1b4c40e  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## ticketlist.zip: ticketlist.jar: attachmentsextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/extensions/attachmentsextension.js  
**MD5:** 789d6814227673d787802c7e0f5d9b3b  
**SHA1:** eddd7938e81a516ec82f657c9c7d1ba57bff539b  
**SHA256:** 5870ab73a69e5ce56c69d01b4eb04b92bc6f920e3bb2544253b7333c656c84be  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## ticketlist.zip: ticketlist.jar: booleanrenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer/booleanrenderer.directive.js

**MD5:** 9c449cde959f5496f6fa282df775190e

**SHA1:** d687f90fe03c212c89e841f546adeb6578f580ef

**SHA256:**bb2ab510b705a3e179c0f1c4e5d6cb2e89fb1c1ad7b74ada08cc9210f3af27bd

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## ticketlist.zip: ticketlist.jar: cardobserver.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketlistlayout/cardobserver.js

**MD5:** 5248e3a166ce2b09dca7855a688f8660

**SHA1:** b407f9dcc610dfe47e147c4fad8e224ab74d46e3

**SHA256:**69a0e7110abee349233cb7a8ab14a97e27e8a9c92d02e5953e2bec5469c1da63

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### ticketlist.zip: ticketlist.jar: currencyrenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer/currencyrenderer.directive.js

**MD5:** 46413607884af8ef36c68ea10f5aa0d1

**SHA1:** dc95f7abdfb62e74d5d84f4cd97d937791349198

**SHA256:** 118f6ae9e99a449876ab5bdee5372e58b4799a4d35cbf6232738502c39d71141

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: daterenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer/daterenderer.directive.js

**MD5:** 1a4bb6ad528752986486833f424ef71f

**SHA1:** 34da8761a90cf1e975ff447dc198f9de9393cdf1

**SHA256:** 2c8d1654da4d223acadca1b61560604382845e18e14074f37e034af5738ec498

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: doublerenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer/doublerenderer.directive.js

**MD5:** c813e4336e97c506fb4a78a9c1ed53a4  
**SHA1:** 5a91a9e2a3bd7e1887daf261253b73bb66b2e974  
**SHA256:** b7bd1c237ac5a527ab52e544dc98e846b172d07bffd41ef69bb0f62e6869b249  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: draganddrop.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet  
/helpdesk/plugins/ticketlist/client/sorter/draganddrop.js

**MD5:** c7b85c0a40d86188d956c4a4e215f835  
**SHA1:** fae884cdec4032e1183c33f1965e5f395c5ed1ed  
**SHA256:** eda930845e0f1fdb2b6921511b1869bf9b5a2c8235f6d1246afda0a464d65d78  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: expertlayout.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet  
/helpdesk/plugins/ticketlist/client/ticketlistlayout/expertlayout.js

**MD5:** c355fa088567e39a502cb75f40b72401  
**SHA1:** b8d440ae0b35e8f0bb258fb3c5701d48c33b1629  
**SHA256:** 610ac8c2a6a66010a1f88ed1d07b069c4855690a0aa80823e60e60728c031095  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: extendedpagelayout.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpagelayout/extendedpagelayout.js

**MD5:** 88a262814760476d3ef09d946d556056

**SHA1:** ff9c1093d7f7b5d59f09e60c9ede69a0ae9f3f2b

**SHA256:** aa3044847ed38c9b05f88eb015bf72472b45b95b31b39c93d4d1ea3368ae5789

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: fullviewpagelayout.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpagelayout/fullviewpagelayout.js

**MD5:** bbae00084bd90653cb14207e272631a4

**SHA1:** 364f8c10de2d643c949eaa046667ce99d4eedc29

**SHA256:** 7c0a097a985942c9602d65f89212f61d3bc5debfc5752ae9d3061a855d4f7ad1

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

#### ticketlist.zip: ticketlist.jar: htmleditorrendered.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrendered/htmleditorrendered.directive.js

**MD5:** b8a47dd172899eba873d07869651f238

**SHA1:** 6b15e871ef6d5749844f8b154e5cf6e9a5d95f4b

**SHA256:** fe7fded58a7a479ece33603f07cf92b05cbc07ed2a803424138ff750b4d0934b

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### ticketlist.zip: ticketlist.jar: inputrendered.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrendered/inputrendered.directive.js

**MD5:** ac00d74eb7031d4c4d812e0820187ce2

**SHA1:** 38f1247f226e18e487f4ccefd8eb3863d8373c8e

**SHA256:** 29c6ceec870b11d93d6b2475e48c7f1b5c29d87b049aac69031ae39345e94a2b

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### ticketlist.zip: ticketlist.jar: integerrendered.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer/integerrenderer.directive.js  
**MD5:** e7735b72ea028edfa3d4f959903ffc35  
**SHA1:** 86c955983dbceb3bd82d210dea6f2eba17c42527  
**SHA256:** c25dfe7ff749105fde47fe3b247a3f19edc06e08dc980c95ec333541cff98174  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: itilselectrenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer/itilselectrenderer.directive.js  
**MD5:** 9b2e2e5173d3c57a3dc8368c7b9f2be9  
**SHA1:** 4e13b36c5eb823ec12ed9e89a7eb0b0104573b6d  
**SHA256:** 016c8d4d5495f1e12cd05c3aa021feb2abcf1a0f1b716b3366bb1945577742e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: linksextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/extensions/linksextension.js  
**MD5:** 85db99da5e82f14a394330b11dc25584  
**SHA1:** ea082bd5484159d07c28d6bb12120f36bf11678b



**SHA256:**8dea19c2e03e094d0c8230f35b7f8723a9b4cc2ea8dcdd89ae182dea055f23c6  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: newticket.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet  
/helpdesk/plugins/ticketlist/client/ticketcreation/newticket.js  
**MD5:** 13f1fb9deea0a3ac79bf70707e3c4bd0  
**SHA1:** fa9f78a32e343f1bf41e466a625af1a7f30a8426  
**SHA256:**56091d3c7c8d6b2bf3c29236ebb504ad3321c72023f13629641115f133f26474  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: ownerrenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet  
/helpdesk/plugins/ticketlist/client/ticketrenderer/ownerrenderer.directive.js  
**MD5:** c119e1bccd36146d4007b80c52b285b8  
**SHA1:** d56b2d11200b691cd4e9b3557d800355cc66ed72  
**SHA256:**de618c1684c7387bb3b75969c154977792c011c291303ad01d70a511179be1b9  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## ticketlist.zip: ticketlist.jar: print.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/print/print.js  
**MD5:** 04c1fae9422a126940daf8c4b11521c0  
**SHA1:** 18eb0a0b194692643e6d8e140c1dcba38f5e4894  
**SHA256:** 72ee4e895d896fbcfc4116216c04e70da6073a5c99d9230c2ef3a329320c552f  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## ticketlist.zip: ticketlist.jar: relativeabsolutedateswitcher.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer/relativeabsolutedateswitcher.directive.js  
**MD5:** 47a977ae3e9d3be99241e9bea0c459e5  
**SHA1:** 457ec024c39a9d63dc6837ed3f6e8cbf4202c629  
**SHA256:** 8290a6a9dec7fd095defa729dcd6eb2f60c46772e0a81ade556a7290873b89c1  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### ticketlist.zip: ticketlist.jar: relativetimerenderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketmanipulation/relativetimerenderer.js  
**MD5:** 31f28718e4bf1fe027b516cfd4f67ffb  
**SHA1:** f867985a1f2d268d10f04af1ffd64c00a02fe6ca  
**SHA256:** 7bab297eb634c75c4660d25d053d05c727948efdcc3e5574b4c586e4b29c6534  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: resizableColumn.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketlist/resizableColumn.js  
**MD5:** f624c38ee5d946c45f5b0159580a0527  
**SHA1:** b66c51fbd905d9073f726189c901b10c8aa65398  
**SHA256:** 9df28c21dc675e7143baf2dd0765bc4fdabba26b8ad147fd8f3d7d0847c85a6a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: selectionCountBadge.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet  
/helpdesk/plugins/ticketlist/client/ticketlist/selectionCountBadge.js  
**MD5:** 39dd740e1692b0aa03d9c5a47ce231bb  
**SHA1:** 3c758682f31079d96c051bab9cbc836467142d9f  
**SHA256:** dda0f13713aba74e3ba6fa77a240b0cf98d59cf5a50a4bb87b0664f46339e7da  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: selectmultirenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet  
/helpdesk/plugins/ticketlist/client/ticketrenderer/selectmultirenderer.directive.js  
**MD5:** 0d565a8f88b20fedfcf2ae99565b189f  
**SHA1:** 637e418a932aa1720f7dba41be4842af21ba2fd7  
**SHA256:** 27711b41f614f4990ebf6bf1f0dea54fba66083401bc4aba47da269af58dbe9f  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: selectrenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet  
/helpdesk/plugins/ticketlist/client/ticketrenderer/selectrenderer.directive.js  
**MD5:** c1e9969d324800d065d9b55014c3062a  
**SHA1:** 3f3ea163502544ad9dd6f9d73bd427ed4ed990cb  
**SHA256:** 714a20d9df2576ef7701a33d2f84a28e7bb738112eb0fd2714f786d51fceed8d  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## ticketlist.zip: ticketlist.jar: sorter.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/sorter/sorter.js  
**MD5:** aa66cfb3bc511fc7f3bad634f2e66522  
**SHA1:** 1948e95e87a8a41cb71d3dc8ae3ad80fb4154ee7  
**SHA256:**3954bc5d2631901a75535f41117075d3d6f4edf60a6bb939cc9e2670396d62a7  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## ticketlist.zip: ticketlist.jar: stopwatch.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/stopwatch/stopwatch.js  
**MD5:** 9c64b343ad65a01e01feda31f63e7536  
**SHA1:** 00f510ab7b23cf2b3a042a7aa79faed7682e7805  
**SHA256:**ebce45bc4369d6742176470f93841d905475c6199de7dc498f73e43cc9292bb4  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## ticketlist.zip: ticketlist.jar: tabspagelayout.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpagelayout/tabspagelayout.js

**MD5:** d638f581e3cb04f3a8cbf38f777295a2

**SHA1:** e055646cbe95cbc18c6302b23046994fbe901d74

**SHA256:** 62bb38ca0cc3a9fe44f2243a73e407c03992151c1fd859e5d009770d3bec7db6

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## ticketlist.zip: ticketlist.jar: ticketattachment.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/ticketattachment.js

**MD5:** d201caf4629b322cc7d42418363c8143

**SHA1:** 3341e8c8ea0589265a21b5829dee9f2bd4cf6ec8

**SHA256:** 9ef712c6c71168db11c39a132837d2013c1a490db2321a1f34bfe9ec0c6b4f80

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### ticketlist.zip: ticketlist.jar: ticketdetailsextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/extensions/ticketdetailsextension.js

**MD5:** 9940284d4c2e075c2384be1c4d49dc94

**SHA1:** 01709c71ff71d15445d090d9eba4de0669aa1ea3

**SHA256:** 457c368183a61eaa43d20bae9c6afe5574d0d8e4ae364c77f01c4b0cb84ad724

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: ticketeditor.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketmanipulation/ticketeditor.js

**MD5:** a0ff02da0f732f37dcdda3f7d524808f

**SHA1:** 237a5b9167efc33cbf90271b9f968af259145476

**SHA256:** d553ca64a62ba63473585619d12f10cdaff1ab4d5760fb7533f42f696290991e

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: ticketfactory.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet

/helpdesk/plugins/ticketlist/client/ticketfactory.js

**MD5:** 195d3872eb9c180ecc47f384f08acf07

**SHA1:** 96066c7e7c105e1e6f595141b4d12f6207a2f48b

**SHA256:**40707303bc86dc68704eaeabc89a4b50feaade9d75b504dda90381d1e61f2307

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: ticketfieldrenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems

/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet

/helpdesk/plugins/ticketlist/client/ticketrenderer/ticketfieldrenderer.directive.js

**MD5:** 9e85362a4a4d6ea8690d88023cddd1c1

**SHA1:** 901518730dbbc9dcb252e183b56d56c4ec9815e6

**SHA256:**921d852362da932b28effbfbaa883fcaaf62fa5e42dd40c05e104db359dd9fdf

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: ticketlist.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems

/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet

/helpdesk/plugins/ticketlist/client/ticketlist/ticketlist.js

**MD5:** 14141fd86c978daab5cba4e268f5438e

**SHA1:** 88193b019b357c58aacc2cc41a9fdccae28d3656

**SHA256:**02ee369a1e621a972d682d9ff4befbf5131cd189b81486a7b273b1fcf744111e

**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: ticketlistadditionalcomponents.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketlist/ticketlistadditionalcomponents.js  
**MD5:** f87c9242f3bfd04974e963e8b1ce7782  
**SHA1:** 9c26e0c7235ad87c17e5d8bd2ccaf34db726a3d3  
**SHA256:** 4715f6f952541db537e3b8c2eae26e31a6b270ec877314e7325bd30cda5c840f  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: ticketlistapp.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketlistapp.js  
**MD5:** 7427fc36edb79c3de228d66a071e3b89  
**SHA1:** 6f7924b14baee6846893e00848443e98c6528b7c  
**SHA256:** 8e93e9e009ad169460692be076340eb651f9c3ed472ecec91cbcaecadf868ca9  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

#### ticketlist.zip: ticketlist.jar: ticketlistapplyaction.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketmanipulation/ticketlistapplyaction.js

**MD5:** 9a0fad3b05873e3bdb96b16da61f946a

**SHA1:** 70cc9a9880a24e834b48ae3c2b05783d24b9c15d

**SHA256:** cff8ac48de99d41d550c96e8095c28afd8c05d345c88e71cf0bced4ae4f8294d

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### ticketlist.zip: ticketlist.jar: ticketlisteditproperties.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketmanipulation/ticketlisteditproperties.js

**MD5:** e1f3ba5d6ccbcaad0a126188250b1ab1

**SHA1:** b150b658b6df797d902d8c9bc2bbf93635045e98

**SHA256:** 589315442a72a3eb779d0a5ec995891ab8d318e20c2b683bb8cd0ed23b0d72f3

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

### ticketlist.zip: ticketlist.jar: ticketlistlayoutsettings.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet  
/helpdesk/plugins/ticketlist/client/ticketlistlayout/ticketlistlayoutsettings.js

**MD5:** ea5757e716dfb2f4cdedd01e11ea4f3b

**SHA1:** 1778e3c98a0c836aec8c781aa29c208a8b39db23

**SHA256:** 286b53fd5f9dd8d90d888d95fc69bc36d41573bd5de9f4a34a1814749053ede0

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: ticketmodel.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet  
/helpdesk/plugins/ticketlist/client/ticketmodel.js

**MD5:** d4791e5ee8eafdc1c1dc905f69f63a51

**SHA1:** 1fbb30b632c532525ebe3742b2e2ce3a20fe748c

**SHA256:** 6749754244824e54f65ca903bdfaa2e9903ab4177e93a3ef9ca3b66c7eb3122c

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: ticketownerextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet  
/helpdesk/plugins/ticketlist/client/ticketpage/extensions/ticketownerextension.js

**MD5:** 9d510409f1f448085166dc6e45e18402

**SHA1:** 2c4d8ec86b90e2b848b5bac2497ff5740c65c0a3  
**SHA256:** 847f468b7e75800bc9f2a4b5caa88841693ea38cb394bc2e0344ee36cfe8be1a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: ticketpage.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet  
/helpdesk/plugins/ticketlist/client/ticketpage/ticketpage.js  
**MD5:** b80fb7648fcb698f95b9103ce5043586  
**SHA1:** e354354d1f98206ed837665e6ade40bf03467216  
**SHA256:** 837b32594b2f9cd1974ee6bdcea1ec919a330123cdf72b2578668c006138a63a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: ticketpageheader.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet  
/helpdesk/plugins/ticketlist/client/ticketpageheader.js  
**MD5:** 9952abb47ef43551bba134329ecf05f6  
**SHA1:** 83d6a9216dddfa4b304c9d3d7608e8479ae8d251  
**SHA256:** b8caae8c00b6e837c8f7e5e17aa94d57803c032e14dd5a0c32149de5e0f06707  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## ticketlist.zip: ticketlist.jar: ticketpagehintsextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/extensions/ticketpagehintsextension.js  
**MD5:** 4988846edbed2e37f9caccf799036f0b  
**SHA1:** 69422b00c692ea5f255803a444b44732e85af075  
**SHA256:**c1d081272c0206cc4a6fd2569ce861af7308b0993a02407bb7d2c822b587b8d0  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## ticketlist.zip: ticketlist.jar: ticketpagelayoutsettings.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpagelayout/ticketpagelayoutsettings.js  
**MD5:** 9abe041770465e86c7808daeb920b1d0  
**SHA1:** 84a6e23bae7796abfdd170b1a91a206cf6c22e26  
**SHA256:**f137067efe6bb3c041c67be1f577054ec50e2b7ce2330a784c680616e60940ee  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### ticketlist.zip: ticketlist.jar: ticketpagesteps.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/ticketpagesteps.js  
**MD5:** 9ba98856ae0f64474c3aed96dad1f7e3  
**SHA1:** b135e55131f497a96d270b834473377bc0d5ce96  
**SHA256:** bfeb80d045faaa4f6799e04fa09a09d4eec07a652c641373396c4d4662051e86  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### ticketlist.zip: ticketlist.jar: ticketpreview.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpreview/ticketpreview.js  
**MD5:** cf0441fc683ab3767826c67c5b3725fe  
**SHA1:** 1643c787b4e429e0bc9ba2fe1f6416c9b6eff140  
**SHA256:** 264d946713f91dfc04cb7bfbacdbd6f1cdf31ca83d299958bcc9aaed8c2c729  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### ticketlist.zip: ticketlist.jar: ticketproperties.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketmanipulation/ticketproperties.js  
**MD5:** fab5763891c50735c754fb82b72c6443  
**SHA1:** 5370f99d22fdc3e1b08accbafdc07dae9aba57c7  
**SHA256:**40b24aab2a19cd37659dde5b76bd5df82f114778170822ec8091f57207561b73  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: ticketrenderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer.js  
**MD5:** afed560ee11f675007c87db8a4918435  
**SHA1:** b43c0b5cf1a77bffecca9acdc1c07264d9b3c829  
**SHA256:**fd4a61e411c19b930634f0e450ac78a7610e3c1dab594fcf6692a0d352ebf41b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: ticketsharing.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/ticketsharing.js  
**MD5:** adb1e05a0614ef4e1c77d793063cdde2

**SHA1:** e2ab3aff970646377fabb7bc58ca573cfe152cec  
**SHA256:** 9e121b21e352e71bc11eb657b8c5f25b6540418b39c642c9599a65ca871ae941  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: ticketviewsortsettings.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet  
/helpdesk/plugins/ticketlist/client/ticketviewsortsettings/ticketviewsortsettings.js  
**MD5:** b018e0d5d5326c09388e3b25e7145fb5  
**SHA1:** 8a9b56f76c903fb07ad0d54fa18946c5b44a841c  
**SHA256:** 3daa69f8a37ff50c95c1adf692552da6a9d3a4bb6d07efb9e32583e80c729eaa  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketlist.zip: ticketlist.jar: timelineextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet  
/helpdesk/plugins/ticketlist/client/ticketpage/extensions/timelineextension.js  
**MD5:** 2a195ed00b8b77d05d972ad0794e58ea  
**SHA1:** 68a5db7bfdcf002fff5b26c0a2fce0ba482fd3c1  
**SHA256:** 7b150a14d58536bacc26a3b679be7f185123126e4e7b8cf1fa4bca44d8737e79  
**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
Identifiers				
• None				

ticketlist.zip: ticketlist.jar: userticketshistoryextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/extensions/userticketshistoryextension.js  
**MD5:** c879c8f16d2310fc9496cbb98e23ae11  
**SHA1:** ff5489eb8e7c70e47fd90dd1bc0d53939e274ca1  
**SHA256:**4bce1265da5d5195ecc974838d19fa352d01a85aa101fe37c84ef7cbcf38186b  
**Referenced In Project/Scope:** server

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

ticketprocess.zip: ticketprocess.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketprocess.zip/ticketprocess.jar  
**MD5:** a67722e8ee640cd1cf8c257f698ed50d  
**SHA1:** e798fc5e2a5994e3fec302b4e2cb5b67715ee6de  
**SHA256:**473fd30f7abbcab01ad452dc233980e28700f1ba115d8a2754eebb0b12e91a4d  
**Referenced In Project/Scope:** server

Evidence				
Type	Source	Name	Value	Confidence
Vendor	file	name	ticketprocess	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low

Vendor	Manifest	built-date	2024-11-16 15:34	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	ticketprocess	High
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	plugins	Low
Product	jar	package name	ticketprocess	Highest
Product	jar	package name	ticketprocess	Low
Product	Manifest	built-date	2024-11-16 15:34	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	ticketprocess	High
Product	Manifest	specification-title	ticketprocess	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	24.10.221	High

### Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:24.10.221:\*:\*:\*:\*:\* (Confidence:Low) suppress

### ticketprocess.zip: ticketprocess.jar: applyProcessRenderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketprocess.zip/ticketprocess.jar  
/com/inet/helpdesk/plugins/ticketprocess/client/js/applyProcessRenderer.js  
**MD5:** 332fd31a7572f047a24fa4177a8ebc35  
**SHA1:** 51c9c13a84f5c3bc64e1749a733a4270623623b1  
**SHA256:** 9ec8eec9907d0ba2a2de079b9a7116210200d8b202fc50de5bb0c45ac48f4979  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketprocess.zip: ticketprocess.jar: configuration.ticketprocess.edit.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketprocess.zip/ticketprocess.jar/com/inet/helpdesk/plugins/ticketprocess/client/js/configuration.ticketprocess.edit.js  
**MD5:** d64bb2ba27379b6f7a9555b1bed67266  
**SHA1:** 7d8a50dab6fd3aecdeee64c96ceadbb2097ba591  
**SHA256:** 91616ff82f2297fd7aeac5291d2fb168167342d61261639ec706ca9b4348bca3  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketprocess.zip: ticketprocess.jar: configuration.ticketprocess.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketprocess.zip/ticketprocess.jar/com/inet/helpdesk/plugins/ticketprocess/client/js/configuration.ticketprocess.js  
**MD5:** 67816948da3f5ada5db853709af4d168  
**SHA1:** ecb0e950673350c0f64b250b0260c6d36e86f9ca  
**SHA256:** aa14ed271f8f6da3fdd5e99f857cfca5811f056003808af56595503a5c31c8c0  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## ticketprocess.zip: ticketprocess.jar: ticketlist.ticketprocess.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketprocess.zip/ticketprocess.jar/com/inet/helpdesk/plugins/ticketprocess/client/js/ticketlist.ticketprocess.js

**MD5:** 7401d823e845e90f38b844639b8c9088

**SHA1:** 9a4b8f59d630e6ab82224d1994b075faa5479d1d

**SHA256:** 1c3d45a1a7e6ea58597db1cb5975f50ba8cebadfeb4c7f31d9baab21b917fb12

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## ticketprocess.zip: ticketprocess.jar: ticketprocess.changeticketprocess.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketprocess.zip/ticketprocess.jar/com/inet/helpdesk/plugins/ticketprocess/client/js/ticketprocess.changeticketprocess.js

**MD5:** c019f6fc33f0dcf3d7fd3ada7727488c

**SHA1:** 075b237289495db82ec40e169964f49929bc129e

**SHA256:** 444f2bad720c1cbc6280955fa737f671c24dc94de908fc1045933314b346d0bc

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## ticketprocess.zip: ticketprocess.jar: ticketprocess.parallelticket.preview.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketprocess.zip/ticketprocess.jar/com/inet/helpdesk/plugins/ticketprocess/client/js/ticketprocess.parallelticket.preview.js

**MD5:** 5c0ec18a22f7b9fb6292e21070950368

**SHA1:** 192f66d3427f6caad3262ac4e2e566124abef922

**SHA256:** 6df54aa11bc1aef6d458fd2e7f677f8f90773769e9da83b8629a469418a37a0a

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## ticketprocess.zip: ticketprocess.jar: ticketprocessdirectives.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketprocess.zip/ticketprocess.jar/com/inet/helpdesk/plugins/ticketprocess/client/js/ticketprocessdirectives.js

**MD5:** ee9e6367a4163f5116057983a64b60ec

**SHA1:** 2389cd19662f3506204127f76dfeadda25bcfee6

**SHA256:** 2e62a02d76eabbbe40df51237dc4028dbd966841c3025c55389a92a76d4cb270

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## ticketprocess.zip: ticketprocess.jar: ticketprocessfactory.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketprocess.zip/ticketprocess.jar/com/inet/helpdesk/plugins/ticketprocess/client/js/ticketprocessfactory.js

**MD5:** c3a5d294b1624a5d4a8fda30a91e6a37  
**SHA1:** 19057c1c01d74f4a5dde0dcf58c30c60cb1e9472  
**SHA256:** 0e6325857f9980c8d519037891b15e3cc562fd255809871123cb3156e3de4d5e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ticketprocess.zip: ticketprocess.jar: ticketprocessmodel.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketprocess.zip/ticketprocess.jar  
/com/inet/helpdesk/plugins/ticketprocess/client/js/ticketprocessmodel.js

**MD5:** d11d38dc36a243c64f33345bbe5a6bad  
**SHA1:** 6694a85c71da6d6ded5190e510cdffb3d042b37e  
**SHA256:** 99f139697a8d3ec5d935857176f6fcb210404c3d70b92510979f60453c948961  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.  
zip/usersandgroupsmanager.jar

**MD5:** cb7cab8271953978ed68f437d7026b1b  
**SHA1:** dbbd4a4d096dbc5ba3c01a333146a1209e15fa6b  
**SHA256:** f6bdd4ce4a9bfd88709ea5692b455544606ac13f3f85adeef3b6589ee266aa36  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	usersandgroupsmanager	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	server	Low
Vendor	jar	package name	usersandgroupsmanager	Low
Vendor	Manifest	built-date	2024-11-16 13:01	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	usersandgroupsmanager	High
Product	jar	package name	server	Low
Product	jar	package name	usersandgroupsmanager	Highest
Product	jar	package name	usersandgroupsmanager	Low
Product	Manifest	built-date	2024-11-16 13:01	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	usersandgroupsmanager	High
Product	Manifest	specification-title	usersandgroupsmanager	Medium
Version	Manifest	Implementation-Version	24.10.221	High

#### Identifiers

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:  
usersandgroupsmanagercontroller.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagercontroller.js

**MD5:** e33ff568b7c73c5f1abb3ce32dda999c  
**SHA1:** 419c45b41bba6387ca0f285d401f560f16ac6573  
**SHA256:** 136be2dd2f6ff6778d61a469ac2c99411b18ee2af84199a4eb70012456884e7a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdetailscontroller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.  
zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js  
/usersandgroupsmanagerdetailscontroller.js  
**MD5:** 33ff1183867e15736260b3d557814fe5  
**SHA1:** ca658bc7851b8210bbbe083fb7e48917da7e39f4  
**SHA256:** 9e37107a2a5d60fb45a2b4d231232b07a4e5dce598e8750345e5097e1da92e32  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdialogcontroller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.  
zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js  
/usersandgroupsmanagerdialogcontroller.js  
**MD5:** 4c2dd6a9a916ab67961acdd215db6c22



**SHA1:** 6e0162dea0bf153797268a9607b23d88402bca05  
**SHA256:** 7c5fa35b1f84fe4abafb31c017be1097385e4b1dff4415efe680bd0ae0db9fe  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdirectives.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.  
zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js  
/usersandgroupsmanagerdirectives.js

**MD5:** e9d705382a8c25e3fa880cf01dd47fe8

**SHA1:** b1df9b1bd12830059242a5784eb23dd7ae339b31

**SHA256:** 5fd0624365290a710545e1f5a12297aa03a90f214375eeab12296bf35b04a74e

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagereffectivepermissionscontroller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.  
zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js  
/usersandgroupsmanagereffectivepermissionscontroller.js

**MD5:** 7b338f56899718ee4c730c7c30f8404d

**SHA1:** 23d1599cd58231c6a42264202db54da541dbbc7f

**SHA256:** faa1d67150e8577b35addb9f3807a4d76c3c7495475f2cbb65e550aaa3715d6

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerfactory.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerfactory.js  
**MD5:** dc86ea7fc3b4579c614e5ce9557a2456  
**SHA1:** d49390dbd903aae52de98406ed8b2604abb714b0  
**SHA256:** eb7f2d4a9b329354bf41b6805db98b4a8e1879cf318a8614a615af9fd7e91933  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagermodel.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagermodel.js  
**MD5:** f095a4c40f17b36318e13dd8534407e9  
**SHA1:** 4e289c1de0ccc482455b2da27234bf0f462c1a1d  
**SHA256:** c3beefef00e5dce1e9c97b5a354ffcd157896e50798c42c80f5685a028f8f7ee  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerpredeletionwarning.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.  
zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js  
/usersandgroupsmanagerpredeletionwarning.js

**MD5:** 15667e805ebd69d487e47139ed5239ec

**SHA1:** 4508b2ad9e26e24978a0f1a1595b89e424692317

**SHA256:** bdf7da184d1e951da787b3c0126d0f9ec5c3b329e676ea198aab91db3d9fa796

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerrenderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.  
zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js  
/usersandgroupsmanagerrenderer.js

**MD5:** 9e0409acea03c0d8c41e9b3155c5a562

**SHA1:** 351464447f2f774f2fcf09a726273e658283dce6

**SHA256:** 1236ec6336c420eadc68cd7fd44e384b88c2f8cd25463c93a6bbae0f4a29a616

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerstatisticscontroller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerstatisticscontroller.js  
**MD5:** 4b0ce9da268d3f965ddf8ddce6676daf  
**SHA1:** d0ad859cb96083de8fabce54e8fd7fd5efe04b1a  
**SHA256:** a2b6f180be1602c888c0505c88d03753332c48e57c9a524ed4b71f1eb401d28b  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagertakeoutcontroller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagertakeoutcontroller.js  
**MD5:** 9be90b79aa685d1d62933945b0e00860  
**SHA1:** 29a9da8d0ee54fe21b4379ec1a36c192983108ce  
**SHA256:** 28ee9f9f2805e95af8c39b2bbbe5e94de14e8a1709ba6fd58e1e5a7dbab5555f  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

• None

## webserver.defender.zip: webserver.defender.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.defender.zip/webserver.defender.jar

**MD5:** 7c51c22578025b97d4ee112725243ba3

**SHA1:** be30681859f300cd5e59e5d6487583b411bb5948

**SHA256:** fedd448b9e0297619831739a58dd2e0e2aa0f9b68fe3b2f2ea9c9e5b352e8192

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	webserver.defender	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	webserverdefender	Low
Vendor	Manifest	built-date	2024-11-16 13:10	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	webserver.defender	High
Product	jar	package name	webserverdefender	Low
Product	Manifest	built-date	2024-11-16 13:10	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	webserver.defender	High
Product	Manifest	specification-title	webserver.defender	Medium
Version	Manifest	Implementation-Version	24.10.221	High

### Identifiers

- None

## webserver.zip: acme4j-client.jar

### Description:

ACME client for Java

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/acme4j-client.jar

**MD5:** 6a777e9a2790f92e3ca84ab3f670372a

**SHA1:** 2fc4db562eb89dd97d01efbd66498af44f010fc5

**SHA256:** 3fc818cdf24695c427dd85aa62c6510fb488602618272935c61a7525e47fdd8a

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	acme4j-client	High
Vendor	jar	package name	acme4j	Highest
Vendor	jar	package name	shredzone	Highest
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	pom	artifactid	acme4j-client	Low
Vendor	pom	groupid	org.shredzone.acme4j	Highest
Vendor	pom	name	acme4j Client	High
Vendor	pom	parent-artifactid	acme4j	Low
Product	file	name	acme4j-client	High
Product	jar	package name	acme4j	Highest
Product	jar	package name	shredzone	Highest
Product	Manifest	build-jdk-spec	17	Low
Product	pom	artifactid	acme4j-client	Highest
Product	pom	groupid	org.shredzone.acme4j	Highest
Product	pom	name	acme4j Client	High
Product	pom	parent-artifactid	acme4j	Medium
Version	pom	version	2.16	Highest

### Identifiers

- [pkg:maven/org.shredzone.acme4j/acme4j-client@2.16](https://maven.org/shredzone/acme4j/acme4j-client@2.16) (Confidence:High)

## webserver.zip: jetty-websocket-core-client.jar

### Description:

Jetty module for Core :: Websocket :: Client

### License:

EPL-2.0 OR Apache-2.0

<https://www.eclipse.org/legal/epl-2.0/>, <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-websocket-core-client.jar

**MD5:** ede68759185a8e8641f752663ec15f03

**SHA1:** 217f26a2deb1686bb5398b143e9cd7f288fbc9f1

**SHA256:** eee0a03715c127f422a400419f5937f4165ffcff1f8ec886d36630d3fdc695f7

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jetty-websocket-core-client	High
Vendor	jar	package name	core	Highest
Vendor	jar	package name	eclipse	Highest
Vendor	jar	package name	jetty	Highest
Vendor	jar	package name	websocket	Highest
Vendor	Manifest	build-jdk-spec	22	Low
Vendor	Manifest	bundle-copyright	Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others.	Low
Vendor	Manifest	bundle-docurl	<a href="https://eclipse.dev/jetty/">https://eclipse.dev/jetty/</a>	Low
Vendor	Manifest	bundle-symbolicname	org.eclipse.jetty.websocket.core.client	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Jetty Project	High
Vendor	Manifest	url	<a href="https://eclipse.dev/jetty/">https://eclipse.dev/jetty/</a>	Low
Vendor	pom	artifactid	jetty-websocket-core-client	Low
Vendor	pom	groupid	org.eclipse.jetty.websocket	Highest
Vendor	pom	name	Core :: Websocket :: Client	High
Vendor	pom	parent-artifactid	jetty-websocket	Low
Product	file	name	jetty-websocket-core-client	High
Product	jar	package name	core	Highest

Product	jar	package name	eclipse	Highest
Product	jar	package name	jetty	Highest
Product	jar	package name	websocket	Highest
Product	Manifest	build-jdk-spec	22	Low
Product	Manifest	bundle-copyright	Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others.	Low
Product	Manifest	bundle-docurl	<a href="https://eclipse.dev/jetty/">https://eclipse.dev/jetty/</a>	Low
Product	Manifest	Bundle-Name	Core :: Websocket :: Client	Medium
Product	Manifest	bundle-symbolicname	org.eclipse.jetty.websocket.core.client	Medium
Product	Manifest	url	<a href="https://eclipse.dev/jetty/">https://eclipse.dev/jetty/</a>	Low
Product	pom	artifactid	jetty-websocket-core-client	Highest
Product	pom	groupid	org.eclipse.jetty.websocket	Highest
Product	pom	name	Core :: Websocket :: Client	High
Product	pom	parent-artifactid	jetty-websocket	Medium
Version	Manifest	Bundle-Version	12.0.12	High
Version	Manifest	Implementation-Version	12.0.12	High
Version	pom	version	12.0.12	Highest

## Related Dependencies



- webserver.zip: jetty-client.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-client.jar
  - MD5: 552a2b1ab07f9fd00e00c9e4346e9e21
  - SHA1: 38e3bc5b5023eca185622e5301f6755088cf1b4c
  - SHA256: d737d69d3500ac637fe1d8387e6c36e40e442bcb6ce2ba1f82587d57b8802161
  - [pkg:maven/org.eclipse.jetty/jetty-client@12.0.12](https://pkg:maven/org.eclipse.jetty/jetty-client@12.0.12)
- webserver.zip: jetty-ee8-nested.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-ee8-nested.jar
  - MD5: 7761f001b55c8416ab50200238b10f22
  - SHA1: 7d3821099b5fd57a37e66938e591dccccb4ec8691
  - SHA256: b51ad87fde8ddc9ca0e62feee7022431402d2effe9ef1e456be95c38debfc2d4
  - [pkg:maven/org.eclipse.jetty/jetty-ee8/jetty-ee8-nested@12.0.12](https://pkg:maven/org.eclipse.jetty/jetty-ee8/jetty-ee8-nested@12.0.12)
- webserver.zip: jetty-ee8-security.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-ee8-security.jar
  - MD5: 76070871351f54aadeb61cf7e0a9a31a
  - SHA1: 36fec09a5c8c1ecea41b25c67875b4d6beba373
  - SHA256: f15732a71aae5f01813e753a1885068bf6c83600a8099af1deb81ac8d227c8a1
  - [pkg:maven/org.eclipse.jetty/jetty-ee8/jetty-ee8-security@12.0.12](https://pkg:maven/org.eclipse.jetty/jetty-ee8/jetty-ee8-security@12.0.12)
- webserver.zip: jetty-ee8-servlet.jar



- File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-ee8-servlet.jar
- MD5: 7c6ee2782bf7ebe542c66a01126b7668
- SHA1: 3b32dd923925265ad59bd6c610e80e5403bf8260
- SHA256: 5f10b3cb83d31de045fdc3e19063baa0d8288f868d2e2e6833ede44a20111335
- [pkg:maven/org.eclipse.jetty.ee8/jetty-ee8-servlet@12.0.12](https://pkg:maven/org.eclipse.jetty.ee8/jetty-ee8-servlet@12.0.12)
- webserver.zip: jetty-ee8-servlets.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-ee8-servlets.jar
  - MD5: c7d03898519e46716063d7d4940b0a50
  - SHA1: db783b72f501a643c9073596bf7741ae9797bc9c
  - SHA256: 2f2e7b70519f681000190aeac716a620a94d917eecca53ffaeac1ce1f04e6c5e
  - [pkg:maven/org.eclipse.jetty.ee8/jetty-ee8-servlets@12.0.12](https://pkg:maven/org.eclipse.jetty.ee8/jetty-ee8-servlets@12.0.12)
- webserver.zip: jetty-ee8-websocket-javax-client.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-ee8-websocket-javax-client.jar
  - MD5: 8220a2d6f572ac828cb3d391bd2f158d
  - SHA1: d9fed25ad8d53db5d93b25b9c0b2a3bb170ce181
  - SHA256: 537d5fffbdb3f53fb7fcbc93d85b25c705e72f35883b68477ac3ebce37de57e9
  - [pkg:maven/org.eclipse.jetty.ee8.websocket/jetty-ee8-websocket-javax-client@12.0.12](https://pkg:maven/org.eclipse.jetty.ee8.websocket/jetty-ee8-websocket-javax-client@12.0.12)
- webserver.zip: jetty-ee8-websocket-javax-common.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-ee8-websocket-javax-common.jar
  - MD5: 2a9b175ce93fd2a05572cc3812555e0f
  - SHA1: c36b41845d1931a2848c99d06dc185dfc45da5e9
  - SHA256: 2f178b102eadd8af7b978b4055b779e65974e2838c5dd80938c58d2f3e1a704b
  - [pkg:maven/org.eclipse.jetty.ee8.websocket/jetty-ee8-websocket-javax-common@12.0.12](https://pkg:maven/org.eclipse.jetty.ee8.websocket/jetty-ee8-websocket-javax-common@12.0.12)
- webserver.zip: jetty-ee8-websocket-jetty-api.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-ee8-websocket-jetty-api.jar
  - MD5: 1498107d193b2ae134e34f97c7e998ff
  - SHA1: a47f197740e48f2092ce228401dfe892cf38e118
  - SHA256: aaa6f7f7168ddcdcaa4bd649929dfe86096e606d642e61f6d8b9ece4b91ff4b6
  - [pkg:maven/org.eclipse.jetty.ee8.websocket/jetty-ee8-websocket-jetty-api@12.0.12](https://pkg:maven/org.eclipse.jetty.ee8.websocket/jetty-ee8-websocket-jetty-api@12.0.12)
- webserver.zip: jetty-ee8-websocket-jetty-common.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-ee8-websocket-jetty-common.jar
  - MD5: 93cf94c658d44bf8ebcef764ba33ef66
  - SHA1: 6e590c7c70be9f1f478c4d01981d3b339fdd24a0
  - SHA256: bf7331bd7e06a15a747e7ba47c8ac805ad8d5af2ff5fdde20ac8cba94e6affa2
  - [pkg:maven/org.eclipse.jetty.ee8.websocket/jetty-ee8-websocket-jetty-common@12.0.12](https://pkg:maven/org.eclipse.jetty.ee8.websocket/jetty-ee8-websocket-jetty-common@12.0.12)
- webserver.zip: jetty-ee8-websocket-servlet.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-ee8-websocket-servlet.jar
  - MD5: 6835dae8a7859fd910f61a13b42d5016
  - SHA1: 83ed6bcd986cccd6faef2b84c186de3c98761b87
  - SHA256: 3a8b90883327d49dbc858cd7c168ed7e6c1faa47fb02374687f2db9e83075051
  - [pkg:maven/org.eclipse.jetty.ee8.websocket/jetty-ee8-websocket-servlet@12.0.12](https://pkg:maven/org.eclipse.jetty.ee8.websocket/jetty-ee8-websocket-servlet@12.0.12)
- webserver.zip: jetty-http.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-http.jar
  - MD5: 6df36f430a5ff932095e56d9b1f814ff
  - SHA1: 549fe58ae50b9c061d09803fb0d2659a93ce0ecd
  - SHA256: 83a7d1b268f6a8dc87981caa96b4a87df6e7f6bd9d9315099aae7056e91b02ce

- <pkg:maven/org.eclipse.jetty/jetty-http@12.0.12>
- webserver.zip: jetty-http2-common.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-http2-common.jar
  - MD5: 5e3937e8a072b3553f6327f95c38f5ce
  - SHA1: d6f8dc7d136b5eef3d97ca76caf770cb0bca1d64
  - SHA256: 18218a67571078a69567f49d3ad77d35dcc6f5f87a5ea7d7d56f0b909346ec26
  - <pkg:maven/org.eclipse.jetty.http2/jetty-http2-common@12.0.12>
- webserver.zip: jetty-http2-hpack.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-http2-hpack.jar
  - MD5: ef48f0ef588daca681aece801ae5c215
  - SHA1: 7e9a522f66c83a0870edd1f6d51542a986dcca50
  - SHA256: 65a0c38ec2e7b7897b6010a1f72875898441ad1bb26e35230a49ec8847fbdc80
  - <pkg:maven/org.eclipse.jetty.http2/jetty-http2-hpack@12.0.12>
- webserver.zip: jetty-io.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-io.jar
  - MD5: 2c2b6c2aa02d06eb806fcd02311d6fc6
  - SHA1: 4e2cd5c23e8ba550238f35c361c22ffb1e7bf00c
  - SHA256: 0187db0f7a994677ca44f8065f5a46aece405d6a4b7e91b74a50ca262ddccb39
  - <pkg:maven/org.eclipse.jetty/jetty-io@12.0.12>
- webserver.zip: jetty-security.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-security.jar
  - MD5: 8c267fa96178662b4accd8c6eefa660a
  - SHA1: 962d2c5748f750aae667399481915bd02a9746e0
  - SHA256: b5afc655e32b3e747098ef1a3f037454b1572d1ac94ff49832f635ec6aba253d
  - <pkg:maven/org.eclipse.jetty/jetty-security@12.0.12>
- webserver.zip: jetty-session.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-session.jar
  - MD5: 16ff3a3c6576c1e6585888d97856d83b
  - SHA1: fceae460fb4677a6cec80d3b70b1fc3ae2a114a7
  - SHA256: 89f6e4c09ce3572d49506b574d235b9b1cfec367de35dea7ce47a393ebe75cf6
  - <pkg:maven/org.eclipse.jetty/jetty-session@12.0.12>
- webserver.zip: jetty-util.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-util.jar
  - MD5: 5d734e1499a7edb8bebefbeacf13f3a6
  - SHA1: f7b1e4f835c38d12668b426d327118e767d2f1d4
  - SHA256: 6186c46baa8e236fdebedb26cd2bfa10203908db08050d72425f5aca707c18d
  - <pkg:maven/org.eclipse.jetty/jetty-util@12.0.12>
- webserver.zip: jetty-websocket-core-common.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-websocket-core-common.jar
  - MD5: 20da832acd01e26b3c18118534edb9a2
  - SHA1: 5a98e94ecef3d66d04de39f93e3e42f816fcad71
  - SHA256: 1bd5a6285d44ef8eba971081d2e914cd99f4c44056309ba1823ec111da9ebf8e
  - <pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-common@12.0.12>

## Identifiers

- <pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-client@12.0.12> (Confidence: High)

- [cpe:2.3:a:eclipse:jetty:12.0.12:.\\*:.\\*:.\\*:.\\*](#) (Confidence: Highest) suppress
- [cpe:2.3:a:jetty:jetty:12.0.12:.\\*:.\\*:.\\*:.\\*](#) (Confidence: Highest) suppress
- [cpe:2.3:a:mortbay\\_jetty:jetty:12.0.12:.\\*:.\\*:.\\*:.\\*](#) (Confidence: Highest) suppress

## webserver.zip: jetty-websocket-core-server.jar

### Description:

Jetty module for Core :: Websocket :: Server

### License:

EPL-2.0 OR Apache-2.0

<https://www.eclipse.org/legal/epl-2.0/>, <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-websocket-core-server.jar

**MD5:** af6ab6286006ef413bb421c5622590d3

**SHA1:** 6a65999b7d381e82e1634620cda906b7a9d0d399

**SHA256:** b4fcc308c340e86da8a66962951a0fa77c6e43e601cac47657b3ce184779bf24

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jetty-websocket-core-server	High
Vendor	jar	package name	core	Highest
Vendor	jar	package name	eclipse	Highest
Vendor	jar	package name	jetty	Highest
Vendor	jar	package name	websocket	Highest
Vendor	Manifest	build-jdk-spec	22	Low
Vendor	Manifest	bundle-copyright	Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others.	Low
Vendor	Manifest	bundle-docurl	<a href="https://eclipse.dev/jetty/">https://eclipse.dev/jetty/</a>	Low
Vendor	Manifest	bundle-symbolicname	org.eclipse.jetty.websocket.core.server	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Jetty Project	High
Vendor	Manifest	url	<a href="https://eclipse.dev/jetty/">https://eclipse.dev/jetty/</a>	Low
Vendor	pom	artifactid	jetty-websocket-core-server	Low
Vendor	pom	groupid	org.eclipse.jetty.websocket	Highest
Vendor	pom	name	Core :: Websocket :: Server	High

Vendor	pom	parent-artifactid	jetty-websocket	Low
Product	file	name	jetty-websocket-core-server	High
Product	jar	package name	core	Highest
Product	jar	package name	eclipse	Highest
Product	jar	package name	jetty	Highest
Product	jar	package name	websocket	Highest
Product	Manifest	build-jdk-spec	22	Low
Product	Manifest	bundle-copyright	Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others.	Low
Product	Manifest	bundle-docurl	<a href="https://eclipse.dev/jetty/">https://eclipse.dev/jetty/</a>	Low
Product	Manifest	Bundle-Name	Core :: Websocket :: Server	Medium
Product	Manifest	bundle-symbolicname	org.eclipse.jetty.websocket.core.server	Medium
Product	Manifest	url	<a href="https://eclipse.dev/jetty/">https://eclipse.dev/jetty/</a>	Low
Product	pom	artifactid	jetty-websocket-core-server	Highest
Product	pom	groupid	org.eclipse.jetty.websocket	Highest
Product	pom	name	Core :: Websocket :: Server	High
Product	pom	parent-artifactid	jetty-websocket	Medium
Version	Manifest	Bundle-Version	12.0.12	High
Version	Manifest	Implementation-Version	12.0.12	High
Version	pom	version	12.0.12	Highest

## Related Dependencies



- webserver.zip: jetty-alpn-java-server.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-alpn-java-server.jar
  - MD5: 4f5f0577660d8c96f0ee16c54bf8511a
  - SHA1: 6662cc331cc2ea965a1bacb78a50a75cbaa3b8eb
  - SHA256: d2e1c26aaaf14b146016263c09daa9211ca7b7c92aa76910b8d33e906ed0f80e
  - [pkg:maven/org.eclipse.jetty/jetty-alpn-java-server@12.0.12](https://mvnrepository.com/artifact/org.eclipse.jetty/jetty-alpn-java-server/12.0.12)
- webserver.zip: jetty-alpn-server.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-alpn-server.jar
  - MD5: 2c9a20bf0156af39a799fd0ecde88420
  - SHA1: 6d085e4184e529e6b754f867bfd701e8cb104c86
  - SHA256: ba6189e0a8dac7bd4f6f9890182bde60081423de9cdbce60b4e8eace6bc70cba
  - [pkg:maven/org.eclipse.jetty/jetty-alpn-server@12.0.12](https://mvnrepository.com/artifact/org.eclipse.jetty/jetty-alpn-server/12.0.12)
- webserver.zip: jetty-ee8-websocket-javax-server.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-ee8-websocket-javax-server.jar
  - MD5: 3e98eee51a960701b7c87564f229a436

- SHA1: e57dbd4da3a12d77e9325eb8b5148a34231beae9
- SHA256: 579db39444208632eb4d470ba119d262c78f933787475c8de1fbc16ed80776f9
- [pkg:maven/org.eclipse.jetty.ee8.websocket/jetty-ee8-websocket-javax-server@12.0.12](https://pkg:maven/org.eclipse.jetty.ee8.websocket/jetty-ee8-websocket-javax-server@12.0.12)
- webserver.zip: jetty-ee8-websocket-jetty-server.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-ee8-websocket-jetty-server.jar
  - MD5: bba9b709fd47d2971fb6cce32e1773f3
  - SHA1: e9ecbeae29773aa48d0e276ea5366dbfd0e27484
  - SHA256: 9b8336fe6d7876e5273e70aac255f2882c61972e0c8330912836cfdeb0cb5117
  - [pkg:maven/org.eclipse.jetty.ee8.websocket/jetty-ee8-websocket-jetty-server@12.0.12](https://pkg:maven/org.eclipse.jetty.ee8.websocket/jetty-ee8-websocket-jetty-server@12.0.12)
- webserver.zip: jetty-http2-server.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-http2-server.jar
  - MD5: 5e82e0f6925d6c888ea54d64384ac50e
  - SHA1: faf5cb0fc244ea41ab003c9250093bcd4461b9d5
  - SHA256: 253782cd070553a7e97ba7e114ee9e7d9cf835ab0282ebca6c57d0465a4f60fa
  - [pkg:maven/org.eclipse.jetty.http2/jetty-http2-server@12.0.12](https://pkg:maven/org.eclipse.jetty.http2/jetty-http2-server@12.0.12)
- webserver.zip: jetty-server.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-server.jar
  - MD5: 015e76b0d3f29dc9a7f1d76da93f258a
  - SHA1: 77591ab10113d7de7eb8a01bb4d9d23b234aebd1
  - SHA256: 299b992e50c7d9871b450fa33aa0e36d5641218ae10ffbf4449f59d845fe2e22
  - [pkg:maven/org.eclipse.jetty/jetty-server@12.0.12](https://pkg:maven/org.eclipse.jetty/jetty-server@12.0.12)

## Identifiers

- [pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-server@12.0.12](https://pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-server@12.0.12) ( *Confidence:High* )
- [cpe:2.3:a:eclipse:jetty:12.0.12:\\*:\\*:\\*:\\*](https://cpe:2.3:a:eclipse:jetty:12.0.12:*:*:*:*:*) ( *Confidence:Highest* ) suppress
- [cpe:2.3:a:jetty:jetty:12.0.12:\\*:\\*:\\*](https://cpe:2.3:a:jetty:jetty:12.0.12:*:*:*:*) ( *Confidence:Highest* ) suppress
- [cpe:2.3:a:jetty:jetty\\_http\\_server:12.0.12:\\*:\\*:\\*](https://cpe:2.3:a:jetty:jetty_http_server:12.0.12:*:*:*:*) ( *Confidence:Low* ) suppress
- [cpe:2.3:a:mortbay\\_jetty:jetty:12.0.12:\\*:\\*:\\*](https://cpe:2.3:a:mortbay:jetty:jetty:12.0.12:*:*:*:*) ( *Confidence:Highest* ) suppress

## webserver.zip: jose4j.jar

### Description:

The jose.4.j library is a robust and easy to use open source implementation of JSON Web Token (JWT) and the JOSE specification suite (JWS, JWE, and JWK).

It is written in Java and relies solely on the JCA APIs for cryptography.

Please see [https://bitbucket.org/b\\_c/jose4j/wiki/Home](https://bitbucket.org/b_c/jose4j/wiki/Home) for more info, examples, etc..

### License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jose4j.jar  
**MD5:** f57cb91efc5beaa940029f5515a888c2  
**SHA1:** 357a3836bb5da16f314f3a1e954518e5468cd915  
**SHA256:** 7314af50cde9c99e8eaf43eee617a23edcc6bb43036221064355094999d837ef  
**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jose4j	High
Vendor	jar	package name	jca	Highest
Vendor	jar	package name	jose4j	Highest
Vendor	jar	package name	json	Highest
Vendor	jar	package name	jwe	Highest
Vendor	jar	package name	jwk	Highest
Vendor	jar	package name	jws	Highest
Vendor	jar	package name	jwt	Highest
Vendor	jar	package name	use	Highest
Vendor	Manifest	automatic-module-name	org.jose4j	Medium
Vendor	Manifest	bundle-symbolicname	org.bitbucket.b_c.jose4j	Medium
Vendor	pom	artifactid	jose4j	Low
Vendor	pom	developer email	brian.d.campbell@gmail.com	Low
Vendor	pom	developer name	Brian Campbell	Medium
Vendor	pom	groupid	org.bitbucket.b_c	Highest
Vendor	pom	name	jose4j	High
Vendor	pom	url	https://bitbucket.org/b_c/jose4j/	Highest
Product	file	name	jose4j	High
Product	jar	package name	jca	Highest
Product	jar	package name	jose4j	Highest
Product	jar	package name	json	Highest
Product	jar	package name	jwe	Highest
Product	jar	package name	jwk	Highest
Product	jar	package name	jws	Highest
Product	jar	package name	jwt	Highest
Product	jar	package name	use	Highest
Product	Manifest	automatic-module-name	org.jose4j	Medium

Product	Manifest	Bundle-Name	jose4j	Medium
Product	Manifest	bundle-symbolicname	org.bitbucket.b_c.jose4j	Medium
Product	pom	artifactid	jose4j	Highest
Product	pom	developer email	brian.d.campbell@gmail.com	Low
Product	pom	developer name	Brian Campbell	Low
Product	pom	groupid	org.bitbucket.b_c	Highest
Product	pom	name	jose4j	High
Product	pom	url	https://bitbucket.org/b_c/jose4j/	Medium
Version	Manifest	Bundle-Version	0.9.6	High
Version	pom	version	0.9.6	Highest

### Identifiers

- [pkg:maven/org.bitbucket.b\\_c/jose4j@0.9.6](#) (*Confidence:High*)
- [cpe:2.3:a:jose4j\\_project:jose4j:0.9.6:\\*.~\\*~\\*~\\*~\\*~\\*~\\*](#) (*Confidence:Highest*)

suppress

## webserver.zip: webserver.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/webserver.jar

**MD5:** c19f2066ae50d633bf22d0e04c6ab849

**SHA1:** b5cc6670b712b84ac83f80a14d882b1fdd929772

**SHA256:** 5782f3182350d3c1b1ff0209933fe56d3c34b1873edb2b30511d622f916dee25

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	webserver	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	webserver	Low
Vendor	Manifest	built-date	2024-11-16 12:50	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium

Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	webserver	High
Product	jar	package name	webserver	Highest
Product	jar	package name	webserver	Low
Product	Manifest	built-date	2024-11-16 12:50	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	webserver	High
Product	Manifest	specification-title	webserver	Medium
Version	Manifest	Implementation-Version	24.10.221	High

### Identifiers

- None

## Suppressed Vulnerabilities



### cowork.zip: cowork-javadoc.jar: jquery-ui.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork-javadoc.jar/script-dir/jquery-ui.min.js  
**MD5:** 32059df39c14a910ccc2325f6a3cd62f  
**SHA1:** d3289f1b527a3f054d303ec769402e037fbfcf4b  
**SHA256:** 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jquery-ui	High
Product	file	name	jquery-ui	High
Version	file	version	1.13.1	High

### Related Dependencies





- maintenance.zip: maintenance-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance-javadoc.jar/script-dir/jquery-ui.min.js
  - MD5: 32059df39c14a910ccc2325f6a3cd62f
  - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
  - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
- reporting.zip: reporting-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting-javadoc.jar/script-dir/jquery-ui.min.js
  - MD5: 32059df39c14a910ccc2325f6a3cd62f
  - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
  - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/script-dir/jquery-ui.min.js
  - MD5: 32059df39c14a910ccc2325f6a3cd62f
  - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
  - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
- taskplanner.zip: taskplanner-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner-javadoc.jar/script-dir/jquery-ui.min.js
  - MD5: 32059df39c14a910ccc2325f6a3cd62f
  - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
  - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424

### Suppressed Identifiers

- None

### Suppressed Vulnerabilities



#### [CVE-2022-31160](#) suppressed

jQuery UI is a curated set of user interface interactions, effects, widgets, and themes built on top of jQuery. Versions prior to 1.13.2 are potentially vulnerable to cross-site scripting. Initializing a checkboxradio widget on an input enclosed within a label makes that parent label contents considered as the input label. Calling `.checkboxradio("refresh")` on such a widget and the initial HTML contained encoded HTML entities will make them erroneously get decoded. This can lead to potentially executing JavaScript code. The bug has been patched in jQuery UI 1.13.2. To remediate the issue, someone who can change the initial HTML can wrap all the non-input contents of the `label` in a `span`.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-h6gj-6jjq-h8g9>
- info - <https://github.com/jquery/jquery-ui/commit/8cc5bae1caa1fcf96bf5862c5646c787020ba3f9>

- info - <https://github.com/jquery/jquery-ui/issues/2101>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2022-31160>
- security-advisories@github.com - [EXPLOIT,MITIGATION,RELEASE\\_NOTES,THIRD\\_PARTY\\_ADVISORY](#)
- security-advisories@github.com - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- security-advisories@github.com - [PATCH,THIRD\\_PARTY\\_ADVISORY](#)
- security-advisories@github.com - [RELEASE\\_NOTES,VENDOR\\_ADVISORY](#)
- security-advisories@github.com - [THIRD\\_PARTY\\_ADVISORY](#)
- security-advisories@github.com - [THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:jquery\_ui\_checkboxradio:8.x-1.0:\*:\*:\*:\*:drupal:\*:\*
- cpe:2.3:a:drupal:jquery\_ui\_checkboxradio:8.x-1.1:\*:\*:\*:\*:drupal:\*:\*
- cpe:2.3:a:drupal:jquery\_ui\_checkboxradio:8.x-1.2:\*:\*:\*:\*:drupal:\*:\*
- cpe:2.3:a:drupal:jquery\_ui\_checkboxradio:8.x-1.3:\*:\*:\*:\*:drupal:\*:\*
- cpe:2.3:a:jqueryui:jquery\_ui:\*:\*:\*:\*:jquery:\*:\* versions up to (excluding) 1.13.2
- cpe:2.3:a:netapp:oncommand\_insight:\*:\*:\*:\*:\*

### remotegui.zip: angular-animate.jar: angular-animate.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/angular-animate.js

**MD5:** 31312b87e7226c8bf0714fcef0ea5d18

**SHA1:** dc9fb55f2c7f922c5ba83449266239ba1353db45

**SHA256:** 58e79e0e7cbb1e1502d216701e1fae41c405d92320aea1b68a223054096fda93

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

#### Suppressed Identifiers

- None

#### Suppressed Vulnerabilities

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER\_FORMATS.PATTERNS[1].posPre with a very high value.  
**Note:** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

## CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap\_select\_deploy\_administration\_utility:-:\*:\*:\*:\*:\*

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to `@angular/core` (<https://www.npmjs.com/package/@angular/core>).

## CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:\*:\*:\*:\*:node.js:\* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of `<textarea>` elements.

## CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN\\_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2qqx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST\\_THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here <https://docs.angularjs.org/misc/version-support-status> .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:\*:\*:\*:\*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:\*:\*:\*:\*

#### [CVE-2024-8373](#) suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqgm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions up to (excluding) 1.9.6

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS)** suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

## remotegui.zip: angular-animate.jar: angular-animate.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/angular-animate.min.js

**MD5:** 5d2d0f42bb7e1b5503e914674f59dad0

**SHA1:** 4c15a58541e53c451c6f946d2048104f88b833c7

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER\_FORMATS.PATTERNS[1].posPre with a very high value.  
\*\*Note:\*\* 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap\_select\_deploy\_administration\_utility:-:\*:\*:\*:\*:\*

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of



service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to `@angular/core` (<https://www.npmjs.com/package/@angular/core>).

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:\*:\*:\*:\*:node.js:\* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of `<textarea>` elements.

#### CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN\\_LINK](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the `angular.copy()` utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:



- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2gqx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:\* versions from (including) 1.4.9; versions up to (including) 1.8.3

#### [CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:\*:\*:\*:\*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:\*:\*:\*:\*

#### [CVE-2024-8373](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>

- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions up to (excluding) 1.9.6

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS)** suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

## remotegui.zip: angular-cookies.jar: angular-cookies.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.js

**MD5:** e17187aea1f0e6dbd25722e34b754915

**SHA1:** 20f43f716b9fef7d72537bc1b0e5aa2bc480cee5

**SHA256:** f3291c552042f6d0c500167769912a78ab3ecec9917128b2d6ea8e7c6714bb97

**Referenced In Project/Scope:** server

### Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

### Suppressed Identifiers

- None

### Suppressed Vulnerabilities -

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in

posPre: ' '.repeat() of NUMBER\_FORMATS.PATTERNS[1].posPre with a very high value.  
\*\*Note:\*\* 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

##### CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

##### CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

##### References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

##### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap\_select\_deploy\_administration\_utility:\*:\*:\*:\*:\*

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. \*\*Note:\*\* This package is EOL and will not receive any updates to address this issue. Users should migrate to [@angular/core](https://www.npmjs.com/package/@angular/core).

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

##### CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

##### References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

##### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

#### CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN\\_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*.\*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*.\* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2qqx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)

- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

#### References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

#### Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

#### CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

#### References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:\*:\*:\*:\*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:\*:\*:\*:\*

[CVE-2024-8373](#) suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects all versions of AngularJS.

#### Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

#### References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions up to (excluding) 1.9.6

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS)** suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

#### Unscored:

- Severity: low

#### References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

#### Vulnerable Software & Versions (RETIREJS):

**remotegui.zip: angular-cookies.jar: angular-cookies.min.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-



cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.min.js  
MD5: c41aff8423276d46f0d02de6dcb71524  
SHA1: 7dc53f75d5bf7dd2c770cb50f31242c70193c086  
SHA256: 926509b494009bea03288bba191a2b238032188e9112377e50fbfe7814c6639b  
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER\_FORMATS.PATTERNS[1].posPre with a very high value.  
\*\*Note:\*\* 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap\_select\_deploy\_administration\_utility:\*:\*:\*:\*:\*:

[CVE-2024-21490](#) suppressed



This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [angular/core](https://www.npmjs.com/package/@angular/core).

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:\*:\*:\*:\*:node.js:\* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

#### CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN\\_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)

- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

#### References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

#### References:

- info - <https://github.com/advisories/GHSA-2qgx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

#### References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)

- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:\* versions from (including) 1.4.9; versions up to (including) 1.8.3

#### [CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

#### Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here <https://docs.angularjs.org/misc/version-support-status> .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

#### References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:\*:\*:\*:\*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:\*:\*:\*:\*

#### [CVE-2024-8373](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects all versions of AngularJS.

#### Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here <https://docs.angularjs.org/misc/version-support-status> .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

#### References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>

- info - <https://github.com/advisories/GHSA-mqmq9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions up to (excluding) 1.9.6

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS)** suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

## remotegui.zip: angular-sanitize.jar: angular-sanitize.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.js

**MD5:** 0127d7a139abfc8bd45875a9c8ea6348

**SHA1:** 197aea2acc25a0fa821766400950cac58a3627a5

**SHA256:** c84c65250afe5a1265f36a7e16c6010652e55c2ae3a779c351fb68536c42bf64

**Referenced In Project/Scope:** server

### Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

### Suppressed Identifiers

- None

### Suppressed Vulnerabilities —

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER\_FORMATS.PATTERNS[1].posPre with a very high value. **Note:** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

#### CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

#### CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

#### References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap\_select\_deploy\_administration\_utility:-:\*:\*:\*:\*:\*

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [angular/core](https://www.npmjs.com/package/@angular/core).

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

#### References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:\*:\*:\*:\*:node.js:\* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

## CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN\\_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2qqx-w9hr-q5gx>

- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here <https://docs.angularjs.org/misc/version-support-status> .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>



- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:\*:\*:\*:\*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:\*:\*:\*:\*

**CVE-2024-8373** suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects all versions of AngularJS.

#### Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

#### References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions up to (excluding) 1.9.6

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS)** suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

#### Unscored:

- Severity: low

#### References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

#### Vulnerable Software & Versions (RETIREJS):

remotegui.zip: angular-sanitize.jar: angular-sanitize.min.js



**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.min.js  
**MD5:** f3c62abeec216e9431e7d5b22d8e813b  
**SHA1:** 21355ef18c5e1ce2b2c711b9dba21cbea0655646  
**SHA256:** cc80a30ad0439c2e9c209b3d7fcffb1d10e6007fd1d00c9cc144f393664a7045  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER\_FORMATS.PATTERNS[1].posPre with a very high value.  
**\*\*Note:\*\*** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*node.js:\*:\* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap\_select\_deploy\_administration\_utility:\*:\*:\*:\*:\*

## [CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to `@angular/core` (<https://www.npmjs.com/package/@angular/core>).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:\*:\*:\*:\*:node.js:\* versions from (including) 1.3.0

## [CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of `<textarea>` elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN\\_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*

## [CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the `angular.copy()` utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2qqx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>

- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:\* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:\*:\*:\*:\*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:\*:\*:\*:\*

[CVE-2024-8373](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

#### References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions up to (excluding) 1.9.6

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS)** suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

#### Unscored:

- Severity: low

#### References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

#### Vulnerable Software & Versions (RETIREJS):

## remotegui.zip: angular.jar

### Description:

WebJar for angular

### License:

MIT

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular.jar

**MD5:** f339a9a66a64c67eebb21ec3b251dfc6

**SHA1:** cff4aee339a9ca4ae2f095079930edeaad6a94ee

**SHA256:** a997eb40987ddb5d3bf64adf3d33afc3ac2b1eb2e7255b5203a387f8097cd0

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angular	High
Vendor	pom	artifactid	angular	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest

Vendor	pom	name	angular	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	angular	High
Product	pom	artifactid	angular	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	angular	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	1.8.3	Highest

### Suppressed Identifiers

- None

### Suppressed Vulnerabilities



#### CVE-2021-4231 (OSSINDEX) suppressed

A vulnerability was found in Angular up to 11.0.4/11.1.0-next.2. It has been classified as problematic. Affected is the handling of comments. The manipulation leads to cross site scripting. It is possible to launch the attack remotely but it might require an authentication first. Upgrading to version 11.0.5 and 11.1.0-next.3 is able to address this issue. The name of the patch is ba8da742e3b243e8f43d4c63aa842b44e14f2b09. It is recommended to upgrade the affected component.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2021-4231> for details

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.400000095367432)
- CVSS:3.1/AV:N/AC:L/PR:L/UI:R/S:C/C:L/I:L/A:N

References:

- OSSINDEX - [\[CVE-2021-4231\] CWE-79: Improper Neutralization of Input During Web Page Generation \('Cross-site Scripting'\)](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2021-4231>
- OSSIndex - <https://github.com/angular/angular/pull/40136>
- OSSIndex - <https://github.com/angular/angular/pull/40525>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.npm:angular:1.8.3:\*:\*:\*:\*:\*

#### CVE-2023-26116 (OSSINDEX) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.300000190734863)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:

- OSSINDEX - [\[CVE-2023-26116\] CWE-1333](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2023-26116>
- OSSIndex - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- OSSIndex - <https://stackblitz.com/edit/angularjs-vulnerability-angular-copy-redos?file=index.js>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.npm:angular:1.8.3:\*.~\*~\*~\*~\*~\*~\*

**CVE-2023-26118** (OSSINDEX) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2023-26118> for details

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.300000190734863)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:

- OSSINDEX - [\[CVE-2023-26118\] CWE-1333](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2023-26118>
- OSSIndex - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- OSSIndex - <https://stackblitz.com/edit/angularjs-vulnerability-inpur-url-validation-redos?file=index.js>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.npm:angular:1.8.3:\*.~\*~\*~\*~\*~\*~\*

**remotegui.zip: angular.jar: angular.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular.jar  
/META-INF/resources/webjars/angular/1.8.3/angular.js  
**MD5:** e09f650a016c24bc1b5a1edc93bfbade  
**SHA1:** 0f1f7445b761b9bbd5385f9f0b316dbf1ca48696

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER\_FORMATS.PATTERNS[1].posPre with a very high value.  
\*\*Note:\*\* 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap\_select\_deploy\_administration\_utility:-:\*:\*:\*:\*:\*

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of



service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [angular/core](https://www.npmjs.com/package/@angular/core).

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:\*:\*:\*:\*:node.js:\* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

#### CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN\\_LINK](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2gqx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:\* versions from (including) 1.4.9; versions up to (including) 1.8.3

#### [CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:\*:\*:\*:\*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:\*:\*:\*:\*

#### [CVE-2024-8373](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>

- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions up to (excluding) 1.9.6

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS)** suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

## remotegui.zip: angular.jar: angular.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/angular.min.js

**MD5:** 967a32633fa8f38f4ac3376c1a37b992

**SHA1:** b53b74d8e0b732dcdb98fbe521146b88299ea2f1

**SHA256:** 396dc1a03d6cc02e9c51a80246e0db53c5c8df9bd07287e3b51bce4a29dab355

**Referenced In Project/Scope:** server

### Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

### Suppressed Identifiers

- None

### Suppressed Vulnerabilities -

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in

posPre: ' '.repeat() of NUMBER\_FORMATS.PATTERNS[1].posPre with a very high value.  
\*\*Note:\*\* 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

##### CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

##### CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

##### References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

##### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap\_select\_deploy\_administration\_utility:-:\*:\*:\*:\*:\*

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. \*\*Note:\*\* This package is EOL and will not receive any updates to address this issue. Users should migrate to [@angular/core](https://www.npmjs.com/package/@angular/core).

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

##### CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

##### References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

##### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

#### CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN\\_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*.\*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*.\* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2qqx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)

- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

#### References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

#### Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here <https://docs.angularjs.org/misc/version-support-status> .

#### CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

#### References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>



#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:\*:\*:\*:\*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:\*:\*:\*:\*

[CVE-2024-8373](#) suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects all versions of AngularJS.

#### Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

#### References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions up to (excluding) 1.9.6

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS)** suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

#### Unscored:

- Severity: low

#### References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

## remotegui.zip: bootstrap.jar

### Description:



License:

Apache License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/bootstrap.jar  
**MD5:** ba2f9da2c1fece5ff121e8abc385475  
**SHA1:** 2c6a8508a4f1484abcaf334cf2fe3df97cf93eac  
**SHA256:** 90fdaa23fb3a9cbce04f4c51699312ab1f1fae2d70c0d1a84541b7e9a76e6e54  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	bootstrap	High
Vendor	pom	artifactid	bootstrap	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	Bootstrap	High
Vendor	pom	url	<a href="http://webjars.org">http://webjars.org</a>	Highest
Product	file	name	bootstrap	High
Product	pom	artifactid	bootstrap	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	Bootstrap	High
Product	pom	url	<a href="http://webjars.org">http://webjars.org</a>	Medium
Version	pom	version	3.4.1	Highest

Related Dependencies

- theme.zip: bootstrap.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/theme.zip/bootstrap.jar
  - MD5: ba2f9da2c1fece5ff121e8abc385475
  - SHA1: 2c6a8508a4f1484abcaf334cf2fe3df97cf93eac
  - SHA256: 90fdaa23fb3a9cbce04f4c51699312ab1f1fae2d70c0d1a84541b7e9a76e6e54

## Suppressed Identifiers

- None

## Suppressed Vulnerabilities



### CVE-2024-6484 (OSSINDEX) suppressed

A vulnerability has been identified in Bootstrap that exposes users to Cross-Site Scripting (XSS) attacks. The issue is present in the carousel component, where the data-slide and data-slide-to attributes can be exploited through the href attribute of an <a> tag due to inadequate sanitization. This vulnerability could potentially enable attackers to execute arbitrary JavaScript within the victim's browser.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2024-6484> for details

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: file name: remotegui.zip: bootstrap.jar We are in the process of migrating required functions into a custom framework.

CVSSv2:

- Base Score: LOW (2.299999952316284)
- Vector: CVSS:4.0/AV:N/AC:H/AT:N/PR:N/UI:P/VC:N/VI:N/VA:N/SC:L/SI:L/SA:N

References:

- OSSINDEX - [\[CVE-2024-6484\] CWE-79: Improper Neutralization of Input During Web Page Generation \('Cross-site Scripting'\)](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2024-6484>
- OSSIndex - <https://github.com/advisories/GHSA-9mvj-f7w8-pvh2>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars:bootstrap:3.4.1:\*:\*:\*:\*:\*

### CVE-2024-6531 (OSSINDEX) suppressed

A vulnerability has been identified in Bootstrap that exposes users to Cross-Site Scripting (XSS) attacks. The issue is present in the carousel component, where the data-slide and data-slide-to attributes can be exploited through the href attribute of an <a> tag due to inadequate sanitization. This vulnerability could potentially enable attackers to execute arbitrary JavaScript within the victim's browser.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2024-6531> for details

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: file name: remotegui.zip: bootstrap.jar We are in the process of migrating required functions into a custom framework.

CVSSv2:

- Base Score: LOW (2.299999952316284)
- Vector: CVSS:4.0/AV:N/AC:H/AT:N/PR:N/UI:P/VC:N/VI:N/VA:N/SC:L/SI:L/SA:N

References:

- OSSINDEX - [\[CVE-2024-6531\] CWE-79: Improper Neutralization of Input During Web Page Generation \('Cross-site Scripting'\)](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2024-6531>
- OSSIndex - <https://www.tenable.com/cve/CVE-2024-6531>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars:bootstrap:3.4.1:\*:\*:\*:\*:\*

CVE-2024-6485 (OSSINDEX) suppressed

A security vulnerability has been discovered in bootstrap that could enable Cross-Site Scripting (XSS) attacks. The vulnerability is associated with the data-loading-text attribute within the button plugin. This vulnerability can be exploited by injecting malicious JavaScript code into the attribute, which would then be executed when the button's loading state is triggered.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: file name: remotegui.zip: bootstrap.jar We are in the process of migrating required functions into a custom framework.

CVSSv2:

- Base Score: LOW (2.0999999046325684)
- Vector: CVSS:4.0/AV:N/AC:H/AT:N/PR:N/UI:A/VC:N/VI:N/VA:N/SC:L/SI:L/SA:N

References:

- OSSINDEX - [\[CVE-2024-6485\] CWE-79: Improper Neutralization of Input During Web Page Generation \('Cross-site Scripting'\)](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2024-6485>
- OSSIndex - <https://www.herodevs.com/vulnerability-directory/cve-2024-6485>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars:bootstrap:3.4.1:\*:\*:\*:\*:\*

remotegui.zip: echo2-app.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echo2-app.jar  
**MD5:** 6524d488cd7402977af43d02a32e52ce  
**SHA1:** b4445286d07023c764ed9d02092fd76733f19fe4  
**SHA256:** 8cebf7a13bdc5a671d1b659ff05faed1e1d68e95813ad52597718fef38746556  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	echo2-app	High
Vendor	jar	package name	app	Low
Vendor	jar	package name	echo2	Low
Vendor	jar	package name	nextapp	Low
Product	file	name	echo2-app	High
Product	jar	package name	app	Low
Product	jar	package name	echo2	Low
Version	file	name	echo2-app	Medium

Version	file	version	2	Medium
---------	------	---------	---	--------

## Related Dependencies

- remotegui.zip: echo2-webcontainer.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echo2-webcontainer.jar
  - MD5: 783b5f05163587c4d19ce43977f564ec
  - SHA1: e401d4249ef1bdd399f6fee652bf1120a48b5882
  - SHA256: 4b4e1d96c4b304d6bbbbbfebd4ccdb85bc7c05070a93388e652d7331bc72d9119
- remotegui.zip: echo2-webrenderer.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echo2-webrenderer.jar
  - MD5: cf2fcfc745ac1f7374007788b8fb30e3
  - SHA1: 8c912e8ce2e23407058bf8f55a6d68e2d4737f7d
  - SHA256: 72851edfb13406ec61dee6eeb347c5c8640244b80a89f3ed75a15d925caaad2c

## Suppressed Identifiers

- None

## Suppressed Vulnerabilities

### [CVE-2009-5135](#) suppressed

The Java XML parser in Echo before 2.1.1 and 3.x before 3.0.b6 allows remote attackers to read arbitrary files via a request containing an external entity declaration in conjunction with an entity reference, related to an XML External Entity (XXE) issue.

CWE-20 Improper Input Validation

Notes: Ignore echo2 apps, because we are using v2.1.1 which is the latest applicable. But the official libs do not have version number.

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:P/I:N/A:N

References:

- psirt@us.ibm.com - [EXPLOIT](#)
- psirt@us.ibm.com - [EXPLOIT](#)
- psirt@us.ibm.com - [VENDOR\\_ADVISORY](#)
- psirt@us.ibm.com - [VENDOR\\_ADVISORY](#)

Vulnerable Software & Versions: ([show all](#))

- [cpe:2.3:a:nextapp:echo:\\*:rc5:\\*:\\*:\\*:\\* versions up to \(including\) 2.1.0](#)
- ...
- [cpe:2.3:a:nextapp:echo:\\*:rc5:\\*:\\*:\\*:\\* versions up to \(including\) 2.1.0](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha1:\\*:\\*:\\*:\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha10:\\*:\\*:\\*:\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha11:\\*:\\*:\\*:\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha12:\\*:\\*:\\*:\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha13:\\*:\\*:\\*:\\*](#)

- [cpe:2.3:a:nextapp:echo:2.0:alpha14:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha15:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha16:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha2:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha3:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha4:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha5:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha6:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha7:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha8:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha9:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:beta1:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:beta2:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:beta3:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:beta4:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc1:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc2:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc3:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc4:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc5:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc6:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc7:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0.1:test1:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0.1:test2:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0.1:test3:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:beta1:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:beta2:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:beta3:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:beta4:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:beta5:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:rc1:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:rc2:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:rc3:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:rc4:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:3.0:beta1:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:3.0:beta2:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:3.0:beta3:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:3.0:beta4:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:3.0:beta5:\\*\\*\\*\\*\\*](#)

## remotegui.zip: echo2extras-app.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echo2extras-app.jar

**MD5:** e1ba37ba20c3021c38e362cac081d986

**SHA1:** 64e7748149ca2af54ee693c8e232343d64c1b966

**SHA256:** ad4489475b3c77aeeb62ec1c1bc211c8659b84649fdb1e72f4ee6e005b21e37b

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	echo2extras-app	High
Vendor	jar	package name	echo2	Low
Vendor	jar	package name	extras	Low

Vendor	jar	package name	nextapp	Low
Product	file	name	echo2extras-app	High
Product	jar	package name	app	Low
Product	jar	package name	echo2	Low
Product	jar	package name	extras	Low
Version	file	name	echo2extras-app	Medium
Version	file	version	2	Medium

### Related Dependencies

- remotegui.zip: echo2extras-webcontainer.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/echo2extras-webcontainer.jar
  - MD5: df488c27f775875afc2efa1ba1a14778
  - SHA1: 8b9c1d082e3baac3daea4821cd6fb56116c44c7a
  - SHA256: 50dabd57f50caf8df7d1fced59f7285d7b6179c47bf9b22aae7e7ee1d62e62c0

### Suppressed Identifiers

- None

### Suppressed Vulnerabilities

#### [CVE-2009-5135](#) suppressed

The Java XML parser in Echo before 2.1.1 and 3.x before 3.0.b6 allows remote attackers to read arbitrary files via a request containing an external entity declaration in conjunction with an entity reference, related to an XML External Entity (XXE) issue.

CWE-20 Improper Input Validation

Notes: Ignore echo2 apps, because we are using v2.1.1 which is the latest applicable. But the official libs do not have version number.

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:P/I:N/A:N

References:

- psirt@us.ibm.com - [EXPLOIT](#)
- psirt@us.ibm.com - [EXPLOIT](#)
- psirt@us.ibm.com - [VENDOR\\_ADVISORY](#)
- psirt@us.ibm.com - [VENDOR\\_ADVISORY](#)

Vulnerable Software & Versions: ([show all](#))

- [cpe:2.3:a:nextapp:echo:\\*.rc5:\\*.~\\*~\\*~\\*~\\*~\\* versions up to \(including\) 2.1.0](#)
- ...
- [cpe:2.3:a:nextapp:echo:\\*.rc5:\\*.~\\*~\\*~\\*~\\*~\\* versions up to \(including\) 2.1.0](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha1:~\\*~\\*~\\*~\\*~\\*](#)

- [cpe:2.3:a:nextapp:echo:2.0:alpha10:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha11:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha12:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha13:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha14:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha15:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha16:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha2:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha3:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha4:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha5:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha6:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha7:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha8:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha9:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:beta1:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:beta2:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:beta3:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:beta4:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc1:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc2:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc3:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc4:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc5:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc6:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc7:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0.1:test1:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0.1:test2:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0.1:test3:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:beta1:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:beta2:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:beta3:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:beta4:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:beta5:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:rc1:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:rc2:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:rc3:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:rc4:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:3.0:beta1:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:3.0:beta2:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:3.0:beta3:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:3.0:beta4:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:3.0:beta5:\\*\\*\\*\\*\\*](#)

## remotegui.zip: jquery.jar

### Description:

WebJar for jQuery

### License:

MIT License: <https://github.com/jquery/jquery/blob/master/MIT-LICENSE.txt>

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/jquery.jar

**MD5:** 4af65e569248d8a2411f66498d720280

**SHA1:** c3dc40b1b5f24c56afa36fd9a463bb9f378ac4ab

**SHA256:** de28c4da0ea9f16101352dd3582ec8021ee5e2de5f45104ca171876003d54db6

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jquery	High
Vendor	pom	artifactid	jquery	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	jquery	High
Vendor	pom	url	http://webjars.org	Highest
Product	file	name	jquery	High
Product	pom	artifactid	jquery	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	jquery	High
Product	pom	url	http://webjars.org	Medium
Version	pom	version	2.2.4	Highest

## Suppressed Identifiers

- None

## Suppressed Vulnerabilities



**CVE-2016-10707** (OSSINDEX) suppressed

jquery - Uncontrolled Resource Consumption

The software does not properly restrict the size or amount of resources that are requested or influenced by an actor, which can be used to consume more resources than intended.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2016-10707> for details

CWE-400 Uncontrolled Resource Consumption

Notes: file name: remotegui.jar: jquery.min.js - We can not yet upgrade to a newer version due to dependencies. We do, however, not directly use the functionality that is being CVEd

CVSSv3:



- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

References:

- OSSINDEX - [\[CVE-2016-10707\] CWE-400: Uncontrolled Resource Consumption \('Resource Exhaustion'\)](#)
- OSSIndex - <https://github.com/advisories/GHSA-mhpp-875w-9cpv>
- OSSIndex - <https://github.com/jquery/jquery/issues/3133>
- OSSIndex - <https://github.com/jquery/jquery/issues/3371>
- OSSIndex - <https://github.com/jquery/jquery/pull/2916>
- OSSIndex - <https://github.com/jquery/jquery/pull/3134>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars:jquery:2.2.4:\*:\*:\*:\*:\*

**CVE-2019-11358** (OSSINDEX) suppressed

jQuery before 3.4.0, as used in Drupal, Backdrop CMS, and other products, mishandles jQuery.extend(true, {}, ...) because of Object.prototype pollution. If an unsanitized source object contained an enumerable \_\_proto\_\_ property, it could extend the native Object.prototype.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2019-11358> for details

CWE-1321 Improperly Controlled Modification of Object Prototype Attributes ('Prototype Pollution')

Notes: file name: remotegui.jar: jquery.min.js - We can not yet upgrade to a newer version due to dependencies. We do, however, not directly use the functionality that is being CVEd

CVSSv3:

- MEDIUM (6.0999999904632568)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- OSSINDEX - [\[CVE-2019-11358\] CWE-1321](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2019-11358>
- OSSIndex - <https://blog.jquery.com/2019/04/10/jquery-3-4-0-released/>
- OSSIndex - <https://github.com/cbeust/testng/issues/2150>
- OSSIndex - <https://github.com/jquery/jquery/pull/4333>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars:jquery:2.2.4:\*:\*:\*:\*:\*

**CVE-2020-11023** (OSSINDEX) suppressed

In jQuery versions greater than or equal to 1.0.3 and before 3.5.0, passing HTML containing <option> elements from untrusted sources - even after sanitizing it - to one of jQuery's DOM manipulation methods (i.e. .html(), .append(), and others) may execute untrusted code. This problem is patched in jQuery 3.5.0.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: file name: remotegui.jar: jquery.min.js - We can not yet upgrade to a newer version due to dependencies. We do, however, not directly use the functionality that is being CVEd

CVSSv3:

- MEDIUM (6.0999999904632568)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- OSSINDEX - [\[CVE-2020-11023\] CWE-79: Improper Neutralization of Input During Web Page Generation \('Cross-site Scripting'\)](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2020-11023>
- OSSIndex - <https://github.com/advisories/GHSA-jpcq-cgw6-v4j6>

- OSSIndex - <https://jquery.com/upgrade-guide/3.5/>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars:jquery:2.2.4:\*:\*:\*:\*:\*

## remotegui.zip: tinymce.jar

### Description:

WebJar for tinymce

### License:

LGPL-2.1

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems  
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar

**MD5:** fd9f87ce352ee6c8d270db931c0e6026

**SHA1:** 9174bcf85629c63f7cc55439ff890bb7893fe451

**SHA256:** 26c357c95e53e0d99f3e2b840194cc7d170a31c85de15c6017de976f60919cd7

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	tinymce	High
Vendor	pom	artifactid	tinymce	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.bower	Highest
Vendor	pom	name	tinymce	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	tinymce	High
Product	pom	artifactid	tinymce	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.bower	Highest
Product	pom	name	tinymce	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	5.10.9	Highest

### Related Dependencies

- remotegui.zip: tinymce-languages.jar

- File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce-languages.jar
- MD5: 47bff91bb6cd602682ddc705ba5872fb
- SHA1: 06c508488e5d6f2ce5c92aa8b3fa165ca871d597
- SHA256: fa2ecf575248fc802677c26f54fd5f23a636d496223e1a654f5d6540f6c36200

### Suppressed Identifiers

- None

### Suppressed Vulnerabilities



#### CVE-2024-38356 (OSSINDEX) suppressed

TinyMCE is an open source rich text editor. A cross-site scripting (XSS) vulnerability was discovered in TinyMCE's content extraction code. When using the `noneditable\_regexp` option, specially crafted HTML attributes containing malicious code were able to be executed when content was extracted from the editor. This vulnerability has been patched in TinyMCE 7.2.0, TinyMCE 6.8.4 and TinyMCE 5.11.0 LTS by ensuring that, when using the `noneditable\_regexp` option, any content within an attribute is properly verified to match the configured regular expression before being added. Users are advised to upgrade. There are no known workarounds for this vulnerability.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2024-38356> for details

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

CVSSv2:

- Base Score: MEDIUM (5.099999904632568)
- Vector: CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:A/VC:N/VI:N/VA:N/SC:L/SI:L/SA:N

References:

- OSSINDEX - [\[CVE-2024-38356\] CWE-79: Improper Neutralization of Input During Web Page Generation \('Cross-site Scripting'\)](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2024-38356>
- OSSIndex - <https://github.com/tinymce/tinymce/security/advisories/GHSA-9hcv-j9pv-gmph>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.bower.tinymce:5.10.9:\*:\*:\*:\*:\*

#### CVE-2024-38357 (OSSINDEX) suppressed

TinyMCE is an open source rich text editor. A cross-site scripting (XSS) vulnerability was discovered in TinyMCE's content parsing code. This allowed specially crafted noscript elements containing malicious code to be executed when that content was loaded into the editor. This vulnerability has been patched in TinyMCE 7.2.0, TinyMCE 6.8.4 and TinyMCE 5.11.0 LTS by ensuring that content within noscript elements are properly parsed. Users are advised to upgrade. There are no known workarounds for this vulnerability.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily

used in non-pulbic way.

CVSSv2:

- Base Score: MEDIUM (5.099999904632568)
- Vector: CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:A/VC:N/VI:N/VA:N/SC:L/SI:L/SA:N

References:

- OSSINDEX - [\[CVE-2024-38357\] CWE-79: Improper Neutralization of Input During Web Page Generation \('Cross-site Scripting'\)](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2024-38357>
- OSSIndex - <https://github.com/tinymce/tinymce/security/advisories/GHSA-w9jx-4g6g-rp7x>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.bower:tinymce:5.10.9:\*:\*:\*:\*:\*

remotegui.zip: tinymce.jar: theme.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar /META-INF/resources/webjars/tinymce/5.10.9/themes/silver/theme.js  
**MD5:** b99cdf5dcb718bb3d31d6c8667ae2462  
**SHA1:** 26d8486e0ec39d27e79b0b37965b28e2b45afb6d  
**SHA256:** 0147750f4214d0acd55cadda52809ac73766443333bb65947c7fe1e0684d85c7  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	DOMPurify	High
Product	file	name	DOMPurify	High
Version	file	version	2.3.8	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities

**CVE-2024-45801** (RETIREJS) suppressed

Notes: DOMPurify can not be updated due to tinyMCE this time. However, there are plans to fully update tinyMCE in the future.

Unscored:

- Severity: high

#### References:

- info - <https://github.com/advisories/GHSA-mmhx-hmjr-r674>
- info - <https://github.com/cure53/DOMPurify>
- info - <https://github.com/cure53/DOMPurify/commit/1e520262bf4c66b5efda49e2316d6d1246ca7b21>
- info - <https://github.com/cure53/DOMPurify/commit/26e1d69ca7f769f5c558619d644d90dd8bf26ebc>
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-mmhx-hmjr-r674>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-45801>

#### Vulnerable Software & Versions (RETIREJS):

**CVE-2024-47875** (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

#### Unscored:

- Severity: high

#### References:

- info - <https://github.com/advisories/GHSA-gx9m-whjm-85jf>
- info - <https://github.com/cure53/DOMPurify>
- info - <https://github.com/cure53/DOMPurify/blob/0ef5e537a514f904b6aa1d7ad9e749e365d7185f/test/test-suite.js#L2098>
- info - <https://github.com/cure53/DOMPurify/commit/0ef5e537a514f904b6aa1d7ad9e749e365d7185f>
- info - <https://github.com/cure53/DOMPurify/commit/6ea80cd8b47640c20f2f230c7920b1f4ce4fdf7a>
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-gx9m-whjm-85jf>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-47875>

#### Vulnerable Software & Versions (RETIREJS):

**CVE-2024-48910** (RETIREJS) suppressed

Notes: DOMPurify can not be updated due to tinyMCE this time. However, there are plans to fully update tinyMCE in the future.

#### Unscored:

- Severity: high

#### References:

- info - <https://github.com/advisories/GHSA-p3vf-v8qc-cwcr>
- info - <https://github.com/cure53/DOMPurify>
- info - <https://github.com/cure53/DOMPurify/commit/d1dd0374caef2b4c56c3bd09fe1988c3479166dc>
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-p3vf-v8qc-cwcr>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-48910>

#### Vulnerable Software & Versions (RETIREJS):

**remotegui.zip: tinymce.jar: tinymce.js**

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar  
/META-INF/resources/webjars/tinymce/5.10.9/tinymce.js  
**MD5:** f7a8350f10f92d58a952e1feb0d28f2c

SHA1: d3ecc2861e41722d51e1ede38da5ead47a530c14  
SHA256: a78ee6bd10002d050a314768a523533144228f654d80571a8ed28ff3011208a1  
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	tinyMCE	High
Product	file	name	tinyMCE	High
Version	file	version	5.10.9	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities -

CVE-2024-29203 (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: medium

References:

- info - <https://github.com/advisories/GHSA-438c-3975-5x3f>
- info - <https://github.com/tinymce/tinymce>
- info - <https://github.com/tinymce/tinymce/commit/bcdea2ad14e3c2cea40743fb48c63bba067ae6d1>
- info - <https://github.com/tinymce/tinymce/security/advisories/GHSA-438c-3975-5x3f>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-29203>
- info - [https://www.tiny.cloud/docs/tinymce/6/6.8.1-release-notes/#new-convert\\_unsafe\\_embeds-option-that-controls-whether-object-and-embed-elements-will-be-converted-to-more-restrictive-alternatives-namely-img-for-image-mime-types-video-for-video-mime-types-audio-audio-mime-types-or-iframe-for-other-or-unspecified-mime-types](https://www.tiny.cloud/docs/tinymce/6/6.8.1-release-notes/#new-convert_unsafe_embeds-option-that-controls-whether-object-and-embed-elements-will-be-converted-to-more-restrictive-alternatives-namely-img-for-image-mime-types-video-for-video-mime-types-audio-audio-mime-types-or-iframe-for-other-or-unspecified-mime-types)
- info - [https://www.tiny.cloud/docs/tinymce/7/7.0-release-notes/#sandbox\\_iframes-editor-option-is-now-defaulted-to-true](https://www.tiny.cloud/docs/tinymce/7/7.0-release-notes/#sandbox_iframes-editor-option-is-now-defaulted-to-true)

Vulnerable Software & Versions (RETIREJS):

CVE-2024-29881 (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: medium

References:

- info - <https://github.com/advisories/GHSA-5359-pvf2-pw78>
- info - <https://github.com/tinymce/tinymce>

- info - <https://github.com/tinymce/tinymce/commit/bcdea2ad14e3c2cea40743fb48c63bba067ae6d1>
- info - <https://github.com/tinymce/tinymce/security/advisories/GHSA-5359-pvf2-pw78>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-29881>
- info - [https://www.tiny.cloud/docs/tinymce/6/6.8.1-release-notes/#new-convert\\_unsafe\\_embeds-option-that-controls-whether-object-and-embed-elements-will-be-converted-to-more-restrictive-alternatives-namely-img-for-image-mime-types-video-for-video-mime-types-audio-audio-mime-types-or-iframe-for-other-or-unspecified-mime-types](https://www.tiny.cloud/docs/tinymce/6/6.8.1-release-notes/#new-convert_unsafe_embeds-option-that-controls-whether-object-and-embed-elements-will-be-converted-to-more-restrictive-alternatives-namely-img-for-image-mime-types-video-for-video-mime-types-audio-audio-mime-types-or-iframe-for-other-or-unspecified-mime-types)
- info - [https://www.tiny.cloud/docs/tinymce/7/7.0-release-notes/#convert\\_unsafe\\_embeds-editor-option-is-now-defaulted-to-true](https://www.tiny.cloud/docs/tinymce/7/7.0-release-notes/#convert_unsafe_embeds-editor-option-is-now-defaulted-to-true)

Vulnerable Software & Versions (RETIREJS):

**CVE-2024-38356** (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: medium

References:

- info - <https://github.com/advisories/GHSA-9hcv-j9pv-qmph>
- info - <https://github.com/tinymce/tinymce>
- info - <https://github.com/tinymce/tinymce/commit/5acb741665a98e83d62b91713c800abbff43b00d>
- info - <https://github.com/tinymce/tinymce/commit/a9fb858509f86dacfa8b01cfd34653b408983ac0>
- info - <https://github.com/tinymce/tinymce/security/advisories/GHSA-9hcv-j9pv-qmph>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-38356>
- info - <https://owasp.org/www-community/attacks/xss>
- info - <https://www.tiny.cloud/docs/tinymce/6/6.8.4-release-notes/#overview>
- info - <https://www.tiny.cloud/docs/tinymce/7/7.2-release-notes/#overview>
- info - <https://www.tiny.cloud/docs/tinymce/latest/7.2-release-notes/#overview>

Vulnerable Software & Versions (RETIREJS):

**CVE-2024-38357** (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: medium

References:

- info - <https://github.com/advisories/GHSA-w9jx-4g6g-rp7x>
- info - <https://github.com/tinymce/tinymce>
- info - <https://github.com/tinymce/tinymce/commit/5acb741665a98e83d62b91713c800abbff43b00d>
- info - <https://github.com/tinymce/tinymce/commit/a9fb858509f86dacfa8b01cfd34653b408983ac0>
- info - <https://github.com/tinymce/tinymce/security/advisories/GHSA-w9jx-4g6g-rp7x>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-38357>
- info - <https://owasp.org/www-community/attacks/xss>
- info - <https://www.tiny.cloud/docs/tinymce/6/6.8.4-release-notes/#overview>
- info - <https://www.tiny.cloud/docs/tinymce/7/7.2-release-notes/#overview>

Vulnerable Software & Versions (RETIREJS):

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/tinymce.min.js  
**MD5:** 10df005254d5668ccedbda2614354acd  
**SHA1:** fbcd5a3f14b7c3dd8a9d203b9b30acfba49a38f4  
**SHA256:** 3c3041cb95a1c979ee2205901cf1c670a36c192ef089e6f63b94beabef386c30  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	tinyMCE	High
Product	file	name	tinyMCE	High
Version	file	version	5.10.9	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities

**CVE-2024-29203** (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: medium

References:

- info - <https://github.com/advisories/GHSA-438c-3975-5x3f>
- info - <https://github.com/tinymce/tinymce>
- info - <https://github.com/tinymce/tinymce/commit/bcdea2ad14e3c2cea40743fb48c63bba067ae6d1>
- info - <https://github.com/tinymce/tinymce/security/advisories/GHSA-438c-3975-5x3f>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-29203>
- info - [https://www.tiny.cloud/docs/tinymce/6/6.8.1-release-notes/#new-convert\\_unsafe\\_embeds-option-that-controls-whether-object-and-embed-elements-will-be-converted-to-more-restrictive-alternatives-namely-img-for-image-mime-types-video-for-video-mime-types-audio-audio-mime-types-or-iframe-for-other-or-unspecified-mime-types](https://www.tiny.cloud/docs/tinymce/6/6.8.1-release-notes/#new-convert_unsafe_embeds-option-that-controls-whether-object-and-embed-elements-will-be-converted-to-more-restrictive-alternatives-namely-img-for-image-mime-types-video-for-video-mime-types-audio-audio-mime-types-or-iframe-for-other-or-unspecified-mime-types)
- info - [https://www.tiny.cloud/docs/tinymce/7/7.0-release-notes/#sandbox\\_iframes-editor-option-is-now-defaulted-to-true](https://www.tiny.cloud/docs/tinymce/7/7.0-release-notes/#sandbox_iframes-editor-option-is-now-defaulted-to-true)

Vulnerable Software & Versions (RETIREJS):

**CVE-2024-29881** (RETIREJS) suppressed



Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: medium

References:

- info - <https://github.com/advisories/GHSA-5359-pvf2-pw78>
- info - <https://github.com/tinymce/tinymce>
- info - <https://github.com/tinymce/tinymce/commit/bcdea2ad14e3c2cea40743fb48c63bba067ae6d1>
- info - <https://github.com/tinymce/tinymce/security/advisories/GHSA-5359-pvf2-pw78>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-29881>
- info - [https://www.tiny.cloud/docs/tinymce/6/6.8.1-release-notes/#new-convert\\_unsafe\\_embeds-option-that-controls-whether-object-and-embed-elements-will-be-converted-to-more-restrictive-alternatives-namely-img-for-image-mime-types-video-for-video-mime-types-audio-audio-mime-types-or-iframe-for-other-or-unspecified-mime-types](https://www.tiny.cloud/docs/tinymce/6/6.8.1-release-notes/#new-convert_unsafe_embeds-option-that-controls-whether-object-and-embed-elements-will-be-converted-to-more-restrictive-alternatives-namely-img-for-image-mime-types-video-for-video-mime-types-audio-audio-mime-types-or-iframe-for-other-or-unspecified-mime-types)
- info - [https://www.tiny.cloud/docs/tinymce/7/7.0-release-notes/#convert\\_unsafe\\_embeds-editor-option-is-now-defaulted-to-true](https://www.tiny.cloud/docs/tinymce/7/7.0-release-notes/#convert_unsafe_embeds-editor-option-is-now-defaulted-to-true)

Vulnerable Software & Versions (RETIREJS):

**CVE-2024-38356** (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: medium

References:

- info - <https://github.com/advisories/GHSA-9hcv-j9pv-qmph>
- info - <https://github.com/tinymce/tinymce>
- info - <https://github.com/tinymce/tinymce/commit/5acb741665a98e83d62b91713c800abbff43b00d>
- info - <https://github.com/tinymce/tinymce/commit/a9fb858509f86dacfa8b01cfd34653b408983ac0>
- info - <https://github.com/tinymce/tinymce/security/advisories/GHSA-9hcv-j9pv-qmph>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-38356>
- info - <https://owasp.org/www-community/attacks/xss>
- info - <https://www.tiny.cloud/docs/tinymce/6/6.8.4-release-notes/#overview>
- info - <https://www.tiny.cloud/docs/tinymce/7/7.2-release-notes/#overview>
- info - <https://www.tiny.cloud/docs/tinymce/latest/7.2-release-notes/#overview>

Vulnerable Software & Versions (RETIREJS):

**CVE-2024-38357** (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: medium

References:

- info - <https://github.com/advisories/GHSA-w9jx-4g6g-rp7x>
- info - <https://github.com/tinymce/tinymce>
- info - <https://github.com/tinymce/tinymce/commit/5acb741665a98e83d62b91713c800abbff43b00d>
- info - <https://github.com/tinymce/tinymce/commit/a9fb858509f86dacfa8b01cfd34653b408983ac0>
- info - <https://github.com/tinymce/tinymce/security/advisories/GHSA-w9jx-4g6g-rp7x>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-38357>

- info - <https://owasp.org/www-community/attacks/xss>
- info - <https://www.tiny.cloud/docs/tinymce/6/6.8.4-release-notes/#overview>
- info - <https://www.tiny.cloud/docs/tinymce/7/7.2-release-notes/#overview>

Vulnerable Software & Versions (RETIREJS):

theme.zip: bootstrap.jar: bootstrap.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/theme.zip/bootstrap.jar  
/META-INF/resources/webjars/bootstrap/3.4.1/js/bootstrap.js  
**MD5:** 894d79839facf38d9fd672bdbe57443d  
**SHA1:** 11277f4e04cf070a350e566b053ef2215993720c  
**SHA256:** dbd2a35e72edc7d6bde483481a912f1c38aa57fab2747d9b071d317339ee03a2  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	bootstrap	High
Product	file	name	bootstrap	High
Version	file	version	3.4.1	High

Related Dependencies

- theme.zip: bootstrap.jar: bootstrap.js.gz: bootstrap.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/bootstrap.js.gz/bootstrap.js
  - MD5: 894d79839facf38d9fd672bdbe57443d
  - SHA1: 11277f4e04cf070a350e566b053ef2215993720c
  - SHA256: dbd2a35e72edc7d6bde483481a912f1c38aa57fab2747d9b071d317339ee03a2

Suppressed Identifiers

- None

Suppressed Vulnerabilities

CVE-2024-6484 (RETIREJS) suppressed

Notes: file name: remotegui.zip: bootstrap.jar We are in the process of migrating required functions into a custom framework.

Unscored:

- Severity: medium

References:

- info - <https://github.com/advisories/GHSA-9mvj-f7w8-pvh2>
- info - <https://github.com/rubysec/ruby-advisory-db/blob/master/gems/bootstrap-sass/CVE-2024-6484.yml>
- info - <https://github.com/rubysec/ruby-advisory-db/blob/master/gems/bootstrap/CVE-2024-6484.yml>
- info - <https://github.com/twbs/bootstrap>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-6484>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-6484>

Vulnerable Software & Versions (RETIREJS):

**Bootstrap before 4.0.0 is end-of-life and no longer maintained.** (RETIREJS) suppressed

Bootstrap before 4.0.0 is end-of-life and no longer maintained.

Notes: file name: remotegui.zip: bootstrap.jar We are in the process of migrating required functions into a custom framework.

Unscored:

- Severity: low

References:

- info - <https://github.com/twbs/bootstrap/issues/20631>
- retid - 72

Vulnerable Software & Versions (RETIREJS):

theme.zip: bootstrap.jar: bootstrap.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/theme.zip/bootstrap.jar /META-INF/resources/webjars/bootstrap/3.4.1/js/bootstrap.min.js  
**MD5:** 2f34b630ffe30ba2ff2b91e3f3c322a1  
**SHA1:** b16fd8226bd6bfb08e568f1b1d0a21d60247cefb  
**SHA256:** 9ee2fcff6709e4d0d24b09ca0fc56aade12b4961ed9c43fd13b03248bfb57afe  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	bootstrap	High
Product	file	name	bootstrap	High
Version	file	version	3.4.1	High

Related Dependencies

- theme.zip: bootstrap.jar: bootstrap.min.js.gz: bootstrap.min.js

- File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/bootstrap.min.js.gz/bootstrap.min.js
- MD5: 2f34b630ffe30ba2ff2b91e3f3c322a1
- SHA1: b16fd8226bd6bfb08e568f1b1d0a21d60247cefb
- SHA256: 9ee2fcff6709e4d0d24b09ca0fc56aade12b4961ed9c43fd13b03248bfb57afe

### Suppressed Identifiers

- None

### Suppressed Vulnerabilities



#### **CVE-2024-6484 (RETIREJS)** suppressed

Notes: file name: remotegui.zip: bootstrap.jar We are in the process of migrating required functions into a custom framework.

Unscored:

- Severity: medium

References:

- info - <https://github.com/advisories/GHSA-9mvj-f7w8-pvh2>
- info - <https://github.com/rubysec/ruby-advisory-db/blob/master/gems/bootstrap-sass/CVE-2024-6484.yml>
- info - <https://github.com/rubysec/ruby-advisory-db/blob/master/gems/bootstrap/CVE-2024-6484.yml>
- info - <https://github.com/twbs/bootstrap>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-6484>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-6484>

Vulnerable Software & Versions (RETIREJS):

#### **Bootstrap before 4.0.0 is end-of-life and no longer maintained. (RETIREJS)** suppressed

Bootstrap before 4.0.0 is end-of-life and no longer maintained.

Notes: file name: remotegui.zip: bootstrap.jar We are in the process of migrating required functions into a custom framework.

Unscored:

- Severity: low

References:

- info - <https://github.com/twbs/bootstrap/issues/20631>
- retid - 72

Vulnerable Software & Versions (RETIREJS):

This report may contain data retrieved from the [Github Advisory Database \(via NPM Audit API\)](#).  
This report may contain data retrieved from [RetireJS](#).  
This report may contain data retrieved from the [Sonatype OSS Index](#).