



Dependency-Check is an open source tool performing a best effort analysis of 3rd party dependencies; false positives and false negatives may exist in the analysis performed by the tool. Use of the tool and the reporting provided constitutes acceptance for use in an AS IS condition, and there are NO warranties, implied or otherwise, with regard to the analysis or its use. Any use of the tool and the reporting provided is at the user's risk. In no event shall the copyright holder or OWASP be held liable for any damages whatsoever arising out of or in connection with the use of this tool, the analysis performed, or the resulting report.

[How to read the report](#) | [Suppressing false positives](#) | [Getting Help: github issues](#)

 [Sponsor](#)

Project: project ':server'

helpdesk:server:25.10

Scan Information ([show all](#)):

- *dependency-check version:* 10.0.3
- *Report Generated On:* Wed, 5 Nov 2025 19:05:44 +0100
- *Dependencies Scanned:* 1551 (1482 unique)
- *Vulnerable Dependencies:* 0
- *Vulnerabilities Found:* 0
- *Vulnerabilities Suppressed:* 104 ([show](#))
- ...
- *NVD API Last Checked:* 2025-11-05T18:02:49Z
- *NVD API Last Modified:* 2024-09-18T11:15:10Z
- *NVD Cache Last Checked:* 2025-11-05T18:02:49Z
- *NVD Cache Last Modified:* 2024-09-18T11:15:10Z

Summary

Display: [Showing Vulnerable Dependencies \(click to show all\)](#)

Dependency	Vulnerability IDs	Package	Highest
BarcodePDF417Bean.jar			
JBarcodeBean.jar			
Merlia-0.jar		pkg:maven/lib/Merlia@0	
Merlia.jar			
Oranxo.jar			
ZxingBarCodes.jar			
adhoc.zip: adhoc-javadoc.jar			
adhoc.zip: adhoc-javadoc.jar: jquery-3.6.1.min.js			
adhoc.zip: adhoc-javadoc.jar: jquery-ui.min.js		pkg:javascript/jquery-ui@1.13.1	
adhoc.zip: adhoc-javadoc.jar: member-search-index.js			

adhoc.zip: adhoc-javadoc.jar: module-search-index.js			
adhoc.zip: adhoc-javadoc.jar: package-search-index.js			
adhoc.zip: adhoc-javadoc.jar: script.js			
adhoc.zip: adhoc-javadoc.jar: search.js			
adhoc.zip: adhoc-javadoc.jar: tag-search-index.js			
adhoc.zip: adhoc-javadoc.jar: type-search-index.js			
adhoc.zip: adhoc.jar			
adhoc.zip: adhoc.jar: adhoc.ai.panel.js			
adhoc.zip: adhoc.jar: adhoc.chartresizeobserver.js			
adhoc.zip: adhoc.jar: adhoc.componentresizeobserver.js			
adhoc.zip: adhoc.jar: adhoc.openfiledropzone.js			
adhoc.zip: adhoc.jar: adhoc.pageheadertoolbar.js			
adhoc.zip: adhoc.jar: adhoc.reportcomponentview.js			
adhoc.zip: adhoc.jar: adhoc.reportpropertiesarea.js			
adhoc.zip: adhoc.jar: adhoc.reportproperty.js			
adhoc.zip: adhoc.jar: adhoc.reportproperty.printconverter.js			
adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.access.js			
adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.boolean.js			
adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.color.js			
adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.colorscheme.js			
adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.columns.js			
adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.filter.js			
adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.image.select.js			
adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.logo.js			
adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.select.js			
adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.slider.js			
adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.source.js			
adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.templatesource.js			

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.text.js			
adhoc.zip: adhoc.jar: adhoc.reportview.js			
adhoc.zip: adhoc.jar: adhoc.toolbar.js			
adhoc.zip: adhoc.jar: adhoccontroller.js			
adhoc.zip: adhoc.jar: adhocfactory.js			
adhoc.zip: adhoc.jar: adhocmodel.js			
adhoc.zip: adhoc.jar: configuration.adhoc.templates.edit.js			
adhoc.zip: adhoc.jar: configuration.adhoc.templates.js			
adhoc.zip: adhoc.jar: configuration.adhoc.themes.edit.js			
adhoc.zip: adhoc.jar: configuration.adhoc.themes.js			
adhoc.zip: echarts.jar		pkg:maven/org.webjars.npm/echarts@6.0.0	
adhoc.zip: echarts.jar: echarts.min.js			
ai.zip: ai.jar			
ai.zip: ai.jar: aiprotider_config.js			
ai.zip: jackson-core.jar	cpe:2.3:a:fasterxml:jackson-modules-java8:2.19.2:*.***.*.*	pkg:maven/com.fasterxml.jackson.core/jackson-core@2.19.2	
ai.zip: jackson-databind.jar	cpe:2.3:a:fasterxml:jackson-databind:2.19.2:*.***.*.* cpe:2.3:a:fasterxml:jackson-modules-java8:2.19.2:*.***.*.*	pkg:maven/com.fasterxml.jackson.core/jackson-databind@2.19.2	
ai.zip: mcp.jar		pkg:maven/io.modelcontextprotocol.sdk/mcp@0.10.0	
ai.zip: reactive-streams.jar			
ai.zip: reactor-core.jar			
annotations-3.0.1.jar (shaded: com.google.code.findbugs.jsr305:3.0.1)		pkg:maven/com.google.code.findbugs/jsr305@3.0.1	
annotations-3.0.1.jar		pkg:maven/com.google.code.findbugs/annotations@3.0.1	
attachments.zip: attachments.jar	cpe:2.3:a:inetsoftware:helpdesk:25.10.233:*.***.*.*		
authentication.pam.zip: authentication.pam.jar			
authentication.product.zip: authentication.product.jar			

[authentication.windows.zip: authentication.windows.jar](#)

[authentication.windows.zip: caffeine.jar](#)

[authentication.windows.zip: jna-platform.jar](#)

[authentication.windows.zip: waffle-jna-jakarta.jar](#)

cpe:2.3:a:4d:4d:3.5.1:*:

[pkg:maven/com.github.waffle/waffle-jna-jakarta@3.5.1](#)

[autolinking.zip: autolinking.jar](#)

cpe:2.3:a:inetsoftware:
helpdesk:25.10.233:*:*:

[collaboration.zip: collaboration.jar](#)

[commons-logging.jar](#)

[pkg:maven/commons-logging/commons-logging@1.3.4](#)

[configuration.zip: configuration.jar](#)

[configuration.zip: configuration.jar:
authenticationItemRenderer.directive.js](#)

[configuration.zip: configuration.jar:
authenticationRenderer.directive.js](#)

[configuration.zip: configuration.jar: boolean.directive.js](#)

[configuration.zip: configuration.jar: booleanButton.
directive.js](#)

[configuration.zip: configuration.jar: colorInput.directive.
js](#)

[configuration.zip: configuration.jar: controller.js](#)

[configuration.zip: configuration.jar: datafactory.js](#)

[configuration.zip: configuration.jar: fileUploadRenderer.
directive.js](#)

[configuration.zip: configuration.jar:
filesystemFileInputOrUpload.directive.js](#)

[configuration.zip: configuration.jar:
filesystemInputButton.directive.js](#)

[configuration.zip: configuration.jar:
filesystemInputDirectory.directive.js](#)

[configuration.zip: configuration.jar: filesystemInputFile.
directive.js](#)

[configuration.zip: configuration.jar: iconDropRenderer.
directive.js](#)

[configuration.zip: configuration.jar: inlinerenderer.
directive.js](#)

[configuration.zip: configuration.jar: keyLabelText.
directive.js](#)

[configuration.zip: configuration.jar: labelLink.directive.js](#)

[configuration.zip: configuration.jar: labelText.directive.
js](#)

configuration.zip: configuration.jar: licenseKeyItemRenderer.directive.js			
configuration.zip: configuration.jar: licenseKeyRenderer.directive.js			
configuration.zip: configuration.jar: listItemRenderer.directive.js			
configuration.zip: configuration.jar: logopreview.directive.js			
configuration.zip: configuration.jar: multiLineCode.directive.js			
configuration.zip: configuration.jar: multiLineText.directive.js			
configuration.zip: configuration.jar: multiLingualTextRenderer.directive.js			
configuration.zip: configuration.jar: passwordText.directive.js			
configuration.zip: configuration.jar: reloadSelectInputsTrigger.directive.js			
configuration.zip: configuration.jar: renderer.directive.js			
configuration.zip: configuration.jar: repoDbRenderer.directive.js			
configuration.zip: configuration.jar: repoFsRenderer.directive.js			
configuration.zip: configuration.jar: repositoryItemRenderer.directive.js			
configuration.zip: configuration.jar: repositoryRenderer.directive.js			
configuration.zip: configuration.jar: selectEditText.directive.js			
configuration.zip: configuration.jar: selectFilteredText.directive.js			
configuration.zip: configuration.jar: selectLanguageChooserRenderer.directive.js			
configuration.zip: configuration.jar: selectSimpleText.directive.js			
configuration.zip: configuration.jar: simpleDate.directive.js			
configuration.zip: configuration.jar: simpleSlider.directive.js			
configuration.zip: configuration.jar: simpleText.directive.js			
configuration.zip: configuration.jar: tableRenderer.directive.js			
configuration.zip: configuration.jar: treeRenderer.directive.js			
configuration.zip: configuration.jar:			

[usersandgroupssselect.directive.js](#)

[core.jar](#)

[pkg:maven/com.google.zxing/core@3.5.3](#)

[cowork.tickets.zip: cowork.tickets.jar](#)

[cpe:2.3:a:tickets_project:tickets:25.10.233:*****](#)

[cowork.tickets.zip: cowork.tickets.jar: coworkchatextension.js](#)

[cowork.zip: cowork-javadoc.jar](#)

[cowork.zip: cowork-javadoc.jar: member-search-index.js](#)

[cowork.zip: cowork-javadoc.jar: package-search-index.js](#)

[cowork.zip: cowork-javadoc.jar: type-search-index.js](#)

[cowork.zip: cowork.jar](#)

[cowork.zip: cowork.jar: MessageCreationChart.js](#)

[cowork.zip: cowork.jar: cowork.diagnostics.js](#)

[cowork.zip: cowork.jar: coworkcomponents.js](#)

[cowork.zip: cowork.jar: coworkcontroller.js](#)

[cowork.zip: cowork.jar: coworkconversation.js](#)

[cowork.zip: cowork.jar: coworkfactory.js](#)

[cowork.zip: cowork.jar: coworkinputbox.js](#)

[cowork.zip: cowork.jar: coworkmodel.js](#)

[cowork.zip: cowork.jar: coworksettingscontroller.js](#)

[cowork.zip: cowork.jar: inetmarkdown.js](#)

[cowork.zip: cowork.jar: showreactionscontroller.js](#)

[cowork.zip: cowork.jar: teamsettingscontroller.js](#)

[dataimport.zip: dataimport.jar](#)

[cpe:2.3:a:inetsoftware:helpdesk:25.10.233:*****](#)

[dataimport.zip: dataimport.jar: actionsBar.directive.js](#)

[dataimport.zip: dataimport.jar: checkbox.directive.js](#)

[dataimport.zip: dataimport.jar: controller.js](#)

[dataimport.zip: dataimport.jar: deviceDataImport.directive.js](#)

[dataimport.zip: dataimport.jar: filtereablevalueselection.directive.js](#)

[dataimport.zip: dataimport.jar: importfactory.js](#)

[dataimport.zip: dataimport.jar: importjob.directive.js](#)

[dataimport.zip: dataimport.jar: itemRenderer.directive.js](#)

js			
dataimport.zip: dataimport.jar: userDataImport.directive.js			
diagnostics.reporting.zip: diagnostics.reporting.jar			
diagnostics.reporting.zip: diagnostics.reporting.jar: connectionPool.js			
diagnostics.reporting.zip: diagnostics.reporting.jar: reportcache.js			
diagnostics.reporting.zip: diagnostics.reporting.jar: server-datasource.js			
diagnostics.zip: diagnostics.jar			
diagnostics.zip: diagnostics.jar: MemoryPieChart.js			
diagnostics.zip: diagnostics.jar: MemoryUsageChart.js			
diagnostics.zip: diagnostics.jar: WebServerErrorChart.js			
diagnostics.zip: diagnostics.jar: benchmarkCtrl.js			
diagnostics.zip: diagnostics.jar: client-server.js			
diagnostics.zip: diagnostics.jar: controller.js			
diagnostics.zip: diagnostics.jar: cpu.js			
diagnostics.zip: diagnostics.jar: cpuspeed.js			
diagnostics.zip: diagnostics.jar: directives.js			
diagnostics.zip: diagnostics.jar: errorHistoryChart.js			
diagnostics.zip: diagnostics.jar: flotr2.min.js			
diagnostics.zip: diagnostics.jar: global.js			
diagnostics.zip: diagnostics.jar: hdddisk.js			
diagnostics.zip: diagnostics.jar: heapdumpCtrl.js			
diagnostics.zip: diagnostics.jar: informationCtrl.js			
diagnostics.zip: diagnostics.jar: intArrayUtils.js			
diagnostics.zip: diagnostics.jar: iospeed.js			
diagnostics.zip: diagnostics.jar: jobs.js			
diagnostics.zip: diagnostics.jar: logging.js			
diagnostics.zip: diagnostics.jar: memory.js			
diagnostics.zip: diagnostics.jar: overviewCtrl.js			
diagnostics.zip: diagnostics.jar: pde.diagnostics.js			
diagnostics.zip: diagnostics.jar: timeformat.js			
drive.zip: commons-compress.jar	cpe:2.3:a:apache:commons_compress:1.27.1:*:*:*:*:*	pkg:maven/org.apache.commons/commons-compress@1.27.1	

[drive.zip: commons-io.jar](#)

[cpe:2.3:a:apache:commons_io:2.18.0:*:*:*.*.*.*.*](#)

[pkg:maven/commons-io/commons-io@2.18.0](#)

[drive.zip: drive.jar](#)

[drive.zip: drive.jar: actions.js](#)

[drive.zip: drive.jar: actions.service.js](#)

[drive.zip: drive.jar: contentextension.js](#)

[drive.zip: drive.jar: controller.js](#)

[drive.zip: drive.jar: drivecleanup.js](#)

[drive.zip: drive.jar: drivecontroller.js](#)

[drive.zip: drive.jar: drivefactory.js](#)

[drive.zip: drive.jar: drivemodel.js](#)

[drive.zip: drive.jar: dropzone.directive.js](#)

[drive.zip: drive.jar: entryactions.directive.js](#)

[drive.zip: drive.jar: fileconfig.directive.js](#)

[drive.zip: drive.jar: folderlist.directive.js](#)

[drive.zip: drive.jar: linkdialog.js](#)

[drive.zip: drive.jar: locationchooser.js](#)

[drive.zip: drive.jar: mountdialog.js](#)

[drive.zip: drive.jar: myshareextension.js](#)

[drive.zip: drive.jar: permissionsextension.js](#)

[drive.zip: drive.jar: progress.service.js](#)

[drive.zip: drive.jar: progresspanel.directive.js](#)

[drive.zip: drive.jar: resolve.service.js](#)

[drive.zip: drive.jar: responsivetoolbar.directive.js](#)

[drive.zip: drive.jar: selectedextension.js](#)

[drive.zip: drive.jar: shareextension.js](#)

[drive.zip: drive.jar: shareextension.js](#)

[drive.zip: drive.jar: thumbnailextension.js](#)

[drive.zip: drive.jar: toolbaraction.directive.js](#)

[drive.zip: drive.jar: unzipextension.js](#)

[drive.zip: drive.jar: zipextension.js](#)

[exceljconnect.jar](#)

[fieldsettings.zip: fieldsettings.jar](#)

[fieldsettings.zip: fieldsettings.jar: FieldSettingsPropertyRenderer.js](#)

[fieldsettings.zip: fieldsettings.jar:](#)

UserFieldSettingsPropertyRenderer.js			
hamcrest-3.0.jar		pkg:maven/org.hamcrest/hamcrest@3.0	
help.zip: commons-beanutils.jar	cpe:2.3:a:apache:commons_beanutils:1.11.0:*****	pkg:maven/commons-beanutils/commons-beanutils@1.11.0	
help.zip: commons-digester3.jar		pkg:maven/org.apache.commons/commons-digester3@3.2	
help.zip: help.jar			
help.zip: help.jar: app.js			
help.zip: help.jar: controller.js			
help.zip: help.jar: shared.factory.js			
help.zip: help.jar: shared.highlighter.js			
help.zip: jsoup.jar	cpe:2.3:a:jsoup:jsoup:1.18.3:*****	pkg:maven/org.jsoup/jsoup@1.18.3	
helpdesk.forms.zip: helpdesk.forms.jar	cpe:2.3:a:inetsoftware:helpdesk:25.10.233:*****		
helpdesk.forms.zip: helpdesk.forms.jar: FormInterceptor.service.js			
helpdesk.forms.zip: helpdesk.forms.jar: configuration.ticketforms.edit.js			
helpdesk.forms.zip: helpdesk.forms.jar: configuration.ticketforms.js			
helpdesk.forms.zip: helpdesk.forms.jar: editFormField.js			
helpdesk.forms.zip: helpdesk.forms.jar: fieldrenderer.js			
helpdesk.forms.zip: helpdesk.forms.jar: fieldrenderer_conditionValue.js			
helpdesk.forms.zip: helpdesk.forms.jar: fieldrenderer_defaultValue.js			
helpdesk.forms.zip: helpdesk.forms.jar: folderPermissionsDisplay.js			
helpdesk.forms.zip: helpdesk.forms.jar: formExecution.js			
helpdesk.forms.zip: helpdesk.forms.jar: formHandlingService.js			
helpdesk.forms.zip: helpdesk.forms.jar: formfields.js			
helpdesk.forms.zip: helpdesk.forms.jar: formicondropzone.js			
helpdesk.forms.zip: helpdesk.forms.jar: formmetadata.js			

helpdesk.forms.zip: helpdesk.forms.jar: formrenderer.js			
helpdesk.forms.zip: helpdesk.forms.jar: formsections.js			
helpdesk.forms.zip: helpdesk.forms.jar: sectionid.js			
helpdesk.forms.zip: helpdesk.forms.jar: ticketPreviewSettings.js			
helpdesk.forms.zip: helpdesk.forms.jar: ticketformsfactory.js			
helpdesk.forms.zip: helpdesk.forms.jar: ticketformsmodel.js			
helpdesk.forms.zip: helpdesk.forms.jar: ticketlist.form.controller.js			
helpdesk.forms.zip: helpdesk.forms.jar: ticketlist.form.extension.js			
helpdesk.zip: helpdesk.jar	cpe:2.3:a:inetsoftware:helpdesk:25.10.233:*:*:*.*.*.*.*		
helpdesk.zip: helpdesk.jar: TicketFieldSettingsPropertyRenderer.js			
helpdesk.zip: helpdesk.jar: aiworkingpanel.js			
helpdesk.zip: helpdesk.jar: attachmentdisplay.js			
helpdesk.zip: helpdesk.jar: configuration.autotext.edit.js			
helpdesk.zip: helpdesk.jar: configuration.autotext.js			
helpdesk.zip: helpdesk.jar: configuration.mailtemplates.edit.js			
helpdesk.zip: helpdesk.jar: configuration.mailtemplates.js			
helpdesk.zip: helpdesk.jar: effectiveactionscontroller.js			
helpdesk.zip: helpdesk.jar: helpdeskconfig.js			
helpdesk.zip: helpdesk.jar: predeletionhandler.js			
helpdesk.zip: helpdesk.jar: promptuserselectrenderer.js			
helpdesk.zip: helpdesk.jar: renderer.js			
helpdesk.zip: helpdesk.jar: setdefaultguipreferencesaction.js			
helpdesk.zip: helpdesk.jar: usersandgroupsreports.js			
helpdesk.zip: rhino.jar			
helpdesksetupwizard.zip: helpdesksetupwizard.jar	cpe:2.3:a:inetsoftware:helpdesk:25.10.233:*:*:*.*.*.*.*		
helpdesksetupwizard.zip: helpdesksetupwizard.jar: controller.js			
htmlengine.zip: JWebEngine.jar			
htmlengine.zip: htmlengine.jar			

htmlviewer.toolbar.zip: htmlviewer.toolbar.jar			
htmlviewer.toolbar.zip: htmlviewer.toolbar.jar: htmlviewer.angular.js			
inetcore-25.10-tools.jar		pkg:maven/shared/inetcore@25.10	
inetcore-25.10.jar (shaded: com.inet.shared:inetcore:null)			
inetcore-25.10.jar		pkg:maven/shared/inetcore@25.10	
inetloggeradapter.jar			
inventory.zip: inventory.jar	cpe:2.3:a:inetsoftware:helpdesk:25.10.233:*:*:*:*:*		
inventory.zip: inventory.jar: genericfieldrenderer.js			
inventory.zip: inventory.jar: inventory.3drenderer.directive.js			
inventory.zip: inventory.jar: inventory.3dview.directive.js			
inventory.zip: inventory.jar: inventory.asset3d.directive.js			
inventory.zip: inventory.jar: inventory.assetdetailsform.directive.js			
inventory.zip: inventory.jar: inventory.assetimage.directive.js			
inventory.zip: inventory.jar: inventory.assetimagehover.directive.js			
inventory.zip: inventory.jar: inventory.assetmenu.directive.js			
inventory.zip: inventory.jar: inventory.default3dbox.directive.js			
inventory.zip: inventory.jar: inventory.devicefieldrenderer.directive.js			
inventory.zip: inventory.jar: inventory.devicefieldrenderercurrency.directive.js			
inventory.zip: inventory.jar: inventory.devicefieldrendererdatetime.directive.js			
inventory.zip: inventory.jar: inventory.devicefieldrendererslink.directive.js			
inventory.zip: inventory.jar: inventory.devicefieldrenderersselect.directive.js			
inventory.zip: inventory.jar: inventory.devicefieldrenderertime.directive.js			
inventory.zip: inventory.jar: inventory.devicefieldrenderersuser.directive.js			
inventory.zip: inventory.jar: inventory.deviceimagerenderer.directive.js			

inventory.zip: inventory.jar: inventory.editproperties.controller.js			
inventory.zip: inventory.jar: inventory.editproperties.directive.js			
inventory.zip: inventory.jar: inventory.fieldgroup.filter.js			
inventory.zip: inventory.jar: inventory.inventoryattachmentcontent.directive.js			
inventory.zip: inventory.jar: inventory.inventoryattachments.directive.js			
inventory.zip: inventory.jar: inventory.invoicepaper.directive.js			
inventory.zip: inventory.jar: inventory.lazydetailfields.directive.js			
inventory.zip: inventory.jar: inventory.levelslider.directive.js			
inventory.zip: inventory.jar: inventory.licensepaper.directive.js			
inventory.zip: inventory.jar: inventory.listview.directive.js			
inventory.zip: inventory.jar: inventory.listviewrow.directive.js			
inventory.zip: inventory.jar: inventory.locationbox.directive.js			
inventory.zip: inventory.jar: inventory.roombox.directive.js			
inventory.zip: inventory.jar: inventory.slaper.directive.js			
inventory.zip: inventory.jar: inventory.structuretoolbar.directive.js			
inventory.zip: inventory.jar: inventory.structurereview.directive.js			
inventory.zip: inventory.jar: inventory.tile.directive.js			
inventory.zip: inventory.jar: inventory.tilelane.directive.js			
inventory.zip: inventory.jar: inventory.tileview.directive.js			
inventory.zip: inventory.jar: inventory.treegrouping.directive.js			
inventory.zip: inventory.jar: inventory.typehandheld.directive.js			
inventory.zip: inventory.jar: inventory.usertable.directive.js			
inventory.zip: inventory.jar: inventorycontroller.js			
inventory.zip: inventory.jar: inventoryextension.assetpreview.directive.js			

inventory.zip: inventory.jar: inventoryextension.detailscontroller.js			
inventory.zip: inventory.jar: inventoryextension.js			
inventory.zip: inventory.jar: inventoryextension.treenode.directive.js			
inventory.zip: inventory.jar: inventoryfactory.js			
inventory.zip: inventory.jar: inventorymodel.js			
inventory.zip: inventory.jar: inventoryticketpagefactory.js			
inventory.zip: inventory.jar: printinventory.js			
inventory.zip: inventory.jar: resizeableColumn.js			
inventory.zip: inventory.jar: treegroupingsettings.js			
jakarta.servlet-api.jar	cpe:2.3:a:oracle:projects:6.1.0:****.*.*.*	pkg:maven/jakarta.servlet/jakarta.servlet-api@6.1.0	
jakarta.websocket-api.jar		pkg:maven/jakarta.websocket/jakarta.websocket-api@2.2.0	
jakarta.websocket-client-api.jar	cpe:2.3:a:web_project:web:2.2.0:****.*.*.*	pkg:maven/jakarta.websocket/jakarta.websocket-client-api@2.2.0	
java-21-jre-x64-linux.tar.gz: java-21-jre-x64-linux.tar:jrt-fs.jar	cpe:2.3:a:eclipse:platform:21.0.8:****.*.*.*		
javase.jar		pkg:maven/com.google.zxing/javase@3.5.3	
jcip-annotations-1.0.jar		pkg:maven/net.jcip/jcip-annotations@1.0	
jlessc-1.14.jar		pkg:maven/de.inetsoftware/jlessc@1.14	
jna.jar	cpe:2.3:a:oracle:java_se:5.14.0:****.*.*.*		
jna.jar: jnidispatch.dll			
jna.jar: jnidispatch.dll			
jna.jar: jnidispatch.dll			
jsr305-3.0.2.jar		pkg:maven/com.google.code.findbugs/jsr305@3.0.2	
junit-4.13.2.jar	cpe:2.3:a:junit:junit4:4.13.2:****.*.*.*	pkg:maven/junit/junit@4.13.2	
junit-jupiter-5.13.4.jar		pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4	

junit-jupiter-api-5.13.4.jar		pkg:maven/org.junit.jupiter/junit-jupiter-api@5.13.4	
junit-jupiter-engine-5.13.4.jar		pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4	
junit-jupiter-params-5.13.4.jar		pkg:maven/org.junit.jupiter/junit-jupiter-params@5.13.4	
junit-platform-commons-1.13.4.jar		pkg:maven/org.junit.platform/junit-platform-commons@1.13.4	
junit-platform-engine-1.13.4.jar		pkg:maven/org.junit.platform/junit-platform-engine@1.13.4	
junit-platform-launcher-1.13.4.jar		pkg:maven/org.junit.platform/junit-platform-launcher@1.13.4	
junit-platform-suite-1.13.4.jar		pkg:maven/org.junit.platform/junit-platform-suite@1.13.4	
junit-platform-suite-api-1.13.4.jar		pkg:maven/org.junit.platform/junit-platform-suite-api@1.13.4	
junit-platform-suite-commons-1.13.4.jar		pkg:maven/org.junit.platform/junit-platform-suite-commons@1.13.4	
junit-platform-suite-engine-1.13.4.jar		pkg:maven/org.junit.platform/junit-platform-suite-engine@1.13.4	
junit-vintage-engine-5.13.4.jar		pkg:maven/org.junit.vintage/junit-vintage-engine@5.13.4	
knowledgebase.zip: knowledgebase.jar	cpe:2.3:a:inetsoftware:helpdesk:25.10.233:*:*:*:*:*:*		
knowledgebase.zip: knowledgebase.jar: controllerArticleDetails.js			
knowledgebase.zip: knowledgebase.jar: controllerArticleDialog.js			
knowledgebase.zip: knowledgebase.jar: controllerArticleEditDialog.js			
knowledgebase.zip: knowledgebase.jar: controllerKnowledgeBase.js			
knowledgebase.zip: knowledgebase.jar: fuzzysearcharticleextension.js			

knowledgebase.zip: knowledgebase.jar: knowledgeBaseFactory.js			
knowledgebase.zip: knowledgebase.jar: ticketlist.extension.js			
livesupport.zip: livesupport.jar	cpe:2.3:a:inetsoftware:helpdesk:25.10.233:*:*:*:*:*		
livesupport.zip: livesupport.jar: attachments.js			
livesupport.zip: livesupport.jar: connections.js			
livesupport.zip: livesupport.jar: controller.js			
livesupport.zip: livesupport.jar: dragging.js			
livesupport.zip: livesupport.jar: events.js			
livesupport.zip: livesupport.jar: fetch-promise.min.js			
livesupport.zip: livesupport.jar: i18n.js			
livesupport.zip: livesupport.jar: lazy-load.js			
livesupport.zip: livesupport.jar: prototype.array.js			
livesupport.zip: livesupport.jar: prototype.element.js			
livesupport.zip: livesupport.jar: ui-components.js			
mail.zip: angus-activation.jar		pkg:maven/org.eclipse.angus/angus-activation@2.0.3	
mail.zip: angus-mail.jar (shaded: org.eclipse.angus:angus-core:2.0.4)		pkg:maven/org.eclipse.angus/angus-core@2.0.4	
mail.zip: angus-mail.jar (shaded: org.eclipse.angus:imap:2.0.4)		pkg:maven/org.eclipse.angus/imap@2.0.4	
mail.zip: angus-mail.jar (shaded: org.eclipse.angus:logging-mailhandler:2.0.4)		pkg:maven/org.eclipse.angus/logging-mailhandler@2.0.4	
mail.zip: angus-mail.jar (shaded: org.eclipse.angus:pop3:2.0.4)		pkg:maven/org.eclipse.angus/pop3@2.0.4	
mail.zip: angus-mail.jar (shaded: org.eclipse.angus:smtp:2.0.4)		pkg:maven/org.eclipse.angus/smtp@2.0.4	
mail.zip: angus-mail.jar		pkg:maven/org.eclipse.angus/angus-mail@2.0.4	
mail.zip: bc-fips.jar	cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.1.2:*:*:*:*:*		
mail.zip: bcjmail-fips.jar	cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.1.6:*:*:*:*:*		

mail.zip: bcpg-fips.jar	cpe:2.3:a:bouncycastle: bouncy_castle_for_java: 2.1.11:*.***.*.* cpe:2.3:a:openpgp: openpgp:2.1.11:*.***.*.* *.* _		
mail.zip: bcpkix-fips.jar	cpe:2.3:a:bouncycastle: bouncy_castle_for_java: 2.1.10:*.***.*.*		
mail.zip: bcutil-fips.jar	cpe:2.3:a:bouncycastle: bouncy_castle_for_java: 2.1.5:*.***.*.*		
mail.zip: jakarta.activation-api.jar		pkg:maven/jakarta. activation/jakarta. activation-api@2.1.3	
mail.zip: jakarta.mail-api.jar		pkg:maven/jakarta. mail/jakarta.mail- api@2.1.3	
mail.zip: mail.jar			
mail.zip: mail.jar: smimeconfig.js			
maintenance.helpdesk.zip: maintenance.helpdesk.jar	cpe:2.3:a:inetsoftware: helpdesk:25.10.233:*.***.*.*		
maintenance.helpdesk.zip: maintenance.helpdesk.jar: app.js			
maintenance.helpdesk.zip: maintenance.helpdesk.jar: datacare.js			
maintenance.helpdesk.zip: maintenance.helpdesk.jar: dbmigration.js			
maintenance.helpdesk.zip: maintenance.helpdesk.jar: loginmodification.js			
maintenance.reporting.zip: maintenance.reporting.jar			
maintenance.zip: maintenance-javadoc.jar			
maintenance.zip: maintenance-javadoc.jar: member-search-index.js			
maintenance.zip: maintenance-javadoc.jar: package-search-index.js			
maintenance.zip: maintenance-javadoc.jar: tag-search-index.js			
maintenance.zip: maintenance-javadoc.jar: type-search-index.js			
maintenance.zip: maintenance.jar			
maintenance.zip: maintenance.jar: controller.js			
maintenance.zip: maintenance.jar: controller.js			
maintenance.zip: maintenance.jar: controller.js			
maintenance.zip: maintenance.jar: controller.js			

maintenance.zip: maintenance.jar: controller.js			
maintenance.zip: maintenance.jar: filechooser.js			
maintenance.zip: maintenance.jar: multieditusers.js			
mariadb-java-client.jar		pkg:maven/org.mariadb.jdbc/mariadb-java-client@3.5.6	
mysql-connector-j.jar	cpe:2.3:a:mysql:mysql:8.2.0:*.***.*.*.* cpe:2.3:a:oracle:connectorVj:8.2.0:*.***.*.*.* cpe:2.3:a:oracle:jdbc:8.2.0:*.***.*.*.* cpe:2.3:a:oracle:mysql_connectorVj:8.2.0:*.***.*.*.* cpe:2.3:a:oracle:mysql_connectors:8.2.0:*.***.*.*.*		
notification.zip: notification.jar			
notification.zip: notification.jar: notification.js			
notification.zip: notification.jar: notification_config.js			
notification.zip: notification.jar: notification_taskplanner.js			
notification.zip: notification.jar: targetrenderer.js			
odbc.jar			
opentest4j-1.3.0.jar		pkg:maven/org.opentest4j/opentest4j@1.3.0	
pdfviewer.zip: pdfjs-dist.jar		pkg:maven/org.webjars.npm/pdfjs-dist@4.9.155	
pdfviewer.zip: pdfjs-dist.jar: package.json			
pdfviewer.zip: pdfviewer.jar			
pdfviewer.zip: pdfviewer.jar: drive.js			
pdfviewer.zip: pdfviewer.jar: pdfviewer.angular.js			
pdfviewer.zip: pdfviewer.jar: pdfviewer.embedded.js			
pdfviewer.zip: pdfviewer.jar: pdfviewer.factory.js			
pdfviewer.zip: pdfviewer.jar: pdfviewer.model.js			
pdfviewer.zip: pdfviewer.jar: pdfviewer.renderer.js			
pdfviewer.zip: pdfviewer.jar: pdfviewer.reporting.js			
pluginstore.client.zip: pluginstore.client.jar			
pluginstore.client.zip: pluginstore.client.jar: controller.js			
pluginstore.client.zip: pluginstore.client.jar:			

pluginstorehelpcontroller.js			
pluginstore.client.zip: pluginstore.client.jar: publicstoreconfig.js			
pluginstore.client.zip: pluginstore.client.jar: storecontroller.js			
pluginstore.client.zip: pluginstore.client.jar: storedirectives.js			
pluginstore.client.zip: pluginstore.client.jar: storemodel.js			
promptdialog.zip: promptdialog.jar			
promptdialog.zip: promptdialog.jar: promptcontroller.js			
promptdialog.zip: promptdialog.jar: promptcustomrender.js			
promptdialog.zip: promptdialog.jar: promptfactory.js			
promptdialog.zip: promptdialog.jar: promptpanel.js			
promptdialog.zip: promptdialog.jar: promptrender.js			
quickticket.zip: quickticket.jar	cpe:2.3:a:inetsoftware:helpdesk:25.10.233:*:*:*.*.*.*.*		
quickticket.zip: quickticket.jar: configuration.quickticket.createfolder.js			
quickticket.zip: quickticket.jar: configuration.quickticket.edit.js			
quickticket.zip: quickticket.jar: configuration.quickticket.js			
quickticket.zip: quickticket.jar: configuration.quickticket.render.js			
quickticket.zip: quickticket.jar: ticketlist.extension.js			
quickticket.zip: quickticket.jar: ticketlist.quickticket.apply.js			
remotegui.zip: angular-animate.jar		pkg:maven/org.webjars.npm/angular-animate@1.8.3	
remotegui.zip: angular-animate.jar: angular-animate.js		pkg:javascript/angularjs@1.8.3	
remotegui.zip: angular-animate.jar: angular-animate.min.js		pkg:javascript/angularjs@1.8.3	
remotegui.zip: angular-animate.jar: index.js			
remotegui.zip: angular-animate.jar: package.json			
remotegui.zip: angular-cookies.jar		pkg:maven/org.webjars.npm/angular-cookies@1.8.3	
remotegui.zip: angular-cookies.jar: angular-cookies.js		pkg:javascript/angularjs@1.8.3	

remotegui.zip: angular-cookies.jar: angular-cookies.min.js		pkg:javascript/angularjs@1.8.3	
remotegui.zip: angular-cookies.jar: index.js			
remotegui.zip: angular-cookies.jar: package.json			
remotegui.zip: angular-sanitize.jar		pkg:maven/org.webjars/npm/angular-sanitize@1.8.3	
remotegui.zip: angular-sanitize.jar: angular-sanitize.js		pkg:javascript/angularjs@1.8.3	
remotegui.zip: angular-sanitize.jar: angular-sanitize.min.js		pkg:javascript/angularjs@1.8.3	
remotegui.zip: angular-sanitize.jar: index.js			
remotegui.zip: angular-sanitize.jar: package.json			
remotegui.zip: angular.jar		pkg:maven/org.webjars/npm/angular@1.8.3	
remotegui.zip: angular.jar: angular.js		pkg:javascript/angularjs@1.8.3	
remotegui.zip: angular.jar: angular.min.js		pkg:javascript/angularjs@1.8.3	
remotegui.zip: angular.jar: index.js			
remotegui.zip: angular.jar: package.json			
remotegui.zip: codemirror.jar	cpe:2.3:a:codemirror:codemirror:6.65.7:.*.*.*.*.*.*.*.*.*.*	pkg:maven/org.webjars/npm/codemirror@6.65.7	
remotegui.zip: codemirror.jar: CodeMirror.js			
remotegui.zip: codemirror.jar: ContentEditableInput.js			
remotegui.zip: codemirror.jar: Display.js			
remotegui.zip: codemirror.jar: Doc.js			
remotegui.zip: codemirror.jar: StringStream.js			
remotegui.zip: codemirror.jar: TextareaInput.js			
remotegui.zip: codemirror.jar: active-line.js			
remotegui.zip: codemirror.jar: annotatescrollbar.js			
remotegui.zip: codemirror.jar: anyword-hint.js			
remotegui.zip: codemirror.jar: apl.js			
remotegui.zip: codemirror.jar: asciiarmor.js			
remotegui.zip: codemirror.jar: asn.1.js			
remotegui.zip: codemirror.jar: asterisk.js			
remotegui.zip: codemirror.jar: autorefresh.js			
remotegui.zip: codemirror.jar: bidi.js			
remotegui.zip: codemirror.jar: brace-fold.js			

remotegui.zip: codemirror.jar: brainfuck.js			
remotegui.zip: codemirror.jar: browser.js			
remotegui.zip: codemirror.jar: change_measurement.js			
remotegui.zip: codemirror.jar: changes.js			
remotegui.zip: codemirror.jar: chunk.js			
remotegui.zip: codemirror.jar: clike.js			
remotegui.zip: codemirror.jar: clojure.js			
remotegui.zip: codemirror.jar: closebrackets.js			
remotegui.zip: codemirror.jar: closetag.js			
remotegui.zip: codemirror.jar: cmake.js			
remotegui.zip: codemirror.jar: cobol.js			
remotegui.zip: codemirror.jar: codemirror-standalone.js			
remotegui.zip: codemirror.jar: codemirror.js			
remotegui.zip: codemirror.jar: codemirror.js			
remotegui.zip: codemirror.jar: codemirror.node.js			
remotegui.zip: codemirror.jar: coffeescript-lint.js			
remotegui.zip: codemirror.jar: coffeescript.js			
remotegui.zip: codemirror.jar: colorize.js			
remotegui.zip: codemirror.jar: commands.js			
remotegui.zip: codemirror.jar: comment-fold.js			
remotegui.zip: codemirror.jar: comment.js			
remotegui.zip: codemirror.jar: commonlisp.js			
remotegui.zip: codemirror.jar: continuecomment.js			
remotegui.zip: codemirror.jar: continuelist.js			
remotegui.zip: codemirror.jar: crystal.js			
remotegui.zip: codemirror.jar: css-hint.js			
remotegui.zip: codemirror.jar: css-lint.js			
remotegui.zip: codemirror.jar: css.js			
remotegui.zip: codemirror.jar: cypher.js			
remotegui.zip: codemirror.jar: d.js			
remotegui.zip: codemirror.jar: dart.js			
remotegui.zip: codemirror.jar: deleteNearSelection.js			
remotegui.zip: codemirror.jar: dialog.js			
remotegui.zip: codemirror.jar: diff.js			
remotegui.zip: codemirror.jar: django.js			

remotegui.zip: codemirror.jar: dockerfile.js			
remotegui.zip: codemirror.jar: document_data.js			
remotegui.zip: codemirror.jar: dom.js			
remotegui.zip: codemirror.jar: drop_events.js			
remotegui.zip: codemirror.jar: dtd.js			
remotegui.zip: codemirror.jar: dylan.js			
remotegui.zip: codemirror.jar: ebnf.js			
remotegui.zip: codemirror.jar: ecl.js			
remotegui.zip: codemirror.jar: eiffel.js			
remotegui.zip: codemirror.jar: elm.js			
remotegui.zip: codemirror.jar: emacs.js			
remotegui.zip: codemirror.jar: erlang.js			
remotegui.zip: codemirror.jar: event.js			
remotegui.zip: codemirror.jar: factor.js			
remotegui.zip: codemirror.jar: fcl.js			
remotegui.zip: codemirror.jar: feature_detection.js			
remotegui.zip: codemirror.jar: focus.js			
remotegui.zip: codemirror.jar: foldcode.js			
remotegui.zip: codemirror.jar: foldgutter.js			
remotegui.zip: codemirror.jar: forth.js			
remotegui.zip: codemirror.jar: fortran.js			
remotegui.zip: codemirror.jar: fromTextArea.js			
remotegui.zip: codemirror.jar: fullscreen.js			
remotegui.zip: codemirror.jar: gas.js			
remotegui.zip: codemirror.jar: gfm.js			
remotegui.zip: codemirror.jar: gherkin.js			
remotegui.zip: codemirror.jar: global_events.js			
remotegui.zip: codemirror.jar: go.js			
remotegui.zip: codemirror.jar: groovy.js			
remotegui.zip: codemirror.jar: gutters.js			
remotegui.zip: codemirror.jar: haml.js			
remotegui.zip: codemirror.jar: handlebars.js			
remotegui.zip: codemirror.jar: hardwrap.js			
remotegui.zip: codemirror.jar: haskell-literate.js			
remotegui.zip: codemirror.jar: haskell.js			

[remotegui.zip: codemirror.jar: haxe.js](#)

[remotegui.zip: codemirror.jar: highlight.js](#)

[remotegui.zip: codemirror.jar: highlight_worker.js](#)

[remotegui.zip: codemirror.jar: history.js](#)

[remotegui.zip: codemirror.jar: html-hint.js](#)

[remotegui.zip: codemirror.jar: html-lint.js](#)

[remotegui.zip: codemirror.jar: htmlembdedded.js](#)

[remotegui.zip: codemirror.jar: htmlmixed.js](#)

[remotegui.zip: codemirror.jar: http.js](#)

[remotegui.zip: codemirror.jar: idl.js](#)

[remotegui.zip: codemirror.jar: indent-fold.js](#)

[remotegui.zip: codemirror.jar: indent.js](#)

[remotegui.zip: codemirror.jar: input.js](#)

[remotegui.zip: codemirror.jar: javascript-hint.js](#)

[remotegui.zip: codemirror.jar: javascript-lint.js](#)

[remotegui.zip: codemirror.jar: javascript.js](#)

[remotegui.zip: codemirror.jar: jinja2.js](#)

[remotegui.zip: codemirror.jar: json-lint.js](#)

[remotegui.zip: codemirror.jar: jsx.js](#)

[remotegui.zip: codemirror.jar: julia.js](#)

[remotegui.zip: codemirror.jar: jump-to-line.js](#)

[remotegui.zip: codemirror.jar: key_events.js](#)

[remotegui.zip: codemirror.jar: keymap.js](#)

[remotegui.zip: codemirror.jar: keynames.js](#)

[remotegui.zip: codemirror.jar: legacy.js](#)

[remotegui.zip: codemirror.jar: line_data.js](#)

[remotegui.zip: codemirror.jar: line_numbers.js](#)

[remotegui.zip: codemirror.jar: line_widget.js](#)

[remotegui.zip: codemirror.jar: lint.js](#)

[remotegui.zip: codemirror.jar: livescript.js](#)

[remotegui.zip: codemirror.jar: loadmode.js](#)

[remotegui.zip: codemirror.jar: lua.js](#)

[remotegui.zip: codemirror.jar: main.js](#)

[remotegui.zip: codemirror.jar: mark-selection.js](#)

[remotegui.zip: codemirror.jar: mark_text.js](#)

remotegui.zip: codemirror.jar: markdown-fold.js			
remotegui.zip: codemirror.jar: markdown.js			
remotegui.zip: codemirror.jar: match-highlighter.js			
remotegui.zip: codemirror.jar: matchbrackets.js			
remotegui.zip: codemirror.jar: matchesonscrollbar.js			
remotegui.zip: codemirror.jar: matchtags.js			
remotegui.zip: codemirror.jar: mathematica.js			
remotegui.zip: codemirror.jar: mbox.js			
remotegui.zip: codemirror.jar: merge.js			
remotegui.zip: codemirror.jar: meta.js			
remotegui.zip: codemirror.jar: methods.js			
remotegui.zip: codemirror.jar: mirc.js			
remotegui.zip: codemirror.jar: misc.js			
remotegui.zip: codemirror.jar: mllike.js			
remotegui.zip: codemirror.jar: mode_state.js			
remotegui.zip: codemirror.jar: modelica.js			
remotegui.zip: codemirror.jar: modes.js			
remotegui.zip: codemirror.jar: mouse_events.js			
remotegui.zip: codemirror.jar: movement.js			
remotegui.zip: codemirror.jar: mscgen.js			
remotegui.zip: codemirror.jar: multiplex.js			
remotegui.zip: codemirror.jar: multiplex_test.js			
remotegui.zip: codemirror.jar: mumps.js			
remotegui.zip: codemirror.jar: nginx.js			
remotegui.zip: codemirror.jar: nsis.js			
remotegui.zip: codemirror.jar: ntriples.js			
remotegui.zip: codemirror.jar: octave.js			
remotegui.zip: codemirror.jar: operation_group.js			
remotegui.zip: codemirror.jar: operations.js			
remotegui.zip: codemirror.jar: options.js			
remotegui.zip: codemirror.jar: overlay.js			
remotegui.zip: codemirror.jar: oz.js			
remotegui.zip: codemirror.jar: package.json			
remotegui.zip: codemirror.jar: panel.js			
remotegui.zip: codemirror.jar: pascal.js			

[remotegui.zip: codemirror.jar: pegjs.js](#)

[remotegui.zip: codemirror.jar: perl.js](#)

[remotegui.zip: codemirror.jar: php.js](#)

[remotegui.zip: codemirror.jar: pig.js](#)

[remotegui.zip: codemirror.jar: placeholder.js](#)

[remotegui.zip: codemirror.jar: pos.js](#)

[remotegui.zip: codemirror.jar: position_measurement.js](#)

[remotegui.zip: codemirror.jar: powershell.js](#)

[remotegui.zip: codemirror.jar: properties.js](#)

[remotegui.zip: codemirror.jar: protobuf.js](#)

[remotegui.zip: codemirror.jar: pug.js](#)

[remotegui.zip: codemirror.jar: puppet.js](#)

[remotegui.zip: codemirror.jar: python.js](#)

[remotegui.zip: codemirror.jar: q.js](#)

[remotegui.zip: codemirror.jar: r.js](#)

[remotegui.zip: codemirror.jar: rollup.config.js](#)

[remotegui.zip: codemirror.jar: rpm.js](#)

[remotegui.zip: codemirror.jar: rst.js](#)

[remotegui.zip: codemirror.jar: ruby.js](#)

[remotegui.zip: codemirror.jar: rulers.js](#)

[remotegui.zip: codemirror.jar: runmode-standalone.js](#)

[remotegui.zip: codemirror.jar: runmode-standalone.js](#)

[remotegui.zip: codemirror.jar: runmode.js](#)

[remotegui.zip: codemirror.jar: runmode.node.js](#)

[remotegui.zip: codemirror.jar: runmode.node.js](#)

[remotegui.zip: codemirror.jar: rust.js](#)

[remotegui.zip: codemirror.jar: sas.js](#)

[remotegui.zip: codemirror.jar: sass.js](#)

[remotegui.zip: codemirror.jar: saw_special_spans.js](#)

[remotegui.zip: codemirror.jar: scheme.js](#)

[remotegui.zip: codemirror.jar: scroll_events.js](#)

[remotegui.zip: codemirror.jar: scrollbars.js](#)

[remotegui.zip: codemirror.jar: scrolling.js](#)

[remotegui.zip: codemirror.jar: scrollpastend.js](#)

[remotegui.zip: codemirror.jar: search.js](#)

remotegui.zip: codemirror.jar: searchcursor.js			
remotegui.zip: codemirror.jar: selection-pointer.js			
remotegui.zip: codemirror.jar: selection.js			
remotegui.zip: codemirror.jar: selection.js			
remotegui.zip: codemirror.jar: selection_updates.js			
remotegui.zip: codemirror.jar: shell.js			
remotegui.zip: codemirror.jar: show-hint.js			
remotegui.zip: codemirror.jar: sieve.js			
remotegui.zip: codemirror.jar: simple.js			
remotegui.zip: codemirror.jar: simplescrollbars.js			
remotegui.zip: codemirror.jar: slim.js			
remotegui.zip: codemirror.jar: smalltalk.js			
remotegui.zip: codemirror.jar: smarty.js			
remotegui.zip: codemirror.jar: solr.js			
remotegui.zip: codemirror.jar: soy.js			
remotegui.zip: codemirror.jar: spans.js			
remotegui.zip: codemirror.jar: sparql.js			
remotegui.zip: codemirror.jar: spreadsheet.js			
remotegui.zip: codemirror.jar: sql-hint.js			
remotegui.zip: codemirror.jar: sql.js			
remotegui.zip: codemirror.jar: stex.js			
remotegui.zip: codemirror.jar: stylus.js			
remotegui.zip: codemirror.jar: sublime.js			
remotegui.zip: codemirror.jar: swift.js			
remotegui.zip: codemirror.jar: tcl.js			
remotegui.zip: codemirror.jar: tern.js			
remotegui.zip: codemirror.jar: textile.js			
remotegui.zip: codemirror.jar: tiddlywiki.js			
remotegui.zip: codemirror.jar: tiki.js			
remotegui.zip: codemirror.jar: toml.js			
remotegui.zip: codemirror.jar: tornado.js			
remotegui.zip: codemirror.jar: trailingspace.js			
remotegui.zip: codemirror.jar: troff.js			
remotegui.zip: codemirror.jar: ttcn-cfg.js			
remotegui.zip: codemirror.jar: ttcn.js			

remotegui.zip: codemirror.jar: turtle.js			
remotegui.zip: codemirror.jar: twig.js			
remotegui.zip: codemirror.jar: update_display.js			
remotegui.zip: codemirror.jar: update_line.js			
remotegui.zip: codemirror.jar: update_lines.js			
remotegui.zip: codemirror.jar: utils.js			
remotegui.zip: codemirror.jar: utils_line.js			
remotegui.zip: codemirror.jar: vb.js			
remotegui.zip: codemirror.jar: vbscript.js			
remotegui.zip: codemirror.jar: velocity.js			
remotegui.zip: codemirror.jar: verilog.js			
remotegui.zip: codemirror.jar: vhdl.js			
remotegui.zip: codemirror.jar: view_tracking.js			
remotegui.zip: codemirror.jar: vim.js			
remotegui.zip: codemirror.jar: vue.js			
remotegui.zip: codemirror.jar: wast.js			
remotegui.zip: codemirror.jar: webidl.js			
remotegui.zip: codemirror.jar: widgets.js			
remotegui.zip: codemirror.jar: worker.js			
remotegui.zip: codemirror.jar: xml-fold.js			
remotegui.zip: codemirror.jar: xml-hint.js			
remotegui.zip: codemirror.jar: xml.js			
remotegui.zip: codemirror.jar: xquery.js			
remotegui.zip: codemirror.jar: yacas.js			
remotegui.zip: codemirror.jar: yaml-frontmatter.js			
remotegui.zip: codemirror.jar: yaml-lint.js			
remotegui.zip: codemirror.jar: yaml.js			
remotegui.zip: codemirror.jar: z80.js			
remotegui.zip: crypto-js.jar		pkg:maven/org.webjars/npm/crypto-js@4.2.0	
remotegui.zip: crypto-js.jar: aes.js			
remotegui.zip: crypto-js.jar: blowfish.js			
remotegui.zip: crypto-js.jar: cipher-core.js			
remotegui.zip: crypto-js.jar: core.js			
remotegui.zip: crypto-js.jar: crypto-js.js			

[remotegui.zip: crypto-js.jar: enc-base64.js](#)

[remotegui.zip: crypto-js.jar: enc-base64url.js](#)

[remotegui.zip: crypto-js.jar: enc-hex.js](#)

[remotegui.zip: crypto-js.jar: enc-latin1.js](#)

[remotegui.zip: crypto-js.jar: enc-utf16.js](#)

[remotegui.zip: crypto-js.jar: enc-utf8.js](#)

[remotegui.zip: crypto-js.jar: evpkdf.js](#)

[remotegui.zip: crypto-js.jar: format-hex.js](#)

[remotegui.zip: crypto-js.jar: format-openssl.js](#)

[remotegui.zip: crypto-js.jar: hmac-md5.js](#)

[remotegui.zip: crypto-js.jar: hmac-ripemd160.js](#)

[remotegui.zip: crypto-js.jar: hmac-sha1.js](#)

[remotegui.zip: crypto-js.jar: hmac-sha224.js](#)

[remotegui.zip: crypto-js.jar: hmac-sha256.js](#)

[remotegui.zip: crypto-js.jar: hmac-sha3.js](#)

[remotegui.zip: crypto-js.jar: hmac-sha384.js](#)

[remotegui.zip: crypto-js.jar: hmac-sha512.js](#)

[remotegui.zip: crypto-js.jar: hmac.js](#)

[remotegui.zip: crypto-js.jar: index.js](#)

[remotegui.zip: crypto-js.jar: lib-typedarrays.js](#)

[remotegui.zip: crypto-js.jar: md5.js](#)

[remotegui.zip: crypto-js.jar: mode-cfb.js](#)

[remotegui.zip: crypto-js.jar: mode-ctr-gladman.js](#)

[remotegui.zip: crypto-js.jar: mode-ctr.js](#)

[remotegui.zip: crypto-js.jar: mode-ecb.js](#)

[remotegui.zip: crypto-js.jar: mode-ofb.js](#)

[remotegui.zip: crypto-js.jar: package.json](#)

[remotegui.zip: crypto-js.jar: pad-ansix923.js](#)

[remotegui.zip: crypto-js.jar: pad-iso10126.js](#)

[remotegui.zip: crypto-js.jar: pad-iso97971.js](#)

[remotegui.zip: crypto-js.jar: pad-nopadding.js](#)

[remotegui.zip: crypto-js.jar: pad-pkcs7.js](#)

[remotegui.zip: crypto-js.jar: pad-zeropadding.js](#)

[remotegui.zip: crypto-js.jar: pbkdf2.js](#)

[remotegui.zip: crypto-js.jar: rabbit-legacy.js](#)

remotegui.zip: crypto-js.jar: rabbit.js			
remotegui.zip: crypto-js.jar: rc4.js			
remotegui.zip: crypto-js.jar: ripemd160.js			
remotegui.zip: crypto-js.jar: sha1.js			
remotegui.zip: crypto-js.jar: sha224.js			
remotegui.zip: crypto-js.jar: sha256.js			
remotegui.zip: crypto-js.jar: sha3.js			
remotegui.zip: crypto-js.jar: sha384.js			
remotegui.zip: crypto-js.jar: sha512.js			
remotegui.zip: crypto-js.jar: tripledes.js			
remotegui.zip: crypto-js.jar: x64-core.js			
remotegui.zip: hugerte-languages.jar		pkg:maven/org.webjars.npm/hugerte-languages@1.0.9	
remotegui.zip: hugerte-languages.jar: ar.js			
remotegui.zip: hugerte-languages.jar: ar_SA.js			
remotegui.zip: hugerte-languages.jar: az.js			
remotegui.zip: hugerte-languages.jar: be.js			
remotegui.zip: hugerte-languages.jar: bg_BG.js			
remotegui.zip: hugerte-languages.jar: bn_BD.js			
remotegui.zip: hugerte-languages.jar: ca.js			
remotegui.zip: hugerte-languages.jar: cs.js			
remotegui.zip: hugerte-languages.jar: cy.js			
remotegui.zip: hugerte-languages.jar: da.js			
remotegui.zip: hugerte-languages.jar: de.js			
remotegui.zip: hugerte-languages.jar: el.js			
remotegui.zip: hugerte-languages.jar: eo.js			
remotegui.zip: hugerte-languages.jar: es.js			
remotegui.zip: hugerte-languages.jar: es_MX.js			
remotegui.zip: hugerte-languages.jar: et.js			
remotegui.zip: hugerte-languages.jar: eu.js			
remotegui.zip: hugerte-languages.jar: fa.js			
remotegui.zip: hugerte-languages.jar: fi.js			
remotegui.zip: hugerte-languages.jar: fr_FR.js			
remotegui.zip: hugerte-languages.jar: ga.js			
remotegui.zip: hugerte-languages.jar: gl.js			

remotegui.zip: hugerte-languages.jar: he_IL.js			
remotegui.zip: hugerte-languages.jar: hr.js			
remotegui.zip: hugerte-languages.jar: hu_HU.js			
remotegui.zip: hugerte-languages.jar: hy.js			
remotegui.zip: hugerte-languages.jar: id.js			
remotegui.zip: hugerte-languages.jar: is_IS.js			
remotegui.zip: hugerte-languages.jar: it.js			
remotegui.zip: hugerte-languages.jar: ja.js			
remotegui.zip: hugerte-languages.jar: ka_GE.js			
remotegui.zip: hugerte-languages.jar: kab.js			
remotegui.zip: hugerte-languages.jar: kk.js			
remotegui.zip: hugerte-languages.jar: ko_KR.js			
remotegui.zip: hugerte-languages.jar: ku.js			
remotegui.zip: hugerte-languages.jar: lt.js			
remotegui.zip: hugerte-languages.jar: lv.js			
remotegui.zip: hugerte-languages.jar: nb_NO.js			
remotegui.zip: hugerte-languages.jar: ne.js			
remotegui.zip: hugerte-languages.jar: nl.js			
remotegui.zip: hugerte-languages.jar: nl_BE.js			
remotegui.zip: hugerte-languages.jar: oc.js			
remotegui.zip: hugerte-languages.jar: pl.js			
remotegui.zip: hugerte-languages.jar: pt_BR.js			
remotegui.zip: hugerte-languages.jar: pt_PT.js			
remotegui.zip: hugerte-languages.jar: ro.js			
remotegui.zip: hugerte-languages.jar: ru.js			
remotegui.zip: hugerte-languages.jar: sk.js			
remotegui.zip: hugerte-languages.jar: sl_SI.js			
remotegui.zip: hugerte-languages.jar: sq.js			
remotegui.zip: hugerte-languages.jar: sr.js			
remotegui.zip: hugerte-languages.jar: sv_SE.js			
remotegui.zip: hugerte-languages.jar: ta.js			
remotegui.zip: hugerte-languages.jar: tg.js			
remotegui.zip: hugerte-languages.jar: th_TH.js			
remotegui.zip: hugerte-languages.jar: tr.js			
remotegui.zip: hugerte-languages.jar: ug.js			

[remotegui.zip: hugerte-languages.jar: uk.js](#)

[remotegui.zip: hugerte-languages.jar: uz.js](#)

[remotegui.zip: hugerte-languages.jar: vi.js](#)

[remotegui.zip: hugerte-languages.jar: zh_CN.js](#)

[remotegui.zip: hugerte-languages.jar: zh_HK.js](#)

[remotegui.zip: hugerte-languages.jar: zh_MO.js](#)

[remotegui.zip: hugerte-languages.jar: zh_SG.js](#)

[remotegui.zip: hugerte-languages.jar: zh_TW.js](#)

[remotegui.zip: hugerte.jar](#)

[pkg:maven/org.webjars/npm/hugerte@1.0.9](#)

[remotegui.zip: hugerte.jar: ar.js](#)

[remotegui.zip: hugerte.jar: bg_BG.js](#)

[remotegui.zip: hugerte.jar: ca.js](#)

[remotegui.zip: hugerte.jar: content.inline.js](#)

[remotegui.zip: hugerte.jar: content.inline.js](#)

[remotegui.zip: hugerte.jar: content.inline.js](#)

[remotegui.zip: hugerte.jar: content.inline.js](#)

[remotegui.zip: hugerte.jar: content.js](#)

[remotegui.zip: hugerte.jar: content.js](#)

[remotegui.zip: hugerte.jar: content.js](#)

[remotegui.zip: hugerte.jar: content.js](#)

[remotegui.zip: hugerte.jar: content.js](#)

[remotegui.zip: hugerte.jar: content.js](#)

[remotegui.zip: hugerte.jar: content.js](#)

[remotegui.zip: hugerte.jar: content.js](#)

[remotegui.zip: hugerte.jar: content.js](#)

[remotegui.zip: hugerte.jar: content.js](#)

[remotegui.zip: hugerte.jar: cs.js](#)

[remotegui.zip: hugerte.jar: da.js](#)

[remotegui.zip: hugerte.jar: de.js](#)

[remotegui.zip: hugerte.jar: el.js](#)

[remotegui.zip: hugerte.jar: emojiimages.js](#)

[remotegui.zip: hugerte.jar: emojiimages.min.js](#)

[remotegui.zip: hugerte.jar: emojis.js](#)

[remotegui.zip: hugerte.jar: emojis.min.js](#)

[remotegui.zip: hugerte.jar: en.js](#)

[remotegui.zip: hugerte.jar: es.js](#)

[remotegui.zip: hugerte.jar: eu.js](#)

[remotegui.zip: hugerte.jar: fa.js](#)

[remotegui.zip: hugerte.jar: fi.js](#)

[remotegui.zip: hugerte.jar: fr_FR.js](#)

[remotegui.zip: hugerte.jar: he_IL.js](#)

[remotegui.zip: hugerte.jar: hi.js](#)

[remotegui.zip: hugerte.jar: hr.js](#)

[remotegui.zip: hugerte.jar: hu_HU.js](#)

[remotegui.zip: hugerte.jar: hugerte.js](#)

[remotegui.zip: hugerte.jar: hugerte.min.js](#)

[remotegui.zip: hugerte.jar: icons.js](#)

[remotegui.zip: hugerte.jar: icons.min.js](#)

[remotegui.zip: hugerte.jar: id.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[illegible]

remotegui.zip: hugerte.jar: plugin.js

[illegible]

remotegui.zip: hugerte.jar: plugin.min.js			
remotegui.zip: hugerte.jar: plugin.min.js			
remotegui.zip: hugerte.jar: plugin.min.js			
remotegui.zip: hugerte.jar: plugin.min.js			
remotegui.zip: hugerte.jar: plugin.min.js			
remotegui.zip: hugerte.jar: plugin.min.js			
remotegui.zip: hugerte.jar: plugin.min.js			
remotegui.zip: hugerte.jar: plugin.min.js			
remotegui.zip: hugerte.jar: plugin.min.js			
remotegui.zip: hugerte.jar: plugin.min.js			
remotegui.zip: hugerte.jar: plugin.min.js			
remotegui.zip: hugerte.jar: plugin.min.js			
remotegui.zip: hugerte.jar: plugin.min.js			
remotegui.zip: hugerte.jar: pt_BR.js			
remotegui.zip: hugerte.jar: pt_PT.js			
remotegui.zip: hugerte.jar: ro.js			
remotegui.zip: hugerte.jar: ru.js			
remotegui.zip: hugerte.jar: sk.js			
remotegui.zip: hugerte.jar: skin.js			
remotegui.zip: hugerte.jar: skin.js			
remotegui.zip: hugerte.jar: skin.js			
remotegui.zip: hugerte.jar: skin.js			
remotegui.zip: hugerte.jar: skin.shadowdom.js			
remotegui.zip: hugerte.jar: skin.shadowdom.js			
remotegui.zip: hugerte.jar: skin.shadowdom.js			
remotegui.zip: hugerte.jar: skin.shadowdom.js			
remotegui.zip: hugerte.jar: sl_SI.js			
remotegui.zip: hugerte.jar: sv_SE.js			
remotegui.zip: hugerte.jar: th_TH.js			
remotegui.zip: hugerte.jar: theme.js			
remotegui.zip: hugerte.jar: theme.min.js			
remotegui.zip: hugerte.jar: tr.js			
remotegui.zip: hugerte.jar: uk.js			
remotegui.zip: hugerte.jar: vi.js			

remotegui.zip: hugerte.jar: zh_CN.js			
remotegui.zip: hugerte.jar: zh_TW.js			
remotegui.zip: jquery-ui.jar		pkg:maven/org.webjars/jquery-ui@1.14.1	
remotegui.zip: jquery-ui.jar: jquery-ui.js			
remotegui.zip: jquery-ui.jar: jquery-ui.min.js			
remotegui.zip: jquery-ui.jar: package.json			
remotegui.zip: jquery-ui.jar: webjars-requirejs.js			
remotegui.zip: jquery.jar		pkg:javascript/jquery@2.2.4 pkg:maven/org.webjars/jquery@2.2.4	
remotegui.zip: jquery.jar: webjars-requirejs.js			
remotegui.zip: moment-timezone.jar		pkg:maven/org.webjars.npm/moment-timezone@0.5.46	
remotegui.zip: moment-timezone.jar: index.js			
remotegui.zip: moment-timezone.jar: moment-timezone-utils.js			
remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.js			
remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.min.js			
remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.js			
remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.min.js			
remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.js			
remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.min.js			
remotegui.zip: moment-timezone.jar: moment-timezone-with-data.js			
remotegui.zip: moment-timezone.jar: moment-timezone-with-data.min.js			
remotegui.zip: moment-timezone.jar: moment-timezone.js			
remotegui.zip: moment-timezone.jar: moment-timezone.min.js			
remotegui.zip: moment-timezone.jar: package.json			
remotegui.zip: momentjs.jar		pkg:maven/org.webjars/momentjs@2.29.4	

[remotegui.zip: momentjs.jar: af.js](#)

[remotegui.zip: momentjs.jar: ar-dz.js](#)

[remotegui.zip: momentjs.jar: ar-kw.js](#)

[remotegui.zip: momentjs.jar: ar-ly.js](#)

[remotegui.zip: momentjs.jar: ar-ma.js](#)

[remotegui.zip: momentjs.jar: ar-sa.js](#)

[remotegui.zip: momentjs.jar: ar-tn.js](#)

[remotegui.zip: momentjs.jar: ar.js](#)

[remotegui.zip: momentjs.jar: az.js](#)

[remotegui.zip: momentjs.jar: be.js](#)

[remotegui.zip: momentjs.jar: bg.js](#)

[remotegui.zip: momentjs.jar: bm.js](#)

[remotegui.zip: momentjs.jar: bn-bd.js](#)

[remotegui.zip: momentjs.jar: bn.js](#)

[remotegui.zip: momentjs.jar: bo.js](#)

[remotegui.zip: momentjs.jar: br.js](#)

[remotegui.zip: momentjs.jar: bs.js](#)

[remotegui.zip: momentjs.jar: ca.js](#)

[remotegui.zip: momentjs.jar: cs.js](#)

[remotegui.zip: momentjs.jar: cv.js](#)

[remotegui.zip: momentjs.jar: cy.js](#)

[remotegui.zip: momentjs.jar: da.js](#)

[remotegui.zip: momentjs.jar: de-at.js](#)

[remotegui.zip: momentjs.jar: de-ch.js](#)

[remotegui.zip: momentjs.jar: de.js](#)

[remotegui.zip: momentjs.jar: dv.js](#)

[remotegui.zip: momentjs.jar: el.js](#)

[remotegui.zip: momentjs.jar: en-au.js](#)

[remotegui.zip: momentjs.jar: en-ca.js](#)

[remotegui.zip: momentjs.jar: en-gb.js](#)

[remotegui.zip: momentjs.jar: en-ie.js](#)

[remotegui.zip: momentjs.jar: en-il.js](#)

[remotegui.zip: momentjs.jar: en-in.js](#)

[remotegui.zip: momentjs.jar: en-nz.js](#)

[remotegui.zip: momentjs.jar: en-sg.js](#)

remotegui.zip: momentjs.jar: eo.js			
remotegui.zip: momentjs.jar: es-do.js			
remotegui.zip: momentjs.jar: es-mx.js			
remotegui.zip: momentjs.jar: es-us.js			
remotegui.zip: momentjs.jar: es.js			
remotegui.zip: momentjs.jar: et.js			
remotegui.zip: momentjs.jar: eu.js			
remotegui.zip: momentjs.jar: fa.js			
remotegui.zip: momentjs.jar: fi.js			
remotegui.zip: momentjs.jar: fil.js			
remotegui.zip: momentjs.jar: fo.js			
remotegui.zip: momentjs.jar: fr-ca.js			
remotegui.zip: momentjs.jar: fr-ch.js			
remotegui.zip: momentjs.jar: fr.js			
remotegui.zip: momentjs.jar: fy.js			
remotegui.zip: momentjs.jar: ga.js			
remotegui.zip: momentjs.jar: gd.js			
remotegui.zip: momentjs.jar: gl.js			
remotegui.zip: momentjs.jar: gom-deva.js			
remotegui.zip: momentjs.jar: gom-latn.js			
remotegui.zip: momentjs.jar: gu.js			
remotegui.zip: momentjs.jar: he.js			
remotegui.zip: momentjs.jar: hi.js			
remotegui.zip: momentjs.jar: hr.js			
remotegui.zip: momentjs.jar: hu.js			
remotegui.zip: momentjs.jar: hy-am.js			
remotegui.zip: momentjs.jar: id.js			
remotegui.zip: momentjs.jar: is.js			
remotegui.zip: momentjs.jar: it-ch.js			
remotegui.zip: momentjs.jar: it.js			
remotegui.zip: momentjs.jar: ja.js			
remotegui.zip: momentjs.jar: jv.js			
remotegui.zip: momentjs.jar: ka.js			
remotegui.zip: momentjs.jar: kk.js			
remotegui.zip: momentjs.jar: km.js			

[remotegui.zip: momentjs.jar: kn.js](#)

[remotegui.zip: momentjs.jar: ko.js](#)

[remotegui.zip: momentjs.jar: ku.js](#)

[remotegui.zip: momentjs.jar: ky.js](#)

[remotegui.zip: momentjs.jar: lb.js](#)

[remotegui.zip: momentjs.jar: lo.js](#)

[remotegui.zip: momentjs.jar: locales.js](#)

[remotegui.zip: momentjs.jar: locales.min.js](#)

[remotegui.zip: momentjs.jar: lt.js](#)

[remotegui.zip: momentjs.jar: lv.js](#)

[remotegui.zip: momentjs.jar: me.js](#)

[remotegui.zip: momentjs.jar: mi.js](#)

[remotegui.zip: momentjs.jar: mk.js](#)

[remotegui.zip: momentjs.jar: ml.js](#)

[remotegui.zip: momentjs.jar: mn.js](#)

[remotegui.zip: momentjs.jar: moment-with-locales.js](#)

[remotegui.zip: momentjs.jar: moment-with-locales.min.js](#)

[remotegui.zip: momentjs.jar: moment.js](#)

[remotegui.zip: momentjs.jar: moment.min.js](#)

[remotegui.zip: momentjs.jar: mr.js](#)

[remotegui.zip: momentjs.jar: ms-my.js](#)

[remotegui.zip: momentjs.jar: ms.js](#)

[remotegui.zip: momentjs.jar: mt.js](#)

[remotegui.zip: momentjs.jar: my.js](#)

[remotegui.zip: momentjs.jar: nb.js](#)

[remotegui.zip: momentjs.jar: ne.js](#)

[remotegui.zip: momentjs.jar: nl-be.js](#)

[remotegui.zip: momentjs.jar: nl.js](#)

[remotegui.zip: momentjs.jar: nn.js](#)

[remotegui.zip: momentjs.jar: oc-lnc.js](#)

[remotegui.zip: momentjs.jar: pa-in.js](#)

[remotegui.zip: momentjs.jar: package.js](#)

[remotegui.zip: momentjs.jar: package.json](#)

[remotegui.zip: momentjs.jar: pl.js](#)

[remotegui.zip: momentjs.jar: pt-br.js](#)

remotegui.zip: momentjs.jar: pt.js			
remotegui.zip: momentjs.jar: ro.js			
remotegui.zip: momentjs.jar: ru.js			
remotegui.zip: momentjs.jar: sd.js			
remotegui.zip: momentjs.jar: se.js			
remotegui.zip: momentjs.jar: si.js			
remotegui.zip: momentjs.jar: sk.js			
remotegui.zip: momentjs.jar: sl.js			
remotegui.zip: momentjs.jar: sq.js			
remotegui.zip: momentjs.jar: sr-cyrl.js			
remotegui.zip: momentjs.jar: sr.js			
remotegui.zip: momentjs.jar: ss.js			
remotegui.zip: momentjs.jar: sv.js			
remotegui.zip: momentjs.jar: sw.js			
remotegui.zip: momentjs.jar: ta.js			
remotegui.zip: momentjs.jar: te.js			
remotegui.zip: momentjs.jar: tests.js			
remotegui.zip: momentjs.jar: tet.js			
remotegui.zip: momentjs.jar: tg.js			
remotegui.zip: momentjs.jar: th.js			
remotegui.zip: momentjs.jar: tk.js			
remotegui.zip: momentjs.jar: tl-ph.js			
remotegui.zip: momentjs.jar: tlh.js			
remotegui.zip: momentjs.jar: tr.js			
remotegui.zip: momentjs.jar: tzl.js			
remotegui.zip: momentjs.jar: tzm-latn.js			
remotegui.zip: momentjs.jar: tzm.js			
remotegui.zip: momentjs.jar: ug-cn.js			
remotegui.zip: momentjs.jar: uk.js			
remotegui.zip: momentjs.jar: ur.js			
remotegui.zip: momentjs.jar: uz-latn.js			
remotegui.zip: momentjs.jar: uz.js			
remotegui.zip: momentjs.jar: vi.js			
remotegui.zip: momentjs.jar: webjars-requirejs.js			
remotegui.zip: momentjs.jar: x-pseudo.js			

[remotegui.zip: momentjs.jar: yo.js](#)

[remotegui.zip: momentjs.jar: zh-cn.js](#)

[remotegui.zip: momentjs.jar: zh-hk.js](#)

[remotegui.zip: momentjs.jar: zh-mo.js](#)

[remotegui.zip: momentjs.jar: zh-tw.js](#)

[remotegui.zip: remotegui.jar](#)

[remotegui.zip: remotegui.jar: angular-websocket.js](#)

[remotegui.zip: remotegui.jar: app.js](#)

[remotegui.zip: remotegui.jar: app.js](#)

[remotegui.zip: remotegui.jar: app.js](#)

[remotegui.zip: remotegui.jar: app.js](#)

[remotegui.zip: remotegui.jar: appbadge.service.js](#)

[remotegui.zip: remotegui.jar: authInterceptor.service.js](#)

[remotegui.zip: remotegui.jar: avatarcard.directive.js](#)

[remotegui.zip: remotegui.jar: avatardetails.directive.js](#)

[remotegui.zip: remotegui.jar: avatarimage.directive.js](#)

[remotegui.zip: remotegui.jar: avatarimagedetails.directive.js](#)

[remotegui.zip: remotegui.jar: basic.js](#)

[remotegui.zip: remotegui.jar: bootstrap-colorpicker.js](#)

[remotegui.zip: remotegui.jar: bootstrap-datetimepicker.js](#)

[remotegui.zip: remotegui.jar: browsercheck.js](#)

[remotegui.zip: remotegui.jar: changeavatar.js](#)

[remotegui.zip: remotegui.jar: changeavatarcontroller.controller.js](#)

[remotegui.zip: remotegui.jar: changeavatar.service.js](#)

[remotegui.zip: remotegui.jar: clearreports.controller.js](#)

[remotegui.zip: remotegui.jar: collapse.directive.js](#)

[remotegui.zip: remotegui.jar: colorPicker.directive.js](#)

[remotegui.zip: remotegui.jar: connectionstate.js](#)

[remotegui.zip: remotegui.jar: controller.js](#)

[remotegui.zip: remotegui.jar: controller.js](#)

[remotegui.zip: remotegui.jar: controller.js](#)

[remotegui.zip: remotegui.jar: controllerAbout.js](#)

[remotegui.zip: remotegui.jar: controllerShortcuts.controller.js](#)

remotegui.zip: remotegui.jar: controllerUserTheme.controller.js			
remotegui.zip: remotegui.jar: controllers.js			
remotegui.zip: remotegui.jar: controllers.js			
remotegui.zip: remotegui.jar: controllers.js			
remotegui.zip: remotegui.jar: controllers.js			
remotegui.zip: remotegui.jar: controllers.js			
remotegui.zip: remotegui.jar: controllers.js			
remotegui.zip: remotegui.jar: controllers.js			
remotegui.zip: remotegui.jar: currencyNumber.directive.js			
remotegui.zip: remotegui.jar: currencyValidator.directive.js			
remotegui.zip: remotegui.jar: customEmojiUploadConfigItemRenderer.directive.js			
remotegui.zip: remotegui.jar: customEmojiUploadConfigRenderer.directive.js			
remotegui.zip: remotegui.jar: customemojiupload.js			
remotegui.zip: remotegui.jar: data-test.js			
remotegui.zip: remotegui.jar: dataservice.js			
remotegui.zip: remotegui.jar: dataservice.service.js			
remotegui.zip: remotegui.jar: datepicker-de.js			
remotegui.zip: remotegui.jar: debug.directive.js			
remotegui.zip: remotegui.jar: dialogservice.service.js			
remotegui.zip: remotegui.jar: directives.js			
remotegui.zip: remotegui.jar: dropdown.directive.js			
remotegui.zip: remotegui.jar: emojiModel.service.js			
remotegui.zip: remotegui.jar: emojiselector.directive.js			
remotegui.zip: remotegui.jar: errorservice.js			
remotegui.zip: remotegui.jar: errorservice.service.js			
remotegui.zip: remotegui.jar: eventemitter.js			
remotegui.zip: remotegui.jar: filechooser.service.js			
remotegui.zip: remotegui.jar: fixNumber.directive.js			
remotegui.zip: remotegui.jar: fixNumberValidator.directive.js			
remotegui.zip: remotegui.jar: floatNumber.directive.js			
remotegui.zip: remotegui.jar: floatNumberValidator.			

[directive.js](#)

[remotegui.zip: remotegui.jar: globalactionservice.service.js](#)

[remotegui.zip: remotegui.jar: hdField.directive.js](#)

[remotegui.zip: remotegui.jar: hdMandatory.directive.js](#)

[remotegui.zip: remotegui.jar: hdNeedchange.directive.js](#)

[remotegui.zip: remotegui.jar: hdValidate.directive.js](#)

[remotegui.zip: remotegui.jar: hdattachment.js](#)

[remotegui.zip: remotegui.jar: hdfileupload.js](#)

[remotegui.zip: remotegui.jar: hsimp.min.js](#)

[remotegui.zip: remotegui.jar: hsimp.renderer.js](#)

[remotegui.zip: remotegui.jar: html5modeurls.js](#)

[remotegui.zip: remotegui.jar: htmleditor.directive.js](#)

[remotegui.zip: remotegui.jar: htmleditorFactory.service.js](#)

[remotegui.zip: remotegui.jar: htmleditorModel.service.js](#)

[remotegui.zip: remotegui.jar: icons.js](#)

[remotegui.zip: remotegui.jar: indexed-db.js](#)

[remotegui.zip: remotegui.jar: initUsernameField.directive.js](#)

[remotegui.zip: remotegui.jar: introduction.js](#)

[remotegui.zip: remotegui.jar: jquery.fileupload.js](#)

[remotegui.zip: remotegui.jar: keyservice.service.js](#)

[remotegui.zip: remotegui.jar: kytos-attribute.js](#)

[remotegui.zip: remotegui.jar: kytos-data.js](#)

[remotegui.zip: remotegui.jar: kytos-dropdown.js](#)

[remotegui.zip: remotegui.jar: kytos-element.js](#)

[remotegui.zip: remotegui.jar: kytos-i18n-placeholder.js](#)

[remotegui.zip: remotegui.jar: kytos-i18n.js](#)

[remotegui.zip: remotegui.jar: kytos-on.js](#)

[remotegui.zip: remotegui.jar: kytos-repeat.js](#)

[remotegui.zip: remotegui.jar: kytos-src.js](#)

[remotegui.zip: remotegui.jar: kytos.js](#)

[remotegui.zip: remotegui.jar: localfilesystem.service.js](#)

[remotegui.zip: remotegui.jar: locationservice.service.js](#)

[remotegui.zip: remotegui.jar: modal.directive.js](#)

remotegui.zip: remotegui.jar: modalservice.service.js			
remotegui.zip: remotegui.jar: moduledragdrop.js			
remotegui.zip: remotegui.jar: my-test.js			
remotegui.zip: remotegui.jar: navtabsoverflow.directive.js			
remotegui.zip: remotegui.jar: ng-hugerte.js			
remotegui.zip: remotegui.jar: ng-i18n.js			
remotegui.zip: remotegui.jar: numberUtil.js			
remotegui.zip: remotegui.jar: numberValidatorUtil.factory.js			
remotegui.zip: remotegui.jar: ocLazyLoad.jsloader.js			
remotegui.zip: remotegui.jar: ocLazyLoad.min.js			
remotegui.zip: remotegui.jar: pageablenavbaractiondropdown.directive.js			
remotegui.zip: remotegui.jar: paged.filter.js			
remotegui.zip: remotegui.jar: pagination.directive.js			
remotegui.zip: remotegui.jar: piechart.directive.js			
remotegui.zip: remotegui.jar: popover.js			
remotegui.zip: remotegui.jar: pwa-service-worker.js			
remotegui.zip: remotegui.jar: pwa.js			
remotegui.zip: remotegui.jar: qrcode.min.js			
remotegui.zip: remotegui.jar: rangeSlider.directive.js			
remotegui.zip: remotegui.jar: resizableDivider.js			
remotegui.zip: remotegui.jar: scrollabledropdownmenu.directive.js			
remotegui.zip: remotegui.jar: search-panel.js			
remotegui.zip: remotegui.jar: selectInput.directive.js			
remotegui.zip: remotegui.jar: shadowLogger.factory.js			
remotegui.zip: remotegui.jar: sidenavigation.js			
remotegui.zip: remotegui.jar: takeoutDataController.controller.js			
remotegui.zip: remotegui.jar: takeoutDataFactory.factory.js			
remotegui.zip: remotegui.jar: takeoutDataModel.service.js			
remotegui.zip: remotegui.jar: timeInput.directive.js			
remotegui.zip: remotegui.jar: timeInputContainer.directive.js			
remotegui.zip: remotegui.jar: timeMeridiemContainer.directive.js			

remotegui.zip: remotegui.jar: toastservice.js			
remotegui.zip: remotegui.jar: translate.js			
remotegui.zip: remotegui.jar: unitFixNumber.directive.js			
remotegui.zip: remotegui.jar: unitFloatNumber.directive.js			
remotegui.zip: remotegui.jar: userservice.js			
remotegui.zip: remotegui.jar: usersorgroupsselection.js			
remotegui.zip: remotegui.jar: usestrict.js			
remotegui.zip: remotegui.jar: websitedownload.render.js			
remotegui.zip: remotegui.jar: websocketdataservice.js			
remotegui.zip: remotegui.jar: websocketkeepaliveworker.js			
remotegui.zip: remotegui.jar: windowdatastore.js			
remotegui.zip: twemoji.jar		pkg:maven/lib/twemoji-null@1.0	
reporting.zip: jcommon.jar		pkg:maven/org.jfree/jcommon@1.0.24	
reporting.zip: jfreechartCC.jar			
reporting.zip: reporting-javadoc.jar			
reporting.zip: reporting-javadoc.jar: member-search-index.js			
reporting.zip: reporting-javadoc.jar: package-search-index.js			
reporting.zip: reporting-javadoc.jar: tag-search-index.js			
reporting.zip: reporting-javadoc.jar: type-search-index.js			
reporting.zip: reporting.jar			
reporting.zip: reporting.jar: events.js			
reporting.zip: reporting.jar: export.js			
reporting.zip: reporting.jar: functions.js			
reporting.zip: reporting.jar: generator.js			
reporting.zip: reporting.jar: grouptree.js			
reporting.zip: reporting.jar: htmlreportextension.js			
reporting.zip: reporting.jar: jstorage.js			
reporting.zip: reporting.jar: keylistener.js			
reporting.zip: reporting.jar: menubar.js			
reporting.zip: reporting.jar: page.js			
reporting.zip: reporting.jar: pagecount.js			

reporting.zip: reporting.jar: popup.js			
reporting.zip: reporting.jar: print.js			
reporting.zip: reporting.jar: prompts.js			
reporting.zip: reporting.jar: prototype.array.js			
reporting.zip: reporting.jar: prototype.element.js			
reporting.zip: reporting.jar: prototype.string.js			
reporting.zip: reporting.jar: renderreportextension.js			
reporting.zip: reporting.jar: reorder.js			
reporting.zip: reporting.jar: report.export.js			
reporting.zip: reporting.jar: report.exportdialog.controller.js			
reporting.zip: reporting.jar: report.exportdialog.service.js			
reporting.zip: reporting.jar: report.exportframe.js			
reporting.zip: reporting.jar: script.js			
reporting.zip: reporting.jar: search.js			
reporting.zip: reporting.jar: serverping.js			
reporting.zip: reporting.jar: stacktrace.js			
reporting.zip: reporting.jar: tabbar.js			
security.zip: security.jar			
setuplauncher.jar			
slf4j-api-2.0.16.jar		pkg:maven/org.slf4j/slf4j-api@2.0.16	
taskplanner.helpdesk.zip: taskplanner.helpdesk.jar	cpe:2.3:a:inetsoftware:helpdesk:25.10.233:*:*:*:*:*		
taskplanner.helpdesk.zip: taskplanner.helpdesk.jar: addticketsharing_taskplanner.js			
taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar			
taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: member-search-index.js			
taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: package-search-index.js			
taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: type-search-index.js			
taskplanner.reporting.zip: taskplanner.reporting.jar			
taskplanner.reporting.zip: taskplanner.reporting.jar: crttaskplanner.js			
taskplanner.zip: commons-cli.jar		pkg:maven/commons-cli	

		/commons-cli@1.9.0	
taskplanner.zip: cron-utils.jar	cpe:2.3:a:cron-utils_project:cron-utils:9.2.1:*:*:*:*:* cpe:2.3:a:utils_project:utils:9.2.1:*:*:*:*:*	pkg:maven/com.cronutils/cron-utils@9.2.1	
taskplanner.zip: guava.jar	cpe:2.3:a:google:guava:33.4.8:*:*:*:*:*	pkg:maven/com.google.guava/guava@33.4.8-jre	
taskplanner.zip: taskplanner-javadoc.jar			
taskplanner.zip: taskplanner-javadoc.jar: member-search-index.js			
taskplanner.zip: taskplanner-javadoc.jar: package-search-index.js			
taskplanner.zip: taskplanner-javadoc.jar: type-search-index.js			
taskplanner.zip: taskplanner.jar			
taskplanner.zip: taskplanner.jar: app.js			
taskplanner.zip: taskplanner.jar: boolean.directive.js			
taskplanner.zip: taskplanner.jar: colorField.directive.js			
taskplanner.zip: taskplanner.jar: controller.js			
taskplanner.zip: taskplanner.jar: factory.js			
taskplanner.zip: taskplanner.jar: filechooserAddonButton.directive.js			
taskplanner.zip: taskplanner.jar: model.js			
taskplanner.zip: taskplanner.jar: numberRange.directive.js			
taskplanner.zip: taskplanner.jar: numberWrapper.directive.js			
taskplanner.zip: taskplanner.jar: passwordTextField.directive.js			
taskplanner.zip: taskplanner.jar: renderer.directive.js			
taskplanner.zip: taskplanner.jar: simpleCurrencyField.directive.js			
taskplanner.zip: taskplanner.jar: simpleDateTimeField.directive.js			
taskplanner.zip: taskplanner.jar: simpleFileFolderField.directive.js			
taskplanner.zip: taskplanner.jar: simpleGroup.directive.js			
taskplanner.zip: taskplanner.jar: simpleLabel.directive.js			
taskplanner.zip: taskplanner.jar: simpleLink.directive.js			
taskplanner.zip: taskplanner.jar: simpleSelect.directive.js			

[js](#)

[taskplanner.zip: taskplanner.jar: simpleTextField.directive.js](#)

[taskplanner.zip: taskplanner.jar: stringTable.directive.js](#)

[taskplanner.zip: taskplanner.jar: taskplanner_maintenance.js](#)

[taskplanner.zip: taskplanner.jar: textAreaField.directive.js](#)

[theme.zip: theme.jar](#)

[ticketlist.zip: ticketlist.jar](#)

cpe:2.3:a:inetsoftware:
helpdesk:25.10.233:*:*:

[ticketlist.zip: ticketlist.jar: annotationextension.js](#)

[ticketlist.zip: ticketlist.jar: applyactionfieldrenderer.js](#)

[ticketlist.zip: ticketlist.jar: arearenderer.directive.js](#)

[ticketlist.zip: ticketlist.jar: attachmentsextension.js](#)

[ticketlist.zip: ticketlist.jar: booleanrenderer.directive.js](#)

[ticketlist.zip: ticketlist.jar: cardobserver.js](#)

[ticketlist.zip: ticketlist.jar: controllerTicketViewSortSettings.controller.js](#)

[ticketlist.zip: ticketlist.jar: currencyrenderer.directive.js](#)

[ticketlist.zip: ticketlist.jar: daterenderer.directive.js](#)

[ticketlist.zip: ticketlist.jar: doublerenderer.directive.js](#)

[ticketlist.zip: ticketlist.jar: draganddrop.js](#)

[ticketlist.zip: ticketlist.jar: expertlayout.js](#)

[ticketlist.zip: ticketlist.jar: extendedpagelayout.js](#)

[ticketlist.zip: ticketlist.jar: fullviewpagelayout.js](#)

[ticketlist.zip: ticketlist.jar: htmleditorrenderer.directive.js](#)

[ticketlist.zip: ticketlist.jar: inputrenderer.directive.js](#)

[ticketlist.zip: ticketlist.jar: integerrenderer.directive.js](#)

[ticketlist.zip: ticketlist.jar: itilselectrenderer.directive.js](#)

[ticketlist.zip: ticketlist.jar: linksextension.js](#)

[ticketlist.zip: ticketlist.jar: newticket.js](#)

[ticketlist.zip: ticketlist.jar: ownerrenderer.directive.js](#)

[ticketlist.zip: ticketlist.jar: print.js](#)

[ticketlist.zip: ticketlist.jar: ratingrenderer.directive.js](#)

[ticketlist.zip: ticketlist.jar: relativeabsolutedateswitcher.directive.js](#)

[ticketlist.zip: ticketlist.jar: relativetimerenderer.js](#)

ticketlist.zip: ticketlist.jar: resizableColumn.js			
ticketlist.zip: ticketlist.jar: selectionCountBadge.js			
ticketlist.zip: ticketlist.jar: selectmultirenderer.directive.js			
ticketlist.zip: ticketlist.jar: selectrenderer.directive.js			
ticketlist.zip: ticketlist.jar: sorter.js			
ticketlist.zip: ticketlist.jar: stopwatch.js			
ticketlist.zip: ticketlist.jar: tabspagelayout.js			
ticketlist.zip: ticketlist.jar: ticketattachment.js			
ticketlist.zip: ticketlist.jar: ticketdetailsextension.js			
ticketlist.zip: ticketlist.jar: ticketeditor.js			
ticketlist.zip: ticketlist.jar: ticketfactory.js			
ticketlist.zip: ticketlist.jar: ticketfieldrenderer.directive.js			
ticketlist.zip: ticketlist.jar: ticketlist.js			
ticketlist.zip: ticketlist.jar: ticketlistadditionalcomponents.js			
ticketlist.zip: ticketlist.jar: ticketlistapp.js			
ticketlist.zip: ticketlist.jar: ticketlistapplyaction.js			
ticketlist.zip: ticketlist.jar: ticketlisteditproperties.js			
ticketlist.zip: ticketlist.jar: ticketlistlayoutsettings.js			
ticketlist.zip: ticketlist.jar: ticketmodel.js			
ticketlist.zip: ticketlist.jar: ticketownerextension.js			
ticketlist.zip: ticketlist.jar: ticketpage.js			
ticketlist.zip: ticketlist.jar: ticketpageheader.js			
ticketlist.zip: ticketlist.jar: ticketpagehintsextension.js			
ticketlist.zip: ticketlist.jar: ticketpagelayoutsettings.js			
ticketlist.zip: ticketlist.jar: ticketpagesteps.js			
ticketlist.zip: ticketlist.jar: ticketpreview.js			
ticketlist.zip: ticketlist.jar: ticketproperties.js			
ticketlist.zip: ticketlist.jar: ticketrenderer.js			
ticketlist.zip: ticketlist.jar: ticketsharing.js			
ticketlist.zip: ticketlist.jar: ticketviewsMember.directive.js			
ticketlist.zip: ticketlist.jar: timelineextension.js			
ticketlist.zip: ticketlist.jar: userticketshistoryextension.js			
ticketprocess.zip: ticketprocess.jar			

cpe:2.3:a:inetsoftware:
helpdesk:25.10.233:*:*:

[ticketprocess.zip: ticketprocess.jar:
applyProcessRenderer.js](#)

[ticketprocess.zip: ticketprocess.jar: configuration.
ticketprocess.edit.js](#)

[ticketprocess.zip: ticketprocess.jar: configuration.
ticketprocess.js](#)

[ticketprocess.zip: ticketprocess.jar: ticketlist.
ticketprocess.js](#)

[ticketprocess.zip: ticketprocess.jar: ticketprocess.
changeticketprocess.js](#)

[ticketprocess.zip: ticketprocess.jar: ticketprocess.
parallelticket.preview.js](#)

[ticketprocess.zip: ticketprocess.jar:
ticketprocessdirectives.js](#)

[ticketprocess.zip: ticketprocess.jar:
ticketprocessfactory.js](#)

[ticketprocess.zip: ticketprocess.jar:
ticketprocessmodel.js](#)

[usersandgroupsmanager.zip:
usersandgroupsmanager.jar](#)

[usersandgroupsmanager.zip:
usersandgroupsmanager.jar:
fieldtypeAccountSettingsRenderer.directive.js](#)

[usersandgroupsmanager.zip:
usersandgroupsmanager.jar:
fieldtypeBooleanRenderer.directive.js](#)

[usersandgroupsmanager.zip:
usersandgroupsmanager.jar:
fieldtypeCommaSeparatedRenderer.directive.js](#)

[usersandgroupsmanager.zip:
usersandgroupsmanager.jar:
fieldtypeCurrencyRenderer.directive.js](#)

[usersandgroupsmanager.zip:
usersandgroupsmanager.jar: fieldtypeDateRenderer.
directive.js](#)

[usersandgroupsmanager.zip:
usersandgroupsmanager.jar: fieldtypeDoubleRenderer.
directive.js](#)

[usersandgroupsmanager.zip:
usersandgroupsmanager.jar: fieldtypeHintRenderer.
directive.js](#)

[usersandgroupsmanager.zip:
usersandgroupsmanager.jar: fieldtypeIntegerRenderer.
directive.js](#)

[usersandgroupsmanager.zip:
usersandgroupsmanager.jar: fieldtypeLinkRenderer.
directive.js](#)

[usersandgroupsmanager.zip:](#)

[usersandgroupsmanager.jar: fieldTypeLoginsRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)
[usersandgroupsmanager.jar:](#)
[fieldtypeMembersRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)
[usersandgroupsmanager.jar:](#)
[fieldtypeMultilineRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)
[usersandgroupsmanager.jar:](#)
[fieldtypePermissionRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)
[usersandgroupsmanager.jar: fieldTypeSelectRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)
[usersandgroupsmanager.jar:](#)
[fieldtypeStayLoggedInSessionsRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)
[usersandgroupsmanager.jar:](#)
[fieldtypeStringListRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)
[usersandgroupsmanager.jar: fieldTypeStringRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)
[usersandgroupsmanager.jar: fieldTypeTimeRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)
[usersandgroupsmanager.jar:](#)
[fieldtypeTimerangeRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)
[usersandgroupsmanager.jar: membershipentry.directive.js](#)

[usersandgroupsmanager.zip:](#)
[usersandgroupsmanager.jar: membershiplist.directive.js](#)

[usersandgroupsmanager.zip:](#)
[usersandgroupsmanager.jar: nonmembershiplist.directive.js](#)

[usersandgroupsmanager.zip:](#)
[usersandgroupsmanager.jar:](#)
[permissionCheckboxRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)
[usersandgroupsmanager.jar:](#)
[permissionRadiobuttonRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)
[usersandgroupsmanager.jar:](#)
[usersandgroupsmanagercontroller.js](#)

[usersandgroupsmanager.zip:](#)
[usersandgroupsmanager.jar:](#)
[usersandgroupsmanagerdetailscontroller.js](#)

[usersandgroupsmanager.zip:](#)
[usersandgroupsmanager.jar:](#)

usersandgroupsmanagerdialogcontroller.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdirectives.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagereffectivepermissionscontroller.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerfactory.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagermodel.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerpredeletionwarning.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerrenderer.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerstatisticscontroller.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagertakeoutcontroller.js			
webserver.defender.zip: webserver.defender.jar			
webserver.zip: acme4j-client.jar		pkg:maven/org.shredzone.acme4j/acme4j-client@3.5.1	
webserver.zip: jetty-websocket-core-client.jar	cpe:2.3:a:eclipse:jetty:12.1.2:***** cpe:2.3:a:jetty:jetty:12.1.2:***** cpe:2.3:a:mortbay_jetty:jetty:12.1.2:*****	pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-client@12.1.2	
webserver.zip: jetty-websocket-core-server.jar	cpe:2.3:a:eclipse:jetty:12.1.2:***** cpe:2.3:a:jetty:jetty:12.1.2:***** cpe:2.3:a:jetty:jetty_http_server:12.1.2:***** cpe:2.3:a:mortbay_jetty:jetty:12.1.2:*****	pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-server@12.1.2	
webserver.zip: jose4j.jar	cpe:2.3:a:jose4j_project:jose4j:0.9.6:*****	pkg:maven/org.bitbucket.b_c/jose4j@0.9.6	
webserver.zip: webserver.jar			

Dependencies (vulnerable)



BarcodePDF417Bean.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/BarcodePDF417Bean.jar

MD5: fc6ed773c1c202a2a41e423dc6ed0333

SHA1: c7924390760183ef704c09aa175df07db9188990

SHA256: ffd631a079b1c0eafd4863935adb4306e31693532ab316cbd181204e6b61908f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	BarcodePDF417Bean	High
Vendor	jar	package name	beans	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdf417	Low
Vendor	Manifest	built-date	2025-11-05 17:47	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	BarcodePDF417Bean	High
Product	jar	package name	beans	Low
Product	jar	package name	pdf417	Low
Product	Manifest	built-date	2025-11-05 17:47	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	BarcodePDF417Bean	High
Product	Manifest	specification-title	BarcodePDF417Bean	Medium
Version	file	name	BarcodePDF417Bean	Medium
Version	file	version	417	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

JBarcodeBean.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/JBarcodeBean.jar
MD5: c650fda9e7f38dd5059e775f67e4c738
SHA1: fd113b0c0b4f4e5a90c59b95504b6255a466c566
SHA256: 6a876a81e622477c2dfc059f95411bd02109c418a471a497917b89e4ff7bf551
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	JBarcodeBean	High
Vendor	jar	package name	jbarcodebean	Low
Product	file	name	JBarcodeBean	High

Identifiers

- None

Merlia-0.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/lib/Merlia/0/e4af937135679cc07f99529ee7ca127519bd3a06/Merlia-0.jar
MD5: 3eb81fb3cc977f1a3eb1fb26b2b38666
SHA1: e4af937135679cc07f99529ee7ca127519bd3a06
SHA256: b1d1878d936c27b010e6f3c123d8d7f2f7f6960a53e5b01b1b1c3d104c29b0a8
Referenced In Project/Scope: server:inetPlugin
Included by: pkg:maven/helpdesk/server@25.10

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	Merlia-0	High
Vendor	gradle	artifactid	Merlia	Highest
Vendor	gradle	groupid	lib	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	tds	Low

Product	file	name	Merlia-0	High
Product	gradle	artifactid	Merlia	Highest
Product	jar	package name	tds	Low
Version	file	name	Merlia-0	Medium
Version	file	version	0	Medium
Version	gradle	version	0	Highest
Version	Manifest	driver-version	8.13	Medium

Identifiers

- [pkg:maven/lib/Merlia@0](#) (*Confidence*:Highest)

Merlia.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/Merlia.jar

MD5: 05499aea64f5aa65fec46c49a6350488

SHA1: 6fdbb3f699eca52472b709ceb2a4d5594371a446

SHA256: dd65e618f11d7ea37446c46545bb1756ddcf2c7298af8bd4308fa6b61d351782

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	Merlia	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	tds	Low
Product	file	name	Merlia	High
Product	jar	package name	tds	Low
Version	Manifest	driver-version	8.13	Medium

Identifiers

- None

Oranxo.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems

/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/Oranxo.jar

MD5: dce4b278601ac7f841a00aeec5536e26

SHA1: fc92b5757e13303813b6dbf19c1245614397b424

SHA256: 9af7685f5ceea98d88e5a3cbd882db854202c800d51e13839020969dd1e2842d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	Oranxo	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	ora	Low
Product	file	name	Oranxo	High
Product	jar	package name	ora	Low
Version	Manifest	driver-version	4.06	Medium

Identifiers

- None

ZxingBarCodes.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems

/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/ZxingBarCodes.jar

MD5: aa547d8c718e2951adfd0d2da1018e09

SHA1: da0b6e0ba1ba75b862dae921fe78b9f75d7d4ce1

SHA256: 2cab4c02d0300ea751ff7799e3273b5fb973fb7451052349c59f2de6982d21f5

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ZxingBarCodes	High
Vendor	jar	package name	beans	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	zxing	Low
Vendor	Manifest	built-date	2025-11-05 17:47	Low
Vendor	Manifest	implementation-	reporting	Low

group

Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	ZxingBarCodes	High
Product	jar	package name	beans	Low
Product	jar	package name	zxing	Low
Product	jar	package name	zxingbarcodes	Highest
Product	Manifest	built-date	2025-11-05 17:47	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	ZxingBarCodes	High
Product	Manifest	specification-title	ZxingBarCodes	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

adhoc.zip: adhoc-javadoc.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc-javadoc.jar

MD5: 07c66a72222ef504e742681e052593e9

SHA1: e8f3630f1cd75065622e8faf0eac54d9b224bbf5

SHA256: da1b0a75412aba267ed13fce9117c8f7a9dc465bcd320c4e5218de1e45b9d7f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	adhoc-javadoc	High
Product	file	name	adhoc-javadoc	High

Identifiers

- None

adhoc.zip: adhoc-javadoc.jar: jquery-3.6.1.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc-javadoc.jar/script-dir/jquery-3.6.1.min.js

MD5: 00727d1d5d9c90f7de826f1a4a9cc632

SHA1: ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2

SHA256: a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- cowork.zip: cowork-javadoc.jar: jquery-3.6.1.min.js
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork-javadoc.jar/script-dir/jquery-3.6.1.min.js
 - MD5: 00727d1d5d9c90f7de826f1a4a9cc632
 - SHA1: ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2
 - SHA256: a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74
- maintenance.zip: maintenance-javadoc.jar: jquery-3.6.1.min.js
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance-javadoc.jar/script-dir/jquery-3.6.1.min.js
 - MD5: 00727d1d5d9c90f7de826f1a4a9cc632
 - SHA1: ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2
 - SHA256: a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74
- reporting.zip: reporting-javadoc.jar: jquery-3.6.1.min.js
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting-javadoc.jar/script-dir/jquery-3.6.1.min.js
 - MD5: 00727d1d5d9c90f7de826f1a4a9cc632
 - SHA1: ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2
 - SHA256: a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: jquery-3.6.1.min.js
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/script-dir/jquery-3.6.1.min.js
 - MD5: 00727d1d5d9c90f7de826f1a4a9cc632
 - SHA1: ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2
 - SHA256: a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74
- taskplanner.zip: taskplanner-javadoc.jar: jquery-3.6.1.min.js

- File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner-javadoc.jar/script-dir/jquery-3.6.1.min.js
- MD5: 00727d1d5d9c90f7de826f1a4a9cc632
- SHA1: ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2
- SHA256: a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74

Identifiers

- None

adhoc.zip: adhoc-javadoc.jar: jquery-ui.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc-javadoc.jar/script-dir/jquery-ui.min.js

MD5: 32059df39c14a910ccc2325f6a3cd62f

SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b

SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jquery-ui	High
Product	file	name	jquery-ui	High
Version	file	version	1.13.1	High

Related Dependencies

- cowork.zip: cowork-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork-javadoc.jar/script-dir/jquery-ui.min.js
 - MD5: 32059df39c14a910ccc2325f6a3cd62f
 - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
 - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
 - [pkg:javascript/jquery-ui@1.13.1](#)
- maintenance.zip: maintenance-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance-javadoc.jar/script-dir/jquery-ui.min.js
 - MD5: 32059df39c14a910ccc2325f6a3cd62f
 - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
 - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
 - [pkg:javascript/jquery-ui@1.13.1](#)
- reporting.zip: reporting-javadoc.jar: jquery-ui.min.js

- File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting-javadoc.jar/script-dir/jquery-ui.min.js
- MD5: 32059df39c14a910ccc2325f6a3cd62f
- SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
- SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
- [pkg:javascript/jquery-ui@1.13.1](#)
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/script-dir/jquery-ui.min.js
 - MD5: 32059df39c14a910ccc2325f6a3cd62f
 - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
 - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
 - [pkg:javascript/jquery-ui@1.13.1](#)
- taskplanner.zip: taskplanner-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner-javadoc.jar/script-dir/jquery-ui.min.js
 - MD5: 32059df39c14a910ccc2325f6a3cd62f
 - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
 - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
 - [pkg:javascript/jquery-ui@1.13.1](#)

Identifiers

- [pkg:javascript/jquery-ui@1.13.1](#) (Confidence: Highest)

adhoc.zip: adhoc-javadoc.jar: member-search-index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc-javadoc.jar/member-search-index.js

MD5: a11a003432f42524d56629b19a1483b3

SHA1: 8cffaec74a440180929e2b2de7d62f57243aabf7

SHA256: b57d8acb20e1bbe3c9de51666f29072c04cf9ad2a2146f3e2c4408f9e2a80367

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc-javadoc.jar: module-search-index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc-javadoc.jar/module-search-index.js
MD5: a33da0f469acbd03f77bf407bac505f5
SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- cowork.zip: cowork-javadoc.jar: module-search-index.js
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork-javadoc.jar/module-search-index.js
 - MD5: a33da0f469acbd03f77bf407bac505f5
 - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
 - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18
- maintenance.zip: maintenance-javadoc.jar: module-search-index.js
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance-javadoc.jar/module-search-index.js
 - MD5: a33da0f469acbd03f77bf407bac505f5
 - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
 - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18
- reporting.zip: reporting-javadoc.jar: module-search-index.js
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting-javadoc.jar/module-search-index.js
 - MD5: a33da0f469acbd03f77bf407bac505f5
 - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
 - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: module-search-index.js
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/module-search-index.js
 - MD5: a33da0f469acbd03f77bf407bac505f5
 - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
 - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18
- taskplanner.zip: taskplanner-javadoc.jar: module-search-index.js
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner-javadoc.jar/module-search-index.js
 - MD5: a33da0f469acbd03f77bf407bac505f5
 - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
 - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18

Identifiers

- None

adhoc.zip: adhoc-javadoc.jar: package-search-index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc-javadoc.jar/package-search-index.js
MD5: 443c6de8c51f57bb46f9edf936be4831
SHA1: 8ab16f7861b9adc0d4e5e4534a0b9944ddba22a0
SHA256: 1b37c4985983a5e016aa6710ac4705e886ea68722beaaf977f638efa5ab3b704
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc-javadoc.jar: script.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc-javadoc.jar/script.js
MD5: baf9d9e16237acbdce975a33c54ee8ae
SHA1: cc6a3c8d72f17eff0d613ddfcf7c1095535573f7
SHA256: 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- cowork.zip: cowork-javadoc.jar: script.js
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork-javadoc.jar/script.js
 - MD5: baf9d9e16237acbdce975a33c54ee8ae
 - SHA1: cc6a3c8d72f17eff0d613ddfcf7c1095535573f7
 - SHA256: 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975

- maintenance.zip: maintenance-javadoc.jar: script.js
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance-javadoc.jar/script.js
 - MD5: baf9d9e16237acbdce975a33c54ee8ae
 - SHA1: cc6a3c8d72f17eff0d613ddfcf7c1095535573f7
 - SHA256: 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975
- reporting.zip: reporting-javadoc.jar: script.js
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting-javadoc.jar/script.js
 - MD5: baf9d9e16237acbdce975a33c54ee8ae
 - SHA1: cc6a3c8d72f17eff0d613ddfcf7c1095535573f7
 - SHA256: 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: script.js
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/script.js
 - MD5: baf9d9e16237acbdce975a33c54ee8ae
 - SHA1: cc6a3c8d72f17eff0d613ddfcf7c1095535573f7
 - SHA256: 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975
- taskplanner.zip: taskplanner-javadoc.jar: script.js
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner-javadoc.jar/script.js
 - MD5: baf9d9e16237acbdce975a33c54ee8ae
 - SHA1: cc6a3c8d72f17eff0d613ddfcf7c1095535573f7
 - SHA256: 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975

Identifiers

- None

adhoc.zip: adhoc-javadoc.jar: search.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc-javadoc.jar/search.js

MD5: cb277f670590ffec20a12745260518dc

SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca

SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Related Dependencies

- cowork.zip: cowork-javadoc.jar: search.js

- File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork-javadoc.jar/search.js
- MD5: cb277f670590ffec20a12745260518dc
- SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
- SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f
- maintenance.zip: maintenance-javadoc.jar: search.js
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance-javadoc.jar/search.js
 - MD5: cb277f670590ffec20a12745260518dc
 - SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
 - SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f
- reporting.zip: reporting-javadoc.jar: search.js
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting-javadoc.jar/search.js
 - MD5: cb277f670590ffec20a12745260518dc
 - SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
 - SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: search.js
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/search.js
 - MD5: cb277f670590ffec20a12745260518dc
 - SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
 - SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f
- taskplanner.zip: taskplanner-javadoc.jar: search.js
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner-javadoc.jar/search.js
 - MD5: cb277f670590ffec20a12745260518dc
 - SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
 - SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f

Identifiers

- None

adhoc.zip: adhoc-javadoc.jar: tag-search-index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc-javadoc.jar/tag-search-index.js

MD5: acda0a4d961a2dbb052cf81694d1c50b

SHA1: 4853e0d2a022b5098359e59d740952ee1e187c04

SHA256: 4394bc27c97d0c9018c2fb763bfc045db14433b160e3c1fec16795d1d1967aaf

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- cowork.zip: cowork-javadoc.jar: tag-search-index.js
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork-javadoc.jar/tag-search-index.js
 - MD5: acda0a4d961a2dbb052cf81694d1c50b
 - SHA1: 4853e0d2a022b5098359e59d740952ee1e187c04
 - SHA256: 4394bc27c97d0c9018c2fb763bfc045db14433b160e3c1fec16795d1d1967aaf

Identifiers

- None

adhoc.zip: adhoc-javadoc.jar: type-search-index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc-javadoc.jar/type-search-index.js

MD5: 35601b6ef3d0d29583b9fd84fa024e11

SHA1: d6778f941634eea1e7531383aa3d61199a5169b5

SHA256: e41d5f216525aa5f8dd4034163d890d31e4aac6e5e7f4d5847b596e5e27ebe77

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar

MD5: 10bd632021381b9ae3ca548403cfbc37

SHA1: b9848d28dfe9f8a00933f73afd85e362af83881

SHA256: 5cd592a965b8e939a5aa0b6037562d3021e67b58541de64281dc7b6c9d3c5e43

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	adhoc	High
Vendor	jar	package name	adhoc	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2025-11-05 17:44	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	adhoc	High
Product	jar	package name	adhoc	Highest
Product	jar	package name	adhoc	Low
Product	jar	package name	report	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2025-11-05 17:44	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	adhoc	High
Product	Manifest	specification-title	adhoc	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.ai.panel.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.ai.panel.js
MD5: c9621818e2fa2105a73d09882414f2b2

SHA1: 592226c5494aa756bfbb304dbbc8d933fc2ceb7f
SHA256: a271f3f74b7245c3ab110554a37a613e0ef9c0ef31c90ef8e5983655da33e41c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.chartresizeobserver.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.chartresizeobserver.js
MD5: 2353f6ab5c7683c4f071cb593ea217b6
SHA1: 08d6eba3020002ca0a114ffbe02c6c3b015e77a4
SHA256: 909ec3c7da69961a59c995c8e9d648ed211c434ad884054eac946c44e3e0cac9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.componentresizeobserver.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.componentresizeobserver.js
MD5: e456cb79474b1658f85e888026638cc9
SHA1: 8a3dbb6395ed6bfd0daabd706cc3eff68b69db88
SHA256: 9dd8d55582f0fcc3da01c52225fdf9feb0a013053e7fe284a05e02a529bec7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.openfiledropzone.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.openfiledropzone.js
MD5: 8e84aa7ab7e98c0dec8019701658d2b4
SHA1: bdad0809b3e268ae1b0c610b95b1156104550a6d
SHA256:67d5e615c4b54f10c8dde13f257d1a700522bf15d9d5629758d10a58b8292b7b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.pageheadertoolbar.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.pageheadertoolbar.js
MD5: 3db0f95df6f62025ca4806507d4f0f43
SHA1: fbe797943666cf95d624757a2fd20061ad8a46ec
SHA256:52b002248c5ee906fffd1d9dcbde2fbd9879ae541cb6ecbec575fa6d0c20213b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportcomponentview.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportcomponentview.js
MD5: 1183a925e74bcd44507fdb81ac32726
SHA1: 3283ed287bfc7d8130e7b40e27e59f256c47feca
SHA256: e79219570e282ad7f72c1691fe5a6f6be0b6cd679991113a3dd82ef5534101ca
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportpropertiesarea.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportpropertiesarea.js
MD5: 66e39cbb1c1a68f71d5d8644b757ce94
SHA1: 267aed374d6ed69510ce8dfa22e53514c0b37ba7
SHA256: 9fd5b15728af631f2004b4ddd85943bcaa2978c9c2601626b8daba6a02731534
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.js
MD5: b983a3cfd912512fbc60090e89711a79
SHA1: 5ee3a9659326fa2c537a989847992beeba94a732
SHA256: a990433c893aab0121361a967244ca651adabdd7fcc466c6fe7aa0b929241fff
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.printconverter.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.printconverter.js
MD5: 0156e3fbc45f0b07b8a5804b7e13afc7
SHA1: a5b87c150ed5c97c87ad474b8658b8cbaec3d1c7
SHA256: 03b11b97d110dfc75c6ea6f3a3a9daa057ae468452b0de8abd957e2335ce1e5f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.access.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.access.js
MD5: 3c3cc1f827d6dbcf0ac4c5a51c4ab89f

SHA1: 67d3370998c83d720424474dfd3fcc1fa772148c
SHA256:0482946023e643fb686feffd6a17471305f135f4c37bc5dc4b425b5c16e237cd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.boolean.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com
/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.boolean.js
MD5: 8dc62791382904705c86dd5b30dd6057
SHA1: 0dd574f611b4a9e778e2eb5d35f6eb053b2ff9b6
SHA256:92f8f5f2b8ea2dc1144577404450c4a027a3ad58acfe5bc40d148ec60dd1b63
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.color.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com
/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.color.js
MD5: 57bb880e05f35d1266a05d8cd42ab23b
SHA1: 3865d3959ace7c0e8df9939bd2491f2caaf7eeae
SHA256:054ab0edc0c5e1778c1770fee484d0dc431fb605b808b2f7fd3a363ea1349a4b
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.colorscheme.js


File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.colorscheme.js
MD5: bf076d6942b679343e59e02dfbca5c78
SHA1: 44cff0512ae4f820e2b94c42f7bb426714a6dfc9
SHA256: b5db1a6088d0bd4b13feb52ef897b8e1ba664cc81b0394eaf879838a912f0f61
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.columns.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.columns.js
MD5: 7ffacc002e6cdae40f70dfaea37e518d
SHA1: d13751863b1fe6b6e60af34d5bfaaf4705e6527b
SHA256: 7e8c7575a4cacbbb7934f75c0ec9ac9e1285bfa1d7806c8aa5cd057eab42f67a
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.filter.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.filter.js
MD5: c8237bd10054b17297f16dc23ce7a899
SHA1: 2c719ce1417e8cabd7b6cb6f57799bcadb2cb96d
SHA256: 895d41a74d20c5a948d83f682478a3d1b24e3dfec60693c2c38c74077327e55
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.image.select.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.image.select.js
MD5: 4e4c9d65d59a92adf877a61a71756393
SHA1: 8e676f076cc14ef4622a8ed65a410e61fd992c1e
SHA256: 584cb6b59493fd20bb1eb9b59c90c84ee9dc61bc078fc61cd2ab2d012e2902c1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.logo.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.logo.js
MD5: ecaff58fb7d486379c09558c67b6adb4
SHA1: 3e5d9e14b525ca20c60d1ec4ffccfd73fc3dbbf3
SHA256: 8d8650c4d2ddab25549397f8f300bd9323e6676a51ed34b393c801a749f7ca43
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.select.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.select.js
MD5: e12653dce1fcfdebe5f0a28fe0774de8
SHA1: 5406aa37b19e568b6d06193e2cb542d6519e642f
SHA256: 9dcfcd925a87edf3a76fdb79763d868dbbfdac56db00f2bfdb834cb6bede1f7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.slider.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.slider.js
MD5: 4b5d05e2c310201701297eadad19abca

SHA1: c30e2757675ca8316173a36d3c39765226175de2
SHA256:abccfa14c95c8403913d4a9729fd9881a1adc29ca4da9860268a26fd5459550d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.source.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.source.js
MD5: 37e9c9f9a348ccae2f8df7af5d3725bd
SHA1: 6764850e9d7eb9171bff7d89446b04eb266ca1e8
SHA256:5cb78eed4c3a7a38da62d8f6c08673a671e46c904a3c013c64c08cb768df225f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.templatesource.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.templatesource.js
MD5: 3528a62f71a82a0be2b78f8a64de3497
SHA1: 4029d60d787120027ca739895ee0bb362fc671f6
SHA256:358a1d431f2ab4433d121b476af854e744d7b1121ed25afe405b59238b041563
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.text.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.text.js
MD5: 63f0e10a167f83195cb68fd0e882fb88
SHA1: cf7819683de9726f187028f9f5a632f264796467
SHA256:2b9e194cb44834c7f9a47202dd485f5be9eff7103a8f28fc52bde01c7eb685c8
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportview.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportview.js
MD5: 4cec8eccc919777d50efe977de091d0f
SHA1: a5994488ccaa84f20f789ba5cbb22f9a9ae64cad
SHA256:34259fd56daa2c9d20578f0378bcb5c415935568827f3d02831d3f21e0f1c83b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.toolbar.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.toolbar.js
MD5: 2f5139e8bb9230a5c2389e256e6d93ba
SHA1: adb1e443a91992bf905d820bf5b2417dcfb41f59
SHA256: f82cf1c1bb706977a407a487c7180d2771dcc68f571653d6649872ec49ba8f9f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoccontroller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoccontroller.js
MD5: d2eaf43d02534b5ea7d88e14058e1775
SHA1: 857732821d93db487a110221ee71b56e37535b46
SHA256: 4cb72e884445cf953f4ec79a5013cdf02dc2d86b5cc1c47c2bd8f42bbf77fd57
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhocfactory.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhocfactory.js
MD5: 0e71269ca93b2ab765041523a51cdc0b
SHA1: 0402abcf93b128f26b7485ef3d3624c62381a32d
SHA256: 7b3b28dc0bab13d0c4147ced5188d594c4ca4f5d5a7c4756dbcd4ecd380d2320
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhocmodel.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhocmodel.js
MD5: 008d5ecd29740c8300f9159489739151
SHA1: 6b48d6f72417311904460d3f4a4f279d4d129849
SHA256: 80d035ab11fd1a9b182e8197d2a2ff0df2b1dbc94104f20d16b88e49e8cf76fe
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: configuration.adhoc.templates.edit.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/configuration/templates/configuration.adhoc.templates.edit.js
MD5: 5fde177e1fe760a873bc1eec6790c747

SHA1: ea09c1b8b425b11dabdadfa340733cead4fb391f
SHA256: 005ffffac2bdb1e7afb2f4a96d05ce6bd9e50e7aa90dfa59b67d07c3092a6a2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: configuration.adhoc.templates.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/configuration/templates/configuration.adhoc.templates.js
MD5: 7003e616506cf628e25ee3debe27264a
SHA1: 60eb9aae8ed4419008acd4bb4cfe03baa87ea843
SHA256: f13a5f0c5d6f68e16eb54a6904ccb00f6df6ff19e0605369558c6afe25ac2e6c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: configuration.adhoc.themes.edit.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/configuration/themes/configuration.adhoc.themes.edit.js
MD5: 5bcdbe57c2457045ede2e7e59a72a12e
SHA1: e72b708ddd576b5731ab3bc5a5098ea604c98fb5
SHA256: 796e44d380350305a4be59f45a11a0aedbf691866cae7ba8217f1bee118beb0a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

adhoc.zip: adhoc.jar: configuration.adhoc.themes.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/configuration/themes/configuration.adhoc.themes.js
MD5: b1ad812c14dcd1fe5e2b7062268f571c
SHA1: a708eae13369c42e13a88f6eccd2a803b68414b5
SHA256: 90f2459efc98b028e092fe336c9db4c2169abac3a9a3df01afdda00011340c09
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

• None

adhoc.zip: echarts.jar

Description:

WebJar for echarts

License:

Apache-2.0

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/echarts.jar
MD5: f1b0daa0d7a67341f1803381e1d4185a
SHA1: 1600ea69559037bf4fc553e97e72c6aa4c1b1822
SHA256: 99333b79cba4fde148702ae3bbf26d30752a44944f1015e8ce7e7d2da692e515
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	echarts	High
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	org.webjars.npm.echarts	Medium
Vendor	pom	artifactid	echarts	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	echarts	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	echarts	High
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	echarts	Medium
Product	Manifest	bundle-symbolicname	org.webjars.npm.echarts	Medium
Product	pom	artifactid	echarts	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	echarts	High
Product	pom	url	https://www.webjars.org	Medium
Version	Manifest	Bundle-Version	6.0.0	High
Version	pom	version	6.0.0	Highest

Identifiers

- <pkg:maven/org.webjars.npm/echarts@6.0.0> (*Confidence:High*)

adhoc.zip: echarts.jar: echarts.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/echarts.jar
 /META-INF/resources/webjars/echarts/6.0.0/dist/echarts.min.js
MD5: 13a384552589b88e84f7bf0c757a66ac
SHA1: d8c844c3d7c681edb8c6b7f72464373cff593c98
SHA256: baa8dfe7e1d9336b98e8986ba7e20ea15e7cdbea1ef42a59d59478632fa45a1d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ai.zip: ai.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/ai.zip/ai.jar
MD5: ffe68ce7ccfa9670bf7db96fe2ded9c1
SHA1: ff16f1a061231118f21681c38bb51c2cc8c46774
SHA256:204a8c7e5267c02a609535c451c3a8ceca84adf0642dc6df00677c6bbae134c1
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	ai	High
Vendor	jar	package name	ai	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugin	Low
Vendor	Manifest	built-date	2025-11-05 16:23	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	ai	High
Product	jar	package name	ai	Highest
Product	jar	package name	ai	Low
Product	jar	package name	plugin	Low
Product	Manifest	built-date	2025-11-05 16:23	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-	ai	High

		Title		
Product	Manifest	specification-title	ai	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

ai.zip: ai.jar: aiprovider_config.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/ai.zip/ai.jar/com/inet/plugin/ai/structure/js/aiprovider_config.js

MD5: df918069a587bc74502c9fd267e1e309

SHA1: 66c05387e8725ac3eb08fb1b74a30c43ef85d5c1

SHA256: 7e896f0bf9e3db8487dd1a426a86f7b12030ed127b14da0b93a56ea6e0ed6b98

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ai.zip: jackson-core.jar

Description:

Core Jackson processing abstractions (aka Streaming API), implementation for JSON

License:

The Apache Software License, Version 2.0: <https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/ai.zip/jackson-core.jar

MD5: b3843578b0753a9a685eea819dea3ab7

SHA1: 50f3b4bd59b9ff51a0ed493e7b5abaf5c39709bf

SHA256: aa77eaf29293a868c47372194f7c5287d77d9370b04ea25d3fffc1e4904b5880

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jackson-core	High
Vendor	jar	package name	base	Highest
Vendor	jar	package name	com	Highest
Vendor	jar	package name	core	Highest
Vendor	jar	package name	fasterxml	Highest
Vendor	jar	package name	jackson	Highest
Vendor	jar	package name	json	Highest
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-docurl	https://github.com/FasterXML/jackson-core	Low
Vendor	Manifest	bundle-symbolicname	com.fasterxml.jackson.core.jackson-core	Medium
Vendor	Manifest	Implementation-Vendor	FasterXML	High
Vendor	Manifest	Implementation-Vendor-Id	com.fasterxml.jackson.core	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	FasterXML	Low
Vendor	pom	artifactid	jackson-core	Low
Vendor	pom	groupid	com.fasterxml.jackson.core	Highest
Vendor	pom	name	Jackson-core	High
Vendor	pom	parent-artifactid	jackson-base	Low
Vendor	pom	parent-groupid	com.fasterxml.jackson	Medium
Vendor	pom	url	FasterXML/jackson-core	Highest
Product	file	name	jackson-core	High
Product	hint analyzer	product	java8	Highest
Product	hint analyzer	product	modules	Highest
Product	jar	package name	base	Highest
Product	jar	package name	com	Highest
Product	jar	package name	core	Highest
Product	jar	package name	fasterxml	Highest
Product	jar	package name	jackson	Highest
Product	jar	package name	json	Highest

Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	bundle-docurl	https://github.com/FasterXML/jackson-core	Low
Product	Manifest	Bundle-Name	Jackson-core	Medium
Product	Manifest	bundle-symbolicname	com.fasterxml.jackson.core.jackson-core	Medium
Product	Manifest	Implementation-Title	Jackson-core	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Jackson-core	Medium
Product	pom	artifactid	jackson-core	Highest
Product	pom	groupid	com.fasterxml.jackson.core	Highest
Product	pom	name	Jackson-core	High
Product	pom	parent-artifactid	jackson-base	Medium
Product	pom	parent-groupid	com.fasterxml.jackson	Medium
Product	pom	url	FasterXML/jackson-core	High
Version	Manifest	Bundle-Version	2.19.2	High
Version	Manifest	Implementation-Version	2.19.2	High
Version	pom	version	2.19.2	Highest

Related Dependencies



- ai.zip: jackson-annotations.jar
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/ai.zip/jackson-annotations.jar
 - MD5: 99b71c4cebb9dae38ae925ac7ab0574f
 - SHA1: 0c5381f11988ae3d424b197a26087d86067b6d7d
 - SHA256: e516743a316dcf83c572ffc9cb6e8c5e8c134880c8c5155b02f7b34e9c5dc3cf
 - [pkg:maven/com.fasterxml.jackson.core/jackson-annotations@2.19.2](https://mvnrepository.com/artifact/com.fasterxml.jackson.core/jackson-annotations/2.19.2)

Identifiers

- [pkg:maven/com.fasterxml.jackson.core/jackson-core@2.19.2](https://mvnrepository.com/artifact/com.fasterxml.jackson.core/jackson-core/2.19.2) (*Confidence:High*)
- cpe:2.3:a:fasterxml:jackson-modules-java8:2.19.2:*:*:*:*:* (*Confidence:Low*)

suppress

ai.zip: jackson-databind.jar

Description:

General data-binding functionality for Jackson: works on core streaming API

License:

The Apache Software License, Version 2.0: <https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/ai.zip/jackson-databind.jar

MD5: 856506e1d49091e89599a3ef34990597

SHA1: 46509399d28f57ca32c6bb4b0d4e10e8f062051e

SHA256: 0a1bd4e9b0d670e632d40ee8c625ad376233502f03c2f5889baea95d025b47a7

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jackson-databind	High
Vendor	jar	package name	databind	Highest
Vendor	jar	package name	fasterxml	Highest
Vendor	jar	package name	jackson	Highest
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-docurl	https://github.com/FasterXML/jackson	Low
Vendor	Manifest	bundle-symbolicname	com.fasterxml.jackson.core.jackson-databind	Medium
Vendor	Manifest	Implementation-Vendor	FasterXML	High
Vendor	Manifest	Implementation-Vendor-Id	com.fasterxml.jackson.core	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	FasterXML	Low
Vendor	pom	artifactid	jackson-databind	Low
Vendor	pom	groupid	com.fasterxml.jackson.core	Highest
Vendor	pom	name	jackson-databind	High
Vendor	pom	parent-artifactid	jackson-base	Low
Vendor	pom	parent-groupid	com.fasterxml.jackson	Medium
Vendor	pom	url	FasterXML/jackson	Highest
Product	file	name	jackson-databind	High
Product	hint analyzer	product	java8	Highest
Product	hint analyzer	product	modules	Highest
Product	jar	package name	databind	Highest
Product	jar	package name	fasterxml	Highest

Product	jar	package name	jackson	Highest
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	bundle-docurl	https://github.com/FasterXML/jackson	Low
Product	Manifest	Bundle-Name	jackson-databind	Medium
Product	Manifest	bundle-symbolicname	com.fasterxml.jackson.core.jackson-databind	Medium
Product	Manifest	Implementation-Title	jackson-databind	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	jackson-databind	Medium
Product	pom	artifactid	jackson-databind	Highest
Product	pom	groupid	com.fasterxml.jackson.core	Highest
Product	pom	name	jackson-databind	High
Product	pom	parent-artifactid	jackson-base	Medium
Product	pom	parent-groupid	com.fasterxml.jackson	Medium
Product	pom	url	FasterXML/jackson	High
Version	Manifest	Bundle-Version	2.19.2	High
Version	Manifest	Implementation-Version	2.19.2	High
Version	pom	version	2.19.2	Highest

Identifiers

- [pkg:maven/com.fasterxml.jackson.core/jackson-databind@2.19.2](#) (*Confidence:High*)
- [cpe:2.3:a:fasterxml:jackson-databind:2.19.2:*:*:*:*:*](#) (*Confidence:Highest*) suppress
- [cpe:2.3:a:fasterxml:jackson-modules-java8:2.19.2:*:*:*:*:*](#) (*Confidence:Low*) suppress

ai.zip: mcp.jar

Description:

Java SDK implementation of the Model Context Protocol, enabling seamless integration with language models and AI tools

License:

MIT License: <http://www.opensource.org/licenses/mit-license.php>

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/ai.zip/mcp.jar

MD5: 543fd3020c41b17c10b94ea1f5d5d1ee

SHA1: 45c4f3282b18b8abbe1f20d07f79a894096a044c

SHA256: ee5b24c04a9432ef9495342f80f6dcaceb6fc2a907f535677be0331ea896ca6b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	mcp	High
Vendor	jar	package name	io	Highest
Vendor	jar	package name	modelcontextprotocol	Highest
Vendor	Manifest	automatic-module-name	io.modelcontextprotocol.sdk.mcp	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	https://github.com/modelcontextprotocol/java-sdk	Low
Vendor	Manifest	bundle-symbolicname	io.modelcontextprotocol.sdk.mcp	Medium
Vendor	pom	artifactid	mcp	Low
Vendor	pom	developer name	Christian Tzolov	Medium
Vendor	pom	developer name	Dariusz J#drzejczyk	Medium
Vendor	pom	groupid	io.modelcontextprotocol.sdk	Highest
Vendor	pom	name	Java MCP SDK	High
Vendor	pom	organization name	Anthropic	High
Vendor	pom	organization url	https://www.anthropic.com	Medium
Vendor	pom	url	modelcontextprotocol/java-sdk	Highest
Product	file	name	mcp	High
Product	jar	package name	io	Highest
Product	jar	package name	modelcontextprotocol	Highest
Product	Manifest	automatic-module-name	io.modelcontextprotocol.sdk.mcp	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	https://github.com/modelcontextprotocol/java-sdk	Low
Product	Manifest	Bundle-Name	Bundle io.modelcontextprotocol.sdk : mcp	Medium
Product	Manifest	bundle-symbolicname	io.modelcontextprotocol.sdk.mcp	Medium
Product	Manifest	Implementation-Title	mcp	High
Product	pom	artifactid	mcp	Highest

Product	pom	developer name	Christian Tzolov	Low
Product	pom	developer name	Dariusz J#drzejczyk	Low
Product	pom	groupid	io.modelcontextprotocol.sdk	Highest
Product	pom	name	Java MCP SDK	High
Product	pom	organization name	Anthropic	Low
Product	pom	organization url	https://www.anthropic.com	Low
Product	pom	url	modelcontextprotocol/java-sdk	High
Version	Manifest	Bundle-Version	0.10.0	High
Version	Manifest	Implementation-Version	0.10.0	High
Version	pom	version	0.10.0	Highest

Identifiers

- [pkg:maven/io.modelcontextprotocol.sdk/mcp@0.10.0](https://maven.io.modelcontextprotocol.sdk/mcp@0.10.0) (*Confidence:High*)

ai.zip: reactive-streams.jar

Description:

Reactive Streams API

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/ai.zip/reactive-streams.jar
MD5: eda7978509c32d99166745cc144c99cd
SHA1: 3864a1320d97d7b045f729a326e1e077661f31b7
SHA256:f75ca597789b3dac58f61857b9ac2e1034a68fa672db35055a8fb4509e325f28
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	reactive-streams	High
Vendor	jar	package name	reactivestreams	Highest
Vendor	jar	package name	reactivestreams	Low
Vendor	Manifest	automatic-module-name	org.reactivestreams	Medium
Vendor	Manifest	bundle-docurl	http://reactive-streams.org	Low
Vendor	Manifest	bundle-symbolicname	reactive-streams	Medium

Product	file	name	reactive-streams	High
Product	jar	package name	reactivestreams	Highest
Product	Manifest	automatic-module-name	org.reactivestreams	Medium
Product	Manifest	bundle-docurl	http://reactive-streams.org	Low
Product	Manifest	Bundle-Name	reactive-streams-jvm	Medium
Product	Manifest	bundle-symbolicname	reactive-streams	Medium
Version	Manifest	Bundle-Version	1.0.4	High

Identifiers

- None

ai.zip: reactor-core.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/ai.zip/reactor-core.jar

MD5: 89566fb1cbda28f08c2c0e8bbfea3bed

SHA1: 92dcc78425c3d62bd10af06d2bd4426ca1953bc0

SHA256: 445677d27a7b0ac3cd7cdc0822c42732ca504beeb1436b5d0943dfa1f2880aee

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	reactor-core	High
Vendor	jar	package name	core	Highest
Vendor	jar	package name	core	Low
Vendor	jar	package name	publisher	Low
Vendor	jar	package name	reactor	Highest
Vendor	jar	package name	reactor	Low
Vendor	Manifest	automatic-module-name	reactor.core	Medium
Vendor	Manifest	bundle-symbolicname	io.projectreactor.reactor-core	Medium
Vendor	Manifest	multi-release	true	Low
Product	file	name	reactor-core	High
Product	jar	package name	core	Highest

Product	jar	package name	core	Low
Product	jar	package name	publisher	Low
Product	jar	package name	reactor	Highest
Product	Manifest	automatic-module-name	reactor.core	Medium
Product	Manifest	Bundle-Name	reactor-core	Medium
Product	Manifest	bundle-symbolicname	io.projectreactor.reactor-core	Medium
Product	Manifest	Implementation-Title	reactor-core	High
Product	Manifest	multi-release	true	Low
Version	Manifest	Bundle-Version	3.7.8.RELEASE	High
Version	Manifest	Implementation-Version	3.7.8	High

Identifiers

- None

annotations-3.0.1.jar (shaded: com.google.code.findbugs:jsr305:3.0.1)

Description:

JSR305 Annotations for Findbugs

License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/com.google.code.findbugs/annotations/3.0.1/fc019a2216218990d64dfe756e7aa20f0069dea2/annotations-3.0.1.jar/META-INF/maven/com.google.code.findbugs/jsr305/pom.xml

MD5: d08567d16867a0b79bc8149683918452

SHA1: d04690f71f3393e23f30998d9534365274fa5f9f

SHA256: 4170a761dc5bfd3981a8e6f7aab9e2acdce82d34fd5aa9bb11e3c090d25314ce

Referenced In Project/Scope: server:inetPlugin

Evidence



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	jsr305	Low
Vendor	pom	groupid	com.google.code.findbugs	Highest
Vendor	pom	name	FindBugs-jsr305	High
Vendor	pom	url	http://findbugs.sourceforge.net/	Highest

Product	pom	artifactid	jsr305	Highest
Product	pom	groupid	com.google.code.findbugs	Highest
Product	pom	name	FindBugs-jsr305	High
Product	pom	url	http://findbugs.sourceforge.net/	Medium
Version	pom	version	3.0.1	Highest

Identifiers

- [pkg:maven/com.google.code.findbugs/jsr305@3.0.1](https://maven.com.google.code.findbugs/jsr305@3.0.1) (*Confidence:High*)

annotations-3.0.1.jar

Description:

Annotation the FindBugs tool supports

License:

GNU Lesser Public License: <http://www.gnu.org/licenses/lgpl.html>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/com.google.code.findbugs/annotations/3.0.1/fc019a2216218990d64dfe756e7aa20f0069dea2/annotations-3.0.1.jar

MD5: fc4f102f22ba4f1df3f1d7cc6b202152

SHA1: fc019a2216218990d64dfe756e7aa20f0069dea2

SHA256: 6b47ff0a6de0ce17cbcdc3abb0828ca5bce3009d53ea47b3723ff023c4742f79

Referenced In Project/Scope: server:inetPlugin

Included by: pkg:maven/de.inetsoftware/jlessc@1.14

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	annotations	High
Vendor	gradle	artifactid	annotations	Highest
Vendor	gradle	groupid	com.google.code.findbugs	Highest
Vendor	jar	package name	annotation	Highest
Vendor	jar	package name	annotations	Highest
Vendor	jar	package name	findbugs	Highest
Vendor	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Vendor	Manifest	bundle-symbolicname	findbugsAnnotations	Medium
Vendor	pom	artifactid	annotations	Low

Vendor	pom	developer email	Loskutov@gmx.de	Low
Vendor	pom	developer email	pugh at cs.umd.edu	Low
Vendor	pom	developer id	al	Medium
Vendor	pom	developer id	bp	Medium
Vendor	pom	developer name	Andrey Loskutov	Medium
Vendor	pom	developer name	Bill Pugh	Medium
Vendor	pom	developer name	Keith Lea	Medium
Vendor	pom	groupid	com.google.code.findbugs	Highest
Vendor	pom	name	FindBugs-Annotations	High
Vendor	pom	url	http://findbugs.sourceforge.net/	Highest
Product	file	name	annotations	High
Product	gradle	artifactid	annotations	Highest
Product	jar	package name	annotation	Highest
Product	jar	package name	annotations	Highest
Product	jar	package name	findbugs	Highest
Product	Manifest	Bundle-Name	FindBugs-Annotations	Medium
Product	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Product	Manifest	bundle-symbolicname	findbugsAnnotations	Medium
Product	pom	artifactid	annotations	Highest
Product	pom	developer email	Loskutov@gmx.de	Low
Product	pom	developer email	pugh at cs.umd.edu	Low
Product	pom	developer id	al	Low
Product	pom	developer id	bp	Low
Product	pom	developer name	Andrey Loskutov	Low
Product	pom	developer name	Bill Pugh	Low
Product	pom	developer name	Keith Lea	Low
Product	pom	groupid	com.google.code.findbugs	Highest
Product	pom	name	FindBugs-Annotations	High
Product	pom	url	http://findbugs.sourceforge.net/	Medium
Version	file	version	3.0.1	High
Version	gradle	version	3.0.1	Highest
Version	Manifest	Bundle-Version	3.0.1	High
Version	pom	version	3.0.1	Highest

Identifiers

- [pkg:maven/com.google.code.findbugs/annotations@3.0.1](#) (Confidence:High)

attachments.zip: attachments.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/attachments.zip/attachments.jar
MD5: 4a82ced6670ac3f8911d8460e1cb0524
SHA1: 721b2eb99be08e621b9c7f7bed0e44988ce0fc77
SHA256:32bff2f7e17817df94181e8c90da5a690bd51474b622ef14df9bb97dcd5c584a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	attachments	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2025-11-05 18:45	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	attachments	High
Product	jar	package name	attachments	Highest
Product	jar	package name	attachments	Low
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	plugins	Low
Product	Manifest	built-date	2025-11-05 18:45	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	attachments	High

Product	Manifest	specification-title	attachments	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:25.10.233:*:*:*:*:* (Confidence:Low) suppress

authentication.pam.zip: authentication.pam.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.pam.zip
/authentication.pam.jar

MD5: b97a32bc86bb90bd01afe3bfee78238a

SHA1: b7843305e7e9326b1130e404bc9b55331f35ad61

SHA256: 4b9eeafbe4f033c2a4030e9d2ca1a695e87486580e28aa15072592c5a5a2db6e

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.pam	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pam	Low
Vendor	Manifest	built-date	2025-11-05 16:16	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.pam	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low

Product	jar	package name	libpam	Low
Product	jar	package name	pam	Highest
Product	jar	package name	pam	Low
Product	Manifest	built-date	2025-11-05 16:16	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.pam	High
Product	Manifest	specification-title	authentication.pam	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

authentication.product.zip: authentication.product.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.product.zip
/authentication.product.jar

MD5: 3f5fd4e4c369db0115dc75daba3118db

SHA1: e0ecc11ed1b56a52e2424051192faee1f8e3096c

SHA256: 71bf090f210e0773a371b0db130c61a3e7615644651319c43d5d848b14313834

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.product	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	product	Low
Vendor	Manifest	built-date	2025-11-05 16:22	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-	i-net software	Low

		vendor		
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.product	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	product	Highest
Product	jar	package name	product	Low
Product	Manifest	built-date	2025-11-05 16:22	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.product	High
Product	Manifest	specification-title	authentication.product	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

authentication.windows.zip: authentication.windows.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.windows.zip/authentication.windows.jar

MD5: 1e45babded2cbb1423e3282123c5b9ea

SHA1: 6336acc604f88df68b53debcdcb428abd4bf7b74

SHA256: ec6076c763f5a53b3f08066099a83e1201b4dd2efc3c750db947bc1f02a28ea8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.windows	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	windows	Low
Vendor	Manifest	built-date	2025-11-05 16:16	Low
Vendor	Manifest	implementation-group	shared	Low

Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.windows	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	windows	Highest
Product	jar	package name	windows	Low
Product	Manifest	built-date	2025-11-05 16:16	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.windows	High
Product	Manifest	specification-title	authentication.windows	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

authentication.windows.zip: caffeine.jar

Description:

A high performance caching library

License:

<https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.windows.zip/caffeine.jar

MD5: 7661b25999918646ec802846cc4c16bc

SHA1: 3646a0d1b1abe6a31f72f2237d9004d10a5be91d

SHA256: 0311f9d5d9750aa2a1c11cbdba5a5cb7fec91c8870d6f179f324b3f5295b87dd

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	caffeine	High
Vendor	jar	package name	benmanes	Highest
Vendor	jar	package name	benmanes	Low
Vendor	jar	package name	caffeine	Highest
Vendor	jar	package name	caffeine	Low
Vendor	jar	package name	github	Highest
Vendor	jar	package name	github	Low
Vendor	Manifest	automatic-module-name	com.github.benmanes.caffeine	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-symbolicname	com.github.ben-manes.caffeine	Medium
Product	file	name	caffeine	High
Product	jar	package name	benmanes	Highest
Product	jar	package name	benmanes	Low
Product	jar	package name	cache	Low
Product	jar	package name	caffeine	Highest
Product	jar	package name	caffeine	Low
Product	jar	package name	github	Highest
Product	Manifest	automatic-module-name	com.github.benmanes.caffeine	Medium
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	Bundle-Name	com.github.ben-manes.caffeine	Medium
Product	Manifest	bundle-symbolicname	com.github.ben-manes.caffeine	Medium
Product	Manifest	Implementation-Title	A high performance caching library	High
Version	Manifest	build-jdk-spec	11	Low
Version	Manifest	Bundle-Version	3.1.6	High
Version	Manifest	Implementation-Version	3.1.6	High

Identifiers

- None

authentication.windows.zip: jna-platform.jar

Description:

JNA Platform Library

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.windows.zip/jna-platform.jar

MD5: 3bc3f09a698e6ad250dd093f64fbb8a7

SHA1: 28934d48aed814f11e4c584da55c49fa7032b31b

SHA256: ae4caceb3840730c2537f9b7fb55a01baba580286b4122951488bcee558c2449

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jna-platform	High
Vendor	jar	package name	jna	Highest
Vendor	jar	package name	jna	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	sun	Highest
Vendor	jar	package name	sun	Low
Vendor	jar (hint)	package name	oracle	Highest
Vendor	jar (hint)	package name	oracle	Low
Vendor	Manifest	automatic-module-name	com.sun.jna.platform	Medium
Vendor	Manifest	bundle-category	jni	Low
Vendor	Manifest	bundle-requiredexecution	J2SE-1.4	Low
Vendor	Manifest	bundle-symbolicname	com.sun.jna.platform	Medium
Vendor	Manifest	Implementation-Vendor	JNA Development Team	High
Vendor	Manifest	require-bundle	com.sun.jna;bundle-version="5.14.0"	Low
Vendor	Manifest	specification-vendor	JNA Development Team	Low
Product	file	name	jna-platform	High
Product	jar	package name	jna	Highest
Product	jar	package name	jna	Low
Product	jar	package name	platform	Highest

Product	jar	package name	platform	Low
Product	jar	package name	sun	Highest
Product	jar	package name	win32	Low
Product	Manifest	automatic-module-name	com.sun.jna.platform	Medium
Product	Manifest	bundle-category	jni	Low
Product	Manifest	Bundle-Name	jna-platform	Medium
Product	Manifest	bundle-requiredexecution	J2SE-1.4	Low
Product	Manifest	bundle-symbolicname	com.sun.jna.platform	Medium
Product	Manifest	Implementation-Title	com.sun.jna	High
Product	Manifest	require-bundle	com.sun.jna;bundle-version="5.14.0"	Low
Product	Manifest	specification-title	Java Native Access (JNA)	Medium
Version	jar	package name	jna	Highest
Version	jar	package name	sun	Highest
Version	Manifest	Bundle-Version	5.14.0	High
Version	Manifest	Implementation-Version	5.14.0 (b0)	High

Identifiers

- None

authentication.windows.zip: waffle-jna-jakarta.jar

Description:

WAFFLE JNA Jakarta Pakage implementation

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.windows.zip/waffle-jna-jakarta.jar

MD5: 4292b31211ec75d0a54780009f620fd7

SHA1: a54b03b4de48b62188b183e04313092119f3e247

SHA256: e53d74bd6e09b543b97ccb7b5aff7dbdb1a9058066eafb9c2573c75adf254703

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	waffle-jna-jakarta	High
Vendor	jar	package name	waffle	Highest
Vendor	Manifest	automatic-module-name	waffle.jna.jakarta	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	copyright	2024	Low
Vendor	Manifest	git-revision	725e568c485ae01eddb2777e17e1c3f78955d4	Low
Vendor	Manifest	Implementation-Vendor	com.github.waffle	High
Vendor	Manifest	specification-vendor	com.github.waffle	Low
Vendor	pom	artifactid	waffle-jna-jakarta	Low
Vendor	pom	groupid	com.github.waffle	Highest
Vendor	pom	name	waffle-jna-jakarta	High
Vendor	pom	parent-artifactid	waffle	Low
Vendor	pom	url	https://waffle.github.io/waffle/	Highest
Product	file	name	waffle-jna-jakarta	High
Product	jar	package name	waffle	Highest
Product	Manifest	automatic-module-name	waffle.jna.jakarta	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	copyright	2024	Low
Product	Manifest	git-revision	725e568c485ae01eddb2777e17e1c3f78955d4	Low
Product	Manifest	Implementation-Title	waffle-jna-jakarta	High
Product	Manifest	specification-title	waffle-jna-jakarta	Medium
Product	pom	artifactid	waffle-jna-jakarta	Highest
Product	pom	groupid	com.github.waffle	Highest
Product	pom	name	waffle-jna-jakarta	High
Product	pom	parent-artifactid	waffle	Medium
Product	pom	url	https://waffle.github.io/waffle/	Medium
Version	Manifest	Implementation-Version	3.5.1	High
Version	pom	version	3.5.1	Highest

Identifiers

- [pkg:maven/com.github.waffle/waffle-jna-jakarta@3.5.1](https://maven.com.github.waffle/waffle-jna-jakarta@3.5.1) (Confidence:High)
-

autolinking.zip: autolinking.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/autolinking.zip/autolinking.jar
MD5: ff0a64ca045c73ec173587dbf6d23ca8
SHA1: 2f4a5de3ac64509258b40fef5dfdb177dc5fb332
SHA256:889045b7e2764b08e0b538befb10a78a5696b76b341152201775e7d24ee9f293
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	autolinking	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2025-11-05 18:49	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	autolinking	High
Product	jar	package name	autolinking	Highest
Product	jar	package name	autolinking	Low
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	plugins	Low
Product	Manifest	built-date	2025-11-05 18:49	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	autolinking	High
Product	Manifest	specification-title	autolinking	Medium

Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:25.10.233:*:*:*:*:* (Confidence:Low) suppress

collaboration.zip: collaboration.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/collaboration.zip/collaboration.jar

MD5: c85df409224a77897bdfcaabc9ee2c18

SHA1: 6b7b8aa0560fc800623649453838e8cd7aba84b0

SHA256: e4ae28d03c4c71a36589f555bad54b7255bad4e3871b4e6a12ade2fb0e8880f6

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	collaboration	High
Vendor	jar	package name	bot	Low
Vendor	jar	package name	collaboration	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2025-11-05 16:26	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	collaboration	High
Product	jar	package name	bot	Low
Product	jar	package name	collaboration	Highest
Product	jar	package name	collaboration	Low

Product	Manifest	built-date	2025-11-05 16:26	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	collaboration	High
Product	Manifest	specification-title	collaboration	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

commons-logging.jar

Description:

Apache Commons Logging is a thin adapter allowing configurable bridging to other, well-known logging systems.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/core/commons-logging.jar

MD5: e7a1e7cb6a89241ed9bfec4c25b6c645

SHA1: b9fc14968d63a8b8a8a2c1885fe3e90564239708

SHA256: bc2dfe32f1ef06509e6a065144c1adf7b420eabf11a87f30bd127f8faa332016

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	commons-logging	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	logging	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.logging	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-logging/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-logging	Medium

Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-logging	Low
Vendor	pom	developer email	baliuka@apache.org	Low
Vendor	pom	developer email	costin@apache.org	Low
Vendor	pom	developer email	craigmcc@apache.org	Low
Vendor	pom	developer email	dennisl@apache.org	Low
Vendor	pom	developer email	donaldp@apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	morgand@apache.org	Low
Vendor	pom	developer email	rdonkin@apache.org	Low
Vendor	pom	developer email	rsitze@apache.org	Low
Vendor	pom	developer email	rwaldhoff@apache.org	Low
Vendor	pom	developer email	sanders@apache.org	Low
Vendor	pom	developer email	skitching@apache.org	Low
Vendor	pom	developer email	tn@apache.org	Low
Vendor	pom	developer id	baliuka	Medium
Vendor	pom	developer id	bstansberry	Medium
Vendor	pom	developer id	costin	Medium
Vendor	pom	developer id	craigmcc	Medium
Vendor	pom	developer id	dennisl	Medium
Vendor	pom	developer id	donaldp	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	morgand	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	rsitze	Medium
Vendor	pom	developer id	rwaldhoff	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	skitching	Medium
Vendor	pom	developer id	tn	Medium
Vendor	pom	developer name	Brian Stansberry	Medium
Vendor	pom	developer name	Costin Manolache	Medium
Vendor	pom	developer name	Craig McClanahan	Medium

Vendor	pom	developer name	Dennis Lundberg	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Juozas Baliuka	Medium
Vendor	pom	developer name	Morgan Delagrange	Medium
Vendor	pom	developer name	Peter Donald	Medium
Vendor	pom	developer name	Richard Sitze	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Rodney Waldhoff	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Simon Kitching	Medium
Vendor	pom	developer name	Thomas Neidhart	Medium
Vendor	pom	developer org	Apache	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	https://www.apache.org/	Medium
Vendor	pom	groupid	commons-logging	Highest
Vendor	pom	name	Apache Commons Logging	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	https://commons.apache.org/proper/commons-logging/	Highest
Product	file	name	commons-logging	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	logging	Highest
Product	Manifest	automatic-module-name	org.apache.commons.logging	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-logging/	Low
Product	Manifest	Bundle-Name	Apache Commons Logging	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-logging	Medium
Product	Manifest	Implementation-Title	Apache Commons Logging	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Apache Commons Logging	Medium
Product	pom	artifactid	commons-logging	Highest

Product	pom	developer email	baliuka@apache.org	Low
Product	pom	developer email	costin@apache.org	Low
Product	pom	developer email	craigmcc@apache.org	Low
Product	pom	developer email	dennisl@apache.org	Low
Product	pom	developer email	donaldp@apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	morgand@apache.org	Low
Product	pom	developer email	rdonkin@apache.org	Low
Product	pom	developer email	rsitze@apache.org	Low
Product	pom	developer email	rwaldhoff@apache.org	Low
Product	pom	developer email	sanders@apache.org	Low
Product	pom	developer email	skitching@apache.org	Low
Product	pom	developer email	tn@apache.org	Low
Product	pom	developer id	baliuka	Low
Product	pom	developer id	bstansberry	Low
Product	pom	developer id	costin	Low
Product	pom	developer id	craigmcc	Low
Product	pom	developer id	dennisl	Low
Product	pom	developer id	donaldp	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	morgand	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	rsitze	Low
Product	pom	developer id	rwaldhoff	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	skitching	Low
Product	pom	developer id	tn	Low
Product	pom	developer name	Brian Stansberry	Low
Product	pom	developer name	Costin Manolache	Low
Product	pom	developer name	Craig McClanahan	Low
Product	pom	developer name	Dennis Lundberg	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Juozas Baliuka	Low
Product	pom	developer name	Morgan Delagrance	Low
Product	pom	developer name	Peter Donald	Low

Product	pom	developer name	Richard Sitze	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Rodney Waldhoff	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Simon Kitching	Low
Product	pom	developer name	Thomas Neidhart	Low
Product	pom	developer org	Apache	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	https://www.apache.org/	Low
Product	pom	groupid	commons-logging	Highest
Product	pom	name	Apache Commons Logging	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper/commons-logging/	Medium
Version	Manifest	Bundle-Version	1.3.4	High
Version	Manifest	Implementation-Version	1.3.4	High
Version	pom	parent-version	1.3.4	Low
Version	pom	version	1.3.4	Highest

Identifiers

- [pkg:maven/commons-logging/commons-logging@1.3.4](#) (Confidence:High)

configuration.zip: configuration.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar

MD5: d8ed737a9a47b8329a931c61cb3c402d

SHA1: 5b57fee755939b3f623a3aadb5b95c4ad5e90b03

SHA256: 5c3cb559dca34fcd34df2b4a0bab82f8472914823c6ea39df468419a5dc11353

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

--	--	--	--	--

Vendor	file	name	configuration	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2025-11-05 16:22	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	configuration	High
Product	jar	package name	config	Low
Product	jar	package name	plugins	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2025-11-05 16:22	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	configuration	High
Product	Manifest	specification-title	configuration	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

configuration.zip: configuration.jar: authenticationItemRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip
 /configuration.jar/com/inet/report/plugins/config/client/js/renderer/authenticationItemRenderer.directive.js
MD5: aefb1a2a7d97d2df669e0545658c3e24
SHA1: 4a2a34c98fb71cf2dfa520bb02dc8baf0d0810f9
SHA256: c277d6842312394b3aa4ac0385e1c800c73dc0b2b0cd9696bc5f51293d859b29
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: authenticationRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/authenticationRenderer.directive.js
MD5: 08d42fd374d37fbb791917830a779fa8
SHA1: 3e7daea97fb445ace87c90fd3e9188690660d99d
SHA256: 1719515423a8f8edcddfcb5519f22251afbedfd9de10bea76c99e461bd82929
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: boolean.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/boolean.directive.js
MD5: e281bd179c94019bdf388759a526f31
SHA1: 5f4be414c7db7b9c699a371bc3a84a945e1c13a3
SHA256: 3e819332e6b9a66c5041ae377459a6b7d7f10fd94dd71ad85a3f8169fdab4f48
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: booleanButton.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/rendererer/booleanButton.directive.js

MD5: dc5744f572a36fa29dc813914156944d

SHA1: 40a96829d9f498e1364fac7ec8bf8a626c4ac66c

SHA256: edf806317b3487f3998c758a4e56a0aa8bb08bfe38fd4b38c9ec68abbabf25f6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: colorInput.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/rendererer/colorInput.directive.js

MD5: db9d1ee17d2b4f79813c66e8a52b8fcd

SHA1: 68e81a259a7bce7f49dbf629230020cdf0b01398

SHA256: 1fff0ddf3d275467e77832ae82c55ffdebfb4cc31aee0bfb31def6574f734ae

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: controller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/controller.js

MD5: e69357181c946dd07a2b66b77865eb57

SHA1: 937e49dc0424751b10f4b955268de469381c6102

SHA256: 287166afe772ea2a1ae5316cc79ba85e35dd37a01e6339c53b14d3f7b437287c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: datafactory.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/datafactory.js

MD5: 07ae83528b0f987b01930435cc86454e

SHA1: 37740d90bf0cc142a3375c9e47512da796531d83

SHA256: 3cb2f55655d2214888210be8aea166e47e41a03cf2212c8ea2fd91a03c585ca5

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: fileUploadRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/rendererer/fileUploadRenderer.directive.js

MD5: 231de69a8b11511aba2b1d554b1c237c
SHA1: 07a949eca5cea00f3244c0c327a5055e938c20f1
SHA256: 09bb8467939975c92a5fed3ed5d48e62b5b4573873aa6ea55cc68f815675f4e3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: filesystemFileInputOrUpload.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/filesystemFileInputOrUpload.directive.js
MD5: f644a3106bfee156df76d5700377f70d
SHA1: c95cf943e2d57132b71a47525b512fbe46f7fed4
SHA256: 2ce6c7628582dc79f62161e19e2733b679647ff423e8d8ee83474eef6ce9624d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: filesystemInputButton.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/filesystemInputButton.directive.js
MD5: d4fa34d24a58237edaff0fcd1e52a98b
SHA1: 61aeecd618d7e15f1db7a65874b6fb9b3cdf9206
SHA256: 40e25504ccab4019abc2801de1f33715437dbb95c92d03bf759376bed942d8c3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: filesystemInputDirectory.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/filesystemInputDirectory.directive.js

MD5: abe8d738b4230681785b9608df31d0a7

SHA1: 3773d4f21f49fea9fd3c19ff9c94396b273e82cf

SHA256: 5283b122ef2a3db054632ead2dedd2c62c9616419840ae7e146355e8782fcee6

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: filesystemInputFile.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/filesystemInputFile.directive.js

MD5: 95eec66eb56684db24cb9d8c5cc387fc

SHA1: 33e9abd6b5c84780196226b277217e4d189216c8

SHA256: 1eab4ff2b96200a36c283d701e3b2bbdc0b3a527544f1b0eed6f31172a9dd10b

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: iconDropRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/iconDropRenderer.directive.js

MD5: e01df58e761b7fba83e716c5d665eb22

SHA1: b4fd37979b7a3ae4d7252b56bcec8ef0903113ba

SHA256: 50bae6b105ce7e868d443dcc911cc8170f2e5dd175482ab0d89bb1dec6f7e51d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: inlinerenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/inlinerenderer.directive.js

MD5: 4531879fc071658f5888a12116e31f0d

SHA1: 374bcc0bbcc65b4d88ff5a224731409c78a4f7b7

SHA256: 032c6ac3238780e1eb1767300dae7818ccda70bb17ccb70725ea06d8ee19adf2

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: keyLabelText.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/keyLabelText.directive.js
MD5: 2f2a25596ec290d0f62e10a37fc973c8
SHA1: a4e327416b73eeda15ba6d1874a3bbc3849ae81e
SHA256: 2a481ea7ff3b62f87adb28b57e222ef1352f1cfa73a154d63902cb0df0113b42
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: labelLink.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/labelLink.directive.js
MD5: a90349ac59fc4f16a05deb269d1c3519
SHA1: 484e8d038dafee8f547b1259f7e4d2d65ab5ee4a
SHA256: be8c4ebe7804af2f0d1f03340173d04745cff39383aa6ba47e144cf4177ffd99
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------


Identifiers

- None

configuration.zip: configuration.jar: labelText.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/labelText.directive.js
MD5: 1dc9a77a6475334b814a4eb39b6e8aa0
SHA1: d0db5c5a08bd2c74dffcafcbef0ffc8438e35357

SHA256:1cb05364e04e307603df6a644178aff10fabfed16bfce4d21c86fb75f44139ba
Referenced In Project/Scope: server

Evidence 


Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: licenseKeyItemRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/rendererer/licenseKeyItemRenderer.directive.js
MD5: 1b7acb7f77157666bd8163e13cc47fdf
SHA1: e623aa9b016fc3d3f9fc16449dd1ac48f3e17fd3
SHA256:ac41f0893480d1086562eef9c8269ea35f4605b80fd3f60628e4a9f3d6aa73a4
Referenced In Project/Scope: server

Evidence 


Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: licenseKeyRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/rendererer/licenseKeyRenderer.directive.js
MD5: 6d48b1b05a2bd2ef4384bb996789ddca
SHA1: d1131bfe50939a01e50982034b1b7574822215bf
SHA256:8c881d970f4c71dc3a5eddb6a2028729ce9efc82dc629880885a4bd043db53ba
Referenced In Project/Scope: server

Evidence 

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: listItemRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/listItemRenderer.directive.js
MD5: be04a63c48d156613c5b932c79e55ebb
SHA1: dc125d4dacfe2898e75f194131c0b39ce41096dd
SHA256: b95a73fde9c903ffc1b1e25b7fe7d338e1bb195bdeec298bb160f5fdc00cc83d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: logopreview.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/logopreview.directive.js
MD5: 84cbbf2c3c0b52d6c249e076fe48cb8f
SHA1: c63e504fabdb02f4cbe1dd2dfa110288472a4e0c
SHA256: e1b11195c665b08ffc7c19b22e7d7d77e49ed86877cd65e6bc9a166566aa5d31
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: multiLineCode.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/multiLineCode.directive.js
MD5: e2a752736b313cd15c5067b9e2f7abc6
SHA1: 2c22df117b9f45a082498e2696385eca5919534d
SHA256: c1d8916f36bc63228d52ff52432d599f6001077d784d2bf47870569daf2a99c6
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: multiLineText.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/multiLineText.directive.js
MD5: 9769483af9509271e1ffd9602c681481
SHA1: fbb61268f1e63f705fb6d167bdb9f5138d622a18
SHA256: 36e44de5802b59df141325897a839a73be22d803df0300985e3eb23ef0f060d4
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: multiLingualTextRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/multiLingualTextRenderer.directive.js
MD5: c417f8278dcca4343be0b1c60d6c5fe1
SHA1: 3eda017cc7075b934736e1daf71b0d59aa412203
SHA256:c497b95a7eb0af1ef36a9733a5e9675a5ac62c094a738288ed8c021b7cd9a429
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: passwordText.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/passwordText.directive.js
MD5: a762f68eb820d383f03214a0c401d090
SHA1: 05c793442f5193f2ffa3b952cd62af88309e68f6
SHA256:fba766ee79b545a364e9b8d53a5fd0df688657a201bdd25c7c6bcf3a92678337
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: reloadSelectInputsTrigger.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/reloadSelectInputsTrigger.directive.js
MD5: ee0760c34d35b7ab1f556b36ef72504b
SHA1: cfcab22873b681c7d9019378b4c7fa9c6af49b47
SHA256:40e2a2f7b5e647a301971e061dbd5a7d614458f9172510d8f64f1b21b2347e3f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: renderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/renderer.directive.js

MD5: e6700ce9f732a1f1b614ffdc2c94933

SHA1: 1c5c4b48b29a6b9fd8b9f560207df52cf3ff430d

SHA256: 3c26aeb2ecfd733d17ff0facd86c8328a20759a6fe1b4059bbcc8221461d3574

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: repoDbRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/repoDbRenderer.directive.js

MD5: 5ef1c770c4e5fe42e93f01f633f453d3

SHA1: 5da8e6fda8968333e5a0badb6aa45020a83b6b69

SHA256: c763e8eefee951c377e2c0c54a8d52618e50224dbb458529d750701c7a1f9e96

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: repoFsRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/repoFsRenderer.directive.js

MD5: 6bf0ab3a102f1607ad605c4820851ff4

SHA1: ec76ee20ea8fc5950c233ebb71a89367fb0b5d48

SHA256: 71fb520ea8562e3a06f3eabc3117b85a874092205bc7052a856faaec867e7df6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: repositoryItemRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/repositoryItemRenderer.directive.js

MD5: 35b661e3e8a0b9517b5ef113729adebf

SHA1: 451b13b299f3189adeb149487bd614b2de8ec78c

SHA256: f155af09a82a7d6babc233a77ffa620935e78b1bb8e8636ec2987241a0fec48b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: repositoryRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/repositoryRenderer.directive.js

MD5: cca1b6d749a3ff9bb3ed1e546c1ddd3f

SHA1: 295dbe208d68b96973cfde80dc8f657cdaedb7f2

SHA256: 597b792888878b76bd3e67b99651b5d52c1332790765d4a6e11a9f9d3d289490

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: selectEditText.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectEditText.directive.js

MD5: 3aa24125a54ec0a890cf9c3ecb3579ad

SHA1: 5cf9a71def93c493f1781f6729abeeabe36999f4

SHA256: 8bcd98ff5ca4562ebacaae43968be209fdf058365ea8bfea6ac96342f42de0a2

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: selectFilteredText.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip

/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectFilteredText.directive.js

MD5: 1d900550c21095ac4bf85607121a14e1

SHA1: e756ceb1b1e5a6eaa30bbb366c4e62c59e77d783

SHA256:bbfd861491aa357cbbfa2f1ee15b232366b1f88b28c4962339bf5756e49297b9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: selectLanguageChooserRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip
/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectLanguageChooserRenderer.directive.js

MD5: b2dfe60265ea9129a4b1abe952ad92ff

SHA1: 20176c71d76cb163d19b6add0667a5179bb4e9ec

SHA256:3c3904cb2f26ca946b317091a674646bfd692bed2a7288097f016bbe7be7af1

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: selectSimpleText.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip
/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectSimpleText.directive.js

MD5: 133dcb833b683d40c4a902b736bdd1d6

SHA1: e8d02811739badfec2c515780b99466e9d5f2dc9

SHA256:9d3df25fc91e91042b12096910ee5628baff6e5ea237e5809a9ea1856531b312

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: simpleDate.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/simpleDate.directive.js

MD5: 7859e473016ba4b6c663b2de73e886d0

SHA1: 2c6104c939065689031febe53b2c4690eb17af15

SHA256: cf6b91be17479f785ea267d269c6a254a9fd14d70df735721d723e556bf07f28

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: simpleSlider.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/simpleSlider.directive.js

MD5: 00171fe096529318005c987067f6cae4

SHA1: 586d31e6a344760d84d76e12763b6f47e69618d0

SHA256: db8ceb31a065dc67a9b7d9bc2144e6906a6f0dadd1e698f77b41cc6232246aec

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: simpleText.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/simpleText.directive.js

MD5: 8c4598540efc682f3551a75bde20dfd9

SHA1: 42c3a77e9067c8d053e4dac23de2a40a70d67ec4

SHA256: b18a8129f293a7ce070aa7b9bd5edbe9eceebe36b10e82a9e6a3469c1484f3d0

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: tableRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/tableRenderer.directive.js

MD5: 9c912ea0c0e6a7cd18a45ab3aa2234d2

SHA1: cb8d0ba6ae90abff58f47ae07d63f3e57dfc0723

SHA256: 967fadfaccbc663230a6fc2c0242cba122ea115816585f28e1c43518005c99d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: treeRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/treeRenderer.directive.js

MD5: 0a727a5f05e3fd245c2160b5366328f1

SHA1: 678f64bfd07d434e17c8ec082ae6b65c34e80953

SHA256: 926c541bf1a1faa35175ff6d0aec1875cef3da5828a2a7cd24816b3052023d10

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: usersandgroupsselect.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/usersandgroupsselect.directive.js

MD5: 27bf7f8502a7aa8612104bf9da20aa9d

SHA1: a75f988f7790d6be413c8f962c051a78880d96d7

SHA256: c7b08fadcb0c0d0907adf944c05e79a20d065d9faebfe4472b570f5f73a976d1

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

core.jar

Description:

Core barcode encoding/decoding library

License:

"The Apache Software License, Version 2.0";link="https://www.apache.org/licenses/LICENSE-2.0.txt"

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/zxing/core.jar

MD5: b5269d7bf1eea1d064240c342829b117

SHA1: ca1349214a356cd7958651b2d5a0e1f3811a9c4b

SHA256: 8d8064c1636fdaef7189dd9055c7d59950a8940a12f2293956446ec3c109fd82

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	core	High
Vendor	jar	package name	google	Highest
Vendor	jar	package name	zxing	Highest
Vendor	Manifest	automatic-module-name	com.google.zxing	Medium
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-developers	zxing-authors;name="ZXing Authors"	Low
Vendor	Manifest	bundle-docurl	https://github.com/zxing/zxing/core	Low
Vendor	Manifest	bundle-symbolicname	com.google.zxing.core	Medium
Vendor	pom	artifactid	core	Low
Vendor	pom	groupid	com.google.zxing	Highest
Vendor	pom	name	ZXing Core	High
Vendor	pom	parent-artifactid	zxing-parent	Low
Product	file	name	core	High
Product	jar	package name	google	Highest
Product	jar	package name	zxing	Highest
Product	Manifest	automatic-module-name	com.google.zxing	Medium
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	bundle-developers	zxing-authors;name="ZXing Authors"	Low
Product	Manifest	bundle-docurl	https://github.com/zxing/zxing/core	Low
Product	Manifest	Bundle-Name	ZXing Core	Medium
Product	Manifest	bundle-symbolicname	com.google.zxing.core	Medium
Product	pom	artifactid	core	Highest
Product	pom	groupid	com.google.zxing	Highest

Product	pom	name	ZXing Core	High
Product	pom	parent-artifactid	zxing-parent	Medium
Version	Manifest	Bundle-Version	3.5.3	High
Version	pom	version	3.5.3	Highest

Identifiers

- [pkg:maven/com.google.zxing/core@3.5.3](https://maven.com.google.zxing/core@3.5.3) (Confidence:High)

cowork.tickets.zip: cowork.tickets.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/cowork.tickets.zip/cowork.tickets.jar

MD5: c4e165a890a0868e3c882dfe7657e6cc

SHA1: eb91367ca01e6fc94ca35aeffd62858a21f13f0b

SHA256: c41e17015a6bb86f90d616b234115a470c15b2ce7147f2adaa590fcf397481a9

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	cowork.tickets	High
Vendor	jar	package name	cowork	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	integration	Low
Vendor	Manifest	built-date	2025-11-05 18:49	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	cowork.tickets	High
Product	jar	package name	cowork	Highest
Product	jar	package name	cowork	Low
Product	jar	package name	integration	Low

Product	jar	package name	ticketlist	Low
Product	Manifest	built-date	2025-11-05 18:49	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	cowork.tickets	High
Product	Manifest	specification-title	cowork.tickets	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- [cpe:2.3:a:tickets_project:tickets:25.10.233:~::~::~~::](#) (Confidence:High) suppress

cowork.tickets.zip: cowork.tickets.jar: coworkchatextension.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/cowork.tickets.zip/cowork.tickets.jar/com/inet/cowork/integration/ticketlist/ticketpageextension/coworkchatextension.js
MD5: 4cb588b0bf8a628cc3c843b798104816
SHA1: defeae4778460d7dba551d85ca8b04557fa003e5
SHA256: 04d499d7b215b22cffdb669f82f837bab0a7231ee78c6bf41418a8ed9f135788
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

cowork.zip: cowork-javadoc.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork-javadoc.jar
MD5: 9f1791f47b6b34d87b0f6e5109aa5799

SHA1: 4ba6bd5ce8ef3d08187a8b97794c06fc92da9ef8
SHA256:db683012e7d01abeca38bb8523724fec9b07269e6e87f8021db4924045462cd1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	cowork-javadoc	High
Product	file	name	cowork-javadoc	High

Identifiers

- None

cowork.zip: cowork-javadoc.jar: member-search-index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork-javadoc.jar/member-search-index.js
MD5: b53fed2c85f54971f9814355b8658c01
SHA1: 0214b99220b6797c45f01569549fcc923694a5d7
SHA256:8d88b33f1eebff05ff24ecdd0d7685ba49518f2fb0dfda9e31318a930d29e445
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

cowork.zip: cowork-javadoc.jar: package-search-index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork-javadoc.jar/package-search-index.js
MD5: 7843e0fe10197c0f0117f699e1e7cd40
SHA1: e48fd8df27e997b6b55659eac22ae3a2d68c20a5
SHA256:1aba1d547394c186ec32485f12fa55450a73511ab1cefa478a92dcf1d359520a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

cowork.zip: cowork-javadoc.jar: type-search-index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork-javadoc.jar/type-search-index.js

MD5: 8c30fed2a2e350ef639f9b7bda912507

SHA1: 5670fb1b145339466f0ea57751f0d816cd8eb8b3

SHA256: 6340ac435040dd803b2df28710ff32c54598221a2e79d45bf7dbcec174962a57

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

cowork.zip: cowork.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork.jar

MD5: b3672f03a2a853abc1ee3d81a07ca557

SHA1: 345c9c1c3764b7cbfa8f8a7471bd25e106ef5111

SHA256: 2565832944d027fb965472b14481ec0fc9da4226572d191711b343a909b64dcc

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	cowork	High
--------	------	------	--------	------

Vendor	jar	package name	cowork	Low
--------	-----	--------------	--------	-----

Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	server	Low
Vendor	Manifest	built-date	2025-11-05 16:53	Low
Vendor	Manifest	implementation-group	cowork	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	cowork	High
Product	jar	package name	cowork	Highest
Product	jar	package name	cowork	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2025-11-05 16:53	Low
Product	Manifest	implementation-group	cowork	Low
Product	Manifest	Implementation-Title	cowork	High
Product	Manifest	specification-title	cowork	Medium
Version	jar	package name	cowork	Highest
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

cowork.zip: cowork.jar: MessageCreationChart.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork.jar/com/inet/cowork/integration/diagnostics/MessageCreationChart.js

MD5: f4c599d8972b7b53d9343562328ed654

SHA1: a94fea0ec8920c5f5c167ca01f4aecf5195407a7

SHA256: fc7edcf5111888705df4335864ec9c210360a7284e889fe9fa6edb1f0fb3d3e4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

cowork.zip: cowork.jar: cowork.diagnostics.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork.jar/com/inet/cowork/integration/diagnostics/cowork.diagnostics.js

MD5: 61bdfed6bb2704fbe22d33f93da17f84

SHA1: 5c1617a08b0b62537b8b9aca098691405c38c6a5

SHA256: 4b4ce83af515336cbc544bda234527c6f541a2abdd456dd1554b0b9c5ce7bf08

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

cowork.zip: cowork.jar: coworkcomponents.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork.jar/com/inet/cowork/client/js/coworkcomponents.js

MD5: fbf1a223b1647efe67092fa2810ebe1c

SHA1: 0a414e3126ab88629e70b94a448f960a54cae128

SHA256: 7fdcff971c146290716df650ad26fbab008737b3ed5f1f8aa887dd42d0a1dee0

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

cowork.zip: cowork.jar: coworkcontroller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork.jar/com/inet/cowork/client/js/coworkcontroller.js

MD5: b92bcc498d4577990c9d2afacf32185a

SHA1: b9b8318888f29163ad4e177eef9815a3ccaa0a8e

SHA256: 7226bb6c38b95670b7bae75bb25114c4d04f62894bf3b5ebf039d175fc01289b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

cowork.zip: cowork.jar: coworkconversation.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork.jar/com/inet/cowork/client/js/coworkconversation.js

MD5: 68d74db2822dbf248a10225f8fccb3ce

SHA1: 782dbaf6e57fe26b8f1c22e32adbb759d5a5bedd

SHA256: 6c8f2e08a2eb50bd4714a9383a6291441da0b831b39b8de63512551bb10642a2

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

cowork.zip: cowork.jar: coworkfactory.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork.jar/com/inet/cowork/client/js/coworkfactory.js

MD5: 59f527ceb52dd8066d9cf0caaedd4a9d

SHA1: a1bf98e7dd8ea7e490a5c10e8498218c52615cf1

SHA256: 379cb406950bcefb36436f516dda578c5992f46714ce8f8fb196694ceb314a87

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

cowork.zip: cowork.jar: coworkinputbox.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork.jar/com/inet/cowork/client/js/coworkinputbox.js

MD5: f39c512ee4a439c68f7b305ea6d55

SHA1: e257a1d23de522ff3e818bc8b9bfff3d38efd0d

SHA256: 2815abca1cee4a62944535da1c7868e359288604df5bc524c196ecd46b454c70

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

cowork.zip: cowork.jar: coworkmodel.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork.jar/com/inet/cowork/client/js/coworkmodel.js

MD5: e9d699655b02385130c6e1bae9e48e67
SHA1: 362dfa3c7194edef45aa806096069fd61f81725e
SHA256: e46e192dae12315f596d74d0e317c1b57e3e97420e85c6d4e5b8ed3f6d9edd60
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

cowork.zip: cowork.jar: coworksettingscontroller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork.jar/com
/inet/cowork/client/js/coworksettingscontroller.js
MD5: f03330b6a50eb2188e5714486cbc76d3
SHA1: 5186f8bf71b626e7d88bd818fb6a4f1765df5657
SHA256: daec405ffba8cbcd86614fae4e666658bc39e58956e850f4189eb010ee9cea9b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

cowork.zip: cowork.jar: inetmarkdown.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork.jar/com
/inet/cowork/client/js/inetmarkdown.js
MD5: e2ffc59274042d1caa1ac43ddd8a10c
SHA1: c2bfbe449b77aab091a19e29d9d8ebd472187231
SHA256: 5931729e41d3e1aa91dcfb6107388d141ea63ef2a1c22419a07c75d0fcb3ca43
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

cowork.zip: cowork.jar: showreactionscontroller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork.jar/com/inet/cowork/client/js/showreactionscontroller.js

MD5: b72ebeef733ddaef5734b2426cae3787

SHA1: 0d9069c4e55362bcb3c54bb834bd622661348c0b

SHA256:e38cd47b134e24364d6462eba469e7d7cf76b3b1222bb1b11566b6b01e81c38e

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

cowork.zip: cowork.jar: teamsettingscontroller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork.jar/com/inet/cowork/client/js/teamsettingscontroller.js

MD5: 729da9798ef3dfcff996d5f2b8bef6d5

SHA1: 3ac925b9279b84c1bc4eeb9d29cbaed6216f2a1d

SHA256:4bffa93c7e6cc3cf83a2431ce63399db14ed1827528cbb291dfae2b0c8153210

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

dataimport.zip: dataimport.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/dataimport.zip/dataimport.jar
MD5: c84f9e89b9446b477a346593b84c1c90
SHA1: eadadb51682ab366feda027fa8684a7aa3ea038
SHA256: 0023276c35c913d749f203ca52844e95e93ec4c545ac8b3019bc343091ebaad0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	dataimport	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2025-11-05 18:44	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	dataimport	High
Product	jar	package name	dataimport	Highest
Product	jar	package name	dataimport	Low
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	plugins	Low
Product	Manifest	built-date	2025-11-05 18:44	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	dataimport	High
Product	Manifest	specification-title	dataimport	Medium

Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:25.10.233:*:*:*:*:* (Confidence:Low) suppress

dataimport.zip: dataimport.jar: actionsBar.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/dataimport.zip/dataimport.jar/com/inet/helpdesk/plugins/dataimport/resources/js/actionsBar.directive.js
MD5: 0737f430cb58e0a3f9cebee8c97fe517
SHA1: 9ceb13eba78df9780efea3097bc753e5c249d06e
SHA256: 946ff7a9a922067e1cd9b6a53aeeda58846c5427576c997e0b82a1af1e419dbf
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

dataimport.zip: dataimport.jar: checkbox.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/dataimport.zip/dataimport.jar/com/inet/helpdesk/plugins/dataimport/resources/js/checkbox.directive.js
MD5: d0b8aaa56cb91923f395da427084f479
SHA1: 13fa629914620d7c3cbe2a827943ee1d0d9648f3
SHA256: c7379177b7566bae7daa6c4288c3d2f5b343fc14790f55091640c6ae5558e408
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

dataimport.zip: dataimport.jar: controller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/dataimport.zip/dataimport.jar/com/inet/helpdesk/plugins/dataimport/resources/js/controller.js

MD5: af6e4f3e79a5b207bb40e5b99a25e308

SHA1: a1f4eb48564a704635d9650d765e1939b3b12094

SHA256: d232408e460a0364d82501d967f35ed7afced90a08a9049fe51c455c6ad7e995

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

dataimport.zip: dataimport.jar: deviceDataImport.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/dataimport.zip/dataimport.jar/com/inet/helpdesk/plugins/dataimport/resources/js/deviceDataImport.directive.js

MD5: 19e991c8424b94865553aeae616f58a6

SHA1: 99a6629166baf8a0d92b08c013f43418f6085cab

SHA256: 2b51530689539b9d59c4b93eee981f2d1b362aa17a2d5bfa0d31855226add111

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

dataimport.zip: dataimport.jar: filtereablevalueselection.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/dataimport.zip/dataimport.jar/com/inet/helpdesk/plugins/dataimport/resources/js/filtereablevalueselection.directive.js

MD5: f8a57c297779d59af110ca00114947ef

SHA1: 51a0744521b7e89abcc754417b99bfef140932b5

SHA256: 8825e3946d4eb3bb55ecae19a33867c39530e2ad3de3780df5e405afdcc570

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

dataimport.zip: dataimport.jar: importfactory.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/dataimport.zip/dataimport.jar/com/inet/helpdesk/plugins/dataimport/resources/js/importfactory.js

MD5: e3b1cba9111b187973cca4ac4cb2d52b

SHA1: aed9d54703d7af0be8b68a5a0682cb7aea90b4bc

SHA256: ff85eaaf9d17f80402190f93d21df186820766b51ec004e6d71c14eab349149a

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

dataimport.zip: dataimport.jar: importjob.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/dataimport.zip/dataimport.jar/com/inet/helpdesk/plugins/dataimport/resources/js/importjob.directive.js

MD5: da0d0fcca7f920c14f9c84816378f252
SHA1: da1f064aa2b785dfccada1b5a469ad2264cbbf0a
SHA256: 4d8b20f7d162f30a729328f0534d8be93099a519ebad078684687529e42c2609
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

dataimport.zip: dataimport.jar: itemRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/dataimport.zip/dataimport.jar/com
/inet/helpdesk/plugins/dataimport/resources/js/itemRenderer.directive.js

MD5: 793086efa6efaab42a85182dd83b1462
SHA1: 1f381651608356075dda6abe743bfdcfdc4c9fc3
SHA256: 92cdeba6b5be2c875e6fc37e47cde9f25399b209d82684ca101bad7cbec8fc3c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

dataimport.zip: dataimport.jar: userDataImport.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/dataimport.zip/dataimport.jar/com
/inet/helpdesk/plugins/dataimport/resources/js/userDataImport.directive.js

MD5: f4f771d58ecfe2cebb98d55b1e366473
SHA1: e77e585f81220d600ec6b40f150e54c1acb2de6b
SHA256: 0f66028b02ac08304ba0aa5605b77c5b65419483834f0da7195013ef6c5d3ad9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.reporting.zip: diagnostics.reporting.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.reporting.zip/diagnostics.reporting.jar

MD5: 9422aea18f956f7fef6a52b87838c7de

SHA1: f1510cd33b252e7b6463a230c8de1af9b3bc2b6b

SHA256:29379cc9ea92d0adbb690e2976373e5c9c538b527d3b58e3141f9a0b2f5c5f40

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	diagnostics.reporting	High
Vendor	jar	package name	diagnostics	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2025-11-05 17:44	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	diagnostics.reporting	High
Product	jar	package name	diagnostics	Highest
Product	jar	package name	diagnostics	Low
Product	jar	package name	report	Low
Product	jar	package name	widgets	Low
Product	Manifest	built-date	2025-11-05 17:44	Low

Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	diagnostics.reporting	High
Product	Manifest	specification-title	diagnostics.reporting	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

diagnostics.reporting.zip: diagnostics.reporting.jar: connectionPool.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.reporting.zip/diagnostics.reporting.jar/com/inet/report/diagnostics/widgets/connectionpool/resources/connectionPool.js
MD5: f53d87419cca81933623ab8325b500e4
SHA1: 5d4d1ae1f0f86f84711e9090df767880dacd62f0
SHA256: 0276fb918e86662478f9fe2f51a4ea88862d48c2b848059cfbca686f96a9dd87
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.reporting.zip: diagnostics.reporting.jar: reportcache.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.reporting.zip/diagnostics.reporting.jar/com/inet/report/diagnostics/widgets/reportcache/resources/reportcache.js
MD5: 69cf1345e403fa8c11c27e3fa01fb71b
SHA1: e9ae6aca9c42c00ad18a935a7f84a3d2d59d0384
SHA256: b25ec00b6d64bcc7db7b3c3c9ca17ac561f5b7658d986a9d28cbb7ed6cbf3e41
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Identifiers				
• None				

diagnostics.reporting.zip: diagnostics.reporting.jar: server-datasource.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.reporting.zip/diagnostics.reporting.jar/com/inet/report/diagnostics/widgets/benchmark/datasource/server-datasource.js
MD5: 7ff5a1d205b088435a55eebe6b299af9
SHA1: f34ca1847e716ee3d759eef5ea0c1dd0a409ac6c
SHA256: 8f5ea4bc5b949a0626b8e5f715b8c7c2a55e9a6e043d110dc5e583e18bb6595c
Referenced In Project/Scope: server

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

diagnostics.zip: diagnostics.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar
MD5: 4b11c25ca519472fed6bf47065a0636f
SHA1: 899a1083a358f2b05f46eba890be9bdf54f9d397
SHA256: eaa0f682c63de3fa96f66d4550705a4d2f819d1ded4f1ac753a28e7f76cad52d
Referenced In Project/Scope: server

Evidence				
Type	Source	Name	Value	Confidence
Vendor	file	name	diagnostics	High
Vendor	jar	package name	diagnostics	Low
Vendor	jar	package name	inet	Low

Vendor	jar	package name	shared	Low
Vendor	Manifest	built-date	2025-11-05 16:32	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	diagnostics	High
Product	jar	package name	diagnostics	Highest
Product	jar	package name	diagnostics	Low
Product	jar	package name	shared	Highest
Product	jar	package name	shared	Low
Product	jar	package name	widgets	Low
Product	Manifest	built-date	2025-11-05 16:32	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	diagnostics	High
Product	Manifest	specification-title	diagnostics	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

diagnostics.zip: diagnostics.jar: MemoryPieChart.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip
 /diagnostics.jar/com/inet/shared/diagnostics/widgets/information/resources/MemoryPieChart.js
MD5: 6672ce6950e54f655abda54ed0f66ed5
SHA1: 3043ce3c7f15e47f311010f1863bbe38f47f9902
SHA256: c1e3f04eb8893a9a04750d0c1b6da7de0e22820db78773eb345add1267fbd784
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: MemoryUsageChart.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/information/resources/MemoryUsageChart.js

MD5: 8755baee0fb97dbfdf5d5b972b7cf9bc

SHA1: 1c4299a3df93cd84ff68923b6db924b325e8ed79

SHA256:576dde92cfe5caf4a9fb8084b64d73ef914d1b44b695cd74ee916829c6d652cf

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: WebServerErrorChart.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/webserver/resources/WebServerErrorChart.js

MD5: 46ed42c329ea270b64073af7b041554e

SHA1: 1e2685c45d920807865bde8647def47f405d70c0

SHA256:b062fe753fb5117f9ee299ce3d7c7aa6631e229aaecfea9351af3847f20ef152

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: benchmarkCtrl.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/resources/benchmarkCtrl.js

MD5: 9eaeff897d71b988456b1081f7baa57e

SHA1: 8dc7208ccfa11ba9eb736aaee676e9c7f2f62146

SHA256: 3457f3446ce7a565f734ecd3aa8712884c713b10dd97713ffab9cf196becafc9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: client-server.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/clientserver/client-server.js

MD5: 0f1ab9cf9534b099e18cc5852ee024dc

SHA1: 404002851f13cee9f19794e77396da6d11c9adfd

SHA256: 93af3fdaf826e858e80a21ea6ece6281e38bc6e6c4c006f76db5ed3849aaa629

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: controller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/controller.js

MD5: c9d9a63b248de3b1ab32753b2652581f

SHA1: 9e9f1cf1ddcea2a7ae541d2a67b0f36d68514e77

SHA256: 6ab396c52d329bb05ffc977b19f70afaae28b05f93ed53e7766369f734126485

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: cpu.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/cpu/cpu.js

MD5: 00bbba279bab5ddacde78dc991498f9f

SHA1: c0c245794ad50fdff5bae6b15f494130d740ee51

SHA256: 492f447221e59374290a8994359099d7c8ce3de45961e5dd2cbb648d4a6b29c2

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: cpuspeed.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/cpuspeed/cpuspeed.js

MD5: affca3db509cab73d34a15f21623ee7
SHA1: d3a2d26b44827807dd0035932815b1a8f72e453d
SHA256: c7328c891ff58d6da40001887b68e993052b856d83e1d6493a32f0fed8dff6a5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: directives.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/directives.js

MD5: c7436529172605f449dda5c983dc74dd
SHA1: e7fd8c8ccf06d2fadce799bb442b4b8bc10fcad4
SHA256: 993aecee895d9e18dd484cbcf7b1b908db6dd2fe5a8078bf664faa39070dbe7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: errorHistoryChart.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/logging/resources/errorHistoryChart.js

MD5: 83231947ca2ffb7ee6d2839bbfac6a62
SHA1: 7418ac3a78c906c55d8779d363184d5f2a335428
SHA256: 7ad4ad758d262497faee037107f81e81b1a996d6f4111a46bd91092925cc58a3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: flotr2.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/flotr2.min.js

MD5: 0b7015815b97473a69b1917da6dc9c7c

SHA1: d23aa3eb0326ea5ae26e4d98383e80f3f63a05de

SHA256:8e91d325cb89a573c87ec87930a17a0dd4e16b59926d4bcc06691c26e37ab9fc

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: global.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/global.js

MD5: ea308918919d88577b89513d61dfa21b

SHA1: 42b1d16409b39bb01ede0fbb44357a27bb8d0249

SHA256:dc162fa9f5ab8b95bec8b06db139fa7b57a14257b51a349578ff6c2681a1fd6a

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: haddisk.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/haddisk/haddisk.js

MD5: 538fd0fdeb11c4fa3dd2ac88c8711204

SHA1: 80957f16c25af55fc467e6c5af84153a595115c8

SHA256: a7762d8a143e8ac4eb9931e082988207cd45ab55d088120ff28d5f833fc09c2e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: heapdumpCtrl.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/dump/resources/heapdumpCtrl.js

MD5: c5fdaf4ccf9027d4a81c2f62b897e927

SHA1: 667f13f878547fe5bdd76d63151a8bf8113736ac

SHA256: 9694aabb30d8dc4bd9f9a6886f91248fe5a68d51a0f4dfd3a7b7adcd4db0b625

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: informationCtrl.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip
/diagnostics.jar/com/inet/shared/diagnostics/widgets/information/resources/informationCtrl.js
MD5: 751ab48845663bb2e183db1c23837049
SHA1: 68afe450d8d8b18885e9a1609dcdaa354cdc38ea
SHA256: 03827ae0ce0f6ce8e4b023a418f796284cbe2358a1f468fa3e5a5ee24018ad20
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: intArrayUtils.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip
/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/intArrayUtils.js
MD5: 132205ce288f4d0108593ba2adf79e7f
SHA1: b1fc530ffd7332db05d9b5431535ec0beb9ff688
SHA256: 089688ab933277e0148ec91a8bd6d1d3d6e1030ec0216139675a78f8c9fd672e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: iospeed.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip
/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/iospeed/iospeed.js
MD5: 43d6af3fce515e8c01c806b587663d18
SHA1: 3144a2d2373abb1e911388b3cc049467fe9f616e

SHA256:8ad0c4ac7fb4dea2dc4f38137e5136e2d4b9f4f380203be7de3fd430cbab5260
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: jobs.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip
/diagnostics.jar/com/inet/shared/diagnostics/widgets/jobs/resources/jobs.js

MD5: c86f20826acb4cd47c7bd5dbfb75b0d4

SHA1: 91bc3730aac03d2108e538843d28f0e47d531bc2

SHA256:392dd734b01789eb4d38f999bfa2cc439550d8bb4321024a2047179676315e47

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: logging.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip
/diagnostics.jar/com/inet/shared/diagnostics/widgets/logging/resources/logging.js

MD5: 547f9875c9c43a8e13e5831262ce7629

SHA1: 777e8a815832ebb01cd38d376692c43b66e58cb8

SHA256:0348322950015a8c715d7eac1366190d313bbaeb529ab02d7ee49e2b182071f3

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: memory.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/memory/memory.js
MD5: 362ed951b53dd4ef9c8494e8d1749466
SHA1: 9879a26fb052a8e75d1b46672397dfb5b1927f77
SHA256: abbe117c43a3b186c9453af73cceb55b3f42ab2cccb6809a4b1dc04b4b1489e9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: overviewCtrl.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/overview/resources/overviewCtrl.js
MD5: 80f5e4358aa6a9ba6d35c364803e6c6a
SHA1: 43c0492bb6e31b22174edb46514f0981930d2e39
SHA256: cdf4ae1ac491e48bcb17849a4b9ccdfef5eea517798c0dc10fe13fb75b1eca99
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: pde.diagnostics.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/webserver/resources/pde.diagnostics.js
MD5: d341fba13a10131585866bd8575fb85c
SHA1: 1829064e54bcc91f1a96ef0605fcb71188f6126d
SHA256: 8554a8c566d5aed56913953c9cd38fdb6a59fb3292279d76e624f615c2c97c1e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: timeformat.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/timeformat.js
MD5: 31e9928c521c394f829c570f248fab50
SHA1: 97977864881447d98bab1568b64f96115f4a4d4a
SHA256: f96d3c13acc616439828fdc4a368dedb6f8a740eb44cef5980b659ee9c07845
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: commons-compress.jar

Description:

Apache Commons Compress defines an API for working with compression and archive formats. These include bzip2, gzip, pack200, LZMA, XZ, Snappy, traditional Unix Compress, DEFLATE, DEFLATE64, LZ4, Brotli, Zstandard and ar, cpio, jar, tar, zip, dump, 7z, arj.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/commons-compress.jar

MD5: 1db4bd87b0082044c6e7a6af0b977a3e

SHA1: a19151084758e2fbb6b41eddaa88e7b8ff4e6599

SHA256: 293d80f54b536b74095dcd7ea3cf0a29bbfc3402519281332495f4420d370d16

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-compress	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	compress	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.compress	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-compress/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-compress	Medium
Vendor	Manifest	extension-name	org.apache.commons.compress	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	originally-created-by	Apache Maven Bundle Plugin 5.1.9	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-compress	Low
Vendor	pom	developer email	bodewig at apache.org	Low
Vendor	pom	developer email	chtompki at apache.org	Low
Vendor	pom	developer email	damjan at apache.org	Low

Vendor	pom	developer email	ebourg at apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	grobmeier at apache.org	Low
Vendor	pom	developer email	julius at apache.org	Low
Vendor	pom	developer email	peterlee at apache.org	Low
Vendor	pom	developer email	sebb at apache.org	Low
Vendor	pom	developer email	tcurdt at apache.org	Low
Vendor	pom	developer id	bodewig	Medium
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	damjan	Medium
Vendor	pom	developer id	ebourg	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	grobmeier	Medium
Vendor	pom	developer id	julius	Medium
Vendor	pom	developer id	peterlee	Medium
Vendor	pom	developer id	sebb	Medium
Vendor	pom	developer id	tcurdt	Medium
Vendor	pom	developer name	Christian Grobmeier	Medium
Vendor	pom	developer name	Damjan Jovanovic	Medium
Vendor	pom	developer name	Emmanuel Bourg	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Julius Davies	Medium
Vendor	pom	developer name	Peter Alfred Lee	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Sebastian Bazley	Medium
Vendor	pom	developer name	Stefan Bodewig	Medium
Vendor	pom	developer name	Torsten Curdt	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	https://www.apache.org/	Medium
Vendor	pom	groupid	org.apache.commons	Highest
Vendor	pom	name	Apache Commons Compress	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	url	https://commons.apache.org/proper/commons-compress/	Highest
Product	file	name	commons-compress	High

Product	jar	package name	9	Highest
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	compress	Highest
Product	Manifest	automatic-module-name	org.apache.commons.compress	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-compress/	Low
Product	Manifest	Bundle-Name	Apache Commons Compress	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-compress	Medium
Product	Manifest	extension-name	org.apache.commons.compress	Medium
Product	Manifest	Implementation-Title	Apache Commons Compress	High
Product	Manifest	multi-release	true	Low
Product	Manifest	originally-created-by	Apache Maven Bundle Plugin 5.1.9	Low
Product	Manifest	specification-title	Apache Commons Compress	Medium
Product	pom	artifactid	commons-compress	Highest
Product	pom	developer email	bodewig at apache.org	Low
Product	pom	developer email	chtompki at apache.org	Low
Product	pom	developer email	damjan at apache.org	Low
Product	pom	developer email	ebourg at apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	grobmeier at apache.org	Low
Product	pom	developer email	julius at apache.org	Low
Product	pom	developer email	peterlee at apache.org	Low
Product	pom	developer email	sebb at apache.org	Low
Product	pom	developer email	tcurdtt at apache.org	Low
Product	pom	developer id	bodewig	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	damjan	Low
Product	pom	developer id	ebourg	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	grobmeier	Low
Product	pom	developer id	julius	Low
Product	pom	developer id	peterlee	Low

Product	pom	developer id	sebb	Low
Product	pom	developer id	tcurdt	Low
Product	pom	developer name	Christian Grobmeier	Low
Product	pom	developer name	Damjan Jovanovic	Low
Product	pom	developer name	Emmanuel Bourg	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Julius Davies	Low
Product	pom	developer name	Peter Alfred Lee	Low
Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Sebastian Bazley	Low
Product	pom	developer name	Stefan Bodewig	Low
Product	pom	developer name	Torsten Curdt	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	https://www.apache.org/	Low
Product	pom	groupid	org.apache.commons	Highest
Product	pom	name	Apache Commons Compress	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	url	https://commons.apache.org/proper/commons-compress/	Medium
Version	Manifest	Bundle-Version	1.27.1	High
Version	Manifest	Implementation-Version	1.27.1	High
Version	pom	parent-version	1.27.1	Low
Version	pom	version	1.27.1	Highest

Identifiers

- [pkg:maven/org.apache.commons/commons-compress@1.27.1](#) (*Confidence:High*)
- [cpe:2.3:a:apache:commons_compress:1.27.1:*:*:*:*:*](#) (*Confidence:Highest*)

drive.zip: commons-io.jar

Description:

The Apache Commons IO library contains utility classes, stream implementations, file filters, file comparators, endian transformation classes, and much more.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/commons-io.jar

MD5: 8cce74ccf461cd6502ae04c908eca917

SHA1: 44084ef756763795b31c578403dd028ff4a22950

SHA256: f3ca0f8d63c40e23a56d54101c60d5edee136b42d84bfb85bc7963093109cf8b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-io	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	file	Highest
Vendor	jar	package name	io	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.io	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-io/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-io	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-io	Low
Vendor	pom	developer email	bayard@apache.org	Low
Vendor	pom	developer email	dion@apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	jeremias@apache.org	Low
Vendor	pom	developer email	jochen.wiedmann@gmail.com	Low
Vendor	pom	developer email	krosenvold@apache.org	Low
Vendor	pom	developer email	martinc@apache.org	Low
Vendor	pom	developer email	matth@apache.org	Low

Vendor	pom	developer email	nicolaken@apache.org	Low
Vendor	pom	developer email	roxspring@apache.org	Low
Vendor	pom	developer email	sanders@apache.org	Low
Vendor	pom	developer id	bayard	Medium
Vendor	pom	developer id	dion	Medium
Vendor	pom	developer id	gggregory	Medium
Vendor	pom	developer id	jeremias	Medium
Vendor	pom	developer id	jochen	Medium
Vendor	pom	developer id	jukka	Medium
Vendor	pom	developer id	krosenvold	Medium
Vendor	pom	developer id	martinc	Medium
Vendor	pom	developer id	matth	Medium
Vendor	pom	developer id	niallp	Medium
Vendor	pom	developer id	nicolaken	Medium
Vendor	pom	developer id	roxspring	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	scolebourne	Medium
Vendor	pom	developer name	dlon Gillard	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Henri Yandell	Medium
Vendor	pom	developer name	Jeremias Maerki	Medium
Vendor	pom	developer name	Jochen Wiedmann	Medium
Vendor	pom	developer name	Jukka Zitting	Medium
Vendor	pom	developer name	Kristian Rosenvold	Medium
Vendor	pom	developer name	Martin Cooper	Medium
Vendor	pom	developer name	Matthew Hawthorne	Medium
Vendor	pom	developer name	Niall Pemberton	Medium
Vendor	pom	developer name	Nicola Ken Barozzi	Medium
Vendor	pom	developer name	Rob Oxspring	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Stephen Colebourne	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	https://www.apache.org/	Medium
Vendor	pom	groupid	commons-io	Highest
Vendor	pom	name	Apache Commons IO	High

Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	https://commons.apache.org/proper/commons-io/	Highest
Product	file	name	commons-io	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	file	Highest
Product	jar	package name	io	Highest
Product	Manifest	automatic-module-name	org.apache.commons.io	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-io/	Low
Product	Manifest	Bundle-Name	Apache Commons IO	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-io	Medium
Product	Manifest	Implementation-Title	Apache Commons IO	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Apache Commons IO	Medium
Product	pom	artifactid	commons-io	Highest
Product	pom	developer email	bayard@apache.org	Low
Product	pom	developer email	dion@apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	jeremias@apache.org	Low
Product	pom	developer email	jochen.wiedmann@gmail.com	Low
Product	pom	developer email	krosenvold@apache.org	Low
Product	pom	developer email	martinc@apache.org	Low
Product	pom	developer email	matth@apache.org	Low
Product	pom	developer email	nicolaken@apache.org	Low
Product	pom	developer email	roxspring@apache.org	Low
Product	pom	developer email	sanders@apache.org	Low
Product	pom	developer id	bayard	Low
Product	pom	developer id	dion	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jeremias	Low
Product	pom	developer id	jochen	Low

Product	pom	developer id	jukka	Low
Product	pom	developer id	krosenvold	Low
Product	pom	developer id	martinc	Low
Product	pom	developer id	matth	Low
Product	pom	developer id	niallp	Low
Product	pom	developer id	nicolaken	Low
Product	pom	developer id	roxspring	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	scolebourne	Low
Product	pom	developer name	dlon Gillard	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Henri Yandell	Low
Product	pom	developer name	Jeremias Maerki	Low
Product	pom	developer name	Jochen Wiedmann	Low
Product	pom	developer name	Jukka Zitting	Low
Product	pom	developer name	Kristian Rosenvold	Low
Product	pom	developer name	Martin Cooper	Low
Product	pom	developer name	Matthew Hawthorne	Low
Product	pom	developer name	Niall Pemberton	Low
Product	pom	developer name	Nicola Ken Barozzi	Low
Product	pom	developer name	Rob Oxspring	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Stephen Colebourne	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	https://www.apache.org/	Low
Product	pom	groupid	commons-io	Highest
Product	pom	name	Apache Commons IO	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper/commons-io/	Medium
Version	Manifest	Bundle-Version	2.18.0	High
Version	Manifest	Implementation-Version	2.18.0	High
Version	pom	parent-version	2.18.0	Low

Version	pom	version	2.18.0	Highest
---------	-----	---------	--------	---------

Identifiers

- [pkg:maven/commons-io/commons-io@2.18.0](#) (Confidence:High)
- [cpe:2.3:a:apache:commons_io:2.18.0:*:*:*:*:*](#) (Confidence:Highest) suppress

drive.zip: drive.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar

MD5: 9dfa8aef7280759ad6a8e0fed3215150

SHA1: 989cbaa242489dade949876d3bf2ab5b1314a95b

SHA256: 9e65e4535354fad4db1104e94f822f87909ba25c42070e845811a60d26342eae

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	drive	High
Vendor	jar	package name	drive	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2025-11-05 16:35	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	drive	High
Product	jar	package name	drive	Highest
Product	jar	package name	drive	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2025-11-05 16:35	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-	drive	High

Title

Product	Manifest	specification-title	drive	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

drive.zip: drive.jar: actions.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/actions.js

MD5: 5a6ae0c7fc82c58bab37f4285e30512b

SHA1: f1eb0409af6e5773374b81f52f389bca0ce2b3f1

SHA256: 28381f95ccbb508ef57234b2bb33f0446e2d705a298d38be6dd5dbcd4e45963c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: actions.service.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/service/actions.service.js

MD5: 76c128ee144d982b861703fe6f509ff6

SHA1: 66c53f109f83a7b37ca210c97b2dd7b83c658d0f

SHA256: 9e54fd5796c8933fab7e6d0250654e5ae273c5db90098ad41afaf37d731668a6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: contentextension.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/contentextension.js

MD5: e99878ac66d8fee42530ec9cbf14d75f

SHA1: bf4cac0f4d3f8e744876675ab122dc1ccc2cd7d1

SHA256: 0a3b2a0f884a52125aa6e456f74a8ab1b866787cccafa24cc38a174433b81e25

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: controller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/setup/controller.js

MD5: 6a09c1de9657a2568448b248854ce706

SHA1: 9a21426a9902e57e5297092257ac4293c38d4e66

SHA256: 8b126647fca0365414ccc650e8abdb03e33a34c1017ad17ee81216c410ce4ab6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: drivecleanup.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/server/maintenance/js/drivecleanup.js
MD5: b169a86e136d29c6086ce2d4ce844940
SHA1: f9e647250896fbe4c6447cf54b8388cce0536699
SHA256: 313ebf97b25e12025391ae0648df534c31991d488f9566cc1aa530aa79ce3178
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: drivecontroller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/drivecontroller.js
MD5: 79316912d24539555baa8dc8db6ad5cc
SHA1: 1eaadda2ee84d53e49e24fcb4ed7771295a80d1c
SHA256: b1e82a7ac200d82e2bab797e80f8262e5c3e3b90a9c1cda15319150caa540839
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: drivefactory.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet

/drive/webgui/client/js/drivefactory.js

MD5: ec1a645849b15ac87257c67b72db01e5

SHA1: fd5919d6e363363288fa4f36598641d2e8d1037b

SHA256: 5408f66148315113346fe686fc546487de94f3492a3a8e44a38f54cdfc7969ae

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: drivemodel.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet
/drive/webgui/client/js/drivemodel.js

MD5: 15baadf362e4a6bbe9a11156c356379c

SHA1: 05a6ac4aa85f9d1b98cac8d1c942db6e00b10395

SHA256: 533450f05968f0823eaa8fa4554a274f3495c13109443dde13ad2c4c7227783a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: dropzone.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet
/drive/webgui/client/js/directive/dropzone.directive.js

MD5: 9333360f3ab2b58025292cfc300d2306

SHA1: feb2c2ae6a060ba3b1f51732fa15a8440054ca42

SHA256: 2efa8838dffff4758fb089069c6248dc2cde45767d752411bff610fb5ca61bfe

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: entryactions.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/entryactions.directive.js
MD5: 4e1af222fa8434c45c9967dae33e4ba9
SHA1: 067370c7d53fca7b04dc7ebc1bcde2b2a68ba7c3
SHA256:a716406bfdebc18c913061f0087bcdcf9c08d7c1379619071da2993ad8a853f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: fileconfig.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/server/mount/file/webgui/fileconfig.directive.js
MD5: 50021227a8c1fde7c5e9021fb4c9662e
SHA1: 9e1c4f0d2797885ed42bd13c2d5f61c8503ea8a5
SHA256:c85bf99b97dabb557902ed0f23d4a3f240b7a30d98a7d14b30770b463cd10535
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: folderlist.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/folderlist.directive.js
MD5: 4b24a6e7eed98f96a4aacd30236cf1ff
SHA1: 2fa7cc99c29eff9ed30d996376e090b14c7546dc
SHA256: e2afefbd377b98737e447807786aec7287ad53863379816259cc9e9d069218f9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: linkdialog.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/linkdialog.js
MD5: f15f4145fae202d6226cd16552f4332e
SHA1: 55d3a3a74a0097f2140679fd038db9e117b91210
SHA256: 00e825cc4311746a4694f6534bb97e2baf9eb0fd8230e28d0a18ad504118b3d2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: locationchooser.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/locationchooser.js

MD5: 63cc3a56e78e101f8772b6971837cabe

SHA1: 9607b46402152c52677255207bfb1d8a53ddc65d

SHA256: 8a0b7240d62d62efd231eff9b0eef7e552534e05f2e86e58d0898cdab40acbf0

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: mountdialog.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/mountdialog.js

MD5: bae8655b5724d052aa7a9711f4152936

SHA1: 56bf6845f5178a95afec6d2038d3f9ab6f73c0c3

SHA256: a3fa9b43fda1a23e4ba1bca6d626d4e4f75856ccb567e99c66f5c1bed6cbe54e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: myshareextension.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/myshareextension.js

MD5: 3341e49fd8b74545b74fb5801eea08f7

SHA1: 495f3198d67735901fcee27163e685c11dcc548c
SHA256: c167e8ab447f2bbff5cd9ca084cfbf20a53ebf7dbafa0e715ca07abdbc75832e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: permissionsextension.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/extensions/permissionsextension.js
MD5: 9c5c581b9803ab8041a11b31f21ffc99
SHA1: 5707cae0a20fff67b505d52485895bbb60e20f35
SHA256: 55dcc82f643b3b8c4a7c464049e7bcece0a5952639742692bdd8db1a20b20b3a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: progress.service.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/service/progress.service.js
MD5: b004817959f313b9b60d12ef02c30ed9
SHA1: 67a59999e03435474845d8662a6e15158bc1a963
SHA256: e971b5c8d0b1dbb020ee0093bce0fd08bbad7b83a8f5f64365f39d96f5cec439
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

drive.zip: drive.jar: progresspanel.directive.js


File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/progresspanel.directive.js
MD5: bea9ad91c5e843050f2f26c1224edb8d
SHA1: 7b690153a846fd222ce973ce5f83f429d226e2ef
SHA256: c8f9e65c8e6e6438ecb4ee3062ec7c66b0145e32d68de0cd2f543bb6e4945b12
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

drive.zip: drive.jar: resolve.service.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/service/resolve.service.js
MD5: 95b31366585c193c85a04bef11668e8f
SHA1: 61138ba7e20763911657b0f426b3f1c2c56f1cb6
SHA256: de639385d47d388a361976f14e9672ee20b4864fa1c51f4157d8c2055c4d0f6e
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

drive.zip: drive.jar: responsivetoolbar.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/responsivetoolbar.directive.js
MD5: 27e0c257622ce7abaa3d79b16f4ca956
SHA1: fdc8792d25cc1f9c717829edcb42bccb96ba815c
SHA256: 678811dd758af1a5a9e1cc6245c15c92dc6cf3ab19048a02e4974ab57851d175
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: selectedextension.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/selectedextension.js
MD5: bc1586beb3196d958558dec1e3aad8cc
SHA1: 6692fb56799c97f45146219295a634e5b3f8bd3c
SHA256: eb9e87833bf57bcbcb808231f58e7fb4efc25bea6865755e41f9c9f21e3045630
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: shareextension.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/shareextension.js
MD5: b709a1856dfd4688f3d642ba8512838d
SHA1: f119d948dc1479b33bd304aebd0650c239c8a903
SHA256: 8667bdb30f708796b86f3992836b5d25e63ba5c73c7932014d4d7e8b00df628a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: shareextension.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/extensions/shareextension.js
MD5: 53aebe65f11b5aea7b667be8659e289c
SHA1: 9ba72346c5f1e9e6e5a418d599b13f92193a65dc
SHA256: 7e293e5d53b937b45c0c310bd5fcf0ecbb8ddd8bee801bae11469653333f34ad
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: thumbnailextension.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/thumbnailextension.js
MD5: 16297c9704c91eea2ca65ad4ccef42ab

SHA1: d21cb0b96916a7659a493e0f7d2e62c61df3633d
SHA256:34505c2844ba933bdf08fac79eb6a642e7581e6630fd14fc7313fcab99bda312
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: toolbaraction.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/toolbaraction.directive.js
MD5: 6f4fabe4efc8a816d22cdc075c83e252
SHA1: 2499850520381d89890f6b1188c0d78785e8c4b0
SHA256:67ecf4f475e00aa01cbfd00b745b4b7fd982f7355d720238534dcbfc39e94874
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: unzipextension.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/extensions/unzipextension.js
MD5: eb1cc3ddc27ca5cebcc29928a73b284b
SHA1: d88389fb2ca0c9f222856c4448dffedf192893d0
SHA256:16131306dd92c55b463f0f0ef4c3c4316c2a3d16d4d43c6e26ca17ec547f9f7f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: zipextension.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/extensions/zipextension.js
MD5: 0a73ec5359838800bd35ba9a1f9e5559
SHA1: 207e48452de653ffa8c64e97d421c4424f38e84c
SHA256:761ecdcbbebba3f0826296e17c414d975e421c5b571cb4613982020e3f7c17822
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

exceljconnect.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/exceljconnect.jar
MD5: 2950d455b14f09f8e3ca373a0500720a
SHA1: 5e5e3258c36f3931bedf919d477889b13af0a025
SHA256:4abd3f7b06c84836384ff6034a56f1dd75dfd8bd22ec38f9cb92a626bcb63538
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	exceljconnect	High
Vendor	jar	package name	excel	Low
Vendor	jar	package name	inet	Low
Product	file	name	exceljconnect	High

Product	jar	package name	excel	Low
---------	-----	--------------	-------	-----

Identifiers

- None

fieldsettings.zip: fieldsettings.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/fieldsettings.zip/fieldsettings.jar

MD5: 6ab84e327ac821dca51896d4705aed50

SHA1: 01dad6eb00337baae8913af42c2b6d128c5a303

SHA256: 41907e24dfb3fcfe7eb15c71f054803b26ebf086677c6b3c65ab2c9067e22f8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	fieldsettings	High
Vendor	jar	package name	fieldsettings	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2025-11-05 16:34	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	fieldsettings	High
Product	jar	package name	fieldsettings	Highest
Product	jar	package name	fieldsettings	Low
Product	Manifest	built-date	2025-11-05 16:34	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	fieldsettings	High

Product	Manifest	specification-title	fieldsettings	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

fieldsettings.zip: fieldsettings.jar: FieldSettingsPropertyRenderer.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/fieldsettings.zip/fieldsettings.jar/com/inet/fieldsettings/structure/js/FieldSettingsPropertyRenderer.js

MD5: b30db2172e156665e72370cb1f59da28

SHA1: 1c33e6fbc5e81fdbe3b5a618b48217161689889

SHA256: 446e26508852c2f708e13a91d9d8c3206526a5946c2feb6da0e4b29b85bb47b0

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

fieldsettings.zip: fieldsettings.jar: UserFieldSettingsPropertyRenderer.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/fieldsettings.zip/fieldsettings.jar/com/inet/fieldsettings/user/structure/js/UserFieldSettingsPropertyRenderer.js

MD5: b57967a5eb546bf11c0b6a019fcb8f94

SHA1: 8d4d45137f41d47bca97bfcf525f23e2d7bc2fb8

SHA256: 782b64995ea2b81f17244ced006eba827f5da882ad5d0e9b790b3dbd2cc75d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

hamcrest-3.0.jar

License:

BSD-3-Clause

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.hamcrest/hamcrest/3.0/8fd9b78a8e6a6510a078a9e30e9e86a6035cfaf7/hamcrest-3.0.jar

MD5: 781023c38b054e9cf1c818c77895e1eb

SHA1: 8fd9b78a8e6a6510a078a9e30e9e86a6035cfaf7

SHA256: 5d66b6a4a680755cb6ed7cb104fa7835ef644667586ff0737adeb977c39ecdbc

Referenced In Project/Scope: server:inetPlugin

Included by: pkg:maven/helpdesk/server@25.10

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	hamcrest	High
Vendor	gradle	artifactid	hamcrest	Highest
Vendor	gradle	groupid	org.hamcrest	Highest
Vendor	jar	package name	hamcrest	Highest
Vendor	jar	package name	hamcrest	Low
Vendor	Manifest	automatic-module-name	org.hamcrest	Medium
Vendor	Manifest	bundle-symbolicname	org.hamcrest	Medium
Vendor	Manifest	Implementation-Vendor	hamcrest.org	High
Product	file	name	hamcrest	High
Product	gradle	artifactid	hamcrest	Highest
Product	jar	package name	hamcrest	Highest
Product	Manifest	automatic-module-name	org.hamcrest	Medium
Product	Manifest	Bundle-Name	org.hamcrest	Medium
Product	Manifest	bundle-symbolicname	org.hamcrest	Medium
Product	Manifest	Implementation-Title	hamcrest	High
Version	file	version	3.0	High

Version	Manifest	Implementation-Version	3.0	High
---------	----------	------------------------	-----	------

Identifiers

- pkg:maven/org.hamcrest/hamcrest@3.0 (Confidence: Highest)

help.zip: commons-beanutils.jar

Description:

Apache Commons BeanUtils provides an easy-to-use but flexible wrapper around reflection and introspection.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/help.zip/commons-beanutils.jar

MD5: 32ed51f196dfda19e0dc1ce53eed29e

SHA1: ac03ea606d13de04c2e4508227680faff151f491

SHA256: 9e44ba68ec9a3f21286fa2a8bbb003b735c0f69101bb43144b79f4f8aaa74709

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-beanutils	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	beanutils	Highest
Vendor	jar	package name	commons	Highest
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-beanutils	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-beanutils	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low

Vendor	pom	artifactid	commons-beanutils	Low
Vendor	pom	developer email	britter@apache.org	Low
Vendor	pom	developer email	chtompki@apache.org	Low
Vendor	pom	developer email	craigmcc@apache.org	Low
Vendor	pom	developer email	dion@apache.org	Low
Vendor	pom	developer email	epugh@apache.org	Low
Vendor	pom	developer email	geirm@apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	jcarman@apache.org	Low
Vendor	pom	developer email	jconlon@apache.org	Low
Vendor	pom	developer email	jstrachan@apache.org	Low
Vendor	pom	developer email	morgand@apache.org	Low
Vendor	pom	developer email	mvdb@apache.org	Low
Vendor	pom	developer email	niallp@apache.org	Low
Vendor	pom	developer email	rdonkin@apache.org	Low
Vendor	pom	developer email	rwaldhoff@apache.org	Low
Vendor	pom	developer email	sanders@apache.org	Low
Vendor	pom	developer email	scolebourne@apache.org	Low
Vendor	pom	developer email	skitching@apache.org	Low
Vendor	pom	developer email	stain@apache.org	Low
Vendor	pom	developer email	tobrien@apache.org	Low
Vendor	pom	developer email	yoavs@apache.org	Low
Vendor	pom	developer id	britter	Medium
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	craigmcc	Medium
Vendor	pom	developer id	dion	Medium
Vendor	pom	developer id	epugh	Medium
Vendor	pom	developer id	geirm	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jcarman	Medium
Vendor	pom	developer id	jconlon	Medium
Vendor	pom	developer id	jstrachan	Medium
Vendor	pom	developer id	morgand	Medium
Vendor	pom	developer id	mvdb	Medium
Vendor	pom	developer id	niallp	Medium

Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	rwaldhoff	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	scolebourne	Medium
Vendor	pom	developer id	skitching	Medium
Vendor	pom	developer id	stain	Medium
Vendor	pom	developer id	tobrien	Medium
Vendor	pom	developer id	yoavs	Medium
Vendor	pom	developer name	Benedikt Ritter	Medium
Vendor	pom	developer name	Craig McClanahan	Medium
Vendor	pom	developer name	David Eric Pugh	Medium
Vendor	pom	developer name	Dion Gillard	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Geir Magnusson Jr.	Medium
Vendor	pom	developer name	James Carman	Medium
Vendor	pom	developer name	James Strachan	Medium
Vendor	pom	developer name	John E. Conlon	Medium
Vendor	pom	developer name	Martin van den Bemt	Medium
Vendor	pom	developer name	Morgan James Delagrange	Medium
Vendor	pom	developer name	Niall Pemberton	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Rodney Waldhoff	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Simon Kitching	Medium
Vendor	pom	developer name	Stephen Colebourne	Medium
Vendor	pom	developer name	Stian Soiland-Reyes	Medium
Vendor	pom	developer name	Tim O'Brien	Medium
Vendor	pom	developer name	Yoav Shapira	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	https://www.apache.org/	Medium
Vendor	pom	groupid	commons-beanutils	Highest
Vendor	pom	name	Apache Commons BeanUtils	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium

Vendor	pom	url	https://commons.apache.org/proper/commons-beanutils	Highest
Product	file	name	commons-beanutils	High
Product	jar	package name	apache	Highest
Product	jar	package name	beanutils	Highest
Product	jar	package name	commons	Highest
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-beanutils	Low
Product	Manifest	Bundle-Name	Apache Commons BeanUtils	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-beanutils	Medium
Product	Manifest	Implementation-Title	Apache Commons BeanUtils	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Apache Commons BeanUtils	Medium
Product	pom	artifactid	commons-beanutils	Highest
Product	pom	developer email	britter@apache.org	Low
Product	pom	developer email	chtompki@apache.org	Low
Product	pom	developer email	craigmcc@apache.org	Low
Product	pom	developer email	dion@apache.org	Low
Product	pom	developer email	epugh@apache.org	Low
Product	pom	developer email	geirm@apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	jcarman@apache.org	Low
Product	pom	developer email	jconlon@apache.org	Low
Product	pom	developer email	jstrachan@apache.org	Low
Product	pom	developer email	morgand@apache.org	Low
Product	pom	developer email	mvdb@apache.org	Low
Product	pom	developer email	niallp@apache.org	Low
Product	pom	developer email	rdonkin@apache.org	Low
Product	pom	developer email	rwaldhoff@apache.org	Low
Product	pom	developer email	sanders@apache.org	Low
Product	pom	developer email	scolebourne@apache.org	Low
Product	pom	developer email	skitching@apache.org	Low
Product	pom	developer email	stain@apache.org	Low
Product	pom	developer email	tobrien@apache.org	Low

Product	pom	developer email	yoavs@apache.org	Low
Product	pom	developer id	britter	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	craigmcc	Low
Product	pom	developer id	dion	Low
Product	pom	developer id	epugh	Low
Product	pom	developer id	geirm	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jcarman	Low
Product	pom	developer id	jconlon	Low
Product	pom	developer id	jstrachan	Low
Product	pom	developer id	morgand	Low
Product	pom	developer id	mvdb	Low
Product	pom	developer id	niallp	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	rwaldhoff	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	scolebourne	Low
Product	pom	developer id	skitching	Low
Product	pom	developer id	stain	Low
Product	pom	developer id	tobrien	Low
Product	pom	developer id	yoavs	Low
Product	pom	developer name	Benedikt Ritter	Low
Product	pom	developer name	Craig McClanahan	Low
Product	pom	developer name	David Eric Pugh	Low
Product	pom	developer name	Dion Gillard	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Geir Magnusson Jr.	Low
Product	pom	developer name	James Carman	Low
Product	pom	developer name	James Strachan	Low
Product	pom	developer name	John E. Conlon	Low
Product	pom	developer name	Martin van den Bemt	Low
Product	pom	developer name	Morgan James Delagrange	Low
Product	pom	developer name	Niall Pemberton	Low
Product	pom	developer name	Rob Tompkins	Low

Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Rodney Waldhoff	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Simon Kitching	Low
Product	pom	developer name	Stephen Colebourne	Low
Product	pom	developer name	Stian Soiland-Reyes	Low
Product	pom	developer name	Tim O'Brien	Low
Product	pom	developer name	Yoav Shapira	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	https://www.apache.org/	Low
Product	pom	groupid	commons-beanutils	Highest
Product	pom	name	Apache Commons BeanUtils	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper/commons-beanutils	Medium
Version	Manifest	Bundle-Version	1.11.0	High
Version	Manifest	Implementation-Version	1.11.0	High
Version	pom	parent-version	1.11.0	Low
Version	pom	version	1.11.0	Highest

Identifiers

- [pkg:maven/commons-beanutils/commons-beanutils@1.11.0](#) (*Confidence:High*)
- [cpe:2.3:a:apache:commons_beanutils:1.11.0:*:*:*:*:*](#) (*Confidence:Highest*)

suppress

help.zip: commons-digester3.jar

Description:

The Apache Commons Digester package lets you configure an XML to Java object mapping module which triggers certain actions called rules whenever a particular pattern of nested XML elements is recognized.

License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/help.zip/commons-digester3.jar
MD5: 41d2c62c7aedafa7a3627794abc83f71
SHA1: c3f68c5ff25ec5204470fd8fdf4cb8feff5e8a79
SHA256: 1c150e3d2df4b4237b47e28fea2079fb0da324578d5cca6a5fed2e37a62082ec
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-digester3	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	digester	Highest
Vendor	jar	package name	digester3	Highest
Vendor	jar	package name	rules	Highest
Vendor	Manifest	bundle-docurl	http://commons.apache.org/digester/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.digester	Medium
Vendor	Manifest	implementation-build	tags/DIGESTER3_3_2_RC2@r1212807; 2011-12-10 15:57:06+0100	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-digester3	Low
Vendor	pom	developer email	craigmcc@apache.org	Low
Vendor	pom	developer email	jfarcand@apache.org	Low
Vendor	pom	developer email	jstrachan@apache.org	Low
Vendor	pom	developer email	jvanzyl@apache.org	Low
Vendor	pom	developer email	mbenson AT apache DOT org	Low
Vendor	pom	developer email	rahul AT apache DOT org	Low
Vendor	pom	developer email	rdonkin@apache.org	Low
Vendor	pom	developer email	sanders@totalsync.com	Low
Vendor	pom	developer email	simonetripodi AT apache DOT org	Low
Vendor	pom	developer email	skitching@apache.org	Low
Vendor	pom	developer email	tobrien@apache.org	Low
Vendor	pom	developer id	craigmcc	Medium

Vendor	pom	developer id	jfarcand	Medium
Vendor	pom	developer id	jstrachan	Medium
Vendor	pom	developer id	jvanzyl	Medium
Vendor	pom	developer id	mbenson	Medium
Vendor	pom	developer id	rahul	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	simonetripodi	Medium
Vendor	pom	developer id	skitching	Medium
Vendor	pom	developer id	tobrien	Medium
Vendor	pom	developer name	Craig McClanahan	Medium
Vendor	pom	developer name	James Strachan	Medium
Vendor	pom	developer name	Jason van Zyl	Medium
Vendor	pom	developer name	Jean-Francois Arcand	Medium
Vendor	pom	developer name	Matt Benson	Medium
Vendor	pom	developer name	Rahul Akolkar	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Simon Kitching	Medium
Vendor	pom	developer name	Simone Tripodi	Medium
Vendor	pom	developer name	Tim OBrien	Medium
Vendor	pom	groupid	org.apache.commons	Highest
Vendor	pom	name	Apache Commons Digester	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	url	http://commons.apache.org/digester/	Highest
Product	file	name	commons-digester3	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	digester	Highest
Product	jar	package name	digester3	Highest
Product	jar	package name	rules	Highest
Product	Manifest	bundle-docurl	http://commons.apache.org/digester/	Low
Product	Manifest	Bundle-Name	Apache Commons Digester	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.digester	Medium
Product	Manifest	implementation-	tags/DIGESTER3_3_2_RC2@r1212807;	Low

build

2011-12-10 15:57:06+0100

Product	Manifest	Implementation-Title	Apache Commons Digester	High
Product	Manifest	specification-title	Apache Commons Digester	Medium
Product	pom	artifactid	commons-digester3	Highest
Product	pom	developer email	craigmcc@apache.org	Low
Product	pom	developer email	jfarcand@apache.org	Low
Product	pom	developer email	jstrachan@apache.org	Low
Product	pom	developer email	jvanzyl@apache.org	Low
Product	pom	developer email	mbenson AT apache DOT org	Low
Product	pom	developer email	rahul AT apache DOT org	Low
Product	pom	developer email	rdonkin@apache.org	Low
Product	pom	developer email	sanders@totalsync.com	Low
Product	pom	developer email	simonetripodi AT apache DOT org	Low
Product	pom	developer email	skitching@apache.org	Low
Product	pom	developer email	tobrien@apache.org	Low
Product	pom	developer id	craigmcc	Low
Product	pom	developer id	jfarcand	Low
Product	pom	developer id	jstrachan	Low
Product	pom	developer id	jvanzyl	Low
Product	pom	developer id	mbenson	Low
Product	pom	developer id	rahul	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	simonetripodi	Low
Product	pom	developer id	skitching	Low
Product	pom	developer id	tobrien	Low
Product	pom	developer name	Craig McClanahan	Low
Product	pom	developer name	James Strachan	Low
Product	pom	developer name	Jason van Zyl	Low
Product	pom	developer name	Jean-Francois Arcand	Low
Product	pom	developer name	Matt Benson	Low
Product	pom	developer name	Rahul Akolkar	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Simon Kitching	Low

Product	pom	developer name	Simone Tripodi	Low
Product	pom	developer name	Tim OBrien	Low
Product	pom	groupid	org.apache.commons	Highest
Product	pom	name	Apache Commons Digester	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	url	http://commons.apache.org/digester/	Medium
Version	Manifest	Implementation-Version	3.2	High
Version	pom	parent-version	3.2	Low
Version	pom	version	3.2	Highest

Identifiers

- <pkg:maven/org.apache.commons/commons-digester3@3.2> (*Confidence:High*)

help.zip: help.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/help.zip/help.jar

MD5: db3b80e95b9314a1893510448fa79cdd

SHA1: 64b3bf811cd06ceadec7fcbd29189fe913351a43

SHA256:9bef6a96c81a2cd200649a2782eb3f10f173dcf01e3d358d1aceb2f11115ae28

Referenced In Project/Scope: server

Evidence ⊕

Type	Source	Name	Value	Confidence
Vendor	file	name	help	High
Vendor	jar	package name	help	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2025-11-05 16:25	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium

Product	file	name	help	High
Product	jar	package name	help	Highest
Product	jar	package name	help	Low
Product	Manifest	built-date	2025-11-05 16:25	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	help	High
Product	Manifest	specification-title	help	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

help.zip: help.jar: app.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/help.zip/help.jar/com/inet/help/resources/js/app.js

MD5: 3a626c6ba8ee31fb8ebf60eabda6f994

SHA1: c39bfbdd57aadcb966452b9fc2790e555fa12867

SHA256: 1a77be335c5f6949c202f5b8e959c01b7d20c29d70b1fa242805724dc08a5f71

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

help.zip: help.jar: controller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/help.zip/help.jar/com/inet/help/resources/js/controller.js

MD5: 56aaa1c940ebe63e698f2c96d8d349b1
SHA1: ec2bffb7d788815074a91285778836919c4fe6245
SHA256:dcadc7df6c99e3ec93d8e539c3d7e5f3a1aac871e021c961ea6df16ade78162d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

help.zip: help.jar: shared.factory.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/help.zip/help.jar/com/inet
/help/resources/js/shared.factory.js

MD5: 0b9f1c69fe745940b59dfcc46b07c9e8
SHA1: d04efd9797d2fdca767d508cf120351bef141846
SHA256:1b2cc4f4fd954ea4954b04681293f059a417fe38c59c129f87bd22dbc9bdf0cc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

help.zip: help.jar: shared.highlighter.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/help.zip/help.jar/com/inet
/help/resources/js/shared.highlighter.js

MD5: af91e703b72f064acb7b0980a1981705
SHA1: 53a2a1c5190b1f3a3e3d4e68e645a152732c1893
SHA256:12e9a91bfad9c6958f82cc85b396c869363b181054843e472342bad54ebd4ad1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

help.zip: jsoup.jar

Description:

jsoup is a Java library that simplifies working with real-world HTML and XML. It offers an easy-to-use API for URL fetching, data parsing, extraction, and manipulation using DOM API methods, CSS, and xpath selectors. jsoup implements the WHATWG HTML5 specification, and parses HTML to the same DOM as modern browsers.

License:

The MIT License: <https://jsoup.org/license>

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/help.zip/jsoup.jar

MD5: d15bd94d71d99e967c893e64f6452b84

SHA1: 0fb42d6cc9898ced4b73175eac49c61a40f35325

SHA256:5be1ccd3228ae5fd6eed1bd6d827bac2bc65b91c20e9957d16ea65f739f15302

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jsoup	High
Vendor	jar	package name	jsoup	Highest
Vendor	jar	package name	org	Highest
Vendor	jar	package name	parser	Highest
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	https://jsoup.org/	Low
Vendor	Manifest	bundle-symbolicname	org.jsoup	Medium
Vendor	Manifest	Implementation-Vendor	Jonathan Hedley	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	originally-created-by	Apache Maven Bundle Plugin 5.1.9	Low
Vendor	pom	artifactid	jsoup	Low
Vendor	pom	developer email	jonathan@hedley.net	Low

Vendor	pom	developer id	jhy	Medium
Vendor	pom	developer name	Jonathan Hedley	Medium
Vendor	pom	groupid	org.jsoup	Highest
Vendor	pom	name	jsoup Java HTML Parser	High
Vendor	pom	organization name	Jonathan Hedley	High
Vendor	pom	organization url	https://jhy.io/	Medium
Vendor	pom	url	https://jsoup.org/	Highest
Product	file	name	jsoup	High
Product	jar	package name	9	Highest
Product	jar	package name	jsoup	Highest
Product	jar	package name	org	Highest
Product	jar	package name	parser	Highest
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	https://jsoup.org/	Low
Product	Manifest	Bundle-Name	jsoup Java HTML Parser	Medium
Product	Manifest	bundle-symbolicname	org.jsoup	Medium
Product	Manifest	Implementation-Title	jsoup Java HTML Parser	High
Product	Manifest	multi-release	true	Low
Product	Manifest	originally-created-by	Apache Maven Bundle Plugin 5.1.9	Low
Product	pom	artifactid	jsoup	Highest
Product	pom	developer email	jonathan@hedley.net	Low
Product	pom	developer id	jhy	Low
Product	pom	developer name	Jonathan Hedley	Low
Product	pom	groupid	org.jsoup	Highest
Product	pom	name	jsoup Java HTML Parser	High
Product	pom	organization name	Jonathan Hedley	Low
Product	pom	organization url	https://jhy.io/	Low
Product	pom	url	https://jsoup.org/	Medium
Version	Manifest	Bundle-Version	1.18.3	High
Version	Manifest	Implementation-Version	1.18.3	High
Version	pom	version	1.18.3	Highest

Identifiers

- [pkg:maven/org.jsoup/jsoup@1.18.3](#) (Confidence:High)
- [cpe:2.3:a:jsoup:jsoup:1.18.3:****.*.*](#) (Confidence:Highest) suppress

helpdesk.forms.zip: helpdesk.forms.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar
MD5: 02a22232b26002e649b15b20080239f2
SHA1: 991b0711130214f868e73f27a30bf427e6d9150d
SHA256: 9af6e0090141790b77796a1aa827eda564b6dcee7ffe7c6a2755bb5f068e99b0
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	helpdesk.forms	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2025-11-05 18:48	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	helpdesk.forms	High
Product	jar	package name	forms	Highest
Product	jar	package name	forms	Low
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	plugins	Low
Product	Manifest	built-date	2025-11-05 18:48	Low
Product	Manifest	implementation-	helpdesk	Low

group

Product	Manifest	Implementation-Title	helpdesk.forms	High
Product	Manifest	specification-title	helpdesk.forms	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:25.10.233:*:*:*:*:* (Confidence:Low) suppress

helpdesk.forms.zip: helpdesk.forms.jar: FormInterceptor.service.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/FormInterceptor.service.js

MD5: 57625b1f4afe6720b63e4f1e9f5d77b9

SHA1: f0fa47e081e9c293106bde070d1b612ec9c0d887

SHA256: 36dd0b05e29076c9d78fe0dcc0f6d1bff4683d6a6ee7af75fcf6ce44dedbd5ea

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

helpdesk.forms.zip: helpdesk.forms.jar: configuration.ticketforms.edit.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/configuration.ticketforms.edit.js

MD5: 2bac5cf2f85738f4e204a18ec7e28e9d

SHA1: bacd91f93d8c11c6a0dd841bcf0e6f1793e0d394

SHA256: d62d90a64509761a0fa8244719255e24bdaa445a44cc2e36e5dd4f49dd09ba0c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

helpdesk.forms.zip: helpdesk.forms.jar: configuration.ticketforms.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/configuration.ticketforms.js

MD5: c4505e6317b32617d8a9f928ea8d14c9

SHA1: 1b8afc183abfbbd9c37f1f6917fe768f8573d391

SHA256: a9cdcac73eb49f9f48496e9705a68474fce6419db1422880c00fc21759e916c8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

helpdesk.forms.zip: helpdesk.forms.jar: editFormField.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/directives/editFormField.js

MD5: badf9aa2cd991693234eb1d84885bd2e

SHA1: f83d816d8baada34985a5a2cb5ed666052c23b8f

SHA256: ef529f1952ed549c3835e4ebc07bcfb7759953357ed3ba48751ec8ae0c3b2ce5

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

helpdesk.forms.zip: helpdesk.forms.jar: fieldrenderer.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/directives/fieldrenderer.js

MD5: 3bc0bc31d38864ae1de57a66fc53dd67

SHA1: 9f4aff3e0e43e550f79dd1df3279e54a1830a629

SHA256:a0224ca07807808daefc0dea2bc2421b82c7306fd9044c62edc07ae9e75d1667

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

helpdesk.forms.zip: helpdesk.forms.jar: fieldrenderer_conditionValue.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/directives/fieldrenderer_conditionValue.js

MD5: 031e6a4b5305b72e310d4fcf86004ed2

SHA1: a2dbc2eb8adf5a7c5a7e6097419c3a2e764e6018

SHA256:af6c7af4da9647d9f0a80916eece0dbe3417febd0407fe6769f817d2d30ccd5b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

helpdesk.forms.zip: helpdesk.forms.jar: fieldrenderer_defaultValue.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/directives/fieldrenderer_defaultValue.js

MD5: dda6a970f4cffe36fad94b7d76117bcc

SHA1: 2cd8554ddb98fa95fe2a44ed13e9a33557c5cbe8

SHA256: 13f45e63731e4e1ddf28ec751a4ada4af82d6f9b1472e92c05e709c70b3cd715

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

helpdesk.forms.zip: helpdesk.forms.jar: folderPermissionsDisplay.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/directives/folderPermissionsDisplay.js

MD5: 14601718259c92137b919428c333a368

SHA1: 2dc8144483c6da42a0f6a39ee6a6bee2027f04cd

SHA256: c5c605b7fccca1ad842867895516f4fcc77564db4572fff3707a03c1906ef6a2f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

helpdesk.forms.zip: helpdesk.forms.jar: formExecution.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/formExecution.js

MD5: 648edac94c9b2d946cc2000b2e1b7fba
SHA1: 0b4c5c6eb929e96bd3dbad337ed6c6ec8f91348b
SHA256:dc6bbe4a0963dc5417d748519b65bbae0ed51c8abe38a2393ae1f5ce46b8d74e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

helpdesk.forms.zip: helpdesk.forms.jar: formHandlingService.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.
forms.jar/com/inet/helpdesk/plugins/forms/client/js/formHandlingService.js

MD5: 08a4f4791c0cd64862021820cb135cf5
SHA1: 9638cce5ea2b1a004edc9ca5c66df6981365438a
SHA256:29d8d79f73d53b01ae3a67bd5c3a8b1b48ea5c90d918c0e6816fcf3bb3a90f17
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

helpdesk.forms.zip: helpdesk.forms.jar: formfields.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.
forms.jar/com/inet/helpdesk/plugins/forms/client/js/directives/formfields.js

MD5: 187db371de0478fd17724002263a71b9
SHA1: 7614d2f5fc5d696a35344a2271c800f03968e8d0
SHA256:0c6be6c6503832e40c34a2426a495e971568ccae0a9c2161cd9ac7b36201371b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

helpdesk.forms.zip: helpdesk.forms.jar: formicondropzone.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/directives/formicondropzone.js

MD5: 0f0ae951a7e2769aab6edce3b889067f

SHA1: 982b012023463e93d5d8e1815c62b1ea012ecdbc

SHA256:6abaf6d32ad7d51d2479ca51e59d2b014819bdbfd76fd0a2c1fb3191ecf0967c

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

helpdesk.forms.zip: helpdesk.forms.jar: formmetadata.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/directives/formmetadata.js

MD5: 86e2fd184348d0cc84dea0881268f1e1

SHA1: 02c2ba49c9fd2313cb44589d0ff8ea482a13daed

SHA256:40c5ada41c478dd82d3430258f4c49ea80f236700ad755216f817dcd903e1bda

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

helpdesk.forms.zip: helpdesk.forms.jar: formrenderer.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/directives/formrenderer.js

MD5: d93ee0bb223e940fbc110fde83d88ad0

SHA1: 18e69220fbfa7945f0277bce923757f69d5d5a30

SHA256: b1a92bce68215969e8aebcce9e68c50fb521ed0904e159c19d477bb524b5e5c9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

helpdesk.forms.zip: helpdesk.forms.jar: formsections.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/directives/formsections.js

MD5: e24b40c25d5db89f18193b96d334a99d

SHA1: daa412ea1a8aacbcccc6f01d4e25eba3a01da3c7

SHA256: 618693dd5f306366203bbbfc860de3b2e748c729ed1f3f97a16c4bfbac549c46

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

helpdesk.forms.zip: helpdesk.forms.jar: sectionid.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/directives/sectionid.js

MD5: 854ae53f85b457cbb0c65f16a48879ef

SHA1: 6580c71bc53b959567a3cead71a3d689b8822ffd

SHA256: 76b4d5260aad83a2db63d539dd196618a073b0df296917a0a70457b21a7dcf70

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

helpdesk.forms.zip: helpdesk.forms.jar: ticketPreviewSettings.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/ticketPreviewSettings.js

MD5: f0af9ca1bdcdb5563cb80ae26af99e9f

SHA1: 68fb4304fc250a2cfa08dc0d9f6db2641cb78a15

SHA256: b53e6d831f6b62d65b8ddb7029182545e453bc0b1ebfdcb5ef19ad93e1d10ddb

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

helpdesk.forms.zip: helpdesk.forms.jar: ticketformsfactory.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/ticketformsfactory.js

MD5: 5c59511c66f57f39d2415ce53652c083

SHA1: c80209d9f1780792c9c8f5813ca59ae1b398ac50

SHA256:729203835e165ba57af18cd33b8247c3aebf5f69f25efc188f6750ef02286ed1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

helpdesk.forms.zip: helpdesk.forms.jar: ticketformsmodel.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/ticketformsmodel.js

MD5: c4ca56f7e15225823b361e70e2ec7e96

SHA1: a4b0aa3bcb8e8090e647862c0b139c88c28fcd79

SHA256:92020e846d5bd3df5b82fcf754d8cdaf2ac170f9737e3b713763c19053ef2065

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

helpdesk.forms.zip: helpdesk.forms.jar: ticketlist.form.controller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/ticketlist/ticketlist.form.controller.js

MD5: e5272b8570c8a37a990fe3de5068239a

SHA1: 265075ac78df2ac13ae688353683bf5a12f9ab53

SHA256:d10d36b414eb8a839bc9c432911a95d5223961e13412481f4f63986c2a945622

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

helpdesk.forms.zip: helpdesk.forms.jar: ticketlist.form.extension.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/ticketlist/ticketlist.form.extension.js
MD5: 684e2d7692db14c443532545d3531c25
SHA1: d05b14aadba37fa17914c6f1f501e1b2dff32191
SHA256:52eb4599d4b992b1ab35cc80938f0586dad886b19dc4d91592ee52eaa65733d8
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

helpdesk.zip: helpdesk.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar
MD5: de438ea6c634b006c1ca95d245ac4df8
SHA1: e2e72c979502d0e44f945b9ac44ea8298c7c75ab
SHA256:954608cac5bd9058fbdfb979157ed274fa4164b0f154ced6155d5858f551e9ac
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	helpdesk	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2025-11-05 18:38	Low

Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	helpdesk	High
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	Manifest	built-date	2025-11-05 18:38	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	helpdesk	High
Product	Manifest	specification-title	helpdesk	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:25.10.233:*:*:*:*:* (Confidence:Low) suppress

helpdesk.zip: helpdesk.jar: TicketFieldSettingsPropertyRenderer.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/core/ticketfieldsettings/config/js/TicketFieldSettingsPropertyRenderer.js
MD5: 29815adc360e956bfeac01d5718c3bcd
SHA1: e32aa96dbcd347de4d2d7a71d5446d203758f9d2
SHA256:d477873c98954cf4b05e62e68d039291c87f1e9536e64321bd96d38216fcd0f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

helpdesk.zip: helpdesk.jar: aiworkingpanel.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/core/ai/workingpanel/aiworkingpanel.js

MD5: e0cf8d463148783fbd8e7492b7f31150

SHA1: 27dd87c45853d736fa14c21a37261d31d4ba5ce3

SHA256: 24e99a89740492e0e517c02b7de6e92b399a3526efdc2ef857251cd85ff4870f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

helpdesk.zip: helpdesk.jar: attachmentdisplay.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/attachmentdisplay/attachmentdisplay.js

MD5: 06d1fcbe291152ee9a3416d1d74131a9

SHA1: dfd522599675f3c0e43fdda9aeae92f369e2c7cc

SHA256: bb6a4e716359feb11f13ef60d54f7f1ee6b66bfed4af21c600fda5e6a8570173

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

helpdesk.zip: helpdesk.jar: configuration.autotext.edit.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/config/autotext/configuration.autotext.edit.js

MD5: 7e360b34342ac34972acc0833074c932

SHA1: cb817f4b989a81162f5d5fda58fda5be0655892f

SHA256: 06e6df6d6ca8051c3dbee72d568b48f2368acd9d55737a76cbc81477b6cc9905

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

helpdesk.zip: helpdesk.jar: configuration.autotext.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/config/autotext/configuration.autotext.js

MD5: 2eeeeae48e2d3fa720b9db7c5d72604cc

SHA1: bc2c5c0c79bc940f8b86e604be7c1a6f2f0c446c

SHA256: 79f7326b94c4a315fa11f4dfd76a80859f8f2710e3c9af3379662b92bf608945

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

helpdesk.zip: helpdesk.jar: configuration.mailtemplates.edit.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/config/mailtemplates/configuration.mailtemplates.edit.js

MD5: 27aa3ade248a0b472f313d5716c2d03c
SHA1: 2f0ab64b154bae8a9848a926b672e3ea747869b3
SHA256: 735c9e823860d512c1232ce63524e0f25479df83c53a243c2d95b31350a4da62
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

helpdesk.zip: helpdesk.jar: configuration.mailtemplates.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com
/inet/helpdesk/config/mailtemplates/configuration.mailtemplates.js

MD5: c1c3e119b9134e34f445e10e01e063ca
SHA1: 0eda11b37bbf3ed6a79ada4548f6d02064bd61bb
SHA256: 761152bb2b114d2ffe347c3368c95a0048faa3f3d2c17d09d25dbbe475697d9e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

helpdesk.zip: helpdesk.jar: effectiveactionscontroller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com
/inet/helpdesk/usersandgroups/ui/js/effectiveactionscontroller.js

MD5: aaff8fd79e48722797b8d8c9d67f132
SHA1: 3cf76d85fc2a8f840d76c611a560e5106237dd06
SHA256: 90e8e62a9cb4fd4c4ebc669dc7a1cdb10f8481fbf91dbe7e198a47f5781b6ba6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

helpdesk.zip: helpdesk.jar: helpdeskconfig.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/plugin/helpdeskconfig/helpdeskconfig.js

MD5: 0bf9083b92966323db5159d20f25f1f2

SHA1: ed739dfe656b800f1dc5d4446361077d721749bd

SHA256:e63b1baa1723631c540e41d144b3a1ece91b03331b8e479da6634c9e46308fc3

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

helpdesk.zip: helpdesk.jar: predeletionhandler.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/usersandgroups/ui/js/predeletionhandler.js

MD5: b07228667f35f2db8fe97e14072330e2

SHA1: 56563dca2887c8794cc93f79dec86721dedbbdc5

SHA256:94b564b4d308da955ec91f35eef6ce2d43a4e0404ed85c818860fd52b1db112b

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

helpdesk.zip: helpdesk.jar: promptuserselectrenderer.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/plugins/reporting/client/js/promptuserselectrenderer.js

MD5: 568ecc46e94c00ed2bd10c3dd310587f

SHA1: 4b952ce6e2268d982d19c26b527e3927c7c6f56b

SHA256: 46e9e2baea18056db596b93b03f4ca7c02f9dd8420288fb5d63aa72a467d94be

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

helpdesk.zip: helpdesk.jar: renderer.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/usersandgroups/ui/js/renderer.js

MD5: a47f1f73b8680db9e410eccce8f95d59

SHA1: 971157e547fce34414e1eb46161846eb6b6443cf

SHA256: 9a8813949765fa23463f597a0520b86b65f935d3b51b0bc2ec3ab43522ec556c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

helpdesk.zip: helpdesk.jar: setdefaultguipreferencesaction.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/usersandgroups/ui/js/setdefaultguipreferencesaction.js

MD5: 5e91ab327ff4b854d6ced204e261202c

SHA1: 1f94572d6c505563aee1641cf40efc651a42b5f3

SHA256: 94b19ceceff3b2a2c595f896f7320749430b1d99113ba3c7f35decfae603bd0a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

helpdesk.zip: helpdesk.jar: usersandgroupsreports.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/usersandgroups/ui/js/usersandgroupsreports.js

MD5: d1dc1ae5cdb8871ed9859374c31db24a

SHA1: 61f294a069c216b738878861dcea4deeb24f0ac6

SHA256: 9e33365a5e3d861ddec2a2fb72179dbdad8d332b5114efc5e44d5d884db743a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

helpdesk.zip: rhino.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/rhino.jar

MD5: f1aed8c6aac3d1e65bf0331e826f8037

SHA1: 889636434674822ce2d14d6e92f7cf96726c6783

SHA256: e7ff37ec00b4c19ea16f42b5b3a601616d559dbb76e65bc9d094bd6bda2a925d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	rhino	High
Vendor	jar	package name	javascript	Low
Vendor	jar	package name	mozilla	Highest
Vendor	jar	package name	mozilla	Low
Vendor	Manifest	implementation-url	http://github.com/mozilla/rhino	Low
Vendor	Manifest	Implementation-Vendor	Mozilla Foundation	High
Product	file	name	rhino	High
Product	jar	package name	javascript	Low
Product	jar	package name	mozilla	Highest
Product	Manifest	Implementation-Title	Mozilla Rhino	High
Product	Manifest	implementation-url	http://github.com/mozilla/rhino	Low
Version	jar	package name	mozilla	Highest
Version	Manifest	Implementation-Version	1.8.0	High

Identifiers

- None

helpdesksetupwizard.zip: helpdesksetupwizard.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesksetupwizard.zip/helpdesksetupwizard.jar

MD5: ef24b3375e756e5c56547c7b65dd7c79

SHA1: dcf7b47f4dbcdcf30d145e04b9979c77778a9438d

SHA256: a82adecfa944f8250aeab37dc9c409fe26891eab12eae3c13c3e54eec5830558

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	helpdesksetupwizard	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2025-11-05 18:53	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	helpdesksetupwizard	High
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	plugins	Low
Product	jar	package name	setupwizard	Low
Product	Manifest	built-date	2025-11-05 18:53	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	helpdesksetupwizard	High
Product	Manifest	specification-title	helpdesksetupwizard	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- `cpe:2.3:a:inetsoftware:helpdesk:25.10.233:*:*:*:*:*` (*Confidence:Low*) suppress

helpdesksetupwizard.zip: helpdesksetupwizard.jar: controller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesksetupwizard.zip
/helpdesksetupwizard.jar/com/inet/helpdesk/plugins/setupwizard/steps/database/controller.js
MD5: 8b6eeb545c7b5887e26a15361021d50e
SHA1: 7a4011053e83d53c0d49cf02dc3129ee60836b91
SHA256:a2b34c03b76bf460f526e4ea4cfa3b19fcc952b86a131302718d2aad42807aab
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

htmlengine.zip: JWebEngine.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/htmlengine.zip/JWebEngine.jar
MD5: a1bd78da232873fcd794d82217056f12
SHA1: 17a39a1e4920df78b6ed72acd09ca3aa908a4b3a
SHA256:9a6e5d6fc817943b2170bb4fd10739eafb644af634e8dc3c11a84e0f45e4d58b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	JWebEngine	High
Vendor	jar	package name	html	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-11-05 01:23	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	lib	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium

Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	JWebEngine	High
Product	jar	package name	html	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-11-05 01:23	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	lib	Low
Product	Manifest	Implementation-Title	JWebEngine	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	JWebEngine	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	1.13.1822	High

Identifiers

- None

htmlengine.zip: htmlengine.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/htmlengine.zip/htmlengine.jar

MD5: bb92f5f634891e67e8e51c843e7bc71f

SHA1: 9bdd129f5f6f4f9e0f770e6a4d8757c9ece36e49

SHA256: 91d640f533ea2728f413718bacc8c159b2f051c9191e98a84e260bd43236b7a1

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	htmlengine	High
Vendor	jar	package name	htmlengine	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2025-11-05 16:35	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	htmlengine	High
Product	jar	package name	hmtlengineserverplugin	Low
Product	jar	package name	htmlengine	Highest
Product	jar	package name	htmlengine	Low
Product	Manifest	built-date	2025-11-05 16:35	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	htmlengine	High
Product	Manifest	specification-title	htmlengine	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

htmlviewer.toolbar.zip: htmlviewer.toolbar.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/htmlviewer.toolbar.zip/htmlviewer.toolbar.jar

MD5: 8b6b04aefe98e6414d33b95a0ee4a470

SHA1: 530fd03eee1e79c3d63423edd8c968ce8a4d1aa8

SHA256: c6b626eaf03d39a2cba60096e98dbfda2e27a1d644b41b24210c6f58ee05966

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	htmlviewer.toolbar	High
Vendor	jar	package name	htmlviewer	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2025-11-05 17:46	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	htmlviewer.toolbar	High
Product	jar	package name	htmlviewer	Highest
Product	jar	package name	htmlviewer	Low
Product	Manifest	built-date	2025-11-05 17:46	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	htmlviewer.toolbar	High
Product	Manifest	specification-title	htmlviewer.toolbar	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

htmlviewer.toolbar.zip: htmlviewer.toolbar.jar: htmlviewer.angular.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/htmlviewer.toolbar.zip
/htmlviewer.toolbar.jar/com/inet/htmlviewer/client/htmlviewer.angular.js
MD5: 3d4ffd97b4b2889874ab2c25fd81dfd0

SHA1: ea87dcc7a044e2517277934bea09c98994d3134f
SHA256:74009939b76ca622b76ee6abefb1cbe3632398f76f7282f51b90ccd1ca9998d3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inetcore-25.10-tools.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/25.10/aec888ccb8535bf3516275b97b9ce8d3f1a41c66/inetcore-25.10-tools.jar
MD5: 988583a8393c1b1b4afd2f9872ede7df
SHA1: aec888ccb8535bf3516275b97b9ce8d3f1a41c66
SHA256:4e8019a0b3dc05444fe7f63af6e21fac9e18d5a47d5a87ed47a73f7eb052f43b
Referenced In Project/Scope: server:inetPlugin
Included by: pkg:maven/helpdesk/server@25.10

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	inetcore	High
Vendor	gradle	artifactid	inetcore	Highest
Vendor	gradle	groupid	shared	Highest
Vendor	jar	package name	test	Low
Product	file	name	inetcore	High
Product	gradle	artifactid	inetcore	Highest
Version	file	name	inetcore	Medium
Version	file	version	25.10	High
Version	gradle	version	25.10	Highest

Identifiers

- [pkg:maven/shared/inetcore@25.10](#) (Confidence: Highest)

inetcore-25.10.jar (shaded: com.inet.shared:inetcore:null)

Description:

A blend composite defines the rule according to which a drawing primitive (known as the source) is mixed with existing graphics (known as the destination.)

ColorUtilities contains a set of tools to perform common color operations easily.

License:

LGPL: <http://www.gnu.org/licenses/lgpl.txt>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/25.10/d236e2554f326012d1e0690a61c1c690cb547ed0/inetcore-25.10.jar/META-INF/com/inet/shared/Utils/BlendComposite/pom.xml

MD5: 15e3963148212192804e2b1a2b73ad1c

SHA1: 1095ba4522949a04590ab9c98b7f684e92579ef9

SHA256: e5556987ad0b1ede84a994741147dadf6de0cb7d80b845f530e2a96505b79151

Referenced In Projects/Scopes:

- server
- server:inetPlugin

Evidence



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	inetcore	Low
Vendor	pom	developer email	contact@inetsoftware.de	Low
Vendor	pom	developer email	morgand@apache.org	Low
Vendor	pom	developer id	inetsoftware	Medium
Vendor	pom	developer id	romainguy	Medium
Vendor	pom	developer id	sun	Medium
Vendor	pom	developer name	i-net /// software	Medium
Vendor	pom	developer name	Romain Guy	Medium
Vendor	pom	developer name	Sun	Medium
Vendor	pom	developer org	Sun	Medium
Vendor	pom	groupid	com.inet.shared	Highest
Vendor	pom	name	BlendComposite and ColorUtilities	High
Vendor	pom (hint)	developer id	oracle	Medium
Vendor	pom (hint)	developer name	oracle	Medium
Vendor	pom (hint)	developer org	oracle	Medium
Product	pom	artifactid	inetcore	Highest
Product	pom	developer email	contact@inetsoftware.de	Low

Product	pom	developer email	morgand@apache.org	Low
Product	pom	developer id	inetsoftware	Low
Product	pom	developer id	romainguy	Low
Product	pom	developer id	sun	Low
Product	pom	developer name	i-net /// software	Low
Product	pom	developer name	Romain Guy	Low
Product	pom	developer name	Sun	Low
Product	pom	developer org	Sun	Low
Product	pom	groupid	com.inet.shared	Highest
Product	pom	name	BlendComposite and ColorUtilities	High

Identifiers

- None

inetcore-25.10.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/25.10/d236e2554f326012d1e0690a61c1c690cb547ed0/inetcore-25.10.jar

MD5: 055b5bf33a775fdb46ee9d2b2bbc572

SHA1: d236e2554f326012d1e0690a61c1c690cb547ed0

SHA256: 0cf2583fab2957e4fc05ff03bcc59545dc9fbabe67cece66c0191d69f92f23c1

Referenced In Projects/Scopes:

- server
- server:inetPlugin

Included by: pkg:maven/helpdesk/server@25.10

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	inetcore	High
Vendor	gradle	artifactid	inetcore	Highest
Vendor	gradle	groupid	shared	Highest
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low

Vendor	Manifest	built-date	2025-11-05 15:36	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	inetcore	High
Product	gradle	artifactid	inetcore	Highest
Product	jar	package name	permissions	Highest
Product	jar	package name	shared	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-11-05 15:36	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	inetcore	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	inetcore	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	file	name	inetcore	Medium
Version	file	version	25.10	High
Version	gradle	version	25.10	Highest
Version	jar	package name	permissions	Highest
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	25.10.233	High

Related Dependencies

- inetcore.jar
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/core/inetcore.jar
 - MD5: 055b5bf33a775fdb46ee9d2b2bbc572
 - SHA1: d236e2554f326012d1e0690a61c1c690cb547ed0
 - SHA256: 0cf2583fab2957e4fc05ff03bcc59545dc9fbabe67cece66c0191d69f92f23c1

Identifiers

- [pkg:maven/shared/inetcore@25.10](#) (Confidence: Highest)

inetloggeradapter.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/core/inetloggeradapter.jar
MD5: 8a57b3fc07c0ef651eae443c274690ab
SHA1: ea6efbff1b993f36dcd58870a642d4076660998
SHA256: b0af7b60b72af388962dde3a9c0ff9f3511eae2915f963cee9ba30808ef62243
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	inetloggeradapter	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	slf4j	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-11-05 16:06	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low

Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	inetloggeradapter	High
Product	jar	package name	slf4j	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-11-05 16:06	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	i-net Logger Adapter	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	inetloggeradapter	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

inventory.zip: inventory.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar
MD5: ee72cb7abc3a4a1152623798dde75bcd
SHA1: 2e4d1a1c9e7097115576969e4fd920baab288514
SHA256: 5e78dc2648180403a4ef92db742a843775743b6003b3176cc99fb6e07838ec0e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	inventory	High
Vendor	jar	package name	helpdesk	Low

Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2025-11-05 18:45	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	inventory	High
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	inventory	Highest
Product	jar	package name	inventory	Low
Product	jar	package name	plugins	Low
Product	Manifest	built-date	2025-11-05 18:45	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	inventory	High
Product	Manifest	specification-title	inventory	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	25.10.233	High


Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:25.10.233:*:*:*:*:* (Confidence:Low) suppress

inventory.zip: inventory.jar: genericfieldrenderer.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/genericfieldrenderer.js
MD5: e0fe014b9d536dce5624250d171f6fe6
SHA1: 62216f45c304d52705aa417ede29297845b09b64

SHA256:24449ce41d8de8f57fd14329f15641cfc7f1b2082300b12e9a8ecfa4ea14fb1f
Referenced In Project/Scope: server

Evidence 


Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: inventory.3drenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.3drenderer.directive.js
MD5: 99fd7eedbc6b51a251301919c0adc442
SHA1: db4e27ea46f3810d28676ecc347f985c873457c3
SHA256:8938eb0246363c111e9bbe22caabd2a5cb96a37a26946beb852fcd3c25bf51ad
Referenced In Project/Scope: server

Evidence 


Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: inventory.3dview.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.3dview.directive.js
MD5: 298045c849bdc046231e2c9eaca08e24
SHA1: 0176e2ed4fa8d03898a3783511097ef3e2be1f07
SHA256:a164d9ed30f1c97f64b3df756615fc741515eb776fa401bbc376e7168e4b9779
Referenced In Project/Scope: server

Evidence 

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: inventory.asset3d.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/render3d/inventory.asset3d.directive.js
MD5: 324f454219204d6ece0388baefc2b598
SHA1: 2c92ff4efb740b54806730fdf171fc86e6931a36
SHA256: 982334a7f0ccf9ac099f80454ff6017a7935b3387c806687a8b6060dc40a6d38
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: inventory.assetdetailsform.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.assetdetailsform.directive.js
MD5: 900eed90a6f1a9fca890b9a156b9df0c
SHA1: fcf9d9ddb064c8677e18eb01cb9c0407ffead07f
SHA256: 43a1ea04ac38d9eb821d5fabdc13ba821af59513209892606ae84c6ffb467e81
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: inventory.assetimage.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.assetimage.directive.js
MD5: 0cde9235c1970f21768406c1ad9ecc8b
SHA1: 754b64e4d87233cfc54f209e4e53b566d7c43eda
SHA256: 87781d74ff9a0193ea03ceed9fdb76e211c2f0dfbd0a9034c34d6add095cea33
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: inventory.assetimagehover.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.assetimagehover.directive.js
MD5: e9aa0425a92846afc32dcc6749d285f5
SHA1: fde3448d146ca8fd27e236c6fae905a49a6284ee
SHA256: 107430e83cfd95a68eafa0219a0840dc465dadf6374ce0938653055433c08356
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: inventory.assetmenu.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com
/inet/helpdesk/plugins/inventory/client/js/inventory.assetmenu.directive.js
MD5: 2e6a7fbd33cad433035e0d253c349727
SHA1: 0495b2e5e7773658e40d5a0f3da720d4b8e4a898
SHA256: 0d7c559962b804411455e3c5f376862e5290f698a0a7f741e0369754cc46d2cc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: inventory.default3dbox.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com
/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.default3dbox.directive.js
MD5: c65d1572b8a63f4e949ecca7f03fc517
SHA1: cbf915fe19ea07c6256c24fc5548d3b6f268155e
SHA256: f41260738f7ad56071e00ea7a3c87b2bea318b343e4c899e5bfcd2e78c0f8340
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: inventory.devicefieldrenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com
/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.devicefieldrenderer.directive.js
MD5: 47cdd86e98265ea8eb89e8455937a688
SHA1: f516d1d34778415708b6fb44d34c368439365eb5
SHA256: fd92cf790c9fa1c0b1a926543391f585c775121d1f18adb2d3d8beb399d24312
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: inventory.devicefieldrenderercurrency.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.devicefieldrenderercurrency.directive.js
MD5: b826f74c88b0c8d88299d1033d5bf92a
SHA1: e6e574c70946ce108bbf3bd2a78d64c4015ef26c
SHA256: 1d5e2dceb7eb94d71ae08c1efc3e25664f1172225d49b0d7e23cea6df410cfb7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: inventory.devicefieldrendererdatetime.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.devicefieldrendererdatetime.directive.js
MD5: 51436cf81eb8f5ef01fa1eb87c9964a2
SHA1: 928f42a2646572117daa38a8b1acfc328d96c42a
SHA256: f07f1f392d52103d3ac8b322f6ec867848709e2025e6c91f6bebc23f9fa86b9c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: inventory.devicefieldrendererlink.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.devicefieldrendererlink.directive.js

MD5: 9697bab126ef2744b52c26e2dab99e4e

SHA1: 8ad5369b52de630939dc1a354494a4b3226618f7

SHA256: c810d49ab6d089999398cdfff23421f7eadf9341862b18e165edcad20b974cf2

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: inventory.devicefieldrenderersselect.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderers/inventory.devicefieldrenderersselect.directive.js

MD5: a77f911d247e284040efd9c2c142f072

SHA1: 1ba72ae3216ea703907b8862149291f2bbbd305e

SHA256: e3d72c38f4dd907207fe814500fb69b23036b5eefeb0b2a1498ec60d8a0cbc28

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: inventory.devicefieldrenderertime.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderertimer/inventory.devicefieldrenderertime.directive.js

MD5: 6f4e0302f746d6b3484d17e51e571cd9

SHA1: 1373e2cae26581522169bf4897b7691d049f37c5

SHA256: f68f95f40432f554b738df6732bc78a5bdfaf240b4ef66cd7dd3580ef7cf7162

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: inventory.devicefieldrenderuser.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderertimer/inventory.devicefieldrenderuser.directive.js

MD5: 5f187583a4bb9eb725b407099baac465

SHA1: 36e2495ba10c40ec19ee6af12ad86d56a9685eb2

SHA256: 209105db611166a586b85a186f1b7febe47e0240dbec7a7dde96f179db7e2768

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: inventory.deviceimagerenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com

/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.deviceimagerenderer.directive.js

MD5: 669fc52237b6537df427662b42840bfb

SHA1: fd97f4d179e45769a71cc1d14dbdbcc69f040746

SHA256: 3d0dd847817962d02f8c3240eb4d9738bee8b39c211285a4054693819d562e0b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: inventory.editproperties.controller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems

/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com

/inet/helpdesk/plugins/inventory/client/js/inventory.editproperties.controller.js

MD5: 6c3ea0dabdb6ee3b55249cdeb66987dd

SHA1: 5141ca3dcd8d497f6464e2ae9f0eccc552d3ea1b

SHA256: 2186fe615e7a40fca2c76d2f8d279d53b756a8c51f8870d21ba3b8c7946c2d62

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: inventory.editproperties.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems

/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com

/inet/helpdesk/plugins/inventory/client/js/inventory.editproperties.directive.js

MD5: d47965695584086ff3d8ac3e32a2f208

SHA1: d9cd468394c73da2c6cf943aeb8ca1cbe47d093

SHA256: c80172be6cf462850b68e5529af5a2fee41d840379b99ac604832e8b03ef2d82

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: inventory.fieldgroup.filter.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.fieldgroup.filter.js

MD5: 20579e47316a82bc692d6a298a4de1d9

SHA1: 0a9e0d689b1c87e0bdd342fd79d8e481c82eab45

SHA256: 79b55b12bcf08fccb4e7175bfb73d218862eea502b4a4776b6a658d22d18350d

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: inventory.inventoryattachmentcontent.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.inventoryattachmentcontent.directive.js

MD5: e7b1b00dc4c65f25d358e917aa150149

SHA1: fd6332d61f18421a51f6d11684aabf88a283fe13

SHA256: a9b6f3d5794a157bb2e77fef23f75b51b44a18391f6769fa5bb6754eb9d4836d

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: inventory.inventoryattachments.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.inventoryattachments.directive.js
MD5: 806f7c2465a7299d3f82d0a8c60e71f7
SHA1: 9820634b466f59bd6bf8f12ea2671d69f690950e
SHA256: 21a0bad88da5497ac6581f5e91636df5fbfa0039c7182fd2c4e4f2d82b0003e1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: inventory.invoicepaper.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.invoicepaper.directive.js
MD5: 320bf431bf4223ab584d5b58bab072d
SHA1: e6edfbb96297ea1e6bcdaa6de81e956edfcafb2d
SHA256: a0003056ba768b411b6a0a15e3cbf4acaa838bb4b6aece92fe838271b56fbee6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: inventory.lazydetailfields.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.lazydetailfields.directive.js

MD5: 59e62cf70151320812a6798ec7cad038

SHA1: 12660855b937c60c70d4ca3ec47b19f7dcda9968

SHA256: 4422b57310e272a94ce62f29387e851220baead3289889915d91379120ca8082

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: inventory.levelslider.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.levelslider.directive.js

MD5: c99d499a960fe7e224f99583276747d3

SHA1: d36fe8cb2f81beb065e9c4fdf08df8285708c459

SHA256: 73fe73ffae97c34b70ea823237cf3ea7263f3742358bf9720290c85e3a8d8e37

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: inventory.licensepaper.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.licensepaper.directive.js

MD5: 197bd542f3648ce95ddaf954e47ecc83

SHA1: 262c5c7f328990409e9db68932de7e5fcbce49ac
SHA256:65aa477cdb1d9b9fae55c33b771c8990fdb71d7e2fb4eca8f91d9a7bfb169fc0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: inventory.listview.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com
/inet/helpdesk/plugins/inventory/client/js/inventory.listview.directive.js
MD5: 23bc01c78a7992f8f6e5b9862b6ad636
SHA1: 2ecd347b5ab1c9b81254568bcc3280aa293a84c5
SHA256:41a373b6233267bb5c6c46546d8861e09df2948b0bdf4d0d091c4975892c5894
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: inventory.listviewrow.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com
/inet/helpdesk/plugins/inventory/client/js/inventory.listviewrow.directive.js
MD5: d8aaa25d136d27cf6a7c7471f12f2408
SHA1: 40ee9d9004dee7bb3e10d9c116d1eec83efb7582
SHA256:2eb81be09a299169d72ae3f5ba6dab81080f7a310bded724e9c9e273e6583e04
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: inventory.locationbox.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.locationbox.directive.js
MD5: da502552d3a0fa1dd22e4e44a0908c36
SHA1: 91c62a7c10c69522246f09adb192e160ab28bb44
SHA256: 7aaef95a13159b8bb56db40487e80cd0f54d00d88675e935f4312ed59fe97cf2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: inventory.roombox.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.roombox.directive.js
MD5: 4440dfcb00617f03cea6d209e0b9a072
SHA1: 7e1f67f065c917eac70b059e8047fa77fb340778
SHA256: 0d0dd3ad20296e3e5b987e4896f13ea819daf6dff4f31b9c3e422c563701d12
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: inventory.slaper.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.slaper.directive.js
MD5: fde32226b25f8d33e04b97cddaabe4a8
SHA1: 67818373a3829c07938c3c5e5bb50220752265d8
SHA256: 59fdc4a7966d8280295cb13233430472d73584a52a4798c88f76812879baecf
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: inventory.structuretoolbar.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.structuretoolbar.directive.js
MD5: a7cc3cfb69ab99c236e77d6242f001a6
SHA1: 699f787d8597d6bce127dde0a9f3c831e0a731c3
SHA256: 44f2723f97193661ec28cbddf6ecfe2c5c90e144f42ec1d14f51b8d7d38f233b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: inventory.structurereview.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.structureview.directive.js
MD5: 0f21f3403a91aa5e15ea2dde9a70a476
SHA1: 882183b297f4d8dd39f5cef48a861265e96f082b
SHA256: 795aa84436bece8899c6f415a73b04a431e2296b29f21687ca2792cf7fdb44b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: inventory.tile.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.tile.directive.js
MD5: 80b79d2bdf7e5a09d3562806baaf07d6
SHA1: 0ce8d33ff04992e6d2bacc7e6c2c54069ee9c13a
SHA256: 74bb00ea13987077212d8cbc130996f9f1dba923efef944756586a16bd0db665
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: inventory.tilelane.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.tilelane.directive.js
MD5: 16b9355b290e4227fac95b22a75582a9

SHA1: 2525650f4f76d399422ea63f03b12dbd2f481a37
SHA256:34d815e75b2e7b1d62ba3f77fd17fb4fbc3037b508d5a54b0b19d074426a5643
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: inventory.tileview.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com
/inet/helpdesk/plugins/inventory/client/js/inventory.tileview.directive.js
MD5: 73e2fc5f835a17503204aa5491f8b1
SHA1: 728b1a7d00260d50e5c91716ba52e54ab89cae00
SHA256:bb3a7db5e4865272906f0a5146b092395495b412cff78255107093e2db8f9c7e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: inventory.treegrouping.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com
/inet/helpdesk/plugins/inventory/client/js/inventory.treegrouping.directive.js
MD5: 9ef71ff4afd18607bd3fddbc8fa16a37
SHA1: d2d8a0244b5c0cd0233bf3941ca92dc66de4d85e
SHA256:21fd22b42797824932878ee5c3d0c252fc5154075fcf6074c67052f060f57b95
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: inventory.typehandheld.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.typehandheld.directive.js
MD5: 74059a46f155a3770f7ecd8e786344ee
SHA1: 01f12d1a7f740f2452b34a0918c9a37c65945571
SHA256:795688d2ffe364aaf34f236e8f8c44ef3c11e44ddf8f10ef5c7a79a472070837
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: inventory.usertable.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.usertable.directive.js
MD5: 4e60d8621aa8d771da6680fa8898cfe6
SHA1: 483280bc778ef0b92aa3f1893587d3e7c917db1d
SHA256:623182e99a58833e8c5bea9bb9c13ab78f57d5d8f4229bfeedd5f4438d6b092c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: inventorycontroller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventorycontroller.js
MD5: 4f846a9552d3751e3b67c6e981df0d3c
SHA1: dcdfccdeb5a308177891e104f985600837f86ce6
SHA256: 370220146f83de0168ff5a7644f0732f568c0d8bb4d56a5d41f629ddf2bfb6c8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: inventoryextension.assetpreview.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/ticketpageextension/inventoryextension.assetpreview.directive.js
MD5: 3f4bb65c3308386d35f938cc838dacdc
SHA1: d446782e386862f04367a8e0aa068dfec56d258a
SHA256: 927fff7bbc45a1e5595aa02fdffab131ebf58398b4d85eed5ff597345ec9e7f2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: inventoryextension.detailscontroller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/ticketpageextension/inventoryextension.detailscontroller.js
MD5: bd4e2948c7504213a1a7c5a3a778b7ba
SHA1: e5c9eac153a0e5de3c272e9b48da3f015d4b5822
SHA256: a892121cdef608afdc069cffe9d1e43dd3e6666abf1016ca134c46d2051c931d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: inventoryextension.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/ticketpageextension/inventoryextension.js
MD5: 4297f36b6e07a1114b83a1bab7b49c8b
SHA1: 88c2625cea1edc551b2253abfb977f4cc882c0d1
SHA256: 8f450452f4554ffa8270f7b150da18e7dd012b85f547eeee83dbe9933037e3e5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: inventoryextension.treenode.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/ticketpageextension/inventoryextension.treenode.directive.js
MD5: de55dd804458f39980a5e00b24628b17

SHA1: 553d96d4fe4fe45cb4feee9951b549e05338e65b
SHA256: 20e3e1bab81eb8215d5bd2c72cf413365c7a6c9885535ee454d7297b5d3dfb05
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: inventoryfactory.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com
/inet/helpdesk/plugins/inventory/client/js/inventoryfactory.js
MD5: 8d30f2fe643c1496fc4c518fdcf2142
SHA1: 5c96de62b911023baffef3faaba02af6f9c3b530
SHA256: 0a90653a109cf65fd05bdbea10bba65a5ab47cae6498f089561f599cc2091b89
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: inventorymodel.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com
/inet/helpdesk/plugins/inventory/client/js/inventorymodel.js
MD5: f65af4d75fdd5919b95b313b386e8ed7
SHA1: db84e31f03fbfcc124c1bd4996d3a6292acc3536
SHA256: 66917be5fcb8a1c91b346113e8477a562cf866881874cca589e234db294b8b6e
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				


inventory.zip: inventory.jar: inventoryticketpagefactory.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/ticketpageextension/inventoryticketpagefactory.js
MD5: 2cc0c4ef757e81ac4d604a6d3179ed76
SHA1: fedd712796da8684caa46525d6e7e31e09eb05ba
SHA256:a6910668e374392148ed5cd255b9c77792f8372d5d3431a897f7574d34d18d53
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

inventory.zip: inventory.jar: printinventory.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/print/printinventory.js
MD5: dd4fdbde5ce0b27b985d404b8ea356c1
SHA1: 567635255bce3b26dbfd4aa47501c6eacad78137
SHA256:6fa8802a7c5fdc7b1aec88d1e7402303e0fe9119c201588b604062b03d2d8d41
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				

- None

inventory.zip: inventory.jar: resizableColumn.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/resizableColumn.js
MD5: ed544f97f5d5e3bd3bb409a71d197558
SHA1: 07e223b222d93bedefb31b1512da658c762cacc0
SHA256: d2a0d653e455a0a292fabaeff1ffc9520124b564a5b5bc924e01f4da344e18e5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inventory.zip: inventory.jar: treegroupingsettings.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/treegroupingsettings.js
MD5: 5137f121e745bdf55ec1c13a80bcf68d
SHA1: b4f63b97fef280bc381e34ec8ee136799432b5c3
SHA256: d0f678e1011470a06e9b71f25288847087e9169f2c204121b472727ba3a0e508
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

jakarta.servlet-api.jar

Description:

Jakarta Servlet 6.1

License:

EPL 2.0: <http://www.eclipse.org/legal/epl-2.0>

GPL2 w/ CPE: <https://www.gnu.org/software/classpath/license.html>

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/core/jakarta.servlet-api.jar

MD5: 314c930b3e40ac1abc3529c7c9942f09

SHA1: 1169a246913fe3823782af7943e7a103634867c5

SHA256: 8a31f465f3593bf2351531a5c952014eb839da96a605b5825b93dd54714c48c4

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.servlet-api	High
Vendor	jar	package name	jakarta	Highest
Vendor	jar	package name	servlet	Highest
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	jakarta.servlet-api	Medium
Vendor	Manifest	extension-name	jakarta.servlet	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.eclipse	Medium
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.servlet-api	Low
Vendor	pom	developer id	yaminikb	Medium
Vendor	pom	developer name	Yamini K B	Medium
Vendor	pom	developer org	Oracle Corporation	Medium
Vendor	pom	developer org URL	http://www.oracle.com/	Medium
Vendor	pom	groupid	jakarta.servlet	Highest
Vendor	pom	name	Jakarta Servlet	High
Vendor	pom	parent-artifactid	project	Low
Vendor	pom	parent-groupid	org.eclipse.ee4j	Medium
Vendor	pom	url	https://projects.eclipse.org/projects/ee4j.servlet	Highest

Product	file	name	jakarta.servlet-api	High
Product	jar	package name	jakarta	Highest
Product	jar	package name	servlet	Highest
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta Servlet	Medium
Product	Manifest	bundle-symbolicname	jakarta.servlet-api	Medium
Product	Manifest	extension-name	jakarta.servlet	Medium
Product	pom	artifactid	jakarta.servlet-api	Highest
Product	pom	developer id	yaminikb	Low
Product	pom	developer name	Yamini K B	Low
Product	pom	developer org	Oracle Corporation	Low
Product	pom	developer org URL	http://www.oracle.com/	Low
Product	pom	groupid	jakarta.servlet	Highest
Product	pom	name	Jakarta Servlet	High
Product	pom	parent-artifactid	project	Medium
Product	pom	parent-groupid	org.eclipse.ee4j	Medium
Product	pom	url	https://projects.eclipse.org/projects/ee4j.servlet	Medium
Version	Manifest	Bundle-Version	6.1.0	High
Version	Manifest	Implementation-Version	6.1.0	High
Version	pom	parent-version	6.1.0	Low
Version	pom	version	6.1.0	Highest

Identifiers

- [pkg:maven/jakarta.servlet/jakarta.servlet-api@6.1.0](#) (*Confidence:High*)
- [cpe:2.3:a:oracle:projects:6.1.0:*:*:*:*:*](#) (*Confidence:Low*) suppress

jakarta.websocket-api.jar

Description:

Jakarta WebSocket - Server API

License:

<https://www.eclipse.org/org/documents/epl-2.0/EPL-2.0.txt>, <https://www.gnu.org/software/classpath/license.html>

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/core/jakarta.websocket-api.jar

MD5: b1098129a9c74ae03d618fb841990ab0

SHA1: 60e525188fdb42120506debd90ffd4e204fd6f24

SHA256: 541d00436cbca0a5e1f6a457c9f70a64f00bd2f83e10ed89c2b372bc34843b7e

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.websocket-api	High
Vendor	jar	package name	jakarta	Highest
Vendor	jar	package name	server	Highest
Vendor	jar	package name	websocket	Highest
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	jakarta.websocket-api	Medium
Vendor	Manifest	extension-name	jakarta.websocket	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.websocket-api	Low
Vendor	pom	groupid	jakarta.websocket	Highest
Vendor	pom	name	Jakarta WebSocket - Server API	High
Vendor	pom	parent-artifactid	jakarta.websocket-all	Low
Vendor	pom	url	https://projects.eclipse.org/projects/ee4j.websocket	Highest
Product	file	name	jakarta.websocket-api	High
Product	jar	package name	jakarta	Highest
Product	jar	package name	server	Highest
Product	jar	package name	websocket	Highest
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta WebSocket - Server API	Medium
Product	Manifest	bundle-symbolicname	jakarta.websocket-api	Medium

Product	Manifest	extension-name	jakarta.websocket	Medium
Product	pom	artifactid	jakarta.websocket-api	Highest
Product	pom	groupid	jakarta.websocket	Highest
Product	pom	name	Jakarta WebSocket - Server API	High
Product	pom	parent-artifactid	jakarta.websocket-all	Medium
Product	pom	url	https://projects.eclipse.org/projects/ee4j.websocket	Medium
Version	Manifest	Bundle-Version	2.2.0	High
Version	Manifest	Implementation-Version	2.2.0	High
Version	pom	version	2.2.0	Highest

Identifiers

- [pkg:maven/jakarta.websocket/jakarta.websocket-api@2.2.0](https://maven.jakarta.websocket/jakarta.websocket-api@2.2.0) (*Confidence:High*)

jakarta.websocket-client-api.jar

Description:

Jakarta WebSocket - Client API

License:

<https://www.eclipse.org/org/documents/epl-2.0/EPL-2.0.txt>, <https://www.gnu.org/software/classpath/license.html>

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/core/jakarta.websocket-client-api.jar

MD5: 9c363a8d4ab7b78b6160569e27568c1a

SHA1: cf7eafc1b929a80429c77e4450c6720a7de56814

SHA256: aa6fa9331a3f470daee0dbfcf084abfbd7a49507297575d5bb8bfbf3d62fe8c0

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.websocket-client-api	High
Vendor	jar	package name	jakarta	Highest
Vendor	jar	package name	websocket	Highest
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low

Vendor	Manifest	bundle-symbolicname	jakarta.websocket-client-api	Medium
Vendor	Manifest	extension-name	jakarta.websocket-client	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.websocket-client-api	Low
Vendor	pom	groupid	jakarta.websocket	Highest
Vendor	pom	name	Jakarta WebSocket - Client API	High
Vendor	pom	parent-artifactid	jakarta.websocket-all	Low
Vendor	pom	url	https://projects.eclipse.org/projects/ee4j.websocket	Highest
Product	file	name	jakarta.websocket-client-api	High
Product	jar	package name	jakarta	Highest
Product	jar	package name	websocket	Highest
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta WebSocket - Client API	Medium
Product	Manifest	bundle-symbolicname	jakarta.websocket-client-api	Medium
Product	Manifest	extension-name	jakarta.websocket-client	Medium
Product	pom	artifactid	jakarta.websocket-client-api	Highest
Product	pom	groupid	jakarta.websocket	Highest
Product	pom	name	Jakarta WebSocket - Client API	High
Product	pom	parent-artifactid	jakarta.websocket-all	Medium
Product	pom	url	https://projects.eclipse.org/projects/ee4j.websocket	Medium
Version	Manifest	Bundle-Version	2.2.0	High
Version	Manifest	Implementation-Version	2.2.0	High
Version	pom	version	2.2.0	Highest

Identifiers

- [pkg:maven/jakarta.websocket/jakarta.websocket-client-api@2.2.0](#) (*Confidence:High*)
- [cpe:2.3:a:web_project:web:2.2.0:****:*](#) (*Confidence:High*) suppress

java-21-jre-x64-linux.tar.gz: java-21-jre-x64-linux.tar: jrt-fs.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/java-21-jre-x64-linux.tar.gz/java-21-jre-x64-linux.tar/jre-11/lib/jrt-fs.jar

MD5: fd232b1a93c699d86f56595d88cc54da

SHA1: 5c034ec23e7858f7e3a5be3970833e12a9555f11

SHA256: ca81222a25fccfd0ecc9ef5c3d1efee0634e7938ab3c245e69b5bc0a55019028

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jrt-fs	High
Vendor	jar	package name	internal	Low
Vendor	jar	package name	jdk	Low
Vendor	jar	package name	jimage	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Adoptium	High
Vendor	Manifest	specification-vendor	Oracle Corporation	Low
Product	file	name	jrt-fs	High
Product	jar	package name	internal	Low
Product	jar	package name	jimage	Low
Product	Manifest	Implementation-Title	Java Runtime Environment	High
Product	Manifest	specification-title	Java Platform API Specification	Medium
Version	Manifest	Implementation-Version	21.0.8	High

Identifiers

- [cpe:2.3:a:eclipse:platform:21.0.8:****:*](#) (Confidence:Medium)

suppress

javase.jar

Description:

Java SE-specific extensions to core ZXing library

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/zxing/javase.jar
MD5: 1a5b45e1a7235398bdccfbc94a287d0c
SHA1: 55d93bb3ffee425a7be56cd6ff572fb64ac84593
SHA256: d65795b789efac8a2156cb2a4b648d20e58bfe03613165bb5dce6870ecef798e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	javase	High
Vendor	jar	package name	google	Highest
Vendor	jar	package name	zxing	Highest
Vendor	Manifest	automatic-module-name	com.google.zxing.javase	Medium
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	pom	artifactid	javase	Low
Vendor	pom	groupid	com.google.zxing	Highest
Vendor	pom	name	ZXing Java SE extensions	High
Vendor	pom	parent-artifactid	zxing-parent	Low
Product	file	name	javase	High
Product	jar	package name	google	Highest
Product	jar	package name	zxing	Highest
Product	Manifest	automatic-module-name	com.google.zxing.javase	Medium
Product	Manifest	build-jdk-spec	1.8	Low
Product	pom	artifactid	javase	Highest
Product	pom	groupid	com.google.zxing	Highest
Product	pom	name	ZXing Java SE extensions	High
Product	pom	parent-artifactid	zxing-parent	Medium
Version	pom	version	3.5.3	Highest

Identifiers

- [pkg:maven/com.google.zxing/javase@3.5.3](https://mvnrepository.com/artifact/com.google.zxing/javase/3.5.3) (*Confidence:High*)

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/net.jcip/jcip-annotations/1.0/afba4942caaeaf46aab0b976afd57cc7c181467e/jcip-annotations-1.0.jar

MD5: 9d5272954896c5a5d234f66b7372b17a

SHA1: afba4942caaeaf46aab0b976afd57cc7c181467e

SHA256: be5805392060c71474bf6c9a67a099471274d30b83eef84bfc4e0889a4f1dcc0

Referenced In Project/Scope: server:inetPlugin

Included by: pkg:maven/de.inetsoftware/jlessc@1.14

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jcip-annotations	High
Vendor	gradle	artifactid	jcip-annotations	Highest
Vendor	gradle	groupid	net.jcip	Highest
Vendor	jar	package name	annotations	Low
Vendor	jar	package name	jcip	Low
Vendor	jar	package name	net	Low
Product	file	name	jcip-annotations	High
Product	gradle	artifactid	jcip-annotations	Highest
Product	jar	package name	annotations	Low
Product	jar	package name	jcip	Low
Version	file	name	jcip-annotations	Medium
Version	file	version	1.0	High
Version	gradle	version	1.0	Highest

Identifiers

- [pkg:maven/net.jcip/jcip-annotations@1.0](#) (*Confidence:* Highest)

jlessc-1.14.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/de.inetsoftware/jlessc/1.14/5b2789630acdc41bab5c86da8937ffef3811a3c3/jlessc-1.14.jar

MD5: 73ef6dc09f0efda918ffcf67677ad2b0

SHA1: 5b2789630acdc41bab5c86da8937ffef3811a3c3

SHA256: 5445ebb2231d943301b977e2b30451fc704835ea9b5f96fa64618c608938cb52

Referenced In Projects/Scopes:

- server
- server:inetPlugin

Included by: pkg:maven/helpdesk/server@25.10

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jlessc	High
Vendor	gradle	artifactid	jlessc	Highest
Vendor	gradle	groupid	de.inetsoftware	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	less	Low
Vendor	jar	package name	lib	Low
Vendor	Manifest	automatic-module-name	de.inetsoftware.jlessc	Medium
Vendor	Manifest	bundle-symbolicname	de.inetsoftware.jlessc	Medium
Vendor	Manifest	Implementation-Vendor	i-net software GmbH, Berlin, Germany	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Product	file	name	jlessc	High
Product	gradle	artifactid	jlessc	Highest
Product	jar	package name	less	Low
Product	jar	package name	lib	Low
Product	Manifest	automatic-module-name	de.inetsoftware.jlessc	Medium
Product	Manifest	bundle-symbolicname	de.inetsoftware.jlessc	Medium
Product	Manifest	Implementation-Title	JLessC, a Less CSS compiler	High
Version	file	version	1.14	High
Version	Manifest	Implementation-Version	1.14	High

Related Dependencies



- theme.zip: jlessc.jar
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/theme.zip/jlessc.jar
 - MD5: 73ef6dc09f0efda918ffcf67677ad2b0
 - SHA1: 5b2789630acdc41bab5c86da8937ffef3811a3c3
 - SHA256: 5445ebb2231d943301b977e2b30451fc704835ea9b5f96fa64618c608938cb52

Identifiers

- [pkg:maven/de.inetsoftware/jlessc@1.14](https://pkg.maven/de.inetsoftware/jlessc@1.14) (*Confidence: Highest*)

jna.jar

Description:

JNA Library

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/jna.jar

MD5: 9bb1338e58031463c300f643cb3c41fa

SHA1: d9c6794f22c2e3c846b02d51c6a95c304e8e056b

SHA256: 336f2ae25222389eb9f3c90f8f7c3a6258c33581964b2338bf836b3b865b049e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jna	High
Vendor	jar	package name	jna	Highest
Vendor	jar	package name	jna	Low
Vendor	jar	package name	sun	Highest
Vendor	jar	package name	sun	Low
Vendor	jar (hint)	package name	oracle	Highest
Vendor	jar (hint)	package name	oracle	Low
Vendor	Manifest	automatic-module-name	com.sun.jna	Medium
Vendor	Manifest	bundle-activationpolicy	lazy	Low
Vendor	Manifest	bundle-category	jni	Low
Vendor	Manifest	bundle-nativecode	com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win32, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win32, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64;osname=win32, com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64;osname=win, com/sun/jna/w32ce-arm/jnidispatch.dll; processor=arm;osname=wince, com/sun/jna/sunos-x86/libjnidispatch.so; processor=x86;osname=sunos, com/sun/jna/sunos-x86-64	Low

			/libjnidispatch.so; processor=x86-64; osname=sunos, com/sun/jna/sunos-sparc /libjnidispatch.so; processor=sparc; osname=sunos, com/sun/jna/sunos-sparcv9 /libjnidispatch.so; processor=sparcv9; osname=sunos, com/sun/jna/aix-ppc /libjnidispatch.a; processor=ppc; osname=aix, com/sun/jna/aix-ppc64 /libjnidispatch.a; processor=ppc64; osname=aix, com/sun/jna/linux-ppc /libjnidispatch.so; processor=ppc; osname=linux, com/sun/jna/linux-ppc64 /libjnidispatch.so; processor=ppc64; osname=linux, com/sun/jna/linux-ppc64le /libjnidispatch.so; processor=ppc64le; osname=linux, com/sun/jna/linux-x86 /libjnidispatch.so; processor=x86; osname=linux, com/sun/jna/linux-x86-64 /libjnidispatch.so; processor=x86-64; osname=linux, com/sun/jna/linux-arm /libjnidispatch.so; processor=arm; osname=linux, com/sun/jna/linux-arm /libjnidispatch.so; processor=arm_le; osname=linux, com/sun/jna/linux-armel /libjnidispatch.so; processor=armel; osname=linux, com/sun/jna/linux-aarch64 /libjnidispatch.so; processor=aarch64; osname=linux, com/sun/jna/linux-ia64 /libjnidispatch.so; processor=ia64; osname=linux, com/sun/jna/linux-sparcv9 /libjnidispatch.so; processor=sparcv9; osname=linux, com/sun/jna/linux-mips64el /libjnidispatch.so; processor=mips64el; osname=linux, com/sun/jna/linux-s390x /libjnidispatch.so; processor=S390x; osname=linux, com/sun/jna/linux- loongarch64/libjnidispatch.so; processor=loongarch64;osname=linux, com /sun/jna/freebsd-x86/libjnidispatch.so; processor=x86;osname=freebsd, com/sun /jna/freebsd-x86-64/libjnidispatch.so; processor=x86-64;osname=freebsd, com /sun/jna/openbsd-x86/libjnidispatch.so; processor=x86;osname=openbsd, com/sun /jna/openbsd-x86-64/libjnidispatch.so; processor=x86-64;osname=openbsd, com /sun/jna/darwin-ppc/libjnidispatch.jnilib; osname=macosx;processor=ppc, com/sun /jna/darwin-ppc64/libjnidispatch.jnilib; osname=macosx;processor=ppc64, com/sun /jna/darwin-x86/libjnidispatch.jnilib; osname=macosx;processor=x86, com/sun /jna/darwin-x86-64/libjnidispatch.jnilib; osname=macosx;processor=x86-64, com /sun/jna/darwin-aarch64/libjnidispatch.jnilib; osname=macosx;processor=aarch64	
Vendor	Manifest	bundle- requiredexecution	JavaSE-1.6	Low
Vendor	Manifest	bundle- symbolicname	com.sun.jna	Medium
Vendor	Manifest	Implementation- Vendor	JNA Development Team	High
Vendor	Manifest	specification- vendor	JNA Development Team	Low

Product	file	name	jna	High
Product	jar	package name	jna	Highest
Product	jar	package name	jna	Low
Product	jar	package name	library	Highest
Product	jar	package name	native	Highest
Product	jar	package name	sun	Highest
Product	jar	package name	win32	Highest
Product	Manifest	automatic-module-name	com.sun.jna	Medium
Product	Manifest	bundle-activationpolicy	lazy	Low
Product	Manifest	bundle-category	jni	Low
Product	Manifest	Bundle-Name	jna	Medium
Product	Manifest	bundle-nativecode	com/sun/jna/win32-x86/jnidispach.dll; processor=x86;osname=win32, com/sun/jna/win32-x86-64/jnidispach.dll; processor=x86-64;osname=win32, com/sun/jna/win32-aarch64/jnidispach.dll; processor=aarch64; osname=win32, com/sun/jna/win32-x86/jnidispach.dll; processor=x86;osname=win, com/sun/jna/win32-x86-64/jnidispach.dll; processor=x86-64;osname=win, com/sun/jna/win32-aarch64/jnidispach.dll; processor=aarch64;osname=win, com/sun/jna/w32ce-arm/jnidispach.dll; processor=arm;osname=wince, com/sun/jna/sunos-x86/libjnidispach.so; processor=x86; osname=sunos, com/sun/jna/sunos-x86-64/libjnidispach.so; processor=x86-64; osname=sunos, com/sun/jna/sunos-sparc/libjnidispach.so; processor=sparc; osname=sunos, com/sun/jna/sunos-sparcv9/libjnidispach.so; processor=sparcv9; osname=sunos, com/sun/jna/aix-ppc/libjnidispach.a; processor=ppc; osname=aix, com/sun/jna/aix-ppc64/libjnidispach.a; processor=ppc64; osname=aix, com/sun/jna/linux-ppc/libjnidispach.so; processor=ppc; osname=linux, com/sun/jna/linux-ppc64/libjnidispach.so; processor=ppc64; osname=linux, com/sun/jna/linux-ppc64le/libjnidispach.so; processor=ppc64le; osname=linux, com/sun/jna/linux-x86/libjnidispach.so; processor=x86; osname=linux, com/sun/jna/linux-x86-64/libjnidispach.so; processor=x86-64; osname=linux, com/sun/jna/linux-arm/libjnidispach.so; processor=arm; osname=linux, com/sun/jna/linux-arm/libjnidispach.so; processor=arm_le; osname=linux, com/sun/jna/linux-armel/libjnidispach.so; processor=armel; osname=linux, com/sun/jna/linux-aarch64/libjnidispach.so; processor=aarch64; osname=linux, com/sun/jna/linux-ia64/libjnidispach.so; processor=ia64;	Low

			osname=linux, com/sun/jna/linux-sparcv9 /libjnidispatch.so; processor=sparcv9; osname=linux, com/sun/jna/linux-mips64el /libjnidispatch.so; processor=mips64el; osname=linux, com/sun/jna/linux-s390x /libjnidispatch.so; processor=S390x; osname=linux, com/sun/jna/linux- loongarch64/libjnidispatch.so; processor=loongarch64;osname=linux, com /sun/jna/freebsd-x86/libjnidispatch.so; processor=x86;osname=freebsd, com/sun /jna/freebsd-x86-64/libjnidispatch.so; processor=x86-64;osname=freebsd, com /sun/jna/openbsd-x86/libjnidispatch.so; processor=x86;osname=openbsd, com/sun /jna/openbsd-x86-64/libjnidispatch.so; processor=x86-64;osname=openbsd, com /sun/jna/darwin-ppc/libjnidispatch.jnilib; osname=macosx;processor=ppc, com/sun /jna/darwin-ppc64/libjnidispatch.jnilib; osname=macosx;processor=ppc64, com/sun /jna/darwin-x86/libjnidispatch.jnilib; osname=macosx;processor=x86, com/sun /jna/darwin-x86-64/libjnidispatch.jnilib; osname=macosx;processor=x86-64, com /sun/jna/darwin-aarch64/libjnidispatch.jnilib; osname=macosx;processor=aarch64	
--	--	--	---	--

Product	Manifest	bundle-requiredexecution	JavaSE-1.6	Low
Product	Manifest	bundle-symbolicname	com.sun.jna	Medium
Product	Manifest	Implementation-Title	com.sun.jna	High
Product	Manifest	specification-title	Java Native Access (JNA)	Medium
Version	jar	package name	jna	Highest
Version	jar	package name	sun	Highest
Version	jar	package name	win32	Highest
Version	Manifest	Bundle-Version	5.14.0	High
Version	Manifest	Implementation-Version	5.14.0 (b0)	High

Related Dependencies



- authentication.pam.zip: jna.jar
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.pam.zip/jna.jar
 - MD5: 9bb1338e58031463c300f643cb3c41fa
 - SHA1: d9c6794f22c2e3c846b02d51c6a95c304e8e056b
 - SHA256: 336f2ae25222389eb9f3c90f8f7c3a6258c33581964b2338bf836b3b865b049e
- authentication.windows.zip: jna.jar
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.windows.zip/jna.jar
 - MD5: 9bb1338e58031463c300f643cb3c41fa

- SHA1: d9c6794f22c2e3c846b02d51c6a95c304e8e056b
- SHA256: 336f2ae25222389eb9f3c90f8f7c3a6258c33581964b2338bf836b3b865b049e

Identifiers

- cpe:2.3:a:oracle:java_se:5.14.0:*:*:*:*:* (*Confidence:Low*) suppress

jna.jar: jnidispatch.dll

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/jna.jar/com/sun/jna/win32-aarch64/jnidispatch.dll

MD5: f6bef568e690d361a5dcc165f5ad4b1f

SHA1: 05638a4aaafa689a6c246530823afdc18d3fd438

SHA256: b9d1479b9619b7ece4a36b6ae31365ffaf15a1355d4f6da02f8b5f09df2fa82f

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jnidispatch	High
Product	file	name	jnidispatch	High

Related Dependencies

- authentication.pam.zip: jna.jar: jnidispatch.dll
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.pam.zip/jna.jar/com/sun/jna/win32-aarch64/jnidispatch.dll
 - MD5: f6bef568e690d361a5dcc165f5ad4b1f
 - SHA1: 05638a4aaafa689a6c246530823afdc18d3fd438
 - SHA256: b9d1479b9619b7ece4a36b6ae31365ffaf15a1355d4f6da02f8b5f09df2fa82f
- authentication.windows.zip: jna.jar: jnidispatch.dll
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.windows.zip/jna.jar/com/sun/jna/win32-aarch64/jnidispatch.dll
 - MD5: f6bef568e690d361a5dcc165f5ad4b1f
 - SHA1: 05638a4aaafa689a6c246530823afdc18d3fd438
 - SHA256: b9d1479b9619b7ece4a36b6ae31365ffaf15a1355d4f6da02f8b5f09df2fa82f

Identifiers

- None

jna.jar: jnidispatch.dll

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/jna.jar/com/sun/jna/win32-x86-64/jnidispatch.dll
MD5: 719d6ba1946c25aa61ce82f90d77ffd5
SHA1: 94d2191378cac5719daecc826fc116816284c406
SHA256: 69c45175ecfd25af023f96ac0bb2c45e6a95e3ba8a5a50ee7969ccab14825c44
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jnidispatch	High
Product	file	name	jnidispatch	High

Related Dependencies

- authentication.pam.zip: jna.jar: jnidispatch.dll
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.pam.zip/jna.jar/com/sun/jna/win32-x86-64/jnidispatch.dll
 - MD5: 719d6ba1946c25aa61ce82f90d77ffd5
 - SHA1: 94d2191378cac5719daecc826fc116816284c406
 - SHA256: 69c45175ecfd25af023f96ac0bb2c45e6a95e3ba8a5a50ee7969ccab14825c44
- authentication.windows.zip: jna.jar: jnidispatch.dll
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.windows.zip/jna.jar/com/sun/jna/win32-x86-64/jnidispatch.dll
 - MD5: 719d6ba1946c25aa61ce82f90d77ffd5
 - SHA1: 94d2191378cac5719daecc826fc116816284c406
 - SHA256: 69c45175ecfd25af023f96ac0bb2c45e6a95e3ba8a5a50ee7969ccab14825c44

Identifiers

- None

jna.jar: jnidispatch.dll

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/jna.jar/com/sun/jna/win32-x86/jnidispatch.dll
MD5: e15183ef9c6c255b76fda73d01ca7ecb
SHA1: f816f998c43204230d9ea3eecffb5f8372a32c2e

SHA256:38650a0612730c52580c9f32ff766b44b1c5a426d52e7dd7a53687bf3389ac2c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jnidispatch	High
Product	file	name	jnidispatch	High

Related Dependencies

- authentication.pam.zip: jna.jar: jnidispatch.dll
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.pam.zip/jna.jar/com/sun/jna/win32-x86/jnidispatch.dll
 - MD5: e15183ef9c6c255b76fda73d01ca7ecb
 - SHA1: f816f998c43204230d9ea3eecffb5f8372a32c2e
 - SHA256: 38650a0612730c52580c9f32ff766b44b1c5a426d52e7dd7a53687bf3389ac2c
- authentication.windows.zip: jna.jar: jnidispatch.dll
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.windows.zip/jna.jar/com/sun/jna/win32-x86/jnidispatch.dll
 - MD5: e15183ef9c6c255b76fda73d01ca7ecb
 - SHA1: f816f998c43204230d9ea3eecffb5f8372a32c2e
 - SHA256: 38650a0612730c52580c9f32ff766b44b1c5a426d52e7dd7a53687bf3389ac2c

Identifiers

- None

jsr305-3.0.2.jar

Description:

JSR305 Annotations for Findbugs

License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/com.google.code.findbugs/jsr305/3.0.2/25ea2e8b0c338a877313bd4672d3fe056ea78f0d/jsr305-3.0.2.jar

MD5: dd83accb899363c32b07d7a1b2e4ce40

SHA1: 25ea2e8b0c338a877313bd4672d3fe056ea78f0d

SHA256:766ad2a0783f2687962c8ad74ceecc38a28b9f72a2d085ee438b7813e928d0c7

Referenced In Project/Scope: server:inetPlugin

Included by: pkg:maven/de.inetsoftware/jlessc@1.14

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jsr305	High
Vendor	gradle	artifactid	jsr305	Highest
Vendor	gradle	groupid	com.google.code.findbugs	Highest
Vendor	Manifest	bundle-symbolicname	org.jsr-305	Medium
Vendor	pom	artifactid	jsr305	Low
Vendor	pom	groupid	com.google.code.findbugs	Highest
Vendor	pom	name	FindBugs-jsr305	High
Vendor	pom	url	http://findbugs.sourceforge.net/	Highest
Product	file	name	jsr305	High
Product	gradle	artifactid	jsr305	Highest
Product	Manifest	Bundle-Name	FindBugs-jsr305	Medium
Product	Manifest	bundle-symbolicname	org.jsr-305	Medium
Product	pom	artifactid	jsr305	Highest
Product	pom	groupid	com.google.code.findbugs	Highest
Product	pom	name	FindBugs-jsr305	High
Product	pom	url	http://findbugs.sourceforge.net/	Medium
Version	file	version	3.0.2	High
Version	gradle	version	3.0.2	Highest
Version	Manifest	Bundle-Version	3.0.2	High
Version	pom	version	3.0.2	Highest

Identifiers

- <pkg:maven/com.google.code.findbugs/jsr305@3.0.2> (*Confidence:High*)

junit-4.13.2.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/junit/junit/4.13.2/8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12/junit-4.13.2.jar

MD5: d98a9a02a99a9acd22d7653cbcc1f31f

SHA1: 8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12

SHA256: 8e495b634469d64fb8acfa3495a065cbacc8a0fff55ce1e31007be4c16dc57d3

Referenced In Project/Scope: server:inetPlugin

Included by: pkg:maven/helpdesk/server@25.10

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit	High
Vendor	gradle	artifactid	junit	Highest
Vendor	gradle	groupid	junit	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	Manifest	automatic-module-name	junit	Medium
Vendor	Manifest	implementation-url	http://junit.org	Low
Vendor	Manifest	Implementation-Vendor	JUnit	High
Vendor	Manifest	Implementation-Vendor-Id	junit	Medium
Product	file	name	junit	High
Product	gradle	artifactid	junit	Highest
Product	jar	package name	junit	Highest
Product	Manifest	automatic-module-name	junit	Medium
Product	Manifest	Implementation-Title	JUnit	High
Product	Manifest	implementation-url	http://junit.org	Low
Version	file	version	4.13.2	High
Version	Manifest	Implementation-Version	4.13.2	High

Identifiers

- [pkg:maven/junit/junit@4.13.2](#) (*Confidence*:Highest)
- [cpe:2.3:a:junit:junit4:4.13.2:*:*:*:*:*](#) (*Confidence*:Highest) suppress

junit-jupiter-5.13.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter/5.13.4/93547b3eca48a61f65f735c1898d3ec196e34149/junit-jupiter-5.13.4.jar

MD5: 3f4e38bdbbea73c98a50f08b7c6e33426

SHA1: 93547b3eca48a61f65f735c1898d3ec196e34149
SHA256:b960f79217dd01c863031b678f07df4730bbf1eac650c74ad6b0c61faad78379
Referenced In Project/Scope: server:inetPlugin
Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/helpdesk/server@25.10
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter	High
Vendor	gradle	artifactid	junit-jupiter	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	module-info	Low
Vendor	Manifest	build-date	2025-07-21	Low
Vendor	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Vendor	Manifest	build-time	08:57:57.538+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-jupiter	High
Product	gradle	artifactid	junit-jupiter	Highest
Product	Manifest	build-date	2025-07-21	Low
Product	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Product	Manifest	build-time	08:57:57.538+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter (Aggregator)	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter	Medium
Product	Manifest	Implementation-Title	junit-jupiter	High
Product	Manifest	specification-title	junit-jupiter	Medium
Version	file	version	5.13.4	High
Version	Manifest	Implementation-Version	5.13.4	High

Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4](#) (*Confidence: Highest*)

junit-jupiter-api-5.13.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-api/5.13.4/2817f736551fe4949b79924715ef6f594ee072f4/junit-jupiter-api-5.13.4.jar

MD5: d9981621212d598a4ba380342094c92f

SHA1: 2817f736551fe4949b79924715ef6f594ee072f4

SHA256: d1bb81abfd9e03418306b4e6a3390c8db52c58372e749c2980ac29f0c08278f1

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter-api	High
Vendor	gradle	artifactid	junit-jupiter-api	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	api	Highest
Vendor	jar	package name	api	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	Manifest	build-date	2025-07-21	Low
Vendor	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Vendor	Manifest	build-time	08:57:57.538+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-api	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-jupiter-api	High
Product	gradle	artifactid	junit-jupiter-api	Highest
Product	jar	package name	api	Highest
Product	jar	package name	api	Low

Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	Manifest	build-date	2025-07-21	Low
Product	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Product	Manifest	build-time	08:57:57.538+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter API	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-api	Medium
Product	Manifest	Implementation-Title	junit-jupiter-api	High
Product	Manifest	specification-title	junit-jupiter-api	Medium
Version	file	version	5.13.4	High
Version	Manifest	Implementation-Version	5.13.4	High

Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter-api@5.13.4](https://maven.org/junit/jupiter/junit-jupiter-api@5.13.4) (*Confidence:High*)

junit-jupiter-engine-5.13.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-engine/5.13.4/d29fc8b6a28d21b8741f299ae4deb3e3aa68b2e8/junit-jupiter-engine-5.13.4.jar

MD5: 3416ff6cff3dd4ea789b92338a49b9b2

SHA1: d29fc8b6a28d21b8741f299ae4deb3e3aa68b2e8

SHA256: 027404a92fe618b72465792a257951495c503a7d5751e2791e0f51c87f67f5bc

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/helpdesk/server@25.10
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter-engine	High
Vendor	gradle	artifactid	junit-jupiter-engine	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	engine	Highest

Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	Manifest	build-date	2025-07-21	Low
Vendor	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Vendor	Manifest	build-time	08:57:57.538+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-jupiter;version:Version="5.13.4"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-jupiter-engine	High
Product	gradle	artifactid	junit-jupiter-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	Manifest	build-date	2025-07-21	Low
Product	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Product	Manifest	build-time	08:57:57.538+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter Engine	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-engine	Medium
Product	Manifest	Implementation-Title	junit-jupiter-engine	High
Product	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-jupiter;version:Version="5.13.4"	Low
Product	Manifest	specification-title	junit-jupiter-engine	Medium
Version	file	version	5.13.4	High
Version	Manifest	Implementation-Version	5.13.4	High

Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4](#) (Confidence: Highest)

junit-jupiter-params-5.13.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-params/5.13.4/c8930eb7fcfbcd0b191703ab53f48475a75bd17/junit-jupiter-params-5.13.4.jar

MD5: a1db21cc54b627a085918626a3908c9e

SHA1: 0c8930eb7fcfbcd0b191703ab53f48475a75bd17

SHA256: 3a8c6365716dbb698c0d49a05456c1e1ad05c406613c550f9dd50037872efc41

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter-params	High
Vendor	gradle	artifactid	junit-jupiter-params	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	jar	package name	params	Highest
Vendor	jar	package name	params	Low
Vendor	Manifest	build-date	2025-07-21	Low
Vendor	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Vendor	Manifest	build-time	08:57:57.538+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-params	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-jupiter-params	High
Product	gradle	artifactid	junit-jupiter-params	Highest
Product	jar	package name	junit	Highest

Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	jar	package name	params	Highest
Product	jar	package name	params	Low
Product	jar	package name	shadow	Low
Product	Manifest	build-date	2025-07-21	Low
Product	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Product	Manifest	build-time	08:57:57.538+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter Params	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-params	Medium
Product	Manifest	Implementation-Title	junit-jupiter-params	High
Product	Manifest	specification-title	junit-jupiter-params	Medium
Version	file	version	5.13.4	High
Version	Manifest	Implementation-Version	5.13.4	High

Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter-params@5.13.4](https://maven.org/junit/jupiter/junit-jupiter-params@5.13.4) (*Confidence:High*est)

junit-platform-commons-1.13.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-commons/1.13.4/8f63c7ed05b473d95cc63d1082054d7bfcf9c0e5/junit-platform-commons-1.13.4.jar

MD5: 7c39b85780e5bec0a23408959ac83fa9

SHA1: 8f63c7ed05b473d95cc63d1082054d7bfcf9c0e5

SHA256: 1c25ca641ebaae44ff3ad21ca1b2ef68d0dd84bfeb07c4805ba7840899b77408

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-commons	High
Vendor	gradle	artifactid	junit-platform-commons	Highest

Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	commons	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	org	Highest
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2025-07-21	Low
Vendor	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Vendor	Manifest	build-time	08:57:57.538+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-commons	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-commons	High
Product	gradle	artifactid	junit-platform-commons	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	commons	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	Manifest	build-date	2025-07-21	Low
Product	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Product	Manifest	build-time	08:57:57.538+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Commons	Medium
Product	Manifest	bundle-symbolicname	junit-platform-commons	Medium
Product	Manifest	Implementation-Title	junit-platform-commons	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	junit-platform-commons	Medium
Version	file	version	1.13.4	High
Version	Manifest	Implementation-Version	1.13.4	High

Identifiers

- [pkg:maven/org.junit.platform/junit-platform-commons@1.13.4](#) (Confidence: Highest)

junit-platform-engine-1.13.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-engine/1.13.4/cdd49063ae6e25494d1a9a08f4a9ab5de2b73bcb/junit-platform-engine-1.13.4.jar

MD5: 736aa9e83f7ba2b54adb5f86821fd4dd

SHA1: cdd49063ae6e25494d1a9a08f4a9ab5de2b73bcb

SHA256: 390c5f77b84283a64b644f88251b397e0b0debb80bdcc50f899881aecff43a5a

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-engine	High
Vendor	gradle	artifactid	junit-platform-engine	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2025-07-21	Low
Vendor	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Vendor	Manifest	build-time	08:57:57.538+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-engine	High

Product	gradle	artifactid	junit-platform-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	support	Low
Product	Manifest	build-date	2025-07-21	Low
Product	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Product	Manifest	build-time	08:57:57.538+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Engine API	Medium
Product	Manifest	bundle-symbolicname	junit-platform-engine	Medium
Product	Manifest	Implementation-Title	junit-platform-engine	High
Product	Manifest	specification-title	junit-platform-engine	Medium
Version	file	version	1.13.4	High
Version	Manifest	Implementation-Version	1.13.4	High

Identifiers

- <pkg:maven/org.junit.platform/junit-platform-engine@1.13.4> (Confidence: Highest)

junit-platform-launcher-1.13.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-launcher/1.13.4/e72a4d00af6177569fd57df4c8c4bb241c6aa4b6/junit-platform-launcher-1.13.4.jar

MD5: bdfea9c8c038752c70631934b2067073

SHA1: e72a4d00af6177569fd57df4c8c4bb241c6aa4b6

SHA256: 0b0beaeb6880a31149641d2d848b863712885469670c12099586d7f798522564

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4

Evidence



Type	Source	Name	Value	Confidence

Vendor	file	name	junit-platform-launcher	High
Vendor	gradle	artifactid	junit-platform-launcher	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	launcher	Highest
Vendor	jar	package name	launcher	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2025-07-21	Low
Vendor	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Vendor	Manifest	build-time	08:57:57.538+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-launcher	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.launcher;org.junit.platform.launcher=junit-platform-launcher;version:Version="1.13.4"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-launcher	High
Product	gradle	artifactid	junit-platform-launcher	Highest
Product	jar	package name	junit	Highest
Product	jar	package name	launcher	Highest
Product	jar	package name	launcher	Low
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	Manifest	build-date	2025-07-21	Low
Product	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Product	Manifest	build-time	08:57:57.538+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Launcher	Medium
Product	Manifest	bundle-symbolicname	junit-platform-launcher	Medium
Product	Manifest	Implementation-Title	junit-platform-launcher	High
Product	Manifest	provide-capability	org.junit.platform.launcher;org.junit.platform.launcher=junit-platform-launcher;version:Version="1.13.4"	Low
Product	Manifest	specification-title	junit-platform-launcher	Medium

Version	file	version	1.13.4	High
Version	Manifest	Implementation-Version	1.13.4	High

Identifiers

- <pkg:maven/org.junit.platform/junit-platform-launcher@1.13.4> (*Confidence: Highest*)

junit-platform-suite-1.13.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite/1.13.4/7af47cc4d0fbbd9a940644799a69f1f4c3ec4ee7/junit-platform-suite-1.13.4.jar

MD5: 378c01f6aba4143235fcd78ee5e1490f

SHA1: 7af47cc4d0fbbd9a940644799a69f1f4c3ec4ee7

SHA256: 8088a80b47f5a7e73fa107f466dfa6a86776ca496fc2e7724aba65202d467913

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/helpdesk/server@25.10
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite	High
Vendor	gradle	artifactid	junit-platform-suite	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	module-info	Low
Vendor	Manifest	build-date	2025-07-21	Low
Vendor	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Vendor	Manifest	build-time	08:57:57.538+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-suite	High
Product	gradle	artifactid	junit-platform-suite	Highest
Product	Manifest	build-date	2025-07-21	Low

Product	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Product	Manifest	build-time	08:57:57.538+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite (Aggregator)	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite	Medium
Product	Manifest	Implementation-Title	junit-platform-suite	High
Product	Manifest	specification-title	junit-platform-suite	Medium
Version	file	version	1.13.4	High
Version	Manifest	Implementation-Version	1.13.4	High

Identifiers

- <pkg:maven/org.junit.platform/junit-platform-suite@1.13.4> (*Confidence: Highest*)

junit-platform-suite-api-1.13.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-api/1.13.4/7e29167859b8b66ae9bc60f63f33202b1c8b77e3/junit-platform-suite-api-1.13.4.jar

MD5: 53ff3dfddb5bc864217e7442ca0a8243

SHA1: 7e29167859b8b66ae9bc60f63f33202b1c8b77e3

SHA256: 9a05bf77e128371f5b3e25ffc89f7af467a9f68dd365fdfced469ebcf533abc9

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite-api	High
Vendor	gradle	artifactid	junit-platform-suite-api	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	api	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low

Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2025-07-21	Low
Vendor	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Vendor	Manifest	build-time	08:57:57.538+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-api	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-suite-api	High
Product	gradle	artifactid	junit-platform-suite-api	Highest
Product	jar	package name	api	Highest
Product	jar	package name	api	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2025-07-21	Low
Product	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Product	Manifest	build-time	08:57:57.538+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite API	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-api	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-api	High
Product	Manifest	specification-title	junit-platform-suite-api	Medium
Version	file	version	1.13.4	High
Version	Manifest	Implementation-Version	1.13.4	High

Identifiers

- <pkg:maven/org.junit.platform/junit-platform-suite-api@1.13.4> (*Confidence:High*est)

junit-platform-suite-commons-1.13.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-commons/1.13.4/65f946a08a21ddec266dd3010977111bbc84043/junit-platform-suite-commons-1.13.4.jar

MD5: ecab6fa371485191490729865ca59fba

SHA1: 65f946a08a21ddec266dd3010977111bbc84043

SHA256: e7dacfcfa3bc692c0a7a413cefd5f51ae420415a14d39091bdf88aebfdbba70b6

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite-commons	High
Vendor	gradle	artifactid	junit-platform-suite-commons	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2025-07-21	Low
Vendor	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Vendor	Manifest	build-time	08:57:57.538+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-commons	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-suite-commons	High
Product	gradle	artifactid	junit-platform-suite-commons	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	commons	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest

Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2025-07-21	Low
Product	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Product	Manifest	build-time	08:57:57.538+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite Commons	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-commons	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-commons	High
Product	Manifest	specification-title	junit-platform-suite-commons	Medium
Version	file	version	1.13.4	High
Version	Manifest	Implementation-Version	1.13.4	High

Identifiers

- pkg:maven/org.junit.platform/junit-platform-suite-commons@1.13.4 (*Confidence*:Highest)

junit-platform-suite-engine-1.13.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-engine/1.13.4/b888a7a9e00b25cc19b4d45dbd4dcfe0b3a4f6ca/junit-platform-suite-engine-1.13.4.jar

MD5: 69e03866f05f55ea65268adc36fa3fc0

SHA1: b888a7a9e00b25cc19b4d45dbd4dcfe0b3a4f6ca

SHA256: 3b34fd8172d70d0d7c59155e487bd8e77d43bdfdcfe1d78c2b4eea55e9acb92

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite-engine	High
Vendor	gradle	artifactid	junit-platform-suite-engine	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	engine	Highest

Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2025-07-21	Low
Vendor	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Vendor	Manifest	build-time	08:57:57.538+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-suite-engine	High
Product	gradle	artifactid	junit-platform-suite-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2025-07-21	Low
Product	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Product	Manifest	build-time	08:57:57.538+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite Engine	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-engine	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-engine	High
Product	Manifest	specification-title	junit-platform-suite-engine	Medium
Version	file	version	1.13.4	High
Version	Manifest	Implementation-Version	1.13.4	High

Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite-engine@1.13.4](#) (Confidence: Highest)

junit-vintage-engine-5.13.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.vintage/junit-vintage-engine/5.13.4/9fa3f512a7b8de3013eb63e51623c9e73f8d0e34/junit-vintage-engine-5.13.4.jar

MD5: 77270af1c5e9ea55a3705683f261eddd

SHA1: 9fa3f512a7b8de3013eb63e51623c9e73f8d0e34

SHA256: 066b702d850ebcde36f2a8181b46a2f0f1416129d1dc63c3a1e1531006e74739

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/helpdesk/server@25.10
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-vintage-engine	High
Vendor	gradle	artifactid	junit-vintage-engine	Highest
Vendor	gradle	groupid	org.junit.vintage	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	vintage	Highest
Vendor	jar	package name	vintage	Low
Vendor	Manifest	build-date	2025-07-21	Low
Vendor	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Vendor	Manifest	build-time	08:57:57.538+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-vintage-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-vintage;version:Version="5.13.4"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-vintage-engine	High

Product	gradle	artifactid	junit-vintage-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	vintage	Highest
Product	jar	package name	vintage	Low
Product	Manifest	build-date	2025-07-21	Low
Product	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Product	Manifest	build-time	08:57:57.538+0200	Low
Product	Manifest	Bundle-Name	JUnit Vintage Engine	Medium
Product	Manifest	bundle-symbolicname	junit-vintage-engine	Medium
Product	Manifest	Implementation-Title	junit-vintage-engine	High
Product	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-vintage;version:Version="5.13.4"	Low
Product	Manifest	specification-title	junit-vintage-engine	Medium
Version	file	version	5.13.4	High
Version	Manifest	Implementation-Version	5.13.4	High

Identifiers

- <pkg:maven/org.junit.vintage/junit-vintage-engine@5.13.4> (*Confidence*:Highest)

knowledgebase.zip: knowledgebase.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/knowledgebase.zip/knowledgebase.jar

MD5: 73c4e039a8c3522ec7f1137eecdadea61f

SHA1: 13d048730d8800cbd050f33f7a682092c922a0b5

SHA256: 7222e9994560ceeb126dab26ba2c32c8ed4615f4085e38144c1947f3f2a4d826

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	knowledgebase	High

Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2025-11-05 18:45	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	knowledgebase	High
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	knowledgebase	Highest
Product	jar	package name	knowledgebase	Low
Product	jar	package name	plugins	Low
Product	Manifest	built-date	2025-11-05 18:45	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	knowledgebase	High
Product	Manifest	specification-title	knowledgebase	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- `cpe:2.3:a:inetsoftware:helpdesk:25.10.233:*:*:*:*:*` (*Confidence:Low*) suppress

knowledgebase.zip: knowledgebase.jar: controllerArticleDetails.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/knowledgebase.zip
/knowledgebase.jar/com/inet/helpdesk/plugins/knowledgebase/client/knowledgebase

/controllerArticleDetails.js

MD5: 0a32a593fb4c1b90c135ed3aa3c9957d

SHA1: 551d4267e63e73e7a6579b7ff0b2d0625f84f159

SHA256: 025d5e629c6420b299a9219520d352a1ac2ed0fcdc66307ef6c2e1b80864c971

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

knowledgebase.zip: knowledgebase.jar: controllerArticleDialog.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/knowledgebase.zip
/knowledgebase.jar/com/inet/helpdesk/plugins/knowledgebase/client/knowledgebase
/controllerArticleDialog.js

MD5: 3516d13494fc40fd93822f0ce316525a

SHA1: 31f1e74d9f91d87feeb02465a8eb58e1de8c41bf

SHA256: e87dc3a83197af159506108442fab2dadbb47dd2702cc6c017e951e7762a0c01

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

knowledgebase.zip: knowledgebase.jar: controllerArticleEditDialog.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/knowledgebase.zip
/knowledgebase.jar/com/inet/helpdesk/plugins/knowledgebase/client/knowledgebase
/controllerArticleEditDialog.js

MD5: d8ffd480324fe0d39c5c59d40a150a5d

SHA1: 096b58ad24ed940275f27781582eba7b0d279b6f

SHA256: 0108daf38b10ecc18dc15ceab1bf847c7e47b57862fb11562a1f72749cdc5ead

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

knowledgebase.zip: knowledgebase.jar: controllerKnowledgeBase.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/knowledgebase.zip/knowledgebase.jar/com/inet/helpdesk/plugins/knowledgebase/client/knowledgebase/controllerKnowledgeBase.js

MD5: a9a22e96dd0408b845cf34730ade8a09

SHA1: 50a5a3265a0bd57de55da2e057db0cf0c8eb78f6

SHA256: 8748f55622b85f1dddc550a311d09250b0554dc12197138cd2c63f6462f88d05

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

knowledgebase.zip: knowledgebase.jar: fuzzysearcharticleextension.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/knowledgebase.zip/knowledgebase.jar/com/inet/helpdesk/plugins/knowledgebase/server/ticketextension/fuzzysearcharticleextension.js

MD5: 25d91f7911aaea1321d87ec47063cbf6

SHA1: 45d47a91c8d112ddb3834215592d703d2ed2dd54

SHA256: 998b9aa8b5e7e45a9f02e2e0ff8fd561d7e0d9d1c84bdb054ebee28f38b1a394

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

knowledgebase.zip: knowledgebase.jar: knowledgeBaseFactory.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/knowledgebase.zip/knowledgebase.jar/com/inet/helpdesk/plugins/knowledgebase/client/knowledgebase/knowledgeBaseFactory.js

MD5: 514c0cd5a2c774d432567b63d8aec021

SHA1: 304eef4e5ebab5a6bb0569bbde1889bdc79a9fc4

SHA256: d7be0873af088261e3d5620d37fb02ed42cf5dd27d83c459005f27ee8e5e9462

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

knowledgebase.zip: knowledgebase.jar: ticketlist.extension.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/knowledgebase.zip/knowledgebase.jar/com/inet/helpdesk/plugins/knowledgebase/client/knowledgebase/ticketlist.extension.js

MD5: aca7db7afcfa0601dbfa197869dbc13e

SHA1: 885eabf4c5f015ca40332755a3daf956eb3fff25

SHA256: f85b0189095e267148d7abfca71569b69673ce5fae3da7bd8af5cf9218cdfc14

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

livesupport.zip: livesupport.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/livesupport.zip/livesupport.jar
MD5: 61333ac1e65e0572ecadbdd135422d9a
SHA1: 15fdb598a760689003bafc0967d2539dd69474b1
SHA256: 7aede73c6d7d2da897838ff42d9c63d671723bc3854d52d5eb67196a5a58a136
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	livesupport	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2025-11-05 18:49	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	livesupport	High
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	livesupport	Highest
Product	jar	package name	livesupport	Low
Product	jar	package name	plugins	Low
Product	Manifest	built-date	2025-11-05 18:49	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	livesupport	High
Product	Manifest	specification-title	livesupport	Medium
Version	jar	package name	helpdesk	Highest

Version Manifest Implementation-
Version 25.10.233

High

Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:25.10.233:*:*:*:*:* (Confidence:Low) suppress

livesupport.zip: livesupport.jar: attachments.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/attachments.js

MD5: a83dca69289259d466960c8ae39f54bc

SHA1: 0b7a69a4e00b4b582595f9ce49f87b2e2e12be9d

SHA256: 291bba649600e54fb82b9fbd5335b2038fa4a9e90757b115dde4706bcd9bead

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

livesupport.zip: livesupport.jar: connections.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/connections.js

MD5: 2324501402b0ef619744394c587a8b9d

SHA1: 0a12fb7a01fad8c231b1ddec2e9b0c20559bfdca

SHA256: 0eae8e293fccc0760fc1617e06684758df6b5f1e476b565dd9e6c968204a88d3

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

livesupport.zip: livesupport.jar: controller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/controller.js
MD5: 7e747bf88d1643a72ab10bb20f9d389f
SHA1: 87071f6cb01f43551d219497fe11431809984e41
SHA256: cb81780c639a6438a4d7241ba6eaf45d522aea024f8503437eddf30f7b3f54a2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

livesupport.zip: livesupport.jar: dragging.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/lib/dragging.js
MD5: 2e36a4332ba0465433898d894ffe3846
SHA1: 9b0174f08a1878f04c93ec926a783bc31f0615e1
SHA256: caebd8310f7504b2c86d5b9621bf446b2ae88dfff02b9fff191b67140df42bd3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

livesupport.zip: livesupport.jar: events.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/livesupport.zip/livesupport.jar/com
/inet/helpdesk/plugins/livesupport/client/js/lib/events.js

MD5: 4bd2ce7d660f65c57f38b780ca3fcd8

SHA1: 95ab1609b96e68357e73c50d6aa5864cbec86a37

SHA256: 6fe447ec8d21c1ebe70157559ea4330f86124b274d0ac4dd83ce7d3b49ff00ee

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

livesupport.zip: livesupport.jar: fetch-promise.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/livesupport.zip/livesupport.jar/com
/inet/helpdesk/plugins/livesupport/client/js/lib/fetch-promise.min.js

MD5: 58b3e33a90cd1b4b5f31f2cab8add76e

SHA1: 59e1613cc5ba26d993c2f61a32aa6d7e62bd4f6c

SHA256: 9563fb9eaf9f5e97c1462bf433c895d0ff340e8ec0500938fbefa5a9e0081a0a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

livesupport.zip: livesupport.jar: i18n.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/livesupport.zip/livesupport.jar/com
/inet/helpdesk/plugins/livesupport/client/js/i18n.js

MD5: dbaed5ab096b2ca0f16c25320e632a29

SHA1: 96a2b0603ee939d0409f9aabf47b4b40320f2b74
SHA256: 78244731784dd802c3b27f4bed555e15af12c8c73149a56543579a3491882f7e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

livesupport.zip: livesupport.jar: lazy-load.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/livesupport.zip/livesupport.jar/com
/inet/helpdesk/plugins/livesupport/client/js/lazy-load.js
MD5: 12eeca1fef108b2cb2e2649fcc26662
SHA1: 2bd7fd2b42dd4a58865a356682751967ef66208a
SHA256: 25f9ad44a9b6d82688d321acbf9f99f09c13d65b9e513c7fdc61f13096530cb1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

livesupport.zip: livesupport.jar: prototype.array.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/livesupport.zip/livesupport.jar/com
/inet/helpdesk/plugins/livesupport/client/js/lib/prototype.array.js
MD5: 972f3ca3ca45cce7a72061b11a11869b
SHA1: d66b758c091f79d118cb6deb26c05b81aea95547
SHA256: 02e2b469b3b5f9a7469e745d88ce0f5dae948790def9b59a6eda20582c4d16c8
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

livesupport.zip: livesupport.jar: prototype.element.js


File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/lib/prototype.element.js
MD5: 9ee7a668e778eabd8de20312f312f9e9
SHA1: 96ebfdc252c25bb67259cfcce1788c9d820cc7a7
SHA256: 3c2a9acfb9f27cab19634ffb4a8904a2ebce85f74998b954b78fef2672278e76
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

livesupport.zip: livesupport.jar: ui-components.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/ui-components.js
MD5: 69e7e16d3da65f8f4dd4c77117dea492
SHA1: c6ba0f869498f6e8f74ac1a68e7f1cf2286a9730
SHA256: 97b8da8e4d18d88cefecea52ea5b6dba577400bc67f731f3d165e14ba8b6fb3d
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

mail.zip: angus-activation.jar

Description:

Implementation

License:

<http://www.eclipse.org/org/documents/edl-v10.php>

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/angus-activation.jar

MD5: ad20392145690b36b4f950fe31a31a2a

SHA1: 7f80607ea5014fef0b1779e6c33d63a88a45a563

SHA256: a6bd35c538cf90fff941ad6258c40c08fca0b5c9c3f536c657114f27ce0527a7

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angus-activation	High
Vendor	jar	package name	activation	Highest
Vendor	jar	package name	angus	Highest
Vendor	jar	package name	eclipse	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	angus-activation	Medium
Vendor	Manifest	extension-name	org.eclipse.angus	Medium
Vendor	Manifest	implementation-build-id	2.0.3-RELEASE-6eff4c5	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="jakarta.activation.spi.MailcapRegistryProvider",osgi.serviceloader;osgi.serviceloader="jakarta.activation.spi.MimeTypeRegistryProvider"	Low
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	angus-activation	Low
Vendor	pom	groupid	org.eclipse.angus	Highest
Vendor	pom	name	Angus Activation Registries	High

Vendor	pom	parent-artifactid	angus-activation-project	Low
Product	file	name	angus-activation	High
Product	jar	package name	activation	Highest
Product	jar	package name	angus	Highest
Product	jar	package name	eclipse	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Angus Activation Registries	Medium
Product	Manifest	bundle-symbolicname	angus-activation	Medium
Product	Manifest	extension-name	org.eclipse.angus	Medium
Product	Manifest	implementation-build-id	2.0.3-RELEASE-6eff4c5	Low
Product	Manifest	Implementation-Title	Angus Activation Registries	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="jakarta.activation.spi.MailcapRegistryProvider",osgi.serviceloader;osgi.serviceloader="jakarta.activation.spi.MimeTypeRegistryProvider"	Low
Product	Manifest	specification-title	Jakarta Activation Specification	Medium
Product	pom	artifactid	angus-activation	Highest
Product	pom	groupid	org.eclipse.angus	Highest
Product	pom	name	Angus Activation Registries	High
Product	pom	parent-artifactid	angus-activation-project	Medium
Version	Manifest	Bundle-Version	2.0.3	High
Version	pom	version	2.0.3	Highest

Identifiers

- [pkg:maven/org.eclipse.angus/angus-activation@2.0.3](https://maven.org/eclipse.angus/angus-activation@2.0.3) (*Confidence:High*)

mail.zip: angus-mail.jar (shaded: org.eclipse.angus:angus-core:2.0.4)

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/angus-mail.jar
/META-INF/maven/org.eclipse.angus/angus-core/pom.xml

MD5: b00ad1f3322ed736d6eb717441a20f0d

SHA1: bab276e894997c88c72a981691a57d5e81762128

SHA256: 87a6b385eb4df03ff2ffeb750af3858efc2a90d056f46990ae359505d59a66ab

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	angus-core	Low
Vendor	pom	groupid	org.eclipse.angus	Highest
Vendor	pom	name	Angus Mail Core	High
Vendor	pom	parent-artifactid	all	Low
Product	pom	artifactid	angus-core	Highest
Product	pom	groupid	org.eclipse.angus	Highest
Product	pom	name	Angus Mail Core	High
Product	pom	parent-artifactid	all	Medium
Version	pom	version	2.0.4	Highest

Identifiers

- <pkg:maven/org.eclipse.angus/angus-core@2.0.4> (Confidence:High)

mail.zip: angus-mail.jar (shaded: org.eclipse.angus:imap:2.0.4)

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/angus-mail.jar
/META-INF/maven/org.eclipse.angus/imap/pom.xml
MD5: c920e46a1ca1efea40ae8a6886beda7c
SHA1: 3d47f9345b5c2467969815646fd114c3b08f108f
SHA256: 7a397cec3d2d1bf26c8bd7df77dd5d0caa57af718976290e7bc3d7fca2c42917
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	imap	Low
Vendor	pom	groupid	org.eclipse.angus	Highest
Vendor	pom	name	Angus Mail imap provider	High
Vendor	pom	parent-artifactid	providers	Low
Product	pom	artifactid	imap	Highest
Product	pom	groupid	org.eclipse.angus	Highest
Product	pom	name	Angus Mail imap provider	High
Product	pom	parent-artifactid	providers	Medium

Version	pom	version	2.0.4	Highest
---------	-----	---------	-------	---------

Identifiers

- <pkg:maven/org.eclipse.angus/imap@2.0.4> (*Confidence:High*)

mail.zip: angus-mail.jar (shaded: org.eclipse.angus:logging-mailhandler:2.0.4)

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/angus-mail.jar
 /META-INF/maven/org.eclipse.angus/logging-mailhandler/pom.xml
MD5: 0711b1e4cbb2e1b50e7f17e3428f7ae6
SHA1: b51bb90174f0e2a47662e5cd5127b9bf0845e6f9
SHA256: ba3ab28c7633eba0503755d160d0e09b244bf4ed58ec1b89bc8ff891eaecebea
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	logging-mailhandler	Low
Vendor	pom	groupid	org.eclipse.angus	Highest
Vendor	pom	name	Angus Mail logging handler	High
Vendor	pom	parent-artifactid	all	Low
Product	pom	artifactid	logging-mailhandler	Highest
Product	pom	groupid	org.eclipse.angus	Highest
Product	pom	name	Angus Mail logging handler	High
Product	pom	parent-artifactid	all	Medium
Version	pom	version	2.0.4	Highest

Identifiers

- <pkg:maven/org.eclipse.angus/logging-mailhandler@2.0.4> (*Confidence:High*)

mail.zip: angus-mail.jar (shaded: org.eclipse.angus:pop3:2.0.4)

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/angus-mail.jar
 /META-INF/maven/org.eclipse.angus/pop3/pom.xml

MD5: af34e8ae164e4f64dfca8f725e0f0105

SHA1: 9d0a63878e71486ca6bfe4da1219352bf2ff4b45

SHA256: ac0712407bab89e2fef06ec09d455221bee73606f03811ae1a412774ab143792

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	pop3	Low
Vendor	pom	groupid	org.eclipse.angus	Highest
Vendor	pom	name	Angus Mail pop3 provider	High
Vendor	pom	parent-artifactid	providers	Low
Product	pom	artifactid	pop3	Highest
Product	pom	groupid	org.eclipse.angus	Highest
Product	pom	name	Angus Mail pop3 provider	High
Product	pom	parent-artifactid	providers	Medium
Version	pom	version	2.0.4	Highest

Identifiers

- <pkg:maven/org.eclipse.angus/pop3@2.0.4> (*Confidence:High*)

mail.zip: angus-mail.jar (shaded: org.eclipse.angus:smtp:2.0.4)

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems

/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/angus-mail.jar

/META-INF/maven/org.eclipse.angus/smtp/pom.xml

MD5: 1ac1221625342393598ca07f164f7d74

SHA1: 14c27147014f1e749253c9d9a12975490759cf64

SHA256: 8d7f154fa84b483de7e118563cbe3461479b20c2f149ec7099e6b6be69083128

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	smtp	Low
Vendor	pom	groupid	org.eclipse.angus	Highest
Vendor	pom	name	Angus Mail smtp provider	High
Vendor	pom	parent-artifactid	providers	Low
Product	pom	artifactid	smtp	Highest

Product	pom	groupid	org.eclipse.angus	Highest
Product	pom	name	Angus Mail smtp provider	High
Product	pom	parent-artifactid	providers	Medium
Version	pom	version	2.0.4	Highest

Identifiers

- <pkg:maven/org.eclipse.angus/smtp@2.0.4> (*Confidence:High*)

mail.zip: angus-mail.jar

Description:

Angus Mail Provider

License:

<http://www.eclipse.org/legal/epl-2.0>, <https://www.gnu.org/software/classpath/license.html>, <http://www.eclipse.org/org/documents/edl-v10.php>

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/angus-mail.jar

MD5: 5e39c666abac5e0c7837894606af28b8

SHA1: 80a49d6e187788d17a23b05e375bad75f56a4a92

SHA256: 87301865584bad9170662b3eeef0350aaafea4522483e38e54ae87dc3df3e958

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angus-mail	High
Vendor	jar	package name	angus	Highest
Vendor	jar	package name	eclipse	Highest
Vendor	jar	package name	mail	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	org.eclipse.angus.mail	Medium
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="jakarta.mail.util.StreamProvider",osgi.serviceloader;osgi.serviceloader="jakarta.mail.Provider"	Low
Vendor	pom	artifactid	angus-mail	Low
Vendor	pom	groupid	org.eclipse.angus	Highest
Vendor	pom	name	Angus Mail Provider	High

Vendor	pom	parent-artifactid	all	Low
Product	file	name	angus-mail	High
Product	jar	package name	angus	Highest
Product	jar	package name	eclipse	Highest
Product	jar	package name	mail	Highest
Product	jar	package name	util	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Angus Mail Provider	Medium
Product	Manifest	bundle-symbolicname	org.eclipse.angus.mail	Medium
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="jakarta.mail.util.StreamProvider",osgi.serviceloader;osgi.serviceloader="jakarta.mail.Provider"	Low
Product	pom	artifactid	angus-mail	Highest
Product	pom	groupid	org.eclipse.angus	Highest
Product	pom	name	Angus Mail Provider	High
Product	pom	parent-artifactid	all	Medium
Version	Manifest	Bundle-Version	2.0.4	High
Version	pom	version	2.0.4	Highest

Identifiers

- <pkg:maven/org.eclipse.angus/angus-mail@2.0.4> (*Confidence:High*)

mail.zip: bc-fips.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/bc-fips.jar

MD5: 0e3ce147f5132e096e7c3b22ab23a079

SHA1: 061fbe8383f70489dda95a11a2a4739eb818ff2c

SHA256: 044fcd8a29d236edea8a5b414406cdae63b475f9ad9f05fe2dc904a277941115

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	bc-fips	High
Vendor	jar	package name	bouncycastle	Highest

Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	fips	Highest
Vendor	jar	package name	org	Highest
Vendor	jar	package name	provider	Highest
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle FIPS Provider	Medium
Vendor	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Vendor	Manifest	bundle-symbolicname	bcfips	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcfips	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Product	file	name	bc-fips	High
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	fips	Highest
Product	jar	package name	org	Highest
Product	jar	package name	permissions	Highest
Product	jar	package name	provider	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle FIPS Provider	Medium
Product	Manifest	Bundle-Name	bcfips	Medium
Product	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Product	Manifest	bundle-	bcfips	Medium

symbolicname

Product	Manifest	caller-allowable-codebase	*	Low
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcfixps	Medium
Product	Manifest	multi-release	true	Low
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Version	jar	package name	permissions	Highest
Version	Manifest	Bundle-Version	2.1.2	High
Version	Manifest	Implementation-Version	2.1.2	High

Related Dependencies

- webserver.zip: bc-fips.jar
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/bc-fips.jar
 - MD5: 0e3ce147f5132e096e7c3b22ab23a079
 - SHA1: 061fbe8383f70489dda95a11a2a4739eb818ff2c
 - SHA256: 044fcd8a29d236edea8a5b414406cdae63b475f9ad9f05fe2dc904a277941115

Identifiers

- cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.1.2:*:*:*:*:* (Confidence:Low)

mail.zip: bcjmail-fips.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/bcjmail-fips.jar

MD5: 3b3a2949caf465737f18eba828c82f8d

SHA1: 11d1755a9103ae0359a5d8a0e3397d054bf16b0f

SHA256: 134bd06e17e66f13319b5e90781695d9c2bd586f4ed1dc3fc6f833279a750bc9

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	bcjmail-fips	High

Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	mail	Low
Vendor	jar	package name	smime	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle FIPS JAKARTA S/MIME API	Medium
Vendor	Manifest	automatic-module-name	org.bouncycastle.fips.bcjmail	Medium
Vendor	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Vendor	Manifest	bundle-symbolicname	bcjmail	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcjmail.mail	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Product	file	name	bcjmail-fips	High
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	mail	Low
Product	jar	package name	smime	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle FIPS JAKARTA S/MIME API	Medium
Product	Manifest	automatic-module-name	org.bouncycastle.fips.bcjmail	Medium
Product	Manifest	Bundle-Name	bcjmail	Medium
Product	Manifest	bundle-requiredexecution	JavaSE-1.8	Low

Product	Manifest	bundle-symbolicname	bcjmail	Medium
Product	Manifest	caller-allowable-codebase	*	Low
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcjmail.mail	Medium
Product	Manifest	multi-release	true	Low
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Version	Manifest	Bundle-Version	2.1.6	High
Version	Manifest	Implementation-Version	2.1.6	High

Identifiers

- [cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.1.6:*:*:*:*:*](#) (Confidence: Highest)

suppress

mail.zip: bcpkg-fips.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/bcpkg-fips.jar
MD5: 22924ccba346b696acaa3c72634ea8b5
SHA1: 727e087a843f3a5a8143e4f3a7518c8c3517df18
SHA256: ea51efee825bd0d61c3d22cff5a127898edc7ca62ba454fbcf4789801031d850
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	bcpkg-fips	High
Vendor	jar	package name	bcpkg	Highest
Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	openpgp	Highest
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-	Bouncy Castle FIPS OpenPGP API	Medium

		name		
Vendor	Manifest	automatic-module-name	org.bouncycastle.fips.pg	Medium
Vendor	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Vendor	Manifest	bundle-symbolicname	bcpq	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcfips.pg	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Product	file	name	bcpq-fips	High
Product	jar	package name	bcpq	Highest
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	openpgp	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle FIPS OpenPGP API	Medium
Product	Manifest	automatic-module-name	org.bouncycastle.fips.pg	Medium
Product	Manifest	Bundle-Name	bcpq	Medium
Product	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Product	Manifest	bundle-symbolicname	bcpq	Medium
Product	Manifest	caller-allowable-codebase	*	Low
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcfips.pg	Medium
Product	Manifest	multi-release	true	Low
Product	Manifest	permissions	all-permissions	Low

Product	Manifest	trusted-library	true	Low
Version	Manifest	Bundle-Version	2.1.11	High
Version	Manifest	Implementation-Version	2.1.11	High

Identifiers

- [cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.1.11:****:*](#) (Confidence: Highest)
- [cpe:2.3:a:openpgp:openpgp:2.1.11:****:*](#) (Confidence: Highest)

mail.zip: bcpkix-fips.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/bcpkix-fips.jar
MD5: 17235576f301545c841cd96c00cc4815
SHA1: 41d15c70437440d63b65225d7c00873a030d25d0
SHA256: c4370064664d474d8681f55f302cfdade4cae0f3d798b10fd18b0ab8fbd6fed1
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	bcpkix-fips	High
Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	pkix	Highest
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle FIPS PKIX API	Medium
Vendor	Manifest	automatic-module-name	org.bouncycastle.fips.pkix	Medium
Vendor	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Vendor	Manifest	bundle-symbolicname	bcpkix	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low

Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcfips.pkix	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Product	file	name	bcpkix-fips	High
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	pkix	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle FIPS PKIX API	Medium
Product	Manifest	automatic-module-name	org.bouncycastle.fips.pkix	Medium
Product	Manifest	Bundle-Name	bcpkix	Medium
Product	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Product	Manifest	bundle-symbolicname	bcpkix	Medium
Product	Manifest	caller-allowable-codebase	*	Low
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcfips.pkix	Medium
Product	Manifest	multi-release	true	Low
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Version	Manifest	Bundle-Version	2.1.10	High
Version	Manifest	Implementation-Version	2.1.10	High

Related Dependencies



- webserver.zip: bcpkix-fips.jar

- File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/bcpkix-fips.jar
- MD5: 17235576f301545c841cd96c00cc4815
- SHA1: 41d15c70437440d63b65225d7c00873a030d25d0
- SHA256: c4370064664d474d8681f55f302cfdade4cae0f3d798b10fd18b0ab8fbd6fed1

Identifiers

- [cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.1.10:.*:.*:.*:.*](#) (Confidence: Highest)

suppress

mail.zip: bcutil-fips.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/bcutil-fips.jar
MD5: ca132f36f25d85df12535487bb9a2d33
SHA1: 30b41ebc759a4f02e2ff7ab9acb09268923ee41f
SHA256: 503aaf5c2c5b7c729547462efe13699b5f6dacf9be150b7c48bba974b793dc92
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	bcutil-fips	High
Vendor	jar	package name	asn1	Low
Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	its	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle FIPS Utility API	Medium
Vendor	Manifest	automatic-module-name	org.bouncycastle.fips.util	Medium
Vendor	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Vendor	Manifest	bundle-symbolicname	bcutil	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low

Vendor	Manifest	extension-name	org.bouncycastle.bcfips.util	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Product	file	name	bcutil-fips	High
Product	jar	package name	asn1	Low
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	its	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle FIPS Utility API	Medium
Product	Manifest	automatic-module-name	org.bouncycastle.fips.util	Medium
Product	Manifest	Bundle-Name	bcutil	Medium
Product	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Product	Manifest	bundle-symbolicname	bcutil	Medium
Product	Manifest	caller-allowable-codebase	*	Low
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcfips.util	Medium
Product	Manifest	multi-release	true	Low
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Version	Manifest	Bundle-Version	2.1.5	High
Version	Manifest	Implementation-Version	2.1.5	High

Related Dependencies



- webserver.zip: bcutil-fips.jar

Vendor	pom	artifactid	jakarta.activation-api	Low
Vendor	pom	developer email	bill.shannon@oracle.com	Low
Vendor	pom	developer id	shannon	Medium
Vendor	pom	developer name	Bill Shannon	Medium
Vendor	pom	developer org	Oracle	Medium
Vendor	pom	groupid	jakarta.activation	Highest
Vendor	pom	name	Jakarta Activation API	High
Vendor	pom	parent-artifactid	project	Low
Vendor	pom	parent-groupid	org.eclipse.ee4j	Medium
Vendor	pom	url	jakartaee/jaf-api	Highest
Vendor	pom (hint)	developer org	sun	Medium
Product	file	name	jakarta.activation-api	High
Product	jar	package name	activation	Highest
Product	jar	package name	jakarta	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta Activation API	Medium
Product	Manifest	bundle-symbolicname	jakarta.activation-api	Medium
Product	Manifest	extension-name	jakarta.activation	Medium
Product	Manifest	implementation-build-id	7f7d358	Low
Product	Manifest	Implementation-Title	Jakarta Activation API	High
Product	Manifest	specification-title	Jakarta Activation Specification	Medium
Product	pom	artifactid	jakarta.activation-api	Highest
Product	pom	developer email	bill.shannon@oracle.com	Low
Product	pom	developer id	shannon	Low
Product	pom	developer name	Bill Shannon	Low
Product	pom	developer org	Oracle	Low
Product	pom	groupid	jakarta.activation	Highest
Product	pom	name	Jakarta Activation API	High
Product	pom	parent-artifactid	project	Medium
Product	pom	parent-groupid	org.eclipse.ee4j	Medium
Product	pom	url	jakartaee/jaf-api	High
Version	Manifest	Bundle-Version	2.1.3	High
Version	pom	parent-version	2.1.3	Low

Version	pom	version	2.1.3	Highest
---------	-----	---------	-------	---------

Identifiers

- <pkg:maven/jakarta.activation/jakarta.activation-api@2.1.3> (Confidence:High)

mail.zip: jakarta.mail-api.jar

Description:

Specification API

License:

EPL 2.0: <http://www.eclipse.org/legal/epl-2.0>

GPL2 w/ CPE: <https://www.gnu.org/software/classpath/license.html>

EDL 1.0: <http://www.eclipse.org/org/documents/edl-v10.php>

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems

/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/jakarta.mail-api.jar

MD5: 288a687deb06b87602ce14cd03dddff4

SHA1: a327aa5f514ba86e80d54584417d7376ed2bde0e

SHA256: 8051b58d75f982f9a5b963b3765426e824b2a64865ef0af17205e455b98db05c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.mail-api	High
Vendor	jar	package name	jakarta	Highest
Vendor	jar	package name	mail	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	jakarta.mail-api	Medium
Vendor	Manifest	extension-name	jakarta.mail	Medium
Vendor	Manifest	implementation-build-id	0f448dc	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.mail-api	Low
Vendor	pom	groupid	jakarta.mail	Highest
Vendor	pom	name	Jakarta Mail API	High

Vendor	pom	parent-artifactid	project	Low
Vendor	pom	parent-groupid	org.eclipse.ee4j	Medium
Product	file	name	jakarta.mail-api	High
Product	jar	package name	jakarta	Highest
Product	jar	package name	mail	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta Mail API	Medium
Product	Manifest	bundle-symbolicname	jakarta.mail-api	Medium
Product	Manifest	extension-name	jakarta.mail	Medium
Product	Manifest	implementation-build-id	0f448dc	Low
Product	Manifest	Implementation-Title	Jakarta Mail API	High
Product	Manifest	specification-title	Jakarta Mail Specification	Medium
Product	pom	artifactid	jakarta.mail-api	Highest
Product	pom	groupid	jakarta.mail	Highest
Product	pom	name	Jakarta Mail API	High
Product	pom	parent-artifactid	project	Medium
Product	pom	parent-groupid	org.eclipse.ee4j	Medium
Version	Manifest	Bundle-Version	2.1.3	High
Version	pom	parent-version	2.1.3	Low
Version	pom	version	2.1.3	Highest

Identifiers

- <pkg:maven/jakarta.mail/jakarta.mail-api@2.1.3> (*Confidence:High*)

mail.zip: mail.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/mail.jar
MD5: 894c7f0d9e6f1cc5e4eadfd3f1099e48
SHA1: 4207997e7d82303c789eda02e50aa5dfd8b70c93
SHA256: 6ed22c2d6bc049625317f26721fbfb86d8f5ec26961d007a2255a6ae19b61ee5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	mail	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	mail	Low
Vendor	Manifest	built-date	2025-11-05 16:32	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	mail	High
Product	jar	package name	mail	Highest
Product	jar	package name	mail	Low
Product	jar	package name	shared	Highest
Product	Manifest	built-date	2025-11-05 16:32	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	mail	High
Product	Manifest	specification-title	mail	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	25.10.233	High


Identifiers

- None

mail.zip: mail.jar: smimeconfig.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/mail.jar/com/inet/mail/structure/smimeconfig.js
MD5: 5bcf984b6f7d3c12903f8e45723c4737

SHA1: c0fefbb10badfba57b9dd391e641c1357c10b615
SHA256:0fd57f5869585f955a1274b3e859d7172f1d8c41f26fb647d256207d680c5567
Referenced In Project/Scope: server

Evidence 


Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.helpdesk.zip: maintenance.helpdesk.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/maintenance.helpdesk.zip/maintenance.helpdesk.jar
MD5: 42b3928a824e7bb6d3debce7901faca
SHA1: bdb63829833fb0a6b046c36e77e3f19cb727cabf
SHA256:3c54ee7ca084cb6ae3ca41c48582e956c6420d264353da4d06e6b0cac386c509
Referenced In Project/Scope: server

Evidence 

Type	Source	Name	Value	Confidence
Vendor	file	name	maintenance.helpdesk	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2025-11-05 18:45	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	maintenance.helpdesk	High
Product	jar	package name	helpdesk	Highest

Product	jar	package name	helpdesk	Low
Product	jar	package name	maintenance	Highest
Product	jar	package name	maintenance	Low
Product	jar	package name	plugins	Low
Product	Manifest	built-date	2025-11-05 18:45	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	maintenance.helpdesk	High
Product	Manifest	specification-title	maintenance.helpdesk	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:25.10.233:*:*:*:*:* (Confidence:Low) suppress

maintenance.helpdesk.zip: maintenance.helpdesk.jar: app.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/maintenance.helpdesk.zip
/maintenance.helpdesk.jar/com/inet/helpdesk/plugins/maintenance/server/datacare/js/app.js
MD5: 2353fe5cb51132fe3ded041fef2e0e69
SHA1: 1f0279d0202a7edf601926b358d117acbf76083
SHA256: 2ee4e265db89bbc6b99258f445b33a6fcc442601a59c191c77acbaba947e6d85
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.helpdesk.zip: maintenance.helpdesk.jar: datacare.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/maintenance.helpdesk.zip
/maintenance.helpdesk.jar/com/inet/helpdesk/plugins/maintenance/server/datacare/js/datacare.js
MD5: fb95e1f028908babec4a02282a867661
SHA1: bace3ed52594675239e40fdeebf0aba9c14716ee
SHA256: ed2c2220b93664648a73a415a769d62e478881b8dee3cd45130de8858994ad13
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.helpdesk.zip: maintenance.helpdesk.jar: dbmigration.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/maintenance.helpdesk.zip
/maintenance.helpdesk.jar/com/inet/helpdesk/plugins/maintenance/server/dbmigration/js/dbmigration.js
MD5: 4ffba52db7029cb7db4cf6fd9173402e
SHA1: 218ecb9ed2827aca3003bab831a9ca5251047527
SHA256: ec5d010aee089adc31d44d3b20a30abed81b40822102fd4487c2b385bd60d5cf
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.helpdesk.zip: maintenance.helpdesk.jar: loginmodification.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/maintenance.helpdesk.zip
/maintenance.helpdesk.jar/com/inet/helpdesk/plugins/maintenance/server/loginmodification/js/loginmodification.js
MD5: c9caaf80af602574445f7bd08806acb4

SHA1: 95812b03c104f2a6adfbfbf273a0218e2d70f52da
SHA256:145a041432ca0a48250e35f28ce0aaba8b9d33a0b5868d9a580bbb75ae2446bd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.reporting.zip: maintenance.reporting.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.reporting.zip
/maintenance.reporting.jar
MD5: c6b134975aaf72eea8c436824298d4a4
SHA1: 5c95403cbba7d899583f8726416d322451bca092
SHA256:83a706c19b15bd94d8ba26e043079fdee7c76ddb39bd985509ea79161da11bc9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	maintenance.reporting	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2025-11-05 17:43	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	maintenance.reporting	High
Product	jar	package name	maintenance	Highest

Product	jar	package name	maintenance	Low
Product	jar	package name	plugins	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2025-11-05 17:43	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	maintenance.reporting	High
Product	Manifest	specification-title	maintenance.reporting	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

maintenance.zip: maintenance-javadoc.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance-javadoc.jar

MD5: b443c07ca60289c75d2bfe768d17ac94

SHA1: 83ca3ed72d6d6914c18698fd50721640d5ab5fca

SHA256: 520a902c119cbf711b1b602ba98c6826bf910bf7442a9409eefe8f27a00b4fd1

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	maintenance-javadoc	High
Product	file	name	maintenance-javadoc	High

Identifiers

- None

maintenance.zip: maintenance-javadoc.jar: member-search-index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance-javadoc.jar/member-search-index.js
MD5: 93b51609403fe383f95ae75000fd9e09
SHA1: 32a7d291fa90846ef3a1b919485866573b8bd07b
SHA256:5902db037c53061d68cc19ef2af2e3578c16ce0ec0397438e34dd8119c609087
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.zip: maintenance-javadoc.jar: package-search-index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance-javadoc.jar/package-search-index.js
MD5: e89f47c422716f6284a74cd96ed0cd3f
SHA1: 658d9c6eebf7c62d01f7808a26b6024b8c39ecf4
SHA256:9687f5061532bbd21fa8c795aca6a657bdac71e356eb43f7103a1cd02bd9306d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.zip: maintenance-javadoc.jar: tag-search-index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance-javadoc.jar/tag-search-index.js
MD5: 3236248138000d701400e0346999c1a8
SHA1: 565146643a30712208f9299bd94a37566eab76b8
SHA256:72960c457566fe509fb1610d2612152b3f78b15485c891197f1053febdf8f8d1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- taskplaner.reporting.zip: taskplaner.reporting-javadoc.jar: tag-search-index.js
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplaner.reporting.zip/taskplaner.reporting-javadoc.jar/tag-search-index.js
 - MD5: 3236248138000d701400e0346999c1a8
 - SHA1: 565146643a30712208f9299bd94a37566eab76b8
 - SHA256: 72960c457566fe509fb1610d2612152b3f78b15485c891197f1053febdf8f8d1

Identifiers

- None

maintenance.zip: maintenance-javadoc.jar: type-search-index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance-javadoc.jar/type-search-index.js

MD5: 4fc01a884f0b77974cfda0ecd2b9008f

SHA1: d9610bba6879a5a4f88fb61427b75cd69bce1546

SHA256: cb975e5713d5cd570800e6107aceaa23f53deee11f68222408fec819358da987

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.zip: maintenance.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip /maintenance.jar
MD5: e450b80deb8a2f759898e294ed7d60ef
SHA1: e4155bb0d8f80c6cdfc32f63fa36f2588687e3e5
SHA256:64ec58278a13ba7b521db9b0f9dbca3794f4296280ba546bf9eb432949b4ade6
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	maintenance	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	maintenance	Low
Vendor	jar	package name	server	Low
Vendor	Manifest	built-date	2025-11-05 16:07	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	maintenance	High
Product	jar	package name	maintenance	Highest
Product	jar	package name	maintenance	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2025-11-05 16:07	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	maintenance	High
Product	Manifest	specification-title	maintenance	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

maintenance.zip: maintenance.jar: controller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/backup/js/controller.js

MD5: eda28b0d3fc75e6df1ec801c4dda1184

SHA1: bde7771a725ab5f735940d621e891210d76d746c

SHA256: a6b050a5c95270a0c67687822415186d22ee8330dcf39902d53e80d8272effda

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.zip: maintenance.jar: controller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/cache/js/controller.js

MD5: aa44ef9d57351256e8288279206e9da0

SHA1: 29d071ac271977ff8019c6031ee24ddabc5fc3f1

SHA256: 4fbd2dbd4693521ea657c6d95d5f20f8128e38208d742ad6388f76e962052fec

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.zip: maintenance.jar: controller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/main/js/controller.js
MD5: 0ff72e191a3f127973fc5a9381f1e3fb
SHA1: 2ed064d4500a047ef82b23173f0abf1e9813e1a2
SHA256: 6d60b6004b5b228cc1e6fcdf6ba01afc922d7d6e174f32773dbf32f1993085a0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.zip: maintenance.jar: controller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/programdata/js/controller.js
MD5: fa453d5635f82f0078c224f27dd99a7d
SHA1: 6288a3c4fbff29ee7cc6a8f69149de44c49ef5c6
SHA256: f7902fb5b8dd900a95b90969872c55787e2d4f65f3736d827fcb13c0ebcef46b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.zip: maintenance.jar: controller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/usercleanup/js/controller.js
MD5: 8761a32cdcf4e1e4a7685026230292f7
SHA1: c2d0abdc930a08da61c93cf63f310c9a74434f3c
SHA256: 358479a73183963c1626c72ae92d5c4f7c03b83363c80257ac03dc58eb4285bd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.zip: maintenance.jar: filechooser.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/main/js/filechooser.js

MD5: e68e2ea53d15557b2fb1deaf06d441d3

SHA1: 047d5f2582143536ea470e92aa91fb7b77c7f093

SHA256:c44d53718171530ce586b9932fe7126a09de8e6f7bb9e40aaf949483e432e87d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.zip: maintenance.jar: multieditusers.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/usercleanup/js/multieditusers.js

MD5: 9344849a6f020a58c0f0d718e8c76929

SHA1: 2d636915befe9bd1db90c54bffe6acfb088d87

SHA256:ab73fb84fe0687eaea50fa310992eb630da346b49387ccee829854f6ecc03329

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

mariadb-java-client.jar

Description:

JDBC driver for MariaDB and MySQL

License:

LGPL-2.1-or-later

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/mariadb-java-client.jar

MD5: 4f5c2cfaf1244e883a91ce1983e6540c

SHA1: 8ed7a307cfd58c7d08983440411e178730cab04

SHA256: a129703efd7b0f334564d46753de999f09b3a361489a2eb647e6020390981cc9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	mariadb-java-client	High
Vendor	jar	package name	client	Highest
Vendor	jar	package name	driver	Highest
Vendor	jar	package name	jdbc	Highest
Vendor	jar	package name	mariadb	Highest
Vendor	jar	package name	org	Highest
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-developers	mariadbJdbcDevelopers;name="mariadb jdbc developers"	Low
Vendor	Manifest	bundle-docurl	https://mariadb.com/kb/en/mariadb/about-mariadb-connector-j/	Low
Vendor	Manifest	bundle-symbolicname	mariadb-java-client	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	pom	artifactid	mariadb-java-client	Low
Vendor	pom	developer id	mariadbJdbcDevelopers	Medium
Vendor	pom	developer name	mariadb jdbc developers	Medium
Vendor	pom	groupid	org.mariadb.jdbc	Highest

Vendor	pom	name	mariadb-java-client	High
Vendor	pom	organization name	mariadb.com	High
Vendor	pom	organization url	https://mariadb.com	Medium
Vendor	pom	url	https://mariadb.com/kb/en/mariadb/about-mariadb-connector-j/	Highest
Product	file	name	mariadb-java-client	High
Product	jar	package name	client	Highest
Product	jar	package name	driver	Highest
Product	jar	package name	jdbc	Highest
Product	jar	package name	mariadb	Highest
Product	jar	package name	org	Highest
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-developers	mariadbJdbcDevelopers;name="mariadb jdbc developers"	Low
Product	Manifest	bundle-docurl	https://mariadb.com/kb/en/mariadb/about-mariadb-connector-j/	Low
Product	Manifest	Bundle-Name	mariadb-java-client	Medium
Product	Manifest	bundle-symbolicname	mariadb-java-client	Medium
Product	Manifest	multi-release	true	Low
Product	pom	artifactid	mariadb-java-client	Highest
Product	pom	developer id	mariadbJdbcDevelopers	Low
Product	pom	developer name	mariadb jdbc developers	Low
Product	pom	groupid	org.mariadb.jdbc	Highest
Product	pom	name	mariadb-java-client	High
Product	pom	organization name	mariadb.com	Low
Product	pom	organization url	https://mariadb.com	Low
Product	pom	url	https://mariadb.com/kb/en/mariadb/about-mariadb-connector-j/	Medium
Version	Manifest	Bundle-Version	3.5.6	High
Version	pom	version	3.5.6	Highest

Identifiers

- [pkg:maven/org.mariadb.jdbc/mariadb-java-client@3.5.6](https://maven.org/mariadb.jdbc/mariadb-java-client@3.5.6) (Confidence:High)

mysql-connector-j.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/mysql-connector-j.jar

MD5: a331817ab5c572777e25539a70b51bb6

SHA1: 56d34aea30915904b1c883f1cf731dd2df6029

SHA256: 06f14fbd664d0e382347489e66495ca27ab7e6c2e1d9969a496931736197465f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	mysql-connector-j	High
Vendor	hint analyzer	vendor	oracle	Highest
Vendor	hint analyzer (hint)	vendor	sun	Highest
Vendor	jar	package name	cj	Highest
Vendor	jar	package name	cj	Low
Vendor	jar	package name	mysql	Highest
Vendor	jar	package name	mysql	Low
Vendor	Manifest	bundle-symbolicname	com.mysql.cj	Medium
Vendor	Manifest	Implementation-Vendor	Oracle	High
Vendor	Manifest	Implementation-Vendor-Id	com.mysql	Medium
Vendor	Manifest	specification-vendor	Oracle Corporation	Low
Vendor	Manifest (hint)	Implementation-Vendor	sun	High
Product	file	name	mysql-connector-j	High
Product	hint analyzer	product	mysql_connector/j	Highest
Product	hint analyzer	product	mysql_connector_j	Highest
Product	hint analyzer	product	mysql_connectors	Highest
Product	jar	package name	cj	Highest
Product	jar	package name	cj	Low
Product	jar	package name	driver	Highest
Product	jar	package name	jdbc	Highest

Product	jar	package name	mysql	Highest
Product	jar	package name	xdevapi	Highest
Product	Manifest	Bundle-Name	Oracle Corporation's JDBC and XDevAPI Driver for MySQL	Medium
Product	Manifest	bundle-symbolicname	com.mysql.cj	Medium
Product	Manifest	Implementation-Title	MySQL Connector/J	High
Product	Manifest	specification-title	JDBC	Medium
Version	Manifest	Bundle-Version	8.2.0	High
Version	Manifest	Implementation-Version	8.2.0	High

Identifiers

- [cpe:2.3:a:mysql:mysql:8.2.0:*.~*~*~*~*~*](#) (*Confidence: Highest*) suppress
- [cpe:2.3:a:oracle:connectorVj:8.2.0:*.~*~*~*~*~*](#) (*Confidence: Highest*) suppress
- [cpe:2.3:a:oracle:jdbc:8.2.0:*.~*~*~*~*~*](#) (*Confidence: Highest*) suppress
- [cpe:2.3:a:oracle:mysql_connectorVj:8.2.0:*.~*~*~*~*~*](#) (*Confidence: Highest*) suppress
- [cpe:2.3:a:oracle:mysql_connectors:8.2.0:*.~*~*~*~*~*](#) (*Confidence: Highest*) suppress

notification.zip: notification.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/notification.zip/notification.jar

MD5: 9b00e4cdfcb8667ef21ab5d6ee563e3d

SHA1: 6660a3bee869025a6e692998733468a8de753fa8

SHA256: 49c47ce4a5b1633d03e26804327da6c646b8e939960cf3aad06a47e9aa1bea22

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	notification	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	notificationui	Low
Vendor	jar	package name	server	Low
Vendor	Manifest	built-date	2025-11-05 16:30	Low

Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	notification	High
Product	jar	package name	notificationui	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2025-11-05 16:30	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	notification	High
Product	Manifest	specification-title	notification	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

notification.zip: notification.jar: notification.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/notification.js
MD5: a7914294220b5e8b3455195997e7a654
SHA1: 6aa5184b6872c79a90cb0c7db02e4b383ae1d6f0
SHA256: 1adacc2b14565423a88959085345d44027d4ca43cb75b2a1dceb5ffdde9c0637
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

notification.zip: notification.jar: notification_config.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/notification_config.js
MD5: 323c074408d9e2dc2145230f2f2bec9e
SHA1: e6ca6eb13f3c22aedfbd90b0d7306c35cd7d2b28
SHA256: c86eed2c4c6b7df65bdebffc00a3ea2d809997c4b7a97cd22d55f7193ebd4b94
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

notification.zip: notification.jar: notification_taskplanner.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/notification_taskplanner.js
MD5: 34de69c55375ed77dcc583b60d7682a7
SHA1: 61bc262edf6fc6e902bbbc4bbc16c546a01e4f78
SHA256: ddb2f468d7348ce9388681d450895a6e4b5ba6c22d632f3d53bc1e837be83508
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

notification.zip: notification.jar: targetrenderer.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/targetrender.js
MD5: 9207efb9b92d4108c031b3e7f469ccff
SHA1: fc19cd09c51417a29979d39e3a74a2d99fbf9c03
SHA256: c6c83159f063f74a44c1d68bd67a67c4c96023c3eba9f87ce1090b8f994f49bd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

odbc.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/odbc.jar
MD5: edc6704ed21f059309feec7db1464974
SHA1: 556ff85f77efdef7a09228ad485b4e3587b7a8db
SHA256: 0276aac418c162cf4914b0673e85cec22f09c61b08754da93e0b779f36dba031
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	odbc	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	odbc	Low
Vendor	Manifest	Implementation-Vendor	i-net software GmbH, Berlin, Germany	High
Vendor	Manifest	specification-vendor	i-net software GmbH, Berlin, Germany	Low
Product	file	name	odbc	High
Product	jar	package name	odbc	Highest
Product	jar	package name	odbc	Low
Product	Manifest	Implementation-Title	odbc	High
Product	Manifest	specification-title	odbc	Medium

Version	Manifest	Implementation-Version	1.7	High
---------	----------	------------------------	-----	------

Identifiers

- None

opentest4j-1.3.0.jar

License:

The Apache License, Version 2.0

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.opentest4j/opentest4j/1.3.0/152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e/opentest4j-1.3.0.jar

MD5: 03c404f727531f3fd3b4c73997899327

SHA1: 152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e

SHA256: 48e2df636cab6563ced64dcdf8abb2355627cb236ef0bf37598682ddf742f1b

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	opentest4j	High
Vendor	gradle	artifactid	opentest4j	Highest
Vendor	gradle	groupid	org.opentest4j	Highest
Vendor	jar	package name	opentest4j	Highest
Vendor	jar	package name	opentest4j	Low
Vendor	Manifest	build-date	2023-07-06	Low
Vendor	Manifest	build-revision	214973bfa4e7e9be7d04e623202cc4147c7036	Low
Vendor	Manifest	build-time	14:25:06.116+0200	Low
Vendor	Manifest	bundle-symbolicname	org.opentest4j	Medium
Vendor	Manifest	Implementation-Vendor	opentest4j.org	High
Vendor	Manifest	specification-vendor	opentest4j.org	Low
Product	file	name	opentest4j	High
Product	gradle	artifactid	opentest4j	Highest

Product	jar	package name	opentest4j	Highest
Product	Manifest	build-date	2023-07-06	Low
Product	Manifest	build-revision	214973bfa4e7e9be7d04e623202cc4147c7036	Low
Product	Manifest	build-time	14:25:06.116+0200	Low
Product	Manifest	Bundle-Name	opentest4j	Medium
Product	Manifest	bundle-symbolicname	org.opentest4j	Medium
Product	Manifest	Implementation-Title	opentest4j	High
Product	Manifest	specification-title	opentest4j	Medium
Version	file	version	1.3.0	High
Version	Manifest	Implementation-Version	1.3.0	High

Identifiers

- pkg:maven/org.opentest4j/opentest4j@1.3.0 (*Confidence*:Highest)

pdfviewer.zip: pdfjs-dist.jar

Description:

WebJar for pdfjs-dist

License:

Apache-2.0

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pdfviewer.zip/pdfjs-dist.jar

MD5: 57149d661792caab7b262b841f199ca0

SHA1: 1dd919385c724d3caf7294f870cbfa3fc2185530

SHA256:55641dec5fc0d26127af3ec412c80234bc8c76e45639188034793c2205e8718a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	pdfjs-dist	High
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	org.webjars.npm.pdfjs-dist	Medium
Vendor	pom	artifactid	pdfjs-dist	Low

Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	pdfjs-dist	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	pdfjs-dist	High
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	pdfjs-dist	Medium
Product	Manifest	bundle-symbolicname	org.webjars.npm.pdfjs-dist	Medium
Product	pom	artifactid	pdfjs-dist	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	pdfjs-dist	High
Product	pom	url	https://www.webjars.org	Medium
Version	Manifest	Bundle-Version	4.9.155	High
Version	pom	version	4.9.155	Highest

Identifiers

- <pkg:maven/org.webjars.npm/pdfjs-dist@4.9.155> (*Confidence:High*)

pdfviewer.zip: pdfjs-dist.jar: package.json

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pdfviewer.zip/pdfjs-dist.jar/META-INF/resources/webjars/pdfjs-dist/4.9.155/package.json

MD5: f65798a4fb5f72545ae76304dcf58ed6

SHA1: 9a8fec5d3dbad5400bbbed30a0be7cb07c854f0f4

SHA256: 5a3c6c424b00e9d9cc490b0e357197f1b099a2f91cf6aeb4dd5002f77e1155ce

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfviewer.zip: pdfviewer.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pdfviewer.zip/pdfviewer.jar
MD5: 8c2b95b3742bb7d03ca84339d912b038
SHA1: c2bc42fc980f671f66b2bdfafada7158c2c0da58
SHA256:23312305f1626b779ff40c032c21b7a7c01215bbea14b1244182b567022876d0
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	pdfviewer	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdf	Low
Vendor	jar	package name	viewer	Low
Vendor	Manifest	built-date	2025-11-05 17:47	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pdfviewer	High
Product	jar	package name	pdf	Low
Product	jar	package name	viewer	Low
Product	Manifest	built-date	2025-11-05 17:47	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	pdfviewer	High
Product	Manifest	specification-title	pdfviewer	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

pdfviewer.zip: pdfviewer.jar: drive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/drive/js/drive.js
MD5: a61df90ad012e9d4c83859788ec19151
SHA1: 9a3461f7171aa71cb5200a7dd1140a5dd4c1d86a
SHA256: b16d712ec3e0e24b89a91b1d6002f61ce094fcd6a2624ff9e67ad9722ee90dfb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfviewer.zip: pdfviewer.jar: pdfviewer.angular.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.angular.js
MD5: 1e0d22af5c77627a6485695f2bdd10d6
SHA1: 8b670f76b503826911b1a439f602be0cbfa95133
SHA256: 26990964368293ee401c9bec49dc5de654e654ef42b667aa62f12273e9546e3b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfviewer.zip: pdfviewer.jar: pdfviewer.embedded.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.embedded.js
MD5: 83c45e0d7293b9373aa727b5b46fad6f
SHA1: 501bddea7565a6ddfbcc28dbd28548db4c5e75a2
SHA256: ecb5a921e11426c887e8dfbaff8454aa16e4a7c5f73d59463e951f9ac89d3c9e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfviewer.zip: pdfviewer.jar: pdfviewer.factory.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.factory.js
MD5: 70c61569c527fd7737957b471de5dd07
SHA1: 947a14d0e216a84e51575e6cc582df68c443ad1c
SHA256: 06b6d8369b50776cdb25f6a92a488a63b7abe3f529d8a0e4529070fa4a2f5404
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfviewer.zip: pdfviewer.jar: pdfviewer.model.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.model.js
MD5: 65061f85ec23077b6c98875be7b46164

SHA1: 1bebe940057d69c75870d43e93b52806a127a040
SHA256: bac57cd12d9ba31c7e012c761b10c4764df23e8b132bd102cc640f8995ec1695
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfviewer.zip: pdfviewer.jar: pdfviewer.renderer.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pdfviewer.zip/pdfviewer.jar
/com/inet/viewer/pdf/client/js/pdfviewer.renderer.js
MD5: d34b04e30b4d0d71a176ac708274aae7
SHA1: 485cbf2519f98dd3bec1159904ff4bc771dd7360
SHA256: ab00a5aa599e0c984409db9756b2bf415c6df469f0ccf92e0a59d1123237d62f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfviewer.zip: pdfviewer.jar: pdfviewer.reporting.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pdfviewer.zip/pdfviewer.jar
/com/inet/viewer/pdf/client/js/pdfviewer.reporting.js
MD5: da48dd4655e68609c373107cb5448021
SHA1: 85f7795753fd05c86b7f28417219a72258418869
SHA256: 58a1fd3c9e8fbb4803b10157f30292e58b9f418dc35409a616971280a3840552
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pluginstore.client.zip: pluginstore.client.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pluginstore.client.zip/pluginstore.client.jar
MD5: 91c2146734751b0bc074babbfa56a09e
SHA1: fe3c829570bac4428ebce31f11d82cd338daa3a2
SHA256:f68b89548ba6711c394faa8f1c2734b8d9e01c029f5fbf9e6f3a9f64af6857f1
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	pluginstore.client	High
Vendor	jar	package name	client	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	store	Low
Vendor	Manifest	built-date	2025-11-05 16:32	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pluginstore.client	High
Product	jar	package name	client	Highest
Product	jar	package name	client	Low
Product	jar	package name	shared	Highest
Product	jar	package name	store	Low
Product	Manifest	built-date	2025-11-05 16:32	Low
Product	Manifest	implementation-	shared	Low

		group		
Product	Manifest	Implementation-Title	pluginstore.client	High
Product	Manifest	specification-title	pluginstore.client	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

pluginstore.client.zip: pluginstore.client.jar: controller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pluginstore.client.zip
/pluginstore.client.jar/com/inet/store/client/setup/controller.js

MD5: b890353af95e8d67ed666d72e55d5583

SHA1: cdc7ae95f6ea08ce7051388a5a6487c8a965eec3

SHA256: b2efe42a4dfe713e2a079e24a1044fdc777effb0518d6750fdf9a3974ac78936

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pluginstore.client.zip: pluginstore.client.jar: pluginstorehelpcontroller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pluginstore.client.zip
/pluginstore.client.jar/com/inet/store/client/plugin/help/js/pluginstorehelpcontroller.js

MD5: 33e0b25623e005ecbba43c00c91b043a

SHA1: 6b9855a487458ce85ae48ee1c5a129b26093b289

SHA256: a70a95787e2759bf1d43b76947ea5d48e541c6d94c640d25c9efd31ce281e3a7

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pluginstore.client.zip: pluginstore.client.jar: publicstoreconfig.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/publicstoreconfig.js
MD5: 640b897e30bb04f24b310e948f963701
SHA1: c4f24830c5130eabd110ac29f1e198ca4f88e35b
SHA256: 45bf77256d46306542a6592243af524e1be940c5bef8746be0fd62ec7209eb84
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pluginstore.client.zip: pluginstore.client.jar: storecontroller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/storecontroller.js
MD5: 512668a61bc16fe85f6442a56f622a9d
SHA1: f9bc6cb342455404802657a7c0d1dd1ed6ec7297
SHA256: 7f183982c67d73d4a2bfb963dcc5aa8241b3beb2f2acf5d19aaec20357b715d6
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pluginstore.client.zip: pluginstore.client.jar: storedirectives.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/storedirectives.js

MD5: ec0e5529e70952af58b9df0ce2bfebb4

SHA1: 0b859497e1b59e55936959192636c3fec9bacef5

SHA256: 5066f9af1ecc472186f35289ec17fd270e6a0ef404796f1fbe6acdf69c40fe90

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pluginstore.client.zip: pluginstore.client.jar: storemodel.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/storemodel.js

MD5: 79df37a017eb872811c499812d1eb6dc

SHA1: 1765bf02e7673e3559cac97d4e8a8308c3cf7fcb

SHA256: 763d9661e237f8406a59f8fbec70549b5f4cf3e70e58b0c038bc233447d29669

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

promptdialog.zip: promptdialog.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/promptdialog.zip/promptdialog.jar

MD5: 3a0266d13ffb06ae234d84894310e611

SHA1: 1ddec95adc4f20a0b4e62e664c05c1ec999a813

SHA256:6f19f3e4ca54360b62c2dc4d7452c2b8182c64c7a2b98c5fda91f78cd2ca836b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	promptdialog	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	promptdialog	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2025-11-05 17:47	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	promptdialog	High
Product	jar	package name	promptdialog	Highest
Product	jar	package name	promptdialog	Low
Product	jar	package name	report	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2025-11-05 17:47	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	promptdialog	High
Product	Manifest	specification-title	promptdialog	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

promptdialog.zip: promptdialog.jar: promptcontroller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/promptdialog.zip
/promptdialog.jar/com/inet/report/promptdialog/client/js/promptcontroller.js

MD5: 9a1030e31357faa7ff332e07f31b2013

SHA1: 719be987ccdcc3264d5d3d086f00c1aefb24e080

SHA256: 5da72dc8b28b981a4ae5ff12babe1ed24733a8e828f6734da7e32988bc276783

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

promptdialog.zip: promptdialog.jar: promptcustomrender.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/promptdialog.zip
/promptdialog.jar/com/inet/report/promptdialog/client/js/promptcustomrender.js

MD5: 4a2ab3e2f8b066e6c2faad02c1bf6c16

SHA1: e78d0c78e0a4222aa77bb5bab99d5686ceef8786

SHA256: 249dece5c3251a2ed48cf1d60b25c93f473b33e22ec83b8980a3907bdf267b47

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

promptdialog.zip: promptdialog.jar: promptfactory.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptfactory.js

MD5: 8fdae9ff173cebe93a61e37d38b411f5

SHA1: df01371336e4d20ec91101bd4183bda94b5fb6ea

SHA256: 2c84e71877b13721299f62b69e9daf89c9b20db27cb8e8ade6fd4528949b37b8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

promptdialog.zip: promptdialog.jar: promptpanel.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptpanel.js

MD5: 99d16b2383290d43cd354674196e40b0

SHA1: 03c6c2111b242719e26e7ebb64a1c5e89e6e540c

SHA256: 7863b068cfa31af1c989f23a8f888f7858759728968e0d0335b6d5ac7411eea4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

promptdialog.zip: promptdialog.jar: promptrenderer.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptrenderer.js

MD5: 61c61ff08c770911316a7fef2450d6ba

SHA1: 9ab51332b7278bd9f50630cebbf0064101971b4b
SHA256:6ee26567dca9cf9d36e34c332500b735c83732876a89fba13607cf332eb3b715
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

quicketicket.zip: quickticket.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/quicketicket.zip/quicketicket.jar
MD5: 17439cbae2e6b5dfe26391c53aa1c5b6
SHA1: e4202a0bc066c82597d21b8f347f8138c5528781
SHA256:d59165b90cbfddf1bd1cbddd74728d3affe7472fea41ed1a102d5cbe15f320bf
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	quicketicket	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2025-11-05 18:45	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	quicketicket	High
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low

Product	jar	package name	plugins	Low
Product	jar	package name	quickticket	Highest
Product	jar	package name	quickticket	Low
Product	Manifest	built-date	2025-11-05 18:45	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	quickticket	High
Product	Manifest	specification-title	quickticket	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:25.10.233:*:*:*:*:* (Confidence:Low) suppress

quickticket.zip: quickticket.jar: configuration.quickticket.createfolder.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/quickticket.zip/quickticket.jar/com/inet/helpdesk/plugins/quickticket/client/config/configuration.quickticket.createfolder.js
MD5: fc5ef70d60d8574fe55112306a06907b
SHA1: 73ad9791f16dea6b384d900f6e1ccd7893bfa4dc
SHA256: 93a3db50c5bcc486ad8bd79970aef9bd766c1131bbd84664f9195843caf5b6df
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

quickticket.zip: quickticket.jar: configuration.quickticket.edit.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/quickticket.zip/quickticket.jar/com/inet/helpdesk/plugins/quickticket/client/config/configuration.quickticket.edit.js
MD5: 0bfdacb57a152820db8d3f71116fcff9
SHA1: 18839a4b92db85769f62fb09d9467d4c733bea4e
SHA256: ecf1c9cf6a881c8615a501e462c8f9f3185c2cccc4f33c623008b325c7e25e5a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

quickticket.zip: quickticket.jar: configuration.quickticket.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/quickticket.zip/quickticket.jar/com/inet/helpdesk/plugins/quickticket/client/config/configuration.quickticket.js
MD5: c6e56f0b46ea4850b31200ee98d6ba03
SHA1: 91689e003a8df0ea100d46e76e7406cc41c01777
SHA256: 51ccb75031fb8e7cf7bd23e8c7e971afc2c9ba41d408cf72237b140681236ab2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

quickticket.zip: quickticket.jar: configuration.quickticket.renderer.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/quickticket.zip/quickticket.jar/com/inet/helpdesk/plugins/quickticket/client/config/configuration.quickticket.renderer.js
MD5: ca9692ad08b8e24f750cbe47cbf9b156
SHA1: 5bd270f9d5363e2f0a7827cb01d634363e1cd7ba
SHA256: 89db080f32a112fb4c668b1ce1376f98067edf7c89dcff9249ed3aaa0099b5c5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

quicketicket.zip: quickticket.jar: ticketlist.extension.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/quicketicket.zip/quicketicket.jar/com/inet/helpdesk/plugins/quicketicket/client/ticketlist/ticketlist.extension.js

MD5: eb9510fb0314fe12203eca0f75b16ae3

SHA1: e3f18085713d2ddffbcc28f79008d99156d2d40f

SHA256: c8d575a739dca75b067d2d004318fee69e31c012b998841d892e388879495499

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

quicketicket.zip: quickticket.jar: ticketlist.quickticket.apply.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/quicketicket.zip/quicketicket.jar/com/inet/helpdesk/plugins/quicketicket/client/ticketlist/ticketlist.quickticket.apply.js

MD5: b233e7a67413fe78c5ca169b53799a80

SHA1: 17cfedddcd3ad725e8cc6bb96eb98a83ad4c0bc14

SHA256: eda543914916c26b6b9a0a0108f669667e970138656922b22aba98bc848cb2d5

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: angular-animate.jar

Description:

WebJar for angular-animate

License:

MIT

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-animate.jar

MD5: 1dcc988a8392618e7c5127f57b3453d1

SHA1: 7ea94213dad8a46ab088e1a3dd6a5def2ecf8e78

SHA256: dbbce06145963ef7bfd197c1646722fedfe76a9b54b01f1b6dc7ccf7e8b51163

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angular-animate	High
Vendor	pom	artifactid	angular-animate	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	angular-animate	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	angular-animate	High
Product	pom	artifactid	angular-animate	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	angular-animate	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	1.8.3	Highest

Identifiers

- [pkg:maven/org.webjars.npm/angular-animate@1.8.3](https://mvnrepository.com/artifact/org.webjars.npm/angular-animate/1.8.3) (Confidence:High)

remotegui.zip: angular-animate.jar: angular-animate.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/angular-animate.js

MD5: 31312b87e7226c8bf0714fcef0ea5d18

SHA1: dc9fb55f2c7f922c5ba83449266239ba1353db45

SHA256: 58e79e0e7cbb1e1502d216701e1fae41c405d92320aea1b68a223054096fda93

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence: Highest*)

remotegui.zip: angular-animate.jar: angular-animate.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/angular-animate.min.js

MD5: 5d2d0f42bb7e1b5503e914674f59dad0

SHA1: 4c15a58541e53c451c6f946d2048104f88b833c7

SHA256: 8e6202b1330a469a61ccdeebbd1cb3a20d0ecd8d106f68da5b85e9b67a1cd5

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence: Highest*)

remotegui.zip: angular-animate.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/index.js

MD5: eca59ea32960ae595dd18ad9480185b1

SHA1: b8fe1c0a06b723a75c7e596fd8a86d91965f681c

SHA256: 7f2f9350e5624bf86e8760d1deae03fae4477949284b49471eb67e2b6498cb7d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: angular-animate.jar: package.json

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/package.json

MD5: 13957f0482b591f50a2e9528a5b84330

SHA1: 16ec0d9e9e70f179261a1bd672e610b159876ff5

SHA256: e2fcbbc9996d890ec0c6601b2c9176a1ada7806e1dcd6eca8549bba9022235877

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: angular-cookies.jar

Description:

WebJar for angular-cookies

License:

MIT

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-cookies.jar

MD5: 5d743cd15e44b5a942478abaa3a008ae

SHA1: 2ebe196f9032e261a470467b5a14632d81d3d4f9

SHA256: 0809dd125183f03e6682985208de5f1221478221ed41667545133f7e729dd000

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angular-cookies	High
Vendor	pom	artifactid	angular-cookies	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	angular-cookies	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	angular-cookies	High
Product	pom	artifactid	angular-cookies	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	angular-cookies	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	1.8.3	Highest

Identifiers

- [pkg:maven/org.webjars.npm/angular-cookies@1.8.3](https://www.webjars.org/org.webjars.npm/angular-cookies/1.8.3) (*Confidence:High*)

remotegui.zip: angular-cookies.jar: angular-cookies.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.js
MD5: e17187aea1f0e6dbd25722e34b754915
SHA1: 20f43f716b9fef7d72537bc1b0e5aa2bc480cee5
SHA256:f3291c552042f6d0c500167769912a78ab3ecec9917128b2d6ea8e7c6714bb97
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence: Highest*)

remotegui.zip: angular-cookies.jar: angular-cookies.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.min.js
MD5: c41aff8423276d46f0d02de6dcb71524
SHA1: 7dc53f75d5bf7dd2c770cb50f31242c70193c086
SHA256:926509b494009bea03288bba191a2b238032188e9112377e50fbfe7814c6639b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence: Highest*)

remotegui.zip: angular-cookies.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/index.js

MD5: 88188b8869bb0cbae63eb86aa6c1059a

SHA1: ce388b565b0d0392802138b2a7d4bf393c3d49f9

SHA256: b1b8d54ed8400d4f997da0f2fa672e8728d4771a77028d9f495cf1732fcb1e6f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: angular-cookies.jar: package.json

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/package.json

MD5: 6785fbb341602e147af808078db0d42b

SHA1: a30ac55dae62b1a7c8921c7687a3276dbeeed564

SHA256: 81847196d700fe42834ebf82cb0c68267d9c237134566556a466e070659c7222

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: angular-sanitize.jar

Description:

WebJar for angular-sanitize

License:

MIT

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-sanitize.jar

MD5: f47ca0f7e843acea25d245b34ce30feb

SHA1: 8050e163f66fb899645cc67ffa67d92a25096902

SHA256: 4de072c9e746b2bf70aee70cc1c9b61350e017002dd71089e5f66a587f7ed92f

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angular-sanitize	High
Vendor	pom	artifactid	angular-sanitize	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	angular-sanitize	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	angular-sanitize	High
Product	pom	artifactid	angular-sanitize	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	angular-sanitize	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	1.8.3	Highest

Identifiers

- [pkg:maven/org.webjars.npm/angular-sanitize@1.8.3](https://mvnrepository.com/artifact/org.webjars.npm/angular-sanitize/1.8.3) (*Confidence:High*)

remotegui.zip: angular-sanitize.jar: angular-sanitize.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.js

MD5: 0127d7a139abfc8bd45875a9c8ea6348

SHA1: 197aea2acc25a0fa821766400950cac58a3627a5

SHA256: c84c65250afe5a1265f36a7e16c6010652e55c2ae3a779c351fb68536c42bf64

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence: Highest*)

remotegui.zip: angular-sanitize.jar: angular-sanitize.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.min.js
MD5: f3c62abeec216e9431e7d5b22d8e813b
SHA1: 21355ef18c5e1ce2b2c711b9dba21cbea0655646
SHA256: cc80a30ad0439c2e9c209b3d7fcfb1d10e6007fd1d00c9cc144f393664a7045
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence: Highest*)

remotegui.zip: angular-sanitize.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/index.js
MD5: 796078246b8e97f002ea5c97c4c7de54
SHA1: 0ce03000a4c04ae0a8b4353715bda54b8a8e8c69

SHA256:44cbd8c36c3e2818d011eb0dc7d95293730667fa5a98a23449e9b4add369f65b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: angular-sanitize.jar: package.json

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/package.json
MD5: 515d23261280a10a4d84ed267c425880
SHA1: 84d37bbaefc2117ac59c79b0d87a953a1abd4911
SHA256:5e5c191e41b4e9902cfaeb95878d5b92333585e6dad936588fe1adfd1445af86
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: angular.jar

Description:

WebJar for angular

License:

MIT

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular.jar
MD5: f339a9a66a64c67eebb21ec3b251dfc6

SHA1: cff4aee339a9ca4ae2f095079930edeaad6a94ee

SHA256: a997eb40987ddb5d3bf64adf3d33afc3ac2b1eb2e7255b5203a387f8097cd0

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angular	High
Vendor	pom	artifactid	angular	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	angular	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	angular	High
Product	pom	artifactid	angular	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	angular	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	1.8.3	Highest

Identifiers

- [pkg:maven/org.webjars.npm/angular@1.8.3](https://maven.org/webjars/npm/angular@1.8.3) (*Confidence:High*)

remotegui.zip: angular.jar: angular.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems

/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular.jar

/META-INF/resources/webjars/angular/1.8.3/angular.js

MD5: e09f650a016c24bc1b5a1edc93bfade

SHA1: 0f1f7445b761b9bbd5385f9f0b316dbf1ca48696

SHA256: fdca889e76f55fdee7ab661920f37ce19233563bf7f4ac8120f8ebc2ac768768

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High

Version	file	version	1.8.3	High
---------	------	---------	-------	------

Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence*:Highest)

remotegui.zip: angular.jar: angular.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/angular.min.js

MD5: 967a32633fa8f38f4ac3376c1a37b992

SHA1: b53b74d8e0b732dcdb98fbe521146b88299ea2f1

SHA256: 396dc1a03d6cc02e9c51a80246e0db53c5c8df9bd07287e3b51bce4a29dab355

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence*:Highest)

remotegui.zip: angular.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/index.js

MD5: 0d848853205d22ab8be985876aec948a

SHA1: a2bfe847bea879ad2775509c4421291c404d8c21

SHA256: d469f8e93a4c345f01d81d162a803116de1bc6afd4bfeba8b45951449956b686

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: angular.jar: package.json

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/package.json
MD5: c5e0d73dc5121cf479c775248d2ca497
SHA1: bc29d1f7c080dfb1f701ad4f1c4ff548916f28e5
SHA256: 95ad7872af90c37e7a5597581f5bb2362d59c49fc3f2766dd9f2568a041cf10a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar

Description:

WebJar for codemirror

License:

MIT

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar
MD5: 669061572ba6292cc848f48535366409
SHA1: c1c5b1fda926e89ab3204a2b4d2871078ce6d448
SHA256: b5f4ff56ec0eb788f4c150fc67b7a127e189e555e2438318742003e01c78282c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	codemirror	High
Vendor	pom	artifactid	codemirror	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	codemirror	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	codemirror	High
Product	pom	artifactid	codemirror	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	codemirror	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	6.65.7	Highest

Identifiers

- [pkg:maven/org.webjars.npm/codemirror@6.65.7](#) (*Confidence:High*)
- [cpe:2.3:a:codemirror:codemirror:6.65.7:****:*](#) (*Confidence:High*)

suppress

remotegui.zip: codemirror.jar: CodeMirror.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/CodeMirror.js

MD5: d154477df9eebe156a1a493731acb01d

SHA1: 69efd74f28f36317a2bb9101dbbaec73f5ca3735

SHA256: 258db73a89eb6d88475013d38f4e0e01cc1476788f931058bf470db1ee26ca53

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: ContentEditableInput.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/ContentEditableInput.js

MD5: 40e61dbb4388425c66403ecd7e9a5a10

SHA1: 70cfc8bedef61e8d2f6cbb85ee41d65088d44c53

SHA256: 5c07c3caef1fc6122ef3ce8d681afb87d65f86aaead8db5d1ca3466803b57da8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: Display.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/Display.js

MD5: bbf05006cf414f786e21cdb02b443aac

SHA1: 6bcab3100f9fd46d39f5c47d78b6ad9ad863b464

SHA256: 6e26756a9ae829558cf81a83fd9d48dd0f605241c7c7e8028a8bcf94bfa7a9d4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: Doc.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/Doc.js

MD5: 66f02c635454d1ae55f7472709417566
SHA1: 8799d7becd0b3ee9bfd397c157c43ca6ebb264d0
SHA256: 32bf377fa99365b49732f69c5e565c61995fefdf8d0bc6f3404d4fc00ed8ac7f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: StringStream.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/StringStream.js

MD5: d187f08909bf9bb188d04c79f089c26a
SHA1: f5c4fc956b8b4de762087204024eb625cb00a790
SHA256: 9f1ab50bba4ae102fa5c611d4ef5b056d063a63a7f20cfef59eea64e93c3e04e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: TextareaInput.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/TextareaInput.js

MD5: 87e959dd1978b0e022083d3e5ad65158
SHA1: d08b9e7e675368968faf8e93bb1dbaddf9996410
SHA256: 48684a26a28a3fd1793a80aa67509c4281b56d6924d25511540a1d19aed72eb9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: active-line.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/selection/active-line.js

MD5: 774e515fe054cbcd6cc869bfd550b17d

SHA1: 3d950f5055286088e93e0ee4c8a1d62eaf8aedac

SHA256: 3afbcf78835c9bdc342e3992c53d9b74286722613bb1a8adc9d140edc8737ee8

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: annotatescrollbar.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/scroll/annotatescrollbar.js

MD5: a9dfd7f9d78bd36c617429ed88cb67e5

SHA1: ad1133e5432a7c65881747c87c84529fed297ecb

SHA256: 9041e8d81e3cebc481cabfae90d3b80596f3194de75d98e5526d3bfa44ae3bbc

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: anyword-hint.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/anyword-hint.js

MD5: ba7fa17b24f0937d9431f93b9de2da37

SHA1: a87db7c6de5231a1bfd702e26ecf4aa76d822a0a

SHA256: e834ad178bd23449476e29179e8cb9f0c1ebaed35dab9059ed9a46b388271f3e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: apl.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/apl/apl.js

MD5: c0d55e310ae0a4290d3fcca84bff448

SHA1: 006c98d2b17e85168065eebf44c3 added91b9ff874

SHA256: 47e0fdac0a39e0186019064e13b674dda4223b03b2748d34cccc09489fde2674

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: asciiarmor.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/asciiarmor/asciiarmor.js
MD5: 42e5c7f3f48fa085f63bd7708bb204fd
SHA1: b15cdadbf5a869d06a79e6a9e187d0509dca1239
SHA256: bdc6b68c4b0c9dc53b2af587673461a495f123a5b9da8f6be79d97fee2790f9ae
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: asn.1.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/asn.1/asn.1.js
MD5: a928fdb102ef88113a9d1c0d9e520114
SHA1: f293930644bd6093dbb02475e8b409fe9794f437
SHA256: 5b50cca4b34820cb3d57c218945ff2d870d57eba83e13c2c66590063e2a23acc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------


Identifiers

- None

remotegui.zip: codemirror.jar: asterisk.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/asterisk/asterisk.js
MD5: 2f4e25e805d878f43b8568609c48dba8
SHA1: 109a76d631e43dd32c13cbb0c23ad83e1851ad0a

SHA256:0849e3a141e967559d752de2205956cb690f1d4ba0a5ace5481c6c565db9b674
Referenced In Project/Scope: server

Evidence 


Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: autorefresh.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/autorefresh.js
MD5: 16b07faa9ef79a1fb79432fb4f4a9e3a
SHA1: 091a2b17758e7c3182542314256139a2247b508c
SHA256:2ec9d5585bd24d7611f30ebbb1cd8fedf79747cf89c1f83852dd1dd9981f10bd
Referenced In Project/Scope: server

Evidence 


Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: bidi.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/bidi.js
MD5: 22a12be2f1e24a9bfddc5c3b0d187ede
SHA1: ab735d3376e0040172b6dc972f97df663f231dc4
SHA256:0a4646d7a1214acfc71ad351d021f31795b056ce7a08f80d29857aeca1a5163b
Referenced In Project/Scope: server

Evidence 

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: brace-fold.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/brace-fold.js

MD5: d56849bd7cce8a10ccb842d50f0de179

SHA1: 4103103f28436925442d5397c24425fbaf660fce

SHA256: 2907087538a295e5b4f084f8c5ee7eba35cc973db194cbf596ab13a6c97a6834

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: brainfuck.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/brainfuck/brainfuck.js

MD5: f3ff733b3609dfb34a49652f6a4a2d09

SHA1: 41a8164ddba5e25fe2401265eb9fd4222e415549

SHA256: 67496a83fe1ea3304a3f65a8f8196f3a4a40060ea4febcb60a82c7657205abd

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: browser.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/browser.js

MD5: 564eafde7c1566f1b9b0d976cc3ace2f

SHA1: 2c592606b3242ac9cf080d138aae3516cc2ef05d

SHA256: de647094595511fabe9d548d9e45dacf746d7b83a198cb69b5b8859fa3eccb30

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: change_measurement.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/change_measurement.js

MD5: 39707c0eb637648efc07d95bb60253d3

SHA1: 025a52f620cc5b6edee8fb9c63a3f6ecf4c2284c

SHA256: 1d1648706bf317acc33a64673cb4fbc2d2a7db8205bcc1cd9fe52819c13b87f0

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: changes.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/changes.js
MD5: 822465b81d600e9a703579605e2147bc
SHA1: 1b77f1034de1cac51a8ff50e48f9604bc62556e5
SHA256:13b0b2c417e0181ec9cb012932c1fa167c50171133391c00582e2939206362a0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: chunk.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/chunk.js
MD5: 7dd1b45f75341b5a03a01f6607da69a4
SHA1: 89dfb21758e8a384033d09678a8d5b1ce8983e6f
SHA256:18f55da6b39c1b12fb5406c7962a88884e00d2122566622784720cbe612fc676
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: clike.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/clike/clike.js
MD5: 145b41ea6cde47e8889ef8b2214eecde
SHA1: d0ae7cc4040a57a76b86265f492f87e251d1cc9d
SHA256:a1ff458a030f8b1db2d901811344f3e178eaceb19b598277d054bf83dacfec2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: clojure.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/clojure/clojure.js

MD5: 7f3277e322bd000aefbfb172d3edf7e6

SHA1: e701f8e843e3390a0a411700d3c8989dc147780c

SHA256: 86b7b779ab84fa77bc6e461a05fd0887d85a3c8cd42a96576cad973b355bb1b8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: closebrackets.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/closebrackets.js

MD5: 667059f346609f6ad778936b17c43824

SHA1: 248b45be826a8856a0ed0733c8511d9d0c595507

SHA256: 143c3014c29254f3531cc30be6d90205084bcfc36cfa6f9b2a46fd42a40be20

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: closetag.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/closetag.js

MD5: 744876ab906996c429eef7654278f514

SHA1: 0e0e10e59f93f87c9bc35247b14831091113adb4

SHA256: 6fbe2b93cc1744d9e14ad1d613449f7e16df4c2aa2842f658efc17abf662f850

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: cmake.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/cmake/cmake.js

MD5: fc204bb5f2393f59bcd34a860f1e1a57

SHA1: 73985b80cdb80d12831a7476b740733e3fdd065d

SHA256: 6379ded0f75af38659031d1eaa803d2bd5be0fa7cebc216e55ca65d01a35bf1a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: cobol.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/cobol/cobol.js

MD5: d8a271c0bf27ef5cc2dd8ea19886aa75

SHA1: 93072b3c895318fc58f8ed16d68cc213ac7910de

SHA256: 0cecf82da2915c20187ab4e29cfc4abbb0078536874b27978726d48371487e4c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: codemirror-standalone.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/codemirror-standalone.js

MD5: f1f47322e6af5937de4a14fb10863e3e

SHA1: 843d01e1379550e5fed3e64aba1af1a359441e7a

SHA256: a18754c4ae17e27b7bba46b338c404d28804e237f41425aed96904c0aa1f49f2

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: codemirror.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.

jar/META-INF/resources/webjars/codemirror/6.65.7/lib/codemirror.js
MD5: 15fc3cdf569fa38b1f91d86ebbea13d
SHA1: c5f9252d9467c2af70c5e6fc579e696648ee242b
SHA256:a4f1c30365d5f85951a22160b07a7ce34048cb640c283545c8192132b46efba8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: codemirror.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/codemirror.js
MD5: 0d4d22de0bcd7f7afd8131d4e59f130
SHA1: 819f8c37a4df0c61ef735d5b884c6c598bc0983e
SHA256:b2a1b676605c6428b6dd7ce21a8a0d2509d4652ceb2297be93078ca6d66926dd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: codemirror.node.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/codemirror.node.js
MD5: a524724c274d1c038c7984e164428b3d
SHA1: 18fd7183236cbf1437175c8d31509ffa6cd4ba64
SHA256:fdc02024dc3845f85b38046ae842b0f572f91adc5f34a6979cd92ead0fe4a0a1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: coffeescript-lint.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/coffeescript-lint.js

MD5: e852ea5b9ebb97947ffd169523eca098

SHA1: 58ec1f05cb6893a519fe2d7ad1b9716f15219b89

SHA256:824caa68710a7f931ebd30491fec19dcd2c6fa166c21158f5ccd61321069da2d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: coffeescript.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/coffeescript/coffeescript.js

MD5: 438a52e20ca46a26383d4eb6d33a5c6f

SHA1: 8dd398cbd2955bcffcd70180f9fb560f56acf567

SHA256:67792b36933d29b482307761ee03da520a19b3b30ca60f54df9cdef4051db628

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: colorize.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/colorize.js

MD5: 626a64f8687ca9576bb017843ab2c30b

SHA1: 4899e8d499849fb02f134afb39711d3ab2c28903

SHA256: 9d39f5267c05d930f079fc4f223b453e8f9fd54cae6cf52db9b5dc3a0b9dd694

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: commands.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/commands.js

MD5: 9f984e904c9556f8e270502eaf1d5a5b

SHA1: d16928b2cc389c46f7b77121beb7376a50f11c35

SHA256: 5f23178d2f8f62f97af955560fb192e5aa898f81153b9c24cee8ed6ac567f658

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: comment-fold.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/comment-fold.js

MD5: 3bf750756a24d5a0ba9cf16819bf5cfe

SHA1: ad4d1534287f90692567139c0b007be29aac4a9d

SHA256: a79d02eb1b425d8a4823f2d962b7b9f49af578fc9042b928b892417c00e7d13a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: comment.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/comment/comment.js

MD5: 18fc449bec0798e43182173ba47455b9

SHA1: 29442cfbafce86a08679824a999b87ec1acdf567

SHA256: a65c038258c6541658a0e9f24c56c78255e0e20d4cf06aa9ad83342069a589be

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: commonlisp.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/commonlisp/commonlisp.js

MD5: 9449ffe942392a1ad14eaa723578b606

SHA1: c734ecc91ff4949d4cac179a55bec5cee55da153
SHA256: 0efe46913f843f5c335c79e05ae758e60212dde9cd3c45d99fae8066bd13c128
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: continuecomment.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/comment/continuecomment.js
MD5: 174c186ec1902fdb1aa708a9dea1aa4
SHA1: 7c3bb959b0c3befa4395c61ee8fbba3f7f6c6033
SHA256: eb64c50f80cb3080052971bc075bbbf421ab50287804af8ce47b0536da5365e9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: continuelist.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/continuelist.js
MD5: 630509c4379923d8c811b3f1acc931fc
SHA1: 09118fd53589fe18289006df5cc57b4818321197
SHA256: 6ba9cd9528b74e7f76f4b9ce9ed0677bfed7057d1aade0050185368cfd0ea2e3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: crystal.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/crystal/crystal.js
MD5: ae980ca83523592958a2c7f8144bd365
SHA1: b52f1f9ec7c854891491f792ae93aae419efd2ac
SHA256:5e6e8458e3fa4079ff438060ac7f93b8b7a160212b1cce92516f1ea9680b57da
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: css-hint.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/css-hint.js
MD5: 55823389add79e8c52ffa7df6ba94515
SHA1: 59e0f4c17ecd9595fe88a84bc47fbb994803fab6
SHA256:0e22d6efa1ea084e8316ec6d5e4c809534f0e36f363bbc4156609201d95c6601
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: css-lint.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/css-lint.js
MD5: e392cd5f86989535e38b3cbfb5134985
SHA1: 0986b3dc26b02d98a91b91bb38d46065b5c0214d
SHA256: f3fc7474cbefded7f1b06d63efe980d58970785831cb35f29874ec371cb4ece8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: css.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/css/css.js
MD5: 3675078ada8a185a353a6560bda2d5ac
SHA1: 1045cdc88a58fb002511eb21db184ed242730f05
SHA256: 60f0689e5c6af7f36c341e8e1341a4f10b4f0a04cebf7341bcbdba9b572b32
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: cypher.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/cypher/cypher.js
MD5: 0439f14eea37e69f9bd0af1b9c57e014
SHA1: c65b82f89865edb564d52f00afddafc3d18a8d6b
SHA256: 6d8c9c8993fdeb724f1f68e9574fdab0001da1d31196e33ac6112303005d3f63
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: d.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/d/d.js
MD5: 0632861907c7e77ea48e0952d2081136
SHA1: f000ac2fe16c377837034c69cdace651a45f4e7a
SHA256: 8e3994ce4f507e692b65aa73ffbfd58112c4a22771b84b8ad86152578d4e8130
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: dart.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dart/dart.js
MD5: 0bfa12b4210e1faba31c98d2fcbd226f

SHA1: 4caa7d422c3c931f7df5b46e09c9596a9ca19ed0
SHA256: b09be809dc1f9e3ad59374b198b0e5c4992788b9ff524765fccd0b84fde52212
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: deleteNearSelection.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/deleteNearSelection.js
MD5: 813d638d2d4693bd14f7b6490445a417
SHA1: eec62305710c8c0a032933bbee41c3fd45142669
SHA256: dac971ad5b761896b830e95f5e2240e2748fb83c909ef4c5ea4fd1f60ae031fd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: dialog.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/dialog/dialog.js
MD5: 1b33c63e7d89d740d4738ce9766b19b0
SHA1: 14cccbefbcb2f33d928c4a41d854237cda5dd97
SHA256: fd8c925fcc25357617faff21220c026bb91a617b995268d96c5d39232fd42833
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: diff.js


File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/diff/diff.js
MD5: f80746d74770ee6dcf444e99f75d5537
SHA1: 45f65817bf0cfe00f52a620c44e48031e926e5bc
SHA256: 3fd0e844e22f475503415744b7e7af24df4cd0670709c77e5e43e92185ba32fd
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: codemirror.jar: django.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/django/django.js
MD5: 3c02fcac64b6100a0f369edc8d145f97
SHA1: 9ab00e90ea9a3788178187e9451bdaf61bd311fe
SHA256: 71a3fa0ac63fe080a12097209e509c36abe0fde9c9709610be1656163d25a8bc
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: codemirror.jar: dockerfile.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dockerfile/dockerfile.js
MD5: 35fd7d7d73ad6c400c0afed686a383da
SHA1: b6574f6951c483c563456c9094178769ea733631
SHA256: fca390cea85e1b711389d1a91b99faeccf7b4df0f48e3ceaecf2e517982cb2b7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: document_data.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/document_data.js
MD5: 86420f7d4afaa1aa00313618bff8292f
SHA1: c26428a7245c7ccbc2da6e15ea8071a308efe21e
SHA256: bded28025266e28229d4328e2a4ff6c829e26757b12861ec0c561c495d4b87e5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: dom.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/dom.js
MD5: b56830faf8f75c5daea99bdc94508b38
SHA1: 6425ef8de5f6d50a057a5cdaced4da9ed166ddfe
SHA256:20275e6018fa90811c51e20246d4803c01d7e744f64434bb9194c7b1df41d1b1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: drop_events.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/drop_events.js
MD5: 940690e5c792ff535ef797090cb7ed5d
SHA1: 05108fb9bb15e761e86ef290e006cb7c620de955
SHA256:60fa1577514a516587de192c7c779b4447aff1b6d26de0498030340e12945390
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: dtd.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dtd/dtd.js
MD5: eb3e9b71c4e33120225df386c29a0b30

SHA1: c91a19fca8b5bb610ff35e8ea7c9190c9ef996f0
SHA256: 3f04995b147addeee1637bbfd0054676e78d13f7accaf2f589c55837d70148c1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: dylan.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dylan/dylan.js
MD5: 99e3fa83adb7b3af2e363942a5b720ac
SHA1: 795b6199d3643d0a9eb0b018a02357da66be8f3d
SHA256: 999b862ebc559366e71a731e2a28b2762ae4fe7c7882ba5f6bf20c33a2d737b7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: ebnf.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ebnf/ebnf.js
MD5: 8d8a62f6874e4e8378d16d02b09ada60
SHA1: 84295b3d4f48cd3080508f3c5c12ecca2842dca4
SHA256: 1175e07f831fd02ccf09d4582351c5932a48fa03be5c0eb1028c8f96c051935f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: ecl.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ecl/ecl.js
MD5: 04722d23df4c17765bb397d871875452
SHA1: 63a19016bf2e53ba5c73fde154b9bbc19d96130d
SHA256:c78998872dd14cdb356d5a9bd196f7d3525e3cb03a591133e0e904afaaec11b7
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: eiffel.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/eiffel/eiffel.js
MD5: d202831cfe3aa85bdefffd44534dc98e
SHA1: e5767dbfb329d8e3786acf893d038e1e4dd35c39
SHA256:183e855f6474cc2c4cf0b6c5e5c40ea7821707d37ac414277dcda294ffae1721
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: elm.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/elm/elm.js
MD5: c37089c171d4384ec97f9af66d5ac972
SHA1: e28a667656ac12ff06766d2ee857962dcd9146e2
SHA256: e343ffaaffff2dc6fd9c5923228b46c23723c396993459eca6217871f1c087ebc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: emacs.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/keymap/emacs.js
MD5: 258e09f1d4cdb812940d869afce12a11
SHA1: fa3b963c38f809ab13c37fd7aa654ac46a39e740
SHA256: af2f42c9f461951f13e9785f634cc9f8e5d63b0c5c2375b331105dea19a71fef
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: erlang.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/erlang/erlang.js
MD5: 29f92a4be923242d30cf1f4288c89adc
SHA1: 45f94b33af2bc74d8c5eed73de27eb8a4047c20
SHA256: 2ae29808247e9d6a58a83893b0e8b627c0ca337cfa541ef16fb506edfdb77e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: event.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/event.js
MD5: b700f1676589e7f88e59c943cc209156
SHA1: 516c718a9b2f86f68127680267b92d10fbf5a579
SHA256: 1b13113fab8763c3c9e2284d1b6bdf1f84ab3424999a2eacffb771ea8b75513
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: factor.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/factor/factor.js
MD5: d497dd1c4f0f85b83245bfb80943e5cc

SHA1: ec2430a02377f3b14692370e329b8f83b017d1b9
SHA256: baf7c16c387e7abfc308dfcb7fcc1ea9ae0a898d13455349083ea72c7bfa4c4a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: fcl.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/fcl/fcl.js
MD5: bfa4a30d52fa501346b203c8ab6aa0cc
SHA1: 9befb1efc7f051c189e1c2c7cccd976576bcefca
SHA256: 7c9d372be44c1c418a101885662d80d4bf6104e1b717d36cbdbd05a5956abc70
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: feature_detection.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/feature_detection.js
MD5: 3b63813f217d9351f7a1d90edf345310
SHA1: f236ad77f54768dfaf4b78905be71b6873691698
SHA256: 4aeaf197f379b3450c8c297f23e449df3795a9954bec48cfcd4b3615d5f371
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: focus.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/focus.js
MD5: 307daeb9d6322c3905fc5b2ba846fa16
SHA1: d1e1cceb41ec90a9b18fd25ae6cad9805e86811d
SHA256: 2f6ad1d093d5d933ad58ded481d34002320d2887b5d06badb35918289338757e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: foldcode.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/foldcode.js
MD5: f520bc635201c451609403065b8bacfa
SHA1: 78958ff57ef86b84ac8a8085a4f0923433eea9d3
SHA256: 07f353e02abcc300739b09f31a9d32a958ebe5d2f76959291e5643c6e40a26a5
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: foldgutter.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/foldgutter.js
MD5: 9606e4f3ca8c5ac259c2cf703753017b
SHA1: 2f4f7e099042dcbde74bfd3a8f5856f595326ecd
SHA256: fc85fcd61894dc551a4c7c221ec41b7fa4007d1e33239b1cf8faf56ef1811727
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: forth.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/forth/forth.js
MD5: 3e09048506ea36823a8a5e6ad244c7d5
SHA1: ef3e2632de5a4c57f8b14225026940309167d270
SHA256: 1c6c0a8fb3572fba544083795b3259f8a35cae81ec2ddb19b4fd7af2a91ab34a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: fortran.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/fortran/fortran.js
MD5: acf9c5ff78882f6ee77416eb957e881e
SHA1: 30130e625c08eedd8d62021c0dc77a71d066fd1d
SHA256: b3351c6cd6e696c2ebf0e6ae1ff7925ed65add92947007402e0b3112634f6392
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: fromTextArea.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/fromTextArea.js
MD5: a910ea4413c5f8fabb9be57bc80a7cc7
SHA1: c2bb053e04c5cc11df632ae7332863f5f0d30c70
SHA256: 796a25d1e7f2a7c35ac9289bdb21e9c56c1253779a71c1b9e8a8c04160829e2d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: fullscreen.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/fullscreen.js
MD5: dffe3df188ef201ff7f04977d0ead894

SHA1: 29d2bbd2368fb2dfc02a06aac6db6aa9691ab330
SHA256: 8e4a21aa77765df8893fc854c4b6be56279e12d9a70cbde913083c307ac769e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: gas.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/gas/gas.js
MD5: 9403b8d57b58f52a0d02efd3d6d99571
SHA1: afdd8ef0502d68ba8020134c780ebce498f65ac9
SHA256: 414899aed81f9bdb726a6729047f1afb538679ee58623beb8fa51dc7412db6e9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: gfm.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/gfm/gfm.js
MD5: da48b005ec4e651d019aa09b3d6d4aac
SHA1: ea5f855ce519bf55f09cb2c968dce9660615c698
SHA256: 1fcd9fa611c238acf53f906126fba93ae0550d74858efad61d72b8b3ed6e0bc
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: gherkin.js


File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/gherkin/gherkin.js
MD5: 3d87a67e559ce2d1851c4f1fcca83fe2
SHA1: 289ab840bb7ad7d5cf292406eff4fb8e55ece301
SHA256: 732eb81eccbef7db49729af3f23d477dc8f27a4d9bf2fb2c6bb520d8ec19bddb
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: codemirror.jar: global_events.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/global_events.js
MD5: 288615615004321c6abe2bf66842b8bc
SHA1: 858b4b90c061cf34960b0bd4231a2b7dd7ec5f3b
SHA256: fa803fc7e109d232afd12dfdf4d99adea71081cc4b71e547d4b1c2bf46cc9ca2
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: codemirror.jar: go.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/go/go.js
MD5: 51890857b15156f02106103dd73d2b0e
SHA1: ef0de14a73f6656facd0d7355a11b1d17df86b16
SHA256: 4e3b08bda2f85c9ef68c03f24c0c5ca3b8ba479127b6cbc50f33cb9593dbaf00
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: groovy.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/groovy/groovy.js
MD5: d6ca518a6aa5ab5b420bbf21d65b2d05
SHA1: 48fb64db46a7408334eeda329d755dd09aec41ec
SHA256: 6641a0b1555ee0f1bca36975a4fcadd43d512de7ca814328cc6402e1ce836b4c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: gutters.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/gutters.js
MD5: af3de2621d2ef402646889be16bcde7b
SHA1: 130d94f44dea7f614a15009677e496ad2b853025
SHA256: 2143db3d42d9a3408b556eb50068870d138041a9b98ab256d070d982e09346df
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: haml.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haml/haml.js
MD5: 7d65bfd39de90f56597eb8e278a39af7
SHA1: 7bafda0fd81e500fb2f364d2e657fd9dec939505
SHA256: 9e9606fecf19869e51c32a84e18c4447c0d4ad2031730e5690b571f318409022
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: handlebars.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/handlebars/handlebars.js
MD5: efacd8d006bf9f83baec2fc5a8c71feb

SHA1: 7fefb944ec70e00d262252956fdc71f04c1046b2
SHA256:60bac3d6993264e155b5a06f52cda56b7bab2fb5923f3d1cc7e8caf704fca724
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: hardwrap.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/wrap/hardwrap.js
MD5: 049ed63630662fcb8a977fa43f86e058
SHA1: 535a020f7839e52da6fc7b8af3d249f641c5e055
SHA256:bee81aee6222a46b1aeb14d6fc738d3cc09a4e421f808e29b3c6989710ccbfc8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: haskell-literate.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haskell-literate/haskell-literate.js
MD5: f0bd7313413cdc35018db90a6522d1ef
SHA1: 670b7735a8c85e5251aeadf51f5005d5cf45df44
SHA256:7519d0b515603244f029c3031a4625fdccac88cb640fcb6e117718ec2c0b3c50
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: haskell.js


File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haskell/haskell.js
MD5: e4f82d95d10c028eebae3338e678be22
SHA1: 30c46651b2b0b5a7fc70910b22e52e2d1d8687ff
SHA256:4745a90832e950c9536f0bf498e5bf6fb3753a4a98bea09ec152b92354c0fdaa
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: codemirror.jar: haxe.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haxe/haxe.js
MD5: 13c21da31a992b536d4f37ee53e09605
SHA1: 6a694b4a0a68b148e0b2e0b761a521a5fa4a0296
SHA256:f3596c7efe948a3331bb1bea299f6fcb8e7733777dc2114a9f2147dfc1c69257
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: codemirror.jar: highlight.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/highlight.js
MD5: d7710bcd63c26c5fdc37c19b15e02d4e
SHA1: cc5bac275e64696339642c6f5a52c254f139fbfd
SHA256: ccf8b3a879acfa0013ee5b11e036b822b68ec5a136c218400775fe2e35a3fd9b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: highlight_worker.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/highlight_worker.js
MD5: fc6f314859dad397c1f867ed5d73205f
SHA1: 80e56feeeffb3ad7b76e40dc4577962a60becc11
SHA256: fc9d8bf90534b9a6c7d5a45e8f79a4f8827a661c4271f812776e7c3d2bdc09
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: history.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/history.js
MD5: 34cb233d1bf8cc676a0c5fc9e9c24b04
SHA1: 4c42d70f020d1fd9397fa16ea34f5cf54487e93d
SHA256: 961d52432f8f463614f83e660c2945f9bfbbc9c8fb7767575b9221c3e88821a2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: html-hint.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/html-hint.js
MD5: 609fea85a7894f8098719813c58219c5
SHA1: f593de64cb802e0e456482b88959a68260e06bff
SHA256: 64d3ef9293ed8917e40ed4e8196da6919379a3b4970c007785c7ed27ab9a0478
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: html-lint.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/html-lint.js
MD5: 0844a30ecec022fb60101fc0cc6a5cfe

SHA1: 3ed8b2f11d4c7462cf29fc93b58e579680bcc32f
SHA256: ab7827913934f06a8b4d00e41d5954974c90d5085d1295fe02c484c782c75843
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: htmlembdedded.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/htmlembdedded/htmlembdedded.js
MD5: e7a464409318dee8c3c6e0b68225d461
SHA1: 548ebed43650c26970abca5933aa237b4a1950c5
SHA256: 8afc8da4e446322cf92d78bef9940f9444aee339f56c8b9af5452fadfb867601
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: htmlmixed.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/htmlmixed/htmlmixed.js
MD5: 4c5a6f44d738b718d1f6164c1c8d6904
SHA1: a4f9c3552740fb908e14fb0f47832d10a3f535d6
SHA256: fe5912e1d10f8fecb98bd31e2f957c0bbc9abf6b505d11b6dbcd27542d0fdcad
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: http.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/http/http.js
MD5: 42dcfb1c4b83e85eea0303f75a3f08e1
SHA1: 7fa224e2e3ab674ca61cedd48fd430c5e62e1218
SHA256:89842864a707564a989a841ce934b61659f34b012f2349e5c4fd9a09c5982f6c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: idl.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/idl/idl.js
MD5: 1ae58242a3b61aae5bdc5665bd5fc2ed
SHA1: c25b0c5644c33ee3993ee3152df8f4c27235e172
SHA256:7d45bc0899e019f558e68eca684ed84660bf4687cd64fb4ed2c959ad249b763d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: indent-fold.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/indent-fold.js
MD5: 623d14360009d84560611f43b83e6759
SHA1: 731e1d84971dcafb20d1417761c18c55883c3d98
SHA256: a835ed1af176b96a1bf00379622e76573a1f6327bd76b583d9c4757a2c4a4194
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: indent.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/indent.js
MD5: 835649b199c40a992e89a61de3514147
SHA1: e3d98527805fcef17ac4f710d7600fe0da52db33
SHA256: f28260cac8eba83de19891709eb8545ecaa6cfa3ec716e617992e14cd0112404
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: input.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/input.js
MD5: 8347e0beb43b7f458587e94f323c58bd
SHA1: 62cfb278476d7f293b853e92e35bd9221c6d1a1c
SHA256:bbfc32c56077171637375314abe257f54f925e8142b3f3a9eb669296ec3f12ff
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: javascript-hint.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/javascript-hint.js
MD5: de72c8e29800ee9ae93e5c8a43c6c6a4
SHA1: e348c54c78f75047c06629a13422c0aee0ee3253
SHA256:e4dfa3414b3b9535514737074cec2fb0cbf0bfea7e765307122295c98c5137fb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: javascript-lint.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/javascript-lint.js
MD5: 55eb8a1558ef8c9da7d355a32334d62e

SHA1: d452acc1222c992a222c6c4bc55c0546eb2a465f
SHA256:69906dbb83d60e0d104ddf395e29dcaf4a05063f24c085975b9c09693dc860c1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: javascript.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/javascript/javascript.js
MD5: 178dfcd5f64c97da22a3d3a62713b7a9
SHA1: 969b4a80be53b334612b44a0cc6ef57cfe171a26
SHA256:21fa74c1638c7a4eb3e8cd04b5c8c997181394568330b341c83716da18ffad8e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: jinja2.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/jinja2/jinja2.js
MD5: 82ad8f3f5eac62b4012d21c9deabfc69
SHA1: f1b92b1cce15292571979194dc1331acc5fb2d9
SHA256:b408eeadec21747f7c4ed41dcb9ec4e540aa1493d0a7971e74aa1eed05049b93
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: json-lint.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/json-lint.js
MD5: b01056a065c6df2ed0f61038c88e5ecc
SHA1: 8fcdcb87fd1c9f8fc04f3fc325fa590b27441183
SHA256:cb3522e1bdffb075461c848ba2091cc781b52ef0e69cb39d9a33e1b74dc35ae2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: jsx.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/jsx/jsx.js
MD5: 5dcc6cfebb32872e929bee63d517295e
SHA1: f22b5965deb7b3f6e434d6012b22af7a7ba4c9c6
SHA256:c6babd67df23bb0278d432fba3d2dbd03bb1fb3862d4d70549cda1b0d9953abf
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: julia.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/julia/julia.js
MD5: 544d9103cd9877e0a7dbb26dd5a34eea
SHA1: 4d6fef3f38c3c9717b6ac72fa4fa3c6d48ca189f
SHA256: 54d93c9a83269af3bd8bc6593be2368f07b4efa4223074b54f3aad44097a4d32
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: jump-to-line.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/jump-to-line.js
MD5: ae33156dd047f75a6d2539b21ac92df9
SHA1: 4b8098d4df0e0bdbda6b27961ffc7bdaac14e85a
SHA256: 39b7d80ee80cabe2f5936673b3cadbfd4d260dfe6dc6f936523a334044962ffa
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: key_events.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/key_events.js
MD5: c299e1b06d3f6ec725718c1dc60141c7
SHA1: 09df110e22b2eccc9f3deb5a2dbe0a6fa884d23
SHA256: f24d2b392714dc1fe63b23f79d45d01503a1a8860cb7b92dff6e5eb05e35cc69
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: keymap.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/keymap.js
MD5: 1c8d554d0dfbb08ac3b4ff11303f313a
SHA1: bcbddfc0d1411afa8455d75564758dacde1e15d5
SHA256: 9be4f88cba00a971a1a007ca4fcc56f244ac84fb8b24f165f6ce2793c2f83a95
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: keynames.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/keynames.js
MD5: e4ae7351260c5e7b9f2253e21b5ca9dd

SHA1: 9b6381177e6d4afdd03388c548a00bef7e101b0b
SHA256: 7054358c3e0ad3945e0c3c31fde7b77d1af78874a5fd436a908aa0e8eeab7b03
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: legacy.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/legacy.js
MD5: dfa5acb74b48161d442a6d83e1abbc03
SHA1: 70f5248919c6a806ec8da7a53b9167ea0d28f28e
SHA256: 663e30df9fb1f4994092c95d5a4a2a127d67d59896b4795807ac912773a759a4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: line_data.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/line_data.js
MD5: 0239405c8ea2b45a5a3a2de75bc481b7
SHA1: 936ff2393f4614f8fb907274c896d2435d34250d
SHA256: 11203cf446205f30a8eb2f5633369c7a6c00cc778b3cdbf1da16570571937d92
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: line_numbers.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/line_numbers.js
MD5: 22976744e5315917483bef53cab4d368
SHA1: 32c75bf2e39c2315fd1a1d04cbcbddb666c998e0
SHA256:2474c6d14659ccbd6664aa88eaac7f1bb5589cc44f5acff4c5d8a22ed5da5d4c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: line_widget.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/line_widget.js
MD5: 2a58b1a6d7eadb596d3968096f1493e4
SHA1: e06ec6ee060c9b180dd6269107c1643618024acf
SHA256:4557109a8ced89105c13e911cd0d4036a043ce83abcfafef9b6889ea8d058b16
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: lint.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/lint.js
MD5: 7930c46b5411e82099bf4d021be44897
SHA1: 9d4fcf298565cd2e6b6234c331113e5ee80a996f
SHA256: 7c2e8241383104a6188c43b657b17ff7633e0de89d9b98f7d09df29570341e76
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: livescript.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/livescript/livescript.js
MD5: 303cf9371fc666702d07b7892d4d69b8
SHA1: cc1a29423cc292dab8ceccbe8d1d4995426ce11d
SHA256: b9b5f3fca094c735f94174d463746bc39d0930dc42b70bf5004efaed96b080ea
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: loadmode.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/loadmode.js
MD5: 43a51215f06278be12990128bf16cffa
SHA1: 62a2787a4f3b623af185185edaedc7eaed7ffc08
SHA256: be81c0312e7041f56c217430a177fea61e572bcb9579a39ca1922a2e4d51abec
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: lua.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/lua/lua.js
MD5: ccf279dcbc882c0e99fc9dfda9dd734d
SHA1: 13ec1f41c7c723c70f185f6c22e116cdf532d8dd
SHA256: 5c702747f50d5d4158ab8c096b33a7e0092529d5682a728a20624b01dfd86e2a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: main.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/main.js
MD5: cc33d6b2c4f87f24fe91b103cfec3da7

SHA1: 7a267e163871e4d9c505a7dbda69289619573e76
SHA256:2644139a384fcda2ff3bcb59fad7a45a3faa166c443fcd2d05315558dc7d1f99
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: mark-selection.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/selection/mark-selection.js
MD5: f2b8639c24afc6cc370f4097eb6bb217
SHA1: 62883a7928526106b19fa78a1195fadf463550b4
SHA256:5b9c6a0031fe895641f2eb2198df2592ec769a6685d6bb10f3f9b92a7822e286
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: mark_text.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/mark_text.js
MD5: 7611054f886606aed04a7a3f3c4d5a78
SHA1: 3e6ac9ae6a89f720e9c148d25746ff37f9207d07
SHA256:b17ada4f3979fa8170a4abc071035badcddd87870a212cd92dc5b0a70fac19e0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: markdown-fold.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/markdown-fold.js
MD5: e9844099dad7cf95607a804988677f22
SHA1: 400fdaaf493a4d15e10b397553549b6b4e09dc92
SHA256:6a81721447c7260578e8e306c89b33a49e98edc1c2cb0c52a18ca0e913684d96
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: markdown.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/markdown/markdown.js
MD5: a7326be775e85028373f9236c26a572e
SHA1: c7dda08f12cf129cba6b317f70ee7ce0abf775b9
SHA256:8fe7b11848f79cc9119b2a239f38a00944f6f2bb764a00bc837ecf8d34cf7690
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: match-highlighter.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/match-highlighter.js
MD5: d7d3dd2592e2df81c743b86a46ccc555
SHA1: 21bd58338eb506c53cd367b4e30c6aefa2e7edee
SHA256: 8c3e196f9a5f9e5cf9d7e71751132a05293e7cdb180defacf28be9fe919682cb
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: matchbrackets.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/matchbrackets.js
MD5: 2d2902edcfd32a8f481124c0957889ff
SHA1: 1555a87118f8082edd03c7b7c1363ebd1daaea45
SHA256: 9d0e5ee4c199fcb4e487a901860c2cf7d007263852677dd5858098fcaa8580f1e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: matchesonscrollbar.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/matchesonscrollbar.js
MD5: e005f8b0c7cedc509a29ea1a517cc829
SHA1: 73a8bbcf26072f44bc7003faea790d1f3d59096f
SHA256: a2deca7f8ca380dc7772929cc7c23b6737109f3cf0a55e7e18832808d98530c8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: matchtags.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/matchtags.js
MD5: 6e8c7c68653d8d6b912138fe6f155e1f
SHA1: 99f7135d209eb1da2c326486eb53ecdd330f0f2c
SHA256: 263d752f850b20890f0506fcb277b094b474138692a58b45d7b9bb03e20aa00c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: mathematica.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mathematica/mathematica.js
MD5: a8c37dcebeb98162e29e9d1483edf7c4

SHA1: 82d9653bf7ca5b228759c5ad53845a8237625792
SHA256:a301011fbb5d9ea4f39fc574718c2d27afd9425e31a1a5bf9005617603b45c0a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: mbox.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mbox/mbox.js
MD5: 9ce449eaef8f2c3e6253bb202a3da0d0
SHA1: 6848c5a33d4ea2c76fc6abb4fdc3c9253eedbc9b
SHA256:9affa80931d9bb09746d08b9b0f90286d2b47f5b16a0bd8a1a06227b496c4b07
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: merge.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/merge/merge.js
MD5: d2a6bc0c40e52723665afdc3b17ab226
SHA1: c2c82dc8159b4d4b38ac4e74d88b513cae40be01
SHA256:916279b765e93236826a1aa71f96924084707d50486739e9b4524a3f773d41ae
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: meta.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/meta.js
MD5: 11f14aa114ed56768aa48301be3b9f03
SHA1: 516781b99334a9aeaed0d9f1b9463d8330d00ab2
SHA256:f95786f9c83e631225fe7866f39892f808aeb015e80ce9d8a58d5a1d4e9c4bb6
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: methods.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/methods.js
MD5: e0aee4bf62e8df22b1edf8c98171c1ff
SHA1: ec9e2b700a1252d5787249b1c8046b5fb0df6073
SHA256:80aa117e54c13edec48656384e623b81f8ae5ecece3f426ba9b4638872fd88e6
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: mirc.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mirc/mirc.js
MD5: 23555fdd21b7305d57c24d1378a03754
SHA1: 373c327846304793f8016feaa0164226d6fd5020
SHA256: ac173799c5f81a8c8813a5b0c20b700b27a1f571d1e70132e67d8451c3efaa5e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: misc.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/misc.js
MD5: e94bdb7dadf69d57a0baf69e7780
SHA1: 7d04fd04c64f91033740df1756ceb180fe1ec38b
SHA256: dec9a3df5d525da109210c8f63bc47ef6270de5d0336e446c54d6c490f45bbfd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: mllike.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mllike/mllike.js
MD5: b30e7da7837eee7a5966685fa03522f0
SHA1: 648a539e28df2714182163665b797d783cd47d80
SHA256: a887947e50c37db0215fa4076c3b211093dd9abf643518a2f304677bef848211
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: mode_state.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/mode_state.js
MD5: ffc05060eaa3b3d89beaaaae86b0483a
SHA1: ad4db1fa999cdec7dca274bc0d440b9817706fcb
SHA256: 7d986b2f9cea39f7829ffd57fe70a6d891afb68bda46557f3d361fce6abddedb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: modelica.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/modelica/modelica.js
MD5: 9d173268d73ae885e07741f6a60913ef

SHA1: 2cebfe05d43ff1b9a4608bde365d0e340b9e2b08
SHA256: 96befada89421de8d32f6355c326510128e429167390c60ba81d93dfce4b360a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: modes.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/modes.js
MD5: bcf367e11e7fac26e7f1668e8f1d1968
SHA1: 26c51a0d675e8420deabe41af39537b98b494f6a
SHA256: faf6b57425b7b95a14650da5da6a488cde013e23c1ca57e4223146ccd369230b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: mouse_events.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/mouse_events.js
MD5: 9a8c2a4f4b71ceb0d641c905ea325dfa
SHA1: 88d8b3f37ba37358b2f270ac184852f0f53c4e8d
SHA256: 17a6d6d77b3607cfd0ba1d551fef84d161747a62b42ecd9454d7427a1c3da610
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: movement.js


File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/movement.js
MD5: 386a27ecd12315f9eff836ce5ab2091f
SHA1: 3170cd5a925774250a79d9e1c9130040e89a6be8
SHA256:45f4ab6d34f817b4d945449664a35848a252a87f7aa7e917cbefd5710cc06334
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: codemirror.jar: mscgen.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mscgen/mscgen.js
MD5: 8e06dd81adc9a26c6c708d253868c290
SHA1: d44dd69d6fe4e456417da210928371090d426921
SHA256:91eff4cccc80f0048d1f7efce0197be483a013dd299e2718b49315639a3d4885
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: codemirror.jar: multiplex.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/multiplex.js
MD5: 0bdb637f0ca08689fe55e572cc10ab16
SHA1: c1eb99a3fdd03722c84c78cb9351791428ff0bbe
SHA256: 09ec21386de4e951c1eefe0f1db478a9f57701b202ce18424f2b89d4f74aef5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: multiplex_test.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/multiplex_test.js
MD5: 8a377bbbcf33896551524b1cceb823f
SHA1: bf15c3dc16b8de593577266b9ef1f5625d67a0ea
SHA256: 73e22c6765036bce1db37e31f8c46d62a56ca232840fb4fb968d17c24c3e8f74
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: mumps.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mumps/mumps.js
MD5: 8e0c6375b6bbe74f633feed856f4283c
SHA1: 6944b10c9a28d7097d90291dcae08e9924461140
SHA256: 1455108cba483e767bc5072ebda6c4c219395adb574aa70f7d7ec856225c3d42
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: nginx.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/nginx/nginx.js
MD5: 63e717882de52ba3a4bb62c9e7bef83d
SHA1: f008d01cd0b803de9bd5bf1088feec56c6eac9c5
SHA256: e35111d1834678cd34bfec04abe169cb11739f39750d1c41ab57c8f2524748fe
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: nsis.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/nsis/nsis.js
MD5: 4851ad88c595ddafbe3979f2e47b4d0a

SHA1: c27aea13ecb53b8797926e831d8730099a585d42
SHA256: 5f9aab831632e1de8d8a4f6fcf52dcd75eb704ab8fe47e2c76aac24c8c30fbd7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: ntriples.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ntriples/ntriples.js
MD5: a21f011183564e5725ea16a6ca11b089
SHA1: 62d7d39e91ecca5bad75c91241aa31421a303ba4
SHA256: d7a1fd7fba26679ecb0a6ac0b67164ed12a37db25d32ece3472920c6f25a74cd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: octave.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/octave/octave.js
MD5: d830f31f1647efb252a53d0cb1f18aa1
SHA1: 1abba38966f306c238e8f9cf168f95db0e16d5a5
SHA256: b6c6966b9a564ceafa2b2c5ddde2f2efb0349cacdab3f61d90fce2544ece8615
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: operation_group.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/operation_group.js
MD5: 72f0c675f45f87c9a45b5f5784212fa9
SHA1: 8ca609f3cf238954efccc55c720e733a56f5029d
SHA256:aaa9c34bd1240b164897a412a257d2e693d2ad35bec219cf8959561de6559edb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: operations.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/operations.js
MD5: f2e13ff94b86a05aa5daff82022da8d2
SHA1: dbbbc8bf0cd26ed344d48e6be8ba83d3a3ad983a
SHA256:6570698684e4da9507306248649b72c362cb918b63180b3b3571d91ffed78f83
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: options.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/options.js
MD5: feecb2723f03f979c8b8c9a85c553a1d
SHA1: 99d3d0aa7ab678573f2970b2273404ed4c7cc73b
SHA256: feb45909b7d01751e0edd20b7156ad016ec045cb2eea8e92b96b1505bf6e2159
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: overlay.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/overlay.js
MD5: 3cb76447dd1f64cc2bb037f3ec8c88a9
SHA1: 1ad72da6c675d9b6074f69404c66118ff24389c7
SHA256: 1b44334e2a04d90f2b473c26847798859039190142e53f72f3b7de0f82696d0e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: oz.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/oz/oz.js
MD5: a097901a9fe996b190b9103a64ace0c6
SHA1: d49b86c59bab331924fc03e3f680af92a6bd79d5
SHA256: 641554f9736e5260ff1aea064749a590cba2a854bad6fc334db8ffa2bc1a6892
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: package.json

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/package.json
MD5: e2faa7704d8de49e9d70e7a834d83ae8
SHA1: cab269db696fc76be4a9c83dc82f287546253792
SHA256: 352f4e90706a839430cb2cee1a2080b0c1a0660243d4d2a544e81a57cf8c006a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: panel.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/panel.js
MD5: f647c5e58b5c032c1691693333104941

SHA1: 5c8285f946d9888b499ae0266e8e165696947074
SHA256: 2b137f8e8631c717d2af81edc341d436cd3a6debb8e9fdfdc20630296685d3cb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: pascal.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pascal/pascal.js
MD5: bdc6c5432f1408c29254a933f45ca2e7
SHA1: 541ec18ed0863a528118a8026b6a5aa11a9c5918
SHA256: 5eaac022259857d3b9b127ac0deb76c84d2523dee102d203738293f95ce5086c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: pegjs.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pegjs/pegjs.js
MD5: ad4350eff079b204cd634114959c0904
SHA1: 978baa600d3539e1eb05834fd0b7d659f0fed792
SHA256: 8cc7fe980c79a1ded9265d338062c8ecdfe6e0d044fb795bf11eb8d9813dc492
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: perl.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/perl/perl.js
MD5: c6a3b40a8b2971690ff06860516bd140
SHA1: 08bb3e219af9990114dda08e2ad935c5992dd39f
SHA256:a614830dc6e71770cb4feabc487dfa1b72e29444789b94d1bcad62490827ca1e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: php.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/php/php.js
MD5: f2f1668dbc8a4b0fd9f031dceda0e4ab
SHA1: 31d6961d6d4cbe7bf5deb2f0b5ba099c49e5c962
SHA256:07819ae34d5830a3cf040e1904d4b641cb70142845394211f7fb63c891d80945
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: pig.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pig/pig.js
MD5: 40f967482626259f7cdfb972548743cd
SHA1: bd2d7d6522d69e9849f8a6cf3b631ddaf50a091e
SHA256: e9a9ec475ae8b2f75fd1c8a58ea0a2d0cffd383b1a3fb8bdc460881d612352
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: placeholder.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/placeholder.js
MD5: b5b4d8391f1b94044cda61cc979cc772
SHA1: af7eaa5519c4e0fa823224593b0ae0b7fda73a23
SHA256: 44619626e2301fc16ebade252564e2c064113483e02f2fc8d8d262aed2485b9c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: pos.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/pos.js
MD5: d1fc4bdcc5a93ac92f4c3c9cb34bd220
SHA1: 810afb684197135ac8ac6626a4a7eebef9ad5cc3
SHA256: b708bfbb9ce809d5ce2d1490d806933fad9b471ac63e0f4c72a31ada57e05f9b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: position_measurement.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/measurement/position_measurement.js
MD5: 6c17908c000f5a7beb67e75b1340c3ef
SHA1: c5dd40151e773a61694906cf92f941fe27ce51de
SHA256: c5c488b91320e33d6e25fbb8ce4fbd3c28621511328b48e9690f797b81d51c32
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: powershell.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/powershell/powershell.js
MD5: cf3b0559e54ae537a420d86a07b441a5

SHA1: 992cbac5ee6c618eab5f646438ba5fb54f66cfe1

SHA256: 9530fdf52d164be6d021a87de567acb8738f86f6fd98577533a9db3545e873c8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: properties.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/properties/properties.js

MD5: fdca15c3c811413459ed12fce119db54

SHA1: 715881cc0ccd13302e302dade67f675d37cfdbd4

SHA256: 3f85f36e32edf82eba526ad56edadf04c33864d72bf0cfae2592a490530a4966

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: protobuf.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/protobuf/protobuf.js

MD5: 3e57a349742d01647347b7339572d9fe

SHA1: 909346135655b3aacdb909a19acb59876e2810dd

SHA256: 93d1459ed6cc4e2a4701fc17959fe7f56b797d1d35b47f44b8030c0d19adf5b3

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: pug.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pug/pug.js
MD5: 63473aabe4ad7435cc804132bf743ec3
SHA1: 4e624a3174fd238241f692c1f935ae75d41269f4
SHA256:1f9e975ab889f6dd9183758bc7b454224dd11859b8e045ce5b98e2c4a05bcf9b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: puppet.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/puppet/puppet.js
MD5: be03e9aad763ae4b5ee3d6a226aa8c78
SHA1: 7dae96b96e285c5e747624c864be8f1b0cb61e5e
SHA256:237b966a50a514c6beabddfb83649797f764a29f7f2c7100dac1f411709040af
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: python.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/python/python.js
MD5: 9b50648e6f546e4f63f1a8eb25adb039
SHA1: b178c4d31cc4eeefe58e97a60723d47af96b79ed
SHA256: ec56443dfebe73f332cc639289ad2de6921560c8952a3e2127397a0849882657
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: q.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/q/q.js
MD5: ec0a69917f7ff85ef3c89ab34cbd0ee9
SHA1: c52261047f62fbf5a52a2fb36e0e926859505ac3
SHA256: 1fecda8902c9c63fa36833c073370e479c7b8def1b883147c364f81cc6ac9171
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: r.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/r/r.js
MD5: 32999ceba0af47e9e6b4042314e2cdc0
SHA1: f044c32fe6998d6c6fbf774910766fca456273d5
SHA256: d4b1d1ad4275187d4f371fb61ca77ec10f63deba233644c484667750f934b23c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: rollup.config.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/rollup.config.js
MD5: 73a1da56a828ad2854d28749fc155632
SHA1: 48bed29223b72a22a9939b57333c2d6e58bdfd39
SHA256: 8c887c6ebd69fc77f4d1690cc0eb5afaaad25f0e18baaa5c7fdb16a6618ee08
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: rpm.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/rpm/rpm.js
MD5: 5fbb2d4919f2d396e78074f4c98812c0

SHA1: 719d22639e2bbb16d80df811da20013f3998c42b
SHA256: 5e8a8253eb986b58fb170e2d58bdd134b05fc7dc02a456374a034d7564f77fcb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: rst.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/rst/rst.js
MD5: bd89a589282ae08505026ef31cd4c6ad
SHA1: bfc1dea7ab7b49ed20e4127add87019c8dc56850
SHA256: b50d542cf38074c392f7fde44ef2cbab24b45bbfd178c426cfef6848d6d3e90d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: ruby.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ruby/ruby.js
MD5: b0b2ef072186390edb0444a0eb2e315f
SHA1: d63568f7de026f9c17e0a4124161ad5007c0c709
SHA256: 953daad8a24225d56733f77c0c4451cf05436f70ad00e5dd1618486a1d5e01b9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: rulers.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/rulers.js
MD5: 267bb54847534c8bfb41dcf227f7aeb0
SHA1: ef8505818354f0e8e79d6ef7a902ec0feaaa0ed7
SHA256:175d32d6794e2d917f446c4bcc8053c9a9e69eb9fcb3b805daaf015189b6ec03
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: runmode-standalone.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/runmode-standalone.js
MD5: 51867497bb73c2eba5e2e6cd1352f29d
SHA1: 591c22764dd7599a2d443c593bd5d4fd77928e65
SHA256:c1c9bc16a627699da49d9733f93d75963603175081a540b276f11c604739abc9
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: runmode-standalone.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/runmode-standalone.js
MD5: 8bb22c65e3d5cb3b6466654c7c6ec4c8
SHA1: 942779dcd636d8372e9d8c9949858ea5b68bfdcf
SHA256: 8a06491ff4969718a7bbe2f8ae9d380e9f05f0947d7f5e0d940930e5a929e469
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: runmode.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/runmode.js
MD5: 6b9c51f3ec2f5a79c75836a0f75569c0
SHA1: 88d7a8053ef7fe9996f63800076992a5f65c4dba
SHA256: 920d8eee55e987468236ba7ed2886de0bb8b2fed9d7060383a39ea29924ae885
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: runmode.node.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/runmode.node.js
MD5: 3847af673a6ae44d53fa8d697df2b8e0
SHA1: 91e688f6fc356c47f9bea928ea3768b7c7a57693
SHA256: 0d796745f8db549e4ade4132025a45994f45dd6f4765402ee75e4113019edea6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: runmode.node.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/runmode.node.js
MD5: fe41270e99f973a568d5a823cd6e2bfe
SHA1: c78b8d45e3db1891ad28f93b64ebd5ec6d0b9c98
SHA256: 016bd87dc725d65c80cfa58d2e58033e013e703878cc05f322f938d58ddbcf9e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: rust.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/rust/rust.js
MD5: bfb43032004a8d5d115c6b817cbbe2ba

SHA1: af76d8276b553e168b5fab49108e715452cff07e
SHA256: 797a9abcf8581f192bc49b11434346d3f8014763f4967ae260fbe31f25b2bdfb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: sas.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sas/sas.js
MD5: 46f6d321e806768f9ebbc0155a5f9807
SHA1: 441d94bf2da7c5299662ba76dba352aac7df705a
SHA256: b69f2877e395b89682a4066f62f686c12cb66eac441b6c1d3ee15d5004859f43
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: sass.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sass/sass.js
MD5: 0067718b0d6fa922bcf032b58966c3fa
SHA1: 1dbee553e6dfa3d57a3aa6548b43a753ccdb7380
SHA256: 01ba99f4a91e70d2a5d3ef881c542f14a1f59f3ded58672484bcd56b41921866
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: saw_special_spans.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/saw_special_spans.js
MD5: 72b6184ab657ca37a0d984dc73e7088c
SHA1: d84fccefe8c3cd0f1a0b5b2f388de87e57503df3
SHA256:fb122060ec500dd99a179c002fbb6a8709eba030bf8f7695d868109b470b31ff
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: scheme.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/scheme/scheme.js
MD5: a64f664dcef608b26dea48b1ea52b622
SHA1: 1e90715a9ecc9c8cc9500e9b064ffe0defc60b9c
SHA256:0bc81b318e12c7c5bbd94943d9d64cf1a64674c3bcc7057788ed1ade8701ab80
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: scroll_events.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/scroll_events.js
MD5: 8c96ad450d94581a7a461c44fa1e7cfd
SHA1: c92034958533fbaa6512c99d715a6032d43355b0
SHA256: b0472dfdc7a904f6a082f064c9384dde3ce1ec95953d9c276216424da03ffa01
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: scrollbars.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/scrollbars.js
MD5: f06876b47feef8deb64e7cd59d76ab1f
SHA1: 73c1a417818efb800852fec0742136fb1c891c1f
SHA256: 11cdff1fc628da528adf11b23bf19cc06072bb573cde470669343d27be9b0ab4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: scrolling.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/scrolling.js
MD5: 104c04ec259e68a53516216e4947e9b1
SHA1: 54446fd791e3331041e6e9a0874fa66d4794bcb4
SHA256: 07f6964d12cb85a698967bcfecaf73824a7b602475d488ed6f57e2981879e7487
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: scrollpastend.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/scroll/scrollpastend.js
MD5: 74be53ff23fb5eda7725c96f1ff683b2
SHA1: 1aec49fd4f7f5571fac13fddaad9eb1705cd522d
SHA256: 6cd389df1da1ff9ba25728e03afb7f47df3162c3d9bdb5cedd06fc91c6199479
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: search.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/search.js
MD5: aee5a4efc34387df3d1974e09cd2965e

SHA1: aa36dc4a27460ccc0b4b40ee643907303b64a880
SHA256:4949580371fcd81c0ad70164b169dd8bcab2bd9869eddaa0d7e295508bec7a04
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: searchcursor.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/searchcursor.js
MD5: ca8612c41c44b87a10703ffe71d4f750
SHA1: 6bc4c36ea23ce7bf583f95ba4ad49e599bc646a1
SHA256:2c0b8cd8fe7ca5ca2253f4aacc914b390bff5b3cac3475df66c43a9ea8c8ccbe
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: selection-pointer.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/selection/selection-pointer.js
MD5: 3ea743f9f1b458692e5258bcdc8afb8d8
SHA1: 4306383d109eb987ee62a6e2defa8926dec870ba
SHA256:fdd7ff53d0ca796c5e3792ceb5063c84d0735bc9f198a1c06c78880f1c664a22
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: selection.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/selection.js
MD5: 34d76a4a0d6602f8d4ff937e499f7906
SHA1: c759ce0c87a62abdd8916125e3bad601e4ce4efe
SHA256:ca2d26085ea9380b686c57d5ef8789e3c3032ed8c5d90ae0e1c9dba69635a89f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: selection.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/selection.js
MD5: 8f89f30a603010383e7c118550697100
SHA1: da2d4548c10827c45fd625bdfd1ffdf0e28e0c30
SHA256:03cb03c86030e258ed013dc958cab854e2978893145cb096468ff8149417502f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: selection_updates.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/selection_updates.js
MD5: 252e2ea7a38323b8d82902e6595d23ae
SHA1: 27719d66e1ff98e650abbc5b48f2f4635f65df13
SHA256: a285a62ec8522c5d8271505b1438dddaf39c3dbfd4dec5ac01971728e21a765
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: shell.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/shell/shell.js
MD5: ab0fc779b5fb9bdc1310a28d7dccc379
SHA1: ece7e7661886871cc46ef71248c67ea53a61ac7d
SHA256: 24f77cb162ea9d9e9fc79b95ba547a7cc10a0767e3a5a52c786d4c24253736fe
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: show-hint.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/show-hint.js
MD5: c9e3db9bd2540c05ac67b249f8122387
SHA1: e8092d9477bb1ad4d17d44522d99cc67ead53b16
SHA256: 28d2123fd1c9cf197651c2a0b3cb65762ba06dc073e023c75ec05b1f139b0af5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: sieve.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sieve/sieve.js
MD5: 88c6148d955c6542b3f10482b736e553
SHA1: 72627a945e27e3044717e5b8db378f3d776ad0fc
SHA256: c233866cf4990e2f28f11c96ecedc7e7dc465c19c5b445b30bdc037118f7b65d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: simple.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/simple.js
MD5: 282f2d54ca2c7b60ab4bc0cd762b943d

SHA1: f08a5e5394568164edb85911dfc452f433bb2483
SHA256: 400f49309b31197c0c4ec76519c93647b494ab80f59f96d7f051463e0aa37eb0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: simplescrollbars.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/scroll/simplescrollbars.js
MD5: 34d6903cded2822fb2261678e1a479cc
SHA1: 0707d27834fdde0fe2c32935af79d4575cf9f1ad
SHA256: 62b48bff43436bfb8ecc5e3273e6047f0b934c1d873c81e863e13bb462d1e1ab
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: slim.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/slim/slim.js
MD5: 447874e5c5dd225949004c357d17ffe2
SHA1: 2cdc3263aa6d9766131d73157afb05fc6767b50
SHA256: a8d555221c610512119f2107d58bb1c57d294cebc91f82638ea6e235286b5c15
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: smalltalk.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/smalltalk/smalltalk.js
MD5: f6e7ef04f9f907a13604ea5b1938d3d7
SHA1: 57f009cf2b2147f14c530f697fdcbd3ac493e053
SHA256:9f649668162a61cfa6a3528dbe513d012162932c742c7b0696078bd2a6d3b190
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: smarty.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/smarty/smarty.js
MD5: 3ccd6f2129ee79c85ef96a8237f1de7a
SHA1: 5fc274f49b704c0a99e0f0b9030c90f56fc7c1f7
SHA256:9e95bcd71635efe200c3871c57cbb1c07edc1f8206d173f4552fd2dfbcf9e9af
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: solr.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/solr/solr.js
MD5: df4ba46ed00e24c144deaef9a817d024
SHA1: c880da8431afd54034ae7fbfedb45d94966638b7
SHA256: 17f16060f00cd932914722bf2cd1a01318c402503b62f3bd2bda09bab6b42b85
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: soy.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/soy/soy.js
MD5: 1db8a99a573b2ab07cf30cc58da1bb2a
SHA1: 7c0a178caed0b849f140d0b21de6548a0355f9c1
SHA256: 358a1861e92366d238eb240fd5d5cf8ea6f5fe219f389667d277031c0a1a47c5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: spans.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/spans.js
MD5: 52150a5a01dd7c56de003aa132f71e25
SHA1: 92cc8b4ab38a103a106f574c40d25d16e97d48eb
SHA256: 719ad01e720518e7594a76ed4dc4904fec7c495b12d87fc4599b40032975789
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: sparql.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sparql/sparql.js
MD5: 856d73e41310b4dd6a18f13d64fec0be
SHA1: 1669e717cbfb9fa9b30e99415a6e5f7a66feb286
SHA256: e646ae1e2796c936a8760af321089f5814d0158ef72aa3f3efb60765430a2e6b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: spreadsheet.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/spreadsheet/spreadsheet.js
MD5: 370c01bed3c433131f942ef7e6f69187

SHA1: 94b3e4c80f954a378ab94f13068d879e9ab3394b
SHA256: 0807dd557c55f5b6d8579c5c9019c5eddcda9c56ce559190e5f2985b156a00da
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: sql-hint.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/sql-hint.js

MD5: 8d41549d89ca9bfa3ef068190df379ca

SHA1: 6a2cbde78c9311f75509d3350877a8018499e8c7

SHA256: 60703945eb6cc93d4f47d70b65f955e66ae8a22c0cb1ceefa69cf0890564544d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: sql.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sql/sql.js

MD5: b48a3934b20b392ae812b17df05355f4

SHA1: 40d1a558afba1f5043b23131e496de37d8e2dfb4

SHA256: ac23d3f196deb9be25cfcecb966bdc1789b9e177aac683ddccde1420670c4d8a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: stex.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/stex/stex.js
MD5: c7ef8ac785ee813860cc414ea17dbf6d
SHA1: 3e46d97b4e694c7389cd0df4d13b914697d28c8f
SHA256:edc1f57c69920967a31defb66954aa29f5751fdb2f7ed8e52fa08978ff890e3b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: stylus.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/stylus/stylus.js
MD5: 7e6d36c0cc269b4e518bd48b9b6342d6
SHA1: ea339b15b178a1082a2acdadae82ef1f4a599f32
SHA256:85683adfef4f0129670fc2e5ee9148ad956213f5fa0c8dd05ac7970ad7f0b337
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: sublime.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/keymap/sublime.js
MD5: 1d7ea7f929183e76740bd9d98e9cac41
SHA1: 84a64b60b5802e86b0689ccfa95665339347f0c7
SHA256: 1d532a67594845cb7163b090a06da9287b896944ab5f22df67f14e176bd434e5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: swift.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/swift/swift.js
MD5: bf859160b6f348fc2d72673fc40b9da9
SHA1: c6b46b402c9b1fc3166712d68eb10ad29c5d01f9
SHA256: 939dc67bbef9f0f6847f5bc2a89b0c8f4b411d57fbed4f9d5cc21fabd7e191c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: tcl.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tcl/tcl.js
MD5: 28a739b5550bd5ad13b47dbec84a9716
SHA1: 2ce8afb99f36fece39e1b3df7be02509f77b19ee
SHA256: 98552bab94ce9adc9fcef5658da2965994a84e852c83098e94564884815b3026
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: tern.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/tern/tern.js
MD5: b9418efb9c0d90a3432dff86169fd293
SHA1: e4d1225e756d51fcb69c2f14ddce1b09fa2a23b7
SHA256: 1ebb5ad38f72115c49865b5537fd9c77da506b7ed2be38bd310306af3c698e44
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: textile.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/textile/textile.js
MD5: d3923b19d37114a9e2a346c191c318e1

SHA1: 979b17e6363d63ac2d1b3a6854ba6196564fc5d4
SHA256: c121fcf3e641a7433b9e328c76aa0b1755aa4c0412e4f59a1d8d6ac24b36df06
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: tiddlywiki.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tiddlywiki/tiddlywiki.js
MD5: 3e4fb7a08d9df5cbe9822cb1756bec86
SHA1: 84885a1cb7be096c19a3dfddd70252efcc83960e
SHA256: 4b62acf34df4acb1a4bc1a2729edaf221583679761d35e0e9077883810fccbfe
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: tiki.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tiki/tiki.js
MD5: 6e4bd43879571d0fdfa79714f550a3bf
SHA1: 6fd2ece4b20160c1859f34cb245b173459c21163
SHA256: af92cd0858a99f3c5cacf240874db7eac2704a7b193a3cdfddfc5ba70382a293
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: toml.js


File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/toml/toml.js
MD5: dc2ba16cf830b53759b71306e9473ed5
SHA1: 1a394f9f45c508fabc270b7c0a1f72460fc897d9
SHA256:67bbbc2696788633071f2a2b8a1cf6ca4f4ac82213e3d85b7cd183d60b117679
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: codemirror.jar: tornado.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tornado/tornado.js
MD5: f45c2ec37cc008dc5dbd5f9c077ba666
SHA1: 8b55c6a85279c8f7d6b3f539fa097fed877c16b9
SHA256:d006020d7d093cb4f5ed5088ed151d4c45417fe5ccde69d960eb82cfcb9e0ecc
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: codemirror.jar: trailingspace.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/trailingspace.js
MD5: 43599469275c2b662b7907971147c978
SHA1: de4d3ee3d32f01f94921b8b3944c7383da7ba970
SHA256: a0d2c0196d8f4991cd58f320498f7aece971e502e4811ecf58cb5af8e83007c6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: troff.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/troff/troff.js
MD5: e7f5f0a2bf68a81f0f3e547ab5640627
SHA1: f59246b4ff5ce93afc87a4ed30a0cba0e6ba4775
SHA256: f7714fdc46774467c168e75fc36eca90e6df16e27afd0b608b882b2df769b8c3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: ttcn-cfg.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ttcn-cfg/ttcn-cfg.js
MD5: d847dacea4534ee2841f01f5ac419060
SHA1: 0df7a9b8f5e91e2ae8d5a8a02c99bf779e221743
SHA256: 22983894e4a3794c9bcf396e7a4119efa5ea07a4f97e060e15f3c13ec2c1a01b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: ttcn.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ttcn/ttcn.js
MD5: f94e618b386e8bfd0ffa2252482e9c84
SHA1: a463a8817c26dcec47a7d006aa097dac74b28d1
SHA256: 10be6704eac48032ce00890bdfffa03d445aae18e3ef7bd74eb14a26e5867a28
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: turtle.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/turtle/turtle.js
MD5: f36ec21c639822b370b87c63415533f1

SHA1: 9b6341bdf7330b71a5959cde815241b6e7deaf05
SHA256: 0f82b51ecc43b95e55a752f80f719f8a39b607697b86d3fa4523a5e8280d3520
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: twig.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/twig/twig.js
MD5: 09ab2491f1056e9d142e233dbc9dc1de
SHA1: 4cb5eb7c9bf77dce80f92f2498d83af92f3398b8
SHA256: 72b6e091bbd6a7c6eb786db2591c1f6f59c7880ef224ce5365ed39ec786d583b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: update_display.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/update_display.js
MD5: 8a51230ca1be6a91aeb25d4d0f7b55a
SHA1: 79b7a1faa3bfaa65f28ab4e324fa88b485ed21e2
SHA256: cf96f09d7f210f2cbf0c1912058eca1f96b51e63b1bf7b39016c0156c2b9ffc6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: update_line.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/update_line.js
MD5: b9b8f3c5e697e33d73d1044eaaa86dc9
SHA1: 4f7c764ac36b54c918f06b68129b8835b22b55f4
SHA256:5fafd013fc16591f0c978c6a4bacb3cf054d52f5051becd4325de8c21ba07f7d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: update_lines.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/update_lines.js
MD5: c864b2f05d2101a47c52b9c01aad5b47
SHA1: c63e8555c30976387f5904fda11fb55174743a88
SHA256:80e80a6c8ad664587c2f01128e85c5c931f29cd021381584e2195073a53df45b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: utils.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/utils.js
MD5: 4e9e033cb9daa0702d84b88dfcebae20
SHA1: 8e5257ed7b93a00cb5eccbf544d6a1043f2edac7
SHA256: 06220f9e424434492b73e0aea65bebbba1fe74fc3002f8b3672d1d0d3a445f20d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: utils_line.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/utils_line.js
MD5: 0f6f365b60c1688d8f0fcb8d57a9d9d4
SHA1: 574435cdc400815c829db19a67652b7077b00433
SHA256: a8b39ff57b6d43dfceda786380d6dacef7b1738a81fb6033e7573502501d4b6e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: vb.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vb/vb.js
MD5: fa430588a34292ebd66e33fa60217b4a
SHA1: a89cb1b315fbed1886d709d921ae95b216d89fc9
SHA256: e8f8e4496baed70b1e6ff44979382bad81b921b9570b7da1a377835e973f28f6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: vbscript.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vbscript/vbscript.js
MD5: 2da61e304ec310d9291e372c53c6b06a
SHA1: 9c582c79ac9ef6d1c08850c180f988bf974aedb5
SHA256: 77109e0c2218502dac03b5bc3b290cfe0b46ea00f4d267f3dc4378d9abe1bdc9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: velocity.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/velocity/velocity.js
MD5: be30a2a88271b692c85d7de9744f7c16

SHA1: d45880a6f5d3d4840ed1297d7b3f14ba4c9a4be7
SHA256: 3c076c7bdb1e2d3d25bffa1a682556ae449f1545c3731935306333b5831aa951
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: verilog.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/verilog/verilog.js
MD5: a79b1a94e41866ba625c37e77a76ba16
SHA1: 4818788973bd3f66d3b9e14992710d96a7ec18d4
SHA256: ae7c58b13650019ca08760e04f3ece3315e889eb5aa849a34400f16542610eb1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: vhdl.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vhdl/vhdl.js
MD5: 4f804b6884d0d7c233a0acc15fdab384
SHA1: d30d775adce22818b6e3955fae1d653028abb5dc
SHA256: da078efdda01a1245fb8ed5a16cfeeb0a51823e5917e3802457041dc48243539
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: view_tracking.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/view_tracking.js
MD5: a26525bd629440e84b02128d6eb323b4
SHA1: 2cb6103f9dad13f5ee416f272cc9f8f14084ffc6
SHA256:077f385b690f0c7af9976cb7b6d2b60a175f762753a77b3060a6db2686a5ee81
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: vim.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/keymap/vim.js
MD5: 3a5542b6dabf86e3983f29c5c5a184b6
SHA1: b8afaac94045745d4517c9635a5d0c1c266db7ca
SHA256:c8124370e0ba7e76d5cde3c18d257c5c99e5578d6505f0eeaab5c791673c40e8
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: vue.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vue/vue.js
MD5: 9e7dbdd0bcaee6279ed4e77f5ebc36ad
SHA1: dc5c50230fdd556f9c3530f781b7a2b16ad30a20
SHA256: 8b9c4f59c1230c537f44f593f5d608a81604e4b3dfd345ea938939d0d62f668e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: wast.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/wast/wast.js
MD5: fb1f6ce81911f07db605e2e5ccf41cf2
SHA1: be86e08e18cc74130b483022c355846d72116c20
SHA256: 8e8ae8ab4475c66d2f05960ffda597af6279c8c93f62cdab443407bea74c0091
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: webidl.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/webidl/webidl.js
MD5: f31e84cde3fcc1fa2efec9889038d7e5
SHA1: 0757847217a95faf4defc9685f6821accb9d8988
SHA256: a12293542727a69514ae5477a65e33eed4f871fc207c6b275c9d8be1f2177062
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: widgets.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/measurement/widgets.js
MD5: 675098b5f0aea0bf351a1b5762febfa6
SHA1: c922dccdf98c79f92fa086bc2a36d970c76b56df
SHA256: 09874ad13a856fad11b3afd084e58411741ee2735e61b4d95fefc060b60bfd65
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: worker.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/tern/worker.js
MD5: c6d16e68bc203e9489fbbd11b5b100ef

SHA1: f8adb9ac9944f88bf6e69048c001f89537f32198
SHA256: 80c0e9bc4e2ef9ca9c97199818318429d26fae0d2452a20547b1e458eccf794d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: xml-fold.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/xml-fold.js
MD5: bcfaae27958026e83cd442b5df731da4
SHA1: 7ad4740f2ecbaa3869b066156b19401075a0315f
SHA256: 4ad0fdc2f93882174c9071e9a3c2324d15d4deb0c43fe607f9efe01dda1af9b4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: xml-hint.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/xml-hint.js
MD5: f2651770cad286ae58d12e9f5c4e9e6f
SHA1: 17bce6be75e45d7a291a32d0c1e346e4818296db
SHA256: 6b78f04d2137358d5a01e9fa2b3a8f069acc70f925cc7efc39448ebe9599a805
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: xml.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/xml/xml.js
MD5: c93fe254ef100aeb5c9dfcda4c91d27f
SHA1: 510c71566cf81560cb5bd1bb25287ed6502dde75
SHA256:dc7e44d410399326f802e2924573cbf6f942a79f647fd0b97f0b607973bc9a09
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: xquery.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/xquery/xquery.js
MD5: 56cd9562591919c15b7610f13cd112be
SHA1: b294546669da04806196e6aca774914a30a0b3f8
SHA256:618685277efde78e0e48fd5cf95948ae32a4d57de942038ed0579415f3f2f9dc
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: yacas.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/yacas/yacas.js
MD5: a70c01cdbc7d4311d4dda287ace27a79
SHA1: e853bda930d5fed1db0bd56ab9426612e759f9b3
SHA256: edab39fac054aaee5ea8ad3d09e0d38f57d5b24f826df7561526b5efb229fc72
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: yaml-frontmatter.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/yaml-frontmatter/yaml-frontmatter.js
MD5: c2dc6071833d8d9bf02d81244403cbd6
SHA1: 212780f18d78644233eb826c8c660eee51b6ac70
SHA256: 98baa91eee7ba77aaf150a59d7e5146d4964ddb271076cd963cce43f9928b3f8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: yaml-lint.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/yaml-lint.js
MD5: 925332d44aefcb89b106d4fe9b32e93d
SHA1: 19221be874d11d57582a77dd08fd2f244e9b5500
SHA256: ee7249600f6b395c302b24054060f8abe87cbaa68a9f426593ca5e5f3748bbf9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: yaml.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/yaml/yaml.js
MD5: 77fd959da1bbaeff5cdd97689da94570
SHA1: 9b206b33cc7b2b5e1e21d39bd177b1c6500e9722
SHA256: 3256b4e40302d4488834925a990edb32cef7d431f70a40917c1c5398468d861b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: z80.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/z80/z80.js
MD5: 85b28ee5eafe8552bf842eeba91325f7

SHA1: 34971fc9b5ed5aa2f8714030186cd3e0056cb2ac
SHA256:0f501d7b8c9c48942900b4d7131f5bb18130395024e66ea5d98aea480f845e2e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar

Description:

WebJar for crypto-js

License:

MIT

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar
MD5: e70e1fdbb3054453cd57ab3368e6bdb9
SHA1: 622835f605f708155af4ffdb1fda1fed2983bccf
SHA256:9e11775c13feb6a3161844db96974ad007dc36d1f4b3033555f34813a1584270
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	crypto-js	High
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	org.webjars.npm.crypto-js	Medium
Vendor	pom	artifactid	crypto-js	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	crypto-js	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	crypto-js	High
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	crypto-js	Medium

Product	Manifest	bundle-symbolicname	org.webjars.npm.crypto-js	Medium
Product	pom	artifactid	crypto-js	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	crypto-js	High
Product	pom	url	https://www.webjars.org	Medium
Version	Manifest	Bundle-Version	4.2.0	High
Version	pom	version	4.2.0	Highest

Identifiers

- <pkg:maven/org.webjars.npm/crypto-js@4.2.0> (*Confidence:High*)

remotegui.zip: crypto-js.jar: aes.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/aes.js
MD5: da81b91b1b57c279c29b3469649d9b86
SHA1: 5441866409bd32d32331c4b4b652057fb90bc298
SHA256: d6bb48feacbd63fd455becce7a5528877242f70e73ba1f7838c186ed8f35fd3c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: blowfish.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/blowfish.js
MD5: f324783486bb1c6c2bad1faf07c63372

SHA1: abce1a3fd40ce0c3f511fc0ea0be9a5d9006e580
SHA256:dce696d0842412093ec68ceef095d0db470a358628dbc352867bf535ef3edfb6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: cipher-core.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar
/META-INF/resources/webjars/crypto-js/4.2.0/cipher-core.js
MD5: b9c2f3c51e3ffe719444390f47c51627
SHA1: fb31443b26eb46eba12f324ff2c567d28e43c9c8
SHA256:1b3331c29f4a1e222ebf7d3b9bd3458a308c2a47fc5e6cccb93f7d2d5c57533d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: core.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar
/META-INF/resources/webjars/crypto-js/4.2.0/core.js
MD5: b55ae8027253d4d54c4f1ef3b6254646
SHA1: 06951bbea3ba1ca54de91f0feefc13fb62b66f38
SHA256:2638bdd7224472f801890636d42df16c144ca46c84229ef3087190d21f935daf
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: crypto-js.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/crypto-js.js
MD5: 4b481d280be0331ef01b43c2d9b2a58c
SHA1: 4e84b6508f97c27e80a3fdeea2923d489d2b8fc5
SHA256:ee02257ffbaf0a9b481c7039b0f3bb20c360c9674fe4be8b38ae709b2ea59bbe
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: enc-base64.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-base64.js
MD5: f551ce1340a86e5edbfef4a6aefa798f
SHA1: 9e1b1bf75f35833ca2480ee401b4cff8b7eb1fe3
SHA256:84b69d1625474179d55622a8333c3aac376dd8bc77de7b06c21695762cb69cab
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: enc-base64url.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-base64url.js
MD5: b87419e0e9ad776b37cfce5433ff5852
SHA1: 24aa5251bd4c6b8ca1bbaf0a5ab838fbdcb6ab
SHA256: 8747798ddd53f467bebd7101bcd053b3f12ef028b3e6c012aede147732c8a9c6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: enc-hex.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-hex.js
MD5: efb02f85686d948c69ad13ec6a7d479c
SHA1: 27f6a54ae346ef0a9a63084990591e0f986bea38
SHA256: c7dad9931250921c24508ba9949abb818745b38891da44693359249b11ed143d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: enc-latin1.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-latin1.js
MD5: a8c77d13f48479c2f76678c6e7f06ca8
SHA1: 9753af5959867f998f0feff6f1699e88c92f39e
SHA256: 24dfef2cc51ec0481aad1f62933bd0ae1238c34c5b0e73aeb1729027c913a26b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: enc-utf16.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-utf16.js
MD5: e24e079fb22a2f7063cb9f856bdf10b
SHA1: 01f29539d0bc1e2c10638d0f3b9af99d978e15f7
SHA256: c35339900b45fa701c390c924009a95270b4b4d91b427e40984f117c2f7ec67d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: enc-utf8.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-utf8.js
MD5: 5a9aaa6b97e87bf258edf26223bdcf61

SHA1: 16bab2dd76daec10b9b3e2569f3fc1a207b5f726
SHA256: 8c7e44dc2d49b20fd78a44827fa962a28a5e22e0adfe036aa0fdcfc7adb89984
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: evpkdf.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar
/META-INF/resources/webjars/crypto-js/4.2.0/evpkdf.js
MD5: 7106e06bc97d1f59a9324ef5ef9c14c2
SHA1: 89cccca6c0e5261d31302cb4726a26f21a84ef39
SHA256: 03a8ec00db105b3b813902400ed65169d12ecd382fa13402fd62c55e251caacc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: format-hex.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar
/META-INF/resources/webjars/crypto-js/4.2.0/format-hex.js
MD5: e2f78f02b844140cb8763fa7cd8daa45
SHA1: a359182575c8d43c6e5381209472f8954e4d5496
SHA256: 040a2918bec8cb8ba0a6303fa3c1bbfd899bc8644643e8ac493e3c08a0c09097
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: format-openssl.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/format-openssl.js
MD5: 502d6df5aa16084bf5abb0f3077c13b5
SHA1: 7507a0c1ccf7049a8a10bf2ed73f24af5ed00aa3
SHA256:1ffa86862e66b6c0fff35cb96875e97a793aaf86ca749b29381cbc67a0877bba
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: hmac-md5.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-md5.js
MD5: 95b2fb61fbadc00bb3dce9098e37256a
SHA1: 143d92d0c7d56bc57036c318cf78dc50cd72b557
SHA256:d3072014eb4186d02e335c511b3cc6e163a5cfebaa8c4ae13634af24887078e6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: hmac-ripemd160.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-ripemd160.js
MD5: 6d51886c1d976bc143c790593cdc0920
SHA1: 29a848612a72b95abd8d8a9ee8d4874939fac6f0
SHA256: 28e2bdcb143840e4e01eff312a728e0f652d7dcb0d1bbdceab0bf48ff5cae8ac
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: hmac-sha1.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha1.js
MD5: 4acf006c1688cf4513ed375d7a94f86e
SHA1: 8fbe2fbecb2caa64f74c0393f9f6641f78e3b732
SHA256: e104acb7379b834bd9249e3cfcb2196acbf90a22bb10947feb2a1fbe30ded105
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: hmac-sha224.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha224.js
MD5: 875a7a330903a92828b279818e6b06b8
SHA1: 586cc496e368eb6f6119e0a6089ef7f8f421dee6
SHA256: 35208e1e4631ff5f9bd83220dbfbef63290eb93e914055b35583fbf19eb76693
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: hmac-sha256.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha256.js
MD5: 69817fc0da86033d4ef559f0febd3d32
SHA1: 84c60e2a1dce8f06c1e4340542199cc9cc9a3454
SHA256: 11d26c11f858b74bf0f106c74ddb579a112d3e7321fd684365a77ba2a7a5dffcc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: hmac-sha3.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha3.js
MD5: ea6cba03f7c6b257b70c1497022b5514

SHA1: 0d8f8002491a9311c7035aaf07d4a0329f38ced0
SHA256: bc63c36741416fb55fbbe3c7c4a78b5e056d9b902a471bb16b6f5672fbbachbf8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: hmac-sha384.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha384.js
MD5: 7afbdf157b81970eb00a50bc421e7ce1
SHA1: 9196d839c46163f6e51c63410ba0076a09ccf178
SHA256: 93494b918b2eb79cd1be66145a41137ac0d65739ed6cb9e04f82bf1d7cdc7019
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: hmac-sha512.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha512.js
MD5: 5d3e9930daf490e45b446cb42b31833e
SHA1: 4b07089a6c56852d15ec948b58408d5b5d32cafd
SHA256: 6c2b59ac5e27099986b28d32e425ed3d65a4621c1c6512d03d40b336c6e88a2d
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: crypto-js.jar: hmac.js


File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac.js
MD5: ee162ca0ed3b55dd9b2fe74a3464bb74
SHA1: d68f1ed4e3aed7807fe17a8193fca4775221dfa3
SHA256:c89f8f08ae06990edbc0763cd46853d16c70eaf513de8592b1ffb74a2ad2f7da
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: crypto-js.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/index.js
MD5: 8181544c4f4842cba38a939989ddb460
SHA1: b4ff6b82e1e72ccc2a5de8f94968c3b82060f61c
SHA256:7de6a6041ebd1a43ecd79b59708795ac273930bb36265b41fff832d781e7bb27
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: crypto-js.jar: lib-typedarrays.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/lib-typedarrays.js
MD5: b8bac2e22a7a589167e014be77736c72
SHA1: 622fc0f297b3799ff91b08469989e6fe113cbda4
SHA256: a5875f287e6cc6dea0ab64024db32783229a7db55f74deccf6566973bbd76ec9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: md5.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/md5.js
MD5: fcd0c8cd3533c15bb4f0628f82cf5175
SHA1: ed91751fd5c6009667d6b43c5fd3939993edd568
SHA256: ffce8dc6b782620c6238a5b2280c5a98f6bef8c77fa80e581fac8cce0f08effe
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: mode-cfb.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/mode-cfb.js
MD5: 5847dafc1beecdcd23925f9f4989b2
SHA1: c9972596e02db6c6221ae019dcf1498d30e9ffb4
SHA256: a3626b78fe53d7d32fbcaeaeb92750db305e84e2ccb84e61d735ac7a4dc7345c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: mode-ctr-gladman.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/mode-ctr-gladman.js
MD5: c4bd3b4755cf275747f8e68b0eed7995
SHA1: cabbcc4100b4d363f1b55d42b930ec547ad67dd1
SHA256: fcd6166981435cc01bdfd2fb8f9e2773acfb144ab8c47e0c71473d9bdee755b0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: mode-ctr.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/mode-ctr.js
MD5: 6cec0458e4e62c1ff8b534e59f9132ff

SHA1: 591484053ed26919fa6e4cecf7aa723dcade4bb6
SHA256: 9e67161f61922a475b142b2e18cb4470ed7860ef61bc6e7a41f327f7a59be96f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: mode-ecb.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar
/META-INF/resources/webjars/crypto-js/4.2.0/mode-ecb.js
MD5: 3a84195b8427195dd9c345a0f3aa2313
SHA1: fe621e95709e31a5289c78d114aad4a920f14923
SHA256: 4f563373ba4af442e1b425b7b7dd1030ed84b9babe9821949922d9677bf14701
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: mode-ofb.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar
/META-INF/resources/webjars/crypto-js/4.2.0/mode-ofb.js
MD5: 48f5529799d5eac8fa9f855ba1402737
SHA1: 4e97befa1e4d0003cd2fe9d21d85d6636513fdb4
SHA256: b49077bf4bf5e8f2cbb2de0e2d48c4d941a3feba2bc7c629abd51fe2ac8bdb2f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: package.json

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/package.json
MD5: 2f31b0aec8f5d1c63af62bf46623876c
SHA1: 7316c3382382dee4cc36236a13bf43543b8a855d
SHA256:011d61589c95ad4e16051c492565f7c19c6a7832580674503cceeeca612e7a6cd
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: pad-ansix923.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-ansix923.js
MD5: ca8ab3266976ddad6e811577212b8c88
SHA1: 505018913484e110aa81842a4511a2a52cbf2231
SHA256:7d950bc42f262159a2786eea30d1153a3d0bca9aab9acdbcc1a981a8d2854ef7
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: pad-iso10126.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-iso10126.js
MD5: b1c4aa95c8bc79280076e66352b6c219
SHA1: 9c081665a8d0f4399c5f3874f38f811932900d54
SHA256: d3695304e8e7a001cc6e1b84d4b58abd429dd7e3f09514c260bcd3122a3aa685
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: pad-iso97971.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-iso97971.js
MD5: 4027c92ac1ed3c95f39e8e2a391500d3
SHA1: b7034e19bcb012cf7549baea65a70d25b8e71480
SHA256: f7f7179b8bea5b6ef4f0891f23b563db8aa530376795cd99ef84942cfc62d328
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: pad-nopadding.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-nopadding.js
MD5: e288e14e2cd299c3247120114e1178e6
SHA1: af4df0df185ab10e12fe8c01f885027eabe3c8f3
SHA256: a722d1f1486b807b34076ec3277ea3a65f21837db2d9f76eb5daa7de312479a6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: pad-pkcs7.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-pkcs7.js
MD5: 23c101a5a832bfa8a894b9813323044c
SHA1: d21f12b724eccd65c9f20503bdac2c41eb8ce985
SHA256: 9a3c909e8c3b6604bfd7a48a3c7e61504292744d894bce1266b44691b857c1bc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: pad-zeropadding.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-zeropadding.js
MD5: 23b4116306620a01bed22b52014c7c65

SHA1: 34360c2d2f9a38e5c3d197223a2f5b6777cbc1e9
SHA256:d99e781985e817da7c6af30d957c45419b1a7e176bf52160424ebbbf970df906
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: pbkdf2.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar
/META-INF/resources/webjars/crypto-js/4.2.0/pbkdf2.js
MD5: 3f2876e100b991885f606065d1342984
SHA1: 006198366f41423a82b05dc582d9882530c3f6e5
SHA256:89cca1be3926c8d89b6f827d70970bb3bc94ae47943342ca8949992faf8d2b60
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: rabbit-legacy.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar
/META-INF/resources/webjars/crypto-js/4.2.0/rabbit-legacy.js
MD5: 8fdb6b7d8bcf3aef27398d47d13dacb9
SHA1: 23dc78f4b418c296ffc166bbcad8c678d6ab2efa
SHA256:cf9afefa87b216dd4d8be00524f8904bba1147fbb90273e5e6a7b2824b52e56f
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: crypto-js.jar: rabbit.js


File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/rabbit.js
MD5: b3bae9fc93314924cbd6c4283c1e91ef
SHA1: 4bd339e3a9e954c2766a07a96cf7ec2547e76cab
SHA256:dc93dba650db41783f8a3faba6ba17ad82cb0eb1b6fa84df406f71d520d84b42
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: crypto-js.jar: rc4.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/rc4.js
MD5: 846a99f1e90dbcbb5773793c3fe8aa5c
SHA1: fbb684811bde18ce2faad2ffbda3aa9c00939e90
SHA256:571eca05c055a26c729f757f83b9f849968ae0dc0ba9870e5be9526019c53a33
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: crypto-js.jar: ripemd160.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/ripemd160.js
MD5: 1d13fd2d4858d87c36c43a0a6436f0d4
SHA1: 9187ea140085390e357f1e7804f95e7a5812d494
SHA256: 3d7eea732acb8f27ba7be5ec54cc1c5ea198be2f7b12ae78cf03ce3b87d78da1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: sha1.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha1.js
MD5: 5fbc23cf1d5cf34e9f7798650d07b333
SHA1: 7401e77dcaff4ecaab8e57fd11fccfaf5f33c75
SHA256: fca2d5560acb8de760ebc94679ff210056722af8193871e75176a61a977ac30f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: sha224.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha224.js
MD5: bd908518f276d2df58277bb38185b307
SHA1: b10b13e02fadeea29119f6976b346d9b06c84342
SHA256: 542ddc722d9711595c11d57caa9424beca928b3553747a51e3f1c57c2c08ec16
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: sha256.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha256.js
MD5: 561d24c90633fb34c13537a330d12786
SHA1: 7593f14b59ba2099cbb4ffb806e75758fdeb12f5
SHA256: d8074f23cbd27aa6c2f231b8bdad34bbd8d49c7e47ffa0d7cd07a2c4d1d3c798
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: sha3.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha3.js
MD5: 6fe2614bbdfb802fa873f118621c7fb8

SHA1: d977f518e609149d1b51932648669a4be7a97f27
SHA256:6ee08cd3d69b181cb735011acd0a0d57b6a4a071baf8ecbbbb9aa18cf1e4d6ac
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: sha384.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar
/META-INF/resources/webjars/crypto-js/4.2.0/sha384.js
MD5: 6ae085f20325eb927ff673ef20568137
SHA1: 8d7bb4a99b713d53723f8f1ad3442cf9e9edf9a4
SHA256:8d902216aef6840bb9951117bdd3aa6331078e68ee04987aa1d59c73b5ff3066
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: sha512.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar
/META-INF/resources/webjars/crypto-js/4.2.0/sha512.js
MD5: 0e5e8946947671eefe910c58f1272c48
SHA1: 7b4efa121b30865b12f7546f1e99e22c6c2a3c40
SHA256:986ca486a1c9e58e9d8fc38d1db4e652e14c751ba1a6a15fd81439d261efe2b0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: crypto-js.jar: tripledes.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/tripledes.js
MD5: fcd80fd597ef5e6a0fe34cdf484a8825
SHA1: 94c5615ac7a0f2ee61bb5325e46d61151893dfa6
SHA256:8d8de06235e08f38ddc855070ef8cb86d7c69a67b3a5278f8cbf2af64b55122d
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: crypto-js.jar: x64-core.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/x64-core.js
MD5: 677577ca38d04508f116ebc977dcb11b
SHA1: 966f596f1adb7e7780021ae463a62890de8b19fc
SHA256:c54130dcd19ae2c7f8c4b4a69cb2038a65d363899cddf7ebaae0102bfc8fe086
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: hugerte-languages.jar

License:

LGPL 2.1

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar

MD5: fb8b1b6b34605a5f009111354952152d

SHA1: ecf7ff886113ce62c8b84821517c18eee4ccb552

SHA256: fca0ba33cd0ec4300d7aeae8be26a9985578df5090c8e6126a2d8fc40a4bef3d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	hugerte-languages	High
Vendor	Manifest	url	https://www.tiny.cloud/get-tiny/language-packages/	Low
Vendor	pom	artifactid	hugerte-languages	Low
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	url	https://www.tiny.cloud/get-tiny/language-packages/	Highest
Product	file	name	hugerte-languages	High
Product	Manifest	url	https://www.tiny.cloud/get-tiny/language-packages/	Low
Product	pom	artifactid	hugerte-languages	Highest
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	url	https://www.tiny.cloud/get-tiny/language-packages/	Medium
Version	pom	version	1.0.9	Highest

Identifiers

- [pkg:maven/org.webjars.npm/hugerte-languages@1.0.9](https://www.tiny.cloud/get-tiny/language-packages/) (Confidence:High)

remotegui.zip: hugerte-languages.jar: ar.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ar.js
MD5: 823f9945c776bff8a5d1d33b7d053f76
SHA1: dc44a63c5afd84dc271d61e5673fc814e1de20f0
SHA256: 16ea01e589d138a6136652e9bbbff6f0a78c7da2c52f777e50c2b1c51b85cf6d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: ar_SA.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ar_SA.js
MD5: de0f31d1f1a0932c71125d7baef80a5a
SHA1: 29240f1954b11d0cc527d22342d62b23d6be35d7
SHA256: df5dea24dc375556b47d00f787af4457a306dce441d7560dc5708926e65196a4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: az.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/az.js
MD5: 41a5444280dc4fed40bd7007a8734bd1
SHA1: ebff1c1e5fe696a05d5b025cf996239d07e5728a
SHA256: 56722b025676cc2a88be8cb111e7d93a1cf5f076e25b57603c9ee34770eb1d21
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: be.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/be.js

MD5: a21eb5c6f25273f8bad1ed7d263c9bb2

SHA1: 029a79f496d18774c6e463c76bb351c5e36d745f

SHA256: 38ac39070c67cc3dab2aa62cf3c67f6aae5de17412aadaa7f3a7f0fc07fe1f5f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: bg_BG.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/bg_BG.js

MD5: 801f9914266c7293a3235a7fb0ae7f3c

SHA1: e7a34a80a73fff9be96fb31dc8f0f9d1a3987c59

SHA256: 251201625c9f4281c1c290631b000379b84305155f6e36387ff62c21ee8b45f0

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: bn_BD.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/bn_BD.js

MD5: 220b63a6f7d42943f33d94ba67423a64

SHA1: 86740e376336efef54a75384cc7b08ba1dbb8224

SHA256: afcae81dc0d30507f943432518ba500a7fbb86b4e215643b400cdbd1b1ca219f

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: ca.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ca.js

MD5: d44f1cce804fcec692b814e203609991

SHA1: 1cf7f636e5e5b04322d9d339da3315384c58548a

SHA256: 268e5bd32cafc47a21baae85aece4afd933ca25ec9f9ead891679987c64579d3

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: cs.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/cs.js

MD5: 79a288d0c7f661ca7f5e3107341e4c9f

SHA1: 9aee0c1dcba66150ddb2648fa9a827633e94366

SHA256: a3f3b00c1079b33aa9ea1ecde5182c5f1e427931e6cf82e85271d5e8ed85a99c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: cy.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/cy.js

MD5: aa66134f9a69db8bf5e37e9c00486dc4

SHA1: a8e3c6399e8efe5cc72a88bca7d9df33ac016a41

SHA256: 7b39d495ecb2ea1eca56270c5591c17475756c9aee5f0178d7dda9fa41201f8b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: da.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/da.js
MD5: 86be98bf9b1a2028d498158c10d995f6
SHA1: 2a88c16d9f97f6fbd64841c4bc7953775aa7c98d
SHA256: 5f26a49c249458207d87d14f4a13ea76f9dfe83aa3192d9519aa3564caa5b593
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: de.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/de.js
MD5: c2a71fc1e4286824de66f53bd7b82485
SHA1: 13afdd59bb4a7ed1d67154bf5b5e8fd4e74ecc31
SHA256: 89ecb25e929cb079bd55d7747c46f8c767d0ae6a82d0b5f4b88ed9764d899db7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: el.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/el.js
MD5: 915f10cf164e849c6fcebadaab64b00ef
SHA1: 9915d6d53f204fb3098db4fcc6984f3c7aacb5ac
SHA256: 023ff4f96e5a56be54b8f5fe60b5dd437e7e0701452a1b2c3cccd9227b6dc35f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: eo.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/eo.js

MD5: 8f0c327a379a1687bd1d79b356e0c6b9

SHA1: e8db0b00cf0948cc7912deffc721d91d55b8bed7

SHA256: 97e596fdc130fae102a9199bc538546abc46f300728c0f51697391d57aa31e5f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: es.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/es.js

MD5: 033628b467ed06d308c9612dcd5bbdb5

SHA1: 09113c6d952a730226b8a1d12cd237b3899789e4

SHA256: dade4c15e9cf8d18119ca2fdf6482b3853f5b59cf0f970d089170daf767075f3

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: es_MX.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/es_MX.js

MD5: 449d6aedeeddbbe6381c83d9a5769597

SHA1: 5998163f1a11b65a5e7a0ab9c9dce230fd413e76

SHA256:bb871036a74c5306485caf250a509025740ee01a01c7423004462fea3cc2be39

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: et.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/et.js

MD5: 091758942df0564e10bebe19a78d313f

SHA1: ff025e62b8c42678618820b34d7931c5786b1aea

SHA256:6cc07e99a6c3b8c624a76c01a1fa3808711fae8f1f1dc47d2b8080b7522e8223

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: eu.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/eu.js

MD5: 1485b45393804c99c99314aebbdcc0e6

SHA1: a95f6eae92569b428b700fb12dbe489a0b71a4f5

SHA256: cc21d29d3cb923a4ff36015cbe7bd17dd7a64a5e72fc6ac872e4c945db16241b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: fa.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/fa.js

MD5: 0dc23c9242a62695e3cbeb9a2f78e139

SHA1: ef67cbd5dc74eab86408aa69634ae8e2067620d2

SHA256: 22e7c7518a2bfad61e9fcbe065ecc02ab03fa8534322980bce9f99ebc63a73a4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: fi.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/fi.js
MD5: b7e0faf1d8fe236d9b2936d625a0fdb7
SHA1: 20be70760980449856bb658599c1330a5a8075af
SHA256: 4917f9d328011a6ef7ab83ad444289f6f99f83b715427198ba361639dad96bb2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: fr_FR.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/fr_FR.js
MD5: dfa01543f5cf0741603c794997fb5d9b
SHA1: 635f1e92319d08246c041243dc9095d3c93e1f8b
SHA256: bcdfb2da8b8415d7127043dd30676369f9beaec15d3f632bd4c956bf9cd52598
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: ga.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ga.js
MD5: 845b69d910adfa4628178f438a718482
SHA1: 4943d1679c82f7e96a9336d77cb0d2c3aab1fecf
SHA256: 5958b2e476b049ab4baeedc79aba6df32354d77ab53d5d247031c770b1511651
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: gl.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/gl.js

MD5: a795d0920b1380017ff30141839551e0

SHA1: f88dcdaa4f1ccc07c852f840f98e2152fef000dd

SHA256: 71207713e3e7847c58b60968a99f4a78433badc4fe7e30b72dba09aeca4555c5

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: he_IL.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/he_IL.js

MD5: f0c6393b918763fc15eee6d3e0c37466

SHA1: 9b1b2433bdf168dbaa699f013d91e7ea7604e892

SHA256: 78083d15ce5a545d77b567697bbf442b183cb251db84479fc6b4170d61dfb246

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: hr.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/hr.js

MD5: 2441d08f559cb16b4d43b9d5105b860f

SHA1: e0482438bc1ebbe8a1d0fa678fba00ef712dbed

SHA256: ce558c44bad214031591a960166ad57e48a3df1829acaaa11f5de44e4b7bf991

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: hu_HU.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/hu_HU.js

MD5: 2911b3d257d0dc7f14333016a7473155

SHA1: 05f276655db6d33333857981a6810cb23c1e4c83

SHA256: 57edd0020ed40bfa8c8bf17d3ce14d9ad3f55ceded462b4455ae9b01612a692d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: hy.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/hy.js

MD5: 39fa7cf899184e065693c210effa166f

SHA1: c1a4ef7965155b0bfe0c94264af6dde949ffb079

SHA256: d917b7cfc80a52e9a36f8b4bd7e234bf946fa052efd0cf3536bcb92cdf092aa

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: id.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/id.js

MD5: ed414a75874cc8ff481bfadbb830ddb3

SHA1: cbca76c07a1123375eea910af43aeadd620e0308

SHA256: 7c1fa631ca44d4e22f9c50b9891fbcca962e0220ef09aee6a40e75d5cdfd1cda

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: is_IS.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/is_IS.js
MD5: 9b77beb5d73d767a20f9023e43b95cde
SHA1: 89b10e76a8640b05c60235c2cd14f95fccc5eee
SHA256: 628c8dc10e2139d038274d9f0df5bc71f07dc761f94ebf2d6b16b26c1d492d81
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: it.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/it.js
MD5: 90e171ba4678a4ed19a31f0e440aee2e
SHA1: ce567152b20166647800c975e326ff77eb80b769
SHA256: b65405201879f02f69f991462a9874c1a3a3cd73789f120e4ce01e0e67ca0711
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: ja.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ja.js
MD5: 9dc6598ea78c3171a5c79d12e9bd0d2b
SHA1: 4e7cb9da114814fe1bc798fc51cda71fcd0b38a6
SHA256: f8e09ab0e2d7b205a27ac040fe43756055e49247b706fa7ce3010507111eb2de
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: ka_GE.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ka_GE.js

MD5: b23cbf69f2fa02f39ed9086f46d0a527

SHA1: 96a4216380b61acd215df2c2c62ec2cf27506e92

SHA256: 60f5880d40ce0196356c7f8f1ccfa77284dfd4e528165e9da1a540570b0e587e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: kab.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/kab.js

MD5: 3b7ec13af25657f158d12387daaf5ba0

SHA1: 413a6adc6339cff29fc21c8a1ee9d713dd406d01

SHA256: fcbbc32ff3396f8720fa5384f168495f2046b3fa6a38a3415bc6349cbe01933d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: kk.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/kk.js

MD5: bfc0aef232b63aadea153d6169b33886

SHA1: edb0a148549b2481162c47544d83a46c26522f1a

SHA256: 3a0eae48e37986a44e71d7aeabcc9048de840262309cb13ca4642b6a8f4c9619

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: ko_KR.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ko_KR.js

MD5: 3c1ae38527476e28004119b28e635254

SHA1: 179653599026e2ac4cb9b87c2ad7762b8c792dcd

SHA256: 0ad35f07972e8121a88dcf1106a2f502b71998dbb485bd678fbb48adc8a6e3c9

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: ku.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ku.js

MD5: 031a3776060e93cd2fcc2a469982794e

SHA1: bde4d51b40929f76f5517c6381f02ef63beec9fb

SHA256: 4c69b5c3c53f4f9069a26c409eae732e76316c1a39cb50e2b6296b9aee256f41

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: lt.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/lt.js

MD5: ae38ef0f7d831c5a2c0ebe933fd37040

SHA1: e2267f00cb816718ceec6b265d536f0eb41ea7ad

SHA256: a250c03862616afd2a73875e64c2ddd130c3bda5d565b744ec64e85bc6401cee

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: lv.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/lv.js
MD5: 5e9a34b9de6fb86881a0c116f445fcf0
SHA1: 9914a2be93fa142736794389a8ef160cc64a8ed3
SHA256: 7068369f71f128d11f274aed093a35b649d6ffe0e33ec5b2cb56ecf5be1c4271
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: nb_NO.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/nb_NO.js
MD5: 2b23909699f576ef026ba5fb78ae31da
SHA1: cdbda59aa32791840f8d0428c7cffc54d722b63f
SHA256: e1ee0336aab8a84310f002bfec4b7636ff074b5646c4552be7a8237593156bc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: ne.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ne.js
MD5: 885af0f75b6673ac70ef74b275396b8f
SHA1: 5cbd5c46bad6c490f79dcfc6a53649cccca0f4b6
SHA256: 35322c1614889e08dfc7c46a8998db16efcdfd4b03ddb32e3c9813084920728b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: nl.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/nl.js

MD5: 0826a3893ffe0dcf835c41f022fa6736

SHA1: 0e3d08a78eb44a9c625d380a05c0995da54f9978

SHA256: 42ca9cdc0c09b899c4c31bc9ad8ca252389ef50ad3f19ec09ea8160ca044b751

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: nl_BE.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/nl_BE.js

MD5: 81b7362a9af0bacb4f46de26b7258f98

SHA1: 7f4f768b30b547d50dc27670114f1e5bd5a9de2d

SHA256: 53578716f41e51150f1ef17e05294fcc4a9c251a05f63c4f9886c650999caef4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: oc.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/oc.js

MD5: ad364ff6bfb912aaa60afcbe530eeb84

SHA1: 7178d959acb8e51067c6867dbc104d07c7a174ea

SHA256: 3dc4b06e29d1d0f9e1337341da3cc6855505b4443dcc505e60c75f0e8cc9d3a9

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: pl.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/pl.js

MD5: 73c0a111949ba936650bbca9d70e7f2f

SHA1: e862ea235cff52a45837fd4b80f37e38b9933c47

SHA256: d8630e2cd3a9abe445ed7475635580ecfb02da50ccf4d3534b275d7bcd7d85bc

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: pt_BR.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/pt_BR.js

MD5: 4025b9c06a52018128f87471d7536250

SHA1: dcf2f7fe4ef9b75bd76fe24f6a29639d26484e7

SHA256: bcdfab8b8e078ea63af41e912bf9fda8fe5bbb10efccd2fb59b59809dcdb5223

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: pt_PT.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/pt_PT.js

MD5: 9591ec64028ef59a6d4eed3254f77364

SHA1: ed58d2d5a64a1dff28c1083d808405a5437c5971

SHA256: f4687f157cacb710fefe7a234c7513e9c842375dc628fb85e356d7734e649892

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: ro.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ro.js
MD5: ee5452aeadd10357b0225b214dd94ba7f
SHA1: ae56e4a834e45614d4f26ddad0d7e0db61441f1d
SHA256: 66ee1e952526d1200d4426df433d3c9342ae28c1f4784715b1e2436cc36bad64
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: ru.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ru.js
MD5: 5f4a09edb41ca0d3656f0d5ce9058860
SHA1: e4aefa0eb5f9f75fd1ea15807021e0867d860b76
SHA256: cc26bc049ef33a17197075266eaabe26a01ad63c304b964efcfc5cee4ceb41cc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: sk.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/sk.js
MD5: 46334ad086220eadf9a63d34c0f2c0a1
SHA1: 100e6a70a6f05d43ee711601895399b3cbb7921b
SHA256: ff3342881ae9ce3f99283c5bb2874d1222b526ac3636148415f40cddd808d90d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: sl_SI.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/sl_SI.js

MD5: bc7133a87c4c9d0bd8eaf59ef8c874ff

SHA1: 29c1685346e76a3bed36059a6bbea63058969879

SHA256: 58b6ab701cf8f0ee76a6fd7300e265cede6102c9acf83ceba8d4cf4b00251ff7

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: sq.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/sq.js

MD5: 861c26592664176acb3e275413859f28

SHA1: e5f0e123e4d250d2b6e1ff6ef50f4ea3d7b7aa7c

SHA256: 9e266507d00b4e3d55af374d7097e74a66049541f761c93f2402ef941b50d2f6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: sr.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/sr.js

MD5: 85a21c38605be1a745a8d91d7d0b650b

SHA1: b42391f82ad5765fa205c62f6c63d1e365690c2c

SHA256: 94c18c230ab69fd848a72c3276c91037f7a803859438d69b890395b97e9f1ff0

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: sv_SE.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/sv_SE.js

MD5: 5ed724e831b0b24b153d2ee7db5b3816

SHA1: f729969fcd9b302547cab963d560acb8da35c1c4

SHA256: 1ff7f0f713beb4d59fc3a45704ee9064264eba748dee158024af49ddd7d4ae20

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: ta.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ta.js

MD5: e2088db6edf402bc276bfc8d6856e2d2

SHA1: 42f8f57987cc20025703e0ba4df401d0cc8511b8

SHA256: 2704c32a0eae180c20586f7b3ac7a5d83e777f5d2abe14ce8cab8cf786dc7d1a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: tg.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/tg.js

MD5: cdd2d5743671715d8aaff1bda4ad1f94

SHA1: 917638fd2950dd42fef4dbf6627cf078bd2b7aed

SHA256: 1ec107508768200fe55d3c56ca19f91bbcde436ae90d32c62d912f9131064038

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: th_TH.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/th_TH.js
MD5: 75f892fe79cac886b58ba8263b9304ab
SHA1: ced62928d872f509b9112a7be0bd652a028b12b7
SHA256:f09ba8c508eeb7fd2bd0a31ddb0909cde3e701a0c15a7f5dd7caa1aad1b721f2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: tr.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/tr.js
MD5: 705bd62d8012d72d0d4911d3ff5630cf
SHA1: 8d3beb46e6610edf2f362b5fd52cf6aa8763a3b2
SHA256:96dd1e00efec4becd581735af1d6b1467cc9798de54f2e945ece2afb70d43e4c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: ug.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ug.js
MD5: aaec10538e96e70ff869484f6c747c5e
SHA1: e398b581d4d74426689508a414eea025392e6fe8
SHA256:6fcda2bec399a07ae3684fdd4497318ed005eadf33b3ac24ecba3f258007dc0c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: uk.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/uk.js

MD5: 99020cb723ec0b122e56170b40053d20

SHA1: 5fab28c63533fd3e3fe00d38cd63ba6f23c32b2d

SHA256: 6f3fcb3f5f2d4920b3c5be68509ab140f28c454595cb5cfc3ad02e996146830b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: uz.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/uz.js

MD5: 6efa9afc8b45dcb30d5c20dc2d651a99

SHA1: 4cbfda4fa00dcfef02d859a683f6a2e049a395e4

SHA256: b03c325f76d34d3d62a0de7aed705b4c015c5cef8fe07aa10e28b5261397cd4b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: vi.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/vi.js

MD5: 181808a7542470b9901cefad7eb4b5bf

SHA1: be4a2aebc0c2e9fe45f2fbe7e9c19ee5ed78d6f9

SHA256: 24622b29a7ad643866d6c8a74277e58f207366f2f3c34b4311b42f93204092c7

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: zh_CN.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/zh_CN.js

MD5: 7584b32dc413a2d39e5b85d9dafa173a

SHA1: 10dd91679dffb2a3160f40ad3188db117b9afa2f

SHA256: 9c06f952379981963600a4b3aa40af35eec78c163d3daa9da681107f8c647089

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: zh_HK.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/zh_HK.js

MD5: 1b4894b4e6c2e724475ea8c701568734

SHA1: 552f1316a1cfc565a018ea4fab9129a3825dd6d3

SHA256: ba7fde91f1a45dd5c6901368d6dd18c24683a876629c54b88396222b493c4513

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: zh_MO.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/zh_MO.js

MD5: 90d19ed9a0ebb0b0680ba6ba483804eb

SHA1: 4912da322d65705edd33e0570e81714a7209020c

SHA256: 395ffcd48bad59534174877050ef1f016fc7598382e46e6f2105a44620bcff31

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: zh_SG.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/zh_SG.js
MD5: e29a6f7769ede1bbbb5f96a5eeb2f24e
SHA1: 3407630e6f9c9919f5e7b4d9b74cc652946189b2
SHA256: 0d13680b26585e33a31f21153391e341ff5d2c6a0803cb882a621e7dc5231284
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: zh_TW.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/zh_TW.js
MD5: 0a3c9f75e226b3129e8b7f89f7130007
SHA1: c940597951e8d42bafd5602b1801c00fccb1dc47
SHA256: 1dd655d41c2ac0bd1e939d787cb4baaf427fcdec6ba22c0f612f765195d548b0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar

Description:

WebJar for hugerte

License:

MIT

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar
MD5: 40e3c36b730763dcffae9299f0a70fa2
SHA1: 3e832b2eee0c63d39d757c106d67aedfa531ccf6
SHA256: 2447fb813adb57766372cfb1b76e9318dd9022e6bc8eff4752dcd6de2c6651d0
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	hugerte	High
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	org.webjars.npm.hugerte	Medium
Vendor	pom	artifactid	hugerte	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	hugerte	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	hugerte	High
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	hugerte	Medium
Product	Manifest	bundle-symbolicname	org.webjars.npm.hugerte	Medium
Product	pom	artifactid	hugerte	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	hugerte	High
Product	pom	url	https://www.webjars.org	Medium
Version	Manifest	Bundle-Version	1.0.9	High
Version	pom	version	1.0.9	Highest

Identifiers

- [pkg:maven/org.webjars.npm/hugerte@1.0.9](#) (Confidence:High)

remotegui.zip: hugerte.jar: ar.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/ar.js
MD5: f5f0b4553a42a7a74e7be718fc557e2b
SHA1: 302dcb720a73fd97345627a102ef162125fee945
SHA256: 9866698a529f686db8b4222bdeb175003c3e09c142ba130aed9fa98d5aeef08c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: bg_BG.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/bg_BG.js
MD5: e532c81c8e86f9066729809870cff6fc
SHA1: 4e1e104ee689097ff1192decfe90175300e6baf2
SHA256: b884906123ab5b8b1ca1ea4c156a2d6635dc42319b10cf51b4d6e544c8c56867
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: ca.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/ca.js
MD5: abf90dbb77512d6a2bafa26c36c9e068
SHA1: 77120a22296fdd4c779f3736396215ad82276065
SHA256: 1f8935be80e07f8b30a9a96f5ba621ecc2f568fc96f69614ab4e073b6b3eeafc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: content.inline.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/hugerte-5-dark/content.inline.js
MD5: a8531e7d906f77df4085d9ded150c281
SHA1: b255e033e1b16c6df35859cc23c49a33c3baad8b
SHA256: 7512a420bf16d072edbd796eadc03c74483fe6f5947bb070f517a012b80fc576
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: content.inline.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/hugerte-5/content.inline.js
MD5: cbf28002f872e95b1e9310dec7df4bdf
SHA1: 22b3e10eb6a88534c75b1dc9be9d6b511eb53e08
SHA256: 8d35969f2fee55d8d2eb61f1aa8a2372dd941c9629379dda6f9f131457132c03
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: content.inline.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/oxide-dark/content.inline.js

MD5: ac1812f6eb6c6bb8e98918582d3e855a

SHA1: 4681a3ada53a664e69ee64477e735aa371cb5a2f

SHA256: f5433e2fcd731cc793e3c59313f39aecc22aa87dbc0a6b63ed1640ca6961dcf0

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: content.inline.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/oxide/content.inline.js

MD5: 3b6064b7d2242fcadf7c3cd1025eb192

SHA1: 6e92f0f2c271bdeae04920ed292d5385cc91d344

SHA256: ee579e0bb81106269b705dd351fd986dd576b01e418c5d7a9f34a15116163a3a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: content.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/content/dark/content.js

MD5: 218eb5454658554e8d6094d607ef9f35

SHA1: f784fd4493d88dca9b7c46492a0a95ef16f5c0fb

SHA256: cdd9773b89ccda5cfefb54982376a2e28ae038d2e24649cba35c88d17991d283

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: content.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/content/default/content.js

MD5: 132f74870c5e313c2fdab42f1284c595

SHA1: 1005edec7a293e74d659823370d4fb589b1328ec

SHA256: e7f4d1b242145ee6d6359b90140226a759267a8aa753a2d311545d432900fc10

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: content.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar

/META-INF/resources/webjars/hugerte/1.0.9/skins/content/document/content.js
MD5: 3b0be7f67904711c70f317dddf089f5c
SHA1: 4ad6d86b14653ae3d62974017cfed4ee5294a695
SHA256:4b45250053780a31fa19ead75e59f56d57d5d1dd6e285856ad5aedd3fc72960
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: content.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar
/META-INF/resources/webjars/hugerte/1.0.9/skins/content/hugerte-5-dark/content.js
MD5: b982025040e29e7cbbb8d113fedfd69c
SHA1: 4042d2d851ed0b54502fea16c06d9e28159f29a8
SHA256:a28224012e76c4e795e0854f7fce99ec681ef424b589b4661bc8f68885f98e98
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: content.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar
/META-INF/resources/webjars/hugerte/1.0.9/skins/content/hugerte-5/content.js
MD5: 1130965418bf44c6d085f938cdff6650
SHA1: c59de9f12455d9eddfc658b74c28a355f68319db
SHA256:cec00ecbc3b3d3f8afe4586a97d23cb761994002a224c21be3e29057636013a3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: content.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/content/writer/content.js
MD5: e4542246b3519a09b2d632b5197243e8
SHA1: 9573c58453f17a4c921086d5f90938987fe511e8
SHA256:852f7d5ae9af37997c185bff42937182a79e494089a75b782266882cb4f4f197
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: content.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/hugerte-5-dark/content.js
MD5: b7766067e593da14ae6f23d290c9bd6c
SHA1: 6534e3c7ac5b4e5309a7dfc2ea3b0c337d442cc2
SHA256:45e8515c9c66aa5066577c1d275c586965ba4080a951c292beeb2b3da0d0acbd
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: content.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/hugerte-5/content.js
MD5: 9d85292a93c6d2940a80f50d1f0e6966
SHA1: 935d111369099d41bd50a3db11d6563051a634c0
SHA256: aee448e5c016b1143a15ecdee0f43e555f3c9add2bca6af40cc4b36b88cdc588
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: content.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/oxide-dark/content.js
MD5: add25b66f87fcb7ca581f9f2b953a653
SHA1: 989b6df98ca78608dd8ddcc2c3033bde0de2d8be
SHA256: 0786d0145a5e55b9ae24c45196348cb00c5c91454f75a186d978942739091bea
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: content.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar
/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/oxide/content.js

MD5: 76c08495990d174584d15c5f50a8e5c7

SHA1: e75376adbaa0ac5d81908ec178263ada61dada8b

SHA256: 23e53a768bc59564bcf0e8600b187a8fc8822e23c2f175701d760cf5153760a3

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: cs.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar
/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/cs.js

MD5: 1779aef97fcc89fa4e8c6ae639bec3b

SHA1: 0c798783fa338bcf0b607e19b69a157e5aaf67fd

SHA256: dfaf6a6afa02f7a7da5c27cde37b1074e860982c75ca4a7d8df9a42e8f1ad723

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: da.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar
/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/da.js

MD5: e3bcef539406efdba466a679cd9625ba

SHA1: 3529f5c2cb29ac9eb0ef88d41ca2007e5b78fac7
SHA256: 96e1ded7bd90160f1a26e3b4e04128d0c45940c459cc25763a4898d4731e72cc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: de.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar
/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/de.js
MD5: 24268690ce3e0719f04f4d8bc47c1145
SHA1: 57d8098db012b33e240b5816d014960db2d80087
SHA256: f2f2eee6eb358dedbce018731c82def4a43e8343ce331fba26150f7377ebb410
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: el.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar
/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/el.js
MD5: 1f775a05597f190dddcbe67b14d4bfaa
SHA1: ab9abb40af9aebdd589aeed4b24f3c50771f9d9c
SHA256: f252b51d126cf0ffd18c3c2c68554e4026adcd0c520b1338ae353a0849178450
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: hugerte.jar: emojiimages.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/emoticons/js/emojiimages.js
MD5: 0e1ec31644343aefba41e9bbb5ea2231
SHA1: 3235ab996282c236e7bc4c711cada55734fd26d0
SHA256:f9a88019c8420a4b97fd84faf58efc5e8924e14c1765b829179e60f23c41893f
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: hugerte.jar: emojiimages.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/emoticons/js/emojiimages.min.js
MD5: e0e428be7a98bedc05200e5df282bb0c
SHA1: e858d05289b36fa9b0d43a3460a639498d7109f3
SHA256:14e1cee35411960c25902c281791a769024993abbf406388578ce0f974661acd
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: hugerte.jar: emojis.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/emoticons/js/emojis.js
MD5: 2a49c03ffdf163dec6ad6e104c671170
SHA1: e62bda2b7fa8b932cbcc964ce39767430ebddede
SHA256: 59bbd3aff8dc1dc9955c3f30c9e2f15111102eca13251a46e3a825c215253b65
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: emojis.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/emoticons/js/emojis.min.js
MD5: 1eb6671b67d9dfe2947197a7629a0129
SHA1: 42c380fb43ad0289a1d3a5336f9e8ccedb21871e
SHA256: b662b97899d18ec5daf78a78716a0f939b5e6bd8ada678212bf8de2a782b54e0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: en.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/en.js
MD5: 6282ec2e9f83d1acefa2850555212877
SHA1: 853f9a0d2a2191756fed83005fdea7f97b5e41d5
SHA256: 2223298388692bcc135105122d1686322188e6511163860453d791d1243279bc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: es.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/es.js
MD5: 810a9870708a49348955ead70c5d7009
SHA1: c6e78b5abb4c3cf4d67da9ff7c848caf24861c16
SHA256: dbc1fb0acc05dd8e01e2834f69f5f19fadba93b90e76854063663e5b335fdc3f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: eu.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/eu.js
MD5: 0d85c3a9cf44223833af08ff51d80e27

SHA1: 2ac31465284e8e4583a8ce69abb64c3ff461114f
SHA256: 5f6c854cf8372351ab402d7fe1f66a5a837c08e979b8072d16f32166edc07b02
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: fa.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/fa.js
MD5: a6809dbb54bf58699540c6a210e3cfde
SHA1: e3c03f38d4b4da86c3e9eb761c9f1a1ed542f436
SHA256: 6c4c3e12ef9d008f12fa5b603658a6a00a0940ca7e85048d87ef80666eb3c36d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: fi.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/fi.js
MD5: b7f976710075bdcbf5e57ee57acb59b0
SHA1: 8a4b373ecc42055da226c1c31ad9d976a10b9a11
SHA256: e67af5c13c21f4421bf7160bd19aab9318e6d19955111c5b9f890a362d0899e6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: fr_FR.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/fr_FR.js
MD5: d2eb59e6f3de25ac913be0e61a05591c
SHA1: 715dfb82a6e641415c0047f2901b7926ee8179f2
SHA256:5005b632badb0fc86ceaa196753a4712b1dd76d50b79e0d5d6410efa96f55ebe
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: he_IL.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/he_IL.js
MD5: 57b3dcbaeca69401b1a80d78ddb7d495
SHA1: 95b7e01187222aaf1ea80d0b74f846cc9a4f4764
SHA256:692233e8906b51c91d1d70882a0502be5dddb2027b5095c07d79c491925ad8fc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: hi.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/hi.js
MD5: 9eea865c5a377f40de2f8b4c41da17a1
SHA1: ddd56f4bd89abe1c502e0a9ead4b913fb1ea00fc
SHA256: 9585fc860ca2b1a749f458be9832932118b54d5e2b9591df62191ffa22102592
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: hr.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/hr.js
MD5: 3279eb68d7116c5e50c2445e392e313f
SHA1: 2b3cb7b1e01fdd84b9a52becf9f310329f4bc61a
SHA256: 93300531f9cdd8b934d7a2f421fa0fd36ac20b2eb7f09a0b25ae96b28c3cfd84
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: hu_HU.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/hu_HU.js
MD5: 27b9bf10dbe7c9c15b8ea20a44b569aa
SHA1: ca2ddca3514deeadbb45a59877a5498ecb7faea
SHA256: 9d62a3922fb0f24d96143e1a677211fec156bcd53ef0f60b386b8738861efce1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: hugerte.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/hugerte.js
MD5: d0aa2effd4195d127283b734e149192b
SHA1: 987bb99dfd3f7834343ed9610ad9862c8e465efd
SHA256: 3c3ab278cd6a18aab0b5dabd7794bff0511c36b28128ddda21a66e38de04dcee
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: hugerte.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/hugerte.min.js
MD5: 5303f8cde20e4ca7877bf6eed3a30e37

SHA1: f64876d293f88f8184566b1f75be76cb3e3746b5
SHA256: 47893b03a0e0dcc89476d85f1e9cddb7af26b67a21d8823d0062632844b337a2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: icons.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/icons/default/icons.js
MD5: 946e6ff563681f2a84bf542c7d1f835b
SHA1: 57dd9db9f500ae6bbc16c1b39d6871be228c12ec
SHA256: a70cbbbb7c397786fb814a416f691b2d39bbc1856af4c975acaccb27f190bb1e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: icons.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/icons/default/icons.min.js
MD5: ee63c9a58bfadec7d3f124f01fe865d8
SHA1: 04bcdc2f358ef5f562ff3bf05ded0e86ee39fb1f
SHA256: c422b0ee2a8c7c988d377c3455b95fe98b95b07616de53abe547a631cb7845ed
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: id.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/id.js
MD5: 559f08d3791f170b18fab02235ec1682
SHA1: 3e1621e3d7f2cc26ec7c76e3aad8b10740284c1c
SHA256:6b6f28465d15233f2f9d98dfea0ba7e43d983f7c5a616b5cf26185ece8248810
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/icons/default/index.js
MD5: 712c532c3b060cd5981af00496091812
SHA1: 1f0e1f66069455601e60b07941f412ec8da948d5
SHA256:01dcd2e841efaea732b35abab85f9b9c177708377e8a71cca9aa1cbc08ce50fb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/models/dom/index.js
MD5: bf6538ccd91ff0c8c459ea52568dad68
SHA1: 039492d60bc08eff76200837b005f238a4a4d93b
SHA256: 7e00163f1579c2463df0e1794c7083972c531e65e97e79cc1d3fa5fb79b8e782
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/accordion/index.js
MD5: 275d42a50d44665e7c641933489d2fb4
SHA1: 4fe5780ee870d8e4ed3e19b06a6dcba0745951dc
SHA256: cfc10117bda3513b6a8d5fc147c46d599d939188819b053cfe8b037d27aab68
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/advlist/index.js
MD5: bf1fd55a8b6b4c1288234708e4a63e04
SHA1: 4c00e9817344c41649c8a5692b8a50f46e86ec63
SHA256: 65afd673d4ccdd16025bbea20476e1e97173e975c6907b17a03bbbf3bfdb8e4f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/anchor/index.js
MD5: f53211f88e234e0b071178c50bb17158
SHA1: 7ce22ad1179e09599e011a9117e17a2b648fd131
SHA256: db1389e04f95143a547eac5a86b8b83ffacae1baa4abae7b1b9c71158745a10e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/autolink/index.js
MD5: e71fe17e37cc448ee08c8073edbd8511

SHA1: 8f90089dd67c4dd2c43ce5bd0c2041957b33814b
SHA256:a8464397c27fa3fc75c53ab84f63daae3c85d7b25106af78b2337752f1e18768
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/autosize/index.js
MD5: 6f84b0950a44436492f038d3aa0ba3e7
SHA1: 4f4bfdbe1b26fa78144a693b7c3dbc4d33f0db94
SHA256:171a9ea14e7b62d3300d5e5d557bd55d366d3ae3a707273898df479c096276eb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/autosave/index.js
MD5: 08ef53866b246c81dfe6ef294869a901
SHA1: 431a34505e18811756e55c896308c5b1216fd994
SHA256:421e960cdc5dfa2ed55fabf2223966e7b8ba0fa29b04eb16cd0d1076013e54b0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/charmap/index.js
MD5: 4c65bd74732eab0ab7e847ecba83b2b8
SHA1: 39b4ed0edd6e1ee5c4636b947e518cd4d07b1c22
SHA256:74c2ee3ce6dae9ab7052f10c47839820e2b8d15a8d82360d76c22adf2e140036
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/code/index.js
MD5: b44ce9c633a47f29ece07d74747d1e06
SHA1: 7ba540f71aa2a39348361b231a3836e247070e84
SHA256:989a665058a05fa887eae0f403aee3207efe08c27adbf298db424ddd877002fe
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/codesample/index.js
MD5: 90f716db1597b13e7574913db0271635
SHA1: c27fea0504a61d12e50a8064c3c8f76993e57304
SHA256: 090fd58bf0e341f935b41011fe6d785674f550720bc4d3d7fbe61b9d7250b573
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/directionality/index.js
MD5: f40440b25858539de61515b1dea80954
SHA1: 33d1633c7f24beec0f6d23c6248f0df20a16816e
SHA256: bacf651ffc58e57f22f8f6fb14ffbf696a50ea7b868a1f4af9cd03bd13b3884
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/emoticons/index.js
MD5: 9c2896100b43bf842537b98ccb1696bd
SHA1: 8a5d6682c000d686462ad08266489d5ef6e4bf6d
SHA256:f6ab4d39b9c01bdb42e11a9aeed2f28e173155d1a8c3744ae766db3820ab6b02
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/fullscreen/index.js
MD5: e187f0117b672a2e8033678f08d2f1f1
SHA1: d303bb5448dc1e0d404f366f07b51cd3f0487c28
SHA256:ea62f70b60de9fca52f2d2fa328391a3bf5d3de2965d40549fd1dbdd74f69d4b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/index.js
MD5: b5bffc3c2adee9b308f33253c4fe7004

SHA1: b6307cda1e5123ee6c213d4f2c072011c69876c3
SHA256:9740f6f6ad80924540a5bbf0c2a63cc9dfd8e61794fab7fd0f1b01a25cd6b92f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/image/index.js
MD5: 095a51c136955dcc74a7e0fd9604e21a
SHA1: e68b5998a5cb615262e6d82f2e823bed40228967
SHA256:c4680d28a23819fd558d0535d085e7362d8cbac560044be6c9236708ee8ccf2f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/importcss/index.js
MD5: 5e5f8c0aecc68703ecbbb0e4234e7d27
SHA1: 523289fb23e7e4902a037c16885ee32d836f00ac
SHA256:81545fe205f290c3c31c7bfdb4ba83b3081f90ddfccea856d4b6c29ce6944745
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/insertdatetime/index.js
MD5: d8a0567abeb81a32ae97c146b2056f1c
SHA1: 6178edb15029bf8995370971585639e047345aab
SHA256:f5e4e03c4fceeaa5e024fd441d21be9d6f403c124335e0f4430f3cfb6ec4d124
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/link/index.js
MD5: 77e9b56d47087efd55f769120600d9e8
SHA1: 75dd165d3fc4f04daa39c21f2ade96fdea9afddd
SHA256:320914e928c5be2837bec40ed93b5b6c536c027e67bdffd9db2119461057b7bd
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/lists/index.js
MD5: 024e229dcff4a27cfcc170a5410b4843
SHA1: 4c554e5bc1d9621a491410c001775da57f879798
SHA256: 7790a64cb53b91a9153c1b69bc3da83e3b159d20a7af6bdc13d27874a4615168
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/media/index.js
MD5: a1da1bf87b3ac65830fd803e9a28c381
SHA1: f09ec4275e63ebd377840fad37a65b011ddc6631
SHA256: 45426a57dc58b349746fec58e3051f139895fdbd818c671f8f7c17443c46b701
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/nonbreaking/index.js
MD5: 8c1c718293b28a845a15c257772ff932
SHA1: 7fa2acf1e9f7bc30632d71735ef9ed0d2f9fab29
SHA256: 720b764ae93c6103550a9200e0effd11853b564f2d6be45743bd17e4276a23a2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/pagebreak/index.js
MD5: 165034455e178e0eb99918d3a1421dfa
SHA1: 8af3f0527d7530ef2e63e621e7dea1c3c376162f
SHA256: fff3b308b4a7e7e6756f7c1cd80517f788c8fc0e95cb9b7bb360b6f24892f5f2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------


Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/preview/index.js
MD5: 83bb991d584186dab916e348799e4e2c

SHA1: 263f51c7a0512a1bed20eff7895b6498978532d8
SHA256:2e7cbeb72f62c23c850b1376295742a5c4908ce80808e8a9b9de214deeb7a72b
Referenced In Project/Scope: server

Evidence 


Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/quickbars/index.js
MD5: 99532be871de2c1e018b2f38fae3f505
SHA1: 4dad183c0694e2b520d32253e332e10179891435
SHA256:3b0f4ee52d5f152c733aa21e443ddb633517fce8675fdb8b164346e32cea3770
Referenced In Project/Scope: server

Evidence 

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/save/index.js
MD5: 358e82db36264f8bf5d5f211581d2e12
SHA1: 85b2560fe9b4c7dd77be693082e8ca54561d04e2
SHA256:e4ad55ebe0c5dd257c742be63db9f7faa361a03febcd6949b34e50a5958e257
Referenced In Project/Scope: server

Evidence 

Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/searchreplace/index.js

MD5: ed22a1e468fc1241e3e70c8720098442

SHA1: 49ad5ecf24b66612a3e9e8f1258f5fd8d1ac6624

SHA256: 2e9e32ea2edcd011f669cac3b7bf65efd4635a2c24c72a81167a7bf79e6a4c73

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

• None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/table/index.js

MD5: a40ed84889ba858c1d78a423a7339067

SHA1: cea53ea715d6b6010912a3bbcec73e7c9501bd4d

SHA256: e23ef84ba7634338aa304fce140296fb95ed92bddfa40e1e8975a2f725de0dc3

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/template/index.js
MD5: aeb80b7c4b07610c34901a284b372ed9
SHA1: cccdcf94dd46b6ebfff271867bace1d0df8c3255
SHA256: 6b6206bca3f79af4262b418278b2b1d44ffb0c16e618d6daabc3d022e555d6b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/visualblocks/index.js
MD5: 99fbe6ec0ba267d5bd4f4b56834bd6df
SHA1: dee26e00314addaf5d7359e4f672c6fdb309b17e
SHA256: 1527138d82593c7a2c56998be7d938c05b1d18dc01590ba8638033f41655dfdf
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/visualchars/index.js
MD5: cc4e861499e09f90d3d9214c307a9078
SHA1: 058e9ea96642f6d7da84f762a854c9aea27c7a5c
SHA256: 09730d585920b1cb562c8e382cb7180101b81d419930364aee24714e1eec37fa
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/wordcount/index.js
MD5: 042a01800558e0b5f08e835cabe311ee
SHA1: c0efda748192eb1ec1bed53d5d48447899f9e7e1
SHA256: 01e372dddf4f6441849ee78e1ded584ebd68d35fa0a7da3abb7c27fee75b90b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/themes/silver/index.js
MD5: c116e3f9ad1e1e3e232e65a88c76606d

SHA1: 4b21b67afb114f7d741f0c78ff1a8a6d89342806

SHA256: 7a7e4dbaaebca073b2bb9bc3eeeba34ce5496be0a35b62bce19b461b43218911

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: it.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar
/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/it.js

MD5: 368a1232972a0c4f634c76db78e5b498

SHA1: dbb121749285ea1340cf147a3f44a3cac915e734

SHA256: 7b9aac4916b04925b60c3ed0c3f65adc48373d479b6d030b216b4f031401e9f8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: ja.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar
/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/ja.js

MD5: 64c8b443274c245de92530cf50ac8706

SHA1: f567bfcd4417b6aeae2fc38edf748924b1181efc

SHA256: 53276c8771c3de2715c9ad8eb2826d997f0d8830ecf2e333388ff0c27d6ac30f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: kk.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/kk.js
MD5: 3f9a7601fd781bb6c65059c58fe96989
SHA1: 189054aec78882a40f812d5cb9b300f452872a7f
SHA256:37325ef03f35faca200aca41e278c54b67e437ff81e74147480598470e43b2fc
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: ko_KR.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/ko_KR.js
MD5: 20ef64c247eff15d94fab02896a15c6
SHA1: 4ffbdccd647ae10e4b54b50a1722ea75b8a9e1ad
SHA256:85fe5b45bb8b659b296a16663f03987bf40ec88099d52a4d1d56879665d6da2b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: model.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/models/dom/model.js
MD5: ea92d999d52ff5bc41dab34f3000109a
SHA1: fc7aceba92d2b9489b66227f330abe03b18420ce
SHA256: b0b76ca1ce4789de4cfac034a0268d9d8cbe5385356f826ff44a73c156a4f9ec
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: model.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/models/dom/model.min.js
MD5: 38ff76460d7b2cba43647cb8ef80b494
SHA1: 46a2359c0480257d4e8796bceec443f28fc12bfd7
SHA256: cf9379ce9f42b92b2e8a38f3b112b0af2470f25d1f0eb5d77f472964177939c0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: ms.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/ms.js
MD5: f0f057fe6321dee6122f9dc1a0aebfeb
SHA1: fbcacc7aac260a30a4c6213687aa7f3371995c83
SHA256: abff2edcfb4baec1ebd93c681f58fe893a09d56a3a6c9ebe8bd51348dd78925b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: nb_NO.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/nb_NO.js
MD5: 776be941e0917d4513e0beb2f8e18e99
SHA1: 164b9c95814d8941940485a56e8d5c2144fd2693
SHA256: 4e2aa817da52cd69366fdf338b40d6e4284f521156b9e73653b468327431e3df
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: nl.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/nl.js
MD5: 5199e61a9d49f51233fa4996003bc1bd

SHA1: 19056a6dd9e7a5ca3f77eb810d821fa14c6b8ba9
SHA256:5620e476f2a53f177ebd3dce0e5e1d0712922784e25f4a4a7e4ebd61133dacfe
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: package.json

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar
/META-INF/resources/webjars/hugerte/1.0.9/package.json
MD5: c83739ac586c57e24f48d20412052cc4
SHA1: f9d2fde79d1e57c3ec1fce7df38a5bad6b8802a7
SHA256:4fc3895b1495936c7fd491f87593269b53ec448c0931ee3be0c42848602510ef
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: pl.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar
/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/pl.js
MD5: ad4d61e73b6f7c576bb2d042b7c6ee83
SHA1: d88f3d98055cf7ed05a82402fe97fc5e08c9a2e1
SHA256:9d0dfe442f6fe41f504a97ba8154fcc35d4cfd011c518f5812bf8afc5d2b4552
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/accordion/plugin.js
MD5: bb9a851a7652a629cbe9014fd0d45353
SHA1: 4e961e043fdb649db615a5fe3604eed67f0514d6
SHA256:0d004a5b325e59fd7d46e708cbe7eff96734d94f2b9b3aa8d9793c822c1a375d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/advlist/plugin.js
MD5: 9672017f8cb47a0f8e7a15288f1fbe2d
SHA1: 01400fb213a38c57ab82828cf6b4662880eff48f
SHA256:4e2b9ea093af00a79a8fcd5b0b6f2b412012efe82e50d6e19233cf1379d08b6a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/anchor/plugin.js
MD5: 44cbc9c4f90d6fd656d86c827362cf2c
SHA1: 1418c7f38ef3a0b7c46ddf2dd05a1bcc01b19f99
SHA256: 8b62f53abc47941cafff332cda969f5954057c402bf46abd0d1352c4269ef218
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/autolink/plugin.js
MD5: 0ab7a578e466b35723d0ed662415a013
SHA1: 310889d42259d9ff43bca44d38bb8cb3c9773bd5
SHA256: 28f7e1b80f1136c6725de1b5ada7cfe3150edb7c245f1b8172911b17d0bc5654
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/autoresize/plugin.js
MD5: 534c91532b22102088a443af10500bcf
SHA1: 756f6efae36d116c0b28d1552e70e35ed165f233
SHA256: f140bee3dcf93b5c14f252f2a813e4bfe993ff6369a3da5bfa3ce9eaff525745
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/autosave/plugin.js
MD5: 004b04a41cc83b5d672129bd6db5e5af
SHA1: e361b4009a2a0ba04464b6a48ab2834265f62948
SHA256: 3731d6e377a3845ff76f2f100892b189a6e02209d38818c944a38fd01a18b11b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/charmap/plugin.js
MD5: bde87f7ae6a5f2c09924f31b072a9f08

SHA1: 7a846c883f204aff2c0b485460e9f9c943569d69
SHA256: 6d1f628c4a4898db9874963d77e4982a9377edefd717acd4d053361f4c50aaca
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/code/plugin.js
MD5: 2b1923091da88983782a7233383e71ca
SHA1: 32a2e8c7030f13d09f529e205ad3eddf085fbf30
SHA256: ec2ddf573680eedd8614a74554284c260f234cda60d7151ccd86148ba7b03852
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/codesample/plugin.js
MD5: e452f1703dd40fa5005075de1b8c4bc1
SHA1: 6998084c2f46aa53c290a14a55ce29e9ca7adb8e
SHA256: f661d7710dfdaf1f16daa611c0b795cbe49dff01624419d99c01b52367b02c20
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/directionality/plugin.js

MD5: 218e4936d3eaa2e92fb7c20cd912ed79

SHA1: 7779f79b46260adf35ab6d585ae2138b6cd843dc

SHA256: 9e219f89c0d2a6f31ccfb55590846079b0bb2c3fc90c7a4509f62bd4ab9edf68

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

• None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/emoticons/plugin.js

MD5: e5acf963ed401e7ce50d92caaf8ffcb3

SHA1: 7b23a4251aaf63bc1fc4f843de9a87e8b4422a6c

SHA256: f90b9cfecfa9124f228adc778b1a385b203ab980a4dc4d962401ad4245ede9e1

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/fullscreen/plugin.js
MD5: a7190f52e2a2ac9a54ebcc4ed4589bf2
SHA1: 12440a7193c2ab61a55bd9fb19b4247504ea781e
SHA256: 03b026188abaefd15805519f58aeb88e3ad091523fd4c8cd85bad758a908e5a0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/plugin.js
MD5: 1357da7329d4cf33cedf33a0d40bb6a5
SHA1: 01ebc257cef3efdfb2c909121a4c4f72c7b72d94
SHA256: 2ce9d07771aa38674cb7f3c2eba96ce89c5f50b3cfaf0e441e61b70d47359d81
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/image/plugin.js
MD5: d8f13a4068dcc563ea9b18ead5de9012
SHA1: 1a89b6d2f03d5d8ce023ba2d86953469d395d3a0
SHA256: 9019eda1d1613d6db8aa7bf0159e1b86ce8f29570f00707ad8bd5ca483bafa83
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/importcss/plugin.js
MD5: 672c399c9623bb568183592a7a952aac
SHA1: 9d587e0d6b87ac561a7ca2286f02926baeba515f
SHA256: 7e935a56695f19cd1c494633d8facedafce666bda736ecd37836e69f8ce9087f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/insertdatetime/plugin.js
MD5: be4fb6445ed89ee977689961aa9b496e

SHA1: e5594d16ff829fe0b94532b90d9eff74371ecce2
SHA256: e92c219053318a85f82e9077a4b5bc88450b362d0784c119166917e9cf4d451b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/link/plugin.js
MD5: b06badd72663095e10be856258f46fe5
SHA1: d5217fc363ba0eefc40494597b95fb2ebd74c320
SHA256: d358673ca0a1ed6f3dbff46949f242639dc75c0ed9c066edabdf2167f6bce1a7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/lists/plugin.js
MD5: 37a02adc5b441e24a0675686a97fa40b
SHA1: 5c494dce06dde1ec60ea34f714d90a51345184ab
SHA256: 94851d8dd5848b11dac8a04a7cd0e4be932dde7904730879aff797d4f29523f5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/media/plugin.js

MD5: 79e41e725b87125f58681f0b66cd9758

SHA1: 594fdfabaa7ccac14e88f539875597d0b27ba3a9

SHA256:b1796e52348418770c353b661f7791f0267c55e28a4b619bf5ad78e408af2fd9

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

• None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/nonbreaking/plugin.js

MD5: c9b9b0b37ac4387187e0528129af0593

SHA1: 9b6bd5d34beee839b7de482db5c62da6ecabb179

SHA256:dd8a18e24375ae9bf05d10986dc0716a1512f06079388c30fb2976cbca8bf56c

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/pagebreak/plugin.js
MD5: 4c0768968e5bdec1b021efd551650427
SHA1: 8857714337a7fd3d605271d30cec692cb18c1130
SHA256: f12553a9e8b8ef4e7f469eff0db21317997c35bf360481f972c3b0959ddb8e16
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/preview/plugin.js
MD5: a28b9a72f10d3b604840aafe2e172953
SHA1: 9a82bdfbf5fe053993ce408ea828159a601f5b38
SHA256: 63fd32916b397f82e07d3d88697e7a4e55e069ba6055e3cb4f6a8e2e2d50ca29
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/quickbars/plugin.js
MD5: 9f18ced48cedf30e140d69ae1e793c5f
SHA1: ac07614d0d9ebe34e79382a97e7a80eca56465da
SHA256:883c60721cdb06e30d33c24034f7177343fed69bcca2b4e0e27218188cfa4dfb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/save/plugin.js
MD5: c30e3938d1e31a890241c2fe2763e891
SHA1: 227006428928fb2414080dcead17534ba6994285
SHA256:069cab9616c94fe0eb6028a01db61a79d55a7088368c4b96b6831064dfa796a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/searchreplace/plugin.js
MD5: d1cfae03ecfe36f136fdde332d800d22

SHA1: 89faa9d53eda9df05dbc67af41afe5176a952364
SHA256: 7a2b6ee2f04f81933352b6c69e8af8831cf978c650249501733cc3d00d65f7ae
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar
/META-INF/resources/webjars/hugerte/1.0.9/plugins/table/plugin.js
MD5: 72d3502b85e9cfe665a17dae1f75f8b6
SHA1: b1d4d1bbc0051878e274cb1e0261b1ada46cec2b
SHA256: 8b1b59e1fa2c07d3c998fa07acdfc0253e802101c44ad84289578547d4924b5f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar
/META-INF/resources/webjars/hugerte/1.0.9/plugins/template/plugin.js
MD5: e160b39a3f84d978b8c3f5f505ee2ecf
SHA1: 6eb9eaac47b0c292d5b5a9c40c390dce8bbd00b1
SHA256: 1384e7fd322ef044199c17bbb4fa068700c34419f02aec5bd70fe8012e5865a4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/visualblocks/plugin.js
MD5: f4080011127a6b83a27d8cc09cd09385
SHA1: 90117ab6546f501e835a25ea584ae52e36ce3c8a
SHA256:e669b24c7917beca7a6c743554e83fbfa99c0f20b9e5fcc5dc24bc0b957de7bc
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/visualchars/plugin.js
MD5: 6d530b4958f8e328ae3158c91f85319c
SHA1: 9925e6273be20da795b51a96a1d4bf8b33208b74
SHA256:188934dfbdef9cce8445d474eb462a47f07e0d6537af4ae80498c9b76640c5a9
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/wordcount/plugin.js
MD5: 73f8125bd8632aa20b27348410935f0f
SHA1: 2f1660dda2c4468063a3d77dfdbafee5bc246716
SHA256: e8e593dac4ffca3f0f70d92caac136f759492ddba2212e2ee0b603fcda9117c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/accordion/plugin.min.js
MD5: af5f50c03d18bc7e20527c879cd39b5d
SHA1: 6ddf83c7b6913eb1f62eb752ad8a9b59e8acf3e2
SHA256: e1d095e2fe0edc89f2e75be7807d7e1e401fc91a7b7869b8daad9fdbda72768a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/advlist/plugin.min.js
MD5: 0fc3aedcd87b363a6fd16ae3f0f448e5
SHA1: aa6bce57ce4454a12bf2436d998bf50602d7bcef
SHA256: 12c18485e809b0515c0030f25b969c1baa5c2f6ef4bd6bd8b9e27d177b76109b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/anchor/plugin.min.js
MD5: 296ce02af3e17a6c04fc286e22531027
SHA1: 537ef2a71a668e2cebb955d4a21fc6e0630f1f03
SHA256: 58814a2b194ab60f8a4491be47ec2fa6589c4bbb497ea8758dc05aa16842caca
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/autolink/plugin.min.js
MD5: 3dd3680eb8ac6b1522deccfe504ab10d

SHA1: c78c9611e4d93c910a1b1829a0193b3643a431c5
SHA256:077956a523118b659a2e495e04b4f6dac6125cc53cea087c6534450ee0cc0be2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar
/META-INF/resources/webjars/hugerte/1.0.9/plugins/autosize/plugin.min.js
MD5: 1b8174e2fec6b9358892617d3b5cbd12
SHA1: 08a7d0eaeb27d40b8712510f8c134bdc27e4421f
SHA256:44607b4db38864c672f26be755d462711256397a2e8f69816ed82d07b721e617
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar
/META-INF/resources/webjars/hugerte/1.0.9/plugins/autosave/plugin.min.js
MD5: 30f756aa108275a41c95577648f1fe88
SHA1: 5a340724636283fdce725641daf17ea7ea3f3383
SHA256:9019d96afd235741b329b097b636b08fcc35da2840f7088230f830de4e3a6eea
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/charmap/plugin.min.js
MD5: fbbfb4b28f9fc556a78769e552abc8
SHA1: 6b1dace5c1c01271011e8c5184beb885e5c8c06a
SHA256:da81a7ebc1fe81239a90892c397ffa9ff27ab20ae04b8b12604c7556e71b3daf
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/code/plugin.min.js
MD5: 28cb6cc3a793740f4e98ec345e80f982
SHA1: 84ae9d76be67b6e32022f81c940a8ee8d715975a
SHA256:bb9f782bfd003de87dd3838a45aab43b3801f8c639c7310a6b1b2daeb964bdc6
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/codesample/plugin.min.js
MD5: 86a3ac56e7b162caaa338833c76fa5e8
SHA1: c86fa66cebbef28a7f9a285f61d95ff6b21b9927
SHA256: 0678f1ff9480a55aa70779c441a47bfefc5c2aaa3cdba1ae5456b2671d91b1a4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/directionality/plugin.min.js
MD5: 7a02d96b0bf1b1d44cd5430453c48d70
SHA1: 9b2bed06d7be9b56d375607a988646d41914812a
SHA256: aa8b957cd2ed156806d83e0a7d601c216e7357caf092d852efaf86ab414fdb61
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/emoticons/plugin.min.js
MD5: 4a765ef6fd236c066e435bd1a28f0ebc
SHA1: 3e3e638005cba8f301aef6e0b028c4d9e1458556
SHA256: 0acfcfd26e907e747ef2701b349cad859b61481954969e9c47fe2fbf38c60f08
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/fullscreen/plugin.min.js
MD5: 04cf813b1d99091d4d8f40e3158bd34b
SHA1: be3404a4993b120a1f7c4fe40bda2e64915eb8c0
SHA256: 851aeeb1bcf6a79767c34dc0647b6d849c21715b9bb3d5a4dea86761cd423b21
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/plugin.min.js
MD5: cb27dad39aeaf6aeef8ff1f3bdfb9573

SHA1: fd1a81740ca5dc2c35454c0f7aa928b4a1d17b8f
SHA256: 94f67342d256d9bb5fec1d897fcf5a7bbe5e4d99a2ddb4bf869c7f6052db68f0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/image/plugin.min.js
MD5: 1fe9a377f894004a7b629b37f1b77dea
SHA1: 593d3b35896ce3f36be640c5212f93d2982de43e
SHA256: 81f173695205496c86ccc55042a2c2a3592ce75e05fc8b3d005ba40c20b0b056
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/importcss/plugin.min.js
MD5: 73836b9a7227181bf394f2a7bb4eb453
SHA1: 72eede5c9963aff923e031af376e9191ebed5f70
SHA256: 9ea80ba59015ed17efd9b1754849ea2e6281e4fb1e47fec7b06af3966ab25046
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/insertdatetime/plugin.min.js
MD5: 4ce0194911ef36bd044c2c48969ba336
SHA1: d193ccf7cbdaa4bc91f169719e5844e90b9343
SHA256:3584a493f4ba8344c339be4d52301036b38396a1075de13d399c29cf6ead6b15
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/link/plugin.min.js
MD5: 88d088b9879d32b5e9f9abfbccfc19b8
SHA1: 4442826baeb0f0db889ba4edf256cfc15ec5abe2
SHA256:cf4d8dd094010546d89c0104e6752269f0321030b64d4ccca1c1a5e1fb598e38
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/lists/plugin.min.js
MD5: a147d1f6055555cbc9218a559e52dca9
SHA1: cb82eec3ce89b43005a037f2692e5ad8217152ca
SHA256: 8b0504947d5352cda41d75f61632b8fc463bda763ec7138f90c709bc29392643
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/media/plugin.min.js
MD5: c9d30db6cfcae0f8329a3a307e57f946
SHA1: b3e6d8f97020ba8279d637d9b5cba1aea8fb7e5a
SHA256: 88e6907d4f03102d90ca0f4fd52924b8dd074df828ec243a10238fb52f3c58f4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/nonbreaking/plugin.min.js
MD5: 799d4853b7e0a74449e210b5c201a9cd
SHA1: 11c23865a4cc1ba76fff218ddb77de28ce7db22c
SHA256: 08d04ac77fcdc8d0907bc9cb8a5ff20c5643cda76a923af4bcdef6584e47e053
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/pagebreak/plugin.min.js
MD5: 7026eab8948154643bbc854eadf451d4
SHA1: 21fb56117402314f6a17c1a3c9a64e152bdac9cb
SHA256: 65313838c5ea0c2ff825c397ee6ad9a9ae348f024323bbfcb89b217537078461
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/preview/plugin.min.js
MD5: d65638c7bc519b719f52fd24893efac2

SHA1: 3db54502850be0110b251c9eb2c2e3f328bd0baa
SHA256: 837ea53213b3b42c71d8ba07c756cc966cdaa2e6a7fbada3d648f52173959690
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/quickbars/plugin.min.js
MD5: 629e065354a83c678e655754f4abce87
SHA1: 5b6e78078aa4880c5a8afc8d9b43bee0efaece01
SHA256: c2f087936cc6a4a87fa2527344cc8b2d9ea3adab588b3c8c7fb34fe6cadf094b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/save/plugin.min.js
MD5: 7544d08ffa546ade48cc557266590257
SHA1: 9a7335d02aa8b6daec50e5bf822269c60b55f5dc
SHA256: daaf725f29520c4b84a62345b0af4b6a1abb8b051f669a544833439d622ba6ae
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/searchreplace/plugin.min.js
MD5: 8ac32c3f364f15375ab1520374e96e49
SHA1: cee1ac61ce7165708695a82a4b3fb4c8f3617fd6
SHA256:420206bed53f715b8d9dd3b4ebc7545b44c5f759c7f9d23f155d75ad1e1f6ddb
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/table/plugin.min.js
MD5: 140f00e5460acc860c2f373461de4e41
SHA1: 1258e5bbccfc562eda0a4963babd34e5568011a5
SHA256:dae1998ce26e0f58cd70583c022ce6f12e3ac58c2f357778fbc21677401e3d76
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/template/plugin.min.js
MD5: 74e903340c0a66dfd2966123531d5205
SHA1: e31bcb852bc753dfbea00e778415fc30e4aaa524
SHA256: eeb8b11b6d4fec6454972736588fbb8f5a2406da593de22513c92c9f6cc73f7b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/visualblocks/plugin.min.js
MD5: 9f3e3da30322efdf83c810de7d9d059c
SHA1: bd408215541e85224629f030aa63c50be6564b77
SHA256: e010f187ff5397dfab6005908d65e960efa1ced77380083b786617a9a2691f50
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/visualchars/plugin.min.js
MD5: 05813e3f1db884fa38b34b10320c5bb7
SHA1: a8cf2a93182bde05505c450e52ff2c68e0a4cded
SHA256: 3968990fb774d1123b0c8ed0662c70b836b1bae6489f29a3bd154f0af075879e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/wordcount/plugin.min.js
MD5: 76a353a89523b53f3a28f4f95b24b93d
SHA1: e8b3e5ccded8e726ce69f5e4db6b3176ad2337e3
SHA256: 125d0140a670a6a7d59c95804c2ea50d81dba90c1b59637fc6db73a29769df88
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: pt_BR.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/pt_BR.js
MD5: ca7a4eeff4a8529a84f3ff5e7f1fbd4d

SHA1: 301b5e181620e9a86b8e0521cc3f56835f98a0e9
SHA256:571938497a73a22fdc5ad20de30a0d6051b489ac787659a73dd6927f73bf813f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: pt_PT.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/pt_PT.js
MD5: 98c786e104869984b866baa8ed1cc414
SHA1: 70386a8fcd314249ce73542a259404019f40fe56
SHA256:f9fcbf81468c7312fd52504380f411df09c2f59cb2a1647c6d0cab5f3f414b9c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: ro.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/ro.js
MD5: 954a4ab723e0f927235bcd3020c8e0e7
SHA1: eeb3638b56c77058c31193b95ae72b4811ca2e92
SHA256:1e0e4e94519949b7e750007e7193e3d3a20855f57b5ff982a985edb0718f885d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: ru.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/ru.js
MD5: 1d302511d2a9b1a0a765358559e6ed8c
SHA1: dc2960bf5917645f7f007fdc082efedce924e695
SHA256:019be56e2cd8f3a4b7bc028535cabaf69c075744666652bcd40edd8483d543a6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: sk.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/sk.js
MD5: fe4a80d8945887d8dcf20af8a3c1352e
SHA1: 36a21dd701f08b0d0acfb8294f006762fc424dde
SHA256:b259ee9a894fa2cc41a7900fa637a2aa8e4224be1f4ef842b541f977240f903f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: skin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/hugerte-5-dark/skin.js
MD5: 33bfe3e522c9bcc81a0ac4a754d0fa01
SHA1: 822a6e8c4751f9dda822f84703ee522f7ce0ccc1
SHA256: bbf5986c65426afbf26be7c0e5de03fa8e68d8f2219e2919001f1a10b173a952
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: skin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/hugerte-5/skin.js
MD5: e955f1a8b28d4fc0e3ff9437a54cf3f0
SHA1: 7523ca2c72f80f957cce1cff4c6f697266e0b425
SHA256: 963a34799e5790f24ddf1824583cd10f3ba9c39db04e5ec60a5cf11ece7fca31
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: skin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/oxide-dark/skin.js
MD5: f1e6180bbc9af02f6eadd4fb72053f8c
SHA1: 58a5ea6b0767562cf4db3aa7b4f4e8bb1cc53dcf
SHA256: 5048d4c092234ee6ca7dc7cc764f9539b3dd8579355f4b64a30eaff4d05bf654
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: skin.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/oxide/skin.js
MD5: eb819709d0ce9c502c5b7ad421407d60
SHA1: 9f75d43603bdcd46cc03bdfb67071160409dc91b
SHA256: 5a3d4132dbd49631dff83665fdc93242175673ee02a44c25303038edd70b7037
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: skin.shadowdom.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/hugerte-5-dark/skin.shadowdom.js
MD5: d738bf552b3156b0a77176ee6602cca5

SHA1: 268465839d61adf3a0b0672f8ffdecedfaafb053
SHA256:d24a492050fb69964cdb38329571b9fddd1b0834d3e7dbdb408ddd58493ca2e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: skin.shadowdom.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/hugerte-5/skin.shadowdom.js
MD5: 20b5197219c55275d0b70c53fba64ed4
SHA1: 1e2c40c61236d680b9a79abc119fe7e9a0134f81
SHA256:afb05e588c7480e5fe4659e23d1455fcf4d50d88ceee199989022fe3af1fba44
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: skin.shadowdom.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/oxide-dark/skin.shadowdom.js
MD5: 1e892ba61cc3e6d5bfec63dc9cec18c3
SHA1: 84dbd80ba099e183e44debb25fd01890797707cc
SHA256:60f0ac19cbb0903f7fd4bc8a1fadb16e818d45b1908db27a89679aadf6fd6332
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: hugerte.jar: skin.shadowdom.js


File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/oxide/skin.shadowdom.js
MD5: 731f24060ee9a8c936071b8765cdde89
SHA1: 21f37b358ef16cc9fab3344261a2236b0260ac0d
SHA256: bea22e87cbf4ff22524e43516d28e285d0f096409d7891fb6e91aae8fdf56eda
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: hugerte.jar: sl_SI.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/sl_SI.js
MD5: ac35121257bf831e811f75c28c471dcb
SHA1: 5e2e75c81c74714798f3ab92f1cbf4889a705830
SHA256: f001ce48bbaaa6e711eda1b603d13edc38f0c2db5592f0f8cb3b798f001b6e17
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: hugerte.jar: sv_SE.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/sv_SE.js
MD5: b24075bd395a8abe5e100788bba0a74a
SHA1: 699908a684581883ca84b7f43db273ee83d68245
SHA256: 24e435fe459e6a809eb78b0b66c0146226482f29cf4caf7c84d6a09889a5ae25
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: th_TH.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/th_TH.js
MD5: 0f0c790204d30c81b6645735545d20ec
SHA1: 5fee086306a6157bfa9758380c9da89040dcfaa4
SHA256: 38e2e42abab10f72d5ea1f17714112c287f350fcbca05c5906ced9d3595c16aa
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: theme.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/themes/silver/theme.js
MD5: 572e0af60c2c23c429300c543010c5e1
SHA1: e861f1c638b5a6ebfb64587ea661c6d783c6475a
SHA256: d225e3128037cd8fa703099ae69d7a98b3ea53db30d2711ca109f0a00b8f1c79
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: theme.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/themes/silver/theme.min.js
MD5: 51bb8b3ef0c08ea6787f781d4365114e
SHA1: 01b6b750a96e094c7cf4ad3c9dec2952dbf66381
SHA256: cad2d699287302619ff3ea721e748af7e8854677cb431e02af2c4e5c09c8a2c4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: tr.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/tr.js
MD5: 4543135c90640b64ea11bd4ca58192b3

SHA1: 93c8cbd63e67d56b8943946634ebc319efcc8302
SHA256:fa1b123a9dc42af696b525c76386e38f2abaab07b29d29fca957a3d82feb9170
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: uk.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar
/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/uk.js
MD5: 64c0553a6c8b19667964e263a03dab26
SHA1: 998a732ac0b403137b79178d83163accdbbcad27
SHA256:0d63c3d3ef18445fa032a6b4f8d6c80c26bebc6eacb71dc934d7b5666453b2a5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: vi.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar
/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/vi.js
MD5: 85d7f56b3ae07bedcadde6e04251dc9a
SHA1: 5333ccaa75ac528e70e6d3a50bc47a46573dd353
SHA256:a8fd67b418a1d1225ded5342c6cb7ab53606818c22b7a964148c74cebfab0ff
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: zh_CN.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/zh_CN.js
MD5: 93f3f1526fb8af6be6fea9c9d4cac78e
SHA1: dbd189b2ee499e1be666408ccd83b41c7ee84bb5
SHA256:5f3a261a4604bf1e7116dbdb1602f87bb93e324849b64227398c8b93113a38ac
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: zh_TW.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/zh_TW.js
MD5: e3325e4ccd2fbabf42e18053b168428f
SHA1: 6c105cd27982cba07413ba280b946ea010c9ea5f
SHA256:5f8f7d1e97005d84e3f868727db6c36baf3096f1cd4d14effb7ecd33ae0ccb1b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: jquery-ui.jar

Description:

WebJar for jQuery UI

License:

MIT License: <https://github.com/jquery/jquery-ui/blob/master/LICENSE.txt>

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/jquery-ui.jar

MD5: 9ce7e600d17800cdae8476eb3dcf1789

SHA1: c1122cd36f9bab512ddbb4ab072d84fba5ad0e2a

SHA256: 0ce631a38c140f67c210a407ead84ac6ef88d82aaf1cde4c8b8e210b92f2b59d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jquery-ui	High
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	pom	artifactid	jquery-ui	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	jQuery UI	High
Vendor	pom	url	http://webjars.org	Highest
Product	file	name	jquery-ui	High
Product	Manifest	build-jdk-spec	21	Low
Product	pom	artifactid	jquery-ui	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	jQuery UI	High
Product	pom	url	http://webjars.org	Medium
Version	pom	version	1.14.1	Highest

Identifiers

- [pkg:maven/org.webjars/jquery-ui@1.14.1](#) (*Confidence:High*)

remotegui.zip: jquery-ui.jar: jquery-ui.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.14.1/jquery-ui.js
MD5: 0c983553a5edeaffb408e27b4bc526ad
SHA1: 01510c553ab12baa303a09fb5820e49807037389
SHA256: f739630caa44fe643199a47857670655a43b6ab17709c5f16abbe0afb4a3f147
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: jquery-ui.jar: jquery-ui.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.14.1/jquery-ui.min.js
MD5: 12c28b31a1369383b3549abf958b01fe
SHA1: 8b7a32df053a6b24e568f20908e47a90e9a3c852
SHA256: 0254e2768f39b973e54b2c9a64db23257782b34ede4afdebe3793209573c0a12
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: jquery-ui.jar: package.json

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.14.1/package.json
MD5: 79f59c9c2d3b9b7f4b95c47c355c7d12
SHA1: 2aa7dc3ced6d8ca3dae2d05030bf6d67dd83c417
SHA256: 02f0804ebb96cdb18ecdb1fcdc511d96a8f8ec9463bc33b847cd38f50180d06
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: jquery-ui.jar: webjars-requirejs.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.14.1/webjars-requirejs.js
MD5: 2b45f24ce91f8c0d5c764e705b1eed88
SHA1: 03056311ea772e4b7b09a70f108cb2733ae13766
SHA256: a0f18ed7e4b55b53dcf2752e99573c9f7363fd4ba7d98f14a65c36cf34fe1ec3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: jquery.jar

Description:

WebJar for jQuery

License:

MIT License: <https://github.com/jquery/jquery/blob/master/MIT-LICENSE.txt>

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/jquery.jar

MD5: 4af65e569248d8a2411f66498d720280

SHA1: c3dc40b1b5f24c56afa36fd9a463bb9f378ac4ab

SHA256: de28c4da0ea9f16101352dd3582ec8021ee5e2de5f45104ca171876003d54db6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jquery	High
Vendor	pom	artifactid	jquery	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	jquery	High
Vendor	pom	url	http://webjars.org	Highest
Product	file	name	jquery	High
Product	pom	artifactid	jquery	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	jquery	High
Product	pom	url	http://webjars.org	Medium
Version	pom	version	2.2.4	Highest

Identifiers

- [pkg:javascript/jquery@2.2.4](#) (Confidence: Highest)
- [pkg:maven/org.webjars/jquery@2.2.4](#) (Confidence: High)

remotegui.zip: jquery.jar: webjars-requirejs.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/jquery.jar/META-INF/resources/webjars/jquery/2.2.4/webjars-requirejs.js

MD5: 30e1a7f167b667001f50e32ea87bf7b5

SHA1: d18dc733350ad3549af2df096599e824c10f777e

SHA256:daca7b23bc4d8302a8961373b92b78d36d5c85d730fc14130e29d55d976aa420

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar

Description:

WebJar for moment-timezone

License:

MIT

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar

MD5: b67a7dc1dcd1cde774e16ea7295f7a7a

SHA1: d6ffe442fb3dcdee42878d04c1b4d976b7cd20ca

SHA256:49205ba9340f3485b3e34bdda5b108f5e569c633cb58e19eff52fefcc28399de

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	moment-timezone	High
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	org.webjars.npm.moment-timezone	Medium
Vendor	pom	artifactid	moment-timezone	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest

Vendor	pom	name	moment-timezone	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	moment-timezone	High
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	moment-timezone	Medium
Product	Manifest	bundle-symbolicname	org.webjars.npm.moment-timezone	Medium
Product	pom	artifactid	moment-timezone	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	moment-timezone	High
Product	pom	url	https://www.webjars.org	Medium
Version	Manifest	Bundle-Version	0.5.46	High
Version	pom	version	0.5.46	Highest

Identifiers

- [pkg:maven/org.webjars.npm/moment-timezone@0.5.46](https://maven.org/webjars/npm/moment-timezone@0.5.46) (*Confidence*:High)

remotegui.zip: moment-timezone.jar: index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/index.js

MD5: 16b10b9be0471f35921bc17b645c6fcd

SHA1: 7e9c41f04cff37b876169e1e5108b5b757305822

SHA256:b93bc1a0ab15d56e12f0e281bf005d39166952d9208b828e8d056563f3ff1fd1

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-utils.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/moment-timezone-utils.js

MD5: 90654a904bb09ecccc1bb69826888a5d

SHA1: d06ace28682186b95e8c77ccac6be2c6b78e2af9

SHA256: 2308979235e0b497edfe99b6d8e26f73741116759cc94146b8eb3f5f4330b9e9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data-10-year-range.js

MD5: 5c7411391c96d7a9407d012ad63feb21

SHA1: 7cf2adfb51070ff78c591c68dd6ca2cb590380d2

SHA256: 1a7b3990451f312b3740f47e1e3f87786238be17c2cbaa6d3550873051e7bf42

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-

timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data-10-year-range.min.js

MD5: d5aeae4a577010e7c15ddcd154274d2b

SHA1: 4ae699e9510e9618df20ed048f6fd0331146de51

SHA256: c03a6809ab0f5c7f1f6ef0425ac96517d78de1112f26f3ae9de8064bdfdefd1b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data-1970-2030.js

MD5: f82a24e0aa5d8afcf2b7a3c1a7b4bfcd

SHA1: 6a6e43fdeddbed946fed9519ccd79faefaeedaae

SHA256: 661b21dfa5f1ada53fb2213cd08db079ce356c2a4ce854ce7a97cccbb4cafc87

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data-1970-2030.min.js

MD5: e06ec12b8553baf30ff6e85ce8d10964

SHA1: 34c1a456edc895eb873ffd479e54e08a7a74bee2

SHA256: 769d4a0ebe9a9bfba668de05ba0981f0ec387f0f79da4c4e98648762cf40f20c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data-2012-2022.js

MD5: 6da99be351d53c831a06d6d7317d4d60

SHA1: 7adf9fa72a350e9caf2e7a81632b68976a446de8

SHA256: e35b085c0170469205050f559c0bdffa06443a48769d1ba730221d83bad2cf38

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data-2012-2022.min.js

MD5: f356ef2c04a62c0e75c97be41dade934

SHA1: 75639764d95ffcc67d8b504d057fbf3e81141980

SHA256: 52cf16914f9e1d6513783cd3d0ca694210108b5b7b07f754375e3b554eba96b1

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-with-data.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data.js

MD5: b5b482e4b444b7d90adbf0d37eea19f

SHA1: 8a17c35adb3b76b5bd6d73d61fdd43c285769574

SHA256: 71f92c899d20ad2218587d86dfab051adbcc75a29dfd8491cfd6461142affa0

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-with-data.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data.min.js

MD5: 0f804300030c5469cc61b626ed611aca

SHA1: 7b8f841bd2c3164c4875faa5c2f43b03db6ed346

SHA256: 841048af54bda7e255160dc05c6b1d527c2454a4a7aab021e71330c9486822cf

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/moment-timezone.js
MD5: 86d592243f72b1cdc5e7b6b76a813771
SHA1: 8ae2cd2ad133ae4f4110731b6eba9006d550c02f
SHA256: 7094d157b8819a2c51d9f43a4a278ff8f99e51bcbef23adfc0954fbe47f063cd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone.min.js
MD5: 0241a5d39425af1420371aa287a5a983
SHA1: 5fcf85ba0aba14d8ab9f083e27e803b2f2fe6a6b
SHA256: 4609240cd6b8f3830421bcc16b761a2852a219a919dfb2b8c5283880e0650c3a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: package.json

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/package.json
MD5: 110931c82b0ed1700693a3adc127b31b
SHA1: 257d60a4a93567698cff76f4ab43a745ade67e7c
SHA256: 3c13f23eaecb30aa04a119df2d1a2d78ea662cc890816f740b676b3a91b0d84a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar

Description:

WebJar for Moment.js

License:

MIT License: <http://opensource.org/licenses/MIT>

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar

MD5: 72ad6b420b3b741d7def80f4837682f5

SHA1: 6087f9eb29294249887afa1eb4ec8308657c35f1

SHA256: 71f0cbc7e4d2c943077dc758f7c8f0c7d48e1ddc7f9e7cfd27aecbc12712cfcd

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	momentjs	High
Vendor	pom	artifactid	momentjs	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	Moment.js	High

Vendor	pom	url	http://webjars.org	Highest
Product	file	name	momentjs	High
Product	pom	artifactid	momentjs	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	Moment.js	High
Product	pom	url	http://webjars.org	Medium
Version	pom	version	2.29.4	Highest

Identifiers

- <pkg:maven/org.webjars/momentjs@2.29.4> (*Confidence:High*)

remotegui.zip: momentjs.jar: af.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/af.js

MD5: abbd3f78270e280c248535ca3e3b3e3b

SHA1: 489ddba9b2a2f15e2a8d59d751a45c5ed7041f14

SHA256: c59e2f2d09098829d00f5dab85e6ec623f6aa9e70285ec2aac12030a014e4161

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ar-dz.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-dz.js

MD5: 10e8f6da8f425e389f9dd462018dcece
SHA1: d638dc753916f10981ce562c7e7543944aa5755e
SHA256: 2fcf1465ad9fcb33a1ee00188d0d8cb19e0d9094da9e27f56444b67e50c6810c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ar-kw.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-kw.js

MD5: 5ad9681e194f33543d33a588e2a21f09
SHA1: da190c4671145eb702d41ee980b985a9816bc9c5
SHA256: ebcd2afd129890e49aa91cbd6718916ceb743122a4d264c681a533d8066de673
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ar-ly.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-ly.js

MD5: 293c5c572f1e70336fb5a5cab29faded
SHA1: d969dc63c258a2c5587efa0cb2ac80034c44a5f3
SHA256: 0a70bf3f66b074d68453af125059d60f1ce4d5a96d3401b0bb7f013fb7a56696
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ar-ma.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-ma.js
MD5: 6f5179b883bce68003df4d2c99caa156
SHA1: 3af849ad551cc126ea26fe472770b0f2c86363b2
SHA256: ae28a7c4d994a1d4059f2dc1e6385182f3d5aab262d637a6bdfc80f3e3f5471e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ar-sa.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-sa.js
MD5: 92455d26a00821fe9aba7ea8e23ec89c
SHA1: 18d22d6e22b460fb0d248426001e4cbfd9a69393
SHA256: 4913900a380ed33b662fc5299fda05cfba74367870ba23f3d9db5dfd0775c876
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ar-tn.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-tn.js

MD5: bf6b33329fd589f8b3b393f6e64717d4

SHA1: adf2dc833a46ad99f030b5761a7e6a97497ca764

SHA256: 2b6a611f7d21a0752d9101347b22943dcdd91293f7e09ac11c3b04cee41f594f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ar.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar.js

MD5: b0110c65e23d25860762820db7d2150e

SHA1: 249cc300a99b9cdc47ff3fd70c9b4cb22f0aed61

SHA256: 73485f16cb9317f156bab05ba8a3233fa87513cf1cb52728fefc53703ffd5b3e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: az.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/az.js

MD5: ec1a4acd4aa555dd71722c2639df4db6

SHA1: 49b4198f1b008f9deeb9aa5d33e27647e812f0df

SHA256: 21cfe14e920b3edc4bc394709929f61aa5f2f9e51d3ca0c6edd1e51f29d7e3c9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: be.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/be.js

MD5: 5c38f8d3d5da2b1b930f109553918781

SHA1: 181a1762773de78de3e2d21696e77a49a9e188a5

SHA256: aa0657f4f1e9f9ef3a3ce289bc882f5971195e4681499f02409486ed985e1407

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: bg.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bg.js

MD5: ebd43c527dac81f273926142beec5553

SHA1: 46101d46348f560c622895e9e65465dd26e92d6a

SHA256:0d034309eedbd03f17e22dbd963c8cc8d490c8e877f39c6c4081636d1cd28fca
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: bm.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bm.js

MD5: 2ef1c37399931e14e2a4471ebc57bd21

SHA1: 1e10777797f13333027873cf0a1e05e52c2a9264

SHA256:1f3217d69f6512ea3984fb7428e1afe0c7779cf3822582c52e6eaa8982ac23b1

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: bn-bd.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bn-bd.js

MD5: f2988fa9e29bc5573603a8140b321051

SHA1: ddca0b09ab220aa3e7d8b6d01e98b06071942e4a

SHA256:87296cd8b904b633d89b0a72b779aaf04e8d625fd8ed772e3227046b3a3acf80

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: bn.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bn.js

MD5: f5037a3495a3fefb37d9456b6745537a

SHA1: 5d8e28e5703371e674a9b2947426e23a1429455a

SHA256: a43f974ec15f638e67cec9d73cb33c339ce7cb35bb7041b478a930197977a890

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: bo.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bo.js

MD5: 7dc25ead6d51909386b03c060b891690

SHA1: 5b47f8a1cd1b1dad8e8ae1c6f408dadda7cd6983

SHA256: dbf83d196ab69149d5f056a2b44e06441626f1e5d3c3aa1a300e64dc5150565f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: br.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/br.js
MD5: 65949057a5632b430fce65f65c89ace7
SHA1: eda5bd14e942c85896b263b137e2e14f161836e6
SHA256: 35b4113f7552400639dc76ea40d55f1be6f44af2eaf4289e7c37e4e657522ba4
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: bs.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bs.js
MD5: fac80361cb7d5e0c44f8956063e8eb07
SHA1: e0f831af87ad28205b93fbe4d7ef9001227eb1e4
SHA256: 1d185f2b71c18bb14d0e5db063d59912396d42a04aec97cfbbec19a5bb8bb5ec
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ca.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ca.js
MD5: 9c6c8738154552a40a29505cf41311af
SHA1: 65eee9703d130c7a90d085214ee60c4e087b9d1d
SHA256: c0ebe3bb033ce8f82c66a46dd297c19b30c80ba64036c721aca36a7f86f1b234
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: cs.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/cs.js
MD5: 8f0a7bef088e6698b6a090a6f6fe22de
SHA1: b137a5adfe662d0b1c258fe7bb2b73b971e2268e
SHA256: 0dcf511c06f565a917e4718cce467392bf898ba60af2b3fdb032b1910599ebc5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: cv.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/cv.js
MD5: baf681a1e97ac68186325a98d5ef1861
SHA1: c0433a02791baf8efe6945a4ae0370c6d8d55b6
SHA256: 231b3a65bc4beb4d6f0920962dafc82611403df4979655cea53d9740d2986904
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: cy.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/cy.js

MD5: 868cca92c4392ae5b0627f305f9633b4

SHA1: 9c0f75132a2eaa3fdf0631a08f210f0e29208501

SHA256: 05d100692e8cdd4a6b3b0eb56eb37c9c64dacab3254aaeba18c24689b18a6cf8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: da.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/da.js

MD5: 47fe4d0a5079542391abdc125b4cb60

SHA1: 423a66383275eaf3f441f384c69b2d6e2cf905d1

SHA256: 891e90544d1061ea578b51173a2dc4638c0e9af95cc2986f1f89ad5008e301e7

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: de-at.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/de-at.js

MD5: c2df366205b041e50b0dc27fe427c54d

SHA1: c52be9218cfbe8ae8d51f78af3494d3a2ed5d35f

SHA256: 0575c8ba66974f2eb3d7d74e16a265c40dbfe7802cefdecc9f196f92c0ecee97

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: de-ch.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/de-ch.js

MD5: 1f9bf40d5d392a14bb758de02e9d98df

SHA1: 838d95c91f39f7e28483c660e6f5005921d3da11

SHA256: b3c3d71abc98200d579cbbef89d470a6cbb272c4faa71e31232a68ef6451edd4

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: de.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/de.js

MD5: 260cdaa4a123af8e02f5aa4001cceaac

SHA1: b928a076571a81fde7fc1fd4a2adb45d9a9a2279

SHA256: 20fb0d0967e2720d135a6894165bf96e327b42bdedcbf45a9b2f9e44da7986dc

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: dv.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/dv.js

MD5: b3ac7e877fac1116b8759c6e7384e86d

SHA1: 3321dfc6f7147d148167b23a3642212fb10b1b89

SHA256: 94a1563faab9fe61f359a515042f56e2672886200e084de98bbd98769f71ba69

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: el.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/el.js

jar/META-INF/resources/webjars/momentjs/2.29.4/locale/el.js

MD5: 7a1966e1fd7848aabcbe28ff2a445e

SHA1: 29af743b2dd9c09d9962080c3a5b4cdac2b09409

SHA256: a73fa8b59dd099d28a7824980577379437273f6ef35a90409cf36492bc2b3600

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: en-au.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-au.js

MD5: fc0b9a852c77ef21ee6deb24d95769f8

SHA1: 829e7b64e421cc91fbb306243b31d71f06fabdc2

SHA256: 6a84d80e99d57f1ca1faa1dcca9f48e9925de4013ac5ceab52cbf20b059cff8c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: en-ca.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-ca.js

MD5: b6f095c75787cb0eb2421b32b2e9ea14

SHA1: 415ffbaa1c99a53d233979f5e907e83b59d54c9a

SHA256: d7b47d71cd5b63a0cd7bc3945ca1799d9345ba9dc3e85356231dbb4f6becdd01

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: en-gb.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-gb.js

MD5: 5ebfadfe47485b65c484822391d0aad1

SHA1: 4154fff794c0118f1c280d4e3c222b0b3f96a6eb

SHA256:46e86bfd873ce2ba61885faa9e0ba2ae1a510574f698d6a3aba7da49d1505eb9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: en-ie.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-ie.js

MD5: f5175b64f4c382500e7a00ed4113c3a3

SHA1: 12cf24c0dcfa4f82be14783a2889022043fe1f80

SHA256:41a3d03fb561db37dc1e3a63cba10467c0bcabb2ab7e788329f86b6be6f72d9e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: en-il.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-il.js
MD5: 8f131247f11cf746d1b477c75de2e0a2
SHA1: f1fbc068a029ca0fcb5755fc5211ae43c9b2dd00
SHA256: 494c5f26d0a16c8c1645d70cfc327e19086831ce78bc98599f4e5abc321db7d7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: en-in.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-in.js
MD5: 2d5a9ac86d2a83833aec6a68bc8947ae
SHA1: 64d4492b47eac3212f09a9dd1fdfe2afc9721142
SHA256: 290dd53cb6262cfc22c961faf969851adfa8c38b30c80c496b8c8f19232a13e8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: en-nz.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-nz.js

MD5: 3a68b41d7982ae7bbc8a396d23e9d1a1

SHA1: 0c30117c176ae1c60d35e54c3c0cd47b5104e28e

SHA256: 9590cf61d2ab1b83f793be9f074340397e639fbb112a80c8bb7d2e3a77c45448

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: en-sg.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-sg.js

MD5: d32a209c24b07b617c68fb03e081061c

SHA1: 34729febed76ec17cccafdc06ce4f51902daaf42

SHA256: e3b29449d67e5d53d3420b5f4ec207dbd70f651380573b59f39aee2b1b9ca52d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: eo.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/eo.js

MD5: f19d7f5dae34785b6ffd82971ff01712

SHA1: 8a6937235d4219a192ae127506cca9479097abdf
SHA256:823d3e21f85f9d3801f7004cc5cde82d5f45d98e977979322543a65908411e4c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: es-do.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es-do.js
MD5: 3f09c253c2e7ed72706b062bdb3ecee6
SHA1: 3bcd2f7f697c4241a5f47985835b0190a643630a
SHA256:a1d29019dcff0ce2a11cdf97018c20e99fbc739163c059ad8bf2408f77d3161
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: es-mx.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es-mx.js
MD5: d16f10cddba51c3467b316318e592f22
SHA1: 4cc238005f4d59b4e3877449babf5cc8b3595f38
SHA256:a233573f641cc9c93c87b555fc5564c2e5ebb97e251338e971ba76e74d512646
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: momentjs.jar: es-us.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es-us.js
MD5: 276e7c3c7756f9e962f6141f5048894d
SHA1: bab0d54cfa34f527dcf6960f5379aeef05cc66c8
SHA256:3923c6bd6137387d5edc62f6dc0174cc9eef8363238c16eef78bd9d9c69bfafc
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: momentjs.jar: es.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es.js
MD5: 0e92f45548e01672fc6a2f73979c397e
SHA1: 6e6385cb5f6e39ed9ba95ebc1fb66526e2c3371a
SHA256:2a8f1790d492fc338933a032a862f99998f31bcaf7a0e4fc298b6a3cb04cdf7e
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: momentjs.jar: et.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/et.js
MD5: 8b5c6c8136c1bcb3dd35ff204c28b1fc
SHA1: 82ecebf743869c8231a6ef06cf5959e5cdbc7fc9
SHA256: 95c974679dba419b7d835fa51340c430bd0066bdc38a7a139caa575b67389d7e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: eu.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/eu.js
MD5: 1f0f32ac558d6bf2591f0e7c59b09e88
SHA1: e8989f9da9ff458c51d7d4c21f9bfc99ddcd72a7
SHA256: ecbc07cdb215cf9996405fa56ef306761ec6a9383e19a53c2b45d6a1c5c4dc68
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: fa.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fa.js
MD5: bad9e9e51e7cd982360114a2d6b9a03a
SHA1: 7285494b159552cdee8bb7050d1278144da80b04
SHA256: 15ca66ce1faa865c68998fcc8ab1160207636b9161ad76f7cf7acd0d7c0ebd1f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: fi.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fi.js
MD5: 08d74def02ac724471fce607ab87f4af
SHA1: 7f40cb04e95803f706af5caf5a983f7aa3f2365b
SHA256: 1339d4170019588a6764a56236c2a7c5b2389ace52a9ec5e8c09f1997935741f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: fil.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fil.js
MD5: fbc9e6bd5b49897ba8503d27e2d061ec

SHA1: 2121d4a7333acb3b7b120c1580a809a8a5927dc6
SHA256:d24cac0d0069d89c48b4c8cee34cddcb7e39892c91f07b884574fe0cafb66ef7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: fo.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fo.js
MD5: 85d4a1a25dd5c3fa021f9e6f63fd01ac
SHA1: 95d11e45e86f344a148706df7f5c86019e02ae30
SHA256:6338de573601e330030918569b8d2f80f98a57754e748a03ff56e3672fa25be7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: fr-ca.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fr-ca.js
MD5: c0ef60f7029fe6ab773c090320f0a66e
SHA1: 8970ff163faa9c8702be24f65f95e94b962d8622
SHA256:59c5acfb5605fa641721bf16123300164ccc043f4bad6009aa8d880b159124a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: fr-ch.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fr-ch.js
MD5: 3345c9d13645ae5fb2964c17559326f5
SHA1: d0cd4c6466797300434db0d6c8028bf46fe35bc0
SHA256:b32f50aa3d147ba5441d7728a45bce592125fd0a97117ca4b93b32c6393d847d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: fr.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fr.js
MD5: 775f1eb59d6f597b1c398036002ae329
SHA1: e6f1741f5598b62a83bb071459d9e8cae4b3a127
SHA256:d87b4eb850bc7742c104557450d0a70d18a48a917335221af08d23850667523e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: fy.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fy.js
MD5: a54d9827ca1a619a839a15c94b7893a0
SHA1: 66863e3aaff531e89e83acd8844ca87f8516cf38
SHA256: c33ae59d9a05aca0dbe86d74bff25eb44d04ee97b738034fcb72a21b73ec1cf1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ga.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ga.js
MD5: 264a960fc2850670387b1cc90dc29dbb
SHA1: ddd261054362b16567ba858afae968cf2380bb6c
SHA256: fc6d5d441553b23b5ebc3c79896499a093a3285f1e6134a680b8899b5cca4c86
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: gd.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gd.js
MD5: 0f3b98fcc8a06995436819446130320f
SHA1: 0050fa33180aa1f35c739cecb397846bff7d24e4
SHA256: efa1d779f65671809a63f900479c69bed19c262f2fe7936076793bd13deda080
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: gl.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gl.js
MD5: 0d346a7ad989c39c04631e181056acb5
SHA1: 74c436284f15589fd53c9d4c090a4f75ff8376aa
SHA256: 825e6fad55094c13118d2cada0b6c5945a97ea9b647686c2b00dc6980bea4608
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: gom-deva.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gom-deva.js
MD5: 6d2091e4ba1b31399eb4f1f3d92acaa2

SHA1: 9e27b24c4f8ff43da0373ca75738e0322cc1bd77
SHA256:ff5ebf00d100f610caa956ea22c45584e34067f762c2e9811326d5903ccd819c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: gom-latn.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gom-latn.js
MD5: 45f0c567784f534e16f304dd625682ad
SHA1: fc4b281f7d57696decbf3bd5e8c572f4191c9289
SHA256:caa6b3cafb8d463c7cb0b47783b84d7f7637f685b8d33d1224548f7f9a124cd5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: gu.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gu.js
MD5: e108958bf473fcc52349ecba7dcff10e
SHA1: 977667ee217d20d2ff2338dfa6ea9bda2e0c13d5
SHA256:5155f3aa5fe43b18c7b06cf02ff6e9d6c157d7da822c658fbd8e2f0edceef161
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: he.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/he.js
MD5: f5e7fb20bbb7618d95e4928fee094f7e
SHA1: cbcd69bf9fa2cc2493d086af3a5cb15e893c7d64
SHA256:93b540d4f1bc21d5668854475e8efd2d6fcaa2f596704752a586ce07d471d475
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: hi.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hi.js
MD5: 10451c28a31c032807f1fbf1bea5c32f
SHA1: 8ab3e8fd6823a63a2348cca98ca4eba215ad01a9
SHA256:482f9289851cc5add17895787d427259acf8d9467db37000d383021aa097a1e3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: hr.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hr.js
MD5: bfeb6da022ce8f5d4610a485f6063935
SHA1: 0e475a985f8f3612c397a07781933bc4235be646
SHA256: 4af37cc6b498a4c3418f0b5d90efe5354422b3d158681454dc2eedee31ce1469
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: hu.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hu.js
MD5: d485a763ba31196c55bafddc763cf98e
SHA1: 83c283112870db2a37b8d6a96e2ff423f27addac
SHA256: 518c3c1b849d41be9ef9673726ac3c71290096a727ff29c9edfb0f7489e3253f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: hy-am.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hy-am.js
MD5: 8fedcd99fde263a8a5a906b27de70605
SHA1: 3fbec521a9f7cddb7576fb37a3f35ba2705e88
SHA256: 2c3bf5ef8c5162c7c4ed0ce4b144fad24eefd691911d7c8b86c21cab84f3bfe6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: id.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/id.js
MD5: 3000b8d8d73e16384fd2a13aa7259d3e
SHA1: 1bcd369482f53edce0c1d34aeb15a918f3c7af7c
SHA256: 036154641aa4cba94ac8a65b98af75d2fa0ec29156674947d1148fa146689dc3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: is.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/is.js
MD5: 0f5a457d3457dfb1c5d256436b5e442

SHA1: af0c0c6573bb9628ee8c97479651f65571d6a56e
SHA256:6943c853ee0ad65ad2e3e38baecc90dc8088071f10406ee8a5ad995d7cf5f6e6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: it-ch.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/it-ch.js
MD5: 0c0cd69247909aeca5d78d255b30a617
SHA1: 71631e4e4ce3a8466d80d4960a86605634a713dd
SHA256:9670e2244dd63556408fc20671fd763fb91be52041eee92934710e75e2b3b7fa
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: it.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/it.js
MD5: 1abd9a8f32e7930bbdebd23a2bfa4afb
SHA1: 40cc21bf11475c48c1681ebc18a63a2bea4b8962
SHA256:2fe7346bd6fdf02aee19fde76bd2ca0b5e65903ddd45d097be2342ee7b0b9470
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ja.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ja.js
MD5: f39b4bc3b33715242a84fed53b50d596
SHA1: 8bebb66d25df95fc67d48f4ebc4b519fbc7d9482
SHA256: 9720de4592dd94861f2fabb51110533fe44620f517e50448dd828a7f2eef7009
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: jv.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/jv.js
MD5: 307628de0dbfe42c1aedc98c3afc1aae
SHA1: 7620cfee82f0241100b34de89cefd40412456ef6
SHA256: 707617feaac7459e5d5c39ff3ea4a5e5da0cf398384902c1cd5975cbd1a113cd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ka.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ka.js
MD5: 629be6bde33738ff66f7119b3b617798
SHA1: 02209d78bf7dfa3b5e585e64ebfc61ce561e5f3d
SHA256: 2c15068d2ceb1f34e4b92f95710b181bd1034410b8a96ae15dd11ee24d0ff0fa
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: kk.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/kk.js
MD5: 4532f947979a50597d1c82a42f0facb8
SHA1: 9a8cad32d8e4350e40184813f4d19aa05882a8c9
SHA256: 430c86f6c0ea0199d8622045883048b35875bea37b44424663bbe573056ec981
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: km.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/km.js
MD5: f73d0c92be21341d171e019c00173f3d
SHA1: 6adb747842bb733d90ce2b7dcf4963f1d62a7a4b
SHA256: 01b837409a1ee03d8269886915f10ae1b9460b2cc42cc5f6fac862f7360ba103
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: kn.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/kn.js
MD5: 72e237c519a91674447b268b61983bbe
SHA1: d72624462d7dbcf362ccc15385d5cb5a124304c2
SHA256: 9673f6d7a10086cda8228f1c080ec032e8f34e3a3de2f1413582e0a6cc6f2128
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ko.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ko.js
MD5: 14369b837e9e15378938754b04bd2189

SHA1: 9c886434ef46530e25cea737272027ac505b6adc
SHA256: f15f592b5d7d5bbbd061c5ad31d4c45f462ad43acad74808c6a7105b108ec0eb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ku.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ku.js
MD5: ba513eb127fa22206ca1a67ad8467da2
SHA1: 45c0c079a209932f8a8be25a94f0fb97be8ebf84
SHA256: 816c9c27f4237f1fa595c5be0a60b7e5c58ec0336d5a908e03f73fd8596e1caf
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ky.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ky.js
MD5: 68f9c0556546367a8c25903bb8348b80
SHA1: 5bc99ba86f969c07cd1b0dc62510c572707adb64
SHA256: d3c35f2c47610c7c921268cb98cf398599068d24d51e7a89167707130c85ad59
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: lb.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lb.js
MD5: 474c1a2279d961b67a8329372fb54367
SHA1: c6acf49c446bb128ce8aa5f980664107e92523cd
SHA256: cecd52da4e3f3a7a69d4cde1692c90d000a3726772f8e00a9c232faf4d6ff985
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: lo.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lo.js
MD5: 629f0195acb5feb16432ffc78b6418d0
SHA1: 10730e85c79a5c325f30a5f0fd1b83928918cde2
SHA256: 83c284d16d40e861cd01c28683acf77475813993b2a17201f17127e238e5bcd6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: locales.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/locales.js
MD5: 3aabc3a57ff7796110a9d427e6e61280
SHA1: 59155d41e1b7a2f651f26f8db2768c42206bc4b7
SHA256: a6d8d341af2a118463f8dbec697f3b5210552997ef51e0d9a77c84235f2eb2dd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: locales.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/locales.min.js
MD5: 5d62f0a64211c2d3e0d009cc69c48202
SHA1: 4c6bb9ae2e43259229cc16e9eb7ef70f3c8cea12
SHA256: 1a3224b3cabca0fa92ca56e14da46d7f209ed28ce68ed50940b4fa6ed2ffd254
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: lt.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lt.js
MD5: fc931f5db9a4d5b832e7c53985cfb233
SHA1: 6d5575d2ab06036bb29e50e7b4607985b0c10aec
SHA256: a02ce50203e4cc9e85db77632d41f489f14c893f986199c8dd04191199924094
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: lv.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lv.js
MD5: bc6f1396c4b85e2b01b4b2fca550c0b7
SHA1: a18e4175ecd49b5e3382dac1bbcdc48c3279c60f
SHA256: e4f68dbe7147bdc76d7614102eb525f9a5d8dacc690dd661091412b0c9505cb1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: me.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/me.js
MD5: 4b76ccc2617dfc9bd6a54643659bec05

SHA1: 924aea795ae1a9581ed184b384806891ce336e27
SHA256: 24103df1e95500b3fdc4aa60b933c66d2cf33aa4ff8d2401ae847c516285679e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: mi.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mi.js
MD5: 89179085b30d2752584c4f4e9c3ac04a
SHA1: dbf999f790c8e7f99c27c55d8184cb46d1f0ee85
SHA256: 9cc67dce66cf3f0f9a57ce732af6878cc23fedcf256fd5302c6cf57df87eac3a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: mk.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mk.js
MD5: 7a6a2a4ae623481704f78bb0ed6e1968
SHA1: 3d984281f4acbb38920919c47916a0ecc46d8d82
SHA256: c38140b5408a91d9632765d23f4368f0cc98dfb6aafb0fcce452b6b4bfa93efd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ml.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ml.js
MD5: adaeaf5c9b5995567c7723ded581c647
SHA1: 3cbb01a59dbfdd3b86caf1b30938598c52e1dac8
SHA256:d45ac595a918393ae8f76838688fcd569c917b945e9c53861ec4a1f11f20aed2
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: mn.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mn.js
MD5: 2229e9c27b35b688a4211bad4d7574eb
SHA1: 7fb0c3b04afb903aaa0a3a1b4b478a8b2d9d6bf3
SHA256:0f1f5bbc9eaf020931f8cb54ae085e51c41c0761ffc7fd265dbb60cbe7d84076
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: moment-with-locales.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/moment-with-locales.js
MD5: d07131713d356424c14481ed9e77ced2
SHA1: 6ef93c81041412f1b60d1254595cb04b53f8ec39
SHA256: f37cad4429c2815e53699ca98abd4e8773737f696fff554c63a58f4d6589200b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: moment-with-locales.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/moment-with-locales.min.js
MD5: d458b68730a7330653700489333a7837
SHA1: 4059aeca1d0b99aec8006b37a927f09d9c0e794d
SHA256: 430725b95468277dcbccc27e08e3d873276c0082737310b0b1ad330392511847
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: moment.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/moment.js
MD5: 6e5aa6783efbeff584f4292398326b32
SHA1: 450696675b814c89ec016901b570c05891ca2c04
SHA256: c33f09a4e1230f3075be8d2a94081108d52f62d3c30b9a238941fe80790267c6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: moment.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/moment.min.js
MD5: 6c0a2330b0d8d6ea185d4669a0eddeab
SHA1: d4f50308961144876b2b5fa57684b737694a4b04
SHA256: f343aa319a17a3fc372ee6ad5af482b9bf6a298cb22652b4aa7502604821071f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: mr.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mr.js
MD5: cd715ac0f919538bf79acdb4a477763e

SHA1: 467bc9f9b59ee399af6ef3f89886c150f74ae52a
SHA256:f6347f442281844a205245620f9e469f52cacb7dd41640ef67d32a94f2c583d0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ms-my.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ms-my.js
MD5: cb7a91cedb211e85abf06a4683d39800
SHA1: 05754f446f94d9b0d34885bdb0dd40d08df23295
SHA256:fa77f6b23884ace43199d189a596c8cd436ab20b2b6966599dd9fd589e51548f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ms.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ms.js
MD5: 3f2df63e4e8e99e5f3a23b44e135f90a
SHA1: 7e8563a8e513fb3f2f711395992fb34d6039e841
SHA256:6b6301d42544281a07e51e517a1acd2e498e6289b29e74817433a86751761f71
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: mt.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mt.js
MD5: 3cc610e1a28bb045e3f21adfa96614ce
SHA1: f22377dc419295b8cf22ca6459df3f834475ddf9
SHA256:6af1d3643bd218941f30da0f6ba7bd64d4c2d0c49336876308af3af0387b0440
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: my.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/my.js
MD5: 1de06907d41a2fbf6861958ee0eaaba6
SHA1: 1b5eaf3d04d7a45a9e93db791963bfa0cf999383
SHA256:92732cb26a774bc3e049c7e212d8ef1425413d63522ccca1fb1b0696854da4ad
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: nb.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nb.js
MD5: ee293037089769cbdbbf9f2dba3e01e6
SHA1: bfed5520bb401c83f0b391cf09ab1907e4362f2e
SHA256: 36f088dce675389ff1b12afe35703b6d166cef8df8a24e1e1d6ecfcf7be84fd5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ne.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ne.js
MD5: f09e1496b96096e594254145053e777d
SHA1: 601e6b5e8ead8fac21d661c4cb1f5aee22c96755
SHA256: 804bbd6c30dc3b74de711a44f9019db06210323a0db31e53ce730feab5ea6275
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: nl-be.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nl-be.js
MD5: e50c24ded5247900814470d1a6cc8854
SHA1: 73d12dfe3645a5ea9e0b6c4d5b2a5f28ac022af2
SHA256: 2bd27e18811c7363a1b46b815173d626102523a2f76854792885166f4a99eb5f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: nl.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nl.js
MD5: 843085f588379356ba9556d93aa9ccdb
SHA1: afe70913fffce08e256c3c9ffe350272bcb791a0
SHA256: 037e055b18b4376112d853e3d357b217dcc0bfd3990e0155b980ff622b4ff8d9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: nn.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nn.js
MD5: 7c29b42f21ff6b7e0b1f16ebb20d2a5a

SHA1: 9464502746665d34779fd3e7c9c05212db534556
SHA256:66007f84c945a3475100a3024d5fa3d430d6e11e64de81849e50ea73e3f390be
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: oc-lnc.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/oc-lnc.js
MD5: 16a8d7288d0007906a6ebb39fd954265
SHA1: 5442e9e7ee72e6f2ed438139d5779ddcfaaf471c
SHA256:1e03cd598c495e4dca3bae56e3822cacde57333ab5a85f555c582e104f54261c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: pa-in.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pa-in.js
MD5: 8247ac1929cfdcc902a77542e9fa470c
SHA1: a0270710978d4f03b32a4d5cd38065d6d274729a
SHA256:5ba548ba7844a1c5c4a7f003337237f940b5e8aa67254fb90e1a05a66f2b43ac
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: momentjs.jar: package.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/package.js
MD5: a26087930b5278aa21fd79491b952ac0
SHA1: ea880b139fa5aad30129356d4c2b61c7acad7452
SHA256:6334f70497c6d8fd22adb3089eec30bf1e2b3dacf92508df52eaa7a8aee12bba
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: momentjs.jar: package.json

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/package.json
MD5: f1965dc95e9d5ef4816ffbb597d484ab
SHA1: fa7b033b3a1adcb85370480289e6a60cfd21ac89
SHA256:25f5d25a676dda5763fea169d93a31dc12bd0a6d5d7f352379c8afcb1e3d794e
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: momentjs.jar: pl.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pl.js
MD5: ea2f9b5ff7c97f62603f1e8786708d7a
SHA1: a9b097f9c1dfe0872befdf47995602029bbd22c9
SHA256: 5435a1265dacc269403f275095e24a63ff3b8bb0f95908f7a2a987fbe2ab9e43
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: pt-br.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pt-br.js
MD5: b70a96c3353ca41f14b5628aaeef6461
SHA1: 02e3841b0ed1fbf086a5b8bc1be8cf835cc9d8c2
SHA256: 8a8b165be42795d9e945e7494f38ea353ee2f7eee7eab123073f3a42ce755687
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: pt.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pt.js
MD5: 71f120e6f7682b0e80a9d5982b8a4711
SHA1: 49494f7c1cdb36294b6d640a524c2cf19eed12b5
SHA256: 89e4c2f2d351ad7e2fefec9332778b16cd4a31858ded9ad6fece12fd9db94ac2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ro.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ro.js
MD5: 84b1a53a794d8749061a53eb558110f3
SHA1: c2241e36357a248cdc870a8f83c19d12a031b479
SHA256: f66bcaadde14018ffb3bce26ea8ffc3ce36cc65c4c1e9ef9ed6cb321b7ae9481
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ru.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ru.js
MD5: c66d22693e1e950330471ed9de408aaa

SHA1: 3f4b2156029a26bc408cdfccf5812bd125c760cd
SHA256: 47b9c98d906dcdc3d7b7f40e604d793fff2e142f7d788f6ac0deac5030458ef5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: sd.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sd.js
MD5: 115132c218de16cbea034b2762b9df9d
SHA1: ff940a6362744a8258e15cb09c4e4b46c48f3ec9
SHA256: e5f27127927a41eb82e45491e52bd6a529d3db5e6cd519c48f7473268909f6c3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: se.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/se.js
MD5: d63f9c00eb2beeff26eabfea1406a3bc
SHA1: 8fc07d6276adf84ab94a1d352d55c105769f9017
SHA256: 424ed10805d004f217b44ff6a0da5bad51d8f3b25577306f6e1f59c387525da2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: si.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/si.js
MD5: 0bdd326bd6fe7e94a1c3fed06cf79cdb
SHA1: 6dc83c8bee2af014c11994abd5f0718ed9c4dc64
SHA256:8e7582efb99ff00bb7aeb6de0bfa65792592a5b4e81ae6caa7bf8cd8cb3180de
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: sk.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sk.js
MD5: 0d4c93cc1adf0c2fe5bdcde7b1cca213
SHA1: 17c72fd3b31573f097f962b851fc82db22f217c1
SHA256:7685c076b71fd8e36c2cb84c645bb3a75d84566f26c3682a2792f0113b4d9b16
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: sl.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sl.js
MD5: 11bbdf40343f7ee615144b2c3df93d54
SHA1: 853a6dcfaa15df6205729d754739633de7e3f667
SHA256: ff2e8352962c2d13d114356c863701f2473651f6491639e1826ab417d0377f90
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: sq.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sq.js
MD5: f5c6cad85947f97d184ce17397145e3c
SHA1: 1817cdeeb3261b7f03f13902a7d8adfe46c36a65
SHA256: 9d7d061c245349d6897732c90ad57841c9132b9b556be07a24dc76ff17cf75a0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: sr-cyrl.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sr-cyrl.js
MD5: 403a704d0b31d44f5d43a05f060f879d
SHA1: fe545c0831b16a2393a771221f2daf3f8af50cf8
SHA256: e62567ebcb6434f8652b1867386d7324c06d1f226fe9fad0517e658503ab496a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: sr.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sr.js
MD5: b5752681e826802ad4578a65d446d2ab
SHA1: 18c79b7064d378b578c83fac15be80314e34581
SHA256: 307eb8be823a2997ce88c5ad8c3ca19e7a6345f116331fe3856659665de0d453
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ss.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ss.js
MD5: e61a001b0c3ea5bebde2d4d96d7c19c6

SHA1: a26e124883144d6ac990722d7915ceb80a44f7c8
SHA256:0d8a08574cc28602738aca72bed6364e88dd93fb2131a20c06630e3dd7565945
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: sv.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sv.js
MD5: a276c85890a03d5a55715768969516fc
SHA1: 135396ef7e63b71af3df1cbafc5b060a32aaea4e
SHA256:08f8dbba970b89522adaabe609f47a3f20857c0985967888124f9204f4c3e2f0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: sw.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sw.js
MD5: b9e0ae98f621d6f9a622fe09225978cf
SHA1: 42f76f09c8d7049758fcf8f78e30881e6681c40e
SHA256:d6056ac79071a9f60793825357dac3ecf35c43acf10e02a65f1892f1fd9cc0c1
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: momentjs.jar: ta.js


File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ta.js
MD5: 2b48e3a057ec1ecf49d4e16d56263ed8
SHA1: 94a700dff6eda352ad3a2c4d7f5a4dc5e6219321
SHA256: 2dae88a3138adda69fdec54914461ec28d4fa5e720d7626ddb3fb91a74a2ab6b
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: momentjs.jar: te.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/te.js
MD5: 39e36c17c46798dfdcf0ddae92610807
SHA1: 1168038e9d7c735ac44fc0eca95796067ca7b51b
SHA256: 2cc07292a2ab5702d8e1e849ae3b28cca5c6194d0d150ec637c6289d9d864e32
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: momentjs.jar: tests.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/tests.js
MD5: d39f31787b27fc1bb028ef80e699cd7c
SHA1: 4c0335c7f8c19e26ecdd2f9f0ed08323507031d7
SHA256: 895d3ab9bb945f1f86903438a18c9fb308e84a912e4859da39fd1bb08da63e44
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: tet.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tet.js
MD5: 0a6f7fbd649b280c8fff433d32591867
SHA1: 15f108397be93776a1c232f3de813e27f305550e
SHA256: d80dcb236c671594af031c93d32ed883c322a6f32bd25637d454d7b9d9e81593
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: tg.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tg.js
MD5: 83e93f32f7f488c26def6938e280b716
SHA1: 59886e50e9d7e53beb111b317d5195ee0382050e
SHA256: 24c8928619c471831467afc05aca6f0299e40b418b78bb30b4d66942d872d2bb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: th.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/th.js
MD5: e14a3488b2c85b54f65262d6fcc6b1b5
SHA1: 7697e04cbe08eefdc5ad4cefca7ea7ef42cac791
SHA256: 9911634c353a7ce63a81139f914552fc80a499029a803ced8b32b6af88c53bf4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: tk.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tk.js
MD5: c01b5d264b1cfa34c4723e995439ebb9

SHA1: 8445ede8c1ce77556495f9a5469ead5d3b2b3ee8
SHA256:fc6654229cf3f6e6bb2aeb5b70dc4e6adf7f307575af9d15b7a31aab897a9988
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: tl-ph.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tl-ph.js
MD5: aefa584c5d3e7690a710b144fc505a7d
SHA1: ccc8535e56aeb0b2c2991ec7c2c232a16334f09b
SHA256:e324f1791432534af3ada36c185637db02eaf3d3ed8f88ddf143538dc484cc3a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: tlh.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tlh.js
MD5: 59508c37879615bd0a0beee8f69a28da
SHA1: 15324b9edf1a3e7bbc52b1e510ac53def8ce02ef
SHA256:dccea1319a2e92d9bf373e1d8dadcd4a130e1fa2457d7a66dd035c3cb93601cd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: tr.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tr.js
MD5: 0cf5765f4f245b2cd8a21dee0c3c92ba
SHA1: 7eb8afffa83fb85eba987c80a934c6ad30a23b23
SHA256:e8af125b0bdb3c15ff5ef2eb171bfe698507a026a9cab54bedb0770cdca34fb2
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: tzl.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tzl.js
MD5: a2587bce05b5fa3015dce4ccedbdc802
SHA1: b9c4bb7a9f9ad9dd515bb9de82be90d0d4932fe6
SHA256:393e6424d498fd2abbf646217a197b61c4c57706e6b29ec2873ab20e7bdf6970
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: tzm-latn.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tzm-latn.js
MD5: 582198d314e9ced1007620d4e7701734
SHA1: 17859d3345ae82ce39d5d036649c1976b9e4474a
SHA256: 7909cef0eb3080599c24794c079e05ba07af565f198450df0ad411c85be45030
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: tzm.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tzm.js
MD5: 69d71f7f7674fd7f8b35f14dc179339b
SHA1: b5166e0443eb54c38185227e954cd5cc2b1f589b
SHA256: e6f3a2e2e3ca86953e2c06ca562607a95d2b5129e751e5e0905270f3e56a1f52
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ug-cn.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ug-cn.js
MD5: aad8845e8fb63517d21b322fef4a3545
SHA1: aff6b2361311a6475b9fd755bf63d23e3e6132b1
SHA256: 58de2ad653876b1eb27ceaffb0037ddb0e4fb7917e111fa7a88ef8ab01fd041d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: uk.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/uk.js
MD5: fbe69f339b236b654b3e41d8d8b56536
SHA1: d9fdc9224f535c1338048858a9e457558f95349e
SHA256: 725764b2851d3db79d8fb20b96ce7708cd1dc60c6ca6f37bac4df2350f3ccbf4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ur.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ur.js
MD5: 3da71179953500680163984295abe43d

SHA1: 2fdee5b33f8d29a565d84927fd333a2d9d41e5b2
SHA256:c89fc485a14cb20c0576ff20bc3d157e1296f2b2ddfa8035f71e8b58f61a29a4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: uz-latn.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/uz-latn.js
MD5: 75ce0ce4c28806c32575c4f28ded6185
SHA1: 2648a6adc3ebb4dc12b070a5cc0a126050cf685a
SHA256:3943e946fcad9c965f147c50e08da71d3270239175de530d1f48be6fb44956ed
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: uz.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/uz.js
MD5: 3d11efeaad9c7b7f344eb8beb691a2d3
SHA1: 73ce197519648ecb5e6756bb2fb953688b42af2a
SHA256:9f22344f9ff69b1cf5546c975fd8847884bb032216d15054ea267cb964a09b08
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: vi.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/vi.js
MD5: 28c7ec0c4bf82120245da0d15112f4b0
SHA1: 1470d1969733e49331f2e435910b045e6a0a518b
SHA256:c5db03ae438e4c55a6edfa004540aaf1def14fe0968f9ed3e03fe7dd7c3faf03
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: webjars-requirejs.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/webjars-requirejs.js
MD5: 34b1a7dcca0ee03eed1432670ed9c472
SHA1: 9de80e951270f04bbafd39d9d7822df4f7d08839
SHA256:197295e6af66b25f2aaa0909c6911f7c1c76e24eaf170d9cba2d84644146bfeb
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: x-pseudo.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/x-pseudo.js
MD5: 18b5b8d8f2f327f6d5ec947e550f35e0
SHA1: acc470244b95f709e4b68e7ab94b2c645f929f47
SHA256: ca8ab052a09b2f320574c71c472609e026b4aa72c87a06f204ff33670249e2bf
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: yo.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/yo.js
MD5: 42b28f7a2ea67c7b5a342c87ef0a5771
SHA1: 84f6d714e3aadf74ab8a755b465df7ec8215fada
SHA256: d80655b604558af2855f5b67b21b28ec5770985b67fde59e94e1168e5f4795c8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: zh-cn.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-cn.js
MD5: 49fa27dd7c374122f336369f30a87973
SHA1: 768eeb42e5372200634e8825680c6e18b0c8db8d
SHA256: 53138532aad7c571af10cf6b17a678552e9a9e7ef5014d250f97af8dc61ae6e1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: zh-hk.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-hk.js
MD5: 9338eb6ad8e887a63be4fbaa05cab197
SHA1: 92340e4f48872df241a47bf9bd13647092fd25c9
SHA256: c6d7de0d1f5544a1d3bb64c7eb27481b30316766f1214fbb5b1c6be358a4b921
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: zh-mo.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-mo.js
MD5: a986f68bda18d9751f6bedd7356e6e7c

SHA1: 6cac0e5b7b9e15ea799ce6a1575be93df4832c87
SHA256:874ca3806f556c5809842613ba410c965111ea9441fb949a32abe2a7c3bf7f8a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: zh-tw.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-tw.js
MD5: 94fb46a7c1ce21f0a91512b170d4fdea
SHA1: cb69c6ca687ace454432d994ae5b624ba9011b62
SHA256:62fb1b36d24050120cadf807b975ffe9d7986aeb41a0f4ac218c3ad23a1c9b1a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar
MD5: 7013aef49d7fb5026d637f08a1088b46
SHA1: 104c1d05bb0d5b021abf62538c944fc21db39534
SHA256:41c9e27df2fb376dff2a3c6ed1fc82242e35d6580495fe14ac3227f3663ee71a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	remotegui	High
Vendor	jar	package name	gui	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	remote	Low
Vendor	Manifest	built-date	2025-11-05 15:52	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	remotegui	High
Product	jar	package name	gui	Low
Product	jar	package name	remote	Low
Product	jar	package name	shared	Highest
Product	Manifest	built-date	2025-11-05 15:52	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	remotegui	High
Product	Manifest	specification-title	remotegui	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

remotegui.zip: remotegui.jar: angular-websocket.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/angularwebsocket/angular-websocket.js
MD5: 40cf028986784d5006d57219f6dbe0a8

SHA1: 40efa9ba93f90c2933ea22c767a0b1439e10303d
SHA256: eb77f7788e6b757192f2bf8c6af6560731c3539b06fdf7d476e92b989ca50b0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: app.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/app.js
MD5: 6f61e39f7ed0928ce2046d44760db061
SHA1: 1a79dd0d084db06894770d115b3b808a0d8c0ecb
SHA256: bd0c38131628418202bc8a896fceee79fc4933ac37da60263562ddb37ede2f26
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: app.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/login/js/app.js
MD5: d9a96ed732439b0dc0417d960d30b667
SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1
SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: remotegui.jar: app.js
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/logout/js/app.js
 - MD5: d9a96ed732439b0dc0417d960d30b667
 - SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1
 - SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93
- remotegui.zip: remotegui.jar: app.js
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/masterlogin/js/app.js
 - MD5: d9a96ed732439b0dc0417d960d30b667
 - SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1
 - SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93
- remotegui.zip: remotegui.jar: app.js
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/passwordreset/js/app.js
 - MD5: d9a96ed732439b0dc0417d960d30b667
 - SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1
 - SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93
- remotegui.zip: remotegui.jar: app.js
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signup/js/app.js
 - MD5: d9a96ed732439b0dc0417d960d30b667
 - SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1
 - SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93
- remotegui.zip: remotegui.jar: app.js
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signupbasic/js/app.js
 - MD5: d9a96ed732439b0dc0417d960d30b667
 - SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1
 - SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93

Identifiers

- None

remotegui.zip: remotegui.jar: app.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/reporterror/js/app.js
MD5: 6ad83588ff8ae2fca8a22a9973c9a22e

SHA1: e34a66c038feb5d7eaae6f5641ff754ba2133a
SHA256: 171ea457d3942a068d637c9c416f4314d2e337896c4c06466d5048d1b207964c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: app.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/start/js/app.js
MD5: a92b24ddb292c48b2b37f8f612dcf510
SHA1: 4fb6c8ec1c639068e82cea773e346402bee5db6b
SHA256: f9a5dfaf43cc245a92f3da0e6a6a05df73027571f820767630c897274510e125
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: appbadge.service.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/appbadge.service.js
MD5: 4fd729dbd4e3e172e18625eeeb1d21f3
SHA1: bda842fc94e89b87c8ac7ab1fda990058708c679
SHA256: 8ba199a5047196dec59a090d09d62628d962bd4827c6f58491688405af98bf20
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: authInterceptor.service.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/authInterceptor.service.js
MD5: 7fa3864d221a30bc7380c1d61fd0127d
SHA1: 7711e764bb81e7518be8f1582ba36c0bcaffbc12
SHA256:78a5ae26f5463a9ffaa3aba943dcc4a6852dafea4e6a161a77db4e57e57c9565
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: avatarcard.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatarcard.directive.js
MD5: 42e2eeddd15b1c78fa69908f6680ee70
SHA1: 700e560ae973d1bc7fc1533f10000bff031ae452
SHA256:1f84952e5877f9a0a2bb6de1db33baec5f4bc55d5aba12f70cb4f7a6f79729d0
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: avatardetails.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatardetails.directive.js
MD5: 1736536ca17f8949cfbcea3546666700
SHA1: c6d2b53e9caa1ad5b19f0063a4c7f88c31784ccc
SHA256: 5bedc4c3e7b3be6a29f2c85fbd2881b935f24172fd42d5f893f221c1972bdc5e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: avatarimage.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatarimage.directive.js
MD5: 70e2255c02822aec0a74da3386baa781
SHA1: 927e3a72f635deb32b6dd3bd1e3deea711b73521
SHA256: 9c3a64b8c4c5e6bdeadd27b840e1835d240e7e291b2499e331545d0f3d6fb3da
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: avatarimagedetails.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatarimagedetails.directive.js
MD5: 30a2af71a10ee42a8e840c52dc445a33
SHA1: 2767a8c4d10f738a7cbc2f0166473a721724465c
SHA256: 4c5603e04daff5cb4de37b3a8e120e0049036ea10683980c3062c96919d1521e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: basic.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/basic.js
MD5: 6ce37bb0cdb3e8dfb60502a14fe7566
SHA1: b5cf170633b03bb7e703f0fe1369c71a0d451dae
SHA256: de45f22f52903c15f3869bbbf9856da834d7a0d535bc5138832434984996079
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: bootstrap-colorpicker.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/colorpicker/bootstrap-colorpicker.js
MD5: 66fc7adafdc312da33c1610ddb02650

SHA1: c0fe35fdc3e1a7b23415601264ee3f5f8b6408ba
SHA256: 359ac587e9aac88dcb26774fea01a3b04b89ff8f8d49c36b0dff82d0ca3f2a9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: bootstrap-datetimepicker.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/datetimepicker/js/bootstrap-datetimepicker.js
MD5: f99cb51a76e41db0a93720a7ab76f79a
SHA1: 811d10b8029074990b4328164ea5645759789a5e
SHA256: 3ae825ea00eae0f2169e66d6574fa1e8323b51bf253091bb5a66df76663d37ef
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: browsercheck.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/browsercheck.js
MD5: 2a66f45992dabf075363ec46a8f1913e
SHA1: 6dd5a0ea9f6b8471d5133f32a13090af611156a5
SHA256: 9591b9925bdfd5c199c34417db703dda37c469646adfe38409453527af025015
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: changeavatar.js


File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/changeavatar/changeavatar.js
MD5: 8d2dac6b040a8c19644f32bf31bd71a5
SHA1: 71bf152e7bc6f067ea04a5b3aa1cca0a77af4b2e
SHA256: 2dee1dc75f9ea3da5c18de2d3f7ab5da477c1b0e29952f28f14ec488140c3d0d
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: remotegui.jar: changeavatarcontroller.controller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/changeavatar/changeavatarcontroller.controller.js
MD5: f4c8b7a6dadbe05f4e359733f723d5f6
SHA1: 119cdcaf2e65398e1f02c279bc915fb748c851e7
SHA256: f6cdf51e77bf2b01b8d6d81d62929f453e651b07cecf5ec1a592556855c297d3
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: remotegui.jar: changeavatar.service.service.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/changeavatar/changeavatar.service.service.js
MD5: 0867b1420c57ea1bd0df6b217d0f0a27
SHA1: 3b540de9bd01aa2d887ff4690636a46d59e54ac0
SHA256: a4e383e6b3971ae28b1ab569fb9bd73553c7155615dd6684f9eb1db4c28f9ca8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: clearreports.controller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/clearreports.controller.js
MD5: 3e7fceb2b9ef747bc218cb75a43c2f00
SHA1: e73d081fea644eb31534bca4d63d8e37a5f2239f
SHA256: 565b256ba888e792b1e08f6775f46d4db5f3e7cabbc6e07b61321a8f8b207053
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: collapse.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/collapse.directive.js
MD5: c1382e5bab1e0095998e5b19ac91f381
SHA1: 2bfacf81cdcbdbc9919f24433ada8d3d78ff826a
SHA256: f09aeeb80d0d0811b4e6c9ae46d2a975cfa372d339236dc1f74e238218a60be4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: colorPicker.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/colorPicker.directive.js
MD5: 21ef7608799862ae50c2c74f78d0a9fc
SHA1: 747b3d2b2615c51fda36d4177ff6742a3f254784
SHA256: ecdde453424a6164c70d2a8ae42bbd0e2f36aa424dda81a021daddfc3be97cda
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: connectionstate.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/connectionstate.js
MD5: 4a6174bd421f26ebbcfee0cd497cb818

SHA1: dd1fd437528d6680073b6ec992627e58a7117d1d
SHA256: 4b755f8f5c4c823a55df73cda77ecfaad11829b5945c0f60e9c3be0de7ffcaee
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/controller.js
MD5: 8886375e9fdbaea08407ec6d19efb81a
SHA1: 1e0b4d981a4a8cfe6737624ea1f4ab9636116e9
SHA256: dd9f87011fd0cb0ed630d3f392e7527a62dc516584014a2169a411d783d683e3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/invalidlicense/js/controller.js
MD5: ca1979cf2df78c9a22c96f3478247107
SHA1: 6b8bd8aa94a41d55d9b5c11f37a6e0a2a25a5a5e
SHA256: 2e689b5bdc728198ed225e4e7634d0bc374f6d5f0190f706808d3c1857b1591c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/vetomessage/js/controller.js
MD5: b3d1cbd2470d7a37317a1a3b2f731b76
SHA1: 8be451bf390bbc31e274d966fa238675d192598d
SHA256:d478572d76089fa663779be7fb47933ca9c7bec7f97ada36dd8d7ca80f6f4eb5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controllerAbout.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/about/controllerAbout.js
MD5: 80b4da64ffededbe3c3523b55e2bf326
SHA1: df84d88eb510b8e820880297404310f5a8795f4f
SHA256:48bbb094dff3f6b7dcf787d12214c26dafedc27cd37003b651e1ce179026029
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controllerShortcuts.controller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/shortcuts/controllerShortcuts.controller.js
MD5: 9be25409fea8e060b32a3ed16afa0496
SHA1: 36808df213a842d807c44b517fcdabd52c7479ac
SHA256: 18169a2a57beb8edc203674e334cd2eccaf262635e4cea0b408e2f8608338008
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controllerUserTheme.controller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/usertheme/controllerUserTheme.controller.js
MD5: 3f22da2a31a50aae9eca2ddf181a32e6
SHA1: 92ef56f938fd823a8d2d234190af4aff18ce8223
SHA256: e3b5b9c6ba45a9f4e7ea82817ad2e4eebfa514eb88f0056ed61741a37917049a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/login/js/controllers.js
MD5: a8ac2709cc86b403df12e2112b1c50da
SHA1: 344a480dca6074c311786b03a13aeaff5cfb58a3
SHA256: 3efd28cc6f37f33f4c99fcd534349933d13c07cfbb85ae6b424c7d0889e968fc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/logout/js/controllers.js
MD5: 72df17aceff55a08379e0d53b414a348
SHA1: e3364d95d630e8ee2831c6f8c043e380892303de
SHA256: fde8f9a6bd901c3a4fb1eff6e1b28cd70ed29ecd1ca0eb4d516fe8257b10866d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/masterlogin/js/controllers.js
MD5: b7ce1065cd78fdac56af02a9c2990479

SHA1: bb6e0f303c2a2601864542d89f2e2f5da4cc582d
SHA256: b062b60f3c71cca9147df8429acfeaf1333646ebed0a49abfd57e828594969bd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/passwordreset/js/controllers.js
MD5: 4dbf4bd5e209bcf9da2dbea374055b93
SHA1: 87bc7d80e618d023de04a942c4bcf78a0f63ef94
SHA256: c4fc820510883428e8b7f8cc620917ad024a053406fc8e06a1f5d291e7cb8277
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/reporterror/js/controllers.js
MD5: f0eae135a9846e9583286cd7e26e16c1
SHA1: 2ebb1635a8de2bf5a5b733d22be21e702b12b72c
SHA256: 03bece9cc5a2def46cb9af89cf57416e825bc861f4bef8e388418e2e2f7fd2fe
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signup/js/controllers.js

MD5: 258465212e0911f69571bb053df33a43

SHA1: 91a7f8521507ac4c7f3694cf5dd955417828e559

SHA256:f3cd796047cab32758bcd5425fddda63249ccf268422094f9bafb9183d52a13b

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

• None

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signupbasic/js/controllers.js

MD5: 17128560e8941aedb7e852204f4a179f

SHA1: bafe38ec75526c6f24a08468efcb54b174af8a12

SHA256:c86e24d128397562391debe2cda9c5a59382ed887ce040fdd950fba13307b093

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/start/js/controllers.js
MD5: 3451d3dc4466d917bdaaeca802ffedae
SHA1: cf35aaaad9461c21764024842d788d1ffdd36bd
SHA256: 81ee322dec22a872c1c1b2cbdeb032036fb825c53bb8d0fee0270318ed49dae1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: currencyNumber.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/currencyNumber.directive.js
MD5: baae690d1879d5770a785db43c416078
SHA1: 6652a3fc50dbfeff6d2c3ba5d163b6198d48952a
SHA256: c6cf472a9ba060122120b728e7f034a46b42e3b035ef56144ff482bfe5092cf4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: currencyValidator.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/currencyValidator.directive.js
MD5: 73a660a1b69b3c877a80104908dcd0fe
SHA1: f452a6e6a90eafec046f8364e92e8991639fc0e3
SHA256: a54b14192bdf0b13eb46a513c0de90d2217df002a87b69aff4a97a2b438e78a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: customEmojiUploadConfigItemRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/customEmojiUploadConfigItemRenderer.directive.js
MD5: 614bca272bedcbaa6f867d223c67ca6b
SHA1: 158169ab1d6de578cf3d3157b44fc5568a0dff9d
SHA256: 38d245ad840d4d01acece7fb531bfaf683e40367b70e1965761df25378601795
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: customEmojiUploadConfigRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/customEmojiUploadConfigRenderer.directive.js
MD5: 646c45383035b8a172b1e3cea4462065

SHA1: ccd25b4652f738ffd5db41da6f2c01b9bf2e8fdc
SHA256:366ac5823f773c9420495a3f7ccebc31703515e7840963340d9b088a9a280b8c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: customemojiupload.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/customemojiupload.js
MD5: 5ab9bc583256cb4bf16a2ed2611a694c
SHA1: 8aa95d9a6f7aa446ca449dd06a22ec766e011c3e
SHA256:10c1b4c00e9ea48d9216001bfde435ad3d978dc7924328afcde5985e31cc5052
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: data-test.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/data-test.js
MD5: 0bf0cab1b86930641a40d2973ec43f5a
SHA1: 1b7a4fe37b3c6e007214f9c723db5b3d0ca7878a
SHA256:4d4a8637b7d7ccdc780a838e6524a1ef9d1ab35b425359d03aa08db039d69660
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: dataservice.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/dataservice.js
MD5: 78f781249b28482d2e48cc15713b8fb5
SHA1: be00284d2473c6eec88a36d5b121f40e90f812ea
SHA256:a0f7b276a906aa54b6d0431fd525c527d2dfdd25fe0146cc1cae822fdca12a75
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: dataservice.service.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/dataservice.service.js
MD5: a0abf2ba0adab44349a929fa37dc4c1b
SHA1: fbc197759253e4eb2a469ff121ec4dfdba229889
SHA256:79fbb725896e7a3d0af0fdf980d6348d8d4ff3a4d8e197469651f67fe8f93fe4
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: datepicker-de.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/jquery/i18n/datepicker-de.js
MD5: 797fabcb912b0290ab3e259ffab24855
SHA1: 46bdb9bae4acf4a0f014121d0f9eaf2d5c15cc63
SHA256: 1bd259fc9bb5d2965296710ef6ea072f59c2ad669173e47958f672d0ee98de1f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: debug.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/debug.directive.js
MD5: af5e64405e9df914078db9c21e2d6cd2
SHA1: 9daecb829ec4ef49f5ff9415f03c1130b97cdfa9
SHA256: 7e8f60d4320fb77c329b93858e2cb2435b756cc939395dcb0259f9324667cb25
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: dialogservice.service.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/dialogservice.service.js
MD5: ff3705252f1a1e7205abc5305b16d24d
SHA1: 5d137431c4fecf3c36e40aa0024d48f64c0f3b9a
SHA256: c030948a627465a777ae0f4a631c5cee1339c36a6fd57b5feb86cccf2b57569f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: directives.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/directives.js
MD5: 19f28ec5f19f91bee0b1c9e74e173dc1
SHA1: 8f3d5294a051eabba98d8b9ceada4b2411210e58
SHA256: 0543ab08833d1e44de5f6c23d230703cea6ad2cb637577549e308d185afea1fb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: dropdown.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/dropdown.directive.js
MD5: 34a62e5850a9c548493cfacae2971677

SHA1: 72304276999b43f29dd0ba3cd13829e7208c6d65

SHA256: 575b84426322c7c3724e5aac3bdacee5d92bcd2ddaecb017ff9bad91e1a714b9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: emojiModel.service.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/emojiModel.service.js

MD5: 38564647d31b6797536db5765411e4ed

SHA1: 48fd70c8edf0adcf125823e861e4a139a381cbcf

SHA256: d22736cdec4e2e645ac67859b8dd33c6af37c304f60a2d1da1d4faefb33f087e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: emojiselector.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/emojiselector.directive.js

MD5: cf4481407a72642bb8f659e8b1811a6d

SHA1: f5b4d06097e39d132c2e341005a5f37945e6d25b

SHA256: c9b023b87ba265d2fbc5af9dfaf4d739f2a5445ba1368d9fdf02f7cc0e07e307

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: errorservice.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/errorservice.js
MD5: 785c07e4d15b2f2a72b41c819a95cff6
SHA1: 00face8e88e24ab885ca5bc0ef14948c87bcbb87
SHA256:23319ffbf9167f0a5945db9b9b2c730b84a90d9a58660c76c6e7dc24d2d395f3
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: errorservice.service.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/errorservice.service.js
MD5: 360281c6620553158495b0209b5f061b
SHA1: 5b97c5e92c061efde53949663bdac202c1621e8f
SHA256:176a28354cdf47070b01c03759f35cc1c4ddfd293367421a058ffaa68647ede7
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: eventemitter.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/eventemitter.js
MD5: 3e9e49ddf3534bc5e1ff95b7f17367c1
SHA1: 56913966a816d180fc0215fbb438e7e6fe9517c1
SHA256: e7e4248b578d827250e51c12ab9c4e806195260c1750aa92c16aa02989ec9adc
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: filechooser.service.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/filechooser.service.js
MD5: 5e0b478b81135a47200d26a4a107206b
SHA1: 3d4059f43cb16ae92568642a830284b20cdeeea0
SHA256: 0e01b0b88c94036b3237e64cc2115f2a7a8331fbaf7714fdea8885598887325a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: fixNumber.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/fixNumber.directive.js
MD5: 4012901ce3b8c0dd2c30de58b4010f93
SHA1: 2f74672bcb93cbc5a5ad537ab900e5ea2993244c
SHA256: df68e84e582a52b12400fdb1ef79d935013e189579795a435a6ed8055573c35
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: fixNumberValidator.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/fixNumberValidator.directive.js
MD5: cd63efa13934af29deb8ebaa34d99d16
SHA1: 6b6c6bb19f785f4cddf2aced9381c3578a3213f5
SHA256: 8d6e9515be7e1db5f56dfe91a1e96c91b8ca536f4ffdc31614a30a5a7e7dad88
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: floatNumber.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/floatNumber.directive.js
MD5: 0b5378d3a8d7f79543eefb43bd125bcb

SHA1: 0c50d5b03526ee6a4b5ecafca50e139183e64bf6
SHA256: e1e487d744826c96b46a8e946a32892ee07520f3f29e421d243df51291f729f6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: floatNumberValidator.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/floatNumberValidator.directive.js
MD5: cf0422e6f9e9d1503247ff475d10d3d2
SHA1: c0d2a9c1ba8905a8853b7880e484fd2546bd91cc
SHA256: f64676d8ca0e5be8cdbcdce1658d71f18608aeee7229a43e8076139ddf5d7f15
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: globalactionservice.service.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/globalactionservice.service.js
MD5: 6d4f2194f51d48cc3b21f9526f7fee57
SHA1: 30f480f24b629a9dd3a93fe04dca7eb04a20b677
SHA256: 8c1f6dd7a7ecd6472d75748edd38d98783b20e103c898220b2e3b25f4090f6a2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: hdField.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdField.directive.js
MD5: eb473c0da5fce407a8585e0ecce20bc8
SHA1: 3f2b16de362bb37d19bdd9147b03dc59f1036b18
SHA256:6e58cc4e6bd4b86833f4d7eb154a422d0ea77f2481cebb41cf784722eafa2548
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: hdMandatory.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdMandatory.directive.js
MD5: 5ebb609350c6d0ae645e8ac20cbb32b9
SHA1: 15bb7b61dcc2a479beee7e0162796788565fafc4
SHA256:593ebe1d558142ea9e12a998fba8034c5539267794d3f1ae01fa61cc30103e2d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: hdNeedchange.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdNeedchange.directive.js
MD5: c3abe040e55d2f09b03b6ff4a839b795
SHA1: 4ba516326ef10cdbac82bfeca2ef5a82122c27b9
SHA256: 49e8d8b1fe5a2d491a81412531fe794b9b32dccad6536f9b06041e7931f83a8b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: hdValidate.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdValidate.directive.js
MD5: e6e8c3e26ad3be54df16ec1bb887bb70
SHA1: 4b1e88e7eed9dade1052f00086c2c09f18a0be32
SHA256: 18040f9661212ce2406d973b0431fd3c320033bd4d6b931db124aeca515873f1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: hdattachment.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdattachment.js
MD5: 16e85502191f7fe25433de5ad6c746f9
SHA1: 712909937e6a4ad47396146d4e79e4a3dd0b32e4
SHA256: b59d7f8b2225790fa30812d87d012f6668ecf1ce2d3a0cba04d987812ad2cd4b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: hdfupload.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdfupload.js
MD5: 75a66761b717a6997b593736a3636c7f
SHA1: c7dcef33b520474109257a31e81c13967de4fd70
SHA256: 1e85e4d3ca53baf4a8da1008aaaf7bf0b048d078a08e8bae3fa8628804dbe5b4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: hsimp.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/hsimp/js/hsimp.min.js
MD5: 31da02c3356fe92d686f09c9e9a2d3b5

SHA1: 77c9d1aae30a77bb4f4ff1015d9886a9fb2bad93
SHA256: 44cdb7ca377e6793dac301775332a628e89b3624b6330964a9e2592d1f5b0389
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: hsimp.renderer.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/hsimp/js/hsimp.renderer.js
MD5: 5f06f676ed65e93315ba629f480077b0
SHA1: 213a052ff56e4e0cce58b108a93995300b7f21b7
SHA256: a6741fb1ac97dd1d59dcbfb635c018a4fc51ee6bcbecf8f0928fb76019cf3658
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: html5modeurls.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/html5modeurls.js
MD5: 784c54f58e8351e6821785bdeaa852fd
SHA1: 945f8e892ff235c347b61d726cbca71c51cfa0ec
SHA256: 3cb5e8d76193fd52fe4672a8510546b527e84df68876952b6965e146d816f97a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: htmleditor.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/htmleditor.directive.js
MD5: dc39ff4d4ed88e924ec83375565732e6
SHA1: e0296d02f1d6e4760c430fa1bd2b63513bdc6415
SHA256: 16ee6814ddf609aec305ff499ce9d3aee696fe42a59be2e31fbd4c4ceaa0da64
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: htmleditorFactory.service.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/htmleditorFactory.service.js
MD5: ae7cf9f1949727b0b0abbe02d00322a3
SHA1: 8f6ca76d2a1d16c23d015e5fc99c0b5eba633ca0
SHA256: ada0a0081829c6575f5107ad1f2b857976454e420b33fb4e11caa971d23243b9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: htmleditorModel.service.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/htmleditorModel.service.js
MD5: 5065e5c03040fe00e77e7c35c9491459
SHA1: a07cd621341d26b6a8af98193dad1b028e518a16
SHA256: e4eb54f0aa3b0f5e3b015668ac05a9410b2fe4e2af0f796f3b9a9c1dc68de3e1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: icons.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/customhugerte/icons/inet/icons.js
MD5: 81ce9691eda2df21f0904f09079b80e7
SHA1: b4a46ece9a2ab75c6aa0753ca006bc8b01d0169d
SHA256: 870a4c211fd913aeee81fddc05c555949806ad233f9bdd1e5151b3b20a370fbc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: indexed-db.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/indexed-db.js
MD5: 8e18eb72cdab27b9f50d8be736fb5d3a
SHA1: 9a0e5e9098ca6fb8c1ff37a52cd41493b9c5b765
SHA256: 8a7b578a09e75c8abf3b5c7796a3a9fdd812f0e1fe1b9cb2dde13c8ca4dec439
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: initUsernameField.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/initUsernameField.directive.js
MD5: f3f6879a5d27234809f195e8361367fb
SHA1: 24d20461bd9e38654b9feb17b07291ac539c186b
SHA256: ce03423bc27bf8ae5f2a0ee43236549dedb25ae612839b3e645bc11849b5113f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: introduction.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/introduction.js
MD5: 89901332f1495e0cd0ee5b86914cedb1

SHA1: 35a849463bb5de9d8fc94de631c5641743d37abf
SHA256:afee3a22ebd23a8eac80d546a023e642c33409bc80ed5340e4372fc91cc30360
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: jquery.fileupload.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/jquery.fileupload.js
MD5: 240236292f36eca6c17aeac05fd73d61
SHA1: fac06f570617460bbc6f377136ee040bebad8828
SHA256:16d6dd6c899f13098e81e50b8f75ef74df0da97ed95cd2759933a13d53dc876b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: keyservice.service.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/keyservice.service.js
MD5: f23478b8dd57156641a72835c4ba157d
SHA1: e8f8d906c18d20e47d651a64680a20db7f7eea0e
SHA256:c584eaf3c626b046c9c592fc813efc7831d9420fef68fdc6fac95999519180d2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: kytos-attribute.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/kytos-attribute.js
MD5: 5bb6035188c4e1c54d61442a810f8248
SHA1: 931d5b4f58c1ed00341c31bd7cc6a2e39fd95faa
SHA256: 3820432cd3db58e325157b9493754079feda4fab4db08d38296df413c6a72c30
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: remotegui.jar: kytos-data.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/kytos-data.js
MD5: 79b7f23bbce604a15a1e9f8b28e321c7
SHA1: ebd7b9ea49d5d6f8da732a89a7d9850c0b8614a7
SHA256: a0c941c8ba1f69e19b7afd1c952228244b235a61f0d82b474f1ef9b934483af9
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: remotegui.jar: kytos-dropdown.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/kytos-dropdown.js
MD5: 51af44834d6aa24a2375a5dd37a08854
SHA1: d24606878b7f5acceac8ff0b7b000fe02f9532df
SHA256: 6e955549f49e3d628b44f498e50f1f5874042980f6a26780ae880f77713357a6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: kytos-element.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/kytos-element.js
MD5: 7376f629e24a94902eb928e3011dea03
SHA1: 3de4895fcb745fac4bd15fb5499c7acd097319d9
SHA256: 4c56e12ca9499ae2dbaf1841456752da1b2dc5fce177e312a3079514cba5958c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: kytos-i18n-placeholder.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/kytos-i18n-placeholder.js
MD5: c2ddf4ebfc98c053b2cf38e316d67a9e
SHA1: 558b0eda02d143df94aa87ba51c55a282eb1730f
SHA256: 1594fbfcf0410acad583b620fd613364af498faa76530bc2eecce247abab1f14
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: kytos-i18n.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/kytos-i18n.js
MD5: f828085d946fa2ec5043d11bc31123eb
SHA1: ed02dcfce2e6de89f5431c21dd4e2fae658e07ef
SHA256: 2dd438f05fe18415e72341be8681e913d3b291482a6db53fc8190a9c09ebb7db
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: kytos-on.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/kytos-on.js
MD5: 15063ae2298fdbc06f0d553980ad33e

SHA1: 1dacb61e604f894bcb4ef23c2d146d9872eda47a
SHA256: 268c59e78abaa34e119f9e33f0478b97905cd60dc25c95e22006aa309a673f60
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: kytos-repeat.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/kytos-repeat.js
MD5: 79e3a5e2634666f50d40cb4841d5e564
SHA1: bca7b3ef1c01355797d3e7a66e08781e9a55f497
SHA256: 62b3500eeb92de0ded700ea5b2ce8ce3d3fe30819347026c0db9ef00debd6e90
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: kytos-src.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/kytos-src.js
MD5: 668154cbece972e8c4538e661daf0efb
SHA1: 48ad7d4e2246f6016e16e26c5a2e88c31a512c28
SHA256: 227f9b2e149db2ef20aa3e66832f35e006bbbe52e7cfd3958b027a01c1e4645a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: kytos.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/kytos.js
MD5: ec6c9c49dd82ce9e1d04e7a5676bca53
SHA1: 35f2b6a2f7ba2bcaa10cb39b0e1bb6a8e54c07c9
SHA256:4948dce62c0fdb2562088c264153582874da88e82268203fbe47b1c6a133ab3e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: localfilesystem.service.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/localfilesystem.service.js
MD5: 277d95afddcd590e0d141b2d577b5e62
SHA1: 20bcb984e60bdb0a2939939f52951e728a4f0af7
SHA256:07ed33c8a8d0f7931367e1c0138049de8105adefde3fa138dd50e4c7a31f8aae
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: locationservice.service.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/locationservice.service.js
MD5: 62ff5fc8eaa864ac3784bf03692532c1
SHA1: 53ddc25f9c7f713a3102e0f0de0535072c0020dc
SHA256: 0fb76cfbf05c00b400df4f87dd0f5753d89e68c65bd9b39d89107101321440aa
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: modal.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/modal.directive.js
MD5: 8b4f5159c55d2de4f772c61b5bf7dcc3
SHA1: 6d4df793d2fbad75c24f62e005eefa9ed62954cb
SHA256: 2a5553a5186b68c5f299d2e1f274ba754bf9af25bcea981725d472dd762d9e42
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: modalservice.service.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/modalservice.service.js
MD5: 4acca3d003e0b03b3f5e384003755de3
SHA1: 1e0cae788079de22547aabb02d319de12adcaeef
SHA256: 0ff64d3810936ecaa504005327a4ce6b1d113fc762a15ad24874427cd51fe144
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: moduledragdrop.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/moduledragdrop.js
MD5: 3958a1734972672ba1c124b1ed886668
SHA1: 4eb0ba0abaf32269baf7023edcaf12cc623783d3
SHA256: 10d5980e1ab5d292009b20fd37d4d53367a0f76a55bd04b545074ece66d20a25
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: my-test.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/my-test.js
MD5: 663dbecfa84238754bd85b54ca72706

SHA1: 9a92853adf7e5c8ceb8e948a07124ef3780c5d9f
SHA256: fa76b5d51cc673d4abd904d0947d04d9258fd8a04bed04e4f9c565ce7546af79
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: navtaboverflow.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/navtaboverflow.directive.js
MD5: 0ce7f7b7b6a5a148404b16e1962caf60
SHA1: 8ef17d2fe2fe1832fa5c49d6d65b6ef5fb1b7bdf
SHA256: b3557a1661a5cb1508bb1654d46bf5938bacaad8b4dcce03cf86d729793bd47e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: ng-hugerte.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/ng-hugerte/ng-hugerte.js
MD5: d62cf052e63074e92faf5f0c7ffa8876
SHA1: b4c035d46a81de2db06cfa7183889f4a2b0e4f03
SHA256: 88e8c189a593f1bb43af4af96b91abe4a87af72307eba9d0a4b704d73a02171c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: ng-i18n.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/ng-i18n.js
MD5: f70ed5b4b0d12a1df931521a5bfd4d55
SHA1: 2f141a8d67bb4381b248e0292c2b566eb17d6ea8
SHA256:f8c9dd393e16101f533ed78c9c7d84eb60aeadd228f3573950b0930221c6425f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: numberUtil.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/numberUtil.js
MD5: fc50f41d150aa956d3405cf5538d0ef8
SHA1: 36dd5feae806c1dff8a67fd8ae4c4b4ac8d590b1
SHA256:0a6ba6dc2719ab3741995db471ebc7e94594f837227eaad277bec79785ff9eb5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: numberValidatorUtil.factory.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/numberValidatorUtil.factory.js
MD5: 5cfcc7ddeb5ee5abe9b657cb4c4aad1b
SHA1: 3e1befb49a7e3de749bbf7c11db74fad428ac1a0
SHA256: b098b08a665832d5ec3cc30a813f3ac471cc62b9f9362125b8fbc879d5d6be66
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: ocLazyLoad.jsloader.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/ocLazyLoad.jsloader.js
MD5: 6efc2b278388ff3b8fd01d214f68de95
SHA1: 1d366d752be481f2502ad6e928bf443dc1bbc11e
SHA256: 7c22d04e3e40f316fe62e2df4c73ffe9ca1fc552117386466972ad8a524b4154
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: ocLazyLoad.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/ocLazyLoad.min.js
MD5: f2d4908265b909369078aed0cfaffa3
SHA1: 2d19edef03246ca520c6b3d658e75fad0d791695
SHA256: a5f7c8f4292aba0f63174bbb86fef9e919d97ed72f80857e83065c66ddbcb5a4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: pageablenavbaractiondropdown.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/pageablenavbaractiondropdown.directive.js
MD5: d1feb482374e4058601ab2f7b89adab6
SHA1: 3c5f495653d3856460bcd8ff62dc530292fe91a5
SHA256: ef9d71d87d4a4d8f2222fb5ce1f9030667e65a51b42e7a65ab47139193909983
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: paged.filter.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/paged.filter.js
MD5: 620885e608d87c0af2184057fa716019

SHA1: 99aab6b764bd796a4fad0b23da057c07f0a173bd
SHA256: 7838a62ddb112a36d3f6b3ca85606aa02bc913e5551e40a1d37a2a7411f67c88
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: pagination.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/pagination.directive.js
MD5: 9072dd128b777cbe8c9a3f5cff6d1ffc
SHA1: 9aff2deccd8bd06b84530f2759b5d3708496680c
SHA256: fe2e2a1a9bd791563352ef8b3350fc0bde4b50ae191a675e4a0fb5d592389778
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: piechart.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/piechart.directive.js
MD5: 57b1a6b4c82b90c7ae6728361bfd83aa
SHA1: c4010db7bf32f2263f721e7d0642b0e4e99b7e2c
SHA256: 514ec005ce503ed102e409c830b71a04afda4dec41d04cf23e4a80f6e1def184
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: popover.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/popover.js
MD5: 24e950e89aace08f1aaa17fd06bb396c
SHA1: 1b794fe5f9c1c3015159425162f6b3b167ff1665
SHA256: 4deeedf673d7fc514627d7ebca5d4595a76c7d11d9cf3bdeb720dd6f663666c6
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: pwa-service-worker.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/pwa/pwa-service-worker.js
MD5: 95a33b245d3237810fe50090f6719728
SHA1: 1092e1c782d256a86ba9034dfc86b2af50d31117
SHA256: 933121280fca1f5ea88c243ffeccbf998a62fdc3b62b5ca70875a990c18c9edd
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: pwa.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/pwa/pwa.js
MD5: d5f6fdc8eb151d3a71ca5eefe74f6dd9
SHA1: e7e28c16da057e3d23295da872a11d99239f67cb
SHA256: cd0a4ccc24239ef74ccf067d2eac8ac8989524fc41b0e7ce4946295f92a75b72
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: qrcode.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/reporterror/js/qrcode.min.js
MD5: 4b36f8e71a871112384d908a90471a76
SHA1: f103f61ed24f3dd86bbee1aecb91ad4ff0a15282
SHA256: 6afbe1ebc2ba9b4bb0833f9f55c4eb80edb582903ea9611a9be49633a7aa3b09
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: rangeSlider.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/rangeSlider.directive.js
MD5: 8f0195ad048023303ca75052988a2958
SHA1: f30f14dce0300f317db5ad815d452dccf20c6726
SHA256: 20efc1b10baaf76c2d287f1553ab7650017d266804f3c8859c8abbfd89e3766f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: resizableDivider.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/resizableDivider.js
MD5: 92155894052072c1b3585f3f378ed64c
SHA1: 284e63d9a8d92f3227dabbba220ce81b406fd5f7
SHA256: 46db0e3c06217214be457419fa2e4a0df6dfbfa6424e163b2c9315162a9711a7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: scrollabledropdownmenu.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/scrollabledropdownmenu.directive.js
MD5: 6ccf4fe00949b9ba0161679c557720b7

SHA1: ded14570028ed526c18dba9174881e0dd4c60ae3
SHA256: aea1486dfd6055925eaceaed65bbe26260cb5a9fa6bf17acfc4655308e34d1c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: search-panel.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/search-panel.js
MD5: 62e0a4cb45cdf5cbb82f93ee7c43f679
SHA1: c9bece27698f9e7c6f272a2b83425f6e4d73c0ef
SHA256: e93b61232ebe9eae031c84bccd6eb15b7fb360a8ddd65b7c910ccc93ded13ece
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: selectInput.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/selectInput.directive.js
MD5: 94814e3d56c2235cb31d6bc6ed5f92d7
SHA1: 4619d613f58383a0bc148f0da510fdc6a4a32fee
SHA256: 53afd5593d387bb8bb0730e2625220a66c60b62106d730f9177f84963ecda0e7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: shadowLogger.factory.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/shadowLogger.factory.js
MD5: fa91436385b8994b55a7d310d63aae1b
SHA1: 6dcf22bc7bc7561e394ab64f4cd68935378b77cb
SHA256:99d32693c3484880d4e331ee348efbf9a6c37f657a63045a1f50ef3e8dd3d60c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: sidenavigation.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/sidenavigation.js
MD5: 41e61e3b773bf6851e57056ebf4cbd3e
SHA1: ccf7dd4e2a531856e99cc4865ae92a4ce80db8f4
SHA256:ccf467b7d7629f106d0bf698be444ba56a7a1545c5118e5bdad132c177241323
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: takeoutDataController.controller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/takeout/js/takeoutDataController.controller.js
MD5: 82d1cec699a839f96167893738956807
SHA1: b0c88a87252c6c7c558b366e8f8c8b85179cd354
SHA256: 48b31ddf8b1f4607a020ba89e0cc44d41fa7d29e440224d794f494186a70d6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: takeoutDataFactory.factory.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/takeout/js/takeoutDataFactory.factory.js
MD5: 4c2e4791571aa7c4beef1d13e162b700
SHA1: 72b5880e8daf6c9ff20aa30132fe79c7f4868ca8
SHA256: 7cd1066a0db5c12af802b239d6d2b1d0afa29c5417460189ae5c22f5c6c3484e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: takeoutDataModel.service.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/takeout/js/takeoutDataModel.service.js
MD5: 6bcf8a37b4157e9c59412040d832b2e9
SHA1: 12b1e7fb37e1533e850a261eb24e5260e42368f8
SHA256: 9a256e7e32f5971e086b0aa0e02d74c9b128fa2b2700a957af0282d8a1387d72
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: timelInput.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timelInput.directive.js
MD5: ba7319d83a3bcc33e0019d36fdfe0d9
SHA1: 019c707edf3c03914faea76cc116043f51a55ca2
SHA256: ae9ff67469f81911d87d69f7e89d7651b2517673b0a1538f04fb64076f5d0c70
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: timelInputContainer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timelInputContainer.directive.js
MD5: fbc7a8c9f4e3a3cc38d7659d83a6c29e

SHA1: 6b62e43062fdea0d9a6d7dc537e8be85787990a0

SHA256:13eb8eba0cfd94da346f8cd131a4f90c98261fd83473d80c6c4b98529dcb7e1c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: timeMeridiemContainer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timeMeridiemContainer.directive.js

MD5: e1458f3e6ea63204589509e5237f5c31

SHA1: 0a3f9057c78f591a1bb4086e1910af248290e689

SHA256:b9663e93c6051a50803d0425bf1da08bb6079b7eaedfbbb88f073880cd833088

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: toastservice.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/toastservice.js

MD5: d4d58312cf60d3ba47d98e1ab289db6c

SHA1: 963249daf9fa96bb66be31a2f0ed817de83eed52

SHA256:d70b11b0d47fe3dec7cf9e1f19c2cbd080d7410c4c160da6c68fd9854cca6788

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: translate.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/translate.js
MD5: 061e99802cbbcc1f551b74ad18d8f5e5
SHA1: 941904c2d0237f7941cd16a088d3cf943a8628d7
SHA256:eecc08ab9f22b266c4c1ca774958609372959797bcb2ef9be0d68f9beac88ced
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: remotegui.jar: unitFixNumber.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/unitFixNumber.directive.js
MD5: 29d24835a3a3f09d56371f64a9e5501d
SHA1: 74508076d24cd85f342390ee1809e2bb70f48839
SHA256:6a20d4eca5c69740c0fa2f99c209aed92ffa49c48848e3ff63ab6fc9b2f6ac32
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: remotegui.jar: unitFloatNumber.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/unitFloatNumber.directive.js
MD5: 1d3c2d9b2853e77c53b7f755e4f82bc0
SHA1: 56134dad87141744f8fee3574ebde43a96484ce5
SHA256:dde76e45fa7be7de9e04b3eb5a33954d8c2470636fa945458c08031b593b7492
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: userservice.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/userdetails/userservice.js
MD5: 8b519101d8b11cdf9b3981d47452b48e
SHA1: fa4b18f4979b804b3a6312eb8c851f050789e244
SHA256:87668f5830e7c8ce1c26eaae7c671a78e3c3116971e6f11c18d7bd6c3ae7ba8d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: usersorgroupsselection.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/usersorgroupsselection/usersorgroupsselection.js
MD5: ba532f7f8d9ad9ddcd5e43589c875a9f
SHA1: 878776cbfda46c3ba5b5c4c2340576fbab6ea109
SHA256: 7e213a45192881f06c8f3d521d02f32a8c380bb2c4551c6d1c527f4afceba266
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: usestrict.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/usestrict.js
MD5: 8e742d11d6b24c401e35f3b516726584
SHA1: 89b72153bd7e6390415ba25b9b5fbe750e6e16d5
SHA256: 8e8cc72e61ff6f6c0c945a976756d112732c499cd64fc5b207bb213fc84a1e40
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: websitedownload.renderer.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/website/js/websitedownload.renderer.js
MD5: 997a09bf4e3740f123d6933770b57ed1

SHA1: d59541fedeba1aa388dc41757bccde3f35324d1a
SHA256:53a3d1d2454b0730a885b126c853b9ee7a53ff1e01266fc2aae4b758fa1dd7a3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: websocketdataservice.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/websocketdataservice.js
MD5: 1cc96c975f832a236c163c562ffaf922
SHA1: 414e1e26600a6b724a30d9270560ee8e0e51ef8e
SHA256:ad0eaa536d38b479cd06ed54e6f630fe029710af48ddd47c7ec63796be119cbd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: websocketkeepaliveworker.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/websocketkeepaliveworker.js
MD5: b378595229f68cdd9acc7775a85e3746
SHA1: 5eb59a40044f9cfb861f3c39cf4969cb7e969323
SHA256:d695e751ea4e77b998aefab636299872246f04af2b189623dde151cce2fca67d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: windowdatarestore.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/windowdatarestore.js
MD5: f9cf627d8040037181eed0b792258784
SHA1: b308fd5ef5d759a9891870ce0b9ae57e62fe338b
SHA256:c80f708b2a3dcd3c44dabdcbc44165276c349e1226024fc40683a5ba68f03035
Referenced In Project/Scope: server

Evidence +				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: twemoji.jar

License:
MIT
File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/twemoji.jar
MD5: af9b535ef495075dfb0a7d5bec95eee6
SHA1: 0a559adee289b6b855ad1294b17dd71d9f3d21eb
SHA256:9ce4f61ef563851b37c3918c54a876a865d2f66fda5f80dd2bfecebb2d7e386f
Referenced In Project/Scope: server

Evidence +				
Type	Source	Name	Value	Confidence
Vendor	file	name	twemoji	High
Vendor	Manifest url		https://github.com/twitter/twemoji/blob/master	Low

/LICENSE

Vendor	pom	artifactid	twemoji-null	Low
Vendor	pom	groupid	lib	Highest
Vendor	pom	url	twitter/twemoji/blob/master/LICENSE	Highest
Product	file	name	twemoji	High
Product	Manifest	url	https://github.com/twitter/twemoji/blob/master/LICENSE	Low
Product	pom	artifactid	twemoji-null	Highest
Product	pom	groupid	lib	Highest
Product	pom	url	twitter/twemoji/blob/master/LICENSE	High
Version	pom	version	1.0	Highest

Identifiers

- [pkg:maven/lib/twemoji-null@1.0](#) (*Confidence*:High)

reporting.zip: jcommon.jar

Description:

JCommon is a free general purpose Java class library that is used in several projects at www.jfree.org, including JFreeChart and JFreeReport.

License:

GNU Lesser General Public Licence: <http://www.gnu.org/licenses/lgpl.txt>

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/jcommon.jar

MD5: 3872e82627df950d40a949144a93e491

SHA1: d5016f7703896c38f9e511f8a9edda2585cbac8b

SHA256: 13e2596044935f76694cce65a22d1df908907ddcba0da2b49ff030930262d417

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jcommon	High
Vendor	jar	package name	jcommon	Highest
Vendor	jar	package name	jfree	Highest
Vendor	jar	package name	jfree	Low

Vendor	jar	package name	library	Highest
Vendor	jar	package name	ui	Low
Vendor	pom	artifactid	jcommon	Low
Vendor	pom	developer email	dave@jfree.org	Low
Vendor	pom	developer name	David Gilbert	Medium
Vendor	pom	developer org	Object Refinery Limited	Medium
Vendor	pom	developer org URL	http://www.object-refinery.com	Medium
Vendor	pom	groupid	org.jfree	Highest
Vendor	pom	name	JCommon	High
Vendor	pom	organization name	JFree.org	High
Vendor	pom	organization url	http://www.jfree.org/	Medium
Vendor	pom	url	http://www.jfree.org/jcommon/	Highest
Product	file	name	jcommon	High
Product	jar	package name	jcommon	Highest
Product	jar	package name	jfree	Highest
Product	jar	package name	library	Highest
Product	jar	package name	ui	Low
Product	pom	artifactid	jcommon	Highest
Product	pom	developer email	dave@jfree.org	Low
Product	pom	developer name	David Gilbert	Low
Product	pom	developer org	Object Refinery Limited	Low
Product	pom	developer org URL	http://www.object-refinery.com	Low
Product	pom	groupid	org.jfree	Highest
Product	pom	name	JCommon	High
Product	pom	organization name	JFree.org	Low
Product	pom	organization url	http://www.jfree.org/	Low
Product	pom	url	http://www.jfree.org/jcommon/	Medium
Version	pom	version	1.0.24	Highest

Identifiers

- pkg:maven/org.jfree/jcommon@1.0.24 (*Confidence:High*)

reporting.zip: jfreechartCC.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/jfreechartCC.jar

MD5: 989ad2bd2fa66eab83855a03404b7099

SHA1: ff190f7843bdf3a125ab146bea80c8e7a3e72641

SHA256: d6cf347284c2b661924a5870b4e92f8632d877b1c1e5fa9f0dced5ddfc41d955

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jfreechartCC	High
Vendor	jar	package name	chart	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	jfree	Low
Vendor	Manifest	built-date	2025-11-05 17:26	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	jfreechartCC	High
Product	jar	package name	chart	Low
Product	jar	package name	jfree	Low
Product	Manifest	built-date	2025-11-05 17:26	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	jfreechartCC	High
Product	Manifest	specification-title	jfreechartCC	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

reporting.zip: reporting-javadoc.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting-javadoc.jar

MD5: 1ae5c0c249fdcabaf8801ad16be216f8

SHA1: fc0eda3a06101c72412df2467490db2f16b6c6d4

SHA256: e41efc41ee1e6c95bce7bd0998e156419380bb1117370fe01c189b3669e445eb

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	reporting-javadoc	High
Product	file	name	reporting-javadoc	High

Identifiers

- None

reporting.zip: reporting-javadoc.jar: member-search-index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting-javadoc.jar/member-search-index.js

MD5: 4e156314aab662d8bd20e04d1e7051b4

SHA1: 513dc09a501c027f8a199108eca2742b6b0137cf

SHA256: 80a6415178fb8e4ed93b07032a47eb453a3e350e3257497ba928c5c6fbfecbd3

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting-javadoc.jar: package-search-index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting-javadoc.jar/package-search-index.js

MD5: 2c0f8742f3f9b12b580ebbb1d05b246c

SHA1: 4ab261d1781d9f77c131e641ec031d38e39a0444

SHA256: 40e580f6c42f5eaad108580601b9279ee0d06eb1b35574573d0d2a3798580d82

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting-javadoc.jar: tag-search-index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting-javadoc.jar/tag-search-index.js

MD5: 95810a7878ddd3f49d938eb6b5c0f1b2

SHA1: 4d0358e131242bfb1a29d1db368e9e24381ad979

SHA256: e31bd7c6847cd8b49a884fe01244f740ad184cdb7aa6449830be21985158f0d9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- taskplanner.zip: taskplanner-javadoc.jar: tag-search-index.js
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner-javadoc.jar/tag-search-index.js
 - MD5: 95810a7878ddd3f49d938eb6b5c0f1b2
 - SHA1: 4d0358e131242bfb1a29d1db368e9e24381ad979
 - SHA256: e31bd7c6847cd8b49a884fe01244f740ad184cdb7aa6449830be21985158f0d9

Identifiers

- None

reporting.zip: reporting-javadoc.jar: type-search-index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting-javadoc.jar/type-search-index.js
MD5: 8008687a1ad6ed821adc84cca8826520
SHA1: a21713c3a63548a6651afc41259760ad85b6226d
SHA256: a9e4cb81069076017cfaf4566173432128024441225b5c4d9bc20a04637f5416
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar
MD5: d01816c4fbd6e8cc6590a56289d30ddc
SHA1: 6b89fbfb95d024cd5bc3ffe971dcb28337b14f21
SHA256: 5e0acb24085d68ebeac51972568097563032359e8218b49b25f54828a0ad0f8d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	reporting	High
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-11-05 17:29	Low

Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	reporting	High
Product	jar	package name	permissions	Highest
Product	jar	package name	report	Low
Product	jar	package name	reporting	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-11-05 17:29	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	reporting	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	reporting	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	permissions	Highest
Version	jar	package name	reporting	Highest
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

reporting.zip: reporting.jar: events.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/events.js

MD5: 867af7b9527093452195d3057166a9ca

SHA1: e4856efc3e95a20f25beff5da4ce9b907c3a1575

SHA256: c342986741d1c87b03bfc899d7640ab9267f3e95c5a744e75c5ee12c321f2408

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: export.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/export.js

MD5: 25d677f9db7379990f234c6e0e8a3eca

SHA1: 36c595def0ffb9bd0f3d8d648cf3d68c9bd8a70e

SHA256: 31874fa566bc0532b344ede59518de718ec056b5fccff2b30bfc5130d1ec0d7d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: functions.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar

/com/inet/report/renderer/html/viewer/helper/functions.js

MD5: 4cd489d3699e18018f4ee1c88710a066

SHA1: 1fea1856f278aa8a929db3b5dca00fc44bc6de0d

SHA256: 31dd7b3daef9e4ca25bf78e180523407ff4d332f987eb9223b63e36ef4d7f93e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: generator.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems

/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar

/com/inet/report/renderer/html/viewer/helper/generator.js

MD5: d98c2ca06a72837183dc17a3eeec0039

SHA1: cfa6d7f381d3cb43b6702884df53b0fa08149fc8

SHA256: b865ad0a07fa5779ed8ae8610cf3129c95c79337b20cbe479477b13d2c83d876

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: grouptree.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems

/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar

/com/inet/report/renderer/html/viewer/modules/grouptree.js

MD5: 03effe09b42d19447ffc8cb035ef827f

SHA1: 3c8c2af60ab10e237af37bbf3a0a2d6106870cde

SHA256: 9cbd9e01ec128a9fd563ee1dbe271e644b68b75f50cabf37a6312b21ed61f6a3

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: htmlreportextension.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/plugins/drive/client/js/htmlreportextension.js
MD5: 4a91827e853ef0bf19cf06f343e18e98
SHA1: fda14009355a1098b25c75a307900e27d43a5e09
SHA256:004b3358d2bc621a7bb7c3b3f7e350876ed7904cd41c4d51d88533babf4cf590
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: jstorage.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/jstorage.js
MD5: 8078b278235f9eb8cf63b1474a1362db
SHA1: feb74af17fb5ba7b01c4ad997759ec21ac685ad5
SHA256:9d86bf1ad26f873ca615b15fc8cab964e332fa363317b8569c3f624fc947d8a8
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: keylistener.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/keylistener.js
MD5: 54d50496c4b43d4c78c30facfd01809d
SHA1: 9e29b6d13b0478339596ac131e214c605e10fa0d
SHA256: 29f7a3a51b8d139109d0165111d062e6e9ecd2c2d90de1e99b539da6c2e966bf
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: menubar.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/menubar.js
MD5: e26148c5b4c16d3da8a96dea494c4593
SHA1: 51cfaf2c4e1813b5512e500513da3d32e7ad7b61
SHA256: 28ec27cd322d861cb53ad7eb536618f64a33ba0e16b16392d22bf9609c35042a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: page.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/page.js

MD5: 214a1cd3653bb9aa3cec9078e6ee3316

SHA1: edb8d66493699591d0202d1a14b8f34af49daa75

SHA256: c559154fab98f5343d44cb8c02a2203f800eabd9e13d1fd9dd926440ee5fe825

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: pagecount.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/pagecount.js

MD5: c6823ab782e12fa9e9c0325321ab0011

SHA1: facbdd75d7176e5809cebd5d5702cfbb0bf677ac

SHA256: 5d189f3efc0e10f5c5e85964e89ffde18c81a1279c9132c64453f2a149423a5e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: popup.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/popup.js

MD5: c3941efe0d33e1e9b046fccd239033cb

SHA1: 53951b79a3c0e93768dd4043b3d16d884fc2c7ca
SHA256: 0ed137328526d278076dcab6bfac9792717dadda6c0776cc839710fa0f1e49a3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: print.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/print.js
MD5: f8fec5b39e4c5055f35e01c926e8b959
SHA1: b4f6666f078b60a130ec12b993d2884b2d3f81e7
SHA256: 2e3276591241b179642f2159147f317f020fc03df408dfbe6f8d370cd04f5824
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: prompts.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/prompts.js
MD5: 2f5c5a5ef5cb256a9821ea4d1d6419c0
SHA1: 06cbaf426406533188f8071ebb9bb7d393c7b0fe
SHA256: cbe5282d8ec16c52ca33a3ab53f17eca55024fb744c06f489d61d7579f124fea
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: prototype.array.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.array.js
MD5: c69ba575e53ba415b800f18386ce2d65
SHA1: 968d437fa28bd784a3dac6a58d090027bf8e0563
SHA256:6dcde95b98fa808923a311e7b4a345da4c1b3df17ea2554294d6ef47e871dad5
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: prototype.element.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.element.js
MD5: b51b2dd46fafbff64c30ff2e731c814d
SHA1: ea525bae8dd23860d1b8202869a316626af91c26
SHA256:bd28001d8f95e450a5aed4bcd72851bbc126f9f5efb13feba698c034774a06ff
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: prototype.string.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.string.js
MD5: f0bb166a036ca364a6c047d345fc9a0e
SHA1: d491f3851e9aa5d8fd70d4139669635eb5cdd1b0
SHA256: fd0fc8d93a6bce3d07ec8a7db922110e3d15f5f0a7a66562599f9b369b6f6f30
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: renderreportextension.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/plugins/drive/client/js/renderreportextension.js
MD5: e4f2d17c10a193f2e46e30c80de52d09
SHA1: d37d5dc99e12ada04ae0737c180ced7fef7450c7
SHA256: ddf8e053d7cd180056fdd26cd15e3e269b917ce948d11b7a487dd6d000dc5051
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: reorder.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/reorder.js
MD5: c2f6f517d3d3f572c54fe096339ff49d
SHA1: a429dd95146869f4ab9b00c3611947ddf6b91d1a
SHA256: d4dbc3e3b8d16c84dc14e11b1e02ed413473d7d8da48b2c733f8c7024179f7fd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: report.export.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/exportwebui/js/report.export.js
MD5: 11b5592b08b3a2f21b98843222cb5c99
SHA1: d2b4b4fd948c46fbb8d18d5f26ddbdfc243b676d
SHA256: 95bfb6ccb730c142642ebafe6267fb4f2d94703b26c26084ac9073d75f14ebed
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: report.exportdialog.controller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/exportwebui/js/report.exportdialog.controller.js
MD5: 33165ad89f5e1337a51632847b2d0e27

SHA1: 5d2c08233db36cafec84fdf42311ea706c186980
SHA256: 2e5f124cbc095e6af716907a4f7a2222563c5f198f7b80c115807d3dd20293a5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: report.exportdialog.service.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar
/com/inet/report/exportwebui/js/report.exportdialog.service.js
MD5: e0c64da7a618e8b61743ab3f796e480f
SHA1: b3f3b1820ac805200784c2a04a8e9e0c5c6a773d
SHA256: e57c19851718e326461b09834966d70d0de3d3ce09f1656d16afe7f88f2807e7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: report.exportframe.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar
/com/inet/report/exportwebui/js/report.exportframe.js
MD5: 2c9f57a3ef5d760bc9f1fe6d344384da
SHA1: a2562e63bc825ea8eeaaea75a98e09c2a6be7186
SHA256: f4417bf8d9d1430364d95d6e8eebffa28cc97c6cb34346e78d0612d5842d02a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: script.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/script.js
MD5: 9237075ecd44006d5ab48177001c5314
SHA1: fe08bb48bf207cdcf0ff4e2d776b59672f965518
SHA256:bf5ee8cda7861d90ae35343c6233ccb210da8860285def9b47d20057685f97ba
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: search.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/search.js
MD5: faa3f4fb9604ed70bec53256b055ffa6
SHA1: 892688617be684946fa39098413d0c55d9e769cc
SHA256:ea1c42a5640880562ea7639e1c6ff2bb1af2496964ce572c64fa7735b51a5f6f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: serverping.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/serverping.js
MD5: 6124f0f67286f7e3fbf239bdc4988d95
SHA1: aa0bb794c4e5c40bf4a7e580e251c2d15ae09e1d
SHA256: f688956f4c5cba792d04903423d249f8eeeaaffe37e3537b723f10572cf0d66d8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: stacktrace.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/stacktrace.js
MD5: e9687f11beba8f607c0c98af4eb0cc94
SHA1: f92f65d1f27fad2febcc8ad23824f10f51cc722b
SHA256: 0b4e8ce367ded3ec4d68ff2fa931958f8e3d99d649e7175b4a1e62f27cf15701
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: tabbar.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/tabbar.js
MD5: fdb707b4dc212e365bff1fa637bbfa32
SHA1: 14e364be23b61f3f94427a79ce8c0f87bb186c04
SHA256: f9e18e41672898499dd50f0e802618952e153ddb40c052148dff9edce742a0ba
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

security.zip: security.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/security.zip/security.jar
MD5: 9cb88fef9a96fd2c60357aaa6a193392
SHA1: a3288900089da10565281fd91982bd776f2fa10b
SHA256: c00ad5cf9e8a43c02b0d94bdcf77c975a14fcf9301c93737ab4149c003a82c95
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	security	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	security	Low
Vendor	jar	package name	server	Low
Vendor	Manifest	built-date	2025-11-05 16:31	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium

Product	file	name	security	High
Product	jar	package name	security	Highest
Product	jar	package name	security	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2025-11-05 16:31	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	security	High
Product	Manifest	specification-title	security	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

setuplauncher.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/core/setuplauncher.jar

MD5: 189e12d90eda67413d56d3261f93c3e1

SHA1: 5ffeb09ea7a2336f35c02e198587b971a8471013

SHA256: 439f3fa24faad990cafad6df3daff124c1e790bb3bf223fd5eca943eff3547cc

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	setuplauncher	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	setuplauncher	Low
Vendor	Manifest	built-date	2025-11-05 16:07	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low

Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	setuplauncher	High
Product	jar	package name	setuplauncher	Highest
Product	jar	package name	setuplauncher	Low
Product	Manifest	built-date	2025-11-05 16:07	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	setuplauncher	High
Product	Manifest	specification-title	setuplauncher	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

slf4j-api-2.0.16.jar

Description:

The slf4j API

License:

<http://www.opensource.org/licenses/mit-license.php>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.slf4j/slf4j-api/2.0.16/172931663a09a1fa515567af5fbef00897d3c04/slf4j-api-2.0.16.jar

MD5: c8de8f5d740584cb24b5652cfba8b3c4

SHA1: 0172931663a09a1fa515567af5fbef00897d3c04

SHA256: a12578dde1ba00bd9b816d388a0b879928d00bab3c83c240f7013bf4196c579a

Referenced In Projects/Scopes:

- server
- server:inetPlugin

Included by: pkg:maven/helpdesk/server@25.10

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	slf4j-api	High
Vendor	gradle	artifactid	slf4j-api	Highest
Vendor	gradle	groupid	org.slf4j	Highest

Vendor	jar	package name	slf4j	Highest
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	http://www.slf4j.org	Low
Vendor	Manifest	bundle-symbolicname	slf4j.api	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	pom	artifactid	slf4j-api	Low
Vendor	pom	groupid	org.slf4j	Highest
Vendor	pom	name	SLF4J API Module	High
Vendor	pom	parent-artifactid	slf4j-parent	Low
Vendor	pom	url	http://www.slf4j.org	Highest
Product	file	name	slf4j-api	High
Product	gradle	artifactid	slf4j-api	Highest
Product	jar	package name	slf4j	Highest
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	http://www.slf4j.org	Low
Product	Manifest	Bundle-Name	SLF4J API Module	Medium
Product	Manifest	bundle-symbolicname	slf4j.api	Medium
Product	Manifest	Implementation-Title	slf4j-api	High
Product	Manifest	multi-release	true	Low
Product	pom	artifactid	slf4j-api	Highest
Product	pom	groupid	org.slf4j	Highest
Product	pom	name	SLF4J API Module	High
Product	pom	parent-artifactid	slf4j-parent	Medium
Product	pom	url	http://www.slf4j.org	Medium
Version	file	version	2.0.16	High
Version	gradle	version	2.0.16	Highest
Version	Manifest	Bundle-Version	2.0.16	High
Version	Manifest	Implementation-Version	2.0.16	High
Version	pom	version	2.0.16	Highest

Related Dependencies



- slf4j-api.jar

- File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/core/slf4j-api.jar
- MD5: c8de8f5d740584cb24b5652cfba8b3c4
- SHA1: 0172931663a09a1fa515567af5fbef00897d3c04
- SHA256: a12578dde1ba00bd9b816d388a0b879928d00bab3c83c240f7013bf4196c579a

Identifiers

- [pkg:maven/org.slf4j/slf4j-api@2.0.16](#) (Confidence:High)

taskplanner.helpdesk.zip: taskplanner.helpdesk.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/taskplanner.helpdesk.zip/taskplanner.helpdesk.jar
MD5: b5fa5c5b30675539c534f8f99dfdea2e
SHA1: 18185b5a0424d0957ce2cf1437c5d537bbc5142c
SHA256:9853fbb1cc70122e39f71c4213bf717114cbaa4604fbfab7784b2ab536853a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner.helpdesk	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2025-11-05 18:45	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner.helpdesk	High
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	plugins	Low

Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low
Product	Manifest	built-date	2025-11-05 18:45	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	taskplanner.helpdesk	High
Product	Manifest	specification-title	taskplanner.helpdesk	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:25.10.233:*:*:*:*:* (Confidence:Low) suppress

taskplanner.helpdesk.zip: taskplanner.helpdesk.jar: addticketsharing_taskplanner.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/taskplanner.helpdesk.zip
/taskplanner.helpdesk.jar/com/inet/helpdesk/plugins/taskplanner/structure/addticketsharing_taskplanner.js
MD5: 14573c23117ea6b850178c154c90b4d3
SHA1: 9f3c4518d8bd92d610e7c1779530af48a94fe3a5
SHA256: 72df66e2a50d2c4dafdd903739964545e4213de8854fe49d793813511b6a1888
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.reporting.zip
/taskplanner.reporting-javadoc.jar

MD5: 0870c25a56e012ffa521850ea17f3c50
SHA1: 7143d168f79bf3353e3293834f7047e3ce676c80
SHA256: d082ca36f722df5a47effe41c6d6105c5dea15f825be3e49748299caf3ecf87
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner.reporting-javadoc	High
Product	file	name	taskplanner.reporting-javadoc	High

Identifiers

- None

taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: member-search-index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.reporting.zip
/taskplanner.reporting-javadoc.jar/member-search-index.js
MD5: de0f18bbc2da1ad408139283b4db3733
SHA1: f68de53642127720d1963b4ab6c535d15ed552d7
SHA256: 0d1f6e53fd3c81e1f4fb21e5950525b18aac5b2d0d386897590336f6def7a528
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: package-search-index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.reporting.zip
/taskplanner.reporting-javadoc.jar/package-search-index.js
MD5: 53fb7ab8ab8de6b33f33254e2c32fbc9
SHA1: f9bac0ca4dca6228416bed44f903f85acc19d969
SHA256: 4dc686e5e4b0138073c3ffc1106bea2df96559da6d6e7d7ec2273bb12978c8ed
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: type-search-index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/type-search-index.js
MD5: b0dcdeedc2201c62287cfb168bca35f5
SHA1: aabb00fe2be134923fb716b9b6d1909e247d0dfa
SHA256: c655265fb2ffb91913da0407621313cf8139ee6bf04a9374cde419395878e64e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.reporting.zip: taskplanner.reporting.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.reporting.zip/taskplanner.reporting.jar
MD5: c35491dcfe3019ea6a7b325062f4c261
SHA1: 1efc1ef7fe69a9ec714f70abc2f7d422eb5f609
SHA256: 67a1fd72179919c4f3f40c6de17ebdaf8739234c73e8bb9ded0380a46757f3af
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	taskplanner.reporting	High
--------	------	------	-----------------------	------

Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	jar	package name	taskplanner	Low
Vendor	Manifest	built-date	2025-11-05 17:44	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner.reporting	High
Product	jar	package name	report	Low
Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low
Product	Manifest	built-date	2025-11-05 17:44	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	taskplanner.reporting	High
Product	Manifest	specification-title	taskplanner.reporting	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

taskplanner.reporting.zip: taskplanner.reporting.jar: crttaskplanner.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.reporting.zip
/taskplanner.reporting.jar/com/inet/report/taskplanner/client/crttaskplanner.js

MD5: ea3fd5ef6a70616ed664aaeb73227b89

SHA1: 38cee119cd4daac08a3949a972643854a1b2acc5

SHA256: 83b12efacba175acc1938d90d8bdb8f3f94802f94d39fc11dbd5a08417ef03e0

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: commons-cli.jar

Description:

Apache Commons CLI provides a simple API for presenting, processing, and validating a Command Line Interface.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/commons-cli.jar

MD5: ef66360f30909f8372d6358dfc5d1b6c

SHA1: e1cdfa8bf40ccbb7440b2d1232f9f45bb20a1844

SHA256: d3d530d0f28fd0fbbffe2b0b338f70e8cb96f1605579e2e3abd4db29cac24e69

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	commons-cli	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	cli	Highest
Vendor	jar	package name	commons	Highest
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-cli/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.cli	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	multi-release	true	Low

Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-cli	Low
Vendor	pom	developer email	bob@werken.com	Low
Vendor	pom	developer email	chtompki@apache.org	Low
Vendor	pom	developer email	ebourg@apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	jbjk@mac.com	Low
Vendor	pom	developer email	jstrachan@apache.org	Low
Vendor	pom	developer email	roxspring@imapmail.org	Low
Vendor	pom	developer email	tn@apache.org	Low
Vendor	pom	developer id	bob	Medium
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	ebourg	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jkeyes	Medium
Vendor	pom	developer id	jstrachan	Medium
Vendor	pom	developer id	roxspring	Medium
Vendor	pom	developer id	tn	Medium
Vendor	pom	developer name	Bob McWhirter	Medium
Vendor	pom	developer name	Emmanuel Bourg	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	James Strachan	Medium
Vendor	pom	developer name	John Keyes	Medium
Vendor	pom	developer name	Rob Oxspring	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Thomas Neidhart	Medium
Vendor	pom	developer org	Ariane Software	Medium
Vendor	pom	developer org	Indigo Stone	Medium
Vendor	pom	developer org	integral Source	Medium
Vendor	pom	developer org	SpiritSoft, Inc.	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org	Werken	Medium
Vendor	pom	developer org URL	https://www.apache.org/	Medium
Vendor	pom	groupid	commons-cli	Highest

Vendor	pom	name	Apache Commons CLI	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	https://commons.apache.org/proper/commons-cli/	Highest
Product	file	name	commons-cli	High
Product	jar	package name	apache	Highest
Product	jar	package name	cli	Highest
Product	jar	package name	commons	Highest
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-cli/	Low
Product	Manifest	Bundle-Name	Apache Commons CLI	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.cli	Medium
Product	Manifest	Implementation-Title	Apache Commons CLI	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Apache Commons CLI	Medium
Product	pom	artifactid	commons-cli	Highest
Product	pom	developer email	bob@werken.com	Low
Product	pom	developer email	chtompki@apache.org	Low
Product	pom	developer email	ebourg@apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	jbjk@mac.com	Low
Product	pom	developer email	jstrachan@apache.org	Low
Product	pom	developer email	roxspring@imapmail.org	Low
Product	pom	developer email	tn@apache.org	Low
Product	pom	developer id	bob	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	ebourg	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jkeyes	Low
Product	pom	developer id	jstrachan	Low
Product	pom	developer id	roxspring	Low
Product	pom	developer id	tn	Low
Product	pom	developer name	Bob McWhirter	Low

Product	pom	developer name	Emmanuel Bourg	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	James Strachan	Low
Product	pom	developer name	John Keyes	Low
Product	pom	developer name	Rob Oxspring	Low
Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Thomas Neidhart	Low
Product	pom	developer org	Ariane Software	Low
Product	pom	developer org	Indigo Stone	Low
Product	pom	developer org	integral Source	Low
Product	pom	developer org	SpiritSoft, Inc.	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org	Werken	Low
Product	pom	developer org URL	https://www.apache.org/	Low
Product	pom	groupid	commons-cli	Highest
Product	pom	name	Apache Commons CLI	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper/commons-cli/	Medium
Version	Manifest	Bundle-Version	1.9.0	High
Version	Manifest	Implementation-Version	1.9.0	High
Version	pom	parent-version	1.9.0	Low
Version	pom	version	1.9.0	Highest

Identifiers

- <pkg:maven/commons-cli/commons-cli@1.9.0> (*Confidence:High*)

taskplanner.zip: cron-utils.jar

Description:

A Java library to parse, migrate and validate crons as well as describe them in human readable language

License:

Apache 2.0: <http://www.apache.org/licenses/LICENSE-2.0.html>

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/cron-utils.jar

MD5: 4c27537eecc6fa37ed5740b5383643c8

SHA1: 5d3738bc7a2eaa45a94a76c6e87af54a95414637

SHA256: 02af0e8b2fe93c9fa6eef97b53b39faae14c5b996356edb132e9fe620013744

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	cron-utils	High
Vendor	jar	package name	cron	Highest
Vendor	jar	package name	cronutils	Highest
Vendor	jar	package name	utils	Highest
Vendor	Manifest	automatic-module-name	com.cronutils	Medium
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	com.cronutils.cron-utils	Medium
Vendor	pom	artifactid	cron-utils	Low
Vendor	pom	developer id	jmrozanec	Medium
Vendor	pom	groupid	com.cronutils	Highest
Vendor	pom	name	cron-utils	High
Vendor	pom	url	http://cron-parser.com/	Highest
Product	file	name	cron-utils	High
Product	jar	package name	cron	Highest
Product	jar	package name	cronutils	Highest
Product	jar	package name	utils	Highest
Product	Manifest	automatic-module-name	com.cronutils	Medium
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	cron-utils	Medium
Product	Manifest	bundle-symbolicname	com.cronutils.cron-utils	Medium
Product	pom	artifactid	cron-utils	Highest

Product	pom	developer id	jmrozanec	Low
Product	pom	groupid	com.cronutils	Highest
Product	pom	name	cron-utils	High
Product	pom	url	http://cron-parser.com/	Medium
Version	Manifest	Bundle-Version	9.2.1	High
Version	pom	version	9.2.1	Highest

Identifiers

- [pkg:maven/com.cronutils/cron-utils@9.2.1](#) (*Confidence:High*)
- [cpe:2.3:a:cron-utils_project:cron-utils:9.2.1:****:*](#) (*Confidence:Highest*) suppress
- [cpe:2.3:a:utils_project:utils:9.2.1:****:*](#) (*Confidence:Highest*) suppress

taskplanner.zip: guava.jar

Description:

Guava is a suite of core and expanded libraries that include utility classes, Google's collections, I/O classes, and much more.

License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/guava.jar

MD5: 72920caab34426c5815e3b00f80e3b01

SHA1: e70a3268e6cd3e7d458aa15787ce6811c34e96ae

SHA256: f3d7f57f67fd622f4d468dfdd692b3a5e3909246c28017ac3263405f0fe617ed

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	guava	High
Vendor	jar	package name	google	Highest
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	https://github.com/google/guava/	Low
Vendor	Manifest	bundle-symbolicname	com.google.guava	Medium
Vendor	Manifest	multi-release	true	Low

Vendor	pom	artifactid	guava	Low
Vendor	pom	groupid	com.google.guava	Highest
Vendor	pom	name	Guava: Google Core Libraries for Java	High
Vendor	pom	parent-artifactid	guava-parent	Low
Vendor	pom	url	google/guava	Highest
Product	file	name	guava	High
Product	jar	package name	google	Highest
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	https://github.com/google/guava/	Low
Product	Manifest	Bundle-Name	Guava: Google Core Libraries for Java	Medium
Product	Manifest	bundle-symbolicname	com.google.guava	Medium
Product	Manifest	multi-release	true	Low
Product	pom	artifactid	guava	Highest
Product	pom	groupid	com.google.guava	Highest
Product	pom	name	Guava: Google Core Libraries for Java	High
Product	pom	parent-artifactid	guava-parent	Medium
Product	pom	url	google/guava	High
Version	pom	version	33.4.8-jre	Highest

Identifiers

- [pkg:maven/com.google.guava/guava@33.4.8-jre](#) (*Confidence:High*)
- [cpe:2.3:a:google:guava:33.4.8:*:*:*:*:*](#) (*Confidence:Highest*) suppress

taskplanner.zip: taskplanner-javadoc.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner-javadoc.jar

MD5: b2118e1ae34cf1f10b785cc0de91cbe5

SHA1: a6810bb8198aa3c374f8eedb5958f11540c238da

SHA256: e0efa1ce79fd7675a43240f58d54d133eb0a4a3c03c4ca956da025521ed60c14

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence

Vendor	file	name	taskplanner-javadoc	High
Product	file	name	taskplanner-javadoc	High

Identifiers

- None

taskplanner.zip: taskplanner-javadoc.jar: member-search-index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner-javadoc.jar/member-search-index.js

MD5: 2c85a0e81afba508978fadcba5aa3460

SHA1: cb85238fca040dcfa240b4e4fbac2481b9befe54

SHA256:9643a71d4723befc56eb12c0202aa16dcc65c8ba1d822b54df799a66dbd3444c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner-javadoc.jar: package-search-index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner-javadoc.jar/package-search-index.js

MD5: 664e97ca24dfa41c9d227a21aa0d43c5

SHA1: 4594dfafaa4e3780974c8476ea5a1ea1b9898f41

SHA256:d5638352f038b195118792e06962bd06f15b8ca6ebd6df9db669aa096012ec0d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner-javadoc.jar: type-search-index.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner-javadoc.jar/type-search-index.js

MD5: 403c03a0b80f39466847272fb5b2af44

SHA1: da5ea9b74d65f24c1b01b22f303270920f068cc0

SHA256: 6088624051edbd398386cc066f7ef45d12fad739cafc76734b688ccd26fa4c8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar

MD5: 5c803d17ecac16bfa799a947fe670919

SHA1: 3b518e135987b42a365de7d3c600e1cdcc96f710

SHA256: 48681ea65f0b9e133b9bba993d95d16968e8f68676e2e38dca25be31f53b539f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	server	Low
Vendor	jar	package name	taskplanner	Low
Vendor	Manifest	built-date	2025-11-05 15:56	Low
Vendor	Manifest	implementation-group	shared	Low

Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner	High
Product	jar	package name	api	Low
Product	jar	package name	server	Low
Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low
Product	Manifest	built-date	2025-11-05 15:56	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	taskplanner	High
Product	Manifest	specification-title	taskplanner	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

taskplanner.zip: taskplanner.jar: app.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/app.js
MD5: 22be8e86a9121096b162ff523e37842e
SHA1: cc6010fdc028f0b9c5c95def16c69e3bab116bf0
SHA256: 511c001c378b9f9e28f261cafaa88892acb5a29743c50d5daf15dd869357bc0c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: boolean.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/boolean.directive.js

MD5: 8dcbd2299e9082c7d30047c62d84fa7d

SHA1: 46e20aa1bd139542182a754edf0eaa8fa8684782

SHA256:f28e377c325d8ac419426606ae56bbb78e523210087910b9a595d87235d4eed0

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: colorField.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/colorField.directive.js

MD5: 6befac83d2b0754235fb738ada07b8db

SHA1: fa581823e83812639dd7a834b580619472492cff

SHA256:299ff7b917c507bb852d4c8f7a305e545c214806ae816b47aa9f2b37928a5154

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: controller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/controller.js

MD5: 031cd3c1515d58fe90d61e8905e65d2e

SHA1: 0fe2d71ec83e6822e066eb8ba9aecea629185b7b

SHA256: 6b9c7f1dbbe8280f9c67f96989edc4c1530630ef12d00bbfe2fded24094f0521

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: factory.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/factory.js

MD5: 2b26329c1c444c0c0c16d739621cd7f2

SHA1: 6c985723b3fa48ad6d46458232f1d16df14797c7

SHA256: 41c2f7a18fdd00f11f848cd0e6a5ecfa8e3a0b6765299293e3f48f258b55efb1

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: filechooserAddonButton.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/filechooserAddonButton.directive.js

MD5: 1dbc17a2a4e1fc7930dda7d5d3e4630a

SHA1: 350be18d05b89c69fa3167a09822876d21a42143
SHA256:140100d27da0900d67a30dadcf9971ed9eff5c2787aa5814b930f986615c6abb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: model.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip
/taskplanner.jar/com/inet/taskplanner/client/js/model.js
MD5: 97d28d6942b4bc22b121b554b5b9d36f
SHA1: 25ad1c5dac475ab3a13df6e6a2792d52e9fd29ca
SHA256:7bdd9f9c01104aa2dec6ba649ad42a0617e31cdb655b1a5920934fdd0a75519b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: numberRange.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip
/taskplanner.jar/com/inet/taskplanner/client/js/fields/numberRange.directive.js
MD5: e98f0aec3fd059575c390f4488396764
SHA1: 5fb36b30f1022112f5da2a9373fa562859a8f05d
SHA256:2164d0a1c06a1750c41b3be860ade120946d0091f3f6c512241235601c3f74b6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: numberWrapper.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/numberWrapper.directive.js
MD5: c71128c3dac942fc1d5d488562b727a0
SHA1: 51e1419abd22f7f48debceb976752bfec46e36f4
SHA256:3c3f6b8e5bcc8bf32a3cf2192a10de8472100d195cc2b08c4ff860a0dcb9bacf
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: passwordTextField.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/passwordTextField.directive.js
MD5: 3c1bcad68930caf2fa88697134624473
SHA1: 6c25ac7bd32b0c40b2202c9dc43f83842c55f846
SHA256:4620ce8c28a46c1675c50490a25f14d481e8910a7b3687a4bb712d73c80f3d73
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: renderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/renderer.directive.js
MD5: 3e232b940bcd532e99c88f5b95bf60b2
SHA1: a051ce6df82ad9673fc1b23bafc3670d70bb4cac
SHA256: b930dc86802f4307b5f6d4671f27dac5bd85d5766f32567f5479ecc9077bf5a3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleCurrencyField.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleCurrencyField.directive.js
MD5: 54ae56c2f76e7b601b9e9785dc51a623
SHA1: af05845b893807b4460bc65fa189700abcb4dc82
SHA256: 847d6da58f5887edac53896e6bec4dde5b293a08a8ac6e421aa2847991f3b877
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleDateTimeField.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleDateTimeField.directive.js
MD5: 53d33b9956ea6ffea7cb1fef5e878961
SHA1: 2388423f76a1b38cb2e5729e57a113245e1d3f2d
SHA256: 7cbb2507fe22dfec607af8d76d85317a395c3ebb98e31ec9be26e73350dbcd9f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleFileFolderField.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleFileFolderField.directive.js
MD5: 76de6683bc2d43547059d2f746b9524f
SHA1: c6ce84f2d2a89f07c4f05e95137abcdade89cec5
SHA256: 7e15aca0687784f1221b8c76328af4d013a0a1573a56232d880c4b60cd3311a0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleGroup.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleGroup.directive.js
MD5: d69a3c1dd5569172999325602506517f

SHA1: 780808312f5a19e0b6726453655b1911dde585bc
SHA256: 4eada3908c9db4213e058eb378f9f7f28e7e96e0ee3de2817f5d408b88176dc5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleLabel.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleLabel.directive.js
MD5: ecbe7da1cc7d51e0bd4e73e7c2fad4df
SHA1: d16a32bb34f1ff4d0f4740a06660ed72f4eca1fc
SHA256: 2b533fa13f74789de6b02fb037bfd7eae3b8b6e7d0f851a66f57739f565fd453
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleLink.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleLink.directive.js
MD5: 525dc45cb1886c4808186e1094480bba
SHA1: 7198a40b645128e0495d6d04c008b31b37faf827
SHA256: 7f2b60bda8c8e3938f9e8762c000606909ba0411aa784a202c93a1b2371cd82e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleSelect.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleSelect.directive.js
MD5: e54a750acec037585e380229a6b74b39
SHA1: a6323f355bb4da4cdcac24be2572fec96332bfa8
SHA256:39d6b66fe24beb027a1445157af449f17a51069e0887603b4eaf624474b5ee6c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleTextField.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleTextField.directive.js
MD5: 998a4b2340386c5ff39fd74451642547
SHA1: b0025705125d1a18bec3624d0eb34176bb332c9d
SHA256:8a7ad2a61dbd1c78565a7626a8c100523c97984be77d431929041f19e2f24c1c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: stringTable.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/stringTable.directive.js

MD5: 2731ad8625d24769bc3f9727361b4d6f

SHA1: d0c7a2e05d815252c80a51064ffe4d66f0d18843

SHA256: db785a8486fd5f45ef2a56d1d977afa0b445bf4491e1b429a9863c46e5a2d35a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: taskplanner_maintenance.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/maintenance/taskplanner_maintenance.js

MD5: c4330ed5aced8829454f0e8893f8725c

SHA1: 178b4ecba1c10e50c162c7e09dc5f4b643303508

SHA256: 3ba039d8a74f4fd350441ef7a9f1f98322eb951887ee1635c7d78c66c8908b53

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: textAreaField.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/textAreaField.directive.js
MD5: 46bf6266b3aa8c7d331c34aa58185b2d
SHA1: f6348f31ef689122ec81b2dac2455e15f4b561e6
SHA256:4f679ccc7d9fdb172764575fb3e9fdffb3cb21d370b3adcf06b17fd7326f877b
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

theme.zip: theme.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/theme.zip/theme.jar
MD5: a14021ac87460522b3cd9d8856cbdd0a
SHA1: 22a67a48d6eb75f567dfcdf5845bec4ef8cf5f38
SHA256:978bee94e5ca2897422b562173eab03c91d3ff1f0638dab619e625a8b7c3a75e
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	theme	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	server	Low
Vendor	jar	package name	theme	Low
Vendor	Manifest	built-date	2025-11-05 15:49	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium

Product	file	name	theme	High
Product	jar	package name	server	Low
Product	jar	package name	theme	Highest
Product	jar	package name	theme	Low
Product	Manifest	built-date	2025-11-05 15:49	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	theme	High
Product	Manifest	specification-title	theme	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

ticketlist.zip: ticketlist.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar
MD5: a2dfdd724d794fca2af8460ba9ee652a
SHA1: 354934bc71e3917fc4e4917b6a08111a6c39c5cb
SHA256:f7d9e7e9828f1990206f5c4e8e1ee01cc1a6bd6cb7349d62a096c121c39853b5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ticketlist	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2025-11-05 18:46	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium

Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	ticketlist	High
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	plugins	Low
Product	jar	package name	ticketlist	Highest
Product	jar	package name	ticketlist	Low
Product	Manifest	built-date	2025-11-05 18:46	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	ticketlist	High
Product	Manifest	specification-title	ticketlist	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:25.10.233:*:*:*:*:* (Confidence:Low) suppress

ticketlist.zip: ticketlist.jar: annotationextension.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/extensions/annotationextension.js
MD5: 1e6414569e9b4c2530828fb946cf6b6a
SHA1: 84e16216dee5b924f1f580f4c4c2f5c428a416a1
SHA256: 7456433ebf7ab221917c0f0c40a1f53bd66ee4488e13829fb7cc859c437a6b1b
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: applyactionfieldrenderer.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketmanipulation/applyactionfieldrenderer.js
MD5: 9fd135b5b302ac43e5f114fec70c171a
SHA1: 286ed2dae5d27bf1eb0121f2f138f3c98c8fa3a8
SHA256: 3561aee6ee3af3225a313651b2f42541229c7f7ab5520fd3be84acc5806a7a84
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: arearenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer/arearenderer.directive.js
MD5: 92a497f58608130db2130f2a1e233cf9
SHA1: fd07751d7f757fdf2641e8722f5019288a28e1e1
SHA256: 22aff422d002c6b305b6a7a4772e23d1aaf64de81fddce63271076b03d543320
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: attachmentsextension.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/extensions/attachmentsextension.js
MD5: 4f40840cc0eb2be4fb2f83d23099f2e5
SHA1: fc19be141473ee3ce521094a1095d8807cd00731
SHA256: 05ec5c1183b1e040b79eee352d1e671857548e537bc215615072a7da1ec3e4d6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: booleanrenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer/booleanrenderer.directive.js
MD5: c55c1011d6b4c6af5ff9ff740b0be20f
SHA1: 90e9009f928026d9131c75bc8e16cb563e855c50
SHA256: 4be51693942b4b865400f691d23adf3a441d49c9216a678ab9056bdee7d203b2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: cardobserver.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketlistlayout/cardobserver.js
MD5: 061c3768ae6a5b61f411b95b4e03979f

SHA1: e76da2c8840e9b45654eb473936be10096cfcbbcb
SHA256: ad5865f7e57dda98c5df9f329fce841d67cfbdab41a2a327a4d73b854d687e50
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: controllerTicketViewSortSettings.controller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketviewsortsettings/controllerTicketViewSortSettings.controller.js
MD5: dba87df06547bc6822fddc941bed19a7
SHA1: 9c185d90502aa0f40a0e36bdab5b7739df18b373
SHA256: 88e21bcc0990b341ac0f5f7ba4477ee5a9bdc46dcbdd4545f9102e82cdd545b1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: currencyrenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer/currencyrenderer.directive.js
MD5: f9f712df1a9c7c8516de0300bf8753d8
SHA1: c9094be1b1307f600a4131bbc9dcc4413e1c9ad3
SHA256: a7d7210b8d2af98b690b342aa1002d06364820e31d2ff06ab9c9b8e265555fa6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

ticketlist.zip: ticketlist.jar: daterenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderder/daterenderer.directive.js
MD5: 21226e06def7a5d08b0bb3475d791b8b
SHA1: 2c8bdba7ffe603242df49f1a42e9a052233e44f8
SHA256:fa927868ecaf4758a4ba01c3bce0abeae8132429353e8f502cc6c0777e17d9c6
Referenced In Project/Scope: server

Evidence				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

ticketlist.zip: ticketlist.jar: doublerenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderder/doublerenderer.directive.js
MD5: 3157052cc5a6cbd2400e62c904df0319
SHA1: faad09d68d9a54395fd245961e0a132ae36d6ded
SHA256:0c822624ba07ff1a764e6dea5280dffbf6c6ecc15dbc9e6768f8cf9a8f8734e
Referenced In Project/Scope: server

Evidence				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

ticketlist.zip: ticketlist.jar: draganddrop.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/sorter/draganddrop.js
MD5: 155dd08e39b79c2ab4b8aad44af61088
SHA1: a4249334d3cbf9da6ab084066ce824c63314ec5c
SHA256: 81d64cf839480f265428e50b8819819f22cbf2ed4e9b629d8272ca835f107a9f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: expertlayout.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketlistlayout/expertlayout.js
MD5: 8f8ed9c8c978c50b2892c6c5e8cd72a5
SHA1: 08a30738b3b58aa29c8df3062ae5b27363fbed0d
SHA256: b964f97c31a3853342f8325fb8bfe7404577f218fe73992efa44bccbc583f558
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: extendedpagelayout.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpagelayout/extendedpagelayout.js
MD5: bb47ea667d3aac8b3b23be107177d460
SHA1: 460009a2820e7b9afe2c16a1b7538423251afe8e
SHA256: 95ee4d5138194ca37fb73684684578ffb562d0f0f222022d0d2fcdf240cc4097
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: fullviewpagelayout.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpagelayout/fullviewpagelayout.js
MD5: d969ef60417ecdf6a0c12a84b3f77fc1
SHA1: f93b6f7d3a26a8b239849737cebd43130655d979
SHA256: 2b8572d62b447eb0273bbd0c94b2294a1fd522ee16b3bca7ac54fad7e0d873
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: htmeditorrenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer/htmeditorrenderer.directive.js
MD5: 4d803462fd26062d8a564c1e84e54619

SHA1: e32aafcake08b5f0cf93eea7a31ab8f38b089b45
SHA256: b401f8e15be12823a684950fddd37c751bc08451564da1e084050c361ff77ffc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: inputrenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet
/helpdesk/plugins/ticketlist/client/ticketrenderer/inputrenderer.directive.js
MD5: c79c1493ddc14a7271c694d83be3de3b
SHA1: 00bf4b523c19c42a190b9e4f7ac44c87486bffac
SHA256: f82febed05cebac8f70b6ea2e32440fc168ca3bdc1eaae4ff9ec5d3efb2fd42b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: integerrenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet
/helpdesk/plugins/ticketlist/client/ticketrenderer/integerrenderer.directive.js
MD5: ed310096c56c733c5fa51a11e3c9f68e
SHA1: f3071527fa1459d7aaa52686aea377577fa0cb1a
SHA256: 602e022f2439b1e2d9edfb2e12549af6119d656d0a4468665d1b65438941176d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: itilselectrenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer/itilselectrenderer.directive.js
MD5: 0d9d77023491fea47cfe54434882c04f
SHA1: 54ec29d8c597cf7b6e1116cc3ebb880dfbc4799f
SHA256:02c1b734f9c8e435480c19c54d43cc0b35c23e26650261c21e4da3a83c1e7225
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: linksextension.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/extensions/linksextension.js
MD5: 2e1cadd6a10881dd97792da36c1c1753
SHA1: 4729050fc3d518ea19fb2c637d2a9e89de3a457e
SHA256:5ba1a0a062f1550d3ab360558e086a54e81fe68a4a17a8578c0366174f631ed1
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: newticket.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketcreation/newticket.js
MD5: bbacf44c46cfa9e5b8b000466ce493c7
SHA1: 192ef17d95b6f733c5d8313525dd3d56e43eb8fe
SHA256: ae47ddb2b29ad90624163938cd1c360bad9bdb5856c36128385c78474ba4d6a9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: ownerrenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer/ownerrenderer.directive.js
MD5: f7f1745b5e75bb9494094e6f96422c31
SHA1: d759cf0651b2d0d29de9533c557b49a4f3c6ef2b
SHA256: 10e156fba8168bae503e39b189cdf814173d87bd1746356f574af3cb7a65998
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: print.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/print/print.js
MD5: a3beb2abeb0f9216df79466b89452203
SHA1: 6ec4ff639da51dfa0c856fd420b77b91c21353ca
SHA256:aca78eabb7a7cfb0efb557ae22d5440944658e52ecef2191296ddcfe8133ff09
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: ratingrenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer/ratingrenderer.directive.js
MD5: 8515102e0e2f4a50761e61d49d45161d
SHA1: 65dc1b65ccb2e3aacddaa192cedf82b735711090
SHA256:098805a88b8e118b0bc1c91f7aaab08ecb267b0831ffe94ffc88c72e27474a6a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: relativeabsolutedateswitcher.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer/relativeabsolutedateswitcher.directive.js
MD5: 118413aabffebdb0f9dd3989eff7dbdd

SHA1: d7f301cd9ca62112eb57790879b5421e8dedb59a
SHA256: 02ec820b8a3eeaecb7529c932f6979fc9468dbb26513e92332960785b033f3a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: relativetimerenderer.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet
/helpdesk/plugins/ticketlist/client/ticketmanipulation/relativetimerenderer.js
MD5: 2d2bd20db181fcc2d0d02a3670bfe8a0
SHA1: 88923031bd6be947ee61d6a5fcc7db6365d125fe
SHA256: ebb9f043c5c200e42f06c29861dae6f4606c095143a262119d053e9a9b2683f7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: resizableColumn.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet
/helpdesk/plugins/ticketlist/client/ticketlist/resizableColumn.js
MD5: 55b909ff6d7c1f42d85ba543d77f3b29
SHA1: 2d9dcae73dc0ada105c41ef40efacff01fda70a2
SHA256: 446ff06f0416d4cd765f5922c5915a097596c9a4fc0fe8885c61a3e920317aad
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: selectionCountBadge.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketlist/selectionCountBadge.js
MD5: e433163fcbd8884e0b89493b9ab1c80a
SHA1: efa6091e8e2e696e9a706f879b16ec804b7f85aa
SHA256:eed812ab7fe1cef13eba59185d88b5d7b0c35e0b79b2fbd31fffc233e2e09f6c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: selectmultirenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer/selectmultirenderer.directive.js
MD5: 71bc056a83b8eaa07f030a6bf12700f5
SHA1: acee74dbdff7a9c46e835277dd3c9909fedca38
SHA256:a7dd80b181cfb139f94fc3a75d408694805313218bc265ec7f4b9738273b43d4
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: selectrenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer/selectrenderer.directive.js
MD5: d854d6358954fb6eb11becbe3b665244
SHA1: ae7a4ffd4588070587eff84113fd525d4f4b107a
SHA256: 73e341945ca88d105a0abd94abf37d423cb735472b355570de6498f520b2474a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: sorter.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/sorter/sorter.js
MD5: 2f33f440b9e71cdb31a6a52434686c59
SHA1: d9aa8c469563271f12e3ccdcf7a180261ee68d21
SHA256: 684bc58c8fff89ef6e5cd29c898c636c6bddf0dd2de7202919f29f969d26df40
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: stopwatch.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/stopwatch/stopwatch.js
MD5: 21b1ad3d4f338eae67979c3b3b1bc30b
SHA1: 68139316c192343ef8d1a56a464630f302e2ddc5
SHA256:bfd0d6516064171509949552a16cce5c410e811a744246b31f272ed4394d0fad
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: tabspagelayout.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpagelayout/tabspagelayout.js
MD5: 8977127307b429237d4edf3b4e31d7d2
SHA1: ccb3e69248ff25b862e11f0b5bee61891e5bc82d
SHA256:c26f3ebb05d893a00325346a3285e90543f757cb0dd717e49141d1ade7410386
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: ticketattachment.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/ticketattachment.js
MD5: ed07723bf218afeef0a49ecd20f69823

SHA1: f900117c3c774bb5f6ed2407eb3822470c87652f
SHA256: a5b683c848ef0dbc6259eecd0e84886f8bd6339bb5a16647c53fc79f3ee1bae0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: ticketdetailsextension.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/extensions/ticketdetailsextension.js
MD5: 631964e80d214693a1f5b5a025f69e36
SHA1: c5eed241fded12d02d404bc9c27f00046bfaa840
SHA256: 5dc799decf76314309bc9858ec049ca4004ed486c3d6de62153dfff63502b6e8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: ticketeditor.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketmanipulation/ticketeditor.js
MD5: db5416df55b9b0c8560d5e3a6df66085
SHA1: 24bdc3c1bad350f54d692ffa3653c228cce7a34c
SHA256: d411b8fd5d605a509dd68eb2d0547bf6efa63f3a87b8de2638ccf30c6695f583
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: ticketfactory.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketfactory.js
MD5: 3999efcee3a99bfd82538657ff23e36a
SHA1: c9d6876f86665afbbd684982013cb01e828abc7
SHA256:e035e77ffe7137ed4798658117f224c1541284697ffdbc0f19a7faaa162d1120
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: ticketfieldrenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer/ticketfieldrenderer.directive.js
MD5: 7696325b88afe6ece5252976de31de23
SHA1: 43ae36d413f743ee204ea8b9f60e3297ac2c49ff
SHA256:13e7ed838a535d8497f397cd2d39576dd0c91206bf5190d1322d6c7d4d2a273e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: ticketlist.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketlist/ticketlist.js
MD5: 4cfdceed789f21866a7aefc89753d296
SHA1: e886603b8fe1ea24eceed5c5f6c90f8b7665a7d2
SHA256: 1a56b855c892bb5315f6283f6805885a0f8b2404b00ce688a4851e1ad6a281c8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: ticketlistadditionalcomponents.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketlist/ticketlistadditionalcomponents.js
MD5: 032a2e02aecd63882ac4d8b337f5276f
SHA1: 7481b7bdc4a20e5040cbeaf71c979c0321dbfcc4
SHA256: 8b1ba806777b676382c2024da23c7c5ffb63cae73bd7989620ee2f348b55311f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: ticketlistapp.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketlistapp.js
MD5: 22fa5cce19ed074a1d9aeeddc9352f4c
SHA1: 0502737b450371b60c0d20c066742ec928f8d400
SHA256:5008f8bf9d4933bfec205adcf68860733048d43e22469fcf5fbd2fec1a1169cf
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: ticketlistapplyaction.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketmanipulation/ticketlistapplyaction.js
MD5: 3a6feaf3519853bb857111c2532027b7
SHA1: dd2d5e295b908354c5af56ccd05a3f63d2990627
SHA256:31eff96f77b201d87f0cbef862656ff7f932e7e91876f7db442bebf81decb2a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: ticketlisteditproperties.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketmanipulation/ticketlisteditproperties.js
MD5: c77a10b509ba41edaace91b309bdb958

SHA1: 4ad55f35fbb3c284ea929f2642a6e4f842e84890
SHA256: 41a84b60bea6c4a16c397169a75662961508751f7996020ca31780086187b7ff
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: ticketlistlayoutsettings.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet
/helpdesk/plugins/ticketlist/client/ticketlistlayout/ticketlistlayoutsettings.js
MD5: 9b973516da3532defad792b9021ba431
SHA1: 7743eefb0ada281a097d118eb308f468c43fecdb
SHA256: 00cfab68f199afb8ba4e68f8740150077ccbb7b161718ff9a4315c250ce3b15b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: ticketmodel.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet
/helpdesk/plugins/ticketlist/client/ticketmodel.js
MD5: aaf18efdcf2966657010364852de95f7
SHA1: 14ba567eba9e69968df063d421574b31c1e1ea52
SHA256: 5964b816c70180b2691774ef1de74696cc74173fd9a2a21791dbfa0672ef778d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: ticketownerextension.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/extensions/ticketownerextension.js
MD5: 55f478ad1c7e5078ab48659180f4b338
SHA1: c360bf8cc8633cfdd34393d10a67b59459c01eaf
SHA256:21cd8e04c85856cd45a03eef3f1c60c4bccb863949a0f495d2a51c3de698001a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: ticketpage.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/ticketpage.js
MD5: e048f4b582623079c3ace59361a588db
SHA1: 19a09f922b4c096159f7177b2af6409fea7d1c3c
SHA256:2a5343424c784c7156d9c03e715c051016035578f4b9af7f565dbb3cc11cd240
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: ticketpageheader.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/ticketpageheader.js
MD5: 5aaf97952c82527f995d751dea9758c4
SHA1: eadb3c9bb3518c17158d95f841d0f333240226c5
SHA256: f54fa01aef425286eae982af569a4ade5c96d58708df3041421e01a3a14216f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: ticketpagehintsextension.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/extensions/ticketpagehintsextension.js
MD5: 6cc32885f99b6a6f2228a90ad6ce5f84
SHA1: d0845be17e612a888d6e431ed46eda5b1a013a65
SHA256: 99262eb53a8121b62a370bbc0d2925637d96acb510a8f6c95a6cacb5ff3e2cda
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: ticketpagelayoutsettings.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpagelayout/ticketpagelayoutsettings.js
MD5: 62a9e39c34a38824464e4a8363f1031e
SHA1: 46df2f93cb17d730b3cd5f66e841bb64f944e3ed
SHA256: 1034eaae3fe1cd2e8bec2a05787cf8f061058b97e65807b2d7131593b4426b97
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: ticketpagesteps.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/ticketpagesteps.js
MD5: 5c924a6549b15768d2e0fb9c3aa19cdb
SHA1: 4866107f1cec7040b76769d2260117132ec617c5
SHA256: e6e8e2d6e4a34dc78ad592704a17502d79fede3903aab92e471116d865cc4106
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: ticketpreview.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpreview/ticketpreview.js
MD5: 0084bfa8c084b5551473182c49ad9457

SHA1: 34945d5608459acf06f12fb43009a73f16313ccb
SHA256: 9b6581d175fd5ac2ab9575be3256772a05a9410bc0ae6bdd8d81d152d1098930
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: ticketproperties.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketmanipulation/ticketproperties.js
MD5: 3dd182cd6f65ec5b3cbcffd0e6830dc0
SHA1: 839d1ffa2a05c58473da8c3522a42471ac46dc1b
SHA256: d781eabc8c6fedcc67daa6cb0c5180b4cb06f3dbe418c8f504d2ed642b89145f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: ticketrenderer.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer.js
MD5: 1f6de71539d842a5655444d6b45f5aba
SHA1: f806f105cf063f6f3965e998c19048eb965c7e5a
SHA256: ec1d44c019c99f885b30a6c1d40b2785176426a33b4d83b5e45eab538ee9062b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: ticketsharing.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/ticketsharing.js
MD5: e9818ee4849ffe56f4b419d746e65ab0
SHA1: 8e405ab1b83e995141ad18fbb0c02cdac19cedb1
SHA256:2ea3d3a56d8b208c0ed5bb62a7906af15270c08dd3975d0ef53272276a84aa3f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: ticketviewsMember.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketviewsortsettings/ticketviewsMember.directive.js
MD5: 886aea89fe103f6b8fe441afdfbddf97
SHA1: db4569f1fc30afcb8d5502efd958840d2629fd52
SHA256:43104065cd2e6f730e4c66729a268e9e37966a94095aecf1eb9e62716033d5df
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: timelineextension.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/extensions/timelineextension.js
MD5: dadbecac94ff1347179a8b439e5c6fbe
SHA1: bab05d689b7986085b5a7972d5b4ca38fc12d384
SHA256: 0e788638e485265e0580faf94ed7d0b3acaa974da393172fe961c66b54864e2b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketlist.zip: ticketlist.jar: userticketshistoryextension.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/extensions/userticketshistoryextension.js
MD5: d4c7284d3df93189ee704e14fa10be11
SHA1: b53608c1ec0f7b65547b7cab9155f7e439cb7dfc
SHA256: 86a041f1fac94cf0ba747d7218b1ec248adf1a709bb1cbb4e02aa924cd8ce9f4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketprocess.zip: ticketprocess.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketprocess.zip/ticketprocess.jar
MD5: 4c4a725f1e065e3202f25f0af6ae465f
SHA1: cd880467a1d51e63b921664b4d4e385ad50ee8c4
SHA256:e4320a7a2cb54cf2bf1972626a57fe49ce8978e8ac48ad24f6bbcfef0baf07b1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ticketprocess	High
Vendor	jar	package name	helpdesk	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2025-11-05 18:45	Low
Vendor	Manifest	implementation-group	helpdesk	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	ticketprocess	High
Product	jar	package name	helpdesk	Highest
Product	jar	package name	helpdesk	Low
Product	jar	package name	plugins	Low
Product	jar	package name	ticketprocess	Highest
Product	jar	package name	ticketprocess	Low
Product	Manifest	built-date	2025-11-05 18:45	Low
Product	Manifest	implementation-group	helpdesk	Low
Product	Manifest	Implementation-Title	ticketprocess	High
Product	Manifest	specification-title	ticketprocess	Medium
Version	jar	package name	helpdesk	Highest
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- cpe:2.3:a:inetsoftware:helpdesk:25.10.233.*.*.*.*.* (Confidence:Low) suppress

ticketprocess.zip: ticketprocess.jar: applyProcessRenderer.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketprocess.zip/ticketprocess.jar/com/inet/helpdesk/plugins/ticketprocess/client/js/applyProcessRenderer.js

MD5: f4a8de33cdb14daf9fff2a17d4f1f756

SHA1: d60976a322a815d23fa61fd10b3ee4d93cc2d2bf

SHA256: 193a8ace1973c9776decd40022c82ca1d0e95d38774aa154178cb6fb2f1110d1

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketprocess.zip: ticketprocess.jar: configuration.ticketprocess.edit.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketprocess.zip/ticketprocess.jar/com/inet/helpdesk/plugins/ticketprocess/client/js/configuration.ticketprocess.edit.js

MD5: d9bb699877a490cf2f2299bbf5d4caf3

SHA1: ff8c07ab93b4b2acf132f395319803045a6a62a6

SHA256: 171adda9a85c79bbc4308b96c58460a2b7c6b06f3a2699d0d0d5551cbaa3d7fc

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketprocess.zip: ticketprocess.jar: configuration.ticketprocess.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketprocess.zip/ticketprocess.jar/com/inet/helpdesk/plugins/ticketprocess/client/js/configuration.ticketprocess.js

MD5: 4f4e85a63abb6b0cf2c353041d6ec3e0

SHA1: 0d5941359e7539b29028cbb0a52635a39e33df4b

SHA256: d3a1109cb761acfa883104067c092b77b75cd9e1415abe42f93d6afd3a0196db

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketprocess.zip: ticketprocess.jar: ticketlist.ticketprocess.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketprocess.zip/ticketprocess.jar/com/inet/helpdesk/plugins/ticketprocess/client/js/ticketlist.ticketprocess.js

MD5: 75460890099cbef09968aaf7aedc8cd8

SHA1: e3105cbc36228b0d71662de31ee500177b72eb24

SHA256: d1ef3764744b7fb4fb6329a5b30631be201f4bb9fbe1f4ec590439a696d33aa5

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketprocess.zip: ticketprocess.jar: ticketprocess.changeticketprocess.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketprocess.zip/ticketprocess.jar

/com/inet/helpdesk/plugins/ticketprocess/client/js/ticketprocess.changeticketprocess.js

MD5: 4dabd73527cad6f6b6299bac53654c5

SHA1: bbb8dbe11fac53fae372ae3616d5bd6884faa85b

SHA256: 7e82f55bfeea143b2dff7d953001ae6cc2c825577fdf5f43d851e37daa2d087

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketprocess.zip: ticketprocess.jar: ticketprocess.parallelticket.preview.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketprocess.zip/ticketprocess.jar
/com/inet/helpdesk/plugins/ticketprocess/client/js/ticketprocess.parallelticket.preview.js

MD5: 9770111135de6942abf7e9d70d0b8f51

SHA1: 03f929750cc5b9d8a2b9f7c2e88b26b15563c1f2

SHA256: 4894ab0bb3b03c24ef617d2989595d31ad34543a111c6047d8764d46c9406b3e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketprocess.zip: ticketprocess.jar: ticketprocessdirectives.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketprocess.zip/ticketprocess.jar
/com/inet/helpdesk/plugins/ticketprocess/client/js/ticketprocessdirectives.js

MD5: 755e036d9d42f62d70f74ab0c2d6f716

SHA1: 34f4f17687706204c91c3b2cb67558a4d3a675cb

SHA256: 62cab84d5200b18ee6dbab683c4150714b2a784077219f3870893d153394936d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketprocess.zip: ticketprocess.jar: ticketprocessfactory.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketprocess.zip/ticketprocess.jar/com/inet/helpdesk/plugins/ticketprocess/client/js/ticketprocessfactory.js

MD5: b823161f0d8527e67533ae11eeb8e9b4

SHA1: b05ec7e26af676a09b0926fc8cd14a031ac3e162

SHA256:3808e0c16eaf3fbe4b60307e5caa673180b4daec861b6f32b7883858cf284fa8

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ticketprocess.zip: ticketprocess.jar: ticketprocessmodel.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketprocess.zip/ticketprocess.jar/com/inet/helpdesk/plugins/ticketprocess/client/js/ticketprocessmodel.js

MD5: f53cbbbf7a7c33f512eccf915a4196e4

SHA1: d8d813caf6e60ffbc8dd50f5727130c47d6bd0d

SHA256:f66c69cc3e0909e92174a0d9eea5424229c0bebcd1aaa8b5c1b01cdd426e4378

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar

MD5: 5b529aacbdc658ebac59b4f9d85fcbaf

SHA1: 3fdd731f094f491071e89a8116f53b32dd19b743

SHA256: 78edb510e72f0e88317ddb4cc5e7907ab621221f570518ae476456a29a137313

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	usersandgroupsmanager	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	server	Low
Vendor	jar	package name	usersandgroupsmanager	Low
Vendor	Manifest	built-date	2025-11-05 16:23	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	usersandgroupsmanager	High
Product	jar	package name	server	Low
Product	jar	package name	usersandgroupsmanager	Highest
Product	jar	package name	usersandgroupsmanager	Low
Product	Manifest	built-date	2025-11-05 16:23	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	usersandgroupsmanager	High
Product	Manifest	specification-title	usersandgroupsmanager	Medium
Version	Manifest	Implementation-	25.10.233	High

Version

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeAccountSettingsRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.
zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer
/fieldtypeAccountSettingsRenderer.directive.js

MD5: 136a634e0236a238529acf990312d10e

SHA1: 75518847c3c3aa3737e31149c6834bb6c40f4606

SHA256: 9901a11fad82515fe2425d4f07163b716e8dfa8233196e7fcdc8f21b3aca6817

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeBooleanRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.
zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer
/fieldtypeBooleanRenderer.directive.js

MD5: e6bb2b0218c39ede42d1779e09d0b306

SHA1: bfedb33d3a2d6896458956fdc4209692d43e0d02

SHA256: 7e4281e4831ef87da9cf9e032009349bcf48c35a0b2769e742a978cdda8de750

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeCommaSeparatedRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeCommaSeparatedRenderer.directive.js
MD5: c951e088eb99044087cb876a2ad80f5c
SHA1: f2b74d24949b8a35f38a36bbff7f12a73c939305
SHA256: fffae5f607dd4f6b565ae943bb15075423a58f6601346c1fc670985cd1da7f9b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeCurrencyRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeCurrencyRenderer.directive.js
MD5: 64550819586104467e438b403590e32a
SHA1: e6c4957a7648c8baa484227d04cad8a186aac008
SHA256: e8d9d2cffbcd1355ea33fe7d3615a95c3cef34b5be3445be5fe9bddd1b54b38f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeDateRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeDateRenderer.directive.js

MD5: 44f37b8866281fc7c293da24a2c85a70

SHA1: 90bf5ee3414c0b14352fece7ff49252f0993ee34

SHA256: 3cd49a8b48976c1456092476ff9e09678ade7ec6909c5e0f59f6f570b92c4256

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeDoubleRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeDoubleRenderer.directive.js

MD5: 65ddc17ce6fe22f66db3066174836be4

SHA1: a6f9bedc7c489f3e0f3b4ff366e2f892a08bf29c

SHA256: ec52f2531296ff86fda9a20858daf87e52ac3dfaf1bc942daae33c7513fac7e4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeHintRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldTypeHintRenderer.directive.js

MD5: 9c0f5b5dde50569ef2e9efb5feef050

SHA1: 3793878df0a194ac7445ae9076fd1f235cf26a42

SHA256: d4a42152b9ce8527dc853e66f110464f038f4c885cf1df7fe415203dbcb8148b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeIntegerRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldTypeIntegerRenderer.directive.js

MD5: fb567b3054e16ecd92115183e677f194

SHA1: a956bb37b828d2b0016c3e63df573291cf3a65c1

SHA256: a25204639ecdb47cfdeaaba8461fe9caedc30b4fa3afa5865b502880c4c3fb80

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeLinkRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeLinkRenderer.directive.js

MD5: b4e5347a3fc15cee057d292ac2fe7d91

SHA1: 70fba39954e7947be220792ce9d792ecfec06748

SHA256: 33ad47fd4a0e7943e9a39fdf239becc5fd54c4a1b9be4c727c27daf720b0d1e7

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeLoginsRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeLoginsRenderer.directive.js

MD5: 77e510f9e074e3104df3096deb39cd91

SHA1: 68e57a5859aa1073fdb62dd1102867d0c7db3c9f

SHA256: 70fdfe453166ed5a8bae30f56d71e5e52c58c98db676853519a0d35dd71de650

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeMembersRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeMembersRenderer.directive.js
MD5: 110c0a60b3a8824c7cf38b3cfd38423b
SHA1: b130d47d83af3073663f95cfe0392d9c055d06cd
SHA256: e34d1d921aada8085754efea61b320506608504a2332d0b186031e7beba524f2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeMultilineRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeMultilineRenderer.directive.js
MD5: 5b24949676b9be3413f73641882f7125
SHA1: 1b5266b7516f4a6f4e1b25dc128969f10b0a8c09
SHA256: 698d88b748ec45a4e7bdd87b1c97472d8868165551ae5ecf7d0159925c92ed71
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypePermissionRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.

zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer
/fieldtypePermissionRenderer.directive.js
MD5: cf56b95e7c81bb7bb0027f214dde9847
SHA1: b098c8143c168614aac2a46fda4bf02078b31f9e
SHA256: c8f403974591a2b05c630a7117596fd64540d53205808bee40d6ede27a166790
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeSelectRenderer. directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.
zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer
/fieldtypeSelectRenderer.directive.js
MD5: eff35ed2335d82f48e0f301bbe002c13
SHA1: 33c6717aeac4415d8fd2b3e573c2c4c067344351
SHA256: ff2a7f5c982515dbdf6a16e2205866e1b5a8f45df37e0297357daf27aa4ac042
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeStayLoggedInSessionsRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.
zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer
/fieldtypeStayLoggedInSessionsRenderer.directive.js
MD5: 8f7246a8c4620515a714dd858c7b0847

SHA1: bab49440daa202026ce7fdb25d3c3ab7d0ac2473
SHA256: 85a66f84209b323ddf4e87ee26891210234ea42bfc20d6befdc3074cde326595
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeStringListRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.
zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer
/fieldtypeStringListRenderer.directive.js

MD5: ecfa08e9586484891e935de461582539

SHA1: 128276640372b4e442f5c63c643c908710c7fedf

SHA256: aff8a656bfc2d940c02a861b600e4a95cefa61453508fb2b8659fe42582bccea

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeStringRenderer. directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.
zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer
/fieldtypeStringRenderer.directive.js

MD5: 6e46d5a536692ff278cf276eeb7151bb

SHA1: 11b326f65d25098d5d02c6077e20b867d5c331ec

SHA256: b2158332ea8f76ceee5435e803e4def4b559a3216ce6ae90e0385d1554d3924

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeTimeRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldTypeTimeRenderer.directive.js

MD5: 8513454094f6efb43b4257acfab955f

SHA1: 56784b3ea31cc21416f65da1661b7c18b8e9eb5e

SHA256: 3758a9259a963b155469b4d6b979fd30fee14edcaca155910f20b33b7d2a9d7f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeTimerangeRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldTypeTimerangeRenderer.directive.js

MD5: 8ca11f921f530ae3c6d14011f1026be2

SHA1: 123f12b6375637b6819435453cbfc089589514d6

SHA256: 3e31b81046fd3a24c691fc82c45f4779912d02b3bad3ca52366670c31042edfe

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: membershipentry.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/membershipentry.directive.js

MD5: 84693fc1ef165371ef27b1475ee7408c

SHA1: d49e9b44b5d99f5b63a93dcb031d51aea068ca3c

SHA256: f3fecadbb3c511b7c006eb44006d5203c16f180a1cbb260c756f0b3b670a55d8

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: membershiplist.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/membershiplist.directive.js

MD5: 9de8f2f539c79244aa95473d497004db

SHA1: dab0863017fbaf80d7da94770dbb17d87cff3a80

SHA256: 2939b841bcd7d14e9874e99c72e4c0f58e7c8f5b485fe04158782c2b0d3cdcd1

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: nonmembershiplist.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/nonmembershiplist.directive.js

MD5: 22269c6c1e32356a15788a694358c895

SHA1: c4909db34c175ff0621e17f241f66994e0516bc6

SHA256: 1f276cac3365d03c06572f9325217ffc7c65db411b5d40035f818c4890e66ffc

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: permissionCheckboxRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/permissionCheckboxRenderer.directive.js

MD5: f43b62e6ec19922b603e65ac0d9811bc

SHA1: b82e36201fade72e6423ba980d5351e13c657bbb

SHA256: e3d32df00dc3c4d43110a9a8f277ce1383c133b6912f0154626190931c6daff7

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: permissionRadiobuttonRenderer.directive.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.
zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer
/permissionRadiobuttonRenderer.directive.js

MD5: b2674a06f9cfb8cab9196229817a52c

SHA1: 2816becffb93dad552e07d80fb7e5042e13f1d26

SHA256: 07270db8fca85c74ed49ae3f2345692c66443c01ef0be67234cc3d01e0873675

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagercontroller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.
zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js
/usersandgroupsmanagercontroller.js

MD5: 3966dde5288327ce4a7664ffa146425f

SHA1: 9f1156c2c726e731d362aff1b4bf1f611da47c70

SHA256: bf3ede557a367f1cca803b9a259d1cc6c8f4109e6b381d08ea43c1360e7f9598

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdetailscontroller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.
zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js
/usersandgroupsmanagerdetailscontroller.js

MD5: cd4b90a897c42eb0c1a38f660153f739

SHA1: c582f35a31ed251b2b02456bf79fcb8e6edbf9dc

SHA256: 656c50c31f9f812740468c695b10f58d1e54b770765a25e7be047e661e305870

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdialogcontroller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.
zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js
/usersandgroupsmanagerdialogcontroller.js

MD5: e35a43fa1eb935369c4e018ff1ee7640

SHA1: d239261c725a4ba6e6efa911b48e4909c5372d69

SHA256: 3625665593e42ba14b5b40999ac21bdaeaea0baa80831182e221207a5019b541

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:
usersandgroupsmanagerdirectives.js**

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.
zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js
/usersandgroupsmanagerdirectives.js

MD5: e1d11e0ea312cfb6b0e395077779112b

SHA1: 3d63a2c1282afd900c5d74643ba4c1e61bb4118a

SHA256: 98f7717de0a411a3513e01b7126c19ad53f28a4b4d62183b77083195660ed7ab

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:
usersandgroupsmanagereffectivepermissionscontroller.js**

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.
zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js
/usersandgroupsmanagereffectivepermissionscontroller.js

MD5: e38beee6d03d93074acba84010e4c176

SHA1: d27284aae10d28fac162196094e0196c7c2486cf

SHA256: c2c9dd56c576d23e8038048090751071a5b29f53bb9fbba03d42cedb31d927d0

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:
usersandgroupsmanagerfactory.js**

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerfactory.js
MD5: 94ac82f47d59b465f5bfc271f16543f3
SHA1: eeb9fff4352ecf04ab487cf0168b7c2911b2d01b
SHA256: 3bcc388d9d2174651a443c62b5a7dde3f08f38ff8a918c9c154277660be520eb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagermodel.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagermodel.js
MD5: 6a3ab01b9cf9fe9c45e4228f3f0a449e
SHA1: 2bfe0e4bf86ed5c09f3e70231a4f30f64cf930d2
SHA256: 01056b1c5b989974d14013791592960bc20677ef95883092a6d52f78a2a44503
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerpredeletionwarning.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.

zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js
/usersandgroupsmanagerpredeletionwarning.js
MD5: 2e963c8f1de1c02f2a9c062f03aff6a5
SHA1: 1f5065e679fefcb1e927248cecf6d615950df2d1f
SHA256: 8cea620f3d0600315b5b8296a91d5b5826093ee4c728d432dd1f00460347aff5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerrenderer.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.
zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js
/usersandgroupsmanagerrenderer.js
MD5: 66a9eef845301ec92243566a8a8a5fd0
SHA1: 07cdb6a5a6e3d559c7e69fc37aeb1261d9e8c54b
SHA256: b8aba3f0ce4c611245296998ca48c1ba116b76a9aedef381e7ccfa69411b8b4bc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerstatisticscontroller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.
zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js
/usersandgroupsmanagerstatisticscontroller.js
MD5: 15db7d8e1d9c9102dff09a6540eacfdc

SHA1: 0ca6006da11c419453850c3ec9ec855c42e7b58b

SHA256: 6d215333ea6f212da404f333e073a3ca4ab48c921f75f159950694913b1b17bf

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagertakeoutcontroller.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.
zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js
/usersandgroupsmanagertakeoutcontroller.js

MD5: aecb7916c7ddc1ab36bb620e0bba61aa

SHA1: e98561144eeaf1048f88096ef4adeb4de63d971f

SHA256: cdb865f01764972194727fb6a715369b4353c620ecfdbeeadc40021144b7361c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

webserver.defender.zip: webserver.defender.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.defender.zip
/webserver.defender.jar

MD5: 5e865205fb817120ebb86fcc8091045d

SHA1: 9ac3244b9235a97289095d72b83110c7aaea015a

SHA256: 17c3c96ed042d5575e29057dd4ffe266ea9c3f3174eac0599231b54cf73d0211

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	webserver.defender	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	webserverdefender	Low
Vendor	Manifest	built-date	2025-11-05 16:31	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	webserver.defender	High
Product	jar	package name	webserverdefender	Low
Product	Manifest	built-date	2025-11-05 16:31	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	webserver.defender	High
Product	Manifest	specification-title	webserver.defender	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

webserver.zip: acme4j-client.jar

Description:

ACME client for Java

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/acme4j-client.jar

MD5: 7dc0b1c03b3cc50a9a4ff57198d681e5

SHA1: 61a9eac083a03d76d16bef326e2141e84ebfe36f

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	acme4j-client	High
Vendor	jar	package name	acme4j	Highest
Vendor	jar	package name	shredzone	Highest
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	pom	artifactid	acme4j-client	Low
Vendor	pom	groupid	org.shredzone.acme4j	Highest
Vendor	pom	name	acme4j Client	High
Vendor	pom	parent-artifactid	acme4j	Low
Product	file	name	acme4j-client	High
Product	jar	package name	acme4j	Highest
Product	jar	package name	shredzone	Highest
Product	Manifest	build-jdk-spec	17	Low
Product	pom	artifactid	acme4j-client	Highest
Product	pom	groupid	org.shredzone.acme4j	Highest
Product	pom	name	acme4j Client	High
Product	pom	parent-artifactid	acme4j	Medium
Version	pom	version	3.5.1	Highest

Identifiers

- [pkg:maven/org.shredzone.acme4j/acme4j-client@3.5.1](https://maven.org.shredzone.acme4j/acme4j-client@3.5.1) (Confidence:High)

webserver.zip: jetty-websocket-core-client.jar

Description:

Jetty module for Core :: Websocket :: Client

License:

EPL-2.0 OR Apache-2.0
<https://www.eclipse.org/legal/epl-2.0/>, <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-websocket-core-client.jar
MD5: 7020aa45a4fd5e3b1906cf0d3b4a4af7
SHA1: 709296664540576fad4c8a6c268f163342301361
SHA256: b5ce964994c74357606b6ccb3884c4ec264df2e9a1ba6e6c0c7b292a207d1ed6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jetty-websocket-core-client	High
Vendor	jar	package name	core	Highest
Vendor	jar	package name	eclipse	Highest
Vendor	jar	package name	jetty	Highest
Vendor	jar	package name	websocket	Highest
Vendor	Manifest	build-jdk-spec	22	Low
Vendor	Manifest	bundle-copyright	Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others.	Low
Vendor	Manifest	bundle-docurl	https://jetty.org/	Low
Vendor	Manifest	bundle-symbolicname	org.eclipse.jetty.websocket.core.client	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Jetty Project	High
Vendor	Manifest	url	https://jetty.org/	Low
Vendor	pom	artifactid	jetty-websocket-core-client	Low
Vendor	pom	groupid	org.eclipse.jetty.websocket	Highest
Vendor	pom	name	Core :: Websocket :: Client	High
Vendor	pom	parent-artifactid	jetty-websocket	Low
Product	file	name	jetty-websocket-core-client	High
Product	jar	package name	core	Highest
Product	jar	package name	eclipse	Highest
Product	jar	package name	jetty	Highest
Product	jar	package name	websocket	Highest
Product	Manifest	build-jdk-spec	22	Low
Product	Manifest	bundle-copyright	Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others.	Low
Product	Manifest	bundle-docurl	https://jetty.org/	Low
Product	Manifest	Bundle-Name	Core :: Websocket :: Client	Medium
Product	Manifest	bundle-symbolicname	org.eclipse.jetty.websocket.core.client	Medium

Product	Manifest url	https://jetty.org/		Low
Product	pom	artifactid	jetty-websocket-core-client	Highest
Product	pom	groupid	org.eclipse.jetty.websocket	Highest
Product	pom	name	Core :: Websocket :: Client	High
Product	pom	parent-artifactid	jetty-websocket	Medium
Version	Manifest	Bundle-Version	12.1.2	High
Version	Manifest	Implementation-Version	12.1.2	High
Version	pom	version	12.1.2	Highest

Related Dependencies

- webserver.zip: jetty-client.jar
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-client.jar
 - MD5: 23dab4cef86c0397d45534e75a5ab5d4
 - SHA1: 122562838a6106b63398136a3db9f6605eafbdd7
 - SHA256: 46c202eff79ae49aa0c4149bd452d74d48e34747bc07ab32d1c31055c48086b1
 - pkg:maven/org.eclipse.jetty/jetty-client@12.1.2
- webserver.zip: jetty-ee11-servlet.jar
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-ee11-servlet.jar
 - MD5: 415ba12000a36a131b29af215b442b31
 - SHA1: fca8c55ee2d2458d49084acc52cd1a8af4f29dcf
 - SHA256: a5914a85e853516bfa4ab849fdeea896b78a2eacb9332e48ded74c91935b1953
 - pkg:maven/org.eclipse.jetty.ee11/jetty-ee11-servlet@12.1.2
- webserver.zip: jetty-ee11-servlets.jar
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-ee11-servlets.jar
 - MD5: c9e4b14319dbb2fa1cc51da4789b2c1c
 - SHA1: 7fe7e77dc7849d9bd5d9ad45ef256ea2703e0933
 - SHA256: 756a47089bbd3514b5673b217c95efff89c622977c86c87b63fcac63a1139f72
 - pkg:maven/org.eclipse.jetty.ee11/jetty-ee11-servlets@12.1.2
- webserver.zip: jetty-ee11-websocket-jakarta-client.jar
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-ee11-websocket-jakarta-client.jar
 - MD5: 3b5eb3bb4924ddb2f9227b7e39dc967
 - SHA1: 536558fb642481f53fa6bd13e8eeec24cc6e77f6
 - SHA256: 66152d406316015a7c0997ab44cf79ffb1e2331b61efccc7179c316242574581
 - pkg:maven/org.eclipse.jetty.ee11.websocket/jetty-ee11-websocket-jakarta-client@12.1.2
- webserver.zip: jetty-ee11-websocket-jakarta-common.jar
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-ee11-websocket-jakarta-common.jar
 - MD5: 53bb6cc1ca13116c226b7a50f59a326f
 - SHA1: 894a8f808baaf36a6f77b06bb627bcc29960ce74
 - SHA256: cbbb65c5e4999226f7776463e3a736e2b6692ab965cb6b143ace6001a2ab42a4
 - pkg:maven/org.eclipse.jetty.ee11.websocket/jetty-ee11-websocket-jakarta-common@12.1.2
- webserver.zip: jetty-ee11-websocket-servlet.jar

- File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-ee11-websocket-servlet.jar
- MD5: 87376f6371e84c996c249dbb429a6215
- SHA1: a5d5957e0ea4b4b0ae84a6e39a5b3329382b9ffb
- SHA256: 34d2dc97921befc73164d1a17f59c74c01c6465e18b33356d80c570accb2be77
- [pkg:maven/org.eclipse.jetty-ee11-websocket/jetty-ee11-websocket-servlet@12.1.2](https://pkg:maven/org.eclipse.jetty/jetty-ee11-websocket/jetty-ee11-websocket-servlet@12.1.2)
- webserver.zip: jetty-http.jar
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-http.jar
 - MD5: cc22352478994f92da6fece7e7c84b73
 - SHA1: a6779fee9ca5dd87c0dc0e05531a086090b7f6f5
 - SHA256: 3a5872100eafaac97fb91b6963ed27e87378e9457b3562ca59c362bbae1d290b
 - pkg:maven/org.eclipse.jetty/jetty-http@12.1.2
- webserver.zip: jetty-http2-common.jar
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-http2-common.jar
 - MD5: 2e8e639acc7649fafda435476b2133cc
 - SHA1: ea96a6896bfda21ee745c41e640233533becce27
 - SHA256: f63585b9c9096d3aad95ff3bd7b2887efeff8a46f8ca267c7ccb6f153f5ae4d0
 - [pkg:maven/org.eclipse.jetty.http2/jetty-http2-common@12.1.2](https://pkg:maven/org.eclipse.jetty/http2/jetty-http2-common@12.1.2)
- webserver.zip: jetty-http2-hpack.jar
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-http2-hpack.jar
 - MD5: af9103e33a570ff38d8eaa2683a5e7ae
 - SHA1: 952d8b53037cc5971514a4cb023a9b29e9333568
 - SHA256: d711dbf0d680b8f846f2866bd0e3794f3ca5c4aa16c0cdde581218ffcc3f9964
 - [pkg:maven/org.eclipse.jetty.http2/jetty-http2-hpack@12.1.2](https://pkg:maven/org.eclipse.jetty/http2/jetty-http2-hpack@12.1.2)
- webserver.zip: jetty-io.jar
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-io.jar
 - MD5: 29d4d07f69d50fb270ba7ef18a4cf1ff
 - SHA1: 1e75b0d24a6de72168840fe0995e29d83feb5663
 - SHA256: 1250330209cf77e0c95880af2bb8cd7226906ebfb2f9526ea2ac428f1d8aeeb1
 - pkg:maven/org.eclipse.jetty/jetty-io@12.1.2
- webserver.zip: jetty-security.jar
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-security.jar
 - MD5: a77052da72cdefcf0258f81c89dc4597
 - SHA1: 72d8d46b2b37ee2de71132df90f8aa11f6decc8a
 - SHA256: 415a289e776e7501744658e69bd6fad48e75550783c843424aa7fb726e6d821
 - pkg:maven/org.eclipse.jetty/jetty-security@12.1.2
- webserver.zip: jetty-session.jar
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-session.jar
 - MD5: 0b88095c2b4cb06a180549a0ba3d0c44
 - SHA1: a59a4089b58062cee20e9ddb058565ff4459f060
 - SHA256: 522de25195d751e0058483f07bc6ff757abeb3fce13f63e201ab532882f4638
 - pkg:maven/org.eclipse.jetty/jetty-session@12.1.2
- webserver.zip: jetty-util.jar
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-util.jar
 - MD5: e78acdd4cff73346026b06e62d62c42b
 - SHA1: 1faf3f0b8a1b41fad87bc17eba9e23785905918c
 - SHA256: 03f144ee693205eef00a494e785bf73931324a8c7053b979082bd7425f7af3ea
 - pkg:maven/org.eclipse.jetty/jetty-util@12.1.2
- webserver.zip: jetty-websocket-core-common.jar

- File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-websocket-core-common.jar
- MD5: 4c141ccb7564053f9a310adc88b84fee
- SHA1: 50a1e8dfe71c2fa5a0583f64814b7442ccee7f1
- SHA256: 9c1d9b3849e4a92fc47d934fb9a6c3b3ae1b9b307ea35e4a975defa6326907b1
- pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-common@12.1.2
- webserver.zip: jetty-websocket-jetty-api.jar
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-websocket-jetty-api.jar
 - MD5: 57e2aa8034f7ae18f4004bf699753c0c
 - SHA1: fbad70b9f2dfd3291a1bc380940bce486347fc03
 - SHA256: d6e48f2ebe11fb48eaabae99ce027972664f74dbafbe5db6104ec628f16a8ad0
 - pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-jetty-api@12.1.2

Identifiers

- pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-client@12.1.2 (Confidence: High)
- cpe:2.3:a:eclipse:jetty:12.1.2:*:*:*:*:* (Confidence: Highest) suppress
- cpe:2.3:a:jetty:jetty:12.1.2:*:*:*:*:* (Confidence: Highest) suppress
- cpe:2.3:a:mortbay:jetty:12.1.2:*:*:*:*:* (Confidence: Highest) suppress

webserver.zip: jetty-websocket-core-server.jar

Description:

Jetty module for Core :: Websocket :: Server

License:

EPL-2.0 OR Apache-2.0
<https://www.eclipse.org/legal/epl-2.0/>, <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-websocket-core-server.jar

MD5: 9d1e4f36986ab797d71bdcaa57f66120

SHA1: bf54bb4309ea4c946c45d2ef0ac0548c8af0d80f

SHA256: 590db7b3430c7977ec0e6783aeef9b6b1333702ccbf32bbb9a96d45f4d72e1b6

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jetty-websocket-core-server	High
Vendor	jar	package name	core	Highest
Vendor	jar	package name	eclipse	Highest
Vendor	jar	package name	jetty	Highest

Vendor	jar	package name	websocket	Highest
Vendor	Manifest	build-jdk-spec	22	Low
Vendor	Manifest	bundle-copyright	Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others.	Low
Vendor	Manifest	bundle-docurl	https://jetty.org/	Low
Vendor	Manifest	bundle-symbolicname	org.eclipse.jetty.websocket.core.server	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Jetty Project	High
Vendor	Manifest	url	https://jetty.org/	Low
Vendor	pom	artifactid	jetty-websocket-core-server	Low
Vendor	pom	groupid	org.eclipse.jetty.websocket	Highest
Vendor	pom	name	Core :: WebSocket :: Server	High
Vendor	pom	parent-artifactid	jetty-websocket	Low
Product	file	name	jetty-websocket-core-server	High
Product	jar	package name	core	Highest
Product	jar	package name	eclipse	Highest
Product	jar	package name	jetty	Highest
Product	jar	package name	websocket	Highest
Product	Manifest	build-jdk-spec	22	Low
Product	Manifest	bundle-copyright	Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others.	Low
Product	Manifest	bundle-docurl	https://jetty.org/	Low
Product	Manifest	Bundle-Name	Core :: WebSocket :: Server	Medium
Product	Manifest	bundle-symbolicname	org.eclipse.jetty.websocket.core.server	Medium
Product	Manifest	url	https://jetty.org/	Low
Product	pom	artifactid	jetty-websocket-core-server	Highest
Product	pom	groupid	org.eclipse.jetty.websocket	Highest
Product	pom	name	Core :: WebSocket :: Server	High
Product	pom	parent-artifactid	jetty-websocket	Medium
Version	Manifest	Bundle-Version	12.1.2	High
Version	Manifest	Implementation-Version	12.1.2	High
Version	pom	version	12.1.2	Highest

Related Dependencies



- webserver.zip: jetty-alpn-java-server.jar
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-alpn-java-server.jar
 - MD5: 3505dc9a66cc674b004af1006b7a7b4b
 - SHA1: 6c3f3800858009d8b46b65feb4345d38bc18ff36
 - SHA256: a5542a743db11e636edd7c76a42c53b10a89485668f463cc020aec60dbfe4236
 - pkg:maven/org.eclipse.jetty/jetty-alpn-java-server@12.1.2
- webserver.zip: jetty-alpn-server.jar
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-alpn-server.jar
 - MD5: a6ceb01426b88a2cd3ab61ccc03a9d42
 - SHA1: e27c4a5d684985605914c6601913fd219ddc8116
 - SHA256: 5ee000787f3bc2fa5b9c79e3d6cde0574be852bc5be75d646042de3d205101fc
 - pkg:maven/org.eclipse.jetty/jetty-alpn-server@12.1.2
- webserver.zip: jetty-ee11-websocket-jakarta-server.jar
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-ee11-websocket-jakarta-server.jar
 - MD5: 8ae1e9a04c6e2d1e63feb3d126e44bb9
 - SHA1: 49f196b01dccda49a9fda3fcdac86628af6c2440
 - SHA256: b0a2e0a3ba1b583e1cdf6e168d56526517f4a615a9d6a726f7506dc8bbaa126d
 - pkg:maven/org.eclipse.jetty.jakarta.websocket/jetty-ee11-websocket-jakarta-server@12.1.2
- webserver.zip: jetty-ee11-websocket-jetty-server.jar
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-ee11-websocket-jetty-server.jar
 - MD5: 22de69c04f15197088d72a5dd8b3338a
 - SHA1: 21b16ffee06f2ec250cd24796e6c76a77e25f75
 - SHA256: d47c1f98b4c2427dae4b772e083c6377bf76b705c6f9f457eddf3029cdb8347e
 - pkg:maven/org.eclipse.jetty.jakarta.websocket/jetty-ee11-websocket-jetty-server@12.1.2
- webserver.zip: jetty-http2-server.jar
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-http2-server.jar
 - MD5: fd6754692ca569e1b3b69cabdbf7469d
 - SHA1: babe0dee7c043499855b32422a772e32567cbdd3
 - SHA256: 54e205d3abc000297150cfd01116067a8bf246e7a48e7a4138939e9f7a2bb538
 - pkg:maven/org.eclipse.jetty.http2/jetty-http2-server@12.1.2
- webserver.zip: jetty-server.jar
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-server.jar
 - MD5: 42475fbb406eb90521bab47d8f4e30d0
 - SHA1: 7259af2fe6c2a17304dbf70e9cfcf72d359bbc69
 - SHA256: eb7d67d3fa0e8a6213b5fc38dab10a20ca87c2a9a888aca8c8d0beceb2f70807
 - pkg:maven/org.eclipse.jetty/jetty-server@12.1.2

Identifiers

- pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-server@12.1.2 (Confidence: High)
- [cpe:2.3:a:eclipse:jetty:12.1.2:*:*:*:*](https://cpe:2.3:a:eclipse:jetty:12.1.2:*:*:*:*:*) (Confidence: Highest) suppress
- [cpe:2.3:a:jetty:jetty:12.1.2:*:*:*](https://cpe:2.3:a:jetty:jetty:12.1.2:*:*:*:*) (Confidence: Highest) suppress
- [cpe:2.3:a:jetty:jetty_http_server:12.1.2:*:*:*](https://cpe:2.3:a:jetty:jetty_http_server:12.1.2:*:*:*:*) (Confidence: Low) suppress
- [cpe:2.3:a:mortbay:jetty:jetty:12.1.2:*:*:*](https://cpe:2.3:a:mortbay:jetty:jetty:12.1.2:*:*:*:*) (Confidence: Highest) suppress

webserver.zip: jose4j.jar

Description:

The jose4j library is a robust and easy to use open source implementation of JSON Web Token (JWT) and the JOSE specification suite (JWS, JWE, and JWK).

It is written in Java and relies solely on the JCA APIs for cryptography.

Please see https://bitbucket.org/b_c/jose4j/wiki/Home for more info, examples, etc..

License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jose4j.jar

MD5: f57cb91efc5beaa940029f5515a888c2

SHA1: 357a3836bb5da16f314f3a1e954518e5468cd915

SHA256: 7314af50cde9c99e8eaf43eee617a23edcc6bb43036221064355094999d837ef

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jose4j	High
Vendor	jar	package name	jca	Highest
Vendor	jar	package name	jose4j	Highest
Vendor	jar	package name	json	Highest
Vendor	jar	package name	jwe	Highest
Vendor	jar	package name	jwk	Highest
Vendor	jar	package name	jws	Highest
Vendor	jar	package name	jwt	Highest
Vendor	jar	package name	use	Highest
Vendor	Manifest	automatic-module-name	org.jose4j	Medium
Vendor	Manifest	bundle-symbolicname	org.bitbucket.b_c.jose4j	Medium
Vendor	pom	artifactid	jose4j	Low
Vendor	pom	developer email	brian.d.campbell@gmail.com	Low
Vendor	pom	developer name	Brian Campbell	Medium
Vendor	pom	groupid	org.bitbucket.b_c	Highest
Vendor	pom	name	jose4j	High
Vendor	pom	url	https://bitbucket.org/b_c/jose4j/	Highest

Product	file	name	jose4j	High
Product	jar	package name	jca	Highest
Product	jar	package name	jose4j	Highest
Product	jar	package name	json	Highest
Product	jar	package name	jwe	Highest
Product	jar	package name	jwk	Highest
Product	jar	package name	jws	Highest
Product	jar	package name	jwt	Highest
Product	jar	package name	use	Highest
Product	Manifest	automatic-module-name	org.jose4j	Medium
Product	Manifest	Bundle-Name	jose4j	Medium
Product	Manifest	bundle-symbolicname	org.bitbucket.b_c.jose4j	Medium
Product	pom	artifactid	jose4j	Highest
Product	pom	developer email	brian.d.campbell@gmail.com	Low
Product	pom	developer name	Brian Campbell	Low
Product	pom	groupid	org.bitbucket.b_c	Highest
Product	pom	name	jose4j	High
Product	pom	url	https://bitbucket.org/b_c/jose4j/	Medium
Version	Manifest	Bundle-Version	0.9.6	High
Version	pom	version	0.9.6	Highest

Identifiers

- [pkg:maven/org.bitbucket.b_c/jose4j@0.9.6](#) (*Confidence:High*)
- [cpe:2.3:a:jose4j_project:jose4j:0.9.6:*****](#) (*Confidence:Highest*)

suppress

webserver.zip: webserver.jar

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/webserver.jar

MD5: c8dcee150b5947f9b20e5194500ab3f6

SHA1: 83c21a56d2745754871cc055f0f8594b28437166

SHA256: 5f6e2e0d3ef2266a802cc6f0d37febed28fc5f26a04d1b4054744c51aff9b08a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	webserver	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	webserver	Low
Vendor	Manifest	built-date	2025-11-05 16:02	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	webserver	High
Product	jar	package name	webserver	Highest
Product	jar	package name	webserver	Low
Product	Manifest	built-date	2025-11-05 16:02	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	webserver	High
Product	Manifest	specification-title	webserver	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

Suppressed Vulnerabilities



adhoc.zip: adhoc-javadoc.jar: jquery-ui.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc-javadoc.jar/script-dir/jquery-ui.min.js
MD5: 32059df39c14a910ccc2325f6a3cd62f

SHA1: d3289f1b527a3f054d303ec769402e037fbcf4b
SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	jquery-ui	High
Product	file	name	jquery-ui	High
Version	file	version	1.13.1	High

Related Dependencies +

- cowork.zip: cowork-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork-javadoc.jar/script-dir/jquery-ui.min.js
 - MD5: 32059df39c14a910ccc2325f6a3cd62f
 - SHA1: d3289f1b527a3f054d303ec769402e037fbcf4b
 - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
- maintenance.zip: maintenance-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance-javadoc.jar/script-dir/jquery-ui.min.js
 - MD5: 32059df39c14a910ccc2325f6a3cd62f
 - SHA1: d3289f1b527a3f054d303ec769402e037fbcf4b
 - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
- reporting.zip: reporting-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting-javadoc.jar/script-dir/jquery-ui.min.js
 - MD5: 32059df39c14a910ccc2325f6a3cd62f
 - SHA1: d3289f1b527a3f054d303ec769402e037fbcf4b
 - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/script-dir/jquery-ui.min.js
 - MD5: 32059df39c14a910ccc2325f6a3cd62f
 - SHA1: d3289f1b527a3f054d303ec769402e037fbcf4b
 - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
- taskplanner.zip: taskplanner-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner-javadoc.jar/script-dir/jquery-ui.min.js
 - MD5: 32059df39c14a910ccc2325f6a3cd62f
 - SHA1: d3289f1b527a3f054d303ec769402e037fbcf4b
 - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424

Suppressed Identifiers

- None

Suppressed Vulnerabilities



[CVE-2022-31160](#) suppressed

jQuery UI is a curated set of user interface interactions, effects, widgets, and themes built on top of jQuery. Versions prior to 1.13.2 are potentially vulnerable to cross-site scripting. Initializing a checkboxradio widget on an input enclosed within a label makes that parent label contents considered as the input label. Calling `.checkboxradio("refresh")` on such a widget and the initial HTML contained encoded HTML entities will make them erroneously get decoded. This can lead to potentially executing JavaScript code. The bug has been patched in jQuery UI 1.13.2. To remediate the issue, someone who can change the initial HTML can wrap all the non-input contents of the `label` in a `span`.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-h6gj-6jjq-h8g9>
- info - <https://github.com/jquery/jquery-ui/commit/8cc5bae1caa1fc96bf5862c5646c787020ba3f9>
- info - <https://github.com/jquery/jquery-ui/issues/2101>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2022-31160>
- security-advisories@github.com - [EXPLOIT,MITIGATION,RELEASE_NOTES,THIRD_PARTY_ADVISORY](#)
- security-advisories@github.com - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)
- security-advisories@github.com - [PATCH,THIRD_PARTY_ADVISORY](#)
- security-advisories@github.com - [RELEASE_NOTES,VENDOR_ADVISORY](#)
- security-advisories@github.com - [THIRD_PARTY_ADVISORY](#)
- security-advisories@github.com - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.0.*:*:*:*:drupal:*:*
- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.1.*:*:*:*:drupal:*:*
- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.2.*:*:*:*:drupal:*:*
- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.3.*:*:*:*:drupal:*:*
- cpe:2.3:a:jqueryui:jquery_ui:*:*:*:*:jquery:*:* versions up to (excluding) 1.13.2
- cpe:2.3:a:netapp:oncommand_insight:-:*:*:*:*:*

remotegui.zip: angular-animate.jar: angular-animate.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/angular-animate.js
MD5: 31312b87e7226c8bf0714fcef0ea5d18
SHA1: dc9fb55f2c7f922c5ba83449266239ba1353db45
SHA256: 58e79e0e7cbb1e1502d216701e1fae41c405d92320aea1b68a223054096fda93
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities



[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value.
Note: 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:*:*:*:*:*

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [@angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:node.js:*:* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2gqx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing

https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:*:*:*:*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:*:*:*:*

[CVE-2024-8373](#) suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions up to (excluding) 1.9.6

[CVE-2025-2336 \(RETIREJS\)](#) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/bNGYaXx/412a3a4218387479898912f60c269c6c>
- info - <https://github.com/advisories/GHSA-4p4w-6hg8-63wx>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-2336>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-2336>

Vulnerable Software & Versions (RETIREJS):

CVE-2025-4690 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77>
- info - <https://github.com/advisories/GHSA-hfff-63hg-f47j>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-4690>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-4690>

Vulnerable Software & Versions (RETIREJS):

CVE-2025-0716 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915>
- info - <https://github.com/advisories/GHSA-j58c-ww9w-pwp5>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-0716>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-0716>

Vulnerable Software & Versions (RETIREJS):

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: angular-animate.jar: angular-animate.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/angular-animate.min.js

MD5: 5d2d0f42bb7e1b5503e914674f59dad0

SHA1: 4c15a58541e53c451c6f946d2048104f88b833c7

SHA256: 8e6202b1330a469a61ccdeebbd1cb3a20d0ecdfe8d106f68da5b85e9b67a1cd5

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value.
Note: 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)

- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:-:*:*:*:*:*

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to `@angular/core` (<https://www.npmjs.com/package/@angular/core>).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:node.js:*:* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of `<textarea>` elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the `angular.copy()` utility function due to the usage of an insecure regular

expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2qqx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)

- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:* node.js:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:*:*:*:*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:*:*:*:*

[CVE-2024-8373](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions up to (excluding) 1.9.6

CVE-2025-2336 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/bNGYaXx/412a3a4218387479898912f60c269c6c>
- info - <https://github.com/advisories/GHSA-4p4w-6hg8-63wx>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-2336>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-2336>

Vulnerable Software & Versions (RETIREJS):

CVE-2025-4690 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77>
- info - <https://github.com/advisories/GHSA-hfff-63hg-f47j>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-4690>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-4690>

Vulnerable Software & Versions (RETIREJS):

CVE-2025-0716 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915>
- info - <https://github.com/advisories/GHSA-j58c-ww9w-pwp5>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-0716>

- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-0716>

Vulnerable Software & Versions (RETIREJS):

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: angular-cookies.jar: angular-cookies.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.js

MD5: e17187aea1f0e6dbd25722e34b754915

SHA1: 20f43f716b9fef7d72537bc1b0e5aa2bc480cee5

SHA256: f3291c552042f6d0c500167769912a78ab3ecec9917128b2d6ea8e7c6714bb97

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities -

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in

posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value.
Note: 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:-:*:*:*:*:*

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [@angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:node.js:*:* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2qqx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)

- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here <https://docs.angularjs.org/misc/version-support-status> .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:*:*:*:*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:*:*:*:*

CVE-2024-8373 suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions up to (excluding) 1.9.6

CVE-2025-2336 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/bNGYaXx/412a3a4218387479898912f60c269c6c>
- info - <https://github.com/advisories/GHSA-4p4w-6hg8-63wx>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-2336>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-2336>

Vulnerable Software & Versions (RETIREJS):

CVE-2025-4690 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77>
- info - <https://github.com/advisories/GHSA-hfff-63hg-f47j>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-4690>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-4690>

Vulnerable Software & Versions (RETIREJS):

CVE-2025-0716 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915>
- info - <https://github.com/advisories/GHSA-j58c-ww9w-pwp5>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-0716>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-0716>

Vulnerable Software & Versions (RETIREJS):

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: angular-cookies.jar: angular-cookies.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.min.js

MD5: c41aff8423276d46f0d02de6dcb71524

SHA1: 7dc53f75d5bf7dd2c770cb50f31242c70193c086

SHA256: 926509b494009bea03288bba191a2b238032188e9112377e50fbfe7814c6639b

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High

Version	file	version	1.8.3	High
---------	------	---------	-------	------

Suppressed Identifiers

- None

Suppressed Vulnerabilities



[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value. **Note:** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:*:*:*:*:*:

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [@angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:node.js:* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2qgx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:*:*:*:*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:*:*:*:*

[CVE-2024-8373](#) suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqgm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions up to (excluding) 1.9.6

[CVE-2025-2336](#) (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/bNGYaXx/412a3a4218387479898912f60c269c6c>
- info - <https://github.com/advisories/GHSA-4p4w-6hg8-63wx>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-2336>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-2336>

Vulnerable Software & Versions (RETIREJS):

CVE-2025-4690 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77>
- info - <https://github.com/advisories/GHSA-hfff-63hg-f47j>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-4690>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-4690>

Vulnerable Software & Versions (RETIREJS):

CVE-2025-0716 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915>
- info - <https://github.com/advisories/GHSA-j58c-ww9w-pwp5>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-0716>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-0716>

Vulnerable Software & Versions (RETIREJS):

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.js
MD5: 0127d7a139abfc8bd45875a9c8ea6348
SHA1: 197aea2acc25a0fa821766400950cac58a3627a5
SHA256: c84c65250afe5a1265f36a7e16c6010652e55c2ae3a779c351fb68536c42bf64
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value.
Note: 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.7.0

- CVE-2024-21490 suppressed

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT_THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- `cpe:2.3:a:angular:angular:*:*:*:*:node.js:*:*` versions from (including) 1.3.0

CVE-2022-25869 suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN_LINK](#)
- report@snyk.io - [EXPLOIT_THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT_THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT_THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT_THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:*

CVE-2023-26116 suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the `angular.copy()` utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2qqx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>

- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:*:*:*:*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:*:*:*:*

[CVE-2024-8373](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions up to (excluding) 1.9.6

CVE-2025-2336 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/bNGYax/412a3a4218387479898912f60c269c6c>
- info - <https://github.com/advisories/GHSA-4p4w-6hg8-63wx>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-2336>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-2336>

Vulnerable Software & Versions (RETIREJS):

CVE-2025-4690 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77>
- info - <https://github.com/advisories/GHSA-hfff-63hg-f47j>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-4690>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-4690>

Vulnerable Software & Versions (RETIREJS):

CVE-2025-0716 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915>
- info - <https://github.com/advisories/GHSA-j58c-ww9w-pwp5>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-0716>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-0716>

Vulnerable Software & Versions (RETIREJS):

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: angular-sanitize.jar: angular-sanitize.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.min.js

MD5: f3c62abeec216e9431e7d5b22d8e813b

SHA1: 21355ef18c5e1ce2b2c711b9dba21cbea0655646

SHA256: cc80a30ad0439c2e9c209b3d7fcffb1d10e6007fd1d00c9cc144f393664a7045

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities −

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value.
****Note:**** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT_THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT_THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT_THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT_THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT_THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:-:*:*:*:*:*

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT_THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:node.js:*:* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*.*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*.* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2qqx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here <https://docs.angularjs.org/misc/version-support-status> .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:*:*:*:*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:*:*:*:*

CVE-2024-8373 suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqgm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions up to (excluding) 1.9.6

CVE-2025-2336 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/bNGYxX/412a3a4218387479898912f60c269c6c>
- info - <https://github.com/advisories/GHSA-4p4w-6hg8-63wx>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-2336>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-2336>

Vulnerable Software & Versions (RETIREJS):

CVE-2025-4690 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77>
- info - <https://github.com/advisories/GHSA-hfff-63hg-f47j>
- info - <https://github.com/angular/angular.js>

- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-4690>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-4690>

Vulnerable Software & Versions (RETIREJS):

CVE-2025-0716 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915>
- info - <https://github.com/advisories/GHSA-j58c-ww9w-pwp5>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-0716>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-0716>

Vulnerable Software & Versions (RETIREJS):

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: angular.jar

Description:

WebJar for angular

License:

MIT

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular.jar

MD5: f339a9a66a64c67eebb21ec3b251dfc6

SHA1: cff4aee339a9ca4ae2f095079930edeaad6a94ee

SHA256: a997eb40987ddb5d3bf64adf3d33afcff3ac2b1eb2e7255b5203a387f8097cd0

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	angular	High
Vendor	pom	artifactid	angular	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	angular	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	angular	High
Product	pom	artifactid	angular	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	angular	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	1.8.3	Highest

Suppressed Identifiers

- None

Suppressed Vulnerabilities



CVE-2022-25844 (OSSINDEX) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value.
Note: 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2022-25844> for details

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

References:

- OSSINDEX - [\[CVE-2022-25844\] CWE-1333](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2022-25844>
- OSSIndex - <https://www.tenable.com/cve/CVE-2022-25844>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.npm:angular:1.8.3:*****

CVE-2021-4231 (OSSINDEX) suppressed

A vulnerability was found in Angular up to 11.0.4/11.1.0-next.2. It has been classified as problematic. Affected is the handling of comments. The manipulation leads to cross site scripting. It is possible to launch the attack remotely but it might require an authentication first. Upgrading to version 11.0.5 and 11.1.0-next.3 is able to address this issue. The name of the patch is ba8da742e3b243e8f43d4c63aa842b44e14f2b09. It is recommended to upgrade the affected component.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2021-4231> for details

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.400000095367432)
- CVSS:3.1/AV:N/AC:L/PR:L/UI:R/S:C/C:L/I:L/A:N

References:

- OSSINDEX - [\[CVE-2021-4231\] CWE-79: Improper Neutralization of Input During Web Page Generation \('Cross-site Scripting'\)](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2021-4231>
- OSSIndex - <https://github.com/angular/angular/pull/40136>
- OSSIndex - <https://github.com/angular/angular/pull/40525>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.npm:angular:1.8.3:*.~*.~*.~*.~*~*

CVE-2023-26116 (OSSINDEX) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.300000190734863)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:

- OSSINDEX - [\[CVE-2023-26116\] CWE-1333](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2023-26116>
- OSSIndex - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- OSSIndex - <https://stackblitz.com/edit/angularjs-vulnerability-angular-copy-redos?file=index.js>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.npm:angular:1.8.3:*.~*.~*.~*.~*~*

CVE-2023-26118 (OSSINDEX) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2023-26118> for details

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.300000190734863)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:

- OSSINDEX - [\[CVE-2023-26118\] CWE-1333](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2023-26118>
- OSSIndex - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- OSSIndex - <https://stackblitz.com/edit/angularjs-vulnerability-inpur-url-validation-redos?file=index.js>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.npm:angular:1.8.3:****.*.*.*

remotegui.zip: angular.jar: angular.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/angular.js

MD5: e09f650a016c24bc1b5a1edc93bfbade

SHA1: 0f1f7445b761b9bbd5385f9f0b316dbf1ca48696

SHA256: fdca889e76f55fdee7ab661920f37ce19233563bf7f4ac8120f8ebc2ac768768

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value.
Note: 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:-:*:*:*:*:*

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:**This package is EOL and will not receive any updates to address this issue. Users should migrate to [@angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:node.js:*:* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2qqx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here <https://docs.angularjs.org/misc/version-support-status> .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:*:*:*:*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:*:*:*:*

CVE-2024-8373 suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqgm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions up to (excluding) 1.9.6

CVE-2025-2336 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/bNGYaxX/412a3a4218387479898912f60c269c6c>
- info - <https://github.com/advisories/GHSA-4p4w-6hg8-63wx>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-2336>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-2336>

Vulnerable Software & Versions (RETIREJS):

CVE-2025-4690 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77>
- info - <https://github.com/advisories/GHSA-hfff-63hg-f47j>
- info - <https://github.com/angular/angular.js>

- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-4690>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-4690>

Vulnerable Software & Versions (RETIREJS):

CVE-2025-0716 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915>
- info - <https://github.com/advisories/GHSA-j58c-ww9w-pwp5>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-0716>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-0716>

Vulnerable Software & Versions (RETIREJS):

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: angular.jar: angular.min.js

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular.jar
/META-INF/resources/webjars/angular/1.8.3/angular.min.js
MD5: 967a32633fa8f38f4ac3376c1a37b992
SHA1: b53b74d8e0b732dcdb98f521146b88299ea2f1
SHA256: 396dc1a03d6cc02e9c51a80246e0db53c5c8df9bd07287e3b51bce4a29dab355
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities



[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value. **Note:** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:*:*:*:*:*

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [@angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>

- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:node.js:* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2qgx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here <https://docs.angularjs.org/misc/version-support-status> .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:*:*:*:*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:*:*:*:*

CVE-2024-8373 suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions up to (excluding) 1.9.6

CVE-2025-2336 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/bNGYaXx/412a3a4218387479898912f60c269c6c>
- info - <https://github.com/advisories/GHSA-4p4w-6hg8-63wx>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-2336>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-2336>

Vulnerable Software & Versions (RETIREJS):

CVE-2025-4690 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77>
- info - <https://github.com/advisories/GHSA-hfff-63hg-f47j>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-4690>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-4690>

Vulnerable Software & Versions (RETIREJS):

CVE-2025-0716 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915>
- info - <https://github.com/advisories/GHSA-j58c-ww9w-pwp5>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-0716>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-0716>

Vulnerable Software & Versions (RETIREJS):

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: jquery.jar

Description:

WebJar for jQuery

License:

MIT License: <https://github.com/jquery/jquery/blob/master/MIT-LICENSE.txt>

File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/jquery.jar

MD5: 4af65e569248d8a2411f66498d720280

SHA1: c3dc40b1b5f24c56afa36fd9a463bb9f378ac4ab

SHA256: de28c4da0ea9f16101352dd3582ec8021ee5e2de5f45104ca171876003d54db6

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jquery	High
Vendor	pom	artifactid	jquery	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	jquery	High
Vendor	pom	url	http://webjars.org	Highest
Product	file	name	jquery	High
Product	pom	artifactid	jquery	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	jquery	High
Product	pom	url	http://webjars.org	Medium
Version	pom	version	2.2.4	Highest

Suppressed Identifiers

- None

Suppressed Vulnerabilities

CVE-2016-10707 (OSSINDEX) suppressed

jquery - Uncontrolled Resource Consumption

The software does not properly restrict the size or amount of resources that are requested or influenced by an actor, which can be used to consume more resources than intended.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2016-10707> for details

CWE-400 Uncontrolled Resource Consumption

Notes: file name: remotegui.jar: jquery.min.js - We can not yet upgrade to a newer version due to dependencies. We do, however, not directly use the functionality that is being CVEd

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

References:

- OSSINDEX - [\[CVE-2016-10707\] CWE-400: Uncontrolled Resource Consumption \('Resource Exhaustion'\)](#)
- OSSIndex - <https://github.com/advisories/GHSA-mhpp-875w-9cpv>
- OSSIndex - <https://github.com/jquery/jquery/issues/3133>
- OSSIndex - <https://github.com/jquery/jquery/issues/3371>
- OSSIndex - <https://github.com/jquery/jquery/pull/2916>
- OSSIndex - <https://github.com/jquery/jquery/pull/3134>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars:jquery:2.2.4:*:*:*:*:*

CVE-2019-11358 (OSSINDEX) suppressed

jQuery before 3.4.0, as used in Drupal, Backdrop CMS, and other products, mishandles jQuery.extend(true, {}, ...) because of Object.prototype pollution. If an unsanitized source object contained an enumerable __proto__ property, it could extend the native Object.prototype.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2019-11358> for details

CWE-1321 Improperly Controlled Modification of Object Prototype Attributes ('Prototype Pollution')

Notes: file name: remotegui.jar: jquery.min.js - We can not yet upgrade to a newer version due to dependencies. We do, however, not directly use the functionality that is being CVEd

CVSSv3:

- MEDIUM (6.0999999904632568)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- OSSINDEX - [\[CVE-2019-11358\] CWE-1321](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2019-11358>
- OSSIndex - <https://blog.jquery.com/2019/04/10/jquery-3-4-0-released/>
- OSSIndex - <https://github.com/cbeust/testng/issues/2150>
- OSSIndex - <https://github.com/jquery/jquery/pull/4333>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars:jquery:2.2.4:*:*:*:*:*

CVE-2020-11023 (OSSINDEX) suppressed

In jQuery versions greater than or equal to 1.0.3 and before 3.5.0, passing HTML containing <option> elements from untrusted sources - even after sanitizing it - to one of jQuery's DOM manipulation methods (i.e. .html(), .append(), and others) may execute untrusted code. This problem is patched in jQuery 3.5.0.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: file name: remotegui.jar: jquery.min.js - We can not yet upgrade to a newer version due to dependencies. We do, however, not directly use the functionality that is being CVEd

CVSSv3:

- MEDIUM (6.0999999904632568)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- OSSINDEX - [\[CVE-2020-11023\] CWE-79: Improper Neutralization of Input During Web Page Generation \('Cross-site Scripting'\)](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2020-11023>
- OSSIndex - <https://github.com/advisories/GHSA-jpcq-cgw6-v4j6>
- OSSIndex - <https://jquery.com/upgrade-guide/3.5/>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars:jquery:2.2.4:*:*:*:*:*

This report contains data retrieved from the [National Vulnerability Database](#).

This report may contain data retrieved from the [CISA Known Exploited Vulnerability Catalog](#).

This report may contain data retrieved from the [Github Advisory Database \(via NPM Audit API\)](#).

This report may contain data retrieved from [RetireJS](#).

This report may contain data retrieved from the [Sonatype OSS Index](#).