Dependency-Check is an open source tool performing a best effort analysis of 3rd party dependencies; false positives and false negatives may exist in the analysis performed by the tool. Use of the tool and the reporting provided constitutes acceptance for use in an AS IS condition, and there are NO warranties, implied or otherwise, with regard to the analysis or its use. Any use of the tool and the reporting provided is at the user's risk. In no event shall the copyright holder or OWASP be held liable for any damages whatsoever arising out of or in connection with the use of this tool, the analysis performed, or the resulting report.

How to read the report | Suppressing false positives | Getting Help: github issues

Sponsor

# Project: project ':server'

**helpdesk:server:25.10**

Scan Information (show all):

- *dependency-check version*: 10.0.3
- *Report Generated On*: Mon, 1 Dec 2025 16:02:36 +0100
- *Dependencies Scanned*: 1551 (1485 unique)
- *Vulnerable Dependencies*: 0
- *Vulnerabilities Found*: 0
- *Vulnerabilities Suppressed*: 104 (show)
- ...
- *NVD API Last Checked*: 2025-12-01T14:59:23Z
- *NVD API Last Modified*: 2024-09-18T11:15:10Z
- *NVD Cache Last Checked*: 2025-12-01T14:59:23Z
- *NVD Cache Last Modified*: 2024-09-18T11:15:10Z

## Summary

Display: Showing Vulnerable Dependencies (click to show all)

| Dependency | Vulnerability IDs | Package | Highest S |
|---|---|---|---|
| BarcodePDF417Bean.jar | | | |
| JBarcodeBean.jar | | | |
| Merlia-0.jar | | pkg:maven/lib/Merlia@0 | |
| Merlia.jar | | | |
| Oranxo.jar | | | |
| ZxingBarCodes.jar | | | |
| adhoc.zip: adhoc-javadoc.jar | | | |
| adhoc.zip: adhoc-javadoc.jar: jquery-3.7.1.min.js | | | |
| adhoc.zip: adhoc-javadoc.jar: jquery-ui.min.js | | | |
| adhoc.zip: adhoc-javadoc.jar: member-search-index.js | | | |
| adhoc.zip: adhoc-javadoc.jar: module-search-index.js | | | |

| | | | |
|---|---|---|---|
| adhoc.zip: adhoc-javadoc.jar: package-search-index.js | | | |
| adhoc.zip: adhoc-javadoc.jar: script.js | | | |
| adhoc.zip: adhoc-javadoc.jar: search.js | | | |
| adhoc.zip: adhoc-javadoc.jar: tag-search-index.js | | | |
| adhoc.zip: adhoc-javadoc.jar: type-search-index.js | | | |
| adhoc.zip: adhoc.jar | | | |
| adhoc.zip: adhoc.jar: adhoc.ai.panel.js | | | |
| adhoc.zip: adhoc.jar: adhoc.chartresizeobserver.js | | | |
| adhoc.zip: adhoc.jar: adhoc.componentresizeobserver.js | | | |
| adhoc.zip: adhoc.jar: adhoc.openfiledropzone.js | | | |
| adhoc.zip: adhoc.jar: adhoc.pageheadertoolbar.js | | | |
| adhoc.zip: adhoc.jar: adhoc.reportcomponentview.js | | | |
| adhoc.zip: adhoc.jar: adhoc.reportpropertiesarea.js | | | |
| adhoc.zip: adhoc.jar: adhoc.reportproperty.js | | | |
| adhoc.zip: adhoc.jar: adhoc.reportproperty.printconverter.js | | | |
| adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.access.js | | | |
| adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.boolean.js | | | |
| adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.color.js | | | |
| adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.colorscheme.js | | | |
| adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.columns.js | | | |
| adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.filter.js | | | |
| adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.image.select.js | | | |
| adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.logo.js | | | |
| adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.select.js | | | |
| adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.slider.js | | | |
| adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.source.js | | | |
| adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.templatesource.js | | | |
| adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer. | | | |

| | | | |
|---|---|---|---|
| text.js | | | |
| adhoc.zip: adhoc.jar: adhoc.reportview.js | | | |
| adhoc.zip: adhoc.jar: adhoc.toolbar.js | | | |
| adhoc.zip: adhoc.jar: adhoccontroller.js | | | |
| adhoc.zip: adhoc.jar: adhocfactory.js | | | |
| adhoc.zip: adhoc.jar: adhocmodel.js | | | |
| adhoc.zip: adhoc.jar: configuration.adhoc.templates.edit.js | | | |
| adhoc.zip: adhoc.jar: configuration.adhoc.templates.js | | | |
| adhoc.zip: adhoc.jar: configuration.adhoc.themes.edit.js | | | |
| adhoc.zip: adhoc.jar: configuration.adhoc.themes.js | | | |
| adhoc.zip: echarts.jar | | pkg:maven/org.webjars.npm/echarts@6.0.0 | |
| adhoc.zip: echarts.jar: echarts.min.js | | | |
| ai.zip: ai.jar | | | |
| ai.zip: ai.jar: aiprovider_config.js | | | |
| ai.zip: jackson-core.jar | cpe:2.3:a:fasterxml:jackson-modules-java8:2.19.2:*:*:*:*:*:*:* | pkg:maven/com.fasterxml.jackson.core/jackson-core@2.19.2 | |
| ai.zip: jackson-databind.jar | cpe:2.3:a:fasterxml:jackson-databind:2.19.2:*:*:*:*:*:*:*<br>cpe:2.3:a:fasterxml:jackson-modules-java8:2.19.2:*:*:*:*:*:*:* | pkg:maven/com.fasterxml.jackson.core/jackson-databind@2.19.2 | |
| ai.zip: mcp.jar | | pkg:maven/io.modelcontextprotocol.sdk/mcp@0.10.0 | |
| ai.zip: reactive-streams.jar | | | |
| ai.zip: reactor-core.jar | | | |
| annotations-3.0.1.jar (shaded: com.google.code.findbugs:jsr305:3.0.1) | | pkg:maven/com.google.code.findbugs/jsr305@3.0.1 | |
| annotations-3.0.1.jar | | pkg:maven/com.google.code.findbugs/annotations@3.0.1 | |
| attachments.zip: attachments.jar | cpe:2.3:a:inetsoftware:helpdesk:25.10.259:*:*:*:*:*:*:* | | |
| authentication.pam.zip: authentication.pam.jar | | | |
| authentication.product.zip: authentication.product.jar | | | |
| authentication.windows.zip: authentication.windows.jar | | | |

| | | | |
|---|---|---|---|
| authentication.windows.zip: caffeine.jar | | | |
| authentication.windows.zip: jna-platform.jar | | | |
| authentication.windows.zip: waffle-jna-jakarta.jar | cpe:2.3:a:4d:4d:3.5.1:*:*:*:*:*:*:* | pkg:maven/com.github.waffle/waffle-jna-jakarta@3.5.1 | |
| autolinking.zip: autolinking.jar | cpe:2.3:a:inetsoftware:helpdesk:25.10.259:*:*:*:*:*:*:* | | |
| collaboration.zip: collaboration.jar | | | |
| commons-logging.jar | | pkg:maven/commons-logging/commons-logging@1.3.4 | |
| configuration.zip: configuration.jar | | | |
| configuration.zip: configuration.jar: authenticationItemRenderer.directive.js | | | |
| configuration.zip: configuration.jar: authenticationRenderer.directive.js | | | |
| configuration.zip: configuration.jar: boolean.directive.js | | | |
| configuration.zip: configuration.jar: booleanButton.directive.js | | | |
| configuration.zip: configuration.jar: colorInput.directive.js | | | |
| configuration.zip: configuration.jar: controller.js | | | |
| configuration.zip: configuration.jar: datafactory.js | | | |
| configuration.zip: configuration.jar: fileUploadRenderer.directive.js | | | |
| configuration.zip: configuration.jar: filesystemFileInputOrUpload.directive.js | | | |
| configuration.zip: configuration.jar: filesystemInputButton.directive.js | | | |
| configuration.zip: configuration.jar: filesystemInputDirectory.directive.js | | | |
| configuration.zip: configuration.jar: filesystemInputFile.directive.js | | | |
| configuration.zip: configuration.jar: iconDropRenderer.directive.js | | | |
| configuration.zip: configuration.jar: inlinerenderer.directive.js | | | |
| configuration.zip: configuration.jar: keyLabelText.directive.js | | | |
| configuration.zip: configuration.jar: labelLink.directive.js | | | |
| configuration.zip: configuration.jar: labelText.directive.js | | | |
| configuration.zip: configuration.jar: | | | |

| | | | |
|---|---|---|---|
| licenseKeyItemRenderer.directive.js | | | |
| configuration.zip: configuration.jar: licenseKeyRenderer.directive.js | | | |
| configuration.zip: configuration.jar: listItemRenderer.directive.js | | | |
| configuration.zip: configuration.jar: logopreview.directive.js | | | |
| configuration.zip: configuration.jar: multiLineCode.directive.js | | | |
| configuration.zip: configuration.jar: multiLineText.directive.js | | | |
| configuration.zip: configuration.jar: multiLingualTextRenderer.directive.js | | | |
| configuration.zip: configuration.jar: passwordText.directive.js | | | |
| configuration.zip: configuration.jar: reloadSelectInputsTrigger.directive.js | | | |
| configuration.zip: configuration.jar: renderer.directive.js | | | |
| configuration.zip: configuration.jar: repoDbRenderer.directive.js | | | |
| configuration.zip: configuration.jar: repoFsRenderer.directive.js | | | |
| configuration.zip: configuration.jar: repositoryItemRenderer.directive.js | | | |
| configuration.zip: configuration.jar: repositoryRenderer.directive.js | | | |
| configuration.zip: configuration.jar: selectEditText.directive.js | | | |
| configuration.zip: configuration.jar: selectFilteredText.directive.js | | | |
| configuration.zip: configuration.jar: selectLanguageChooserRenderer.directive.js | | | |
| configuration.zip: configuration.jar: selectSimpleText.directive.js | | | |
| configuration.zip: configuration.jar: simpleDate.directive.js | | | |
| configuration.zip: configuration.jar: simpleSlider.directive.js | | | |
| configuration.zip: configuration.jar: simpleText.directive.js | | | |
| configuration.zip: configuration.jar: tableRenderer.directive.js | | | |
| configuration.zip: configuration.jar: treeRenderer.directive.js | | | |
| configuration.zip: configuration.jar: usersandgroupsselect.directive.js | | | |

| | | | |
|---|---|---|---|
| core.jar | | pkg:maven/com.google.zxing/core@3.5.3 | |
| cowork.tickets.zip: cowork.tickets.jar | cpe:2.3:a:tickets_project:tickets:25.10.259:*:*:*:*:*:*:* | | |
| cowork.tickets.zip: cowork.tickets.jar: coworkchatextension.js | | | |
| cowork.zip: cowork-javadoc.jar | | | |
| cowork.zip: cowork-javadoc.jar: member-search-index.js | | | |
| cowork.zip: cowork-javadoc.jar: package-search-index.js | | | |
| cowork.zip: cowork-javadoc.jar: type-search-index.js | | | |
| cowork.zip: cowork.jar | | | |
| cowork.zip: cowork.jar: MessageCreationChart.js | | | |
| cowork.zip: cowork.jar: cowork.diagnostics.js | | | |
| cowork.zip: cowork.jar: coworkcomponents.js | | | |
| cowork.zip: cowork.jar: coworkcontroller.js | | | |
| cowork.zip: cowork.jar: coworkconversation.js | | | |
| cowork.zip: cowork.jar: coworkfactory.js | | | |
| cowork.zip: cowork.jar: coworkinputbox.js | | | |
| cowork.zip: cowork.jar: coworkmodel.js | | | |
| cowork.zip: cowork.jar: coworksettingscontroller.js | | | |
| cowork.zip: cowork.jar: inetmarkdown.js | | | |
| cowork.zip: cowork.jar: showreactionscontroller.js | | | |
| cowork.zip: cowork.jar: teamsettingscontroller.js | | | |
| dataimport.zip: dataimport.jar | cpe:2.3:a:inetsoftware:helpdesk:25.10.259:*:*:*:*:*:*:* | | |
| dataimport.zip: dataimport.jar: actionsBar.directive.js | | | |
| dataimport.zip: dataimport.jar: checkbox.directive.js | | | |
| dataimport.zip: dataimport.jar: controller.js | | | |
| dataimport.zip: dataimport.jar: deviceDataImport.directive.js | | | |
| dataimport.zip: dataimport.jar: filtereablevalueselection.directive.js | | | |
| dataimport.zip: dataimport.jar: importfactory.js | | | |
| dataimport.zip: dataimport.jar: importjob.directive.js | | | |
| dataimport.zip: dataimport.jar: itemRenderer.directive.js | | | |

| | | | |
|---|---|---|---|
| dataimport.zip: dataimport.jar: userDataImport.directive.js | | | |
| diagnostics.reporting.zip: diagnostics.reporting.jar | | | |
| diagnostics.reporting.zip: diagnostics.reporting.jar: connectionPool.js | | | |
| diagnostics.reporting.zip: diagnostics.reporting.jar: reportcache.js | | | |
| diagnostics.reporting.zip: diagnostics.reporting.jar: server-datasource.js | | | |
| diagnostics.zip: diagnostics.jar | | | |
| diagnostics.zip: diagnostics.jar: MemoryPieChart.js | | | |
| diagnostics.zip: diagnostics.jar: MemoryUsageChart.js | | | |
| diagnostics.zip: diagnostics.jar: WebServerErrorChart.js | | | |
| diagnostics.zip: diagnostics.jar: benchmarkCtrl.js | | | |
| diagnostics.zip: diagnostics.jar: client-server.js | | | |
| diagnostics.zip: diagnostics.jar: controller.js | | | |
| diagnostics.zip: diagnostics.jar: cpu.js | | | |
| diagnostics.zip: diagnostics.jar: cpuspeed.js | | | |
| diagnostics.zip: diagnostics.jar: directives.js | | | |
| diagnostics.zip: diagnostics.jar: errorHistoryChart.js | | | |
| diagnostics.zip: diagnostics.jar: flotr2.min.js | | | |
| diagnostics.zip: diagnostics.jar: global.js | | | |
| diagnostics.zip: diagnostics.jar: harddisk.js | | | |
| diagnostics.zip: diagnostics.jar: heapdumpCtrl.js | | | |
| diagnostics.zip: diagnostics.jar: informationCtrl.js | | | |
| diagnostics.zip: diagnostics.jar: intArrayUtils.js | | | |
| diagnostics.zip: diagnostics.jar: iospeed.js | | | |
| diagnostics.zip: diagnostics.jar: jobs.js | | | |
| diagnostics.zip: diagnostics.jar: logging.js | | | |
| diagnostics.zip: diagnostics.jar: memory.js | | | |
| diagnostics.zip: diagnostics.jar: overviewCtrl.js | | | |
| diagnostics.zip: diagnostics.jar: pde.diagnostics.js | | | |
| diagnostics.zip: diagnostics.jar: timeformat.js | | | |
| drive.zip: commons-compress.jar | cpe:2.3:a:apache:commons_compress:1.27.1:*:*:*:*:*:*:* | pkg:maven/org.apache.commons/commons-compress@1.27.1 | |
| drive.zip: commons-io.jar | cpe:2.3:a:apache:commons_io:2.18.0:*:*: | pkg:maven/commons-io | |

| | *:*:*:*:* | /commons-io@2.18.0 | |
|---|---|---|---|
| drive.zip: drive.jar | | | |
| drive.zip: drive.jar: actions.js | | | |
| drive.zip: drive.jar: actions.service.js | | | |
| drive.zip: drive.jar: contentextension.js | | | |
| drive.zip: drive.jar: controller.js | | | |
| drive.zip: drive.jar: drivecleanup.js | | | |
| drive.zip: drive.jar: drivecontroller.js | | | |
| drive.zip: drive.jar: drivefactory.js | | | |
| drive.zip: drive.jar: drivemodel.js | | | |
| drive.zip: drive.jar: dropzone.directive.js | | | |
| drive.zip: drive.jar: entryactions.directive.js | | | |
| drive.zip: drive.jar: fileconfig.directive.js | | | |
| drive.zip: drive.jar: folderlist.directive.js | | | |
| drive.zip: drive.jar: linkdialog.js | | | |
| drive.zip: drive.jar: locationchooser.js | | | |
| drive.zip: drive.jar: mountdialog.js | | | |
| drive.zip: drive.jar: myshareextension.js | | | |
| drive.zip: drive.jar: permissionsextension.js | | | |
| drive.zip: drive.jar: progress.service.js | | | |
| drive.zip: drive.jar: progresspanel.directive.js | | | |
| drive.zip: drive.jar: resolve.service.js | | | |
| drive.zip: drive.jar: responsivetoolbar.directive.js | | | |
| drive.zip: drive.jar: selectedextension.js | | | |
| drive.zip: drive.jar: shareextension.js | | | |
| drive.zip: drive.jar: shareextension.js | | | |
| drive.zip: drive.jar: thumbnailextension.js | | | |
| drive.zip: drive.jar: toolbaraction.directive.js | | | |
| drive.zip: drive.jar: unzipextension.js | | | |
| drive.zip: drive.jar: zipextension.js | | | |
| exceljconnect.jar | | | |
| fieldsettings.zip: fieldsettings.jar | | | |
| fieldsettings.zip: fieldsettings.jar: FieldSettingsPropertyRenderer.js | | | |
| fieldsettings.zip: fieldsettings.jar: UserFieldSettingsPropertyRenderer.js | | | |

| | | | |
|---|---|---|---|
| hamcrest-3.0.jar | | pkg:maven/org.hamcrest/hamcrest@3.0 | |
| help.zip: commons-beanutils.jar | cpe:2.3:a:apache:commons_beanutils:1.11.0:*:*:*:*:*:*:* | pkg:maven/commons-beanutils/commons-beanutils@1.11.0 | |
| help.zip: commons-digester3.jar | | pkg:maven/org.apache.commons/commons-digester3@3.2 | |
| help.zip: help.jar | | | |
| help.zip: help.jar: app.js | | | |
| help.zip: help.jar: controller.js | | | |
| help.zip: help.jar: shared.factory.js | | | |
| help.zip: help.jar: shared.highlighter.js | | | |
| help.zip: jsoup.jar | cpe:2.3:a:jsoup:jsoup:1.18.3:*:*:*:*:*:*:* | pkg:maven/org.jsoup/jsoup@1.18.3 | |
| helpdesk.forms.zip: helpdesk.forms.jar | cpe:2.3:a:inetsoftware:helpdesk:25.10.259:*:*:*:*:*:*:* | | |
| helpdesk.forms.zip: helpdesk.forms.jar: FormInterceptor.service.js | | | |
| helpdesk.forms.zip: helpdesk.forms.jar: configuration.ticketforms.edit.js | | | |
| helpdesk.forms.zip: helpdesk.forms.jar: configuration.ticketforms.js | | | |
| helpdesk.forms.zip: helpdesk.forms.jar: editFormField.js | | | |
| helpdesk.forms.zip: helpdesk.forms.jar: fieldrenderer.js | | | |
| helpdesk.forms.zip: helpdesk.forms.jar: fieldrenderer_conditionValue.js | | | |
| helpdesk.forms.zip: helpdesk.forms.jar: fieldrenderer_defaultValue.js | | | |
| helpdesk.forms.zip: helpdesk.forms.jar: folderPermissionsDisplay.js | | | |
| helpdesk.forms.zip: helpdesk.forms.jar: formExecution.js | | | |
| helpdesk.forms.zip: helpdesk.forms.jar: formHandlingService.js | | | |
| helpdesk.forms.zip: helpdesk.forms.jar: formfields.js | | | |
| helpdesk.forms.zip: helpdesk.forms.jar: formicondropzone.js | | | |
| helpdesk.forms.zip: helpdesk.forms.jar: formmetadata.js | | | |
| helpdesk.forms.zip: helpdesk.forms.jar: formrenderer.js | | | |

| | | | |
|---|---|---|---|
| helpdesk.forms.zip: helpdesk.forms.jar: formsections.js | | | |
| helpdesk.forms.zip: helpdesk.forms.jar: sectionid.js | | | |
| helpdesk.forms.zip: helpdesk.forms.jar: ticketPreviewSettings.js | | | |
| helpdesk.forms.zip: helpdesk.forms.jar: ticketformsfactory.js | | | |
| helpdesk.forms.zip: helpdesk.forms.jar: ticketformsmodel.js | | | |
| helpdesk.forms.zip: helpdesk.forms.jar: ticketlist.form.controller.js | | | |
| helpdesk.forms.zip: helpdesk.forms.jar: ticketlist.form.extension.js | | | |
| helpdesk.zip: helpdesk.jar | cpe:2.3:a:inetsoftware:helpdesk:25.10.259:*:*:*:*:*:*:* | | |
| helpdesk.zip: helpdesk.jar: TicketFieldSettingsPropertyRenderer.js | | | |
| helpdesk.zip: helpdesk.jar: aiworkingpanel.js | | | |
| helpdesk.zip: helpdesk.jar: attachmentdisplay.js | | | |
| helpdesk.zip: helpdesk.jar: configuration.autotext.edit.js | | | |
| helpdesk.zip: helpdesk.jar: configuration.autotext.js | | | |
| helpdesk.zip: helpdesk.jar: configuration.mailtemplates.edit.js | | | |
| helpdesk.zip: helpdesk.jar: configuration.mailtemplates.js | | | |
| helpdesk.zip: helpdesk.jar: effectiveactionscontroller.js | | | |
| helpdesk.zip: helpdesk.jar: helpdeskconfig.js | | | |
| helpdesk.zip: helpdesk.jar: predeletionhandler.js | | | |
| helpdesk.zip: helpdesk.jar: promptuserselectrenderer.js | | | |
| helpdesk.zip: helpdesk.jar: renderer.js | | | |
| helpdesk.zip: helpdesk.jar: setdefaultguipreferencesaction.js | | | |
| helpdesk.zip: helpdesk.jar: usersandgroupsreports.js | | | |
| helpdesk.zip: rhino.jar | | | |
| helpdesksetupwizard.zip: helpdesksetupwizard.jar | cpe:2.3:a:inetsoftware:helpdesk:25.10.259:*:*:*:*:*:*:* | | |
| helpdesksetupwizard.zip: helpdesksetupwizard.jar: controller.js | | | |
| htmlengine.zip: JWebEngine.jar | | | |
| htmlengine.zip: htmlengine.jar | | | |
| htmlviewer.toolbar.zip: htmlviewer.toolbar.jar | | | |

| | | | |
|---|---|---|---|
| htmlviewer.toolbar.zip: htmlviewer.toolbar.jar: htmlviewer.angular.js | | | |
| inetcore-25.10-tools.jar | | pkg:maven/shared/inetcore@25.10 | |
| inetcore-25.10.jar (shaded: com.inet.shared:inetcore: null) | | | |
| inetcore-25.10.jar | | pkg:maven/shared/inetcore@25.10 | |
| inetloggeradapter.jar | | | |
| inventory.zip: inventory.jar | cpe:2.3:a:inetsoftware:helpdesk:25.10.259:*:*:*:*:*:*:* | | |
| inventory.zip: inventory.jar: genericfieldrenderer.js | | | |
| inventory.zip: inventory.jar: inventory.3drenderer.directive.js | | | |
| inventory.zip: inventory.jar: inventory.3dview.directive.js | | | |
| inventory.zip: inventory.jar: inventory.asset3d.directive.js | | | |
| inventory.zip: inventory.jar: inventory.assetdetailsform.directive.js | | | |
| inventory.zip: inventory.jar: inventory.assetimage.directive.js | | | |
| inventory.zip: inventory.jar: inventory.assetimagehover.directive.js | | | |
| inventory.zip: inventory.jar: inventory.assetmenu.directive.js | | | |
| inventory.zip: inventory.jar: inventory.default3dbox.directive.js | | | |
| inventory.zip: inventory.jar: inventory.devicefieldrenderer.directive.js | | | |
| inventory.zip: inventory.jar: inventory.devicefieldrendererercurrency.directive.js | | | |
| inventory.zip: inventory.jar: inventory.devicefieldrendererdatetime.directive.js | | | |
| inventory.zip: inventory.jar: inventory.devicefieldrendererlink.directive.js | | | |
| inventory.zip: inventory.jar: inventory.devicefieldrendererselect.directive.js | | | |
| inventory.zip: inventory.jar: inventory.devicefieldrenderertime.directive.js | | | |
| inventory.zip: inventory.jar: inventory.devicefieldrendereruser.directive.js | | | |
| inventory.zip: inventory.jar: inventory.deviceimagerenderer.directive.js | | | |
| inventory.zip: inventory.jar: inventory.editproperties. | | | |

| | | | |
|---|---|---|---|
| controller.js | | | |
| inventory.zip: inventory.jar: inventory.editproperties.directive.js | | | |
| inventory.zip: inventory.jar: inventory.fieldgroup.filter.js | | | |
| inventory.zip: inventory.jar: inventory.inventoryattachmentcontent.directive.js | | | |
| inventory.zip: inventory.jar: inventory.inventoryattachments.directive.js | | | |
| inventory.zip: inventory.jar: inventory.invoicepaper.directive.js | | | |
| inventory.zip: inventory.jar: inventory.lazydetailfields.directive.js | | | |
| inventory.zip: inventory.jar: inventory.levelslider.directive.js | | | |
| inventory.zip: inventory.jar: inventory.licensepaper.directive.js | | | |
| inventory.zip: inventory.jar: inventory.listview.directive.js | | | |
| inventory.zip: inventory.jar: inventory.listviewrow.directive.js | | | |
| inventory.zip: inventory.jar: inventory.locationbox.directive.js | | | |
| inventory.zip: inventory.jar: inventory.roombox.directive.js | | | |
| inventory.zip: inventory.jar: inventory.slapaper.directive.js | | | |
| inventory.zip: inventory.jar: inventory.structuretoolbar.directive.js | | | |
| inventory.zip: inventory.jar: inventory.structureview.directive.js | | | |
| inventory.zip: inventory.jar: inventory.tile.directive.js | | | |
| inventory.zip: inventory.jar: inventory.tilelane.directive.js | | | |
| inventory.zip: inventory.jar: inventory.tileview.directive.js | | | |
| inventory.zip: inventory.jar: inventory.treegrouping.directive.js | | | |
| inventory.zip: inventory.jar: inventory.typehandheld.directive.js | | | |
| inventory.zip: inventory.jar: inventory.usertable.directive.js | | | |
| inventory.zip: inventory.jar: inventorycontroller.js | | | |
| inventory.zip: inventory.jar: inventoryextension.assetpreview.directive.js | | | |
| inventory.zip: inventory.jar: inventoryextension. | | | |

| | | | |
|---|---|---|---|
| detailscontroller.js | | | |
| inventory.zip: inventory.jar: inventoryextension.js | | | |
| inventory.zip: inventory.jar: inventoryextension.treenode.directive.js | | | |
| inventory.zip: inventory.jar: inventoryfactory.js | | | |
| inventory.zip: inventory.jar: inventorymodel.js | | | |
| inventory.zip: inventory.jar: inventoryticketpagefactory.js | | | |
| inventory.zip: inventory.jar: printinventory.js | | | |
| inventory.zip: inventory.jar: resizeableColumn.js | | | |
| inventory.zip: inventory.jar: treegroupingsettings.js | | | |
| jakarta.servlet-api.jar | cpe:2.3:a:oracle:projects:6.1.0:*:*:*:*:*:*:* | pkg:maven/jakarta.servlet/jakarta.servlet-api@6.1.0 | |
| jakarta.websocket-api.jar | | pkg:maven/jakarta.websocket/jakarta.websocket-api@2.2.0 | |
| jakarta.websocket-client-api.jar | cpe:2.3:a:web_project:web:2.2.0:*:*:*:*:*:*:* | pkg:maven/jakarta.websocket/jakarta.websocket-client-api@2.2.0 | |
| java-21-jre-x64-linux.tar.gz: java-21-jre-x64-linux.tar: jrt-fs.jar | cpe:2.3:a:eclipse:platform:21.0.9:*:*:*:*:*:*:* | | |
| javase.jar | | pkg:maven/com.google.zxing/javase@3.5.3 | |
| jcip-annotations-1.0.jar | | pkg:maven/net.jcip/jcip-annotations@1.0 | |
| jlessc-1.14.jar | | pkg:maven/de.inetsoftware/jlessc@1.14 | |
| jna.jar | cpe:2.3:a:oracle:java_se:5.14.0:*:*:*:*:*:*:* | | |
| jna.jar: jnidispatch.dll | | | |
| jna.jar: jnidispatch.dll | | | |
| jna.jar: jnidispatch.dll | | | |
| jsr305-3.0.2.jar | | pkg:maven/com.google.code.findbugs/jsr305@3.0.2 | |
| junit-4.13.2.jar | cpe:2.3:a:junit:junit4:4.13.2:*:*:*:*:*:*:* | pkg:maven/junit/junit@4.13.2 | |
| junit-jupiter-5.13.4.jar | | pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4 | |

| | | | |
|---|---|---|---|
| junit-jupiter-api-5.13.4.jar | | pkg:maven/org.junit.jupiter/junit-jupiter-api@5.13.4 | |
| junit-jupiter-engine-5.13.4.jar | | pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4 | |
| junit-jupiter-params-5.13.4.jar | | pkg:maven/org.junit.jupiter/junit-jupiter-params@5.13.4 | |
| junit-platform-commons-1.13.4.jar | | pkg:maven/org.junit.platform/junit-platform-commons@1.13.4 | |
| junit-platform-engine-1.13.4.jar | | pkg:maven/org.junit.platform/junit-platform-engine@1.13.4 | |
| junit-platform-launcher-1.13.4.jar | | pkg:maven/org.junit.platform/junit-platform-launcher@1.13.4 | |
| junit-platform-suite-1.13.4.jar | | pkg:maven/org.junit.platform/junit-platform-suite@1.13.4 | |
| junit-platform-suite-api-1.13.4.jar | | pkg:maven/org.junit.platform/junit-platform-suite-api@1.13.4 | |
| junit-platform-suite-commons-1.13.4.jar | | pkg:maven/org.junit.platform/junit-platform-suite-commons@1.13.4 | |
| junit-platform-suite-engine-1.13.4.jar | | pkg:maven/org.junit.platform/junit-platform-suite-engine@1.13.4 | |
| junit-vintage-engine-5.13.4.jar | | pkg:maven/org.junit.vintage/junit-vintage-engine@5.13.4 | |
| knowledgebase.zip: knowledgebase.jar | cpe:2.3:a:inetsoftware:helpdesk:25.10.259:*:*:*:*:*:*:* | | |
| knowledgebase.zip: knowledgebase.jar: controllerArticleDetails.js | | | |
| knowledgebase.zip: knowledgebase.jar: controllerArticleDialog.js | | | |
| knowledgebase.zip: knowledgebase.jar: controllerArticleEditDialog.js | | | |
| knowledgebase.zip: knowledgebase.jar: controllerKnowledgeBase.js | | | |
| knowledgebase.zip: knowledgebase.jar: fuzzysearcharticleextension.js | | | |

| | | | |
|---|---|---|---|
| knowledgebase.zip: knowledgebase.jar: knowledgeBaseFactory.js | | | |
| knowledgebase.zip: knowledgebase.jar: ticketlist.extension.js | | | |
| livesupport.zip: livesupport.jar | cpe:2.3:a:inetsoftware:helpdesk:25.10.259:*:*:*:*:*:*:* | | |
| livesupport.zip: livesupport.jar: attachments.js | | | |
| livesupport.zip: livesupport.jar: connections.js | | | |
| livesupport.zip: livesupport.jar: controller.js | | | |
| livesupport.zip: livesupport.jar: dragging.js | | | |
| livesupport.zip: livesupport.jar: events.js | | | |
| livesupport.zip: livesupport.jar: fetch-promise.min.js | | | |
| livesupport.zip: livesupport.jar: i18n.js | | | |
| livesupport.zip: livesupport.jar: lazy-load.js | | | |
| livesupport.zip: livesupport.jar: prototype.array.js | | | |
| livesupport.zip: livesupport.jar: prototype.element.js | | | |
| livesupport.zip: livesupport.jar: ui-components.js | | | |
| mail.zip: angus-activation.jar | | pkg:maven/org.eclipse.angus/angus-activation@2.0.3 | |
| mail.zip: angus-mail.jar (shaded: org.eclipse.angus:angus-core:2.0.4) | | pkg:maven/org.eclipse.angus/angus-core@2.0.4 | |
| mail.zip: angus-mail.jar (shaded: org.eclipse.angus:imap:2.0.4) | | pkg:maven/org.eclipse.angus/imap@2.0.4 | |
| mail.zip: angus-mail.jar (shaded: org.eclipse.angus:logging-mailhandler:2.0.4) | | pkg:maven/org.eclipse.angus/logging-mailhandler@2.0.4 | |
| mail.zip: angus-mail.jar (shaded: org.eclipse.angus:pop3:2.0.4) | | pkg:maven/org.eclipse.angus/pop3@2.0.4 | |
| mail.zip: angus-mail.jar (shaded: org.eclipse.angus:smtp:2.0.4) | | pkg:maven/org.eclipse.angus/smtp@2.0.4 | |
| mail.zip: angus-mail.jar | | pkg:maven/org.eclipse.angus/angus-mail@2.0.4 | |
| mail.zip: bc-fips.jar | cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.1.2:*:*:*:*:*:*:* | | |
| mail.zip: bcjmail-fips.jar | cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.1.6:*:*:*:*:*:*:* | | |

| | | | |
|---|---|---|---|
| mail.zip: bcpg-fips.jar | cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.1.11:*:*:*:*:*:*:* cpe:2.3:a:openpgp:openpgp:2.1.11:*:*:*:*:*:*:* | | |
| mail.zip: bcpkix-fips.jar | cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.1.10:*:*:*:*:*:*:* | | |
| mail.zip: bcutil-fips.jar | cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.1.5:*:*:*:*:*:*:* | | |
| mail.zip: jakarta.activation-api.jar | | pkg:maven/jakarta.activation/jakarta.activation-api@2.1.3 | |
| mail.zip: jakarta.mail-api.jar | | pkg:maven/jakarta.mail/jakarta.mail-api@2.1.3 | |
| mail.zip: mail.jar | | | |
| mail.zip: mail.jar: smimeconfig.js | | | |
| maintenance.helpdesk.zip: maintenance.helpdesk.jar | cpe:2.3:a:inetsoftware:helpdesk:25.10.259:*:*:*:*:*:*:* | | |
| maintenance.helpdesk.zip: maintenance.helpdesk.jar: app.js | | | |
| maintenance.helpdesk.zip: maintenance.helpdesk.jar: datacare.js | | | |
| maintenance.helpdesk.zip: maintenance.helpdesk.jar: dbmigration.js | | | |
| maintenance.helpdesk.zip: maintenance.helpdesk.jar: loginmodification.js | | | |
| maintenance.reporting.zip: maintenance.reporting.jar | | | |
| maintenance.zip: maintenance-javadoc.jar | | | |
| maintenance.zip: maintenance-javadoc.jar: member-search-index.js | | | |
| maintenance.zip: maintenance-javadoc.jar: package-search-index.js | | | |
| maintenance.zip: maintenance-javadoc.jar: tag-search-index.js | | | |
| maintenance.zip: maintenance-javadoc.jar: type-search-index.js | | | |
| maintenance.zip: maintenance.jar | | | |
| maintenance.zip: maintenance.jar: controller.js | | | |
| maintenance.zip: maintenance.jar: controller.js | | | |
| maintenance.zip: maintenance.jar: controller.js | | | |
| maintenance.zip: maintenance.jar: controller.js | | | |
| | | | |

| | | | |
|---|---|---|---|
| maintenance.zip: maintenance.jar: controller.js | | | |
| maintenance.zip: maintenance.jar: filechooser.js | | | |
| maintenance.zip: maintenance.jar: multieditusers.js | | | |
| mariadb-java-client.jar | | pkg:maven/org.mariadb.jdbc/mariadb-java-client@3.5.6 | |
| mysql-connector-j.jar | cpe:2.3:a:mysql:mysql:8.2.0:*:*:*:*:*:*:* cpe:2.3:a:oracle:connector\/j:8.2.0:*:*:*:*:*:*:* cpe:2.3:a:oracle:jdbc:8.2.0:*:*:*:*:*:*:* cpe:2.3:a:oracle:mysql_connector\/j:8.2.0:*:*:*:*:*:*:* cpe:2.3:a:oracle:mysql_connectors:8.2.0:*:*:*:*:*:*:* | | |
| notification.zip: notification.jar | | | |
| notification.zip: notification.jar: notification.js | | | |
| notification.zip: notification.jar: notification_config.js | | | |
| notification.zip: notification.jar: notification_taskplanner.js | | | |
| notification.zip: notification.jar: targetrenderer.js | | | |
| odbc.jar | | | |
| opentest4j-1.3.0.jar | | pkg:maven/org.opentest4j/opentest4j@1.3.0 | |
| pdfviewer.zip: pdfjs-dist.jar | | pkg:maven/org.webjars.npm/pdfjs-dist@4.9.155 | |
| pdfviewer.zip: pdfjs-dist.jar: package.json | | | |
| pdfviewer.zip: pdfviewer.jar | | | |
| pdfviewer.zip: pdfviewer.jar: drive.js | | | |
| pdfviewer.zip: pdfviewer.jar: pdfviewer.angular.js | | | |
| pdfviewer.zip: pdfviewer.jar: pdfviewer.embedded.js | | | |
| pdfviewer.zip: pdfviewer.jar: pdfviewer.factory.js | | | |
| pdfviewer.zip: pdfviewer.jar: pdfviewer.model.js | | | |
| pdfviewer.zip: pdfviewer.jar: pdfviewer.renderer.js | | | |
| pdfviewer.zip: pdfviewer.jar: pdfviewer.reporting.js | | | |
| pluginstore.client.zip: pluginstore.client.jar | | | |
| pluginstore.client.zip: pluginstore.client.jar: controller.js | | | |
| pluginstore.client.zip: pluginstore.client.jar: | | | |

| | | | |
|---|---|---|---|
| pluginstorehelpcontroller.js | | | |
| pluginstore.client.zip: pluginstore.client.jar: publicstoreconfig.js | | | |
| pluginstore.client.zip: pluginstore.client.jar: storecontroller.js | | | |
| pluginstore.client.zip: pluginstore.client.jar: storedirectives.js | | | |
| pluginstore.client.zip: pluginstore.client.jar: storemodel.js | | | |
| promptdialog.zip: promptdialog.jar | | | |
| promptdialog.zip: promptdialog.jar: promptcontroller.js | | | |
| promptdialog.zip: promptdialog.jar: promptcustomrenderer.js | | | |
| promptdialog.zip: promptdialog.jar: promptfactory.js | | | |
| promptdialog.zip: promptdialog.jar: promptpanel.js | | | |
| promptdialog.zip: promptdialog.jar: promptrenderer.js | | | |
| quickticket.zip: quickticket.jar | cpe:2.3:a:inetsoftware:helpdesk:25.10.259:*:*:*:*:*:*:* | | |
| quickticket.zip: quickticket.jar: configuration.quickticket.createfolder.js | | | |
| quickticket.zip: quickticket.jar: configuration.quickticket.edit.js | | | |
| quickticket.zip: quickticket.jar: configuration.quickticket.js | | | |
| quickticket.zip: quickticket.jar: configuration.quickticket.renderer.js | | | |
| quickticket.zip: quickticket.jar: ticketlist.extension.js | | | |
| quickticket.zip: quickticket.jar: ticketlist.quickticket.apply.js | | | |
| remotegui.zip: angular-animate.jar | | pkg:maven/org.webjars.npm/angular-animate@1.8.3 | |
| remotegui.zip: angular-animate.jar: angular-animate.js | | pkg:javascript/angularjs@1.8.3 | |
| remotegui.zip: angular-animate.jar: angular-animate.min.js | | pkg:javascript/angularjs@1.8.3 | |
| remotegui.zip: angular-animate.jar: index.js | | | |
| remotegui.zip: angular-animate.jar: package.json | | | |
| remotegui.zip: angular-cookies.jar | | pkg:maven/org.webjars.npm/angular-cookies@1.8.3 | |
| remotegui.zip: angular-cookies.jar: angular-cookies.js | | pkg:javascript/angularjs@1.8.3 | |

| | | | |
|---|---|---|---|
| remotegui.zip: angular-cookies.jar: angular-cookies.min.js | | pkg:javascript/angularjs@1.8.3 | |
| remotegui.zip: angular-cookies.jar: index.js | | | |
| remotegui.zip: angular-cookies.jar: package.json | | | |
| remotegui.zip: angular-sanitize.jar | | pkg:maven/org.webjars.npm/angular-sanitize@1.8.3 | |
| remotegui.zip: angular-sanitize.jar: angular-sanitize.js | | pkg:javascript/angularjs@1.8.3 | |
| remotegui.zip: angular-sanitize.jar: angular-sanitize.min.js | | pkg:javascript/angularjs@1.8.3 | |
| remotegui.zip: angular-sanitize.jar: index.js | | | |
| remotegui.zip: angular-sanitize.jar: package.json | | | |
| remotegui.zip: angular.jar | | pkg:maven/org.webjars.npm/angular@1.8.3 | |
| remotegui.zip: angular.jar: angular.js | | pkg:javascript/angularjs@1.8.3 | |
| remotegui.zip: angular.jar: angular.min.js | | pkg:javascript/angularjs@1.8.3 | |
| remotegui.zip: angular.jar: index.js | | | |
| remotegui.zip: angular.jar: package.json | | | |
| remotegui.zip: codemirror.jar | cpe:2.3:a:codemirror:codemirror:6.65.7:*:*:*:*:*:*:* | pkg:maven/org.webjars.npm/codemirror@6.65.7 | |
| remotegui.zip: codemirror.jar: CodeMirror.js | | | |
| remotegui.zip: codemirror.jar: ContentEditableInput.js | | | |
| remotegui.zip: codemirror.jar: Display.js | | | |
| remotegui.zip: codemirror.jar: Doc.js | | | |
| remotegui.zip: codemirror.jar: StringStream.js | | | |
| remotegui.zip: codemirror.jar: TextareaInput.js | | | |
| remotegui.zip: codemirror.jar: active-line.js | | | |
| remotegui.zip: codemirror.jar: annotatescrollbar.js | | | |
| remotegui.zip: codemirror.jar: anyword-hint.js | | | |
| remotegui.zip: codemirror.jar: apl.js | | | |
| remotegui.zip: codemirror.jar: asciiarmor.js | | | |
| remotegui.zip: codemirror.jar: asn.1.js | | | |
| remotegui.zip: codemirror.jar: asterisk.js | | | |
| remotegui.zip: codemirror.jar: autorefresh.js | | | |
| remotegui.zip: codemirror.jar: bidi.js | | | |
| remotegui.zip: codemirror.jar: brace-fold.js | | | |

| | | | |
|---|---|---|---|
| remotegui.zip: codemirror.jar: brainfuck.js | | | |
| remotegui.zip: codemirror.jar: browser.js | | | |
| remotegui.zip: codemirror.jar: change_measurement.js | | | |
| remotegui.zip: codemirror.jar: changes.js | | | |
| remotegui.zip: codemirror.jar: chunk.js | | | |
| remotegui.zip: codemirror.jar: clike.js | | | |
| remotegui.zip: codemirror.jar: clojure.js | | | |
| remotegui.zip: codemirror.jar: closebrackets.js | | | |
| remotegui.zip: codemirror.jar: closetag.js | | | |
| remotegui.zip: codemirror.jar: cmake.js | | | |
| remotegui.zip: codemirror.jar: cobol.js | | | |
| remotegui.zip: codemirror.jar: codemirror-standalone.js | | | |
| remotegui.zip: codemirror.jar: codemirror.js | | | |
| remotegui.zip: codemirror.jar: codemirror.js | | | |
| remotegui.zip: codemirror.jar: codemirror.node.js | | | |
| remotegui.zip: codemirror.jar: coffeescript-lint.js | | | |
| remotegui.zip: codemirror.jar: coffeescript.js | | | |
| remotegui.zip: codemirror.jar: colorize.js | | | |
| remotegui.zip: codemirror.jar: commands.js | | | |
| remotegui.zip: codemirror.jar: comment-fold.js | | | |
| remotegui.zip: codemirror.jar: comment.js | | | |
| remotegui.zip: codemirror.jar: commonlisp.js | | | |
| remotegui.zip: codemirror.jar: continuecomment.js | | | |
| remotegui.zip: codemirror.jar: continuelist.js | | | |
| remotegui.zip: codemirror.jar: crystal.js | | | |
| remotegui.zip: codemirror.jar: css-hint.js | | | |
| remotegui.zip: codemirror.jar: css-lint.js | | | |
| remotegui.zip: codemirror.jar: css.js | | | |
| remotegui.zip: codemirror.jar: cypher.js | | | |
| remotegui.zip: codemirror.jar: d.js | | | |
| remotegui.zip: codemirror.jar: dart.js | | | |
| remotegui.zip: codemirror.jar: deleteNearSelection.js | | | |
| remotegui.zip: codemirror.jar: dialog.js | | | |
| remotegui.zip: codemirror.jar: diff.js | | | |
| remotegui.zip: codemirror.jar: django.js | | | |

| | | | |
|---|---|---|---|
| remotegui.zip: codemirror.jar: dockerfile.js | | | |
| remotegui.zip: codemirror.jar: document_data.js | | | |
| remotegui.zip: codemirror.jar: dom.js | | | |
| remotegui.zip: codemirror.jar: drop_events.js | | | |
| remotegui.zip: codemirror.jar: dtd.js | | | |
| remotegui.zip: codemirror.jar: dylan.js | | | |
| remotegui.zip: codemirror.jar: ebnf.js | | | |
| remotegui.zip: codemirror.jar: ecl.js | | | |
| remotegui.zip: codemirror.jar: eiffel.js | | | |
| remotegui.zip: codemirror.jar: elm.js | | | |
| remotegui.zip: codemirror.jar: emacs.js | | | |
| remotegui.zip: codemirror.jar: erlang.js | | | |
| remotegui.zip: codemirror.jar: event.js | | | |
| remotegui.zip: codemirror.jar: factor.js | | | |
| remotegui.zip: codemirror.jar: fcl.js | | | |
| remotegui.zip: codemirror.jar: feature_detection.js | | | |
| remotegui.zip: codemirror.jar: focus.js | | | |
| remotegui.zip: codemirror.jar: foldcode.js | | | |
| remotegui.zip: codemirror.jar: foldgutter.js | | | |
| remotegui.zip: codemirror.jar: forth.js | | | |
| remotegui.zip: codemirror.jar: fortran.js | | | |
| remotegui.zip: codemirror.jar: fromTextArea.js | | | |
| remotegui.zip: codemirror.jar: fullscreen.js | | | |
| remotegui.zip: codemirror.jar: gas.js | | | |
| remotegui.zip: codemirror.jar: gfm.js | | | |
| remotegui.zip: codemirror.jar: gherkin.js | | | |
| remotegui.zip: codemirror.jar: global_events.js | | | |
| remotegui.zip: codemirror.jar: go.js | | | |
| remotegui.zip: codemirror.jar: groovy.js | | | |
| remotegui.zip: codemirror.jar: gutters.js | | | |
| remotegui.zip: codemirror.jar: haml.js | | | |
| remotegui.zip: codemirror.jar: handlebars.js | | | |
| remotegui.zip: codemirror.jar: hardwrap.js | | | |
| remotegui.zip: codemirror.jar: haskell-literate.js | | | |
| remotegui.zip: codemirror.jar: haskell.js | | | |

| | | | |
|---|---|---|---|
| remotegui.zip: codemirror.jar: haxe.js | | | |
| remotegui.zip: codemirror.jar: highlight.js | | | |
| remotegui.zip: codemirror.jar: highlight_worker.js | | | |
| remotegui.zip: codemirror.jar: history.js | | | |
| remotegui.zip: codemirror.jar: html-hint.js | | | |
| remotegui.zip: codemirror.jar: html-lint.js | | | |
| remotegui.zip: codemirror.jar: htmlembedded.js | | | |
| remotegui.zip: codemirror.jar: htmlmixed.js | | | |
| remotegui.zip: codemirror.jar: http.js | | | |
| remotegui.zip: codemirror.jar: idl.js | | | |
| remotegui.zip: codemirror.jar: indent-fold.js | | | |
| remotegui.zip: codemirror.jar: indent.js | | | |
| remotegui.zip: codemirror.jar: input.js | | | |
| remotegui.zip: codemirror.jar: javascript-hint.js | | | |
| remotegui.zip: codemirror.jar: javascript-lint.js | | | |
| remotegui.zip: codemirror.jar: javascript.js | | | |
| remotegui.zip: codemirror.jar: jinja2.js | | | |
| remotegui.zip: codemirror.jar: json-lint.js | | | |
| remotegui.zip: codemirror.jar: jsx.js | | | |
| remotegui.zip: codemirror.jar: julia.js | | | |
| remotegui.zip: codemirror.jar: jump-to-line.js | | | |
| remotegui.zip: codemirror.jar: key_events.js | | | |
| remotegui.zip: codemirror.jar: keymap.js | | | |
| remotegui.zip: codemirror.jar: keynames.js | | | |
| remotegui.zip: codemirror.jar: legacy.js | | | |
| remotegui.zip: codemirror.jar: line_data.js | | | |
| remotegui.zip: codemirror.jar: line_numbers.js | | | |
| remotegui.zip: codemirror.jar: line_widget.js | | | |
| remotegui.zip: codemirror.jar: lint.js | | | |
| remotegui.zip: codemirror.jar: livescript.js | | | |
| remotegui.zip: codemirror.jar: loadmode.js | | | |
| remotegui.zip: codemirror.jar: lua.js | | | |
| remotegui.zip: codemirror.jar: main.js | | | |
| remotegui.zip: codemirror.jar: mark-selection.js | | | |
| remotegui.zip: codemirror.jar: mark_text.js | | | |
| | | | |

| | | | |
|---|---|---|---|
| remotegui.zip: codemirror.jar: markdown-fold.js | | | |
| remotegui.zip: codemirror.jar: markdown.js | | | |
| remotegui.zip: codemirror.jar: match-highlighter.js | | | |
| remotegui.zip: codemirror.jar: matchbrackets.js | | | |
| remotegui.zip: codemirror.jar: matchesonscrollbar.js | | | |
| remotegui.zip: codemirror.jar: matchtags.js | | | |
| remotegui.zip: codemirror.jar: mathematica.js | | | |
| remotegui.zip: codemirror.jar: mbox.js | | | |
| remotegui.zip: codemirror.jar: merge.js | | | |
| remotegui.zip: codemirror.jar: meta.js | | | |
| remotegui.zip: codemirror.jar: methods.js | | | |
| remotegui.zip: codemirror.jar: mirc.js | | | |
| remotegui.zip: codemirror.jar: misc.js | | | |
| remotegui.zip: codemirror.jar: mllike.js | | | |
| remotegui.zip: codemirror.jar: mode_state.js | | | |
| remotegui.zip: codemirror.jar: modelica.js | | | |
| remotegui.zip: codemirror.jar: modes.js | | | |
| remotegui.zip: codemirror.jar: mouse_events.js | | | |
| remotegui.zip: codemirror.jar: movement.js | | | |
| remotegui.zip: codemirror.jar: mscgen.js | | | |
| remotegui.zip: codemirror.jar: multiplex.js | | | |
| remotegui.zip: codemirror.jar: multiplex_test.js | | | |
| remotegui.zip: codemirror.jar: mumps.js | | | |
| remotegui.zip: codemirror.jar: nginx.js | | | |
| remotegui.zip: codemirror.jar: nsis.js | | | |
| remotegui.zip: codemirror.jar: ntriples.js | | | |
| remotegui.zip: codemirror.jar: octave.js | | | |
| remotegui.zip: codemirror.jar: operation_group.js | | | |
| remotegui.zip: codemirror.jar: operations.js | | | |
| remotegui.zip: codemirror.jar: options.js | | | |
| remotegui.zip: codemirror.jar: overlay.js | | | |
| remotegui.zip: codemirror.jar: oz.js | | | |
| remotegui.zip: codemirror.jar: package.json | | | |
| remotegui.zip: codemirror.jar: panel.js | | | |
| remotegui.zip: codemirror.jar: pascal.js | | | |

| | | | |
|---|---|---|---|
| remotegui.zip: codemirror.jar: pegjs.js | | | |
| remotegui.zip: codemirror.jar: perl.js | | | |
| remotegui.zip: codemirror.jar: php.js | | | |
| remotegui.zip: codemirror.jar: pig.js | | | |
| remotegui.zip: codemirror.jar: placeholder.js | | | |
| remotegui.zip: codemirror.jar: pos.js | | | |
| remotegui.zip: codemirror.jar: position_measurement.js | | | |
| remotegui.zip: codemirror.jar: powershell.js | | | |
| remotegui.zip: codemirror.jar: properties.js | | | |
| remotegui.zip: codemirror.jar: protobuf.js | | | |
| remotegui.zip: codemirror.jar: pug.js | | | |
| remotegui.zip: codemirror.jar: puppet.js | | | |
| remotegui.zip: codemirror.jar: python.js | | | |
| remotegui.zip: codemirror.jar: q.js | | | |
| remotegui.zip: codemirror.jar: r.js | | | |
| remotegui.zip: codemirror.jar: rollup.config.js | | | |
| remotegui.zip: codemirror.jar: rpm.js | | | |
| remotegui.zip: codemirror.jar: rst.js | | | |
| remotegui.zip: codemirror.jar: ruby.js | | | |
| remotegui.zip: codemirror.jar: rulers.js | | | |
| remotegui.zip: codemirror.jar: runmode-standalone.js | | | |
| remotegui.zip: codemirror.jar: runmode-standalone.js | | | |
| remotegui.zip: codemirror.jar: runmode.js | | | |
| remotegui.zip: codemirror.jar: runmode.node.js | | | |
| remotegui.zip: codemirror.jar: runmode.node.js | | | |
| remotegui.zip: codemirror.jar: rust.js | | | |
| remotegui.zip: codemirror.jar: sas.js | | | |
| remotegui.zip: codemirror.jar: sass.js | | | |
| remotegui.zip: codemirror.jar: saw_special_spans.js | | | |
| remotegui.zip: codemirror.jar: scheme.js | | | |
| remotegui.zip: codemirror.jar: scroll_events.js | | | |
| remotegui.zip: codemirror.jar: scrollbars.js | | | |
| remotegui.zip: codemirror.jar: scrolling.js | | | |
| remotegui.zip: codemirror.jar: scrollpastend.js | | | |
| remotegui.zip: codemirror.jar: search.js | | | |
| | | | |

| | | | |
|---|---|---|---|
| remotegui.zip: codemirror.jar: searchcursor.js | | | |
| remotegui.zip: codemirror.jar: selection-pointer.js | | | |
| remotegui.zip: codemirror.jar: selection.js | | | |
| remotegui.zip: codemirror.jar: selection.js | | | |
| remotegui.zip: codemirror.jar: selection_updates.js | | | |
| remotegui.zip: codemirror.jar: shell.js | | | |
| remotegui.zip: codemirror.jar: show-hint.js | | | |
| remotegui.zip: codemirror.jar: sieve.js | | | |
| remotegui.zip: codemirror.jar: simple.js | | | |
| remotegui.zip: codemirror.jar: simplescrollbars.js | | | |
| remotegui.zip: codemirror.jar: slim.js | | | |
| remotegui.zip: codemirror.jar: smalltalk.js | | | |
| remotegui.zip: codemirror.jar: smarty.js | | | |
| remotegui.zip: codemirror.jar: solr.js | | | |
| remotegui.zip: codemirror.jar: soy.js | | | |
| remotegui.zip: codemirror.jar: spans.js | | | |
| remotegui.zip: codemirror.jar: sparql.js | | | |
| remotegui.zip: codemirror.jar: spreadsheet.js | | | |
| remotegui.zip: codemirror.jar: sql-hint.js | | | |
| remotegui.zip: codemirror.jar: sql.js | | | |
| remotegui.zip: codemirror.jar: stex.js | | | |
| remotegui.zip: codemirror.jar: stylus.js | | | |
| remotegui.zip: codemirror.jar: sublime.js | | | |
| remotegui.zip: codemirror.jar: swift.js | | | |
| remotegui.zip: codemirror.jar: tcl.js | | | |
| remotegui.zip: codemirror.jar: tern.js | | | |
| remotegui.zip: codemirror.jar: textile.js | | | |
| remotegui.zip: codemirror.jar: tiddlywiki.js | | | |
| remotegui.zip: codemirror.jar: tiki.js | | | |
| remotegui.zip: codemirror.jar: toml.js | | | |
| remotegui.zip: codemirror.jar: tornado.js | | | |
| remotegui.zip: codemirror.jar: trailingspace.js | | | |
| remotegui.zip: codemirror.jar: troff.js | | | |
| remotegui.zip: codemirror.jar: ttcn-cfg.js | | | |
| remotegui.zip: codemirror.jar: ttcn.js | | | |

| | | | |
|---|---|---|---|
| remotegui.zip: codemirror.jar: turtle.js | | | |
| remotegui.zip: codemirror.jar: twig.js | | | |
| remotegui.zip: codemirror.jar: update_display.js | | | |
| remotegui.zip: codemirror.jar: update_line.js | | | |
| remotegui.zip: codemirror.jar: update_lines.js | | | |
| remotegui.zip: codemirror.jar: utils.js | | | |
| remotegui.zip: codemirror.jar: utils_line.js | | | |
| remotegui.zip: codemirror.jar: vb.js | | | |
| remotegui.zip: codemirror.jar: vbscript.js | | | |
| remotegui.zip: codemirror.jar: velocity.js | | | |
| remotegui.zip: codemirror.jar: verilog.js | | | |
| remotegui.zip: codemirror.jar: vhdl.js | | | |
| remotegui.zip: codemirror.jar: view_tracking.js | | | |
| remotegui.zip: codemirror.jar: vim.js | | | |
| remotegui.zip: codemirror.jar: vue.js | | | |
| remotegui.zip: codemirror.jar: wast.js | | | |
| remotegui.zip: codemirror.jar: webidl.js | | | |
| remotegui.zip: codemirror.jar: widgets.js | | | |
| remotegui.zip: codemirror.jar: worker.js | | | |
| remotegui.zip: codemirror.jar: xml-fold.js | | | |
| remotegui.zip: codemirror.jar: xml-hint.js | | | |
| remotegui.zip: codemirror.jar: xml.js | | | |
| remotegui.zip: codemirror.jar: xquery.js | | | |
| remotegui.zip: codemirror.jar: yacas.js | | | |
| remotegui.zip: codemirror.jar: yaml-frontmatter.js | | | |
| remotegui.zip: codemirror.jar: yaml-lint.js | | | |
| remotegui.zip: codemirror.jar: yaml.js | | | |
| remotegui.zip: codemirror.jar: z80.js | | | |
| remotegui.zip: crypto-js.jar | | pkg:maven/org.webjars.npm/crypto-js@4.2.0 | |
| remotegui.zip: crypto-js.jar: aes.js | | | |
| remotegui.zip: crypto-js.jar: blowfish.js | | | |
| remotegui.zip: crypto-js.jar: cipher-core.js | | | |
| remotegui.zip: crypto-js.jar: core.js | | | |
| remotegui.zip: crypto-js.jar: crypto-js.js | | | |

| | | | |
|---|---|---|---|
| remotegui.zip: crypto-js.jar: enc-base64.js | | | |
| remotegui.zip: crypto-js.jar: enc-base64url.js | | | |
| remotegui.zip: crypto-js.jar: enc-hex.js | | | |
| remotegui.zip: crypto-js.jar: enc-latin1.js | | | |
| remotegui.zip: crypto-js.jar: enc-utf16.js | | | |
| remotegui.zip: crypto-js.jar: enc-utf8.js | | | |
| remotegui.zip: crypto-js.jar: evpkdf.js | | | |
| remotegui.zip: crypto-js.jar: format-hex.js | | | |
| remotegui.zip: crypto-js.jar: format-openssl.js | | | |
| remotegui.zip: crypto-js.jar: hmac-md5.js | | | |
| remotegui.zip: crypto-js.jar: hmac-ripemd160.js | | | |
| remotegui.zip: crypto-js.jar: hmac-sha1.js | | | |
| remotegui.zip: crypto-js.jar: hmac-sha224.js | | | |
| remotegui.zip: crypto-js.jar: hmac-sha256.js | | | |
| remotegui.zip: crypto-js.jar: hmac-sha3.js | | | |
| remotegui.zip: crypto-js.jar: hmac-sha384.js | | | |
| remotegui.zip: crypto-js.jar: hmac-sha512.js | | | |
| remotegui.zip: crypto-js.jar: hmac.js | | | |
| remotegui.zip: crypto-js.jar: index.js | | | |
| remotegui.zip: crypto-js.jar: lib-typedarrays.js | | | |
| remotegui.zip: crypto-js.jar: md5.js | | | |
| remotegui.zip: crypto-js.jar: mode-cfb.js | | | |
| remotegui.zip: crypto-js.jar: mode-ctr-gladman.js | | | |
| remotegui.zip: crypto-js.jar: mode-ctr.js | | | |
| remotegui.zip: crypto-js.jar: mode-ecb.js | | | |
| remotegui.zip: crypto-js.jar: mode-ofb.js | | | |
| remotegui.zip: crypto-js.jar: package.json | | | |
| remotegui.zip: crypto-js.jar: pad-ansix923.js | | | |
| remotegui.zip: crypto-js.jar: pad-iso10126.js | | | |
| remotegui.zip: crypto-js.jar: pad-iso97971.js | | | |
| remotegui.zip: crypto-js.jar: pad-nopadding.js | | | |
| remotegui.zip: crypto-js.jar: pad-pkcs7.js | | | |
| remotegui.zip: crypto-js.jar: pad-zeropadding.js | | | |
| remotegui.zip: crypto-js.jar: pbkdf2.js | | | |
| remotegui.zip: crypto-js.jar: rabbit-legacy.js | | | |
| | | | |

| | | | |
|---|---|---|---|
| remotegui.zip: crypto-js.jar: rabbit.js | | | |
| remotegui.zip: crypto-js.jar: rc4.js | | | |
| remotegui.zip: crypto-js.jar: ripemd160.js | | | |
| remotegui.zip: crypto-js.jar: sha1.js | | | |
| remotegui.zip: crypto-js.jar: sha224.js | | | |
| remotegui.zip: crypto-js.jar: sha256.js | | | |
| remotegui.zip: crypto-js.jar: sha3.js | | | |
| remotegui.zip: crypto-js.jar: sha384.js | | | |
| remotegui.zip: crypto-js.jar: sha512.js | | | |
| remotegui.zip: crypto-js.jar: tripledes.js | | | |
| remotegui.zip: crypto-js.jar: x64-core.js | | | |
| remotegui.zip: hugerte-languages.jar | | pkg:maven/org.webjars.npm/hugerte-languages@1.0.9 | |
| remotegui.zip: hugerte-languages.jar: ar.js | | | |
| remotegui.zip: hugerte-languages.jar: ar_SA.js | | | |
| remotegui.zip: hugerte-languages.jar: az.js | | | |
| remotegui.zip: hugerte-languages.jar: be.js | | | |
| remotegui.zip: hugerte-languages.jar: bg_BG.js | | | |
| remotegui.zip: hugerte-languages.jar: bn_BD.js | | | |
| remotegui.zip: hugerte-languages.jar: ca.js | | | |
| remotegui.zip: hugerte-languages.jar: cs.js | | | |
| remotegui.zip: hugerte-languages.jar: cy.js | | | |
| remotegui.zip: hugerte-languages.jar: da.js | | | |
| remotegui.zip: hugerte-languages.jar: de.js | | | |
| remotegui.zip: hugerte-languages.jar: el.js | | | |
| remotegui.zip: hugerte-languages.jar: eo.js | | | |
| remotegui.zip: hugerte-languages.jar: es.js | | | |
| remotegui.zip: hugerte-languages.jar: es_MX.js | | | |
| remotegui.zip: hugerte-languages.jar: et.js | | | |
| remotegui.zip: hugerte-languages.jar: eu.js | | | |
| remotegui.zip: hugerte-languages.jar: fa.js | | | |
| remotegui.zip: hugerte-languages.jar: fi.js | | | |
| remotegui.zip: hugerte-languages.jar: fr_FR.js | | | |
| remotegui.zip: hugerte-languages.jar: ga.js | | | |
| remotegui.zip: hugerte-languages.jar: gl.js | | | |

| | | | |
|---|---|---|---|
| remotegui.zip: hugerte-languages.jar: he_IL.js | | | |
| remotegui.zip: hugerte-languages.jar: hr.js | | | |
| remotegui.zip: hugerte-languages.jar: hu_HU.js | | | |
| remotegui.zip: hugerte-languages.jar: hy.js | | | |
| remotegui.zip: hugerte-languages.jar: id.js | | | |
| remotegui.zip: hugerte-languages.jar: is_IS.js | | | |
| remotegui.zip: hugerte-languages.jar: it.js | | | |
| remotegui.zip: hugerte-languages.jar: ja.js | | | |
| remotegui.zip: hugerte-languages.jar: ka_GE.js | | | |
| remotegui.zip: hugerte-languages.jar: kab.js | | | |
| remotegui.zip: hugerte-languages.jar: kk.js | | | |
| remotegui.zip: hugerte-languages.jar: ko_KR.js | | | |
| remotegui.zip: hugerte-languages.jar: ku.js | | | |
| remotegui.zip: hugerte-languages.jar: lt.js | | | |
| remotegui.zip: hugerte-languages.jar: lv.js | | | |
| remotegui.zip: hugerte-languages.jar: nb_NO.js | | | |
| remotegui.zip: hugerte-languages.jar: ne.js | | | |
| remotegui.zip: hugerte-languages.jar: nl.js | | | |
| remotegui.zip: hugerte-languages.jar: nl_BE.js | | | |
| remotegui.zip: hugerte-languages.jar: oc.js | | | |
| remotegui.zip: hugerte-languages.jar: pl.js | | | |
| remotegui.zip: hugerte-languages.jar: pt_BR.js | | | |
| remotegui.zip: hugerte-languages.jar: pt_PT.js | | | |
| remotegui.zip: hugerte-languages.jar: ro.js | | | |
| remotegui.zip: hugerte-languages.jar: ru.js | | | |
| remotegui.zip: hugerte-languages.jar: sk.js | | | |
| remotegui.zip: hugerte-languages.jar: sl_SI.js | | | |
| remotegui.zip: hugerte-languages.jar: sq.js | | | |
| remotegui.zip: hugerte-languages.jar: sr.js | | | |
| remotegui.zip: hugerte-languages.jar: sv_SE.js | | | |
| remotegui.zip: hugerte-languages.jar: ta.js | | | |
| remotegui.zip: hugerte-languages.jar: tg.js | | | |
| remotegui.zip: hugerte-languages.jar: th_TH.js | | | |
| remotegui.zip: hugerte-languages.jar: tr.js | | | |
| remotegui.zip: hugerte-languages.jar: ug.js | | | |

| | | | |
|---|---|---|---|
| remotegui.zip: hugerte-languages.jar: uk.js | | | |
| remotegui.zip: hugerte-languages.jar: uz.js | | | |
| remotegui.zip: hugerte-languages.jar: vi.js | | | |
| remotegui.zip: hugerte-languages.jar: zh_CN.js | | | |
| remotegui.zip: hugerte-languages.jar: zh_HK.js | | | |
| remotegui.zip: hugerte-languages.jar: zh_MO.js | | | |
| remotegui.zip: hugerte-languages.jar: zh_SG.js | | | |
| remotegui.zip: hugerte-languages.jar: zh_TW.js | | | |
| remotegui.zip: hugerte.jar | | pkg:maven/org.webjars.npm/hugerte@1.0.9 | |
| remotegui.zip: hugerte.jar: ar.js | | | |
| remotegui.zip: hugerte.jar: bg_BG.js | | | |
| remotegui.zip: hugerte.jar: ca.js | | | |
| remotegui.zip: hugerte.jar: content.inline.js | | | |
| remotegui.zip: hugerte.jar: content.inline.js | | | |
| remotegui.zip: hugerte.jar: content.inline.js | | | |
| remotegui.zip: hugerte.jar: content.inline.js | | | |
| remotegui.zip: hugerte.jar: content.js | | | |
| remotegui.zip: hugerte.jar: content.js | | | |
| remotegui.zip: hugerte.jar: content.js | | | |
| remotegui.zip: hugerte.jar: content.js | | | |
| remotegui.zip: hugerte.jar: content.js | | | |
| remotegui.zip: hugerte.jar: content.js | | | |
| remotegui.zip: hugerte.jar: content.js | | | |
| remotegui.zip: hugerte.jar: content.js | | | |
| remotegui.zip: hugerte.jar: content.js | | | |
| remotegui.zip: hugerte.jar: cs.js | | | |
| remotegui.zip: hugerte.jar: da.js | | | |
| remotegui.zip: hugerte.jar: de.js | | | |
| remotegui.zip: hugerte.jar: el.js | | | |
| remotegui.zip: hugerte.jar: emojiimages.js | | | |
| remotegui.zip: hugerte.jar: emojiimages.min.js | | | |
| remotegui.zip: hugerte.jar: emojis.js | | | |
| remotegui.zip: hugerte.jar: emojis.min.js | | | |

| | | | |
|---|---|---|---|
| remotegui.zip: hugerte.jar: en.js | | | |
| remotegui.zip: hugerte.jar: es.js | | | |
| remotegui.zip: hugerte.jar: eu.js | | | |
| remotegui.zip: hugerte.jar: fa.js | | | |
| remotegui.zip: hugerte.jar: fi.js | | | |
| remotegui.zip: hugerte.jar: fr_FR.js | | | |
| remotegui.zip: hugerte.jar: he_IL.js | | | |
| remotegui.zip: hugerte.jar: hi.js | | | |
| remotegui.zip: hugerte.jar: hr.js | | | |
| remotegui.zip: hugerte.jar: hu_HU.js | | | |
| remotegui.zip: hugerte.jar: hugerte.js | | | |
| remotegui.zip: hugerte.jar: hugerte.min.js | | | |
| remotegui.zip: hugerte.jar: icons.js | | | |
| remotegui.zip: hugerte.jar: icons.min.js | | | |
| remotegui.zip: hugerte.jar: id.js | | | |
| remotegui.zip: hugerte.jar: index.js | | | |
| remotegui.zip: hugerte.jar: index.js | | | |
| remotegui.zip: hugerte.jar: index.js | | | |
| remotegui.zip: hugerte.jar: index.js | | | |
| remotegui.zip: hugerte.jar: index.js | | | |
| remotegui.zip: hugerte.jar: index.js | | | |
| remotegui.zip: hugerte.jar: index.js | | | |
| remotegui.zip: hugerte.jar: index.js | | | |
| remotegui.zip: hugerte.jar: index.js | | | |
| remotegui.zip: hugerte.jar: index.js | | | |
| remotegui.zip: hugerte.jar: index.js | | | |
| remotegui.zip: hugerte.jar: index.js | | | |
| remotegui.zip: hugerte.jar: index.js | | | |
| remotegui.zip: hugerte.jar: index.js | | | |
| remotegui.zip: hugerte.jar: index.js | | | |
| remotegui.zip: hugerte.jar: index.js | | | |
| remotegui.zip: hugerte.jar: index.js | | | |
| remotegui.zip: hugerte.jar: index.js | | | |
| remotegui.zip: hugerte.jar: index.js | | | |
| remotegui.zip: hugerte.jar: index.js | | | |
| remotegui.zip: hugerte.jar: index.js | | | |
| | | | |

| | | | |
|---|---|---|---|
| remotegui.zip: hugerte.jar: index.js | | | |
| remotegui.zip: hugerte.jar: index.js | | | |
| remotegui.zip: hugerte.jar: index.js | | | |
| remotegui.zip: hugerte.jar: index.js | | | |
| remotegui.zip: hugerte.jar: index.js | | | |
| remotegui.zip: hugerte.jar: index.js | | | |
| remotegui.zip: hugerte.jar: index.js | | | |
| remotegui.zip: hugerte.jar: index.js | | | |
| remotegui.zip: hugerte.jar: index.js | | | |
| remotegui.zip: hugerte.jar: index.js | | | |
| remotegui.zip: hugerte.jar: index.js | | | |
| remotegui.zip: hugerte.jar: index.js | | | |
| remotegui.zip: hugerte.jar: index.js | | | |
| remotegui.zip: hugerte.jar: it.js | | | |
| remotegui.zip: hugerte.jar: ja.js | | | |
| remotegui.zip: hugerte.jar: kk.js | | | |
| remotegui.zip: hugerte.jar: ko_KR.js | | | |
| remotegui.zip: hugerte.jar: model.js | | | |
| remotegui.zip: hugerte.jar: model.min.js | | | |
| remotegui.zip: hugerte.jar: ms.js | | | |
| remotegui.zip: hugerte.jar: nb_NO.js | | | |
| remotegui.zip: hugerte.jar: nl.js | | | |
| remotegui.zip: hugerte.jar: package.json | | | |
| remotegui.zip: hugerte.jar: pl.js | | | |
| remotegui.zip: hugerte.jar: plugin.js | | | |
| remotegui.zip: hugerte.jar: plugin.js | | | |
| remotegui.zip: hugerte.jar: plugin.js | | | |
| remotegui.zip: hugerte.jar: plugin.js | | | |
| remotegui.zip: hugerte.jar: plugin.js | | | |
| remotegui.zip: hugerte.jar: plugin.js | | | |
| remotegui.zip: hugerte.jar: plugin.js | | | |
| remotegui.zip: hugerte.jar: plugin.js | | | |
| remotegui.zip: hugerte.jar: plugin.js | | | |
| remotegui.zip: hugerte.jar: plugin.js | | | |
| remotegui.zip: hugerte.jar: plugin.js | | | |

| | | | |
|---|---|---|---|
| remotegui.zip: hugerte.jar: plugin.js | | | |
| remotegui.zip: hugerte.jar: plugin.js | | | |
| remotegui.zip: hugerte.jar: plugin.js | | | |
| remotegui.zip: hugerte.jar: plugin.js | | | |
| remotegui.zip: hugerte.jar: plugin.js | | | |
| remotegui.zip: hugerte.jar: plugin.js | | | |
| remotegui.zip: hugerte.jar: plugin.js | | | |
| remotegui.zip: hugerte.jar: plugin.js | | | |
| remotegui.zip: hugerte.jar: plugin.js | | | |
| remotegui.zip: hugerte.jar: plugin.js | | | |
| remotegui.zip: hugerte.jar: plugin.js | | | |
| remotegui.zip: hugerte.jar: plugin.js | | | |
| remotegui.zip: hugerte.jar: plugin.js | | | |
| remotegui.zip: hugerte.jar: plugin.js | | | |
| remotegui.zip: hugerte.jar: plugin.js | | | |
| remotegui.zip: hugerte.jar: plugin.js | | | |
| remotegui.zip: hugerte.jar: plugin.js | | | |
| remotegui.zip: hugerte.jar: plugin.js | | | |
| remotegui.zip: hugerte.jar: plugin.min.js | | | |
| remotegui.zip: hugerte.jar: plugin.min.js | | | |
| remotegui.zip: hugerte.jar: plugin.min.js | | | |
| remotegui.zip: hugerte.jar: plugin.min.js | | | |
| remotegui.zip: hugerte.jar: plugin.min.js | | | |
| remotegui.zip: hugerte.jar: plugin.min.js | | | |
| remotegui.zip: hugerte.jar: plugin.min.js | | | |
| remotegui.zip: hugerte.jar: plugin.min.js | | | |
| remotegui.zip: hugerte.jar: plugin.min.js | | | |
| remotegui.zip: hugerte.jar: plugin.min.js | | | |
| remotegui.zip: hugerte.jar: plugin.min.js | | | |
| remotegui.zip: hugerte.jar: plugin.min.js | | | |
| remotegui.zip: hugerte.jar: plugin.min.js | | | |
| remotegui.zip: hugerte.jar: plugin.min.js | | | |
| remotegui.zip: hugerte.jar: plugin.min.js | | | |
| remotegui.zip: hugerte.jar: plugin.min.js | | | |
| remotegui.zip: hugerte.jar: plugin.min.js | | | |
| | | | |

| | | | |
|---|---|---|---|
| remotegui.zip: hugerte.jar: plugin.min.js | | | |
| remotegui.zip: hugerte.jar: plugin.min.js | | | |
| remotegui.zip: hugerte.jar: plugin.min.js | | | |
| remotegui.zip: hugerte.jar: plugin.min.js | | | |
| remotegui.zip: hugerte.jar: plugin.min.js | | | |
| remotegui.zip: hugerte.jar: plugin.min.js | | | |
| remotegui.zip: hugerte.jar: plugin.min.js | | | |
| remotegui.zip: hugerte.jar: plugin.min.js | | | |
| remotegui.zip: hugerte.jar: plugin.min.js | | | |
| remotegui.zip: hugerte.jar: plugin.min.js | | | |
| remotegui.zip: hugerte.jar: plugin.min.js | | | |
| remotegui.zip: hugerte.jar: plugin.min.js | | | |
| remotegui.zip: hugerte.jar: plugin.min.js | | | |
| remotegui.zip: hugerte.jar: plugin.min.js | | | |
| remotegui.zip: hugerte.jar: pt_BR.js | | | |
| remotegui.zip: hugerte.jar: pt_PT.js | | | |
| remotegui.zip: hugerte.jar: ro.js | | | |
| remotegui.zip: hugerte.jar: ru.js | | | |
| remotegui.zip: hugerte.jar: sk.js | | | |
| remotegui.zip: hugerte.jar: skin.js | | | |
| remotegui.zip: hugerte.jar: skin.js | | | |
| remotegui.zip: hugerte.jar: skin.js | | | |
| remotegui.zip: hugerte.jar: skin.js | | | |
| remotegui.zip: hugerte.jar: skin.shadowdom.js | | | |
| remotegui.zip: hugerte.jar: skin.shadowdom.js | | | |
| remotegui.zip: hugerte.jar: skin.shadowdom.js | | | |
| remotegui.zip: hugerte.jar: skin.shadowdom.js | | | |
| remotegui.zip: hugerte.jar: sl_SI.js | | | |
| remotegui.zip: hugerte.jar: sv_SE.js | | | |
| remotegui.zip: hugerte.jar: th_TH.js | | | |
| remotegui.zip: hugerte.jar: theme.js | | | |
| remotegui.zip: hugerte.jar: theme.min.js | | | |
| remotegui.zip: hugerte.jar: tr.js | | | |
| remotegui.zip: hugerte.jar: uk.js | | | |
| remotegui.zip: hugerte.jar: vi.js | | | |

| | | | |
|---|---|---|---|
| remotegui.zip: hugerte.jar: zh_CN.js | | | |
| remotegui.zip: hugerte.jar: zh_TW.js | | | |
| remotegui.zip: jquery-ui.jar | | pkg:maven/org.webjars/jquery-ui@1.14.1 | |
| remotegui.zip: jquery-ui.jar: jquery-ui.js | | | |
| remotegui.zip: jquery-ui.jar: jquery-ui.min.js | | | |
| remotegui.zip: jquery-ui.jar: package.json | | | |
| remotegui.zip: jquery-ui.jar: webjars-requirejs.js | | | |
| remotegui.zip: jquery.jar | | pkg:javascript/jquery@2.2.4 pkg:maven/org.webjars/jquery@2.2.4 | |
| remotegui.zip: jquery.jar: webjars-requirejs.js | | | |
| remotegui.zip: moment-timezone.jar | | pkg:maven/org.webjars.npm/moment-timezone@0.5.46 | |
| remotegui.zip: moment-timezone.jar: index.js | | | |
| remotegui.zip: moment-timezone.jar: moment-timezone-utils.js | | | |
| remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.js | | | |
| remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.min.js | | | |
| remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.js | | | |
| remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.min.js | | | |
| remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.js | | | |
| remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.min.js | | | |
| remotegui.zip: moment-timezone.jar: moment-timezone-with-data.js | | | |
| remotegui.zip: moment-timezone.jar: moment-timezone-with-data.min.js | | | |
| remotegui.zip: moment-timezone.jar: moment-timezone.js | | | |
| remotegui.zip: moment-timezone.jar: moment-timezone.min.js | | | |
| remotegui.zip: moment-timezone.jar: package.json | | | |
| remotegui.zip: momentjs.jar | | pkg:maven/org.webjars/momentjs@2.29.4 | |

| | | | |
|---|---|---|---|
| remotegui.zip: momentjs.jar: af.js | | | |
| remotegui.zip: momentjs.jar: ar-dz.js | | | |
| remotegui.zip: momentjs.jar: ar-kw.js | | | |
| remotegui.zip: momentjs.jar: ar-ly.js | | | |
| remotegui.zip: momentjs.jar: ar-ma.js | | | |
| remotegui.zip: momentjs.jar: ar-sa.js | | | |
| remotegui.zip: momentjs.jar: ar-tn.js | | | |
| remotegui.zip: momentjs.jar: ar.js | | | |
| remotegui.zip: momentjs.jar: az.js | | | |
| remotegui.zip: momentjs.jar: be.js | | | |
| remotegui.zip: momentjs.jar: bg.js | | | |
| remotegui.zip: momentjs.jar: bm.js | | | |
| remotegui.zip: momentjs.jar: bn-bd.js | | | |
| remotegui.zip: momentjs.jar: bn.js | | | |
| remotegui.zip: momentjs.jar: bo.js | | | |
| remotegui.zip: momentjs.jar: br.js | | | |
| remotegui.zip: momentjs.jar: bs.js | | | |
| remotegui.zip: momentjs.jar: ca.js | | | |
| remotegui.zip: momentjs.jar: cs.js | | | |
| remotegui.zip: momentjs.jar: cv.js | | | |
| remotegui.zip: momentjs.jar: cy.js | | | |
| remotegui.zip: momentjs.jar: da.js | | | |
| remotegui.zip: momentjs.jar: de-at.js | | | |
| remotegui.zip: momentjs.jar: de-ch.js | | | |
| remotegui.zip: momentjs.jar: de.js | | | |
| remotegui.zip: momentjs.jar: dv.js | | | |
| remotegui.zip: momentjs.jar: el.js | | | |
| remotegui.zip: momentjs.jar: en-au.js | | | |
| remotegui.zip: momentjs.jar: en-ca.js | | | |
| remotegui.zip: momentjs.jar: en-gb.js | | | |
| remotegui.zip: momentjs.jar: en-ie.js | | | |
| remotegui.zip: momentjs.jar: en-il.js | | | |
| remotegui.zip: momentjs.jar: en-in.js | | | |
| remotegui.zip: momentjs.jar: en-nz.js | | | |
| remotegui.zip: momentjs.jar: en-sg.js | | | |
| | | | |

| | | | |
|---|---|---|---|
| remotegui.zip: momentjs.jar: eo.js | | | |
| remotegui.zip: momentjs.jar: es-do.js | | | |
| remotegui.zip: momentjs.jar: es-mx.js | | | |
| remotegui.zip: momentjs.jar: es-us.js | | | |
| remotegui.zip: momentjs.jar: es.js | | | |
| remotegui.zip: momentjs.jar: et.js | | | |
| remotegui.zip: momentjs.jar: eu.js | | | |
| remotegui.zip: momentjs.jar: fa.js | | | |
| remotegui.zip: momentjs.jar: fi.js | | | |
| remotegui.zip: momentjs.jar: fil.js | | | |
| remotegui.zip: momentjs.jar: fo.js | | | |
| remotegui.zip: momentjs.jar: fr-ca.js | | | |
| remotegui.zip: momentjs.jar: fr-ch.js | | | |
| remotegui.zip: momentjs.jar: fr.js | | | |
| remotegui.zip: momentjs.jar: fy.js | | | |
| remotegui.zip: momentjs.jar: ga.js | | | |
| remotegui.zip: momentjs.jar: gd.js | | | |
| remotegui.zip: momentjs.jar: gl.js | | | |
| remotegui.zip: momentjs.jar: gom-deva.js | | | |
| remotegui.zip: momentjs.jar: gom-latn.js | | | |
| remotegui.zip: momentjs.jar: gu.js | | | |
| remotegui.zip: momentjs.jar: he.js | | | |
| remotegui.zip: momentjs.jar: hi.js | | | |
| remotegui.zip: momentjs.jar: hr.js | | | |
| remotegui.zip: momentjs.jar: hu.js | | | |
| remotegui.zip: momentjs.jar: hy-am.js | | | |
| remotegui.zip: momentjs.jar: id.js | | | |
| remotegui.zip: momentjs.jar: is.js | | | |
| remotegui.zip: momentjs.jar: it-ch.js | | | |
| remotegui.zip: momentjs.jar: it.js | | | |
| remotegui.zip: momentjs.jar: ja.js | | | |
| remotegui.zip: momentjs.jar: jv.js | | | |
| remotegui.zip: momentjs.jar: ka.js | | | |
| remotegui.zip: momentjs.jar: kk.js | | | |
| remotegui.zip: momentjs.jar: km.js | | | |

| | | | |
|---|---|---|---|
| remotegui.zip: momentjs.jar: kn.js | | | |
| remotegui.zip: momentjs.jar: ko.js | | | |
| remotegui.zip: momentjs.jar: ku.js | | | |
| remotegui.zip: momentjs.jar: ky.js | | | |
| remotegui.zip: momentjs.jar: lb.js | | | |
| remotegui.zip: momentjs.jar: lo.js | | | |
| remotegui.zip: momentjs.jar: locales.js | | | |
| remotegui.zip: momentjs.jar: locales.min.js | | | |
| remotegui.zip: momentjs.jar: lt.js | | | |
| remotegui.zip: momentjs.jar: lv.js | | | |
| remotegui.zip: momentjs.jar: me.js | | | |
| remotegui.zip: momentjs.jar: mi.js | | | |
| remotegui.zip: momentjs.jar: mk.js | | | |
| remotegui.zip: momentjs.jar: ml.js | | | |
| remotegui.zip: momentjs.jar: mn.js | | | |
| remotegui.zip: momentjs.jar: moment-with-locales.js | | | |
| remotegui.zip: momentjs.jar: moment-with-locales.min.js | | | |
| remotegui.zip: momentjs.jar: moment.js | | | |
| remotegui.zip: momentjs.jar: moment.min.js | | | |
| remotegui.zip: momentjs.jar: mr.js | | | |
| remotegui.zip: momentjs.jar: ms-my.js | | | |
| remotegui.zip: momentjs.jar: ms.js | | | |
| remotegui.zip: momentjs.jar: mt.js | | | |
| remotegui.zip: momentjs.jar: my.js | | | |
| remotegui.zip: momentjs.jar: nb.js | | | |
| remotegui.zip: momentjs.jar: ne.js | | | |
| remotegui.zip: momentjs.jar: nl-be.js | | | |
| remotegui.zip: momentjs.jar: nl.js | | | |
| remotegui.zip: momentjs.jar: nn.js | | | |
| remotegui.zip: momentjs.jar: oc-lnc.js | | | |
| remotegui.zip: momentjs.jar: pa-in.js | | | |
| remotegui.zip: momentjs.jar: package.js | | | |
| remotegui.zip: momentjs.jar: package.json | | | |
| remotegui.zip: momentjs.jar: pl.js | | | |
| remotegui.zip: momentjs.jar: pt-br.js | | | |

| | | | |
|---|---|---|---|
| remotegui.zip: momentjs.jar: pt.js | | | |
| remotegui.zip: momentjs.jar: ro.js | | | |
| remotegui.zip: momentjs.jar: ru.js | | | |
| remotegui.zip: momentjs.jar: sd.js | | | |
| remotegui.zip: momentjs.jar: se.js | | | |
| remotegui.zip: momentjs.jar: si.js | | | |
| remotegui.zip: momentjs.jar: sk.js | | | |
| remotegui.zip: momentjs.jar: sl.js | | | |
| remotegui.zip: momentjs.jar: sq.js | | | |
| remotegui.zip: momentjs.jar: sr-cyrl.js | | | |
| remotegui.zip: momentjs.jar: sr.js | | | |
| remotegui.zip: momentjs.jar: ss.js | | | |
| remotegui.zip: momentjs.jar: sv.js | | | |
| remotegui.zip: momentjs.jar: sw.js | | | |
| remotegui.zip: momentjs.jar: ta.js | | | |
| remotegui.zip: momentjs.jar: te.js | | | |
| remotegui.zip: momentjs.jar: tests.js | | | |
| remotegui.zip: momentjs.jar: tet.js | | | |
| remotegui.zip: momentjs.jar: tg.js | | | |
| remotegui.zip: momentjs.jar: th.js | | | |
| remotegui.zip: momentjs.jar: tk.js | | | |
| remotegui.zip: momentjs.jar: tl-ph.js | | | |
| remotegui.zip: momentjs.jar: tlh.js | | | |
| remotegui.zip: momentjs.jar: tr.js | | | |
| remotegui.zip: momentjs.jar: tzl.js | | | |
| remotegui.zip: momentjs.jar: tzm-latn.js | | | |
| remotegui.zip: momentjs.jar: tzm.js | | | |
| remotegui.zip: momentjs.jar: ug-cn.js | | | |
| remotegui.zip: momentjs.jar: uk.js | | | |
| remotegui.zip: momentjs.jar: ur.js | | | |
| remotegui.zip: momentjs.jar: uz-latn.js | | | |
| remotegui.zip: momentjs.jar: uz.js | | | |
| remotegui.zip: momentjs.jar: vi.js | | | |
| remotegui.zip: momentjs.jar: webjars-requirejs.js | | | |
| remotegui.zip: momentjs.jar: x-pseudo.js | | | |

| | | | |
|---|---|---|---|
| remotegui.zip: momentjs.jar: yo.js | | | |
| remotegui.zip: momentjs.jar: zh-cn.js | | | |
| remotegui.zip: momentjs.jar: zh-hk.js | | | |
| remotegui.zip: momentjs.jar: zh-mo.js | | | |
| remotegui.zip: momentjs.jar: zh-tw.js | | | |
| remotegui.zip: remotegui.jar | | | |
| remotegui.zip: remotegui.jar: angular-websocket.js | | | |
| remotegui.zip: remotegui.jar: app.js | | | |
| remotegui.zip: remotegui.jar: app.js | | | |
| remotegui.zip: remotegui.jar: app.js | | | |
| remotegui.zip: remotegui.jar: app.js | | | |
| remotegui.zip: remotegui.jar: appbadge.service.js | | | |
| remotegui.zip: remotegui.jar: authInterceptor.service.js | | | |
| remotegui.zip: remotegui.jar: avatarcard.directive.js | | | |
| remotegui.zip: remotegui.jar: avatardetails.directive.js | | | |
| remotegui.zip: remotegui.jar: avatarimage.directive.js | | | |
| remotegui.zip: remotegui.jar: avatarimagedetails.directive.js | | | |
| remotegui.zip: remotegui.jar: basic.js | | | |
| remotegui.zip: remotegui.jar: bootstrap-colorpicker.js | | | |
| remotegui.zip: remotegui.jar: bootstrap-datetimepicker.js | | | |
| remotegui.zip: remotegui.jar: browsercheck.js | | | |
| remotegui.zip: remotegui.jar: changeavatar.js | | | |
| remotegui.zip: remotegui.jar: changeavatarcontroller.controller.js | | | |
| remotegui.zip: remotegui.jar: changeavatarservice.service.js | | | |
| remotegui.zip: remotegui.jar: clearreports.controller.js | | | |
| remotegui.zip: remotegui.jar: collapse.directive.js | | | |
| remotegui.zip: remotegui.jar: colorPicker.directive.js | | | |
| remotegui.zip: remotegui.jar: connectionstate.js | | | |
| remotegui.zip: remotegui.jar: controller.js | | | |
| remotegui.zip: remotegui.jar: controller.js | | | |
| remotegui.zip: remotegui.jar: controller.js | | | |
| remotegui.zip: remotegui.jar: controllerAbout.js | | | |
| remotegui.zip: remotegui.jar: controllerShortcuts.controller.js | | | |

| | | | |
|---|---|---|---|
| remotegui.zip: remotegui.jar: controllerUserTheme.controller.js | | | |
| remotegui.zip: remotegui.jar: controllers.js | | | |
| remotegui.zip: remotegui.jar: controllers.js | | | |
| remotegui.zip: remotegui.jar: controllers.js | | | |
| remotegui.zip: remotegui.jar: controllers.js | | | |
| remotegui.zip: remotegui.jar: controllers.js | | | |
| remotegui.zip: remotegui.jar: controllers.js | | | |
| remotegui.zip: remotegui.jar: controllers.js | | | |
| remotegui.zip: remotegui.jar: controllers.js | | | |
| remotegui.zip: remotegui.jar: currencyNumber.directive.js | | | |
| remotegui.zip: remotegui.jar: currencyValidator.directive.js | | | |
| remotegui.zip: remotegui.jar: customEmojiUploadConfigItemRenderer.directive.js | | | |
| remotegui.zip: remotegui.jar: customEmojiUploadConfigRenderer.directive.js | | | |
| remotegui.zip: remotegui.jar: customemojiupload.js | | | |
| remotegui.zip: remotegui.jar: data-test.js | | | |
| remotegui.zip: remotegui.jar: dataservice.js | | | |
| remotegui.zip: remotegui.jar: dataservice.service.js | | | |
| remotegui.zip: remotegui.jar: datepicker-de.js | | | |
| remotegui.zip: remotegui.jar: debug.directive.js | | | |
| remotegui.zip: remotegui.jar: dialogservice.service.js | | | |
| remotegui.zip: remotegui.jar: directives.js | | | |
| remotegui.zip: remotegui.jar: dropdown.directive.js | | | |
| remotegui.zip: remotegui.jar: emojiModel.service.js | | | |
| remotegui.zip: remotegui.jar: emojiselector.directive.js | | | |
| remotegui.zip: remotegui.jar: errorservice.js | | | |
| remotegui.zip: remotegui.jar: errorservice.service.js | | | |
| remotegui.zip: remotegui.jar: eventemitter.js | | | |
| remotegui.zip: remotegui.jar: filechooser.service.js | | | |
| remotegui.zip: remotegui.jar: fixNumber.directive.js | | | |
| remotegui.zip: remotegui.jar: fixNumberValidator.directive.js | | | |
| remotegui.zip: remotegui.jar: floatNumber.directive.js | | | |
| remotegui.zip: remotegui.jar: floatNumberValidator. | | | |

| | | | |
|---|---|---|---|
| directive.js | | | |
| remotegui.zip: remotegui.jar: globalactionservice.service.js | | | |
| remotegui.zip: remotegui.jar: hdField.directive.js | | | |
| remotegui.zip: remotegui.jar: hdMandatory.directive.js | | | |
| remotegui.zip: remotegui.jar: hdNeedchange.directive.js | | | |
| remotegui.zip: remotegui.jar: hdValidate.directive.js | | | |
| remotegui.zip: remotegui.jar: hdattachment.js | | | |
| remotegui.zip: remotegui.jar: hdfileupload.js | | | |
| remotegui.zip: remotegui.jar: hsimp.min.js | | | |
| remotegui.zip: remotegui.jar: hsimp.renderer.js | | | |
| remotegui.zip: remotegui.jar: html5modeurls.js | | | |
| remotegui.zip: remotegui.jar: htmleditor.directive.js | | | |
| remotegui.zip: remotegui.jar: htmleditorFactory.service.js | | | |
| remotegui.zip: remotegui.jar: htmleditorModel.service.js | | | |
| remotegui.zip: remotegui.jar: icons.js | | | |
| remotegui.zip: remotegui.jar: indexed-db.js | | | |
| remotegui.zip: remotegui.jar: initUsernameField.directive.js | | | |
| remotegui.zip: remotegui.jar: introduction.js | | | |
| remotegui.zip: remotegui.jar: jquery.fileupload.js | | | |
| remotegui.zip: remotegui.jar: keyservice.service.js | | | |
| remotegui.zip: remotegui.jar: kytos-attribute.js | | | |
| remotegui.zip: remotegui.jar: kytos-data.js | | | |
| remotegui.zip: remotegui.jar: kytos-dropdown.js | | | |
| remotegui.zip: remotegui.jar: kytos-element.js | | | |
| remotegui.zip: remotegui.jar: kytos-i18n-placeholder.js | | | |
| remotegui.zip: remotegui.jar: kytos-i18n.js | | | |
| remotegui.zip: remotegui.jar: kytos-on.js | | | |
| remotegui.zip: remotegui.jar: kytos-repeat.js | | | |
| remotegui.zip: remotegui.jar: kytos-src.js | | | |
| remotegui.zip: remotegui.jar: kytos.js | | | |
| remotegui.zip: remotegui.jar: localfilesystem.service.js | | | |
| remotegui.zip: remotegui.jar: locationservice.service.js | | | |
| remotegui.zip: remotegui.jar: modal.directive.js | | | |
| | | | |

| | | | |
|---|---|---|---|
| remotegui.zip: remotegui.jar: modalservice.service.js | | | |
| remotegui.zip: remotegui.jar: moduledragdrop.js | | | |
| remotegui.zip: remotegui.jar: my-test.js | | | |
| remotegui.zip: remotegui.jar: navtabsoverflow.directive.js | | | |
| remotegui.zip: remotegui.jar: ng-hugerte.js | | | |
| remotegui.zip: remotegui.jar: ng-i18n.js | | | |
| remotegui.zip: remotegui.jar: numberUtil.js | | | |
| remotegui.zip: remotegui.jar: numberValidatorUtil.factory.js | | | |
| remotegui.zip: remotegui.jar: ocLazyLoad.jsloader.js | | | |
| remotegui.zip: remotegui.jar: ocLazyLoad.min.js | | | |
| remotegui.zip: remotegui.jar: pageablenavbaractiondropdown.directive.js | | | |
| remotegui.zip: remotegui.jar: paged.filter.js | | | |
| remotegui.zip: remotegui.jar: pagination.directive.js | | | |
| remotegui.zip: remotegui.jar: piechart.directive.js | | | |
| remotegui.zip: remotegui.jar: popover.js | | | |
| remotegui.zip: remotegui.jar: pwa-service-worker.js | | | |
| remotegui.zip: remotegui.jar: pwa.js | | | |
| remotegui.zip: remotegui.jar: qrcode.min.js | | | |
| remotegui.zip: remotegui.jar: rangeSlider.directive.js | | | |
| remotegui.zip: remotegui.jar: resizableDivider.js | | | |
| remotegui.zip: remotegui.jar: scrollabledropdownmenu.directive.js | | | |
| remotegui.zip: remotegui.jar: search-panel.js | | | |
| remotegui.zip: remotegui.jar: selectInput.directive.js | | | |
| remotegui.zip: remotegui.jar: shadowLogger.factory.js | | | |
| remotegui.zip: remotegui.jar: sidenavigation.js | | | |
| remotegui.zip: remotegui.jar: takeoutDataController.controller.js | | | |
| remotegui.zip: remotegui.jar: takeoutDataFactory.factory.js | | | |
| remotegui.zip: remotegui.jar: takeoutDataModel.service.js | | | |
| remotegui.zip: remotegui.jar: timeInput.directive.js | | | |
| remotegui.zip: remotegui.jar: timeInputContainer.directive.js | | | |
| remotegui.zip: remotegui.jar: timeMeridiemContainer.directive.js | | | |

| | | | |
|---|---|---|---|
| remotegui.zip: remotegui.jar: toastservice.js | | | |
| remotegui.zip: remotegui.jar: translate.js | | | |
| remotegui.zip: remotegui.jar: unitFixNumber.directive.js | | | |
| remotegui.zip: remotegui.jar: unitFloatNumber.directive.js | | | |
| remotegui.zip: remotegui.jar: userservice.js | | | |
| remotegui.zip: remotegui.jar: usersorgroupsselection.js | | | |
| remotegui.zip: remotegui.jar: usestrict.js | | | |
| remotegui.zip: remotegui.jar: websitedownload.renderer.js | | | |
| remotegui.zip: remotegui.jar: websocketdataservice.js | | | |
| remotegui.zip: remotegui.jar: websocketkeepaliveworker.js | | | |
| remotegui.zip: remotegui.jar: windowdatarestore.js | | | |
| remotegui.zip: twemoji.jar | | pkg:maven/lib/twemoji-null@1.0 | |
| reporting.zip: jcommon.jar | | pkg:maven/org.jfree/jcommon@1.0.24 | |
| reporting.zip: jfreechartCC.jar | | | |
| reporting.zip: reporting-javadoc.jar | | | |
| reporting.zip: reporting-javadoc.jar: jquery-3.6.1.min.js | | | |
| reporting.zip: reporting-javadoc.jar: jquery-ui.min.js | | pkg:javascript/jquery-ui@1.13.1 | |
| reporting.zip: reporting-javadoc.jar: member-search-index.js | | | |
| reporting.zip: reporting-javadoc.jar: package-search-index.js | | | |
| reporting.zip: reporting-javadoc.jar: script.js | | | |
| reporting.zip: reporting-javadoc.jar: tag-search-index.js | | | |
| reporting.zip: reporting-javadoc.jar: type-search-index.js | | | |
| reporting.zip: reporting.jar | | | |
| reporting.zip: reporting.jar: events.js | | | |
| reporting.zip: reporting.jar: export.js | | | |
| reporting.zip: reporting.jar: functions.js | | | |
| reporting.zip: reporting.jar: generator.js | | | |
| reporting.zip: reporting.jar: grouptree.js | | | |
| reporting.zip: reporting.jar: htmlreportextension.js | | | |
| reporting.zip: reporting.jar: jstorage.js | | | |

| | | | |
|---|---|---|---|
| reporting.zip: reporting.jar: keylistener.js | | | |
| reporting.zip: reporting.jar: menubar.js | | | |
| reporting.zip: reporting.jar: page.js | | | |
| reporting.zip: reporting.jar: pagecount.js | | | |
| reporting.zip: reporting.jar: popup.js | | | |
| reporting.zip: reporting.jar: print.js | | | |
| reporting.zip: reporting.jar: prompts.js | | | |
| reporting.zip: reporting.jar: prototype.array.js | | | |
| reporting.zip: reporting.jar: prototype.element.js | | | |
| reporting.zip: reporting.jar: prototype.string.js | | | |
| reporting.zip: reporting.jar: renderreportextension.js | | | |
| reporting.zip: reporting.jar: reorder.js | | | |
| reporting.zip: reporting.jar: report.export.js | | | |
| reporting.zip: reporting.jar: report.exportdialog.controller.js | | | |
| reporting.zip: reporting.jar: report.exportdialog.service.js | | | |
| reporting.zip: reporting.jar: report.exportframe.js | | | |
| reporting.zip: reporting.jar: script.js | | | |
| reporting.zip: reporting.jar: search.js | | | |
| reporting.zip: reporting.jar: serverping.js | | | |
| reporting.zip: reporting.jar: stacktrace.js | | | |
| reporting.zip: reporting.jar: tabbar.js | | | |
| security.zip: security.jar | | | |
| setuplauncher.jar | | | |
| slf4j-api-2.0.16.jar | | pkg:maven/org.slf4j/slf4j-api@2.0.16 | |
| taskplanner.helpdesk.zip: taskplanner.helpdesk.jar | cpe:2.3:a:inetsoftware:helpdesk:25.10.259:*:*:*:*:*:*:* | | |
| taskplanner.helpdesk.zip: taskplanner.helpdesk.jar: addticketsharing_taskplanner.js | | | |
| taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar | | | |
| taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: member-search-index.js | | | |
| taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: package-search-index.js | | | |
| taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: type-search-index.js | | | |

| | | | |
|---|---|---|---|
| taskplanner.reporting.zip: taskplanner.reporting.jar | | | |
| taskplanner.reporting.zip: taskplanner.reporting.jar: crtaskplanner.js | | | |
| taskplanner.zip: commons-cli.jar | | pkg:maven/commons-cli/commons-cli@1.9.0 | |
| taskplanner.zip: cron-utils.jar | cpe:2.3:a:cron-utils_project:cron-utils:9.2.1:*:*:*:*:*:*:* cpe:2.3:a:utils_project:utils:9.2.1:*:*:*:*:*:*:* | pkg:maven/com.cronutils/cron-utils@9.2.1 | |
| taskplanner.zip: guava.jar | cpe:2.3:a:google:guava:33.4.8:*:*:*:*:*:*:* | pkg:maven/com.google.guava/guava@33.4.8-jre | |
| taskplanner.zip: taskplanner-javadoc.jar | | | |
| taskplanner.zip: taskplanner-javadoc.jar: member-search-index.js | | | |
| taskplanner.zip: taskplanner-javadoc.jar: package-search-index.js | | | |
| taskplanner.zip: taskplanner-javadoc.jar: type-search-index.js | | | |
| taskplanner.zip: taskplanner.jar | | | |
| taskplanner.zip: taskplanner.jar: app.js | | | |
| taskplanner.zip: taskplanner.jar: boolean.directive.js | | | |
| taskplanner.zip: taskplanner.jar: colorField.directive.js | | | |
| taskplanner.zip: taskplanner.jar: controller.js | | | |
| taskplanner.zip: taskplanner.jar: factory.js | | | |
| taskplanner.zip: taskplanner.jar: filechooserAddonButton.directive.js | | | |
| taskplanner.zip: taskplanner.jar: model.js | | | |
| taskplanner.zip: taskplanner.jar: numberRange.directive.js | | | |
| taskplanner.zip: taskplanner.jar: numberWrapper.directive.js | | | |
| taskplanner.zip: taskplanner.jar: passwordTextField.directive.js | | | |
| taskplanner.zip: taskplanner.jar: renderer.directive.js | | | |
| taskplanner.zip: taskplanner.jar: simpleCurrencyField.directive.js | | | |
| taskplanner.zip: taskplanner.jar: simpleDateTimeField.directive.js | | | |
| taskplanner.zip: taskplanner.jar: simpleFileFolderField.directive.js | | | |
| taskplanner.zip: taskplanner.jar: simpleGroup.directive.js | | | |

| | | | |
|---|---|---|---|
| taskplanner.zip: taskplanner.jar: simpleLabel.directive.js | | | |
| taskplanner.zip: taskplanner.jar: simpleLink.directive.js | | | |
| taskplanner.zip: taskplanner.jar: simpleSelect.directive.js | | | |
| taskplanner.zip: taskplanner.jar: simpleTextField.directive.js | | | |
| taskplanner.zip: taskplanner.jar: stringTable.directive.js | | | |
| taskplanner.zip: taskplanner.jar: taskplanner_maintenance.js | | | |
| taskplanner.zip: taskplanner.jar: textAreaField.directive.js | | | |
| theme.zip: theme.jar | | | |
| ticketlist.zip: ticketlist.jar | cpe:2.3:a:inetsoftware:helpdesk:25.10.259:*:*:*:*:*:*:* | | |
| ticketlist.zip: ticketlist.jar: annotationextension.js | | | |
| ticketlist.zip: ticketlist.jar: applyactionfieldrenderer.js | | | |
| ticketlist.zip: ticketlist.jar: arearenderer.directive.js | | | |
| ticketlist.zip: ticketlist.jar: attachmentsextension.js | | | |
| ticketlist.zip: ticketlist.jar: booleanrenderer.directive.js | | | |
| ticketlist.zip: ticketlist.jar: cardobserver.js | | | |
| ticketlist.zip: ticketlist.jar: controllerTicketViewSortSettings.controller.js | | | |
| ticketlist.zip: ticketlist.jar: currencyrenderer.directive.js | | | |
| ticketlist.zip: ticketlist.jar: daterenderer.directive.js | | | |
| ticketlist.zip: ticketlist.jar: doublerenderer.directive.js | | | |
| ticketlist.zip: ticketlist.jar: draganddrop.js | | | |
| ticketlist.zip: ticketlist.jar: expertlayout.js | | | |
| ticketlist.zip: ticketlist.jar: extendedpagelayout.js | | | |
| ticketlist.zip: ticketlist.jar: fullviewpagelayout.js | | | |
| ticketlist.zip: ticketlist.jar: htmleditorrenderer.directive.js | | | |
| ticketlist.zip: ticketlist.jar: inputrenderer.directive.js | | | |
| ticketlist.zip: ticketlist.jar: integerrenderer.directive.js | | | |
| ticketlist.zip: ticketlist.jar: itilselectrenderer.directive.js | | | |
| ticketlist.zip: ticketlist.jar: linksextension.js | | | |
| ticketlist.zip: ticketlist.jar: newticket.js | | | |
| ticketlist.zip: ticketlist.jar: ownerrenderer.directive.js | | | |
| ticketlist.zip: ticketlist.jar: print.js | | | |

| | | | |
|---|---|---|---|
| ticketlist.zip: ticketlist.jar: ratingrenderer.directive.js | | | |
| ticketlist.zip: ticketlist.jar: relativeabsolutedateswitcher.directive.js | | | |
| ticketlist.zip: ticketlist.jar: relativetimerenderer.js | | | |
| ticketlist.zip: ticketlist.jar: resizeableColumn.js | | | |
| ticketlist.zip: ticketlist.jar: selectionCountBadge.js | | | |
| ticketlist.zip: ticketlist.jar: selectmultirenderer.directive.js | | | |
| ticketlist.zip: ticketlist.jar: selectrenderer.directive.js | | | |
| ticketlist.zip: ticketlist.jar: sorter.js | | | |
| ticketlist.zip: ticketlist.jar: stopwatch.js | | | |
| ticketlist.zip: ticketlist.jar: tabspagelayout.js | | | |
| ticketlist.zip: ticketlist.jar: ticketattachment.js | | | |
| ticketlist.zip: ticketlist.jar: ticketdetailsextension.js | | | |
| ticketlist.zip: ticketlist.jar: ticketeditor.js | | | |
| ticketlist.zip: ticketlist.jar: ticketfactory.js | | | |
| ticketlist.zip: ticketlist.jar: ticketfieldrenderer.directive.js | | | |
| ticketlist.zip: ticketlist.jar: ticketlist.js | | | |
| ticketlist.zip: ticketlist.jar: ticketlistadditionalcomponents.js | | | |
| ticketlist.zip: ticketlist.jar: ticketlistapp.js | | | |
| ticketlist.zip: ticketlist.jar: ticketlistapplyaction.js | | | |
| ticketlist.zip: ticketlist.jar: ticketlisteditproperties.js | | | |
| ticketlist.zip: ticketlist.jar: ticketlistlayoutsettings.js | | | |
| ticketlist.zip: ticketlist.jar: ticketmodel.js | | | |
| ticketlist.zip: ticketlist.jar: ticketownerextension.js | | | |
| ticketlist.zip: ticketlist.jar: ticketpage.js | | | |
| ticketlist.zip: ticketlist.jar: ticketpageheader.js | | | |
| ticketlist.zip: ticketlist.jar: ticketpagehintsextension.js | | | |
| ticketlist.zip: ticketlist.jar: ticketpagelayoutsettings.js | | | |
| ticketlist.zip: ticketlist.jar: ticketpagesteps.js | | | |
| ticketlist.zip: ticketlist.jar: ticketpreview.js | | | |
| ticketlist.zip: ticketlist.jar: ticketproperties.js | | | |
| ticketlist.zip: ticketlist.jar: ticketrenderer.js | | | |
| ticketlist.zip: ticketlist.jar: ticketsharing.js | | | |
| ticketlist.zip: ticketlist.jar: ticketviewsMember.directive.js | | | |
| | | | |

| | | | |
|---|---|---|---|
| ticketlist.zip: ticketlist.jar: timelineextension.js | | | |
| ticketlist.zip: ticketlist.jar: userticketshistoryextension.js | | | |
| ticketprocess.zip: ticketprocess.jar | cpe:2.3:a:inetsoftware:helpdesk:25.10.259:*:*:*:*:*:*:* | | |
| ticketprocess.zip: ticketprocess.jar: applyProcessRenderer.js | | | |
| ticketprocess.zip: ticketprocess.jar: configuration.ticketprocess.edit.js | | | |
| ticketprocess.zip: ticketprocess.jar: configuration.ticketprocess.js | | | |
| ticketprocess.zip: ticketprocess.jar: ticketlist.ticketprocess.js | | | |
| ticketprocess.zip: ticketprocess.jar: ticketprocess.changeticketprocess.js | | | |
| ticketprocess.zip: ticketprocess.jar: ticketprocess.parallelticket.preview.js | | | |
| ticketprocess.zip: ticketprocess.jar: ticketprocessdirectives.js | | | |
| ticketprocess.zip: ticketprocess.jar: ticketprocessfactory.js | | | |
| ticketprocess.zip: ticketprocess.jar: ticketprocessmodel.js | | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar | | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeAccountSettingsRenderer.directive.js | | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeBooleanRenderer.directive.js | | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeCommaSeparatedRenderer.directive.js | | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeCurrencyRenderer.directive.js | | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeDateRenderer.directive.js | | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeDoubleRenderer.directive.js | | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeHintRenderer.directive.js | | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeIntegerRenderer.directive.js | | | |

| | | | |
|---|---|---|---|
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeLinkRenderer.directive.js | | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeLoginsRenderer.directive.js | | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeMembersRenderer.directive.js | | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeMultilineRenderer.directive.js | | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypePermissionRenderer.directive.js | | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeSelectRenderer.directive.js | | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeStayLoggedInSessionsRenderer.directive.js | | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeStringListRenderer.directive.js | | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeStringRenderer.directive.js | | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeTimeRenderer.directive.js | | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeTimerangeRenderer.directive.js | | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: membershipentry.directive.js | | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: membershiplist.directive.js | | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: nonmembershiplist.directive.js | | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: permissionCheckboxRenderer.directive.js | | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: permissionRadiobuttonRenderer.directive.js | | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagercontroller.js | | | |
| usersandgroupsmanager.zip: | | | |

| | | | |
|---|---|---|---|
| usersandgroupsmanager.jar: usersandgroupsmanagerdetailscontroller.js | | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdialogcontroller.js | | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdirectives.js | | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagereffectivepermissionscontroller.js | | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerfactory.js | | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagermodel.js | | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerpredeletionwarning.js | | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerrenderer.js | | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerstatisticscontroller.js | | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagertakeoutcontroller.js | | | |
| webserver.defender.zip: webserver.defender.jar | | | |
| webserver.zip: acme4j-client.jar | | pkg:maven/org.shredzone.acme4j/acme4j-client@3.5.1 | |
| webserver.zip: jetty-websocket-core-client.jar | cpe:2.3:a:eclipse:jetty:12.1.2:*:*:*:*:*:*:* cpe:2.3:a:jetty:jetty:12.1.2:*:*:*:*:*:*:* cpe:2.3:a:mortbay_jetty:jetty:12.1.2:*:*:*:*:*:*:* | pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-client@12.1.2 | |
| webserver.zip: jetty-websocket-core-server.jar | cpe:2.3:a:eclipse:jetty:12.1.2:*:*:*:*:*:*:* cpe:2.3:a:jetty:jetty:12.1.2:*:*:*:*:*:*:* cpe:2.3:a:jetty:jetty_http_server:12.1.2:*:*:*:*:*:*:* cpe:2.3:a:mortbay_jetty:jetty:12.1.2:*:*:*:*:*:*:* | pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-server@12.1.2 | |
| webserver.zip: jose4j.jar | cpe:2.3:a:jose4j_project:jose4j:0.9.6:*:*:*:*:*:*:* | pkg:maven/org.bitbucket.b_c/jose4j@0.9.6 | |
| webserver.zip: webserver.jar | | | |

# Dependencies (vulnerable)

## BarcodePDF417Bean.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/BarcodePDF417Bean.jar
**MD5:** ee02680cac6cb10744e889508bb82457
**SHA1:** e0226f9fc4689cea9815fa4d69e9ecb98d430dd6
**SHA256:**623a0f90b580176f112ddb8aa44fead409e5443c9fda13b9bbe16a437c49d6fc
**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | BarcodePDF417Bean | High |
| Vendor | jar | package name | beans | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdf417 | Low |
| Vendor | Manifest | built-date | 2025-12-01 14:45 | Low |
| Vendor | Manifest | implementation-group | reporting | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | BarcodePDF417Bean | High |
| Product | jar | package name | beans | Low |
| Product | jar | package name | pdf417 | Low |
| Product | Manifest | built-date | 2025-12-01 14:45 | Low |
| Product | Manifest | implementation-group | reporting | Low |
| Product | Manifest | Implementation-Title | BarcodePDF417Bean | High |
| Product | Manifest | specification-title | BarcodePDF417Bean | Medium |
| Version | file | name | BarcodePDF417Bean | Medium |
| Version | file | version | 417 | Medium |
| Version | Manifest | Implementation-Version | 25.10.259 | High |

**Identifiers**

- **None**

## JBarcodeBean.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/JBarcodeBean.jar
**MD5:** c650fda9e7f38dd5059e775f67e4c738
**SHA1:** fd113b0c0b4f4e5a90c59b95504b6255a466c566
**SHA256:**6a876a81e622477c2dfc059f95411bd02109c418a471a497917b89e4ff7bf551
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | JBarcodeBean | High |
| Vendor | jar | package name | jbarcodebean | Low |
| Product | file | name | JBarcodeBean | High |

**Identifiers**

- **None**

## Merlia-0.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/lib/Merlia/0/e4af937135679cc07f99529ee7ca127519bd3a06/Merlia-0.jar
**MD5:** 3eb81fb3cc977f1a3eb1fb26b2b38666
**SHA1:** e4af937135679cc07f99529ee7ca127519bd3a06
**SHA256:**b1d1878d936c27b010e6f3c123d8d7f2f7f6960a53e5b01b1b1c3d104c29b0a8
**Referenced In Project/Scope:** server:inetPlugin
**Included by:** pkg:maven/helpdesk/server@25.10

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | Merlia-0 | High |
| Vendor | gradle | artifactid | Merlia | Highest |
| Vendor | gradle | groupid | lib | Highest |

| | | | | |
|---|---|---|---|---|
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | tds | Low |
| Product | file | name | Merlia-0 | High |
| Product | gradle | artifactid | Merlia | Highest |
| Product | jar | package name | tds | Low |
| Version | file | name | Merlia-0 | Medium |
| Version | file | version | 0 | Medium |
| Version | gradle | version | 0 | Highest |
| Version | Manifest | driver-version | 8.13 | Medium |

**Identifiers**

- pkg:maven/lib/Merlia@0 (*Confidence*:Highest)

## Merlia.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/Merlia.jar
**MD5:** 0e925a050c4ddb25d12bc8d7cb231aa1
**SHA1:** a3ac06f19a23d93aecc547076b2913be41abed65
**SHA256:**b06e347155536fbfdaee4266da462cd287324f7f5bbe461aade76310770ec59d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | Merlia | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | tds | Low |
| Product | file | name | Merlia | High |
| Product | jar | package name | tds | Low |
| Version | Manifest | driver-version | 8.13 | Medium |

**Identifiers**

- **None**

## Oranxo.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/Oranxo.jar
**MD5:** be64de69cf5338d7090ad4a0e29df1c9
**SHA1:** c123af83d33ab48f4e3923a3af52fce84f9205d6
**SHA256:**d8822b32431210f83a411e282ec6857830385f00eb849ccc038089074562c676
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | Oranxo | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | ora | Low |
| Product | file | name | Oranxo | High |
| Product | jar | package name | ora | Low |
| Version | Manifest | driver-version | 4.06 | Medium |

**Identifiers**

- **None**

## ZxingBarCodes.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/ZxingBarCodes.jar
**MD5:** cebc0592e1dd0b3ed9dbbdaace1e5e5b
**SHA1:** acec7609119dd5c1fd12d0cd1b2680f52cc7232c
**SHA256:**bbe4ec0bcc6265b7e0dfde4cddb5f59aa5f3fec623c0c33af75f2fc841add0d0
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | ZxingBarCodes | High |
| Vendor | jar | package name | beans | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | zxing | Low |

| | | | | |
|---|---|---|---|---|
| Vendor | Manifest | built-date | 2025-12-01 14:45 | Low |
| Vendor | Manifest | implementation-group | reporting | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | ZxingBarCodes | High |
| Product | jar | package name | beans | Low |
| Product | jar | package name | zxing | Low |
| Product | jar | package name | zxingbarcodes | Highest |
| Product | Manifest | built-date | 2025-12-01 14:45 | Low |
| Product | Manifest | implementation-group | reporting | Low |
| Product | Manifest | Implementation-Title | ZxingBarCodes | High |
| Product | Manifest | specification-title | ZxingBarCodes | Medium |
| Version | Manifest | Implementation-Version | 25.10.259 | High |

**Identifiers**

- **None**

## adhoc.zip: adhoc-javadoc.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc-javadoc.jar
**MD5:** 06ed74d05e9edc850f0419b727f8eba1
**SHA1:** a9dd89294d08e9ed620ba18ad244c8d423d4c321
**SHA256:**27da55069d83b67e42b5ed3d5418baaffc922dc746fa636fd2f29b2ac1ac3ca5
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | adhoc-javadoc | High |

| | | | | |
|---|---|---|---|---|
| Product | file | name | adhoc-javadoc | High |

**Identifiers**

- **None**

## adhoc.zip: adhoc-javadoc.jar: jquery-3.7.1.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc-javadoc.jar/script-dir/jquery-3.7.1.min.js
**MD5:** 2c872dbe60f4ba70fb85356113d8b35e
**SHA1:** ee48592d1fff952fcf06ce0b666ed4785493afdc
**SHA256:**fc9a93dd241f6b045cbff0481cf4e1901becd0e12fb45166a8f17f95823f0b1a
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Related Dependencies**

- cowork.zip: cowork-javadoc.jar: jquery-3.7.1.min.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork-javadoc.jar/script-dir/jquery-3.7.1.min.js
  - MD5: 2c872dbe60f4ba70fb85356113d8b35e
  - SHA1: ee48592d1fff952fcf06ce0b666ed4785493afdc
  - SHA256: fc9a93dd241f6b045cbff0481cf4e1901becd0e12fb45166a8f17f95823f0b1a
- maintenance.zip: maintenance-javadoc.jar: jquery-3.7.1.min.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance-javadoc.jar/script-dir/jquery-3.7.1.min.js
  - MD5: 2c872dbe60f4ba70fb85356113d8b35e
  - SHA1: ee48592d1fff952fcf06ce0b666ed4785493afdc
  - SHA256: fc9a93dd241f6b045cbff0481cf4e1901becd0e12fb45166a8f17f95823f0b1a
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: jquery-3.7.1.min.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/script-dir/jquery-3.7.1.min.js
  - MD5: 2c872dbe60f4ba70fb85356113d8b35e
  - SHA1: ee48592d1fff952fcf06ce0b666ed4785493afdc
  - SHA256: fc9a93dd241f6b045cbff0481cf4e1901becd0e12fb45166a8f17f95823f0b1a
- taskplanner.zip: taskplanner-javadoc.jar: jquery-3.7.1.min.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner-javadoc.jar/script-dir/jquery-3.7.1.min.js
  - MD5: 2c872dbe60f4ba70fb85356113d8b35e
  - SHA1: ee48592d1fff952fcf06ce0b666ed4785493afdc
  - SHA256: fc9a93dd241f6b045cbff0481cf4e1901becd0e12fb45166a8f17f95823f0b1a

**Identifiers**

- **None**

## adhoc.zip: adhoc-javadoc.jar: jquery-ui.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc-javadoc.jar/script-dir/jquery-ui.min.js
**MD5:** a443ef25e4d347d30d3222a401f9ae54
**SHA1:** 47c18aebea0d1116f19b279134e50c9f0d381405
**SHA256:**a6c0904499f1efeef05641bd28fd7c73785e60f69ce9c699daf65af8b3720703
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Related Dependencies**

- cowork.zip: cowork-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork-javadoc.jar/script-dir/jquery-ui.min.js
  - MD5: a443ef25e4d347d30d3222a401f9ae54
  - SHA1: 47c18aebea0d1116f19b279134e50c9f0d381405
  - SHA256: a6c0904499f1efeef05641bd28fd7c73785e60f69ce9c699daf65af8b3720703
- maintenance.zip: maintenance-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance-javadoc.jar/script-dir/jquery-ui.min.js
  - MD5: a443ef25e4d347d30d3222a401f9ae54
  - SHA1: 47c18aebea0d1116f19b279134e50c9f0d381405
  - SHA256: a6c0904499f1efeef05641bd28fd7c73785e60f69ce9c699daf65af8b3720703
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/script-dir/jquery-ui.min.js
  - MD5: a443ef25e4d347d30d3222a401f9ae54
  - SHA1: 47c18aebea0d1116f19b279134e50c9f0d381405
  - SHA256: a6c0904499f1efeef05641bd28fd7c73785e60f69ce9c699daf65af8b3720703
- taskplanner.zip: taskplanner-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner-javadoc.jar/script-dir/jquery-ui.min.js
  - MD5: a443ef25e4d347d30d3222a401f9ae54
  - SHA1: 47c18aebea0d1116f19b279134e50c9f0d381405
  - SHA256: a6c0904499f1efeef05641bd28fd7c73785e60f69ce9c699daf65af8b3720703

**Identifiers**

- **None**

## adhoc.zip: adhoc-javadoc.jar: member-search-index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc-javadoc.jar/member-search-index.js
**MD5:** a11a003432f42524d56629b19a1483b3
**SHA1:** 8cffaec74a440180929e2b2de7d62f57243aabf7
**SHA256:**b57d8acb20e1bbe3c9de51666f29072c04cf9ad2a2146f3e2c4408f9e2a80367
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## adhoc.zip: adhoc-javadoc.jar: module-search-index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc-javadoc.jar/module-search-index.js
**MD5:** a33da0f469acbd03f77bf407bac505f5
**SHA1:** 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
**SHA256:**814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Related Dependencies**

- cowork.zip: cowork-javadoc.jar: module-search-index.js

- File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork-javadoc.jar/module-search-index.js
- MD5: a33da0f469acbd03f77bf407bac505f5
- SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
- SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18

- maintenance.zip: maintenance-javadoc.jar: module-search-index.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance-javadoc.jar/module-search-index.js
  - MD5: a33da0f469acbd03f77bf407bac505f5
  - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
  - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18
- reporting.zip: reporting-javadoc.jar: module-search-index.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting-javadoc.jar/module-search-index.js
  - MD5: a33da0f469acbd03f77bf407bac505f5
  - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
  - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: module-search-index.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/module-search-index.js
  - MD5: a33da0f469acbd03f77bf407bac505f5
  - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
  - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18
- taskplanner.zip: taskplanner-javadoc.jar: module-search-index.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner-javadoc.jar/module-search-index.js
  - MD5: a33da0f469acbd03f77bf407bac505f5
  - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
  - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18

**Identifiers**

- **None**

## adhoc.zip: adhoc-javadoc.jar: package-search-index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc-javadoc.jar/package-search-index.js
**MD5:** 443c6de8c51f57bb46f9edf936be4831
**SHA1:** 8ab16f7861b9adc0d4e5e4534a0b9944ddba22a0
**SHA256:**1b37c4985983a5e016aa6710ac4705e886ea68722beaaf977f638efa5ab3b704
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## adhoc.zip: adhoc-javadoc.jar: script.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc-javadoc.jar/script.js
**MD5:** 33752b38a1be87b6104cf5bdd7ffc6a9
**SHA1:** e3aa5200cbabd88c6e041e081e31c037127197b6
**SHA256:**cbcc9c6530d4b8243436efb89516537f3d6b3a4eceaa0e6256c57bdb8ddb544d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Related Dependencies**

- cowork.zip: cowork-javadoc.jar: script.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork-javadoc.jar/script.js
  - MD5: 33752b38a1be87b6104cf5bdd7ffc6a9
  - SHA1: e3aa5200cbabd88c6e041e081e31c037127197b6
  - SHA256: cbcc9c6530d4b8243436efb89516537f3d6b3a4eceaa0e6256c57bdb8ddb544d
- maintenance.zip: maintenance-javadoc.jar: script.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance-javadoc.jar/script.js
  - MD5: 33752b38a1be87b6104cf5bdd7ffc6a9
  - SHA1: e3aa5200cbabd88c6e041e081e31c037127197b6
  - SHA256: cbcc9c6530d4b8243436efb89516537f3d6b3a4eceaa0e6256c57bdb8ddb544d
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: script.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/script.js
  - MD5: 33752b38a1be87b6104cf5bdd7ffc6a9
  - SHA1: e3aa5200cbabd88c6e041e081e31c037127197b6
  - SHA256: cbcc9c6530d4b8243436efb89516537f3d6b3a4eceaa0e6256c57bdb8ddb544d
- taskplanner.zip: taskplanner-javadoc.jar: script.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner-javadoc.jar/script.js
  - MD5: 33752b38a1be87b6104cf5bdd7ffc6a9
  - SHA1: e3aa5200cbabd88c6e041e081e31c037127197b6
  - SHA256: cbcc9c6530d4b8243436efb89516537f3d6b3a4eceaa0e6256c57bdb8ddb544d

**Identifiers**

- **None**

## adhoc.zip: adhoc-javadoc.jar: search.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc-javadoc.jar/search.js
**MD5:** cb277f670590ffec20a12745260518dc
**SHA1:** 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
**SHA256:**47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Related Dependencies**

- cowork.zip: cowork-javadoc.jar: search.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork-javadoc.jar/search.js
  - MD5: cb277f670590ffec20a12745260518dc
  - SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
  - SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f
- maintenance.zip: maintenance-javadoc.jar: search.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance-javadoc.jar/search.js
  - MD5: cb277f670590ffec20a12745260518dc
  - SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
  - SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f
- reporting.zip: reporting-javadoc.jar: search.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting-javadoc.jar/search.js
  - MD5: cb277f670590ffec20a12745260518dc
  - SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
  - SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: search.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/search.js
  - MD5: cb277f670590ffec20a12745260518dc
  - SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
  - SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f
- taskplanner.zip: taskplanner-javadoc.jar: search.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner-javadoc.jar/search.js
  - MD5: cb277f670590ffec20a12745260518dc

- SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
- SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f

**Identifiers**

- **None**

## adhoc.zip: adhoc-javadoc.jar: tag-search-index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc-javadoc.jar/tag-search-index.js
**MD5:** acda0a4d961a2dbb052cf81694d1c50b
**SHA1:** 4853e0d2a022b5098359e59d740952ee1e187c04
**SHA256:**4394bc27c97d0c9018c2fb763bfc045db14433b160e3c1fec16795d1d1967aaf
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Related Dependencies**

- cowork.zip: cowork-javadoc.jar: tag-search-index.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork-javadoc.jar/tag-search-index.js
  - MD5: acda0a4d961a2dbb052cf81694d1c50b
  - SHA1: 4853e0d2a022b5098359e59d740952ee1e187c04
  - SHA256: 4394bc27c97d0c9018c2fb763bfc045db14433b160e3c1fec16795d1d1967aaf

**Identifiers**

- **None**

## adhoc.zip: adhoc-javadoc.jar: type-search-index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc-javadoc.jar/type-search-index.js
**MD5:** 35601b6ef3d0d29583b9fd84fa024e11

**SHA1:** d6778f941634eea1e7531383aa3d61199a5169b5
**SHA256:**e41d5f216525aa5f8dd4034163d890d31e4aac6e5e7f4d5847b596e5e27ebe77
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## adhoc.zip: adhoc.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar
**MD5:** ab91401949d50a7d8403b6d5428e691a
**SHA1:** dca6608b01f6430a14151d8878da693e90d65e67
**SHA256:**903dcd2855289e22f0695b10cff6f70f937441e5b600157961436db0f0fc3235
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | adhoc | High |
| Vendor | jar | package name | adhoc | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | report | Low |
| Vendor | Manifest | built-date | 2025-12-01 14:40 | Low |
| Vendor | Manifest | implementation-group | reporting | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | adhoc | High |
| Product | jar | package name | adhoc | Highest |
| Product | jar | package name | adhoc | Low |

| | | | | |
|---|---|---|---|---|
| Product | jar | package name | report | Low |
| Product | jar | package name | server | Low |
| Product | Manifest | built-date | 2025-12-01 14:40 | Low |
| Product | Manifest | implementation-group | reporting | Low |
| Product | Manifest | Implementation-Title | adhoc | High |
| Product | Manifest | specification-title | adhoc | Medium |
| Version | Manifest | Implementation-Version | 25.10.259 | High |

**Identifiers**

- **None**

## adhoc.zip: adhoc.jar: adhoc.ai.panel.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.ai.panel.js
**MD5:** c9621818e2fa2105a73d09882414f2b2
**SHA1:** 592226c5494aa756bfbb304dbbc8d933fc2ceb7f
**SHA256:**a271f3f74b7245c3ab110554a37a613e0ef9c0ef31c90ef8e5983655da33e41c
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## adhoc.zip: adhoc.jar: adhoc.chartresizeobserver.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.chartresizeobserver.js
**MD5:** 2353f6ab5c7683c4f071cb593ea217b6
**SHA1:** 08d6eba3020002ca0a114ffbe02c6c3b015e77a4

**SHA256:**909ec3c7da69961a59c995c8e9d648ed211c434ad884054eac946c44e3e0cac9
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## adhoc.zip: adhoc.jar: adhoc.componentresizeobserver.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.componentresizeobserver.js
**MD5:** e456cb79474b1658f85e888026638cc9
**SHA1:** 8a3dbb6395ed6bfd0daabd706cc3eff68b69db88
**SHA256:**9dd8d55582f0fcc3da01c52225fdf9feb0a013053e7fe284a05e02a529becec7
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## adhoc.zip: adhoc.jar: adhoc.openfiledropzone.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.openfiledropzone.js
**MD5:** 8e84aa7ab7e98c0dec8019701658d2b4
**SHA1:** bdad0809b3e268ae1b0c610b95b1156104550a6d
**SHA256:**67d5e615c4b54f10c8dde13f257d1a700522bf15d9d5629758d10a58b8292b7b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## adhoc.zip: adhoc.jar: adhoc.pageheadertoolbar.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.pageheadertoolbar.js
**MD5:** 3db0f95df6f62025ca4806507d4f0f43
**SHA1:** fbe797943666cf95d624757a2fd20061ad8a46ec
**SHA256:**52b002248c5ee906fffd1d9dcbde2fbd9879ae541cb6ecbec575fa6d0c20213b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## adhoc.zip: adhoc.jar: adhoc.reportcomponentview.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportcomponentview.js
**MD5:** 1183a925e74bcd44507fdfb81ac32726
**SHA1:** 3283ed287bfc7d8130e7b40e27e59f256c47feca
**SHA256:**e79219570e282ad7f72c1691fe5a6f6be0b6cd679991113a3dd82ef5534101ca
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## adhoc.zip: adhoc.jar: adhoc.reportpropertiesarea.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportpropertiesarea.js
**MD5:** 66e39cbb1c1a68f71d5d8644b757ce94
**SHA1:** 267aed374d6ed69510ce8dfa22e53514c0b37ba7
**SHA256:**9fd5b15728af631f2004b4ddd85943bcaa2978c9c2601626b8daba6a02731534
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## adhoc.zip: adhoc.jar: adhoc.reportproperty.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.js
**MD5:** b983a3cfd912512fbc60090e89711a79
**SHA1:** 5ee3a9659326fa2c537a989847992beeba94a732
**SHA256:**a990433c893aab0121361a967244ca651adabdd7fcc466c6fe7aa0b929241fff
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## adhoc.zip: adhoc.jar: adhoc.reportproperty.printconverter.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.printconverter.js
**MD5:** 0156e3fbc45f0b07b8a5804b7e13afc7
**SHA1:** a5b87c150ed5c97c87ad474b8658b8cbaec3d1c7
**SHA256:**03b11b97d110dfc75c6ea6f3a3a9daa057ae468452b0de8abd957e2335ce1e5f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.access.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.access.js
**MD5:** 3c3cc1f827d6dbcf0ac4c5a51c4ab89f
**SHA1:** 67d3370998c83d720424474dfd3fcc1fa772148c
**SHA256:**0482946023e643fb686feffd6a17471305f135f4c37bc5dc4b425b5c16e237cd
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.boolean.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.boolean.js
**MD5:** 8dc62791382904705c86dd5b30dd6057
**SHA1:** 0dd574f611b4a9e778e2eb5d35f6eb053b2ff9b6
**SHA256:**92f8f5f2b8ea2dc1144577404450c4a027a3ad58acffe5bc40d148ec60dd1b63
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.color.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.color.js
**MD5:** 57bb880e05f35d1266a05d8cd42ab23b
**SHA1:** 3865d3959ace7c0e8df9939bd2491f2caaf7eeae
**SHA256:**054ab0edc0c5e1778c1770fee484d0dc431fb605b808b2f7fd3a363ea1349a4b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.colorscheme.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.colorscheme.js
**MD5:** bf076d6942b679343e59e02dfbca5c78
**SHA1:** 44cff0512ae4f820e2b94c42f7bb426714a6dfc9
**SHA256:**b5db1a6088d0bd4b13feb52ef897b8e1ba664cc81b0394eaf879838a912f0f61
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.columns.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.columns.js
**MD5:** 7ffacc002e6cdae40f70dfaea37e518d
**SHA1:** d13751863b1fefb6e60af34d5bfaaf4705e6527b
**SHA256:**7e8c7575a4cacbbb7934f75c0ec9ac9e1285bfa1d7806c8aa5cd057eab42f67a
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.filter.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.filter.js
**MD5:** c8237bd10054b17297f16dc23ce7a899
**SHA1:** 2c719ce1417e8cabd7b6cb6f57799bcadb2cb96d
**SHA256:**895d41a74d20c5a948d83f682478a3d1b24e3dfefc60693c2c38c74077327e55
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

### adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.image.select.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.image.select.js
**MD5:** 4e4c9d65d59a92adf877a61a71756393
**SHA1:** 8e676f076cc14ef4622a8ed65a410e61fd992c1e
**SHA256:**584cb6b59493fd20bb1eb9b59c90c84ee9dc61bc078fc61cd2ab2d012e2902c1
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

### adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.logo.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.logo.js
**MD5:** ecaff58fb7d486379c09558c67b6adb4
**SHA1:** 3e5d9e14b525ca20c60d1ec4ffccfd73fc3dbbf3
**SHA256:**8d8650c4d2ddab25549397f8f300bd9323e6676a51ed34b393c801a749f7ca43
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

### adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.select.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com

/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.select.js
**MD5:** e12653dce1fcfdebe5f0a28fe0774de8
**SHA1:** 5406aa37b19e568b6d06193e2cb542d6519e642f
**SHA256:**9dcfcd925a87edf3a76fdfb79763d868dbbfdac56db00f2bfdb834cb6bede1f7
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.slider.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.slider.js
**MD5:** 4b5d05e2c310201701297eadad19abca
**SHA1:** c30e2757675ca8316173a36d3c39765226175de2
**SHA256:**abccfa14c95c8403913d4a9729fd9881a1adc29ca4da9860268a26fd5459550d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.source.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.source.js
**MD5:** 37e9c9f9a348ccae2f8df7af5d3725bd
**SHA1:** 6764850e9d7eb9171bff7d89446b04eb266ca1e8
**SHA256:**5cb78eed4c3a7a38da62d8f6c08673a671e46c904a3c013c64c08cb768df225f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.templatesource.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.templatesource.js
**MD5:** 3528a62f71a82a0be2b78f8a64de3497
**SHA1:** 4029d60d787120027ca739895ee0bb362fc671f6
**SHA256:**358a1d431f2ab4433d121b476af854e744d7b1121ed25afe405b59238b041563
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.text.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.text.js
**MD5:** 63f0e10a167f83195cb68fd0e882fb88
**SHA1:** cf7819683de9726f187028f9f5a632f264796467
**SHA256:**2b9e194cb44834c7f9a47202dd485f5be9eff7103a8f28fc52bde01c7eb685c8
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## adhoc.zip: adhoc.jar: adhoc.reportview.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportview.js
**MD5:** 4cec8eccc919777d50efe977de091d0f
**SHA1:** a5994488ccaa84f20f789ba5cbb22f9a9ae64cad
**SHA256:**34259fd56daa2c9d20578f0378bcb5c415935568827f3d02831d3f21e0f1c83b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## adhoc.zip: adhoc.jar: adhoc.toolbar.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.toolbar.js
**MD5:** 2f5139e8bb9230a5c2389e256e6d93ba
**SHA1:** adb1e443a91992bf905d820bf5b2417dcfb41f59
**SHA256:**f82cf1c1bb706977a407a487c7180d2771dcc68f571653d6649872ec49ba8f9f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## adhoc.zip: adhoc.jar: adhoccontroller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoccontroller.js
**MD5:** d2eaf43d02534b5ea7d88e14058e1775
**SHA1:** 857732821d93db487a110221ee71b56e37535b46
**SHA256:**4cb72e884445cf953f4ec79a5013cdf02dc2d86b5cc1c47c2bd8f42bbf77fd57
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## adhoc.zip: adhoc.jar: adhocfactory.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhocfactory.js
**MD5:** 0e71269ca93b2ab765041523a51cdc0b
**SHA1:** 0402abcf93b128f26b7485ef3d3624c62381a32d
**SHA256:**7b3b28dc0bab13d0c4147ced5188d594c4ca4f5d5a7c4756dbcd4ecd380d2320
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## adhoc.zip: adhoc.jar: adhocmodel.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhocmodel.js
**MD5:** 008d5ecd29740c8300f9159489739151

**SHA1:** 6b48d6f72417311904460d3f4a4f279d4d129849
**SHA256:**80d035ab11fd1a9b182e8197d2a2ff0df2b1dbc94104f20d16b88e49e8cf76fe
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## adhoc.zip: adhoc.jar: configuration.adhoc.templates.edit.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/configuration/templates/configuration.adhoc.templates.edit.js
**MD5:** 5fde177e1fe760a873bc1eec6790c747
**SHA1:** ea09c1b8b425b11dabdadfa340733cead4fb391f
**SHA256:**005ffffac2bdb1e7afbf2f4a96d05ce6bd9e50e7aa90dfa59b67d07c3092a6a2
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## adhoc.zip: adhoc.jar: configuration.adhoc.templates.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/configuration/templates/configuration.adhoc.templates.js
**MD5:** 7003e616506cf628e25ee3debe27264a
**SHA1:** 60eb9aae8ed4419008acd4bb4cfe03baa87ea843
**SHA256:**f13a5f0c5d6f68e16eb54a6904ccb00f6df6ff19e0605369558c6afe25ac2e6c
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## adhoc.zip: adhoc.jar: configuration.adhoc.themes.edit.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/configuration/themes/configuration.adhoc.themes.edit.js
**MD5:** 5bcdbe57c2457045ede2e7e59a72a12e
**SHA1:** e72b708ddd576b5731ab3bc5a5098ea604c98fb5
**SHA256:**796e44d380350305a4be59f45a11a0aedbf691866cae7ba8217f1bee118beb0a
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## adhoc.zip: adhoc.jar: configuration.adhoc.themes.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/configuration/themes/configuration.adhoc.themes.js
**MD5:** b1ad812c14dcd1fe5e2b7062268f571c
**SHA1:** a708eae13369c42e13a88f6eccd2a803b68414b5
**SHA256:**90f2459efc98b028e092fe336c9db4c2169abac3a9a3df01afdda00011340c09
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## adhoc.zip: echarts.jar

**Description:**

WebJar for echarts

**License:**

Apache-2.0

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/echarts.jar
**MD5:** f1b0daa0d7a67341f1803381e1d4185a
**SHA1:** 1600ea69559037bf4fc553e97e72c6aa4c1b1822
**SHA256:**99333b79cba4fde148702ae3bbf26d30752a44944f1015e8ce7e7d2da692e515
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | echarts | High |
| Vendor | Manifest | build-jdk-spec | 1.8 | Low |
| Vendor | Manifest | bundle-symbolicname | org.webjars.npm.echarts | Medium |
| Vendor | pom | artifactid | echarts | Low |
| Vendor | pom | developer id | webjars | Medium |
| Vendor | pom | groupid | org.webjars.npm | Highest |
| Vendor | pom | name | echarts | High |
| Vendor | pom | url | https://www.webjars.org | Highest |
| Product | file | name | echarts | High |
| Product | Manifest | build-jdk-spec | 1.8 | Low |
| Product | Manifest | Bundle-Name | echarts | Medium |
| Product | Manifest | bundle-symbolicname | org.webjars.npm.echarts | Medium |
| Product | pom | artifactid | echarts | Highest |
| Product | pom | developer id | webjars | Low |
| Product | pom | groupid | org.webjars.npm | Highest |
| Product | pom | name | echarts | High |
| Product | pom | url | https://www.webjars.org | Medium |
| Version | Manifest | Bundle-Version | 6.0.0 | High |

| | | | | |
|---|---|---|---|---|
| Version | pom | version | 6.0.0 | Highest |

**Identifiers**

- pkg:maven/org.webjars.npm/echarts@6.0.0 (*Confidence*:High)

## adhoc.zip: echarts.jar: echarts.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/adhoc.zip/echarts.jar/META-INF/resources/webjars/echarts/6.0.0/dist/echarts.min.js
**MD5:** 13a384552589b88e84f7bf0c757a66ac
**SHA1:** d8c844c3d7c681edb8c6b7f72464373cff593c98
**SHA256:**baa8dfe7e1d9336b98e8986ba7e20ea15e7cdbea1ef42a59d59478632fa45a1d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ai.zip: ai.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/ai.zip/ai.jar
**MD5:** cb2244f2d5418157c634d90378e74b57
**SHA1:** e682a6b28e1a50b5ad37edccff80ed30cadd1152
**SHA256:**5cb61759bab56fbd6cbb2b7ccc3c48326ba014a6ec52aa1a493dde81bf21365e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | ai | High |
| Vendor | jar | package name | ai | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | plugin | Low |

| | | | | |
|---|---|---|---|---|
| Vendor | Manifest | built-date | 2025-12-01 13:21 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | ai | High |
| Product | jar | package name | ai | Highest |
| Product | jar | package name | ai | Low |
| Product | jar | package name | plugin | Low |
| Product | Manifest | built-date | 2025-12-01 13:21 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | ai | High |
| Product | Manifest | specification-title | ai | Medium |
| Version | Manifest | Implementation-Version | 25.10.259 | High |

**Identifiers**

- **None**

## ai.zip: ai.jar: aiprovider_config.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/ai.zip/ai.jar/com/inet/plugin/ai/structure/js/aiprovider_config.js
**MD5:** df918069a587bc74502c9fd267e1e309
**SHA1:** 66c05387e8725ac3eb08fb1b74a30c43ef85d5c1
**SHA256:**7e896f0bf9e3db8487dd1a426a86f7b12030ed127b14da0b93a56ea6e0ed6b98
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ai.zip: jackson-core.jar

**Description:**

Core Jackson processing abstractions (aka Streaming API), implementation for JSON

**License:**

The Apache Software License, Version 2.0: https://www.apache.org/licenses/LICENSE-2.0.txt

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/ai.zip/jackson-core.jar
**MD5:** b3843578b0753a9a685eea819dea3ab7
**SHA1:** 50f3b4bd59b9ff51a0ed493e7b5abaf5c39709bf
**SHA256:**aa77eaf29293a868c47372194f7c5287d77d9370b04ea25d3fffc1e4904b5880
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | jackson-core | High |
| Vendor | jar | package name | base | Highest |
| Vendor | jar | package name | com | Highest |
| Vendor | jar | package name | core | Highest |
| Vendor | jar | package name | fasterxml | Highest |
| Vendor | jar | package name | jackson | Highest |
| Vendor | jar | package name | json | Highest |
| Vendor | Manifest | build-jdk-spec | 1.8 | Low |
| Vendor | Manifest | bundle-docurl | https://github.com/FasterXML/jackson-core | Low |
| Vendor | Manifest | bundle-symbolicname | com.fasterxml.jackson.core.jackson-core | Medium |
| Vendor | Manifest | Implementation-Vendor | FasterXML | High |
| Vendor | Manifest | Implementation-Vendor-Id | com.fasterxml.jackson.core | Medium |
| Vendor | Manifest | multi-release | true | Low |
| Vendor | Manifest | specification-vendor | FasterXML | Low |
| Vendor | pom | artifactid | jackson-core | Low |

| | | | | |
|---|---|---|---|---|
| Vendor | pom | groupid | com.fasterxml.jackson.core | Highest |
| Vendor | pom | name | Jackson-core | High |
| Vendor | pom | parent-artifactid | jackson-base | Low |
| Vendor | pom | parent-groupid | com.fasterxml.jackson | Medium |
| Vendor | pom | url | FasterXML/jackson-core | Highest |
| Product | file | name | jackson-core | High |
| Product | hint analyzer | product | java8 | Highest |
| Product | hint analyzer | product | modules | Highest |
| Product | jar | package name | base | Highest |
| Product | jar | package name | com | Highest |
| Product | jar | package name | core | Highest |
| Product | jar | package name | fasterxml | Highest |
| Product | jar | package name | jackson | Highest |
| Product | jar | package name | json | Highest |
| Product | Manifest | build-jdk-spec | 1.8 | Low |
| Product | Manifest | bundle-docurl | https://github.com/FasterXML/jackson-core | Low |
| Product | Manifest | Bundle-Name | Jackson-core | Medium |
| Product | Manifest | bundle-symbolicname | com.fasterxml.jackson.core.jackson-core | Medium |
| Product | Manifest | Implementation-Title | Jackson-core | High |
| Product | Manifest | multi-release | true | Low |
| Product | Manifest | specification-title | Jackson-core | Medium |
| Product | pom | artifactid | jackson-core | Highest |
| Product | pom | groupid | com.fasterxml.jackson.core | Highest |
| Product | pom | name | Jackson-core | High |
| Product | pom | parent-artifactid | jackson-base | Medium |
| Product | pom | parent-groupid | com.fasterxml.jackson | Medium |
| Product | pom | url | FasterXML/jackson-core | High |
| Version | Manifest | Bundle-Version | 2.19.2 | High |
| Version | Manifest | Implementation-Version | 2.19.2 | High |
| Version | pom | version | 2.19.2 | Highest |

**Related Dependencies**

- ai.zip: jackson-annotations.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/ai.zip/jackson-annotations.jar
  - MD5: 99b71c4cebb9dae38ae925ac7ab0574f
  - SHA1: 0c5381f11988ae3d424b197a26087d86067b6d7d
  - SHA256: e516743a316dcf83c572ffc9cb6e8c5e8c134880c8c5155b02f7b34e9c5dc3cf
  - pkg:maven/com.fasterxml.jackson.core/jackson-annotations@2.19.2

**Identifiers**

- pkg:maven/com.fasterxml.jackson.core/jackson-core@2.19.2 (*Confidence*:High)
- cpe:2.3:a:fasterxml:jackson-modules-java8:2.19.2:*:*:*:*:*:*:* (*Confidence*:Low)

suppress

## ai.zip: jackson-databind.jar

**Description:**

General data-binding functionality for Jackson: works on core streaming API

**License:**

The Apache Software License, Version 2.0: https://www.apache.org/licenses/LICENSE-2.0.txt

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/ai.zip/jackson-databind.jar
**MD5:** 856506e1d49091e89599a3ef34990597
**SHA1:** 46509399d28f57ca32c6bb4b0d4e10e8f062051e
**SHA256:**0a1bd4e9b0d670e632d40ee8c625ad376233502f03c2f5889baea95d025b47a7
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | jackson-databind | High |
| Vendor | jar | package name | databind | Highest |
| Vendor | jar | package name | fasterxml | Highest |
| Vendor | jar | package name | jackson | Highest |
| Vendor | Manifest | build-jdk-spec | 1.8 | Low |
| Vendor | Manifest | bundle-docurl | https://github.com/FasterXML/jackson | Low |
| Vendor | Manifest | bundle-symbolicname | com.fasterxml.jackson.core.jackson-databind | Medium |
| Vendor | Manifest | Implementation-Vendor | FasterXML | High |
| Vendor | Manifest | Implementation- | com.fasterxml.jackson.core | Medium |

| | | | | |
|---|---|---|---|---|
| | | Vendor-Id | | |
| Vendor | Manifest | multi-release | true | Low |
| Vendor | Manifest | specification-vendor | FasterXML | Low |
| Vendor | pom | artifactid | jackson-databind | Low |
| Vendor | pom | groupid | com.fasterxml.jackson.core | Highest |
| Vendor | pom | name | jackson-databind | High |
| Vendor | pom | parent-artifactid | jackson-base | Low |
| Vendor | pom | parent-groupid | com.fasterxml.jackson | Medium |
| Vendor | pom | url | FasterXML/jackson | Highest |
| Product | file | name | jackson-databind | High |
| Product | hint analyzer | product | java8 | Highest |
| Product | hint analyzer | product | modules | Highest |
| Product | jar | package name | databind | Highest |
| Product | jar | package name | fasterxml | Highest |
| Product | jar | package name | jackson | Highest |
| Product | Manifest | build-jdk-spec | 1.8 | Low |
| Product | Manifest | bundle-docurl | https://github.com/FasterXML/jackson | Low |
| Product | Manifest | Bundle-Name | jackson-databind | Medium |
| Product | Manifest | bundle-symbolicname | com.fasterxml.jackson.core.jackson-databind | Medium |
| Product | Manifest | Implementation-Title | jackson-databind | High |
| Product | Manifest | multi-release | true | Low |
| Product | Manifest | specification-title | jackson-databind | Medium |
| Product | pom | artifactid | jackson-databind | Highest |
| Product | pom | groupid | com.fasterxml.jackson.core | Highest |
| Product | pom | name | jackson-databind | High |
| Product | pom | parent-artifactid | jackson-base | Medium |
| Product | pom | parent-groupid | com.fasterxml.jackson | Medium |
| Product | pom | url | FasterXML/jackson | High |
| Version | Manifest | Bundle-Version | 2.19.2 | High |
| Version | Manifest | Implementation-Version | 2.19.2 | High |
| Version | pom | version | 2.19.2 | Highest |

**Identifiers**

- pkg:maven/com.fasterxml.jackson.core/jackson-databind@2.19.2 (*Confidence*:High)
- cpe:2.3:a:fasterxml:jackson-databind:2.19.2:*:*:*:*:*:*:* (*Confidence*:Highest) suppress
- cpe:2.3:a:fasterxml:jackson-modules-java8:2.19.2:*:*:*:*:*:*:* (*Confidence*:Low) suppress

## ai.zip: mcp.jar

**Description:**

Java SDK implementation of the Model Context Protocol, enabling seamless integration with language models and AI tools

**License:**

MIT License: http://www.opensource.org/licenses/mit-license.php

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/ai.zip/mcp.jar
**MD5:** 543fd3020c41b17c10b94ea1f5d5d1ee
**SHA1:** 45c4f3282b18b8abbe1f20d07f79a894096a044c
**SHA256:**ee5b24c04a9432ef9495342f80f6dcaceb6fc2a907f535677be0331ea896ca6b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | mcp | High |
| Vendor | jar | package name | io | Highest |
| Vendor | jar | package name | modelcontextprotocol | Highest |
| Vendor | Manifest | automatic-module-name | io.modelcontextprotocol.sdk.mcp | Medium |
| Vendor | Manifest | build-jdk-spec | 17 | Low |
| Vendor | Manifest | bundle-docurl | https://github.com/modelcontextprotocol/java-sdk | Low |
| Vendor | Manifest | bundle-symbolicname | io.modelcontextprotocol.sdk.mcp | Medium |
| Vendor | pom | artifactid | mcp | Low |
| Vendor | pom | developer name | Christian Tzolov | Medium |
| Vendor | pom | developer name | Dariusz J#drzejczyk | Medium |
| Vendor | pom | groupid | io.modelcontextprotocol.sdk | Highest |
| Vendor | pom | name | Java MCP SDK | High |
| Vendor | pom | organization | Anthropic | High |

| | | | | |
|---|---|---|---|---|
| | | name | | |
| Vendor | pom | organization url | https://www.anthropic.com | Medium |
| Vendor | pom | url | modelcontextprotocol/java-sdk | Highest |
| Product | file | name | mcp | High |
| Product | jar | package name | io | Highest |
| Product | jar | package name | modelcontextprotocol | Highest |
| Product | Manifest | automatic-module-name | io.modelcontextprotocol.sdk.mcp | Medium |
| Product | Manifest | build-jdk-spec | 17 | Low |
| Product | Manifest | bundle-docurl | https://github.com/modelcontextprotocol/java-sdk | Low |
| Product | Manifest | Bundle-Name | Bundle io.modelcontextprotocol.sdk : mcp | Medium |
| Product | Manifest | bundle-symbolicname | io.modelcontextprotocol.sdk.mcp | Medium |
| Product | Manifest | Implementation-Title | mcp | High |
| Product | pom | artifactid | mcp | Highest |
| Product | pom | developer name | Christian Tzolov | Low |
| Product | pom | developer name | Dariusz J#drzejczyk | Low |
| Product | pom | groupid | io.modelcontextprotocol.sdk | Highest |
| Product | pom | name | Java MCP SDK | High |
| Product | pom | organization name | Anthropic | Low |
| Product | pom | organization url | https://www.anthropic.com | Low |
| Product | pom | url | modelcontextprotocol/java-sdk | High |
| Version | Manifest | Bundle-Version | 0.10.0 | High |
| Version | Manifest | Implementation-Version | 0.10.0 | High |
| Version | pom | version | 0.10.0 | Highest |

**Identifiers**

- pkg:maven/io.modelcontextprotocol.sdk/mcp@0.10.0 (*Confidence*:High)

## ai.zip: reactive-streams.jar

**Description:**

Reactive Streams API

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/ai.zip/reactive-streams.jar
**MD5:** eda7978509c32d99166745cc144c99cd
**SHA1:** 3864a1320d97d7b045f729a326e1e077661f31b7
**SHA256:**f75ca597789b3dac58f61857b9ac2e1034a68fa672db35055a8fb4509e325f28
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | reactive-streams | High |
| Vendor | jar | package name | reactivestreams | Highest |
| Vendor | jar | package name | reactivestreams | Low |
| Vendor | Manifest | automatic-module-name | org.reactivestreams | Medium |
| Vendor | Manifest | bundle-docurl | http://reactive-streams.org | Low |
| Vendor | Manifest | bundle-symbolicname | reactive-streams | Medium |
| Product | file | name | reactive-streams | High |
| Product | jar | package name | reactivestreams | Highest |
| Product | Manifest | automatic-module-name | org.reactivestreams | Medium |
| Product | Manifest | bundle-docurl | http://reactive-streams.org | Low |
| Product | Manifest | Bundle-Name | reactive-streams-jvm | Medium |
| Product | Manifest | bundle-symbolicname | reactive-streams | Medium |
| Version | Manifest | Bundle-Version | 1.0.4 | High |

**Identifiers**

- **None**

## ai.zip: reactor-core.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/ai.zip/reactor-core.jar
**MD5:** 89566fb1cbda28f08c2c0e8bbfea3bed
**SHA1:** 92dcc78425c3d62bd10af06d2bd4426ca1953bc0
**SHA256:**445677d27a7b0ac3cd7cdc0822c42732ca504beeb1436b5d0943dfa1f2880aee
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | reactor-core | High |
| Vendor | jar | package name | core | Highest |
| Vendor | jar | package name | core | Low |
| Vendor | jar | package name | publisher | Low |
| Vendor | jar | package name | reactor | Highest |
| Vendor | jar | package name | reactor | Low |
| Vendor | Manifest | automatic-module-name | reactor.core | Medium |
| Vendor | Manifest | bundle-symbolicname | io.projectreactor.reactor-core | Medium |
| Vendor | Manifest | multi-release | true | Low |
| Product | file | name | reactor-core | High |
| Product | jar | package name | core | Highest |
| Product | jar | package name | core | Low |
| Product | jar | package name | publisher | Low |
| Product | jar | package name | reactor | Highest |
| Product | Manifest | automatic-module-name | reactor.core | Medium |
| Product | Manifest | Bundle-Name | reactor-core | Medium |
| Product | Manifest | bundle-symbolicname | io.projectreactor.reactor-core | Medium |
| Product | Manifest | Implementation-Title | reactor-core | High |
| Product | Manifest | multi-release | true | Low |
| Version | Manifest | Bundle-Version | 3.7.8.RELEASE | High |
| Version | Manifest | Implementation-Version | 3.7.8 | High |

**Identifiers**

- **None**

## annotations-3.0.1.jar (shaded: com.google.code.findbugs:jsr305:3.0.1)

**Description:**

JSR305 Annotations for Findbugs

**License:**

The Apache Software License, Version 2.0: http://www.apache.org/licenses/LICENSE-2.0.txt

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/com.google.code.findbugs/annotations/3.0.1/fc019a2216218990d64dfe756e7aa20f0069dea2/annotations-3.0.1.jar/META-INF/maven/com.google.code.findbugs/jsr305/pom.xml
**MD5:** d08567d16867a0b79bc8149683918452
**SHA1:** d04690f71f3393e23f30998d9534365274fa5f9f
**SHA256:**4170a761dc5bfd3981a8e6f7aab9e2acdce82d34fd5aa9bb11e3c090d25314ce
**Referenced In Project/Scope:** server:inetPlugin

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | pom | artifactid | jsr305 | Low |
| Vendor | pom | groupid | com.google.code.findbugs | Highest |
| Vendor | pom | name | FindBugs-jsr305 | High |
| Vendor | pom | url | http://findbugs.sourceforge.net/ | Highest |
| Product | pom | artifactid | jsr305 | Highest |
| Product | pom | groupid | com.google.code.findbugs | Highest |
| Product | pom | name | FindBugs-jsr305 | High |
| Product | pom | url | http://findbugs.sourceforge.net/ | Medium |
| Version | pom | version | 3.0.1 | Highest |

**Identifiers**

- pkg:maven/com.google.code.findbugs/jsr305@3.0.1 (*Confidence*:High)

## annotations-3.0.1.jar

**Description:**

Annotation the FindBugs tool supports

**License:**

GNU Lesser Public License: http://www.gnu.org/licenses/lgpl.html

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/com.google.code.findbugs/annotations/3.0.1/fc019a2216218990d64dfe756e7aa20f0069dea2/annotations-3.0.1.jar
**MD5:** fc4f102f22ba4f1df3f1d7cc6b202152
**SHA1:** fc019a2216218990d64dfe756e7aa20f0069dea2
**SHA256:**6b47ff0a6de0ce17cbedc3abb0828ca5bce3009d53ea47b3723ff023c4742f79

**Referenced In Project/Scope:** server:inetPlugin
**Included by:** pkg:maven/de.inetsoftware/jlessc@1.14

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | annotations | High |
| Vendor | gradle | artifactid | annotations | Highest |
| Vendor | gradle | groupid | com.google.code.findbugs | Highest |
| Vendor | jar | package name | annotation | Highest |
| Vendor | jar | package name | annotations | Highest |
| Vendor | jar | package name | findbugs | Highest |
| Vendor | Manifest | bundle-requiredexecution | J2SE-1.5 | Low |
| Vendor | Manifest | bundle-symbolicname | findbugsAnnotations | Medium |
| Vendor | pom | artifactid | annotations | Low |
| Vendor | pom | developer email | Loskutov@gmx.de | Low |
| Vendor | pom | developer email | pugh at cs.umd.edu | Low |
| Vendor | pom | developer id | al | Medium |
| Vendor | pom | developer id | bp | Medium |
| Vendor | pom | developer name | Andrey Loskutov | Medium |
| Vendor | pom | developer name | Bill Pugh | Medium |
| Vendor | pom | developer name | Keith Lea | Medium |
| Vendor | pom | groupid | com.google.code.findbugs | Highest |
| Vendor | pom | name | FindBugs-Annotations | High |
| Vendor | pom | url | http://findbugs.sourceforge.net/ | Highest |
| Product | file | name | annotations | High |
| Product | gradle | artifactid | annotations | Highest |
| Product | jar | package name | annotation | Highest |
| Product | jar | package name | annotations | Highest |
| Product | jar | package name | findbugs | Highest |
| Product | Manifest | Bundle-Name | FindBugs-Annotations | Medium |
| Product | Manifest | bundle-requiredexecution | J2SE-1.5 | Low |
| Product | Manifest | bundle-symbolicname | findbugsAnnotations | Medium |
| Product | pom | artifactid | annotations | Highest |
| Product | pom | developer email | Loskutov@gmx.de | Low |

| | | | | |
|---|---|---|---|---|
| Product | pom | developer email | pugh at cs.umd.edu | Low |
| Product | pom | developer id | al | Low |
| Product | pom | developer id | bp | Low |
| Product | pom | developer name | Andrey Loskutov | Low |
| Product | pom | developer name | Bill Pugh | Low |
| Product | pom | developer name | Keith Lea | Low |
| Product | pom | groupid | com.google.code.findbugs | Highest |
| Product | pom | name | FindBugs-Annotations | High |
| Product | pom | url | http://findbugs.sourceforge.net/ | Medium |
| Version | file | version | 3.0.1 | High |
| Version | gradle | version | 3.0.1 | Highest |
| Version | Manifest | Bundle-Version | 3.0.1 | High |
| Version | pom | version | 3.0.1 | Highest |

**Identifiers**

- pkg:maven/com.google.code.findbugs/annotations@3.0.1 (*Confidence*:High)

## attachments.zip: attachments.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/attachments.zip/attachments.jar
**MD5:** b4fad599263159ed9fd94d5635e94d77
**SHA1:** b35e21e1b27ccad5bff8a585c355d7a3e0208899
**SHA256:**4cfa29086878646cb4a60eb2f67364c05e157e6a27047afb6141ee815314c96c
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | attachments | High |
| Vendor | jar | package name | helpdesk | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | plugins | Low |
| Vendor | Manifest | built-date | 2025-12-01 15:41 | Low |
| Vendor | Manifest | implementation-group | helpdesk | Low |

| | | | | |
|---|---|---|---|---|
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | attachments | High |
| Product | jar | package name | attachments | Highest |
| Product | jar | package name | attachments | Low |
| Product | jar | package name | helpdesk | Highest |
| Product | jar | package name | helpdesk | Low |
| Product | jar | package name | plugins | Low |
| Product | Manifest | built-date | 2025-12-01 15:41 | Low |
| Product | Manifest | implementation-group | helpdesk | Low |
| Product | Manifest | Implementation-Title | attachments | High |
| Product | Manifest | specification-title | attachments | Medium |
| Version | jar | package name | helpdesk | Highest |
| Version | Manifest | Implementation-Version | 25.10.259 | High |

**Identifiers**

- cpe:2.3:a:inetsoftware:helpdesk:25.10.259:*:*:*:*:*:*:* (*Confidence*:Low) suppress

## authentication.pam.zip: authentication.pam.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.pam.zip/authentication.pam.jar
**MD5:** db2da20061f7544edd884d56e9f4b6c2
**SHA1:** ec84918a8d395ed0becbd1160efb73289e3175da
**SHA256:**9636132f6257e09c87037fa9793c18315bbf1d389863a20e6930ee56c5e59c21
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

| | | | | |
|---|---|---|---|---|
| Vendor | file | name | authentication.pam | High |
| Vendor | jar | package name | authentication | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pam | Low |
| Vendor | Manifest | built-date | 2025-12-01 13:08 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | authentication.pam | High |
| Product | jar | package name | authentication | Highest |
| Product | jar | package name | authentication | Low |
| Product | jar | package name | libpam | Low |
| Product | jar | package name | pam | Highest |
| Product | jar | package name | pam | Low |
| Product | Manifest | built-date | 2025-12-01 13:08 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | authentication.pam | High |
| Product | Manifest | specification-title | authentication.pam | Medium |
| Version | Manifest | Implementation-Version | 25.10.259 | High |

**Identifiers**

- **None**

## authentication.product.zip: authentication.product.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.product.zip/authentication.product.jar
**MD5:** cdf1bd8e97696977e87f690b1db40fde

**SHA1:** 8f60d40dea3ccf2f7a125b639b641e8b0d724206
**SHA256:**1c270fbb1d8a1a6fbf43fac559f237583b8c60df1768c8f0d0e467923a044340
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | authentication.product | High |
| Vendor | jar | package name | authentication | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | product | Low |
| Vendor | Manifest | built-date | 2025-12-01 13:17 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | authentication.product | High |
| Product | jar | package name | authentication | Highest |
| Product | jar | package name | authentication | Low |
| Product | jar | package name | product | Highest |
| Product | jar | package name | product | Low |
| Product | Manifest | built-date | 2025-12-01 13:17 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | authentication.product | High |
| Product | Manifest | specification-title | authentication.product | Medium |
| Version | Manifest | Implementation-Version | 25.10.259 | High |

**Identifiers**

- **None**

## authentication.windows.zip: authentication.windows.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.windows.zip/authentication.windows.jar
**MD5:** cb03bf3a7c1d5e6dd2483011488c7df0
**SHA1:** 300a32c43a2390f11c3b794e95b258d0a7845622
**SHA256:**748ea6c0e3bf1009692f7beb496fb495aea29d56f025e57721c9853b696e2470
**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | authentication.windows | High |
| Vendor | jar | package name | authentication | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | windows | Low |
| Vendor | Manifest | built-date | 2025-12-01 13:09 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | authentication.windows | High |
| Product | jar | package name | authentication | Highest |
| Product | jar | package name | authentication | Low |
| Product | jar | package name | windows | Highest |
| Product | jar | package name | windows | Low |
| Product | Manifest | built-date | 2025-12-01 13:09 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | authentication.windows | High |
| Product | Manifest | specification-title | authentication.windows | Medium |
| Version | Manifest | Implementation-Version | 25.10.259 | High |

### Identifiers

- **None**

## authentication.windows.zip: caffeine.jar

**Description:**

A high performance caching library

**License:**

https://www.apache.org/licenses/LICENSE-2.0

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.windows.zip/caffeine.jar
**MD5:** 7661b25999918646ec802846cc4c16bc
**SHA1:** 3646a0d1b1abe6a31f72f2237d9004d10a5be91d
**SHA256:**0311f9d5d9750aa2a1c11cbdba5a5cb7fec91c8870d6f179f324b3f5295b87dd
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | caffeine | High |
| Vendor | jar | package name | benmanes | Highest |
| Vendor | jar | package name | benmanes | Low |
| Vendor | jar | package name | caffeine | Highest |
| Vendor | jar | package name | caffeine | Low |
| Vendor | jar | package name | github | Highest |
| Vendor | jar | package name | github | Low |
| Vendor | Manifest | automatic-module-name | com.github.benmanes.caffeine | Medium |
| Vendor | Manifest | build-jdk-spec | 11 | Low |
| Vendor | Manifest | bundle-symbolicname | com.github.ben-manes.caffeine | Medium |
| Product | file | name | caffeine | High |
| Product | jar | package name | benmanes | Highest |
| Product | jar | package name | benmanes | Low |
| Product | jar | package name | cache | Low |
| Product | jar | package name | caffeine | Highest |
| Product | jar | package name | caffeine | Low |
| Product | jar | package name | github | Highest |

| | | | | |
|---|---|---|---|---|
| Product | Manifest | automatic-module-name | com.github.benmanes.caffeine | Medium |
| Product | Manifest | build-jdk-spec | 11 | Low |
| Product | Manifest | Bundle-Name | com.github.ben-manes.caffeine | Medium |
| Product | Manifest | bundle-symbolicname | com.github.ben-manes.caffeine | Medium |
| Product | Manifest | Implementation-Title | A high performance caching library | High |
| Version | Manifest | build-jdk-spec | 11 | Low |
| Version | Manifest | Bundle-Version | 3.1.6 | High |
| Version | Manifest | Implementation-Version | 3.1.6 | High |

**Identifiers**

- **None**

## authentication.windows.zip: jna-platform.jar

**Description:**

JNA Platform Library

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.windows.zip/jna-platform.jar
**MD5:** 3bc3f09a698e6ad250dd093f64fbb8a7
**SHA1:** 28934d48aed814f11e4c584da55c49fa7032b31b
**SHA256:**ae4caceb3840730c2537f9b7fb55a01baba580286b4122951488bcee558c2449
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | jna-platform | High |
| Vendor | jar | package name | jna | Highest |
| Vendor | jar | package name | jna | Low |
| Vendor | jar | package name | platform | Highest |
| Vendor | jar | package name | platform | Low |
| Vendor | jar | package name | sun | Highest |
| Vendor | jar | package name | sun | Low |
| Vendor | jar | package name | oracle | Highest |

| | | | | |
|---|---|---|---|---|
| | (hint) | | | |
| Vendor | jar (hint) | package name | oracle | Low |
| Vendor | Manifest | automatic-module-name | com.sun.jna.platform | Medium |
| Vendor | Manifest | bundle-category | jni | Low |
| Vendor | Manifest | bundle-requiredexecution | J2SE-1.4 | Low |
| Vendor | Manifest | bundle-symbolicname | com.sun.jna.platform | Medium |
| Vendor | Manifest | Implementation-Vendor | JNA Development Team | High |
| Vendor | Manifest | require-bundle | com.sun.jna;bundle-version="5.14.0" | Low |
| Vendor | Manifest | specification-vendor | JNA Development Team | Low |
| Product | file | name | jna-platform | High |
| Product | jar | package name | jna | Highest |
| Product | jar | package name | jna | Low |
| Product | jar | package name | platform | Highest |
| Product | jar | package name | platform | Low |
| Product | jar | package name | sun | Highest |
| Product | jar | package name | win32 | Low |
| Product | Manifest | automatic-module-name | com.sun.jna.platform | Medium |
| Product | Manifest | bundle-category | jni | Low |
| Product | Manifest | Bundle-Name | jna-platform | Medium |
| Product | Manifest | bundle-requiredexecution | J2SE-1.4 | Low |
| Product | Manifest | bundle-symbolicname | com.sun.jna.platform | Medium |
| Product | Manifest | Implementation-Title | com.sun.jna | High |
| Product | Manifest | require-bundle | com.sun.jna;bundle-version="5.14.0" | Low |
| Product | Manifest | specification-title | Java Native Access (JNA) | Medium |
| Version | jar | package name | jna | Highest |
| Version | jar | package name | sun | Highest |
| Version | Manifest | Bundle-Version | 5.14.0 | High |
| Version | Manifest | Implementation-Version | 5.14.0 (b0) | High |

**Identifiers**

- **None**

## authentication.windows.zip: waffle-jna-jakarta.jar

**Description:**

WAFFLE JNA Jakarta Pakage implementation

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.windows.zip/waffle-jna-jakarta.jar
**MD5:** 4292b31211ec75d0a54780009f620fd7
**SHA1:** a54b03b4de48b62188b183e04313092119f3e247
**SHA256:**e53d74bd6e09b543b97ccb7b5aff7dbdb1a9058066eafb9c2573c75adf254703
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | waffle-jna-jakarta | High |
| Vendor | jar | package name | waffle | Highest |
| Vendor | Manifest | automatic-module-name | waffle.jna.jakarta | Medium |
| Vendor | Manifest | build-jdk-spec | 21 | Low |
| Vendor | Manifest | copyright | 2024 | Low |
| Vendor | Manifest | git-revision | 725e568c485ae01eddb2777e17e1c3f78955d4 | Low |
| Vendor | Manifest | Implementation-Vendor | com.github.waffle | High |
| Vendor | Manifest | specification-vendor | com.github.waffle | Low |
| Vendor | pom | artifactid | waffle-jna-jakarta | Low |
| Vendor | pom | groupid | com.github.waffle | Highest |
| Vendor | pom | name | waffle-jna-jakarta | High |
| Vendor | pom | parent-artifactid | waffle | Low |
| Vendor | pom | url | https://waffle.github.io/waffle/ | Highest |
| Product | file | name | waffle-jna-jakarta | High |
| Product | jar | package name | waffle | Highest |
| Product | Manifest | automatic-module-name | waffle.jna.jakarta | Medium |
| Product | Manifest | build-jdk-spec | 21 | Low |

| | | | | |
|---|---|---|---|---|
| Product | Manifest | copyright | 2024 | Low |
| Product | Manifest | git-revision | 725e568c485ae01eddb2777e17e1c3f78955d4 | Low |
| Product | Manifest | Implementation-Title | waffle-jna-jakarta | High |
| Product | Manifest | specification-title | waffle-jna-jakarta | Medium |
| Product | pom | artifactid | waffle-jna-jakarta | Highest |
| Product | pom | groupid | com.github.waffle | Highest |
| Product | pom | name | waffle-jna-jakarta | High |
| Product | pom | parent-artifactid | waffle | Medium |
| Product | pom | url | https://waffle.github.io/waffle/ | Medium |
| Version | Manifest | Implementation-Version | 3.5.1 | High |
| Version | pom | version | 3.5.1 | Highest |

**Identifiers**

- pkg:maven/com.github.waffle/waffle-jna-jakarta@3.5.1 (*Confidence*:High)
- cpe:2.3:a:4d:4d:3.5.1:*:*:*:*:*:*:* (*Confidence*:Low) suppress

## autolinking.zip: autolinking.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/autolinking.zip/autolinking.jar
**MD5:** de92b5ed1269fb9362e4263848ae9813
**SHA1:** f81c6c44d11b332de8a496e577f29ea119aa46ad
**SHA256:**3d55691c5a5333e9ed6a9d8011856e4f99c3a0aefe1ec83f6b3f1fe9c521768c
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | autolinking | High |
| Vendor | jar | package name | helpdesk | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | plugins | Low |
| Vendor | Manifest | built-date | 2025-12-01 15:46 | Low |
| Vendor | Manifest | implementation-group | helpdesk | Low |
| Vendor | Manifest | Implementation- | i-net software | High |

| | | | | |
|---|---|---|---|---|
| | | Vendor | | |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | autolinking | High |
| Product | jar | package name | autolinking | Highest |
| Product | jar | package name | autolinking | Low |
| Product | jar | package name | helpdesk | Highest |
| Product | jar | package name | helpdesk | Low |
| Product | jar | package name | plugins | Low |
| Product | Manifest | built-date | 2025-12-01 15:46 | Low |
| Product | Manifest | implementation-group | helpdesk | Low |
| Product | Manifest | Implementation-Title | autolinking | High |
| Product | Manifest | specification-title | autolinking | Medium |
| Version | jar | package name | helpdesk | Highest |
| Version | Manifest | Implementation-Version | 25.10.259 | High |

**Identifiers**

- cpe:2.3:a:inetsoftware:helpdesk:25.10.259:*:*:*:*:*:*:* (*Confidence*:Low) suppress

## collaboration.zip: collaboration.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/collaboration.zip/collaboration.jar
**MD5:** 012b630268637ce71ac104b283095622
**SHA1:** 5cc024b733d61e4fa398becaa4191c990460be7a
**SHA256:**9c56141050097f1a9aafb56ae8523e21816b079e1df758c1ca0b9cc8a874ccc2
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | collaboration | High |

| | | | | |
|---|---|---|---|---|
| Vendor | jar | package name | bot | Low |
| Vendor | jar | package name | collaboration | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | Manifest | built-date | 2025-12-01 13:16 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | collaboration | High |
| Product | jar | package name | bot | Low |
| Product | jar | package name | collaboration | Highest |
| Product | jar | package name | collaboration | Low |
| Product | Manifest | built-date | 2025-12-01 13:16 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | collaboration | High |
| Product | Manifest | specification-title | collaboration | Medium |
| Version | Manifest | Implementation-Version | 25.10.259 | High |

**Identifiers**

- **None**

## commons-logging.jar

**Description:**

Apache Commons Logging is a thin adapter allowing configurable bridging to other,
well-known logging systems.

**License:**

https://www.apache.org/licenses/LICENSE-2.0.txt

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/core/commons-logging.jar
**MD5:** e7a1e7cb6a89241ed9bfec4c25b6c645
**SHA1:** b9fc14968d63a8b8a8a2c1885fe3e90564239708
**SHA256:**bc2dfe32f1ef06509e6a065144c1adf7b420eabf11a87f30bd127f8faa332016
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | commons-logging | High |
| Vendor | jar | package name | apache | Highest |
| Vendor | jar | package name | commons | Highest |
| Vendor | jar | package name | logging | Highest |
| Vendor | Manifest | automatic-module-name | org.apache.commons.logging | Medium |
| Vendor | Manifest | build-jdk-spec | 17 | Low |
| Vendor | Manifest | bundle-docurl | https://commons.apache.org/proper/commons-logging/ | Low |
| Vendor | Manifest | bundle-symbolicname | org.apache.commons.commons-logging | Medium |
| Vendor | Manifest | Implementation-Vendor | The Apache Software Foundation | High |
| Vendor | Manifest | multi-release | true | Low |
| Vendor | Manifest | specification-vendor | The Apache Software Foundation | Low |
| Vendor | pom | artifactid | commons-logging | Low |
| Vendor | pom | developer email | baliuka@apache.org | Low |
| Vendor | pom | developer email | costin@apache.org | Low |
| Vendor | pom | developer email | craigmcc@apache.org | Low |
| Vendor | pom | developer email | dennisl@apache.org | Low |
| Vendor | pom | developer email | donaldp@apache.org | Low |
| Vendor | pom | developer email | ggregory at apache.org | Low |
| Vendor | pom | developer email | morgand@apache.org | Low |
| Vendor | pom | developer email | rdonkin@apache.org | Low |
| Vendor | pom | developer email | rsitze@apache.org | Low |
| Vendor | pom | developer email | rwaldhoff@apache.org | Low |
| Vendor | pom | developer email | sanders@apache.org | Low |
| Vendor | pom | developer email | skitching@apache.org | Low |
| Vendor | pom | developer email | tn@apache.org | Low |
| Vendor | pom | developer id | baliuka | Medium |

| | | | | |
|---|---|---|---|---|
| Vendor | pom | developer id | bstansberry | Medium |
| Vendor | pom | developer id | costin | Medium |
| Vendor | pom | developer id | craigmcc | Medium |
| Vendor | pom | developer id | dennisl | Medium |
| Vendor | pom | developer id | donaldp | Medium |
| Vendor | pom | developer id | ggregory | Medium |
| Vendor | pom | developer id | morgand | Medium |
| Vendor | pom | developer id | rdonkin | Medium |
| Vendor | pom | developer id | rsitze | Medium |
| Vendor | pom | developer id | rwaldhoff | Medium |
| Vendor | pom | developer id | sanders | Medium |
| Vendor | pom | developer id | skitching | Medium |
| Vendor | pom | developer id | tn | Medium |
| Vendor | pom | developer name | Brian Stansberry | Medium |
| Vendor | pom | developer name | Costin Manolache | Medium |
| Vendor | pom | developer name | Craig McClanahan | Medium |
| Vendor | pom | developer name | Dennis Lundberg | Medium |
| Vendor | pom | developer name | Gary Gregory | Medium |
| Vendor | pom | developer name | Juozas Baliuka | Medium |
| Vendor | pom | developer name | Morgan Delagrange | Medium |
| Vendor | pom | developer name | Peter Donald | Medium |
| Vendor | pom | developer name | Richard Sitze | Medium |
| Vendor | pom | developer name | Robert Burrell Donkin | Medium |
| Vendor | pom | developer name | Rodney Waldhoff | Medium |
| Vendor | pom | developer name | Scott Sanders | Medium |
| Vendor | pom | developer name | Simon Kitching | Medium |
| Vendor | pom | developer name | Thomas Neidhart | Medium |
| Vendor | pom | developer org | Apache | Medium |
| Vendor | pom | developer org | The Apache Software Foundation | Medium |
| Vendor | pom | developer org URL | https://www.apache.org/ | Medium |
| Vendor | pom | groupid | commons-logging | Highest |
| Vendor | pom | name | Apache Commons Logging | High |
| Vendor | pom | parent-artifactid | commons-parent | Low |
| Vendor | pom | parent-groupid | org.apache.commons | Medium |
| Vendor | pom | url | https://commons.apache.org/proper | Highest |

| | | | | |
|---|---|---|---|---|
| | | | /commons-logging/ | |
| Product | file | name | commons-logging | High |
| Product | jar | package name | apache | Highest |
| Product | jar | package name | commons | Highest |
| Product | jar | package name | logging | Highest |
| Product | Manifest | automatic-module-name | org.apache.commons.logging | Medium |
| Product | Manifest | build-jdk-spec | 17 | Low |
| Product | Manifest | bundle-docurl | https://commons.apache.org/proper/commons-logging/ | Low |
| Product | Manifest | Bundle-Name | Apache Commons Logging | Medium |
| Product | Manifest | bundle-symbolicname | org.apache.commons.commons-logging | Medium |
| Product | Manifest | Implementation-Title | Apache Commons Logging | High |
| Product | Manifest | multi-release | true | Low |
| Product | Manifest | specification-title | Apache Commons Logging | Medium |
| Product | pom | artifactid | commons-logging | Highest |
| Product | pom | developer email | baliuka@apache.org | Low |
| Product | pom | developer email | costin@apache.org | Low |
| Product | pom | developer email | craigmcc@apache.org | Low |
| Product | pom | developer email | dennisl@apache.org | Low |
| Product | pom | developer email | donaldp@apache.org | Low |
| Product | pom | developer email | ggregory at apache.org | Low |
| Product | pom | developer email | morgand@apache.org | Low |
| Product | pom | developer email | rdonkin@apache.org | Low |
| Product | pom | developer email | rsitze@apache.org | Low |
| Product | pom | developer email | rwaldhoff@apache.org | Low |
| Product | pom | developer email | sanders@apache.org | Low |
| Product | pom | developer email | skitching@apache.org | Low |
| Product | pom | developer email | tn@apache.org | Low |
| Product | pom | developer id | baliuka | Low |
| Product | pom | developer id | bstansberry | Low |
| Product | pom | developer id | costin | Low |
| Product | pom | developer id | craigmcc | Low |
| Product | pom | developer id | dennisl | Low |
| Product | pom | developer id | donaldp | Low |

| | | | | |
|---|---|---|---|---|
| Product | pom | developer id | ggregory | Low |
| Product | pom | developer id | morgand | Low |
| Product | pom | developer id | rdonkin | Low |
| Product | pom | developer id | rsitze | Low |
| Product | pom | developer id | rwaldhoff | Low |
| Product | pom | developer id | sanders | Low |
| Product | pom | developer id | skitching | Low |
| Product | pom | developer id | tn | Low |
| Product | pom | developer name | Brian Stansberry | Low |
| Product | pom | developer name | Costin Manolache | Low |
| Product | pom | developer name | Craig McClanahan | Low |
| Product | pom | developer name | Dennis Lundberg | Low |
| Product | pom | developer name | Gary Gregory | Low |
| Product | pom | developer name | Juozas Baliuka | Low |
| Product | pom | developer name | Morgan Delagrange | Low |
| Product | pom | developer name | Peter Donald | Low |
| Product | pom | developer name | Richard Sitze | Low |
| Product | pom | developer name | Robert Burrell Donkin | Low |
| Product | pom | developer name | Rodney Waldhoff | Low |
| Product | pom | developer name | Scott Sanders | Low |
| Product | pom | developer name | Simon Kitching | Low |
| Product | pom | developer name | Thomas Neidhart | Low |
| Product | pom | developer org | Apache | Low |
| Product | pom | developer org | The Apache Software Foundation | Low |
| Product | pom | developer org URL | https://www.apache.org/ | Low |
| Product | pom | groupid | commons-logging | Highest |
| Product | pom | name | Apache Commons Logging | High |
| Product | pom | parent-artifactid | commons-parent | Medium |
| Product | pom | parent-groupid | org.apache.commons | Medium |
| Product | pom | url | https://commons.apache.org/proper/commons-logging/ | Medium |
| Version | Manifest | Bundle-Version | 1.3.4 | High |
| Version | Manifest | Implementation-Version | 1.3.4 | High |
| Version | pom | parent-version | 1.3.4 | Low |
| Version | pom | version | 1.3.4 | Highest |

**Identifiers**

- pkg:maven/commons-logging/commons-logging@1.3.4 (*Confidence*:High)

## configuration.zip: configuration.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar
**MD5:** 7efce6e2b6bf459087b7e6c1ef3b3720
**SHA1:** b4208ec8b959280cf9aad9dfc3fd4c22cb9cfa2c
**SHA256:**e6bce1e200f69486c41c08738b09ad78c43d91656bc752145f0deffd852016ce
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | configuration | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | plugins | Low |
| Vendor | jar | package name | report | Low |
| Vendor | Manifest | built-date | 2025-12-01 13:17 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | configuration | High |
| Product | jar | package name | config | Low |
| Product | jar | package name | plugins | Low |
| Product | jar | package name | report | Low |
| Product | Manifest | built-date | 2025-12-01 13:17 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation- | configuration | High |

| | | | | |
|---|---|---|---|---|
| | | Title | | |
| Product | Manifest | specification-title | configuration | Medium |
| Version | Manifest | Implementation-Version | 25.10.259 | High |

**Identifiers**

- **None**

## configuration.zip: configuration.jar: authenticationItemRenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/authenticationItemRenderer.directive.js
**MD5:** aefb1a2a7d97d2df669e0545658c3e24
**SHA1:** 4a2a34c98fb71cf2dfa520bb02dc8baf0d0810f9
**SHA256:**c277d6842312394b3aa4ac0385e1c800c73dc0b2b0cd9696bc5f51293d859b29
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## configuration.zip: configuration.jar: authenticationRenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/authenticationRenderer.directive.js
**MD5:** 08d42fd374d37fbb791917830a779fa8
**SHA1:** 3e7daea97fb445ace87c90fd3e9188690660d99d
**SHA256:**1719515423a8f8edcddfccb5519f22251afbedfd9de10bea76c99e461bd82929
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## configuration.zip: configuration.jar: boolean.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/boolean.directive.js
**MD5:** e281bd179c94019bdff388759a526f31
**SHA1:** 5f4be414c7db7b9c699a371bc3a84a945e1c13a3
**SHA256:**3e819332e6b9a66c5041ae377459a6b7d7f10fd94dd71ad85a3f8169fdab4f48
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## configuration.zip: configuration.jar: booleanButton.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/booleanButton.directive.js
**MD5:** dc5744f572a36fa29dc813914156944d
**SHA1:** 40a96829d9f498e1364fac7ec8bf8a626c4ac66c
**SHA256:**edf806317b3487f3998c758a4e56a0aa8bb08bfe38fd4b38c9ec68abbabf25f6
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## configuration.zip: configuration.jar: colorInput.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/colorInput.directive.js
**MD5:** db9d1ee17d2b4f79813c66e8a52b8fcd
**SHA1:** 68e81a259a7bce7f49dbf629230020cdf0b01398
**SHA256:**1fff0ddf3d275467e77832ae82c55ffdebfbc4cc31aee0bfb31def6574f734ae
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## configuration.zip: configuration.jar: controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/controller.js
**MD5:** e69357181c946dd07a2b66b77865eb57
**SHA1:** 937e49dc0424751b10f4b955268de469381c6102
**SHA256:**287166afe772ea2a1ae5316cc79ba85e35dd37a01e6339c53b14d3f7b437287c
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## configuration.zip: configuration.jar: datafactory.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip

/configuration.jar/com/inet/report/plugins/config/client/js/datafactory.js
**MD5:** 07ae83528b0f987b01930435cc86454e
**SHA1:** 37740d90bf0cc142a3375c9e47512da796531d83
**SHA256:**3cb2f55655d2214888210be8aea166e47e41a03cf2212c8ea2fd91a03c585ca5
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## configuration.zip: configuration.jar: fileUploadRenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/fileUploadRenderer.directive.js
**MD5:** 231de69a8b11511aba2b1d554b1c237c
**SHA1:** 07a949eca5cea00f3244c0c327a5055e938c20f1
**SHA256:**09bb8467939975c92a5fed3ed5d48e62b5b4573873aa6ea55cc68f815675f4e3
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## configuration.zip: configuration.jar: filesystemFileInputOrUpload.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/filesystemFileInputOrUpload.directive.js
**MD5:** f644a3106bfee156df76d5700377f70d
**SHA1:** c95cf943e2d57132b71a47525b512fbe46f7fed4
**SHA256:**2ce6c7628582dc79f62161e19e2733b679647ff423e8d8ee83474eef6ce9624d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## configuration.zip: configuration.jar: filesystemInputButton.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/filesystemInputButton.directive.js
**MD5:** d4fa34d24a58237edaff0fcd1e52a98b
**SHA1:** 61aeecd618d7e15f1db7a65874b6fb9b3cdf9206
**SHA256:**40e25504ccab4019abc2801de1f33715437dbb95c92d03bf759376bed942d8c3
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## configuration.zip: configuration.jar: filesystemInputDirectory.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/filesystemInputDirectory.directive.js
**MD5:** abe8d738b4230681785b9608df31d0a7
**SHA1:** 3773d4f21f49fea9fd3c19ff9c94396b273e82cf
**SHA256:**5283b122ef2a3db054632ead2dedd2c62c9616419840ae7e146355e8782fcee6
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## configuration.zip: configuration.jar: filesystemInputFile.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/filesystemInputFile.directive.js
**MD5:** 95eec66eb56684db24cb9d8c5cc387fc
**SHA1:** 33e9abd6b5c84780196226b277217e4d189216c8
**SHA256:**1eab4ff2b96200a36c283d701e3b2bbdc0b3a527544f1b0eed6f31172a9dd10b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## configuration.zip: configuration.jar: iconDropRenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/iconDropRenderer.directive.js
**MD5:** e01df58e761b7fba83e716c5d665eb22
**SHA1:** b4fd37979b7a3ae4d7252b56bcec8ef0903113ba
**SHA256:**50bae6b105ce7e868d443dcc911cc8170f2e5dd175482ab0d89bb1dec6f7e51d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## configuration.zip: configuration.jar: inlinerenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/inlinerenderer.directive.js
**MD5:** 4531879fc071658f5888a12116e31f0d
**SHA1:** 374bcc0bbcc65b4d88ff5a224731409c78a4f7b7
**SHA256:**032c6ac3238780e1eb1767300dae7818ccda70bb17ccb70725ea06d8ee19adf2
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## configuration.zip: configuration.jar: keyLabelText.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/keyLabelText.directive.js
**MD5:** 2f2a25596ec290d0f62e10a37fc973c8
**SHA1:** a4e327416b73eeda15ba6d1874a3bbc3849ae81e
**SHA256:**2a481ea7ff3b62f87adb28b57e222ef1352f1cfa73a154d63902cb0df0113b42
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## configuration.zip: configuration.jar: labelLink.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/labelLink.directive.js
**MD5:** a90349ac59fc4f16a05deb269d1c3519

**SHA1:** 484e8d038dafee8f547b1259f7e4d2d65ab5ee4a
**SHA256:**be8c4ebe7804af2f0d1f03340173d04745cff39383aa6ba47e144cf4177ffd99
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## configuration.zip: configuration.jar: labelText.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/labelText.directive.js
**MD5:** 1dc9a77a6475334b814a4eb39b6e8aa0
**SHA1:** d0db5c5a08bd2c74dffcafcbef0ffc8438e35357
**SHA256:**1cb05364e04e307603df6a644178aff10fabfed16bfce4d21c86fb75f44139ba
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## configuration.zip: configuration.jar: licenseKeyItemRenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/licenseKeyItemRenderer.directive.js
**MD5:** 1b7acb7f77157666bd8163e13cc47fdf
**SHA1:** e623aa9b016fc3d3f9fc16449dd1ac48f3e17fd3
**SHA256:**ac41f0893480d1086562eef9c8269ea35f4605b80fd3f60628e4a9f3d6aa73a4
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## configuration.zip: configuration.jar: licenseKeyRenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/licenseKeyRenderer.directive.js
**MD5:** 6d48b1b05a2bd2ef4384bb996789ddca
**SHA1:** d1131bfe50939a01e50982034b1b7574822215bf
**SHA256:**8c881d970f4c71dc3a5eddb6a2028729ce9efc82dc629880885a4bd043db53ba
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## configuration.zip: configuration.jar: listItemRenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/listItemRenderer.directive.js
**MD5:** be04a63c48d156613c5b932c79e55ebb
**SHA1:** dc125d4dacfe2898e75f194131c0b39ce41096dd
**SHA256:**b95a73fde9c903ffc1b1e25b7fe7d338e1bb195bdeec298bb160f5fdc00cc83d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

### configuration.zip: configuration.jar: logopreview.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/logopreview.directive.js
**MD5:** 84cbbf2c3c0b52d6c249e076fe48cb8f
**SHA1:** c63e504fabdb02f4cbe1dd2dfa110288472a4e0c
**SHA256:**e1b11195c665b08ffc7c19b22e7d7d77e49ed86877cd65e6bc9a166566aa5d31
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

### configuration.zip: configuration.jar: multiLineCode.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/multiLineCode.directive.js
**MD5:** e2a752736b313cd15c5067b9e2f7abc6
**SHA1:** 2c22df117b9f45a082498e2696385eca5919534d
**SHA256:**c1d8916f36bc63228d52ff52432d599f6001077d784d2bf47870569daf2a99c6
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

### configuration.zip: configuration.jar: multiLineText.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/multiLineText.directive.js
**MD5:** 9769483af9509271e1ffd9602c681481
**SHA1:** fbb61268f1e63f705fb6d167bdb9f5138d622a18
**SHA256:**36e44de5802b59df141325897a839a73be22d803df0300985e3eb23ef0f060d4
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## configuration.zip: configuration.jar: multiLingualTextRenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/multiLingualTextRenderer.directive.js
**MD5:** c417f8278dcca4343be0b1c60d6c5fe1
**SHA1:** 3eda017cc7075b934736e1daf71b0d59aa412203
**SHA256:**c497b95a7eb0af1ef36a9733a5e9675a5ac62c094a738288ed8c021b7cd9a429
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## configuration.zip: configuration.jar: passwordText.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/passwordText.directive.js
**MD5:** a762f68eb820d383f03214a0c401d090

**SHA1:** 05c793442f5193f2ffa3b952cd62af88309e68f6
**SHA256:**fba766ee79b545a364e9b8d53a5fd0df688657a201bdd25c7c6bcf3a92678337
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## configuration.zip: configuration.jar: reloadSelectInputsTrigger.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/reloadSelectInputsTrigger.directive.js
**MD5:** ee0760c34d35b7ab1f556b36ef72504b
**SHA1:** cfcab22873b681c7d9019378b4c7fa9c6af49b47
**SHA256:**40e2a2f7b5e647a301971e061dbd5a7d614458f9172510d8f64f1b21b2347e3f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## configuration.zip: configuration.jar: renderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/renderer.directive.js
**MD5:** e6700ce9f732a1f1b614ffdcd2c94933
**SHA1:** 1c5c4b48b29a6b9fd8b9f560207df52cf3ff430d
**SHA256:**3c26aeb2ecfd733d17ff0facd86c8328a20759a6fe1b4059bbcc8221461d3574
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## configuration.zip: configuration.jar: repoDbRenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/repoDbRenderer.directive.js
**MD5:** 5ef1c770c4e5fe42e93f01f633f453d3
**SHA1:** 5da8e6fda8968333e5a0badb6aa45020a83b6b69
**SHA256:**c763e8eefee951c377e2c0c54a8d52618e50224dbb458529d750701c7a1f9e96
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## configuration.zip: configuration.jar: repoFsRenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/repoFsRenderer.directive.js
**MD5:** 6bf0ab3a102f1607ad605c4820851ff4
**SHA1:** ec76ee20ea8fc5950c233ebb71a89367fb0b5d48
**SHA256:**71fb520ea8562e3a06f3eabc3117b85a874092205bc7052a856faaec867e7df6
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## configuration.zip: configuration.jar: repositoryItemRenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/repositoryItemRenderer.directive.js
**MD5:** 35b661e3e8a0b9517b5ef113729adebf
**SHA1:** 451b13b299f3189adeb149487bd614b2de8ec78c
**SHA256:**f155af09a82a7d6babc233a77ffa620935e78b1bb8e8636ec2987241a0fec48b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## configuration.zip: configuration.jar: repositoryRenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/repositoryRenderer.directive.js
**MD5:** cca1b6d749a3ff9bb3ed1e546c1ddd3f
**SHA1:** 295dbe208d68b96973cfde80dc8f657cdaedb7f2
**SHA256:**597b792888878b76bd3e67b99651b5d52c1332790765d4a6e11a9f9d3d289490
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## configuration.zip: configuration.jar: selectEditText.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectEditText.directive.js
**MD5:** 3aa24125a54ec0a890cf9c3ecb3579ad
**SHA1:** 5cf9a71def93c493f1781f6729abeeabe36999f4
**SHA256:**8bcd98ff5ca4562ebacaae43968be209fdf058365ea8bfea6ac96342f42de0a2
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## configuration.zip: configuration.jar: selectFilteredText.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectFilteredText.directive.js
**MD5:** 1d900550c21095ac4bf85607121a14e1
**SHA1:** e756ceb1b1e5a6eaa30bbb366c4e62c59e77d783
**SHA256:**bbfd861491aa357cbbfa2f1ee15b232366b1f88b28c4962339bf5756e49297b9
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## configuration.zip: configuration.jar: selectLanguageChooserRenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectLanguageChooserRenderer.directive.js
**MD5:** b2dfe60265ea9129a4b1abe952ad92ff
**SHA1:** 20176c71d76cb163d19b6add0667a5179bb4e9ec

**SHA256:**3c3904cb2f26ca946b317091a674646fbdf692bed2a7288097f016bbe7be7af1
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## configuration.zip: configuration.jar: selectSimpleText.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectSimpleText.directive.js
**MD5:** 133dcb833b683d40c4a902b736bdd1d6
**SHA1:** e8d02811739badfec2c515780b99466e9d5f2dc9
**SHA256:**9d3df25fc91e91042b12096910ee5628baff6e5ea237e5809a9ea1856531b312
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## configuration.zip: configuration.jar: simpleDate.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/simpleDate.directive.js
**MD5:** 7859e473016ba4b6c663b2de73e886d0
**SHA1:** 2c6104c939065689031febe53b2c4690eb17af15
**SHA256:**cf6b91be17479f785ea267d269c6a254a9fd14d70df735721d723e556bf07f28
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## configuration.zip: configuration.jar: simpleSlider.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/simpleSlider.directive.js
**MD5:** 00171fe096529318005c987067f6cae4
**SHA1:** 586d31e6a344760d84d76e12763b6f47e69618d0
**SHA256:**db8ceb31a065dc67a9b7d9bc2144e6906a6f0dadd1e698f77b41cc6232246aec
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## configuration.zip: configuration.jar: simpleText.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/simpleText.directive.js
**MD5:** 8c4598540efc682f3551a75bde20dfd9
**SHA1:** 42c3a77e9067c8d053e4dac23de2a40a70d67ec4
**SHA256:**b18a8129f293a7ce070aa7b9bd5edbe9eceebe36b10e82a9e6a3469c1484f3d0
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## configuration.zip: configuration.jar: tableRenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/tableRenderer.directive.js
**MD5:** 9c912ea0c0e6a7cd18a45ab3aa2234d2
**SHA1:** cb8d0ba6ae90abff58f47ae07d63f3e57dfc0723
**SHA256:**967fadfacccbc663230a6fc2c0242cba122ea115816585f28e1c43518005c99d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## configuration.zip: configuration.jar: treeRenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/treeRenderer.directive.js
**MD5:** 0a727a5f05e3fd245c2160b5366328f1
**SHA1:** 678f64bfd07d434e17c8ec082ae6b65c34e80953
**SHA256:**926c541bf1a1faa35175ff6d0aec1875cef3da5828a2a7cd24816b3052023d10
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## configuration.zip: configuration.jar: usersandgroupsselect.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/usersandgroupsselect.directive.js
**MD5:** 27bf7f8502a7aa8612104bf9da20aa9d
**SHA1:** a75f988f7790d6be413c8f962c051a78880d96d7
**SHA256:**c7b08fadcb0c0d0907adf944c05e79a20d065d9faebfe4472b570f5f73a976d1
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## core.jar

**Description:**

Core barcode encoding/decoding library

**License:**

"The Apache Software License, Version 2.0";link="https://www.apache.org/licenses/LICENSE-2.0.txt"

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/zxing/core.jar
**MD5:** b5269d7bf1eea1d064240c342829b117
**SHA1:** ca1349214a356cd7958651b2d5a0e1f3811a9c4b
**SHA256:**8d8064c1636fdaef7189dd9055c7d59950a8940a12f2293956446ec3c109fd82
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | core | High |
| Vendor | jar | package name | google | Highest |
| Vendor | jar | package name | zxing | Highest |
| Vendor | Manifest | automatic-module-name | com.google.zxing | Medium |
| Vendor | Manifest | build-jdk-spec | 1.8 | Low |
| Vendor | Manifest | bundle-developers | zxing-authors;name="ZXing Authors" | Low |
| Vendor | Manifest | bundle-docurl | https://github.com/zxing/zxing/core | Low |
| Vendor | Manifest | bundle- | com.google.zxing.core | Medium |

| | | | | |
|---|---|---|---|---|
| | | symbolicname | | |
| Vendor | pom | artifactid | core | Low |
| Vendor | pom | groupid | com.google.zxing | Highest |
| Vendor | pom | name | ZXing Core | High |
| Vendor | pom | parent-artifactid | zxing-parent | Low |
| Product | file | name | core | High |
| Product | jar | package name | google | Highest |
| Product | jar | package name | zxing | Highest |
| Product | Manifest | automatic-module-name | com.google.zxing | Medium |
| Product | Manifest | build-jdk-spec | 1.8 | Low |
| Product | Manifest | bundle-developers | zxing-authors;name="ZXing Authors" | Low |
| Product | Manifest | bundle-docurl | https://github.com/zxing/zxing/core | Low |
| Product | Manifest | Bundle-Name | ZXing Core | Medium |
| Product | Manifest | bundle-symbolicname | com.google.zxing.core | Medium |
| Product | pom | artifactid | core | Highest |
| Product | pom | groupid | com.google.zxing | Highest |
| Product | pom | name | ZXing Core | High |
| Product | pom | parent-artifactid | zxing-parent | Medium |
| Version | Manifest | Bundle-Version | 3.5.3 | High |
| Version | pom | version | 3.5.3 | Highest |

**Identifiers**

- pkg:maven/com.google.zxing/core@3.5.3 (*Confidence*:High)

## cowork.tickets.zip: cowork.tickets.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/cowork.tickets.zip/cowork.tickets.jar
**MD5:** ceb4b6baeac2c988007c554685fcf0ea
**SHA1:** ee76f96a217b64ed8fee12a9b6218ac1d5269653
**SHA256:**5edfbd7f4921038deaabee9ee6fc4f616aa86fe18c9854a4041813dc39fc51b3
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | cowork.tickets | High |
| Vendor | jar | package name | cowork | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | integration | Low |
| Vendor | Manifest | built-date | 2025-12-01 15:45 | Low |
| Vendor | Manifest | implementation-group | helpdesk | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | cowork.tickets | High |
| Product | jar | package name | cowork | Highest |
| Product | jar | package name | cowork | Low |
| Product | jar | package name | integration | Low |
| Product | jar | package name | ticketlist | Low |
| Product | Manifest | built-date | 2025-12-01 15:45 | Low |
| Product | Manifest | implementation-group | helpdesk | Low |
| Product | Manifest | Implementation-Title | cowork.tickets | High |
| Product | Manifest | specification-title | cowork.tickets | Medium |
| Version | Manifest | Implementation-Version | 25.10.259 | High |

**Identifiers**

- cpe:2.3:a:tickets_project:tickets:25.10.259:*:*:*:*:*:*:* (*Confidence*:High) suppress

## cowork.tickets.zip: cowork.tickets.jar: coworkchatextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/cowork.tickets.zip/cowork.tickets.

jar/com/inet/cowork/integration/ticketlist/ticketpageextension/coworkchatextension.js
**MD5:** 4cb588b0bf8a628cc3c843b798104816
**SHA1:** defeae4778460d7dba551d85ca8b04557fa003e5
**SHA256:**04d499d7b215b22cffdb669f82f837bab0a7231ee78c6bf41418a8ed9f135788
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## cowork.zip: cowork-javadoc.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork-javadoc.jar
**MD5:** 87a620cef4b898bcc83b878bdb0fb85a
**SHA1:** 69b0389a74ce8363cd7f7755cd4c81f1fe319b2e
**SHA256:**1367ec7458eb7585ca1b1f86a6dd1c6bc5e84a1f3c111404fa8e38afb63b8562
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | cowork-javadoc | High |
| Product | file | name | cowork-javadoc | High |

**Identifiers**

- **None**

## cowork.zip: cowork-javadoc.jar: member-search-index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork-javadoc.jar/member-search-index.js
**MD5:** b53fed2c85f54971f9814355b8658c01

**SHA1:** 0214b99220b6797c45f01569549fcc923694a5d7
**SHA256:**8d88b33f1eebff05ff24ecdd0d7685ba49518f2fb0dfda9e31318a930d29e445
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## cowork.zip: cowork-javadoc.jar: package-search-index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork-javadoc.jar/package-search-index.js
**MD5:** 7843e0fe10197c0f0117f699e1e7cd40
**SHA1:** e48fd8df27e997b6b55659eac22ae3a2d68c20a5
**SHA256:**1aba1d547394c186ec32485f12fa55450a73511ab1cefa478a92dcf1d359520a
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## cowork.zip: cowork-javadoc.jar: type-search-index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork-javadoc.jar/type-search-index.js
**MD5:** 8c30fed2a2e350ef639f9b7bda912507
**SHA1:** 5670fb1b145339466f0ea57751f0d816cd8eb8b3
**SHA256:**6340ac435040dd803b2df28710ff32c54598221a2e79d45bf7dbcec174962a57
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## cowork.zip: cowork.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork.jar
**MD5:** e6094d71a8652c73c0dd6e3fdc53c690
**SHA1:** e41a36baf0c616e988f246d33f0a5801d4131078
**SHA256:**d431594f43bfd0ddf99d096a2a3c77e5a828e4fb9b8160da2d834aac0c5d23e2
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | cowork | High |
| Vendor | jar | package name | cowork | Low |
| Vendor | jar | package name | i | Highest |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | server | Low |
| Vendor | Manifest | built-date | 2025-12-01 13:51 | Low |
| Vendor | Manifest | implementation-group | cowork | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | cowork | High |
| Product | jar | package name | cowork | Highest |
| Product | jar | package name | cowork | Low |
| Product | jar | package name | server | Low |
| Product | Manifest | built-date | 2025-12-01 13:51 | Low |
| Product | Manifest | implementation-group | cowork | Low |

| | | | | |
|---|---|---|---|---|
| Product | Manifest | Implementation-Title | cowork | High |
| Product | Manifest | specification-title | cowork | Medium |
| Version | jar | package name | cowork | Highest |
| Version | Manifest | Implementation-Version | 25.10.259 | High |

**Identifiers**

- **None**

## cowork.zip: cowork.jar: MessageCreationChart.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork.jar/com/inet/cowork/integration/diagnostics/MessageCreationChart.js
**MD5:** f4c599d8972b7b53d9343562328ed654
**SHA1:** a94fea0ec8920c5f5c167ca01f4aecf5195407a7
**SHA256:**fc7edcf5111888705df4335864ec9c210360a7284e889fe9fa6edb1f0fb3d3e4
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## cowork.zip: cowork.jar: cowork.diagnostics.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork.jar/com/inet/cowork/integration/diagnostics/cowork.diagnostics.js
**MD5:** 61bdfed6bb2704fbe22d33f93da17f84
**SHA1:** 5c1617a08b0b62537b8b9aca098691405c38c6a5
**SHA256:**4b4ce83af515336cbc544bda234527c6f541a2abdd456dd1554b0b9c5ce7bf08
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## cowork.zip: cowork.jar: coworkcomponents.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork.jar/com/inet/cowork/client/js/coworkcomponents.js
**MD5:** fbf1a223b1647efe67092fa2810ebe1c
**SHA1:** 0a414e3126ab88629e70b94a448f960a54cae128
**SHA256:**7fdcff971c146290716df650ad26fbab008737b3ed5f1f8aa887dd42d0a1dee0
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## cowork.zip: cowork.jar: coworkcontroller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork.jar/com/inet/cowork/client/js/coworkcontroller.js
**MD5:** b92bcc498d4577990c9d2afacf32185a
**SHA1:** b9b8318888f29163ad4e177eef9815a3ccaa0a8e
**SHA256:**7226bb6c38b95670b7bae75bb25114c4d04f62894bf3b5ebf039d175fc01289b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## cowork.zip: cowork.jar: coworkconversation.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork.jar/com/inet/cowork/client/js/coworkconversation.js
**MD5:** 68d74db2822dbf248a10225f8fccb3ce
**SHA1:** 782dbaf6e57fe26b8f1c22e32adbb759d5a5bedd
**SHA256:**6c8f2e08a2eb50bd4714a9383a6291441da0b831b39b8de63512551bb10642a2
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## cowork.zip: cowork.jar: coworkfactory.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork.jar/com/inet/cowork/client/js/coworkfactory.js
**MD5:** 59f527ceb52dd8066d9cf0caaedd4a9d
**SHA1:** a1bf98e7dd8ea7e490a5c10e8498218c52615cf1
**SHA256:**379cb406950bcefb36436f516dda578c5992f46714ce8f8fb196694ceb314a87
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## cowork.zip: cowork.jar: coworkinputbox.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork.jar/com/inet/cowork/client/js/coworkinputbox.js
**MD5:** f39c512ee4a439c68f7b305ea6ddddd5
**SHA1:** e257a1d23de522ff3e818bc8b9bffff3d38efd0d
**SHA256:**2815abca1cee4a62944535da1c7868e359288604df5bc524c196ecd46b454c70
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## cowork.zip: cowork.jar: coworkmodel.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork.jar/com/inet/cowork/client/js/coworkmodel.js
**MD5:** e9d699655b02385130c6e1bae9e48e67
**SHA1:** 362dfa3c7194edef45aa806096069fd61f81725e
**SHA256:**e46e192dae12315f596d74d0e317c1b57e3e97420e85c6d4e5b8ed3f6d9edd60
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## cowork.zip: cowork.jar: coworksettingscontroller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork.jar/com/inet/cowork/client/js/coworksettingscontroller.js
**MD5:** f03330b6a50eb2188e5714486cbc76d3

**SHA1:** 5186f8bf71b626e7d88bd818fb6a4f1765df5657
**SHA256:**daec405ffba8cbed86614fae4e666658bc39e58956e850f4189eb010ee9cea9b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## cowork.zip: cowork.jar: inetmarkdown.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork.jar/com/inet/cowork/client/js/inetmarkdown.js
**MD5:** e2ffc59274042d1caa1ac43dddf8a10c
**SHA1:** c2bfbe449b77aab091a19e29d9d8ebd472187231
**SHA256:**5931729e41d3e1aa91dcfb6107388d141ea63ef2a1c22419a07c75d0fcb3ca43
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## cowork.zip: cowork.jar: showreactionscontroller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork.jar/com/inet/cowork/client/js/showreactionscontroller.js
**MD5:** b72ebeef733ddaef5734b2426cae3787
**SHA1:** 0d9069c4e55362bcb3c54bb834bd622661348c0b
**SHA256:**e38cd47b134e24364d6462eba469e7d7cf76b3b1222bb1b11566b6b01e81c38e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## cowork.zip: cowork.jar: teamsettingscontroller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/cowork.zip/cowork.jar/com/inet/cowork/client/js/teamsettingscontroller.js
**MD5:** 729da9798ef3dfcff996d5f2b8bef6d5
**SHA1:** 3ac925b9279b84c1bc4eeb9d29cbaed6216f2a1d
**SHA256:**4bffa93c7e6cc3cf83a2431ce63399db14ed1827528cbb291dfae2b0c8153210
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## dataimport.zip: dataimport.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/dataimport.zip/dataimport.jar
**MD5:** d588b4d5dd2354070db3fbb26c1c2ccc
**SHA1:** 18eca116b0b8437fcc189a60dba334ab552015bc
**SHA256:**5bcac80cf856e6064e11fa516d5b321684459ee52c25d674fab67ec595d91f16
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | dataimport | High |
| Vendor | jar | package name | helpdesk | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | plugins | Low |

| | | | | |
|---|---|---|---|---|
| Vendor | Manifest | built-date | 2025-12-01 15:41 | Low |
| Vendor | Manifest | implementation-group | helpdesk | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | dataimport | High |
| Product | jar | package name | dataimport | Highest |
| Product | jar | package name | dataimport | Low |
| Product | jar | package name | helpdesk | Highest |
| Product | jar | package name | helpdesk | Low |
| Product | jar | package name | plugins | Low |
| Product | Manifest | built-date | 2025-12-01 15:41 | Low |
| Product | Manifest | implementation-group | helpdesk | Low |
| Product | Manifest | Implementation-Title | dataimport | High |
| Product | Manifest | specification-title | dataimport | Medium |
| Version | jar | package name | helpdesk | Highest |
| Version | Manifest | Implementation-Version | 25.10.259 | High |

**Identifiers**

- cpe:2.3:a:inetsoftware:helpdesk:25.10.259:*:*:*:*:*:*:* (*Confidence*:Low) suppress

## dataimport.zip: dataimport.jar: actionsBar.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/dataimport.zip/dataimport.jar/com/inet/helpdesk/plugins/dataimport/resources/js/actionsBar.directive.js
**MD5:** 0737f430cb58e0a3f9cebee8c97fe517
**SHA1:** 9ceb13eba78df9780efea3097bc753e5c249d06e
**SHA256:**946ff7a9a922067e1cd9b6a53aeeda58846c5427576c997e0b82a1af1e419dbf
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## dataimport.zip: dataimport.jar: checkbox.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/dataimport.zip/dataimport.jar/com/inet/helpdesk/plugins/dataimport/resources/js/checkbox.directive.js
**MD5:** d0b8aaa56cb91923f395da427084f479
**SHA1:** 13fa629914620d7c3cbe2a827943ee1d0d9648f3
**SHA256:**c7379177b7566bae7daa6c4288c3d2f5b343fc14790f55091640c6ae5558e408
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## dataimport.zip: dataimport.jar: controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/dataimport.zip/dataimport.jar/com/inet/helpdesk/plugins/dataimport/resources/js/controller.js
**MD5:** af6e4f3e79a5b207bb40e5b99a25e308
**SHA1:** a1f4eb48564a704635d9650d765e1939b3b12094
**SHA256:**d232408e460a0364d82501d967f35ed7afced90a08a9049fe51c455c6ad7e995
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## dataimport.zip: dataimport.jar: deviceDataImport.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/dataimport.zip/dataimport.jar/com/inet/helpdesk/plugins/dataimport/resources/js/deviceDataImport.directive.js
**MD5:** 19e991c8424b94865553aeae616f58a6
**SHA1:** 99a6629166baf8a0d92b08c013f43418f6085cab
**SHA256:**2b51530689539b9d59c4b93eee981f2d1b362aa17a2d5bfa0d31855226add111
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## dataimport.zip: dataimport.jar: filtereablevalueselection.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/dataimport.zip/dataimport.jar/com/inet/helpdesk/plugins/dataimport/resources/js/filtereablevalueselection.directive.js
**MD5:** f8a57c297779d59af110ca00114947ef
**SHA1:** 51a0744521b7e89abcc754417b99bfef140932b5
**SHA256:**8825e3946d4ebeb3bb55ecae19a33867c39530e2ad3de3780df5e405afdcc570
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## dataimport.zip: dataimport.jar: importfactory.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/dataimport.zip/dataimport.jar/com/inet/helpdesk/plugins/dataimport/resources/js/importfactory.js
**MD5:** e3b1cba9111b187973cca4ac4cb2d52b
**SHA1:** aed9d54703d7af0be8b68a5a0682cb7aea90b4bc
**SHA256:**ff85eaaf9d17f80402190f93d21df186820766b51ec004e6d71c14eab349149a
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## dataimport.zip: dataimport.jar: importjob.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/dataimport.zip/dataimport.jar/com/inet/helpdesk/plugins/dataimport/resources/js/importjob.directive.js
**MD5:** da0d0fcca7f920c14f9c84816378f252
**SHA1:** da1f064aa2b785dfccada1b5a469ad2264cbbf0a
**SHA256:**4d8b20f7d162f30a729328f0534d8be93099a519ebad078684687529e42c2609
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## dataimport.zip: dataimport.jar: itemRenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/dataimport.zip/dataimport.jar/com/inet/helpdesk/plugins/dataimport/resources/js/itemRenderer.directive.js

**MD5:** 793086efa6efaab42a85182dd83b1462
**SHA1:** 1f381651608356075dda6abe743bfdcfdc4c9fc3
**SHA256:**92cdeba6b5be2c875e6fc37e47cde9f25399b209d82684ca101bad7cbec8fc3c
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## dataimport.zip: dataimport.jar: userDataImport.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/dataimport.zip/dataimport.jar/com/inet/helpdesk/plugins/dataimport/resources/js/userDataImport.directive.js
**MD5:** f4f771d58ecfe2cebb98d55b1e366473
**SHA1:** e77e585f81220d600ec6b40f150e54c1acb2de6b
**SHA256:**0f66028b02ac08304ba0aa5605b77c5b65419483834f0da7195013ef6c5d3ad9
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## diagnostics.reporting.zip: diagnostics.reporting.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.reporting.zip/diagnostics.reporting.jar
**MD5:** 9ed988742c1f09bc05df7e7098f3677f
**SHA1:** ed90811f91f99616ee5047570e2e5ac1e96e8ff7
**SHA256:**7326a54d884d8bebcdab1385ec0ec26654ca71af3d3d2a282c8a99f9ce878ae7
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | diagnostics.reporting | High |
| Vendor | jar | package name | diagnostics | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | report | Low |
| Vendor | Manifest | built-date | 2025-12-01 14:41 | Low |
| Vendor | Manifest | implementation-group | reporting | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | diagnostics.reporting | High |
| Product | jar | package name | diagnostics | Highest |
| Product | jar | package name | diagnostics | Low |
| Product | jar | package name | report | Low |
| Product | jar | package name | widgets | Low |
| Product | Manifest | built-date | 2025-12-01 14:41 | Low |
| Product | Manifest | implementation-group | reporting | Low |
| Product | Manifest | Implementation-Title | diagnostics.reporting | High |
| Product | Manifest | specification-title | diagnostics.reporting | Medium |
| Version | Manifest | Implementation-Version | 25.10.259 | High |

**Identifiers**

- **None**

## diagnostics.reporting.zip: diagnostics.reporting.jar: connectionPool.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.reporting.zip/diagnostics.reporting.jar/com/inet/report/diagnostics/widgets/connectionpool/resources/connectionPool.js

**MD5:** f53d87419cca81933623ab8325b500e4
**SHA1:** 5d4d1ae1f0f86f84711e9090df767880dacd62f0
**SHA256:**0276fb918e86662478f9fe2f51a4ea88862d48c2b848059cfbca686f96a9dd87
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## diagnostics.reporting.zip: diagnostics.reporting.jar: reportcache.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.reporting.zip/diagnostics.reporting.jar/com/inet/report/diagnostics/widgets/reportcache/resources/reportcache.js
**MD5:** 69cf1345e403fa8c11c27e3fa01fb71b
**SHA1:** e9ae6aca9c42c00ad18a935a7f84a3d2d59d0384
**SHA256:**b25ec00b6d64bcc7db7b3c3c9ca17ac561f5b7658d986a9d28cbb7ed6cbf3e41
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## diagnostics.reporting.zip: diagnostics.reporting.jar: server-datasource.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.reporting.zip/diagnostics.reporting.jar/com/inet/report/diagnostics/widgets/benchmark/datasource/server-datasource.js
**MD5:** 7ff5a1d205b088435a55eebe6b299af9
**SHA1:** f34ca1847e716ee3d759eef5ea0c1dd0a409ac6c
**SHA256:**8f5ea4bc5b949a0626b8e5f715b8c7c2a55e9a6e043d110dc5e583e18bb6595c
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## diagnostics.zip: diagnostics.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar
**MD5:** 1a20eb4459218cb2aff8841db69ec51d
**SHA1:** abe273ab149ae05f6693d8a08d61c76cb11a8159
**SHA256:**58f4ecd04be0338d3b6b401363422d8b4d36412c987314c52c1646821aeef164
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | diagnostics | High |
| Vendor | jar | package name | diagnostics | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | shared | Low |
| Vendor | Manifest | built-date | 2025-12-01 13:18 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | diagnostics | High |
| Product | jar | package name | diagnostics | Highest |
| Product | jar | package name | diagnostics | Low |
| Product | jar | package name | shared | Highest |
| Product | jar | package name | shared | Low |
| Product | jar | package name | widgets | Low |

| | | | | |
|---|---|---|---|---|
| Product | Manifest | built-date | 2025-12-01 13:18 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | diagnostics | High |
| Product | Manifest | specification-title | diagnostics | Medium |
| Version | jar | package name | shared | Highest |
| Version | Manifest | Implementation-Version | 25.10.259 | High |

**Identifiers**

- **None**

## diagnostics.zip: diagnostics.jar: MemoryPieChart.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/information/resources/MemoryPieChart.js
**MD5:** 6672ce6950e54f655abda54ed0f66ed5
**SHA1:** 3043ce3c7f15e47f311010f1863bbe38f47f9902
**SHA256:**c1e3f04eb8893a9a04750d0c1b6da7de0e22820db78773eb345add1267fbd784
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## diagnostics.zip: diagnostics.jar: MemoryUsageChart.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/information/resources/MemoryUsageChart.js
**MD5:** 8755baee0fb97dbfdf5d5b972b7cf9bc
**SHA1:** 1c4299a3df93cd84ff68923b6db924b325e8ed79
**SHA256:**576dde92cfe5caf4a9fb8084b64d73ef914d1b44b695cd74ee916829c6d652cf
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## diagnostics.zip: diagnostics.jar: WebServerErrorChart.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/webserver/resources/WebServerErrorChart.js
**MD5:** 46ed42c329ea270b64073af7b041554e
**SHA1:** 1e2685c45d920807865bde8647def47f405d70c0
**SHA256:**b062fe753fb5117f9ee299ce3d7c7aa6631e229aaecfea9351af3847f20ef152
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## diagnostics.zip: diagnostics.jar: benchmarkCtrl.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/resources/benchmarkCtrl.js
**MD5:** 9eaeff897d71b988456b1081f7baa57e
**SHA1:** 8dc7208ccfa11ba9eb736aaee676e9c7f2f62146
**SHA256:**3457f3446ce7a565f734ecd3aa8712884c713b10dd97713ffab9cf196becafc9
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## diagnostics.zip: diagnostics.jar: client-server.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/clientserver/client-server.js
**MD5:** 0f1ab9cf9534b099e18cc5852ee024dc
**SHA1:** 404002851f13cee9f19794e77396da6d11c9adfd
**SHA256:**93af3fdaf826e858e80a21ea6ece6281e38bc6e6c4c006f76db5ed3849aaa629
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## diagnostics.zip: diagnostics.jar: controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/controller.js
**MD5:** c9d9a63b248de3b1ab32753b2652581f
**SHA1:** 9e9f1cf1ddcea2a7ae541d2a67b0f36d68514e77
**SHA256:**6ab396c52d329bb05ffc977b19f70afaee28b05f93ed53e7766369f734126485
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## diagnostics.zip: diagnostics.jar: cpu.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/cpu/cpu.js
**MD5:** 00bbba279bab5ddacde78dc991498f9f
**SHA1:** c0c245794ad50fdff5bae6b15f494130d740ee51
**SHA256:**492f447221e59374290a8994359099d7c8ce3de45961e5dd2cbb648d4a6b29c2
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## diagnostics.zip: diagnostics.jar: cpuspeed.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/cpuspeed/cpuspeed.js
**MD5:** affca3db509cabc73d34a15f21623ee7
**SHA1:** d3a2d26b44827807dd0035932815b1a8f72e453d
**SHA256:**c7328c891ff58d6da40001887b68e993052b856d83e1d6493a32f0fed8dff6a5
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## diagnostics.zip: diagnostics.jar: directives.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip

/diagnostics.jar/com/inet/shared/diagnostics/resources/js/directives.js
**MD5:** c7436529172605f449dda5c983dc74dd
**SHA1:** e7fd8c8ccf06d2fadce799bb442b4b8bc10fcad4
**SHA256:**993aecee895d9e18dd484cbcfc7b1b908db6dd2fe5a8078bf664faa39070dbe7
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## diagnostics.zip: diagnostics.jar: errorHistoryChart.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/logging/resources/errorHistoryChart.js
**MD5:** 83231947ca2ffb7ee6d2839bbfac6a62
**SHA1:** 7418ac3a78c906c55d8779d363184d5f2a335428
**SHA256:**7ad4ad758d262497faee037107f81e81b1a996d6f4111a46bd91092925cc58a3
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## diagnostics.zip: diagnostics.jar: flotr2.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/flotr2.min.js
**MD5:** 0b7015815b97473a69b1917da6dc9c7c
**SHA1:** d23aa3eb0326ea5ae26e4d98383e80f3f63a05de
**SHA256:**8e91d325cb89a573c87ec87930a17a0dd4e16b59926d4bcc06691c26e37ab9fc
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## diagnostics.zip: diagnostics.jar: global.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/global.js
**MD5:** ea308918919d88577b89513d61dfa21b
**SHA1:** 42b1d16409b39bb01ede0fbb44357a27bb8d0249
**SHA256:**dc162fa9f5ab8b95bec8b06db139fa7b57a14257b51a349578ff6c2681a1fd6a
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## diagnostics.zip: diagnostics.jar: harddisk.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/harddisk/harddisk.js
**MD5:** 538fd0fdeb11c4fa3dd2ac88c8711204
**SHA1:** 80957f16c25af55fc467e6c5af84153a595115c8
**SHA256:**a7762d8a143e8ac4eb9931e082988207cd45ab55d088120ff28d5f833fc09c2e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## diagnostics.zip: diagnostics.jar: heapdumpCtrl.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/dump/resources/heapdumpCtrl.js
**MD5:** c5fdaf4ccf9027d4a81c2f62b897e927
**SHA1:** 667f13f878547fe5bdd76d63151a8bf8113736ac
**SHA256:**9694aabb30d8dc4bd9f9a6886f91248fe5a68d51a0f4dfd3a7b7adcd4db0b625
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## diagnostics.zip: diagnostics.jar: informationCtrl.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/information/resources/informationCtrl.js
**MD5:** 751ab48845663bb2e183db1c23837049
**SHA1:** 68afe450d8d8b18885e9a1609dcdaa354cdc38ea
**SHA256:**03827ae0ce0f6ce8e4b023a418f796284cbe2358a1f468fa3e5a5ee24018ad20
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## diagnostics.zip: diagnostics.jar: intArrayUtils.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/intArrayUtils.js
**MD5:** 132205ce288f4d0108593ba2adf79e7f
**SHA1:** b1fc530ffd7332db05d9b5431535ec0beb9ff688
**SHA256:**089688ab933277e0148ec91a8bd6d1d3d6e1030ec0216139675a78f8c9fd672e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## diagnostics.zip: diagnostics.jar: iospeed.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/iospeed/iospeed.js
**MD5:** 43d6af3fce515e8c01c806b587663d18
**SHA1:** 3144a2d2373abb1e911388b3cc049467fe9f616e
**SHA256:**8ad0c4ac7fb4dea2dc4f38137e5136e2d4b9f4f380203be7de3fd430cbab5260
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## diagnostics.zip: diagnostics.jar: jobs.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/jobs/resources/jobs.js
**MD5:** c86f20826acb4cd47c7bd5dbfb75b0d4

**SHA1:** 91bc3730aac03d2108e538843d28f0e47d531bc2
**SHA256:**392dd734b01789eb4d38f999bfa2cc439550d8bb4321024a2047179676315e47
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## diagnostics.zip: diagnostics.jar: logging.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/logging/resources/logging.js
**MD5:** 547f9875c9c43a8e13e5831262ce7629
**SHA1:** 777e8a815832ebb01cd38d376692c43b66e58cb8
**SHA256:**0348322950015a8c715d7eac1366190d313bbaeb529ab02d7ee49e2b182071f3
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## diagnostics.zip: diagnostics.jar: memory.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/memory/memory.js
**MD5:** 362ed951b53dd4ef9c8494e8d1749466
**SHA1:** 9879a26fb052a8e75d1b46672397dfb5b1927f77
**SHA256:**abbe117c43a3b186c9453af73cceb55b3f42ab2cccb6809a4b1dc04b4b1489e9
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## diagnostics.zip: diagnostics.jar: overviewCtrl.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/overview/resources/overviewCtrl.js
**MD5:** 80f5e4358aa6a9ba6d35c364803e6c6a
**SHA1:** 43c0492bb6e31b22174edb46514f0981930d2e39
**SHA256:**cdf4ae1ac491e48bcb17849a4b9ccdfeb5eea517798c0dc10fe13fb75b1eca99
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## diagnostics.zip: diagnostics.jar: pde.diagnostics.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/webserver/resources/pde.diagnostics.js
**MD5:** d341fba13a10131585866bd8575fb85c
**SHA1:** 1829064e54bcc91f1a96ef0605fcb71188f6126d
**SHA256:**8554a8c566d5aed56913953c9cd38fdb6a59fb3292279d76e624f615c2c97c1e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## diagnostics.zip: diagnostics.jar: timeformat.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/timeformat.js
**MD5:** 31e9928c521c394f829c570f248fab50
**SHA1:** 97977864881447d98bab1568b64f96115f4a4d4a
**SHA256:**f96d3c13acc616439828fdcf4a368dedb6f8a740eb44cef5980b659ee9c07845
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## drive.zip: commons-compress.jar

**Description:**

Apache Commons Compress defines an API for working with
compression and archive formats. These include bzip2, gzip, pack200,
LZMA, XZ, Snappy, traditional Unix Compress, DEFLATE, DEFLATE64, LZ4,
Brotli, Zstandard and ar, cpio, jar, tar, zip, dump, 7z, arj.

**License:**

https://www.apache.org/licenses/LICENSE-2.0.txt

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/commons-compress.jar
**MD5:** 1db4bd87b0082044c6e7a6af0b977a3e
**SHA1:** a19151084758e2fbb6b41eddaa88e7b8ff4e6599
**SHA256:**293d80f54b536b74095dcd7ea3cf0a29bbfc3402519281332495f4420d370d16
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | commons-compress | High |

| | | | | |
|---|---|---|---|---|
| Vendor | jar | package name | apache | Highest |
| Vendor | jar | package name | commons | Highest |
| Vendor | jar | package name | compress | Highest |
| Vendor | Manifest | automatic-module-name | org.apache.commons.compress | Medium |
| Vendor | Manifest | build-jdk-spec | 17 | Low |
| Vendor | Manifest | bundle-docurl | https://commons.apache.org/proper/commons-compress/ | Low |
| Vendor | Manifest | bundle-symbolicname | org.apache.commons.commons-compress | Medium |
| Vendor | Manifest | extension-name | org.apache.commons.compress | Medium |
| Vendor | Manifest | Implementation-Vendor | The Apache Software Foundation | High |
| Vendor | Manifest | Implementation-Vendor-Id | org.apache | Medium |
| Vendor | Manifest | multi-release | true | Low |
| Vendor | Manifest | originally-created-by | Apache Maven Bundle Plugin 5.1.9 | Low |
| Vendor | Manifest | specification-vendor | The Apache Software Foundation | Low |
| Vendor | pom | artifactid | commons-compress | Low |
| Vendor | pom | developer email | bodewig at apache.org | Low |
| Vendor | pom | developer email | chtompki at apache.org | Low |
| Vendor | pom | developer email | damjan at apache.org | Low |
| Vendor | pom | developer email | ebourg at apache.org | Low |
| Vendor | pom | developer email | ggregory at apache.org | Low |
| Vendor | pom | developer email | grobmeier at apache.org | Low |
| Vendor | pom | developer email | julius at apache.org | Low |
| Vendor | pom | developer email | peterlee at apache.org | Low |
| Vendor | pom | developer email | sebb at apache.org | Low |
| Vendor | pom | developer email | tcurdt at apache.org | Low |
| Vendor | pom | developer id | bodewig | Medium |
| Vendor | pom | developer id | chtompki | Medium |
| Vendor | pom | developer id | damjan | Medium |
| Vendor | pom | developer id | ebourg | Medium |
| Vendor | pom | developer id | ggregory | Medium |
| Vendor | pom | developer id | grobmeier | Medium |
| Vendor | pom | developer id | julius | Medium |
| Vendor | pom | developer id | peterlee | Medium |

| | | | | |
|---|---|---|---|---|
| Vendor | pom | developer id | sebb | Medium |
| Vendor | pom | developer id | tcurdt | Medium |
| Vendor | pom | developer name | Christian Grobmeier | Medium |
| Vendor | pom | developer name | Damjan Jovanovic | Medium |
| Vendor | pom | developer name | Emmanuel Bourg | Medium |
| Vendor | pom | developer name | Gary Gregory | Medium |
| Vendor | pom | developer name | Julius Davies | Medium |
| Vendor | pom | developer name | Peter Alfred Lee | Medium |
| Vendor | pom | developer name | Rob Tompkins | Medium |
| Vendor | pom | developer name | Sebastian Bazley | Medium |
| Vendor | pom | developer name | Stefan Bodewig | Medium |
| Vendor | pom | developer name | Torsten Curdt | Medium |
| Vendor | pom | developer org | The Apache Software Foundation | Medium |
| Vendor | pom | developer org URL | https://www.apache.org/ | Medium |
| Vendor | pom | groupid | org.apache.commons | Highest |
| Vendor | pom | name | Apache Commons Compress | High |
| Vendor | pom | parent-artifactid | commons-parent | Low |
| Vendor | pom | url | https://commons.apache.org/proper/commons-compress/ | Highest |
| Product | file | name | commons-compress | High |
| Product | jar | package name | 9 | Highest |
| Product | jar | package name | apache | Highest |
| Product | jar | package name | commons | Highest |
| Product | jar | package name | compress | Highest |
| Product | Manifest | automatic-module-name | org.apache.commons.compress | Medium |
| Product | Manifest | build-jdk-spec | 17 | Low |
| Product | Manifest | bundle-docurl | https://commons.apache.org/proper/commons-compress/ | Low |
| Product | Manifest | Bundle-Name | Apache Commons Compress | Medium |
| Product | Manifest | bundle-symbolicname | org.apache.commons.commons-compress | Medium |
| Product | Manifest | extension-name | org.apache.commons.compress | Medium |
| Product | Manifest | Implementation-Title | Apache Commons Compress | High |
| Product | Manifest | multi-release | true | Low |
| Product | Manifest | originally- | Apache Maven Bundle Plugin 5.1.9 | Low |

| | | | | |
|---|---|---|---|---|
| | | created-by | | |
| Product | Manifest | specification-title | Apache Commons Compress | Medium |
| Product | pom | artifactid | commons-compress | Highest |
| Product | pom | developer email | bodewig at apache.org | Low |
| Product | pom | developer email | chtompki at apache.org | Low |
| Product | pom | developer email | damjan at apache.org | Low |
| Product | pom | developer email | ebourg at apache.org | Low |
| Product | pom | developer email | ggregory at apache.org | Low |
| Product | pom | developer email | grobmeier at apache.org | Low |
| Product | pom | developer email | julius at apache.org | Low |
| Product | pom | developer email | peterlee at apache.org | Low |
| Product | pom | developer email | sebb at apache.org | Low |
| Product | pom | developer email | tcurdt at apache.org | Low |
| Product | pom | developer id | bodewig | Low |
| Product | pom | developer id | chtompki | Low |
| Product | pom | developer id | damjan | Low |
| Product | pom | developer id | ebourg | Low |
| Product | pom | developer id | ggregory | Low |
| Product | pom | developer id | grobmeier | Low |
| Product | pom | developer id | julius | Low |
| Product | pom | developer id | peterlee | Low |
| Product | pom | developer id | sebb | Low |
| Product | pom | developer id | tcurdt | Low |
| Product | pom | developer name | Christian Grobmeier | Low |
| Product | pom | developer name | Damjan Jovanovic | Low |
| Product | pom | developer name | Emmanuel Bourg | Low |
| Product | pom | developer name | Gary Gregory | Low |
| Product | pom | developer name | Julius Davies | Low |
| Product | pom | developer name | Peter Alfred Lee | Low |
| Product | pom | developer name | Rob Tompkins | Low |
| Product | pom | developer name | Sebastian Bazley | Low |
| Product | pom | developer name | Stefan Bodewig | Low |
| Product | pom | developer name | Torsten Curdt | Low |
| Product | pom | developer org | The Apache Software Foundation | Low |
| Product | pom | developer org URL | https://www.apache.org/ | Low |

| | | | | |
|---|---|---|---|---|
| Product | pom | groupid | org.apache.commons | Highest |
| Product | pom | name | Apache Commons Compress | High |
| Product | pom | parent-artifactid | commons-parent | Medium |
| Product | pom | url | https://commons.apache.org/proper/commons-compress/ | Medium |
| Version | Manifest | Bundle-Version | 1.27.1 | High |
| Version | Manifest | Implementation-Version | 1.27.1 | High |
| Version | pom | parent-version | 1.27.1 | Low |
| Version | pom | version | 1.27.1 | Highest |

**Identifiers**

- pkg:maven/org.apache.commons/commons-compress@1.27.1 (*Confidence*:High)
- cpe:2.3:a:apache:commons_compress:1.27.1:*:*:*:*:*:*:* (*Confidence*:Highest) suppress

## drive.zip: commons-io.jar

**Description:**

The Apache Commons IO library contains utility classes, stream implementations, file filters, file comparators, endian transformation classes, and much more.

**License:**

https://www.apache.org/licenses/LICENSE-2.0.txt

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/commons-io.jar
**MD5:** 8cce74ccf461cd6502ae04c908eca917
**SHA1:** 44084ef756763795b31c578403dd028ff4a22950
**SHA256:**f3ca0f8d63c40e23a56d54101c60d5edee136b42d84bfb85bc7963093109cf8b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | commons-io | High |
| Vendor | jar | package name | apache | Highest |
| Vendor | jar | package name | commons | Highest |
| Vendor | jar | package name | file | Highest |
| Vendor | jar | package name | io | Highest |

| | | | | |
|---|---|---|---|---|
| Vendor | Manifest | automatic-module-name | org.apache.commons.io | Medium |
| Vendor | Manifest | build-jdk-spec | 17 | Low |
| Vendor | Manifest | bundle-docurl | https://commons.apache.org/proper/commons-io/ | Low |
| Vendor | Manifest | bundle-symbolicname | org.apache.commons.commons-io | Medium |
| Vendor | Manifest | Implementation-Vendor | The Apache Software Foundation | High |
| Vendor | Manifest | multi-release | true | Low |
| Vendor | Manifest | specification-vendor | The Apache Software Foundation | Low |
| Vendor | pom | artifactid | commons-io | Low |
| Vendor | pom | developer email | bayard@apache.org | Low |
| Vendor | pom | developer email | dion@apache.org | Low |
| Vendor | pom | developer email | ggregory at apache.org | Low |
| Vendor | pom | developer email | jeremias@apache.org | Low |
| Vendor | pom | developer email | jochen.wiedmann@gmail.com | Low |
| Vendor | pom | developer email | krosenvold@apache.org | Low |
| Vendor | pom | developer email | martinc@apache.org | Low |
| Vendor | pom | developer email | matth@apache.org | Low |
| Vendor | pom | developer email | nicolaken@apache.org | Low |
| Vendor | pom | developer email | roxspring@apache.org | Low |
| Vendor | pom | developer email | sanders@apache.org | Low |
| Vendor | pom | developer id | bayard | Medium |
| Vendor | pom | developer id | dion | Medium |
| Vendor | pom | developer id | ggregory | Medium |
| Vendor | pom | developer id | jeremias | Medium |
| Vendor | pom | developer id | jochen | Medium |
| Vendor | pom | developer id | jukka | Medium |
| Vendor | pom | developer id | krosenvold | Medium |
| Vendor | pom | developer id | martinc | Medium |
| Vendor | pom | developer id | matth | Medium |
| Vendor | pom | developer id | niallp | Medium |
| Vendor | pom | developer id | nicolaken | Medium |
| Vendor | pom | developer id | roxspring | Medium |
| Vendor | pom | developer id | sanders | Medium |

| | | | | |
|---|---|---|---|---|
| Vendor | pom | developer id | scolebourne | Medium |
| Vendor | pom | developer name | dIon Gillard | Medium |
| Vendor | pom | developer name | Gary Gregory | Medium |
| Vendor | pom | developer name | Henri Yandell | Medium |
| Vendor | pom | developer name | Jeremias Maerki | Medium |
| Vendor | pom | developer name | Jochen Wiedmann | Medium |
| Vendor | pom | developer name | Jukka Zitting | Medium |
| Vendor | pom | developer name | Kristian Rosenvold | Medium |
| Vendor | pom | developer name | Martin Cooper | Medium |
| Vendor | pom | developer name | Matthew Hawthorne | Medium |
| Vendor | pom | developer name | Niall Pemberton | Medium |
| Vendor | pom | developer name | Nicola Ken Barozzi | Medium |
| Vendor | pom | developer name | Rob Oxspring | Medium |
| Vendor | pom | developer name | Scott Sanders | Medium |
| Vendor | pom | developer name | Stephen Colebourne | Medium |
| Vendor | pom | developer org | The Apache Software Foundation | Medium |
| Vendor | pom | developer org URL | https://www.apache.org/ | Medium |
| Vendor | pom | groupid | commons-io | Highest |
| Vendor | pom | name | Apache Commons IO | High |
| Vendor | pom | parent-artifactid | commons-parent | Low |
| Vendor | pom | parent-groupid | org.apache.commons | Medium |
| Vendor | pom | url | https://commons.apache.org/proper/commons-io/ | Highest |
| Product | file | name | commons-io | High |
| Product | jar | package name | apache | Highest |
| Product | jar | package name | commons | Highest |
| Product | jar | package name | file | Highest |
| Product | jar | package name | io | Highest |
| Product | Manifest | automatic-module-name | org.apache.commons.io | Medium |
| Product | Manifest | build-jdk-spec | 17 | Low |
| Product | Manifest | bundle-docurl | https://commons.apache.org/proper/commons-io/ | Low |
| Product | Manifest | Bundle-Name | Apache Commons IO | Medium |
| Product | Manifest | bundle-symbolicname | org.apache.commons.commons-io | Medium |
| Product | Manifest | Implementation- | Apache Commons IO | High |

| | | Title | | |
|---|---|---|---|---|
| Product | Manifest | multi-release | true | Low |
| Product | Manifest | specification-title | Apache Commons IO | Medium |
| Product | pom | artifactid | commons-io | Highest |
| Product | pom | developer email | bayard@apache.org | Low |
| Product | pom | developer email | dion@apache.org | Low |
| Product | pom | developer email | ggregory at apache.org | Low |
| Product | pom | developer email | jeremias@apache.org | Low |
| Product | pom | developer email | jochen.wiedmann@gmail.com | Low |
| Product | pom | developer email | krosenvold@apache.org | Low |
| Product | pom | developer email | martinc@apache.org | Low |
| Product | pom | developer email | matth@apache.org | Low |
| Product | pom | developer email | nicolaken@apache.org | Low |
| Product | pom | developer email | roxspring@apache.org | Low |
| Product | pom | developer email | sanders@apache.org | Low |
| Product | pom | developer id | bayard | Low |
| Product | pom | developer id | dion | Low |
| Product | pom | developer id | ggregory | Low |
| Product | pom | developer id | jeremias | Low |
| Product | pom | developer id | jochen | Low |
| Product | pom | developer id | jukka | Low |
| Product | pom | developer id | krosenvold | Low |
| Product | pom | developer id | martinc | Low |
| Product | pom | developer id | matth | Low |
| Product | pom | developer id | niallp | Low |
| Product | pom | developer id | nicolaken | Low |
| Product | pom | developer id | roxspring | Low |
| Product | pom | developer id | sanders | Low |
| Product | pom | developer id | scolebourne | Low |
| Product | pom | developer name | dIon Gillard | Low |
| Product | pom | developer name | Gary Gregory | Low |
| Product | pom | developer name | Henri Yandell | Low |
| Product | pom | developer name | Jeremias Maerki | Low |
| Product | pom | developer name | Jochen Wiedmann | Low |
| Product | pom | developer name | Jukka Zitting | Low |

| | | | | |
|---|---|---|---|---|
| Product | pom | developer name | Kristian Rosenvold | Low |
| Product | pom | developer name | Martin Cooper | Low |
| Product | pom | developer name | Matthew Hawthorne | Low |
| Product | pom | developer name | Niall Pemberton | Low |
| Product | pom | developer name | Nicola Ken Barozzi | Low |
| Product | pom | developer name | Rob Oxspring | Low |
| Product | pom | developer name | Scott Sanders | Low |
| Product | pom | developer name | Stephen Colebourne | Low |
| Product | pom | developer org | The Apache Software Foundation | Low |
| Product | pom | developer org URL | https://www.apache.org/ | Low |
| Product | pom | groupid | commons-io | Highest |
| Product | pom | name | Apache Commons IO | High |
| Product | pom | parent-artifactid | commons-parent | Medium |
| Product | pom | parent-groupid | org.apache.commons | Medium |
| Product | pom | url | https://commons.apache.org/proper/commons-io/ | Medium |
| Version | Manifest | Bundle-Version | 2.18.0 | High |
| Version | Manifest | Implementation-Version | 2.18.0 | High |
| Version | pom | parent-version | 2.18.0 | Low |
| Version | pom | version | 2.18.0 | Highest |

**Identifiers**

- pkg:maven/commons-io/commons-io@2.18.0 (*Confidence*:High)
- cpe:2.3:a:apache:commons_io:2.18.0:*:*:*:*:*:*:* (*Confidence*:Highest) suppress

## drive.zip: drive.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar
**MD5:** a840c79266dded136972eedafff633cb
**SHA1:** 3433812c3aee6e2cfb85d94d87b2765e00b5fed5
**SHA256:**e5e6a6adcc1627b9a647b445be25c472c09793274f8d1f1d3b20119692068e66
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | drive | High |
| Vendor | jar | package name | drive | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | Manifest | built-date | 2025-12-01 13:32 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | drive | High |
| Product | jar | package name | drive | Highest |
| Product | jar | package name | drive | Low |
| Product | jar | package name | server | Low |
| Product | Manifest | built-date | 2025-12-01 13:32 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | drive | High |
| Product | Manifest | specification-title | drive | Medium |
| Version | Manifest | Implementation-Version | 25.10.259 | High |

**Identifiers**

- **None**

## drive.zip: drive.jar: actions.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/actions.js
**MD5:** 5a6ae0c7fc82c58bab37f4285e30512b
**SHA1:** f1eb0409af6e5773374b81f52f389bca0ce2b3f1
**SHA256:**28381f95ccbb508ef57234b2bb33f0446e2d705a298d38be6dd5dbcdae45963c
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## drive.zip: drive.jar: actions.service.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/service/actions.service.js
**MD5:** 76c128ee144d982b861703fe6f509ff6
**SHA1:** 66c53f109f83a7b37ca210c97b2dd7b83c658d0f
**SHA256:**9e54fd5796c8933fab7e6d0250654e5ae273c5db90098ad41afaf37d731668a6
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## drive.zip: drive.jar: contentextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/contentextension.js
**MD5:** e99878ac66d8fee42530ec9cbf14d75f
**SHA1:** bf4cac0f4d3f8e744876675ab122dc1ccc2cd7d1
**SHA256:**0a3b2a0f884a52125aa6e456f74a8ab1b866787cccafa24cc38a174433b81e25
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## drive.zip: drive.jar: controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/setup/controller.js
**MD5:** 6a09c1de9657a2568448b248854ce706
**SHA1:** 9a21426a9902e57e5297092257ac4293c38d4e66
**SHA256:**8b126647fca0365414ccc650e8abdb03e33a34c1017ad17ee81216c410ce4ab6
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## drive.zip: drive.jar: drivecleanup.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/server/maintenance/js/drivecleanup.js
**MD5:** b169a86e136d29c6086ce2d4ce844940
**SHA1:** f9e647250896fbe4c6447cf54b8388cce0536699
**SHA256:**313ebf97b25e12025391ae0648df534c31991d488f9566cc1aa530aa79ce3178
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## drive.zip: drive.jar: drivecontroller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/drivecontroller.js
**MD5:** 79316912d24539555baa8dc8db6ad5cc
**SHA1:** 1eaadda2ee84d53e49e24fcb4ed7771295a80d1c
**SHA256:**b1e82a7ac200d82e2bab797e80f8262e5c3e3b90a9c1cda15319150caa540839
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## drive.zip: drive.jar: drivefactory.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/drivefactory.js
**MD5:** ec1a645849b15ac87257c67b72db01e5
**SHA1:** fd5919d6e363363288fa4f36598641d2e8d1037b
**SHA256:**5408f66148315113346fe686fc546487de94f3492a3a8e44a38f54cdfc7969ae
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## drive.zip: drive.jar: drivemodel.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/drivemodel.js

**MD5:** 15baadf362e4a6bbe9a11156c356379c
**SHA1:** 05a6ac4aa85f9d1b98cac8d1c942db6e00b10395
**SHA256:**533450f05968f0823eaa8fa4554a274f3495c13109443dde13ad2c4c7227783a
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## drive.zip: drive.jar: dropzone.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/dropzone.directive.js
**MD5:** 9333360f3ab2b58025292cfc300d2306
**SHA1:** feb2c2ae6a060ba3b1f51732fa15a8440054ca42
**SHA256:**2efa8838dffff4758fb089069c6248dc2cde45767d752411bff610fb5ca61bfe
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## drive.zip: drive.jar: entryactions.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/entryactions.directive.js
**MD5:** 4e1af222fa8434c45c9967dae33e4ba9
**SHA1:** 067370c7d53fca7b04dc7ebc1bcde2b2a68ba7c3
**SHA256:**a716406bfdebc18c913061f0087bcdcfc9c08d7c1379619071da2993ad8a853f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## drive.zip: drive.jar: fileconfig.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/server/mount/file/webgui/fileconfig.directive.js
**MD5:** 50021227a8c1fde7c5e9021fb4c9662e
**SHA1:** 9e1c4f0d2797885ed42bd13c2d5f61c8503ea8a5
**SHA256:**c85bf99b97ddbb557902ed0f23d4a3f240b7a30d98a7d14b30770b463cd10535
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## drive.zip: drive.jar: folderlist.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/folderlist.directive.js
**MD5:** 4b24a6e7eed98f96a4aacd30236cf1ff
**SHA1:** 2fa7cc99c29eff9ed30d996376e090b14c7546dc
**SHA256:**e2afefbd377b98737e447807786aec7287ad53863379816259cc9e9d069218f9
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## drive.zip: drive.jar: linkdialog.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/linkdialog.js
**MD5:** f15f4145fae202d6226cd16552f4332e
**SHA1:** 55d3a3a74a0097f2140679fd038db9e117b91210
**SHA256:**00e825cc4311746a4694f6534bb97e2baf9eb0fd8230e28d0a18ad504118b3d2
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## drive.zip: drive.jar: locationchooser.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/locationchooser.js
**MD5:** 63cc3a56e78e101f8772b6971837cabe
**SHA1:** 9607b46402152c52677255207bfb1d8a53ddc65d
**SHA256:**8a0b7240d62d62efd231eff9b0eef7e552534e05f2e86e58d0898cdab40acbf0
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## drive.zip: drive.jar: mountdialog.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/mountdialog.js
**MD5:** bae8655b5724d052aa7a9711f4152936
**SHA1:** 56bf6845f5178a95afec6d2038d3f9ab6f73c0c3
**SHA256:**a3fa9b43fda1a23e4ba1bca6d626d4e4f75856ccb567e99c66f5c1bed6cbe54e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## drive.zip: drive.jar: myshareextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/myshareextension.js
**MD5:** 3341e49fd8b74545b74fb5801eea08f7
**SHA1:** 495f3198d67735901fcee27163e685c11dcc548c
**SHA256:**c167e8ab447f2bbff5cd9ca084cfbf20a53ebf7dbafa0e715ca07abdbc75832e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## drive.zip: drive.jar: permissionsextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/extensions/permissionsextension.js
**MD5:** 9c5c581b9803ab8041a11b31f21ffc99
**SHA1:** 5707cae0a20fff67b505d52485895bbb60e20f35

**SHA256:**55dcc82f643b3b8c4a7c464049e7bcece0a5952639742692bdd8db1a20b20b3a
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## drive.zip: drive.jar: progress.service.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/service/progress.service.js
**MD5:** b004817959f313b9b60d12ef02c30ed9
**SHA1:** 67a59999e03435474845d8662a6e15158bc1a963
**SHA256:**e971b5c8d0b1dbb020ee0093bce0fd08bbad7b83a8f5f64365f39d96f5cec439
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## drive.zip: drive.jar: progresspanel.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/progresspanel.directive.js
**MD5:** bea9ad91c5e843050f2f26c1224edb8d
**SHA1:** 7b690153a846fd222ce973ce5f83f429d226e2ef
**SHA256:**c8f9e65c8e6e6438ecb4ee3062ec7c66b0145e32d68de0cd2f543bb6e4945b12
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## drive.zip: drive.jar: resolve.service.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/service/resolve.service.js
**MD5:** 95b31366585c193c85a04bef11668e8f
**SHA1:** 61138ba7e20763911657b0f426b3f1c2c56f1cb6
**SHA256:**de639385d47d388a361976f14e9672ee20b4864fa1c51f4157d8c2055c4d0f6e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## drive.zip: drive.jar: responsivetoolbar.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/responsivetoolbar.directive.js
**MD5:** 27e0c257622ce7abaa3d79b16f4ca956
**SHA1:** fdc8792d25cc1f9c717829edcb42bccb96ba815c
**SHA256:**678811dd758af1a5a9e1cc6245c15c92dc6cf3ab19048a02e4974ab57851d175
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## drive.zip: drive.jar: selectedextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/selectedextension.js
**MD5:** bc1586beb3196d958558dec1e3aad8cc
**SHA1:** 6692fb56799c97f45146219295a634e5b3f8bd3c
**SHA256:**eb9e87833bf57bcbc808231f58e7fb4efc25bea6865755e41f9c9f21e3045630
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## drive.zip: drive.jar: shareextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/shareextension.js
**MD5:** b709a1856dfd4688f3d642ba8512838d
**SHA1:** f119d948dc1479b33bd304aebd0650c239c8a903
**SHA256:**8667bdb30f708796b86f3992836b5d25e63ba5c73c7932014d4d7e8b00df628a
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## drive.zip: drive.jar: shareextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/extensions/shareextension.js
**MD5:** 53aebe65f11b5aea7b667be8659e289c
**SHA1:** 9ba72346c5f1e9e6e5a418d599b13f92193a65dc
**SHA256:**7e293e5d53b937b45c0c310bd5fcf0ecbb8ddd8bee801bae11469653333f34ad
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## drive.zip: drive.jar: thumbnailextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/thumbnailextension.js
**MD5:** 16297c9704c91eea2ca65ad4ccef42ab
**SHA1:** d21cb0b96916a7659a493e0f7d2e62c61df3633d
**SHA256:**34505c2844ba933bdf08fac79eb6a642e7581e6630fd14fc7313fcab99bda312
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## drive.zip: drive.jar: toolbaraction.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/toolbaraction.directive.js
**MD5:** 6f4fabe4efc8a816d22cdc075c83e252
**SHA1:** 2499850520381d89890f6b1188c0d78785e8c4b0
**SHA256:**67ecf4f475e00aa01cbfd00b745b4b7fd982f7355d720238534dcbfc39e94874
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## drive.zip: drive.jar: unzipextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/extensions/unzipextension.js
**MD5:** eb1cc3ddc27ca5cebcc29928a73b284b
**SHA1:** d88389fb2ca0c9f222856c4448dffedf192893d0
**SHA256:**16131306dd92c55b463f0f0ef4c3c4316c2a3d16d4d43c6e26ca17ec547f9f7f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## drive.zip: drive.jar: zipextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/extensions/zipextension.js
**MD5:** 0a73ec5359838800bd35ba9a1f9e5559
**SHA1:** 207e48452de653ffa8c64e97d421c4424f38e84c
**SHA256:**761ecdcbebba3f0826296e17c414d975e421c5b571cb4613982020e3f7c17822
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## exceljconnect.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/exceljconnect.jar
**MD5:** 2950d455b14f09f8e3ca373a0500720a
**SHA1:** 5e5e3258c36f3931bedf919d477889b13af0a025
**SHA256:**4abd3f7b06c84836384ff6034a56f1dd75dfd8bd22ec38f9cb92a626bcb63538
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | exceljconnect | High |
| Vendor | jar | package name | excel | Low |
| Vendor | jar | package name | inet | Low |
| Product | file | name | exceljconnect | High |
| Product | jar | package name | excel | Low |

**Identifiers**

- **None**

## fieldsettings.zip: fieldsettings.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/fieldsettings.zip/fieldsettings.jar
**MD5:** b551027088bb5d8e289155230ef5cb6a
**SHA1:** 5f939a4dbcce399dd70a799648c1ad9844be2610
**SHA256:**e316e5b23f78ef7edf0a1f710ddce83f5c1562e340d2d8820bb9037ca9ff140d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | fieldsettings | High |

| | | | | |
|---|---|---|---|---|
| Vendor | jar | package name | fieldsettings | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | Manifest | built-date | 2025-12-01 13:30 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | fieldsettings | High |
| Product | jar | package name | fieldsettings | Highest |
| Product | jar | package name | fieldsettings | Low |
| Product | Manifest | built-date | 2025-12-01 13:30 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | fieldsettings | High |
| Product | Manifest | specification-title | fieldsettings | Medium |
| Version | Manifest | Implementation-Version | 25.10.259 | High |

**Identifiers**

- **None**

## fieldsettings.zip: fieldsettings.jar: FieldSettingsPropertyRenderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/fieldsettings.zip/fieldsettings.jar/com/inet/fieldsettings/structure/js/FieldSettingsPropertyRenderer.js
**MD5:** b30db2172e156665e72370cb1f59da28
**SHA1:** 1c33e6fbcb5e81fdbe3b5a618b48217161689889
**SHA256:**446e26508852c2f708e13a91d9d8c3206526a5946c2feb6da0e4b29b85bb47b0
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## fieldsettings.zip: fieldsettings.jar: UserFieldSettingsPropertyRenderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/fieldsettings.zip/fieldsettings.jar/com/inet/fieldsettings/user/structure/js/UserFieldSettingsPropertyRenderer.js
**MD5:** b57967a5eb546bf11c0b6a019fcb8f94
**SHA1:** 8d4d45137f41d47bca97bfcf525f23e2d7bc2fb8
**SHA256:**782b64995ea2b81f17244ceced006eba827f5da882ad5d0e9b790b3dbd2cc75d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## hamcrest-3.0.jar

**License:**

BSD-3-Clause

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.hamcrest/hamcrest/3.0/8fd9b78a8e6a6510a078a9e30e9e86a6035cfaf7/hamcrest-3.0.jar
**MD5:** 781023c38b054e9cf1c818c77895e1eb
**SHA1:** 8fd9b78a8e6a6510a078a9e30e9e86a6035cfaf7
**SHA256:**5d66b6a4a680755cb6ed7cb104fa7835ef644667586ff0737adeb977c39ecdbc
**Referenced In Project/Scope:** server:inetPlugin
**Included by:** pkg:maven/helpdesk/server@25.10

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | hamcrest | High |
| Vendor | gradle | artifactid | hamcrest | Highest |

| | | | | |
|---|---|---|---|---|
| Vendor | gradle | groupid | org.hamcrest | Highest |
| Vendor | jar | package name | hamcrest | Highest |
| Vendor | jar | package name | hamcrest | Low |
| Vendor | Manifest | automatic-module-name | org.hamcrest | Medium |
| Vendor | Manifest | bundle-symbolicname | org.hamcrest | Medium |
| Vendor | Manifest | Implementation-Vendor | hamcrest.org | High |
| Product | file | name | hamcrest | High |
| Product | gradle | artifactid | hamcrest | Highest |
| Product | jar | package name | hamcrest | Highest |
| Product | Manifest | automatic-module-name | org.hamcrest | Medium |
| Product | Manifest | Bundle-Name | org.hamcrest | Medium |
| Product | Manifest | bundle-symbolicname | org.hamcrest | Medium |
| Product | Manifest | Implementation-Title | hamcrest | High |
| Version | file | version | 3.0 | High |
| Version | Manifest | Implementation-Version | 3.0 | High |

**Identifiers**

- pkg:maven/org.hamcrest/hamcrest@3.0 (*Confidence*:Highest)

## help.zip: commons-beanutils.jar

**Description:**

Apache Commons BeanUtils provides an easy-to-use but flexible wrapper around reflection and introspection.

**License:**

https://www.apache.org/licenses/LICENSE-2.0.txt

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/help.zip/commons-beanutils.jar
**MD5:** 32ed51f196dfda19e0dc1ce53eeed29e
**SHA1:** ac03ea606d13de04c2e4508227680faff151f491
**SHA256:**9e44ba68ec9a3f21286fa2a8bbb003b735c0f69101bb43144b79f4f8aaa74709
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | commons-beanutils | High |
| Vendor | jar | package name | apache | Highest |
| Vendor | jar | package name | beanutils | Highest |
| Vendor | jar | package name | commons | Highest |
| Vendor | Manifest | build-jdk-spec | 21 | Low |
| Vendor | Manifest | bundle-docurl | https://commons.apache.org/proper/commons-beanutils | Low |
| Vendor | Manifest | bundle-symbolicname | org.apache.commons.commons-beanutils | Medium |
| Vendor | Manifest | Implementation-Vendor | The Apache Software Foundation | High |
| Vendor | Manifest | Implementation-Vendor-Id | org.apache | Medium |
| Vendor | Manifest | multi-release | true | Low |
| Vendor | Manifest | specification-vendor | The Apache Software Foundation | Low |
| Vendor | pom | artifactid | commons-beanutils | Low |
| Vendor | pom | developer email | britter@apache.org | Low |
| Vendor | pom | developer email | chtompki@apache.org | Low |
| Vendor | pom | developer email | craigmcc@apache.org | Low |
| Vendor | pom | developer email | dion@apache.org | Low |
| Vendor | pom | developer email | epugh@apache.org | Low |
| Vendor | pom | developer email | geirm@apache.org | Low |
| Vendor | pom | developer email | ggregory at apache.org | Low |
| Vendor | pom | developer email | jcarman@apache.org | Low |
| Vendor | pom | developer email | jconlon@apache.org | Low |
| Vendor | pom | developer email | jstrachan@apache.org | Low |
| Vendor | pom | developer email | morgand@apache.org | Low |
| Vendor | pom | developer email | mvdb@apache.org | Low |
| Vendor | pom | developer email | niallp@apache.org | Low |
| Vendor | pom | developer email | rdonkin@apache.org | Low |
| Vendor | pom | developer email | rwaldhoff@apache.org | Low |
| Vendor | pom | developer email | sanders@apache.org | Low |
| Vendor | pom | developer email | scolebourne@apache.org | Low |

| | | | | |
|---|---|---|---|---|
| Vendor | pom | developer email | skitching@apache.org | Low |
| Vendor | pom | developer email | stain@apache.org | Low |
| Vendor | pom | developer email | tobrien@apache.org | Low |
| Vendor | pom | developer email | yoavs@apache.org | Low |
| Vendor | pom | developer id | britter | Medium |
| Vendor | pom | developer id | chtompki | Medium |
| Vendor | pom | developer id | craigmcc | Medium |
| Vendor | pom | developer id | dion | Medium |
| Vendor | pom | developer id | epugh | Medium |
| Vendor | pom | developer id | geirm | Medium |
| Vendor | pom | developer id | ggregory | Medium |
| Vendor | pom | developer id | jcarman | Medium |
| Vendor | pom | developer id | jconlon | Medium |
| Vendor | pom | developer id | jstrachan | Medium |
| Vendor | pom | developer id | morgand | Medium |
| Vendor | pom | developer id | mvdb | Medium |
| Vendor | pom | developer id | niallp | Medium |
| Vendor | pom | developer id | rdonkin | Medium |
| Vendor | pom | developer id | rwaldhoff | Medium |
| Vendor | pom | developer id | sanders | Medium |
| Vendor | pom | developer id | scolebourne | Medium |
| Vendor | pom | developer id | skitching | Medium |
| Vendor | pom | developer id | stain | Medium |
| Vendor | pom | developer id | tobrien | Medium |
| Vendor | pom | developer id | yoavs | Medium |
| Vendor | pom | developer name | Benedikt Ritter | Medium |
| Vendor | pom | developer name | Craig McClanahan | Medium |
| Vendor | pom | developer name | David Eric Pugh | Medium |
| Vendor | pom | developer name | Dion Gillard | Medium |
| Vendor | pom | developer name | Gary Gregory | Medium |
| Vendor | pom | developer name | Geir Magnusson Jr. | Medium |
| Vendor | pom | developer name | James Carman | Medium |
| Vendor | pom | developer name | James Strachan | Medium |
| Vendor | pom | developer name | John E. Conlon | Medium |
| Vendor | pom | developer name | Martin van den Bemt | Medium |

| | | | | |
|---|---|---|---|---|
| Vendor | pom | developer name | Morgan James Delagrange | Medium |
| Vendor | pom | developer name | Niall Pemberton | Medium |
| Vendor | pom | developer name | Rob Tompkins | Medium |
| Vendor | pom | developer name | Robert Burrell Donkin | Medium |
| Vendor | pom | developer name | Rodney Waldhoff | Medium |
| Vendor | pom | developer name | Scott Sanders | Medium |
| Vendor | pom | developer name | Simon Kitching | Medium |
| Vendor | pom | developer name | Stephen Colebourne | Medium |
| Vendor | pom | developer name | Stian Soiland-Reyes | Medium |
| Vendor | pom | developer name | Tim O'Brien | Medium |
| Vendor | pom | developer name | Yoav Shapira | Medium |
| Vendor | pom | developer org | The Apache Software Foundation | Medium |
| Vendor | pom | developer org URL | https://www.apache.org/ | Medium |
| Vendor | pom | groupid | commons-beanutils | Highest |
| Vendor | pom | name | Apache Commons BeanUtils | High |
| Vendor | pom | parent-artifactid | commons-parent | Low |
| Vendor | pom | parent-groupid | org.apache.commons | Medium |
| Vendor | pom | url | https://commons.apache.org/proper/commons-beanutils | Highest |
| Product | file | name | commons-beanutils | High |
| Product | jar | package name | apache | Highest |
| Product | jar | package name | beanutils | Highest |
| Product | jar | package name | commons | Highest |
| Product | Manifest | build-jdk-spec | 21 | Low |
| Product | Manifest | bundle-docurl | https://commons.apache.org/proper/commons-beanutils | Low |
| Product | Manifest | Bundle-Name | Apache Commons BeanUtils | Medium |
| Product | Manifest | bundle-symbolicname | org.apache.commons.commons-beanutils | Medium |
| Product | Manifest | Implementation-Title | Apache Commons BeanUtils | High |
| Product | Manifest | multi-release | true | Low |
| Product | Manifest | specification-title | Apache Commons BeanUtils | Medium |
| Product | pom | artifactid | commons-beanutils | Highest |
| Product | pom | developer email | britter@apache.org | Low |
| Product | pom | developer email | chtompki@apache.org | Low |
| Product | pom | developer email | craigmcc@apache.org | Low |

| | | | | |
|---|---|---|---|---|
| Product | pom | developer email | dion@apache.org | Low |
| Product | pom | developer email | epugh@apache.org | Low |
| Product | pom | developer email | geirm@apache.org | Low |
| Product | pom | developer email | ggregory at apache.org | Low |
| Product | pom | developer email | jcarman@apache.org | Low |
| Product | pom | developer email | jconlon@apache.org | Low |
| Product | pom | developer email | jstrachan@apache.org | Low |
| Product | pom | developer email | morgand@apache.org | Low |
| Product | pom | developer email | mvdb@apache.org | Low |
| Product | pom | developer email | niallp@apache.org | Low |
| Product | pom | developer email | rdonkin@apache.org | Low |
| Product | pom | developer email | rwaldhoff@apache.org | Low |
| Product | pom | developer email | sanders@apache.org | Low |
| Product | pom | developer email | scolebourne@apache.org | Low |
| Product | pom | developer email | skitching@apache.org | Low |
| Product | pom | developer email | stain@apache.org | Low |
| Product | pom | developer email | tobrien@apache.org | Low |
| Product | pom | developer email | yoavs@apache.org | Low |
| Product | pom | developer id | britter | Low |
| Product | pom | developer id | chtompki | Low |
| Product | pom | developer id | craigmcc | Low |
| Product | pom | developer id | dion | Low |
| Product | pom | developer id | epugh | Low |
| Product | pom | developer id | geirm | Low |
| Product | pom | developer id | ggregory | Low |
| Product | pom | developer id | jcarman | Low |
| Product | pom | developer id | jconlon | Low |
| Product | pom | developer id | jstrachan | Low |
| Product | pom | developer id | morgand | Low |
| Product | pom | developer id | mvdb | Low |
| Product | pom | developer id | niallp | Low |
| Product | pom | developer id | rdonkin | Low |
| Product | pom | developer id | rwaldhoff | Low |
| Product | pom | developer id | sanders | Low |
| Product | pom | developer id | scolebourne | Low |

| | | | | |
|---|---|---|---|---|
| Product | pom | developer id | skitching | Low |
| Product | pom | developer id | stain | Low |
| Product | pom | developer id | tobrien | Low |
| Product | pom | developer id | yoavs | Low |
| Product | pom | developer name | Benedikt Ritter | Low |
| Product | pom | developer name | Craig McClanahan | Low |
| Product | pom | developer name | David Eric Pugh | Low |
| Product | pom | developer name | Dion Gillard | Low |
| Product | pom | developer name | Gary Gregory | Low |
| Product | pom | developer name | Geir Magnusson Jr. | Low |
| Product | pom | developer name | James Carman | Low |
| Product | pom | developer name | James Strachan | Low |
| Product | pom | developer name | John E. Conlon | Low |
| Product | pom | developer name | Martin van den Bemt | Low |
| Product | pom | developer name | Morgan James Delagrange | Low |
| Product | pom | developer name | Niall Pemberton | Low |
| Product | pom | developer name | Rob Tompkins | Low |
| Product | pom | developer name | Robert Burrell Donkin | Low |
| Product | pom | developer name | Rodney Waldhoff | Low |
| Product | pom | developer name | Scott Sanders | Low |
| Product | pom | developer name | Simon Kitching | Low |
| Product | pom | developer name | Stephen Colebourne | Low |
| Product | pom | developer name | Stian Soiland-Reyes | Low |
| Product | pom | developer name | Tim O'Brien | Low |
| Product | pom | developer name | Yoav Shapira | Low |
| Product | pom | developer org | The Apache Software Foundation | Low |
| Product | pom | developer org URL | https://www.apache.org/ | Low |
| Product | pom | groupid | commons-beanutils | Highest |
| Product | pom | name | Apache Commons BeanUtils | High |
| Product | pom | parent-artifactid | commons-parent | Medium |
| Product | pom | parent-groupid | org.apache.commons | Medium |
| Product | pom | url | https://commons.apache.org/proper/commons-beanutils | Medium |
| Version | Manifest | Bundle-Version | 1.11.0 | High |
| Version | Manifest | Implementation-Version | 1.11.0 | High |

| | | | | |
|---|---|---|---|---|
| Version | pom | parent-version | 1.11.0 | Low |
| Version | pom | version | 1.11.0 | Highest |

**Identifiers**

- pkg:maven/commons-beanutils/commons-beanutils@1.11.0 (*Confidence*:High)
- cpe:2.3:a:apache:commons_beanutils:1.11.0:*:*:*:*:*:*:* (*Confidence*:Highest) suppress

## help.zip: commons-digester3.jar

**Description:**

The Apache Commons Digester package lets you configure an XML to Java object mapping module which triggers certain actions called rules whenever a particular pattern of nested XML elements is recognized.

**License:**

http://www.apache.org/licenses/LICENSE-2.0.txt

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/help.zip/commons-digester3.jar
**MD5:** 41d2c62c7aedafa7a3627794abc83f71
**SHA1:** c3f68c5ff25ec5204470fd8fdf4cb8feff5e8a79
**SHA256:**1c150e3d2df4b4237b47e28fea2079fb0da324578d5cca6a5fed2e37a62082ec
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | commons-digester3 | High |
| Vendor | jar | package name | apache | Highest |
| Vendor | jar | package name | commons | Highest |
| Vendor | jar | package name | digester | Highest |
| Vendor | jar | package name | digester3 | Highest |
| Vendor | jar | package name | rules | Highest |
| Vendor | Manifest | bundle-docurl | http://commons.apache.org/digester/ | Low |
| Vendor | Manifest | bundle-symbolicname | org.apache.commons.digester | Medium |
| Vendor | Manifest | implementation-build | tags/DIGESTER3_3_2_RC2@r1212807; 2011-12-10 15:57:06+0100 | Low |
| Vendor | Manifest | Implementation- | The Apache Software Foundation | High |

| | | | | |
|---|---|---|---|---|
| | | Vendor | | |
| Vendor | Manifest | Implementation-Vendor-Id | org.apache | Medium |
| Vendor | Manifest | specification-vendor | The Apache Software Foundation | Low |
| Vendor | pom | artifactid | commons-digester3 | Low |
| Vendor | pom | developer email | craigmcc@apache.org | Low |
| Vendor | pom | developer email | jfarcand@apache.org | Low |
| Vendor | pom | developer email | jstrachan@apache.org | Low |
| Vendor | pom | developer email | jvanzyl@apache.org | Low |
| Vendor | pom | developer email | mbenson AT apache DOT org | Low |
| Vendor | pom | developer email | rahul AT apache DOT org | Low |
| Vendor | pom | developer email | rdonkin@apache.org | Low |
| Vendor | pom | developer email | sanders@totalsync.com | Low |
| Vendor | pom | developer email | simonetripodi AT apache DOT org | Low |
| Vendor | pom | developer email | skitching@apache.org | Low |
| Vendor | pom | developer email | tobrien@apache.org | Low |
| Vendor | pom | developer id | craigmcc | Medium |
| Vendor | pom | developer id | jfarcand | Medium |
| Vendor | pom | developer id | jstrachan | Medium |
| Vendor | pom | developer id | jvanzyl | Medium |
| Vendor | pom | developer id | mbenson | Medium |
| Vendor | pom | developer id | rahul | Medium |
| Vendor | pom | developer id | rdonkin | Medium |
| Vendor | pom | developer id | sanders | Medium |
| Vendor | pom | developer id | simonetripodi | Medium |
| Vendor | pom | developer id | skitching | Medium |
| Vendor | pom | developer id | tobrien | Medium |
| Vendor | pom | developer name | Craig McClanahan | Medium |
| Vendor | pom | developer name | James Strachan | Medium |
| Vendor | pom | developer name | Jason van Zyl | Medium |
| Vendor | pom | developer name | Jean-Francois Arcand | Medium |
| Vendor | pom | developer name | Matt Benson | Medium |
| Vendor | pom | developer name | Rahul Akolkar | Medium |
| Vendor | pom | developer name | Robert Burrell Donkin | Medium |
| Vendor | pom | developer name | Scott Sanders | Medium |

| | | | | |
|---|---|---|---|---|
| Vendor | pom | developer name | Simon Kitching | Medium |
| Vendor | pom | developer name | Simone Tripodi | Medium |
| Vendor | pom | developer name | Tim OBrien | Medium |
| Vendor | pom | groupid | org.apache.commons | Highest |
| Vendor | pom | name | Apache Commons Digester | High |
| Vendor | pom | parent-artifactid | commons-parent | Low |
| Vendor | pom | url | http://commons.apache.org/digester/ | Highest |
| Product | file | name | commons-digester3 | High |
| Product | jar | package name | apache | Highest |
| Product | jar | package name | commons | Highest |
| Product | jar | package name | digester | Highest |
| Product | jar | package name | digester3 | Highest |
| Product | jar | package name | rules | Highest |
| Product | Manifest | bundle-docurl | http://commons.apache.org/digester/ | Low |
| Product | Manifest | Bundle-Name | Apache Commons Digester | Medium |
| Product | Manifest | bundle-symbolicname | org.apache.commons.digester | Medium |
| Product | Manifest | implementation-build | tags/DIGESTER3_3_2_RC2@r1212807; 2011-12-10 15:57:06+0100 | Low |
| Product | Manifest | Implementation-Title | Apache Commons Digester | High |
| Product | Manifest | specification-title | Apache Commons Digester | Medium |
| Product | pom | artifactid | commons-digester3 | Highest |
| Product | pom | developer email | craigmcc@apache.org | Low |
| Product | pom | developer email | jfarcand@apache.org | Low |
| Product | pom | developer email | jstrachan@apache.org | Low |
| Product | pom | developer email | jvanzyl@apache.org | Low |
| Product | pom | developer email | mbenson AT apache DOT org | Low |
| Product | pom | developer email | rahul AT apache DOT org | Low |
| Product | pom | developer email | rdonkin@apache.org | Low |
| Product | pom | developer email | sanders@totalsync.com | Low |
| Product | pom | developer email | simonetripodi AT apache DOT org | Low |
| Product | pom | developer email | skitching@apache.org | Low |
| Product | pom | developer email | tobrien@apache.org | Low |
| Product | pom | developer id | craigmcc | Low |
| Product | pom | developer id | jfarcand | Low |
| Product | pom | developer id | jstrachan | Low |

| | | | | |
|---|---|---|---|---|
| Product | pom | developer id | jvanzyl | Low |
| Product | pom | developer id | mbenson | Low |
| Product | pom | developer id | rahul | Low |
| Product | pom | developer id | rdonkin | Low |
| Product | pom | developer id | sanders | Low |
| Product | pom | developer id | simonetripodi | Low |
| Product | pom | developer id | skitching | Low |
| Product | pom | developer id | tobrien | Low |
| Product | pom | developer name | Craig McClanahan | Low |
| Product | pom | developer name | James Strachan | Low |
| Product | pom | developer name | Jason van Zyl | Low |
| Product | pom | developer name | Jean-Francois Arcand | Low |
| Product | pom | developer name | Matt Benson | Low |
| Product | pom | developer name | Rahul Akolkar | Low |
| Product | pom | developer name | Robert Burrell Donkin | Low |
| Product | pom | developer name | Scott Sanders | Low |
| Product | pom | developer name | Simon Kitching | Low |
| Product | pom | developer name | Simone Tripodi | Low |
| Product | pom | developer name | Tim OBrien | Low |
| Product | pom | groupid | org.apache.commons | Highest |
| Product | pom | name | Apache Commons Digester | High |
| Product | pom | parent-artifactid | commons-parent | Medium |
| Product | pom | url | http://commons.apache.org/digester/ | Medium |
| Version | Manifest | Implementation-Version | 3.2 | High |
| Version | pom | parent-version | 3.2 | Low |
| Version | pom | version | 3.2 | Highest |

**Identifiers**

- pkg:maven/org.apache.commons/commons-digester3@3.2 (*Confidence*:High)

## help.zip: help.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/help.zip/help.jar
**MD5:** aa3fd68ae751afc9fbe5430a6622dabc
**SHA1:** df350523e7c6e8c14e43404bbbe8e693db44db51
**SHA256:**a50f964f9b7c3feebecb4cd5d6235fd2e8217b36ba1d44641321b27888e43855
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | help | High |
| Vendor | jar | package name | help | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | Manifest | built-date | 2025-12-01 13:21 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | help | High |
| Product | jar | package name | help | Highest |
| Product | jar | package name | help | Low |
| Product | Manifest | built-date | 2025-12-01 13:21 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | help | High |
| Product | Manifest | specification-title | help | Medium |
| Version | Manifest | Implementation-Version | 25.10.259 | High |

**Identifiers**

- **None**

## help.zip: help.jar: app.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/help.zip/help.jar/com/inet/help/resources/js/app.js
**MD5:** 3a626c6ba8ee31fb8ebf60eabda6f994
**SHA1:** c39bfbdd57aadcb966452b9fc2790e555fa12867
**SHA256:**1a77be335c5f6949c202f5b8e959c01b7d20c29d70b1fa242805724dc08a5f71
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## help.zip: help.jar: controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/help.zip/help.jar/com/inet/help/resources/js/controller.js
**MD5:** 56aaa1c940ebe63e698f2c96d8d349b1
**SHA1:** ec2bffbd788815074a91285778836919c4fe6245
**SHA256:**dcadc7df6c99e3ec93d8e539c3d7e5f3a1aac871e021c961ea6df16ade78162d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## help.zip: help.jar: shared.factory.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/help.zip/help.jar/com/inet/help/resources/js/shared.factory.js
**MD5:** 0b9f1c69fe745940b59dfcc46b07c9e8
**SHA1:** d04efd9797d2fdca767d508cf120351bef141846
**SHA256:**1b2cc4f4fd954ea4954b04681293f059a417fe38c59c129f87bd22dbc9bdf0cc
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## help.zip: help.jar: shared.highlighter.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/help.zip/help.jar/com/inet/help/resources/js/shared.highlighter.js
**MD5:** af91e703b72f064acb7b0980a1981705
**SHA1:** 53a2a1c5190b1f3a3e3d4e68e645a152732c1893
**SHA256:**12e9a91bfad9c6958f82cc85b396c869363b181054843e472342bad54ebd4ad1
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## help.zip: jsoup.jar

**Description:**

jsoup is a Java library that simplifies working with real-world HTML and XML. It offers an easy-to-use API for URL fetching, data parsing, extraction, and manipulation using DOM API methods, CSS, and xpath selectors. jsoup implements the WHATWG HTML5 specification, and parses HTML to the same DOM as modern browsers.

**License:**

The MIT License: https://jsoup.org/license

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/help.zip/jsoup.jar
**MD5:** d15bd94d71d99e967c893e64f6452b84
**SHA1:** 0fb42d6cc9898ced4b73175eac49c61a40f35325

**SHA256:**5be1ccd3228ae5fd6eed1bd6d827bac2bc65b91c20e9957d16ea65f739f15302
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | jsoup | High |
| Vendor | jar | package name | jsoup | Highest |
| Vendor | jar | package name | org | Highest |
| Vendor | jar | package name | parser | Highest |
| Vendor | Manifest | build-jdk-spec | 17 | Low |
| Vendor | Manifest | bundle-docurl | https://jsoup.org/ | Low |
| Vendor | Manifest | bundle-symbolicname | org.jsoup | Medium |
| Vendor | Manifest | Implementation-Vendor | Jonathan Hedley | High |
| Vendor | Manifest | multi-release | true | Low |
| Vendor | Manifest | originally-created-by | Apache Maven Bundle Plugin 5.1.9 | Low |
| Vendor | pom | artifactid | jsoup | Low |
| Vendor | pom | developer email | jonathan@hedley.net | Low |
| Vendor | pom | developer id | jhy | Medium |
| Vendor | pom | developer name | Jonathan Hedley | Medium |
| Vendor | pom | groupid | org.jsoup | Highest |
| Vendor | pom | name | jsoup Java HTML Parser | High |
| Vendor | pom | organization name | Jonathan Hedley | High |
| Vendor | pom | organization url | https://jhy.io/ | Medium |
| Vendor | pom | url | https://jsoup.org/ | Highest |
| Product | file | name | jsoup | High |
| Product | jar | package name | 9 | Highest |
| Product | jar | package name | jsoup | Highest |
| Product | jar | package name | org | Highest |
| Product | jar | package name | parser | Highest |
| Product | Manifest | build-jdk-spec | 17 | Low |
| Product | Manifest | bundle-docurl | https://jsoup.org/ | Low |
| Product | Manifest | Bundle-Name | jsoup Java HTML Parser | Medium |
| Product | Manifest | bundle-symbolicname | org.jsoup | Medium |

| | | | | |
|---|---|---|---|---|
| Product | Manifest | Implementation-Title | jsoup Java HTML Parser | High |
| Product | Manifest | multi-release | true | Low |
| Product | Manifest | originally-created-by | Apache Maven Bundle Plugin 5.1.9 | Low |
| Product | pom | artifactid | jsoup | Highest |
| Product | pom | developer email | jonathan@hedley.net | Low |
| Product | pom | developer id | jhy | Low |
| Product | pom | developer name | Jonathan Hedley | Low |
| Product | pom | groupid | org.jsoup | Highest |
| Product | pom | name | jsoup Java HTML Parser | High |
| Product | pom | organization name | Jonathan Hedley | Low |
| Product | pom | organization url | https://jhy.io/ | Low |
| Product | pom | url | https://jsoup.org/ | Medium |
| Version | Manifest | Bundle-Version | 1.18.3 | High |
| Version | Manifest | Implementation-Version | 1.18.3 | High |
| Version | pom | version | 1.18.3 | Highest |

**Identifiers**

- pkg:maven/org.jsoup/jsoup@1.18.3 (*Confidence*:High)
- cpe:2.3:a:jsoup:jsoup:1.18.3:*:*:*:*:*:*:* (*Confidence*:Highest) suppress

## helpdesk.forms.zip: helpdesk.forms.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar
**MD5:** 8c8b40ff157db673410829c25ee075c1
**SHA1:** b6d310076edf1b70807ec6c25315cac67725273a
**SHA256:**b84a0312cdd0a0bb6646d5a961992cf5ba7253b5faafc48ee1ed43b8e7fb6925
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | helpdesk.forms | High |
| Vendor | jar | package name | helpdesk | Low |

| | | | | |
|---|---|---|---|---|
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | plugins | Low |
| Vendor | Manifest | built-date | 2025-12-01 15:42 | Low |
| Vendor | Manifest | implementation-group | helpdesk | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | helpdesk.forms | High |
| Product | jar | package name | forms | Highest |
| Product | jar | package name | forms | Low |
| Product | jar | package name | helpdesk | Highest |
| Product | jar | package name | helpdesk | Low |
| Product | jar | package name | plugins | Low |
| Product | Manifest | built-date | 2025-12-01 15:42 | Low |
| Product | Manifest | implementation-group | helpdesk | Low |
| Product | Manifest | Implementation-Title | helpdesk.forms | High |
| Product | Manifest | specification-title | helpdesk.forms | Medium |
| Version | jar | package name | helpdesk | Highest |
| Version | Manifest | Implementation-Version | 25.10.259 | High |

**Identifiers**

- cpe:2.3:a:inetsoftware:helpdesk:25.10.259:*:*:*:*:*:*:* (*Confidence*:Low) suppress

## helpdesk.forms.zip: helpdesk.forms.jar: FormInterceptor.service.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/FormInterceptor.service.js
**MD5:** 57625b1f4afe6720b63e4f1e9f5d77b9
**SHA1:** f0fa47e081e9c293106bde070d1b612ec9c0d887

**SHA256:**36dd0b05e29076c9d78fe0dcc0f6d1bff4683d6a6ee7af75fcf6ce44dedbd5ea
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## helpdesk.forms.zip: helpdesk.forms.jar: configuration.ticketforms.edit.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/configuration.ticketforms.edit.js
**MD5:** 2bac5cf2f85738f4e204a18ec7e28e9d
**SHA1:** bacd91f93d8c11c6a0dd841bcf0e6f1793e0d394
**SHA256:**d62d90a64509761a0fa8244719255e24bdaa445a44cc2e36e5dd4f49dd09ba0c
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## helpdesk.forms.zip: helpdesk.forms.jar: configuration.ticketforms.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/configuration.ticketforms.js
**MD5:** c4505e6317b32617d8a9f928ea8d14c9
**SHA1:** 1b8afc183abfbbd9c37f1f6917fe768f8573d391
**SHA256:**a9cdcac73eb49f9f48496e9705a68474fce6419db1422880c00fc21759e916c8
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## helpdesk.forms.zip: helpdesk.forms.jar: editFormField.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/directives/editFormField.js
**MD5:** badf9aa2cd991693234eb1d84885bd2e
**SHA1:** f83d816d8baada34985a5a2cb5ed666052c23b8f
**SHA256:**ef529f1952ed549c3835e4ebc07bcfb7759953357ed3ba48751ec8ae0c3b2ce5
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## helpdesk.forms.zip: helpdesk.forms.jar: fieldrenderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/directives/fieldrenderer.js
**MD5:** 3bc0bc31d38864ae1de57a66fc53dd67
**SHA1:** 9f4aff3e0e43e550f79dd1df3279e54a1830a629
**SHA256:**a0224ca07807808daefc0dea2bc2421b82c7306fd9044c62edc07ae9e75d1667
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## helpdesk.forms.zip: helpdesk.forms.jar: fieldrenderer_conditionValue.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/directives/fieldrenderer_conditionValue.js
**MD5:** 031e6a4b5305b72e310d4fcf86004ed2
**SHA1:** a2dbc2eb8adf5a7c5a7e6097419c3a2e764e6018
**SHA256:**af6c7af4da9647d9f0a80916eece0dbe3417febd0407fe6769f817d2d30ccd5b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## helpdesk.forms.zip: helpdesk.forms.jar: fieldrenderer_defaultValue.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/directives/fieldrenderer_defaultValue.js
**MD5:** dda6a970f4cffe36fad94b7d76117bcc
**SHA1:** 2cd8554ddb98fa95fe2a44ed13e9a33557c5cbe8
**SHA256:**13f45e63731e4e1ddf28ec751a4ada4af82d6f9b1472e92c05e709c70b3cd715
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## helpdesk.forms.zip: helpdesk.forms.jar: folderPermissionsDisplay.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/directives/folderPermissionsDisplay.js
**MD5:** 14601718259c92137b919428c333a368
**SHA1:** 2dc8144483c6da42a0f6a39ee6a6bee2027f04cd
**SHA256:**c5c605b7fcca1ad842867895516f4fcc77564db4572fff3707a03c1906ef6a2f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## helpdesk.forms.zip: helpdesk.forms.jar: formExecution.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/formExecution.js
**MD5:** 648edac94c9b2d946cc2000b2e1b7fba
**SHA1:** 0b4c5c6eb929e96bd3dbad337ed6c6ec8f91348b
**SHA256:**dc6bbe4a0963dc5417d748519b65bbae0ed51c8abe38a2393ae1f5ce46b8d74e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## helpdesk.forms.zip: helpdesk.forms.jar: formHandlingService.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/formHandlingService.js
**MD5:** 9a4ebf70ac9e4639a814d7c10f3f6fb7
**SHA1:** c67b068372fa567c8a05c8be266453693043d23d
**SHA256:**bfa9fcd66c6d79473ffa6cb5895461276d0ba10e181613863b6fc5fb6918c405
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## helpdesk.forms.zip: helpdesk.forms.jar: formfields.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/directives/formfields.js
**MD5:** 187db371de0478fd17724002263a71b9
**SHA1:** 7614d2f5fc5d696a35344a2271c800f03968e8d0
**SHA256:**0c6be6c6503832e40c34a2426a495e971568ccae0a9c2161cd9ac7b36201371b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## helpdesk.forms.zip: helpdesk.forms.jar: formicondropzone.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/directives/formicondropzone.js
**MD5:** 0f0ae951a7e2769aab6edce3b889067f
**SHA1:** 982b012023463e93d5d8e1815c62b1ea012ecdbc
**SHA256:**6abaf6d32ad7d51d2479ca51e59d2b014819bdbfd76fd0a2c1fb3191ecf0967c
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## helpdesk.forms.zip: helpdesk.forms.jar: formmetadata.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/directives/formmetadata.js
**MD5:** 86e2fd184348d0cc84dea0881268f1e1
**SHA1:** 02c2ba49c9fd2313cb44589d0ff8ea482a13daed
**SHA256:**40c5ada41c478dd82d3430258f4c49ea80f236700ad755216f817dcd903e1bda
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## helpdesk.forms.zip: helpdesk.forms.jar: formrenderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/directives/formrenderer.js
**MD5:** d93ee0bb223e940fbc110fde83d88ad0
**SHA1:** 18e69220fbfa7945f0277bce923757f69d5d5a30
**SHA256:**b1a92bce68215969e8aebcce9e68c50fb521ed0904e159c19d477bb524b5e5c9
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## helpdesk.forms.zip: helpdesk.forms.jar: formsections.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/directives/formsections.js
**MD5:** e24b40c25d5db89f18193b96d334a99d
**SHA1:** daa412ea1a8aacbcccc6f01d4e25eba3a01da3c7
**SHA256:**618693dd5f306366203bbbfc860de3b2e748c729ed1f3f97a16c4bffac549c46
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## helpdesk.forms.zip: helpdesk.forms.jar: sectionid.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/directives/sectionid.js
**MD5:** 854ae53f85b457cbb0c65f16a48879ef
**SHA1:** 6580c71bc53b959567a3cead71a3d689b8822ffd
**SHA256:**76b4d5260aad83a2db63d539dd196618a073b0df296917a0a70457b21a7dcf70
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## helpdesk.forms.zip: helpdesk.forms.jar: ticketPreviewSettings.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.

forms.jar/com/inet/helpdesk/plugins/forms/client/js/ticketPreviewSettings.js
**MD5:** f0af9ca1bdcdb5563cb80ae26af99e9f
**SHA1:** 68fb4304fc250a2cfa08dc0d9f6db2641cb78a15
**SHA256:**b53e6d831f6b62d65b8ddb7029182545e453bc0b1ebfdcb5ef19ad93e1d10ddb
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## helpdesk.forms.zip: helpdesk.forms.jar: ticketformsfactory.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/ticketformsfactory.js
**MD5:** 5c59511c66f57f39d2415ce53652c083
**SHA1:** c80209d9f1780792c9c8f5813ca59ae1b398ac50
**SHA256:**729203835e165ba57af18cd33b8247c3aebf5f69f25efc188f6750ef02286ed1
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## helpdesk.forms.zip: helpdesk.forms.jar: ticketformsmodel.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/js/ticketformsmodel.js
**MD5:** c4ca56f7e15225823b361e70e2ec7e96
**SHA1:** a4b0aa3bcb8e8090e647862c0b139c88c28fcd79
**SHA256:**92020e846d5bd3df5b82fcf754d8cdaf2ac170f9737e3b713763c19053ef2065
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## helpdesk.forms.zip: helpdesk.forms.jar: ticketlist.form.controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/ticketlist/ticketlist.form.controller.js
**MD5:** e5272b8570c8a37a990fe3de5068239a
**SHA1:** 265075ac78df2ac13ae688353683bf5a12f9ab53
**SHA256:**d10d36b414eb8a839bc9c432911a95d5223961e13412481f4f63986c2a945622
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## helpdesk.forms.zip: helpdesk.forms.jar: ticketlist.form.extension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.forms.zip/helpdesk.forms.jar/com/inet/helpdesk/plugins/forms/client/ticketlist/ticketlist.form.extension.js
**MD5:** 684e2d7692db14c443532545d3531c25
**SHA1:** d05b14aadba37fa17914c6f1f501e1b2dff32191
**SHA256:**52eb4599d4b992b1ab35cc80938f0586dad886b19dc4d91592ee52eaa65733d8
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## helpdesk.zip: helpdesk.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar
**MD5:** 528649def644808d22b5f61fb7ef3685
**SHA1:** 828a9dd3d7bd323d62195c6de328423035e99ddb
**SHA256:**eb7e96cbe3d5000226f98663e60ae8242bd8578fe187c129e2caa7d542f6b824
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | helpdesk | High |
| Vendor | jar | package name | helpdesk | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | Manifest | built-date | 2025-12-01 15:35 | Low |
| Vendor | Manifest | implementation-group | helpdesk | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | helpdesk | High |
| Product | jar | package name | helpdesk | Highest |
| Product | jar | package name | helpdesk | Low |
| Product | Manifest | built-date | 2025-12-01 15:35 | Low |
| Product | Manifest | implementation-group | helpdesk | Low |
| Product | Manifest | Implementation-Title | helpdesk | High |
| Product | Manifest | specification-title | helpdesk | Medium |
| Version | jar | package name | helpdesk | Highest |
| Version | Manifest | Implementation-Version | 25.10.259 | High |

**Identifiers**

- cpe:2.3:a:inetsoftware:helpdesk:25.10.259:*:*:*:*:*:*:* (*Confidence*:Low) suppress

## helpdesk.zip: helpdesk.jar: TicketFieldSettingsPropertyRenderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/core/ticketfieldsettings/config/js/TicketFieldSettingsPropertyRenderer.js
**MD5:** 29815adc360e956bfeac01d5718c3bcd
**SHA1:** e32aa96dbcd347de4d2d7a71d5446d203758f9d2
**SHA256:**d477873c98954cf4b05e62e68d039291c87f1e9536e64321bd96d38216fcdf0f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## helpdesk.zip: helpdesk.jar: aiworkingpanel.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/core/ai/workingpanel/aiworkingpanel.js
**MD5:** e0cf8d463148783fbd8e7492b7f31150
**SHA1:** 27dd87c45853d736fa14c21a37261d31d4ba5ce3
**SHA256:**24e99a89740492e0e517c02b7de6e92b399a3526efdc2ef857251cd85ff4870f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## helpdesk.zip: helpdesk.jar: attachmentdisplay.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/attachmentdisplay/attachmentdisplay.js
**MD5:** 06d1fcbe291152ee9a3416d1d74131a9
**SHA1:** dfd522599675f3c0e43fdda9aeae92f369e2c7cc
**SHA256:**bb6a4e716359feb11f13ef60d54f7f1ee6b66bfed4af21c600fda5e6a8570173
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## helpdesk.zip: helpdesk.jar: configuration.autotext.edit.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/config/autotext/configuration.autotext.edit.js
**MD5:** 7e360b34342ac34972acc0833074c932
**SHA1:** cb817f4b989a81162f5d5fda58fda5be0655892f
**SHA256:**06e6df6d6ca8051c3dbee72d568b48f2368acd9d55737a76cbc81477b6cc9905
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## helpdesk.zip: helpdesk.jar: configuration.autotext.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/config/autotext/configuration.autotext.js
**MD5:** 2eeeae48e2d3fa720b9db7c5d72604cc
**SHA1:** bc2c5c0c79bc940f8b86e604be7c1a6f2f0c446c
**SHA256:**79f7326b94c4a315fa11f4dfd76a80859f8f2710e3c9af3379662b92bf608945
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## helpdesk.zip: helpdesk.jar: configuration.mailtemplates.edit.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/config/mailtemplates/configuration.mailtemplates.edit.js
**MD5:** 27aa3ade248a0b472f313d5716c2d03c
**SHA1:** 2f0ab64b154bae8a9848a926b672e3ea747869b3
**SHA256:**735c9e823860d512c1232ce63524e0f25479df83c53a243c2d95b31350a4da62
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## helpdesk.zip: helpdesk.jar: configuration.mailtemplates.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/config/mailtemplates/configuration.mailtemplates.js
**MD5:** c1c3e119b9134e34f445e10e01e063ca
**SHA1:** 0eda11b37bbf3ed6a79ada4548f6d02064bd61bb
**SHA256:**761152bb2b114d2ffe347c3368c95a0048faa3f3d2c17d09d25dbbe475697d9e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## helpdesk.zip: helpdesk.jar: effectiveactionscontroller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/usersandgroups/ui/js/effectiveactionscontroller.js
**MD5:** aafff8fd79e48722797b8d8c9d67f132
**SHA1:** 3cf76d85fc2a8f840d76c611a560e5106237dd06
**SHA256:**90e8e62a9cb4fdfc4ebc669dc7a1cdb10f8481fbf91dbe7e198a47f5781b6ba6
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## helpdesk.zip: helpdesk.jar: helpdeskconfig.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/plugin/helpdeskconfig/helpdeskconfig.js
**MD5:** 0bf9083b92966323db5159d20f25f1f2
**SHA1:** ed739dfe656b800f1dc5d4446361077d721749bd
**SHA256:**e63b1baa1723631c540e41d144b3a1ece91b03331b8e479da6634c9e46308fc3
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## helpdesk.zip: helpdesk.jar: predeletionhandler.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/usersandgroups/ui/js/predeletionhandler.js
**MD5:** b07228667f35f2db8fe97e14072330e2
**SHA1:** 56563dca2887c8794cc93f79dec86721dedbbdc5
**SHA256:**94b564b4d308da955ec91f35eef6ce2d43a4e0404ed85c818860fd52b1db112b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## helpdesk.zip: helpdesk.jar: promptuserselectrenderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/plugins/reporting/client/js/promptuserselectrenderer.js
**MD5:** 568ecc46e94c00ed2bd10c3dd310587f
**SHA1:** 4b952ce6e2268d982d19c26b527e3927c7c6f56b
**SHA256:**46e9e2baea18056db596b93b03f4ca7c02f9dd8420288fb5d63aa72a467d94be
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## helpdesk.zip: helpdesk.jar: renderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/usersandgroups/ui/js/renderer.js
**MD5:** a47f1f73b8680db9e410eccce8f95d59
**SHA1:** 971157e547fce34414e1eb46161846eb6b6443cf
**SHA256:**9a8813949765fa23463f597a0520b86b65f935d3b51b0bc2ec3ab43522ec556c
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## helpdesk.zip: helpdesk.jar: setdefaultguipreferencesaction.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/usersandgroups/ui/js/setdefaultguipreferencesaction.js
**MD5:** 5e91ab327ff4b854d6ced204e261202c
**SHA1:** 1f94572d6c505563aee1641cf40efc651a42b5f3
**SHA256:**94b19ceceff3b2a2c595f896f7320749430b1d99113ba3c7f35decfae603bd0a
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## helpdesk.zip: helpdesk.jar: usersandgroupsreports.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/helpdesk.jar/com/inet/helpdesk/usersandgroups/ui/js/usersandgroupsreports.js
**MD5:** d1dc1ae5cdb8871ed9859374c31db24a
**SHA1:** 61f294a069c216b738878861dcea4deeb24f0ac6
**SHA256:**9e33365a5e3d861ddecb2a2fb72179dbdad8d332b5114efc5e44d5d884db743a
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## helpdesk.zip: rhino.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesk.zip/rhino.jar
**MD5:** f1aed8c6aac3d1e65bf0331e826f8037
**SHA1:** 889636434674822ce2d14d6e92f7cf96726c6783
**SHA256:**e7ff37ec00b4c19ea16f42b5b3a601616d559dbb76e65bc9d094bd6bda2a925d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | rhino | High |
| Vendor | jar | package name | javascript | Low |
| Vendor | jar | package name | mozilla | Highest |
| Vendor | jar | package name | mozilla | Low |
| Vendor | Manifest | implementation-url | http://github.com/mozilla/rhino | Low |
| Vendor | Manifest | Implementation-Vendor | Mozilla Foundation | High |
| Product | file | name | rhino | High |
| Product | jar | package name | javascript | Low |
| Product | jar | package name | mozilla | Highest |
| Product | Manifest | Implementation-Title | Mozilla Rhino | High |
| Product | Manifest | implementation- | http://github.com/mozilla/rhino | Low |

| | | | | |
|---|---|---|---|---|
| | | url | | |
| Version | jar | package name | mozilla | Highest |
| Version | Manifest | Implementation-Version | 1.8.0 | High |

**Identifiers**

- **None**

## helpdesksetupwizard.zip: helpdesksetupwizard.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesksetupwizard.zip/helpdesksetupwizard.jar
**MD5:** 7fd0303a99928224d18bead024485b50
**SHA1:** d36faa3b01f60a8cb1b45b617da3701670bcd41b
**SHA256:**56fed0b16dda3431586cf7fb138ea1e072f68b185590d62d9fe60f14565e28ef
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | helpdesksetupwizard | High |
| Vendor | jar | package name | helpdesk | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | plugins | Low |
| Vendor | Manifest | built-date | 2025-12-01 15:49 | Low |
| Vendor | Manifest | implementation-group | helpdesk | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | helpdesksetupwizard | High |
| Product | jar | package name | helpdesk | Highest |
| Product | jar | package name | helpdesk | Low |
| Product | jar | package name | plugins | Low |

| | | | | |
|---|---|---|---|---|
| Product | jar | package name | setupwizard | Low |
| Product | Manifest | built-date | 2025-12-01 15:49 | Low |
| Product | Manifest | implementation-group | helpdesk | Low |
| Product | Manifest | Implementation-Title | helpdesksetupwizard | High |
| Product | Manifest | specification-title | helpdesksetupwizard | Medium |
| Version | jar | package name | helpdesk | Highest |
| Version | Manifest | Implementation-Version | 25.10.259 | High |

**Identifiers**

- cpe:2.3:a:inetsoftware:helpdesk:25.10.259:*:*:*:*:*:*:* (*Confidence*:Low) suppress

## helpdesksetupwizard.zip: helpdesksetupwizard.jar: controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/helpdesksetupwizard.zip/helpdesksetupwizard.jar/com/inet/helpdesk/plugins/setupwizard/steps/database/controller.js
**MD5:** 8b6eeb545c7b5887e26a15361021d50e
**SHA1:** 7a4011053e83d53c0d49cf02dc3129ee60836b91
**SHA256:**a2b34c03b76bf460f526e4ea4cfa3b19fcc952b86a131302718d2aad42807aab
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## htmlengine.zip: JWebEngine.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/htmlengine.zip/JWebEngine.jar
**MD5:** 70a5d67cafdfeaadd0476f9ce682b264

**SHA1:** aefc4792982a55a01677ef1092587fee251ceef4
**SHA256:**9f76546c2462fc5e6a384a89606fef0a8c9100f4c1475a561b0d646737828c27
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | JWebEngine | High |
| Vendor | jar | package name | html | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2025-11-17 01:23 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | lib | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | JWebEngine | High |
| Product | jar | package name | html | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2025-11-17 01:23 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | lib | Low |
| Product | Manifest | Implementation-Title | JWebEngine | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | JWebEngine | Medium |
| Product | Manifest | trusted-library | false | Low |

| | | | | |
|---|---|---|---|---|
| Product | Manifest | trusted-only | false | Low |
| Version | Manifest | Implementation-Version | 1.13.1834 | High |

**Identifiers**

- **None**

## htmlengine.zip: htmlengine.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/htmlengine.zip/htmlengine.jar
**MD5:** 93af19bb2bee685f8cd9438cbb67b381
**SHA1:** bb39c8a44b68885b15efa787de29e7cdb67ac412
**SHA256:**5da46a0a3bdd7799980bcc08377ee3c388d797d6aa5159226f2a7f3189c17d69
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | htmlengine | High |
| Vendor | jar | package name | htmlengine | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | Manifest | built-date | 2025-12-01 13:31 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | htmlengine | High |
| Product | jar | package name | hmtlengineserverplugin | Low |
| Product | jar | package name | htmlengine | Highest |
| Product | jar | package name | htmlengine | Low |
| Product | Manifest | built-date | 2025-12-01 13:31 | Low |
| Product | Manifest | implementation-group | shared | Low |

| | | | | |
|---|---|---|---|---|
| Product | Manifest | Implementation-Title | htmlengine | High |
| Product | Manifest | specification-title | htmlengine | Medium |
| Version | Manifest | Implementation-Version | 25.10.259 | High |

**Identifiers**

- **None**

## htmlviewer.toolbar.zip: htmlviewer.toolbar.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/htmlviewer.toolbar.zip/htmlviewer.toolbar.jar
**MD5:** 4dd340dec0573034f82c7017a5f17e33
**SHA1:** 7bd18c6e49d5239cc1cab66ae5853e25a994fac4
**SHA256:**c9aec60879a377a69322da42944d0517f56dfe90ead602c65f053a69f8e525a9
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | htmlviewer.toolbar | High |
| Vendor | jar | package name | htmlviewer | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | Manifest | built-date | 2025-12-01 14:43 | Low |
| Vendor | Manifest | implementation-group | reporting | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | htmlviewer.toolbar | High |
| Product | jar | package name | htmlviewer | Highest |
| Product | jar | package name | htmlviewer | Low |
| Product | Manifest | built-date | 2025-12-01 14:43 | Low |

| | | | | |
|---|---|---|---|---|
| Product | Manifest | implementation-group | reporting | Low |
| Product | Manifest | Implementation-Title | htmlviewer.toolbar | High |
| Product | Manifest | specification-title | htmlviewer.toolbar | Medium |
| Version | Manifest | Implementation-Version | 25.10.259 | High |

**Identifiers**

- **None**

## htmlviewer.toolbar.zip: htmlviewer.toolbar.jar: htmlviewer.angular.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/htmlviewer.toolbar.zip/htmlviewer.toolbar.jar/com/inet/htmlviewer/client/htmlviewer.angular.js
**MD5:** 3d4ffd97b4b2889874ab2c25fd81dfd0
**SHA1:** ea87dcc7a044e2517277934bea09c98994d3134f
**SHA256:**74009939b76ca622b76ee6abefb1cbe3632398f76f7282f51b90ccd1ca9998d3
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## inetcore-25.10-tools.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/25.10/19f2cc4355bcb3ecfb37b2a69c7374664aa0efeb/inetcore-25.10-tools.jar
**MD5:** 3e75f6af5e3e43fea404d7689626b759
**SHA1:** 19f2cc4355bcb3ecfb37b2a69c7374664aa0efeb
**SHA256:**37173495d86b6774b5d9c5227ad23fa32838b11576c3e1814e98d769375f2df1
**Referenced In Project/Scope:** server:inetPlugin
**Included by:** pkg:maven/helpdesk/server@25.10

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | inetcore | High |
| Vendor | gradle | artifactid | inetcore | Highest |
| Vendor | gradle | groupid | shared | Highest |
| Vendor | jar | package name | test | Low |
| Product | file | name | inetcore | High |
| Product | gradle | artifactid | inetcore | Highest |
| Version | file | name | inetcore | Medium |
| Version | file | version | 25.10 | High |
| Version | gradle | version | 25.10 | Highest |

**Identifiers**

- pkg:maven/shared/inetcore@25.10 (*Confidence*:Highest)

## inetcore-25.10.jar (shaded: com.inet.shared:inetcore:null)

**Description:**

A blend composite defines the rule according to which a drawing primitive (known as the source) is mixed with existing graphics (know as the destination.)

ColorUtilities contains a set of tools to perform common color operations easily.

**License:**

LGPL: http://www.gnu.org/licenses/lgpl.txt

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/25.10/9b550204bc3d74708af2bb6d5b25da821364cd7c/inetcore-25.10.jar/META-INF/com/inet/shared/utils/BlendComposite/pom.xml
**MD5:** 15e3963148212192804e2b1a2b73ad1c
**SHA1:** 1095ba4522949a04590ab9c98b7f684e92579ef9
**SHA256:**e5556987ad0b1ede84a994741147dadf6de0cb7d80b845f530e2a96505b79151
**Referenced In Projects/Scopes:**

- server
- server:inetPlugin

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | pom | artifactid | inetcore | Low |
| Vendor | pom | developer email | contact@inetsoftware.de | Low |
| Vendor | pom | developer email | morgand@apache.org | Low |

| | | | | |
|---|---|---|---|---|
| Vendor | pom | developer id | inetsoftware | Medium |
| Vendor | pom | developer id | romainguy | Medium |
| Vendor | pom | developer id | sun | Medium |
| Vendor | pom | developer name | i-net /// software | Medium |
| Vendor | pom | developer name | Romain Guy | Medium |
| Vendor | pom | developer name | Sun | Medium |
| Vendor | pom | developer org | Sun | Medium |
| Vendor | pom | groupid | com.inet.shared | Highest |
| Vendor | pom | name | BlendComposite and ColorUtilities | High |
| Vendor | pom (hint) | developer id | oracle | Medium |
| Vendor | pom (hint) | developer name | oracle | Medium |
| Vendor | pom (hint) | developer org | oracle | Medium |
| Product | pom | artifactid | inetcore | Highest |
| Product | pom | developer email | contact@inetsoftware.de | Low |
| Product | pom | developer email | morgand@apache.org | Low |
| Product | pom | developer id | inetsoftware | Low |
| Product | pom | developer id | romainguy | Low |
| Product | pom | developer id | sun | Low |
| Product | pom | developer name | i-net /// software | Low |
| Product | pom | developer name | Romain Guy | Low |
| Product | pom | developer name | Sun | Low |
| Product | pom | developer org | Sun | Low |
| Product | pom | groupid | com.inet.shared | Highest |
| Product | pom | name | BlendComposite and ColorUtilities | High |

**Identifiers**

- **None**

## inetcore-25.10.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/25.10/9b550204bc3d74708af2bb6d5b25da821364cd7c/inetcore-25.10.jar

**MD5:** d5f5b662f2619ce8b4c1c8897b2eb091
**SHA1:** 9b550204bc3d74708af2bb6d5b25da821364cd7c
**SHA256:**188ce99e31bd7509457c80d2e6919837e267752b6adc1d51dccc53c2a734c36f
**Referenced In Projects/Scopes:**

- server
- server:inetPlugin

**Included by:** pkg:maven/helpdesk/server@25.10

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | inetcore | High |
| Vendor | gradle | artifactid | inetcore | Highest |
| Vendor | gradle | groupid | shared | Highest |
| Vendor | jar | package name | i | Highest |
| Vendor | jar | package name | inet | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2025-12-01 12:32 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | inetcore | High |
| Product | gradle | artifactid | inetcore | Highest |
| Product | jar | package name | permissions | Highest |
| Product | jar | package name | shared | Highest |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2025-12-01 12:32 | Low |

| | | | | |
|---|---|---|---|---|
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | inetcore | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | inetcore | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | file | name | inetcore | Medium |
| Version | file | version | 25.10 | High |
| Version | gradle | version | 25.10 | Highest |
| Version | jar | package name | permissions | Highest |
| Version | jar | package name | shared | Highest |
| Version | Manifest | Implementation-Version | 25.10.259 | High |

**Related Dependencies**

- inetcore.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/core/inetcore.jar
  - MD5: d5f5b662f2619ce8b4c1c8897b2eb091
  - SHA1: 9b550204bc3d74708af2bb6d5b25da821364cd7c
  - SHA256: 188ce99e31bd7509457c80d2e6919837e267752b6adc1d51dccc53c2a734c36f

**Identifiers**

- pkg:maven/shared/inetcore@25.10 (*Confidence*:Highest)

## inetloggeradapter.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/core/inetloggeradapter.jar
**MD5:** d5858ef6e7867248419af203ca259a2e
**SHA1:** 3cddf96da0bfcca231bcf175cb85b1a5cd9ffcfe
**SHA256:**7d70b064ddc964379cdc33941789eb2e126a5d0a2ca9e3c661bf385404b467fc
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | inetloggeradapter | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | slf4j | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2025-12-01 13:04 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | inetloggeradapter | High |
| Product | jar | package name | slf4j | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2025-12-01 13:04 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | i-net Logger Adapter | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | inetloggeradapter | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | Manifest | Implementation-Version | 25.10.259 | High |

**Identifiers**

- **None**

## inventory.zip: inventory.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar
**MD5:** 2cfdc207aeb27f2196acc5479104fd2b
**SHA1:** 1e6aa3ed9b1430237c320284037a211839d000b2
**SHA256:**e018723d7a62a26cc01d70905d2cd1d1e1f7ff3fbd007ce98ced7d6f7c273ea5
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | inventory | High |
| Vendor | jar | package name | helpdesk | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | plugins | Low |
| Vendor | Manifest | built-date | 2025-12-01 15:42 | Low |
| Vendor | Manifest | implementation-group | helpdesk | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | inventory | High |
| Product | jar | package name | helpdesk | Highest |
| Product | jar | package name | helpdesk | Low |
| Product | jar | package name | inventory | Highest |
| Product | jar | package name | inventory | Low |
| Product | jar | package name | plugins | Low |
| Product | Manifest | built-date | 2025-12-01 15:42 | Low |
| Product | Manifest | implementation-group | helpdesk | Low |
| Product | Manifest | Implementation- | inventory | High |

| | | | | |
|---|---|---|---|---|
| | | Title | | |
| Product | Manifest | specification-title | inventory | Medium |
| Version | jar | package name | helpdesk | Highest |
| Version | Manifest | Implementation-Version | 25.10.259 | High |

**Identifiers**

- cpe:2.3:a:inetsoftware:helpdesk:25.10.259:*:*:*:*:*:*:* (*Confidence*:Low) suppress

## inventory.zip: inventory.jar: genericfieldrenderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/genericfieldrenderer.js
**MD5:** e0fe014b9d536dce5624250d171f6fe6
**SHA1:** 62216f45c304d52705aa417ede29297845b09b64
**SHA256:**24449ce41d8de8f57fd14329f15641cfc7f1b2082300b12e9a8ecfa4ea14fb1f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## inventory.zip: inventory.jar: inventory.3drenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.3drenderer.directive.js
**MD5:** 99fd7eedbc6b51a251301919c0adc442
**SHA1:** db4e27ea46f3810d28676ecc347f985c873457c3
**SHA256:**8938eb0246363c111e9bbe22caabd2a5cb96a37a26946beb852fcd3c25bf51ad
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## inventory.zip: inventory.jar: inventory.3dview.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.3dview.directive.js
**MD5:** 298045c849bdc046231e2c9eaca08e24
**SHA1:** 0176e2ed4fa8d03898a3783511097ef3e2be1f07
**SHA256:**a164d9ed30f1c97f64b3df756615fc741515eb776fa401bbc376e7168e4b9779
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## inventory.zip: inventory.jar: inventory.asset3d.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.asset3d.directive.js
**MD5:** 324f454219204d6ece0388baefc2b598
**SHA1:** 2c92ff4efb740b54806730fdf171fc86e6931a36
**SHA256:**982334a7f0ccf9ac099f80454ff6017a7935b3387c806687a8b6060dc40a6d38
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## inventory.zip: inventory.jar: inventory.assetdetailsform.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.assetdetailsform.directive.js
**MD5:** 900eed90a6f1a9fca890b9a156b9df0c
**SHA1:** fcf9d9ddb064c8677e18eb01cb9c0407ffead07f
**SHA256:**43a1ea04ac38d9eb821d5fabdc13ba821af59513209892606ae84c6ffb467e81
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## inventory.zip: inventory.jar: inventory.assetimage.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.assetimage.directive.js
**MD5:** 0cde9235c1970f21768406c1ad9ecc8b
**SHA1:** 754b64e4d87233cfc54f209e4e53b566d7c43eda
**SHA256:**87781d74ff9a0193ea03ceed9fdb76e211c2f0dfbd0a9034c34d6add095cea33
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## inventory.zip: inventory.jar: inventory.assetimagehover.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.assetimagehover.directive.js
**MD5:** e9aa0425a92846afc32dcc6749d285f5
**SHA1:** fde3448d146ca8fd27e236c6fae905a49a6284ee
**SHA256:**107430e83cfd95a68eafa0219a0840dc465dadf6374ce0938653055433c08356
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## inventory.zip: inventory.jar: inventory.assetmenu.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.assetmenu.directive.js
**MD5:** 2e6a7fbd33cad433035e0d253c349727
**SHA1:** 0495b2e5e7773658e40d5a0f3da720d4b8e4a898
**SHA256:**0d7c559962b804411455e3c5f376862e5290f698a0a7f741e0369754cc46d2cc
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## inventory.zip: inventory.jar: inventory.default3dbox.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.default3dbox.directive.js
**MD5:** c65d1572b8a63f4e949ecca7f03fc517

**SHA1:** cbf915fe19ea07c6256c24fc5548d3b6f268155e
**SHA256:**f41260738f7ad56071e00ea7a3c87b2bea318b343e4c899e5bfcd2e78c0f8340
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## inventory.zip: inventory.jar: inventory.devicefieldrenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.devicefieldrenderer.directive.js
**MD5:** 47cdd86e98265ea8eb89e8455937a688
**SHA1:** f516d1d34778415708b6fb44d34c368439365eb5
**SHA256:**fd92cf790c9fa1c0b1a926543391f585c775121d1f18adb2d3d8beb399d24312
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## inventory.zip: inventory.jar: inventory.devicefieldrenderercurrency.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.devicefieldrenderercurrency.directive.js
**MD5:** b826f74c88b0c8d88299d1033d5bf92a
**SHA1:** e6e574c70946ce108bbf3bd2a78d64c4015ef26c
**SHA256:**1d5e2dceb7eb94d71ae08c1efc3e25664f1172225d49b0d7e23cea6df410cfb7
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## inventory.zip: inventory.jar: inventory.devicefieldrendererdatetime.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.devicefieldrendererdatetime.directive.js
**MD5:** 51436cf81eb8f5ef01fa1eb87c9964a2
**SHA1:** 928f42a2646572117daa38a8b1acfc328d96c42a
**SHA256:**f07f1f392d52103d3ac8b322f6ec867848709e2025e6c91f6bebc23f9fa86b9c
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## inventory.zip: inventory.jar: inventory.devicefieldrendererlink.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.devicefieldrendererlink.directive.js
**MD5:** 9697bab126ef2744b52c26e2dab99e4e
**SHA1:** 8ad5369b52de630939dc1a354494a4b3226618f7
**SHA256:**c810d49ab6d089999398cdfff23421f7eadf9341862b18e165edcad20b974cf2
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## inventory.zip: inventory.jar: inventory.devicefieldrendererselect.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.devicefieldrendererselect.directive.js
**MD5:** a77f911d247e284040efd9c2c142f072
**SHA1:** 1ba72ae3216ea703907b8862149291f2bbbd305e
**SHA256:**e3d72c38f4dd907207fe814500fb69b23036b5eefeb0b2a1498ec60d8a0cbc28
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## inventory.zip: inventory.jar: inventory.devicefieldrenderertime.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.devicefieldrenderertime.directive.js
**MD5:** 6f4e0302f746d6b3484d17e51e571cd9
**SHA1:** 1373e2cae26581522169bf4897b7691d049f37c5
**SHA256:**f68f95f40432f554b738df6732bc78a5bdfaf240b4ef66cd7dd3580ef7cf7162
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## inventory.zip: inventory.jar: inventory.devicefieldrendereruser.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.devicefieldrendereruser.directive.js
**MD5:** 5f187583a4bb9eb725b407099baac465
**SHA1:** 36e2495ba10c40ec19ee6af12ad86d56a9685eb2
**SHA256:**209105db611166a586b85a186f1b7febe47e0240dbec7a7dde96f179db7e2768
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## inventory.zip: inventory.jar: inventory.deviceimagerenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.deviceimagerenderer.directive.js
**MD5:** 669fc52237b6537df427662b42840bfb
**SHA1:** fd97f4d179e45769a71cc1d14dbdbcc69f040746
**SHA256:**3d0dd847817962d02f8c3240eb4d9738bee8b39c211285a4054693819d562e0b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## inventory.zip: inventory.jar: inventory.editproperties.controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.editproperties.controller.js
**MD5:** 6c3ea0dabdb6ee3b55249cdeb66987dd

**SHA1:** 5141ca3dcd8d497f6464e2ae9f0eccc552d3ea1b
**SHA256:**2186fe615e7a40fca2c76d2f8d279d53b756a8c51f8870d21ba3b8c7946c2d62
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## inventory.zip: inventory.jar: inventory.editproperties.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.editproperties.directive.js
**MD5:** d47965695584086ff3d8ac3e32a2f208
**SHA1:** d9cd468394c73da2c6cf943aebe8ca1cbe47d093
**SHA256:**c80172be6cf462850b68e5529af5a2fee41d840379b99ac604832e8b03ef2d82
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## inventory.zip: inventory.jar: inventory.fieldgroup.filter.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.fieldgroup.filter.js
**MD5:** 20579e47316a82bc692d6a298a4de1d9
**SHA1:** 0a9e0d689b1c87e0bdd342fd79d8e481c82eab45
**SHA256:**79b55b12bcf08fccb4e7175bfb73d218862eea502b4a4776b6a658d22d18350d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## inventory.zip: inventory.jar: inventory.inventoryattachmentcontent.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.inventoryattachmentcontent.directive.js
**MD5:** e7b1b00dc4c65f25d358e917aa150149
**SHA1:** fd6332d61f18421a51f6d11684aabf88a283fe13
**SHA256:**a9b6f3d5794a157bb2e77fef23f75b51b44a18391f6769fa5bb6754eb9d4836d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## inventory.zip: inventory.jar: inventory.inventoryattachments.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.inventoryattachments.directive.js
**MD5:** 806f7c2465a7299d3f82d0a8c60e71f7
**SHA1:** 9820634b466f59bd6bf8f12ea2671d69f690950e
**SHA256:**21a0bad88da5497ac6581f5e91636df5fbfa0039c7182fd2c4e4f2d82b0003e1
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## inventory.zip: inventory.jar: inventory.invoicepaper.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.invoicepaper.directive.js
**MD5:** 320bf431bf4223ab584d5b58babc072d
**SHA1:** e6edfbb96297ea1e6bcdaa6de81e956edfcafb2d
**SHA256:**a0003056ba768b411b6a0a15e3cbf4acaa838bb4b6aece92fe838271b56fbee6
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## inventory.zip: inventory.jar: inventory.lazydetailfields.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/fieldrenderer/inventory.lazydetailfields.directive.js
**MD5:** 59e62cf70151320812a6798ec7cad038
**SHA1:** 12660855b937c60c70d4ca3ec47b19f7dcda9968
**SHA256:**4422b57310e272a94ce62f29387e851220baead3289889915d91379120ca8082
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## inventory.zip: inventory.jar: inventory.levelslider.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.levelslider.directive.js
**MD5:** c99d499a960fe7e224f99583276747d3
**SHA1:** d36fe8cb2f81beb065e9c4fdf08df8285708c459
**SHA256:**73fe73ffae97c34b70ea823237cf3ea7263f3742358bf9720290c85e3a8d8e37
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## inventory.zip: inventory.jar: inventory.licensepaper.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.licensepaper.directive.js
**MD5:** 197bd542f3648ce95ddaf954e47ecc83
**SHA1:** 262c5c7f328990409e9db68932de7e5fcbce49ac
**SHA256:**65aa477cdb1d9b9fae55c33b771c8990fdb71d7e2fb4eca8f91d9a7bfb169fc0
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## inventory.zip: inventory.jar: inventory.listview.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.listview.directive.js
**MD5:** 23bc01c78a7992f8f6e5b9862b6ad636

**SHA1:** 2ecd347b5ab1c9b81254568bcc3280aa293a84c5
**SHA256:**41a373b6233267bb5c6c46546d8861e09df2948b0bdf4d0d091c4975892c5894
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## inventory.zip: inventory.jar: inventory.listviewrow.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.listviewrow.directive.js
**MD5:** d8aaa25d136d27cf6a7c7471f12f2408
**SHA1:** 40ee9d9004dee7bb3e10d9c116d1eec83efb7582
**SHA256:**2eb81be09a299169d72ae3f5ba6dab81080f7a310bded724e9c9e273e6583e04
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## inventory.zip: inventory.jar: inventory.locationbox.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.locationbox.directive.js
**MD5:** da502552d3a0fa1dd22e4e44a0908c36
**SHA1:** 91c62a7c10c69522246f09adb192e160ab28bb44
**SHA256:**7aaef95a13159b8bb56db40487e80cd0f54d00d88675e935f4312ed59fe97cf2
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## inventory.zip: inventory.jar: inventory.roombox.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.roombox.directive.js
**MD5:** 4440dfcb00617f03cea6d209e0b9a072
**SHA1:** 7e1f67f065c917eac70b059e8047fa77fb340778
**SHA256:**0d0dd3ad20296e3e5b987e4896f13ea819daf6fdff4f31b9c3e422c563701d12
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## inventory.zip: inventory.jar: inventory.slapaper.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.slapaper.directive.js
**MD5:** fde32226b25f8d33e04b97cddaabe4a8
**SHA1:** 67818373a3829c07938c3c5e5bb50220752265d8
**SHA256:**59fdc4a7966d8280295cb13233430472d73584a52a4798c88f76812879baecef
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## inventory.zip: inventory.jar: inventory.structuretoolbar.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.structuretoolbar.directive.js
**MD5:** a7cc3cfb69ab99c236e77d6242f001a6
**SHA1:** 699f787d8597d6bce127dde0a9f3c831e0a731c3
**SHA256:**44f2723f97193661ec28cbddf6ecfe2c5c90e144f42ec1d14f51b8d7d38f233b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## inventory.zip: inventory.jar: inventory.structureview.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.structureview.directive.js
**MD5:** 0f21f3403a91aa5e15ea2dde9a70a476
**SHA1:** 882183b297f4d8dd39f5cef48a861265e96f082b
**SHA256:**795aa84436bece8899c6f415a73b04a431e2296b29f21687ca2792cf7fdba44b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## inventory.zip: inventory.jar: inventory.tile.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.tile.directive.js
**MD5:** 80b79d2bdf7e5a09d3562806baaf07d6
**SHA1:** 0ce8d33ff04992e6d2bacc7e6c2c54069ee9c13a
**SHA256:**74bb00ea13987077212d8cbc130996f9f1dba923efef944756586a16bd0db665
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## inventory.zip: inventory.jar: inventory.tilelane.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.tilelane.directive.js
**MD5:** 16b9355b290e4227fac95b22a75582a9
**SHA1:** 2525650f4f76d399422ea63f03b12dbd2f481a37
**SHA256:**34d815e75b2e7b1d62ba3f77fd17fb4fbc3037b508d5a54b0b19d074426a5643
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## inventory.zip: inventory.jar: inventory.tileview.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.tileview.directive.js
**MD5:** 73e2fcbc5f835a17503204aa5491f8b1

**SHA1:** 728b1a7d00260d50e5c91716ba52e54ab89cae00
**SHA256:**bb3a7db5e4865272906f0a5146b092395495b412cff78255107093e2db8f9c7e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## inventory.zip: inventory.jar: inventory.treegrouping.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventory.treegrouping.directive.js
**MD5:** 9ef71ff4afd18607bd3fddbc8fa16a37
**SHA1:** d2d8a0244b5c0cd0233bf3941ca92dc66de4d85e
**SHA256:**21fd22b42797824932878ee5c3d0c252fc5154075fcf6074c67052f060f57b95
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## inventory.zip: inventory.jar: inventory.typehandheld.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.typehandheld.directive.js
**MD5:** 74059a46f155a3770f7ecd8e786344ee
**SHA1:** 01f12d1a7f740f2452b34a0918c9a37c65945571
**SHA256:**795688d2ffe364aaf34f236e8f8c44ef3c11e44ddf8f10ef5c7a79a472070837
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## inventory.zip: inventory.jar: inventory.usertable.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/renderer3d/inventory.usertable.directive.js
**MD5:** 4e60d8621aa8d771da6680fa8898cfe6
**SHA1:** 483280bc778ef0b92aa3f1893587d3e7c917db1d
**SHA256:**623182e99a58833e8c5bea9bb9c13ab78f57d5d8f4229bfeedd5f4438d6b092c
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## inventory.zip: inventory.jar: inventorycontroller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventorycontroller.js
**MD5:** 4f846a9552d3751e3b67c6e981df0d3c
**SHA1:** dcdfccdeb5a308177891e104f985600837f86ce6
**SHA256:**370220146f83de0168ff5a7644f0732f568c0d8bb4d56a5d41f629ddf2bfb6c8
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## inventory.zip: inventory.jar: inventoryextension.assetpreview.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/ticketpageextension/inventoryextension.assetpreview.directive.js
**MD5:** 3f4bb65c3308386d35f938cc838dacdc
**SHA1:** d446782e386862f04367a8e0aa068dfec56d258a
**SHA256:**927fff7bbc45a1e5595aa02fdffab131ebf58398b4d85eed5ff597345ec9e7f2
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## inventory.zip: inventory.jar: inventoryextension.detailscontroller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/ticketpageextension/inventoryextension.detailscontroller.js
**MD5:** bd4e2948c7504213a1a7c5a3a778b7ba
**SHA1:** e5c9eac153a0e5de3c272e9b48da3f015d4b5822
**SHA256:**a892121cdef608afdc069cffe9d1e43dd3e6666abf1016ca134c46d2051c931d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## inventory.zip: inventory.jar: inventoryextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/ticketpageextension/inventoryextension.js
**MD5:** 4297f36b6e07a1114b83a1bab7b49c8b
**SHA1:** 88c2625cea1edc551b2253abfb977f4cc882c0d1
**SHA256:**8f450452f4554ffa8270f7b150da18e7dd012b85f547eeee83dbe9933037e3e5
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## inventory.zip: inventory.jar: inventoryextension.treenode.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/ticketpageextension/inventoryextension.treenode.directive.js
**MD5:** de55dd804458f39980a5e00b24628b17
**SHA1:** 553d96d4fe4fe45cb4feee9951b549e05338e65b
**SHA256:**20e3e1bab81eb8215d5bd2c72cf413365c7a6c9885535ee454d7297b5d3dfb05
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## inventory.zip: inventory.jar: inventoryfactory.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventoryfactory.js
**MD5:** 8d30f2fe643c1496fc4c518fdcfc2142

**SHA1:** 5c96de62b911023baffef3faaba02af6f9c3b530
**SHA256:**0a90653a109cf65fd05bdbea10bba65a5ab47cae6498f089561f599cc2091b89
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## inventory.zip: inventory.jar: inventorymodel.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/inventorymodel.js
**MD5:** f65af4d75fdd5919b95b313b386e8ed7
**SHA1:** db84e31f03fbfcc124c1bd4996d3a6292acc3536
**SHA256:**66917be5fcb8a1c91b346113e8477a562cf866881874cca589e234db294b8b6e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## inventory.zip: inventory.jar: inventoryticketpagefactory.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/ticketpageextension/inventoryticketpagefactory.js
**MD5:** 2cc0c4ef757e81ac4d604a6d3179ed76
**SHA1:** fedd712796da8684caa46525d6e7e31e09eb05ba
**SHA256:**a6910668e374392148ed5cd255b9c77792f8372d5d3431a897f7574d34d18d53
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## inventory.zip: inventory.jar: printinventory.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/print/printinventory.js
**MD5:** dd4fdbde5ce0b27b985d404b8ea356c1
**SHA1:** 567635255bce3b26dbfd4aa47501c6eacad78137
**SHA256:**6fa8802a7c5fdc7b1aec88d1e7402303e0fe9119c201588b604062b03d2d8d41
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## inventory.zip: inventory.jar: resizeableColumn.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/resizeableColumn.js
**MD5:** ed544f97f5d5e3bd3bb409a71d197558
**SHA1:** 07e223b222d93bedefb31b1512da658c762cacc0
**SHA256:**d2a0d653e455a0a292fabaeff1ffc9520124b564a5b5bc924e01f4da344e18e5
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## inventory.zip: inventory.jar: treegroupingsettings.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/inventory.zip/inventory.jar/com/inet/helpdesk/plugins/inventory/client/js/treegroupingsettings.js
**MD5:** 5137f121e745bdf55ec1c13a80bcf68d
**SHA1:** b4f63b97fef280bc381e34ec8ee136799432b5c3
**SHA256:**d0f678e1011470a06e9b71f25288847087e9169f2c204121b472727ba3a0e508
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## jakarta.servlet-api.jar

**Description:**

Jakarta Servlet 6.1

**License:**

EPL 2.0: http://www.eclipse.org/legal/epl-2.0
GPL2 w/ CPE: https://www.gnu.org/software/classpath/license.html

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/core/jakarta.servlet-api.jar
**MD5:** 314c930b3e40ac1abc3529c7c9942f09
**SHA1:** 1169a246913fe3823782af7943e7a103634867c5
**SHA256:**8a31f465f3593bf2351531a5c952014eb839da96a605b5825b93dd54714c48c4
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | jakarta.servlet-api | High |
| Vendor | jar | package name | jakarta | Highest |
| Vendor | jar | package name | servlet | Highest |

| | | | | |
|---|---|---|---|---|
| Vendor | Manifest | build-jdk-spec | 11 | Low |
| Vendor | Manifest | bundle-docurl | https://www.eclipse.org | Low |
| Vendor | Manifest | bundle-symbolicname | jakarta.servlet-api | Medium |
| Vendor | Manifest | extension-name | jakarta.servlet | Medium |
| Vendor | Manifest | Implementation-Vendor | Eclipse Foundation | High |
| Vendor | Manifest | Implementation-Vendor-Id | org.eclipse | Medium |
| Vendor | Manifest | specification-vendor | Eclipse Foundation | Low |
| Vendor | pom | artifactid | jakarta.servlet-api | Low |
| Vendor | pom | developer id | yaminikb | Medium |
| Vendor | pom | developer name | Yamini K B | Medium |
| Vendor | pom | developer org | Oracle Corporation | Medium |
| Vendor | pom | developer org URL | http://www.oracle.com/ | Medium |
| Vendor | pom | groupid | jakarta.servlet | Highest |
| Vendor | pom | name | Jakarta Servlet | High |
| Vendor | pom | parent-artifactid | project | Low |
| Vendor | pom | parent-groupid | org.eclipse.ee4j | Medium |
| Vendor | pom | url | https://projects.eclipse.org/projects/ee4j.servlet | Highest |
| Product | file | name | jakarta.servlet-api | High |
| Product | jar | package name | jakarta | Highest |
| Product | jar | package name | servlet | Highest |
| Product | Manifest | build-jdk-spec | 11 | Low |
| Product | Manifest | bundle-docurl | https://www.eclipse.org | Low |
| Product | Manifest | Bundle-Name | Jakarta Servlet | Medium |
| Product | Manifest | bundle-symbolicname | jakarta.servlet-api | Medium |
| Product | Manifest | extension-name | jakarta.servlet | Medium |
| Product | pom | artifactid | jakarta.servlet-api | Highest |
| Product | pom | developer id | yaminikb | Low |
| Product | pom | developer name | Yamini K B | Low |
| Product | pom | developer org | Oracle Corporation | Low |
| Product | pom | developer org URL | http://www.oracle.com/ | Low |
| Product | pom | groupid | jakarta.servlet | Highest |

| | | | | |
|---|---|---|---|---|
| Product | pom | name | Jakarta Servlet | High |
| Product | pom | parent-artifactid | project | Medium |
| Product | pom | parent-groupid | org.eclipse.ee4j | Medium |
| Product | pom | url | https://projects.eclipse.org/projects/ee4j.servlet | Medium |
| Version | Manifest | Bundle-Version | 6.1.0 | High |
| Version | Manifest | Implementation-Version | 6.1.0 | High |
| Version | pom | parent-version | 6.1.0 | Low |
| Version | pom | version | 6.1.0 | Highest |

**Identifiers**

- pkg:maven/jakarta.servlet/jakarta.servlet-api@6.1.0 (*Confidence*:High)
- cpe:2.3:a:oracle:projects:6.1.0:*:*:*:*:*:*:* (*Confidence*:Low) suppress

## jakarta.websocket-api.jar

**Description:**

Jakarta WebSocket - Server API

**License:**

https://www.eclipse.org/org/documents/epl-2.0/EPL-2.0.txt, https://www.gnu.org/software/classpath/license.html

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/core/jakarta.websocket-api.jar
**MD5:** b1098129a9c74ae03d618fb841990ab0
**SHA1:** 60e525188fdb42120506debd90ffd4e204fd6f24
**SHA256:**541d00436cbca0a5e1f6a457c9f70a64f00bd2f83e10ed89c2b372bc34843b7e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | jakarta.websocket-api | High |
| Vendor | jar | package name | jakarta | Highest |
| Vendor | jar | package name | server | Highest |
| Vendor | jar | package name | websocket | Highest |
| Vendor | Manifest | build-jdk-spec | 11 | Low |
| Vendor | Manifest | bundle-docurl | https://www.eclipse.org | Low |

| | | | | |
|---|---|---|---|---|
| Vendor | Manifest | bundle-symbolicname | jakarta.websocket-api | Medium |
| Vendor | Manifest | extension-name | jakarta.websocket | Medium |
| Vendor | Manifest | Implementation-Vendor | Eclipse Foundation | High |
| Vendor | Manifest | specification-vendor | Eclipse Foundation | Low |
| Vendor | pom | artifactid | jakarta.websocket-api | Low |
| Vendor | pom | groupid | jakarta.websocket | Highest |
| Vendor | pom | name | Jakarta WebSocket - Server API | High |
| Vendor | pom | parent-artifactid | jakarta.websocket-all | Low |
| Vendor | pom | url | https://projects.eclipse.org/projects/ee4j.websocket | Highest |
| Product | file | name | jakarta.websocket-api | High |
| Product | jar | package name | jakarta | Highest |
| Product | jar | package name | server | Highest |
| Product | jar | package name | websocket | Highest |
| Product | Manifest | build-jdk-spec | 11 | Low |
| Product | Manifest | bundle-docurl | https://www.eclipse.org | Low |
| Product | Manifest | Bundle-Name | Jakarta WebSocket - Server API | Medium |
| Product | Manifest | bundle-symbolicname | jakarta.websocket-api | Medium |
| Product | Manifest | extension-name | jakarta.websocket | Medium |
| Product | pom | artifactid | jakarta.websocket-api | Highest |
| Product | pom | groupid | jakarta.websocket | Highest |
| Product | pom | name | Jakarta WebSocket - Server API | High |
| Product | pom | parent-artifactid | jakarta.websocket-all | Medium |
| Product | pom | url | https://projects.eclipse.org/projects/ee4j.websocket | Medium |
| Version | Manifest | Bundle-Version | 2.2.0 | High |
| Version | Manifest | Implementation-Version | 2.2.0 | High |
| Version | pom | version | 2.2.0 | Highest |

**Identifiers**

- pkg:maven/jakarta.websocket/jakarta.websocket-api@2.2.0 (*Confidence*:High)

## jakarta.websocket-client-api.jar

**Description:**

Jakarta WebSocket - Client API

**License:**

https://www.eclipse.org/org/documents/epl-2.0/EPL-2.0.txt, https://www.gnu.org/software/classpath/license.html

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/core/jakarta.websocket-client-api.jar
**MD5:** 9c363a8d4ab7b78b6160569e27568c1a
**SHA1:** cf7eafc1b929a80429c77e4450c6720a7de56814
**SHA256:**aa6fa9331a3f470daee0dbfcf084abfbd7a49507297575d5bb8bfbf3d62fe8c0
**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | jakarta.websocket-client-api | High |
| Vendor | jar | package name | jakarta | Highest |
| Vendor | jar | package name | websocket | Highest |
| Vendor | Manifest | build-jdk-spec | 11 | Low |
| Vendor | Manifest | bundle-docurl | https://www.eclipse.org | Low |
| Vendor | Manifest | bundle-symbolicname | jakarta.websocket-client-api | Medium |
| Vendor | Manifest | extension-name | jakarta.websocket-client | Medium |
| Vendor | Manifest | Implementation-Vendor | Eclipse Foundation | High |
| Vendor | Manifest | specification-vendor | Eclipse Foundation | Low |
| Vendor | pom | artifactid | jakarta.websocket-client-api | Low |
| Vendor | pom | groupid | jakarta.websocket | Highest |
| Vendor | pom | name | Jakarta WebSocket - Client API | High |
| Vendor | pom | parent-artifactid | jakarta.websocket-all | Low |
| Vendor | pom | url | https://projects.eclipse.org/projects/ee4j.websocket | Highest |
| Product | file | name | jakarta.websocket-client-api | High |
| Product | jar | package name | jakarta | Highest |
| Product | jar | package name | websocket | Highest |
| Product | Manifest | build-jdk-spec | 11 | Low |
| Product | Manifest | bundle-docurl | https://www.eclipse.org | Low |

| | | | | |
|---|---|---|---|---|
| Product | Manifest | Bundle-Name | Jakarta WebSocket - Client API | Medium |
| Product | Manifest | bundle-symbolicname | jakarta.websocket-client-api | Medium |
| Product | Manifest | extension-name | jakarta.websocket-client | Medium |
| Product | pom | artifactid | jakarta.websocket-client-api | Highest |
| Product | pom | groupid | jakarta.websocket | Highest |
| Product | pom | name | Jakarta WebSocket - Client API | High |
| Product | pom | parent-artifactid | jakarta.websocket-all | Medium |
| Product | pom | url | https://projects.eclipse.org/projects/ee4j.websocket | Medium |
| Version | Manifest | Bundle-Version | 2.2.0 | High |
| Version | Manifest | Implementation-Version | 2.2.0 | High |
| Version | pom | version | 2.2.0 | Highest |

**Identifiers**

- pkg:maven/jakarta.websocket/jakarta.websocket-client-api@2.2.0 (*Confidence*:High)
- cpe:2.3:a:web_project:web:2.2.0:*:*:*:*:*:*:* (*Confidence*:High) suppress

## java-21-jre-x64-linux.tar.gz: java-21-jre-x64-linux.tar: jrt-fs.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/java-21-jre-x64-linux.tar.gz/java-21-jre-x64-linux.tar/jre-11/lib/jrt-fs.jar
**MD5:** 276de9c23c2c16d354492597c6b9832f
**SHA1:** 266df3de8a88656fe28e132bc6dbdbe2cc724b20
**SHA256:**494c3d85ab7e8758d5fff4f168ad11817ded6c48409c8056803bb72f589b4abb
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | jrt-fs | High |
| Vendor | jar | package name | internal | Low |
| Vendor | jar | package name | jdk | Low |
| Vendor | jar | package name | jimage | Low |
| Vendor | Manifest | Implementation-Vendor | Eclipse Adoptium | High |

| | | | | |
|---|---|---|---|---|
| Vendor | Manifest | specification-vendor | Oracle Corporation | Low |
| Product | file | name | jrt-fs | High |
| Product | jar | package name | internal | Low |
| Product | jar | package name | jimage | Low |
| Product | Manifest | Implementation-Title | Java Runtime Environment | High |
| Product | Manifest | specification-title | Java Platform API Specification | Medium |
| Version | Manifest | Implementation-Version | 21.0.9 | High |

**Identifiers**

- cpe:2.3:a:eclipse:platform:21.0.9:*:*:*:*:*:*:* (*Confidence*:Medium) suppress

## javase.jar

**Description:**

Java SE-specific extensions to core ZXing library

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/zxing/javase.jar
**MD5:** 1a5b45e1a7235398bdccfbc94a287d0c
**SHA1:** 55d93bb3ffee425a7be56cd6ff572fb64ac84593
**SHA256:**d65795b789efac8a2156cb2a4b648d20e58bfe03613165bb5dce6870ecef798e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | javase | High |
| Vendor | jar | package name | google | Highest |
| Vendor | jar | package name | zxing | Highest |
| Vendor | Manifest | automatic-module-name | com.google.zxing.javase | Medium |
| Vendor | Manifest | build-jdk-spec | 1.8 | Low |
| Vendor | pom | artifactid | javase | Low |
| Vendor | pom | groupid | com.google.zxing | Highest |
| Vendor | pom | name | ZXing Java SE extensions | High |
| Vendor | pom | parent-artifactid | zxing-parent | Low |

| | | | | |
|---|---|---|---|---|
| Product | file | name | javase | High |
| Product | jar | package name | google | Highest |
| Product | jar | package name | zxing | Highest |
| Product | Manifest | automatic-module-name | com.google.zxing.javase | Medium |
| Product | Manifest | build-jdk-spec | 1.8 | Low |
| Product | pom | artifactid | javase | Highest |
| Product | pom | groupid | com.google.zxing | Highest |
| Product | pom | name | ZXing Java SE extensions | High |
| Product | pom | parent-artifactid | zxing-parent | Medium |
| Version | pom | version | 3.5.3 | Highest |

**Identifiers**

- pkg:maven/com.google.zxing/javase@3.5.3 (*Confidence*:High)

## jcip-annotations-1.0.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/net.jcip/jcip-annotations/1.0/afba4942caaeaf46aab0b976afd57cc7c181467e/jcip-annotations-1.0.jar
**MD5:** 9d5272954896c5a5d234f66b7372b17a
**SHA1:** afba4942caaeaf46aab0b976afd57cc7c181467e
**SHA256:**be5805392060c71474bf6c9a67a099471274d30b83eef84bfc4e0889a4f1dcc0
**Referenced In Project/Scope:** server:inetPlugin
**Included by:** pkg:maven/de.inetsoftware/jlessc@1.14

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | jcip-annotations | High |
| Vendor | gradle | artifactid | jcip-annotations | Highest |
| Vendor | gradle | groupid | net.jcip | Highest |
| Vendor | jar | package name | annotations | Low |
| Vendor | jar | package name | jcip | Low |
| Vendor | jar | package name | net | Low |
| Product | file | name | jcip-annotations | High |
| Product | gradle | artifactid | jcip-annotations | Highest |
| Product | jar | package name | annotations | Low |

| | | | | |
|---|---|---|---|---|
| Product | jar | package name | jcip | Low |
| Version | file | name | jcip-annotations | Medium |
| Version | file | version | 1.0 | High |
| Version | gradle | version | 1.0 | Highest |

**Identifiers**

- pkg:maven/net.jcip/jcip-annotations@1.0 (*Confidence*:Highest)

## jlessc-1.14.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/de.inetsoftware/jlessc/1.14/5b2789630acdc41bab5c86da8937ffef3811a3c3/jlessc-1.14.jar
**MD5:** 73ef6dc09f0efda918ffcf67677ad2b0
**SHA1:** 5b2789630acdc41bab5c86da8937ffef3811a3c3
**SHA256:**5445ebb2231d943301b977e2b30451fc704835ea9b5f96fa64618c608938cb52
**Referenced In Projects/Scopes:**

- server
- server:inetPlugin

**Included by:** pkg:maven/helpdesk/server@25.10

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | jlessc | High |
| Vendor | gradle | artifactid | jlessc | Highest |
| Vendor | gradle | groupid | de.inetsoftware | Highest |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | less | Low |
| Vendor | jar | package name | lib | Low |
| Vendor | Manifest | automatic-module-name | de.inetsoftware.jlessc | Medium |
| Vendor | Manifest | bundle-symbolicname | de.inetsoftware.jlessc | Medium |
| Vendor | Manifest | Implementation-Vendor | i-net software GmbH, Berlin, Germany | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Product | file | name | jlessc | High |
| Product | gradle | artifactid | jlessc | Highest |

| | | | | |
|---|---|---|---|---|
| Product | jar | package name | less | Low |
| Product | jar | package name | lib | Low |
| Product | Manifest | automatic-module-name | de.inetsoftware.jlessc | Medium |
| Product | Manifest | bundle-symbolicname | de.inetsoftware.jlessc | Medium |
| Product | Manifest | Implementation-Title | JLessC, a Less CSS compiler | High |
| Version | file | version | 1.14 | High |
| Version | Manifest | Implementation-Version | 1.14 | High |

**Related Dependencies**

- theme.zip: jlessc.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/theme.zip/jlessc.jar
  - MD5: 73ef6dc09f0efda918ffcf67677ad2b0
  - SHA1: 5b2789630acdc41bab5c86da8937ffef3811a3c3
  - SHA256: 5445ebb2231d943301b977e2b30451fc704835ea9b5f96fa64618c608938cb52

**Identifiers**

- pkg:maven/de.inetsoftware/jlessc@1.14 (*Confidence*:Highest)

## jna.jar

**Description:**

JNA Library

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/jna.jar
**MD5:** 9bb1338e58031463c300f643cb3c41fa
**SHA1:** d9c6794f22c2e3c846b02d51c6a95c304e8e056b
**SHA256:**336f2ae25222389eb9f3c90f8f7c3a6258c33581964b2338bf836b3b865b049e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | jna | High |
| Vendor | jar | package name | jna | Highest |

| | | | | |
|---|---|---|---|---|
| Vendor | jar | package name | jna | Low |
| Vendor | jar | package name | sun | Highest |
| Vendor | jar | package name | sun | Low |
| Vendor | jar (hint) | package name | oracle | Highest |
| Vendor | jar (hint) | package name | oracle | Low |
| Vendor | Manifest | automatic-module-name | com.sun.jna | Medium |
| Vendor | Manifest | bundle-activationpolicy | lazy | Low |
| Vendor | Manifest | bundle-category | jni | Low |
| Vendor | Manifest | bundle-nativecode | com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win32, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win32, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64; osname=win32, com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64;osname=win, com/sun/jna/w32ce-arm/jnidispatch.dll; processor=arm;osname=wince, com/sun/jna/sunos-x86/libjnidispatch.so; processor=x86; osname=sunos, com/sun/jna/sunos-x86-64/libjnidispatch.so; processor=x86-64; osname=sunos, com/sun/jna/sunos-sparc/libjnidispatch.so; processor=sparc; osname=sunos, com/sun/jna/sunos-sparcv9/libjnidispatch.so; processor=sparcv9; osname=sunos, com/sun/jna/aix-ppc/libjnidispatch.a; processor=ppc; osname=aix, com/sun/jna/aix-ppc64/libjnidispatch.a; processor=ppc64; osname=aix, com/sun/jna/linux-ppc/libjnidispatch.so; processor=ppc; osname=linux, com/sun/jna/linux-ppc64/libjnidispatch.so; processor=ppc64; osname=linux, com/sun/jna/linux-ppc64le/libjnidispatch.so; processor=ppc64le; osname=linux, com/sun/jna/linux-x86/libjnidispatch.so; processor=x86; osname=linux, com/sun/jna/linux-x86-64/libjnidispatch.so; processor=x86-64; osname=linux, com/sun/jna/linux-arm/libjnidispatch.so; processor=arm; osname=linux, com/sun/jna/linux-arm/libjnidispatch.so; processor=arm_le; osname=linux, com/sun/jna/linux-armel/libjnidispatch.so; processor=armel; osname=linux, com/sun/jna/linux-aarch64/libjnidispatch.so; processor=aarch64; osname=linux, com/sun/jna/linux-ia64/libjnidispatch.so; processor=ia64; osname=linux, com/sun/jna/linux-sparcv9/libjnidispatch.so; processor=sparcv9; osname=linux, com/sun/jna/linux-mips64el/libjnidispatch.so; processor=mips64el; | Low |

| | | | | |
|---|---|---|---|---|
| | | | osname=linux, com/sun/jna/linux-s390x /libjnidispatch.so; processor=S390x; osname=linux, com/sun/jna/linux-loongarch64/libjnidispatch.so; processor=loongarch64;osname=linux, com /sun/jna/freebsd-x86/libjnidispatch.so; processor=x86;osname=freebsd, com/sun /jna/freebsd-x86-64/libjnidispatch.so; processor=x86-64;osname=freebsd, com /sun/jna/openbsd-x86/libjnidispatch.so; processor=x86;osname=openbsd, com/sun /jna/openbsd-x86-64/libjnidispatch.so; processor=x86-64;osname=openbsd, com /sun/jna/darwin-ppc/libjnidispatch.jnilib; osname=macosx;processor=ppc, com/sun /jna/darwin-ppc64/libjnidispatch.jnilib; osname=macosx;processor=ppc64, com/sun /jna/darwin-x86/libjnidispatch.jnilib; osname=macosx;processor=x86, com/sun /jna/darwin-x86-64/libjnidispatch.jnilib; osname=macosx;processor=x86-64, com /sun/jna/darwin-aarch64/libjnidispatch.jnilib; osname=macosx;processor=aarch64 | |
| Vendor | Manifest | bundle-requiredexecution | JavaSE-1.6 | Low |
| Vendor | Manifest | bundle-symbolicname | com.sun.jna | Medium |
| Vendor | Manifest | Implementation-Vendor | JNA Development Team | High |
| Vendor | Manifest | specification-vendor | JNA Development Team | Low |
| Product | file | name | jna | High |
| Product | jar | package name | jna | Highest |
| Product | jar | package name | jna | Low |
| Product | jar | package name | library | Highest |
| Product | jar | package name | native | Highest |
| Product | jar | package name | sun | Highest |
| Product | jar | package name | win32 | Highest |
| Product | Manifest | automatic-module-name | com.sun.jna | Medium |
| Product | Manifest | bundle-activationpolicy | lazy | Low |
| Product | Manifest | bundle-category | jni | Low |
| Product | Manifest | Bundle-Name | jna | Medium |
| Product | Manifest | bundle-nativecode | com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win32, com/sun/jna /win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win32, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64; osname=win32, com/sun/jna/win32-x86 /jnidispatch.dll; processor=x86;osname=win, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win, com/sun/jna | Low |

| | | | | |
|---|---|---|---|---|
| | | | /win32-aarch64/jnidispatch.dll; processor=aarch64;osname=win, com/sun /jna/w32ce-arm/jnidispatch.dll; processor=arm;osname=wince, com/sun/jna /sunos-x86/libjnidispatch.so; processor=x86; osname=sunos, com/sun/jna/sunos-x86-64 /libjnidispatch.so; processor=x86-64; osname=sunos, com/sun/jna/sunos-sparc /libjnidispatch.so; processor=sparc; osname=sunos, com/sun/jna/sunos-sparcv9 /libjnidispatch.so; processor=sparcv9; osname=sunos, com/sun/jna/aix-ppc /libjnidispatch.a; processor=ppc; osname=aix, com/sun/jna/aix-ppc64 /libjnidispatch.a; processor=ppc64; osname=aix, com/sun/jna/linux-ppc /libjnidispatch.so; processor=ppc; osname=linux, com/sun/jna/linux-ppc64 /libjnidispatch.so; processor=ppc64; osname=linux, com/sun/jna/linux-ppc64le /libjnidispatch.so; processor=ppc64le; osname=linux, com/sun/jna/linux-x86 /libjnidispatch.so; processor=x86; osname=linux, com/sun/jna/linux-x86-64 /libjnidispatch.so; processor=x86-64; osname=linux, com/sun/jna/linux-arm /libjnidispatch.so; processor=arm; osname=linux, com/sun/jna/linux-arm /libjnidispatch.so; processor=arm_le; osname=linux, com/sun/jna/linux-armel /libjnidispatch.so; processor=armel; osname=linux, com/sun/jna/linux-aarch64 /libjnidispatch.so; processor=aarch64; osname=linux, com/sun/jna/linux-ia64 /libjnidispatch.so; processor=ia64; osname=linux, com/sun/jna/linux-sparcv9 /libjnidispatch.so; processor=sparcv9; osname=linux, com/sun/jna/linux-mips64el /libjnidispatch.so; processor=mips64el; osname=linux, com/sun/jna/linux-s390x /libjnidispatch.so; processor=S390x; osname=linux, com/sun/jna/linux-loongarch64/libjnidispatch.so; processor=loongarch64;osname=linux, com /sun/jna/freebsd-x86/libjnidispatch.so; processor=x86;osname=freebsd, com/sun /jna/freebsd-x86-64/libjnidispatch.so; processor=x86-64;osname=freebsd, com /sun/jna/openbsd-x86/libjnidispatch.so; processor=x86;osname=openbsd, com/sun /jna/openbsd-x86-64/libjnidispatch.so; processor=x86-64;osname=openbsd, com /sun/jna/darwin-ppc/libjnidispatch.jnilib; osname=macosx;processor=ppc, com/sun /jna/darwin-ppc64/libjnidispatch.jnilib; osname=macosx;processor=ppc64, com/sun /jna/darwin-x86/libjnidispatch.jnilib; osname=macosx;processor=x86, com/sun /jna/darwin-x86-64/libjnidispatch.jnilib; osname=macosx;processor=x86-64, com /sun/jna/darwin-aarch64/libjnidispatch.jnilib; osname=macosx;processor=aarch64 | |
| Product | Manifest | bundle-requiredexecution | JavaSE-1.6 | Low |
| Product | Manifest | bundle-symbolicname | com.sun.jna | Medium |

| | | | | |
|---|---|---|---|---|
| Product | Manifest | Implementation-Title | com.sun.jna | High |
| Product | Manifest | specification-title | Java Native Access (JNA) | Medium |
| Version | jar | package name | jna | Highest |
| Version | jar | package name | sun | Highest |
| Version | jar | package name | win32 | Highest |
| Version | Manifest | Bundle-Version | 5.14.0 | High |
| Version | Manifest | Implementation-Version | 5.14.0 (b0) | High |

**Related Dependencies**

- authentication.pam.zip: jna.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.pam.zip/jna.jar
  - MD5: 9bb1338e58031463c300f643cb3c41fa
  - SHA1: d9c6794f22c2e3c846b02d51c6a95c304e8e056b
  - SHA256: 336f2ae25222389eb9f3c90f8f7c3a6258c33581964b2338bf836b3b865b049e
- authentication.windows.zip: jna.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.windows.zip/jna.jar
  - MD5: 9bb1338e58031463c300f643cb3c41fa
  - SHA1: d9c6794f22c2e3c846b02d51c6a95c304e8e056b
  - SHA256: 336f2ae25222389eb9f3c90f8f7c3a6258c33581964b2338bf836b3b865b049e

**Identifiers**

- cpe:2.3:a:oracle:java_se:5.14.0:*:*:*:*:*:*:* (*Confidence*:Low) suppress

## jna.jar: jnidispatch.dll

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/jna.jar/com/sun/jna/win32-aarch64/jnidispatch.dll
**MD5:** f6bef568e690d361a5dcc165f5ad4b1f
**SHA1:** 05638a4aaafa689a6c246530823afdc18d3fd438
**SHA256:**b9d1479b9619b7ece4a36b6ae31365ffaf15a1355d4f6da02f8b5f09df2fa82f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

| | | | | |
|---|---|---|---|---|
| Vendor | file | name | jnidispatch | High |
| Product | file | name | jnidispatch | High |

**Related Dependencies**

- authentication.pam.zip: jna.jar: jnidispatch.dll
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.pam.zip/jna.jar/com/sun/jna/win32-aarch64/jnidispatch.dll
  - MD5: f6bef568e690d361a5dcc165f5ad4b1f
  - SHA1: 05638a4aaafa689a6c246530823afdc18d3fd438
  - SHA256: b9d1479b9619b7ece4a36b6ae31365ffaf15a1355d4f6da02f8b5f09df2fa82f
- authentication.windows.zip: jna.jar: jnidispatch.dll
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.windows.zip/jna.jar/com/sun/jna/win32-aarch64/jnidispatch.dll
  - MD5: f6bef568e690d361a5dcc165f5ad4b1f
  - SHA1: 05638a4aaafa689a6c246530823afdc18d3fd438
  - SHA256: b9d1479b9619b7ece4a36b6ae31365ffaf15a1355d4f6da02f8b5f09df2fa82f

**Identifiers**

- **None**

## jna.jar: jnidispatch.dll

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/jna.jar/com/sun/jna/win32-x86-64/jnidispatch.dll
**MD5:** 719d6ba1946c25aa61ce82f90d77ffd5
**SHA1:** 94d2191378cac5719daecc826fc116816284c406
**SHA256:**69c45175ecfd25af023f96ac0bb2c45e6a95e3ba8a5a50ee7969ccab14825c44
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | jnidispatch | High |
| Product | file | name | jnidispatch | High |

**Related Dependencies**

- authentication.pam.zip: jna.jar: jnidispatch.dll

- File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.pam.zip/jna.jar/com/sun/jna/win32-x86-64/jnidispatch.dll
- MD5: 719d6ba1946c25aa61ce82f90d77ffd5
- SHA1: 94d2191378cac5719daecc826fc116816284c406
- SHA256: 69c45175ecfd25af023f96ac0bb2c45e6a95e3ba8a5a50ee7969ccab14825c44

- authentication.windows.zip: jna.jar: jnidispatch.dll
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.windows.zip/jna.jar/com/sun/jna/win32-x86-64/jnidispatch.dll
  - MD5: 719d6ba1946c25aa61ce82f90d77ffd5
  - SHA1: 94d2191378cac5719daecc826fc116816284c406
  - SHA256: 69c45175ecfd25af023f96ac0bb2c45e6a95e3ba8a5a50ee7969ccab14825c44

**Identifiers**

- **None**

## jna.jar: jnidispatch.dll

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/jna.jar/com/sun/jna/win32-x86/jnidispatch.dll
**MD5:** e15183ef9c6c255b76fda73d01ca7ecb
**SHA1:** f816f998c43204230d9ea3eecffb5f8372a32c2e
**SHA256:**38650a0612730c52580c9f32ff766b44b1c5a426d52e7dd7a53687bf3389ac2c
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | jnidispatch | High |
| Product | file | name | jnidispatch | High |

**Related Dependencies**

- authentication.pam.zip: jna.jar: jnidispatch.dll
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.pam.zip/jna.jar/com/sun/jna/win32-x86/jnidispatch.dll
  - MD5: e15183ef9c6c255b76fda73d01ca7ecb
  - SHA1: f816f998c43204230d9ea3eecffb5f8372a32c2e
  - SHA256: 38650a0612730c52580c9f32ff766b44b1c5a426d52e7dd7a53687bf3389ac2c
- authentication.windows.zip: jna.jar: jnidispatch.dll
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/authentication.windows.zip/jna.jar/com/sun/jna/win32-x86/jnidispatch.dll
  - MD5: e15183ef9c6c255b76fda73d01ca7ecb
  - SHA1: f816f998c43204230d9ea3eecffb5f8372a32c2e

- SHA256: 38650a0612730c52580c9f32ff766b44b1c5a426d52e7dd7a53687bf3389ac2c

**Identifiers**

- **None**

## jsr305-3.0.2.jar

**Description:**

JSR305 Annotations for Findbugs

**License:**

The Apache Software License, Version 2.0: http://www.apache.org/licenses/LICENSE-2.0.txt

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/com.google.code.findbugs/jsr305/3.0.2/25ea2e8b0c338a877313bd4672d3fe056ea78f0d/jsr305-3.0.2.jar
**MD5:** dd83accb899363c32b07d7a1b2e4ce40
**SHA1:** 25ea2e8b0c338a877313bd4672d3fe056ea78f0d
**SHA256:**766ad2a0783f2687962c8ad74ceecc38a28b9f72a2d085ee438b7813e928d0c7
**Referenced In Project/Scope:** server:inetPlugin
**Included by:** pkg:maven/de.inetsoftware/jlessc@1.14

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | jsr305 | High |
| Vendor | gradle | artifactid | jsr305 | Highest |
| Vendor | gradle | groupid | com.google.code.findbugs | Highest |
| Vendor | Manifest | bundle-symbolicname | org.jsr-305 | Medium |
| Vendor | pom | artifactid | jsr305 | Low |
| Vendor | pom | groupid | com.google.code.findbugs | Highest |
| Vendor | pom | name | FindBugs-jsr305 | High |
| Vendor | pom | url | http://findbugs.sourceforge.net/ | Highest |
| Product | file | name | jsr305 | High |
| Product | gradle | artifactid | jsr305 | Highest |
| Product | Manifest | Bundle-Name | FindBugs-jsr305 | Medium |
| Product | Manifest | bundle-symbolicname | org.jsr-305 | Medium |
| Product | pom | artifactid | jsr305 | Highest |
| Product | pom | groupid | com.google.code.findbugs | Highest |

| | | | | |
|---|---|---|---|---|
| Product | pom | name | FindBugs-jsr305 | High |
| Product | pom | url | http://findbugs.sourceforge.net/ | Medium |
| Version | file | version | 3.0.2 | High |
| Version | gradle | version | 3.0.2 | Highest |
| Version | Manifest | Bundle-Version | 3.0.2 | High |
| Version | pom | version | 3.0.2 | Highest |

**Identifiers**

- pkg:maven/com.google.code.findbugs/jsr305@3.0.2 (*Confidence*:High)

## junit-4.13.2.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/junit/junit/4.13.2/8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12/junit-4.13.2.jar
**MD5:** d98a9a02a99a9acd22d7653cbcc1f31f
**SHA1:** 8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12
**SHA256:**8e495b634469d64fb8acfa3495a065cbacc8a0fff55ce1e31007be4c16dc57d3
**Referenced In Project/Scope:** server:inetPlugin
**Included by:** pkg:maven/helpdesk/server@25.10

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | junit | High |
| Vendor | gradle | artifactid | junit | Highest |
| Vendor | gradle | groupid | junit | Highest |
| Vendor | jar | package name | junit | Highest |
| Vendor | jar | package name | junit | Low |
| Vendor | Manifest | automatic-module-name | junit | Medium |
| Vendor | Manifest | implementation-url | http://junit.org | Low |
| Vendor | Manifest | Implementation-Vendor | JUnit | High |
| Vendor | Manifest | Implementation-Vendor-Id | junit | Medium |
| Product | file | name | junit | High |
| Product | gradle | artifactid | junit | Highest |
| Product | jar | package name | junit | Highest |

| | | | | |
|---|---|---|---|---|
| Product | Manifest | automatic-module-name | junit | Medium |
| Product | Manifest | Implementation-Title | JUnit | High |
| Product | Manifest | implementation-url | http://junit.org | Low |
| Version | file | version | 4.13.2 | High |
| Version | Manifest | Implementation-Version | 4.13.2 | High |

**Identifiers**

- pkg:maven/junit/junit@4.13.2 (*Confidence*:Highest)
- cpe:2.3:a:junit:junit4:4.13.2:*:*:*:*:*:*:* (*Confidence*:Highest) suppress

## junit-jupiter-5.13.4.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter/5.13.4/93547b3eca48a61f65f735c1898d3ec196e34149/junit-jupiter-5.13.4.jar
**MD5:** 3f4e38bdbea73c98a50f08b7c6e33426
**SHA1:** 93547b3eca48a61f65f735c1898d3ec196e34149
**SHA256:**b960f79217dd01c863031b678f07df4730bbf1eac650c74ad6b0c61faad78379
**Referenced In Project/Scope:** server:inetPlugin
**Included by:**

- pkg:maven/helpdesk/server@25.10
- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | junit-jupiter | High |
| Vendor | gradle | artifactid | junit-jupiter | Highest |
| Vendor | gradle | groupid | org.junit.jupiter | Highest |
| Vendor | jar | package name | module-info | Low |
| Vendor | Manifest | build-date | 2025-07-21 | Low |
| Vendor | Manifest | build-revision | 8a21048605e61dc388c1c83cbecf9dd5097a59 | Low |
| Vendor | Manifest | build-time | 08:57:57.538+0200 | Low |
| Vendor | Manifest | bundle-symbolicname | junit-jupiter | Medium |

| | | | | |
|---|---|---|---|---|
| Vendor | Manifest | Implementation-Vendor | junit.org | High |
| Vendor | Manifest | specification-vendor | junit.org | Low |
| Product | file | name | junit-jupiter | High |
| Product | gradle | artifactid | junit-jupiter | Highest |
| Product | Manifest | build-date | 2025-07-21 | Low |
| Product | Manifest | build-revision | 8a21048605e61dc388c1c83cbecf9dd5097a59 | Low |
| Product | Manifest | build-time | 08:57:57.538+0200 | Low |
| Product | Manifest | Bundle-Name | JUnit Jupiter (Aggregator) | Medium |
| Product | Manifest | bundle-symbolicname | junit-jupiter | Medium |
| Product | Manifest | Implementation-Title | junit-jupiter | High |
| Product | Manifest | specification-title | junit-jupiter | Medium |
| Version | file | version | 5.13.4 | High |
| Version | Manifest | Implementation-Version | 5.13.4 | High |

**Identifiers**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4 (*Confidence*:Highest)

## junit-jupiter-api-5.13.4.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-api/5.13.4/2817f736551fe4949b79924715ef6f594ee072f4/junit-jupiter-api-5.13.4.jar
**MD5:** d9981621212d598a4ba380342094c92f
**SHA1:** 2817f736551fe4949b79924715ef6f594ee072f4
**SHA256:**d1bb81abfd9e03418306b4e6a3390c8db52c58372e749c2980ac29f0c08278f1
**Referenced In Project/Scope:** server:inetPlugin
**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | junit-jupiter-api | High |
| Vendor | gradle | artifactid | junit-jupiter-api | Highest |

| | | | | |
|---|---|---|---|---|
| Vendor | gradle | groupid | org.junit.jupiter | Highest |
| Vendor | jar | package name | api | Highest |
| Vendor | jar | package name | api | Low |
| Vendor | jar | package name | junit | Highest |
| Vendor | jar | package name | junit | Low |
| Vendor | jar | package name | jupiter | Highest |
| Vendor | jar | package name | jupiter | Low |
| Vendor | Manifest | build-date | 2025-07-21 | Low |
| Vendor | Manifest | build-revision | 8a21048605e61dc388c1c83cbecf9dd5097a59 | Low |
| Vendor | Manifest | build-time | 08:57:57.538+0200 | Low |
| Vendor | Manifest | bundle-symbolicname | junit-jupiter-api | Medium |
| Vendor | Manifest | Implementation-Vendor | junit.org | High |
| Vendor | Manifest | specification-vendor | junit.org | Low |
| Product | file | name | junit-jupiter-api | High |
| Product | gradle | artifactid | junit-jupiter-api | Highest |
| Product | jar | package name | api | Highest |
| Product | jar | package name | api | Low |
| Product | jar | package name | junit | Highest |
| Product | jar | package name | jupiter | Highest |
| Product | jar | package name | jupiter | Low |
| Product | Manifest | build-date | 2025-07-21 | Low |
| Product | Manifest | build-revision | 8a21048605e61dc388c1c83cbecf9dd5097a59 | Low |
| Product | Manifest | build-time | 08:57:57.538+0200 | Low |
| Product | Manifest | Bundle-Name | JUnit Jupiter API | Medium |
| Product | Manifest | bundle-symbolicname | junit-jupiter-api | Medium |
| Product | Manifest | Implementation-Title | junit-jupiter-api | High |
| Product | Manifest | specification-title | junit-jupiter-api | Medium |
| Version | file | version | 5.13.4 | High |
| Version | Manifest | Implementation-Version | 5.13.4 | High |

**Identifiers**

- pkg:maven/org.junit.jupiter/junit-jupiter-api@5.13.4 (*Confidence*:Highest)

## junit-jupiter-engine-5.13.4.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-engine/5.13.4/d29fc8b6a28d21b8741f299ae4deb3e3aa68b2e8/junit-jupiter-engine-5.13.4.jar
**MD5:** 3416ff6cff3dd4ea789b92338a49b9b2
**SHA1:** d29fc8b6a28d21b8741f299ae4deb3e3aa68b2e8
**SHA256:**027404a92fe618b72465792a257951495c503a7d5751e2791e0f51c87f67f5bc
**Referenced In Project/Scope:** server:inetPlugin
**Included by:**

- pkg:maven/helpdesk/server@25.10
- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4

### Evidence

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | junit-jupiter-engine | High |
| Vendor | gradle | artifactid | junit-jupiter-engine | Highest |
| Vendor | gradle | groupid | org.junit.jupiter | Highest |
| Vendor | jar | package name | engine | Highest |
| Vendor | jar | package name | engine | Low |
| Vendor | jar | package name | junit | Highest |
| Vendor | jar | package name | junit | Low |
| Vendor | jar | package name | jupiter | Highest |
| Vendor | jar | package name | jupiter | Low |
| Vendor | Manifest | build-date | 2025-07-21 | Low |
| Vendor | Manifest | build-revision | 8a21048605e61dc388c1c83cbecf9dd5097a59 | Low |
| Vendor | Manifest | build-time | 08:57:57.538+0200 | Low |
| Vendor | Manifest | bundle-symbolicname | junit-jupiter-engine | Medium |
| Vendor | Manifest | Implementation-Vendor | junit.org | High |
| Vendor | Manifest | provide-capability | org.junit.platform.engine;org.junit.platform.engine=junit-jupiter;version:Version="5.13.4" | Low |
| Vendor | Manifest | specification-vendor | junit.org | Low |
| Product | file | name | junit-jupiter-engine | High |
| Product | gradle | artifactid | junit-jupiter-engine | Highest |

| | | | | |
|---|---|---|---|---|
| Product | jar | package name | engine | Highest |
| Product | jar | package name | engine | Low |
| Product | jar | package name | junit | Highest |
| Product | jar | package name | jupiter | Highest |
| Product | jar | package name | jupiter | Low |
| Product | Manifest | build-date | 2025-07-21 | Low |
| Product | Manifest | build-revision | 8a21048605e61dc388c1c83cbecf9dd5097a59 | Low |
| Product | Manifest | build-time | 08:57:57.538+0200 | Low |
| Product | Manifest | Bundle-Name | JUnit Jupiter Engine | Medium |
| Product | Manifest | bundle-symbolicname | junit-jupiter-engine | Medium |
| Product | Manifest | Implementation-Title | junit-jupiter-engine | High |
| Product | Manifest | provide-capability | org.junit.platform.engine;org.junit.platform.engine=junit-jupiter;version:Version="5.13.4" | Low |
| Product | Manifest | specification-title | junit-jupiter-engine | Medium |
| Version | file | version | 5.13.4 | High |
| Version | Manifest | Implementation-Version | 5.13.4 | High |

**Identifiers**

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4 (*Confidence*:Highest)

## junit-jupiter-params-5.13.4.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-params/5.13.4/c8930eb7fcfbed0b191703ab53f48475a75bd17/junit-jupiter-params-5.13.4.jar
**MD5:** a1db21cc54b627a085918626a3908c9e
**SHA1:** 0c8930eb7fcfbed0b191703ab53f48475a75bd17
**SHA256:**3a8c6365716dbb698c0d49a05456c1e1ad05c406613c550f9dd50037872efc41
**Referenced In Project/Scope:** server:inetPlugin
**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | junit-jupiter-params | High |

| | | | | |
|---|---|---|---|---|
| Vendor | gradle | artifactid | junit-jupiter-params | Highest |
| Vendor | gradle | groupid | org.junit.jupiter | Highest |
| Vendor | jar | package name | junit | Highest |
| Vendor | jar | package name | junit | Low |
| Vendor | jar | package name | jupiter | Highest |
| Vendor | jar | package name | jupiter | Low |
| Vendor | jar | package name | params | Highest |
| Vendor | jar | package name | params | Low |
| Vendor | Manifest | build-date | 2025-07-21 | Low |
| Vendor | Manifest | build-revision | 8a21048605e61dc388c1c83cbecf9dd5097a59 | Low |
| Vendor | Manifest | build-time | 08:57:57.538+0200 | Low |
| Vendor | Manifest | bundle-symbolicname | junit-jupiter-params | Medium |
| Vendor | Manifest | Implementation-Vendor | junit.org | High |
| Vendor | Manifest | specification-vendor | junit.org | Low |
| Product | file | name | junit-jupiter-params | High |
| Product | gradle | artifactid | junit-jupiter-params | Highest |
| Product | jar | package name | junit | Highest |
| Product | jar | package name | jupiter | Highest |
| Product | jar | package name | jupiter | Low |
| Product | jar | package name | params | Highest |
| Product | jar | package name | params | Low |
| Product | jar | package name | shadow | Low |
| Product | Manifest | build-date | 2025-07-21 | Low |
| Product | Manifest | build-revision | 8a21048605e61dc388c1c83cbecf9dd5097a59 | Low |
| Product | Manifest | build-time | 08:57:57.538+0200 | Low |
| Product | Manifest | Bundle-Name | JUnit Jupiter Params | Medium |
| Product | Manifest | bundle-symbolicname | junit-jupiter-params | Medium |
| Product | Manifest | Implementation-Title | junit-jupiter-params | High |
| Product | Manifest | specification-title | junit-jupiter-params | Medium |
| Version | file | version | 5.13.4 | High |
| Version | Manifest | Implementation-Version | 5.13.4 | High |

**Identifiers**

- pkg:maven/org.junit.jupiter/junit-jupiter-params@5.13.4 (*Confidence*:Highest)

## junit-platform-commons-1.13.4.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-commons/1.13.4/8f63c7ed05b473d95cc63d1082054d7bfcf9c0e5/junit-platform-commons-1.13.4.jar
**MD5:** 7c39b85780e5bec0a23408959ac83fa9
**SHA1:** 8f63c7ed05b473d95cc63d1082054d7bfcf9c0e5
**SHA256:**1c25ca641ebaae44ff3ad21ca1b2ef68d0dd84bfeb07c4805ba7840899b77408
**Referenced In Project/Scope:** server:inetPlugin
**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | junit-platform-commons | High |
| Vendor | gradle | artifactid | junit-platform-commons | Highest |
| Vendor | gradle | groupid | org.junit.platform | Highest |
| Vendor | jar | package name | commons | Highest |
| Vendor | jar | package name | commons | Low |
| Vendor | jar | package name | junit | Highest |
| Vendor | jar | package name | junit | Low |
| Vendor | jar | package name | org | Highest |
| Vendor | jar | package name | platform | Highest |
| Vendor | jar | package name | platform | Low |
| Vendor | Manifest | build-date | 2025-07-21 | Low |
| Vendor | Manifest | build-revision | 8a21048605e61dc388c1c83cbecf9dd5097a59 | Low |
| Vendor | Manifest | build-time | 08:57:57.538+0200 | Low |
| Vendor | Manifest | bundle-symbolicname | junit-platform-commons | Medium |
| Vendor | Manifest | Implementation-Vendor | junit.org | High |
| Vendor | Manifest | multi-release | true | Low |
| Vendor | Manifest | specification-vendor | junit.org | Low |

| | | | | |
|---|---|---|---|---|
| Product | file | name | junit-platform-commons | High |
| Product | gradle | artifactid | junit-platform-commons | Highest |
| Product | jar | package name | commons | Highest |
| Product | jar | package name | commons | Low |
| Product | jar | package name | junit | Highest |
| Product | jar | package name | platform | Highest |
| Product | jar | package name | platform | Low |
| Product | Manifest | build-date | 2025-07-21 | Low |
| Product | Manifest | build-revision | 8a21048605e61dc388c1c83cbecf9dd5097a59 | Low |
| Product | Manifest | build-time | 08:57:57.538+0200 | Low |
| Product | Manifest | Bundle-Name | JUnit Platform Commons | Medium |
| Product | Manifest | bundle-symbolicname | junit-platform-commons | Medium |
| Product | Manifest | Implementation-Title | junit-platform-commons | High |
| Product | Manifest | multi-release | true | Low |
| Product | Manifest | specification-title | junit-platform-commons | Medium |
| Version | file | version | 1.13.4 | High |
| Version | Manifest | Implementation-Version | 1.13.4 | High |

**Identifiers**

- pkg:maven/org.junit.platform/junit-platform-commons@1.13.4 (*Confidence*:Highest)

## junit-platform-engine-1.13.4.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-engine/1.13.4/cdd49063ae6e25494d1a9a08f4a9ab5de2b73bcb/junit-platform-engine-1.13.4.jar
**MD5:** 736aa9e83f7ba2b54adb5f86821fd4dd
**SHA1:** cdd49063ae6e25494d1a9a08f4a9ab5de2b73bcb
**SHA256:**390c5f77b84283a64b644f88251b397e0b0debb80bdcc50f899881aecff43a5a
**Referenced In Project/Scope:** server:inetPlugin
**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | junit-platform-engine | High |
| Vendor | gradle | artifactid | junit-platform-engine | Highest |
| Vendor | gradle | groupid | org.junit.platform | Highest |
| Vendor | jar | package name | engine | Highest |
| Vendor | jar | package name | engine | Low |
| Vendor | jar | package name | junit | Highest |
| Vendor | jar | package name | junit | Low |
| Vendor | jar | package name | platform | Highest |
| Vendor | jar | package name | platform | Low |
| Vendor | Manifest | build-date | 2025-07-21 | Low |
| Vendor | Manifest | build-revision | 8a21048605e61dc388c1c83cbecf9dd5097a59 | Low |
| Vendor | Manifest | build-time | 08:57:57.538+0200 | Low |
| Vendor | Manifest | bundle-symbolicname | junit-platform-engine | Medium |
| Vendor | Manifest | Implementation-Vendor | junit.org | High |
| Vendor | Manifest | specification-vendor | junit.org | Low |
| Product | file | name | junit-platform-engine | High |
| Product | gradle | artifactid | junit-platform-engine | Highest |
| Product | jar | package name | engine | Highest |
| Product | jar | package name | engine | Low |
| Product | jar | package name | junit | Highest |
| Product | jar | package name | platform | Highest |
| Product | jar | package name | platform | Low |
| Product | jar | package name | support | Low |
| Product | Manifest | build-date | 2025-07-21 | Low |
| Product | Manifest | build-revision | 8a21048605e61dc388c1c83cbecf9dd5097a59 | Low |
| Product | Manifest | build-time | 08:57:57.538+0200 | Low |
| Product | Manifest | Bundle-Name | JUnit Platform Engine API | Medium |
| Product | Manifest | bundle-symbolicname | junit-platform-engine | Medium |
| Product | Manifest | Implementation-Title | junit-platform-engine | High |
| Product | Manifest | specification-title | junit-platform-engine | Medium |
| Version | file | version | 1.13.4 | High |
| Version | Manifest | Implementation- | 1.13.4 | High |

Version

**Identifiers**

- pkg:maven/org.junit.platform/junit-platform-engine@1.13.4 (*Confidence*:Highest)

## junit-platform-launcher-1.13.4.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-launcher/1.13.4/e72a4d00af6177569fd57df4c8c4bb241c6aa4b6/junit-platform-launcher-1.13.4.jar
**MD5:** bdfea9c8c038752c70631934b2067073
**SHA1:** e72a4d00af6177569fd57df4c8c4bb241c6aa4b6
**SHA256:**0b0beaeb6880a31149641d2d848b863712885469670c12099586d7f798522564
**Referenced In Project/Scope:** server:inetPlugin
**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | junit-platform-launcher | High |
| Vendor | gradle | artifactid | junit-platform-launcher | Highest |
| Vendor | gradle | groupid | org.junit.platform | Highest |
| Vendor | jar | package name | junit | Highest |
| Vendor | jar | package name | junit | Low |
| Vendor | jar | package name | launcher | Highest |
| Vendor | jar | package name | launcher | Low |
| Vendor | jar | package name | platform | Highest |
| Vendor | jar | package name | platform | Low |
| Vendor | Manifest | build-date | 2025-07-21 | Low |
| Vendor | Manifest | build-revision | 8a21048605e61dc388c1c83cbecf9dd5097a59 | Low |
| Vendor | Manifest | build-time | 08:57:57.538+0200 | Low |
| Vendor | Manifest | bundle-symbolicname | junit-platform-launcher | Medium |
| Vendor | Manifest | Implementation-Vendor | junit.org | High |
| Vendor | Manifest | provide-capability | org.junit.platform.launcher;org.junit.platform.launcher=junit-platform-launcher;version:Version="1.13.4" | Low |

| | | | | |
|---|---|---|---|---|
| Vendor | Manifest | specification-vendor | junit.org | Low |
| Product | file | name | junit-platform-launcher | High |
| Product | gradle | artifactid | junit-platform-launcher | Highest |
| Product | jar | package name | junit | Highest |
| Product | jar | package name | launcher | Highest |
| Product | jar | package name | launcher | Low |
| Product | jar | package name | platform | Highest |
| Product | jar | package name | platform | Low |
| Product | Manifest | build-date | 2025-07-21 | Low |
| Product | Manifest | build-revision | 8a21048605e61dc388c1c83cbecf9dd5097a59 | Low |
| Product | Manifest | build-time | 08:57:57.538+0200 | Low |
| Product | Manifest | Bundle-Name | JUnit Platform Launcher | Medium |
| Product | Manifest | bundle-symbolicname | junit-platform-launcher | Medium |
| Product | Manifest | Implementation-Title | junit-platform-launcher | High |
| Product | Manifest | provide-capability | org.junit.platform.launcher;org.junit.platform.launcher=junit-platform-launcher;version:Version="1.13.4" | Low |
| Product | Manifest | specification-title | junit-platform-launcher | Medium |
| Version | file | version | 1.13.4 | High |
| Version | Manifest | Implementation-Version | 1.13.4 | High |

**Identifiers**

- pkg:maven/org.junit.platform/junit-platform-launcher@1.13.4 (*Confidence*:Highest)

## junit-platform-suite-1.13.4.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite/1.13.4/7af47cc4d0fbbd9a940644799a69f1f4c3ec4ee7/junit-platform-suite-1.13.4.jar
**MD5:** 378c01f6aba4143235fcd78ee5e1490f
**SHA1:** 7af47cc4d0fbbd9a940644799a69f1f4c3ec4ee7
**SHA256:**8088a80b47f5a7e73fa107f466dfa6a86776ca496fc2e7724aba65202d467913
**Referenced In Project/Scope:** server:inetPlugin
**Included by:**

- pkg:maven/helpdesk/server@25.10
- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | junit-platform-suite | High |
| Vendor | gradle | artifactid | junit-platform-suite | Highest |
| Vendor | gradle | groupid | org.junit.platform | Highest |
| Vendor | jar | package name | module-info | Low |
| Vendor | Manifest | build-date | 2025-07-21 | Low |
| Vendor | Manifest | build-revision | 8a21048605e61dc388c1c83cbecf9dd5097a59 | Low |
| Vendor | Manifest | build-time | 08:57:57.538+0200 | Low |
| Vendor | Manifest | bundle-symbolicname | junit-platform-suite | Medium |
| Vendor | Manifest | Implementation-Vendor | junit.org | High |
| Vendor | Manifest | specification-vendor | junit.org | Low |
| Product | file | name | junit-platform-suite | High |
| Product | gradle | artifactid | junit-platform-suite | Highest |
| Product | Manifest | build-date | 2025-07-21 | Low |
| Product | Manifest | build-revision | 8a21048605e61dc388c1c83cbecf9dd5097a59 | Low |
| Product | Manifest | build-time | 08:57:57.538+0200 | Low |
| Product | Manifest | Bundle-Name | JUnit Platform Suite (Aggregator) | Medium |
| Product | Manifest | bundle-symbolicname | junit-platform-suite | Medium |
| Product | Manifest | Implementation-Title | junit-platform-suite | High |
| Product | Manifest | specification-title | junit-platform-suite | Medium |
| Version | file | version | 1.13.4 | High |
| Version | Manifest | Implementation-Version | 1.13.4 | High |

**Identifiers**

- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4 (*Confidence*:Highest)

## junit-platform-suite-api-1.13.4.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-api/1.13.4/7e29167859b8b66ae9bc60f63f33202b1c8b77e3/junit-platform-suite-api-1.13.4.jar
**MD5:** 53ff3dfddb5bc864217e7442ca0a8243
**SHA1:** 7e29167859b8b66ae9bc60f63f33202b1c8b77e3
**SHA256:**9a05bf77e128371f5b3e25ffc89f7af467a9f68dd365fdfced469ebcf533abc9
**Referenced In Project/Scope:** server:inetPlugin
**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4

### Evidence

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | junit-platform-suite-api | High |
| Vendor | gradle | artifactid | junit-platform-suite-api | Highest |
| Vendor | gradle | groupid | org.junit.platform | Highest |
| Vendor | jar | package name | api | Highest |
| Vendor | jar | package name | junit | Highest |
| Vendor | jar | package name | junit | Low |
| Vendor | jar | package name | platform | Highest |
| Vendor | jar | package name | platform | Low |
| Vendor | jar | package name | suite | Highest |
| Vendor | jar | package name | suite | Low |
| Vendor | Manifest | build-date | 2025-07-21 | Low |
| Vendor | Manifest | build-revision | 8a21048605e61dc388c1c83cbecf9dd5097a59 | Low |
| Vendor | Manifest | build-time | 08:57:57.538+0200 | Low |
| Vendor | Manifest | bundle-symbolicname | junit-platform-suite-api | Medium |
| Vendor | Manifest | Implementation-Vendor | junit.org | High |
| Vendor | Manifest | specification-vendor | junit.org | Low |
| Product | file | name | junit-platform-suite-api | High |
| Product | gradle | artifactid | junit-platform-suite-api | Highest |
| Product | jar | package name | api | Highest |
| Product | jar | package name | api | Low |
| Product | jar | package name | junit | Highest |
| Product | jar | package name | platform | Highest |
| Product | jar | package name | platform | Low |

| | | | | |
|---|---|---|---|---|
| Product | jar | package name | suite | Highest |
| Product | jar | package name | suite | Low |
| Product | Manifest | build-date | 2025-07-21 | Low |
| Product | Manifest | build-revision | 8a21048605e61dc388c1c83cbecf9dd5097a59 | Low |
| Product | Manifest | build-time | 08:57:57.538+0200 | Low |
| Product | Manifest | Bundle-Name | JUnit Platform Suite API | Medium |
| Product | Manifest | bundle-symbolicname | junit-platform-suite-api | Medium |
| Product | Manifest | Implementation-Title | junit-platform-suite-api | High |
| Product | Manifest | specification-title | junit-platform-suite-api | Medium |
| Version | file | version | 1.13.4 | High |
| Version | Manifest | Implementation-Version | 1.13.4 | High |

**Identifiers**

- pkg:maven/org.junit.platform/junit-platform-suite-api@1.13.4 (*Confidence*:Highest)

## junit-platform-suite-commons-1.13.4.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-commons/1.13.4/65f946a08a21ddecb266dd3010977111bbc84043/junit-platform-suite-commons-1.13.4.jar
**MD5:** ecab6fa371485191490729865ca59fba
**SHA1:** 65f946a08a21ddecb266dd3010977111bbc84043
**SHA256:**e7dacfcfa3bc692c0a7a413cefd5f51ae420415a14d39091bdf88aebfdba70b6
**Referenced In Project/Scope:** server:inetPlugin
**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | junit-platform-suite-commons | High |
| Vendor | gradle | artifactid | junit-platform-suite-commons | Highest |
| Vendor | gradle | groupid | org.junit.platform | Highest |
| Vendor | jar | package name | commons | Highest |
| Vendor | jar | package name | junit | Highest |

| | | | | |
|---|---|---|---|---|
| Vendor | jar | package name | junit | Low |
| Vendor | jar | package name | platform | Highest |
| Vendor | jar | package name | platform | Low |
| Vendor | jar | package name | suite | Highest |
| Vendor | jar | package name | suite | Low |
| Vendor | Manifest | build-date | 2025-07-21 | Low |
| Vendor | Manifest | build-revision | 8a21048605e61dc388c1c83cbecf9dd5097a59 | Low |
| Vendor | Manifest | build-time | 08:57:57.538+0200 | Low |
| Vendor | Manifest | bundle-symbolicname | junit-platform-suite-commons | Medium |
| Vendor | Manifest | Implementation-Vendor | junit.org | High |
| Vendor | Manifest | specification-vendor | junit.org | Low |
| Product | file | name | junit-platform-suite-commons | High |
| Product | gradle | artifactid | junit-platform-suite-commons | Highest |
| Product | jar | package name | commons | Highest |
| Product | jar | package name | commons | Low |
| Product | jar | package name | junit | Highest |
| Product | jar | package name | platform | Highest |
| Product | jar | package name | platform | Low |
| Product | jar | package name | suite | Highest |
| Product | jar | package name | suite | Low |
| Product | Manifest | build-date | 2025-07-21 | Low |
| Product | Manifest | build-revision | 8a21048605e61dc388c1c83cbecf9dd5097a59 | Low |
| Product | Manifest | build-time | 08:57:57.538+0200 | Low |
| Product | Manifest | Bundle-Name | JUnit Platform Suite Commons | Medium |
| Product | Manifest | bundle-symbolicname | junit-platform-suite-commons | Medium |
| Product | Manifest | Implementation-Title | junit-platform-suite-commons | High |
| Product | Manifest | specification-title | junit-platform-suite-commons | Medium |
| Version | file | version | 1.13.4 | High |
| Version | Manifest | Implementation-Version | 1.13.4 | High |

**Identifiers**

- pkg:maven/org.junit.platform/junit-platform-suite-commons@1.13.4 (*Confidence*:Highest)

## junit-platform-suite-engine-1.13.4.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-engine/1.13.4/b888a7a9e00b25cc19b4d45dbd4dcfe0b3a4f6ca/junit-platform-suite-engine-1.13.4.jar
**MD5:** 69e03866f05f55ea65268adc36fa3fc0
**SHA1:** b888a7a9e00b25cc19b4d45dbd4dcfe0b3a4f6ca
**SHA256:**3b34fd8172d70d0d7c59155e487bd8e77d43bdbfdcfe1d78c2b4eea55e9acb92
**Referenced In Project/Scope:** server:inetPlugin
**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4

### Evidence

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | junit-platform-suite-engine | High |
| Vendor | gradle | artifactid | junit-platform-suite-engine | Highest |
| Vendor | gradle | groupid | org.junit.platform | Highest |
| Vendor | jar | package name | engine | Highest |
| Vendor | jar | package name | junit | Highest |
| Vendor | jar | package name | junit | Low |
| Vendor | jar | package name | platform | Highest |
| Vendor | jar | package name | platform | Low |
| Vendor | jar | package name | suite | Highest |
| Vendor | jar | package name | suite | Low |
| Vendor | Manifest | build-date | 2025-07-21 | Low |
| Vendor | Manifest | build-revision | 8a21048605e61dc388c1c83cbecf9dd5097a59 | Low |
| Vendor | Manifest | build-time | 08:57:57.538+0200 | Low |
| Vendor | Manifest | bundle-symbolicname | junit-platform-suite-engine | Medium |
| Vendor | Manifest | Implementation-Vendor | junit.org | High |
| Vendor | Manifest | specification-vendor | junit.org | Low |
| Product | file | name | junit-platform-suite-engine | High |
| Product | gradle | artifactid | junit-platform-suite-engine | Highest |
| Product | jar | package name | engine | Highest |

| | | | | |
|---|---|---|---|---|
| Product | jar | package name | engine | Low |
| Product | jar | package name | junit | Highest |
| Product | jar | package name | platform | Highest |
| Product | jar | package name | platform | Low |
| Product | jar | package name | suite | Highest |
| Product | jar | package name | suite | Low |
| Product | Manifest | build-date | 2025-07-21 | Low |
| Product | Manifest | build-revision | 8a21048605e61dc388c1c83cbecf9dd5097a59 | Low |
| Product | Manifest | build-time | 08:57:57.538+0200 | Low |
| Product | Manifest | Bundle-Name | JUnit Platform Suite Engine | Medium |
| Product | Manifest | bundle-symbolicname | junit-platform-suite-engine | Medium |
| Product | Manifest | Implementation-Title | junit-platform-suite-engine | High |
| Product | Manifest | specification-title | junit-platform-suite-engine | Medium |
| Version | file | version | 1.13.4 | High |
| Version | Manifest | Implementation-Version | 1.13.4 | High |

**Identifiers**

- pkg:maven/org.junit.platform/junit-platform-suite-engine@1.13.4 (*Confidence*:Highest)

## junit-vintage-engine-5.13.4.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.vintage/junit-vintage-engine/5.13.4/9fa3f512a7b8de3013eb63e51623c9e73f8d0e34/junit-vintage-engine-5.13.4.jar
**MD5:** 77270af1c5e9ea55a3705683f261eddd
**SHA1:** 9fa3f512a7b8de3013eb63e51623c9e73f8d0e34
**SHA256:**066b702d850ebcde36f2a8181b46a2f0f1416129d1dc63c3a1e1531006e74739
**Referenced In Project/Scope:** server:inetPlugin
**Included by:**

- pkg:maven/helpdesk/server@25.10
- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | junit-vintage-engine | High |

| | | | | |
|---|---|---|---|---|
| Vendor | gradle | artifactid | junit-vintage-engine | Highest |
| Vendor | gradle | groupid | org.junit.vintage | Highest |
| Vendor | jar | package name | engine | Highest |
| Vendor | jar | package name | engine | Low |
| Vendor | jar | package name | junit | Highest |
| Vendor | jar | package name | junit | Low |
| Vendor | jar | package name | vintage | Highest |
| Vendor | jar | package name | vintage | Low |
| Vendor | Manifest | build-date | 2025-07-21 | Low |
| Vendor | Manifest | build-revision | 8a21048605e61dc388c1c83cbecf9dd5097a59 | Low |
| Vendor | Manifest | build-time | 08:57:57.538+0200 | Low |
| Vendor | Manifest | bundle-symbolicname | junit-vintage-engine | Medium |
| Vendor | Manifest | Implementation-Vendor | junit.org | High |
| Vendor | Manifest | provide-capability | org.junit.platform.engine;org.junit.platform.engine=junit-vintage;version:Version="5.13.4" | Low |
| Vendor | Manifest | specification-vendor | junit.org | Low |
| Product | file | name | junit-vintage-engine | High |
| Product | gradle | artifactid | junit-vintage-engine | Highest |
| Product | jar | package name | engine | Highest |
| Product | jar | package name | engine | Low |
| Product | jar | package name | junit | Highest |
| Product | jar | package name | vintage | Highest |
| Product | jar | package name | vintage | Low |
| Product | Manifest | build-date | 2025-07-21 | Low |
| Product | Manifest | build-revision | 8a21048605e61dc388c1c83cbecf9dd5097a59 | Low |
| Product | Manifest | build-time | 08:57:57.538+0200 | Low |
| Product | Manifest | Bundle-Name | JUnit Vintage Engine | Medium |
| Product | Manifest | bundle-symbolicname | junit-vintage-engine | Medium |
| Product | Manifest | Implementation-Title | junit-vintage-engine | High |
| Product | Manifest | provide-capability | org.junit.platform.engine;org.junit.platform.engine=junit-vintage;version:Version="5.13.4" | Low |
| Product | Manifest | specification-title | junit-vintage-engine | Medium |

| | | | | |
|---|---|---|---|---|
| Version | file | version | 5.13.4 | High |
| Version | Manifest | Implementation-Version | 5.13.4 | High |

**Identifiers**

- pkg:maven/org.junit.vintage/junit-vintage-engine@5.13.4 (*Confidence*:Highest)

## knowledgebase.zip: knowledgebase.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/knowledgebase.zip/knowledgebase.jar
**MD5:** 1f22661f4aa81253c1d1ab8617d302e3
**SHA1:** 6120e32fea6e15de4df4b84e982eb04ceac95b02
**SHA256:**4c6d324ea71c77f02cf831ecfc8cf779bfdf0209567d68b9e63f9832ae82e35b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | knowledgebase | High |
| Vendor | jar | package name | helpdesk | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | plugins | Low |
| Vendor | Manifest | built-date | 2025-12-01 15:42 | Low |
| Vendor | Manifest | implementation-group | helpdesk | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | knowledgebase | High |
| Product | jar | package name | helpdesk | Highest |
| Product | jar | package name | helpdesk | Low |
| Product | jar | package name | knowledgebase | Highest |
| Product | jar | package name | knowledgebase | Low |

| | | | | |
|---|---|---|---|---|
| Product | jar | package name | plugins | Low |
| Product | Manifest | built-date | 2025-12-01 15:42 | Low |
| Product | Manifest | implementation-group | helpdesk | Low |
| Product | Manifest | Implementation-Title | knowledgebase | High |
| Product | Manifest | specification-title | knowledgebase | Medium |
| Version | jar | package name | helpdesk | Highest |
| Version | Manifest | Implementation-Version | 25.10.259 | High |

**Identifiers**

- cpe:2.3:a:inetsoftware:helpdesk:25.10.259:*:*:*:*:*:*:* (*Confidence*:Low) suppress

## knowledgebase.zip: knowledgebase.jar: controllerArticleDetails.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/knowledgebase.zip/knowledgebase.jar/com/inet/helpdesk/plugins/knowledgebase/client/knowledgebase/controllerArticleDetails.js
**MD5:** 0a32a593fb4c1b90c135ed3aa3c9957d
**SHA1:** 551d4267e63e73e7a6579b7ff0b2d0625f84f159
**SHA256:**025d5e629c6420b299a9219520d352a1ac2ed0fcdc66307ef6c2e1b80864c971
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## knowledgebase.zip: knowledgebase.jar: controllerArticleDialog.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/knowledgebase.zip/knowledgebase.jar/com/inet/helpdesk/plugins/knowledgebase/client/knowledgebase

/controllerArticleDialog.js
**MD5:** 3516d13494fc40fd93822f0ce316525a
**SHA1:** 31f1e74d9f91d87feeb02465a8eb58e1de8c41bf
**SHA256:**e87dc3a83197af159506108442fab2dadbb47dd2702cc6c017e951e7762a0c01
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## knowledgebase.zip: knowledgebase.jar: controllerArticleEditDialog.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/knowledgebase.zip/knowledgebase.jar/com/inet/helpdesk/plugins/knowledgebase/client/knowledgebase/controllerArticleEditDialog.js
**MD5:** d8ffd480324fe0d39c5c59d40a150a5d
**SHA1:** 096b58ad24ed940275f27781582eba7b0d279b6f
**SHA256:**0108daf38b10ecc18dc15ceab1bf847c7e47b57862fb11562a1f72749cdc5ead
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## knowledgebase.zip: knowledgebase.jar: controllerKnowledgeBase.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/knowledgebase.zip/knowledgebase.jar/com/inet/helpdesk/plugins/knowledgebase/client/knowledgebase/controllerKnowledgeBase.js
**MD5:** a9a22e96dd0408b845cf34730ade8a09
**SHA1:** 50a5a3265a0bd57de55da2e057db0cf0c8eb78f6
**SHA256:**8748f55622b85f1dddc550a311d09250b0554dc12197138cd2c63f6462f88d05
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## knowledgebase.zip: knowledgebase.jar: fuzzysearcharticleextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/knowledgebase.zip/knowledgebase.jar/com/inet/helpdesk/plugins/knowledgebase/server/ticketextension/fuzzysearcharticleextension.js
**MD5:** 25d91f7911aaea1321d87ec47063cbf6
**SHA1:** 45d47a91c8d112ddb3834215592d703d2ed2dd54
**SHA256:**998b9aa8b5e7e45a9f02e2e0ff8fd561d7e0d9d1c84bdb054ebee28f38b1a394
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## knowledgebase.zip: knowledgebase.jar: knowledgeBaseFactory.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/knowledgebase.zip/knowledgebase.jar/com/inet/helpdesk/plugins/knowledgebase/client/knowledgebase/knowledgeBaseFactory.js
**MD5:** 514c0cd5a2c774d432567b63d8aec021
**SHA1:** 304eef4e5ebab5a6bb0569bbde1889bdc79a9fc4
**SHA256:**d7be0873af088261e3d5620d37fb02ed42cf5dd27d83c459005f27ee8e5e9462
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## knowledgebase.zip: knowledgebase.jar: ticketlist.extension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/knowledgebase.zip/knowledgebase.jar/com/inet/helpdesk/plugins/knowledgebase/client/knowledgebase/ticketlist.extension.js
**MD5:** aca7db7afcfa0601dbfa197869dbc13e
**SHA1:** 885eabf4c5f015ca40332755a3daf956eb3fff25
**SHA256:**f85b0189095e267148d7abfca71569b69673ce5fae3da7bd8af5cf9218cdfc14
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## livesupport.zip: livesupport.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/livesupport.zip/livesupport.jar
**MD5:** 057739c568e95fc03e4b6527089ad07e
**SHA1:** 6dff4e19e66f9ec86bdb845edefd575cfa7a2d4a
**SHA256:**d6ad99aba036e0da36d7762ea9b1bd49c977fb7bd5a6a974492d0d45ab5c2273
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | livesupport | High |
| Vendor | jar | package name | helpdesk | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | plugins | Low |
| Vendor | Manifest | built-date | 2025-12-01 15:45 | Low |

| | | | | |
|---|---|---|---|---|
| Vendor | Manifest | implementation-group | helpdesk | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | livesupport | High |
| Product | jar | package name | helpdesk | Highest |
| Product | jar | package name | helpdesk | Low |
| Product | jar | package name | livesupport | Highest |
| Product | jar | package name | livesupport | Low |
| Product | jar | package name | plugins | Low |
| Product | Manifest | built-date | 2025-12-01 15:45 | Low |
| Product | Manifest | implementation-group | helpdesk | Low |
| Product | Manifest | Implementation-Title | livesupport | High |
| Product | Manifest | specification-title | livesupport | Medium |
| Version | jar | package name | helpdesk | Highest |
| Version | Manifest | Implementation-Version | 25.10.259 | High |

**Identifiers**

- cpe:2.3:a:inetsoftware:helpdesk:25.10.259:*:*:*:*:*:*:* (*Confidence*:Low) suppress

## livesupport.zip: livesupport.jar: attachments.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/attachments.js
**MD5:** a83dca69289259d466960c8ae39f54bc
**SHA1:** 0b7a69a4e00b4b582595f9ce49f87b2e2e12be9d
**SHA256:**291bba649600e54fb82b9fbd5335b2038fa4a9e90757b115dde4706bced9bead
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## livesupport.zip: livesupport.jar: connections.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/connections.js
**MD5:** 2324501402b0ef619744394c587a8b9d
**SHA1:** 0a12fb7a01fad8c231b1ddec2e9b0c20559bfdca
**SHA256:**0eae8e293fccc0760fc1617e06684758df6b5f1e476b565dd9e6c968204a88d3
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## livesupport.zip: livesupport.jar: controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/controller.js
**MD5:** 7e747bf88d1643a72ab10bb20f9d389f
**SHA1:** 87071f6cb01f43551d219497fe11431809984e41
**SHA256:**cb81780c639a6438a4d7241ba6eaf45d522aea024f8503437eddf30f7b3f54a2
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## livesupport.zip: livesupport.jar: dragging.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/lib/dragging.js
**MD5:** 2e36a4332ba0465433898d894ffe3846
**SHA1:** 9b0174f08a1878f04c93ec926a783bc31f0615e1
**SHA256:**caebd8310f7504b2c86d5b9621bf446b2ae88dfff02b9fff191b67140df42bd3
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## livesupport.zip: livesupport.jar: events.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/lib/events.js
**MD5:** 4bd2ce7d660f65c57f38b780ca3fcdf8
**SHA1:** 95ab1609b96e68357e73c50d6aa5864cbec86a37
**SHA256:**6fe447ec8d21c1ebe70157559ea4330f86124b274d0ac4dd83ce7d3b49ff00ee
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## livesupport.zip: livesupport.jar: fetch-promise.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/lib/fetch-promise.min.js
**MD5:** 58b3e33a90cd1b4b5f31f2cab8add76e
**SHA1:** 59e1613cc5ba26d993c2f61a32aa6d7e62bd4f6c
**SHA256:**9563fb9eaf9f5e97c1462bf433c895d0ff340e8ec0500938fbefa5a9e0081a0a
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## livesupport.zip: livesupport.jar: i18n.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/i18n.js
**MD5:** dbaed5ab096b2ca0f16c25320e632a29
**SHA1:** 96a2b0603ee939d0409f9aabf47b4b40320f2b74
**SHA256:**78244731784dd802c3b27f4bed555e15af12c8c73149a56543579a3491882f7e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## livesupport.zip: livesupport.jar: lazy-load.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/lazy-load.js
**MD5:** 12eeca1fefd108b2cb2e2649fcc26662

**SHA1:** 2bd7fd2b42dd4a58865a356682751967ef66208a
**SHA256:**25f9ad44a9b6d82688d321acbf9f99f09c13d65b9e513c7fdc61f13096530cb1
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## livesupport.zip: livesupport.jar: prototype.array.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/lib/prototype.array.js
**MD5:** 972f3ca3ca45cce7a72061b11a11869b
**SHA1:** d66b758c091f79d118cb6deb26c05b81aea95547
**SHA256:**02e2b469b3b5f9a7469e745d88ce0f5dae948790def9b59a6eda20582c4d16c8
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## livesupport.zip: livesupport.jar: prototype.element.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/lib/prototype.element.js
**MD5:** 9ee7a668e778eabd8de20312f312f9e9
**SHA1:** 96ebfdc252c25bb67259cfcce1788c9d820cc7a7
**SHA256:**3c2a9acfb9f27cab19634ffb4a8904a2ebce85f74998b954b78fef2672278e76
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## livesupport.zip: livesupport.jar: ui-components.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/livesupport.zip/livesupport.jar/com/inet/helpdesk/plugins/livesupport/client/js/ui-components.js
**MD5:** 69e7e16d3da65f8f4dd4c77117dea492
**SHA1:** c6ba0f869498f6e8f74ac1a68e7f1cf2286a9730
**SHA256:**97b8da8e4d18d88cefecea52ea5b6dba577400bc67f731f3d165e14ba8b6fb3d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## mail.zip: angus-activation.jar

**Description:**

Implementation

**License:**

http://www.eclipse.org/org/documents/edl-v10.php

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/angus-activation.jar
**MD5:** ad20392145690b36b4f950fe31a31a2a
**SHA1:** 7f80607ea5014fef0b1779e6c33d63a88a45a563
**SHA256:**a6bd35c538cf90fff941ad6258c40c08fca0b5c9c3f536c657114f27ce0527a7
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | angus-activation | High |
| Vendor | jar | package name | activation | Highest |
| Vendor | jar | package name | angus | Highest |
| Vendor | jar | package name | eclipse | Highest |
| Vendor | Manifest | bundle-docurl | https://www.eclipse.org | Low |
| Vendor | Manifest | bundle-symbolicname | angus-activation | Medium |
| Vendor | Manifest | extension-name | org.eclipse.angus | Medium |
| Vendor | Manifest | implementation-build-id | 2.0.3-RELEASE-6eff4c5 | Low |
| Vendor | Manifest | Implementation-Vendor | Eclipse Foundation | High |
| Vendor | Manifest | provide-capability | osgi.serviceloader;osgi.serviceloader="jakarta.activation.spi.MailcapRegistryProvider",osgi.serviceloader;osgi.serviceloader="jakarta.activation.spi.MimeTypeRegistryProvider" | Low |
| Vendor | Manifest | specification-vendor | Eclipse Foundation | Low |
| Vendor | pom | artifactid | angus-activation | Low |
| Vendor | pom | groupid | org.eclipse.angus | Highest |
| Vendor | pom | name | Angus Activation Registries | High |
| Vendor | pom | parent-artifactid | angus-activation-project | Low |
| Product | file | name | angus-activation | High |
| Product | jar | package name | activation | Highest |
| Product | jar | package name | angus | Highest |
| Product | jar | package name | eclipse | Highest |
| Product | Manifest | bundle-docurl | https://www.eclipse.org | Low |
| Product | Manifest | Bundle-Name | Angus Activation Registries | Medium |
| Product | Manifest | bundle-symbolicname | angus-activation | Medium |
| Product | Manifest | extension-name | org.eclipse.angus | Medium |
| Product | Manifest | implementation-build-id | 2.0.3-RELEASE-6eff4c5 | Low |
| Product | Manifest | Implementation-Title | Angus Activation Registries | High |
| Product | Manifest | provide-capability | osgi.serviceloader;osgi.serviceloader="jakarta.activation.spi.MailcapRegistryProvider",osgi.serviceloader;osgi.serviceloader="jakarta.activation.spi.MimeTypeRegistryProvider" | Low |
| Product | Manifest | specification-title | Jakarta Activation Specification | Medium |

| | | | | |
|---|---|---|---|---|
| Product | pom | artifactid | angus-activation | Highest |
| Product | pom | groupid | org.eclipse.angus | Highest |
| Product | pom | name | Angus Activation Registries | High |
| Product | pom | parent-artifactid | angus-activation-project | Medium |
| Version | Manifest | Bundle-Version | 2.0.3 | High |
| Version | pom | version | 2.0.3 | Highest |

**Identifiers**

- pkg:maven/org.eclipse.angus/angus-activation@2.0.3 (*Confidence*:High)

## mail.zip: angus-mail.jar (shaded: org.eclipse.angus:angus-core:2.0.4)

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/angus-mail.jar/META-INF/maven/org.eclipse.angus/angus-core/pom.xml
**MD5:** b00ad1f3322ed736d6eb717441a20f0d
**SHA1:** bab276e894997c88c72a981691a57d5e81762128
**SHA256:**87a6b385eb4df03ff2ffeb750af3858efc2a90d056f46990ae359505d59a66ab
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | pom | artifactid | angus-core | Low |
| Vendor | pom | groupid | org.eclipse.angus | Highest |
| Vendor | pom | name | Angus Mail Core | High |
| Vendor | pom | parent-artifactid | all | Low |
| Product | pom | artifactid | angus-core | Highest |
| Product | pom | groupid | org.eclipse.angus | Highest |
| Product | pom | name | Angus Mail Core | High |
| Product | pom | parent-artifactid | all | Medium |
| Version | pom | version | 2.0.4 | Highest |

**Identifiers**

- pkg:maven/org.eclipse.angus/angus-core@2.0.4 (*Confidence*:High)

## mail.zip: angus-mail.jar (shaded: org.eclipse.angus:imap:2.0.4)

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/angus-mail.jar/META-INF/maven/org.eclipse.angus/imap/pom.xml
**MD5:** c920e46a1ca1efea40ae8a6886beda7c
**SHA1:** 3d47f9345b5c2467969815646fd114c3b08f108f
**SHA256:**7a397cec3d2d1bf26c8bd7df77dd5d0caa57af718976290e7bc3d7fca2c42917
**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | pom | artifactid | imap | Low |
| Vendor | pom | groupid | org.eclipse.angus | Highest |
| Vendor | pom | name | Angus Mail imap provider | High |
| Vendor | pom | parent-artifactid | providers | Low |
| Product | pom | artifactid | imap | Highest |
| Product | pom | groupid | org.eclipse.angus | Highest |
| Product | pom | name | Angus Mail imap provider | High |
| Product | pom | parent-artifactid | providers | Medium |
| Version | pom | version | 2.0.4 | Highest |

### Identifiers

- pkg:maven/org.eclipse.angus/imap@2.0.4 (*Confidence*:High)

## mail.zip: angus-mail.jar (shaded: org.eclipse.angus:logging-mailhandler:2.0.4)

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/angus-mail.jar/META-INF/maven/org.eclipse.angus/logging-mailhandler/pom.xml
**MD5:** 0711b1e4cbb2e1b50e7f17e3428f7ae6
**SHA1:** b51bb90174f0e2a47662e5cd5127b9bf0845e6f9
**SHA256:**ba3ab28c7633eba0503755d160d0e09b244bf4ed58ec1b89bc8ff891eaecebea
**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

| | | | | |
|---|---|---|---|---|
| Vendor | pom | artifactid | logging-mailhandler | Low |
| Vendor | pom | groupid | org.eclipse.angus | Highest |
| Vendor | pom | name | Angus Mail logging handler | High |
| Vendor | pom | parent-artifactid | all | Low |
| Product | pom | artifactid | logging-mailhandler | Highest |
| Product | pom | groupid | org.eclipse.angus | Highest |
| Product | pom | name | Angus Mail logging handler | High |
| Product | pom | parent-artifactid | all | Medium |
| Version | pom | version | 2.0.4 | Highest |

**Identifiers**

- pkg:maven/org.eclipse.angus/logging-mailhandler@2.0.4 (*Confidence*:High)

## mail.zip: angus-mail.jar (shaded: org.eclipse.angus:pop3:2.0.4)

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/angus-mail.jar/META-INF/maven/org.eclipse.angus/pop3/pom.xml
**MD5:** af34e8ae164e4f64dfca8f725e0f0105
**SHA1:** 9d0a63878e71486ca6bfe4da1219352bf2ff4b45
**SHA256:**ac0712407bab89e2fef06ec09d455221bee73606f03811ae1a412774ab143792
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | pom | artifactid | pop3 | Low |
| Vendor | pom | groupid | org.eclipse.angus | Highest |
| Vendor | pom | name | Angus Mail pop3 provider | High |
| Vendor | pom | parent-artifactid | providers | Low |
| Product | pom | artifactid | pop3 | Highest |
| Product | pom | groupid | org.eclipse.angus | Highest |
| Product | pom | name | Angus Mail pop3 provider | High |
| Product | pom | parent-artifactid | providers | Medium |
| Version | pom | version | 2.0.4 | Highest |

**Identifiers**

- pkg:maven/org.eclipse.angus/pop3@2.0.4 (*Confidence*:High)

## mail.zip: angus-mail.jar (shaded: org.eclipse.angus:smtp:2.0.4)

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/angus-mail.jar/META-INF/maven/org.eclipse.angus/smtp/pom.xml
**MD5:** 1ac1221625342393598ca07f164f7d74
**SHA1:** 14c27147014f1e749253c9d9a12975490759cf64
**SHA256:**8d7f154fa84b483de7e118563cbe3461479b20c2f149ec7099e6b6be69083128
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | pom | artifactid | smtp | Low |
| Vendor | pom | groupid | org.eclipse.angus | Highest |
| Vendor | pom | name | Angus Mail smtp provider | High |
| Vendor | pom | parent-artifactid | providers | Low |
| Product | pom | artifactid | smtp | Highest |
| Product | pom | groupid | org.eclipse.angus | Highest |
| Product | pom | name | Angus Mail smtp provider | High |
| Product | pom | parent-artifactid | providers | Medium |
| Version | pom | version | 2.0.4 | Highest |

**Identifiers**

- pkg:maven/org.eclipse.angus/smtp@2.0.4 (*Confidence*:High)

## mail.zip: angus-mail.jar

**Description:**

Angus Mail Provider

**License:**

http://www.eclipse.org/legal/epl-2.0, https://www.gnu.org/software/classpath/license.html, http://www.eclipse.org/org/documents/edl-v10.php

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/angus-mail.jar
**MD5:** 5e39c666abac5e0c7837894606af28b8
**SHA1:** 80a49d6e187788d17a23b05e375bad75f56a4a92
**SHA256:**87301865584bad9170662b3eeef0350aaafea4522483e38e54ae87dc3df3e958
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | angus-mail | High |
| Vendor | jar | package name | angus | Highest |
| Vendor | jar | package name | eclipse | Highest |
| Vendor | jar | package name | mail | Highest |
| Vendor | Manifest | bundle-docurl | https://www.eclipse.org | Low |
| Vendor | Manifest | bundle-symbolicname | org.eclipse.angus.mail | Medium |
| Vendor | Manifest | provide-capability | osgi.serviceloader;osgi.serviceloader="jakarta.mail.util.StreamProvider",osgi.serviceloader;osgi.serviceloader="jakarta.mail.Provider" | Low |
| Vendor | pom | artifactid | angus-mail | Low |
| Vendor | pom | groupid | org.eclipse.angus | Highest |
| Vendor | pom | name | Angus Mail Provider | High |
| Vendor | pom | parent-artifactid | all | Low |
| Product | file | name | angus-mail | High |
| Product | jar | package name | angus | Highest |
| Product | jar | package name | eclipse | Highest |
| Product | jar | package name | mail | Highest |
| Product | jar | package name | util | Highest |
| Product | Manifest | bundle-docurl | https://www.eclipse.org | Low |
| Product | Manifest | Bundle-Name | Angus Mail Provider | Medium |
| Product | Manifest | bundle-symbolicname | org.eclipse.angus.mail | Medium |
| Product | Manifest | provide-capability | osgi.serviceloader;osgi.serviceloader="jakarta.mail.util.StreamProvider",osgi.serviceloader;osgi.serviceloader="jakarta.mail.Provider" | Low |
| Product | pom | artifactid | angus-mail | Highest |
| Product | pom | groupid | org.eclipse.angus | Highest |

| | | | | |
|---|---|---|---|---|
| Product | pom | name | Angus Mail Provider | High |
| Product | pom | parent-artifactid | all | Medium |
| Version | Manifest | Bundle-Version | 2.0.4 | High |
| Version | pom | version | 2.0.4 | Highest |

**Identifiers**

- pkg:maven/org.eclipse.angus/angus-mail@2.0.4 (*Confidence*:High)

## mail.zip: bc-fips.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/bc-fips.jar
**MD5:** 0e3ce147f5132e096e7c3b22ab23a079
**SHA1:** 061fbe8383f70489dda95a11a2a4739eb818ff2c
**SHA256:**044fcd8a29d236edea8a5b414406cdae63b475f9ad9f05fe2dc904a277941115
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | bc-fips | High |
| Vendor | jar | package name | bouncycastle | Highest |
| Vendor | jar | package name | bouncycastle | Low |
| Vendor | jar | package name | fips | Highest |
| Vendor | jar | package name | org | Highest |
| Vendor | jar | package name | provider | Highest |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | application-name | Bouncy Castle FIPS Provider | Medium |
| Vendor | Manifest | bundle-requiredexecution | JavaSE-1.8 | Low |
| Vendor | Manifest | bundle-symbolicname | bcfips | Medium |
| Vendor | Manifest | caller-allowable-codebase | * | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | extension-name | org.bouncycastle.bcfips | Medium |

| | | | | |
|---|---|---|---|---|
| Vendor | Manifest | Implementation-Vendor | BouncyCastle.org | High |
| Vendor | Manifest | Implementation-Vendor-Id | org.bouncycastle | Medium |
| Vendor | Manifest | multi-release | true | Low |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | BouncyCastle.org | Low |
| Vendor | Manifest | trusted-library | true | Low |
| Product | file | name | bc-fips | High |
| Product | jar | package name | bouncycastle | Highest |
| Product | jar | package name | fips | Highest |
| Product | jar | package name | org | Highest |
| Product | jar | package name | permissions | Highest |
| Product | jar | package name | provider | Highest |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | application-name | Bouncy Castle FIPS Provider | Medium |
| Product | Manifest | Bundle-Name | bcfips | Medium |
| Product | Manifest | bundle-requiredexecution | JavaSE-1.8 | Low |
| Product | Manifest | bundle-symbolicname | bcfips | Medium |
| Product | Manifest | caller-allowable-codebase | * | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | extension-name | org.bouncycastle.bcfips | Medium |
| Product | Manifest | multi-release | true | Low |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | trusted-library | true | Low |
| Version | jar | package name | permissions | Highest |
| Version | Manifest | Bundle-Version | 2.1.2 | High |
| Version | Manifest | Implementation-Version | 2.1.2 | High |

**Related Dependencies**

- webserver.zip: bc-fips.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/bc-fips.jar
  - MD5: 0e3ce147f5132e096e7c3b22ab23a079
  - SHA1: 061fbe8383f70489dda95a11a2a4739eb818ff2c
  - SHA256: 044fcd8a29d236edea8a5b414406cdae63b475f9ad9f05fe2dc904a277941115

**Identifiers**

- cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.1.2:*:*:*:*:*:*:* (*Confidence*:Low) suppress

## mail.zip: bcjmail-fips.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/bcjmail-fips.jar
**MD5:** 3b3a2949caf465737f18eba828c82f8d
**SHA1:** 11d1755a9103ae0359a5d8a0e3397d054bf16b0f
**SHA256:**134bd06e17e66f13319b5e90781695d9c2bd586f4ed1dc3fc6f833279a750bc9
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | bcjmail-fips | High |
| Vendor | jar | package name | bouncycastle | Highest |
| Vendor | jar | package name | bouncycastle | Low |
| Vendor | jar | package name | mail | Low |
| Vendor | jar | package name | smime | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | application-name | Bouncy Castle FIPS JAKARTA S/MIME API | Medium |
| Vendor | Manifest | automatic-module-name | org.bouncycastle.fips.bcjmail | Medium |
| Vendor | Manifest | bundle-requiredexecution | JavaSE-1.8 | Low |
| Vendor | Manifest | bundle-symbolicname | bcjmail | Medium |
| Vendor | Manifest | caller-allowable-codebase | * | Low |

| | | | | |
|---|---|---|---|---|
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | extension-name | org.bouncycastle.bcjmail.mail | Medium |
| Vendor | Manifest | Implementation-Vendor | BouncyCastle.org | High |
| Vendor | Manifest | Implementation-Vendor-Id | org.bouncycastle | Medium |
| Vendor | Manifest | multi-release | true | Low |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | BouncyCastle.org | Low |
| Vendor | Manifest | trusted-library | true | Low |
| Product | file | name | bcjmail-fips | High |
| Product | jar | package name | bouncycastle | Highest |
| Product | jar | package name | mail | Low |
| Product | jar | package name | smime | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | application-name | Bouncy Castle FIPS JAKARTA S/MIME API | Medium |
| Product | Manifest | automatic-module-name | org.bouncycastle.fips.bcjmail | Medium |
| Product | Manifest | Bundle-Name | bcjmail | Medium |
| Product | Manifest | bundle-requiredexecution | JavaSE-1.8 | Low |
| Product | Manifest | bundle-symbolicname | bcjmail | Medium |
| Product | Manifest | caller-allowable-codebase | * | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | extension-name | org.bouncycastle.bcjmail.mail | Medium |
| Product | Manifest | multi-release | true | Low |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | trusted-library | true | Low |
| Version | Manifest | Bundle-Version | 2.1.6 | High |
| Version | Manifest | Implementation-Version | 2.1.6 | High |

**Identifiers**

- cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.1.6:*:*:*:*:*:*:* (*Confidence*:Highest) suppress

## mail.zip: bcpg-fips.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/bcpg-fips.jar
**MD5:** 22924ccba346b696acaa3c72634ea8b5
**SHA1:** 727e087a843f3a5a8143e4f3a7518c8c3517df18
**SHA256:**ea51efee825bd0d61c3d22cff5a127898edc7ca62ba454fbcf4789801031d850
**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | bcpg-fips | High |
| Vendor | jar | package name | bcpg | Highest |
| Vendor | jar | package name | bouncycastle | Highest |
| Vendor | jar | package name | bouncycastle | Low |
| Vendor | jar | package name | openpgp | Highest |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | application-name | Bouncy Castle FIPS OpenPGP API | Medium |
| Vendor | Manifest | automatic-module-name | org.bouncycastle.fips.pg | Medium |
| Vendor | Manifest | bundle-requiredexecution | JavaSE-1.8 | Low |
| Vendor | Manifest | bundle-symbolicname | bcpg | Medium |
| Vendor | Manifest | caller-allowable-codebase | * | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | extension-name | org.bouncycastle.bcfips.pg | Medium |
| Vendor | Manifest | Implementation-Vendor | BouncyCastle.org | High |
| Vendor | Manifest | Implementation-Vendor-Id | org.bouncycastle | Medium |
| Vendor | Manifest | multi-release | true | Low |
| Vendor | Manifest | permissions | all-permissions | Low |

| | | | | |
|---|---|---|---|---|
| Vendor | Manifest | specification-vendor | BouncyCastle.org | Low |
| Vendor | Manifest | trusted-library | true | Low |
| Product | file | name | bcpg-fips | High |
| Product | jar | package name | bcpg | Highest |
| Product | jar | package name | bouncycastle | Highest |
| Product | jar | package name | openpgp | Highest |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | application-name | Bouncy Castle FIPS OpenPGP API | Medium |
| Product | Manifest | automatic-module-name | org.bouncycastle.fips.pg | Medium |
| Product | Manifest | Bundle-Name | bcpg | Medium |
| Product | Manifest | bundle-requiredexecution | JavaSE-1.8 | Low |
| Product | Manifest | bundle-symbolicname | bcpg | Medium |
| Product | Manifest | caller-allowable-codebase | * | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | extension-name | org.bouncycastle.bcfips.pg | Medium |
| Product | Manifest | multi-release | true | Low |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | trusted-library | true | Low |
| Version | Manifest | Bundle-Version | 2.1.11 | High |
| Version | Manifest | Implementation-Version | 2.1.11 | High |

**Identifiers**

- cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.1.11:*:*:*:*:*:*:* (*Confidence*:Highest) suppress
- cpe:2.3:a:openpgp:openpgp:2.1.11:*:*:*:*:*:*:* (*Confidence*:Highest) suppress

## mail.zip: bcpkix-fips.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/bcpkix-fips.jar
**MD5:** 17235576f301545c841cd96c00cc4815
**SHA1:** 41d15c70437440d63b65225d7c00873a030d25d0
**SHA256:**c4370064664d474d8681f55f302cfdade4cae0f3d798b10fd18b0ab8fbd6fed1
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | bcpkix-fips | High |
| Vendor | jar | package name | bouncycastle | Highest |
| Vendor | jar | package name | bouncycastle | Low |
| Vendor | jar | package name | pkix | Highest |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | application-name | Bouncy Castle FIPS PKIX API | Medium |
| Vendor | Manifest | automatic-module-name | org.bouncycastle.fips.pkix | Medium |
| Vendor | Manifest | bundle-requiredexecution | JavaSE-1.8 | Low |
| Vendor | Manifest | bundle-symbolicname | bcpkix | Medium |
| Vendor | Manifest | caller-allowable-codebase | * | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | extension-name | org.bouncycastle.bcfips.pkix | Medium |
| Vendor | Manifest | Implementation-Vendor | BouncyCastle.org | High |
| Vendor | Manifest | Implementation-Vendor-Id | org.bouncycastle | Medium |
| Vendor | Manifest | multi-release | true | Low |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | BouncyCastle.org | Low |
| Vendor | Manifest | trusted-library | true | Low |
| Product | file | name | bcpkix-fips | High |
| Product | jar | package name | bouncycastle | Highest |
| Product | jar | package name | pkix | Highest |
| Product | Manifest | application-library-allowable- | * | Low |

| | | | | |
|---|---|---|---|---|
| | | codebase | | |
| Product | Manifest | application-name | Bouncy Castle FIPS PKIX API | Medium |
| Product | Manifest | automatic-module-name | org.bouncycastle.fips.pkix | Medium |
| Product | Manifest | Bundle-Name | bcpkix | Medium |
| Product | Manifest | bundle-requiredexecution | JavaSE-1.8 | Low |
| Product | Manifest | bundle-symbolicname | bcpkix | Medium |
| Product | Manifest | caller-allowable-codebase | * | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | extension-name | org.bouncycastle.bcfips.pkix | Medium |
| Product | Manifest | multi-release | true | Low |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | trusted-library | true | Low |
| Version | Manifest | Bundle-Version | 2.1.10 | High |
| Version | Manifest | Implementation-Version | 2.1.10 | High |

**Related Dependencies**

- webserver.zip: bcpkix-fips.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/bcpkix-fips.jar
  - MD5: 17235576f301545c841cd96c00cc4815
  - SHA1: 41d15c70437440d63b65225d7c00873a030d25d0
  - SHA256: c4370064664d474d8681f55f302cfdade4cae0f3d798b10fd18b0ab8fbd6fed1

**Identifiers**

- cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.1.10:*:*:*:*:*:*:* (*Confidence*:Highest) suppress

## mail.zip: bcutil-fips.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/bcutil-fips.jar
**MD5:** ca132f36f25d85df12535487bb9a2d33

**SHA1:** 30b41ebc759a4f02e2ff7ab9acb09268923ee41f
**SHA256:**503aaf5c2c5b7c729547462efe13699b5f6dacf9be150b7c48bba974b793dc92
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | bcutil-fips | High |
| Vendor | jar | package name | asn1 | Low |
| Vendor | jar | package name | bouncycastle | Highest |
| Vendor | jar | package name | bouncycastle | Low |
| Vendor | jar | package name | its | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | application-name | Bouncy Castle FIPS Utility API | Medium |
| Vendor | Manifest | automatic-module-name | org.bouncycastle.fips.util | Medium |
| Vendor | Manifest | bundle-requiredexecution | JavaSE-1.8 | Low |
| Vendor | Manifest | bundle-symbolicname | bcutil | Medium |
| Vendor | Manifest | caller-allowable-codebase | * | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | extension-name | org.bouncycastle.bcfips.util | Medium |
| Vendor | Manifest | Implementation-Vendor | BouncyCastle.org | High |
| Vendor | Manifest | Implementation-Vendor-Id | org.bouncycastle | Medium |
| Vendor | Manifest | multi-release | true | Low |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | BouncyCastle.org | Low |
| Vendor | Manifest | trusted-library | true | Low |
| Product | file | name | bcutil-fips | High |
| Product | jar | package name | asn1 | Low |
| Product | jar | package name | bouncycastle | Highest |
| Product | jar | package name | its | Low |
| Product | Manifest | application-library- | * | Low |

| | | | | |
|---|---|---|---|---|
| | | allowable-codebase | | |
| Product | Manifest | application-name | Bouncy Castle FIPS Utility API | Medium |
| Product | Manifest | automatic-module-name | org.bouncycastle.fips.util | Medium |
| Product | Manifest | Bundle-Name | bcutil | Medium |
| Product | Manifest | bundle-requiredexecution | JavaSE-1.8 | Low |
| Product | Manifest | bundle-symbolicname | bcutil | Medium |
| Product | Manifest | caller-allowable-codebase | * | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | extension-name | org.bouncycastle.bcfips.util | Medium |
| Product | Manifest | multi-release | true | Low |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | trusted-library | true | Low |
| Version | Manifest | Bundle-Version | 2.1.5 | High |
| Version | Manifest | Implementation-Version | 2.1.5 | High |

**Related Dependencies**

- webserver.zip: bcutil-fips.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/webserver.zip/bcutil-fips.jar
  - MD5: ca132f36f25d85df12535487bb9a2d33
  - SHA1: 30b41ebc759a4f02e2ff7ab9acb09268923ee41f
  - SHA256: 503aaf5c2c5b7c729547462efe13699b5f6dacf9be150b7c48bba974b793dc92

**Identifiers**

- cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.1.5:*:*:*:*:*:*:* (*Confidence*:Highest) suppress

## mail.zip: jakarta.activation-api.jar

**Description:**

Specification

**License:**

EDL 1.0: http://www.eclipse.org/org/documents/edl-v10.php

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/jakarta.activation-api.jar
**MD5:** 76e7b680375ea9f40f3ddbd702efcd25
**SHA1:** fa165bd70cda600368eee31555222776a46b881f
**SHA256:**01b176d718a169263e78290691fc479977186bcc6b333487325084d6586f4627
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | jakarta.activation-api | High |
| Vendor | jar | package name | activation | Highest |
| Vendor | jar | package name | jakarta | Highest |
| Vendor | Manifest | bundle-docurl | https://www.eclipse.org | Low |
| Vendor | Manifest | bundle-symbolicname | jakarta.activation-api | Medium |
| Vendor | Manifest | extension-name | jakarta.activation | Medium |
| Vendor | Manifest | implementation-build-id | 7f7d358 | Low |
| Vendor | Manifest | Implementation-Vendor | Eclipse Foundation | High |
| Vendor | Manifest | specification-vendor | Eclipse Foundation | Low |
| Vendor | pom | artifactid | jakarta.activation-api | Low |
| Vendor | pom | developer email | bill.shannon@oracle.com | Low |
| Vendor | pom | developer id | shannon | Medium |
| Vendor | pom | developer name | Bill Shannon | Medium |
| Vendor | pom | developer org | Oracle | Medium |
| Vendor | pom | groupid | jakarta.activation | Highest |
| Vendor | pom | name | Jakarta Activation API | High |
| Vendor | pom | parent-artifactid | project | Low |
| Vendor | pom | parent-groupid | org.eclipse.ee4j | Medium |
| Vendor | pom | url | jakartaee/jaf-api | Highest |
| Vendor | pom (hint) | developer org | sun | Medium |
| Product | file | name | jakarta.activation-api | High |
| Product | jar | package name | activation | Highest |
| Product | jar | package name | jakarta | Highest |

| | | | | |
|---|---|---|---|---|
| Product | Manifest | bundle-docurl | https://www.eclipse.org | Low |
| Product | Manifest | Bundle-Name | Jakarta Activation API | Medium |
| Product | Manifest | bundle-symbolicname | jakarta.activation-api | Medium |
| Product | Manifest | extension-name | jakarta.activation | Medium |
| Product | Manifest | implementation-build-id | 7f7d358 | Low |
| Product | Manifest | Implementation-Title | Jakarta Activation API | High |
| Product | Manifest | specification-title | Jakarta Activation Specification | Medium |
| Product | pom | artifactid | jakarta.activation-api | Highest |
| Product | pom | developer email | bill.shannon@oracle.com | Low |
| Product | pom | developer id | shannon | Low |
| Product | pom | developer name | Bill Shannon | Low |
| Product | pom | developer org | Oracle | Low |
| Product | pom | groupid | jakarta.activation | Highest |
| Product | pom | name | Jakarta Activation API | High |
| Product | pom | parent-artifactid | project | Medium |
| Product | pom | parent-groupid | org.eclipse.ee4j | Medium |
| Product | pom | url | jakartaee/jaf-api | High |
| Version | Manifest | Bundle-Version | 2.1.3 | High |
| Version | pom | parent-version | 2.1.3 | Low |
| Version | pom | version | 2.1.3 | Highest |

**Identifiers**

- pkg:maven/jakarta.activation/jakarta.activation-api@2.1.3 (*Confidence*:High)

## mail.zip: jakarta.mail-api.jar

**Description:**

Specification API

**License:**

EPL 2.0: http://www.eclipse.org/legal/epl-2.0
GPL2 w/ CPE: https://www.gnu.org/software/classpath/license.html
EDL 1.0: http://www.eclipse.org/org/documents/edl-v10.php

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/jakarta.mail-api.jar
**MD5:** 288a687deb06b87602ce14cd03dddff4
**SHA1:** a327aa5f514ba86e80d54584417d7376ed2bde0e
**SHA256:**8051b58d75f982f9a5b963b3765426e824b2a64865ef0af17205e455b98db05c
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | jakarta.mail-api | High |
| Vendor | jar | package name | jakarta | Highest |
| Vendor | jar | package name | mail | Highest |
| Vendor | Manifest | bundle-docurl | https://www.eclipse.org | Low |
| Vendor | Manifest | bundle-symbolicname | jakarta.mail-api | Medium |
| Vendor | Manifest | extension-name | jakarta.mail | Medium |
| Vendor | Manifest | implementation-build-id | 0f448dc | Low |
| Vendor | Manifest | Implementation-Vendor | Eclipse Foundation | High |
| Vendor | Manifest | specification-vendor | Eclipse Foundation | Low |
| Vendor | pom | artifactid | jakarta.mail-api | Low |
| Vendor | pom | groupid | jakarta.mail | Highest |
| Vendor | pom | name | Jakarta Mail API | High |
| Vendor | pom | parent-artifactid | project | Low |
| Vendor | pom | parent-groupid | org.eclipse.ee4j | Medium |
| Product | file | name | jakarta.mail-api | High |
| Product | jar | package name | jakarta | Highest |
| Product | jar | package name | mail | Highest |
| Product | Manifest | bundle-docurl | https://www.eclipse.org | Low |
| Product | Manifest | Bundle-Name | Jakarta Mail API | Medium |
| Product | Manifest | bundle-symbolicname | jakarta.mail-api | Medium |
| Product | Manifest | extension-name | jakarta.mail | Medium |
| Product | Manifest | implementation-build-id | 0f448dc | Low |
| Product | Manifest | Implementation-Title | Jakarta Mail API | High |
| Product | Manifest | specification-title | Jakarta Mail Specification | Medium |
| Product | pom | artifactid | jakarta.mail-api | Highest |

| | | | | |
|---|---|---|---|---|
| Product | pom | groupid | jakarta.mail | Highest |
| Product | pom | name | Jakarta Mail API | High |
| Product | pom | parent-artifactid | project | Medium |
| Product | pom | parent-groupid | org.eclipse.ee4j | Medium |
| Version | Manifest | Bundle-Version | 2.1.3 | High |
| Version | pom | parent-version | 2.1.3 | Low |
| Version | pom | version | 2.1.3 | Highest |

**Identifiers**

- pkg:maven/jakarta.mail/jakarta.mail-api@2.1.3 (*Confidence*:High)

## mail.zip: mail.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/mail.jar
**MD5:** dd0a0fb955b445ce46558cdd3fd94732
**SHA1:** 23df48d2b3583b619173b24be42009bb191d768f
**SHA256:**c0d393839d98f5714234ed8471ab47e32c884b345b39e2993ac443f97a7e2172
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | mail | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | mail | Low |
| Vendor | Manifest | built-date | 2025-12-01 13:29 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | mail | High |
| Product | jar | package name | mail | Highest |

| | | | | |
|---|---|---|---|---|
| Product | jar | package name | mail | Low |
| Product | jar | package name | shared | Highest |
| Product | Manifest | built-date | 2025-12-01 13:29 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | mail | High |
| Product | Manifest | specification-title | mail | Medium |
| Version | jar | package name | shared | Highest |
| Version | Manifest | Implementation-Version | 25.10.259 | High |

**Identifiers**

- **None**

## mail.zip: mail.jar: smimeconfig.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/mail.zip/mail.jar/com/inet/mail/structure/smimeconfig.js
**MD5:** 5bcf984b6f7d3c12903f8e45723c4737
**SHA1:** c0fefbb10badfba57b9dd391e641c1357c10b615
**SHA256:**0fd57f5869585f955a1274b3e859d7172f1d8c41f26fb647d256207d680c5567
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## maintenance.helpdesk.zip: maintenance.helpdesk.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/maintenance.helpdesk.zip/maintenance.helpdesk.jar

**MD5:** d26d84dd43c07172b66ecd6dbea19f9e
**SHA1:** 7ad5a7c2e984519edb47e973b27d24feba508ec8
**SHA256:**da493920626bb7a226913b553a8ff2b050dd5c001c42d03c8104d861b29252fd
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | maintenance.helpdesk | High |
| Vendor | jar | package name | helpdesk | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | plugins | Low |
| Vendor | Manifest | built-date | 2025-12-01 15:41 | Low |
| Vendor | Manifest | implementation-group | helpdesk | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | maintenance.helpdesk | High |
| Product | jar | package name | helpdesk | Highest |
| Product | jar | package name | helpdesk | Low |
| Product | jar | package name | maintenance | Highest |
| Product | jar | package name | maintenance | Low |
| Product | jar | package name | plugins | Low |
| Product | Manifest | built-date | 2025-12-01 15:41 | Low |
| Product | Manifest | implementation-group | helpdesk | Low |
| Product | Manifest | Implementation-Title | maintenance.helpdesk | High |
| Product | Manifest | specification-title | maintenance.helpdesk | Medium |
| Version | jar | package name | helpdesk | Highest |
| Version | Manifest | Implementation-Version | 25.10.259 | High |

**Identifiers**

- cpe:2.3:a:inetsoftware:helpdesk:25.10.259:*:*:*:*:*:*:* (*Confidence*:Low) suppress

## maintenance.helpdesk.zip: maintenance.helpdesk.jar: app.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/maintenance.helpdesk.zip/maintenance.helpdesk.jar/com/inet/helpdesk/plugins/maintenance/server/datacare/js/app.js
**MD5:** 2353fe5cb51132fe3ded041fef2e0e69
**SHA1:** 1f0279d0202a7edf601926b358d117acbfc76083
**SHA256:**2ee4e265db89bbc6b99258f445b33a6fcc442601a59c191c77acbaba947e6d85
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## maintenance.helpdesk.zip: maintenance.helpdesk.jar: datacare.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/maintenance.helpdesk.zip/maintenance.helpdesk.jar/com/inet/helpdesk/plugins/maintenance/server/datacare/js/datacare.js
**MD5:** fb95e1f028908babec4a02282a867661
**SHA1:** bace3ed52594675239e40fdeebf0aba9c14716ee
**SHA256:**ed2c2220b93664648a73a415a769d62e478881b8dee3cd45130de8858994ad13
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## maintenance.helpdesk.zip: maintenance.helpdesk.jar: dbmigration.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/maintenance.helpdesk.zip/maintenance.helpdesk.jar/com/inet/helpdesk/plugins/maintenance/server/dbmigration/js/dbmigration.js
**MD5:** 4ffba52db7029cb7db4cf6fd9173402e
**SHA1:** 218ecb9ed2827aca3003bab831a9ca5251047527
**SHA256:**ec5d010aee089adc31d44d3b20a30abed81b40822102fd4487c2b385bd60d5cf
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## maintenance.helpdesk.zip: maintenance.helpdesk.jar: loginmodification.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/maintenance.helpdesk.zip/maintenance.helpdesk.jar/com/inet/helpdesk/plugins/maintenance/server/loginmodification/js/loginmodification.js
**MD5:** c9caaf80af602574445f7bd08806acb4
**SHA1:** 95812b03c104f2a6adfbbf273a0218e2d70f52da
**SHA256:**145a041432ca0a48250e35f28ce0aaba8b9d33a0b5868d9a580bbb75ae2446bd
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## maintenance.reporting.zip: maintenance.reporting.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.reporting.zip/maintenance.reporting.jar
**MD5:** 7ec1bfce7609f5ea8e6549a320b84ca6

**SHA1:** f82c663ac06ca2232458d47b95cb2d82d9ede0e7
**SHA256:**c934bdc2852eca5110e7dcd7b719f202e144c992371889448b872dd82cb8567e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | maintenance.reporting | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | plugins | Low |
| Vendor | jar | package name | report | Low |
| Vendor | Manifest | built-date | 2025-12-01 14:40 | Low |
| Vendor | Manifest | implementation-group | reporting | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | maintenance.reporting | High |
| Product | jar | package name | maintenance | Highest |
| Product | jar | package name | maintenance | Low |
| Product | jar | package name | plugins | Low |
| Product | jar | package name | report | Low |
| Product | Manifest | built-date | 2025-12-01 14:40 | Low |
| Product | Manifest | implementation-group | reporting | Low |
| Product | Manifest | Implementation-Title | maintenance.reporting | High |
| Product | Manifest | specification-title | maintenance.reporting | Medium |
| Version | Manifest | Implementation-Version | 25.10.259 | High |

**Identifiers**

- **None**

## maintenance.zip: maintenance-javadoc.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance-javadoc.jar
**MD5:** aaf056eceaf369c14fab6bf715be6a13
**SHA1:** 5574d2b4324e029d84b3fd415fafdbc5c68c94a8
**SHA256:**fd0eb02dc17021327448b8e5ca56662e06ad7ee010c9738d9ffc8a9334aba9f1
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | maintenance-javadoc | High |
| Product | file | name | maintenance-javadoc | High |

**Identifiers**

- **None**

## maintenance.zip: maintenance-javadoc.jar: member-search-index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance-javadoc.jar/member-search-index.js
**MD5:** 93b51609403fe383f95ae75000fd9e09
**SHA1:** 32a7d291fa90846ef3a1b919485866573b8bd07b
**SHA256:**5902db037c53061d68cc19ef2af2e3578c16ce0ec0397438e34dd8119c609087
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## maintenance.zip: maintenance-javadoc.jar: package-search-index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance-javadoc.jar/package-search-index.js
**MD5:** e89f47c422716f6284a74cd96ed0cd3f
**SHA1:** 658d9c6eebf7c62d01f7808a26b6024b8c39ecf4
**SHA256:**9687f5061532bbd21fa8c795aca6a657bdac71e356eb43f7103a1cd02bd9306d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## maintenance.zip: maintenance-javadoc.jar: tag-search-index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance-javadoc.jar/tag-search-index.js
**MD5:** 3236248138000d701400e0346999c1a8
**SHA1:** 565146643a30712208f9299bd94a37566eab76b8
**SHA256:**72960c457566fe509fb1610d2612152b3f78b15485c891197f1053febdf8f8d1
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Related Dependencies**

- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: tag-search-index.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/tag-search-index.js
  - MD5: 3236248138000d701400e0346999c1a8
  - SHA1: 565146643a30712208f9299bd94a37566eab76b8
  - SHA256: 72960c457566fe509fb1610d2612152b3f78b15485c891197f1053febdf8f8d1

**Identifiers**

- **None**

## maintenance.zip: maintenance-javadoc.jar: type-search-index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance-javadoc.jar/type-search-index.js
**MD5:** 4fc01a884f0b77974cfda0ecd2b9008f
**SHA1:** d9610bba6879a5a4f88fb61427b75cd69bce1546
**SHA256:**cb975e5713d5cd570800e6107aceaa23f53deee11f68222408fec819358da987
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## maintenance.zip: maintenance.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance.jar
**MD5:** f02818d8eb92b03cc19c5455b8828ea4
**SHA1:** 503a2d30f655d1d5017b2a56ccf65cd8cbe6f032
**SHA256:**57a28cee250a2bf58de21be73519e72ee4367f181ff01c4456e7a83078b62f64
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | maintenance | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | maintenance | Low |
| Vendor | jar | package name | server | Low |
| Vendor | Manifest | built-date | 2025-12-01 13:04 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |

| | | | | |
|---|---|---|---|---|
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | maintenance | High |
| Product | jar | package name | maintenance | Highest |
| Product | jar | package name | maintenance | Low |
| Product | jar | package name | server | Low |
| Product | Manifest | built-date | 2025-12-01 13:04 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | maintenance | High |
| Product | Manifest | specification-title | maintenance | Medium |
| Version | Manifest | Implementation-Version | 25.10.259 | High |

**Identifiers**

- **None**

## maintenance.zip: maintenance.jar: controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/backup/js/controller.js
**MD5:** eda28b0d3fc75e6df1ec801c4dda1184
**SHA1:** bde7771a725ab5f735940d621e891210d76d746c
**SHA256:**a6b050a5c95270a0c67687822415186d22ee8330dcf39902d53e80d8272effda
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## maintenance.zip: maintenance.jar: controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/cache/js/controller.js
**MD5:** aa44ef9d57351256e8288279206e9da0
**SHA1:** 29d071ac271977ff8019c6031ee24ddabc5fc3f1
**SHA256:**4fbd2dbd4693521ea657c6d95d5f20f8128e38208d742ad6388f76e962052fec
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## maintenance.zip: maintenance.jar: controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/main/js/controller.js
**MD5:** 0ff72e191a3f127973fc5a9381f1e3fb
**SHA1:** 2ed064d4500a047ef82b23173f0abf1e9813e1a2
**SHA256:**6d60b6004b5b228cc1e6fcaf6ba01afc922d7d6e174f32773dbf32f1993085a0
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## maintenance.zip: maintenance.jar: controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/programdata/js/controller.js
**MD5:** fa453d5635f82f0078c224f27dd99a7d

**SHA1:** 6288a3c4fbff29ee7cc6a8f69149de44c49ef5c6
**SHA256:**f7902fb5b8dd900a95b90969872c55787e2d4f65f3736d827fcb13c0ebcef46b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## maintenance.zip: maintenance.jar: controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/usercleanup/js/controller.js
**MD5:** 8761a32cdcf4e1e4a7685026230292f7
**SHA1:** c2d0abdc930a08da61c93cf63f310c9a74434f3c
**SHA256:**358479a73183963c1626c72ae92d5c4f7c03b83363c80257ac03dc58eb4285bd
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## maintenance.zip: maintenance.jar: filechooser.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/main/js/filechooser.js
**MD5:** e68e2ea53d15557b2fb1deaf06d441d3
**SHA1:** 047d5f2582143536ea470e92aa91fb7b77c7f093
**SHA256:**c44d53718171530ce586b9932fe7126a09de8e6f7bb9e40aaf949483e432e87d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## maintenance.zip: maintenance.jar: multieditusers.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/usercleanup/js/multieditusers.js
**MD5:** 9344849a6f020a58c0f0d718e8c76929
**SHA1:** 2d636915befebb9bd1db90c54bffe6acfb088d87
**SHA256:**ab73fb84fe0687eaea50fa310992eb630da346b49387ccee829854f6ecc03329
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## mariadb-java-client.jar

**Description:**

JDBC driver for MariaDB and MySQL

**License:**

LGPL-2.1-or-later

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/mariadb-java-client.jar
**MD5:** 4f5c2cfaf1244e883a91ce1983e6540c
**SHA1:** 8ed7a307cfdb58c7d08983440411e178730cab04
**SHA256:**a129703efd7b0f334564d46753de999f09b3a361489a2eb647e6020390981cc9
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

| | | | | |
|---|---|---|---|---|
| Vendor | file | name | mariadb-java-client | High |
| Vendor | jar | package name | client | Highest |
| Vendor | jar | package name | driver | Highest |
| Vendor | jar | package name | jdbc | Highest |
| Vendor | jar | package name | mariadb | Highest |
| Vendor | jar | package name | org | Highest |
| Vendor | Manifest | build-jdk-spec | 21 | Low |
| Vendor | Manifest | bundle-developers | mariadbJdbcDevelopers;name="mariadb jdbc developers" | Low |
| Vendor | Manifest | bundle-docurl | https://mariadb.com/kb/en/mariadb/about-mariadb-connector-j/ | Low |
| Vendor | Manifest | bundle-symbolicname | mariadb-java-client | Medium |
| Vendor | Manifest | multi-release | true | Low |
| Vendor | pom | artifactid | mariadb-java-client | Low |
| Vendor | pom | developer id | mariadbJdbcDevelopers | Medium |
| Vendor | pom | developer name | mariadb jdbc developers | Medium |
| Vendor | pom | groupid | org.mariadb.jdbc | Highest |
| Vendor | pom | name | mariadb-java-client | High |
| Vendor | pom | organization name | mariadb.com | High |
| Vendor | pom | organization url | https://mariadb.com | Medium |
| Vendor | pom | url | https://mariadb.com/kb/en/mariadb/about-mariadb-connector-j/ | Highest |
| Product | file | name | mariadb-java-client | High |
| Product | jar | package name | client | Highest |
| Product | jar | package name | driver | Highest |
| Product | jar | package name | jdbc | Highest |
| Product | jar | package name | mariadb | Highest |
| Product | jar | package name | org | Highest |
| Product | Manifest | build-jdk-spec | 21 | Low |
| Product | Manifest | bundle-developers | mariadbJdbcDevelopers;name="mariadb jdbc developers" | Low |
| Product | Manifest | bundle-docurl | https://mariadb.com/kb/en/mariadb/about-mariadb-connector-j/ | Low |
| Product | Manifest | Bundle-Name | mariadb-java-client | Medium |
| Product | Manifest | bundle-symbolicname | mariadb-java-client | Medium |
| Product | Manifest | multi-release | true | Low |

| | | | | |
|---|---|---|---|---|
| Product | pom | artifactid | mariadb-java-client | Highest |
| Product | pom | developer id | mariadbJdbcDevelopers | Low |
| Product | pom | developer name | mariadb jdbc developers | Low |
| Product | pom | groupid | org.mariadb.jdbc | Highest |
| Product | pom | name | mariadb-java-client | High |
| Product | pom | organization name | mariadb.com | Low |
| Product | pom | organization url | https://mariadb.com | Low |
| Product | pom | url | https://mariadb.com/kb/en/mariadb/about-mariadb-connector-j/ | Medium |
| Version | Manifest | Bundle-Version | 3.5.6 | High |
| Version | pom | version | 3.5.6 | Highest |

**Identifiers**

- pkg:maven/org.mariadb.jdbc/mariadb-java-client@3.5.6 (*Confidence*:High)

## mysql-connector-j.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/mysql-connector-j.jar
**MD5:** a331817ab5c572777e25539a70b51bb6
**SHA1:** 56d34aea30915904b1c883f1cfae731dd2df6029
**SHA256:**06f14fbd664d0e382347489e66495ca27ab7e6c2e1d9969a496931736197465f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | mysql-connector-j | High |
| Vendor | hint analyzer | vendor | oracle | Highest |
| Vendor | hint analyzer (hint) | vendor | sun | Highest |
| Vendor | jar | package name | cj | Highest |
| Vendor | jar | package name | cj | Low |
| Vendor | jar | package name | mysql | Highest |
| Vendor | jar | package name | mysql | Low |
| Vendor | Manifest | bundle- | com.mysql.cj | Medium |

| | | | | |
|---|---|---|---|---|
| | | symbolicname | | |
| Vendor | Manifest | Implementation-Vendor | Oracle | High |
| Vendor | Manifest | Implementation-Vendor-Id | com.mysql | Medium |
| Vendor | Manifest | specification-vendor | Oracle Corporation | Low |
| Vendor | Manifest (hint) | Implementation-Vendor | sun | High |
| Product | file | name | mysql-connector-j | High |
| Product | hint analyzer | product | mysql_connector/j | Highest |
| Product | hint analyzer | product | mysql_connector_j | Highest |
| Product | hint analyzer | product | mysql_connectors | Highest |
| Product | jar | package name | cj | Highest |
| Product | jar | package name | cj | Low |
| Product | jar | package name | driver | Highest |
| Product | jar | package name | jdbc | Highest |
| Product | jar | package name | mysql | Highest |
| Product | jar | package name | xdevapi | Highest |
| Product | Manifest | Bundle-Name | Oracle Corporation's JDBC and XDevAPI Driver for MySQL | Medium |
| Product | Manifest | bundle-symbolicname | com.mysql.cj | Medium |
| Product | Manifest | Implementation-Title | MySQL Connector/J | High |
| Product | Manifest | specification-title | JDBC | Medium |
| Version | Manifest | Bundle-Version | 8.2.0 | High |
| Version | Manifest | Implementation-Version | 8.2.0 | High |

**Identifiers**

- cpe:2.3:a:mysql:mysql:8.2.0:*:*:*:*:*:*:* (*Confidence*:Highest) suppress
- cpe:2.3:a:oracle:connector\/j:8.2.0:*:*:*:*:*:*:* (*Confidence*:Highest) suppress
- cpe:2.3:a:oracle:jdbc:8.2.0:*:*:*:*:*:*:* (*Confidence*:Highest) suppress
- cpe:2.3:a:oracle:mysql_connector\/j:8.2.0:*:*:*:*:*:*:* (*Confidence*:Highest) suppress
- cpe:2.3:a:oracle:mysql_connectors:8.2.0:*:*:*:*:*:*:* (*Confidence*:Highest) suppress

## notification.zip: notification.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/notification.zip/notification.jar
**MD5:** 91442a61b99a04ee4401d3c9b39485b5
**SHA1:** f49ead4a984b4c37b1c5f7fe67d1f0f7f830d8ae
**SHA256:**bd26211a821da0a230ee8ae62db4713b3d42893d04a16dd00038ba72824fa400
**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | notification | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | notificationui | Low |
| Vendor | jar | package name | server | Low |
| Vendor | Manifest | built-date | 2025-12-01 13:27 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | notification | High |
| Product | jar | package name | notificationui | Low |
| Product | jar | package name | server | Low |
| Product | Manifest | built-date | 2025-12-01 13:27 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | notification | High |
| Product | Manifest | specification-title | notification | Medium |
| Version | Manifest | Implementation-Version | 25.10.259 | High |

### Identifiers

- **None**

## notification.zip: notification.jar: notification.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/notification.js
**MD5:** a7914294220b5e8b3455195997e7a654
**SHA1:** 6aa5184b6872c79a90cb0c7db02e4b383ae1d6f0
**SHA256:**1adacc2b14565423a88959085345d44027d4ca43cb75b2a1dceb5ffdde9c0637
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## notification.zip: notification.jar: notification_config.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/notification_config.js
**MD5:** 323c074408d9e2dc2145230f2f2bec9e
**SHA1:** e6ca6eb13f3c22aedfbd90b0d7306c35cd7d2b28
**SHA256:**c86eed2c4c6b7df65bdebffc00a3ea2d809997c4b7a97cd22d55f7193ebd4b94
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## notification.zip: notification.jar: notification_taskplanner.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/notification_taskplanner.js
**MD5:** 34de69c55375ed77dcc583b60d7682a7
**SHA1:** 61bc262edf6fc6e902bbbc4bbc16c546a01e4f78
**SHA256:**ddb2f468d7348ce9388681d450895a6e4b5ba6c22d632f3d53bc1e837be83508
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## notification.zip: notification.jar: targetrenderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/targetrenderer.js
**MD5:** 9207efb9b92d4108c031b3e7f469ccff
**SHA1:** fc19cd09c51417a29979d39e3a74a2d99fbf9c03
**SHA256:**c6c83159f063f74a44c1d68bd67a67c4c96023c3eba9f87ce1090b8f994f49bd
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## odbc.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/lib/odbc.jar
**MD5:** edc6704ed21f059309feec7db1464974
**SHA1:** 556ff85f77efdef7a09228ad485b4e3587b7a8db

**SHA256:**0276aac418c162cf4914b0673e85cec22f09c61b08754da93e0b779f36dba031
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | odbc | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | odbc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software GmbH, Berlin, Germany | High |
| Vendor | Manifest | specification-vendor | i-net software GmbH, Berlin, Germany | Low |
| Product | file | name | odbc | High |
| Product | jar | package name | odbc | Highest |
| Product | jar | package name | odbc | Low |
| Product | Manifest | Implementation-Title | odbc | High |
| Product | Manifest | specification-title | odbc | Medium |
| Version | Manifest | Implementation-Version | 1.7 | High |

**Identifiers**

- **None**

## opentest4j-1.3.0.jar

**License:**

The Apache License, Version 2.0

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.opentest4j/opentest4j/1.3.0/152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e/opentest4j-1.3.0.jar
**MD5:** 03c404f727531f3fd3b4c73997899327
**SHA1:** 152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e
**SHA256:**48e2df636cab6563ced64dcdff8abb2355627cb236ef0bf37598682ddf742f1b
**Referenced In Project/Scope:** server:inetPlugin
**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | opentest4j | High |
| Vendor | gradle | artifactid | opentest4j | Highest |
| Vendor | gradle | groupid | org.opentest4j | Highest |
| Vendor | jar | package name | opentest4j | Highest |
| Vendor | jar | package name | opentest4j | Low |
| Vendor | Manifest | build-date | 2023-07-06 | Low |
| Vendor | Manifest | build-revision | 214973bfa4e7e9be7d04e623202cc4147c7036 | Low |
| Vendor | Manifest | build-time | 14:25:06.116+0200 | Low |
| Vendor | Manifest | bundle-symbolicname | org.opentest4j | Medium |
| Vendor | Manifest | Implementation-Vendor | opentest4j.org | High |
| Vendor | Manifest | specification-vendor | opentest4j.org | Low |
| Product | file | name | opentest4j | High |
| Product | gradle | artifactid | opentest4j | Highest |
| Product | jar | package name | opentest4j | Highest |
| Product | Manifest | build-date | 2023-07-06 | Low |
| Product | Manifest | build-revision | 214973bfa4e7e9be7d04e623202cc4147c7036 | Low |
| Product | Manifest | build-time | 14:25:06.116+0200 | Low |
| Product | Manifest | Bundle-Name | opentest4j | Medium |
| Product | Manifest | bundle-symbolicname | org.opentest4j | Medium |
| Product | Manifest | Implementation-Title | opentest4j | High |
| Product | Manifest | specification-title | opentest4j | Medium |
| Version | file | version | 1.3.0 | High |
| Version | Manifest | Implementation-Version | 1.3.0 | High |

**Identifiers**

- pkg:maven/org.opentest4j/opentest4j@1.3.0 (*Confidence*:Highest)

## pdfviewer.zip: pdfjs-dist.jar

**Description:**

WebJar for pdfjs-dist

**License:**

Apache-2.0

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pdfviewer.zip/pdfjs-dist.jar
**MD5:** 57149d661792caab7b262b841f199ca0
**SHA1:** 1dd919385c724d3caf7294f870cbfa3fc2185530
**SHA256:**55641dec5fc0d26127af3ec412c80234bc8c76e45639188034793c2205e8718a
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | pdfjs-dist | High |
| Vendor | Manifest | build-jdk-spec | 1.8 | Low |
| Vendor | Manifest | bundle-symbolicname | org.webjars.npm.pdfjs-dist | Medium |
| Vendor | pom | artifactid | pdfjs-dist | Low |
| Vendor | pom | developer id | webjars | Medium |
| Vendor | pom | groupid | org.webjars.npm | Highest |
| Vendor | pom | name | pdfjs-dist | High |
| Vendor | pom | url | https://www.webjars.org | Highest |
| Product | file | name | pdfjs-dist | High |
| Product | Manifest | build-jdk-spec | 1.8 | Low |
| Product | Manifest | Bundle-Name | pdfjs-dist | Medium |
| Product | Manifest | bundle-symbolicname | org.webjars.npm.pdfjs-dist | Medium |
| Product | pom | artifactid | pdfjs-dist | Highest |
| Product | pom | developer id | webjars | Low |
| Product | pom | groupid | org.webjars.npm | Highest |
| Product | pom | name | pdfjs-dist | High |
| Product | pom | url | https://www.webjars.org | Medium |
| Version | Manifest | Bundle-Version | 4.9.155 | High |
| Version | pom | version | 4.9.155 | Highest |

**Identifiers**

- pkg:maven/org.webjars.npm/pdfjs-dist@4.9.155 (*Confidence*:High)

## pdfviewer.zip: pdfjs-dist.jar: package.json

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pdfviewer.zip/pdfjs-dist.jar/META-INF/resources/webjars/pdfjs-dist/4.9.155/package.json
**MD5:** f65798a4fb5f72545ae76304dcf58ed6
**SHA1:** 9a8fec5d3dbad5400bbed30a0be7cb07c854f0f4
**SHA256:**5a3c6c424b00e9d9cc490b0e357197f1b099a2f91cf6aeb4dd5002f77e1155ce
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## pdfviewer.zip: pdfviewer.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pdfviewer.zip/pdfviewer.jar
**MD5:** 0fbb47b96970b89bd96ab171007f8a92
**SHA1:** d3a3050177dfbf0c75380b5bdb100729fbcced38
**SHA256:**9229d90cdcc5ff965447bc96d46131934eec556635385d6716f35ed198dc68b5
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | pdfviewer | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdf | Low |
| Vendor | jar | package name | viewer | Low |
| Vendor | Manifest | built-date | 2025-12-01 14:44 | Low |
| Vendor | Manifest | implementation-group | reporting | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation- | de.inetsoftware | Medium |

| | | | | |
|---|---|---|---|---|
| | | Vendor-Id | | |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | pdfviewer | High |
| Product | jar | package name | pdf | Low |
| Product | jar | package name | viewer | Low |
| Product | Manifest | built-date | 2025-12-01 14:44 | Low |
| Product | Manifest | implementation-group | reporting | Low |
| Product | Manifest | Implementation-Title | pdfviewer | High |
| Product | Manifest | specification-title | pdfviewer | Medium |
| Version | Manifest | Implementation-Version | 25.10.259 | High |

**Identifiers**

- **None**

## pdfviewer.zip: pdfviewer.jar: drive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/drive/js/drive.js
**MD5:** a61df90ad012e9d4c83859788ec19151
**SHA1:** 9a3461f7171aa71cb5200a7dd1140a5dd4c1d86a
**SHA256:**b16d712ec3e0e24b89a91b1d6002f61ce094fcd6a2624ff9e67ad9722ee90dfb
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## pdfviewer.zip: pdfviewer.jar: pdfviewer.angular.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.angular.js
**MD5:** 1e0d22af5c77627a6485695f2bdd10d6
**SHA1:** 8b670f76b503826911b1a439f602be0cbfa95133
**SHA256:**26990964368293ee401c9bec49dc5de654e654ef42b667aa62f12273e9546e3b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## pdfviewer.zip: pdfviewer.jar: pdfviewer.embedded.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.embedded.js
**MD5:** 83c45e0d7293b9373aa727b5b46fad6f
**SHA1:** 501bddea7565a6ddfbcc28dbd28548db4c5e75a2
**SHA256:**ecb5a921e11426c887e8dfbaff8454aa16e4a7c5f73d59463e951f9ac89d3c9e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## pdfviewer.zip: pdfviewer.jar: pdfviewer.factory.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.factory.js
**MD5:** 70c61569c527fd7737957b471de5dd07

**SHA1:** 947a14d0e216a84e51575e6cc582df68c443ad1c
**SHA256:**06b6d8369b50776cdb25f6a92a488a63b7abe3f529d8a0e4529070fa4a2f5404
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## pdfviewer.zip: pdfviewer.jar: pdfviewer.model.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.model.js
**MD5:** 65061f85ec23077b6c98875be7b46164
**SHA1:** 1bebe940057d69c75870d43e93b52806a127a040
**SHA256:**bac57cd12d9ba31c7e012c761b10c4764df23e8b132bd102cc640f8995ec1695
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## pdfviewer.zip: pdfviewer.jar: pdfviewer.renderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.renderer.js
**MD5:** d34b04e30b4d0d71a176ac708274aae7
**SHA1:** 485cbf2519f98dd3bec1159904ff4bc771dd7360
**SHA256:**ab00a5aa599e0c984409db9756b2bf415c6df469f0ccf92e0a59d1123237d62f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## pdfviewer.zip: pdfviewer.jar: pdfviewer.reporting.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.reporting.js
**MD5:** da48dd4655e68609c373107cb5448021
**SHA1:** 85f7795753fd05c86b7f28417219a72258418869
**SHA256:**58a1fd3c9e8fbb4803b10157f30292e58b9f418dc35409a616971280a3840552
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## pluginstore.client.zip: pluginstore.client.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pluginstore.client.zip/pluginstore.client.jar
**MD5:** 5746e764b81d4bbf1abdc413c212cb26
**SHA1:** 90cc098603543b19fb2c23681d2d795915f08fff
**SHA256:**c235d505701394ab1b3e5c0a5ea3469306f8ed4fddfd25c7bee1fad7a93dfe8e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | pluginstore.client | High |
| Vendor | jar | package name | client | Low |
| Vendor | jar | package name | inet | Low |

| | | | | |
|---|---|---|---|---|
| Vendor | jar | package name | store | Low |
| Vendor | Manifest | built-date | 2025-12-01 13:29 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | pluginstore.client | High |
| Product | jar | package name | client | Highest |
| Product | jar | package name | client | Low |
| Product | jar | package name | shared | Highest |
| Product | jar | package name | store | Low |
| Product | Manifest | built-date | 2025-12-01 13:29 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | pluginstore.client | High |
| Product | Manifest | specification-title | pluginstore.client | Medium |
| Version | jar | package name | shared | Highest |
| Version | Manifest | Implementation-Version | 25.10.259 | High |

**Identifiers**

- **None**

## pluginstore.client.zip: pluginstore.client.jar: controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/setup/controller.js
**MD5:** b890353af95e8d67ed666d72e55d5583
**SHA1:** cdc7ae95f6ea08ce7051388a5a6487c8a965eec3
**SHA256:**b2efe42a4dfe713e2a079e24a1044fdc777effb0518d6750fdf9a3974ac78936
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## pluginstore.client.zip: pluginstore.client.jar: pluginstorehelpcontroller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/plugin/help/js/pluginstorehelpcontroller.js
**MD5:** 33e0b25623e005ecbba43c00c91b043a
**SHA1:** 6b9855a487458ce85ae48ee1c5a129b26093b289
**SHA256:**a70a95787e2759bf1d43b76947ea5d48e541c6d94c640d25c9efd31ce281e3a7
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## pluginstore.client.zip: pluginstore.client.jar: publicstoreconfig.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/publicstoreconfig.js
**MD5:** 640b897e30bb04f24b310e948f963701
**SHA1:** c4f24830c5130eabd110ac29f1e198ca4f88e35b
**SHA256:**45bf77256d46306542a6592243af524e1be940c5bef8746be0fd62ec7209eb84
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## pluginstore.client.zip: pluginstore.client.jar: storecontroller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/storecontroller.js
**MD5:** 512668a61bc16fe85f6442a56f622a9d
**SHA1:** f9bc6cb342455404802657a7c0d1dd1ed6ec7297
**SHA256:**7f183982c67d73d4a2bfb963dcc5aa8241b3beb2f2acf5d19aaec20357b715d6
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## pluginstore.client.zip: pluginstore.client.jar: storedirectives.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/storedirectives.js
**MD5:** ec0e5529e70952af58b9df0ce2bfebb4
**SHA1:** 0b859497e1b59e55936959192636c3fec9bacef5
**SHA256:**5066f9af1ecc472186f35289ec17fd270e6a0ef404796f1fbe6acdf69c40fe90
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## pluginstore.client.zip: pluginstore.client.jar: storemodel.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/storemodel.js
**MD5:** 79df37a017eb872811c499812d1eb6dc
**SHA1:** 1765bf02e7673e3559cac97d4e8a8308c3cf7fcb
**SHA256:**763d9661e237f8406a59f8fbec70549b5f4cf3e70e58b0c038bc233447d29669
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## promptdialog.zip: promptdialog.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/promptdialog.zip/promptdialog.jar
**MD5:** 8931e8944739f3470f1f88c1815a7a99
**SHA1:** 38b9ce10c6282d48694177c922ea26d9df8ad1ad
**SHA256:**faa4d2b2194614c3748ca2a8477c55affde0f52a03c6b17dfef0b73290e76a34
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | promptdialog | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | promptdialog | Low |
| Vendor | jar | package name | report | Low |
| Vendor | Manifest | built-date | 2025-12-01 14:44 | Low |
| Vendor | Manifest | implementation-group | reporting | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |

| | | | | |
|---|---|---|---|---|
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | promptdialog | High |
| Product | jar | package name | promptdialog | Highest |
| Product | jar | package name | promptdialog | Low |
| Product | jar | package name | report | Low |
| Product | jar | package name | server | Low |
| Product | Manifest | built-date | 2025-12-01 14:44 | Low |
| Product | Manifest | implementation-group | reporting | Low |
| Product | Manifest | Implementation-Title | promptdialog | High |
| Product | Manifest | specification-title | promptdialog | Medium |
| Version | Manifest | Implementation-Version | 25.10.259 | High |

**Identifiers**

- **None**

## promptdialog.zip: promptdialog.jar: promptcontroller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptcontroller.js
**MD5:** 9a1030e31357faa7ff332e07f31b2013
**SHA1:** 719be987ccdcc3264d5d3d086f00c1aefb24e080
**SHA256:**5da72dc8b28b981a4ae5ff12babe1ed24733a8e828f6734da7e32988bc276783
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## promptdialog.zip: promptdialog.jar: promptcustomrenderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptcustomrenderer.js
**MD5:** 4a2ab3e2f8b066e6c2faad02c1bf6c16
**SHA1:** e78d0c78e0a4222aa77bb5bab99d5686ceef8786
**SHA256:**249dece5c3251a2ed48cf1d60b25c93f473b33e22ec83b8980a3907bdf267b47
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## promptdialog.zip: promptdialog.jar: promptfactory.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptfactory.js
**MD5:** 8fdaefff173cebe93a61e37d38b411f5
**SHA1:** df01371336e4d20ec91101bd4183bda94b5fb6ea
**SHA256:**2c84e71877b13721299f62b69e9daf89c9b20db27cb8e8ade6fd4528949b37b8
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## promptdialog.zip: promptdialog.jar: promptpanel.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptpanel.js
**MD5:** 99d16b2383290d43cd354674196e40b0

**SHA1:** 03c6c2111b242719e26e7ebb64a1c5e89e6e540c
**SHA256:**7863b068cfa31af1c989f23a8f888f7858759728968e0d0335b6d5ac7411eea4
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## promptdialog.zip: promptdialog.jar: promptrenderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptrenderer.js
**MD5:** 61c61ff08c770911316a7fef2450d6ba
**SHA1:** 9ab51332b7278bd9f50630cebbf0064101971b4b
**SHA256:**6ee26567dca9cf9d36e34c332500b735c83732876a89fba13607cf332eb3b715
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## quickticket.zip: quickticket.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/quickticket.zip/quickticket.jar
**MD5:** 4c7bde1f169b9be5735201ad73592266
**SHA1:** 7fd99196f7668339c271e62d2e3126763185dc24
**SHA256:**fd03b4dfcb3a1ecb57c66bdbe731470ae22cba0a4848cd84d4cd93cd611e900f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

| | | | | |
|---|---|---|---|---|
| Vendor | file | name | quickticket | High |
| Vendor | jar | package name | helpdesk | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | plugins | Low |
| Vendor | Manifest | built-date | 2025-12-01 15:42 | Low |
| Vendor | Manifest | implementation-group | helpdesk | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | quickticket | High |
| Product | jar | package name | helpdesk | Highest |
| Product | jar | package name | helpdesk | Low |
| Product | jar | package name | plugins | Low |
| Product | jar | package name | quickticket | Highest |
| Product | jar | package name | quickticket | Low |
| Product | Manifest | built-date | 2025-12-01 15:42 | Low |
| Product | Manifest | implementation-group | helpdesk | Low |
| Product | Manifest | Implementation-Title | quickticket | High |
| Product | Manifest | specification-title | quickticket | Medium |
| Version | jar | package name | helpdesk | Highest |
| Version | Manifest | Implementation-Version | 25.10.259 | High |

**Identifiers**

- cpe:2.3:a:inetsoftware:helpdesk:25.10.259:*:*:*:*:*:*:* (*Confidence*:Low) suppress

## quickticket.zip: quickticket.jar: configuration.quickticket.createfolder.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/quickticket.zip/quickticket.jar/com/inet/helpdesk/plugins/quickticket/client/config/configuration.quickticket.createfolder.js
**MD5:** fc5ef70d60d8574fe55112306a06907b
**SHA1:** 73ad9791f16dea6b384d900f6e1ccd7893bfa4dc
**SHA256:**93a3db50c5bcc486ad8bd79970aef9bd766c1131bbd84664f9195843caf5b6df
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## quickticket.zip: quickticket.jar: configuration.quickticket.edit.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/quickticket.zip/quickticket.jar/com/inet/helpdesk/plugins/quickticket/client/config/configuration.quickticket.edit.js
**MD5:** 0bfdacb57a152820db8d3f71116fcff9
**SHA1:** 18839a4b92db85769f62fb09d9467d4c733bea4e
**SHA256:**ecf1c9cf6a881c8615a501e462c8f9f3185c2cccc4f33c623008b325c7e25e5a
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## quickticket.zip: quickticket.jar: configuration.quickticket.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/quickticket.zip/quickticket.jar/com/inet/helpdesk/plugins/quickticket/client/config/configuration.quickticket.js
**MD5:** c6e56f0b46ea4850b31200ee98d6ba03
**SHA1:** 91689e003a8df0ea100d46e76e7406cc41c01777
**SHA256:**51ccb75031fb8e7cf7bd23e8c7e971afc2c9ba41d408cf72237b140681236ab2
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## quickticket.zip: quickticket.jar: configuration.quickticket.renderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/quickticket.zip/quickticket.jar/com/inet/helpdesk/plugins/quickticket/client/config/configuration.quickticket.renderer.js
**MD5:** ca9692ad08b8e24f750cbe47cbf9b156
**SHA1:** 5bd270f9d5363e2f0a7827cb01d634363e1cd7ba
**SHA256:**89db080f32a112fb4c668b1ce1376f98067edf7c89dcff9249ed3aaa0099b5c5
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## quickticket.zip: quickticket.jar: ticketlist.extension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/quickticket.zip/quickticket.jar/com/inet/helpdesk/plugins/quickticket/client/ticketlist/ticketlist.extension.js
**MD5:** eb9510fb0314fe12203eca0f75b16ae3
**SHA1:** e3f18085713d2ddffbcc28f79008d99156d2d40f
**SHA256:**c8d575a739dca75b067d2d004318fee69e31c012b998841d892e388879495499
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## quickticket.zip: quickticket.jar: ticketlist.quickticket.apply.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/quickticket.zip/quickticket.jar/com/inet/helpdesk/plugins/quickticket/client/ticketlist/ticketlist.quickticket.apply.js
**MD5:** b233e7a67413fe78c5ca169b53799a80
**SHA1:** 17cfeddcd3ad725e8cc6bb96eb98a83ad4c0bc14
**SHA256:**eda543914916c26b6b9a0a0108f669667e970138656922b22aba98bc848cb2d5
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: angular-animate.jar

**Description:**

WebJar for angular-animate

**License:**

MIT

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-animate.jar
**MD5:** 1dcc988a8392618e7c5127f57b3453d1
**SHA1:** 7ea94213dad8a46ab088e1a3dd6a5def2ecf8e78
**SHA256:**dbbce06145963ef7bfd197c1646722fedfe76a9b54b01f1b6dc7ccf7e8b51163
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | angular-animate | High |

| | | | | |
|---|---|---|---|---|
| Vendor | pom | artifactid | angular-animate | Low |
| Vendor | pom | developer id | webjars | Medium |
| Vendor | pom | groupid | org.webjars.npm | Highest |
| Vendor | pom | name | angular-animate | High |
| Vendor | pom | url | https://www.webjars.org | Highest |
| Product | file | name | angular-animate | High |
| Product | pom | artifactid | angular-animate | Highest |
| Product | pom | developer id | webjars | Low |
| Product | pom | groupid | org.webjars.npm | Highest |
| Product | pom | name | angular-animate | High |
| Product | pom | url | https://www.webjars.org | Medium |
| Version | pom | version | 1.8.3 | Highest |

**Identifiers**

- pkg:maven/org.webjars.npm/angular-animate@1.8.3 (*Confidence*:High)

## remotegui.zip: angular-animate.jar: angular-animate.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/angular-animate.js
**MD5:** 31312b87e7226c8bf0714fcef0ea5d18
**SHA1:** dc9fb55f2c7f922c5ba83449266239ba1353db45
**SHA256:**58e79e0e7cbb1e1502d216701e1fae41c405d92320aea1b68a223054096fda93
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | angularjs | High |
| Product | file | name | angularjs | High |
| Version | file | version | 1.8.3 | High |

**Identifiers**

- pkg:javascript/angularjs@1.8.3 (*Confidence*:Highest)

## remotegui.zip: angular-animate.jar: angular-animate.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/angular-animate.min.js
**MD5:** 5d2d0f42bb7e1b5503e914674f59dad0
**SHA1:** 4c15a58541e53c451c6f946d2048104f88b833c7
**SHA256:**8e6202b1330a469a61ccdeebbd1cb3a20d0ecdfc8d106f68da5b85e9b67a1cd5
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | angularjs | High |
| Product | file | name | angularjs | High |
| Version | file | version | 1.8.3 | High |

**Identifiers**

- pkg:javascript/angularjs@1.8.3 (*Confidence*:Highest)

## remotegui.zip: angular-animate.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/index.js
**MD5:** eca59ea32960ae595dd18ad9480185b1
**SHA1:** b8fe1c0a06b723a75c7e596fd8a86d91965f681c
**SHA256:**7f2f9350e5624bf86e8760d1deae03fae4477949284b49471eb67e2b6498cb7d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: angular-animate.jar: package.json

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/package.json
**MD5:** 13957f0482b591f50a2e9528a5b84330
**SHA1:** 16ec0d9e9e70f179261a1bd672e610b159876ff5
**SHA256:**e2fcbc9996d890ec0c6601b2c9176a1ada7806e1dcd6eca8549bba9022235877
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: angular-cookies.jar

**Description:**

WebJar for angular-cookies

**License:**

MIT

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-cookies.jar
**MD5:** 5d743cd15e44b5a942478abaa3a008ae
**SHA1:** 2ebe196f9032e261a470467b5a14632d81d3d4f9
**SHA256:**0809dd125183f03e6682985208de5f1221478221ed41667545133f7e729dd000
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | angular-cookies | High |
| Vendor | pom | artifactid | angular-cookies | Low |
| Vendor | pom | developer id | webjars | Medium |
| Vendor | pom | groupid | org.webjars.npm | Highest |
| Vendor | pom | name | angular-cookies | High |
| Vendor | pom | url | https://www.webjars.org | Highest |

| | | | | |
|---|---|---|---|---|
| Product | file | name | angular-cookies | High |
| Product | pom | artifactid | angular-cookies | Highest |
| Product | pom | developer id | webjars | Low |
| Product | pom | groupid | org.webjars.npm | Highest |
| Product | pom | name | angular-cookies | High |
| Product | pom | url | https://www.webjars.org | Medium |
| Version | pom | version | 1.8.3 | Highest |

**Identifiers**

- pkg:maven/org.webjars.npm/angular-cookies@1.8.3 (*Confidence*:High)

## remotegui.zip: angular-cookies.jar: angular-cookies.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.js
**MD5:** e17187aea1f0e6dbd25722e34b754915
**SHA1:** 20f43f716b9fef7d72537bc1b0e5aa2bc480cee5
**SHA256:**f3291c552042f6d0c500167769912a78ab3ecec9917128b2d6ea8e7c6714bb97
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | angularjs | High |
| Product | file | name | angularjs | High |
| Version | file | version | 1.8.3 | High |

**Identifiers**

- pkg:javascript/angularjs@1.8.3 (*Confidence*:Highest)

## remotegui.zip: angular-cookies.jar: angular-cookies.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.min.js

**MD5:** c41aff8423276d46f0d02de6dcb71524
**SHA1:** 7dc53f75d5bf7dd2c770cb50f31242c70193c086
**SHA256:**926509b494009bea03288bba191a2b238032188e9112377e50fbfe7814c6639b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | angularjs | High |
| Product | file | name | angularjs | High |
| Version | file | version | 1.8.3 | High |

**Identifiers**

- pkg:javascript/angularjs@1.8.3 (*Confidence*:Highest)

## remotegui.zip: angular-cookies.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/index.js
**MD5:** 88188b8869bb0cbae63eb86aa6c1059a
**SHA1:** ce388b565b0d0392802138b2a7d4bf393c3d49f9
**SHA256:**b1b8d54ed8400d4f997da0f2fa672e8728d4771a77028d9f495cf1732fcb1e6f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: angular-cookies.jar: package.json

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/package.json
**MD5:** 6785fbb341602e147af808078db0d42b
**SHA1:** a30ac55dae62b1a7c8921c7687a3276dbeeed564

**SHA256:**81847196d700fe42834ebf82cb0c68267d9c237134566556a466e070659c7222
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: angular-sanitize.jar

**Description:**

WebJar for angular-sanitize

**License:**

MIT

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-sanitize.jar
**MD5:** f47ca0f7e843acea25d245b34ce30feb
**SHA1:** 8050e163f66fb899645cc67ffa67d92a25096902
**SHA256:**4de072c9e746b2bf70aee70cc1c9b61350e017002dd71089e5f66a587f7ed92f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | angular-sanitize | High |
| Vendor | pom | artifactid | angular-sanitize | Low |
| Vendor | pom | developer id | webjars | Medium |
| Vendor | pom | groupid | org.webjars.npm | Highest |
| Vendor | pom | name | angular-sanitize | High |
| Vendor | pom | url | https://www.webjars.org | Highest |
| Product | file | name | angular-sanitize | High |
| Product | pom | artifactid | angular-sanitize | Highest |
| Product | pom | developer id | webjars | Low |
| Product | pom | groupid | org.webjars.npm | Highest |
| Product | pom | name | angular-sanitize | High |

| | | | | |
|---|---|---|---|---|
| Product | pom | url | https://www.webjars.org | Medium |
| Version | pom | version | 1.8.3 | Highest |

**Identifiers**

- pkg:maven/org.webjars.npm/angular-sanitize@1.8.3 (*Confidence*:High)

## remotegui.zip: angular-sanitize.jar: angular-sanitize.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.js
**MD5:** 0127d7a139abfc8bd45875a9c8ea6348
**SHA1:** 197aea2acc25a0fa821766400950cac58a3627a5
**SHA256:**c84c65250afe5a1265f36a7e16c6010652e55c2ae3a779c351fb68536c42bf64
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | angularjs | High |
| Product | file | name | angularjs | High |
| Version | file | version | 1.8.3 | High |

**Identifiers**

- pkg:javascript/angularjs@1.8.3 (*Confidence*:Highest)

## remotegui.zip: angular-sanitize.jar: angular-sanitize.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.min.js
**MD5:** f3c62abeec216e9431e7d5b22d8e813b
**SHA1:** 21355ef18c5e1ce2b2c711b9dba21cbea0655646
**SHA256:**cc80a30ad0439c2e9c209b3d7fcffb1d10e6007fd1d00c9cc144f393664a7045
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | angularjs | High |
| Product | file | name | angularjs | High |
| Version | file | version | 1.8.3 | High |

**Identifiers**

- pkg:javascript/angularjs@1.8.3 (*Confidence*:Highest)

## remotegui.zip: angular-sanitize.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/index.js
**MD5:** 796078246b8e97f002ea5c97c4c7de54
**SHA1:** 0ce03000a4c04ae0a8b4353715bda54b8a8e8c69
**SHA256:**44cbd8c36c3e2818d011eb0dc7d95293730667fa5a98a23449e9b4add369f65b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: angular-sanitize.jar: package.json

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/package.json
**MD5:** 515d23261280a10a4d84ed267c425880
**SHA1:** 84d37bbaefc2117ac59c79b0d87a953a1abd4911
**SHA256:**5e5c191e41b4e9902cfaeb95878d5b92333585e6dad936588fe1adfd1445af86
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: angular.jar

**Description:**

WebJar for angular

**License:**

MIT

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular.jar
**MD5:** f339a9a66a64c67eebb21ec3b251dfc6
**SHA1:** cff4aee339a9ca4ae2f095079930edeaad6a94ee
**SHA256:**a997eb40987ddb5d3bf64adf3d33afcff3ac2b1eb2e7255b5203a387f8097cd0
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | angular | High |
| Vendor | pom | artifactid | angular | Low |
| Vendor | pom | developer id | webjars | Medium |
| Vendor | pom | groupid | org.webjars.npm | Highest |
| Vendor | pom | name | angular | High |
| Vendor | pom | url | https://www.webjars.org | Highest |
| Product | file | name | angular | High |
| Product | pom | artifactid | angular | Highest |
| Product | pom | developer id | webjars | Low |
| Product | pom | groupid | org.webjars.npm | Highest |
| Product | pom | name | angular | High |
| Product | pom | url | https://www.webjars.org | Medium |
| Version | pom | version | 1.8.3 | Highest |

**Identifiers**

- pkg:maven/org.webjars.npm/angular@1.8.3 (*Confidence*:High)

## remotegui.zip: angular.jar: angular.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/angular.js
**MD5:** e09f650a016c24bc1b5a1edc93bfbade
**SHA1:** 0f1f7445b761b9bbd5385f9f0b316dbf1ca48696
**SHA256:**fdca889e76f55fdee7ab661920f37ce19233563bf7f4ac8120f8ebc2ac768768
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | angularjs | High |
| Product | file | name | angularjs | High |
| Version | file | version | 1.8.3 | High |

**Identifiers**

- pkg:javascript/angularjs@1.8.3 (*Confidence*:Highest)

## remotegui.zip: angular.jar: angular.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/angular.min.js
**MD5:** 967a32633fa8f38f4ac3376c1a37b992
**SHA1:** b53b74d8e0b732dcdb98fbe521146b88299ea2f1
**SHA256:**396dc1a03d6cc02e9c51a80246e0db53c5c8df9bd07287e3b51bce4a29dab355
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | angularjs | High |
| Product | file | name | angularjs | High |
| Version | file | version | 1.8.3 | High |

**Identifiers**

- pkg:javascript/angularjs@1.8.3 (*Confidence*:Highest)

## remotegui.zip: angular.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/index.js
**MD5:** 0d848853205d22ab8be985876aec948a
**SHA1:** a2bfe847bea879ad2775509c4421291c404d8c21
**SHA256:**d469f8e93a4c345f01d81d162a803116de1bc6afd4bfeba8b45951449956b686
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: angular.jar: package.json

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/package.json
**MD5:** c5e0d73dc5121cf479c775248d2ca497
**SHA1:** bc29d1f7c080dfb1f701ad4f1c4ff548916f28e5
**SHA256:**95ad7872af90c37e7a5597581f5bb2362d59c49fc3f2766dd9f2568a041cf10a
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar

**Description:**

WebJar for codemirror

**License:**

MIT

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar
**MD5:** 669061572ba6292cc848f48535366409
**SHA1:** c1c5b1fda926e89ab3204a2b4d2871078ce6d448
**SHA256:**b5f4ff56ec0eb788f4c150fc67b7a127e189e555e2438318742003e01c78282c
**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | codemirror | High |
| Vendor | pom | artifactid | codemirror | Low |
| Vendor | pom | developer id | webjars | Medium |
| Vendor | pom | groupid | org.webjars.npm | Highest |
| Vendor | pom | name | codemirror | High |
| Vendor | pom | url | https://www.webjars.org | Highest |
| Product | file | name | codemirror | High |
| Product | pom | artifactid | codemirror | Highest |
| Product | pom | developer id | webjars | Low |
| Product | pom | groupid | org.webjars.npm | Highest |
| Product | pom | name | codemirror | High |
| Product | pom | url | https://www.webjars.org | Medium |
| Version | pom | version | 6.65.7 | Highest |

### Identifiers

- pkg:maven/org.webjars.npm/codemirror@6.65.7 (*Confidence*:High)
- cpe:2.3:a:codemirror:codemirror:6.65.7:*:*:*:*:*:*:* (*Confidence*:High) suppress

## remotegui.zip: codemirror.jar: CodeMirror.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/CodeMirror.js
**MD5:** d154477df9eebe156a1a493731acb01d
**SHA1:** 69efd74f28f36317a2bb9101dbbaec73f5ca3735
**SHA256:**258db73a89eb6d88475013d38f4e0e01cc1476788f931058bf470db1ee26ca53
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: ContentEditableInput.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/ContentEditableInput.js
**MD5:** 40e61dbb4388425c66403ecd7e9a5a10
**SHA1:** 70cfc8bedef61e8d2f6cbb85ee41d65088d44c53
**SHA256:**5c07c3caef1fc6122ef3ce8d681afb87d65f86aaead8db5d1ca3466803b57da8
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: Display.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/Display.js
**MD5:** bbf05006cf414f786e21cdb02b443aac
**SHA1:** 6bcab3100f9fd46d39f5c47d78b6ad9ad863b464
**SHA256:**6e26756a9ae829558cf81a83fd9d48dd0f605241c7c7e8028a8bcf94bfa7a9d4
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: Doc.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/Doc.js
**MD5:** 66f02c635454d1ae55f7472709417566
**SHA1:** 8799d7becd0b3ee9bfd397c157c43ca6ebb264d0
**SHA256:**32bf377fa99365b49732f69c5e565c61995fefdf8d0bc6f3404d4fc00ed8ac7f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: StringStream.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/StringStream.js
**MD5:** d187f08909bf9bb188d04c79f089c26a
**SHA1:** f5c4fc956b8b4de762087204024eb625cb00a790
**SHA256:**9f1ab50bba4ae102fa5c611d4ef5b056d063a63a7f20cfef59eea64e93c3e04e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: TextareaInput.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/TextareaInput.js
**MD5:** 87e959dd1978b0e022083d3e5ad65158
**SHA1:** d08b9e7e675368968faf8e93bb1dbaddf9996410
**SHA256:**48684a26a28a3fd1793a80aa67509c4281b56d6924d25511540a1d19aed72eb9
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: active-line.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/selection/active-line.js
**MD5:** 774e515fe054cbcd6cc869bfd550b17d
**SHA1:** 3d950f5055286088e93e0ee4c8a1d62eaf8aedac
**SHA256:**3afbcf78835c9bdc342e3992c53d9b74286722613bb1a8adc9d140edc8737ee8
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: annotatescrollbar.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/scroll/annotatescrollbar.js
**MD5:** a9dfd7f9d78bd36c617429ed88cb67e5
**SHA1:** ad1133e5432a7c65881747c87c84529fed297ecb
**SHA256:**9041e8d81e3cebc481cabfae90d3b80596f3194de75d98e5526d3bfa44ae3bbc
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: anyword-hint.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/anyword-hint.js
**MD5:** ba7fa17b24f0937d9431f93b9de2da37
**SHA1:** a87db7c6de5231a1bfd702e26ecf4aa76d822a0a
**SHA256:**e834ad178bd23449476e29179e8cb9f0c1ebaed35dab9059ed9a46b388271f3e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: apl.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/apl/apl.js
**MD5:** c0d55e310ae0a4290d3fccca84bff448
**SHA1:** 006c98d2b17e85168065eebf44c3fdd91b9ff874
**SHA256:**47e0fdac0a39e0186019064e13b674dda4223b03b2748d34cccc09489fde2674
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: asciiarmor.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/asciiarmor/asciiarmor.js
**MD5:** 42e5c7f3f48fa085f63bd7708bb204fd
**SHA1:** b15cdadbf5a869d06a79e6a9e187d0509dca1239
**SHA256:**bdcb68c4b0c9dc53b2af587673461a495f123a5b9da8f6be79d97fee2790f9ae
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: asn.1.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/asn.1/asn.1.js
**MD5:** a928fdb102ef88113a9d1c0d9e520114
**SHA1:** f293930644bd6093dbb02475e8b409fe9794f437
**SHA256:**5b50cca4b34820cb3d57c218945ff2d870d57eba83e13c2c66590063e2a23acc
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: asterisk.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/asterisk/asterisk.js
**MD5:** 2f4e25e805d878f43b8568609c48dba8
**SHA1:** 109a76d631e43dd32c13cbb0c23ad83e1851ad0a
**SHA256:**0849e3a141e967559d752de2205956cb690f1d4ba0a5ace5481c6c565db9b674
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: autorefresh.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/autorefresh.js
**MD5:** 16b07faa9ef79a1fb79432fb4f4a9e3a
**SHA1:** 091a2b17758e7c3182542314256139a2247b508c
**SHA256:**2ec9d5585bd24d7611f30ebbb1cd8fedf79747cf89c1f83852dd1dd9981f10bd
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: bidi.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/bidi.js
**MD5:** 22a12be2f1e24a9bfddc5c3b0d187ede
**SHA1:** ab735d3376e0040172b6dc972f97df663f231dc4
**SHA256:**0a4646d7a1214acfc71ad351d021f31795b056ce7a08f80d29857aeca1a5163b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: brace-fold.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/brace-fold.js
**MD5:** d56849bd7cce8a10ccb842d50f0de179
**SHA1:** 4103103f28436925442d5397c24425fbaf660fce
**SHA256:**2907087538a295e5b4f084f8c5ee7eba35cc973db194cbf596ab13a6c97a6834
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: brainfuck.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/brainfuck/brainfuck.js
**MD5:** f3ff733b3609dfb34a49652f6a4a2d09
**SHA1:** 41a8164ddba5e25fe2401265eb9fd4222e415549
**SHA256:**67496a83fe1ea3304a3f65a8f8196f3a4a40060ea4febcbb60a82c7657205abd
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: browser.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/browser.js
**MD5:** 564eafde7c1566f1b9b0d976cc3ace2f
**SHA1:** 2c592606b3242ac9cf080d138aae3516cc2ef05d
**SHA256:**de647094595511fabe9d548d9e45dacf746d7b83a198cb69b5b8859fa3eccb30
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: change_measurement.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/change_measurement.js
**MD5:** 39707c0eb637648efc07d95bb60253d3
**SHA1:** 025a52f620cc5b6edee8fb9c63a3f6ecf4c2284c
**SHA256:**1d1648706bf317acc33a64673cb4fbc2d2a7db8205bcc1cd9fe52819c13b87f0
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: changes.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/changes.js
**MD5:** 822465b81d600e9a703579605e2147bc
**SHA1:** 1b77f1034de1cac51a8ff50e48f9604bc62556e5
**SHA256:**13b0b2c417e0181ec9cb012932c1fa167c50171133391c00582e2939206362a0
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: chunk.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/chunk.js
**MD5:** 7dd1b45f75341b5a03a01f6607da69a4
**SHA1:** 89dfb21758e8a384033d09678a8d5b1ce8983e6f
**SHA256:**18f55da6b39c1b12fb5406c7962a88884e00d2122566622784720cbe612fc676
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: clike.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/clike/clike.js
**MD5:** 145b41ea6cde47e8889ef8b2214eecde
**SHA1:** d0ae7cc4040a57a76b86265f492f87e251d1cc9d
**SHA256:**a1ff458a030f8b1db2d901811344f3e178eaceb19b598277d054bf83dacfecd2
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: clojure.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/clojure/clojure.js
**MD5:** 7f3277e322bd000aefbfb172d3edf7e6
**SHA1:** e701f8e843e3390a0a411700d3c8989dc147780c
**SHA256:**86b7b779ab84fa77bc6e461a05fd0887d85a3c8cd42a96576cad973b355bb1b8
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: closebrackets.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/closebrackets.js
**MD5:** 667059f346609f6ad778936b17c43824
**SHA1:** 248b45be826a8856a0ed0733c8511d9d0c595507
**SHA256:**143c3014c29254f3531cc30be6d90205084bcfc36cffa6f9b2a46fd42a40be20
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: closetag.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/closetag.js
**MD5:** 744876ab906996c429eef7654278f514
**SHA1:** 0e0e10e59f93f87c9bc35247b14831091113adb4
**SHA256:**6fbe2b93cc1744d9e14ad1d613449f7e16df4c2aa2842f658efc17abf662f850
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: cmake.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/cmake/cmake.js
**MD5:** fc204bb5f2393f59bcd34a860f1e1a57
**SHA1:** 73985b80cdb80d12831a7476b740733e3fdd065d
**SHA256:**6379ded0f75af38659031d1eaa803d2bd5be0fa7cebc216e55ca65d01a35bf1a
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: cobol.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/cobol/cobol.js
**MD5:** d8a271c0bf27ef5cc2dd8ea19886aa75
**SHA1:** 93072b3c895318fc58f8ed16d68cc213ac7910de
**SHA256:**0cecf82da2915c20187ab4e29cfc4abbb0078536874b27978726d48371487e4c
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: codemirror-standalone.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/codemirror-standalone.js
**MD5:** f1f47322e6af5937de4a14fb10863e3e
**SHA1:** 843d01e1379550e5fed3e64aba1af1a359441e7a
**SHA256:**a18754c4ae17e27b7bba46b338c404d28804e237f41425aed96904c0aa1f49f2
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: codemirror.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/lib/codemirror.js
**MD5:** 15fc3cdfe569fa38b1f91d86ebbea13d
**SHA1:** c5f9252d9467c2af70c5e6fc579e696648ee242b
**SHA256:**a4f1c30365d5f85951a22160b07a7ce34048cb640c283545c8192132b46efba8
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: codemirror.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/codemirror.js
**MD5:** 0d4d22de0bcdf7f7afd8131d4e59f130
**SHA1:** 819f8c37a4df0c61ef735d5b884c6c598bc0983e
**SHA256:**b2a1b676605c6428b6dd7ce21a8a0d2509d4652ceb2297be93078ca6d66926dd
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: codemirror.node.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/codemirror.node.js
**MD5:** a524724c274d1c038c7984e164428b3d
**SHA1:** 18fd7183236cbf1437175c8d31509ffa6cd4ba64
**SHA256:**fdc02024dc3845f85b38046ae842b0f572f91adc5f34a6979cd92ead0fe4a0a1
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: coffeescript-lint.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/coffeescript-lint.js
**MD5:** e852ea5b9ebb97947ffd169523eca098
**SHA1:** 58ec1f05cb6893a519fe2d7ad1b9716f15219b89
**SHA256:**824caa68710a7f931ebd30491fec19dcd2c6fa166c21158f5ccd61321069da2d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: coffeescript.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/coffeescript/coffeescript.js
**MD5:** 438a52e20ca46a26383d4eb6d33a5c6f
**SHA1:** 8dd398cbd2955bcffcd70180f9fb560f56acf567
**SHA256:**67792b36933d29b482307761ee03da520a19b3b30ca60f54df9cdef4051db628
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: colorize.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/colorize.js
**MD5:** 626a64f8687ca9576bb017843ab2c30b
**SHA1:** 4899e8d499849fb02f134afb39711d3ab2c28903
**SHA256:**9d39f5267c05d930f079fc4f223b453e8f9fd54cae6cf52db9b5dc3a0b9dd694
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: commands.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/commands.js
**MD5:** 9f984e904c9556f8e270502eaf1d5a5b
**SHA1:** d16928b2cc389c46f7b77121beb7376a50f11c35
**SHA256:**5f23178d2f8f62f97af955560fb192e5aa898f81153b9c24cee8ed6ac567f658
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: comment-fold.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/comment-fold.js
**MD5:** 3bf750756a24d5a0ba9cf16819bf5cfe
**SHA1:** ad4d1534287f90692567139c0b007be29aac4a9d
**SHA256:**a79d02eb1b425d8a4823f2d962b7b9f49af578fc9042b928b892417c00e7d13a
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: comment.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/comment/comment.js
**MD5:** 18fc449bec0798e43182173ba47455b9
**SHA1:** 29442cfbafce86a08679824a999b87ec1acdf567
**SHA256:**a65c038258c6541658a0e9f24c56c78255e0e20d4cf06aa9ad83342069a589be
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: commonlisp.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/commonlisp/commonlisp.js
**MD5:** 9449ffe942392a1ad14eaa723578b606
**SHA1:** c734ecc91ff4949d4cac179a55bec5cee55da153
**SHA256:**0efe46913f843f5c335c79e05ae758e60212dde9cd3c45d99fae8066bd13c128
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: continuecomment.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/comment/continuecomment.js
**MD5:** 174c186ec1902fdcb1aa708a9dea1aa4
**SHA1:** 7c3bb959b0c3befa4395c61ee8fbba3f7f6c6033
**SHA256:**eb64c50f80cb3080052971bc075bbbf421ab50287804af8ce47b0536da5365e9
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: continuelist.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/continuelist.js
**MD5:** 630509c4379923d8c811b3f1acc931fc
**SHA1:** 09118fd53589fe18289006df5cc57b4818321197
**SHA256:**6ba9cd9528b74e7f76f4b9ce9ed0677bfed7057d1aade0050185368cfd0ea2e3
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: crystal.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/crystal/crystal.js
**MD5:** ae980ca83523592958a2c7f8144bd365
**SHA1:** b52f1f9ec7c854891491f792ae93aae419efd2ac
**SHA256:**5e6e8458e3fa4079ff438060ac7f93b8b7a160212b1cce92516f1ea9680b57da
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: css-hint.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/css-hint.js
**MD5:** 55823389add79e8c52ffa7df6ba94515
**SHA1:** 59e0f4c17ecd9595fe88a84bc47fbb994803fab6
**SHA256:**0e22d6efa1ea084e8316ec6d5e4c809534f0e36f363bbc4156609201d95c6601
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: css-lint.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/css-lint.js
**MD5:** e392cd5f86989535e38b3cbfb5134985
**SHA1:** 0986b3dc26b02d98a91b91bb38d46065b5c0214d
**SHA256:**f3fc7474cbefded7f1b06d63efe980d58970785831cb35f29874ec371cb4ece8
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: css.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/css/css.js
**MD5:** 3675078ada8a185a353a6560bda2d5ac
**SHA1:** 1045cdc88a58fb002511eb21db184ed242730f05
**SHA256:**60f0689e5c6af7f36c341e8e1341a4f10b4f0a04cebfb7341bcbedba9b572b32
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: cypher.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/cypher/cypher.js
**MD5:** 0439f14eea37e69f9bd0af1b9c57e014
**SHA1:** c65b82f89865edb564d52f00afddafc3d18a8d6b
**SHA256:**6d8c9c8993fdeb724f1f68e9574fdab0001da1d31196e33ac6112303005d3f63
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: d.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/d/d.js
**MD5:** 0632861907c7e77ea48e0952d2081136
**SHA1:** f000ac2fe16c377837034c69cdace651a45f4e7a
**SHA256:**8e3994ce4f507e692b65aa73ffbfd58112c4a22771b84b8ad86152578d4e8130
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: dart.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dart/dart.js
**MD5:** 0bfa12b4210e1faba31c98d2fcbd226f
**SHA1:** 4caa7d422c3c931f7df5b46e09c9596a9ca19ed0
**SHA256:**b09be809dc1f9e3ad59374b198b0e5c4992788b9ff524765fccd0b84fde52212
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: deleteNearSelection.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/deleteNearSelection.js
**MD5:** 813d638d2d4693bd14f7b6490445a417
**SHA1:** eec62305710c8c0a032933bbee41c3fd45142669
**SHA256:**dac971ad5b761896b830e95f5e2240e2748fb83c909ef4c5ea4fd1f60ae031fd
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: dialog.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/dialog/dialog.js
**MD5:** 1b33c63e7d89d740d4738ce9766b19b0
**SHA1:** 14cccbebffcb2f33d928c4a41d854237cda5dd97
**SHA256:**fd8c925fcc25357617faff21220c026bb91a617b995268d96c5d39232fd42833
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: diff.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/diff/diff.js
**MD5:** f80746d74770ee6dcf444e99f75d5537
**SHA1:** 45f65817bf0cfe00f52a620c44e48031e926e5bc
**SHA256:**3fd0e844e22f475503415744b7e7af24df4cd0670709c77e5e43e92185ba32fd
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: django.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/django/django.js
**MD5:** 3c02fcac64b6100a0f369edc8d145f97
**SHA1:** 9ab00e90ea9a3788178187e9451bdaf61bd311fe
**SHA256:**71a3fa0ac63fe080a12097209e509c36abe0fde9c9709610be1656163d25a8bc
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: dockerfile.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dockerfile/dockerfile.js
**MD5:** 35fd7d7d73ad6c400c0afed686a383da
**SHA1:** b6574f6951c483c563456c9094178769ea733631
**SHA256:**fca390cea85e1b711389d1a91b99faeccf7b4df0f48e3ceaecf2e517982cb2b7
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: document_data.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/document_data.js
**MD5:** 86420f7d4afaa1aa00313618bff8292f
**SHA1:** c26428a7245c7ccbc2da6e15ea8071a308efe21e
**SHA256:**bded28025266e28229d4328e2a4ff6c829e26757b12861ec0c561c495d4b87e5
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: dom.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/dom.js
**MD5:** b56830faf8f75c5daea99bdc94508b38
**SHA1:** 6425ef8de5f6d50a057a5cdaced4da9ed166ddfe
**SHA256:**20275e6018fa90811c51e20246d4803c01d7e744f64434bb9194c7b1df41d1b1
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: drop_events.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/drop_events.js
**MD5:** 940690e5c792ff535ef797090cb7ed5d
**SHA1:** 05108fb9bb15e761e86ef290e006cb7c620de955
**SHA256:**60fa1577514a516587de192c7c779b4447aff1b6d26de0498030340e12945390
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: dtd.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dtd/dtd.js
**MD5:** eb3e9b71c4e33120225df386c29a0b30
**SHA1:** c91a19fca8b5bb610ff35e8ea7c9190c9ef996f0
**SHA256:**3f04995b147addeee1637bbfd0054676e78d13f7accaf2f589c55837d70148c1
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: dylan.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dylan/dylan.js
**MD5:** 99e3fa83adb7b3af2e363942a5b720ac
**SHA1:** 795b6199d3643d0a9eb0b018a02357da66be8f3d
**SHA256:**999b862ebc559366e71a731e2a28b2762ae4fe7c7882ba5f6bf20c33a2d737b7
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: ebnf.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ebnf/ebnf.js
**MD5:** 8d8a62f6874e4e8378d16d02b09ada60
**SHA1:** 84295b3d4f48cd3080508f3c5c12ecca2842dca4
**SHA256:**1175e07f831fd02ccf09d4582351c5932a48fa03be5c0eb1028c8f96c051935f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: ecl.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ecl/ecl.js
**MD5:** 04722d23df4c17765bb397d871875452
**SHA1:** 63a19016bf2e53ba5c73fde154b9bbc19d96130d
**SHA256:**c78998872dd14cdb356d5a9bd196f7d3525e3cb03a591133e0e904afaaec11b7
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: eiffel.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/eiffel/eiffel.js
**MD5:** d202831cfe3aa85bdedffd44534dc98e
**SHA1:** e5767dbfb329d8e3786acf893d038e1e4dd35c39
**SHA256:**183e855f6474cc2c4cf0b6c5e5c40ea7821707d37ac414277dcda294ffae1721
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: elm.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/elm/elm.js
**MD5:** c37089c171d4384ec97f9af66d5ac972
**SHA1:** e28a667656ac12ff06766d2ee857962dcd9146e2
**SHA256:**e343ffafffff2dc6fd9c5923228b46c23723c396993459eca6217871f1c087ebc
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: emacs.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/keymap/emacs.js
**MD5:** 258e09f1d4cdb812940d869afce12a11
**SHA1:** fa3b963c38f809ab13c37fd7aa654ac46a39e740
**SHA256:**af2f42c9f461951f13e9785f634cc9f8e5d63b0c5c2375b331105dea19a71fef
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: erlang.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/erlang/erlang.js
**MD5:** 29f92a4be923242d30cf1f4288c89adc
**SHA1:** 45f94b33af2bc74d8c5eeed73de27eb8a4047c20
**SHA256:**2ae29808247e9d6a58a83893b0e8b627c0ca337cffa541ef16fb506edfdba77e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: event.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/event.js
**MD5:** b700f1676589e7f88e59c943cc209156
**SHA1:** 516c718a9b2f86f68127680267b92d10fbf5a579
**SHA256:**1b13113fab8763c3c9e2284d1b6bdf1f84ab3424999a2eacffbf771ea8b75513
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: factor.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/factor/factor.js
**MD5:** d497dd1c4f0f85b83245bfb80943e5cc
**SHA1:** ec2430a02377f3b14692370e329b8f83b017d1b9
**SHA256:**baf7c16c387e7abfc308dfcb7fcc1ea9ae0a898d13455349083ea72c7bfa4c4a
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: fcl.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/fcl/fcl.js
**MD5:** bfa4a30d52fa501346b203c8ab6aa0cc
**SHA1:** 9befb1efc7f051c189e1c2c7cccd976576bcefca
**SHA256:**7c9d372be44c1c418a101885662d80d4bf6104e1b717d36cbdbd05a5956abc70
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: feature_detection.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/feature_detection.js
**MD5:** 3b63813f217d9351f7a1d90edf345310
**SHA1:** f236ad77f54768dfaf4b78905be71b6873691698
**SHA256:**4aeaf197f379b3450c8c297f23e449df3795a9954bec48cfcddf4b3615d5f371
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: focus.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/focus.js
**MD5:** 307daeb9d6322c3905fc5b2ba846fa16
**SHA1:** d1e1cceb41ec90a9b18fd25ae6cad9805e86811d
**SHA256:**2f6ad1d093d5d933ad58ded481d34002320d2887b5d06badb35918289338757e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: foldcode.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/foldcode.js
**MD5:** f520bc635201c451609403065b8bacfa
**SHA1:** 78958ff57ef86b84ac8a8085a4f0923433eea9d3
**SHA256:**07f353e02abcc300739b09f31a9d32a958ebe5d2f76959291e5643c6e40a26a5
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: foldgutter.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/foldgutter.js
**MD5:** 9606e4f3ca8c5ac259c2cf703753017b
**SHA1:** 2f4f7e099042dcbde74bfd3a8f5856f595326ecd
**SHA256:**fc85fcd61894dc551a4c7c221ec41b7fa4007d1e33239b1cf8faf56ef1811727
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: forth.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/forth/forth.js
**MD5:** 3e09048506ea36823a8a5e6ad244c7d5
**SHA1:** ef3e2632de5a4c57f8b14225026940309167d270
**SHA256:**1c6c0a8fb3572fba544083795b3259f8a35cae81ec2ddb19b4fd7af2a91ab34a
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: fortran.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/fortran/fortran.js
**MD5:** acf9c5ff78882f6ee77416eb957e881e
**SHA1:** 30130e625c08eedd8d62021c0dc77a71d066fd1d
**SHA256:**b3351c6cd6e696c2ebf0e6ae1ff7925ed65add92947007402e0b3112634f6392
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: fromTextArea.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/fromTextArea.js
**MD5:** a910ea4413c5f8fabb9be57bc80a7cc7
**SHA1:** c2bb053e04c5cc11df632ae7332863f5f0d30c70
**SHA256:**796a25d1e7f2a7c35ac9289bdb21e9c56c1253779a71c1b9e8a8c04160829e2d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: fullscreen.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/fullscreen.js
**MD5:** dffe3df188ef201ff7f04977d0ead894
**SHA1:** 29d2bbd2368fb2dfc02a06aac6db6aa9691ab330
**SHA256:**8e4a21aa77765df8893fc854c4b6be56279e12d9a70cbede913083c307ac769e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: gas.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/gas/gas.js
**MD5:** 9403b8d57b58f52a0d02efd3d6d99571
**SHA1:** afdd8ef0502d68ba8020134c780ebce498f65ac9
**SHA256:**414899aed81f9bdb726a6729047f1afb538679ee58623beb8fa51dc7412db6e9
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: gfm.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/gfm/gfm.js
**MD5:** da48b005ec4e651d019aa09b3d6d4aac
**SHA1:** ea5f855ce519bf55f09cb2c968dce9660615c698
**SHA256:**1fcdbf9a611c238acf53f906126fba93ae0550d74858efad61d72b8b3ed6e0bc
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: gherkin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/gherkin/gherkin.js
**MD5:** 3d87a67e559ce2d1851c4f1fcca83fe2
**SHA1:** 289ab840bb7ad7d5cf292406eff4fb8e55ece301
**SHA256:**732eb81eccbef7db49729af3f23d477dc8f27a4d9bf2fb2c6bb520d8ec19bddb
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: global_events.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/global_events.js
**MD5:** 288615615004321c6abe2bf66842b8bc
**SHA1:** 858b4b90c061cf34960b0bd4231a2b7dd7ec5f3b
**SHA256:**fa803fc7e109d232afd12dfdf4d99adea71081cc4b71e547d4b1c2bf46cc9ca2
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: go.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/go/go.js
**MD5:** 51890857b15156f02106103dd73d2b0e
**SHA1:** ef0de14a73f6656facd0d7355a11b1d17df86b16
**SHA256:**4e3b08bda2f85c9ef68c03f24c0c5ca3b8ba479127b6cbc50f33cb9593dbaf00
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: groovy.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/groovy/groovy.js
**MD5:** d6ca518a6aa5ab5b420bbf21d65b2d05
**SHA1:** 48fb64db46a7408334eeda329d755dd09aec41ec
**SHA256:**6641a0b1555ee0f1bca36975a4fcadd43d512de7ca814328cc6402e1ce836b4c
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: gutters.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/gutters.js
**MD5:** af3de2621d2ef402646889be16bcde7b
**SHA1:** 130d94f44dea7f614a15009677e496ad2b853025
**SHA256:**2143db3d42d9a3408b556eb50068870d138041a9b98ab256d070d982e09346df
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: haml.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haml/haml.js
**MD5:** 7d65bfd39de90f56597eb8e278a39af7
**SHA1:** 7bafda0fd81e500fb2f364d2e657fd9dec939505
**SHA256:**9e9606fecf19869e51c32a84e18c4447c0d4ad2031730e5690b571f318409022
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: handlebars.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/handlebars/handlebars.js
**MD5:** efacd8d006bf9f83baec2fc5a8c71feb
**SHA1:** 7fefb944ec70e00d262252956fdc71f04c1046b2
**SHA256:**60bac3d6993264e155b5a06f52cda56b7bab2fb5923f3d1cc7e8caf704fca724
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: hardwrap.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/wrap/hardwrap.js
**MD5:** 049ed63630662fcb8a977fa43f86e058
**SHA1:** 535a020f7839e52da6fc7b8af3d249f641c5e055
**SHA256:**bee81aee6222a46b1aeb14d6fc738d3cc09a4e421f808e29b3c6989710ccbfc8
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: haskell-literate.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haskell-literate/haskell-literate.js
**MD5:** f0bd7313413cdc35018db90a6522d1ef
**SHA1:** 670b7735a8c85e5251aeadf51f5005d5cf45df44
**SHA256:**7519d0b515603244f029c3031a4625fdccac88cb640fcb6e117718ec2c0b3c50
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: haskell.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haskell/haskell.js
**MD5:** e4f82d95d10c028eebae3338e678be22
**SHA1:** 30c46651b2b0b5a7fc70910b22e52e2d1d8687ff
**SHA256:**4745a90832e950c9536f0bf498e5bf6fb3753a4a98bea09ec152b92354c0fdaa
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: haxe.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haxe/haxe.js
**MD5:** 13c21da31a992b536d4f37ee53e09605
**SHA1:** 6a694b4a0a68b148e0b2e0b761a521a5fa4a0296
**SHA256:**f3596c7efe948a3331bb1bea299f6fcb8e7733777dc2114a9f2147dfc1c69257
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: highlight.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/highlight.js
**MD5:** d7710bcd63c26c5fdc37c19b15e02d4e
**SHA1:** cc5bac275e64696339642c6f5a52c254f139fbfd
**SHA256:**ccf8b3a879acfa0013ee5b11e036b822b68ec5a136c218400775fe2e35a3fd9b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: highlight_worker.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/highlight_worker.js
**MD5:** fc6f314859dad397c1f867ed5d73205f
**SHA1:** 80e56feeeffb3ad7b76e40dc4577962a60becc11
**SHA256:**fc9d8bf90534b9a6c7d5a45e8f8f79a4f8827a661c4271f812776e7c3d2bdc09
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: history.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/history.js
**MD5:** 34cb233d1bf8cc676a0c5fc9e9c24b04
**SHA1:** 4c42d70f020d1fd9397fa16ea34f5cf54487e93d
**SHA256:**961d52432f8f463614f83e660c2945f9bfbbc9c8fb7767575b9221c3e88821a2
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: html-hint.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/html-hint.js
**MD5:** 609fea85a7894f8098719813c58219c5
**SHA1:** f593de64cb802e0e456482b88959a68260e06bff
**SHA256:**64d3ef9293ed8917e40ed4e8196da6919379a3b4970c007785c7ed27ab9a0478
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: html-lint.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/html-lint.js
**MD5:** 0844a30ecec022fb60101fc0cc6a5cfe
**SHA1:** 3ed8b2f11d4c7462cf29fc93b58e579680bcc32f
**SHA256:**ab7827913934f06a8b4d00e41d5954974c90d5085d1295fe02c484c782c75843
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: htmlembedded.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/htmlembedded/htmlembedded.js
**MD5:** e7a464409318dee8c3c6e0b68225d461
**SHA1:** 548ebed43650c26970abca5933aa237b4a1950c5
**SHA256:**8afc8da4e446322cf92d78bef9940f9444aee339f56c8b9af5452fadfb867601
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: htmlmixed.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/htmlmixed/htmlmixed.js
**MD5:** 4c5a6f44d738b718d1f6164c1c8d6904
**SHA1:** a4f9c3552740fb908e14fb0f47832d10a3f535d6
**SHA256:**fe5912e1d10f8fecb98bd31e2f957c0bbc9abf6b505d11b6dbcd27542d0fdcad
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: http.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/http/http.js
**MD5:** 42dcfb1c4b83e85eea0303f75a3f08e1
**SHA1:** 7fa224e2e3ab674ca61cedd48fd430c5e62e1218
**SHA256:**89842864a707564a989a841ce934b61659f34b012f2349e5c4fd9a09c5982f6c
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: idl.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/idl/idl.js
**MD5:** 1ae58242a3b61aae5bdc5665bd5fc2ed
**SHA1:** c25b0c5644c33ee3993ee3152df8f4c27235e172
**SHA256:**7d45bc0899e019f558e68eca684ed84660bf4687cd64fb4ed2c959ad249b763d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: indent-fold.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/indent-fold.js
**MD5:** 623d14360009d84560611f43b83e6759
**SHA1:** 731e1d84971dcafb20d1417761c18c55883c3d98
**SHA256:**a835ed1af176b96a1bf00379622e76573a1f6327bd76b583d9c4757a2c4a4194
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: indent.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/indent.js
**MD5:** 835649b199c40a992e89a61de3514147
**SHA1:** e3d98527805fcef17ac4f710d7600fe0da52db33
**SHA256:**f28260cac8eba83de19891709eb8545ecaa6cfa3ec716e617992e14cd0112404
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: input.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/input.js
**MD5:** 8347e0beb43b7f458587e94f323c58bd
**SHA1:** 62cfb278476d7f293b853e92e35bd9221c6d1a1c
**SHA256:**bbfc32c56077171637375314abe257f54f925e8142b3f3a9eb669296ec3f12ff
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: javascript-hint.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/javascript-hint.js
**MD5:** de72c8e29800ee9ae93e5c8a43c6c6a4
**SHA1:** e348c54c78f75047c06629a13422c0aee0ee3253
**SHA256:**e4dfa3414b3b9535514737074cec2fb0cbf0bfea7e765307122295c98c5137fb
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: javascript-lint.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/javascript-lint.js
**MD5:** 55eb8a1558ef8c9da7d355a32334d62e
**SHA1:** d452acc1222c992a222c6c4bc55c0546eb2a465f
**SHA256:**69906dbb83d60e0d104ddf395e29dcaf4a05063f24c085975b9c09693dc860c1
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: javascript.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/javascript/javascript.js
**MD5:** 178dfcd5f64c97da22a3d3a62713b7a9
**SHA1:** 969b4a80be53b334612b44a0cc6ef57cfe171a26
**SHA256:**21fa74c1638c7a4eb3e8cd04b5c8c997181394568330b341c83716da18ffad8e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: jinja2.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/jinja2/jinja2.js
**MD5:** 82ad8f3f5eac62b4012d21c9deabfc69
**SHA1:** f1b92b1cce15292571979194dc1331accc5fb2d9
**SHA256:**b408eeadec21747f7c4ed41dcb9ec4e540aa1493d0a7971e74aa1eed05049b93
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: json-lint.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/json-lint.js
**MD5:** b01056a065c6df2ed0f61038c88e5ecc
**SHA1:** 8fcdcb87fd1c9f8fc04f3fc325fa590b27441183
**SHA256:**cb3522e1bdffb075461c848ba2091cc781b52ef0e69cb39d9a33e1b74dc35ae2
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: jsx.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/jsx/jsx.js
**MD5:** 5dcc6cfebb32872e929bee63d517295e
**SHA1:** f22b5965deb7b3f6e434d6012b22af7a7ba4c9c6
**SHA256:**c6babd67df23bb0278d432fba3d2dbd03bb1fb3862d4d70549cda1b0d9953abf
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: julia.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/julia/julia.js
**MD5:** 544d9103cd9877e0a7dbb26dd5a34eea
**SHA1:** 4d6fef3f38c3c9717b6ac72fa4fa3c6d48ca189f
**SHA256:**54d93c9a83269af3bd8bc6593be2368f07b4efa4223074b54f3aad44097a4d32
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: jump-to-line.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/jump-to-line.js
**MD5:** ae33156dd047f75a6d2539b21ac92df9
**SHA1:** 4b8098d4df0e0bdbda6b27961ffc7bdaac14e85a
**SHA256:**39b7d80ee80cabe2f5936673b3cadbfd4d260dfe6dc6f936523a334044962ffa
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: key_events.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/key_events.js
**MD5:** c299e1b06d3f6ec725718c1dc60141c7
**SHA1:** 09df110e22b2ecccf9f3deb5a2dbe0a6fa884d23
**SHA256:**f24d2b392714dc1fe63b23f79d45d01503a1a8860cb7b92dff6e5eb05e35cc69
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: keymap.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/keymap.js
**MD5:** 1c8d554d0dfbb08ac3b4ff11303f313a
**SHA1:** bcbddfc0d1411afa8455d75564758dacde1e15d5
**SHA256:**9be4f88cba00a971a1a007ca4fcc56f244ac84fb8b24f165f6ce2793c2f83a95
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: keynames.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/keynames.js
**MD5:** e4ae7351260c5e7b9f2253e21b5ca9dd
**SHA1:** 9b6381177e6d4afdd03388c548a00bef7e101b0b
**SHA256:**7054358c3e0ad3945e0c3c31fde7b77d1af78874a5fd436a908aa0e8eeab7b03
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: legacy.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/legacy.js
**MD5:** dfa5acb74b48161d442a6d83e1abbc03
**SHA1:** 70f5248919c6a806ec8da7a53b9167ea0d28f28e
**SHA256:**663e30df9fb1f4994092c95d5a4a2a127d67d59896b4795807ac912773a759a4
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: line_data.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/line_data.js
**MD5:** 0239405c8ea2b45a5a3a2de75bc481b7
**SHA1:** 936ff2393f4614f8fb907274c896d2435d34250d
**SHA256:**11203cf446205f30a8eb2f5633369c7a6c00cc778b3cdbf1da16570571937d92
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: line_numbers.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/line_numbers.js
**MD5:** 22976744e5315917483bef53cab4d368
**SHA1:** 32c75bf2e39c2315fd1a1d04cbcbddb666c998e0
**SHA256:**2474c6d14659ccbd6664aa88eaac7f1bb5589cc44f5acff4c5d8a22ed5da5d4c
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: line_widget.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/line_widget.js
**MD5:** 2a58b1a6d7eadb596d3968096f1493e4
**SHA1:** e06ec6ee060c9b180dd6269107c1643618024acf
**SHA256:**4557109a8ced89105c13e911cd0d4036a043ce83abcfaefe9b6889ea8d058b16
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: lint.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/lint.js
**MD5:** 7930c46b5411e82099bf4d021be44897
**SHA1:** 9d4fcf298565cd2e6b6234c331113e5ee80a996f
**SHA256:**7c2e8241383104a6188c43b657b17ff7633e0de89d9b98f7d09df29570341e76
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: livescript.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/livescript/livescript.js
**MD5:** 303cf9371fc666702d07b7892d4d69b8
**SHA1:** cc1a29423cc292dab8ceccbe8d1d4995426ce11d
**SHA256:**b9b5f3fca094c735f94174d463746bc39d0930dc42b70bf5004efaed96b080ea
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: loadmode.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/loadmode.js
**MD5:** 43a51215f06278be12990128bf16cffa
**SHA1:** 62a2787a4f3b623af185185edaedc7eaed7ffc08
**SHA256:**be81c0312e7041f56c217430a177fea61e572bcb9579a39ca1922a2e4d51abec
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: lua.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/lua/lua.js
**MD5:** ccf279dcbc882c0e99fc9dfda9dd734d
**SHA1:** 13ec1f41c7c723c70f185f6c22e116cdf532d8dd
**SHA256:**5c702747f50d5d4158ab8c096b33a7e0092529d5682a728a20624b01dfd86e2a
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: main.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/main.js
**MD5:** cc33d6b2c4f87f24fe91b103cfee3da7
**SHA1:** 7a267e163871e4d9c505a7dbda69289619573e76
**SHA256:**2644139a384fcda2ff3bcb59fad7a45a3faa166c443fcd2d05315558dc7d1f99
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: mark-selection.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/selection/mark-selection.js
**MD5:** f2b8639c24afc6cc370f4097eb6bb217
**SHA1:** 62883a7928526106b19fa78a1195fadf463550b4
**SHA256:**5b9c6a0031fe895641f2eb2198df2592ec769a6685d6bb10f3f9b92a7822e286
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: mark_text.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/mark_text.js
**MD5:** 7611054f886606aed04a7a3f3c4d5a78
**SHA1:** 3e6ac9ae6a89f720e9c148d25746ff37f9207d07
**SHA256:**b17ada4f3979fa8170a4abc071035badcddd87870a212cd92dc5b0a70fac19e0
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: markdown-fold.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/markdown-fold.js
**MD5:** e9844099dad7cf95607a804988677f22
**SHA1:** 400fdaaf493a4d15e10b397553549b6b4e09dc92
**SHA256:**6a81721447c7260578e8e306c89b33a49e98edc1c2cb0c52a18ca0e913684d96
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: markdown.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/markdown/markdown.js
**MD5:** a7326be775e85028373f9236c26a572e
**SHA1:** c7dda08f12cf129cba6b317f70ee7ce0abf775b9
**SHA256:**8fe7b11848f79cc9119b2a239f38a00944f6f2bb764a00bc837ecf8d34cf7690
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: match-highlighter.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/match-highlighter.js
**MD5:** d7d3dd2592e2df81c743b86a46ccc555
**SHA1:** 21bd58338eb506c53cd367b4e30c6aefa2e7edee
**SHA256:**8c3e196f9a5f9e5cf9d7e71751132a05293e7cdb180defacf28be9fe919682cb
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: matchbrackets.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/matchbrackets.js
**MD5:** 2d2902edcfd32a8f481124c0957889ff
**SHA1:** 1555a87118f8082edd03c7b7c1363ebd1daaea45
**SHA256:**9d0e5ee4c199fcbe487a901860c2cf7d007263852677dd5858098fcaa8580f1e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: matchesonscrollbar.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/matchesonscrollbar.js
**MD5:** e005f8b0c7cedc509a29ea1a517cc829
**SHA1:** 73a8bbcf26072f44bc7003faea790d1f3d59096f
**SHA256:**a2deca7f8ca380dc7772929cc7c23b6737109f3cf0a55e7e18832808d98530c8
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: matchtags.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/matchtags.js
**MD5:** 6e8c7c68653d8d6b912138fe6f155e1f
**SHA1:** 99f7135d209eb1da2c326486eb53ecdd330f0f2c
**SHA256:**263d752f850b20890f0506fcb277b094b474138692a58b45d7b9bb03e20aa00c
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: mathematica.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mathematica/mathematica.js
**MD5:** a8c37dcebeb98162e29e9d1483edf7c4
**SHA1:** 82d9653bf7ca5b228759c5ad53845a8237625792
**SHA256:**a301011fbb5d9ea4f39fc574718c2d27afd9425e31a1a5bf9005617603b45c0a
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: mbox.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mbox/mbox.js
**MD5:** 9ce449eaef8f2c3e6253bb202a3da0d0
**SHA1:** 6848c5a33d4ea2c76fc6abb4fdc3c9253eedbc9b
**SHA256:**9affa80931d9bb09746d08b9b0f90286d2b47f5b16a0bd8a1a06227b496c4b07
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: merge.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/merge/merge.js
**MD5:** d2a6bc0c40e52723665afdc3b17ab226
**SHA1:** c2c82dc8159b4d4b38ac4e74d88b513cae40be01
**SHA256:**916279b765e93236826a1aa71f96924084707d50486739e9b4524a3f773d41ae
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: meta.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/meta.js
**MD5:** 11f14aa114ed56768aa48301be3b9f03
**SHA1:** 516781b99334a9aeaed0d9f1b9463d8330d00ab2
**SHA256:**f95786f9c83e631225fe7866f39892f808aeb015e80ce9d8a58d5a1d4e9c4bb6
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: methods.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/methods.js
**MD5:** e0aee4bf62e8df22b1edf8c98171c1ff
**SHA1:** ec9e2b700a1252d5787249b1c8046b5fb0df6073
**SHA256:**80aa117e54c13edec48656384e623b81f8ae5ecece3f426ba9b4638872fd88e6
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: mirc.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mirc/mirc.js
**MD5:** 23555fdd21b7305d57c24d1378a03754
**SHA1:** 373c327846304793f8016feaa0164226d6fd5020
**SHA256:**ac173799c5f81a8c8813a5b0c20b700b27a1f571d1e70132e67d8451c3efaa5e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: misc.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/misc.js
**MD5:** e94bdb7dadf69d57a0bafe4df69e7780
**SHA1:** 7d04fd04c64f91033740df1756ceb180fe1ec38b
**SHA256:**dec9a3df5d525da109210c8f63bc47ef6270de5d0336e446c54d6c490f45bbfd
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: mllike.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mllike/mllike.js
**MD5:** b30e7da7837eee7a5966685fa03522f0
**SHA1:** 648a539e28df2714182163665b797d783cd47d80
**SHA256:**a887947e50c37db0215fa4076c3b211093dd9abf643518a2f304677bef848211
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: mode_state.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/mode_state.js
**MD5:** ffc05060eaa3b3d89beeaaae86b0483a
**SHA1:** ad4db1fa999cdec7dca274bc0d440b9817706fcb
**SHA256:**7d986b2f9cea39f7829ffd57fe70a6d891afb68bda46557f3d361fce6abddedb
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: modelica.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/modelica/modelica.js
**MD5:** 9d173268d73ae885e07741f6a60913ef
**SHA1:** 2cebfe05d43ff1b9a4608bde365d0e340b9e2b08
**SHA256:**96befada89421de8d32f6355c326510128e429167390c60ba81d93dfce4b360a
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: modes.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/modes.js
**MD5:** bcf367e11e7fac26e7f1668e8f1d1968
**SHA1:** 26c51a0d675e8420deabe41af39537b98b494f6a
**SHA256:**faf6b57425b7b95a14650da5da6a488cde013e23c1ca57e4223146ccd369230b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: mouse_events.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/mouse_events.js
**MD5:** 9a8c2a4f4b71ceb0d641c905ea325dfa
**SHA1:** 88d8b3f37ba37358b2f270ac184852f0f53c4e8d
**SHA256:**17a6d6d77b3607cfd0ba1d551fef84d161747a62b42ecd9454d7427a1c3da610
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: movement.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/movement.js
**MD5:** 386a27ecd12315f9eff836ce5ab2091f
**SHA1:** 3170cd5a925774250a79d9e1c9130040e89a6be8
**SHA256:**45f4ab6d34f817b4d945449664a35848a252a87f7aa7e917cbefd5710cc06334
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: mscgen.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mscgen/mscgen.js
**MD5:** 8e06dd81adc9a26c6c708d253868c290
**SHA1:** d44dd69d6fe4e456417da210928371090d426921
**SHA256:**91eff4cccc80f0048d1f7efce0197be483a013dd299e2718b49315639a3d4885
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: multiplex.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/multiplex.js
**MD5:** 0bdb637f0ca08689fe55e572cc10ab16
**SHA1:** c1eb99a3fdd03722c84c78cb9351791428ff0bbe
**SHA256:**09ec21386de4e951c1eefe0f1db478a9f57701b202ce18424f2b89d4f74aeff5
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: multiplex_test.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/multiplex_test.js
**MD5:** 8a377bbbcf33896551524b1ccebc823f
**SHA1:** bf15c3dc16b8de593577266b9ef1f5625d67a0ea
**SHA256:**73e22c6765036bce1db37e31f8c46d62a56ca232840fb4fb968d17c24c3e8f74
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: mumps.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mumps/mumps.js
**MD5:** 8e0c6375b6bbe74f633feed856f4283c
**SHA1:** 6944b10c9a28d7097d90291dcae08e9924461140
**SHA256:**1455108cba483e767bc5072ebda6c4c219395adb574aa70f7d7ec856225c3d42
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: nginx.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/nginx/nginx.js
**MD5:** 63e717882de52ba3a4bb62c9e7bef83d
**SHA1:** f008d01cd0b803de9bd5bf1088feec56c6eac9c5
**SHA256:**e35111d1834678cd34bfec04abe169cb11739f39750d1c41ab57c8f2524748fe
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: nsis.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/nsis/nsis.js
**MD5:** 4851ad88c595ddafbe3979f2e47b4d0a
**SHA1:** c27aea13ecb53b8797926e831d8730099a585d42
**SHA256:**5f9aab831632e1de8d8a4f6fcf52dcd75eb704ab8fe47e2c76aac24c8c30fbd7
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: ntriples.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ntriples/ntriples.js
**MD5:** a21f011183564e5725ea16a6ca11b089
**SHA1:** 62d7d39e91ecca5bad75c91241aa31421a303ba4
**SHA256:**d7a1fd7fba26679ecb0a6ac0b67164ed12a37db25d32ece3472920c6f25a74cd
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: octave.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/octave/octave.js
**MD5:** d830f31f1647efb252a53d0cb1f18aa1
**SHA1:** 1abba38966f306c238e8f9cf168f95db0e16d5a5
**SHA256:**b6c6966b9a564ceafa2b2c5ddde2f2efb0349cacdab3f61d90fce2544ece8615
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: operation_group.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/operation_group.js
**MD5:** 72f0c675f45f87c9a45b5f5784212fa9
**SHA1:** 8ca609f3cf238954efccc55c720e733a56f5029d
**SHA256:**aaa9c34bd1240b164897a412a257d2e693d2ad35bec219cf8959561de6559edb
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: operations.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/operations.js
**MD5:** f2e13ff94b86a05aa5daff82022da8d2
**SHA1:** dbbbc8bf0cd26ed344d48e6be8ba83d3a3ad983a
**SHA256:**6570698684e4da9507306248649b72c362cb918b63180b3b3571d91ffed78f83
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: options.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/options.js
**MD5:** feecb2723f03f979c8b8c9a85c553a1d
**SHA1:** 99d3d0aa7ab678573f2970b2273404ed4c7cc73b
**SHA256:**feb45909b7d01751e0edd20b7156ad016ec045cb2eea8e92b96b1505bf6e2159
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: overlay.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/overlay.js
**MD5:** 3cb76447dd1f64cc2bb037f3ec8c88a9
**SHA1:** 1ad72da6c675d9b6074f69404c66118ff24389c7
**SHA256:**1b44334e2a04d90f2b473c2684779885903919014 2e53f72f3b7de0f82696d0e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: oz.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/oz/oz.js
**MD5:** a097901a9fe996b190b9103a64ace0c6
**SHA1:** d49b86c59bab331924fc03e3f680af92a6bd79d5
**SHA256:**641554f9736e5260ff1aea064749a590cba2a854bad6fc334db8ffa2bc1a6892
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: package.json

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/package.json
**MD5:** e2faa7704d8de49e9d70e7a834d83ae8
**SHA1:** cab269db696fc76be4a9c83dc82f287546253792
**SHA256:**352f4e90706a839430cb2cee1a2080b0c1a0660243d4d2a544e81a57cf8c006a
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: panel.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/panel.js
**MD5:** f647c5e58b5c032c1691693333104941
**SHA1:** 5c8285f946d9888b499ae0266e8e165696947074
**SHA256:**2b137f8e8631c717d2af81edc341d436cd3a6debb8e9fdfdc20630296685d3cb
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: pascal.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pascal/pascal.js
**MD5:** bdc6c5432f1408c29254a933f45ca2e7
**SHA1:** 541ec18ed0863a528118a8026b6a5aa11a9c5918
**SHA256:**5eaac022259857d3b9b127ac0deb76c84d2523dee102d203738293f95ce5086c
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: pegjs.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pegjs/pegjs.js
**MD5:** ad4350eff079b204cd634114959c0904
**SHA1:** 978baa600d3539e1eb05834fd0b7d659f0fed792
**SHA256:**8cc7fe980c79a1ded9265d338062c8ecdfe6e0d044fb795bf11eb8d9813dc492
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: perl.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/perl/perl.js
**MD5:** c6a3b40a8b2971690ff06860516bd140
**SHA1:** 08bb3e219af9990114dda08e2ad935c5992dd39f
**SHA256:**a614830dc6e71770cb4feabc487dfa1b72e29444789b94d1bcad62490827ca1e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: php.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/php/php.js
**MD5:** f2f1668dbc8a4b0fd9f031dceda0e4ab
**SHA1:** 31d6961d6d4cbe7bf5deb2f0b5ba099c49e5c962
**SHA256:**07819ae34d5830a3cf040e1904d4b641cb70142845394211f7fb63c891d80945
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: pig.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pig/pig.js
**MD5:** 40f967482626259f7cdfb972548743cd
**SHA1:** bd2d7d6522d69e9849f8a6cf3b631ddaf50a091e
**SHA256:**e9a9ec475aeee8b2f75fd1c8a58ea0a2d0cffd383b1a3fb8bdc460881d612352
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: placeholder.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/placeholder.js
**MD5:** b5b4d8391f1b94044cda61cc979cc772
**SHA1:** af7eaa5519c4e0fa823224593b0ae0b7fda73a23
**SHA256:**44619626e2301fc16ebade252564e2c064113483e02f2fc8d8d262aed2485b9c
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: pos.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/pos.js
**MD5:** d1fc4bdcc5a93ac92f4c3c9cb34bd220
**SHA1:** 810afb684197135ac8ac6626a4a7eebef9ad5cc3
**SHA256:**b708bfbb9ce809d5ce2d1490d806933fad9b471ac63e0f4c72a31ada57e05f9b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: position_measurement.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/measurement/position_measurement.js
**MD5:** 6c17908c000f5a7beb67e75b1340c3ef
**SHA1:** c5dd40151e773a61694906cf92f941fe27ce51de
**SHA256:**c5c488b91320e33d6e25fbb8ce4fbd3c28621511328b48e9690f797b81d51c32
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: powershell.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/powershell/powershell.js
**MD5:** cf3b0559e54ae537a420d86a07b441a5
**SHA1:** 992cbac5ee6c618eab5f646438ba5fb54f66cfe1
**SHA256:**9530fdf52d164be6d021a87de567acb8738f86f6fd98577533a9db3545e873c8
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: properties.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/properties/properties.js
**MD5:** fdca15c3c811413459ed12fce119db54
**SHA1:** 715881cc0ccd13302e302dade67f675d37cfdbd4
**SHA256:**3f85f36e32edf82eba526ad56edadf04c33864d72bf0cfae2592a490530a4966
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: protobuf.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/protobuf/protobuf.js
**MD5:** 3e57a349742d01647347b7339572d9fe
**SHA1:** 909346135655b3aacdb909a19acb59876e2810dd
**SHA256:**93d1459ed6cc4e2a4701fc17959fe7f56b797d1d35b47f44b8030c0d19adf5b3
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: pug.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pug/pug.js
**MD5:** 63473aabe4ad7435cc804132bf743ec3
**SHA1:** 4e624a3174fd238241f692c1f935ae75d41269f4
**SHA256:**1f9e975ab889f6dd9183758bc7b454224dd11859b8e045ce5b98e2c4a05bcf9b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: puppet.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/puppet/puppet.js
**MD5:** be03e9aad763ae4b5ee3d6a226aa8c78
**SHA1:** 7dae96b96e285c5e747624c864be8f1b0cb61e5e
**SHA256:**237b966a50a514c6beabddfb83649797f764a29f7f2c7100dac1f411709040af
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: python.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/python/python.js
**MD5:** 9b50648e6f546e4f63f1a8eb25adb039
**SHA1:** b178c4d31cc4eeefe58e97a60723d47af96b79ed
**SHA256:**ec56443dfebe73f332cc639289ad2de6921560c8952a3e2127397a0849882657
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: q.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/q/q.js
**MD5:** ec0a69917f7ff85ef3c89ab34cbd0ee9
**SHA1:** c52261047f62fbf5a52a2fb36e0e926859505ac3
**SHA256:**1fecda8902c9c63fa36833c073370e479c7b8def1b883147c364f81cc6ac9171
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: r.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/r/r.js
**MD5:** 32999ceba0af47e9e6b4042314e2cdc0
**SHA1:** f044c32fe6998d6c6fbf774910766fca456273d5
**SHA256:**d4b1d1ad4275187d4f371fb61ca77ec10f63deba233644c484667750f934b23c
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: rollup.config.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/rollup.config.js
**MD5:** 73a1da56a828ad2854d28749fc155632
**SHA1:** 48bed29223b72a22a9939b57333c2d6e58bdfd39
**SHA256:**8c887c6ebd69fc77f4d1690cc0eb5afaaad25f0e18baaa5c7fdba16a6618ee08
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: rpm.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/rpm/rpm.js
**MD5:** 5fbb2d4919f2d396e78074f4c98812c0
**SHA1:** 719d22639e2bbb16d80df811da20013f3998c42b
**SHA256:**5e8a8253eb986b58fb170e2d58bdd134b05fc7dc02a456374a034d7564f77fcb
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: rst.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/rst/rst.js
**MD5:** bd89a589282ae08505026ef31cd4c6ad
**SHA1:** bfc1dea7ab7b49ed20e4127add87019c8dc56850
**SHA256:**b50d542cf38074c392f7fde44ef2cbab24b45bbfd178c426cfef6848d6d3e90d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: ruby.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ruby/ruby.js
**MD5:** b0b2ef072186390edb0444a0eb2e315f
**SHA1:** d63568f7de026f9c17e0a4124161ad5007c0c709
**SHA256:**953daad8a24225d56733f77c0c4451cf05436f70ad00e5dd1618486a1d5e01b9
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: rulers.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/rulers.js
**MD5:** 267bb54847534c8bfb41dcf227f7aeb0
**SHA1:** ef8505818354f0e8e79d6ef7a902ec0feaaa0ed7
**SHA256:**175d32d6794e2d917f446c4bcc8053c9a9e69eb9fcb3b805daaf015189b6ec03
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: runmode-standalone.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/runmode-standalone.js
**MD5:** 51867497bb73c2eba5e2e6cd1352f29d
**SHA1:** 591c22764dd7599a2d443c593bd5d4fd77928e65
**SHA256:**c1c9bc16a627699da49d9733f93d75963603175081a540b276f11c604739abc9
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: runmode-standalone.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/runmode-standalone.js
**MD5:** 8bb22c65e3d5cb3b6466654c7c6ec4c8
**SHA1:** 942779dcd636d8372e9d8c9949858ea5b68bfdcf
**SHA256:**8a06491ff4969718a7bbe2f8ae9d380e9f05f0947d7f5e0d940930e5a929e469
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: runmode.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/runmode.js
**MD5:** 6b9c51f3ec2f5a79c75836a0f75569c0
**SHA1:** 88d7a8053ef7fe9996f63800076992a5f65c4dba
**SHA256:**920d8eee55e987468236ba7ed2886de0bb8b2fed9d7060383a39ea29924ae885
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: runmode.node.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/runmode.node.js
**MD5:** 3847af673a6ae44d53fa8d697df2b8e0
**SHA1:** 91e688f6fc356c47f9bea928ea3768b7c7a57693
**SHA256:**0d796745f8db549e4ade4132025a45994f45dd6f4765402ee75e4113019edea6
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: runmode.node.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/runmode.node.js
**MD5:** fe41270e99f973a568d5a823cd6e2bfe
**SHA1:** c78b8d45e3db1891ad28f93b64ebd5ec6d0b9c98
**SHA256:**016bd87dc725d65c80cfa58d2e58033e013e703878cc05f322f938d58ddbcf9e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: rust.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/rust/rust.js
**MD5:** bfb43032004a8d5d115c6b817cbbe2ba
**SHA1:** af76d8276b553e168b5fab49108e715452cff07e
**SHA256:**797a9abcf8581f192bc49b11434346d3f8014763f4967ae260fbe31f25b2bdfb
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: sas.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sas/sas.js
**MD5:** 46f6d321e806768f9ebbc0155a5f9807
**SHA1:** 441d94bf2da7c5299662ba76dba352aac7df705a
**SHA256:**b69f2877e395b89682a4066f62f686c12cb66eac441b6c1d3ee15d5004859f43
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: sass.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sass/sass.js
**MD5:** 0067718b0d6fa922bcf032b58966c3fa
**SHA1:** 1dbee553e6dfa3d57a3aa6548b43a753ccdb7380
**SHA256:**01ba99f4a91e70d2a5d3ef881c542f14a1f59f3ded58672484bcd56b41921866
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: saw_special_spans.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/saw_special_spans.js
**MD5:** 72b6184ab657ca37a0d984dc73e7088c
**SHA1:** d84fccefe8c3cd0f1a0b5b2f388de87e57503df3
**SHA256:**fb122060ec500dd99a179c002fbb6a8709eba030bf8f7695d868109b470b31ff
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: scheme.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/scheme/scheme.js
**MD5:** a64f664dcef608b26dea48b1ea52b622
**SHA1:** 1e90715a9ecc9c8cc9500e9b064ffe0defc60b9c
**SHA256:**0bc81b318e12c7c5bbd94943d9d64cf1a64674c3bcc7057788ed1ade8701ab80
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: scroll_events.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/scroll_events.js
**MD5:** 8c96ad450d94581a7a461c44fa1e7cfd
**SHA1:** c92034958533fbaa6512c99d715a6032d43355b0
**SHA256:**b0472dfdc7a904f6a082f064c9384dde3ce1ec95953d9c276216424da03ffa01
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: scrollbars.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/scrollbars.js
**MD5:** f06876b47feef8deb64e7cd59d76ab1f
**SHA1:** 73c1a417818efb800852fec0742136fb1c891c1f
**SHA256:**11cdff1fc628da528adf11b23bf19cc06072bb573cde470669343d27be9b0ab4
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: scrolling.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/scrolling.js
**MD5:** 104c04ec259e68a53516216e4947e9b1
**SHA1:** 54446fd791e3331041e6e9a0874fa66d4794bcb4
**SHA256:**07f6964d12cb85a698967bcfeca73824a7b602475d488ed6f57e2981879e7487
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: scrollpastend.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/scroll/scrollpastend.js
**MD5:** 74be53ff23fb5eda7725c96f1ff683b2
**SHA1:** 1aec49fd4f7f5571fac13fddaad9eb1705cd522d
**SHA256:**6cd389df1da1ff9ba25728e03afb7f47df3162c3d9bdb5cedd06fc91c6199479
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: search.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/search.js
**MD5:** aee5a4efc34387df3d1974e09cd2965e
**SHA1:** aa36dc4a27460ccc0b4b40ee643907303b64a880
**SHA256:**4949580371fcd81c0ad70164b169dd8bcab2bd9869eddaa0d7e295508bec7a04
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: searchcursor.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/searchcursor.js
**MD5:** ca8612c41c44b87a10703ffe71d4f750
**SHA1:** 6bc4c36ea23ce7bf583f95ba4ad49e599bc646a1
**SHA256:**2c0b8cd8fe7ca5ca2253f4aacc914b390bff5b3cac3475df66c43a9ea8c8ccbe
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: selection-pointer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/selection/selection-pointer.js
**MD5:** 3ea743f9f1b458692e5258bcdc8afbd8
**SHA1:** 4306383d109eb987ee62a6e2defa8926dec870ba
**SHA256:**fdd7ff53d0ca796c5e3792ceb5063c84d0735bcaf198a1c06c78880f1c664a22
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: selection.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/selection.js
**MD5:** 34d76a4a0d6602f8d4ff937e499f7906
**SHA1:** c759ce0c87a62abdd8916125e3bad601e4ce4efe
**SHA256:**ca2d26085ea9380b686c57d5ef8789e3c3032ed8c5d90ae0e1c9dba69635a89f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: selection.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/selection.js
**MD5:** 8f89f30a603010383e7c118550697100
**SHA1:** da2d4548c10827c45fd625bdfd1ffdf0e28e0c30
**SHA256:**03cb03c86030e258ed013dc958cab854e2978893145cb096468ff8149417502f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: selection_updates.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/selection_updates.js
**MD5:** 252e2ea7a38323b8d82902e6595d23ae
**SHA1:** 27719d66e1ff98e650abbc5b48f2f4635f65df13
**SHA256:**a285a62ec8522c5d8271505b1438ddddaf39c3dbfd4dec5ac01971728e21a765
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: shell.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/shell/shell.js
**MD5:** ab0fc779b5fb9bdc1310a28d7dccd379
**SHA1:** ece7e7661886871cc46ef71248c67ea53a61ac7d
**SHA256:**24f77cb162ea9d9e9fc79b95ba547a7cc10a0767e3a5a52c786d4c24253736fe
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: show-hint.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/show-hint.js
**MD5:** c9e3db9bd2540c05ac67b249f8122387
**SHA1:** e8092d9477bb1ad4d17d44522d99cc67ead53b16
**SHA256:**28d2123fd1c9cf197651c2a0b3cb65762ba06dc073e023c75ec05b1f139b0af5
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: sieve.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sieve/sieve.js
**MD5:** 88c6148d955c6542b3f10482b736e553
**SHA1:** 72627a945e27e3044717e5b8db378f3d776ad0fc
**SHA256:**c233866cf4990e2f28f11c96ecedc7e7dc465c19c5b445b30bdc037118f7b65d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: simple.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/simple.js
**MD5:** 282f2d54ca2c7b60ab4bc0cd762b943d
**SHA1:** f08a5e5394568164edb85911dfc452f433bb2483
**SHA256:**400f49309b31197c0c4ec76519c93647b494ab80f59f96d7f051463e0aa37eb0
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: simplescrollbars.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/scroll/simplescrollbars.js
**MD5:** 34d6903cded2822fb2261678e1a479cc
**SHA1:** 0707d27834fdde0fe2c32935af79d4575cf9f1ad
**SHA256:**62b48bff43436bfb8ecc5e3273e6047f0b934c1d873c81e863e13bb462d1e1ab
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: slim.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/slim/slim.js
**MD5:** 447874e5c5dd225949004c357d17ffe2
**SHA1:** 2cdc3263aa6d9766131d73157afbf05fc6767b50
**SHA256:**a8d555221c610512119f2107d58bb1c57d294cebc91f82638ea6e235286b5c15
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: smalltalk.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/smalltalk/smalltalk.js
**MD5:** f6e7ef04f9f907a13604ea5b1938d3d7
**SHA1:** 57f009cf2b2147f14c530f697fdfbd3ac493e053
**SHA256:**9f649668162a61cfa6a3528dbe513d012162932c742c7b0696078bd2a6d3b190
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: smarty.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/smarty/smarty.js
**MD5:** 3ccd6f2129ee79c85ef96a8237f1de7a
**SHA1:** 5fc274f49b704c0a99e0f0b9030c90f56fc7c1f7
**SHA256:**9e95bcd71635efe200c3871c57cbb1c07edc1f8206d173f4552fd2dfbcf9e9af
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: solr.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/solr/solr.js
**MD5:** df4ba46ed00e24c144deaef9a817d024
**SHA1:** c880da8431afd54034ae7fbfedb45d94966638b7
**SHA256:**17f16060f00cd932914722bf2cd1a01318c402503b62f3bd2bda09bab6b42b85
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: soy.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/soy/soy.js
**MD5:** 1db8a99a573b2ab07cf30cc58da1bb2a
**SHA1:** 7c0a178caed0b849f140d0b21de6548a0355f9c1
**SHA256:**358a1861e92366d238eb240fd5d5cf8ea6f5fe219f389667d277031c0a1a47c5
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: spans.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/spans.js
**MD5:** 52150a5a01dd7c56de003aa132f71e25
**SHA1:** 92cc8b4ab38a103a106f574c40d25d16e97d48eb
**SHA256:**719ad01e720518e7594a76ed4dc4904fecd7c495b12d87fc4599b40032975789
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: sparql.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sparql/sparql.js
**MD5:** 856d73e41310b4dd6a18f13d64fec0be
**SHA1:** 1669e717cbfb9fa9b30e99415a6e5f7a66feb286
**SHA256:**e646ae1e2796c936a8760af321089f5814d0158ef72aa3f3efb60765430a2e6b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: spreadsheet.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/spreadsheet/spreadsheet.js
**MD5:** 370c01bed3c433131f942ef7e6f69187
**SHA1:** 94b3e4c80f954a378ab94f13068d879e9ab3394b
**SHA256:**0807dd557c55f5b6d8579c5c9019c5eddcda9c56ce559190e5f2985b156a00da
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: sql-hint.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/sql-hint.js
**MD5:** 8d41549d89ca9bfa3ef068190df379ca
**SHA1:** 6a2cbde78c9311f75509d3350877a8018499e8c7
**SHA256:**60703945eb6cc93d4f47d70b65f955e66ae8a22c0cb1ceefa69cf0890564544d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: sql.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sql/sql.js
**MD5:** b48a3934b20b392ae812b17df05355f4
**SHA1:** 40d1a558afba1f5043b23131e496de37d8e2dfb4
**SHA256:**ac23d3f196deb9be25cfcecb966bdc1789b9e177aac683ddccde1420670c4d8a
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: stex.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/stex/stex.js
**MD5:** c7ef8ac785ee813860cc414ea17dbf6d
**SHA1:** 3e46d97b4e694c7389cd0df4d13b914697d28c8f
**SHA256:**edc1f57c69920967a31defb66954aa29f5751fdb2f7ed8e52fa08978ff890e3b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: stylus.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/stylus/stylus.js
**MD5:** 7e6d36c0cc269b4e518bd48b9b6342d6
**SHA1:** ea339b15b178a1082a2acdadae82ef1f4a599f32
**SHA256:**85683adfef4f0129670fc2e5ee9148ad956213f5fa0c8dd05ac7970ad7f0b337
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: sublime.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/keymap/sublime.js
**MD5:** 1d7ea7f929183e76740bd9d98e9cac41
**SHA1:** 84a64b60b5802e86b0689ccfa95665339347f0c7
**SHA256:**1d532a67594845cb7163b090a06da9287b896944ab5f22df67f14e176bd434e5
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: swift.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/swift/swift.js
**MD5:** bf859160b6f348fc2d72673fc40b9da9
**SHA1:** c6b46b402c9b1fc3166712d68eb10ad29c5d01f9
**SHA256:**939dc67bbef9f0f6847f5bc2a89b0c8f4b411d57fbeed4f9d5cc21fabd7e191c
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: tcl.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tcl/tcl.js
**MD5:** 28a739b5550bd5ad13b47dbec84a9716
**SHA1:** 2ce8afb99f36fece39e1b3df7be02509f77b19ee
**SHA256:**98552bab94ce9adc9fcef5658da2965994a84e852c83098e94564884815b3026
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: tern.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/tern/tern.js
**MD5:** b9418efb9c0d90a3432dff86169fd293
**SHA1:** e4d1225e756d51fcb69c2f14ddce1b09fa2a23b7
**SHA256:**1ebb5ad38f72115c49865b5537fd9c77da506b7ed2be38bd310306af3c698e44
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: textile.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/textile/textile.js
**MD5:** d3923b19d37114a9e2a346c191c318e1
**SHA1:** 979b17e6363d63ac2d1b3a6854ba6196564fc5d4
**SHA256:**c121fcf3e641a7433b9e328c76aa0b1755aa4c0412e4f59a1d8d6ac24b36df06
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: tiddlywiki.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tiddlywiki/tiddlywiki.js
**MD5:** 3e4fb7a08d9df5cbe9822cb1756bec86
**SHA1:** 84885a1cb7be096c19a3dfddd70252efcc83960e
**SHA256:**4b62acf34df4acb1a4bc1a2729edaf221583679761d35e0e9077883810fccbfe
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: tiki.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tiki/tiki.js
**MD5:** 6e4bd43879571d0fdfa79714f550a3bf
**SHA1:** 6fd2ece4b20160c1859f34cb245b173459c21163
**SHA256:**af92cd0858a99f3c5cacf240874db7eac2704a7b193a3cdfddfc5ba70382a293
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: toml.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/toml/toml.js
**MD5:** dc2ba16cf830b53759b71306e9473ed5
**SHA1:** 1a394f9f45c508febc270b7c0a1f72460fc897d9
**SHA256:**67bbbc2696788633071f2a2b8a1cf6ca4f4ac82213e3d85b7cd183d60b117679
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: tornado.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tornado/tornado.js
**MD5:** f45c2ec37cc008dc5dbd5f9c077ba666
**SHA1:** 8b55c6a85279c8f7d6b3f539fa097fed877c16b9
**SHA256:**d006020d7d093cb4f5ed5088ed151d4c45417fe5ccde69d960eb82cfcb9e0ecc
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: trailingspace.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/trailingspace.js
**MD5:** 43599469275c2b662b7907971147c978
**SHA1:** de4d3ee3d32f01f94921b8b3944c7383da7ba970
**SHA256:**a0d2c0196d8f4991cd58f320498f7aece971e502e4811ecf58cb5af8e83007c6
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: troff.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/troff/troff.js
**MD5:** e7f5f0a2bf68a81f0f3e547ab5640627
**SHA1:** f59246b4ff5ce93afc87a4ed30a0cba0e6ba4775
**SHA256:**f7714fdc46774467c168e75fc36eca90e6df16e27afd0b608b882b2df769b8c3
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: ttcn-cfg.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ttcn-cfg/ttcn-cfg.js
**MD5:** d847dacea4534ee2841f01f5ac419060
**SHA1:** 0df7a9b8f5e91e2ae8d5a8a02c99bf779e221743
**SHA256:**22983894e4a3794c9bcf396e7a4119efa5ea07a4f97e060e15f3c13ec2c1a01b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: ttcn.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ttcn/ttcn.js
**MD5:** f94e618b386e8bfd0ffa2252482e9c84
**SHA1:** a463a8817c26dcec47a7d006aa097dacf74b28d1
**SHA256:**10be6704eac48032ce00890bdfffa03d445aae18e3ef7bd74eb14a26e5867a28
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: turtle.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/turtle/turtle.js
**MD5:** f36ec21c639822b370b87c63415533f1
**SHA1:** 9b6341bdf7330b71a5959cde815241b6e7deaf05
**SHA256:**0f82b51ecc43b95e55a752f80f719f8a39b607697b86d3fa4523a5e8280d3520
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: twig.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/twig/twig.js
**MD5:** 09ab2491f1056e9d142e233dbc9dc1de
**SHA1:** 4cb5eb7c9bf77dce80f92f2498d83af92f3398b8
**SHA256:**72b6e091bbd6a7c6eb786db2591c1f6f59c7880ef224ce5365ed39ec786d583b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: update_display.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/update_display.js
**MD5:** 8a51230ca1be6a91aebe25d4d0f7b55a
**SHA1:** 79b7a1faa3bfaa65f28ab4e324fa88b485ed21e2
**SHA256:**cf96f09d7f210f2cbf0c1912058eca1f96b51e63b1bf7b39016c0156c2b9ffc6
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: update_line.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/update_line.js
**MD5:** b9b8f3c5e697e33d73d1044eaaa86dc9
**SHA1:** 4f7c764ac36b54c918f06b68129b8835b22b55f4
**SHA256:**5fafd013fc16591f0c978c6a4bacb3cf054d52f5051becd4325de8c21ba07f7d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: update_lines.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/update_lines.js
**MD5:** c864b2f05d2101a47c52b9c01aad5b47
**SHA1:** c63e8555c30976387f5904fda11fb55174743a88
**SHA256:**80e80a6c8ad664587c2f01128e85c5c931f29cd021381584e2195073a53df45b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: utils.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/utils.js
**MD5:** 4e9e033cb9daa0702d84b88dfcebae20
**SHA1:** 8e5257ed7b93a00cb5eccbf544d6a1043f2edac7
**SHA256:**06220f9e424434492b73e0aea65bebba1fe74fc3002f8b3672d1d0d3a445f20d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: utils_line.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/utils_line.js
**MD5:** 0f6f365b60c1688d8f0fcb8d57a9d9d4
**SHA1:** 574435cdc400815c829db19a67652b7077b00433
**SHA256:**a8b39ff57b6d43dfceda786380d6dacef7b1738a81fb6033e7573502501d4b6e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: vb.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vb/vb.js
**MD5:** fa430588a34292ebd66e33fa60217b4a
**SHA1:** a89cb1b315fbed1886d709d921ae95b216d89fc9
**SHA256:**e8f8e4496baed70b1e6ff44979382bad81b921b9570b7da1a377835e973f28f6
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: vbscript.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vbscript/vbscript.js
**MD5:** 2da61e304ec310d9291e372c53c6b06a
**SHA1:** 9c582c79ac9ef6d1c08850c180f988bf974aedb5
**SHA256:**77109e0c2218502dac03b5bc3b290cfe0b46ea00f4d267f3dc4378d9abe1bdc9
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: velocity.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/velocity/velocity.js
**MD5:** be30a2a88271b692c85d7de9744f7c16
**SHA1:** d45880a6f5d3d4840ed1297d7b3f14ba4c9a4be7
**SHA256:**3c076c7bdb1e2d3d25bffa1a682556ae449f1545c3731935306333b5831aa951
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: verilog.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/verilog/verilog.js
**MD5:** a79b1a94e41866ba625c37e77a76ba16
**SHA1:** 4818788973bd3f66d3b9e14992710d96a7ec18d4
**SHA256:**ae7c58b13650019ca08760e04f3ece3315e889eb5aa849a34400f16542610eb1
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: vhdl.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vhdl/vhdl.js
**MD5:** 4f804b6884d0d7c233a0acc15fdab384
**SHA1:** d30d775adce22818b6e3955fae1d653028abb5dc
**SHA256:**da078efdda01a1245fb8ed5a16cffeb0a51823e5917e3802457041dc48243539
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: view_tracking.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/view_tracking.js
**MD5:** a26525bd629440e84b02128d6eb323b4
**SHA1:** 2cb6103f9dad13f5ee416f272cc9f8f14084ffc6
**SHA256:**077f385b690f0c7af9976cb7b6d2b60a175f762753a77b3060a6db2686a5ee81
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: vim.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/keymap/vim.js
**MD5:** 3a5542b6dabf86e3983f29c5c5a184b6
**SHA1:** b8afaac94045745d4517c9635a5d0c1c266db7ca
**SHA256:**c8124370e0ba7e76d5cde3c18d257c5c99e5578d6505f0eeaab5c791673c40e8
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: vue.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vue/vue.js
**MD5:** 9e7dbdd0bcaee6279ed4e77f5ebc36ad
**SHA1:** dc5c50230fdd556f9c3530f781b7a2b16ad30a20
**SHA256:**8b9c4f59c1230c537f44f593f5d608a81604e4b3dfd345ea938939d0d62f668e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: wast.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/wast/wast.js
**MD5:** fb1f6ce81911f07db605e2e5ccf41cf2
**SHA1:** be86e08e18cc74130b483022c355846d72116c20
**SHA256:**8e8ae8ab4475c66d2f05960ffda597af6279c8c93f62cdab443407bea74c0091
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: webidl.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/webidl/webidl.js
**MD5:** f31e84cde3fcc1fa2efec9889038d7e5
**SHA1:** 0757847217a95faf4defc9685f6821accb9d8988
**SHA256:**a12293542727a69514ae5477a65e33eed4f871fc207c6b275c9d8be1f2177062
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: widgets.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/measurement/widgets.js
**MD5:** 675098b5f0aea0bf351a1b5762febfa6
**SHA1:** c922dccdf98c79f92fa086bc2a36d970c76b56df
**SHA256:**09874ad13a856fad11b3afd084e58411741ee2735e61b4d95fefc060b60bfd65
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: worker.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/tern/worker.js
**MD5:** c6d16e68bc203e9489fbbd11b5b100ef
**SHA1:** f8adb9ac9944f88bf6e69048c001f89537f32198
**SHA256:**80c0e9bc4e2ef9ca9c97199818318429d26fae0d2452a20547b1e458eccf794d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: xml-fold.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/xml-fold.js
**MD5:** bcfaae27958026e83cd442b5df731da4
**SHA1:** 7ad4740f2ecbaa3869b066156b19401075a0315f
**SHA256:**4ad0fdc2f93882174c9071e9a3c2324d15d4deb0c43fe607f9efe01dda1af9b4
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: xml-hint.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/xml-hint.js
**MD5:** f2651770cad286ae58d12e9f5c4e9e6f
**SHA1:** 17bce6be75e45d7a291a32d0c1e346e4818296db
**SHA256:**6b78f04d2137358d5a01e9fa2b3a8f069acc70f925cc7efc39448ebe9599a805
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: xml.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/xml/xml.js
**MD5:** c93fe254ef100aeb5c9dfcda4c91d27f
**SHA1:** 510c71566cf81560cb5bd1bb25287ed6502dde75
**SHA256:**dc7e44d410399326f802e2924573cbf6f942a79f647fd0b97f0b607973bc9a09
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: xquery.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/xquery/xquery.js
**MD5:** 56cd9562591919c15b7610f13cd112be
**SHA1:** b294546669da04806196e6aca774914a30a0b3f8
**SHA256:**618685277efde78e0e48fd5cf95948ae32a4d57de942038ed0579415f3f2f9dc
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: yacas.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/yacas/yacas.js
**MD5:** a70c01cdbd7d4311d4dda287ace27a79
**SHA1:** e853bda930d5fed1db0bd56ab9426612e759f9b3
**SHA256:**edab39fac054aaee5ea8ad3d09e0d38f57d5b24f826df7561526b5efb229fc72
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: yaml-frontmatter.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/yaml-frontmatter/yaml-frontmatter.js
**MD5:** c2dc6071833d8d9bf02d81244403cbd6
**SHA1:** 212780f18d78644233eb826c8c660eee51b6ac70
**SHA256:**98baa91eee7ba77aaf150a59d7e5146d4964ddb271076cd963cce43f9928b3f8
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: yaml-lint.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/yaml-lint.js
**MD5:** 925332d44aefcb89b106d4fe9b32e93d
**SHA1:** 19221be874d11d57582a77dd08fd2f244e9b5500
**SHA256:**ee7249600f6b395c302b24054060f8abe87cbaa68a9f426593ca5e5f3748bbf9
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: yaml.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/yaml/yaml.js
**MD5:** 77fd959da1bbaeff5cdd97689da94570
**SHA1:** 9b206b33cc7b2b5e1e21d39bd177b1c6500e9722
**SHA256:**3256b4e40302d4488834925a990edb32cef7d431f70a40917c1c5398468d861b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: codemirror.jar: z80.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/z80/z80.js
**MD5:** 85b28ee5eafe8552bf842eeba91325f7
**SHA1:** 34971fc9b5ed5aa2f8714030186cd3e0056cb2ac
**SHA256:**0f501d7b8c9c48942900b4d7131f5bb18130395024e66ea5d98aea480f845e2e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: crypto-js.jar

**Description:**

WebJar for crypto-js

**License:**

MIT

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar
**MD5:** e70e1fdbb3054453cd57ab3368e6bdb9
**SHA1:** 622835f605f708155af4ffdb1fda1fed2983bccf
**SHA256:**9e11775c13feb6a3161844db96974ad007dc36d1f4b3033555f34813a1584270
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | crypto-js | High |
| Vendor | Manifest | build-jdk-spec | 1.8 | Low |
| Vendor | Manifest | bundle-symbolicname | org.webjars.npm.crypto-js | Medium |
| Vendor | pom | artifactid | crypto-js | Low |
| Vendor | pom | developer id | webjars | Medium |
| Vendor | pom | groupid | org.webjars.npm | Highest |
| Vendor | pom | name | crypto-js | High |
| Vendor | pom | url | https://www.webjars.org | Highest |
| Product | file | name | crypto-js | High |
| Product | Manifest | build-jdk-spec | 1.8 | Low |
| Product | Manifest | Bundle-Name | crypto-js | Medium |
| Product | Manifest | bundle-symbolicname | org.webjars.npm.crypto-js | Medium |
| Product | pom | artifactid | crypto-js | Highest |
| Product | pom | developer id | webjars | Low |
| Product | pom | groupid | org.webjars.npm | Highest |
| Product | pom | name | crypto-js | High |
| Product | pom | url | https://www.webjars.org | Medium |
| Version | Manifest | Bundle-Version | 4.2.0 | High |
| Version | pom | version | 4.2.0 | Highest |

**Identifiers**

- pkg:maven/org.webjars.npm/crypto-js@4.2.0 (*Confidence*:High)

## remotegui.zip: crypto-js.jar: aes.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/aes.js
**MD5:** da81b91b1b57c279c29b3469649d9b86
**SHA1:** 5441866409bd32d32331c4b4b652057fb90bc298
**SHA256:**d6bb48feacbd63fd455becce7a5528877242f70e73ba1f7838c186ed8f35fd3c
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: crypto-js.jar: blowfish.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/blowfish.js
**MD5:** f324783486bb1c6c2bad1faf07c63372
**SHA1:** abce1a3fd40ce0c3f511fc0ea0be9a5d9006e580
**SHA256:**dce696d0842412093ec68ceef095d0db470a358628dbc352867bf535ef3edfb6
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: crypto-js.jar: cipher-core.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/cipher-core.js
**MD5:** b9c2f3c51e3ffe719444390f47c51627
**SHA1:** fb31443b26eb46eba12f324ff2c567d28e43c9c8
**SHA256:**1b3331c29f4a1e222ebf7d3b9bd3458a308c2a47fc5e6cccb93f7d2d5c57533d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: crypto-js.jar: core.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/core.js
**MD5:** b55ae8027253d4d54c4f1ef3b6254646
**SHA1:** 06951bbea3ba1ca54de91f0feefc13fb62b66f38
**SHA256:**2638bdd7224472f801890636d42df16c144ca46c84229ef3087190d21f935daf
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: crypto-js.jar: crypto-js.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/crypto-js.js
**MD5:** 4b481d280be0331ef01b43c2d9b2a58c
**SHA1:** 4e84b6508f97c27e80a3fdeea2923d489d2b8fc5
**SHA256:**ee02257ffbaf0a9b481c7039b0f3bb20c360c9674fe4be8b38ae709b2ea59bbe
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: crypto-js.jar: enc-base64.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-base64.js
**MD5:** f551ce1340a86e5edbfef4a6aefa798f
**SHA1:** 9e1b1bf75f35833ca2480ee401b4cff8b7eb1fe3
**SHA256:**84b69d1625474179d55622a8333c3aac376dd8bc77de7b06c21695762cb69cab
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: crypto-js.jar: enc-base64url.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-base64url.js
**MD5:** b87419e0e9ad776b37cfce5433ff5852
**SHA1:** 24aa5251bd4c6b8ca1bbaf0a5ab838fbdbfcb6ab
**SHA256:**8747798ddd53f467bebd7101bcd053b3f12ef028b3e6c012aede147732c8a9c6
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: crypto-js.jar: enc-hex.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-hex.js
**MD5:** efb02f85686d948c69ad13ec6a7d479c
**SHA1:** 27f6a54ae346ef0a9a63084990591e0f986bea38
**SHA256:**c7dad9931250921c24508ba9949abb818745b38891da44693359249b11ed143d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: crypto-js.jar: enc-latin1.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-latin1.js
**MD5:** a8c77d13f48479c2f76678c6e7f06ca8
**SHA1:** 9753af5959867f998f0feffd6f1699e88c92f39e
**SHA256:**24dfee2cc51ec0481aad1f62933bd0ae1238c34c5b0e73aeb1729027c913a26b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: crypto-js.jar: enc-utf16.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar

/META-INF/resources/webjars/crypto-js/4.2.0/enc-utf16.js
**MD5:** e24e079fb22a2f7063cb9f856bdff10b
**SHA1:** 01f29539d0bc1e2c10638d0f3b9af99d978e15f7
**SHA256:**c35339900b45fa701c390c924009a95270b4b4d91b427e40984f117c2f7ec67d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: crypto-js.jar: enc-utf8.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-utf8.js
**MD5:** 5a9aaa6b97e87bf258edf26223bdcf61
**SHA1:** 16bab2dd76daec10b9b3e2569f3fc1a207b5f726
**SHA256:**8c7e44dc2d49b20fd78a44827fa962a28a5e22e0adfe036aa0fdcfc7adb89984
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: crypto-js.jar: evpkdf.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/evpkdf.js
**MD5:** 7106e06bc97d1f59a9324ef5ef9c14c2
**SHA1:** 89cccca6c0e5261d31302cb4726a26f21a84ef39
**SHA256:**03a8ec00db105b3b813902400ed65169d12ecd382fa13402fd62c55e251caacc
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: crypto-js.jar: format-hex.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/format-hex.js
**MD5:** e2f78f02b844140cb8763fa7cd8daa45
**SHA1:** a359182575c8d43c6e5381209472f8954e4d5496
**SHA256:**040a2918bec8cb8ba0a6303fa3c1bbfd899bc8644643e8ac493e3c08a0c09097
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: crypto-js.jar: format-openssl.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/format-openssl.js
**MD5:** 502d6df5aa16084bf5abb0f3077c13b5
**SHA1:** 7507a0c1ccf7049a8a10bf2ed73f24af5ed00aa3
**SHA256:**1ffa86862e66b6c0fff35cb96875e97a793aaf86ca749b29381cbc67a0877bba
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: crypto-js.jar: hmac-md5.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-md5.js
**MD5:** 95b2fb61fbadc00bb3dce9098e37256a
**SHA1:** 143d92d0c7d56bc57036c318cf78dc50cd72b557
**SHA256:**d3072014eb4186d02e335c511b3cc6e163a5cfebaa8c4ae13634af24887078e6
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: crypto-js.jar: hmac-ripemd160.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-ripemd160.js
**MD5:** 6d51886c1d976bc143c790593cdc0920
**SHA1:** 29a848612a72b95abd8d8a9ee8d4874939fac6f0
**SHA256:**28e2bdcb143840e4e01eff312a728e0f652d7dcb0d1bbdceab0bf48ff5cae8ac
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: crypto-js.jar: hmac-sha1.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha1.js
**MD5:** 4acf006c1688cf4513ed375d7a94f86e
**SHA1:** 8fbe2fbecb2caa64f74c0393f9f6641f78e3b732
**SHA256:**e104acb7379b834bd9249e3cfcb2196acbf90a22bb10947feb2a1fbe30ded105
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: crypto-js.jar: hmac-sha224.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha224.js
**MD5:** 875a7a330903a92828b279818e6b06b8
**SHA1:** 586cc496e368eb6f6119e0a6089ef7f8f421dee6
**SHA256:**35208e1e4631ff5f9bd83220dbfbef63290eb93e914055b35583fbf19eb76693
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: crypto-js.jar: hmac-sha256.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha256.js
**MD5:** 69817fc0da86033d4ef559f0febd3d32

**SHA1:** 84c60e2a1dce8f06c1e4340542199cc9cc9a3454
**SHA256:**11d26c11f858b74bf0f106c74ddb579a112d3e7321fd684365a77ba2a7a5dffc
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: crypto-js.jar: hmac-sha3.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha3.js
**MD5:** ea6cba03f7c6b257b70c1497022b5514
**SHA1:** 0d8f8002491a9311c7035aaf07d4a0329f38ced0
**SHA256:**bc63c36741416fb55fbbe3c7c4a78b5e056d9b902a471bb16b6f5672fbbacbf8
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: crypto-js.jar: hmac-sha384.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha384.js
**MD5:** 7afbdf157b81970eb00a50bc421e7ce1
**SHA1:** 9196d839c46163f6e51c63410ba0076a09ccf178
**SHA256:**93494b918b2eb79cd1be66145a41137ac0d65739ed6cb9e04f82bf1d7cdc7019
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: crypto-js.jar: hmac-sha512.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha512.js
**MD5:** 5d3e9930daf490e45b446cb42b31833e
**SHA1:** 4b07089a6c56852d15ec948b58408d5b5d32cafd
**SHA256:**6c2b59ac5e27099986b28d32e425ed3d65a4621c1c6512d03d40b336c6e88a2d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: crypto-js.jar: hmac.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac.js
**MD5:** ee162ca0ed3b55dd9b2fe74a3464bb74
**SHA1:** d68f1ed4e3aed7807fe17a8193fca4775221dfa3
**SHA256:**c89f8f08ae06990edbc0763cd46853d16c70eaf513de8592b1ffb74a2ad2f7da
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: crypto-js.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/index.js
**MD5:** 8181544c4f4842cba38a939989ddb460
**SHA1:** b4ff6b82e1e72ccc2a5de8f94968c3b82060f61c
**SHA256:**7de6a6041ebd1a43ecd79b59708795ac273930bb36265b41fff832d781e7bb27
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: crypto-js.jar: lib-typedarrays.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/lib-typedarrays.js
**MD5:** b8bac2e22a7a589167e014be77736c72
**SHA1:** 622fc0f297b3799ff91b08469989e6fe113cbda4
**SHA256:**a5875f287e6cc6dea0ab64024db32783229a7db55f74deccf6566973bbd76ec9
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: crypto-js.jar: md5.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/md5.js
**MD5:** fcd0c8cd3533c15bb4f0628f82cf5175
**SHA1:** ed91751fd5c6009667d6b43c5fd3939993edd568
**SHA256:**ffce8dc6b782620c6238a5b2280c5a98f6bef8c77fa80e581fac8cce0f08effe
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: crypto-js.jar: mode-cfb.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/mode-cfb.js
**MD5:** 5847dafc1beecdcdfd23925f9f4989b2
**SHA1:** c9972596e02db6c6221ae019dcf1498d30e9ffb4
**SHA256:**a3626b78fe53d7d32fbcaeaeb92750db305e84e2ccb84e61d735ac7a4dc7345c
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: crypto-js.jar: mode-ctr-gladman.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/mode-ctr-gladman.js
**MD5:** c4bd3b4755cf275747f8e68b0eed7995

**SHA1:** cabbcc4100b4d363f1b55d42b930ec547ad67dd1
**SHA256:**fcd6166981435cc01bdfd2fb8f9e2773acfb144ab8c47e0c71473d9bdee755b0
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: crypto-js.jar: mode-ctr.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/mode-ctr.js
**MD5:** 6cec0458e4e62c1ff8b534e59f9132ff
**SHA1:** 591484053ed26919fa6e4cecf7aa723dcade4bb6
**SHA256:**9e67161f61922a475b142b2e18cb4470ed7860ef61bc6e7a41f327f7a59be96f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: crypto-js.jar: mode-ecb.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/mode-ecb.js
**MD5:** 3a84195b8427195dd9c345a0f3aa2313
**SHA1:** fe621e95709e31a5289c78d114aad4a920f14923
**SHA256:**4f563373ba4af442e1b425b7b7dd1030ed84b9babe9821949922d9677bf14701
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: crypto-js.jar: mode-ofb.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/mode-ofb.js
**MD5:** 48f5529799d5eac8fa9f855ba1402737
**SHA1:** 4e97befa1e4d0003cd2fe9d21d85d6636513fdb4
**SHA256:**b49077bf4bf5e8f2cbb2de0e2d48c4d941a3feba2bc7c629abd51fe2ac8bdb2f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: crypto-js.jar: package.json

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/package.json
**MD5:** 2f31b0aec8f5d1c63af62bf46623876c
**SHA1:** 7316c3382382dee4cc36236a13bf43543b8a855d
**SHA256:**011d61589c95ad4e16051c492565f7c19c6a7832580674503cceeca612e7a6cd
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: crypto-js.jar: pad-ansix923.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-ansix923.js
**MD5:** ca8ab3266976ddad6e811577212b8c88
**SHA1:** 505018913484e110aa81842a4511a2a52cbf2231
**SHA256:**7d950bc42f262159a2786eea30d1153a3d0bca9aab9acdbcc1a981a8d2854ef7
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: crypto-js.jar: pad-iso10126.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-iso10126.js
**MD5:** b1c4aa95c8bc79280076e66352b6c219
**SHA1:** 9c081665a8d0f4399c5f3874f38f811932900d54
**SHA256:**d3695304e8e7a001cc6e1b84d4b58abd429dd7e3f09514c260bcd3122a3aa685
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: crypto-js.jar: pad-iso97971.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-iso97971.js
**MD5:** 4027c92ac1ed3c95f39e8e2a391500d3
**SHA1:** b7034e19bcb012cf7549baea65a70d25b8e71480
**SHA256:**f7f7179b8bea5b6ef4f0891f23b563db8aa530376795cd99ef84942cfc62d328
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: crypto-js.jar: pad-nopadding.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-nopadding.js
**MD5:** e288e14e2cd299c3247120114e1178e6
**SHA1:** af4df0df185ab10e12fe8c01f885027eabe3c8f3
**SHA256:**a722d1f1486b807b34076ec3277ea3a65f21837db2d9f76eb5daa7de312479a6
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: crypto-js.jar: pad-pkcs7.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-pkcs7.js
**MD5:** 23c101a5a832bfa8a894b9813323044c

**SHA1:** d21f12b724eccd65c9f20503bdac2c41eb8ce985
**SHA256:**9a3c909e8c3b6604bfd7a48a3c7e61504292744d894bce1266b44691b857c1bc
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: crypto-js.jar: pad-zeropadding.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-zeropadding.js
**MD5:** 23b4116306620a01bed22b52014c7c65
**SHA1:** 34360c2d2f9a38e5c3d197223a2f5b6777cbc1e9
**SHA256:**d99e781985e817da7c6af30d957c45419b1a7e176bf52160424ebbbf970df906
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: crypto-js.jar: pbkdf2.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pbkdf2.js
**MD5:** 3f2876e100b991885f606065d1342984
**SHA1:** 006198366f41423a82b05dc582d9882530c3f6e5
**SHA256:**89cca1be3926c8d89b6f827d70970bb3bc94ae47943342ca8949992faf8d2b60
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: crypto-js.jar: rabbit-legacy.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/rabbit-legacy.js
**MD5:** 8fdb6b7d8bcf3aef27398d47d13dacb9
**SHA1:** 23dc78f4b418c296ffc166bbcad8c678d6ab2efa
**SHA256:**cf9afefa87b216dd4d8be00524f8904bba1147fbb90273e5e6a7b2824b52e56f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: crypto-js.jar: rabbit.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/rabbit.js
**MD5:** b3bae9fc93314924cbd6c4283c1e91ef
**SHA1:** 4bd339e3a9e954c2766a07a96cf7ec2547e76cab
**SHA256:**dc93dba650db41783f8a3faba6ba17ad82cb0eb1b6fa84df406f71d520d84b42
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: crypto-js.jar: rc4.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/rc4.js
**MD5:** 846a99f1e90dbcbb5773793c3fe8aa5c
**SHA1:** fbb684811bde18ce2faad2ffbda3aa9c00939e90
**SHA256:**571eca05c055a26c729f757f83b9f849968ae0dc0ba9870e5be9526019c53a33
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: crypto-js.jar: ripemd160.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/ripemd160.js
**MD5:** 1d13fd2d4858d87c36c43a0a6436f0d4
**SHA1:** 9187ea140085390e357f1e7804f95e7a5812d494
**SHA256:**3d7eea732acb8f27ba7be5ec54cc1c5ea198be2f7b12ae78cf03ce3b87d78da1
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: crypto-js.jar: sha1.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha1.js
**MD5:** 5fbc23cf1d5cf34e9f7798650d07b333
**SHA1:** 7401e77dccaff4ecaab8e57fd11fccfaf5f33c75
**SHA256:**fca2d5560acb8de760ebc94679ff210056722af8193871e75176a61a977ac30f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: crypto-js.jar: sha224.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha224.js
**MD5:** bd908518f276d2df58277bb38185b307
**SHA1:** b10b13e02fadeea29119f6976b346d9b06c84342
**SHA256:**542ddc722d9711595c11d57caa9424beca928b3553747a51e3f1c57c2c08ec16
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: crypto-js.jar: sha256.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha256.js
**MD5:** 561d24c90633fb34c13537a330d12786

**SHA1:** 7593f14b59ba2099cbb4ffb806e75758fdeb12f5
**SHA256:**d8074f23cbd27aa6c2f231b8bdad34bbd8d49c7e47ffa0d7cd07a2c4d1d3c798
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: crypto-js.jar: sha3.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha3.js
**MD5:** 6fe2614bbdfb802fa873f118621c7fb8
**SHA1:** d977f518e609149d1b51932648669a4be7a97f27
**SHA256:**6ee08cd3d69b181cb735011acd0a0d57b6a4a071baf8ecbbbb9aa18cf1e4d6ac
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: crypto-js.jar: sha384.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha384.js
**MD5:** 6ae085f20325eb927ff673ef20568137
**SHA1:** 8d7bb4a99b713d53723f8f1ad3442cf9e9edf9a4
**SHA256:**8d902216aef6840bb9951117bdd3aa6331078e68ee04987aa1d59c73b5ff3066
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: crypto-js.jar: sha512.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha512.js
**MD5:** 0e5e8946947671eefe910c58f1272c48
**SHA1:** 7b4efa121b30865b12f7546f1e99e22c6c2a3c40
**SHA256:**986ca486a1c9e58e9d8fc38d1db4e652e14c751ba1a6a15fd81439d261efe2b0
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: crypto-js.jar: tripledes.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/tripledes.js
**MD5:** fcd80fd597ef5e6a0fe34cdf484a8825
**SHA1:** 94c5615ac7a0f2ee61bb5325e46d61151893dfa6
**SHA256:**8d8de06235e08f38ddc855070ef8cb86d7c69a67b3a5278f8cbf2af64b55122d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: crypto-js.jar: x64-core.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/x64-core.js
**MD5:** 677577ca38d04508f116ebc977dcb11b
**SHA1:** 966f596f1adb7e7780021ae463a62890de8b19fc
**SHA256:**c54130dcd19ae2c7f8c4b4a69cb2038a65d363899cddf7ebaae0102bfc8fe086
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar

**License:**

LGPL 2.1

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar
**MD5:** fb8b1b6b34605a5f009111354952152d
**SHA1:** ecf7ff886113ce62c8b84821517c18eee4ccb552
**SHA256:**fca0ba33cd0ec4300d7aeae8be26a9985578df5090c8e6126a2d8fc40a4bef3d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | hugerte-languages | High |
| Vendor | Manifest | url | https://www.tiny.cloud/get-tiny/language-packages/ | Low |
| Vendor | pom | artifactid | hugerte-languages | Low |
| Vendor | pom | groupid | org.webjars.npm | Highest |
| Vendor | pom | url | https://www.tiny.cloud/get-tiny/language- | Highest |

| | | | | |
|---|---|---|---|---|
| | | | packages/ | |
| Product | file | name | hugerte-languages | High |
| Product | Manifest | url | https://www.tiny.cloud/get-tiny/language-packages/ | Low |
| Product | pom | artifactid | hugerte-languages | Highest |
| Product | pom | groupid | org.webjars.npm | Highest |
| Product | pom | url | https://www.tiny.cloud/get-tiny/language-packages/ | Medium |
| Version | pom | version | 1.0.9 | Highest |

**Identifiers**

- pkg:maven/org.webjars.npm/hugerte-languages@1.0.9 (*Confidence*:High)

## remotegui.zip: hugerte-languages.jar: ar.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ar.js
**MD5:** 823f9945c776bff8a5d1d33b7d053f76
**SHA1:** dc44a63c5afd84dc271d61e5673fc814e1de20f0
**SHA256:**16ea01e589d138a6136652e9bbbff6f0a78c7da2c52f777e50c2b1c51b85cf6d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: ar_SA.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ar_SA.js
**MD5:** de0f31d1f1a0932c71125d7baef80a5a

**SHA1:** 29240f1954b11d0cc527d22342d62b23d6be35d7
**SHA256:**df5dea24dc375556b47d00f787af4457a306dce441d7560dc5708926e65196a4
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: az.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/az.js
**MD5:** 41a5444280dc4fed40bd7007a8734bd1
**SHA1:** ebff1c1e5fe696a05d5b025cf996239d07e5728a
**SHA256:**56722b025676cc2a88be8cb111e7d93a1cf5f076e25b57603c9ee34770eb1d21
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: be.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/be.js
**MD5:** a21eb5c6f25273f8bad1ed7d263c9bb2
**SHA1:** 029a79f496d18774c6e463c76bb351c5e36d745f
**SHA256:**38ac39070c67cc3dab2aa62cf3c67f6aae5de17412aadaa7f3a7f0fc07fe1f5f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: bg_BG.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/bg_BG.js
**MD5:** 801f9914266c7293a3235a7fb0ae7f3c
**SHA1:** e7a34a80a73fff9be96fb31dc8f0f9d1a3987c59
**SHA256:**251201625c9f4281c1c290631b000379b84305155f6e36387ff62c21ee8b45f0
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: bn_BD.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/bn_BD.js
**MD5:** 220b63a6f7d42943f33d94ba67423a64
**SHA1:** 86740e376336efef54a75384cc7b08ba1dbb8224
**SHA256:**afcae81dc0d30507f943432518ba500a7fbb86b4e215643b400cdbd1b1ca219f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: ca.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ca.js
**MD5:** d44f1cce804fcec692b814e203609991
**SHA1:** 1cf7f636e5e5b04322d9d339da3315384c58548a
**SHA256:**268e5bd32cafc47a21baae85aece4afd933ca25ec9f9ead891679987c64579d3
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: cs.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/cs.js
**MD5:** 79a288d0c7f661ca7f5e3107341e4c9f
**SHA1:** 9aee0c1dcba66150ddbb2648fa9a827633e94366
**SHA256:**a3f3b00c1079b33aa9ea1ecde5182c5f1e427931e6cf82e85271d5e8ed85a99c
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: cy.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/cy.js
**MD5:** aa66134f9a69db8bf5e37e9c00486dc4
**SHA1:** a8e3c6399e8efe5cc72a88bca7d9df33ac016a41
**SHA256:**7b39d495ecb2ea1eca56270c5591c17475756c9aee5f0178d7dda9fa41201f8b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: da.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/da.js
**MD5:** 86be98bf9b1a2028d498158c10d995f6
**SHA1:** 2a88c16d9f97f6fbd64841c4bc7953775aa7c98d
**SHA256:**5f26a49c249458207d87d14f4a13ea76f9dfe83aa3192d9519aa3564caa5b593
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: de.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/de.js
**MD5:** c2a71fc1e4286824de66f53bd7b82485

**SHA1:** 13afdd59bb4a7ed1d67154bf5b5e8fd4e74ecc31
**SHA256:**89ecb25e929cb079bd55d7747c46f8c767d0ae6a82d0b5f4b88ed9764d899db7
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: el.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/el.js
**MD5:** 915f10cf164e849c6fcebadab64b00ef
**SHA1:** 9915d6d53f204fb3098db4fcc6984f3c7aacb5ac
**SHA256:**023ff4f96e5a56be54b8f5fe60b5dd437e7e0701452a1b2c3cccd9227b6dc35f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: eo.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/eo.js
**MD5:** 8f0c327a379a1687bd1d79b356e0c6b9
**SHA1:** e8db0b00cf0948cc7912deffc721d91d55b8bed7
**SHA256:**97e596fdc130fae102a9199bc538546abc46f300728c0f51697391d57aa31e5f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: es.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/es.js
**MD5:** 033628b467ed06d308c9612dcd5bbdb5
**SHA1:** 09113c6d952a730226b8a1d12cd237b3899789e4
**SHA256:**dade4c15e9cf8d18119ca2fdf6482b3853f5b59cf0f970d089170daf767075f3
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: es_MX.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/es_MX.js
**MD5:** 449d6aedeedbdbe6381c83d9a5769597
**SHA1:** 5998163f1a11b65a5e7a0ab9c9dce230fd413e76
**SHA256:**bb871036a74c5306485caf250a509025740ee01a01c7423004462fea3cc2be39
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: et.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/et.js
**MD5:** 091758942df0564e10bebe19a78d313f
**SHA1:** ff025e62b8c42678618820b34d7931c5786b1aea
**SHA256:**6cc07e99a6c3b8c624a76c01a1fa3808711fae8f1f1dc47d2b8080b7522e8223
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: eu.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/eu.js
**MD5:** 1485b45393804c99c99314aebbdcc0e6
**SHA1:** a95f6eae92569b428b700fb12dbe489a0b71a4f5
**SHA256:**cc21d29d3cb923a4ff36015cbe7bd17dd7a64a5e72fc6ac872e4c945db16241b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: fa.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/fa.js
**MD5:** 0dc23c9242a62695e3cbeb9a2f78e139
**SHA1:** ef67cbd5dc74eab86408aa69634ae8e2067620d2
**SHA256:**22e7c7518a2bfad61e9fcbe065ecc02ab03fa8534322980bce9f99ebc63a73a4
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: fi.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/fi.js
**MD5:** b7e0faf1d8fe236d9b2936d625a0fdb7
**SHA1:** 20be70760980449856bb658599c1330a5a8075af
**SHA256:**4917f9d328011a6ef7ab83ad444289f6f99f83b715427198ba361639dad96bb2
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: fr_FR.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/fr_FR.js
**MD5:** dfa01543f5cf0741603c794997fb5d9b

**SHA1:** 635f1e92319d08246c041243dc9095d3c93e1f8b
**SHA256:**bcdfb2da8b8415d7127043dd30676369f9beaec15d3f632bd4c956bf9cd52598
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: ga.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ga.js
**MD5:** 845b69d910adfa4628178f438a718482
**SHA1:** 4943d1679c82f7e96a9336d77cb0d2c3aab1fecf
**SHA256:**5958b2e476b049ab4baeedc79aba6df32354d77ab53d5d247031c770b1511651
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: gl.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/gl.js
**MD5:** a795d0920b1380017ff30141839551e0
**SHA1:** f88dcdaa4f1ccc07c852f840f98e2152fef000dd
**SHA256:**71207713e3e7847c58b60968a99f4a78433badc4fe7e30b72dba09aeca4555c5
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: he_IL.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/he_IL.js
**MD5:** f0c6393b918763fc15eee6d3e0c37466
**SHA1:** 9b1b2433bdf168dbaa699f013d91e7ea7604e892
**SHA256:**78083d15ce5a545d77b567697bbf442b183cb251db84479fc6b4170d61dfb246
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: hr.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/hr.js
**MD5:** 2441d08f559cb16b4d43b9d5105b860f
**SHA1:** e0482438bc1ebbe8a1d0fa678fbea00ef712dbed
**SHA256:**ce558c44bad214031591a960166ad57e48a3df1829acaaa11f5de44e4b7bf991
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: hu_HU.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/hu_HU.js
**MD5:** 2911b3d257d0dc7f14333016a7473155
**SHA1:** 05f276655db6d33333857981a6810cb23c1e4c83
**SHA256:**57edd0020ed40bfa8c8bf17d3ce14d9ad3f55ceded462b4455ae9b01612a692d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: hy.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/hy.js
**MD5:** 39fa7cf899184e065693c210effa166f
**SHA1:** c1a4ef7965155b0bfe0c94264af6dde949ffb079
**SHA256:**d917b7cfcb80a52e9a36f8b4bd7e234bf946fa052efd0cf3536bcb92cdf092aa
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: id.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/id.js
**MD5:** ed414a75874cc8ff481bfadbb830ddb3
**SHA1:** cbca76c07a1123375eea910af43aeadd620e0308
**SHA256:**7c1fa631ca44d4e22f9c50b9891fbcca962e0220ef09aee6a40e75d5cdfd1cda
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: is_IS.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/is_IS.js
**MD5:** 9b77beb5d73d767a20f9023e43b95cde
**SHA1:** 89b10e76a8640b05c60235c2cd14f95fcecc5eee
**SHA256:**628c8dc10e2139d038274d9f0df5bc71f07dc761f94ebf2d6b16b26c1d492d81
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: it.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/it.js
**MD5:** 90e171ba4678a4ed19a31f0e440aee2e

**SHA1:** ce567152b20166647800c975e326ff77eb80b769
**SHA256:**b65405201879f02f69f991462a9874c1a3a3cd73789f120e4ce01e0e67ca0711
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: ja.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ja.js
**MD5:** 9dc6598ea78c3171a5c79d12e9bd0d2b
**SHA1:** 4e7cb9da114814fe1bc798fc51cda71fcd0b38a6
**SHA256:**f8e09ab0e2d7b205a27ac040fe43756055e49247b706fa7ce3010507111eb2de
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: ka_GE.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ka_GE.js
**MD5:** b23cbf69f2fa02f39ed9086f46d0a527
**SHA1:** 96a4216380b61acd215df2c2c62ec2cf27506e92
**SHA256:**60f5880d40ce0196356c7f8f1ccfa77284dfd4e528165e9da1a540570b0e587e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: kab.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/kab.js
**MD5:** 3b7ec13af25657f158d12387daaf5ba0
**SHA1:** 413a6adc6339cff29fc21c8a1ee9d713dd406d01
**SHA256:**fcbbc32ff3396f8720fa5384f168495f2046b3fa6a38a3415bc6349cbe01933d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: kk.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/kk.js
**MD5:** bfc0aef232b63aadea153d6169b33886
**SHA1:** edb0a148549b2481162c47544d83a46c26522f1a
**SHA256:**3a0eae48e37986a44e71d7aeabcc9048de840262309cb13ca4642b6a8f4c9619
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: ko_KR.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ko_KR.js
**MD5:** 3c1ae38527476e28004119b28e635254
**SHA1:** 179653599026e2ac4cb9b87c2ad7762b8c792dcd
**SHA256:**0ad35f07972e8121a88dcf1106a2f502b71998dbb485bd678fbb48adc8a6e3c9
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: ku.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ku.js
**MD5:** 031a3776060e93cd2fcc2a469982794e
**SHA1:** bde4d51b40929f76f5517c6381f02ef63beec9fb
**SHA256:**4c69b5c3c53f4f9069a26c409eae732e76316c1a39cb50e2b6296b9aee256f41
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: lt.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/lt.js
**MD5:** ae38ef0f7d831c5a2c0ebe933fd37040
**SHA1:** e2267f00cb816718ceec6b265d536f0eb41ea7ad
**SHA256:**a250c03862616afd2a73875e64c2ddd130c3bda5d565b744ec64e85bc6401cee
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: lv.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/lv.js
**MD5:** 5e9a34b9de6fb86881a0c116f445fcf0
**SHA1:** 9914a2be93fa142736794389a8ef160cc64a8ed3
**SHA256:**7068369f71f128d11f274aed093a35b649d6ffe0e33ec5b2cb56ecf5be1c4271
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: nb_NO.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/nb_NO.js
**MD5:** 2b23909699f576ef026ba5fb78ae31da

**SHA1:** cdbda59aa32791840f8d0428c7cffc54d722b63f
**SHA256:**e1ee0336aab8a84310f002fbfec4b7636ff074b5646c4552be7a8237593156bc
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: ne.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ne.js
**MD5:** 885af0f75b6673ac70ef74b275396b8f
**SHA1:** 5cbd5c46bad6c490f79dcfc6a53649cccca0f4b6
**SHA256:**35322c1614889e08dfc7c46a8998db16efcdfd4b03ddb32e3c9813084920728b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: nl.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/nl.js
**MD5:** 0826a3893ffe0dcf835c41f022fa6736
**SHA1:** 0e3d08a78eb44a9c625d380a05c0995da54f9978
**SHA256:**42ca9cdc0c09b899c4c31bc9ad8ca252389ef50ad3f19ec09ea8160ca044b751
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: nl_BE.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/nl_BE.js
**MD5:** 81b7362a9af0bacb4f46de26b7258f98
**SHA1:** 7f4f768b30b547d50dc27670114f1e5bd5a9de2d
**SHA256:**53578716f41e51150f1ef17e05294fcc4a9c251a05f63c4f9886c650999caef4
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: oc.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/oc.js
**MD5:** ad364ff6bfb912aaa60afcbe530eeb84
**SHA1:** 7178d959acb8e51067c6867dbc104d07c7a174ea
**SHA256:**3dc4b06e29d1d0f9e1337341da3cc6855505b4443dcc505e60c75f0e8cc9d3a9
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: pl.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/pl.js
**MD5:** 73c0a111949ba936650bbca9d70e7f2f
**SHA1:** e862ea235cff52a45837fd4b80f37e38b9933c47
**SHA256:**d8630e2cd3a9abe445ed7475635580ecfb02da50ccf4d3534b275d7bcd7d85bc
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: pt_BR.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/pt_BR.js
**MD5:** 4025b9c06a52018128f87471d7536250
**SHA1:** dcfe2f7fe4ef9b75bd76fe24f6a29639d26484e7
**SHA256:**bcdfab8b8e078ea63af41e912bf9fda8fe5bbb10efccd2fb59b59809dcdb5223
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: pt_PT.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/pt_PT.js
**MD5:** 9591ec64028ef59a6d4eed3254f77364
**SHA1:** ed58d2d5a64a1dff28c1083d808405a5437c5971
**SHA256:**f4687f157cacb710fefe7a234c7513e9c842375dc628fb85e356d7734e649892
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: ro.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ro.js
**MD5:** ee5452aead10357b0225b214dd94ba7f
**SHA1:** ae56e4a834e45614d4f26ddad0d7e0db61441f1d
**SHA256:**66ee1e952526d1200d4426df433d3c9342ae28c1f4784715b1e2436cc36bad64
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: ru.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ru.js
**MD5:** 5f4a09edb41ca0d3656f0d5ce9058860

**SHA1:** e4aefa0eb5f9f75fd1ea15807021e0867d860b76
**SHA256:**cc26bc049ef33a17197075266eaabe26a01ad63c304b964efcfc5cee4ceb41cc
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: sk.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/sk.js
**MD5:** 46334ad086220eadf9a63d34c0f2c0a1
**SHA1:** 100e6a70a6f05d43ee711601895399b3cbb7921b
**SHA256:**ff3342881ae9ce3f99283c5bb2874d1222b526ac3636148415f40cddd808d90d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: sl_SI.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/sl_SI.js
**MD5:** bc7133a87c4c9d0bd8eaf59ef8c874ff
**SHA1:** 29c1685346e76a3bed36059a6bbea63058969879
**SHA256:**58b6ab701cf8f0ee76a6fd7300e265cede6102c9acf83ceba8d4cf4b00251ff7
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: sq.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/sq.js
**MD5:** 861c26592664176acb3e275413859f28
**SHA1:** e5f0e123e4d250d2b6e1ff6ef50f4ea3d7b7aa7c
**SHA256:**9e266507d00b4e3d55af374d7097e74a66049541f761c93f2402ef941b50d2f6
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: sr.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/sr.js
**MD5:** 85a21c38605be1a745a8d91d7d0b650b
**SHA1:** b42391f82ad5765fa205c62f6c63d1e365690c2c
**SHA256:**94c18c230ab69fd848a72c3276c91037f7a803859438d69b890395b97e9f1ff0
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: sv_SE.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/sv_SE.js
**MD5:** 5ed724e831b0b24b153d2ee7db5b3816
**SHA1:** f729969fcdbb302547cab963d560acb8da35c1c4
**SHA256:**1ff7f0f713beb4d59fc3a45704ee9064264eba748dee158024af49ddd7d4ae20
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: ta.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ta.js
**MD5:** e2088db6edf402bc276bfc8d6856e2d2
**SHA1:** 42f8f57987cc20025703e0ba4df401d0cc8511b8
**SHA256:**2704c32a0eae180c20586f7b3ac7a5d83e777f5d2abe14ce8cab8cf786dc7d1a
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: tg.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/tg.js
**MD5:** cdd2d5743671715d8aaff1bda4ad1f94
**SHA1:** 917638fd2950dd42fef4dbf6627cf078bd2b7aed
**SHA256:**1ec107508768200fe55d3c56ca19f91bbcde436ae90d32c62d912f9131064038
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: th_TH.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/th_TH.js
**MD5:** 75f892fe79cac886b58ba8263b9304ab
**SHA1:** ced62928d872f509b9112a7be0bd652a028b12b7
**SHA256:**f09ba8c508eeb7fd2bd0a31ddb0909cde3e701a0c15a7f5dd7caa1aad1b721f2
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: tr.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/tr.js
**MD5:** 705bd62d8012d72d0d4911d3ff5630cf

**SHA1:** 8d3beb46e6610edf2f362b5fd52cf6aa8763a3b2
**SHA256:**96dd1e00efec4becd581735af1d6b1467cc9798de54f2e945ece2afb70d43e4c
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: ug.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ug.js
**MD5:** aaec10538e96e70ff869484f6c747c5e
**SHA1:** e398b581d4d74426689508a414eea025392e6fe8
**SHA256:**6fcda2bec399a07ae3684fdd4497318ed005eadf33b3ac24ecba3f258007dc0c
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: uk.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/uk.js
**MD5:** 99020cb723ec0b122e56170b40053d20
**SHA1:** 5fab28c63533fd3e3fe00d38cd63ba6f23c32b2d
**SHA256:**6f3fcb3f5f2d4920b3c5be68509ab140f28c454595cb5cfc3ad02e996146830b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: uz.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/uz.js
**MD5:** 6efa9afc8b45dcb30d5c20dc2d651a99
**SHA1:** 4cbfda4fa00dcfef02d859a683f6a2e049a395e4
**SHA256:**b03c325f76d34d3d62a0de7aed705b4c015c5cef8fe07aa10e28b5261397cd4b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: vi.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/vi.js
**MD5:** 181808a7542470b9901cefad7eb4b5bf
**SHA1:** be4a2aebc0c2e9fe45f2fbe7e9c19ee5ed78d6f9
**SHA256:**24622b29a7ad643866d6c8a74277e58f207366f2f3c34b4311b42f93204092c7
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: zh_CN.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/zh_CN.js
**MD5:** 7584b32dc413a2d39e5b85d9dafa173a
**SHA1:** 10dd91679dffb2a3160f40ad3188db117b9afa2f
**SHA256:**9c06f952379981963600a4b3aa40af35eec78c163d3daa9da681107f8c647089
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: zh_HK.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/zh_HK.js
**MD5:** 1b4894b4e6c2e724475ea8c701568734
**SHA1:** 552f1316a1cfc565a018ea4fab9129a3825dd6d3
**SHA256:**ba7fde91f1a45dd5c6901368d6dd18c24683a876629c54b88396222b493c4513
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: zh_MO.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/zh_MO.js
**MD5:** 90d19ed9a0ebb0b0680ba6ba483804eb
**SHA1:** 4912da322d65705edd33e0570e81714a7209020c
**SHA256:**395ffcd48bad59534174877050ef1f016fc7598382e46e6f2105a44620bcff31
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: zh_SG.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/zh_SG.js
**MD5:** e29a6f7769ede1bbbb5f96a5eeb2f24e
**SHA1:** 3407630e6f9c9919f5e7b4d9b74cc652946189b2
**SHA256:**0d13680b26585e33a31f21153391e341ff5d2c6a0803cb882a621e7dc5231284
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte-languages.jar: zh_TW.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/zh_TW.js
**MD5:** 0a3c9f75e226b3129e8b7f89f7130007

**SHA1:** c940597951e8d42bafd5602b1801c00fccb1dc47
**SHA256:**1dd655d41c2ac0bd1e939d787cb4baaf427fcdec6ba22c0f612f765195d548b0
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar

**Description:**

WebJar for hugerte

**License:**

MIT

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar
**MD5:** 40e3c36b730763dcffae9299f0a70fa2
**SHA1:** 3e832b2eee0c63d39d757c106d67aedfa531ccf6
**SHA256:**2447fb813adb57766372cfb1b76e9318dd9022e6bc8eff4752dcd6de2c6651d0
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | hugerte | High |
| Vendor | Manifest | build-jdk-spec | 1.8 | Low |
| Vendor | Manifest | bundle-symbolicname | org.webjars.npm.hugerte | Medium |
| Vendor | pom | artifactid | hugerte | Low |
| Vendor | pom | developer id | webjars | Medium |
| Vendor | pom | groupid | org.webjars.npm | Highest |
| Vendor | pom | name | hugerte | High |
| Vendor | pom | url | https://www.webjars.org | Highest |
| Product | file | name | hugerte | High |
| Product | Manifest | build-jdk-spec | 1.8 | Low |
| Product | Manifest | Bundle-Name | hugerte | Medium |

| | | | | |
|---|---|---|---|---|
| Product | Manifest | bundle-symbolicname | org.webjars.npm.hugerte | Medium |
| Product | pom | artifactid | hugerte | Highest |
| Product | pom | developer id | webjars | Low |
| Product | pom | groupid | org.webjars.npm | Highest |
| Product | pom | name | hugerte | High |
| Product | pom | url | https://www.webjars.org | Medium |
| Version | Manifest | Bundle-Version | 1.0.9 | High |
| Version | pom | version | 1.0.9 | Highest |

**Identifiers**

- pkg:maven/org.webjars.npm/hugerte@1.0.9 (*Confidence*:High)

## remotegui.zip: hugerte.jar: ar.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/ar.js
**MD5:** f5f0b4553a42a7a74e7be718fc557e2b
**SHA1:** 302dcb720a73fd97345627a102ef162125fee945
**SHA256:**9866698a529f686db8b4222bdeb175003c3e09c142ba130aed9fa98d5aeef08c
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: bg_BG.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/bg_BG.js
**MD5:** e532c81c8e86f9066729809870cff6fc

**SHA1:** 4e1e104ee689097ff1192decfe90175300e6baf2
**SHA256:**b884906123ab5b8b1ca1ea4c156a2d6635dc42319b10cf51b4d6e544c8c56867
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: ca.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/ca.js
**MD5:** abf90dbb77512d6a2bafa26c36c9e068
**SHA1:** 77120a22296fdd4c779f3736396215ad82276065
**SHA256:**1f8935be80e07f8b30a9a96f5ba621ecc2f568fc96f69614ab4e073b6b3eeafc
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: content.inline.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/hugerte-5-dark/content.inline.js
**MD5:** a8531e7d906f77df4085d9ded150c281
**SHA1:** b255e033e1b16c6df35859cc23c49a33c3baad8b
**SHA256:**7512a420bf16d072edbd796eadc03c74483fe6f5947bb070f517a012b80fc576
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: content.inline.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/hugerte-5/content.inline.js
**MD5:** cbf28002f872e95b1e9310dec7df4bdf
**SHA1:** 22b3e10eb6a88534c75b1dc9be9d6b511eb53e08
**SHA256:**8d35969f2fee55d8d2eb61f1aa8a2372dd941c9629379dda6f9f131457132c03
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: content.inline.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/oxide-dark/content.inline.js
**MD5:** ac1812f6eb6c6bb8e98918582d3e855a
**SHA1:** 4681a3ada53a664e69ee64477e735aa371cb5a2f
**SHA256:**f5433e2fcd731cc793e3c59313f39aecc22aa87dbc0a6b63ed1640ca6961dcf0
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: content.inline.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/oxide/content.inline.js
**MD5:** 3b6064b7d2242fcadf7c3cd1025eb192
**SHA1:** 6e92f0f2c271bdeae04920ed292d5385cc91d344
**SHA256:**ee579e0bb81106269b705dd351fd986dd576b01e418c5d7a9f34a15116163a3a
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: content.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/content/dark/content.js
**MD5:** 218eb5454658554e8d6094d607ef9f35
**SHA1:** f784fd4493d88dca9b7c46492a0a95ef16f5c0fb
**SHA256:**cdd9773b89ccda5cfebf54982376a2e28ae038d2e24649cba35c88d17991d283
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: content.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/content/default/content.js
**MD5:** 132f74870c5e313c2fdab42f1284c595
**SHA1:** 1005edec7a293e74d659823370d4fb589b1328ec
**SHA256:**e7f4d1b242145ee6d6359b90140226a759267a8aa753a2d311545d432900fc10
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: content.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/content/document/content.js
**MD5:** 3b0be7f67904711c70f317dddf089f5c
**SHA1:** 4ad6d86b14653ae3d62974017cfed4ee5294a695
**SHA256:**4b45250053780a31fa19ead75e59f56d57d5d1dd6e285856ad5aeddc3fc72960
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: content.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/content/hugerte-5-dark/content.js
**MD5:** b982025040e29e7cbbb8d113fedfd69c

**SHA1:** 4042d2d851ed0b54502fea16c06d9e28159f29a8
**SHA256:**a28224012e76c4e795e0854f7fce99ec681ef424b589b4661bc8f68885f98e98
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: content.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/content/hugerte-5/content.js
**MD5:** 1130965418bf44c6d085f938cdff6650
**SHA1:** c59de9f12455d9eddfc658b74c28a355f68319db
**SHA256:**cec00ecbc3b3d3f8afe4586a97d23cb761994002a224c21be3e29057636013a3
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: content.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/content/writer/content.js
**MD5:** e4542246b3519a09b2d632b5197243e8
**SHA1:** 9573c58453f17a4c921086d5f90938987fe511e8
**SHA256:**852f7d5ae9af37997c185bff42937182a79e494089a75b782266882cb4f4f197
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: content.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/hugerte-5-dark/content.js
**MD5:** b7766067e593da14ae6f23d290c9bd6c
**SHA1:** 6534e3c7ac5b4e5309a7dfc2ea3b0c337d442cc2
**SHA256:**45e8515c9c66aa5066577c1d275c586965ba4080a951c292beeb2b3da0d0acbd
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: content.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/hugerte-5/content.js
**MD5:** 9d85292a93c6d2940a80f50d1f0e6966
**SHA1:** 935d111369099d41bd50a3db11d6563051a634c0
**SHA256:**aee448e5c016b1143a15ecdee0f43e555f3c9add2bca6af40cc4b36b88cdc588
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: content.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/oxide-dark/content.js
**MD5:** add25b66f87fcb7ca581f9f2b953a653
**SHA1:** 989b6df98ca78608dd8ddcc2c3033bde0de2d8be
**SHA256:**0786d0145a5e55b9ae24c45196348cb00c5c91454f75a186d978942739091bea
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: content.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/oxide/content.js
**MD5:** 76c08495990d174584d15c5f50a8e5c7
**SHA1:** e75376adbaa0ac5d81908ec178263ada61dada8b
**SHA256:**23e53a768bc59564bcf0e8600b187a8fc8822e23c2f175701d760cf5153760a3
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: cs.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/cs.js
**MD5:** 1779aef97fccc89fa4e8c6ae639bec3b
**SHA1:** 0c798783fa338bcf0b607e19b69a157e5aaf67fd
**SHA256:**dfaf6a6afa02f7a7da5c27cde37b1074e860982c75ca4a7d8df9a42e8f1ad723
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: da.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/da.js
**MD5:** e3bcef539406efdba466a679cd9625ba
**SHA1:** 3529f5c2cb29ac9eb0ef88d41ca2007e5b78fac7
**SHA256:**96e1ded7bd90160f1a26e3b4e04128d0c45940c459cc25763a4898d4731e72cc
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: de.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/de.js
**MD5:** 24268690ce3e0719f04f4d8bc47c1145

**SHA1:** 57d8098db012b33e240b5816d014960db2d80087
**SHA256:**f2f2eee6eb358dedbce018731c82def4a43e8343ce331fba26150f7377ebb410
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: el.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/el.js
**MD5:** 1f775a05597f190dddcbe67b14d4bfaa
**SHA1:** ab9abb40af9aebdd589aeed4b24f3c50771f9d9c
**SHA256:**f252b51d126cf0ffd18c3c2c68554e4026adcd0c520b1338ae353a0849178450
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: emojiimages.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/emoticons/js/emojiimages.js
**MD5:** 0e1ec31644343aefba41e9bbb5ea2231
**SHA1:** 3235ab996282c236e7bc4c711cada55734fd26d0
**SHA256:**f9a88019c8420a4b97fd84faf58efc5e8924e14c1765b829179e60f23c41893f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: emojiimages.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/emoticons/js/emojiimages.min.js
**MD5:** e0e428be7a98bedc05200e5df282bb0c
**SHA1:** e858d05289b36fa9b0d43a3460a639498d7109f3
**SHA256:**14e1cee35411960c25902c281791a769024993abbf406388578ce0f974661acd
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: emojis.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/emoticons/js/emojis.js
**MD5:** 2a49c03ffdf163dec6ad6e104c671170
**SHA1:** e62bda2b7fa8b932cbcc964ce39767430ebddede
**SHA256:**59bbd3aff8dc1dc9955c3f30c9e2f15111102eca13251a46e3a825c215253b65
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: emojis.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/emoticons/js/emojis.min.js
**MD5:** 1eb6671b67d9dfe2947197a7629a0129
**SHA1:** 42c380fb43ad0289a1d3a5336f9e8ccedb21871e
**SHA256:**b662b97899d18ec5daf78a78716a0f939b5e6bd8ada678212bf8de2a782b54e0
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: en.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/en.js
**MD5:** 6282ec2e9f83d1acefa2850555212877
**SHA1:** 853f9a0d2a2191756fed83005fdea7f97b5e41d5
**SHA256:**2223298388692bcc135105122d1686322188e6511163860453d791d1243279bc
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: es.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/es.js
**MD5:** 810a9870708a49348955ead70c5d7009
**SHA1:** c6e78b5abb4c3cf4d67da9ff7c848caf24861c16
**SHA256:**dbc1fb0acc05dd8e01e2834f69f5f19fadba93b90e76854063663e5b335fdc3f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: eu.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/eu.js
**MD5:** 0d85c3a9cf44223833af08ff51d80e27
**SHA1:** 2ac31465284e8e4583a8ce69abb64c3ff461114f
**SHA256:**5f6c854cf8372351ab402d7fe1f66a5a837c08e979b8072d16f32166edc07b02
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: fa.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/fa.js
**MD5:** a6809dbb54bf58699540c6a210e3cfde

**SHA1:** e3c03f38d4b4da86c3e9eb761c9f1a1ed542f436
**SHA256:**6c4c3e12ef9d008f12fa5b603658a6a00a0940ca7e85048d87ef80666eb3c36d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: fi.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/fi.js
**MD5:** b7f976710075bdcbf5e57ee57acb59b0
**SHA1:** 8a4b373ecc42055da226c1c31ad9d976a10b9a11
**SHA256:**e67af5c13c21f4421bf7160bd19aab9318e6d19955111c5b9f890a362d0899e6
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: fr_FR.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/fr_FR.js
**MD5:** d2eb59e6f3de25ac913be0e61a05591c
**SHA1:** 715dfb82a6e641415c0047f2901b7926ee8179f2
**SHA256:**5005b632badb0fc86ceaa196753a4712b1dd76d50b79e0d5d6410efa96f55ebe
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: he_IL.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/he_IL.js
**MD5:** 57b3dcbaeca69401b1a80d78ddb7d495
**SHA1:** 95b7e01187222aaf1ea80d0b74f846cc9a4f4764
**SHA256:**692233e8906b51c91d1d70882a0502be5dddb2027b5095c07d79c491925ad8fc
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: hi.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/hi.js
**MD5:** 9eea865c5a377f40de2f8b4c41da17a1
**SHA1:** ddd56f4bd89abe1c502e0a9ead4b913fb1ea00fc
**SHA256:**9585fc860ca2b1a749f458be9832932118b54d5e2b9591df62191ffa22102592
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: hr.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/hr.js
**MD5:** 3279eb68d7116c5e50c2445e392e313f
**SHA1:** 2b3cb7b1e01fdd84b9a52becf9f310329f4bc61a
**SHA256:**93300531f9cdd8b934d7a2f421fa0fd36ac20b2eb7f09a0b25ae96b28c3cfd84
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: hu_HU.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/hu_HU.js
**MD5:** 27b9bf10dbe7c9c15b8ea20a44b569aa
**SHA1:** ca2dddca3514deeadbb45a59877a5498ecb7faea
**SHA256:**9d62a3922fb0f24d96143e1a677211fec156bcd53ef0f60b386b8738861efce1
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: hugerte.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/hugerte.js
**MD5:** d0aa2effd4195d127283b734e149192b
**SHA1:** 987bb99dfd3f7834343ed9610ad9862c8e465efd
**SHA256:**3c3ab278cd6a18aab0b5dabd7794bff0511c36b28128ddda21a66e38de04dcee
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: hugerte.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/hugerte.min.js
**MD5:** 5303f8cde20e4ca7877bf6eed3a30e37
**SHA1:** f64876d293f88f8184566b1f75be76cb3e3746b5
**SHA256:**47893b03a0e0dcc89476d85f1e9cdbb7af26b67a21d8823d0062632844b337a2
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: icons.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/icons/default/icons.js
**MD5:** 946e6ff563681f2a84bf542c7d1f835b

**SHA1:** 57dd9db9f500ae6bbc16c1b39d6871be228c12ec
**SHA256:**a70cbbbb7c397786fb814a416f691b2d39bbc1856af4c975acaccb27f190bb1e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: icons.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/icons/default/icons.min.js
**MD5:** ee63c9a58bfadec7d3f124f01fe865d8
**SHA1:** 04bcdc2f358ef5f562ff3bf05ded0e86ee39fb1f
**SHA256:**c422b0ee2a8c7c988d377c3455b95fe98b95b07616de53abe547a631cb7845ed
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: id.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/id.js
**MD5:** 559f08d3791f170b18fab02235ec1682
**SHA1:** 3e1621e3d7f2cc26ec7c76e3aad8b10740284c1c
**SHA256:**6b6f28465d15233f2f9d98dfea0ba7e43d983f7c5a616b5cf26185ece8248810
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/icons/default/index.js
**MD5:** 712c532c3b060cd5981af00496091812
**SHA1:** 1f0e1f66069455601e60b07941f412ec8da948d5
**SHA256:**01dcd2e841efaea732b35abab85f9b9c177708377e8a71cca9aa1cbc08ce50fb
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/models/dom/index.js
**MD5:** bf6538ccd91ff0c8c459ea52568dad68
**SHA1:** 039492d60bc08eff76200837b005f238a4a4d93b
**SHA256:**7e00163f1579c2463df0e1794c7083972c531e65e97e79cc1d3fa5fb79b8e782
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/accordion/index.js
**MD5:** 275d42a50d44665e7c641933489d2fb4
**SHA1:** 4fe5780ee870d8e4ed3e19b06a6dcba0745951dc
**SHA256:**cfcb10117bda3513b6a8d5fc147c46d599d939188819b053cfe8b037d27aab68
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/advlist/index.js
**MD5:** bf1fd55a8b6b4c1288234708e4a63e04
**SHA1:** 4c00e9817344c41649c8a5692b8a50f46e86ec63
**SHA256:**65afd673d4ccdd16025bbea20476e1e97173e975c6907b17a03bbbf3bfdb8e4f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/anchor/index.js
**MD5:** f53211f88e234e0b071178c50bb17158
**SHA1:** 7ce22ad1179e09599e011a9117e17a2b648fd131
**SHA256:**db1389e04f95143a547eac5a86b8b83ffacae1baa4abae7b1b9c71158745a10e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/autolink/index.js
**MD5:** e71fe17e37cc448ee08c8073edbd8511
**SHA1:** 8f90089dd67c4dd2c43ce5bd0c2041957b33814b
**SHA256:**a8464397c27fa3fc75c53ab84f63daae3c85d7b25106af78b2337752f1e18768
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/autoresize/index.js
**MD5:** 6f84b0950a44436492f038d3aa0ba3e7

**SHA1:** 4f4bfdbe1b26fa78144a693b7c3dbc4d33f0db94
**SHA256:**171a9ea14e7b62d3300d5e5d557bd55d366d3ae3a707273898df479c096276eb
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/autosave/index.js
**MD5:** 08ef53866b246c81dfe6ef294869a901
**SHA1:** 431a34505e18811756e55c896308c5b1216fd994
**SHA256:**421e960cdc5dfa2ed55fabf2223966e7b8ba0fa29b04eb16cd0d1076013e54b0
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/charmap/index.js
**MD5:** 4c65bd74732eab0ab7e847ecba83b2b8
**SHA1:** 39b4ed0edd6e1ee5c4636b947e518cd4d07b1c22
**SHA256:**74c2ee3ce6dae9ab7052f10c47839820e2b8d15a8d82360d76c22adf2e140036
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/code/index.js
**MD5:** b44ce9c633a47f29ece07d74747d1e06
**SHA1:** 7ba540f71aa2a39348361b231a3836e247070e84
**SHA256:**989a665058a05fa887eae0f403aee3207efe08c27adbf298db424ddd877002fe
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/codesample/index.js
**MD5:** 90f716db1597b13e7574913db0271635
**SHA1:** c27fea0504a61d12e50a8064c3c8f76993e57304
**SHA256:**090fd58bf0e341f935b41011fe6d785674f550720bc4d3d7fbe61b9d7250b573
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/directionality/index.js
**MD5:** f40440b25858539de61515b1dea80954
**SHA1:** 33d1633c7f24beec0f6d23c6248f0df20a16816e
**SHA256:**bacf651ffcb58e57f22f8f6fb14ffbf696a50ea7b868a1f4af9cd03bd13b3884
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/emoticons/index.js
**MD5:** 9c2896100b43bf842537b98ccb1696bd
**SHA1:** 8a5d6682c000d686462ad08266489d5ef6e4bf6d
**SHA256:**f6ab4d39b9c01bdb42e11a9aeed2f28e173155d1a8c3744ae766db3820ab6b02
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/fullscreen/index.js
**MD5:** e187f0117b672a2e8033678f08d2f1f1
**SHA1:** d303bb5448dc1e0d404f366f07b51cd3f0487c28
**SHA256:**ea62f70b60de9fca52f2d2fa328391a3bf5d3de2965d40549fd1dbdd74f69d4b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/index.js
**MD5:** b5bffc3c2adee9b308f33253c4fe7004
**SHA1:** b6307cda1e5123ee6c213d4f2c072011c69876c3
**SHA256:**9740f6f6ad80924540a5bbf0c2a63cc9dfd8e61794fab7fd0f1b01a25cd6b92f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/image/index.js
**MD5:** 095a51c136955dcc74a7e0fd9604e21a

**SHA1:** e68b5998a5cb615262e6d82f2e823bed40228967
**SHA256:**c4680d28a23819fd558d0535d085e7362d8cbac560044be6c9236708ee8ccf2f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/importcss/index.js
**MD5:** 5e5f8c0aecc68703ecbbb0e4234e7d27
**SHA1:** 523289fb23e7e4902a037c16885ee32d836f00ac
**SHA256:**81545fe205f290c3c31c7bfdb4ba83b3081f90ddfccea856d4b6c29ce6944745
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/insertdatetime/index.js
**MD5:** d8a0567abeb81a32ae97c146b2056f1c
**SHA1:** 6178edb15029bf8995370971585639e047345aab
**SHA256:**f5e4e03c4fceeaa5e024fd441d21be9d6f403c124335e0f4430f3cfb6ec4d124
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/link/index.js
**MD5:** 77e9b56d47087efd55f769120600d9e8
**SHA1:** 75dd165d3fc4f04daa39c21f2ade96fdea9afddd
**SHA256:**320914e928c5be2837bec40ed93b5b6c536c027e67bdffd9db2119461057b7bd
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/lists/index.js
**MD5:** 024e229dcff4a27cfcc170a5410b4843
**SHA1:** 4c554e5bc1d9621a491410c001775da57f879798
**SHA256:**7790a64cb53b91a9153c1b69bc3da83e3b159d20a7af6bdc13d27874a4615168
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/media/index.js
**MD5:** a1da1bf87b3ac65830fd803e9a28c381
**SHA1:** f09ec4275e63ebd377840fad37a65b011ddc6631
**SHA256:**45426a57dc58b349746fec58e3051f139895fdbd818c671f8f7c17443c46b701
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/nonbreaking/index.js
**MD5:** 8c1c718293b28a845a15c257772ff932
**SHA1:** 7fa2acf1e9f7bc30632d71735ef9ed0d2f9fab29
**SHA256:**720b764ae93c6103550a9200e0effd11853b564f2d6be45743bd17e4276a23a2
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/pagebreak/index.js
**MD5:** 165034455e178e0eb99918d3a1421dfa
**SHA1:** 8af3f0527d7530ef2e63e621e7dea1c3c376162f
**SHA256:**fff3b308b4a7e7e6756f7c1cd80517f788c8fc0e95cb9b7bb360b6f24892f5f2
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/preview/index.js
**MD5:** 83bb991d584186dab916e348799e4e2c
**SHA1:** 263f51c7a0512a1bed20eff7895b6498978532d8
**SHA256:**2e7cbeb72f62c23c850b1376295742a5c4908ce80808e8a9b9de214deeb7a72b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/quickbars/index.js
**MD5:** 99532be871de2c1e018b2f38fae3f505

**SHA1:** 4dad183c0694e2b520d32253e332e10179891435
**SHA256:**3b0f4ee52d5f152c733aa21e443ddb633517fce8675fdb8b164346e32cea3770
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/save/index.js
**MD5:** 358e82db36264f8bf5d5f211581d2e12
**SHA1:** 85b2560fe9b4c7dd77be693082e8ca54561d04e2
**SHA256:**e4ad55ebe0c5dd257c742be63db9f7faa361a03febcdb6949b34e50a5958e257
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/searchreplace/index.js
**MD5:** ed22a1e468fc1241e3e70c8720098442
**SHA1:** 49ad5ecf24b66612a3e9e8f1258f5fd8d1ac6624
**SHA256:**2e9e32ea2edcd011f669cac3b7bf65efd4635a2c24c72a81167a7bf79e6a4c73
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/table/index.js
**MD5:** a40ed84889ba858c1d78a423a7339067
**SHA1:** cea53ea715d6b6010912a3bbcec73e7c9501bd4d
**SHA256:**e23ef84ba7634338aa304fce140296fb95ed92bddfa40e1e8975a2f725de0dc3
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/template/index.js
**MD5:** aeb80b7c4b07610c34901a284b372ed9
**SHA1:** cccdcf94dd46b6ebfff271867bace1d0df8c3255
**SHA256:**6b6206bca3f79af4262b418278b2b1d44ffbf0c16e618d6daabc3d022e555d6b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/visualblocks/index.js
**MD5:** 99fbe6ec0ba267d5bd4f4b56834bd6df
**SHA1:** dee26e00314addaf5d7359e4f672c6fdb309b17e
**SHA256:**1527138d82593c7a2c56998be7d938c05b1d18dc01590ba8638033f41655dfdf
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/visualchars/index.js
**MD5:** cc4e861499e09f90d3d9214c307a9078
**SHA1:** 058e9ea96642f6d7da84f762a854c9aea27c7a5c
**SHA256:**09730d585920b1cb562c8e382cb7180101b81d419930364aee24714e1eec37fa
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/wordcount/index.js
**MD5:** 042a01800558e0b5f08e835cabe311ee
**SHA1:** c0efda748192eb1ec1bed53d5d48447899f9e7e1
**SHA256:**01e372ddddf4f6441849ee78e1ded584ebd68d35fa0a7da3abb7c27fee75b90b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/themes/silver/index.js
**MD5:** c116e3f9ad1e1e3e232e65a88c76606d
**SHA1:** 4b21b67afb114f7d741f0c78ff1a8a6d89342806
**SHA256:**7a7e4dbaaebca073b2bb9bc3eeeba34ce5496be0a35b62bce19b461b43218911
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: it.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/it.js
**MD5:** 368a1232972a0c4f634c76db78e5b498

**SHA1:** dbb121749285ea1340cf147a3f44a3cac915e734
**SHA256:**7b9aac4916b04925b60c3ed0c3f65adc48373d479b6d030b216b4f031401e9f8
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: ja.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/ja.js
**MD5:** 64c8b443274c245de92530cf50ac8706
**SHA1:** f567bfcd4417b6aeae2fc38edf748924b1181efc
**SHA256:**53276c8771c3de2715c9ad8eb2826d997f0d8830ecf2e333388ff0c27d6ac30f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: kk.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/kk.js
**MD5:** 3f9a7601fd781bb6c65059c58fe96989
**SHA1:** 189054aec78882a40f812d5cb9b300f452872a7f
**SHA256:**37325ef03f35faca200aca41e278c54b67e437ff81e74147480598470e43b2fc
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: ko_KR.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/ko_KR.js
**MD5:** 20ef64c247eff15d94fabc02896a15c6
**SHA1:** 4ffbdcdd647ae10e4b54b50a1722ea75b8a9e1ad
**SHA256:**85fe5b45bb8b659b296a16663f03987bf40ec88099d52a4d1d56879665d6da2b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: model.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/models/dom/model.js
**MD5:** ea92d999d52ff5bc41dab34f3000109a
**SHA1:** fc7aceba92d2b9489b66227f330abe03b18420ce
**SHA256:**b0b76ca1ce4789de4cfac034a0268d9d8cbe5385356f826ff44a73c156a4f9ec
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: model.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/models/dom/model.min.js
**MD5:** 38ff76460d7b2cba43647cb8ef80b494
**SHA1:** 46a2359c0480257d4e8796bcec443f28fc12bfd7
**SHA256:**cf9379ce9f42b92b2e8a38f3b112b0af2470f25d1f0eb5d77f472964177939c0
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: ms.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/ms.js
**MD5:** f0f057fe6321dee6122f9dc1a0aebfeb
**SHA1:** fbcacc7aac260a30a4c6213687aa7f3371995c83
**SHA256:**abff2edcfb4baec1ebd93c681f58fe893a09d56a3a6c9ebe8bd51348dd78925b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: nb_NO.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/nb_NO.js
**MD5:** 776be941e0917d4513e0beb2f8e18e99
**SHA1:** 164b9c95814d8941940485a56e8d5c2144fd2693
**SHA256:**4e2aa817da52cd69366fdf338b40d6e4284f521156b9e73653b468327431e3df
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: nl.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/nl.js
**MD5:** 5199e61a9d49f51233fa4996003bc1bd
**SHA1:** 19056a6dd9e7a5ca3f77eb810d821fa14c6b8ba9
**SHA256:**5620e476f2a53f177ebd3dce0e5e1d0712922784e25f4a4a7e4ebd61133dacfe
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: package.json

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/package.json
**MD5:** c83739ac586c57e24f48d20412052cc4

**SHA1:** f9d2fde79d1e57c3ec1fce7df38a5bad6b8802a7
**SHA256:**4fc3895b1495936c7fd491f87593269b53ec448c0931ee3be0c42848602510ef
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: pl.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/pl.js
**MD5:** ad4d61e73b6f7c576bb2d042b7c6ee83
**SHA1:** d88f3d98055cf7ed05a82402fe97fc5e08c9a2e1
**SHA256:**9d0dfe442f6fe41f504a97ba8154fcc35d4cfd011c518f5812bf8afc5d2b4552
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/accordion/plugin.js
**MD5:** bb9a851a7652a629cbe9014fd0d45353
**SHA1:** 4e961e043fdbc49db615a5fe3604eed67f0514d6
**SHA256:**0d004a5b325e59fd7d46e708cbe7eff96734d94f2b9b3aa8d9793c822c1a375d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/advlist/plugin.js
**MD5:** 9672017f8cb47a0f8e7a15288f1fbe2d
**SHA1:** 01400fb213a38c57ab82828cfeb4662880eff48f
**SHA256:**4e2b9ea093af00a79a8fcd5b0b6f2b412012efe82e50d6e19233cf1379d08b6a
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/anchor/plugin.js
**MD5:** 44cbc9c4f90d6fd656d86c827362cf2c
**SHA1:** 1418c7f38ef3a0b7c46ddf2dd05a1bcc01b19f99
**SHA256:**8b62f53abc47941cafff332cda969f5954057c402bf46abd0d1352c4269ef218
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/autolink/plugin.js
**MD5:** 0ab7a578e466b35723d0ed662415a013
**SHA1:** 310889d42259d9ff43bca44d38bb8cb3c9773bd5
**SHA256:**28f7e1b80f1136c6725de1b5ada7cfe3150edb7c245f1b8172911b17d0bc5654
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/autoresize/plugin.js
**MD5:** 534c91532b22102088a443af10500bcf
**SHA1:** 756f6efae36d116c0b28d1552e70e35ed165f233
**SHA256:**f140bee3dcf93b5c14f252f2a813e4bfe993ff6369a3da5bfa3ce9eaff525745
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/autosave/plugin.js
**MD5:** 004b04a41cc83b5d672129bd6db5e5af
**SHA1:** e361b4009a2a0ba04464b6a48ab2834265f62948
**SHA256:**3731d6e377a3845ff76f2f100892b189a6e02209d38818c944a38fd01a18b11b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/charmap/plugin.js
**MD5:** bde87f7ae6a5f2c09924f31b072a9f08
**SHA1:** 7a846c883f204aff2c0b485460e9f9c943569d69
**SHA256:**6d1f628c4a4898db9874963d77e4982a9377edefd717acd4d053361f4c50aaca
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/code/plugin.js
**MD5:** 2b1923091da88983782a7233383e71ca

**SHA1:** 32a2e8c7030f13d09f529e205ad3eddf085fbf30
**SHA256:**ec2ddf573680eedd8614a74554284c260f234cda60d7151ccd86148ba7b03852
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/codesample/plugin.js
**MD5:** e452f1703dd40fa5005075de1b8c4bc1
**SHA1:** 6998084c2f46aa53c290a14a55ce29e9ca7adb8e
**SHA256:**f661d7710dfdaf1f16daa611c0b795cbe49dff01624419d99c01b52367b02c20
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/directionality/plugin.js
**MD5:** 218e4936d3eaa2e92fb7c20cd912ed79
**SHA1:** 7779f79b46260adf35ab6d585ae2138b6cd843dc
**SHA256:**9e219f89c0d2a6f31ccfb55590846079b0bb2c3fc90c7a4509f62bd4ab9edf68
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/emoticons/plugin.js
**MD5:** e5acf963ed401e7ce50d92caaf8ffcb3
**SHA1:** 7b23a4251aaf63bc1fc4f843de9a87e8b4422a6c
**SHA256:**f90b9cfecfa9124f228adc778b1a385b203ab980a4dc4d962401ad4245ede9e1
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/fullscreen/plugin.js
**MD5:** a7190f52e2a2ac9a54ebcc4ed4589bf2
**SHA1:** 12440a7193c2ab61a55bd9fb19b4247504ea781e
**SHA256:**03b026188abaefd15805519f58aeb88e3ad091523fd4c8cd85bad758a908e5a0
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/plugin.js
**MD5:** 1357da7329d4cf33cedf33a0d40bb6a5
**SHA1:** 01ebc257cef3efdfb2c909121a4c4f72c7b72d94
**SHA256:**2ce9d07771aa38674cb7f3c2eba96ce89c5f50b3cfaf0e441e61b70d47359d81
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/image/plugin.js
**MD5:** d8f13a4068dcc563ea9b18ead5de9012
**SHA1:** 1a89b6d2f03d5d8ce023ba2d86953469d395d3a0
**SHA256:**9019eda1d1613d6db8aa7bf0159e1b86ce8f29570f00707ad8bd5ca483bafa83
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/importcss/plugin.js
**MD5:** 672c399c9623bb568183592a7a952aac
**SHA1:** 9d587e0d6b87ac561a7ca2286f02926baeba515f
**SHA256:**7e935a56695f19cd1c494633d8facedafce666bda736ecd37836e69f8ce9087f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/insertdatetime/plugin.js
**MD5:** be4fb6445ed89ee977689961aa9b496e
**SHA1:** e5594d16ff829fe0b94532b90d9eff74371ecce2
**SHA256:**e92c219053318a85f82e9077a4b5bc88450b362d0784c119166917e9cf4d451b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/link/plugin.js
**MD5:** b06badd72663095e10be856258f46fe5

**SHA1:** d5217fc363ba0eefc40494597b95fb2ebd74c320
**SHA256:**d358673ca0a1ed6f3dbff46949f242639dc75c0ed9c066edabdf2167f6bce1a7
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/lists/plugin.js
**MD5:** 37a02adc5b441e24a0675686a97fa40b
**SHA1:** 5c494dce06dde1ec60ea34f714d90a51345184ab
**SHA256:**94851d8dd5848b11dac8a04a7cd0e4be932dde7904730879aff797d4f29523f5
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/media/plugin.js
**MD5:** 79e41e725b87125f58681f0b66cd9758
**SHA1:** 594fdfabaa7ccac14e88f539875597d0b27ba3a9
**SHA256:**b1796e52348418770c353b661f7791f0267c55e28a4b619bf5ad78e408af2fd9
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/nonbreaking/plugin.js
**MD5:** c9b9b0b37ac4387187e0528129af0593
**SHA1:** 9b6bd5d34beee839b7de482db5c62da6ecabb179
**SHA256:**dd8a18e24375ae9bf05d10986dc0716a1512f06079388c30fb2976cbca8bf56c
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/pagebreak/plugin.js
**MD5:** 4c0768968e5bdec1b021efd551650427
**SHA1:** 8857714337a7fd3d605271d30cec692cb18c1130
**SHA256:**f12553a9e8b8ef4e7f469eff0db21317997c35bf360481f972c3b0959ddb8e16
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/preview/plugin.js
**MD5:** a28b9a72f10d3b604840aafe2e172953
**SHA1:** 9a82bdfbf5fe053993ce408ea828159a601f5b38
**SHA256:**63fd32916b397f82e07d3d88697e7a4e55e069ba6055e3cb4f6a8e2e2d50ca29
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/quickbars/plugin.js
**MD5:** 9f18ced48cedf30e140d69ae1e793c5f
**SHA1:** ac07614d0d9ebe34e79382a97e7a80eca56465da
**SHA256:**883c60721cdb06e30d33c24034f7177343fed69bcca2b4e0e27218188cfa4dfb
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/save/plugin.js
**MD5:** c30e3938d1e31a890241c2fe2763e891
**SHA1:** 227006428928fb2414080dcead17534ba6994285
**SHA256:**069cabc9616c94fe0eb6028a01db61a79d55a7088368c4b96b6831064dfa796a
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/searchreplace/plugin.js
**MD5:** d1cfae03ecfe36f136fdde332d800d22
**SHA1:** 89faa9d53eda9df05dbc67af41afe5176a952364
**SHA256:**7a2b6ee2f04f81933352b6c69e8af8831cf978c650249501733cc3d00d65f7ae
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/table/plugin.js
**MD5:** 72d3502b85e9cfe665a17dae1f75f8b6

**SHA1:** b1d4d1bbc0051878e274cb1e0261b1ada46cec2b
**SHA256:**8b1b59e1fa2c07d3c998fa07acdfc0253e802101c44ad84289578547d4924b5f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/template/plugin.js
**MD5:** e160b39a3f84d978b8c3f5f505ee2ecf
**SHA1:** 6eb9eaac47b0c292d5b5a9c40c390dce8bbd00b1
**SHA256:**1384e7fd322ef044199c17bbb4fa068700c34419f02aec5bd70fe8012e5865a4
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/visualblocks/plugin.js
**MD5:** f4080011127a6b83a27d8cc09cd09385
**SHA1:** 90117ab6546f501e835a25ea584ae52e36ce3c8a
**SHA256:**e669b24c7917beca7a6c743554e83fbfa99c0f20b9e5fcc5dc24bc0b957de7bc
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/visualchars/plugin.js
**MD5:** 6d530b4958f8e328ae3158c91f85319c
**SHA1:** 9925e6273be20da795b51a96a1d4bf8b33208b74
**SHA256:**188934dfbdef9cce8445d474eb462a47f07e0d6537af4ae80498c9b76640c5a9
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/wordcount/plugin.js
**MD5:** 73f8125bd8632aa20b27348410935f0f
**SHA1:** 2f1660dda2c4468063a3d77dfdbafee5bc246716
**SHA256:**e8e593dac4fffca3f0f70d92caac136f759492ddba2212e2ee0b603fcda9117c
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/accordion/plugin.min.js
**MD5:** af5f50c03d18bc7e20527c879cd39b5d
**SHA1:** 6ddf83c7b6913eb1f62eb752ad8a9b59e8acf3e2
**SHA256:**e1d095e2fe0edc89f2e75be7807d7e1e401fc91a7b7869b8daad9fdbda72768a
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/advlist/plugin.min.js
**MD5:** 0fc3aedcd87b363a6fd16ae3f0f448e5
**SHA1:** aa6bce57ce4454a12bf2436d998bf50602d7bcef
**SHA256:**12c18485e809b0515c0030f25b969c1baa5c2f6ef4bd6bd8b9e27d177b76109b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/anchor/plugin.min.js
**MD5:** 296ce02af3e17a6c04fc286e22531027
**SHA1:** 537ef2a71a668e2cebb955d4a21fc6e0630f1f03
**SHA256:**58814a2b194ab60f8a4491be47ec2fa6589c4bbb497ea8758dc05aa16842caca
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/autolink/plugin.min.js
**MD5:** 3dd3680eb8ac6b1522deccfe504ab10d
**SHA1:** c78c9611e4d93c910a1b1829a0193b3643a431c5
**SHA256:**077956a523118b659a2e495e04b4f6dac6125cc53cea087c6534450ee0cc0be2
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/autoresize/plugin.min.js
**MD5:** 1b8174e2fec6b9358892617d3b5cbd12

**SHA1:** 08a7d0eaeb27d40b8712510f8c134bdc27e4421f
**SHA256:**44607b4db38864c672f26be755d462711256397a2e8f69816ed82d07b721e617
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/autosave/plugin.min.js
**MD5:** 30f756aa108275a41c95577648f1fe88
**SHA1:** 5a340724636283fdce725641daf17ea7ea3f3383
**SHA256:**9019d96afd235741b329b097b636b08fcc35da2840f7088230f830de4e3a6eea
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/charmap/plugin.min.js
**MD5:** fbbfb4b28f9fcbf556a78769e552abc8
**SHA1:** 6b1dace5c1c01271011e8c5184beb885e5c8c06a
**SHA256:**da81a7ebc1fe81239a90892c397ffa9ff27ab20ae04b8b12604c7556e71b3daf
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/code/plugin.min.js
**MD5:** 28cb6cc3a793740f4e98ec345e80f982
**SHA1:** 84ae9d76be67b6e32022f81c940a8ee8d715975a
**SHA256:**bb9f782bfd003de87dd3838a45aab43b3801f8c639c7310a6b1b2daeb964bdc6
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/codesample/plugin.min.js
**MD5:** 86a3ac56e7b162caaa338833c76fa5e8
**SHA1:** c86fa66cebbef28a7f9a285f61d95ff6b21b9927
**SHA256:**0678f1ff9480a55aa70779c441a47bfefc5c2aaa3cdba1ae5456b2671d91b1a4
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/directionality/plugin.min.js
**MD5:** 7a02d96b0bf1b1d44cd5430453c48d70
**SHA1:** 9b2bed06d7be9b56d375607a988646d41914812a
**SHA256:**aa8b957cd2ed156806d83e0a7d601c216e7357caf092d852efaf86ab414fdb61
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/emoticons/plugin.min.js
**MD5:** 4a765ef6fd236c066e435bd1a28f0ebc
**SHA1:** 3e3e638005cba8f301aef6e0b028c4d9e1458556
**SHA256:**0acfcfd26e907e747ef2701b349cad859b61481954969e9c47fe2fbf38c60f08
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/fullscreen/plugin.min.js
**MD5:** 04cf813b1d99091d4d8f40e3158bd34b
**SHA1:** be3404a4993b120a1f7c4fe40bda2e64915eb8c0
**SHA256:**851aeeb1bcf6a79767c34dc0647b6d849c21715b9bb3d5a4dea86761cd423b21
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/plugin.min.js
**MD5:** cb27dad39aeaf6aeef8ff1f3bdfb9573
**SHA1:** fd1a81740ca5dc2c35454c0f7aa928b4a1d17b8f
**SHA256:**94f67342d256d9bb5fec1d897fcf5a7bbe5e4d99a2ddb4bf869c7f6052db68f0
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/image/plugin.min.js
**MD5:** 1fe9a377f894004a7b629b37f1b77dea

**SHA1:** 593d3b35896ce3f36be640c5212f93d2982de43e
**SHA256:**81f173695205496c86ccc55042a2c2a3592ce75e05fc8b3d005ba40c20b0b056
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/importcss/plugin.min.js
**MD5:** 73836b9a7227181bf394f2a7bb4eb453
**SHA1:** 72eede5c9963aff923e031af376e9191ebed5f70
**SHA256:**9ea80ba59015ed17efd9b1754849ea2e6281e4fb1e47fec7b06af3966ab25046
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/insertdatetime/plugin.min.js
**MD5:** 4ce0194911ef36bd044c2c48969ba336
**SHA1:** d193ccf7cbdaa4bcaf91f169719e5844e90b9343
**SHA256:**3584a493f4ba8344c339be4d52301036b38396a1075de13d399c29cf6ead6b15
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/link/plugin.min.js
**MD5:** 88d088b9879d32b5e9f9abfbccfc19b8
**SHA1:** 4442826baeb0f0db889ba4edf256cfc15ec5abe2
**SHA256:**cf4d8dd094010546d89c0104e6752269f0321030b64d4ccca1c1a5e1fb598e38
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/lists/plugin.min.js
**MD5:** a147d1f6055555cbc9218a559e52dca9
**SHA1:** cb82eec3ce89b43005a037f2692e5ad8217152ca
**SHA256:**8b0504947d5352cda41d75f61632b8fc463bda763ec7138f90c709bc29392643
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/media/plugin.min.js
**MD5:** c9d30db6cfcae0f8329a3a307e57f946
**SHA1:** b3e6d8f97020ba8279d637d9b5cba1aea8fb7e5a
**SHA256:**88e6907d4f03102d90ca0f4fd52924b8dd074df828ec243a10238fb52f3c58f4
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/nonbreaking/plugin.min.js
**MD5:** 799d4853b7e0a74449e210b5c201a9cd
**SHA1:** 11c23865a4cc1ba76fff218ddb77de28ce7db22c
**SHA256:**08d04ac77fcdc8d0907bc9cb8a5ff20c5643cda76a923af4bcdef6584e47e053
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/pagebreak/plugin.min.js
**MD5:** 7026eab8948154643bbc854eadf451d4
**SHA1:** 21fb56117402314f6a17c1a3c9a64e152bdac9cb
**SHA256:**65313838c5ea0c2ff825c397ee6ad9a9ae348f024323bbfcb89b217537078461
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/preview/plugin.min.js
**MD5:** d65638c7bc519b719f52fd24893efac2
**SHA1:** 3db54502850be0110b251c9eb2c2e3f328bd0baa
**SHA256:**837ea53213b3b42c71d8ba07c756cc966cdaa2e6a7fbada3d648f52173959690
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/quickbars/plugin.min.js
**MD5:** 629e065354a83c678e655754f4abce87

**SHA1:** 5b6e78078aa4880c5a8afc8d9b43bee0efaece01
**SHA256:**c2f087936cc6a4a87fa2527344cc8b2d9ea3adab588b3c8c7fb34fe6cadf094b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/save/plugin.min.js
**MD5:** 7544d08ffa546ade48cc557266590257
**SHA1:** 9a7335d02aa8b6daec50e5bf822269c60b55f5dc
**SHA256:**daaf725f29520c4b84a62345b0af4b6a1abb8b051f669a544833439d622ba6ae
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/searchreplace/plugin.min.js
**MD5:** 8ac32c3f364f15375ab1520374e96e49
**SHA1:** cee1ac61ce7165708695a82a4b3fb4c8f3617fd6
**SHA256:**420206bed53f715b8d9dd3b4ebc7545b44c5f759c7f9d23f155d75ad1e1f6ddb
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/table/plugin.min.js
**MD5:** 140f00e5460acc860c2f373461de4e41
**SHA1:** 1258e5bbccfc562eda0a4963babd34e5568011a5
**SHA256:**dae1998ce26e0f58cd70583c022ce6f12e3ac58c2f357778fbc21677401e3d76
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/template/plugin.min.js
**MD5:** 74e903340c0a66dfd2966123531d5205
**SHA1:** e31bcb852bc753dfbea00e778415fc30e4aaa524
**SHA256:**eeb8b11b6d4fec6454972736588fbb8f5a2406da593de22513c92c9f6cc73f7b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/visualblocks/plugin.min.js
**MD5:** 9f3e3da30322efdf83c810de7d9d059c
**SHA1:** bd408215541e85224629f030aa63c50be6564b77
**SHA256:**e010f187ff5397dfab6005908d65e960efa1ced77380083b786617a9a2691f50
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/visualchars/plugin.min.js
**MD5:** 05813e3f1db884fa38b34b10320c5bb7
**SHA1:** a8cf2a93182bde05505c450e52ff2c68e0a4cded
**SHA256:**3968990fb774d1123b0c8ed0662c70b836b1bae6489f29a3bd154f0af075879e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/wordcount/plugin.min.js
**MD5:** 76a353a89523b53f3a28f4f95b24b93d
**SHA1:** e8b3e5ccded8e726ce69f5e4db6b3176ad2337e3
**SHA256:**125d0140a670a6a7d59c95804c2ea50d81dba90c1b59637fc6db73a29769df88
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: pt_BR.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/pt_BR.js
**MD5:** ca7a4eeff4a8529a84f3ff5e7f1fbd4d
**SHA1:** 301b5e181620e9a86b8e0521cc3f56835f98a0e9
**SHA256:**571938497a73a22fdc5ad20de30a0d6051b489ac787659a73dd6927f73bf813f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: pt_PT.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/pt_PT.js
**MD5:** 98c786e104869984b866baa8ed1cc414

**SHA1:** 70386a8fcd314249ce73542a259404019f40fe56
**SHA256:**f9fcbf81468c7312fd52504380f411df09c2f59cb2a1647c6d0cab5f3f414b9c
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: ro.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/ro.js
**MD5:** 954a4ab723e0f927235bcd3020c8e0e7
**SHA1:** eeb3638b56c77058c31193b95ae72b4811ca2e92
**SHA256:**1e0e4e94519949b7e750007e7193e3d3a20855f57b5ff982a985edb0718f885d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: ru.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/ru.js
**MD5:** 1d302511d2a9b1a0a765358559e6ed8c
**SHA1:** dc2960bf5917645f7f007fdc082efedce924e695
**SHA256:**019be56e2cd8f3a4b7bc028535cabaf69c075744666652bcd40edd8483d543a6
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: sk.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/sk.js
**MD5:** fe4a80d8945887d8dcf20af8a3c1352e
**SHA1:** 36a21dd701f08b0d0acfb8294f006762fc424dde
**SHA256:**b259ee9a894fa2cc41a7900fa637a2aa8e4224be1f4ef842b541f977240f903f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: skin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/hugerte-5-dark/skin.js
**MD5:** 33bfe3e522c9bcc81a0ac4a754d0fa01
**SHA1:** 822a6e8c4751f9dda822f84703ee522f7ce0ccc1
**SHA256:**bbf5986c65426afbf26be7c0e5de03fa8e68d8f2219e2919001f1a10b173a952
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: skin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/hugerte-5/skin.js
**MD5:** e955f1a8b28d4fc0e3ff9437a54cf3f0
**SHA1:** 7523ca2c72f80f957cce1cff4c6f697266e0b425
**SHA256:**963a34799e5790f24ddf1824583cd10f3ba9c39db04e5ec60a5cf11ece7fca31
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: skin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/oxide-dark/skin.js
**MD5:** f1e6180bbc9af02f6eadd4fb72053f8c
**SHA1:** 58a5ea6b0767562cf4db3aa7b4f4e8bb1cc53dcf
**SHA256:**5048d4c092234ee6ca7dc7cc764f9539b3dd8579355f4b64a30eaff4d05bf654
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: skin.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/oxide/skin.js
**MD5:** eb819709d0ce9c502c5b7ad421407d60
**SHA1:** 9f75d43603bdcd46cc03bdfb67071160409dc91b
**SHA256:**5a3d4132dbd49631dff83665fdc93242175673ee02a44c25303038edd70b7037
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: skin.shadowdom.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/hugerte-5-dark/skin.shadowdom.js
**MD5:** d738bf552b3156b0a77176ee6602cca5
**SHA1:** 268465839d61adf3a0b0672f8ffdecedfaafb053
**SHA256:**d24a492050fb69964cdb38329571b9fddd1b0834d3e7dbdb408dddd58493ca2e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: skin.shadowdom.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/hugerte-5/skin.shadowdom.js
**MD5:** 20b5197219c55275d0b70c53fba64ed4

**SHA1:** 1e2c40c61236d680b9a79abc119fe7e9a0134f81
**SHA256:**afb05e588c7480e5fe4659e23d1455fcf4d50d88ceee199989022fe3af1fba44
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: skin.shadowdom.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/oxide-dark/skin.shadowdom.js
**MD5:** 1e892ba61cc3e6d5bfec63dc9cec18c3
**SHA1:** 84dbd80ba099e183e44debb25fd01890797707cc
**SHA256:**60f0ac19cbb0903f7fd4bc8a1fadb16e818d45b1908db27a89679aadf6fd6332
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: skin.shadowdom.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/oxide/skin.shadowdom.js
**MD5:** 731f24060ee9a8c936071b8765cdde89
**SHA1:** 21f37b358ef16cc9fab3344261a2236b0260ac0d
**SHA256:**bea22e87cbf4ff22524e43516d28e285d0f096409d7891fb6e91aae8fdf56eda
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: sl_SI.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/sl_SI.js
**MD5:** ac35121257bf831e811f75c28c471dcb
**SHA1:** 5e2e75c81c74714798f3ab92f1cbf4889a705830
**SHA256:**f001ce48bbaaa6e711eda1b603d13edc38f0c2db5592f0f8cb3b798f001b6e17
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: sv_SE.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/sv_SE.js
**MD5:** b24075bd395a8abe5e100788bba0a74a
**SHA1:** 699908a684581883ca84b7f43db273ee83d68245
**SHA256:**24e435fe459e6a809eb78b0b66c0146226482f29cf4caf7c84d6a09889a5ae25
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: th_TH.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/th_TH.js
**MD5:** 0f0c790204d30c81b6645735545d20ec
**SHA1:** 5fee086306a6157bfa9758380c9da89040dcfaa4
**SHA256:**38e2e42abab10f72d5ea1f17714112c287f350fcbca05c5906ced9d3595c16aa
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: theme.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/themes/silver/theme.js
**MD5:** 572e0af60c2c23c429300c543010c5e1
**SHA1:** e861f1c638b5a6ebfb64587ea661c6d783c6475a
**SHA256:**d225e3128037cd8fa703099ae69d7a98b3ea53db30d2711ca109f0a00b8f1c79
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: theme.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/themes/silver/theme.min.js
**MD5:** 51bb8b3ef0c08ea6787f781d4365114e
**SHA1:** 01b6b750a96e094c7cf4ad3c9dec2952dbf66381
**SHA256:**cad2d699287302619ff3ea721e748af7e8854677cb431e02af2c4e5c09c8a2c4
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: tr.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/tr.js
**MD5:** 4543135c90640b64ea11bd4ca58192b3
**SHA1:** 93c8cbd63e67d56b8943946634ebc319efcc8302
**SHA256:**fa1b123a9dc42af696b525c76386e38f2abaab07b29d29fca957a3d82feb9170
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: uk.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/uk.js
**MD5:** 64c0553a6c8b19667964e263a03dab26

**SHA1:** 998a732ac0b403137b79178d83163accdbbcad27
**SHA256:**0d63c3d3ef18445fa032a6b4f8d6c80c26bebc6eacb71dc934d7b5666453b2a5
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: vi.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/vi.js
**MD5:** 85d7f56b3ae07bedcadde6e04251dc9a
**SHA1:** 5333ccaa75ac528e70e6d3a50bc47a46573dd353
**SHA256:**a8fd67b418a1d1225ded5342c6cb7ab53606818c22b7a964148c74cebfabd0ff
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: zh_CN.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/zh_CN.js
**MD5:** 93f3f1526fb8af6be6fea9c9d4cac78e
**SHA1:** dbd189b2ee499e1be666408ccd83b41c7ee84bb5
**SHA256:**5f3a261a4604bf1e7116dbdb1602f87bb93e324849b64227398c8b93113a38ac
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: hugerte.jar: zh_TW.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/zh_TW.js
**MD5:** e3325e4ccd2fbabf42e18053b168428f
**SHA1:** 6c105cd27982cba07413ba280b946ea010c9ea5f
**SHA256:**5f8f7d1e97005d84e3f868727db6c36baf3096f1cd4d14effb7ecd33ae0ccb1b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: jquery-ui.jar

**Description:**

WebJar for jQuery UI

**License:**

MIT License: https://github.com/jquery/jquery-ui/blob/master/LICENSE.txt

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/jquery-ui.jar
**MD5:** 9ce7e600d17800cdae8476eb3dcf1789
**SHA1:** c1122cd36f9bab512ddbb4ab072d84fba5ad0e2a
**SHA256:**0ce631a38c140f67c210a407ead84ac6ef88d82aaf1cde4c8b8e210b92f2b59d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

| | | | | |
|---|---|---|---|---|
| Vendor | file | name | jquery-ui | High |
| Vendor | Manifest | build-jdk-spec | 21 | Low |
| Vendor | pom | artifactid | jquery-ui | Low |
| Vendor | pom | developer email | james@jamesward.org | Low |
| Vendor | pom | developer id | jamesward | Medium |
| Vendor | pom | developer name | James Ward | Medium |
| Vendor | pom | groupid | org.webjars | Highest |
| Vendor | pom | name | jQuery UI | High |
| Vendor | pom | url | http://webjars.org | Highest |
| Product | file | name | jquery-ui | High |
| Product | Manifest | build-jdk-spec | 21 | Low |
| Product | pom | artifactid | jquery-ui | Highest |
| Product | pom | developer email | james@jamesward.org | Low |
| Product | pom | developer id | jamesward | Low |
| Product | pom | developer name | James Ward | Low |
| Product | pom | groupid | org.webjars | Highest |
| Product | pom | name | jQuery UI | High |
| Product | pom | url | http://webjars.org | Medium |
| Version | pom | version | 1.14.1 | Highest |

**Identifiers**

- pkg:maven/org.webjars/jquery-ui@1.14.1 (*Confidence*:High)

## remotegui.zip: jquery-ui.jar: jquery-ui.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.14.1/jquery-ui.js
**MD5:** 0c983553a5edeaffb408e27b4bc526ad
**SHA1:** 01510c553ab12baa303a09fb5820e49807037389
**SHA256:**f739630caa44fe643199a47857670655a43b6ab17709c5f16abbe0afb4a3f147
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: jquery-ui.jar: jquery-ui.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.14.1/jquery-ui.min.js
**MD5:** 12c28b31a1369383b3549abf958b01fe
**SHA1:** 8b7a32df053a6b24e568f20908e47a90e9a3c852
**SHA256:**0254e2768f39b973e54b2c9a64db23257782b34ede4afdebe3793209573c0a12
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: jquery-ui.jar: package.json

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.14.1/package.json
**MD5:** 79f59c9c2d3b9b7f4b95c47c355c7d12
**SHA1:** 2aa7dc3ced6d8ca3dae2d05030bf6d67dd83c417
**SHA256:**02f0804ebb96cdbc18ecdb1fcdc511d96a8f8ec9463bc33b847cd38f50180d06
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: jquery-ui.jar: webjars-requirejs.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.14.1/webjars-requirejs.js
**MD5:** 2b45f24ce91f8c0d5c764e705b1eed88
**SHA1:** 03056311ea772e4b7b09a70f108cb2733ae13766
**SHA256:**a0f18ed7e4b55b53dcf2752e99573c9f7363fd4ba7d98f14a65c36cf34fe1ec3
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: jquery.jar

**Description:**

WebJar for jQuery

**License:**

MIT License: https://github.com/jquery/jquery/blob/master/MIT-LICENSE.txt

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/jquery.jar
**MD5:** 4af65e569248d8a2411f66498d720280
**SHA1:** c3dc40b1b5f24c56afa36fd9a463bb9f378ac4ab
**SHA256:**de28c4da0ea9f16101352dd3582ec8021ee5e2de5f45104ca171876003d54db6
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | jquery | High |
| Vendor | pom | artifactid | jquery | Low |
| Vendor | pom | developer email | james@jamesward.org | Low |
| Vendor | pom | developer id | jamesward | Medium |
| Vendor | pom | developer name | James Ward | Medium |
| Vendor | pom | groupid | org.webjars | Highest |

| | | | | |
|---|---|---|---|---|
| Vendor | pom | name | jquery | High |
| Vendor | pom | url | http://webjars.org | Highest |
| Product | file | name | jquery | High |
| Product | pom | artifactid | jquery | Highest |
| Product | pom | developer email | james@jamesward.org | Low |
| Product | pom | developer id | jamesward | Low |
| Product | pom | developer name | James Ward | Low |
| Product | pom | groupid | org.webjars | Highest |
| Product | pom | name | jquery | High |
| Product | pom | url | http://webjars.org | Medium |
| Version | pom | version | 2.2.4 | Highest |

**Identifiers**

- pkg:javascript/jquery@2.2.4 (*Confidence*:Highest)
- pkg:maven/org.webjars/jquery@2.2.4 (*Confidence*:High)

## remotegui.zip: jquery.jar: webjars-requirejs.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/jquery.jar/META-INF/resources/webjars/jquery/2.2.4/webjars-requirejs.js
**MD5:** 30e1a7f167b667001f50e32ea87bf7b5
**SHA1:** d18dc733350ad3549af2df096599e824c10f777e
**SHA256:**daca7b23bc4d8302a8961373b92b78d36d5c85d730fc14130e29d55d976aa420
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: moment-timezone.jar

**Description:**

WebJar for moment-timezone

**License:**

MIT

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar
**MD5:** b67a7dc1dcd1cde774e16ea7295f7a7a
**SHA1:** d6ffe442fb3dcdee42878d04c1b4d976b7cd20ca
**SHA256:**49205ba9340f3485b3e34bdda5b108f5e569c633cb58e19eff52fefcc28399de
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | moment-timezone | High |
| Vendor | Manifest | build-jdk-spec | 1.8 | Low |
| Vendor | Manifest | bundle-symbolicname | org.webjars.npm.moment-timezone | Medium |
| Vendor | pom | artifactid | moment-timezone | Low |
| Vendor | pom | developer id | webjars | Medium |
| Vendor | pom | groupid | org.webjars.npm | Highest |
| Vendor | pom | name | moment-timezone | High |
| Vendor | pom | url | https://www.webjars.org | Highest |
| Product | file | name | moment-timezone | High |
| Product | Manifest | build-jdk-spec | 1.8 | Low |
| Product | Manifest | Bundle-Name | moment-timezone | Medium |
| Product | Manifest | bundle-symbolicname | org.webjars.npm.moment-timezone | Medium |
| Product | pom | artifactid | moment-timezone | Highest |
| Product | pom | developer id | webjars | Low |
| Product | pom | groupid | org.webjars.npm | Highest |
| Product | pom | name | moment-timezone | High |
| Product | pom | url | https://www.webjars.org | Medium |
| Version | Manifest | Bundle-Version | 0.5.46 | High |
| Version | pom | version | 0.5.46 | Highest |

**Identifiers**

- pkg:maven/org.webjars.npm/moment-timezone@0.5.46 (*Confidence*:High)

## remotegui.zip: moment-timezone.jar: index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/index.js
**MD5:** 16b10b9be0471f35921bc17b645c6fcd
**SHA1:** 7e9c41f04cff37b876169e1e5108b5b757305822
**SHA256:**b93bc1a0ab15d56e12f0e281bf005d39166952d9208b828e8d056563f3ff1fd1
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: moment-timezone.jar: moment-timezone-utils.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/moment-timezone-utils.js
**MD5:** 90654a904bb09eceee1bb69826888a5d
**SHA1:** d06ace28682186b95e8c77ccac6be2c6b78e2af9
**SHA256:**2308979235e0b497edfe99b6d8e26f73741116759cc94146b8eb3f5f4330b9e9
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data-10-year-range.js
**MD5:** 5c7411391c96d7a9407d012ad63feb21
**SHA1:** 7cf2adfb51070ff78c591c68dd6ca2cb590380d2
**SHA256:**1a7b3990451f312b3740f47e1e3f87786238be17c2cbaa6d3550873051e7bf42
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data-10-year-range.min.js
**MD5:** d5aeae4a577010e7c15ddcd154274d2b
**SHA1:** 4ae699e9510e9618df20ed048f6fd0331146de51
**SHA256:**c03a6809ab0f5c7f1f6ef0425ac96517d78de1112f26f3ae9de8064bdfdefd1b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data-1970-2030.js

**MD5:** f82a24e0aa5d8afcf2b7a3c1a7b4bfcd
**SHA1:** 6a6e43fdeddbed946fed9519ccd79faefaeedaae
**SHA256:**661b21dfa5f1ada53fb2213cd08db079ce356c2a4ce854ce7a97cccbb4cafc87
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data-1970-2030.min.js
**MD5:** e06ec12b8553baf30ff6e85ce8d10964
**SHA1:** 34c1a456edc895eb873ffd479e54e08a7a74bee2
**SHA256:**769d4a0ebe9a9bfba668de05ba0981f0ec387f0f79da4c4e98648762cf40f20c
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data-2012-2022.js
**MD5:** 6da99be351d53c831a06d6d7317d4d60
**SHA1:** 7adf9fa72a350e9caf2e7a81632b68976a446de8
**SHA256:**e35b085c0170469205050f559c0bdffa06443a48769d1ba730221d83bad2cf38
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data-2012-2022.min.js
**MD5:** f356ef2c04a62c0e75c97be41dade934
**SHA1:** 75639764d95ffcc67d8b504d057fbf3e81141980
**SHA256:**52cf16914f9e1d6513783cd3d0ca694210108b5b7b07f754375e3b554eba96b1
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: moment-timezone.jar: moment-timezone-with-data.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data.js
**MD5:** b5b482e4b444b7d90addbf0d37eea19f
**SHA1:** 8a17c35adb3b76b5bd6d73d61fdd43c285769574
**SHA256:**71f92c899d20ad2218587d86dfab051adbcc75a29dfd8491cfd6461142afffa0
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: moment-timezone.jar: moment-timezone-with-data.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data.min.js
**MD5:** 0f804300030c5469cc61b626ed611aca
**SHA1:** 7b8f841bd2c3164c4875faa5c2f43b03db6ed346
**SHA256:**841048af54bda7e255160dc05c6b1d527c2454a4a7aab021e71330c9486822cf
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: moment-timezone.jar: moment-timezone.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/moment-timezone.js
**MD5:** 86d592243f72b1cdc5e7b6b76a813771
**SHA1:** 8ae2cd2ad133ae4f4110731b6eba9006d550c02f
**SHA256:**7094d157b8819a2c51d9f43a4a278ff8f99e51bcbef23adfc0954fbe47f063cd
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: moment-timezone.jar: moment-timezone.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone.min.js
**MD5:** 0241a5d39425af1420371aa287a5a983
**SHA1:** 5fcf85ba0aba14d8ab9f083e27e803b2f2fe6a6b
**SHA256:**4609240cd6b8f3830421bcc16b761a2852a219a919dfb2b8c5283880e0650c3a
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: moment-timezone.jar: package.json

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/package.json
**MD5:** 110931c82b0ed1700693a3adc127b31b
**SHA1:** 257d60a4a93567698cff76f4ab43a745ade67e7c
**SHA256:**3c13f23eaecb30aa04a119df2d1a2d78ea662cc890816f740b676b3a91b0d84a
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar

**Description:**

WebJar for Moment.js

**License:**

MIT License: http://opensource.org/licenses/MIT

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar
**MD5:** 72ad6b420b3b741d7def80f4837682f5
**SHA1:** 6087f9eb29294249887afa1eb4ec8308657c35f1
**SHA256:**71f0cbc7e4d2c943077dc758f7c8f0c7d48e1ddc7f9e7cfd27aecbc12712cfcd
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | momentjs | High |
| Vendor | pom | artifactid | momentjs | Low |
| Vendor | pom | developer email | james@jamesward.org | Low |
| Vendor | pom | developer id | jamesward | Medium |
| Vendor | pom | developer name | James Ward | Medium |
| Vendor | pom | groupid | org.webjars | Highest |
| Vendor | pom | name | Moment.js | High |
| Vendor | pom | url | http://webjars.org | Highest |
| Product | file | name | momentjs | High |
| Product | pom | artifactid | momentjs | Highest |
| Product | pom | developer email | james@jamesward.org | Low |
| Product | pom | developer id | jamesward | Low |
| Product | pom | developer name | James Ward | Low |
| Product | pom | groupid | org.webjars | Highest |
| Product | pom | name | Moment.js | High |
| Product | pom | url | http://webjars.org | Medium |
| Version | pom | version | 2.29.4 | Highest |

**Identifiers**

- pkg:maven/org.webjars/momentjs@2.29.4 (*Confidence*:High)

## remotegui.zip: momentjs.jar: af.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/af.js
**MD5:** abbd3f78270e280c248535ca3e3b3e3b
**SHA1:** 489ddba9b2a2f15e2a8d59d751a45c5ed7041f14
**SHA256:**c59e2f2d09098829d00f5dab85e6ec623f6aa9e70285ec2aac12030a014e4161
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: ar-dz.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-dz.js
**MD5:** 10e8f6da8f425e389f9dd462018dcece
**SHA1:** d638dc753916f10981ce562c7e7543944aa5755e
**SHA256:**2fcf1465ad9fcb33a1ee00188d0d8cb19e0d9094da9e27f56444b67e50c6810c
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: ar-kw.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-kw.js
**MD5:** 5ad9681e194f33543d33a588e2a21f09
**SHA1:** da190c4671145eb702d41ee980b985a9816bc9c5
**SHA256:**ebcd2afd129890e49aa91cbd6718916ceb743122a4d264c681a533d8066de673
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: ar-ly.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-ly.js
**MD5:** 293c5c572f1e70336fb5a5cab29faded
**SHA1:** d969dc63c258a2c5587efa0cb2ac80034c44a5f3
**SHA256:**0a70bf3f66b074d68453af125059d60f1ce4d5a96d3401b0bb7f013fb7a56696
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: ar-ma.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-ma.js
**MD5:** 6f5179b883bce68003df4d2c99caa156
**SHA1:** 3af849ad551cc126ea26fe472770b0f2c86363b2
**SHA256:**ae28a7c4d994a1d4059f2dc1e6385182f3d5aab262d637a6bdfc80f3e3f5471e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: ar-sa.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-sa.js
**MD5:** 92455d26a00821fe9aba7ea8e23ec89c
**SHA1:** 18d22d6e22b460fb0d248426001e4cbfd9a69393
**SHA256:**4913900a380ed33b662fc5299fda05cfba74367870ba23f3d9db5dfd0775c876
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: ar-tn.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-tn.js
**MD5:** bf6b33329fd589f8b3b393f6e64717d4
**SHA1:** adf2dc833a46ad99f030b5761a7e6a97497ca764
**SHA256:**2b6a611f7d21a0752d9101347b22943dcdd91293f7e09ac11c3b04cee41f594f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: ar.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar.js
**MD5:** b0110c65e23d25860762820db7d2150e
**SHA1:** 249cc300a99b9cdc47ff3fd70c9b4cb22f0aed61
**SHA256:**73485f16cb9317f156bab05ba8a3233fa87513cf1cb52728fefc53703ffd5b3e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: az.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/az.js
**MD5:** ec1a4acd4aa555dd71722c2639df4db6
**SHA1:** 49b4198f1b008f9deeb9aa5d33e27647e812f0df
**SHA256:**21cfe14e920b3edc4bc394709929f61aa5f2f9e51d3ca0c6edd1e51f29d7e3c9
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: be.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.

jar/META-INF/resources/webjars/momentjs/2.29.4/locale/be.js
**MD5:** 5c38f8d3d5da2b1b930f109553918781
**SHA1:** 181a1762773de78de3e2d21696e77a49a9e188a5
**SHA256:**aa0657f4f1e9f9ef3a3ce289bc882f5971195e4681499f02409486ed985e1407
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: bg.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bg.js
**MD5:** ebd43c527dac81f273926142beec5553
**SHA1:** 46101d46348f560c622895e9e65465dd26e92d6a
**SHA256:**0d034309eedbd03f17e22dbd963c8cc8d490c8e877f39c6c4081636d1cd28fca
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: bm.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bm.js
**MD5:** 2ef1c37399931e14e2a4471ebc57bd21
**SHA1:** 1e10777797f13333027873cf0a1e05e52c2a9264
**SHA256:**1f3217d69f6512ea3984fb7428e1afe0c7779cf3822582c52e6eaa8982ac23b1
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: bn-bd.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bn-bd.js
**MD5:** f2988fa9e29bc5573603a8140b321051
**SHA1:** ddca0b09ab220aa3e7d8b6d01e98b06071942e4a
**SHA256:**87296cd8b904b633d89b0a72b779aaf04e8d625fd8ed772e3227046b3a3acf80
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: bn.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bn.js
**MD5:** f5037a3495a3fefb37d9456b6745537a
**SHA1:** 5d8e28e5703371e674a9b2947426e23a1429455a
**SHA256:**a43f974ec15f638e67cec9d73cb33c339ce7cb35bb7041b478a930197977a890
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: bo.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bo.js
**MD5:** 7dc25ead6d51909386b03c060b891690
**SHA1:** 5b47f8a1cd1b1dad8e8ae1c6f408dadda7cd6983
**SHA256:**dbf83d196ab69149d5f056a2b44e06441626f1e5d3c3aa1a300e64dc5150565f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: br.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/br.js
**MD5:** 65949057a5632b430fce65f65c89ace7
**SHA1:** eda5bd14e942c85896b263b137e2e14f161836e6
**SHA256:**35b4113f7552400639dc76ea40d55f1be6f44af2eaf4289e7c37e4e657522ba4
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: bs.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bs.js
**MD5:** fac80361cb7d5e0c44f8956063e8eb07
**SHA1:** e0f831af87ad28205b93fbe4d7ef9001227eb1e4
**SHA256:**1d185f2b71c18bb14d0e5db063d59912396d42a04aec97cfbbec19a5bb8bb5ec
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: ca.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ca.js
**MD5:** 9c6c8738154552a40a29505cf41311af
**SHA1:** 65eee9703d130c7a90d085214ee60c4e087b9d1d
**SHA256:**c0ebe3bb033ce8f82c66a46dd297c19b30c80ba64036c721aca36a7f86f1b234
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: cs.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/cs.js
**MD5:** 8f0a7bef088e6698b6a090a6f6fe22de

**SHA1:** b137a5adfe662d0b1c258fe7bb2b73b971e2268e
**SHA256:**0dcf511c06f565a917e4718cce467392bf898ba60af2b3fdb032b1910599ebc5
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: cv.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/cv.js
**MD5:** baf681a1e97ac68186325a98d5ef1861
**SHA1:** c0433a02791bafe8efe6945a4ae0370c6d8d55b6
**SHA256:**231b3a65bc4beb4d6f0920962dafc82611403df4979655cea53d9740d2986904
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: cy.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/cy.js
**MD5:** 868cca92c4392ae5b0627f305f9633b4
**SHA1:** 9c0f75132a2eaa3fdf0631a08f210f0e29208501
**SHA256:**05d100692e8cdd4a6b3b0eb56eb37c9c64dacab3254aaeba18c24689b18a6cf8
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: da.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/da.js
**MD5:** 47fe4d0a5079542391abdcd125b4cb60
**SHA1:** 423a66383275eaf3f441f384c69b2d6e2cf905d1
**SHA256:**891e90544d1061ea578b51173a2dc4638c0e9af95cc2986f1f89ad5008e301e7
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: de-at.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/de-at.js
**MD5:** c2df366205b041e50b0dc27fe427c54d
**SHA1:** c52be9218cfbe8ae8d51f78af3494d3a2ed5d35f
**SHA256:**0575c8ba66974f2eb3d7d74e16a265c40dbfe7802cefdecc9f196f92c0ecee97
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: de-ch.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/de-ch.js
**MD5:** 1f9bf40d5d392a14bb758de02e9d98df
**SHA1:** 838d95c91f39f7e28483c660e6f5005921d3da11
**SHA256:**b3c3d71abc98200d579cbbef89d470a6cbb272c4faa71e31232a68ef6451edd4
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: de.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/de.js
**MD5:** 260cdaa4a123af8e02f5aa4001cceaac
**SHA1:** b928a076571a81fde7fc1fd4a2adb45d9a9a2279
**SHA256:**20fb0d0967e2720d135a6894165bf96e327b42bdedcbf45a9b2f9e44da7986dc
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: dv.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/dv.js
**MD5:** b3ac7e877fac1116b8759c6e7384e86d
**SHA1:** 3321dfc6f7147d148167b23a3642212fb10b1b89
**SHA256:**94a1563faab9fe61f359a515042f56e2672886200e084de98bbd98769f71ba69
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: el.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/el.js
**MD5:** 7a1966e1fd7848aabcbefa28ff2a445e
**SHA1:** 29af743b2dd9c09d9962080c3a5b4cdac2b09409
**SHA256:**a73fa8b59dd099d28a782498057737943727 3f6ef35a90409cf36492bc2b3600
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: en-au.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-au.js
**MD5:** fc0b9a852c77ef21ee6deb24d95769f8

**SHA1:** 829e7b64e421cc91fbb306243b31d71f06fabdc2
**SHA256:**6a84d80e99d57f1ca1faa1dcca9f48e9925de4013ac5ceab52cbf20b059cff8c
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: en-ca.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-ca.js
**MD5:** b6f095c75787cb0eb2421b32b2e9ea14
**SHA1:** 415ffbaa1c99a53d233979f5e907e83b59d54c9a
**SHA256:**d7b47d71cd5b63a0cd7bc3945ca1799d9345ba9dc3e85356231dbb4f6becdd01
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: en-gb.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-gb.js
**MD5:** 5ebfadfe47485b65c484822391d0aad1
**SHA1:** 4154fff794c0118f1c280d4e3c222b0b3f96a6eb
**SHA256:**46e86bfd873ce2ba61885faa9e0ba2ae1a510574f698d6a3aba7da49d1505eb9
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: en-ie.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-ie.js
**MD5:** f5175b64f4c382500e7a00ed4113c3a3
**SHA1:** 12cf24c0dcfa4f82be14783a2889022043fe1f80
**SHA256:**41a3d03fb561db37dc1e3a63cba10467c0bcabb2ab7e788329f86b6be6f72d9e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: en-il.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-il.js
**MD5:** 8f131247f11cf746d1b477c75de2e0a2
**SHA1:** f1fbc068a029ca0fcb5755fc5211ae43c9b2dd00
**SHA256:**494c5f26d0a16c8c1645d70cfc327e19086831ce78bc98599f4e5abc321db7d7
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: en-in.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-in.js
**MD5:** 2d5a9ac86d2a83833aec6a68bc8947ae
**SHA1:** 64d4492b47eac3212f09a9dd1fdfe2afc9721142
**SHA256:**290dd53cb6262cfc22c961faf969851adfa8c38b30c80c496b8c8f19232a13e8
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: en-nz.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-nz.js
**MD5:** 3a68b41d7982ae7bbc8a396d23e9d1a1
**SHA1:** 0c30117c176ae1c60d35e54c3c0cd47b5104e28e
**SHA256:**9590cf61d2ab1b83f793be9f074340397e639fbb112a80c8bb7d2e3a77c45448
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: en-sg.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-sg.js
**MD5:** d32a209c24b07b617c68fb03e081061c
**SHA1:** 34729febed76ec17cccafdc06ce4f51902daaf42
**SHA256:**e3b29449d67e5d53d3420b5f4ec207dbd70f651380573b59f39aee2b1b9ca52d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: eo.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/eo.js
**MD5:** f19d7f5dae34785b6ffd82971ff01712
**SHA1:** 8a6937235d4219a192ae127506cca9479097abdf
**SHA256:**823d3e21f85f9d3801f7004cc5cde82d5f45d98e977979322543a65908411e4c
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: es-do.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es-do.js
**MD5:** 3f09c253c2e7ed72706b062bdb3ecee6

**SHA1:** 3bcd2f7f697c4241a5f47985835b0190a643630a
**SHA256:**a1d29019dcff0ce2a11cdf97018c20e99fbcb739163c059ad8bf2408f77d3161
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: es-mx.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es-mx.js
**MD5:** d16f10cddba51c3467b316318e592f22
**SHA1:** 4cc238005f4d59b4e3877449babf5cc8b3595f38
**SHA256:**a233573f641cc9c93c87b555fc5564c2e5ebb97e251338e971ba76e74d512646
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: es-us.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es-us.js
**MD5:** 276e7c3c7756f9e962f6141f5048894d
**SHA1:** bab0d54cfa34f527dcf6960f5379aeef05cc66c8
**SHA256:**3923c6bd6137387d5edc62f6dc0174cc9eef8363238c16eef78bd9d9c69bfafc
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: es.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es.js
**MD5:** 0e92f45548e01672fc6a2f73979c397e
**SHA1:** 6e6385cb5f6e39ed9ba95ebc1fb66526e2c3371a
**SHA256:**2a8f1790d492fc338933a032a862f99998f31bcaf7a0e4fc298b6a3cb04cdf7e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: et.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/et.js
**MD5:** 8b5c6c8136c1bcb3dd35ff204c28b1fc
**SHA1:** 82ecebf743869c8231a6ef06cf5959e5cdbc7fc9
**SHA256:**95c974679dba419b7d835fa51340c430bd0066bdc38a7a139caa575b67389d7e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: eu.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/eu.js
**MD5:** 1f0f32ac558d6bf2591f0e7c59b09e88
**SHA1:** e8989f9da9ff458c51d7d4c21f9bfc99ddcd72a7
**SHA256:**ecbc07cdb215cf9996405fa56ef306761ec6a9383e19a53c2b45d6a1c5c4dc68
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: fa.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fa.js
**MD5:** bad9e9e51e7cd982360114a2d6b9a03a
**SHA1:** 7285494b159552cdee8bb7050d1278144da80b04
**SHA256:**15ca66ce1faa865c68998fcc8ab1160207636b9161ad76f7cf7acd0d7c0ebd1f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: fi.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fi.js
**MD5:** 08d74def02ac724471fce607ab87f4af
**SHA1:** 7f40cb04e95803f706af5caf5a983f7aa3f2365b
**SHA256:**1339d4170019588a6764a56236c2a7c5b2389ace52a9ec5e8c09f1997935741f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: fil.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fil.js
**MD5:** fbc9e6bd5b49897ba8503d27e2d061ec
**SHA1:** 2121d4a7333acb3b7b120c1580a809a8a5927dc6
**SHA256:**d24cac0d0069d89c48b4c8cee34cddcb7e39892c91f07b884574fe0cafb66ef7
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: fo.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fo.js
**MD5:** 85d4a1a25dd5c3fa021f9e6f63fd01ac

**SHA1:** 95d11e45e86f344a148706df7f5c86019e02ae30
**SHA256:**6338de573601e330030918569b8d2f80f98a57754e748a03ff56e3672fa25be7
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: fr-ca.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fr-ca.js
**MD5:** c0ef60f7029fe6ab773c090320f0a66e
**SHA1:** 8970ff163faa9c8702be24f65f95e94b962d8622
**SHA256:**59c5acfba5605fa641721bf16123300164ccc043f4bad6009aa8d880b159124a
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: fr-ch.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fr-ch.js
**MD5:** 3345c9d13645ae5fb2964c17559326f5
**SHA1:** d0cd4c6466797300434db0d6c8028bf46fe35bc0
**SHA256:**b32f50aa3d147ba5441d7728a45bce592125fd0a97117ca4b93b32c6393d847d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: fr.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fr.js
**MD5:** 775f1eb59d6f597b1c398036002ae329
**SHA1:** e6f1741f5598b62a83bb071459d9e8cae4b3a127
**SHA256:**d87b4eb850bc7742c104557450d0a70d18a48a917335221af08d23850667523e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: fy.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fy.js
**MD5:** a54d9827ca1a619a839a15c94b7893a0
**SHA1:** 66863e3aaff531e89e83acd8844ca87f8516cf38
**SHA256:**c33ae59d9a05aca0dbe86d74bff25eb44d04ee97b738034fcb72a21b73ec1cf1
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: ga.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ga.js
**MD5:** 264a960fc2850670387b1cc90dc29dbb
**SHA1:** ddd261054362b16567ba858afae968cf2380bb6c
**SHA256:**fc6d5d441553b23b5ebc3c79896499a093a3285f1e6134a680b8899b5cca4c86
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: gd.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gd.js
**MD5:** 0f3b98fcc8a06995436819446130320f
**SHA1:** 0050fa33180aa1f35c739cecb397846bff7d24e4
**SHA256:**efa1d779f65671809a63f900479c69bed19c262f2fe7936076793bd13deda080
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: gl.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gl.js
**MD5:** 0d346a7ad989c39c04631e181056acb5
**SHA1:** 74c436284f15589fd53c9d4c090a4f75ff8376aa
**SHA256:**825e6fad55094c13118d2cada0b6c5945a97ea9b647686c2b00dc6980bea4608
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: gom-deva.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gom-deva.js
**MD5:** 6d2091e4ba1b31399eb4f1f3d92acaa2
**SHA1:** 9e27b24c4f8ff43da0373ca75738e0322cc1bd77
**SHA256:**ff5ebf00d100f610caa956ea22c45584e34067f762c2e9811326d5903ccd819c
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: gom-latn.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gom-latn.js
**MD5:** 45f0c567784f534e16f304dd625682ad

**SHA1:** fc4b281f7d57696decbf3bd5e8c572f4191c9289
**SHA256:**caa6b3cafb8d463c7cb0b47783b84d7f7637f685b8d33d1224548f7f9a124cd5
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: gu.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gu.js
**MD5:** e108958bf473fcc52349ecba7dcff10e
**SHA1:** 977667ee217d20d2ff2338dfa6ea9bda2e0c13d5
**SHA256:**5155f3aa5fe43b18c7b06cf02ff6e9d6c157d7da822c658fbd8e2f0edceef161
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: he.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/he.js
**MD5:** f5e7fb20bbb7618d95e4928fee094f7e
**SHA1:** cbcd69bf9fa2cc2493d086af3a5cb15e893c7d64
**SHA256:**93b540d4f1bc21d5668854475e8efd2d6fcaa2f596704752a586ce07d471d475
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: hi.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hi.js
**MD5:** 10451c28a31c032807f1fbf1bea5c32f
**SHA1:** 8ab3e8fd6823a63a2348cca98ca4eba215ad01a9
**SHA256:**482f9289851cc5add17895787d427259acf8d9467db37000d383021aa097a1e3
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: hr.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hr.js
**MD5:** bfeb6da022ce8f5d4610a485f6063935
**SHA1:** 0e475a985f8f3612c397a07781933bc4235be646
**SHA256:**4af37cc6b498a4c3418f0b5d90efe5354422b3d158681454dc2eedee31ce1469
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: hu.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hu.js
**MD5:** d485a763ba31196c55bafddc763cf98e
**SHA1:** 83c283112870db2a37b8d6a96e2ff423f27addac
**SHA256:**518c3c1b849d41be9ef9673726ac3c71290096a727ff29c9edfb0f7489e3253f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: hy-am.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hy-am.js
**MD5:** 8fedcd99fde263a8a5a906b27de70605
**SHA1:** 3fbecec521a9f7cdbb7576fb37a3f35ba2705e88
**SHA256:**2c3bf5ef8c5162c7c4ed0ce4b144fad24eefd691911d7c8b86c21cab84f3bfe6
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: id.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/id.js
**MD5:** 3000b8d8d73e16384fd2a13aa7259d3e
**SHA1:** 1bcd369482f53edce0c1d34aeb15a918f3c7af7c
**SHA256:**036154641aa4cba94ac8a65b98af75d2fa0ec29156674947d1148fa146689dc3
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: is.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/is.js
**MD5:** 0f5a457d3457dfeb1c5d256436b5e442
**SHA1:** af0c0c6573bb9628ee8c97479651f65571d6a56e
**SHA256:**6943c853ee0ad65ad2e3e38baecc90dc8088071f10406ee8a5ad995d7cf5f6e6
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: it-ch.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/it-ch.js
**MD5:** 0c0cd69247909aeca5d78d255b30a617

**SHA1:** 71631e4e4ce3a8466d80d4960a86605634a713dd
**SHA256:**9670e2244dd63556408fc20671fd763fb91be52041eee92934710e75e2b3b7fa
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: it.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/it.js
**MD5:** 1abd9a8f32e7930bbdebd23a2bfa4afb
**SHA1:** 40cc21bf11475c48c1681ebc18a63a2bea4b8962
**SHA256:**2fe7346bd6fdf02aee19fde76bd2ca0b5e65903ddd45d097be2342ee7b0b9470
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: ja.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ja.js
**MD5:** f39b4bc3b33715242a84fed53b50d596
**SHA1:** 8bebb66d25df95fc67d48f4ebc4b519fbc7d9482
**SHA256:**9720de4592dd94861f2fabb51110533fe44620f517e50448dd828a7f2eef7009
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: jv.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/jv.js
**MD5:** 307628de0dbfe42c1aedc98c3afc1aae
**SHA1:** 7620cfee82f0241100b34de89cefd40412456ef6
**SHA256:**707617feaac7459e5d5c39ff3ea4a5e5da0cf398384902c1cd5975cbd1a113cd
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: ka.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ka.js
**MD5:** 629be6bde33738ff66f7119b3b617798
**SHA1:** 02209d78bf7dfa3b5e585e64ebfc61ce561e5f3d
**SHA256:**2c15068d2ceb1f34e4b92f95710b181bd1034410b8a96ae15dd11ee24d0ff0fa
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: kk.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/kk.js
**MD5:** 4532f947979a50597d1c82a42f0facb8
**SHA1:** 9a8cad32d8e4350e40184813f4d19aa05882a8c9
**SHA256:**430c86f6c0ea0199d8622045883048b35875bea37b44424663bbe573056ec981
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: km.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/km.js
**MD5:** f73d0c92be21341d171e019c00173f3d
**SHA1:** 6adb747842bb733d90ce2b7dcf4963f1d62a7a4b
**SHA256:**01b837409a1ee03d8269886915f10ae1b9460b2cc42cc5f6fac862f7360ba103
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: kn.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/kn.js
**MD5:** 72e237c519a91674447b268b61983bbe
**SHA1:** d72624462d7dbcf362ccc15385d5cb5a124304c2
**SHA256:**9673f6d7a10086cda8228f1c080ec032e8f34e3a3de2f1413582e0a6cc6f2128
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: ko.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ko.js
**MD5:** 14369b837e9e15378938754b04bd2189
**SHA1:** 9c886434ef46530e25cea737272027ac505b6adc
**SHA256:**f15f592b5d7d5bbbd061c5ad31d4c45f462ad43acad74808c6a7105b108ec0eb
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: ku.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ku.js
**MD5:** ba513eb127fa22206ca1a67ad8467da2

**SHA1:** 45c0c079a209932f8a8be25a94f0fb97be8ebf84
**SHA256:**816c9c27f4237f1fa595c5be0a60b7e5c58ec0336d5a908e03f73fd8596e1caf
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: ky.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ky.js
**MD5:** 68f9c0556546367a8c25903bb8348b80
**SHA1:** 5bc99ba86f969c07cd1b0dc62510c572707adb64
**SHA256:**d3c35f2c47610c7c921268cb98cf398599068d24d51e7a89167707130c85ad59
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: lb.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lb.js
**MD5:** 474c1a2279d961b67a8329372fb54367
**SHA1:** c6acf49c446bb128ce8aa5f980664107e92523cd
**SHA256:**cecd52da4e3f3a7a69d4cde1692c90d000a3726772f8e00a9c232faf4d6ff985
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: lo.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lo.js
**MD5:** 629f0195acb5feb16432ffc78b6418d0
**SHA1:** 10730e85c79a5c325f30a5f0fd1b83928918cde2
**SHA256:**83c284d16d40e861cd01c28683acf77475813993b2a17201f17127e238e5bcd6
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: locales.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/locales.js
**MD5:** 3aabc3a57ff7796110a9d427e6e61280
**SHA1:** 59155d41e1b7a2f651f26f8db2768c42206bc4b7
**SHA256:**a6d8d341af2a118463f8dbec697f3b5210552997ef51e0d9a77c84235f2eb2dd
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: locales.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/locales.min.js
**MD5:** 5d62f0a64211c2d3e0d009cc69c48202
**SHA1:** 4c6bb9ae2e43259229cc16e9eb7ef70f3c8cea12
**SHA256:**1a3224b3cabca0fa92ca56e14da46d7f209ed28ce68ed50940b4fa6ed2ffd254
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: lt.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lt.js
**MD5:** fc931f5db9a4d5b832e7c53985cfb233
**SHA1:** 6d5575d2ab06036bb29e50e7b4607985b0c10aec
**SHA256:**a02ce50203e4cc9e85db77632d41f489f14c893f986199c8dd04191199924094
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: lv.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lv.js
**MD5:** bc6f1396c4b85e2b01b4b2fca550c0b7
**SHA1:** a18e4175ecd49b5e3382dac1bbcdc48c3279c60f
**SHA256:**e4f68dbe7147bdc76d7614102eb525f9a5d8dacc690dd661091412b0c9505cb1
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: me.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/me.js
**MD5:** 4b76ccc2617dfc9bd6a54643659bec05
**SHA1:** 924aea795ae1a9581ed184b384806891ce336e27
**SHA256:**24103df1e95500b3fdc4aa60b933c66d2cf33aa4ff8d2401ae847c516285679e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: mi.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mi.js
**MD5:** 89179085b30d2752584c4f4e9c3ac04a

**SHA1:** dbf999f790c8e7f99c27c55d8184cb46d1f0ee85
**SHA256:**9cc67dce66cf3f0f9a57ce732af6878cc23fedcf256fd5302c6cf57df87eac3a
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: mk.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mk.js
**MD5:** 7a6a2a4ae623481704f78bb0ed6e1968
**SHA1:** 3d984281f4acbb38920919c47916a0ecc46d8d82
**SHA256:**c38140b5408a91d9632765d23f4368f0cc98dfb6aafb0fcce452b6b4bfa93efd
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: ml.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ml.js
**MD5:** adaeaf5c9b5995567c7723ded581c647
**SHA1:** 3cbb01a59dbfdd3b86caf1b30938598c52e1dac8
**SHA256:**d45ac595a918393ae8f76838688fcd569c917b945e9c53861ec4a1f11f20aed2
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: mn.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mn.js
**MD5:** 2229e9c27b35b688a4211bad4d7574eb
**SHA1:** 7fb0c3b04afb903aaa0a3a1b4b478a8b2d9d6bf3
**SHA256:**0f1f5bbc9eaf020931f8cb54ae085e51c41c0761ffc7fd265dbb60cbe7d84076
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: moment-with-locales.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/moment-with-locales.js
**MD5:** d07131713d356424c14481ed9e77ced2
**SHA1:** 6ef93c81041412f1b60d1254595cb04b53f8ec39
**SHA256:**f37cad4429c2815e53699ca98abd4e8773737f696fff554c63a58f4d6589200b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: moment-with-locales.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/moment-with-locales.min.js
**MD5:** d458b68730a7330653700489333a7837
**SHA1:** 4059aeca1d0b99aec8006b37a927f09d9c0e794d
**SHA256:**430725b95468277dcbccc27e08e3d873276c0082737310b0b1ad330392511847
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: moment.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/moment.js
**MD5:** 6e5aa6783efbeff584f4292398326b32
**SHA1:** 450696675b814c89ec016901b570c05891ca2c04
**SHA256:**c33f09a4e1230f3075be8d2a94081108d52f62d3c30b9a238941fe80790267c6
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: moment.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/moment.min.js
**MD5:** 6c0a2330b0d8d6ea185d4669a0eddeab
**SHA1:** d4f50308961144876b2b5fa57684b737694a4b04
**SHA256:**f343aa319a17a3fc372ee6ad5af482b9bf6a298cb22652b4aa7502604821071f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: mr.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mr.js
**MD5:** cd715ac0f919538bf79acdb4a477763e
**SHA1:** 467bc9f9b59ee399af6ef3f89886c150f74ae52a
**SHA256:**f6347f442281844a205245620f9e469f52cacb7dd41640ef67d32a94f2c583d0
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: ms-my.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ms-my.js
**MD5:** cb7a91cedb211e85abf06a4683d39800

**SHA1:** 05754f446f94d9b0d34885bdb0dd40d08df23295
**SHA256:**fa77f6b23884ace43199d189a596c8cd436ab20b2b6966599dd9fd589e51548f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: ms.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ms.js
**MD5:** 3f2df63e4e8e99e5f3a23b44e135f90a
**SHA1:** 7e8563a8e513fb3f2f711395992fb34d6039e841
**SHA256:**6b6301d42544281a07e51e517a1acd2e498e6289b29e74817433a86751761f71
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: mt.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mt.js
**MD5:** 3cc610e1a28bb045e3f21adfa96614ce
**SHA1:** f22377dc419295b8cf22ca6459df3f834475ddf9
**SHA256:**6af1d3643bd218941f30da0f6ba7bd64d4c2d0c49336876308af3af0387b0440
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: my.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/my.js
**MD5:** 1de06907d41a2fbf6861958ee0eaaba6
**SHA1:** 1b5eaf3d04d7a45a9e93db791963bfa0cf999383
**SHA256:**92732cb26a774bc3e049c7e212d8ef1425413d63522ccca1fb1b0696854da4ad
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: nb.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nb.js
**MD5:** ee293037089769cbdbbf9f2dba3e01e6
**SHA1:** bfed5520bb401c83f0b391cf09ab1907e4362f2e
**SHA256:**36f088dce675389ff1b12afe35703b6d166cef8df8a24e1e1d6ecfcf7be84fd5
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: ne.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ne.js
**MD5:** f09e1496b96096e594254145053e777d
**SHA1:** 601e6b5e8ead8fac21d661c4cb1f5aee22c96755
**SHA256:**804bbd6c30dc3b74de711a44f9019db06210323a0db31e53ce730feab5ea6275
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: nl-be.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nl-be.js
**MD5:** e50c24ded5247900814470d1a6cc8854
**SHA1:** 73d12dfe3645a5ea9e0b6c4d5b2a5f28ac022af2
**SHA256:**2bd27e18811c7363a1b46b815173d626102523a2f76854792885166f4a99eb5f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: nl.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nl.js
**MD5:** 843085f588379356ba9556d93aa9ccdb
**SHA1:** afe70913fffce08e256c3c9ffe350272bcb791a0
**SHA256:**037e055b18b4376112d853e3d357b217dcc0bfd3990e0155b980ff622b4ff8d9
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: nn.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nn.js
**MD5:** 7c29b42f21ff6b7e0b1f16ebb20d2a5a
**SHA1:** 9464502746665d34779fd3e7c9c05212db534556
**SHA256:**66007f84c945a3475100a3024d5fa3d430d6e11e64de81849e50ea73e3f390be
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: oc-lnc.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/oc-lnc.js
**MD5:** 16a8d7288d0007906a6ebb39fd954265

**SHA1:** 5442e9e7ee72e6f2ed438139d5779ddcfaaf471c
**SHA256:**1e03cd598c495e4dca3bae56e3822cacde57333ab5a85f555c582e104f54261c
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: pa-in.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pa-in.js
**MD5:** 8247ac1929cfdcc902a77542e9fa470c
**SHA1:** a0270710978d4f03b32a4d5cd38065d6d274729a
**SHA256:**5ba548ba7844a1c5c4a7f003337237f940b5e8aa67254fb90e1a05a66f2b43ac
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: package.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/package.js
**MD5:** a26087930b5278aa21fd79491b952ac0
**SHA1:** ea880b139fa5aad30129356d4c2b61c7acad7452
**SHA256:**6334f70497c6d8fd22adb3089eec30bf1e2b3dacf92508df52eaa7a8aee12bba
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: package.json

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/package.json
**MD5:** f1965dc95e9d5ef4816ffbb597d484ab
**SHA1:** fa7b033b3a1adcb85370480289e6a60cfd21ac89
**SHA256:**25f5d25a676dda5763fea169d93a31dc12bd0a6d5d7f352379c8afcb1e3d794e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: pl.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pl.js
**MD5:** ea2f9b5ff7c97f62603f1e8786708d7a
**SHA1:** a9b097f9c1dfe0872befdf47995602029bbd22c9
**SHA256:**5435a1265dacc269403f275095e24a63ff3b8bb0f95908f7a2a987fbe2ab9e43
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: pt-br.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pt-br.js
**MD5:** b70a96c3353ca41f14b5628aaeef6461
**SHA1:** 02e3841b0ed1fbf086a5b8bc1be8cf835cc9d8c2
**SHA256:**8a8b165be42795d9e945e7494f38ea353ee2f7eee7eab123073f3a42ce755687
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: pt.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pt.js
**MD5:** 71f120e6f7682b0e80a9d5982b8a4711
**SHA1:** 49494f7c1cdb36294b6d640a524c2cf19eed12b5
**SHA256:**89e4c2f2d351ad7e2fefec9332778b16cd4a31858ded9ad6fece12fd9db94ac2
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: ro.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ro.js
**MD5:** 84b1a53a794d8749061a53eb558110f3
**SHA1:** c2241e36357a248cdc870a8f83c19d12a031b479
**SHA256:**f66bcaadde14018ffb3bce26ea8ffc3ce36cc65c4c1e9ef9ed6cb321b7ae9481
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: ru.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ru.js
**MD5:** c66d22693e1e950330471ed9de408aaa
**SHA1:** 3f4b2156029a26bc408cdfccf5812bd125c760cd
**SHA256:**47b9c98d906dcdc3d7b7f40e604d793fff2e142f7d788f6ac0deac5030458ef5
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: sd.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sd.js
**MD5:** 115132c218de16cbea034b2762b9df9d

**SHA1:** ff940a6362744a8258e15cb09c4e4b46c48f3ec9
**SHA256:**e5f27127927a41eb82e45491e52bd6a529d3db5e6cd519c48f7473268909f6c3
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: se.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/se.js
**MD5:** d63f9c00eb2beeff26eabfea1406a3bc
**SHA1:** 8fc07d6276adf84ab94a1d352d55c105769f9017
**SHA256:**424ed10805d004f217b44ff6a0da5bad51d8f3b25577306f6e1f59c387525da2
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: si.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/si.js
**MD5:** 0bdd326bd6fe7e94a1c3fed06cf79cdb
**SHA1:** 6dc83c8bee2af014c11994abd5f0718ed9c4dc64
**SHA256:**8e7582efb99ff00bb7aeb6de0bfa65792592a5b4e81ae6caa7bf8cd8cb3180de
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: sk.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sk.js
**MD5:** 0d4c93cc1adf0c2fe5bdcde7b1cca213
**SHA1:** 17c72fd3b31573f097f962b851fc82db22f217c1
**SHA256:**7685c076b71fd8e36c2cb84c645bb3a75d84566f26c3682a2792f0113b4d9b16
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: sl.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sl.js
**MD5:** 11bbdf40343f7ee615144b2c3df93d54
**SHA1:** 853a6dcfaa15df6205729d754739633de7e3f667
**SHA256:**ff2e8352962c2d13d114356c863701f2473651f6491639e1826ab417d0377f90
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: sq.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sq.js
**MD5:** f5c6cad85947f97d184ce17397145e3c
**SHA1:** 1817cdeeb3261b7f03f13902a7d8adfe46c36a65
**SHA256:**9d7d061c245349d6897732c90ad57841c9132b9b556be07a24dc76ff17cf75a0
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: sr-cyrl.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sr-cyrl.js
**MD5:** 403a704d0b31d44f5d43a05f060f879d
**SHA1:** fe545c0831b16a2393a771221f2daf3f8af50cf8
**SHA256:**e62567ebcb6434f8652b1867386d7324c06d1f226fe9fad0517e658503ab496a
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: sr.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sr.js
**MD5:** b5752681e826802ad4578a65d446d2ab
**SHA1:** 18c79b7064d378b578c83facf15be80314e34581
**SHA256:**307eb8be823a2997ce88c5ad8c3ca19e7a6345f116331fe3856659665de0d453
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: ss.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ss.js
**MD5:** e61a001b0c3ea5bebde2d4d96d7c19c6
**SHA1:** a26e124883144d6ac990722d7915ceb80a44f7c8
**SHA256:**0d8a08574cc28602738aca72bed6364e88dd93fb2131a20c06630e3dd7565945
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: sv.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sv.js
**MD5:** a276c85890a03d5a55715768969516fc

**SHA1:** 135396ef7e63b71af3df1cbafc5b060a32aaea4e
**SHA256:**08f8dbba970b89522adaabe609f47a3f20857c0985967888124f9204f4c3e2f0
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: sw.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sw.js
**MD5:** b9e0ae98f621d6f9a622fe09225978cf
**SHA1:** 42f76f09c8d7049758fcf8f78e30881e6681c40e
**SHA256:**d6056ac79071a9f60793825357dac3ecf35c43acf10e02a65f1892f1fd9cc0c1
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: ta.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ta.js
**MD5:** 2b48e3a057ec1ecf49d4e16d56263ed8
**SHA1:** 94a700dff6eda352ad3a2c4d7f5a4dc5e6219321
**SHA256:**2dae88a3138adda69fdec54914461ec28d4fa5e720d7626ddb3fb91a74a2ab6b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: te.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/te.js
**MD5:** 39e36c17c46798dfdcf0ddae92610807
**SHA1:** 1168038e9d7c735ac44fc0eca95796067ca7b51b
**SHA256:**2cc07292a2ab5702d8e1e849ae3b28cca5c6194d0d150ec637c6289d9d864e32
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: tests.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/tests.js
**MD5:** d39f31787b27fc1bb028ef80e699cd7c
**SHA1:** 4c0335c7f8c19e26ecdd2f9f0ed08323507031d7
**SHA256:**895d3ab9bb945f1f86903438a18c9fb308e84a912e4859da39fd1bb08da63e44
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: tet.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tet.js
**MD5:** 0a6f7fbd649b280c8fff433d32591867
**SHA1:** 15f108397be93776a1c232f3de813e27f305550e
**SHA256:**d80dcb236c671594af031c93d32ed883c322a6f32bd25637d454d7b9d9e81593
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: tg.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tg.js
**MD5:** 83e93f32f7f488c26def6938e280b716
**SHA1:** 59886e50e9d7e53beb111b317d5195ee0382050e
**SHA256:**24c8928619c471831467afc05aca6f0299e40b418b78bb30b4d66942d872d2bb
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: th.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/th.js
**MD5:** e14a3488b2c85b54f65262d6fcc6b1b5
**SHA1:** 7697e04cbe08eefdc5ad4cefca7ea7ef42cac791
**SHA256:**9911634c353a7ce63a81139f914552fc80a499029a803ced8b32b6af88c53bf4
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: tk.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tk.js
**MD5:** c01b5d264b1cfa34c4723e995439ebb9
**SHA1:** 8445ede8c1ce77556495f9a5469ead5d3b2b3ee8
**SHA256:**fc6654229cf3f6e6bb2aeb5b70dc4e6adf7f307575af9d15b7a31aab897a9988
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: tl-ph.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tl-ph.js
**MD5:** aefa584c5d3e7690a710b144fc505a7d

**SHA1:** ccc8535e56aeb0b2c2991ec7c2c232a16334f09b
**SHA256:**e324f1791432534af3ada36c185637db02eaf3d3ed8f88ddf143538dc484cc3a
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: tlh.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tlh.js
**MD5:** 59508c37879615bd0a0beee8f69a28da
**SHA1:** 15324b9edf1a3e7bbc52b1e510ac53def8ce02ef
**SHA256:**dccea1319a2e92d9bf373e1d8dadcd4a130e1fa2457d7a66dd035c3cb93601cd
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: tr.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tr.js
**MD5:** 0cf5765f4f245b2cd8a21dee0c3c92ba
**SHA1:** 7eb8afffa83fb85eba987c80a934c6ad30a23b23
**SHA256:**e8af125b0bdb3c15ff5ef2eb171bfe698507a026a9cab54bedb0770cdca34fb2
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: tzl.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tzl.js
**MD5:** a2587bce05b5fa3015dce4ccedbdc802
**SHA1:** b9c4bb7a9f9ad9dd515bb9de82be90d0d4932fe6
**SHA256:**393e6424d498fd2abbf646217a197b61c4c57706e6b29ec2873ab20e7bdf6970
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: tzm-latn.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tzm-latn.js
**MD5:** 582198d314e9ced1007620d4e7701734
**SHA1:** 17859d3345ae82ce39d5d036649c1976b9e4474a
**SHA256:**7909cef0eb3080599c24794c079e05ba07af565f198450df0ad411c85be45030
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: tzm.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tzm.js
**MD5:** 69d71f7f7674fd7f8b35f14dc179339b
**SHA1:** b5166e0443eb54c38185227e954cd5cc2b1f589b
**SHA256:**e6f3a2e2e3ca86953e2c06ca562607a95d2b5129e751e5e0905270f3e56a1f52
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: ug-cn.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ug-cn.js
**MD5:** aad8845e8fb63517d21b322fef4a3545
**SHA1:** aff6b2361311a6475b9fd755bf63d23e3e6132b1
**SHA256:**58de2ad653876b1eb27ceaffb0037ddb0e4fb7917e111fa7a88ef8ab01fd041d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: uk.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/uk.js
**MD5:** fbe69f339b236b654b3e41d8d8b56536
**SHA1:** d9fdc9224f535c1338048858a9e457558f95349e
**SHA256:**725764b2851d3db79d8fb20b96ce7708cd1dc60c6ca6f37bac4df2350f3ccbf4
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: ur.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ur.js
**MD5:** 3da7117995350068016398429 5abe43d
**SHA1:** 2fdee5b33f8d29a565d84927fd333a2d9d41e5b2
**SHA256:**c89fc485a14cb20c0576ff20bc3d157e1296f2b2ddfa8035f71e8b58f61a29a4
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: uz-latn.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/uz-latn.js
**MD5:** 75ce0ce4c28806c32575c4f28ded6185

**SHA1:** 2648a6adc3ebb4dc12b070a5cc0a126050cf685a
**SHA256:**3943e946fcad9c965f147c50e08da71d3270239175de530d1f48be6fb44956ed
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: uz.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/uz.js
**MD5:** 3d11efeaad9c7b7f344eb8beb691a2d3
**SHA1:** 73ce197519648ecb5e6756bb2fb953688b42af2a
**SHA256:**9f22344f9ff69b1cf5546c975fd8847884bb032216d15054ea267cb964a09b08
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: vi.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/vi.js
**MD5:** 28c7ec0c4bf82120245da0d15112f4b0
**SHA1:** 1470d1969733e49331f2e435910b045e6a0a518b
**SHA256:**c5db03ae438e4c55a6edfa004540aaf1def14fe0968f9ed3e03fe7dd7c3faf03
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: webjars-requirejs.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/webjars-requirejs.js
**MD5:** 34b1a7dcca0ee03eed1432670ed9c472
**SHA1:** 9de80e951270f04bbafd39d9d7822df4f7d08839
**SHA256:**197295e6af66b25f2aaa0909c6911f7c1c76e24eaf170d9cba2d84644146bfeb
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: x-pseudo.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/x-pseudo.js
**MD5:** 18b5b8d8f2f327f6d5ec947e550f35e0
**SHA1:** acc470244b95f709e4b68e7ab94b2c645f929f47
**SHA256:**ca8ab052a09b2f320574c71c472609e026b4aa72c87a06f204ff33670249e2bf
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: yo.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/yo.js
**MD5:** 42b28f7a2ea67c7b5a342c87ef0a5771
**SHA1:** 84f6d714e3aadf74ab8a755b465df7ec8215fada
**SHA256:**d80655b604558af2855f5b67b21b28ec5770985b67fde59e94e1168e5f4795c8
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: zh-cn.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-cn.js
**MD5:** 49fa27dd7c374122f336369f30a87973
**SHA1:** 768eeb42e5372200634e8825680c6e18b0c8db8d
**SHA256:**53138532aad7c571af10cf6b17a678552e9a9e7ef5014d250f97af8dc61ae6e1
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: zh-hk.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-hk.js
**MD5:** 9338eb6ad8e887a63be4fbaa05cab197
**SHA1:** 92340e4f48872df241a47bf9bd13647092fd25c9
**SHA256:**c6d7de0d1f5544a1d3bb64c7eb27481b30316766f1214fbb5b1c6be358a4b921
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: zh-mo.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-mo.js
**MD5:** a986f68bda18d9751f6bedd7356e6e7c
**SHA1:** 6cac0e5b7b9e15ea799ce6a1575be93df4832c87
**SHA256:**874ca3806f556c5809842613ba410c965111ea9441fb949a32abe2a7c3bf7f8a
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: momentjs.jar: zh-tw.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-tw.js
**MD5:** 94fb46a7c1ce21f0a91512b170d4fdea

**SHA1:** cb69c6ca687ace454432d994ae5b624ba9011b62
**SHA256:**62fb1b36d24050120cadf807b975ffe9d7986aeb41a0f4ac218c3ad23a1c9b1a
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar
**MD5:** f5f2ee6c46c4a69da507418785aed846
**SHA1:** ef953c4b6a2946a2f2d3e26139357f48dbcc5877
**SHA256:**b23081d7ab61c1d8a0e27c6c28753db282a63a7bd5f52df4f4d86c3a47e9a945
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | remotegui | High |
| Vendor | jar | package name | gui | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | remote | Low |
| Vendor | Manifest | built-date | 2025-12-01 12:49 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | remotegui | High |
| Product | jar | package name | gui | Low |

| | | | | |
|---|---|---|---|---|
| Product | jar | package name | remote | Low |
| Product | jar | package name | shared | Highest |
| Product | Manifest | built-date | 2025-12-01 12:49 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | remotegui | High |
| Product | Manifest | specification-title | remotegui | Medium |
| Version | jar | package name | shared | Highest |
| Version | Manifest | Implementation-Version | 25.10.259 | High |

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: angular-websocket.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/angularwebsocket/angular-websocket.js
**MD5:** 40cf028986784d5006d57219f6dbe0a8
**SHA1:** 40efa9ba93f90c2933ea22c767a0b1439e10303d
**SHA256:**eb77f7788e6b757192f2fbf8c6af6560731c3539b06fdf7d476e92b989ca50b0
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: app.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/app.js

**MD5:** 6f61e39f7ed0928ce2046d44760db061
**SHA1:** 1a79dd0d084db06894770d115b3b808a0d8c0ecb
**SHA256:**bd0c38131628418202bc8a896fceee79fc4933ac37da60263562ddb37ede2f26
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: app.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/login/js/app.js
**MD5:** d9a96ed732439b0dc0417d960d30b667
**SHA1:** a7b2247fb71c27e9eacc8f24859fb993be8d95d1
**SHA256:**49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Related Dependencies**

- remotegui.zip: remotegui.jar: app.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/logout/js/app.js
  - MD5: d9a96ed732439b0dc0417d960d30b667
  - SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1
  - SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93
- remotegui.zip: remotegui.jar: app.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/masterlogin/js/app.js
  - MD5: d9a96ed732439b0dc0417d960d30b667
  - SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1
  - SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93
- remotegui.zip: remotegui.jar: app.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/passwordreset/js/app.js

- MD5: d9a96ed732439b0dc0417d960d30b667
- SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1
- SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93

- remotegui.zip: remotegui.jar: app.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signup/js/app.js
  - MD5: d9a96ed732439b0dc0417d960d30b667
  - SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1
  - SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93
- remotegui.zip: remotegui.jar: app.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signupbasic/js/app.js
  - MD5: d9a96ed732439b0dc0417d960d30b667
  - SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1
  - SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: app.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/reporterror/js/app.js
**MD5:** 6ad83588ff8ae2fca8a22a9973c9a22e
**SHA1:** e34a66c038feb5d7eaaebe6f5641ff754ba2133a
**SHA256:**171ea457d3942a068d637c9c416f4314d2e337896c4c06466d5048d1b207964c
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: app.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.

jar/com/inet/remote/gui/modules/start/js/app.js
**MD5:** a92b24ddb292c48b2b37f8f612dcf510
**SHA1:** 4fb6c8ec1c639068e82cea773e346402bee5db6b
**SHA256:**f9a5dfaf43cc245a92f3da0e6a6a05df73027571f820767630c897274510e125
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: appbadge.service.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/appbadge.service.js
**MD5:** 4fd729dbd4e3e172e18625eeeb1d21f3
**SHA1:** bda842fc94e89b87c8ac7ab1fda990058708c679
**SHA256:**8ba199a5047196dec59a090d09d62628d962bd4827c6f58491688405af98bf20
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: authInterceptor.service.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/authInterceptor.service.js
**MD5:** 7fa3864d221a30bc7380c1d61fd0127d
**SHA1:** 7711e764bb81e7518be8f1582ba36c0bcaffbc12
**SHA256:**78a5ae26f5463a9ffaa3aba943dcc4a6852dafea4e6a161a77db4e57e57c9565
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: avatarcard.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatarcard.directive.js
**MD5:** 42e2eeddd15b1c78fa69908f6680ee70
**SHA1:** 700e560ae973d1bc7fc1533f10000bff031ae452
**SHA256:**1f84952e5877f9a0a2bb6de1db33baec5f4bc55d5aba12f70cb4f7a6f79729d0
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: avatardetails.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatardetails.directive.js
**MD5:** 1736536ca17f8949cfbcea3546666700
**SHA1:** c6d2b53e9caa1ad5b19f0063a4c7f88c31784ccc
**SHA256:**5bedc4c3e7b3be6a29f2c85fbd2881b935f24172fd42d5f893f221c1972bdc5e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: avatarimage.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatarimage.directive.js
**MD5:** 70e2255c02822aec0a74da3386baa781
**SHA1:** 927e3a72f635deb32b6dd3bd1e3deea711b73521
**SHA256:**9c3a64b8c4c5e6bdeadd27b840e1835d240e7e291b2499e331545d0f3d6fb3da
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: avatarimagedetails.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatarimagedetails.directive.js
**MD5:** 30a2af71a10ee42a8e840c52dc445a33
**SHA1:** 2767a8c4d10f738a7cbc2f0166473a721724465c
**SHA256:**4c5603e04daff5cb4de37b3a8e120e0049036ea10683980c3062c96919d1521e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: basic.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/basic.js
**MD5:** 6ce37bb0cdbc3e8dfb60502a14fe7566
**SHA1:** b5cf170633b03bb7e703f0fe1369c71a0d451dae
**SHA256:**de45f22f52903c15f3869bbbbf9856da834d7a0d535bc5138832434984996079
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: bootstrap-colorpicker.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/colorpicker/bootstrap-colorpicker.js
**MD5:** 66fc7adafdfc312da33c1610ddb02650
**SHA1:** c0fe35fdc3e1a7b23415601264ee3f5f8b6408ba
**SHA256:**359ac587e9aac88dcb26774fea01a3b04b89ff8f8d49c36b0dffd82d0ca3f2a9
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: bootstrap-datetimepicker.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/datetimepicker/js/bootstrap-datetimepicker.js
**MD5:** f99cb51a76e41db0a93720a7ab76f79a

**SHA1:** 811d10b8029074990b4328164ea5645759789a5e
**SHA256:**3ae825ea00eae0f2169e66d6574fa1e8323b51bf253091bb5a66df76663d37ef
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: browsercheck.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/browsercheck.js
**MD5:** 2a66f45992dabf075363ec46a8f1913e
**SHA1:** 6dd5a0ea9f6b8471d5133f32a13090af611156a5
**SHA256:**9591b9925bdfd5c199c34417db703dda37c469646adfe38409453527af025015
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: changeavatar.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/changeavatar/changeavatar.js
**MD5:** 8d2dac6b040a8c19644f32bf31bd71a5
**SHA1:** 71bf152e7bc6f067ea04a5b3aa1cca0a77af4b2e
**SHA256:**2dee1dc75f9ea3da5c18de2d3f7ab5da477c1b0e29952f28f14ec488140c3d0d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: changeavatarcontroller.controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/changeavatar/changeavatarcontroller.controller.js
**MD5:** f4c8b7a6dadbe05f4e359733f723d5f6
**SHA1:** 119cdcaf2e65398e1f02c279bc915fb748c851e7
**SHA256:**f6cdf51e77bf2b01b8d6d81d62929f453e651b07cecf5ec1a592556855c297d3
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: changeavatarservice.service.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/changeavatar/changeavatarservice.service.js
**MD5:** 0867b1420c57ea1bd0df6b217d0f0a27
**SHA1:** 3b540de9bd01aa2d887ff4690636a46d59e54ac0
**SHA256:**a4e383e6b3971ae28b1ab569fb9bd73553c7155615dd6684f9eb1db4c28f9ca8
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: clearreports.controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/clearreports.controller.js
**MD5:** 3e7fceb2b9ef747bc218cb75a43c2f00
**SHA1:** e73d081fea644eb31534bca4d63d8e37a5f2239f
**SHA256:**565b256ba888e792b1e08f6775f46d4db5f3e7cabbc6e07b61321a8f8b207053
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: collapse.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/collapse.directive.js
**MD5:** c1382e5bab1e0095998e5b19ac91f381
**SHA1:** 2bfacf81cdcbdbc9919f24433ada8d3d78ff826a
**SHA256:**f09aeeb80d0d0811b4e6c9ae46d2a975cfa372d339236dc1f74e238218a60be4
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: colorPicker.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/colorPicker.directive.js
**MD5:** 21ef7608799862ae50c2c74f78d0a9fc
**SHA1:** 747b3d2b2615c51fda36d4177ff6742a3f254784
**SHA256:**ecdde453424a6164c70d2a8ae42bbd0e2f36aa424dda81a021daddfc3be97cda
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: connectionstate.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/connectionstate.js
**MD5:** 4a6174bd421f26ebbcfee0cd497cb818
**SHA1:** dd1fd437528d6680073b6ec992627e58a7117d1d
**SHA256:**4b755f8f5c4c823a55df73cda77ecfaad11829b5945c0f60e9c3be0de7ffcaee
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/controller.js
**MD5:** 8886375e9fdbaea08407ec6d19efb81a

**SHA1:** 1e0b4d981a4a8cefe6737624ea1f4ab9636116e9
**SHA256:**dd9f87011fd0cb0ed630d3f392e7527a62dc516584014a2169a411d783d683e3
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/invalidlicense/js/controller.js
**MD5:** ca1979cf2df78c9a22c96f3478247107
**SHA1:** 6b8bd8aa94a41d55d9b5c11f37a6e0a2a25a5a5e
**SHA256:**2e689b5bdc728198ed225e4e7634d0bc374f6d5f0190f706808d3c1857b1591c
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/vetomessage/js/controller.js
**MD5:** b3d1cbd2470d7a37317a1a3b2f731b76
**SHA1:** 8be451bf390bbc31e274d966fa238675d192598d
**SHA256:**d478572d76089fa663779be7fb47933ca9c7bec7f97ada36dd8d7ca80f6f4eb5
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: controllerAbout.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/about/controllerAbout.js
**MD5:** 80b4da64ffededbe3c3523b55e2bf326
**SHA1:** df84d88eb510b8e820880297404310f5a8795f4f
**SHA256:**48bbb094dfff3f6b7dcf787d12214c26dafedc27cd37003b651e1ce179026029
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: controllerShortcuts.controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/shortcuts/controllerShortcuts.controller.js
**MD5:** 9be25409fea8e060b32a3ed16afa0496
**SHA1:** 36808df213a842d807c44b517fcdabd52c7479ac
**SHA256:**18169a2a57beb8edc203674e334cd2eccaf262635e4cea0b408e2f8608338008
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

### remotegui.zip: remotegui.jar: controllerUserTheme.controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/usertheme/controllerUserTheme.controller.js
**MD5:** 3f22da2a31a50aae9eca2ddf181a32e6
**SHA1:** 92ef56f938fd823a8d2d234190af4aff18ce8223
**SHA256:**e3b5b9c6ba45a9f4e7ea82817ad2e4eebfa514eb88f0056ed61741a37917049a
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

### remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/login/js/controllers.js
**MD5:** a8ac2709cc86b403df12e2112b1c50da
**SHA1:** 344a480dca6074c311786b03a13aeaff5cfb58a3
**SHA256:**3efd28cc6f37f33f4c99fcd534349933d13c07cfbb85ae6b424c7d0889e968fc
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

### remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/logout/js/controllers.js
**MD5:** 72df17aceff55a08379e0d53b414a348
**SHA1:** e3364d95d630e8ee2831c6f8c043e380892303de
**SHA256:**fde8f9a6bd901c3a4fb1eff6e1b28cd70ed29ecd1ca0eb4d516fe8257b10866d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/masterlogin/js/controllers.js
**MD5:** b7ce1065cd78fdac56af02a9c2990479
**SHA1:** bb6e0f303c2a2601864542d89f2e2f5da4cc582d
**SHA256:**b062b60f3c71cca9147df8429acfeaf1333646ebed0a49abfd57e828594969bd
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/passwordreset/js/controllers.js
**MD5:** 4dbf4bd5e209bcf9da2dbea374055b93

**SHA1:** 87bc7d80e618d023de04a942c4bcf78a0f63ef94
**SHA256:**c4fc820510883428e8b7f8cc620917ad024a053406fc8e06a1f5d291e7cb8277
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/reporterror/js/controllers.js
**MD5:** f0eae135a9846e9583286cd7e26e16c1
**SHA1:** 2ebb1635a8de2bf5a5b733d22be21e702b12b72c
**SHA256:**03bece9cc5a2def46cb9af89cf57416e825bc861f4bef8e388418e2e2f7fd2fe
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signup/js/controllers.js
**MD5:** 258465212e0911f69571bb053df33a43
**SHA1:** 91a7f8521507ac4c7f3694cf5dd955417828e559
**SHA256:**f3cd796047cab32758bcd5425fddda63249ccf268422094f9bafb9183d52a13b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signupbasic/js/controllers.js
**MD5:** 17128560e8941aedb7e852204f4a179f
**SHA1:** bafe38ec75526c6f24a08468efcb54b174af8a12
**SHA256:**c86e24d128397562391debe2cda9c5a59382ed887ce040fdd950fba13307b093
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/start/js/controllers.js
**MD5:** 3451d3dc4466d917bdaaeca802ffedae
**SHA1:** cf35aaaad9461c21764024842d788d1fffdd36bd
**SHA256:**81ee322dec22a872c1c1b2cbdeb032036fb825c53bb8d0fee0270318ed49dae1
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: currencyNumber.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/currencyNumber.directive.js
**MD5:** baae690d1879d5770a785db43c416078
**SHA1:** 6652a3fc50dbfeff6d2c3ba5d163b6198d48952a
**SHA256:**c6cf472a9ba060122120b728e7f034a46b42e3b035ef56144ff482bfe5092cf4
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: currencyValidator.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/currencyValidator.directive.js
**MD5:** 73a660a1b69b3c877a80104908dcd0fe
**SHA1:** f452a6e6a90eafec046f8364e92e8991639fc0e3
**SHA256:**a54b14192bdf0b13eb46a513c0de90d2217df002a87b69faff4a97a2b438e78a
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: customEmojiUploadConfigItemRenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/customEmojiUploadConfigItemRenderer.directive.js
**MD5:** 614bca272bedcbaa6f867d223c67ca6b
**SHA1:** 158169ab1d6de578cf3d3157b44fc5568a0dff9d
**SHA256:**38d245ad840d4d01acece7fb531bfaf683e40367b70e1965761df25378601795
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: customEmojiUploadConfigRenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/customEmojiUploadConfigRenderer.directive.js
**MD5:** 646c45383035b8a172b1e3cea4462065
**SHA1:** ccd25b4652f738ffd5db41da6f2c01b9bf2e8fdc
**SHA256:**366ac5823f773c9420495a3f7ccebc31703515e7840963340d9b088a9a280b8c
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: customemojiupload.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/customemojiupload.js
**MD5:** 5ab9bc583256cb4bf16a2ed2611a694c

**SHA1:** 8aa95d9a6f7aa446ca449dd06a22ec766e011c3e
**SHA256:**10c1b4c00e9ea48d9216001bfde435ad3d978dc7924328afcde5985e31cc5052
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: data-test.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/data-test.js
**MD5:** 0bf0cab1b86930641a40d2973ec43f5a
**SHA1:** 1b7a4fe37b3c6e007214f9c723db5b3d0ca7878a
**SHA256:**4d4a8637b7d7ccdc780a838e6524a1ef9d1ab35b425359d03aa08db039d69660
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: dataservice.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/dataservice.js
**MD5:** 78f781249b28482d2e48cc15713b8fb5
**SHA1:** be00284d2473c6eec88a36d5b121f40e90f812ea
**SHA256:**a0f7b276a906aa54b6d0431fd525c527d2dfdd25fe0146cc1cae822fdca12a75
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: dataservice.service.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/dataservice.service.js
**MD5:** a0abf2ba0adab44349a929fa37dc4c1b
**SHA1:** fbc197759253e4eb2a469ff121ec4dfdba229889
**SHA256:**79fbb725896e7a3d0af0fdf980d6348d8d4ff3a4d8e197469651f67fe8f93fe4
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: datepicker-de.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/jquery/i18n/datepicker-de.js
**MD5:** 797fabcb912b0290ab3e259ffab24855
**SHA1:** 46bdb9bae4acf4a0f014121d0f9eaf2d5c15cc63
**SHA256:**1bd259fc9bb5d2965296710ef6ea072f59c2ad669173e47958f672d0ee98de1f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: debug.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/debug.directive.js
**MD5:** af5e64405e9df914078db9c21e2d6cd2
**SHA1:** 9daecb829ec4ef49f5ff9415f03c1130b97cdfa9
**SHA256:**7e8f60d4320fb77c329b93858e2cb2435b756cc939395dcb0259f9324667cb25
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: dialogservice.service.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/dialogservice.service.js
**MD5:** ff3705252f1a1e7205abc5305b16d24d
**SHA1:** 5d137431c4fecf3c36e40aa0024d48f64c0f3b9a
**SHA256:**c030948a627465a777ae0f4a631c5cee1339c36a6fd57b5feb86cccf2b57569f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: directives.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/directives.js
**MD5:** 19f28ec5f19f91bee0b1c9e74e173dc1
**SHA1:** 8f3d5294a051eabba98d8b9ceada4b2411210e58
**SHA256:**0543ab08833d1e44de5f6c23d230703cea6ad2cb637577549e308d185afea1fb
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: dropdown.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/dropdown.directive.js
**MD5:** 34a62e5850a9c548493cfacae2971677
**SHA1:** 72304276999b43f29dd0ba3cd13829e7208c6d65
**SHA256:**575b84426322c7c3724e5aac3bdacee5d92bcd2ddaecb017ff9bad91e1a714b9
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: emojiModel.service.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/emojiModel.service.js
**MD5:** 38564647d31b6797536db5765411e4ed

**SHA1:** 48fd70c8edf0adcf125823e861e4a139a381cbcf
**SHA256:**d22736cdec4e2e645ac67859b8dd33c6af37c304f60a2d1da1d4faefb33f087e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: emojiselector.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/emojiselector.directive.js
**MD5:** cf4481407a72642bb8f659e8b1811a6d
**SHA1:** f5b4d06097e39d132c2e341005a5f37945e6d25b
**SHA256:**c9b023b87ba265d2fbc5af9dfaf4d739f2a5445ba1368d9fdf02f7cc0e07e307
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: errorservice.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/errorservice.js
**MD5:** 785c07e4d15b2f2a72b41c819a95cff6
**SHA1:** 00face8e88e24ab885ca5bc0ef14948c87bcbb87
**SHA256:**23319ffbf9167f0a5945db9b9b2c730b84a90d9a58660c76c6e7dc24d2d395f3
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: errorservice.service.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/errorservice.service.js
**MD5:** 360281c6620553158495b0209b5f061b
**SHA1:** 5b97c5e92c061efde53949663bdac202c1621e8f
**SHA256:**176a28354cdf47070b01c03759f35cc1c4ddfd293367421a058ffaa68647ede7
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: eventemitter.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/eventemitter.js
**MD5:** 3e9e49ddf3534bc5e1ff95b7f17367c1
**SHA1:** 56913966a816d180fc0215fbb438e7e6fe9517c1
**SHA256:**e7e4248b578d827250e51c12ab9c4e806195260c1750aa92c16aa02989ec9adc
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: filechooser.service.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/filechooser.service.js
**MD5:** 5e0b478b81135a47200d26a4a107206b
**SHA1:** 3d4059f43cb16ae92568642a830284b20cdeeea0
**SHA256:**0e01b0b88c94036b3237e64cc2115f2a7a8331fbaf7714fdea8885598887325a
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: fixNumber.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/fixNumber.directive.js
**MD5:** 4012901ce3b8c0dd2c30de58b4010f93
**SHA1:** 2f74672bcb93cbc5a5ad537ab900e5ea2993244c
**SHA256:**df68e84e582a52b12400fdbc1ef79d935013e189579795a435a6ed8055573c35
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: fixNumberValidator.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/fixNumberValidator.directive.js
**MD5:** cd63efa13934af29deb8ebaa34d99d16
**SHA1:** 6b6c6bb19f785f4cddf2aced9381c3578a3213f5
**SHA256:**8d6e9515be7e1db5f56dfe91a1e96c91b8ca536f4ffdc31614a30a5a7e7dad88
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: floatNumber.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/floatNumber.directive.js
**MD5:** 0b5378d3a8d7f79543eefb43bd125bcb
**SHA1:** 0c50d5b03526ee6a4b5ecafca50e139183e64bf6
**SHA256:**e1e487d744826c96b46a8e946a32892ee07520f3f29e421d243df51291f729f6
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: floatNumberValidator.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/floatNumberValidator.directive.js
**MD5:** cf0422e6f9e9d1503247ff475d10d3d2

**SHA1:** c0d2a9c1ba8905a8853b7880e484fd2546bd91cc
**SHA256:**f64676d8ca0e5be8cdbcdce1658d71f18608aeee7229a43e8076139ddf5d7f15
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: globalactionservice.service.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/globalactionservice.service.js
**MD5:** 6d4f2194f51d48cc3b21f9526f7fee57
**SHA1:** 30f480f24b629a9dd3a93fe04dca7eb04a20b677
**SHA256:**8c1f6dd7a7ecd6472d75748edd38d98783b20e103c898220b2e3b25f4090f6a2
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: hdField.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdField.directive.js
**MD5:** eb473c0da5fce407a8585e0ecce20bc8
**SHA1:** 3f2b16de362bb37d19bdd9147b03dc59f1036b18
**SHA256:**6e58cc4e6bd4b86833f4d7eb154a422d0ea77f2481cebb41cf784722eafa2548
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: hdMandatory.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdMandatory.directive.js
**MD5:** 5ebb609350c6d0ae645e8ac20cbb32b9
**SHA1:** 15bb7b61dcc2a479beee7e0162796788565fafc4
**SHA256:**593ebe1d558142ea9e12a998fba8034c5539267794d3f1ae01fa61cc30103e2d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: hdNeedchange.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdNeedchange.directive.js
**MD5:** c3abe040e55d2f09b03b6ff4a839b795
**SHA1:** 4ba516326ef10cdbac82bfeca2ef5a82122c27b9
**SHA256:**49e8d8b1fe5a2d491a81412531fe794b9b32dccad6536f9b06041e7931f83a8b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: hdValidate.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdValidate.directive.js
**MD5:** e6e8c3e26ad3be54df16ec1bb887bb70
**SHA1:** 4b1e88e7eed9dade1052f00086c2c09f18a0be32
**SHA256:**18040f9661212ce2406d973b0431fd3c320033bd4d6b931db124aeca515873f1
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: hdattachment.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdattachment.js
**MD5:** 16e85502191f7fe25433de5ad6c746f9
**SHA1:** 712909937e6a4ad47396146d4e79e4a3dd0b32e4
**SHA256:**b59d7f8b2225790fa30812d87d012f6668ecf1ce2d3a0cba04d987812ad2cd4b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: hdfileupload.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdfileupload.js
**MD5:** 75a66761b717a6997b593736a3636c7f
**SHA1:** c7dcef33b520474109257a31e81c13967de4fd70
**SHA256:**1e85e4d3ca53baf4a8da1008aaaf7bf0b048d078a08e8bae3fa8628804dbe5b4
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: hsimp.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/hsimp/js/hsimp.min.js
**MD5:** 31da02c3356fe92d686f09c9e9a2d3b5
**SHA1:** 77c9d1aae30a77bb4f4ff1015d9886a9fb2bad93
**SHA256:**44cdb7ca377e6793dac301775332a628e89b3624b6330964a9e2592d1f5b0389
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: hsimp.renderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/hsimp/js/hsimp.renderer.js
**MD5:** 5f06f676ed65e93315ba629f480077b0

**SHA1:** 213a052ff56e4e0cce58b108a93995300b7f21b7
**SHA256:**a6741fb1ac97dd1d59dcbfb635c018a4fc51ee6bcbecf8f0928fb76019cf3658
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: html5modeurls.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/html5modeurls.js
**MD5:** 784c54f58e8351e6821785bdeaa852fd
**SHA1:** 945f8e892ff235c347b61d726cbca71c51cfa0ec
**SHA256:**3cb5e8d76193fd52fe4672a8510546b527e84df68876952b6965e146d816f97a
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: htmleditor.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/htmleditor.directive.js
**MD5:** dc39ff4d4ed88e924ec83375565732e6
**SHA1:** e0296d02f1d6e4760c430fa1bd2b63513bdc6415
**SHA256:**16ee6814ddf609aec305ff499ce9d3aee696fe42a59be2e31fbd4c4ceaa0da64
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: htmleditorFactory.service.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/htmleditorFactory.service.js
**MD5:** ae7cf9f1949727b0b0abbe02d00322a3
**SHA1:** 8f6ca76d2a1d16c23d015e5fc99c0b5eba633ca0
**SHA256:**ada0a0081829c6575f5107ad1f2b857976454e420b33fb4e11caa971d23243b9
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: htmleditorModel.service.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/htmleditorModel.service.js
**MD5:** 5065e5c03040fe00e77e7c35c9491459
**SHA1:** a07cd621341d26b6a8af98193dad1b028e518a16
**SHA256:**e4eb54f0aa3b0f5e3b015668ac05a9410b2fe4e2af0f796f3b9a9c1dc68de3e1
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: icons.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/customhugerte/icons/inet/icons.js
**MD5:** 81ce9691eda2df21f0904f09079b80e7
**SHA1:** b4a46ece9a2ab75c6aa0753ca006bc8b01d0169d
**SHA256:**870a4c211fd913aaee81fddc05c555949806ad233f9bdd1e5151b3b20a370fbc
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: indexed-db.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/indexed-db.js
**MD5:** 8e18eb72cdab27b9f50d8be736fb5d3a
**SHA1:** 9a0e5e9098ca6fb8c1ff37a52cd41493b9c5b765
**SHA256:**8a7b578a09e75c8abf3b5c7796a3a9fdd812f0e1fe1b9cb2dde13c8ca4dec439
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: initUsernameField.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/initUsernameField.directive.js
**MD5:** f3f6879a5d27234809f195e8361367fb
**SHA1:** 24d20461bd9e38654b9feb17b07291ac539c186b
**SHA256:**ce03423bc27bf8ae5f2a0ee43236549dedb25ae612839b3e645bc11849b5113f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: introduction.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/introduction.js
**MD5:** 89901332f1495e0cd0ee5b86914cedb1
**SHA1:** 35a849463bb5de9d8fc94de631c5641743d37abf
**SHA256:**afee3a22ebd23a8eac80d546a023e642c33409bc80ed5340e4372fc91cc30360
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: jquery.fileupload.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/jquery.fileupload.js
**MD5:** 240236292f36eca6c17aeac05fd73d61

**SHA1:** fac06f570617460bbc6f377136ee040bebad8828
**SHA256:**16d6dd6c899f13098e81e50b8f75ef74df0da97ed95cd2759933a13d53dc876b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: keyservice.service.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/keyservice.service.js
**MD5:** f23478b8dd57156641a72835c4ba157d
**SHA1:** e8f8d906c18d20e47d651a64680a20db7f7eea0e
**SHA256:**c584eaf3c626b046c9c592fc813efc7831d9420fef68fdc6fac95999519180d2
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: kytos-attribute.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/kytos-attribute.js
**MD5:** 5bb6035188c4e1c54d61442a810f8248
**SHA1:** 931d5b4f58c1ed00341c31bd7cc6a2e39fd95faa
**SHA256:**3820432cd3db58e325157b9493754079feda4fab4db08d38296df413c6a72c30
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: kytos-data.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/kytos-data.js
**MD5:** 79b7f23bbce604a15a1e9f8b28e321c7
**SHA1:** ebd7b9ea49d5d6f8da732a89a7d9850c0b8614a7
**SHA256:**a0c941c8ba1f69e19b7afd1c952228244b235a61f0d82b474f1ef9b934483af9
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: kytos-dropdown.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/kytos-dropdown.js
**MD5:** 51af44834d6aa24a2375a5dd37a08854
**SHA1:** d24606878b7f5acceac8ff0b7b000fe02f9532df
**SHA256:**6e955549f49e3d628b44f498e50f1f5874042980f6a26780ae880f77713357a6
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: kytos-element.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/kytos-element.js
**MD5:** 7376f629e24a94902eb928e3011dea03
**SHA1:** 3de4895fcb745fac4bd15fb5499c7acd097319d9
**SHA256:**4c56e12ca9499ae2dbaf1841456752da1b2dc5fce177e312a3079514cba5958c
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: kytos-i18n-placeholder.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/kytos-i18n-placeholder.js
**MD5:** c2ddf4ebfc98c053b2cf38e316d67a9e
**SHA1:** 558b0eda02d143df94aa87ba51c55a282eb1730f
**SHA256:**1594fbfcf0410acad583b620fd613364af498faa76530bc2eecce247abab1f14
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: kytos-i18n.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/kytos-i18n.js
**MD5:** f828085d946fa2ec5043d11bc31123eb
**SHA1:** ed02dcbce2e6de89f5431c21dd4e2fae658e07ef
**SHA256:**2dd438f05fe18415e72341be8681e913d3b291482a6db53fc8190a9c09ebb7db
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: kytos-on.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/kytos-on.js
**MD5:** 15063ae2298fdcbc06f0d553980ad33e
**SHA1:** 1dacb61e604f894bcb4ef23c2d146d9872eda47a
**SHA256:**268c59e78abaa34e119f9e33f0478b97905cd60dc25c95e22006aa309a673f60
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: kytos-repeat.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/kytos-repeat.js
**MD5:** 79e3a5e2634666f50d40cb4841d5e564

**SHA1:** bca7b3ef1c01355797d3e7a66e08781e9a55f497
**SHA256:**62b3500eeb92de0ded700ea5b2ce8ce3d3fe30819347026c0db9ef00debd6e90
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: kytos-src.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/kytos-src.js
**MD5:** 668154cbece972e8c4538e661daf0efb
**SHA1:** 48ad7d4e2246f6016e16e26c5a2e88c31a512c28
**SHA256:**227f9b2e149db2ef20aa3e66832f35e006bbbe52e7cfd3958b027a01c1e4645a
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: kytos.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/kytos.js
**MD5:** ec6c9c49dd82ce9e1d04e7a5676bca53
**SHA1:** 35f2b6a2f7ba2bcaa10cb39b0e1bb6a8e54c07c9
**SHA256:**4948dce62c0fdb2562088c264153582874da88e82268203fbe47b1c6a133ab3e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: localfilesystem.service.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/localfilesystem.service.js
**MD5:** 277d95afddcd590e0d141b2d577b5e62
**SHA1:** 20bcb984e60bdb0a2939939f52951e728a4f0af7
**SHA256:**07ed33c8a8d0f7931367e1c0138049de8105adefde3fa138dd50e4c7a31f8aae
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: locationservice.service.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/locationservice.service.js
**MD5:** 62ff5fc8eaa864ac3784bf03692532c1
**SHA1:** 53ddc25f9c7f713a3102e0f0de0535072c0020dc
**SHA256:**0fb76cfbf05c00b400df4f87dd0f5753d89e68c65bd9b39d89107101321440aa
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: modal.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/modal.directive.js
**MD5:** 8b4f5159c55d2de4f772c61b5bf7dcc3
**SHA1:** 6d4df793d2fbad75c24f62e005eefa9ed62954cb
**SHA256:**2a5553a5186b68c5f299d2e1f274ba754bf9af25bcea981725d472dd762d9e42
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: modalservice.service.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/modalservice.service.js
**MD5:** 4acca3d003e0b03b3f5e384003755de3
**SHA1:** 1e0cae788079de22547aabb02d319de12adcaeef
**SHA256:**0ff64d3810936ecaa504005327a4ce6b1d113fc762a15ad24874427cd51fe144
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: moduledragdrop.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/moduledragdrop.js
**MD5:** 3958a1734972672ba1c124b1ed886668
**SHA1:** 4eb0ba0abaf32269baf7023edcaf12cc623783d3
**SHA256:**10d5980e1ab5d292009b20fd37d4d53367a0f76a55bd04b545074ece66d20a25
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: my-test.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/my-test.js
**MD5:** 663dbecfca84238754bd85b54ca72706
**SHA1:** 9a92853adf7e5c8ceb8e948a07124ef3780c5d9f
**SHA256:**fa76b5d51cc673d4abd904d0947d04d9258fd8a04bed04e4f9c565ce7546af79
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: navtabsoverflow.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/navtabsoverflow.directive.js
**MD5:** 0ce7f7b7b6a5a148404b16e1962caf60

**SHA1:** 8ef17d2fe2fe1832fa5c49d6d65b6ef5fb1b7bdf
**SHA256:**b3557a1661a5cb1508bb1654d46bf5938bacaad8b4dcce03cf86d729793bd47e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: ng-hugerte.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/nghugerte/ng-hugerte.js
**MD5:** d62cf052e63074e92faf5f0c7ffa8876
**SHA1:** b4c035d46a81de2db06cfa7183889f4a2b0e4f03
**SHA256:**88e8c189a593f1bb43af4af96b91abe4a87af72307eba9d0a4b704d73a02171c
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: ng-i18n.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/ng-i18n.js
**MD5:** f70ed5b4b0d12a1df931521a5bfd4d55
**SHA1:** 2f141a8d67bb4381b248e0292c2b566eb17d6ea8
**SHA256:**f8c9dd393e16101f533ed78c9c7d84eb60aeadd228f3573950b0930221c6425f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: numberUtil.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/numberUtil.js
**MD5:** fc50f41d150aa956d3405cf5538d0ef8
**SHA1:** 36dd5feae806c1dff8a67fd8ae4c4b4ac8d590b1
**SHA256:**0a6ba6dc2719ab3741995db471ebc7e94594f837227eaad277bec79785ff9eb5
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: numberValidatorUtil.factory.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/numberValidatorUtil.factory.js
**MD5:** 5cfcc7ddeb5ee5abe9b657cb4c4aad1b
**SHA1:** 3e1befb49a7e3de749bbf7c11db74fad428ac1a0
**SHA256:**b098b08a665832d5ec3cc30a813f3ac471cc62b9f9362125b8fbc879d5d6be66
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: ocLazyLoad.jsloader.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/ocLazyLoad.jsloader.js
**MD5:** 6efc2b278388ff3b8fd01d214f68de95
**SHA1:** 1d366d752be481f2502ad6e928bf443dc1bbc11e
**SHA256:**7c22d04e3e40f316fe62e2df4c73ffe9ca1fc552117386466972ad8a524b4154
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: ocLazyLoad.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/ocLazyLoad.min.js
**MD5:** f2d4908265b909369078aed0cfafffa3
**SHA1:** 2d19edef03246ca520c6b3d658e75fad0d791695
**SHA256:**a5f7c8f4292aba0f63174bbb86fef9e919d97ed72f80857e83065c66ddbcb5a4
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: pageablenavbaractiondropdown.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/pageablenavbaractiondropdown.directive.js
**MD5:** d1feb482374e4058601ab2f7b89adab6
**SHA1:** 3c5f495653d3856460bcd8ff62dc530292fe91a5
**SHA256:**ef9d71d87d4a4d8f2222fb5ce1f9030667e65a51b42e7a65ab47139193909983
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: paged.filter.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/paged.filter.js
**MD5:** 620885e608d87c0af2184057fa716019
**SHA1:** 99aab6b764bd796a4fad0b23da057c07f0a173bd
**SHA256:**7838a62ddb112a36d3f6b3ca85606aa02bc913e5551e40a1d37a2a7411f67c88
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: pagination.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/pagination.directive.js
**MD5:** 9072dd128b777cbe8c9a3f5cff6d1ffc

**SHA1:** 9aff2deccd8bd06b84530f2759b5d3708496680c
**SHA256:**fe2e2a1a9bd791563352ef8b3350fc0bde4b50ae191a675e4a0fb5d592389778
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: piechart.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/piechart.directive.js
**MD5:** 57b1a6b4c82b90c7ae6728361bfd83aa
**SHA1:** c4010db7bf32f2263f721e7d0642b0e4e99b7e2c
**SHA256:**514ec005ce503ed102e409c830b71a04afda4dec41d04cf23e4a80f6e1def184
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: popover.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/popover.js
**MD5:** 24e950e89aace08f1aaa17fd06bb396c
**SHA1:** 1b794fe5f9c1c3015159425162f6b3b167ff1665
**SHA256:**4deeedf673d7fc514627d7ebca5d4595a76c7d11d9cf3bdeb720dd6f663666c6
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: pwa-service-worker.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/pwa/pwa-service-worker.js
**MD5:** 95a33b245d3237810fe50090f6719728
**SHA1:** 1092e1c782d256a86ba9034dfc86b2af50d31117
**SHA256:**933121280fca1f5ea88c243ffeccbf998a62fdc3b62b5ca70875a990c18c9edd
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: pwa.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/pwa/pwa.js
**MD5:** d5f6fdc8eb151d3a71ca5eefe74f6dd9
**SHA1:** e7e28c16da057e3d23295da872a11d99239f67cb
**SHA256:**cd0a4ccc24239ef74ccf067d2eac8ac8989524fc41b0e7ce4946295f92a75b72
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: qrcode.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/reporterror/js/qrcode.min.js
**MD5:** 4b36f8e71a871112384d908a90471a76
**SHA1:** f103f61ed24f3dd86bbee1aecb91ad4ff0a15282
**SHA256:**6afbe1ebc2ba9b4bb0833f9f55c4eb80edb582903ea9611a9be49633a7aa3b09
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: rangeSlider.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/rangeSlider.directive.js
**MD5:** 8f0195ad048023303ca75052988a2958
**SHA1:** f30f14dce0300f317db5ad815d452dccf20c6726
**SHA256:**20efc1b10baaf76c2d287f1553ab7650017d266804f3c8859c8abbfd89e3766f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: resizableDivider.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/resizableDivider.js
**MD5:** 92155894052072c1b3585f3f378ed64c
**SHA1:** 284e63d9a8d92f3227dabbba220ce81b406fd5f7
**SHA256:**46db0e3c06217214be457419fa2e4a0df6dfbfa6424e163b2c9315162a9711a7
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: scrollabledropdownmenu.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/scrollabledropdownmenu.directive.js
**MD5:** 6ccf4fe00949b9ba0161679c557720b7
**SHA1:** ded14570028ed526c18dba9174881e0dd4c60ae3
**SHA256:**aea1486dfd6055925eaceaed65bbe26260cb5a9fa6bf17acfcb4655308e34d1c
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: search-panel.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/search-panel.js
**MD5:** 62e0a4cb45cdf5cbb82f93ee7c43f679

**SHA1:** c9bece27698f9e7c6f272a2b83425f6e4d73c0ef
**SHA256:**e93b61232ebe9eae031c84bccd6eb15b7fb360a8ddd65b7c910ccc93ded13ece
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: selectInput.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/selectInput.directive.js
**MD5:** 94814e3d56c2235cb31d6bc6ed5f92d7
**SHA1:** 4619d613f58383a0bc148f0da510fdc6a4a32fee
**SHA256:**53afd5593d387bb8bb0730e2625220a66c60b62106d730f9177f84963ecda0e7
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: shadowLogger.factory.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/shadowLogger.factory.js
**MD5:** fa91436385b8994b55a7d310d63aae1b
**SHA1:** 6dcf22bc7bc7561e394ab64f4cd68935378b77cb
**SHA256:**99d32693c3484880d4e331ee348efbf9a6c37f657a63045a1f50ef3e8dd3d60c
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: sidenavigation.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/sidenavigation.js
**MD5:** 41e61e3b773bf6851e57056ebf4cbd3e
**SHA1:** ccf7dd4e2a531856e99cc4865ae92a4ce80db8f4
**SHA256:**ccf467b7d7629f106d0bf698be444ba56a7a1545c5118e5bdad132c177241323
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: takeoutDataController.controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/takeout/js/takeoutDataController.controller.js
**MD5:** 82d1cec699a839f96167893738956807
**SHA1:** b0c88a87252c6c7c558b366e8f8c8b85179cd354
**SHA256:**48b31ddfab8b1f4607a020ba89e0cc44d41fa7d29e440224d794f494186a70d6
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: takeoutDataFactory.factory.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/takeout/js/takeoutDataFactory.factory.js
**MD5:** 4c2e4791571aa7c4beef1d13e162b700
**SHA1:** 72b5880e8daf6c9ff20aa30132fe79c7f4868ca8
**SHA256:**7cd1066a0db5c12af802b239d6d2b1d0afa29c5417460189ae5c22f5c6c3484e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: takeoutDataModel.service.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/takeout/js/takeoutDataModel.service.js
**MD5:** 6bcf8a37b4157e9c59412040d832b2e9
**SHA1:** 12b1e7fb37e1533e850a261eb24e5260e42368f8
**SHA256:**9a256e7e32f5971e086b0aa0e02d74c9b128fa2b2700a957af0282d8a1387d72
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: timeInput.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timeInput.directive.js
**MD5:** ba7319d83a3bcc33e0019d36fdfef0d9
**SHA1:** 019c707edf3c03914faea76cc116043f51a55ca2
**SHA256:**ae9ff67469f81911d87d69f7e89d7651b2517673b0a1538f04fb64076f5d0c70
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: timeInputContainer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timeInputContainer.directive.js
**MD5:** fbc7a8c9f4e3a3cc38d7659d83a6c29e
**SHA1:** 6b62e43062fdea0d9a6d7dc537e8be85787990a0
**SHA256:**13eb8eba0cfd94da346f8cd131a4f90c98261fd83473d80c6c4b98529dcb7e1c
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: timeMeridiemContainer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timeMeridiemContainer.directive.js
**MD5:** e1458f3e6ea63204589509e5237f5c31

**SHA1:** 0a3f9057c78f591a1bb4086e1910af248290e689
**SHA256:**b9663e93c6051a50803d0425bf1da08bb6079b7eaedfbbb88f073880cd833088
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: toastservice.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/toastservice.js
**MD5:** d4d58312cf60d3ba47d98e1ab289db6c
**SHA1:** 963249daf9fa96bb66be31a2f0ed817de83eed52
**SHA256:**d70b11b0d47fe3dec7cf9e1f19c2cbd080d7410c4c160da6c68fd9854cca6788
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: translate.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/translate.js
**MD5:** 061e99802cbbcc1f551b74ad18d8f5e5
**SHA1:** 941904c2d0237f7941cd16a088d3cf943a8628d7
**SHA256:**eecc08ab9f22b266c4c1ca774958609372959797bcbc2ef9be0d68fbeac88ced
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: unitFixNumber.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/unitFixNumber.directive.js
**MD5:** 29d24835a3a3f09d56371f64a9e5501d
**SHA1:** 74508076d24cd85f342390ee1809e2bb70f48839
**SHA256:**6a20d4eca5c69740c0fa2f99c209aed92ffa49c48848e3ff63ab6fc9b2f6ac32
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: unitFloatNumber.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/unitFloatNumber.directive.js
**MD5:** 1d3c2d9b2853e77c53b7f755e4f82bc0
**SHA1:** 56134dad87141744f8fee3574ebde43a96484ce5
**SHA256:**dde76e45fa7be7de9e04b3eb5a33954d8c2470636fa945458c08031b593b7492
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: userservice.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/userdetails/userservice.js
**MD5:** 8b519101d8b11cdf9b3981d47452b48e
**SHA1:** fa4b18f4979b804b3a6312eb8c851f050789e244
**SHA256:**87668f5830e7c8ce1c26eaee7c671a78e3c3116971e6f11c18d7bd6c3ae7ba8d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: usersorgroupsselection.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/usersorgroupsselection/usersorgroupsselection.js
**MD5:** ba532f7f8d9ad9ddcd5e43589c875a9f
**SHA1:** 878776cbfda46c3ba5b5c4c2340576fbab6ea109
**SHA256:**7e213a45192881f06c8f3d521d02f32a8c380bb2c4551c6d1c527f4afceba266
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: usestrict.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/usestrict.js
**MD5:** 8e742d11d6b24c401e35f3b516726584
**SHA1:** 89b72153bd7e6390415ba25b9b5fbe750e6e16d5
**SHA256:**8e8cc72e61ff6f6c0c945a976756d112732c499cd64fc5b207bb213fc84a1e40
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: websitedownload.renderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/website/js/websitedownload.renderer.js
**MD5:** 997a09bf4e3740f123d6933770b57ed1
**SHA1:** d59541fedeba1aa388dc41757bccde3f35324d1a
**SHA256:**53a3d1d2454b0730a885b126c853b9ee7a53ff1e01266fc2aae4b758fa1dd7a3
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: websocketdataservice.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/websocketdataservice.js
**MD5:** 1cc96c975f832a236c163c562ffaf922

**SHA1:** 414e1e26600a6b724a30d9270560ee8e0e51ef8e
**SHA256:**ad0eaa536d38b479cd06ed54e6f630fe029710af48ddd47c7ec63796be119cbd
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: websocketkeepaliveworker.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/websocketkeepaliveworker.js
**MD5:** b378595229f68cdd9acc7775a85e3746
**SHA1:** 5eb59a40044f9cfb861f3c39cf4969cb7e969323
**SHA256:**d695e751ea4e77b998aefab636299872246f04af2b189623dde151cce2fca67d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: remotegui.jar: windowdatarestore.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/windowdatarestore.js
**MD5:** f9cf627d8040037181eed0b792258784
**SHA1:** b308fd5ef5d759a9891870ce0b9ae57e62fe338b
**SHA256:**c80f708b2a3dcd3c44dabdcbc44165276c349e1226024fc40683a5ba68f03035
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## remotegui.zip: twemoji.jar

**License:**

MIT

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/twemoji.jar
**MD5:** af9b535ef495075dfb0a7d5bec95eee6
**SHA1:** 0a559adee289b6b855ad1294b17dd71d9f3d21eb
**SHA256:**9ce4f61ef563851b37c3918c54a876a865d2f66fda5f80dd2bfecebb2d7e386f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | twemoji | High |
| Vendor | Manifest | url | https://github.com/twitter/twemoji/blob/master/LICENSE | Low |
| Vendor | pom | artifactid | twemoji-null | Low |
| Vendor | pom | groupid | lib | Highest |
| Vendor | pom | url | twitter/twemoji/blob/master/LICENSE | Highest |
| Product | file | name | twemoji | High |
| Product | Manifest | url | https://github.com/twitter/twemoji/blob/master/LICENSE | Low |
| Product | pom | artifactid | twemoji-null | Highest |
| Product | pom | groupid | lib | Highest |
| Product | pom | url | twitter/twemoji/blob/master/LICENSE | High |
| Version | pom | version | 1.0 | Highest |

**Identifiers**

- pkg:maven/lib/twemoji-null@1.0 (*Confidence*:High)

## reporting.zip: jcommon.jar

**Description:**

JCommon is a free general purpose Java class library that is used in several projects at www.jfree.org, including JFreeChart and JFreeReport.

**License:**

GNU Lesser General Public Licence: http://www.gnu.org/licenses/lgpl.txt

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/jcommon.jar
**MD5:** 3872e82627df950d40a949144a93e491
**SHA1:** d5016f7703896c38f9e511f8a9edda2585cbac8b
**SHA256:**13e2596044935f76694cce65a22d1df908907ddcba0da2b49ff030930262d417
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | jcommon | High |
| Vendor | jar | package name | jcommon | Highest |
| Vendor | jar | package name | jfree | Highest |
| Vendor | jar | package name | jfree | Low |
| Vendor | jar | package name | library | Highest |
| Vendor | jar | package name | ui | Low |
| Vendor | pom | artifactid | jcommon | Low |
| Vendor | pom | developer email | dave@jfree.org | Low |
| Vendor | pom | developer name | David Gilbert | Medium |
| Vendor | pom | developer org | Object Refinery Limited | Medium |
| Vendor | pom | developer org URL | http://www.object-refinery.com | Medium |
| Vendor | pom | groupid | org.jfree | Highest |
| Vendor | pom | name | JCommon | High |
| Vendor | pom | organization name | JFree.org | High |
| Vendor | pom | organization url | http://www.jfree.org/ | Medium |
| Vendor | pom | url | http://www.jfree.org/jcommon/ | Highest |
| Product | file | name | jcommon | High |
| Product | jar | package name | jcommon | Highest |
| Product | jar | package name | jfree | Highest |

| | | | | |
|---|---|---|---|---|
| Product | jar | package name | library | Highest |
| Product | jar | package name | ui | Low |
| Product | pom | artifactid | jcommon | Highest |
| Product | pom | developer email | dave@jfree.org | Low |
| Product | pom | developer name | David Gilbert | Low |
| Product | pom | developer org | Object Refinery Limited | Low |
| Product | pom | developer org URL | http://www.object-refinery.com | Low |
| Product | pom | groupid | org.jfree | Highest |
| Product | pom | name | JCommon | High |
| Product | pom | organization name | JFree.org | Low |
| Product | pom | organization url | http://www.jfree.org/ | Low |
| Product | pom | url | http://www.jfree.org/jcommon/ | Medium |
| Version | pom | version | 1.0.24 | Highest |

**Identifiers**

- pkg:maven/org.jfree/jcommon@1.0.24 (*Confidence*:High)

## reporting.zip: jfreechartCC.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/jfreechartCC.jar
**MD5:** fe6ffdee91f6ece0746ab77c26dbe2bc
**SHA1:** acda90afb5f570882dff431d3411c755f4117b93
**SHA256:**802110ac0fe36c0811468e44257d4fd865ee20ac8b88c56b1a9d20ca20364448
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | jfreechartCC | High |
| Vendor | jar | package name | chart | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | jfree | Low |
| Vendor | Manifest | built-date | 2025-12-01 14:21 | Low |
| Vendor | Manifest | implementation- | reporting | Low |

| | | | | |
|---|---|---|---|---|
| | | group | | |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | jfreechartCC | High |
| Product | jar | package name | chart | Low |
| Product | jar | package name | jfree | Low |
| Product | Manifest | built-date | 2025-12-01 14:21 | Low |
| Product | Manifest | implementation-group | reporting | Low |
| Product | Manifest | Implementation-Title | jfreechartCC | High |
| Product | Manifest | specification-title | jfreechartCC | Medium |
| Version | Manifest | Implementation-Version | 25.10.259 | High |

**Identifiers**

- **None**

## reporting.zip: reporting-javadoc.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting-javadoc.jar
**MD5:** 3379feae78d0a1670278ef5cd16910be
**SHA1:** 95e33b963cbeb884a962c413429b2b80eb0cf7f1
**SHA256:**50e4b774379fe985d1652c632f7995af807748d664dd7e56bd1d6a7866e5efa0
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | reporting-javadoc | High |
| Product | file | name | reporting-javadoc | High |

**Identifiers**

- **None**

## reporting.zip: reporting-javadoc.jar: jquery-3.6.1.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting-javadoc.jar/script-dir/jquery-3.6.1.min.js
**MD5:** 00727d1d5d9c90f7de826f1a4a9cc632
**SHA1:** ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2
**SHA256:**a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## reporting.zip: reporting-javadoc.jar: jquery-ui.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting-javadoc.jar/script-dir/jquery-ui.min.js
**MD5:** 32059df39c14a910ccc2325f6a3cd62f
**SHA1:** d3289f1b527a3f054d303ec769402e037fbfcf4b
**SHA256:**672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | jquery-ui | High |
| Product | file | name | jquery-ui | High |
| Version | file | version | 1.13.1 | High |

**Identifiers**

- pkg:javascript/jquery-ui@1.13.1 (*Confidence*:Highest)

## reporting.zip: reporting-javadoc.jar: member-search-index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting-javadoc.jar/member-search-index.js
**MD5:** 4e156314aab662d8bd20e04d1e7051b4
**SHA1:** 513dc09a501c027f8a199108eca2742b6b0137cf
**SHA256:**80a6415178fb8e4ed93b07032a47eb453a3e350e3257497ba928c5c6fbfecbd3
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## reporting.zip: reporting-javadoc.jar: package-search-index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting-javadoc.jar/package-search-index.js
**MD5:** 2c0f8742f3f9b12b580ebbb1d05b246c
**SHA1:** 4ab261d1781d9f77c131e641ec031d38e39a0444
**SHA256:**40e580f6c42f5eaad108580601b9279ee0d06eb1b35574573d0d2a3798580d82
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## reporting.zip: reporting-javadoc.jar: script.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting-javadoc.jar/script.js
**MD5:** baf9d9e16237acbdce975a33c54ee8ae
**SHA1:** cc6a3c8d72f17eff0d613ddfcf7c1095535573f7
**SHA256:**9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## reporting.zip: reporting-javadoc.jar: tag-search-index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting-javadoc.jar/tag-search-index.js
**MD5:** 95810a7878ddd3f49d938eb6b5c0f1b2
**SHA1:** 4d0358e131242bfb1a29d1db368e9e24381ad979
**SHA256:**e31bd7c6847cd8b49a884fe01244f740ad184cdb7aa6449830be21985158f0d9
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Related Dependencies**

- taskplanner.zip: taskplanner-javadoc.jar: tag-search-index.js
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner-javadoc.jar/tag-search-index.js
  - MD5: 95810a7878ddd3f49d938eb6b5c0f1b2
  - SHA1: 4d0358e131242bfb1a29d1db368e9e24381ad979
  - SHA256: e31bd7c6847cd8b49a884fe01244f740ad184cdb7aa6449830be21985158f0d9

**Identifiers**

- **None**

## reporting.zip: reporting-javadoc.jar: type-search-index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting-javadoc.jar/type-search-index.js
**MD5:** 8008687a1ad6ed821adc84cca8826520
**SHA1:** a21713c3a63548a6651afc41259760ad85b6226d
**SHA256:**a9e4cb81069076017cfaf4566173432128024441225b5c4d9bc20a04637f5416
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## reporting.zip: reporting.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar
**MD5:** 1a48a5d530e54db58adba428a4c292d5
**SHA1:** 116bdf8b1275d504c08d6d7d7b0e33b1dd61d75a
**SHA256:**849753877c88349048365ef2568221b1e66405af8833ca6feed4da7da7a593d6
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | reporting | High |
| Vendor | jar | package name | i | Highest |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | report | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2025-12-01 14:24 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation- | reporting | Low |

| | | | | |
|---|---|---|---|---|
| | | group | | |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | reporting | High |
| Product | jar | package name | permissions | Highest |
| Product | jar | package name | report | Low |
| Product | jar | package name | reporting | Highest |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2025-12-01 14:24 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | reporting | Low |
| Product | Manifest | Implementation-Title | reporting | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | reporting | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | permissions | Highest |
| Version | jar | package name | reporting | Highest |
| Version | Manifest | Implementation-Version | 25.10.259 | High |

**Identifiers**

- **None**

## reporting.zip: reporting.jar: events.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/events.js
**MD5:** 867af7b9527093452195d3057166a9ca
**SHA1:** e4856efc3e95a20f25beff5da4ce9b907c3a1575
**SHA256:**c342986741d1c87b03bfc899d7640ab9267f3e95c5a744e75c5ee12c321f2408
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## reporting.zip: reporting.jar: export.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/export.js
**MD5:** 25d677f9db7379990f234c6e0e8a3eca
**SHA1:** 36c595def0ffbbbd0f3d8d648cf3d68c9bd8a70e
**SHA256:**31874fa566bc0532b344ede59518de718ec056b5fccff2b30bfc5130d1ec0d7d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## reporting.zip: reporting.jar: functions.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/functions.js
**MD5:** 4cd489d3699e18018f4ee1c88710a066

**SHA1:** 1fea1856f278aa8a929db3b5dca00fc44bc6de0d
**SHA256:**31dd7b3daef9e4ca25bf78e180523407ff4d332f987eb9223b63e36ef4d7f93e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## reporting.zip: reporting.jar: generator.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/generator.js
**MD5:** d98c2ca06a72837183dc17a3eeec0039
**SHA1:** cfa6d7f381d3cb43b6702884df53b0fa08149fc8
**SHA256:**b865ad0a07fa5779ed8ae8610cf3129c95c79337b20cbe479477b13d2c83d876
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## reporting.zip: reporting.jar: grouptree.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/grouptree.js
**MD5:** 03effe09b42d19447ffc8cb035ef827f
**SHA1:** 3c8c2af60ab10e237af37bbf3a0a2d6106870cde
**SHA256:**9cbd9e01ec128a9fd563ee1dbe271e644b68b75f50cabf37a6312b21ed61f6a3
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## reporting.zip: reporting.jar: htmlreportextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/plugins/drive/client/js/htmlreportextension.js
**MD5:** 4a91827e853ef0bf19cf06f343e18e98
**SHA1:** fda14009355a1098b25c75a307900e27d43a5e09
**SHA256:**004b3358d2bc621a7bb7c3b3f7e350876ed7904cd41c4d51d88533babf4cf590
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## reporting.zip: reporting.jar: jstorage.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/jstorage.js
**MD5:** 8078b278235f9eb8cf63b1474a1362db
**SHA1:** feb74af17fb5ba7b01c4ad997759ec21ac685ad5
**SHA256:**9d86bf1ad26f873ca615b15fc8cab964e332fa363317b8569c3f624fc947d8a8
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## reporting.zip: reporting.jar: keylistener.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/keylistener.js
**MD5:** 54d50496c4b43d4c78c30facfd01809d
**SHA1:** 9e29b6d13b0478339596ac131e214c605e10fa0d
**SHA256:**29f7a3a51b8d139109d0165111d062e6e9ecd2c2d90de1e99b539da6c2e966bf
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## reporting.zip: reporting.jar: menubar.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/menubar.js
**MD5:** e26148c5b4c16d3da8a96dea494c4593
**SHA1:** 51cfaf2c4e1813b5512e500513da3d32e7ad7b61
**SHA256:**28ec27cd322d861cb53ad7eb536618f64a33ba0e16b16392d22bf9609c35042a
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## reporting.zip: reporting.jar: page.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/page.js
**MD5:** 214a1cd3653bb9aa3cec9078e6ee3316
**SHA1:** edb8d66493699591d0202d1a14b8f34af49daa75
**SHA256:**c559154fab98f5343d44cb8c02a2203f800eabd9e13d1fd9dd926440ee5fe825
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## reporting.zip: reporting.jar: pagecount.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/pagecount.js
**MD5:** c6823ab782e12fa9e9c0325321ab0011
**SHA1:** facbdd75d7176e5809cebd5d5702cfbb0bf677ac
**SHA256:**5d189f3efc0e10f5c5e85964e89ffde18c81a1279c9132c64453f2a149423a5e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## reporting.zip: reporting.jar: popup.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/popup.js
**MD5:** c3941efe0d33e1e9b046fccd239033cb

**SHA1:** 53951b79a3c0e93768dd4043b3d16d884fc2c7ca
**SHA256:**0ed137328526d278076dcab6bfac9792717dadda6c0776cc839710fa0f1e49a3
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## reporting.zip: reporting.jar: print.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/print.js
**MD5:** f8fec5b39e4c5055f35e01c926e8b959
**SHA1:** b4f6666f078b60a130ec12b993d2884b2d3f81e7
**SHA256:**2e3276591241b179642f2159147f317f020fc03df408dfbe6f8d370cd04f5824
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## reporting.zip: reporting.jar: prompts.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/prompts.js
**MD5:** 2f5c5a5ef5cb256a9821ea4d1d6419c0
**SHA1:** 06cbaf426406533188f8071ebb9bb7d393c7b0fe
**SHA256:**cbe5282d8ec16c52ca33a3ab53f17eca55024fb744c06f489d61d7579f124fea
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## reporting.zip: reporting.jar: prototype.array.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.array.js
**MD5:** c69ba575e53ba415b800f18386ce2d65
**SHA1:** 968d437fa28bd784a3dac6a58d090027bf8e0563
**SHA256:**6dcde95b98fa808923a311e7b4a345da4c1b3df17ea2554294d6ef47e871dad5
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## reporting.zip: reporting.jar: prototype.element.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.element.js
**MD5:** b51b2dd46fafbff64c30ff2e731c814d
**SHA1:** ea525bae8dd23860d1b8202869a316626af91c26
**SHA256:**bd28001d8f95e450a5aed4bcd72851bbc126f9f5efb13feba698c034774a06ff
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## reporting.zip: reporting.jar: prototype.string.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.string.js
**MD5:** f0bb166a036ca364a6c047d345fc9a0e
**SHA1:** d491f3851e9aa5d8fd70d4139669635eb5cdd1b0
**SHA256:**fd0fc8d93a6bce3d07ec8a7db922110e3d15f5f0a7a66562599f9b369b6f6f30
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## reporting.zip: reporting.jar: renderreportextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/plugins/drive/client/js/renderreportextension.js
**MD5:** e4f2d17c10a193f2e46e30c80de52d09
**SHA1:** d37d5dc99e12ada04ae0737c180ced7fef7450c7
**SHA256:**ddf8e053d7cd180056fdd26cd15e3e269b917ce948d11b7a487dd6d000dc5051
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## reporting.zip: reporting.jar: reorder.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/reorder.js
**MD5:** c2f6f517d3d3f572c54fe096339ff49d
**SHA1:** a429dd95146869f4ab9b00c3611947ddf6b91d1a
**SHA256:**d4dbc3e3b8d16c84dc14e11b1e02ed413473d7d8da48b2c733f8c7024179f7fd
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## reporting.zip: reporting.jar: report.export.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/exportwebui/js/report.export.js
**MD5:** 11b5592b08b3a2f21b98843222cb5c99
**SHA1:** d2b4b4fd948c46fbb8d18d5f26ddbdfc243b676d
**SHA256:**95bfb6ccb730c142642ebafe6267fb4f2d94703b26c26084ac9073d75f14ebed
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## reporting.zip: reporting.jar: report.exportdialog.controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/exportwebui/js/report.exportdialog.controller.js
**MD5:** 33165ad89f5e1337a51632847b2d0e27

**SHA1:** 5d2c08233db36cafec84fdf42311ea706c186980
**SHA256:**2e5f124cbc095e6af716907a4f7a2222563c5f198f7b80c115807d3dd20293a5
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## reporting.zip: reporting.jar: report.exportdialog.service.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/exportwebui/js/report.exportdialog.service.js
**MD5:** e0c64da7a618e8b61743ab3f796e480f
**SHA1:** b3f3b1820ac805200784c2a04a8e9e0c5c6a773d
**SHA256:**e57c19851718e326461b09834966d70d0de3d3ce09f1656d16afe7f88f2807e7
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## reporting.zip: reporting.jar: report.exportframe.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/exportwebui/js/report.exportframe.js
**MD5:** 2c9f57a3ef5d760bc9f1fe6d344384da
**SHA1:** a2562e63bc825ea8eeaaea75a98e09c2a6be7186
**SHA256:**f4417bf8d9d1430364d95d6e8eebffba28cc97c6cb34346e78d0612d5842d02a
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## reporting.zip: reporting.jar: script.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/script.js
**MD5:** 9237075ecd44006d5ab48177001c5314
**SHA1:** fe08bb48bf207cdcf0ff4e2d776b59672f965518
**SHA256:**bf5ee8cda7861d90ae35343c6233ccb210da8860285def9b47d20057685f97ba
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## reporting.zip: reporting.jar: search.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/search.js
**MD5:** faa3f4fb9604ed70bec53256b055ffa6
**SHA1:** 892688617be684946fa39098413d0c55d9e769cc
**SHA256:**ea1c42a5640880562ea7639e1c6ff2bb1af2496964ce572c64fa7735b51a5f6f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## reporting.zip: reporting.jar: serverping.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/serverping.js
**MD5:** 6124f0f67286f7e3fbf239bdc4988d95
**SHA1:** aa0bb794c4e5c40bf4a7e580e251c2d15ae09e1d
**SHA256:**f688956f4c5cba792d04903423d249f8eeeaffe37e3537b723f10572cf0d66d8
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## reporting.zip: reporting.jar: stacktrace.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/stacktrace.js
**MD5:** e9687f11beba8f607c0c98af4eb0cc94
**SHA1:** f92f65d1f27fad2febcc8ad23824f10f51cc722b
**SHA256:**0b4e8ce367ded3ec4d68ff2fa931958f8e3d99d649e7175b4a1e62f27cf15701
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## reporting.zip: reporting.jar: tabbar.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/tabbar.js
**MD5:** fdb707b4dc212e365bff1fa637bbfa32
**SHA1:** 14e364be23b61f3f94427a79ce8c0f87bb186c04
**SHA256:**f9e18e41672898499dd50f0e802618952e153ddb40c052148dff9edce742a0ba
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## security.zip: security.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/security.zip/security.jar
**MD5:** bca64cdd16f300f953eec800c91f0c62
**SHA1:** c08784e871311e4722df6debd891b31d78940ed1
**SHA256:**4ef43b4365900072a2b2125e2426b9120d426414c5277fee812b5ccc843324de
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | security | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | security | Low |
| Vendor | jar | package name | server | Low |
| Vendor | Manifest | built-date | 2025-12-01 13:28 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |

| | | | | |
|---|---|---|---|---|
| Product | file | name | security | High |
| Product | jar | package name | security | Highest |
| Product | jar | package name | security | Low |
| Product | jar | package name | server | Low |
| Product | Manifest | built-date | 2025-12-01 13:28 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | security | High |
| Product | Manifest | specification-title | security | Medium |
| Version | Manifest | Implementation-Version | 25.10.259 | High |

**Identifiers**

- **None**

## setuplauncher.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/core/setuplauncher.jar
**MD5:** 16888832fd9a0a4e6f771771bd465e81
**SHA1:** ed6e0105b20322eb58e6ba538e2b7973906ef8c2
**SHA256:**f5c92bc4b8181daf028d8a926cefd6a5a3ce9087cf6fc89648971b66531cd914
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | setuplauncher | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | setuplauncher | Low |
| Vendor | Manifest | built-date | 2025-12-01 13:05 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |

| | | | | |
|---|---|---|---|---|
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | setuplauncher | High |
| Product | jar | package name | setuplauncher | Highest |
| Product | jar | package name | setuplauncher | Low |
| Product | Manifest | built-date | 2025-12-01 13:05 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | setuplauncher | High |
| Product | Manifest | specification-title | setuplauncher | Medium |
| Version | Manifest | Implementation-Version | 25.10.259 | High |

**Identifiers**

- **None**

## slf4j-api-2.0.16.jar

**Description:**

The slf4j API

**License:**

http://www.opensource.org/licenses/mit-license.php

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.slf4j/slf4j-api/2.0.16/172931663a09a1fa515567af5fbef00897d3c04/slf4j-api-2.0.16.jar
**MD5:** c8de8f5d740584cb24b5652cfba8b3c4
**SHA1:** 0172931663a09a1fa515567af5fbef00897d3c04
**SHA256:**a12578dde1ba00bd9b816d388a0b879928d00bab3c83c240f7013bf4196c579a
**Referenced In Projects/Scopes:**

- server
- server:inetPlugin

**Included by:** pkg:maven/helpdesk/server@25.10

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | slf4j-api | High |
| Vendor | gradle | artifactid | slf4j-api | Highest |
| Vendor | gradle | groupid | org.slf4j | Highest |

| | | | | |
|---|---|---|---|---|
| Vendor | jar | package name | slf4j | Highest |
| Vendor | Manifest | build-jdk-spec | 21 | Low |
| Vendor | Manifest | bundle-docurl | http://www.slf4j.org | Low |
| Vendor | Manifest | bundle-symbolicname | slf4j.api | Medium |
| Vendor | Manifest | multi-release | true | Low |
| Vendor | pom | artifactid | slf4j-api | Low |
| Vendor | pom | groupid | org.slf4j | Highest |
| Vendor | pom | name | SLF4J API Module | High |
| Vendor | pom | parent-artifactid | slf4j-parent | Low |
| Vendor | pom | url | http://www.slf4j.org | Highest |
| Product | file | name | slf4j-api | High |
| Product | gradle | artifactid | slf4j-api | Highest |
| Product | jar | package name | slf4j | Highest |
| Product | Manifest | build-jdk-spec | 21 | Low |
| Product | Manifest | bundle-docurl | http://www.slf4j.org | Low |
| Product | Manifest | Bundle-Name | SLF4J API Module | Medium |
| Product | Manifest | bundle-symbolicname | slf4j.api | Medium |
| Product | Manifest | Implementation-Title | slf4j-api | High |
| Product | Manifest | multi-release | true | Low |
| Product | pom | artifactid | slf4j-api | Highest |
| Product | pom | groupid | org.slf4j | Highest |
| Product | pom | name | SLF4J API Module | High |
| Product | pom | parent-artifactid | slf4j-parent | Medium |
| Product | pom | url | http://www.slf4j.org | Medium |
| Version | file | version | 2.0.16 | High |
| Version | gradle | version | 2.0.16 | Highest |
| Version | Manifest | Bundle-Version | 2.0.16 | High |
| Version | Manifest | Implementation-Version | 2.0.16 | High |
| Version | pom | version | 2.0.16 | Highest |

**Related Dependencies**

- slf4j-api.jar

- File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /core/slf4j-api.jar
- MD5: c8de8f5d740584cb24b5652cfba8b3c4
- SHA1: 0172931663a09a1fa515567af5fbef00897d3c04
- SHA256: a12578dde1ba00bd9b816d388a0b879928d00bab3c83c240f7013bf4196c579a

**Identifiers**

- pkg:maven/org.slf4j/slf4j-api@2.0.16 (*Confidence*:High)

## taskplanner.helpdesk.zip: taskplanner.helpdesk.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/taskplanner.helpdesk.zip /taskplanner.helpdesk.jar
**MD5:** 9e47dfa8224c49deaf1cdfad67143702
**SHA1:** e174de0c54aa1508e4b746e166dfcfeb917f3081
**SHA256:**9eb3f482113ca1178b391b5eb816740b3e48d006932bf8f2acbe3bed18515dab
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | taskplanner.helpdesk | High |
| Vendor | jar | package name | helpdesk | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | plugins | Low |
| Vendor | Manifest | built-date | 2025-12-01 15:41 | Low |
| Vendor | Manifest | implementation-group | helpdesk | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | taskplanner.helpdesk | High |
| Product | jar | package name | helpdesk | Highest |
| Product | jar | package name | helpdesk | Low |
| Product | jar | package name | plugins | Low |

| | | | | |
|---|---|---|---|---|
| Product | jar | package name | taskplanner | Highest |
| Product | jar | package name | taskplanner | Low |
| Product | Manifest | built-date | 2025-12-01 15:41 | Low |
| Product | Manifest | implementation-group | helpdesk | Low |
| Product | Manifest | Implementation-Title | taskplanner.helpdesk | High |
| Product | Manifest | specification-title | taskplanner.helpdesk | Medium |
| Version | jar | package name | helpdesk | Highest |
| Version | Manifest | Implementation-Version | 25.10.259 | High |

**Identifiers**

- cpe:2.3:a:inetsoftware:helpdesk:25.10.259:*:*:*:*:*:*:* (*Confidence*:Low) suppress

## taskplanner.helpdesk.zip: taskplanner.helpdesk.jar: addticketsharing_taskplanner.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/taskplanner.helpdesk.zip/taskplanner.helpdesk.jar/com/inet/helpdesk/plugins/taskplanner/structure/addticketsharing_taskplanner.js
**MD5:** 14573c23117ea6b850178c154c90b4d3
**SHA1:** 9f3c4518d8bd92d610e7c1779530af48a94fe3a5
**SHA256:**72df66e2a50d2c4dafdd903739964545e4213de8854fe49d793813511b6a1888
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar

**MD5:** 5e311f21fc06ec2bf0f6bfbd5a86c566
**SHA1:** 63829136470352e5f5169b5eb3f01235576c0cc0
**SHA256:**e652ac785dac4b1ffef762069ecf67d4c76ae636c6f63533da171f3900072f8b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | taskplanner.reporting-javadoc | High |
| Product | file | name | taskplanner.reporting-javadoc | High |

**Identifiers**

- **None**

## taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: member-search-index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/member-search-index.js
**MD5:** de0f18bbc2da1ad408139283b4db3733
**SHA1:** f68de53642127720d1963b4ab6c535d15ed552d7
**SHA256:**0d1f6e53fd3c81e1f4fb21e5950525b18aac5b2d0d386897590336f6def7a528
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: package-search-index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/package-search-index.js
**MD5:** 53fb7ab8ab8de6b33f33254e2c32fbc9
**SHA1:** f9bac0ca4dca6228416bed44f903f85acc19d969
**SHA256:**4dc686e5e4b0138073c3ffc1106bea2df96559da6d6e7d7ec2273bb12978c8ed
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: type-search-index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/type-search-index.js
**MD5:** b0dcdeedc2201c62287cfb168bca35f5
**SHA1:** aabb00fe2be134923fb716b9b6d1909e247d0dfa
**SHA256:**c655265fb2ffb91913da0407621313cf8139ee6bf04a9374cde419395878e64e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## taskplanner.reporting.zip: taskplanner.reporting.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.reporting.zip/taskplanner.reporting.jar
**MD5:** 8cde0c679f75578173127a0d47697fd5
**SHA1:** 3628d1b3f41140d19bcc1bbd8beafc7899cd1c2c
**SHA256:**c3a1de2e77c8f56eb55b1c4ced6da0cf5e755c0db04fd44ad96c05eaf77fb755
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | taskplanner.reporting | High |

| | | | | |
|---|---|---|---|---|
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | report | Low |
| Vendor | jar | package name | taskplanner | Low |
| Vendor | Manifest | built-date | 2025-12-01 14:41 | Low |
| Vendor | Manifest | implementation-group | reporting | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | taskplanner.reporting | High |
| Product | jar | package name | report | Low |
| Product | jar | package name | taskplanner | Highest |
| Product | jar | package name | taskplanner | Low |
| Product | Manifest | built-date | 2025-12-01 14:41 | Low |
| Product | Manifest | implementation-group | reporting | Low |
| Product | Manifest | Implementation-Title | taskplanner.reporting | High |
| Product | Manifest | specification-title | taskplanner.reporting | Medium |
| Version | Manifest | Implementation-Version | 25.10.259 | High |

**Identifiers**

- **None**

## taskplanner.reporting.zip: taskplanner.reporting.jar: crtaskplanner.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.reporting.zip/taskplanner.reporting.jar/com/inet/report/taskplanner/client/crtaskplanner.js
**MD5:** ea3fd5ef6a70616ed664aaeb73227b89
**SHA1:** 38cee119cd4daac08a3949a972643854a1b2acc5
**SHA256:**83b12efacba175acc1938d90d8bdb8f3f94802f94d39fc11dbd5a08417ef03e0
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## taskplanner.zip: commons-cli.jar

**Description:**

Apache Commons CLI provides a simple API for presenting, processing, and validating a Command Line Interface.

**License:**

https://www.apache.org/licenses/LICENSE-2.0.txt

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/commons-cli.jar
**MD5:** ef66360f30909f8372d6358dfc5d1b6c
**SHA1:** e1cdfa8bf40ccbb7440b2d1232f9f45bb20a1844
**SHA256:**d3d530d0f28fd0fbbffe2b0b338f70e8cb96f1605579e2e3abd4db29cac24e69
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | commons-cli | High |
| Vendor | jar | package name | apache | Highest |
| Vendor | jar | package name | cli | Highest |
| Vendor | jar | package name | commons | Highest |
| Vendor | Manifest | build-jdk-spec | 17 | Low |
| Vendor | Manifest | bundle-docurl | https://commons.apache.org/proper/commons-cli/ | Low |
| Vendor | Manifest | bundle-symbolicname | org.apache.commons.cli | Medium |
| Vendor | Manifest | Implementation-Vendor | The Apache Software Foundation | High |
| Vendor | Manifest | Implementation-Vendor-Id | org.apache | Medium |
| Vendor | Manifest | multi-release | true | Low |

| | | | | |
|---|---|---|---|---|
| Vendor | Manifest | specification-vendor | The Apache Software Foundation | Low |
| Vendor | pom | artifactid | commons-cli | Low |
| Vendor | pom | developer email | bob@werken.com | Low |
| Vendor | pom | developer email | chtompki@apache.org | Low |
| Vendor | pom | developer email | ebourg@apache.org | Low |
| Vendor | pom | developer email | ggregory at apache.org | Low |
| Vendor | pom | developer email | jbjk@mac.com | Low |
| Vendor | pom | developer email | jstrachan@apache.org | Low |
| Vendor | pom | developer email | roxspring@imapmail.org | Low |
| Vendor | pom | developer email | tn@apache.org | Low |
| Vendor | pom | developer id | bob | Medium |
| Vendor | pom | developer id | chtompki | Medium |
| Vendor | pom | developer id | ebourg | Medium |
| Vendor | pom | developer id | ggregory | Medium |
| Vendor | pom | developer id | jkeyes | Medium |
| Vendor | pom | developer id | jstrachan | Medium |
| Vendor | pom | developer id | roxspring | Medium |
| Vendor | pom | developer id | tn | Medium |
| Vendor | pom | developer name | Bob McWhirter | Medium |
| Vendor | pom | developer name | Emmanuel Bourg | Medium |
| Vendor | pom | developer name | Gary Gregory | Medium |
| Vendor | pom | developer name | James Strachan | Medium |
| Vendor | pom | developer name | John Keyes | Medium |
| Vendor | pom | developer name | Rob Oxspring | Medium |
| Vendor | pom | developer name | Rob Tompkins | Medium |
| Vendor | pom | developer name | Thomas Neidhart | Medium |
| Vendor | pom | developer org | Ariane Software | Medium |
| Vendor | pom | developer org | Indigo Stone | Medium |
| Vendor | pom | developer org | integral Source | Medium |
| Vendor | pom | developer org | SpiritSoft, Inc. | Medium |
| Vendor | pom | developer org | The Apache Software Foundation | Medium |
| Vendor | pom | developer org | Werken | Medium |
| Vendor | pom | developer org URL | https://www.apache.org/ | Medium |
| Vendor | pom | groupid | commons-cli | Highest |

| | | | | |
|---|---|---|---|---|
| Vendor | pom | name | Apache Commons CLI | High |
| Vendor | pom | parent-artifactid | commons-parent | Low |
| Vendor | pom | parent-groupid | org.apache.commons | Medium |
| Vendor | pom | url | https://commons.apache.org/proper/commons-cli/ | Highest |
| Product | file | name | commons-cli | High |
| Product | jar | package name | apache | Highest |
| Product | jar | package name | cli | Highest |
| Product | jar | package name | commons | Highest |
| Product | Manifest | build-jdk-spec | 17 | Low |
| Product | Manifest | bundle-docurl | https://commons.apache.org/proper/commons-cli/ | Low |
| Product | Manifest | Bundle-Name | Apache Commons CLI | Medium |
| Product | Manifest | bundle-symbolicname | org.apache.commons.cli | Medium |
| Product | Manifest | Implementation-Title | Apache Commons CLI | High |
| Product | Manifest | multi-release | true | Low |
| Product | Manifest | specification-title | Apache Commons CLI | Medium |
| Product | pom | artifactid | commons-cli | Highest |
| Product | pom | developer email | bob@werken.com | Low |
| Product | pom | developer email | chtompki@apache.org | Low |
| Product | pom | developer email | ebourg@apache.org | Low |
| Product | pom | developer email | ggregory at apache.org | Low |
| Product | pom | developer email | jbjk@mac.com | Low |
| Product | pom | developer email | jstrachan@apache.org | Low |
| Product | pom | developer email | roxspring@imapmail.org | Low |
| Product | pom | developer email | tn@apache.org | Low |
| Product | pom | developer id | bob | Low |
| Product | pom | developer id | chtompki | Low |
| Product | pom | developer id | ebourg | Low |
| Product | pom | developer id | ggregory | Low |
| Product | pom | developer id | jkeyes | Low |
| Product | pom | developer id | jstrachan | Low |
| Product | pom | developer id | roxspring | Low |
| Product | pom | developer id | tn | Low |
| Product | pom | developer name | Bob McWhirter | Low |

| | | | | |
|---|---|---|---|---|
| Product | pom | developer name | Emmanuel Bourg | Low |
| Product | pom | developer name | Gary Gregory | Low |
| Product | pom | developer name | James Strachan | Low |
| Product | pom | developer name | John Keyes | Low |
| Product | pom | developer name | Rob Oxspring | Low |
| Product | pom | developer name | Rob Tompkins | Low |
| Product | pom | developer name | Thomas Neidhart | Low |
| Product | pom | developer org | Ariane Software | Low |
| Product | pom | developer org | Indigo Stone | Low |
| Product | pom | developer org | integral Source | Low |
| Product | pom | developer org | SpiritSoft, Inc. | Low |
| Product | pom | developer org | The Apache Software Foundation | Low |
| Product | pom | developer org | Werken | Low |
| Product | pom | developer org URL | https://www.apache.org/ | Low |
| Product | pom | groupid | commons-cli | Highest |
| Product | pom | name | Apache Commons CLI | High |
| Product | pom | parent-artifactid | commons-parent | Medium |
| Product | pom | parent-groupid | org.apache.commons | Medium |
| Product | pom | url | https://commons.apache.org/proper/commons-cli/ | Medium |
| Version | Manifest | Bundle-Version | 1.9.0 | High |
| Version | Manifest | Implementation-Version | 1.9.0 | High |
| Version | pom | parent-version | 1.9.0 | Low |
| Version | pom | version | 1.9.0 | Highest |

**Identifiers**

- pkg:maven/commons-cli/commons-cli@1.9.0 (*Confidence*:High)

## taskplanner.zip: cron-utils.jar

**Description:**

A Java library to parse, migrate and validate crons as well as describe them in human readable language

**License:**

Apache 2.0: http://www.apache.org/licenses/LICENSE-2.0.html

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/cron-utils.jar
**MD5:** 4c27537eecc6fa37ed5740b5383643c8
**SHA1:** 5d3738bc7a2eaa45a94a76c6e87af54a95414637
**SHA256:**02af0e8b2fe93c9fa6eecf97b53b39faae14c5b996356edb132e9fe620013744
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | cron-utils | High |
| Vendor | jar | package name | cron | Highest |
| Vendor | jar | package name | cronutils | Highest |
| Vendor | jar | package name | utils | Highest |
| Vendor | Manifest | automatic-module-name | com.cronutils | Medium |
| Vendor | Manifest | build-jdk-spec | 1.8 | Low |
| Vendor | Manifest | bundle-symbolicname | com.cronutils.cron-utils | Medium |
| Vendor | pom | artifactid | cron-utils | Low |
| Vendor | pom | developer id | jmrozanec | Medium |
| Vendor | pom | groupid | com.cronutils | Highest |
| Vendor | pom | name | cron-utils | High |
| Vendor | pom | url | http://cron-parser.com/ | Highest |
| Product | file | name | cron-utils | High |
| Product | jar | package name | cron | Highest |
| Product | jar | package name | cronutils | Highest |
| Product | jar | package name | utils | Highest |
| Product | Manifest | automatic-module-name | com.cronutils | Medium |
| Product | Manifest | build-jdk-spec | 1.8 | Low |
| Product | Manifest | Bundle-Name | cron-utils | Medium |
| Product | Manifest | bundle-symbolicname | com.cronutils.cron-utils | Medium |
| Product | pom | artifactid | cron-utils | Highest |

| | | | | |
|---|---|---|---|---|
| Product | pom | developer id | jmrozanec | Low |
| Product | pom | groupid | com.cronutils | Highest |
| Product | pom | name | cron-utils | High |
| Product | pom | url | http://cron-parser.com/ | Medium |
| Version | Manifest | Bundle-Version | 9.2.1 | High |
| Version | pom | version | 9.2.1 | Highest |

**Identifiers**

- pkg:maven/com.cronutils/cron-utils@9.2.1 (*Confidence*:High)
- cpe:2.3:a:cron-utils_project:cron-utils:9.2.1:*:*:*:*:*:*:* (*Confidence*:Highest) suppress
- cpe:2.3:a:utils_project:utils:9.2.1:*:*:*:*:*:*:* (*Confidence*:Highest) suppress

## taskplanner.zip: guava.jar

**Description:**

Guava is a suite of core and expanded libraries that include utility classes, Google's collections, I/O classes, and much more.

**License:**

http://www.apache.org/licenses/LICENSE-2.0.txt

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/guava.jar
**MD5:** 72920caab34426c5815e3b00f80e3b01
**SHA1:** e70a3268e6cd3e7d458aa15787ce6811c34e96ae
**SHA256:**f3d7f57f67fd622f4d468dfdd692b3a5e3909246c28017ac3263405f0fe617ed
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | guava | High |
| Vendor | jar | package name | google | Highest |
| Vendor | Manifest | build-jdk-spec | 11 | Low |
| Vendor | Manifest | bundle-docurl | https://github.com/google/guava/ | Low |
| Vendor | Manifest | bundle-symbolicname | com.google.guava | Medium |
| Vendor | Manifest | multi-release | true | Low |

| | | | | |
|---|---|---|---|---|
| Vendor | pom | artifactid | guava | Low |
| Vendor | pom | groupid | com.google.guava | Highest |
| Vendor | pom | name | Guava: Google Core Libraries for Java | High |
| Vendor | pom | parent-artifactid | guava-parent | Low |
| Vendor | pom | url | google/guava | Highest |
| Product | file | name | guava | High |
| Product | jar | package name | google | Highest |
| Product | Manifest | build-jdk-spec | 11 | Low |
| Product | Manifest | bundle-docurl | https://github.com/google/guava/ | Low |
| Product | Manifest | Bundle-Name | Guava: Google Core Libraries for Java | Medium |
| Product | Manifest | bundle-symbolicname | com.google.guava | Medium |
| Product | Manifest | multi-release | true | Low |
| Product | pom | artifactid | guava | Highest |
| Product | pom | groupid | com.google.guava | Highest |
| Product | pom | name | Guava: Google Core Libraries for Java | High |
| Product | pom | parent-artifactid | guava-parent | Medium |
| Product | pom | url | google/guava | High |
| Version | pom | version | 33.4.8-jre | Highest |

**Identifiers**

- pkg:maven/com.google.guava/guava@33.4.8-jre (*Confidence*:High)
- cpe:2.3:a:google:guava:33.4.8:*:*:*:*:*:*:* (*Confidence*:Highest) suppress

## taskplanner.zip: taskplanner-javadoc.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner-javadoc.jar
**MD5:** 33833c3c3394e3ccbbc83fc99115bfe9
**SHA1:** b21ef50b8ab38c3c30ab25834f03177c62b7e94e
**SHA256:**e003ed308b6141b51693fb1a411088d6723f65fbb8d760f1a634242c792520ca
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

| | | | | |
|---|---|---|---|---|
| Vendor | file | name | taskplanner-javadoc | High |
| Product | file | name | taskplanner-javadoc | High |

**Identifiers**

- **None**

## taskplanner.zip: taskplanner-javadoc.jar: member-search-index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner-javadoc.jar/member-search-index.js
**MD5:** 2c85a0e81afba508978fadcba5aa3460
**SHA1:** cb85238fca040dcfa240b4e4fbac2481b9befe54
**SHA256:**9643a71d4723befc56eb12c0202aa16dcc65c8ba1d822b54df799a66dbd3444c
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## taskplanner.zip: taskplanner-javadoc.jar: package-search-index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner-javadoc.jar/package-search-index.js
**MD5:** 664e97ca24dfa41c9d227a21aa0d43c5
**SHA1:** 4594dfafaa4e3780974c8476ea5a1ea1b9898f41
**SHA256:**d5638352f038b195118792e06962bd06f15b8ca6ebd6df9db669aa096012ec0d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## taskplanner.zip: taskplanner-javadoc.jar: type-search-index.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip /taskplanner-javadoc.jar/type-search-index.js
**MD5:** 403c03a0b80f39466847272fb5b2af44
**SHA1:** da5ea9b74d65f24c1b01b22f303270920f068cc0
**SHA256:**6088624051edbda398386cc066f7ef45d12fad739cafc76734b688ccd26fa4c8
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## taskplanner.zip: taskplanner.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip /taskplanner.jar
**MD5:** 656171d8989297b546dd4e3168e4100e
**SHA1:** 80632cabaea25ca3163ff47741b43f579c2f236a
**SHA256:**b74b9c1cdca8cc48758d556f0c0c184a818a21c1b3124ff173aaaecc881857f5
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | taskplanner | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | server | Low |
| Vendor | jar | package name | taskplanner | Low |
| Vendor | Manifest | built-date | 2025-12-01 12:53 | Low |
| Vendor | Manifest | implementation-group | shared | Low |

| | | | | |
|---|---|---|---|---|
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | taskplanner | High |
| Product | jar | package name | api | Low |
| Product | jar | package name | server | Low |
| Product | jar | package name | taskplanner | Highest |
| Product | jar | package name | taskplanner | Low |
| Product | Manifest | built-date | 2025-12-01 12:53 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | taskplanner | High |
| Product | Manifest | specification-title | taskplanner | Medium |
| Version | Manifest | Implementation-Version | 25.10.259 | High |

**Identifiers**

- **None**

## taskplanner.zip: taskplanner.jar: app.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/app.js
**MD5:** 22be8e86a9121096b162ff523e37842e
**SHA1:** cc6010fdc028f0b9c5c95def16c69e3bab116bf0
**SHA256:**511c001c378b9f9e28f261cafaa88892acb5a29743c50d5daf15dd869357bc0c
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## taskplanner.zip: taskplanner.jar: boolean.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/boolean.directive.js
**MD5:** 8dcbd2299e9082c7d30047c62d84fa7d
**SHA1:** 46e20aa1bd139542182a754edf0eaa8fa8684782
**SHA256:**f28e377c325d8ac419426606ae56bbb78e523210087910b9a595d87235d4eed0
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## taskplanner.zip: taskplanner.jar: colorField.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/colorField.directive.js
**MD5:** 6befac83d2b0754235fb738ada07b8db
**SHA1:** fa581823e83812639dd7a834b580619472492cff
**SHA256:**299ff7b917c507bb852d4c8f7a305e545c214806ae816b47aa9f2b37928a5154
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## taskplanner.zip: taskplanner.jar: controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/controller.js
**MD5:** 031cd3c1515d58fe90d61e8905e65d2e
**SHA1:** 0fe2d71ec83e6822e066eb8ba9aecea629185b7b
**SHA256:**6b9c7f1dbbe8280f9c67f96989edc4c1530630ef12d00bbfe2fded24094f0521
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## taskplanner.zip: taskplanner.jar: factory.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/factory.js
**MD5:** 2b26329c1c444c0c0c16d739621cd7f2
**SHA1:** 6c985723b3fa48ad6d46458232f1d16df14797c7
**SHA256:**41c2f7a18fdd00f11f848cd0e6a5ecfa8e3a0b6765299293e3f48f258b55efb1
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## taskplanner.zip: taskplanner.jar: filechooserAddonButton.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/filechooserAddonButton.directive.js
**MD5:** 1dbc17a2a4e1fc7930dda7d5d3e4630a

**SHA1:** 350be18d05b89c69fa3167a09822876d21a42143
**SHA256:**140100d27da0900d67a30dadcf9971ed9eff5c2787aa5814b930f986615c6abb
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## taskplanner.zip: taskplanner.jar: model.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/model.js
**MD5:** 97d28d6942b4bc22b121b554b5b9d36f
**SHA1:** 25ad1c5dac475ab3a13df6e6a2792d52e9fd29ca
**SHA256:**7bdd9f9c01104aa2dec6ba649ad42a0617e31cdb655b1a5920934fdd0a75519b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## taskplanner.zip: taskplanner.jar: numberRange.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/numberRange.directive.js
**MD5:** e98f0aec3fd059575c390f4488396764
**SHA1:** 5fb36b30f1022112f5da2a9373fa562859a8f05d
**SHA256:**2164d0a1c06a1750c41b3be860ade120946d0091f3f6c512241235601c3f74b6
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## taskplanner.zip: taskplanner.jar: numberWrapper.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/numberWrapper.directive.js
**MD5:** c71128c3dac942fc1d5d488562b727a0
**SHA1:** 51e1419abd22f7f48debceb976752bfec46e36f4
**SHA256:**3c3f6b8e5bcc8bf32a3cf2192a10de8472100d195cc2b08c4ff860a0dcb9bacf
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## taskplanner.zip: taskplanner.jar: passwordTextField.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/passwordTextField.directive.js
**MD5:** 3c1bcad68930caf2fa88697134624473
**SHA1:** 6c25ac7bd32b0c40b2202c9dc43f83842c55f846
**SHA256:**4620ce8c28a46c1675c50490a25f14d481e8910a7b3687a4bb712d73c80f3d73
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## taskplanner.zip: taskplanner.jar: renderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/renderer.directive.js
**MD5:** 3e232b940bcd532e99c88f5b95bf60b2
**SHA1:** a051ce6df82ad9673fc1b23bafc3670d70bb4cac
**SHA256:**b930dc86802f4307b5f6d4671f27dac5bd85d5766f32567f5479ecc9077bf5a3
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## taskplanner.zip: taskplanner.jar: simpleCurrencyField.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleCurrencyField.directive.js
**MD5:** 54ae56c2f76e7b601b9e9785dc51a623
**SHA1:** af05845b893807b4460bc65fa189700abcb4dc82
**SHA256:**847d6da58f5887edac53896e6bec4dde5b293a08a8ac6e421aa2847991f3b877
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## taskplanner.zip: taskplanner.jar: simpleDateTimeField.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleDateTimeField.directive.js
**MD5:** 53d33b9956ea6ffea7cb1fef5e878961
**SHA1:** 2388423f76a1b38cb2e5729e57a113245e1d3f2d
**SHA256:**7cbb2507fe22dfec607af8d76d85317a395c3ebb98e31ec9be26e73350dbcd9f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## taskplanner.zip: taskplanner.jar: simpleFileFolderField.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleFileFolderField.directive.js
**MD5:** 76de6683bc2d43547059d2f746b9524f
**SHA1:** c6ce84f2d2a89f07c4f05e95137abcdade89cec5
**SHA256:**7e15aca0687784f1221b8c76328af4d013a0a1573a56232d880c4b60cd3311a0
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## taskplanner.zip: taskplanner.jar: simpleGroup.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleGroup.directive.js
**MD5:** d69a3c1dd5569172999325602506517f

**SHA1:** 780808312f5a19e0b6726453655b1911dde585bc
**SHA256:**4eada3908c9db4213e058eb378f9f7f28e7e96e0ee3de2817f5d408b88176dc5
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## taskplanner.zip: taskplanner.jar: simpleLabel.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleLabel.directive.js
**MD5:** ecbe7da1cc7d51e0bd4e73e7c2fad4df
**SHA1:** d16a32bb34f1ff4d0f4740a06660ed72f4eca1fc
**SHA256:**2b533fa13f74789de6b02fb037bfd7eae3b8b6e7d0f851a66f57739f565fd453
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## taskplanner.zip: taskplanner.jar: simpleLink.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleLink.directive.js
**MD5:** 525dc45cb1886c4808186e1094480bba
**SHA1:** 7198a40b645128e0495d6d04c008b31b37faf827
**SHA256:**7f2b60bda8c8e3938f9e8762c000606909ba0411aa784a202c93a1b2371cd82e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## taskplanner.zip: taskplanner.jar: simpleSelect.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleSelect.directive.js
**MD5:** e54a750acec037585e380229a6b74b39
**SHA1:** a6323f355bb4da4cdcac24be2572fec96332bfa8
**SHA256:**39d6b66fe24beb027a1445157af449f17a51069e0887603b4eaf624474b5ee6c
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## taskplanner.zip: taskplanner.jar: simpleTextField.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleTextField.directive.js
**MD5:** 998a4b2340386c5ff39fd74451642547
**SHA1:** b0025705125d1a18bec3624d0eb34176bb332c9d
**SHA256:**8a7ad2a61dbd1c78565a7626a8c100523c97984be77d431929041f19e2f24c1c
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## taskplanner.zip: taskplanner.jar: stringTable.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/stringTable.directive.js
**MD5:** 2731ad8625d24769bc3f9727361b4d6f
**SHA1:** d0c7a2e05d815252c80a51064ffe4d66f0d18843
**SHA256:**db785a8486fd5f45ef2a56d1d977afa0b445bf4491e1b429a9863c46e5a2d35a
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## taskplanner.zip: taskplanner.jar: taskplanner_maintenance.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/maintenance/taskplanner_maintenance.js
**MD5:** c4330ed5aced8829454f0e8893f8725c
**SHA1:** 178b4ecba1c10e50c162c7e09dc5f4b643303508
**SHA256:**3ba039d8a74f4fd350441ef7a9f1f98322eb951887ee1635c7d78c66c8908b53
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## taskplanner.zip: taskplanner.jar: textAreaField.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/textAreaField.directive.js
**MD5:** 46bf6266b3aa8c7d331c34aa58185b2d
**SHA1:** f6348f31ef689122ec81b2dac2455e15f4b561e6
**SHA256:**4f679ccc7d9fdb172764575fb3e9fdfbb3cb21d370b3adcf06b17fd7326f877b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## theme.zip: theme.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/theme.zip/theme.jar
**MD5:** ae66336bd0ed3ed69de0b8aa2d2f973e
**SHA1:** 82005b329aa0122ebae9340f5b848a5dd1b156f8
**SHA256:**149c418aac603b611f698d93a16a21181cdf2bbe61113ddaf8d3143d1a6e1bf7
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | theme | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | server | Low |
| Vendor | jar | package name | theme | Low |
| Vendor | Manifest | built-date | 2025-12-01 12:46 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |

| | | | | |
|---|---|---|---|---|
| Product | file | name | theme | High |
| Product | jar | package name | server | Low |
| Product | jar | package name | theme | Highest |
| Product | jar | package name | theme | Low |
| Product | Manifest | built-date | 2025-12-01 12:46 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | theme | High |
| Product | Manifest | specification-title | theme | Medium |
| Version | Manifest | Implementation-Version | 25.10.259 | High |

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar
**MD5:** 0cfbb9d83b00fcc2d163239a9e5e31f3
**SHA1:** 6d4c1b3b200b930cf0cc4cd7804e63f0c530ff25
**SHA256:**4399d001867e8a358ebcbe43b53ca7af9f144d79a691043dc02debee9efc4201
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | ticketlist | High |
| Vendor | jar | package name | helpdesk | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | plugins | Low |
| Vendor | Manifest | built-date | 2025-12-01 15:42 | Low |
| Vendor | Manifest | implementation-group | helpdesk | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |

| | | | | |
|---|---|---|---|---|
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | ticketlist | High |
| Product | jar | package name | helpdesk | Highest |
| Product | jar | package name | helpdesk | Low |
| Product | jar | package name | plugins | Low |
| Product | jar | package name | ticketlist | Highest |
| Product | jar | package name | ticketlist | Low |
| Product | Manifest | built-date | 2025-12-01 15:42 | Low |
| Product | Manifest | implementation-group | helpdesk | Low |
| Product | Manifest | Implementation-Title | ticketlist | High |
| Product | Manifest | specification-title | ticketlist | Medium |
| Version | jar | package name | helpdesk | Highest |
| Version | Manifest | Implementation-Version | 25.10.259 | High |

**Identifiers**

- cpe:2.3:a:inetsoftware:helpdesk:25.10.259:*:*:*:*:*:*:* (*Confidence*:Low) suppress

## ticketlist.zip: ticketlist.jar: annotationextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/extensions/annotationextension.js
**MD5:** 1e6414569e9b4c2530828fb946cf6b6a
**SHA1:** 84e16216dee5b924f1f580f4c4c2f5c428a416a1
**SHA256:**7456433ebf7ab221917c0f0c40a1f53bd66ee4488e13829fb7cc859c437a6b1b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: applyactionfieldrenderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketmanipulation/applyactionfieldrenderer.js
**MD5:** 9fd135b5b302ac43e5f114fec70c171a
**SHA1:** 286ed2dae5d27bf1eb0121f2f138f3c98c8fa3a8
**SHA256:**3561aee6ee3af3225a313651b2f42541229c7f7ab5520fd3be84acc5806a7a84
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: arearenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer/arearenderer.directive.js
**MD5:** 92a497f58608130db2130f2a1e233cf9
**SHA1:** fd07751d7f757fdf2641e8722f5019288a28e1e1
**SHA256:**22aff422d002c6b305b6a7a4772e23d1aaf64de81fddce63271076b03d543320
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: attachmentsextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/extensions/attachmentsextension.js
**MD5:** 4f40840cc0eb2be4fb2f83d23099f2e5
**SHA1:** fc19be141473ee3ce521094a1095d8807cd00731
**SHA256:**05ec5c1183b1e040b79eee352d1e671857548e537bc215615072a7da1ec3e4d6
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: booleanrenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer/booleanrenderer.directive.js
**MD5:** c55c1011d6b4c6af5ff9ff740b0be20f
**SHA1:** 90e9009f928026d9131c75bc8e16cb563e855c50
**SHA256:**4be51693942b4b865400f691d23adf3a441d49c9216a678ab9056bdee7d203b2
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: cardobserver.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketlistlayout/cardobserver.js
**MD5:** 061c3768ae6a5b61f411b95b4e03979f

**SHA1:** e76da2c8840e9b45654eb473936be10096cfcbcb
**SHA256:**ad5865f7e57dda98c5df9f329fce841d67cfbdab41a2a327a4d73b854d687e50
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: controllerTicketViewSortSettings.controller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketviewsortsettings/controllerTicketViewSortSettings.controller.js
**MD5:** dba87df06547bc6822fddc941bed19a7
**SHA1:** 9c185d90502aa0f40a0e36bdab5b7739df18b373
**SHA256:**88e21bcc0990b341ac0f5f7ba4477ee5a9bdc46dcbdd4545f9102e82cdd545b1
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: currencyrenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer/currencyrenderer.directive.js
**MD5:** f9f712df1a9c7c8516de0300bf8753d8
**SHA1:** c9094be1b1307f600a4131bbc9dcc4413e1c9ad3
**SHA256:**a7d7210b8d2af98b690b342aa1002d06364820e31d2ff06ab9c9b8e265555fa6
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: daterenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer/daterenderer.directive.js
**MD5:** 21226e06def7a5d08b0bb3475d791b8b
**SHA1:** 2c8bdba7ffe603242df49f1a42e9a052233e44f8
**SHA256:**fa927868ecaf4758a4ba01c3bce0abeae8132429353e8f502cc6c0777e17d9c6
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: doublerenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer/doublerenderer.directive.js
**MD5:** 3157052cc5a6cbd2400e62c904df0319
**SHA1:** faad09d68d9a54395fd245961e0a132ae36d6ded
**SHA256:**0c822624ba07ff1a764e6dea5280dffbfb6c6ecc15dbc9e6768f8cf9a8f8734e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: draganddrop.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/sorter/draganddrop.js
**MD5:** 155dd08e39b79c2ab4b8aad44af61088
**SHA1:** a4249334d3cbf9da6ab084066ce824c63314ec5c
**SHA256:**81d64cf839480f265428e50b8819819f22cbf2ed4e9b629d8272ca835f107a9f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: expertlayout.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketlistlayout/expertlayout.js
**MD5:** 8f8ed9c8c978c50b2892c6c5e8cd72a5
**SHA1:** 08a30738b3b58aa29c8df3062ae5b27363fbed0d
**SHA256:**b964f97c31a3853342f8325fb8bfe7404577f218fe73992efa44bccbc583f558
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: extendedpagelayout.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpagelayout/extendedpagelayout.js
**MD5:** bb47ea667d3aac8b3b23be107177d460
**SHA1:** 460009a2820e7b9afe2c16a1b7538423251afe8e
**SHA256:**95ee4d5138194ca37fb73684684578ffb562d0f0f222022d0d2fcdf240cc4097
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: fullviewpagelayout.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpagelayout/fullviewpagelayout.js
**MD5:** d969ef60417ecdf6a0c12a84b3f77fc1
**SHA1:** f93b6f7d3a26a8b239849737cebd43130655d979
**SHA256:**2b8572d62b447ebeb0273bbd0c94b2294a1fd522ee16b3bca7ac54fad7e0d873
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: htmleditorrenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer/htmleditorrenderer.directive.js
**MD5:** 4d803462fd26062d8a564c1e84e54619

**SHA1:** e32aafcace08b5f0cf93eea7a31ab8f38b089b45
**SHA256:**b401f8e15be12823a684950fddd37c751bc08451564da1e084050c361ff77ffc
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: inputrenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer/inputrenderer.directive.js
**MD5:** c79c1493ddc14a7271c694d83be3de3b
**SHA1:** 00bf4b523c19c42a190b9e4f7ac44c87486bffac
**SHA256:**f82febed05cebac8f70b6ea2e32440fc168ca3bdc1eaae4ff9ec5d3efb2fd42b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: integerrenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer/integerrenderer.directive.js
**MD5:** ed310096c56c733c5fa51a11e3c9f68e
**SHA1:** f3071527fa1459d7aaa52686aea377577fa0cb1a
**SHA256:**602e022f2439b1e2d9edfb2e12549af6119d656d0a4468665d1b65438941176d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: itilselectrenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer/itilselectrenderer.directive.js
**MD5:** 0d9d77023491fea47cfe54434882c04f
**SHA1:** 54ec29d8c597cf7b6e1116cc3ebb880dfbc4799f
**SHA256:**02c1b734f9c8e435480c19c54d43cc0b35c23e26650261c21e4da3a83c1e7225
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: linksextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/extensions/linksextension.js
**MD5:** 2e1cadd6a10881dd97792da36c1c1753
**SHA1:** 4729050fc3d518ea19fb2c637d2a9e89de3a457e
**SHA256:**5ba1a0a062f1550d3ab360558e086a54e81fe68a4a17a8578c0366174f631ed1
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: newticket.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketcreation/newticket.js
**MD5:** bbacf44c46cfa9e5b8b000466ce493c7
**SHA1:** 192ef17d95b6f733c5d8313525dd3d56e43eb8fe
**SHA256:**ae47ddb2b29ad90624163938cd1c360bad9bdb5856c36128385c78474ba4d6a9
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: ownerrenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer/ownerrenderer.directive.js
**MD5:** f7f1745b5e75bb9494094e6f96422c31
**SHA1:** d759cf0651b2d0d29de9533c557b49a4f3c6ef2b
**SHA256:**10e156fba8168bae503e39b189cdff814173d87bd1746356f574af3cb7a65998
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: print.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/print/print.js
**MD5:** a3beb2abea0f9216df79466b89452203
**SHA1:** 6ec4ff639da51dfa0c856fd420b77b91c21353ca
**SHA256:**aca78eabb7a7cfb0efb557ae22d5440944658e52ecef2191296ddcfe8133ff09
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: ratingrenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer/ratingrenderer.directive.js
**MD5:** 8515102e0e2f4a50761e61d49d45161d
**SHA1:** 65dc1b65ccb2e3aacddaa192cedf82b735711090
**SHA256:**098805a88b8e118b0bc1c91f7aaab08ecb267b0831ffe94ffc88c72e27474a6a
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: relativeabsolutedateswitcher.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer/relativeabsolutedateswitcher.directive.js
**MD5:** 118413aabffebdb0f9dd3989eff7dbdd

**SHA1:** d7f301cd9ca62112eb57790879b5421e8dedb59a
**SHA256:**02ec820b8a3eeaeccb7529c932f6979fc9468dbb26513e92332960785b033f3a
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: relativetimerenderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketmanipulation/relativetimerenderer.js
**MD5:** 2d2bd20db181fcc2d0d02a3670bfe8a0
**SHA1:** 88923031bd6be947ee61d6a5fcc7db6365d125fe
**SHA256:**ebb9f043c5c200e42f06c29861dae6f4606c095143a262119d053e9a9b2683f7
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: resizeableColumn.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketlist/resizeableColumn.js
**MD5:** 55b909ff6d7c1f42d85ba543d77f3b29
**SHA1:** 2d9dcae73dc0ada105c41ef40efacff01fda70a2
**SHA256:**446ff06f0416d4cd765f5922c5915a097596c9a4fc0fe8885c61a3e920317aad
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: selectionCountBadge.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketlist/selectionCountBadge.js
**MD5:** e433163fcbd8884e0b89493b9ab1c80a
**SHA1:** efa6091e8e2e696e9a706f879b16ec804b7f85aa
**SHA256:**eed812ab7fe1cef13eba59185d88b5d7b0c35e0b79b2fbd31fffc233e2e09f6c
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: selectmultirenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer/selectmultirenderer.directive.js
**MD5:** 71bc056a83b8eaa07f030a6bf12700f5
**SHA1:** acee74dbdffd7a9c46e835277dd3c9909fedca38
**SHA256:**a7dd80b181cfb139f94fc3a75d408694805313218bc265ec7f4b9738273b43d4
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: selectrenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer/selectrenderer.directive.js
**MD5:** d854d6358954fb6eb11becbe3b665244
**SHA1:** ae7a4ffd4588070587eff84113fd525d4f4b107a
**SHA256:**73e341945ca88d105a0abd94abf37d423cb735472b355570de6498f520b2474a
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: sorter.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/sorter/sorter.js
**MD5:** 2f33f440b9e71cdb31a6a52434686c59
**SHA1:** d9aa8c469563271f12e3ccdcf7a180261ee68d21
**SHA256:**684bc58c8fff89ef6e5cd29c898c636c6bddf0dd2de7202919f29f969d26df40
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: stopwatch.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/stopwatch/stopwatch.js
**MD5:** 21b1ad3d4f338eae67979c3b3b1bc30b
**SHA1:** 68139316c192343ef8d1a56a464630f302e2ddc5
**SHA256:**bfd0d6516064171509949552a16cce5c410e811a744246b31f272ed4394d0fad
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: tabspagelayout.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpagelayout/tabspagelayout.js
**MD5:** 8977127307b429237d4edf3b4e31d7d2
**SHA1:** ccb3e69248ff25b862e11f0b5bee61891e5bc82d
**SHA256:**c26f3ebb05d893a00325346a3285e90543f757cb0dd717e49141d1ade7410386
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: ticketattachment.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/ticketattachment.js
**MD5:** ed07723bf218afeef0a49ecd20f69823

**SHA1:** f900117c3c774bb5f6ed2407eb3822470c87652f
**SHA256:**a5b683c848ef0dbc6259eecd0e84886f8bd6339bb5a16647c53fc79f3ee1bae0
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: ticketdetailsextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/extensions/ticketdetailsextension.js
**MD5:** 631964e80d214693a1f5b5a025f69e36
**SHA1:** c5eed241fded12d02d404bc9c27f00046bfaa840
**SHA256:**5dc799decf76314309bc9858ec049ca4004ed486c3d6de62153dfff63502b6e8
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: ticketeditor.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketmanipulation/ticketeditor.js
**MD5:** db5416df55b9b0c8560d5e3a6df66085
**SHA1:** 24bdc3c1bad350f54d692ffa3653c228cce7a34c
**SHA256:**d411b8fd5d605a509dd68eb2d0547bf6efa63f3a87b8de2638ccf30c6695f583
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: ticketfactory.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketfactory.js
**MD5:** 3999efcee3a99bfd82538657ff23e36a
**SHA1:** c9d6876f86665afbbd684982013cb01e828fabc7
**SHA256:**e035e77ffe7137ed4798658117f224c1541284697ffdbc0f19a7faaa162d1120
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: ticketfieldrenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer/ticketfieldrenderer.directive.js
**MD5:** 7696325b88afe6ece5252976de31de23
**SHA1:** 43ae36d413f743ee204ea8b9f60e3297ac2c49ff
**SHA256:**13e7ed838a535d8497f397cd2d39576dd0c91206bf5190d1322d6c7d4d2a273e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: ticketlist.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketlist/ticketlist.js
**MD5:** 4cfdceed789f21866a7aefc89753d296
**SHA1:** e886603b8fe1ea24ecebd5c5f6c90f8b7665a7d2
**SHA256:**1a56b855c892bb5315f6283f6805885a0f8b2404b00ce688a4851e1ad6a281c8
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: ticketlistadditionalcomponents.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketlist/ticketlistadditionalcomponents.js
**MD5:** 032a2e02aecd63882ac4d8b337f5276f
**SHA1:** 7481b7bdc4a20e5040cbeaf71c979c0321dbfcc4
**SHA256:**8b1ba806777b676382c2024da23c7c5ffb63cae73bd7989620ee2f348b55311f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: ticketlistapp.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketlistapp.js
**MD5:** 22fa5cce19ed074a1d9aeeddc9352f4c
**SHA1:** 0502737b450371b60c0d20c066742ec928f8d400
**SHA256:**5008f8bf9d4933bfec205adcf68860733048d43e22469fcf5fbd2fec1a1169cf
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: ticketlistapplyaction.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketmanipulation/ticketlistapplyaction.js
**MD5:** 3a6feaf3519853bb857111c2532027b7
**SHA1:** dd2d5e295b908354c5af56ccd05a3f63d2990627
**SHA256:**31eff96f77b201d87f0cbef862656ff7f932e7e91876f7db442bebfc81decb2a
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: ticketlisteditproperties.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketmanipulation/ticketlisteditproperties.js
**MD5:** c77a10b509ba41edaace91b309bdb958

**SHA1:** 4ad55f35fbb3c284ea929f2642a6e4f842e84890
**SHA256:**41a84b60bea6c4a16c397169a75662961508751f7996020ca31780086187b7ff
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: ticketlistlayoutsettings.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketlistlayout/ticketlistlayoutsettings.js
**MD5:** 9b973516da3532defad792b9021ba431
**SHA1:** 7743eefb0ada281a097d118eb308f468c43fecdb
**SHA256:**00cfab68f199afb8ba4e68f8740150077ccbb7b161718ff9a4315c250ce3b15b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: ticketmodel.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketmodel.js
**MD5:** aaf18efdcf2966657010364852de95f7
**SHA1:** 14ba567eba9e69968df063d421574b31c1e1ea52
**SHA256:**5964b816c70180b2691774ef1de74696cc74173fd9a2a21791dbfa0672ef778d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: ticketownerextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/extensions/ticketownerextension.js
**MD5:** 55f478ad1c7e5078ab48659180f4b338
**SHA1:** c360bf8cc8633cfdd34393d10a67b59459c01eaf
**SHA256:**21cd8e04c85856cd45a03eef3f1c60c4bccb863949a0f495d2a51c3de698001a
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: ticketpage.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/ticketpage.js
**MD5:** e048f4b582623079c3ace59361a588db
**SHA1:** 19a09f922b4c096159f7177b2af6409fea7d1c3c
**SHA256:**2a5343424c784c7156d9c03e715c051016035578f4b9af7f565dbb3cc11cd240
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: ticketpageheader.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/ticketpageheader.js
**MD5:** 5aaf97952c82527f995d751dea9758c4
**SHA1:** eadb3c9bb3518c17158d95f841d0f333240226c5
**SHA256:**f54fa01aeff425286eae982af569a4ade5c96d58708df3041421e01a3a14216f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: ticketpagehintsextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/extensions/ticketpagehintsextension.js
**MD5:** 6cc32885f99b6a6f2228a90ad6ce5f84
**SHA1:** d0845be17e612a888d6e431ed46eda5b1a013a65
**SHA256:**99262eb53a8121b62a370bbc0d2925637d96acb510a8f6c95a6cacb5ff3e2cda
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: ticketpagelayoutsettings.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpagelayout/ticketpagelayoutsettings.js
**MD5:** 62a9e39c34a38824464e4a8363f1031e
**SHA1:** 46df2f93cb17d730b3cd5f66e841bb64f944e3ed
**SHA256:**1034eaee3fe1cd2e8bec2a05787cf8f061058b97e65807b2d7131593b4426b97
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: ticketpagesteps.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/ticketpagesteps.js
**MD5:** 5c924a6549b15768d2e0fb9c3aa19cdb
**SHA1:** 4866107f1cec7040b76769d2260117132ec617c5
**SHA256:**e6e8e2d6e4a34dc78ad592704a17502d79fede3903aab92e471116d865cc4106
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: ticketpreview.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpreview/ticketpreview.js
**MD5:** 0084bfa8c084b5551473182c49ad9457

**SHA1:** 34945d5608459acf06f12fb43009a73f16313ccb
**SHA256:**9b6581d175fd5ac2ab9575be3256772a05a9410bc0ae6bdd8d81d152d1098930
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: ticketproperties.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketmanipulation/ticketproperties.js
**MD5:** 3dd182cd6f65ec5b3cbcffd0e6830dc0
**SHA1:** 839d1ffa2a05c58473da8c3522a42471ac46dc1b
**SHA256:**d781eabc8c6fedcc67daa6cb0c5180b4cb06f3dbe418c8f504d2ed642b89145f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: ticketrenderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketrenderer.js
**MD5:** 1f6de71539d842a5655444d6b45f5aba
**SHA1:** f806f105cf063f6f3965e998c19048eb965c7e5a
**SHA256:**ec1d44c019c99f885b30a6c1d40b2785176426a33b4d83b5e45eab538ee9062b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: ticketsharing.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/ticketsharing.js
**MD5:** e9818ee4849ffe56f4b419d746e65ab0
**SHA1:** 8e405ab1b83e995141ad18fbb0c02cdac19cedb1
**SHA256:**2ea3d3a56d8b208c0ed5bb62a7906af15270c08dd3975d0ef53272276a84aa3f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: ticketviewsMember.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketviewsortsettings/ticketviewsMember.directive.js
**MD5:** 886aea89fe103f6b8fe441afdfbddf97
**SHA1:** db4569f1fc30afcb8d5502efd958840d2629fd52
**SHA256:**43104065cd2e6f730e4c66729a268e9e37966a94095aecf1eb9e62716033d5df
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: timelineextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/extensions/timelineextension.js
**MD5:** dadbecac94ff1347179a8b439e5c6fbe
**SHA1:** bab05d689b7986085b5a7972d5b4ca38fc12d384
**SHA256:**0e788638e485265e0580faf94ed7d0b3acaa974da393172fe961c66b54864e2b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketlist.zip: ticketlist.jar: userticketshistoryextension.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketlist.zip/ticketlist.jar/com/inet/helpdesk/plugins/ticketlist/client/ticketpage/extensions/userticketshistoryextension.js
**MD5:** d4c7284d3df93189ee704e14fa10be11
**SHA1:** b53608c1ec0f7b65547b7cab9155f7e439cb7dfc
**SHA256:**86a041f1fac94cf0ba747d7218b1ec248adf1a709bb1cbb4e02aa924cd8ce9f4
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketprocess.zip: ticketprocess.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketprocess.zip/ticketprocess.jar
**MD5:** d6b7d88031d6bdf9287e8fa963ce9e40
**SHA1:** 1d73b64ac698b70645b455df834e5089790816ae
**SHA256:**04e50c2763029d1f9d2deffbe8d07575375e7254d198534e792ad57f96cf3505
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | ticketprocess | High |
| Vendor | jar | package name | helpdesk | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | plugins | Low |
| Vendor | Manifest | built-date | 2025-12-01 15:42 | Low |
| Vendor | Manifest | implementation-group | helpdesk | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | ticketprocess | High |
| Product | jar | package name | helpdesk | Highest |
| Product | jar | package name | helpdesk | Low |
| Product | jar | package name | plugins | Low |
| Product | jar | package name | ticketprocess | Highest |
| Product | jar | package name | ticketprocess | Low |
| Product | Manifest | built-date | 2025-12-01 15:42 | Low |
| Product | Manifest | implementation-group | helpdesk | Low |
| Product | Manifest | Implementation-Title | ticketprocess | High |
| Product | Manifest | specification-title | ticketprocess | Medium |
| Version | jar | package name | helpdesk | Highest |
| Version | Manifest | Implementation-Version | 25.10.259 | High |

**Identifiers**

- cpe:2.3:a:inetsoftware:helpdesk:25.10.259:*:*:*:*:*:*:* (*Confidence*:Low) suppress

## ticketprocess.zip: ticketprocess.jar: applyProcessRenderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketprocess.zip/ticketprocess.jar/com/inet/helpdesk/plugins/ticketprocess/client/js/applyProcessRenderer.js
**MD5:** f4a8de33cdb14daf9fff2a17d4f1f756
**SHA1:** d60976a322a815d23fa61fd10b3ee4d93cc2d2bf
**SHA256:**193a8ace1973c9776decd40022c82ca1d0e95d38774aa154178cb6fb2f1110d1
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketprocess.zip: ticketprocess.jar: configuration.ticketprocess.edit.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketprocess.zip/ticketprocess.jar/com/inet/helpdesk/plugins/ticketprocess/client/js/configuration.ticketprocess.edit.js
**MD5:** d9bb699877a490cf2f2299bbf5d4caf3
**SHA1:** ff8c07ab93b4b2acf132f395319803045a6a62a6
**SHA256:**171adda9a85c79bbc4308b96c58460a2b7c6b06f3a2699d0d0d5551cbaa3d7fc
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketprocess.zip: ticketprocess.jar: configuration.ticketprocess.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketprocess.zip/ticketprocess.jar/com/inet/helpdesk/plugins/ticketprocess/client/js/configuration.ticketprocess.js
**MD5:** 4f4e85a63abb6b0cf2c353041d6ec3e0
**SHA1:** 0d5941359e7539b29028cbb0a52635a39e33df4b
**SHA256:**d3a1109cb761acfa883104067c092b77b75cd9e1415abe42f93d6afd3a0196db
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketprocess.zip: ticketprocess.jar: ticketlist.ticketprocess.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketprocess.zip/ticketprocess.jar/com/inet/helpdesk/plugins/ticketprocess/client/js/ticketlist.ticketprocess.js
**MD5:** 75460890099cbef09968aaf7aedc8cd8
**SHA1:** e3105cbc36228b0d71662de31ee500177b72eb24
**SHA256:**d1ef3764744b7fb4fb6329a5b30631be201f4bb9fbe1f4ec590439a696d33aa5
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketprocess.zip: ticketprocess.jar: ticketprocess.changeticketprocess.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketprocess.zip/ticketprocess.jar

/com/inet/helpdesk/plugins/ticketprocess/client/js/ticketprocess.changeticketprocess.js
**MD5:** 4dabd73527cadc6f6b6299bac53654c5
**SHA1:** bbb8dbe11fac53fae372ae3616d5bd6884faa85b
**SHA256:**7e82f55befea143b2dffd7d953001ae6cc2c825577fdf5f43d851e37daa2d087
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketprocess.zip: ticketprocess.jar: ticketprocess.parallelticket.preview.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketprocess.zip/ticketprocess.jar/com/inet/helpdesk/plugins/ticketprocess/client/js/ticketprocess.parallelticket.preview.js
**MD5:** 9770111135de6942abf7e9d70d0b8f51
**SHA1:** 03f929750cc5b9d8a2b9f7c2e88b26b15563c1f2
**SHA256:**4894ab0bb3b03c24ef617d2989595d31ad34543a111c6047d8764d46c9406b3e
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketprocess.zip: ticketprocess.jar: ticketprocessdirectives.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketprocess.zip/ticketprocess.jar/com/inet/helpdesk/plugins/ticketprocess/client/js/ticketprocessdirectives.js
**MD5:** 755e036d9d42f62d70f74ab0c2d6f716
**SHA1:** 34f4f17687706204c91c3b2cb67558a4d3a675cb
**SHA256:**62cab84d5200b18ee6dbab683c4150714b2a784077219f3870893d153394936d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketprocess.zip: ticketprocess.jar: ticketprocessfactory.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketprocess.zip/ticketprocess.jar/com/inet/helpdesk/plugins/ticketprocess/client/js/ticketprocessfactory.js
**MD5:** b823161f0d8527e67533ae11eeb8e9b4
**SHA1:** b05ec7e26af676a09b0926fc8cd14a031ac3e162
**SHA256:**3808e0c16eaf3fbe4b60307e5caa673180b4daec861b6f32b7883858cf284fa8
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ticketprocess.zip: ticketprocess.jar: ticketprocessmodel.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/plugins/ticketprocess.zip/ticketprocess.jar/com/inet/helpdesk/plugins/ticketprocess/client/js/ticketprocessmodel.js
**MD5:** f53cbbbf7a7c33f512eccf915a4196e4
**SHA1:** d8d813caf6e60ffbcb8dd50f5727130c47d6bd0d
**SHA256:**f66c69cc3e0909e92174a0d9eea5424229c0bebcd1aaa8b5c1b01cdd426e4378
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## usersandgroupsmanager.zip: usersandgroupsmanager.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar
**MD5:** f9d4a1b20ed5923054fc31247034f931
**SHA1:** 5f09ad136aa0c9fc3d6254f64c08ad112adecedb
**SHA256:**793e786679d83d074199d864a2442bdf15a31e3b7ba2f8a42657f2ea4c2ec841
**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | usersandgroupsmanager | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | server | Low |
| Vendor | jar | package name | usersandgroupsmanager | Low |
| Vendor | Manifest | built-date | 2025-12-01 13:18 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | usersandgroupsmanager | High |
| Product | jar | package name | server | Low |
| Product | jar | package name | usersandgroupsmanager | Highest |
| Product | jar | package name | usersandgroupsmanager | Low |
| Product | Manifest | built-date | 2025-12-01 13:18 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | usersandgroupsmanager | High |
| Product | Manifest | specification-title | usersandgroupsmanager | Medium |
| Version | Manifest | Implementation- | 25.10.259 | High |

| | | | | |
|---|---|---|---|---|
| | | Version | | |

**Identifiers**

- **None**

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeAccountSettingsRenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeAccountSettingsRenderer.directive.js
**MD5:** 136a634e0236a238529acf990312d10e
**SHA1:** 75518847c3c3aa3737e31149c6834bb6c40f4606
**SHA256:**9901a11fad82515fe2425d4f07163b716e8dfa8233196e7fcdc8f21b3aca6817
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeBooleanRenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeBooleanRenderer.directive.js
**MD5:** e6bb2b0218c39ede42d1779e09d0b306
**SHA1:** bfedb33d3a2d6896458956fdc4209692d43e0d02
**SHA256:**7e4281e4831ef87da9cf9e032009349bcf48c35a0b2769e742a978cdda8de750
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeCommaSeparatedRenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeCommaSeparatedRenderer.directive.js
**MD5:** c951e088eb99044087cb876a2ad80f5c
**SHA1:** f2b74d24949b8a35f38a36bbff7f12a73c939305
**SHA256:**fffae5f607dd4f6b565ae943bb15075423a58f6601346c1fc670985cd1da7f9b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeCurrencyRenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeCurrencyRenderer.directive.js
**MD5:** 64550819586104467e438b403590e32a
**SHA1:** e6c4957a7648c8baa484227d04cad8a186aac008
**SHA256:**e8d9d2cffbcd1355ea33fe7d3615a95c3cef34b5be3445be5fe9bddd1b54b38f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeDateRenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeDateRenderer.directive.js
**MD5:** 44f37b8866281fc7c293da24a2c85a70
**SHA1:** 90bf5ee3414c0b14352fece7ff49252f0993ee34
**SHA256:**3cd49a8b48976c1456092476ff9e09678ade7ec6909c5e0f59f6f570b92c4256
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeDoubleRenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeDoubleRenderer.directive.js
**MD5:** 65ddc17ce6fe22f66db3066174836be4
**SHA1:** a6f9bedc7c489f3e0f3b4ff366e2f892a08bf29c
**SHA256:**ec52f2531296ff86fda9a20858daf87e52ac3dfaf1bc942daae33c7513fac7e4
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeHintRenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeHintRenderer.directive.js
**MD5:** 9c0f5b5dde50569ef2e9efb5feeef050
**SHA1:** 3793878df0a194ac7445ae9076fd1f235cf26a42
**SHA256:**d4a42152b9ce8527dc853e66f110464f038f4c885cf1df7fe415203dbcb8148b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeIntegerRenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeIntegerRenderer.directive.js
**MD5:** fb567b3054e16ecd92115183e677f194
**SHA1:** a956bb37b828d2b0016c3e63df573291cf3a65c1
**SHA256:**a25204639ecdb47cfdeaaba8461fe9caedc30b4fa3afa5865b502880c4c3fb80
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeLinkRenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeLinkRenderer.directive.js
**MD5:** b4e5347a3fc15cee057d292ac2fe7d91
**SHA1:** 70fba39954e7947be220792ce9d792ecfec06748
**SHA256:**33ad47fd4a0e7943e9a39fdf239becc5fd54c4a1b9be4c727c27daf720b0d1e7
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeLoginsRenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeLoginsRenderer.directive.js
**MD5:** 77e510f9e074e3104df3096deb39cd91
**SHA1:** 68e57a5859aa1073fdb62dd1102867d0c7db3c9f
**SHA256:**70fdfe453166ed5a8bae30f56d71e5e52c58c98db676853519a0d35dd71de650
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeMembersRenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeMembersRenderer.directive.js
**MD5:** 110c0a60b3a8824c7cf38b3cfd38423b
**SHA1:** b130d47d83af3073663f95cfe0392d9c055d06cd
**SHA256:**e34d1d921aada8085754efea61b320506608504a2332d0b186031e7beba524f2
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeMultilineRenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeMultilineRenderer.directive.js
**MD5:** 5b24949676b9be3413f73641882f7125
**SHA1:** 1b5266b7516f4a6f4e1b25dc128969f10b0a8c09
**SHA256:**698d88b748ec45a4e7bdd87b1c97472d8868165551ae5ecf7d0159925c92ed71
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypePermissionRenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.

zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer
/fieldtypePermissionRenderer.directive.js
**MD5:** cf56b95e7c81bb7bb0027f214dde9847
**SHA1:** b098c8143c168614aac2a46fda4bf02078b31f9e
**SHA256:**c8f403974591a2b05c630a7117596fd64540d53205808bee40d6ede27a166790
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeSelectRenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer
/fieldtypeSelectRenderer.directive.js
**MD5:** eff35ed2335d82f48e0f301bbe002c13
**SHA1:** 33c6717aeac4415d8fd2b3e573c2c4c067344351
**SHA256:**ff2a7f5c982515dbdf6a16e2205866e1b5a8f45df37e0297357daf27aa4ac042
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeStayLoggedInSessionsRenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer
/fieldtypeStayLoggedInSessionsRenderer.directive.js
**MD5:** 8f7246a8c4620515a714dd858c7b0847

**SHA1:** bab49440daa202026ce7fdb25d3c3ab7d0ac2473
**SHA256:**85a66f84209b323ddf4e87ee26891210234ea42bfc20d6befdc3074cde326595
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeStringListRenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeStringListRenderer.directive.js
**MD5:** ecfa08e9586484891e935de461582539
**SHA1:** 128276640372b4e442f5c63c643c908710c7fedf
**SHA256:**aff8a656bfc2d940c02a861b600e4a95cefa61453508fb2b8659fe42582bccea
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeStringRenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeStringRenderer.directive.js
**MD5:** 6e46d5a536692ff278cf276eeb7151bb
**SHA1:** 11b326f65d25098d5d02c6077e20b867d5c331ec
**SHA256:**b2158332ea8f76ceee5435e803e4def4b559a3216ce6eae90e0385d1554d3924
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeTimeRenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeTimeRenderer.directive.js
**MD5:** 8513454094f6efb43b4257acfafb955f
**SHA1:** 56784b3ea31cc21416f65da1661b7c18b8e9eb5e
**SHA256:**3758a9259a963b155469b4d6b979fd30fee14edcaca155910f20b33b7d2a9d7f
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeTimerangeRenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeTimerangeRenderer.directive.js
**MD5:** 8ca11f921f530ae3c6d14011f1026be2
**SHA1:** 123f12b6375637b6819435453cbfc089589514d6
**SHA256:**3e31b81046fd3a24c691fc82c45f4779912d02b3bad3ca52366670c31042edfe
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: membershipentry.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/membershipentry.directive.js
**MD5:** 84693fc1ef165371ef27b1475ee7408c
**SHA1:** d49e9b44b5d99f5b63a93dcb031d51aea068ca3c
**SHA256:**f3fecadbb3c511b7c006eb44006d5203c16f180a1cbb260c756f0b3b670a55d8
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: membershiplist.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/membershiplist.directive.js
**MD5:** 9de8f2f539c79244aa95473d497004db
**SHA1:** dab0863017fbaf80d7da94770dbb17d87cff3a80
**SHA256:**2939b841bcd7d14e9874e99c72e4c0f58e7c8f5b485fe04158782c2b0d3cdcd1
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: nonmembershiplist.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/nonmembershiplist.directive.js
**MD5:** 22269c6c1e32356a15788a694358c895
**SHA1:** c4909db34c175ff0621e17f241f66994e0516bc6
**SHA256:**1f276cac3365d03c06572f9325217ffc7c65db411b5d40035f818c4890e66ffc
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: permissionCheckboxRenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/permissionCheckboxRenderer.directive.js
**MD5:** f43b62e6ec19922b603e65ac0d9811bc
**SHA1:** b82e36201fade72e6423ba980d5351e13c657bbb
**SHA256:**e3d32df00dc3c4d43110a9a8f277ce1383c133b6912f0154626190931c6daff7
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: permissionRadiobuttonRenderer.directive.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/permissionRadiobuttonRenderer.directive.js
**MD5:** b2674a06f9fcfb8cab9196229817a52c
**SHA1:** 2816becffb93dad552e07d80fb7e5042e13f1d26
**SHA256:**07270db8fca85c74ed49ae3f2345692c66443c01ef0be67234cc3d01e0873675
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagercontroller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagercontroller.js
**MD5:** 3966dde5288327ce4a7664ffa146425f
**SHA1:** 9f1156c2c726e731d362aff1b4bf1f611da47c70
**SHA256:**bf3ede557a367f1cca803b9a259d1cc6c8f4109e6b381d08ea43c1360e7f9598
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdetailscontroller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerdetailscontroller.js
**MD5:** cd4b90a897c42eb0c1a38f660153f739
**SHA1:** c582f35a31ed251b2b02456bf79fcb8e6edbf9dc
**SHA256:**656c50c31f9f812740468c695b10f58d1e54b770765a25e7be047e661e305870
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdialogcontroller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerdialogcontroller.js
**MD5:** e35a43fa1eb935369c4e018ff1ee7640
**SHA1:** d239261c725a4ba6e6efa911b48e4909c5372d69
**SHA256:**3625665593e42ba14b5b40999ac21bdaeaea0baa80831182e221207a5019b541
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdirectives.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerdirectives.js
**MD5:** e1d11e0ea312cfb6b0e395077779112b
**SHA1:** 3d63a2c1282afd900c5d74643ba4c1e61bb4118a
**SHA256:**98f7717de0a411a3513e01b7126c19ad53f28a4b4d62183b77083195660ed7ab
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagereffectivepermissionscontroller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagereffectivepermissionscontroller.js
**MD5:** e38beee6d03d93074acba84010e4c176
**SHA1:** d27284aae10d28fac162196094e0196c7c2486cf
**SHA256:**c2c9dd56c576d23e8038048090751071a5b29f53bb9fbba03d42cedb31d927d0
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerfactory.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerfactory.js
**MD5:** 94ac82f47d59b465f5bfc271f16543f3
**SHA1:** eeb9fff4352ecf04ab487cf0168b7c2911b2d01b
**SHA256:**3bcc388d9d2174651a443c62b5a7dde3f08f38ff8a918c9c154277660be520eb
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagermodel.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagermodel.js
**MD5:** 6a3ab01b9cf9fe9c45e4228f3f0a449e
**SHA1:** 2bfe0e4bf86ed5c09f3e70231a4f30f64cf930d2
**SHA256:**01056b1c5b989974d14013791592960bc20677ef95883092a6d52f78a2a44503
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerpredeletionwarning.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.

zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js
/usersandgroupsmanagerpredeletionwarning.js
**MD5:** 2e963c8f1de1c02f2a9c062f03aff6a5
**SHA1:** 1f5065e679fefcb1e927248cecfd615950df2d1f
**SHA256:**8cea620f3d0600315b5b8296a91d5b5826093ee4c728d432dd1f00460347aff5
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerrenderer.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.
zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js
/usersandgroupsmanagerrenderer.js
**MD5:** 66a9eef845301ec92243566a8a8a5fd0
**SHA1:** 07cdb6a5a6e3d559c7e69fc37aeb1261d9e8c54b
**SHA256:**b8aba3f0ce4c611245296998ca48c1ba116b76a9aedf381e7ccfa69411b8b4bc
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerstatisticscontroller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems
/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.
zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js
/usersandgroupsmanagerstatisticscontroller.js
**MD5:** 15db7d8e1d9c9102dff09a6540eacfdc

**SHA1:** 0ca6006da11c419453850c3ec9ec855c42e7b58b
**SHA256:**6d215333ea6f212da404f333e073a3ca4ab48c921f75f159950694913b1b17bf
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagertakeoutcontroller.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagertakeoutcontroller.js
**MD5:** aecb7916c7ddc1ab36bb620e0bba61aa
**SHA1:** e98561144eeaf1048f88096ef4adeb4de63d971f
**SHA256:**cdb865f01764972194727fb6a715369b4353c620ecfdbeeadc40021144b7361c
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## webserver.defender.zip: webserver.defender.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.defender.zip/webserver.defender.jar
**MD5:** 0601dfe1c7aa22b2a62da44d5cc3e0b0
**SHA1:** 4203a181d63c6005ececa691b92887b0fdc3e227
**SHA256:**3c47a7f25c61f3d15d16bc5ffa36b1b097a24b8e76b3a32969e3ac19d857861d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | webserver.defender | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | webserverdefender | Low |
| Vendor | Manifest | built-date | 2025-12-01 13:27 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | webserver.defender | High |
| Product | jar | package name | webserverdefender | Low |
| Product | Manifest | built-date | 2025-12-01 13:27 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | webserver.defender | High |
| Product | Manifest | specification-title | webserver.defender | Medium |
| Version | Manifest | Implementation-Version | 25.10.259 | High |

**Identifiers**

- **None**

## webserver.zip: acme4j-client.jar

**Description:**

ACME client for Java

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/acme4j-client.jar
**MD5:** 7dc0b1c03b3cc50a9a4ff57198d681e5
**SHA1:** 61a9eac083a03d76d16bef326e2141e84ebfe36f

**SHA256:**b4b378abd10df779d870bbc798dc8e6b18125203f07c829350726751ccbde80d
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | acme4j-client | High |
| Vendor | jar | package name | acme4j | Highest |
| Vendor | jar | package name | shredzone | Highest |
| Vendor | Manifest | build-jdk-spec | 17 | Low |
| Vendor | pom | artifactid | acme4j-client | Low |
| Vendor | pom | groupid | org.shredzone.acme4j | Highest |
| Vendor | pom | name | acme4j Client | High |
| Vendor | pom | parent-artifactid | acme4j | Low |
| Product | file | name | acme4j-client | High |
| Product | jar | package name | acme4j | Highest |
| Product | jar | package name | shredzone | Highest |
| Product | Manifest | build-jdk-spec | 17 | Low |
| Product | pom | artifactid | acme4j-client | Highest |
| Product | pom | groupid | org.shredzone.acme4j | Highest |
| Product | pom | name | acme4j Client | High |
| Product | pom | parent-artifactid | acme4j | Medium |
| Version | pom | version | 3.5.1 | Highest |

**Identifiers**

- pkg:maven/org.shredzone.acme4j/acme4j-client@3.5.1 (*Confidence*:High)

## webserver.zip: jetty-websocket-core-client.jar

**Description:**

Jetty module for Core :: Websocket :: Client

**License:**

EPL-2.0 OR Apache-2.0
https://www.eclipse.org/legal/epl-2.0/, https://www.apache.org/licenses/LICENSE-2.0

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-websocket-core-client.jar
**MD5:** 7020aa45a4fd5e3b1906cf0d3b4a4af7
**SHA1:** 709296664540576fad4c8a6c268f163342301361
**SHA256:**b5ce964994c74357606b6ccb3884c4ec264df2e9a1ba6e6c0c7b292a207d1ed6
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | jetty-websocket-core-client | High |
| Vendor | jar | package name | core | Highest |
| Vendor | jar | package name | eclipse | Highest |
| Vendor | jar | package name | jetty | Highest |
| Vendor | jar | package name | websocket | Highest |
| Vendor | Manifest | build-jdk-spec | 22 | Low |
| Vendor | Manifest | bundle-copyright | Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others. | Low |
| Vendor | Manifest | bundle-docurl | https://jetty.org/ | Low |
| Vendor | Manifest | bundle-symbolicname | org.eclipse.jetty.websocket.core.client | Medium |
| Vendor | Manifest | Implementation-Vendor | Eclipse Jetty Project | High |
| Vendor | Manifest | url | https://jetty.org/ | Low |
| Vendor | pom | artifactid | jetty-websocket-core-client | Low |
| Vendor | pom | groupid | org.eclipse.jetty.websocket | Highest |
| Vendor | pom | name | Core :: Websocket :: Client | High |
| Vendor | pom | parent-artifactid | jetty-websocket | Low |
| Product | file | name | jetty-websocket-core-client | High |
| Product | jar | package name | core | Highest |
| Product | jar | package name | eclipse | Highest |
| Product | jar | package name | jetty | Highest |
| Product | jar | package name | websocket | Highest |
| Product | Manifest | build-jdk-spec | 22 | Low |
| Product | Manifest | bundle-copyright | Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others. | Low |
| Product | Manifest | bundle-docurl | https://jetty.org/ | Low |
| Product | Manifest | Bundle-Name | Core :: Websocket :: Client | Medium |
| Product | Manifest | bundle-symbolicname | org.eclipse.jetty.websocket.core.client | Medium |

| | | | | |
|---|---|---|---|---|
| Product | Manifest | url | https://jetty.org/ | Low |
| Product | pom | artifactid | jetty-websocket-core-client | Highest |
| Product | pom | groupid | org.eclipse.jetty.websocket | Highest |
| Product | pom | name | Core :: Websocket :: Client | High |
| Product | pom | parent-artifactid | jetty-websocket | Medium |
| Version | Manifest | Bundle-Version | 12.1.2 | High |
| Version | Manifest | Implementation-Version | 12.1.2 | High |
| Version | pom | version | 12.1.2 | Highest |

**Related Dependencies**

- webserver.zip: jetty-client.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/webserver.zip/jetty-client.jar
  - MD5: 23dab4cef86c0397d45534e75a5ab5d4
  - SHA1: 122562838a6106b63398136a3db9f6605eafbdd7
  - SHA256: 46c202eff79ae49aa0c4149bd452d74d48e34747bc07ab32d1c31055c48086b1
  - pkg:maven/org.eclipse.jetty/jetty-client@12.1.2
- webserver.zip: jetty-ee11-servlet.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/webserver.zip/jetty-ee11-servlet.jar
  - MD5: 415ba12000a36a131b29af215b442b31
  - SHA1: fca8c55ee2d2458d49084acc52cd1a8af4f29dcf
  - SHA256: a5914a85e853516bfa4ab849fdeea896b78a2eacb9332e48ded74c91935b1953
  - pkg:maven/org.eclipse.jetty.ee11/jetty-ee11-servlet@12.1.2
- webserver.zip: jetty-ee11-servlets.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/webserver.zip/jetty-ee11-servlets.jar
  - MD5: c9e4b14319dbb2fa1cc51da4789b2c1c
  - SHA1: 7fe7e77dc7849d9bd5d9ad45ef256ea2703e0933
  - SHA256: 756a47089bbd3514b5673b217c95efff89c622977c86c87b63fcac63a1139f72
  - pkg:maven/org.eclipse.jetty.ee11/jetty-ee11-servlets@12.1.2
- webserver.zip: jetty-ee11-websocket-jakarta-client.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/webserver.zip/jetty-ee11-websocket-jakarta-client.jar
  - MD5: 3b5eb3bb4924ddbf2f9227b7e39dc967
  - SHA1: 536558fb642481f53fa6bd13e8eeec24cc6e77f6
  - SHA256: 66152d406316015a7c0997ab44cf79ffb1e2331b61efccc7179c316242574581
  - pkg:maven/org.eclipse.jetty.ee11.websocket/jetty-ee11-websocket-jakarta-client@12.1.2
- webserver.zip: jetty-ee11-websocket-jakarta-common.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/webserver.zip/jetty-ee11-websocket-jakarta-common.jar
  - MD5: 53bb6cc1ca13116c226b7a50f59a326f
  - SHA1: 894a8f808baaf36a6f77b06bb627bcc29960ce74
  - SHA256: cbbb65c5e4999226f7776463e3a736e2b6692ab965cb6b143ace6001a2ab42a4
  - pkg:maven/org.eclipse.jetty.ee11.websocket/jetty-ee11-websocket-jakarta-common@12.1.2
- webserver.zip: jetty-ee11-websocket-servlet.jar

    - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/webserver.zip/jetty-ee11-websocket-servlet.jar
    - MD5: 87376f6371e84c996c249dbb429a6215
    - SHA1: a5d5957e0ea4b4b0ae84a6e39a5b3329382b9ffb
    - SHA256: 34d2dc97921befc73164d1a17f59c74c01c6465e18b33356d80c570accb2be77
    - pkg:maven/org.eclipse.jetty.ee11.websocket/jetty-ee11-websocket-servlet@12.1.2
- webserver.zip: jetty-http.jar
    - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/webserver.zip/jetty-http.jar
    - MD5: cc22352478994f92da6fece7e7c84b73
    - SHA1: a6779fee9ca5dd87c0dc0e05531a086090b7f6f5
    - SHA256: 3a5872100eafaac97fb91b6963ed27e87378e9457b3562ca59c362bbae1d290b
    - pkg:maven/org.eclipse.jetty/jetty-http@12.1.2
- webserver.zip: jetty-http2-common.jar
    - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/webserver.zip/jetty-http2-common.jar
    - MD5: 2e8e639acc7649fafda435476b2133cc
    - SHA1: ea96a6896bfda21ee745c41e640233533becce27
    - SHA256: f63585b9c9096d3aad95ff3bd7b2887efeff8a46f8ca267c7ccb6f153f5ae4d0
    - pkg:maven/org.eclipse.jetty.http2/jetty-http2-common@12.1.2
- webserver.zip: jetty-http2-hpack.jar
    - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/webserver.zip/jetty-http2-hpack.jar
    - MD5: af9103e33a570ff38d8eaa2683a5e7ae
    - SHA1: 952d8b53037cc5971514a4cb023a9b29e9333568
    - SHA256: d711dbf0d680b8f846f2866bd0e3794f3ca5c4aa16c0cdde581218ffcc3f9964
    - pkg:maven/org.eclipse.jetty.http2/jetty-http2-hpack@12.1.2
- webserver.zip: jetty-io.jar
    - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/webserver.zip/jetty-io.jar
    - MD5: 29d4d07f69d50fb270ba7ef18a4cf1ff
    - SHA1: 1e75b0d24a6de72168840fe0995e29d83feb5663
    - SHA256: 1250330209cf77e0c95880af2bb8cd7226906ebfb2f9526ea2ac428f1d8aeeb1
    - pkg:maven/org.eclipse.jetty/jetty-io@12.1.2
- webserver.zip: jetty-security.jar
    - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/webserver.zip/jetty-security.jar
    - MD5: a77052da72cdefcf0258f81c89dc4597
    - SHA1: 72d8d46b2b37ee2de71132df90f8aa11f6decc8a
    - SHA256: 415a289e776e7501744658e69bd6fadc48e75550783c843424aa7fb726e6d821
    - pkg:maven/org.eclipse.jetty/jetty-security@12.1.2
- webserver.zip: jetty-session.jar
    - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/webserver.zip/jetty-session.jar
    - MD5: 0b88095c2b4cb06a180549a0ba3d0c44
    - SHA1: a59a4089b58062cee20e9ddb058565ff4459f060
    - SHA256: 522de25195d751e0058483f07bc6fff757abeb3fce13f63e201ab532882f4638
    - pkg:maven/org.eclipse.jetty/jetty-session@12.1.2
- webserver.zip: jetty-util.jar
    - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/webserver.zip/jetty-util.jar
    - MD5: e78acdd4cff73346026b06e62d62c42b
    - SHA1: 1faf3f0b8a1b41fad87bc17eba9e23785905918c
    - SHA256: 03f144ee693205eef00a494e785bf73931324a8c7053b979082bd7425f7af3ea
    - pkg:maven/org.eclipse.jetty/jetty-util@12.1.2
- webserver.zip: jetty-websocket-core-common.jar

- File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-websocket-core-common.jar
- MD5: 4c141ccb7564053f9a310adc88b84fee
- SHA1: 50a1e8dfe71c2fa5a0583f64814b7442cceee7f1
- SHA256: 9c1d9b3849e4a92fc47d934fb9a6c3b3ae1b9b307ea35e4a975defa6326907b1
- pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-common@12.1.2

- webserver.zip: jetty-websocket-jetty-api.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-websocket-jetty-api.jar
  - MD5: 57e2aa8034f7ae18f4004bf699753c0c
  - SHA1: fbad70b9f2dfd3291a1bc380940bce486347fc03
  - SHA256: d6e48f2ebe11fb48eaabae99ce027972664f74dbafbe5db6104ec628f16a8ad0
  - pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-jetty-api@12.1.2

**Identifiers**

- pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-client@12.1.2 (*Confidence*: High)
- cpe:2.3:a:eclipse:jetty:12.1.2:*:*:*:*:*:*:* (*Confidence*:Highest) suppress
- cpe:2.3:a:jetty:jetty:12.1.2:*:*:*:*:*:*:* (*Confidence*:Highest) suppress
- cpe:2.3:a:mortbay_jetty:jetty:12.1.2:*:*:*:*:*:*:* (*Confidence*:Highest) suppress

## webserver.zip: jetty-websocket-core-server.jar

**Description:**

Jetty module for Core :: Websocket :: Server

**License:**

EPL-2.0 OR Apache-2.0
https://www.eclipse.org/legal/epl-2.0/, https://www.apache.org/licenses/LICENSE-2.0

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jetty-websocket-core-server.jar
**MD5:** 9d1e4f36986ab797d71bdcaa57f66120
**SHA1:** bf54bb4309ea4c946c45d2ef0ac0548c8af0d80f
**SHA256:**590db7b3430c7977ec0e6783aeef9b6b1333702ccbf32bbb9a96d45f4d72e1b6
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | jetty-websocket-core-server | High |
| Vendor | jar | package name | core | Highest |
| Vendor | jar | package name | eclipse | Highest |
| Vendor | jar | package name | jetty | Highest |

| | | | | |
|---|---|---|---|---|
| Vendor | jar | package name | websocket | Highest |
| Vendor | Manifest | build-jdk-spec | 22 | Low |
| Vendor | Manifest | bundle-copyright | Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others. | Low |
| Vendor | Manifest | bundle-docurl | https://jetty.org/ | Low |
| Vendor | Manifest | bundle-symbolicname | org.eclipse.jetty.websocket.core.server | Medium |
| Vendor | Manifest | Implementation-Vendor | Eclipse Jetty Project | High |
| Vendor | Manifest | url | https://jetty.org/ | Low |
| Vendor | pom | artifactid | jetty-websocket-core-server | Low |
| Vendor | pom | groupid | org.eclipse.jetty.websocket | Highest |
| Vendor | pom | name | Core :: Websocket :: Server | High |
| Vendor | pom | parent-artifactid | jetty-websocket | Low |
| Product | file | name | jetty-websocket-core-server | High |
| Product | jar | package name | core | Highest |
| Product | jar | package name | eclipse | Highest |
| Product | jar | package name | jetty | Highest |
| Product | jar | package name | websocket | Highest |
| Product | Manifest | build-jdk-spec | 22 | Low |
| Product | Manifest | bundle-copyright | Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others. | Low |
| Product | Manifest | bundle-docurl | https://jetty.org/ | Low |
| Product | Manifest | Bundle-Name | Core :: Websocket :: Server | Medium |
| Product | Manifest | bundle-symbolicname | org.eclipse.jetty.websocket.core.server | Medium |
| Product | Manifest | url | https://jetty.org/ | Low |
| Product | pom | artifactid | jetty-websocket-core-server | Highest |
| Product | pom | groupid | org.eclipse.jetty.websocket | Highest |
| Product | pom | name | Core :: Websocket :: Server | High |
| Product | pom | parent-artifactid | jetty-websocket | Medium |
| Version | Manifest | Bundle-Version | 12.1.2 | High |
| Version | Manifest | Implementation-Version | 12.1.2 | High |
| Version | pom | version | 12.1.2 | Highest |

**Related Dependencies**

- webserver.zip: jetty-alpn-java-server.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/webserver.zip/jetty-alpn-java-server.jar
  - MD5: 3505dc9a66cc674b004af1006b7a7b4b
  - SHA1: 6c3f3800858009d8b46b65feb4345d38bc18ff36
  - SHA256: a5542a743db11e636edd7c76a42c53b10a89485668f463cc020aec60dbfe4236
  - pkg:maven/org.eclipse.jetty/jetty-alpn-java-server@12.1.2
- webserver.zip: jetty-alpn-server.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/webserver.zip/jetty-alpn-server.jar
  - MD5: a6ceb01426b88a2cd3ab61ccc03a9d42
  - SHA1: e27c4a5d684985605914c6601913fd219ddc8116
  - SHA256: 5ee000787f3bc2fa5b9c79e3d6cde0574be852bc5be75d646042de3d205101fc
  - pkg:maven/org.eclipse.jetty/jetty-alpn-server@12.1.2
- webserver.zip: jetty-ee11-websocket-jakarta-server.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/webserver.zip/jetty-ee11-websocket-jakarta-server.jar
  - MD5: 8ae1e9a04c6e2d1e63feb3d126e44bb9
  - SHA1: 49f196b01dccda49a9fda3fcdae86628af6c2440
  - SHA256: b0a2e0a3ba1b583e1cdf6e168d56526517f4a615a9d6a726f7506dc8bbaa126d
  - pkg:maven/org.eclipse.jetty.ee11.websocket/jetty-ee11-websocket-jakarta-server@12.1.2
- webserver.zip: jetty-ee11-websocket-jetty-server.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/webserver.zip/jetty-ee11-websocket-jetty-server.jar
  - MD5: 22de69c04f15197088d72a5dd8b3338a
  - SHA1: 21b16fffee06f2ec250cd24796e6c76a77e25f75
  - SHA256: d47c1f98b4c2427dae4b772e083c6377bf76b705c6f9f457eddf3029cdb8347e
  - pkg:maven/org.eclipse.jetty.ee11.websocket/jetty-ee11-websocket-jetty-server@12.1.2
- webserver.zip: jetty-http2-server.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/webserver.zip/jetty-http2-server.jar
  - MD5: fd6754692ca569e1b3b69cabdbf7469d
  - SHA1: babe0dee7c043499855b32422a772e32567cbdd3
  - SHA256: 54e205d3abc000297150cfd01116067a8bf246e7a48e7a4138939e9f7a2bb538
  - pkg:maven/org.eclipse.jetty.http2/jetty-http2-server@12.1.2
- webserver.zip: jetty-server.jar
  - File Path: /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server /plugins/webserver.zip/jetty-server.jar
  - MD5: 42475fbb406eb90521bab47d8f4e30d0
  - SHA1: 7259af2fe6c2a17304dbf70e9cfcf72d359bbc69
  - SHA256: eb7d67d3fa0e8a6213b5fc38dab10a20ca87c2a9a888aca8c8d0beceb2f70807
  - pkg:maven/org.eclipse.jetty/jetty-server@12.1.2

**Identifiers**

- pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-server@12.1.2 (*Confidence*: High)
- cpe:2.3:a:eclipse:jetty:12.1.2:*:*:*:*:*:*:* (*Confidence*:Highest) suppress
- cpe:2.3:a:jetty:jetty:12.1.2:*:*:*:*:*:*:* (*Confidence*:Highest) suppress
- cpe:2.3:a:jetty:jetty_http_server:12.1.2:*:*:*:*:*:*:* (*Confidence*:Low) suppress
- cpe:2.3:a:mortbay_jetty:jetty:12.1.2:*:*:*:*:*:*:* (*Confidence*:Highest) suppress

## webserver.zip: jose4j.jar

**Description:**

The jose.4.j library is a robust and easy to use open source implementation of JSON Web Token (JWT) and the JOSE specification suite (JWS, JWE, and JWK).
It is written in Java and relies solely on the JCA APIs for cryptography.
Please see https://bitbucket.org/b_c/jose4j/wiki/Home for more info, examples, etc..

**License:**

The Apache Software License, Version 2.0: http://www.apache.org/licenses/LICENSE-2.0.txt

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems /HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/jose4j.jar
**MD5:** f57cb91efc5beaa940029f5515a888c2
**SHA1:** 357a3836bb5da16f314f3a1e954518e5468cd915
**SHA256:**7314af50cde9c99e8eaf43eee617a23edcc6bb4303622106435509499 9d837ef
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | jose4j | High |
| Vendor | jar | package name | jca | Highest |
| Vendor | jar | package name | jose4j | Highest |
| Vendor | jar | package name | json | Highest |
| Vendor | jar | package name | jwe | Highest |
| Vendor | jar | package name | jwk | Highest |
| Vendor | jar | package name | jws | Highest |
| Vendor | jar | package name | jwt | Highest |
| Vendor | jar | package name | use | Highest |
| Vendor | Manifest | automatic-module-name | org.jose4j | Medium |
| Vendor | Manifest | bundle-symbolicname | org.bitbucket.b_c.jose4j | Medium |
| Vendor | pom | artifactid | jose4j | Low |
| Vendor | pom | developer email | brian.d.campbell@gmail.com | Low |
| Vendor | pom | developer name | Brian Campbell | Medium |
| Vendor | pom | groupid | org.bitbucket.b_c | Highest |
| Vendor | pom | name | jose4j | High |
| Vendor | pom | url | https://bitbucket.org/b_c/jose4j/ | Highest |

| | | | | |
|---|---|---|---|---|
| Product | file | name | jose4j | High |
| Product | jar | package name | jca | Highest |
| Product | jar | package name | jose4j | Highest |
| Product | jar | package name | json | Highest |
| Product | jar | package name | jwe | Highest |
| Product | jar | package name | jwk | Highest |
| Product | jar | package name | jws | Highest |
| Product | jar | package name | jwt | Highest |
| Product | jar | package name | use | Highest |
| Product | Manifest | automatic-module-name | org.jose4j | Medium |
| Product | Manifest | Bundle-Name | jose4j | Medium |
| Product | Manifest | bundle-symbolicname | org.bitbucket.b_c.jose4j | Medium |
| Product | pom | artifactid | jose4j | Highest |
| Product | pom | developer email | brian.d.campbell@gmail.com | Low |
| Product | pom | developer name | Brian Campbell | Low |
| Product | pom | groupid | org.bitbucket.b_c | Highest |
| Product | pom | name | jose4j | High |
| Product | pom | url | https://bitbucket.org/b_c/jose4j/ | Medium |
| Version | Manifest | Bundle-Version | 0.9.6 | High |
| Version | pom | version | 0.9.6 | Highest |

**Identifiers**

- pkg:maven/org.bitbucket.b_c/jose4j@0.9.6 (*Confidence*:High)
- cpe:2.3:a:jose4j_project:jose4j:0.9.6:*:*:*:*:*:*:* (*Confidence*:Highest) suppress

## webserver.zip: webserver.jar

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/webserver.zip/webserver.jar
**MD5:** a1e1729bc6899c9bedce15073a71c478
**SHA1:** 8b9d2cd09d21d434dd0fa55d08edc7f84135b6cb
**SHA256:**af8e5c5b818954881a7ffdb05bd4a83de6c0cf714332d66ffbf837aa0f3adc30
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | webserver | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | webserver | Low |
| Vendor | Manifest | built-date | 2025-12-01 12:59 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | webserver | High |
| Product | jar | package name | webserver | Highest |
| Product | jar | package name | webserver | Low |
| Product | Manifest | built-date | 2025-12-01 12:59 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | webserver | High |
| Product | Manifest | specification-title | webserver | Medium |
| Version | Manifest | Implementation-Version | 25.10.259 | High |

**Identifiers**

- **None**

## Suppressed Vulnerabilities

### remotegui.zip: angular-animate.jar: angular-animate.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/angular-animate.js
**MD5:** 31312b87e7226c8bf0714fcef0ea5d18

**SHA1:** dc9fb55f2c7f922c5ba83449266239ba1353db45
**SHA256:** 58e79e0e7cbb1e1502d216701e1fae41c405d92320aea1b68a223054096fda93
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | angularjs | High |
| Product | file | name | angularjs | High |
| Version | file | version | 1.8.3 | High |

**Suppressed Identifiers**

- **None**

**Suppressed Vulnerabilities**

**CVE-2022-25844** suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value. **Note:** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:
- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:
- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-m2h2-264f-f486
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:-:*:*:*:*:*:*:*

**CVE-2024-21490** suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With

large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:**This package is EOL and will not receive any updates to address this issue. Users should migrate to [@angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:
- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-4w4v-5hc9-xrr2
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-21490
- info - https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746
- info - https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747
- info - https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113
- info - https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.3.0

**CVE-2022-25869** suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-prc3-vjfx-vhm9
- report@snyk.io - BROKEN_LINK
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:*

**CVE-2023-26116** suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - https://github.com/advisories/GHSA-2vrf-hf26-jrp5
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - MAILING_LIST,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

**CVE-2023-26117** suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the $resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - https://github.com/advisories/GHSA-2qqx-w9hr-q5gx
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - MAILING_LIST,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

**CVE-2023-26118** suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - https://github.com/advisories/GHSA-qwqh-hm9m-p5hr
- report@snyk.io - EXPLOIT
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - MAILING_LIST,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

**CVE-2024-8372** suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of  Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:
The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see  here https://docs.angularjs.org/misc/version-support-status .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:
- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- info - https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017
- info - https://github.com/advisories/GHSA-m9gf-397r-hwpg
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-8372
- info - https://www.herodevs.com/vulnerability-directory/cve-2024-8372

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:*:*:*:* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:*:*:*:*:*:*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:*:*:*:*:*:*

**CVE-2024-8373** suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of  Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:
The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see  here https://docs.angularjs.org/misc/version-support-status .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:
- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- info - https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b
- info - https://github.com/advisories/GHSA-mqm9-c95h-x2p6

- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-8373
- info - https://www.herodevs.com/vulnerability-directory/cve-2024-8373

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:*:*:*:* versions up to (excluding) 1.9.6

**CVE-2025-2336** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:
- info - https://codepen.io/herodevs/pen/bNGYaXx/412a3a4218387479898912f60c269c6c
- info - https://github.com/advisories/GHSA-4p4w-6hg8-63wx
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2025-2336
- info - https://www.herodevs.com/vulnerability-directory/cve-2025-2336

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-4690** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:
- info - https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77
- info - https://github.com/advisories/GHSA-hfff-63hg-f47j
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2025-4690
- info - https://www.herodevs.com/vulnerability-directory/cve-2025-4690

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-0716** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:
- info - https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915
- info - https://github.com/advisories/GHSA-j58c-ww9w-pwp5
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2025-0716
- info - https://www.herodevs.com/vulnerability-directory/cve-2025-0716

Vulnerable Software & Versions (RETIREJS):

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021** (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - https://docs.angularjs.org/misc/version-support-status
- retid - 54

Vulnerable Software & Versions (RETIREJS):

## remotegui.zip: angular-animate.jar: angular-animate.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/angular-animate.min.js
**MD5:** 5d2d0f42bb7e1b5503e914674f59dad0
**SHA1:** 4c15a58541e53c451c6f946d2048104f88b833c7
**SHA256:** 8e6202b1330a469a61ccdeebbd1cb3a20d0ecdfc8d106f68da5b85e9b67a1cd5
**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | angularjs | High |
| Product | file | name | angularjs | High |
| Version | file | version | 1.8.3 | High |

### Suppressed Identifiers

- **None**

### Suppressed Vulnerabilities

**CVE-2022-25844** suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value. **Note:** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - https://github.com/advisories/GHSA-m2h2-264f-f486
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:-:*:*:*:*:*:*:*

**CVE-2024-21490** suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:**This package is EOL and will not receive any updates to address this issue. Users should migrate to [@angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - https://github.com/advisories/GHSA-4w4v-5hc9-xrr2
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-21490
- info - https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746
- info - https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747
- info - https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113
- info - https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.3.0

**CVE-2022-25869** suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - https://github.com/advisories/GHSA-prc3-vjfx-vhm9
- report@snyk.io - BROKEN_LINK
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY

- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:*

**CVE-2023-26116** suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-2vrf-hf26-jrp5
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - MAILING_LIST,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

**CVE-2023-26117** suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the $resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-2qqx-w9hr-q5gx
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - MAILING_LIST,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

**CVE-2023-26118** suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-qwqh-hm9m-p5hr
- report@snyk.io - EXPLOIT
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - MAILING_LIST,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

**CVE-2024-8372** suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:
The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here https://docs.angularjs.org/misc/version-support-status .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:
- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- info - https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017
- info - https://github.com/advisories/GHSA-m9gf-397r-hwpg
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-8372
- info - https://www.herodevs.com/vulnerability-directory/cve-2024-8372

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:*:*:*:* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:*:*:*:*:*:*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:*:*:*:*:*:*

**CVE-2024-8373** suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to

a form of  Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:
The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see  here https://docs.angularjs.org/misc/version-support-status .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- info - https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b
- info - https://github.com/advisories/GHSA-mqm9-c95h-x2p6
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-8373
- info - https://www.herodevs.com/vulnerability-directory/cve-2024-8373

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:*:*:*:* versions up to (excluding) 1.9.6

**CVE-2025-2336** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - https://codepen.io/herodevs/pen/bNGYaXx/412a3a4218387479898912f60c269c6c
- info - https://github.com/advisories/GHSA-4p4w-6hg8-63wx
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2025-2336
- info - https://www.herodevs.com/vulnerability-directory/cve-2025-2336

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-4690** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77
- info - https://github.com/advisories/GHSA-hfff-63hg-f47j
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2025-4690
- info - https://www.herodevs.com/vulnerability-directory/cve-2025-4690

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-0716** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915
- info - https://github.com/advisories/GHSA-j58c-ww9w-pwp5
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2025-0716
- info - https://www.herodevs.com/vulnerability-directory/cve-2025-0716

Vulnerable Software & Versions (RETIREJS):

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021** (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - https://docs.angularjs.org/misc/version-support-status
- retid - 54

Vulnerable Software & Versions (RETIREJS):

## remotegui.zip: angular-cookies.jar: angular-cookies.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.js
**MD5:** e17187aea1f0e6dbd25722e34b754915
**SHA1:** 20f43f716b9fef7d72537bc1b0e5aa2bc480cee5
**SHA256:** f3291c552042f6d0c500167769912a78ab3ecec9917128b2d6ea8e7c6714bb97
**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | angularjs | High |
| Product | file | name | angularjs | High |
| Version | file | version | 1.8.3 | High |

### Suppressed Identifiers

- **None**

**Suppressed Vulnerabilities**

**CVE-2022-25844** suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value. **Note:** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:
- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:
- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-m2h2-264f-f486
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:-:*:*:*:*:*:*:*

**CVE-2024-21490** suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:**This package is EOL and will not receive any updates to address this issue. Users should migrate to [@angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:
- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-4w4v-5hc9-xrr2
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-21490
- info - https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746
- info - https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747
- info - https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113
- info - https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY

- report@snyk.io - THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.3.0

**CVE-2022-25869** suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-prc3-vjfx-vhm9
- report@snyk.io - BROKEN_LINK
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:*

**CVE-2023-26116** suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-2vrf-hf26-jrp5
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - MAILING_LIST,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

**CVE-2023-26117** suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the $resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-2qqx-w9hr-q5gx
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - MAILING_LIST,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

**CVE-2023-26118** suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-qwqh-hm9m-p5hr
- report@snyk.io - EXPLOIT
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - MAILING_LIST,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

**CVE-2024-8372** suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of  Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:
The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see  here https://docs.angularjs.org/misc/version-support-status .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:
- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- info - https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017
- info - https://github.com/advisories/GHSA-m9gf-397r-hwpg
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-8372
- info - https://www.herodevs.com/vulnerability-directory/cve-2024-8372

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:*:*:*:* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:*:*:*:*:*:*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:*:*:*:*:*:*

**CVE-2024-8373** suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of  Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:
The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see  here https://docs.angularjs.org/misc/version-support-status .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:
- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- info - https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b
- info - https://github.com/advisories/GHSA-mqm9-c95h-x2p6
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-8373
- info - https://www.herodevs.com/vulnerability-directory/cve-2024-8373

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:*:*:*:* versions up to (excluding) 1.9.6

**CVE-2025-2336** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:
- info - https://codepen.io/herodevs/pen/bNGYaXx/412a3a4218387479898912f60c269c6c
- info - https://github.com/advisories/GHSA-4p4w-6hg8-63wx

- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2025-2336
- info - https://www.herodevs.com/vulnerability-directory/cve-2025-2336

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-4690** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:
- info - https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77
- info - https://github.com/advisories/GHSA-hfff-63hg-f47j
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2025-4690
- info - https://www.herodevs.com/vulnerability-directory/cve-2025-4690

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-0716** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:
- info - https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915
- info - https://github.com/advisories/GHSA-j58c-ww9w-pwp5
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2025-0716
- info - https://www.herodevs.com/vulnerability-directory/cve-2025-0716

Vulnerable Software & Versions (RETIREJS):

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021** (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:
- Severity: low

References:
- info - https://docs.angularjs.org/misc/version-support-status
- retid - 54

Vulnerable Software & Versions (RETIREJS):

## remotegui.zip: angular-cookies.jar: angular-cookies.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-

cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.min.js
**MD5:** c41aff8423276d46f0d02de6dcb71524
**SHA1:** 7dc53f75d5bf7dd2c770cb50f31242c70193c086
**SHA256:** 926509b494009bea03288bba191a2b238032188e9112377e50fbfe7814c6639b
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | angularjs | High |
| Product | file | name | angularjs | High |
| Version | file | version | 1.8.3 | High |

**Suppressed Identifiers**

- **None**

**Suppressed Vulnerabilities**

**CVE-2022-25844** suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value. **Note:** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:
- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:
- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-m2h2-264f-f486
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:-:*:*:*:*:*:*:*

**CVE-2024-21490** suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:**This package is EOL and will not receive any updates to address this issue. Users should migrate to [@angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:
- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-4w4v-5hc9-xrr2
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-21490
- info - https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746
- info - https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747
- info - https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113
- info - https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.3.0

**CVE-2022-25869** suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-prc3-vjfx-vhm9
- report@snyk.io - BROKEN_LINK
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:*

**CVE-2023-26116** suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (5.3)

- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - https://github.com/advisories/GHSA-2vrf-hf26-jrp5
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - MAILING_LIST,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

**CVE-2023-26117** suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the $resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - https://github.com/advisories/GHSA-2qqx-w9hr-q5gx
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - MAILING_LIST,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

**CVE-2023-26118** suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - https://github.com/advisories/GHSA-qwqh-hm9m-p5hr
- report@snyk.io - EXPLOIT
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY

- report@snyk.io - MAILING_LIST,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

**CVE-2024-8372** suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of  Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:
The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see  here https://docs.angularjs.org/misc/version-support-status .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:
- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- info - https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017
- info - https://github.com/advisories/GHSA-m9gf-397r-hwpg
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-8372
- info - https://www.herodevs.com/vulnerability-directory/cve-2024-8372

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:*:*:*:* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:*:*:*:*:*:*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:*:*:*:*:*:*

**CVE-2024-8373** suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of  Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:
The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see  here https://docs.angularjs.org/misc/version-support-status .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:
- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- info - https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b

- info - https://github.com/advisories/GHSA-mqm9-c95h-x2p6
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-8373
- info - https://www.herodevs.com/vulnerability-directory/cve-2024-8373

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:*:*:*:* versions up to (excluding) 1.9.6

**CVE-2025-2336** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:
- info - https://codepen.io/herodevs/pen/bNGYaXx/412a3a4218387479898912f60c269c6c
- info - https://github.com/advisories/GHSA-4p4w-6hg8-63wx
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2025-2336
- info - https://www.herodevs.com/vulnerability-directory/cve-2025-2336

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-4690** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:
- info - https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77
- info - https://github.com/advisories/GHSA-hfff-63hg-f47j
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2025-4690
- info - https://www.herodevs.com/vulnerability-directory/cve-2025-4690

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-0716** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:
- info - https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915
- info - https://github.com/advisories/GHSA-j58c-ww9w-pwp5
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2025-0716
- info - https://www.herodevs.com/vulnerability-directory/cve-2025-0716

Vulnerable Software & Versions (RETIREJS):

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021** (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - https://docs.angularjs.org/misc/version-support-status
- retid - 54

Vulnerable Software & Versions (RETIREJS):

## remotegui.zip: angular-sanitize.jar: angular-sanitize.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.js
**MD5:** 0127d7a139abfc8bd45875a9c8ea6348
**SHA1:** 197aea2acc25a0fa821766400950cac58a3627a5
**SHA256:** c84c65250afe5a1265f36a7e16c6010652e55c2ae3a779c351fb68536c42bf64
**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | angularjs | High |
| Product | file | name | angularjs | High |
| Version | file | version | 1.8.3 | High |

### Suppressed Identifiers

- **None**

### Suppressed Vulnerabilities

**CVE-2022-25844** suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value. **Note:** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - https://github.com/advisories/GHSA-m2h2-264f-f486
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:-:*:*:*:*:*:*:*

**CVE-2024-21490** suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:**This package is EOL and will not receive any updates to address this issue. Users should migrate to [@angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - https://github.com/advisories/GHSA-4w4v-5hc9-xrr2
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-21490
- info - https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746
- info - https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747
- info - https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113
- info - https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.3.0

**CVE-2022-25869** suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - https://github.com/advisories/GHSA-prc3-vjfx-vhm9
- report@snyk.io - BROKEN_LINK
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY

- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:*

**CVE-2023-26116** suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-2vrf-hf26-jrp5
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - MAILING_LIST,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

**CVE-2023-26117** suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the $resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-2qqx-w9hr-q5gx
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - MAILING_LIST,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

**CVE-2023-26118** suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-qwqh-hm9m-p5hr
- report@snyk.io - EXPLOIT
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - MAILING_LIST,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

**CVE-2024-8372** suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:
The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here https://docs.angularjs.org/misc/version-support-status .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:
- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- info - https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017
- info - https://github.com/advisories/GHSA-m9gf-397r-hwpg
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-8372
- info - https://www.herodevs.com/vulnerability-directory/cve-2024-8372

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:*:*:*:* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:*:*:*:*:*:*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:*:*:*:*:*:*

**CVE-2024-8373** suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to

a form of  Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:
The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see  here https://docs.angularjs.org/misc/version-support-status .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- info - https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b
- info - https://github.com/advisories/GHSA-mqm9-c95h-x2p6
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-8373
- info - https://www.herodevs.com/vulnerability-directory/cve-2024-8373

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:*:*:*:* versions up to (excluding) 1.9.6

**CVE-2025-2336** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - https://codepen.io/herodevs/pen/bNGYaXx/412a3a4218387479898912f60c269c6c
- info - https://github.com/advisories/GHSA-4p4w-6hg8-63wx
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2025-2336
- info - https://www.herodevs.com/vulnerability-directory/cve-2025-2336

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-4690** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77
- info - https://github.com/advisories/GHSA-hfff-63hg-f47j
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2025-4690
- info - https://www.herodevs.com/vulnerability-directory/cve-2025-4690

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-0716** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915
- info - https://github.com/advisories/GHSA-j58c-ww9w-pwp5
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2025-0716
- info - https://www.herodevs.com/vulnerability-directory/cve-2025-0716

Vulnerable Software & Versions (RETIREJS):

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021** (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - https://docs.angularjs.org/misc/version-support-status
- retid - 54

Vulnerable Software & Versions (RETIREJS):

## remotegui.zip: angular-sanitize.jar: angular-sanitize.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.min.js
**MD5:** f3c62abeec216e9431e7d5b22d8e813b
**SHA1:** 21355ef18c5e1ce2b2c711b9dba21cbea0655646
**SHA256:** cc80a30ad0439c2e9c209b3d7fcffb1d10e6007fd1d00c9cc144f393664a7045
**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | angularjs | High |
| Product | file | name | angularjs | High |
| Version | file | version | 1.8.3 | High |

### Suppressed Identifiers

- **None**

**Suppressed Vulnerabilities**

**CVE-2022-25844** suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value. **Note:** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:
- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:
- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-m2h2-264f-f486
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:-:*:*:*:*:*:*:*

**CVE-2024-21490** suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:**This package is EOL and will not receive any updates to address this issue. Users should migrate to [@angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:
- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-4w4v-5hc9-xrr2
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-21490
- info - https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746
- info - https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747
- info - https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113
- info - https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY

- report@snyk.io - THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.3.0

**CVE-2022-25869** suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-prc3-vjfx-vhm9
- report@snyk.io - BROKEN_LINK
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:*

**CVE-2023-26116** suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-2vrf-hf26-jrp5
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - MAILING_LIST,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

**CVE-2023-26117** suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the $resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-2qqx-w9hr-q5gx
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - MAILING_LIST,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

**CVE-2023-26118** suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-qwqh-hm9m-p5hr
- report@snyk.io - EXPLOIT
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - MAILING_LIST,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

**CVE-2024-8372** suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of  Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:
The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see  here https://docs.angularjs.org/misc/version-support-status .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:
- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- info - https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017
- info - https://github.com/advisories/GHSA-m9gf-397r-hwpg
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-8372
- info - https://www.herodevs.com/vulnerability-directory/cve-2024-8372

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:*:*:*:* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:*:*:*:*:*:*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:*:*:*:*:*:*

**CVE-2024-8373** suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of  Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:
The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see  here https://docs.angularjs.org/misc/version-support-status .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:
- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- info - https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b
- info - https://github.com/advisories/GHSA-mqm9-c95h-x2p6
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-8373
- info - https://www.herodevs.com/vulnerability-directory/cve-2024-8373

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:*:*:*:* versions up to (excluding) 1.9.6

**CVE-2025-2336** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:
- info - https://codepen.io/herodevs/pen/bNGYaXx/412a3a4218387479898912f60c269c6c
- info - https://github.com/advisories/GHSA-4p4w-6hg8-63wx

- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2025-2336
- info - https://www.herodevs.com/vulnerability-directory/cve-2025-2336

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-4690** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:
- info - https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77
- info - https://github.com/advisories/GHSA-hfff-63hg-f47j
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2025-4690
- info - https://www.herodevs.com/vulnerability-directory/cve-2025-4690

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-0716** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:
- info - https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915
- info - https://github.com/advisories/GHSA-j58c-ww9w-pwp5
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2025-0716
- info - https://www.herodevs.com/vulnerability-directory/cve-2025-0716

Vulnerable Software & Versions (RETIREJS):

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021** (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:
- Severity: low

References:
- info - https://docs.angularjs.org/misc/version-support-status
- retid - 54

Vulnerable Software & Versions (RETIREJS):

## remotegui.zip: angular.jar

**Description:**

WebJar for angular

**License:**

MIT

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular.jar
**MD5:** f339a9a66a64c67eebb21ec3b251dfc6
**SHA1:** cff4aee339a9ca4ae2f095079930edeaad6a94ee
**SHA256:** a997eb40987ddb5d3bf64adf3d33afcff3ac2b1eb2e7255b5203a387f8097cd0
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | angular | High |
| Vendor | pom | artifactid | angular | Low |
| Vendor | pom | developer id | webjars | Medium |
| Vendor | pom | groupid | org.webjars.npm | Highest |
| Vendor | pom | name | angular | High |
| Vendor | pom | url | https://www.webjars.org | Highest |
| Product | file | name | angular | High |
| Product | pom | artifactid | angular | Highest |
| Product | pom | developer id | webjars | Low |
| Product | pom | groupid | org.webjars.npm | Highest |
| Product | pom | name | angular | High |
| Product | pom | url | https://www.webjars.org | Medium |
| Version | pom | version | 1.8.3 | Highest |

**Suppressed Identifiers**

- **None**

**Suppressed Vulnerabilities**

**CVE-2022-25844** (OSSINDEX) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value. **Note:** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See https://ossindex.sonatype.org/vulnerability/CVE-2022-25844 for details

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:
- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

References:
- OSSINDEX - [CVE-2022-25844] CWE-1333
- OSSIndex - http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2022-25844
- OSSIndex - https://www.tenable.com/cve/CVE-2022-25844

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.npm:angular:1.8.3:*:*:*:*:*:*:*

**CVE-2021-4231** (OSSINDEX) suppressed

A vulnerability was found in Angular up to 11.0.4/11.1.0-next.2. It has been classified as problematic. Affected is the handling of comments. The manipulation leads to cross site scripting. It is possible to launch the attack remotely but it might require an authentication first. Upgrading to version 11.0.5 and 11.1.0-next.3 is able to address this issue. The name of the patch is ba8da742e3b243e8f43d4c63aa842b44e14f2b09. It is recommended to upgrade the affected component.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See https://ossindex.sonatype.org/vulnerability/CVE-2021-4231 for details

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (5.400000095367432)
- CVSS:3.1/AV:N/AC:L/PR:L/UI:R/S:C/C:L/I:L/A:N

References:
- OSSINDEX - [CVE-2021-4231] CWE-79: Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')
- OSSIndex - http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2021-4231
- OSSIndex - https://github.com/angular/angular/pull/40136
- OSSIndex - https://github.com/angular/angular/pull/40525

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.npm:angular:1.8.3:*:*:*:*:*:*:*

**CVE-2023-26116** (OSSINDEX) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (5.300000190734863)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:
- OSSINDEX - [CVE-2023-26116] CWE-1333
- OSSIndex - http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2023-26116

- OSSIndex - https://github.com/advisories/GHSA-2vrf-hf26-jrp5
- OSSIndex - https://stackblitz.com/edit/angularjs-vulnerability-angular-copy-redos?file=index.js

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.npm:angular:1.8.3:*:*:*:*:*:*:*

**CVE-2023-26118** (OSSINDEX) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See https://ossindex.sonatype.org/vulnerability/CVE-2023-26118 for details

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (5.300000190734863)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:
- OSSINDEX - [CVE-2023-26118] CWE-1333
- OSSIndex - http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2023-26118
- OSSIndex - https://github.com/advisories/GHSA-qwqh-hm9m-p5hr
- OSSIndex - https://stackblitz.com/edit/angularjs-vulnerability-inpur-url-validation-redos?file=index.js

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.npm:angular:1.8.3:*:*:*:*:*:*:*

## remotegui.zip: angular.jar: angular.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/angular.js
**MD5:** e09f650a016c24bc1b5a1edc93bfbade
**SHA1:** 0f1f7445b761b9bbd5385f9f0b316dbf1ca48696
**SHA256:** fdca889e76f55fdee7ab661920f37ce19233563bf7f4ac8120f8ebc2ac768768
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | angularjs | High |
| Product | file | name | angularjs | High |
| Version | file | version | 1.8.3 | High |

**Suppressed Identifiers**

- **None**

**Suppressed Vulnerabilities**

**CVE-2022-25844** suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value. **Note:** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - https://github.com/advisories/GHSA-m2h2-264f-f486
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:-:*:*:*:*:*:*:*

**CVE-2024-21490** suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:**This package is EOL and will not receive any updates to address this issue. Users should migrate to [@angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - https://github.com/advisories/GHSA-4w4v-5hc9-xrr2
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-21490
- info - https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746
- info - https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747
- info - https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113

- info - https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.3.0

**CVE-2022-25869** suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-prc3-vjfx-vhm9
- report@snyk.io - BROKEN_LINK
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:*

**CVE-2023-26116** suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-2vrf-hf26-jrp5
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - MAILING_LIST,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

**CVE-2023-26117** suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the $resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-2qqx-w9hr-q5gx
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - MAILING_LIST,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

**CVE-2023-26118** suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-qwqh-hm9m-p5hr
- report@snyk.io - EXPLOIT
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - MAILING_LIST,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

**CVE-2024-8372** suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of  Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:
The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see  here https://docs.angularjs.org/misc/version-support-status .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:
- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- info - https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017
- info - https://github.com/advisories/GHSA-m9gf-397r-hwpg
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-8372
- info - https://www.herodevs.com/vulnerability-directory/cve-2024-8372

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:*:*:*:* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:*:*:*:*:*:*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:*:*:*:*:*:*

**CVE-2024-8373** suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of  Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:
The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see  here https://docs.angularjs.org/misc/version-support-status .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:
- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- info - https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b
- info - https://github.com/advisories/GHSA-mqm9-c95h-x2p6
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-8373
- info - https://www.herodevs.com/vulnerability-directory/cve-2024-8373

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:*:*:*:* versions up to (excluding) 1.9.6

**CVE-2025-2336** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - https://codepen.io/herodevs/pen/bNGYaXx/412a3a4218387479898912f60c269c6c
- info - https://github.com/advisories/GHSA-4p4w-6hg8-63wx
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2025-2336
- info - https://www.herodevs.com/vulnerability-directory/cve-2025-2336

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-4690** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77
- info - https://github.com/advisories/GHSA-hfff-63hg-f47j
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2025-4690
- info - https://www.herodevs.com/vulnerability-directory/cve-2025-4690

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-0716** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915
- info - https://github.com/advisories/GHSA-j58c-ww9w-pwp5
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2025-0716
- info - https://www.herodevs.com/vulnerability-directory/cve-2025-0716

Vulnerable Software & Versions (RETIREJS):

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021** (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - https://docs.angularjs.org/misc/version-support-status
- retid - 54

Vulnerable Software & Versions (RETIREJS):

## remotegui.zip: angular.jar: angular.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/angular.min.js
**MD5:** 967a32633fa8f38f4ac3376c1a37b992
**SHA1:** b53b74d8e0b732dcdb98fbe521146b88299ea2f1
**SHA256:** 396dc1a03d6cc02e9c51a80246e0db53c5c8df9bd07287e3b51bce4a29dab355
**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | angularjs | High |
| Product | file | name | angularjs | High |
| Version | file | version | 1.8.3 | High |

### Suppressed Identifiers

- **None**

### Suppressed Vulnerabilities

**CVE-2022-25844** suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value. **Note:** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:
- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:
- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-m2h2-264f-f486
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:-:*:*:*:*:*:*:* 

**CVE-2024-21490** suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:**This package is EOL and will not receive any updates to address this issue. Users should migrate to [@angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:
- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-4w4v-5hc9-xrr2
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-21490
- info - https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746
- info - https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747
- info - https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113
- info - https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.3.0

**CVE-2022-25869** suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-prc3-vjfx-vhm9
- report@snyk.io - BROKEN_LINK
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:*

**CVE-2023-26116** suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-2vrf-hf26-jrp5
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - MAILING_LIST,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

**CVE-2023-26117** suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the $resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-2qqx-w9hr-q5gx
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - MAILING_LIST,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

**CVE-2023-26118** suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - https://github.com/advisories/GHSA-qwqh-hm9m-p5hr
- report@snyk.io - EXPLOIT
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - EXPLOIT,THIRD_PARTY_ADVISORY
- report@snyk.io - MAILING_LIST,THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:*:node.js:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

**CVE-2024-8372** suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of  Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:
The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see  here https://docs.angularjs.org/misc/version-support-status .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:
- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- info - https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017
- info - https://github.com/advisories/GHSA-m9gf-397r-hwpg
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-8372
- info - https://www.herodevs.com/vulnerability-directory/cve-2024-8372

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:*:*:*:* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:*:*:*:*:*:*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:*:*:*:*:*:*

**CVE-2024-8373** suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of  Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:
The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see  here https://docs.angularjs.org/misc/version-support-status .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:
- MEDIUM (4.3)

- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- 36c7be3b-2937-45df-85ea-ca7133ea542c - EXPLOIT,THIRD_PARTY_ADVISORY
- info - https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b
- info - https://github.com/advisories/GHSA-mqm9-c95h-x2p6
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2024-8373
- info - https://www.herodevs.com/vulnerability-directory/cve-2024-8373

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:*:*:*:* versions up to (excluding) 1.9.6

**CVE-2025-2336** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - https://codepen.io/herodevs/pen/bNGYaXx/412a3a4218387479898912f60c269c6c
- info - https://github.com/advisories/GHSA-4p4w-6hg8-63wx
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2025-2336
- info - https://www.herodevs.com/vulnerability-directory/cve-2025-2336

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-4690** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77
- info - https://github.com/advisories/GHSA-hfff-63hg-f47j
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2025-4690
- info - https://www.herodevs.com/vulnerability-directory/cve-2025-4690

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-0716** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915
- info - https://github.com/advisories/GHSA-j58c-ww9w-pwp5
- info - https://github.com/angular/angular.js
- info - https://nvd.nist.gov/vuln/detail/CVE-2025-0716
- info - https://www.herodevs.com/vulnerability-directory/cve-2025-0716

Vulnerable Software & Versions (RETIREJS):

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021** (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:
- Severity: low

References:
- info - https://docs.angularjs.org/misc/version-support-status
- retid - 54

Vulnerable Software & Versions (RETIREJS):

## remotegui.zip: jquery.jar

**Description:**

WebJar for jQuery

**License:**

MIT License: https://github.com/jquery/jquery/blob/master/MIT-LICENSE.txt

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/remotegui.zip/jquery.jar
**MD5:** 4af65e569248d8a2411f66498d720280
**SHA1:** c3dc40b1b5f24c56afa36fd9a463bb9f378ac4ab
**SHA256:** de28c4da0ea9f16101352dd3582ec8021ee5e2de5f45104ca171876003d54db6
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | jquery | High |
| Vendor | pom | artifactid | jquery | Low |
| Vendor | pom | developer email | james@jamesward.org | Low |
| Vendor | pom | developer id | jamesward | Medium |
| Vendor | pom | developer name | James Ward | Medium |
| Vendor | pom | groupid | org.webjars | Highest |
| Vendor | pom | name | jquery | High |
| Vendor | pom | url | http://webjars.org | Highest |
| Product | file | name | jquery | High |
| Product | pom | artifactid | jquery | Highest |
| Product | pom | developer email | james@jamesward.org | Low |
| Product | pom | developer id | jamesward | Low |

| | | | | |
|---|---|---|---|---|
| Product | pom | developer name | James Ward | Low |
| Product | pom | groupid | org.webjars | Highest |
| Product | pom | name | jquery | High |
| Product | pom | url | http://webjars.org | Medium |
| Version | pom | version | 2.2.4 | Highest |

**Suppressed Identifiers**

- **None**

**Suppressed Vulnerabilities**

**CVE-2016-10707** (OSSINDEX) suppressed

jquery - Uncontrolled Resource Consumption

The software does not properly restrict the size or amount of resources that are requested or influenced by an actor, which can be used to consume more resources than intended.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See https://ossindex.sonatype.org/vulnerability/CVE-2016-10707 for details

CWE-400 Uncontrolled Resource Consumption

Notes: file name: remotegui.jar: jquery.min.js - We can not yet upgrade to a newer version due to dependencies. We do, however, not directly use the functionality that is being CVEd

CVSSv3:
- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

References:
- OSSINDEX - [CVE-2016-10707] CWE-400: Uncontrolled Resource Consumption ('Resource Exhaustion')
- OSSIndex - https://github.com/advisories/GHSA-mhpp-875w-9cpv
- OSSIndex - https://github.com/jquery/jquery/issues/3133
- OSSIndex - https://github.com/jquery/jquery/issues/3371
- OSSIndex - https://github.com/jquery/jquery/pull/2916
- OSSIndex - https://github.com/jquery/jquery/pull/3134

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars:jquery:2.2.4:*:*:*:*:*:*:*

**CVE-2019-11358** (OSSINDEX) suppressed

jQuery before 3.4.0, as used in Drupal, Backdrop CMS, and other products, mishandles jQuery.extend(true, {}, ...) because of Object.prototype pollution. If an unsanitized source object contained an enumerable __proto__ property, it could extend the native Object.prototype.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See https://ossindex.sonatype.org/vulnerability/CVE-2019-11358 for details

CWE-1321 Improperly Controlled Modification of Object Prototype Attributes ('Prototype Pollution')

Notes: file name: remotegui.jar: jquery.min.js - We can not yet upgrade to a newer version due to dependencies. We do, however, not directly use the functionality that is being CVEd

CVSSv3:

- MEDIUM (6.099999904632568)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- OSSINDEX - [CVE-2019-11358] CWE-1321
- OSSIndex - http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2019-11358
- OSSIndex - https://blog.jquery.com/2019/04/10/jquery-3-4-0-released/
- OSSIndex - https://github.com/cbeust/testng/issues/2150
- OSSIndex - https://github.com/jquery/jquery/pull/4333

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars:jquery:2.2.4:*:*:*:*:*:*:*

**CVE-2020-11023** (OSSINDEX) suppressed

In jQuery versions greater than or equal to 1.0.3 and before 3.5.0, passing HTML containing <option> elements from untrusted sources - even after sanitizing it - to one of jQuery's DOM manipulation methods (i.e. .html(), .append(), and others) may execute untrusted code. This problem is patched in jQuery 3.5.0.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: file name: remotegui.jar: jquery.min.js - We can not yet upgrade to a newer version due to dependencies. We do, however, not directly use the functionality that is being CVEd

CVSSv3:

- MEDIUM (6.099999904632568)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- OSSINDEX - [CVE-2020-11023] CWE-79: Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')
- OSSIndex - http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2020-11023
- OSSIndex - https://github.com/advisories/GHSA-jpcq-cgw6-v4j6
- OSSIndex - https://jquery.com/upgrade-guide/3.5/

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars:jquery:2.2.4:*:*:*:*:*:*:*

## reporting.zip: reporting-javadoc.jar: jquery-ui.min.js

**File Path:** /home/jenkins/workspace/helpdesk/Check-Product-Installer-for-Security-Problems/HelpDeskInstaller/server/build/tmp/dependencies/i-net HelpDesk/Server/plugins/reporting.zip/reporting-javadoc.jar/script-dir/jquery-ui.min.js
**MD5:** 32059df39c14a910ccc2325f6a3cd62f
**SHA1:** d3289f1b527a3f054d303ec769402e037fbfcf4b
**SHA256:** 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
**Referenced In Project/Scope:** server

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

| | | | | |
|---|---|---|---|---|
| Vendor | file | name | jquery-ui | High |
| Product | file | name | jquery-ui | High |
| Version | file | version | 1.13.1 | High |

**Suppressed Identifiers**

- **None**

**Suppressed Vulnerabilities**

**CVE-2022-31160** suppressed

jQuery UI is a curated set of user interface interactions, effects, widgets, and themes built on top of jQuery. Versions prior to 1.13.2 are potentially vulnerable to cross-site scripting. Initializing a checkboxradio widget on an input enclosed within a label makes that parent label contents considered as the input label. Calling `.checkboxradio( "refresh" )` on such a widget and the initial HTML contained encoded HTML entities will make them erroneously get decoded. This can lead to potentially executing JavaScript code. The bug has been patched in jQuery UI 1.13.2. To remediate the issue, someone who can change the initial HTML can wrap all the non-input contents of the `label` in a `span`.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv3:
- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:
- info - https://github.com/advisories/GHSA-h6gj-6jjq-h8g9
- info - https://github.com/jquery/jquery-ui/commit/8cc5bae1caa1fcf96bf5862c5646c787020ba3f9
- info - https://github.com/jquery/jquery-ui/issues/2101
- info - https://nvd.nist.gov/vuln/detail/CVE-2022-31160
- security-advisories@github.com - EXPLOIT,MITIGATION,RELEASE_NOTES,THIRD_PARTY_ADVISORY
- security-advisories@github.com - MAILING_LIST,THIRD_PARTY_ADVISORY
- security-advisories@github.com - PATCH,THIRD_PARTY_ADVISORY
- security-advisories@github.com - RELEASE_NOTES,VENDOR_ADVISORY
- security-advisories@github.com - THIRD_PARTY_ADVISORY
- security-advisories@github.com - THIRD_PARTY_ADVISORY

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.0:*:*:*:*:drupal:*:*
- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.1:*:*:*:*:drupal:*:*
- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.2:*:*:*:*:drupal:*:*
- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.3:*:*:*:*:drupal:*:*
- cpe:2.3:a:jqueryui:jquery_ui:*:*:*:*:*:jquery:*:* versions up to (excluding) 1.13.2
- cpe:2.3:a:netapp:oncommand_insight:-:*:*:*:*:*:*:*

This report may contain data retrieved from the CISA Known Exploited Vulnerability Catalog.
This report may contain data retrieved from the Github Advisory Database (via NPM Audit API).
This report may contain data retrieved from RetireJS.
This report may contain data retrieved from the Sonatype OSS Index.