



# DEPENDENCY-CHECK

Dependency-Check is an open source tool performing a best effort analysis of 3rd party dependencies; false positives and false negatives may exist in the analysis performed by the tool. Use of the tool and the reporting provided constitutes acceptance for use in an AS IS condition, and there are NO warranties, implied or otherwise, with regard to the analysis or its use. Any use of the tool and the reporting provided is at the user's risk. In no event shall the copyright holder or OWASP be held liable for any damages whatsoever arising out of or in connection with the use of this tool, the analysis performed, or the resulting report.

[How to read the report](#) | [Suppressing false positives](#) | [Getting Help: github issues](#)

[Sponsor](#)

## Project: project ':standalone'

`pdhc:standalone:24.10`

Scan Information ([show all](#)):

- *dependency-check version:* 10.0.3
- *Report Generated On:* Sat, 16 Nov 2024 16:56:47 +0100
- *Dependencies Scanned:* 146 (141 unique)
- *Vulnerable Dependencies:* 0
- *Vulnerabilities Found:* 0
- *Vulnerabilities Suppressed:* 1 ([show](#))
- ...
- *NVD API Last Checked:* 2024-11-16T15:54:01Z
- *NVD API Last Modified:* 2024-09-18T11:15:10Z
- *NVD Cache Last Checked:* 2024-11-16T15:54:01Z
- *NVD Cache Last Modified:* 2024-09-18T11:15:10Z

## Summary

Display: [Showing Vulnerable Dependencies \(click to show all\)](#)

Dependency	Vulnerability IDs	Package	Highest Severity	CVE Cou
<a href="#">Merlia-0.jar</a>		<a href="#">pkg:maven/lib/Merlia@0</a>		0
<a href="#">analysis.language.zip: analysis.language.jar</a>	cpe:2.3:a:inetsoftware:pdhc:24.10.221: *.*.*.*.*.*			0
<a href="#">analysis.language.zip: guava.jar</a>	cpe:2.3:a:google:guava:33.2.1:*****: *.*	<a href="#">pkg:maven/com. google.guava /guava@33.2.1- jre</a>		0
<a href="#">analysis.language.zip: jsonic.jar</a>				0
<a href="#">analysis.language.zip: language-detector.jar</a>		<a href="#">pkg:maven/com. optimaize. languagedetector /language- detector@0.6</a>		0
<a href="#">command.jsonexport. zip: command.</a>	cpe:2.3:a:inetsoftware:pdhc:24.10.221: *.*.*.*.*.*			0

<a href="#">jsonexport.jar</a>				
<a href="#">comparison.api.zip:</a> <a href="#">comparison.api.jar</a>	cpe:2.3:a:inetsoftware:pdfc:24.10.221: *.*.*.*.*.*			0
<a href="#">comparison.rpc.zip:</a> <a href="#">comparison.rpc.jar</a>	cpe:2.3:a:inetsoftware:pdfc:24.10.221: *.*.*.*.*.*			0
<a href="#">comparison.webgui.zip:</a> <a href="#">comparison.webgui.jar</a> : compare.js	cpe:2.3:a:inetsoftware:pdfc:24.10.221: *.*.*.*.*.*			0
<a href="#">comparison.webgui.zip:</a> <a href="#">comparison.webgui.jar</a> : app.js				0
<a href="#">comparison.webgui.zip:</a> <a href="#">comparison.webgui.jar</a> : compare.js				0
<a href="#">comparison.webgui.zip:</a> <a href="#">comparison.webgui.jar</a> : contextmenuextension.js				0
<a href="#">comparison.webgui.zip:</a> <a href="#">comparison.webgui.jar</a> : contingent.js				0
<a href="#">comparison.webgui.zip:</a> <a href="#">comparison.webgui.jar</a> : controller.js				0
<a href="#">comparison.webgui.zip:</a> <a href="#">comparison.webgui.jar</a> : descriptionarea.js				0
<a href="#">comparison.webgui.zip:</a> <a href="#">comparison.webgui.jar</a> : dropzone.js				0
<a href="#">comparison.webgui.zip:</a> <a href="#">comparison.webgui.jar</a> : export.js				0
<a href="#">comparison.webgui.zip:</a> <a href="#">comparison.webgui.jar</a> : factory.js				0
<a href="#">comparison.webgui.zip:</a> <a href="#">comparison.webgui.jar</a> : model.js				0
<a href="#">comparison.webgui.zip:</a> <a href="#">comparison.webgui.jar</a> : multipasswordpanel.js				0
<a href="#">comparison.webgui.zip:</a> <a href="#">comparison.webgui.jar</a> : mycomparisons.js				0
<a href="#">comparison.webgui.zip:</a> <a href="#">comparison.webgui.jar</a>				0

<a href="#">passwordpanel.js</a>					
<a href="#">comparison.webgui.zip: comparison.webgui.jar: pdfccconfig.js</a>					0
<a href="#">comparison.webgui.zip: comparison.webgui.jar: profil.js</a>					0
<a href="#">comparison.webgui.zip: comparison.webgui.jar: profileentry.js</a>					0
<a href="#">comparison.webgui.zip: comparison.webgui.jar: publishdialog.js</a>					0
<a href="#">comparison.webgui.zip: comparison.webgui.jar: publishprofiledialog.js</a>					0
<a href="#">comparison.webgui.zip: comparison.webgui.jar: report.js</a>					0
<a href="#">comparison.webgui.zip: comparison.webgui.jar: scroller.js</a>					0
<a href="#">comparison.webgui.zip: comparison.webgui.jar: searchcomponent.js</a>					0
<a href="#">comparison.webgui.zip: comparison.webgui.jar: userlist.js</a>					0
<a href="#">comparison.webgui.zip: comparison.webgui.jar: visibilitysettings.js</a>					0
<a href="#">comparison.webgui.zip: comparison.webgui.jar: zoomer.js</a>					0
<a href="#">filter.area.zip: filter.area.jar</a>	cpe:2.3:a:inetsoftware:pdfc:24.10.221: *.*.*.*.*				0
<a href="#">filter.baselinetable.zip: filter.baselinetable.jar</a>	cpe:2.3:a:inetsoftware:pdfc:24.10.221: *.*.*.*.*				0
<a href="#">filter.cmappatch.zip: filter.cmappatch.jar</a>	cpe:2.3:a:inetsoftware:pdfc:24.10.221: *.*.*.*.*				0
<a href="#">filter.headerfooter.zip: filter.headerfooter.jar</a>	cpe:2.3:a:inetsoftware:pdfc:24.10.221: *.*.*.*.*				0
<a href="#">filter.hiderotation.zip: filter.hiderotation.jar</a>	cpe:2.3:a:inetsoftware:pdfc:24.10.221: *.*.*.*.*				0
<a href="#">filter.invisibleelements.zip: filter.filter.jar</a>	cpe:2.3:a:inetsoftware:pdfc:24.10.221: *.*.*.*.*				0

<a href="#">invisibleelements.jar</a>				
<a href="#">filter.multicolumn.zip: filter.multicolumn.jar</a>	cpe:2.3:a:inetsoftware:pdfc:24.10.221: *.*.*.*.*			0
<a href="#">filter.ocr.zip: filter.ocr.jar</a>	cpe:2.3:a:inetsoftware:pdfc:24.10.221: *.*.*.*.*			0
<a href="#">filter.pagerange.zip: filter.pagerange.jar</a>	cpe:2.3:a:inetsoftware:pdfc:24.10.221: *.*.*.*.*			0
<a href="#">filter.regex.zip: filter.regex.jar</a>	cpe:2.3:a:inetsoftware:pdfc:24.10.221: *.*.*.*.*			0
<a href="#">filter.regex.zip: filter.regex.jar; filterrenderer.js</a>				0
<a href="#">filter.textrtransform.zip: filter.textrtransform.jar</a>	cpe:2.3:a:inetsoftware:pdfc:24.10.221: *.*.*.*.*			0
<a href="#">filter.urllookup.zip: filter.urllookup.jar</a>	cpe:2.3:a:inetsoftware:pdfc:24.10.221: *.*.*.*.*			0
<a href="#">hamcrest-2.2.jar</a>		<a href="#">pkg:maven/org.hamcrest/hamcrest@2.2</a>		0
<a href="#">inetcore-24.10-tools.jar</a>		<a href="#">pkg:maven/shared/inetcore@24.10</a>		0
<a href="#">inetcore-24.10.jar (shaded: com.inet.shared:inetcore:null)</a>				0
<a href="#">inetcore-24.10.jar</a>		<a href="#">pkg:maven/shared/inetcore@24.10</a>		0
<a href="#">java-21-jre-x64-linux.tar.gz: java-21-jre-x64-linux.tar: jrt-fs.jar</a>	cpe:2.3:a:eclipse:platform:21.0.5:*.*.*: *.*.*			0
<a href="#">jlessc-1.12.jar</a>		<a href="#">pkg:maven/de.inetsoftware/jlessc@1.12</a>		0
<a href="#">junit-4.13.2.jar</a>	<a href="#">cpe:2.3:a:junit:junit4:4.13.2:.*.*.*.*.*</a>	<a href="#">pkg:maven/junit/junit@4.13.2</a>		0
<a href="#">junit-jupiter-5.10.3.jar</a>		<a href="#">pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3</a>		0
<a href="#">junit-jupiter-api-5.10.3.jar</a>		<a href="#">pkg:maven/org.junit.jupiter/junit-jupiter-api@5.10.3</a>		0
<a href="#">junit-jupiter-engine-5.10.3.jar</a>		<a href="#">pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.10.3</a>		0
<a href="#">junit-jupiter-params-5.10.3.jar</a>		<a href="#">pkg:maven/org.junit.jupiter/junit-jupiter-params@5.10.3</a>		0

<a href="#">junit-platform-commons-1.10.3.jar</a>		<a href="#">pkg:maven/org.junit.platform/junit-platform-commons@1.10.3</a>		0
<a href="#">junit-platform-engine-1.10.3.jar</a>		<a href="#">pkg:maven/org.junit.platform/junit-platform-engine@1.10.3</a>		0
<a href="#">junit-platform-launcher-1.10.3.jar</a>		<a href="#">pkg:maven/org.junit.platform/junit-platform-launcher@1.10.3</a>		0
<a href="#">junit-platform-suite-1.10.3.jar</a>		<a href="#">pkg:maven/org.junit.platform/junit-platform-suite@1.10.3</a>		0
<a href="#">junit-platform-suite-api-1.10.3.jar</a>		<a href="#">pkg:maven/org.junit.platform/junit-platform-suite-api@1.10.3</a>		0
<a href="#">junit-platform-suite-commons-1.10.3.jar</a>		<a href="#">pkg:maven/org.junit.platform/junit-platform-suite-commons@1.10.3</a>		0
<a href="#">junit-platform-suite-engine-1.10.3.jar</a>		<a href="#">pkg:maven/org.junit.platform/junit-platform-suite-engine@1.10.3</a>		0
<a href="#">junit-vintage-engine-5.10.3.jar</a>		<a href="#">pkg:maven/org.junit.vintage/junit-vintage-engine@5.10.3</a>		0
<a href="#">maintenance.pdfc.zip: maintenance.pdfc.jar</a>	cpe:2.3:a:inetsoftware:pdfc:24.10.221: *****:*****			0
<a href="#">maintenance.pdfc.zip: maintenance.pdfc.jar: app.js</a>				0
<a href="#">maintenance.pdfc.zip: maintenance.pdfc.jar: comparisons.js</a>				0
<a href="#">ocr.tesseract.zip: commons-io.jar</a>	<a href="#">cpe:2.3:a:apache:commons_io:2.16.1: *****:*****</a>	<a href="#">pkg:maven/commons-io/commons-io@2.16.1</a>		0
<a href="#">ocr.tesseract.zip: commons-logging.jar</a>		<a href="#">pkg:maven/commons-logging/commons-logging@1.3.3</a>		0
<a href="#">ocr.tesseract.zip: fontbox.jar</a>		<a href="#">pkg:maven/apache.pdfbox</a>		0

		<a href="#">/fontbox@3.0.2</a>		
<a href="#">ocr.tesseract.zip: jai-imageio-core.jar</a>		<a href="#">pkg:maven/com.github.jai-imageio/jai-imageio-core@1.4.0</a>		0
<a href="#">ocr.tesseract.zip: jbig2-imageio.jar</a>	cpe:2.3:a:apache:pdfbox:3.0.4:***:***: *.*	<a href="#">pkg:maven/org.apache.pdfbox/jbig2-imageio@3.0.4</a>		0
<a href="#">ocr.tesseract.zip: jboss-vfs.jar</a>		<a href="#">pkg:maven/org.jboss/jboss-vfs@3.3.2.Final</a>		0
<a href="#">ocr.tesseract.zip: jna.jar</a>	cpe:2.3:a:oracle:java_se:5.14.0:***:***: *.*.*			0
<a href="#">ocr.tesseract.zip: jna.jar: jnidispatch.dll</a>				0
<a href="#">ocr.tesseract.zip: jna.jar: jnidispatch.dll</a>				0
<a href="#">ocr.tesseract.zip: jna.jar: jnidispatch.dll</a>				0
<a href="#">ocr.tesseract.zip: lept4j.jar</a>		<a href="#">pkg:maven/net.sourceforge.lept4j/lept4j@1.19.1</a>		0
<a href="#">ocr.tesseract.zip: lept4j.jar: libleptonica1841.dll</a>				0
<a href="#">ocr.tesseract.zip: lept4j.jar: libleptonica1841.dll</a>				0
<a href="#">ocr.tesseract.zip: ocr.tesseract.jar</a>	cpe:2.3:a:tesseract_ocr_project:tesseract_ocr:24.10.221:***:***:***: cpe:2.3:a:tesseract_project:tesseract:24.10.221:***:***:***:			0
<a href="#">ocr.tesseract.zip: pdfbox.jar</a>	cpe:2.3:a:apache:pdfbox:3.0.2:***:***: *.*	<a href="#">pkg:maven/org.apache.pdfbox/pdfbox@3.0.2</a>		0
<a href="#">ocr.tesseract.zip: tess4j.jar</a>	cpe:2.3:a:tesseract_project:tesseract:5.12.0:***:***:***:	<a href="#">pkg:maven/net.sourceforge.tess4j/tess4j@5.12.0</a>		0
<a href="#">ocr.tesseract.zip: tess4j.jar: libtesseract541.dll</a>				0
<a href="#">ocr.tesseract.zip: tess4j.jar: libtesseract541.dll</a>				0
<a href="#">opentest4j-1.3.0.jar</a>		<a href="#">pkg:maven/org.opentest4j/opentest4j@1.3.0</a>		0
<a href="#">parser.docx.zip: DocxParser.jar</a>				0
<a href="#">parser.docx.zip:</a>				0

EmfParser.jar

<a href="#">parser.docx.zip: SparseBitSet.jar</a>	cpe:2.3:a:bit_project:bit:1.3:*****: * *	<a href="#">pkg:maven/com.zaxxer/SparseBitSet@1.3</a>		0
<a href="#">parser.docx.zip: commons-codec.jar</a>		<a href="#">pkg:maven/commons-codec/commons-codec@1.17.1</a>		0
<a href="#">parser.docx.zip: commons-collections4.jar</a>	cpe:2.3:a:apache:commons_collections:4.4:*****: * *	<a href="#">pkg:maven/org.apache.commons/commons-collections4@4.4</a>		0
<a href="#">parser.docx.zip: commons-compress.jar</a>	cpe:2.3:a:apache:commons_compress:1.26.2:*****: * *	<a href="#">pkg:maven/org.apache.commons/commons-compress@1.26.2</a>		0
<a href="#">parser.docx.zip: commons-math3.jar</a>		<a href="#">pkg:maven/org.apache.commons/commons-math3@3.6.1</a>		0
<a href="#">parser.docx.zip: curvesapi.jar</a>		<a href="#">pkg:maven/com.github.virtuald/curvesapi@1.08</a>		0
<a href="#">parser.docx.zip: log4j-api.jar</a>	cpe:2.3:a:apache:log4j:2.23.1:*****: * -	<a href="#">pkg:maven/org.apache.logging.log4j/log4j-log4j-api@2.23.1</a>		0
<a href="#">parser.docx.zip: parser.docx.jar</a>	cpe:2.3:a:inetsoftware:pdfc:24.10.221:*****: * *			0
<a href="#">parser.docx.zip: poi.jar</a>	cpe:2.3:a:apache:poi:5.2.3:*****: * *			0
<a href="#">parser.docx.zip: xmlbeans.jar</a>	cpe:2.3:a:apache:xmlbeans:5.2.1:*****: * *	<a href="#">pkg:maven/org.apache.xmlbeans/xmlbeans@5.2.1</a>		0
<a href="#">parser.image.zip: parser.image.jar</a>	cpe:2.3:a:inetsoftware:pdfc:24.10.221:*****: * *			0
<a href="#">parser.pdf.config.zip: parser.pdf.config.jar</a>	cpe:2.3:a:inetsoftware:pdfc:24.10.221:*****: * *			0
<a href="#">parser.text.zip: parser.text.jar</a>	cpe:2.3:a:inetsoftware:pdfc:24.10.221:*****: * *			0
<a href="#">pdfc.gui.zip: TableLayout.jar</a>				0
<a href="#">pdfc.gui.zip: VividSwingAnimations.jar</a>				0
<a href="#">pdfc.gui.zip: inetswingcore.jar</a>				0
<a href="#">pdfc.gui.zip: pdfc.gui.jar</a>	cpe:2.3:a:inetsoftware:pdfc:24.10.221:*****: * *			0
<a href="#">pdfc.standalone.zip:</a>	cpe:2.3:a:inetsoftware:pdfc:24.10.221:			0

<a href="#">pdfc.standalone.jar</a>	*****				
<a href="#">pdfc.standalone.zip:</a> <a href="#">pdfc.standalone.jar:</a> <a href="#">bridge.js</a>					0
<a href="#">pdfc.standalone.zip:</a> <a href="#">pdfc.standalone.jar:</a> <a href="#">bridgeConfig.js</a>					0
<a href="#">pdfc.standalone.zip:</a> <a href="#">pdfc.standalone.jar:</a> <a href="#">bridgePDFC.js</a>					0
<a href="#">pdfc.standalone.zip:</a> <a href="#">pdfc.standalone.jar:</a> <a href="#">extraMenu.js</a>					0
<a href="#">pdfc.standalone.zip:</a> <a href="#">pdfc.standalone.jar:</a> <a href="#">removeHeader.js</a>					0
<a href="#">pdfc.standalone.zip:</a> <a href="#">pdfc.standalone.jar:</a> <a href="#">removePDFCElements.js</a>					0
<a href="#">pdfc.standalone.zip:</a> <a href="#">pdfc.standalone.jar:</a> <a href="#">theme.js</a>					0
<a href="#">pdfc.standalone.zip:</a> <a href="#">pdfc.standalone.jar:</a> <a href="#">translation.js</a>					0
<a href="#">pdfc.zip: icu4j.jar</a> (shaded: com.ibm.icu: collate:75.1)		<a href="#">pkg:maven/com. ibm.icu /collate@75.1</a>			0
<a href="#">pdfc.zip: icu4j.jar</a> (shaded: com.ibm.icu: core:75.1)		<a href="#">pkg:maven/com. ibm.icu/core@75. 1</a>			0
<a href="#">pdfc.zip: icu4j.jar</a> (shaded: com.ibm.icu: currdata:75.1)		<a href="#">pkg:maven/com. ibm.icu /currdata@75.1</a>			0
<a href="#">pdfc.zip: icu4j.jar</a> (shaded: com.ibm.icu: langdata:75.1)		<a href="#">pkg:maven/com. ibm.icu /langdata@75.1</a>			0
<a href="#">pdfc.zip: icu4j.jar</a> (shaded: com.ibm.icu: regiondata:75.1)		<a href="#">pkg:maven/com. ibm.icu /regiondata@75. 1</a>			0
<a href="#">pdfc.zip: icu4j.jar</a> (shaded: com.ibm.icu: translit:75.1)		<a href="#">pkg:maven/com. ibm.icu /translit@75.1</a>			0
<a href="#">pdfc.zip: icu4j.jar</a>	cpe:2.3:a:icu-project: international_components_for_unicode: 75.1:***:***:***:*	<a href="#">pkg:maven/com. ibm.icu/icu4j@75. 1</a>			0
<a href="#">pdfc.zip: jbig2.jar</a>					0
<a href="#">pdfc.zip: pdfc-javadoc.jar</a>					0

<a href="#">pdfc.zip: pdfc-javadoc.jar: jquery-3.6.1.min.js</a>				0
<a href="#">pdfc.zip: pdfc-javadoc.jar: jquery-ui.min.js</a>		<a href="#">pkg:javascript /jquery-ui@1.13.1</a>		0
<a href="#">pdfc.zip: pdfc-javadoc.jar: member-search-index.js</a>				0
<a href="#">pdfc.zip: pdfc-javadoc.jar: module-search-index.js</a>				0
<a href="#">pdfc.zip: pdfc-javadoc.jar: package-search-index.js</a>				0
<a href="#">pdfc.zip: pdfc-javadoc.jar: script.js</a>				0
<a href="#">pdfc.zip: pdfc-javadoc.jar: search.js</a>				0
<a href="#">pdfc.zip: pdfc-javadoc.jar: tag-search-index.js</a>				0
<a href="#">pdfc.zip: pdfc-javadoc.jar: type-search-index.js</a>				0
<a href="#">pdfc.zip: pdfc.jar</a>	cpe:2.3:a:inetsoftware:pdfc:24.10.221: *.*.*.*.*.*			0
<a href="#">pdfcserver.zip: pdfcserver.jar</a>	cpe:2.3:a:inetsoftware:pdfc:24.10.221: *.*.*.*.*.*			0
<a href="#">pdfcserver.zip: pdfcserver.jar: compareconfigrenderer.js</a>				0
<a href="#">pdfcsetupwizard.zip: pdfcsetupwizard.jar</a>	cpe:2.3:a:inetsoftware:pdfc:24.10.221: *.*.*.*.*.*			0
<a href="#">pdfcsetupwizard.zip: pdfcsetupwizard.jar: controller.js</a>				0
<a href="#">processbridge.pdfc.zip: processbridge.pdfc.jar</a>	cpe:2.3:a:inetsoftware:pdfc:24.10.221: *.*.*.*.*.*			0
<a href="#">slf4j-api-2.0.13.jar</a>		<a href="#">pkg:maven/org.slf4j/slf4j-api@2.0.13</a>		0
<a href="#">taskplanner.pdfc.zip: taskplanner.pdfc.jar</a>	cpe:2.3:a:inetsoftware:pdfc:24.10.221: *.*.*.*.*.*			0

## Dependencies (vulnerable)

### Merlia-0.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/lib/Merlia/0/a6d457a3b6469de885ef03655d1216936ef43f1b/Merlia-0.jar

**MD5:** 0cd5423a663f69dd7875b0c82304cc3b  
**SHA1:** a6d457a3b6469de885ef03655d1216936ef43f1b  
**SHA256:** 08cbc9ffcc7c98eb772c900ec406f6be93f48ccc819c22ef8522bbc45b326057  
**Referenced In Project/Scope:** standalone:inetPlugin  
**Included by:** pkg:maven/pdfc/standalone@24.10

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	Merlia-0	High
Vendor	gradle	artifactid	Merlia	Highest
Vendor	gradle	groupid	lib	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	tds	Low
Product	file	name	Merlia-0	High
Product	gradle	artifactid	Merlia	Highest
Product	jar	package name	tds	Low
Version	file	name	Merlia-0	Medium
Version	file	version	0	Medium
Version	gradle	version	0	Highest
Version	Manifest	driver-version	8.13	Medium

### Identifiers

- [pkg:maven/lib/Merlia@0](#) (Confidence: Highest)

## analysis.language.zip: analysis.language.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/analysis.language.zip/analysis.language.jar  
**MD5:** 5293ab07f81010b803cc1b8111213e27  
**SHA1:** 541e832bc258b057e2fafaf10b0349a63a752d4e3  
**SHA256:** 1ae4c1a90ee6002b2d2e2ffb31fc7477ae35dc558aa946a5c00b62d7d08cb964  
**Referenced In Project/Scope:** standalone

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	analysis.language	High
Vendor	jar	package name	analysis	Low

Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-11-16 16:36	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	analysis.language	High
Product	jar	package name	analysis	Highest
Product	jar	package name	analysis	Low
Product	jar	package name	language	Highest
Product	jar	package name	language	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-11-16 16:36	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	analysis.language	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	analysis.language	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low

Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.10.221	High

## Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.10.221.\*.\*.\*.\*.\* (Confidence:Low) suppress

## analysis.language.zip: guava.jar

### Description:

Guava is a suite of core and expanded libraries that include utility classes, Google's collections, I/O classes, and much more.

### License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/analysis.language.zip/guava.jar

**MD5:** 872309e5982530bdc7e68096c0d53cd2

**SHA1:** 818e780da2c66c63bbb6480fef1f3855eeafa3e4

**SHA256:** 452b2d9787b7d366fa8cf5ed9a1c40404542d05effa7a598da03bbbb76d9f31

**Referenced In Project/Scope:** standalone

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	guava	High
Vendor	jar	package name	common	Highest
Vendor	jar	package name	google	Highest
Vendor	Manifest	automatic-module-name	com.google.common	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	<a href="https://github.com/google/guava/">https://github.com/google/guava/</a>	Low
Vendor	Manifest	bundle-symbolicname	com.google.guava	Medium
Vendor	pom	artifactid	guava	Low
Vendor	pom	groupid	com.google.guava	Highest
Vendor	pom	name	Guava: Google Core Libraries for Java	High
Vendor	pom	parent-artifactid	guava-parent	Low

Vendor	pom	url	google/guava	Highest
Product	file	name	guava	High
Product	jar	package name	common	Highest
Product	jar	package name	google	Highest
Product	Manifest	automatic-module-name	com.google.common	Medium
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	https://github.com/google/guava/	Low
Product	Manifest	Bundle-Name	Guava: Google Core Libraries for Java	Medium
Product	Manifest	bundle-symbolicname	com.google.guava	Medium
Product	pom	artifactid	guava	Highest
Product	pom	groupid	com.google.guava	Highest
Product	pom	name	Guava: Google Core Libraries for Java	High
Product	pom	parent-artifactid	guava-parent	Medium
Product	pom	url	google/guava	High
Version	pom	version	33.2.1-jre	Highest

## Identifiers

- [pkg:maven/com.google.guava/guava@33.2.1-jre](#) (Confidence: High)
- [cpe:2.3:a:google:guava:33.2.1.\\*.\\*.\\*.\\*.\\*](#) (Confidence: Highest) suppress

## analysis.language.zip: jsonic.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/analysis.language.zip/jsonic.jar

**MD5:** 504496d0069da0121c059c219147e90c

**SHA1:** 98e8a1f25aa40ed92ff2ecc4d1301d48b552452

**SHA256:** 150e3ac24b103cb0cd50595018dbe3c8ba4b3dee81a76eb4b987607f96e9602b

**Referenced In Project/Scope:** standalone

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jsonic	High
Vendor	jar	package name	arnx	Low
Vendor	jar	package name	jsonic	Low

Vendor	jar	package name	net	Low
Product	file	name	jsonic	High
Product	jar	package name	arnx	Low
Product	jar	package name	jsonic	Low

### Identifiers

- None

## analysis.language.zip: language-detector.jar

### Description:

Language Detection Library for Java.

### License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/analysis.language.zip/language-detector.jar

**MD5:** e5475d5cabd54e5ddf6428d63864888f

**SHA1:** 52fee1eaa101f8d3e30b7095e1b6e0054d514dde

**SHA256:** f53ecc3d71da9ebc82edd10fb35638d32e8b9d849273dd717a021eca02f2278d

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	language-detector	High
Vendor	jar	package name	langdetect	Low
Vendor	jar	package name	languagedetector	Highest
Vendor	jar	package name	optimaize	Highest
Vendor	jar	package name	optimaize	Low
Vendor	pom	artifactid	language-detector	Low
Vendor	pom	developer name	Fabian Kessler	Medium
Vendor	pom	developer name	François ROLAND	Medium
Vendor	pom	developer name	Nakatani Shuyo	Medium
Vendor	pom	developer name	Robert Theis	Medium
Vendor	pom	groupid	com.optimaize.languagedetector	Highest
Vendor	pom	name	language-detector	High

Vendor	pom	url	optimaize/language-detector	Highest
Product	file	name	language-detector	High
Product	jar	package name	langdetect	Low
Product	jar	package name	languagedetector	Highest
Product	jar	package name	optimaize	Highest
Product	pom	artifactid	language-detector	Highest
Product	pom	developer name	Fabian Kessler	Low
Product	pom	developer name	François ROLAND	Low
Product	pom	developer name	Nakatani Shuyo	Low
Product	pom	developer name	Robert Theis	Low
Product	pom	groupid	com.optimaize.languagedetector	Highest
Product	pom	name	language-detector	High
Product	pom	url	optimaize/language-detector	High
Version	pom	version	0.6	Highest

## Identifiers

- [pkg:maven/com.optimaize.languagedetector/language-detector@0.6](#) (Confidence:High)

## command.jsonexport.zip: command.jsonexport.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/command.jsonexport.zip/command.jsonexport.jar  
**MD5:** 9aeea2773808d66a2db72d40e5814cad

**SHA1:** 1e79a706007a10845c6f70eb16e2387430900458

**SHA256:** f8b67aae05aebc8038fac693bbaf5a7c525721ccb849b8881abb868be01199c9

**Referenced In Project/Scope:** standalone

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	command.jsonexport	High
Vendor	jar	package name	command	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low

Vendor	Manifest	built-date	2024-11-16 16:35	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	command.jsonexport	High
Product	jar	package name	command	Highest
Product	jar	package name	command	Low
Product	jar	package name	json	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-11-16 16:35	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	command.jsonexport	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	command.jsonexport	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.10.221	High

## Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.10.221.\*::\*:\*\*\* (Confidence:Low) suppress

## comparison.api.zip: comparison.api.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.api.zip/comparison.api.jar

**MD5:** 2fd9458abd939dd566e84d347e5943e1

**SHA1:** 79c5b00f8642e53909c770d79716f3c29ed26b1b

**SHA256:** f3f6344a977ca707a6d7f2ca3b229c8499b42949ba80e69f9a350b9a9b21968a

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	comparison.api	High
Vendor	jar	package name	comparisonapi	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-11-16 16:26	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	comparison.api	High
Product	jar	package name	comparisonapi	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low

Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-11-16 16:26	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	comparison.api	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	comparison.api	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.10.221	High

### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.10.221:\*:\*:\*:\*:\* (Confidence:Low) suppress

## comparison.rpc.zip: comparison.rpc.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.rpc.zip/comparison.rpc.jar

**MD5:** 7ff236a89db185245a00744e1e81e9f4

**SHA1:** 7fc523745a83f51297ccb7c813e3afd27f4a14bf

**SHA256:** 491c260009b6bd31ab28deaecab08cd683433cc2c9761a5df59bf5c6e53d505b

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	comparison.rpc	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	rpc	Low
Vendor	Manifest	application-library-allowable-	*	Low

		codebase		
Vendor	Manifest	built-date	2024-11-16 16:26	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	comparison.rpc	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	rpc	Highest
Product	jar	package name	rpc	Low
Product	jar	package name	websocket	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-11-16 16:26	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	comparison.rpc	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	comparison.rpc	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.10.221	High

## Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.10.221:\*\*\*:\*\*\*:\*\*\* (Confidence:Low) suppress

## comparison.webgui.zip: comparison.webgui.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar

**MD5:** 49392994e65abbcc2547d7f2ab6cd0d6

**SHA1:** a305c8d0454b9cd0120ae6bb1330903e8176fc66

**SHA256:** 831803995d1ee061043fc62a2aaab33a0664382f22f7f12d702409746a1be6cf

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	comparison.webgui	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	webgui	Low
Vendor	Manifest	built-date	2024-11-16 16:26	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	comparison.webgui	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	server	Low
Product	jar	package name	webgui	Highest
Product	jar	package name	webgui	Low
Product	Manifest	built-date	2024-11-16 16:26	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	comparison.webgui	High

Product	Manifest	specification-title	comparison.webgui	Medium
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.10.221	High

#### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.10.221:\*::\*:::\*:\* (Confidence:Low) suppress

### comparison.webgui.zip: comparison.webgui.jar: app.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/app.js  
**MD5:** b5337bb448dd2bfdc4393b33453a03e6  
**SHA1:** 0c01af2e2032b7a61d88e120f9f6a16d1cee8bd0  
**SHA256:** 0e584547e2891e2a31485a68d453938275706e0acc2b61210c906d6ae20f0330  
**Referenced In Project/Scope:** standalone

#### Evidence



Type	Source	Name	Value	Confidence

#### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: compare.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/compare.js  
**MD5:** a1b9a4c2563dcdebd4d69fb757092f94  
**SHA1:** bf15679ec29e8f7b4165081ce3cf027ad18f51dd  
**SHA256:** f9204fe0a37fc51c85eb92a7f330dd23c0a2a8233bc8d140c84e45d12f49cc1d  
**Referenced In Project/Scope:** standalone

#### Evidence



Type	Source	Name	Value	Confidence

### Identifiers

- None

## comparison.webgui.zip: comparison.webgui.jar: contextmenuextension.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/drive/contextmenuextension.js

**MD5:** 1bef45da0b85f14100fd90b962ec08dd

**SHA1:** d2aa756f35e647040f06c87bd7e70408843a94bc

**SHA256:** 8606f3e669cb924d0343e2f121aa28d72ec7e0c78f7414f2f50d9bd1e8c4617a

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## comparison.webgui.zip: comparison.webgui.jar: contingent.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/contingent.js

**MD5:** 9b4fd9a3e46ce79a17e64ee06878644a

**SHA1:** 5d1dc05ba946aaff7af3b3399f72dd399fb16261

**SHA256:** 6d95981c415d1dc5c4cb0a50337344d550241981ca872336a6559b705aedbdc1

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## comparison.webgui.zip: comparison.webgui.jar: controller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/controller.js

**MD5:** 71483af5e05f78c556cd0dbb4f221adb

**SHA1:** 942045f3b83ea37b125a7b109b9bf313832c58ac

**SHA256:** a584bba4703e68f80803b0d20e0f6e9c6596b3c4a239b3885cb94dcf2ef0f60f

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## comparison.webgui.zip: comparison.webgui.jar: descriptionarea.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/descriptionarea.js

**MD5:** e0e1766e85377f31b7664d404aeebc41

**SHA1:** 0a6772730c5e6864f344db92935728b62677e6a8

**SHA256:** bcaa0357be6fc030860c90fec66e523e1ba7c1034692cedf6d223b830281bd66

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## comparison.webgui.zip: comparison.webgui.jar: dropzone.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/dropzone.js  
**MD5:** 8245755c756ce7d5d107bfe2b1ab2a5a  
**SHA1:** d5f6e4ff53d68e90d7c6ab11c4ce74fce1d79792  
**SHA256:** c64fe634d9945eefe84332d05c402ee8b09260653fbea2888f3b7fcf4b9f18eb  
**Referenced In Project/Scope:** standalone

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## comparison.webgui.zip: comparison.webgui.jar: export.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/export.js  
**MD5:** 00a335e0a1adb71537b6d272455c92d1  
**SHA1:** 802efb2a89887f226992e8e674b78338ecfacee4  
**SHA256:** 6363581f9cc2b589350be39f2501195586a083de244528a88fe0c778ebe78702  
**Referenced In Project/Scope:** standalone

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## comparison.webgui.zip: comparison.webgui.jar: factory.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/factory.js  
**MD5:** 75038fcc3c0a83efa30b550547c8615c  
**SHA1:** 5e5bcf84c68eac10d45744c5493ab63edc61c032  
**SHA256:** cdd2ce61f2d2be521e50609b29fa408aea9a1712a40b38104202d4a81a2b0ba  
**Referenced In Project/Scope:** standalone

**Evidence**

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

**Identifiers**

- None

**comparison.webgui.zip: comparison.webgui.jar: model.js**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/model.js

**MD5:** 45f60c03a9c42a69e48be11d4253fcdb

**SHA1:** ade62de16b056ad46785df5f2f376a3472f80d74

**SHA256:**9df5d15c1768b1c0823eed5a4784da2f7dbeaa2d72c2d45a66a4d25ae4d41afb

**Referenced In Project/Scope:** standalone

**Evidence**

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

**Identifiers**

- None

**comparison.webgui.zip: comparison.webgui.jar: multipasswordpanel.js**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/multipasswordpanel.js

**MD5:** 8dc57163fcdafc64e5d324a9fe39bb46

**SHA1:** 79196a59f44ed72b0baa529857b2ad4321751eff

**SHA256:**b0c30c119ab1d75be1b2f83480ef8bb0ca3f9dd30de6a0d09acf54806ab7beda

**Referenced In Project/Scope:** standalone

**Evidence**

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## comparison.webgui.zip: comparison.webgui.jar: mycomparisons.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/mycomparisons.js

**MD5:** cdbfc2ee5a50238442648e2ff1d098f7

**SHA1:** 9582d0491b095c2df43791e55df6a8bcd1f0eb53

**SHA256:** b1fba2191ae3d4713ac9431a575c581095ccfd03022a9eb771241d2cb97ca55d

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## comparison.webgui.zip: comparison.webgui.jar: passwordpanel.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/passwordpanel.js

**MD5:** 35b1c24467988a11c51aee3facc01f

**SHA1:** e3d68ef1e938a548d514971783c96a37b91afa38

**SHA256:** 2862fd50225ed1b9c2fc33421258114f0ef367bdbc72bb929b0f213468b635a2

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## comparison.webgui.zip: comparison.webgui.jar: pdfcconfig.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/pdfcconfig.js

**MD5:** 9ff486177a5ce262ea8e4a0c31be01f2

**SHA1:** 37361e5e5d850a989559380c767de28e68d07098

**SHA256:** 5e2a890647ea95d78ecae6386f2cae26006a6b03df6e1a9eddee29f2f87812ca

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence

### Identifiers

- None

## comparison.webgui.zip: comparison.webgui.jar: profil.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/profil.js

**MD5:** adca56a6bd5f21c686559fc851789244

**SHA1:** 23797dd878745e5990e077863f7476b4c2c3f53f

**SHA256:** 750a72e57b818cb51c901b7396fd06e804d934daafbbb77e25d1ebcd2f76959d

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence

### Identifiers

- None

## comparison.webgui.zip: comparison.webgui.jar: profileentry.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/profileentry.js

**MD5:** 57391e3ca531f4ef83608f10c87ce691

**SHA1:** b3e2cae88e689b0b877df8ef290b3f37e60157d7

**SHA256:**3bd41ad34829aec63f02d57d8b98d473e606b2df49186575ee0feae53d164665

**Referenced In Project/Scope:** standalone

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## comparison.webgui.zip: comparison.webgui.jar: publishdialog.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/publishdialog.js

**MD5:** cb39f0740cca72df1160d0c4b97412ce

**SHA1:** ea4b087dba9daa1fb8c7c71ca78bc91e884af69b

**SHA256:**e2f58b24368d3a27a4aadaa91e4372d37bec648e23e803bd702dbdff891ca3b7

**Referenced In Project/Scope:** standalone

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## comparison.webgui.zip: comparison.webgui.jar: publishprofiledialog.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/publishprofiledialog.js

**MD5:** 71f9c6a407bcd70cd94fd2cfa1ca6da

**SHA1:** 0ac49131f58dcfc1651d1780b543b88dedcecb95

**SHA256:**23c4ac9e297f97dbea24f75b1736a2e8a59c305704aafb1e55f7d389ec37687d

**Referenced In Project/Scope:** standalone

**Evidence**

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

**Identifiers**

- None

**comparison.webgui.zip: comparison.webgui.jar: report.js**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/report.js

**MD5:** fe6f78391d124b17a695fcc736f79f53

**SHA1:** b5e0d55a8c900944b3547efe1cb5cf6592aba6d5

**SHA256:**896c1486fb2119e198dd92a6aaaae101d72fd6c0adf8f38957dbf68a0f15673a6

**Referenced In Project/Scope:** standalone

**Evidence**

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

**Identifiers**

- None

**comparison.webgui.zip: comparison.webgui.jar: scroller.js**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/scroller.js

**MD5:** f32f48a5aa0fb9f8277a02482147775d

**SHA1:** 375c169e3d665e83e4071f2f29c2d7f9aab541d9

**SHA256:**97373361ec62b341d13c42137a0035180bf42909f5430e91197edfc0c6c7c250

**Referenced In Project/Scope:** standalone

**Evidence**

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## comparison.webgui.zip: comparison.webgui.jar: searchcomponent.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/searchcomponent.js

**MD5:** 6b074e878cc9be443b1a15f24409989a

**SHA1:** eb93b2142dd33da8cfef7fa8b3c8058829b76753e

**SHA256:** 104c806b32fd9e41480c240c2020b2f6d8c8dd430b6c05d6b2f4dc2b8e46f457

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## comparison.webgui.zip: comparison.webgui.jar: userlist.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/userlist.js

**MD5:** 7f02b9beea14ccaf1aa69d56774af047

**SHA1:** 13c4d28849ac5ac894035c6cbd23c2aadcd17107

**SHA256:** e264ece3d2ee5e04afd67551a7f6f360985b1f61e9d264719fffe73d4258bdff

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## comparison.webgui.zip: comparison.webgui.jar: visibilitysettings.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/visibilitysettings.js

**MD5:** 17292e740ec3b0b51b2529dfe5941f33

**SHA1:** 699771072d39aad920b27c9c58ceaaece5af4a60

**SHA256:** b10b0143b19dc62be6802ceba75ecceca42bdb6fe177b305efe416fe91c200b

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence

### Identifiers

- None

## comparison.webgui.zip: comparison.webgui.jar: zoomer.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/zoomer.js

**MD5:** c78b76ef369e7936ee3db589114626fa

**SHA1:** 8e7048b300502269ac05c062a26f18ba6869b51b

**SHA256:** f70cf8df345d9b56cdb3af49808f2d840a1582db94c6c2f273676400835f5a94

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence

### Identifiers

- None

## filter.area.zip: filter.area.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/filter.area.zip/filter.area.jar

**MD5:** e48993e696a6f960988d337e3577d2a7

**SHA1:** 9b9f5ff370d2ccb687e8b6b91502f9718f7131e7

**SHA256:** 02df994ac9ba59cbd5947aa09de5c84b82fb27d0d0c1b4e0039ac8cc8fda875a

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	filter.area	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-11-16 16:32	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.area	High
Product	jar	package name	area	Highest
Product	jar	package name	area	Low
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low

Product	Manifest	built-date	2024-11-16 16:32	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.area	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.area	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.10.221	High

### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.10.221.\*::\*:::\*:\* (Confidence:Low) suppress

## filter.baselinetable.zip: filter.baselinetable.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/filter.baselinetable.zip/filter.baselinetable.jar

**MD5:** 2a7159dec664d2b367c02fb0903fd886

**SHA1:** 8ad4ba3420a2c619084ae5d18f5b26dd8bb113e6

**SHA256:** a7cef261a1a690c8cfaafbc499c66f3a84a4959dc72d80b806b77d0cc671fd01

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	filter.baselinetable	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-11-16 16:32	Low
Vendor	Manifest	codebase	*	Low

Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.baselinetable	High
Product	jar	package name	baselinetable	Highest
Product	jar	package name	baselinetable	Low
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-11-16 16:32	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.baselinetable	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.baselinetable	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.10.221	High

## Identifiers

•

**filter.cmappatch.zip: filter.cmappatch.jar**

**File Path:** /home/jenkins/workspace/pdgc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/filter.cmappatch.zip/filter.cmappatch.jar

**MD5:** 17b3a5d3211d27482d36a3303563d13b

**SHA1:** bf9e8e158c7e625399c5d918d2a7b4d6ee06296f

**SHA256:** 001c32d5c6caf21a98b4eaeb2856a780d241a621d09649652f267fa6b72363e0

**Referenced In Project/Scope:** standalone

**Evidence**

Type	Source	Name	Value	Confidence
Vendor	file	name	filter.cmappatch	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdhc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-11-16 16:27	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdhc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.cmappatch	High
Product	jar	package name	cmappatch	Highest
Product	jar	package name	cmappatch	Low
Product	jar	package name	filter	Highest

Product	jar	package name	filter	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-11-16 16:27	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.cmappatch	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.cmappatch	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.10.221	High

## Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.10.221:\*:\*:\*:\*:\* (Confidence:Low) suppress

## filter.headerfooter.zip: filter.headerfooter.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/filter.headerfooter.zip/filter.headerfooter.jar

**MD5:** 3c614d2d59e7b81e9df8d8474aab0a4

**SHA1:** e09dd1daf541a5f9d5c41e30b7f0c2cfaf0c0fb3

**SHA256:** ec4c94dbe48cbfffb7154ea673b57de2640f8aba1d5dc3587daf702cab63bc18

**Referenced In Project/Scope:** standalone

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	filter.headerfooter	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low

Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-11-16 16:31	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.headerfooter	High
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	headerfooter	Highest
Product	jar	package name	headerfooter	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-11-16 16:31	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.headerfooter	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.headerfooter	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest

Version	Manifest	Implementation-Version	24.10.221	High
---------	----------	------------------------	-----------	------

### Identifiers

- cpe:2.3:a:inetsoftware:pdhc:24.10.221.\*.\*.\*.\*.\* (Confidence:Low) suppress

## filter.hiderotation.zip: filter.hiderotation.jar

**File Path:** /home/jenkins/workspace/pdgc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/filter.hiderotation.zip/filter.hiderotation.jar

**MD5:** f530b795b8f3cdb9fb98ed0d2034d5d

**SHA1:** 74bd94328e1596347265df83e1a8b58cff994d1b

**SHA256:** 6736ba467297017c689cb5ed2ac6095e3f26eb51653c42ade177d498cff9aa8d

**Referenced In Project/Scope:** standalone

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	filter.hiderotation	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdhc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-11-16 16:27	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdhc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium

Product	file	name	filter.hiderotation	High
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	hiderotation	Highest
Product	jar	package name	hiderotation	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-11-16 16:27	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.hiderotation	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.hiderotation	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.10.221	High

## Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.10.221:\*:\*:\*:\*:\* (Confidence:Low) suppress

## filter.invisibleelements.zip: filter.invisibleelements.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/filter.invisibleelements.zip/filter.invisibleelements.jar

**MD5:** 8f47983a5e0602f3642b2b55da090a08

**SHA1:** 6d68746d4f71ef4570fe837f49900d2f84f16ef0

**SHA256:** f49757c82c4e7fabdf2cc9dc0eccb8961abf7f54a86f94d8004f4c12f911e5a

**Referenced In Project/Scope:** standalone

Evidence				
Type	Source	Name	Value	Confidence
Vendor	file	name	filter.invisibleelements	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-11-16 16:28	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.invisibleelements	High
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	invisibleelements	Highest
Product	jar	package name	invisibleelements	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-11-16 16:28	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.invisibleelements	High

Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.invisibleelements	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.10.221	High

## Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.10.221.\*::\*:::\*:\* (Confidence:Low) suppress

## filter.multicolumn.zip: filter.multicolumn.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/filter.multicolumn.zip/filter.multicolumn.jar

**MD5:** ce5fe6d57d05a12db1ea9b79709439b5

**SHA1:** 9c67b1449213c5ad553029fab3bc70631bd1ac15

**SHA256:** 9ffefd4de610619cd9df7bb6bbb4182bda03b72b75dbc5c0bc9535675669244e

**Referenced In Project/Scope:** standalone

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	filter.multicolumn	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-11-16 16:29	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium

Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.multicolumn	High
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	multicolumn	Highest
Product	jar	package name	multicolumn	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-11-16 16:29	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.multicolumn	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.multicolumn	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.10.221	High

## Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.10.221:\*::\*:::\*::\* (Confidence:Low) suppress

**filter.ocr.zip: filter.ocr.jar**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/filter.ocr.zip/filter.ocr.jar

**MD5:** 2782036d3bd932e49b5383d675fb66cb

**SHA1:** 8127f25812ec37cb9939a431e4428d5ba2313f7e

**SHA256:** 80d6f5e73c41938c1a03de77202eca288892f0505f8eea9532252db85290005

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	filter.ocr	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-11-16 16:27	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.ocr	High
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	ocr	Highest
Product	jar	package name	ocr	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low

Product	Manifest	built-date	2024-11-16 16:27	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.ocr	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.ocr	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.10.221	High

## Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.10.221:\*:\*:\*:\*:\* (Confidence:Low) suppress

## filter.pageRange.zip: filter.pageRange.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/filter.pageRange.zip/filter.pageRange.jar

**MD5:** 2e7b5f581143590b8d31ec26ce9b938a

**SHA1:** 28ef9bc795cca822812a23d741cfddd412cf258e

**SHA256:** 738623ced90de530a3d8f5a5020c63d577f349ed1a1e8eda855b34ebe1f714c5

**Referenced In Project/Scope:** standalone

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	filter.pageRange	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-11-16 16:32	Low
Vendor	Manifest	codebase	*	Low

Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.pageRange	High
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	page	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-11-16 16:32	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.pageRange	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.pageRange	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.10.221	High

## Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.10.221:\*::\*:::\* (Confidence:Low) suppress

## filter.regex.zip: filter.regex.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/filter.regex.zip/filter.regex.jar

**MD5:** 051278872ca71a9c909f1f9c7c8f13aa

**SHA1:** d9d6d062bcc9c1e8374393b5ea715fa3f3933dd1

**SHA256:** 1d733e9fe4f694b9b1677cba6d9c2ed58c3bd7bfb93e369c66d3ba04498cb55a

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	filter.regex	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-11-16 16:31	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.regex	High
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	regex	Highest

Product	jar	package name	regex	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-11-16 16:31	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.regex	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.regex	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.10.221	High

## Identifiers



**filter.regex.zip: filter.regex.jar: filterrenderer.js**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/filter.regex.zip/filter.regex.jar/com/inet/pdfc/filter/regex/structure/filterrenderer.js

**MD5:** c42f30a7f03547aa1909e8e5c0e838ad

**SHA1:** e49f9703fbda0ffcaf831b7e625228dff91a26cf

**SHA256:**a08751ad11877d90715267b89484ca690a46135b36725e99eb21701e0510cf50

**Referenced In Project/Scope:** standalone

## Evidence

## Identifiers

- None

## filter.texttransform.zip: filter.texttransform.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/filter.texttransform.zip/filter.texttransform.jar

**MD5:** 2f057515fa6ce11a0cd2516158709016

**SHA1:** 78f585098b1bb160009b44a9ee1c882803daaf26

**SHA256:** 29a92cc305ea31cb22c4918efa91b5809bd3b0b4d1dc1e3abeca676841199228

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	filter.texttransform	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-11-16 16:32	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.texttransform	High
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	texttransform	Highest

Product	jar	package name	texttransform	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-11-16 16:32	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.texttransform	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.texttransform	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.10.221	High

### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.10.221:\*:\*:\*:\*:\* (Confidence:Low) suppress

## filter.urllookup.zip: filter.urllookup.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/filter.urllookup.zip/filter.urllookup.jar

**MD5:** 650f1ee6df471058c3b2343f042a2e2e

**SHA1:** ebe8bc974754485fee62160576fa4a754d9c64b

**SHA256:** ae320e57e141e34b574fc4ade582d0c26595ecd1b6cac61e85924d92fd2637da

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	filter.urllookup	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-	*	Low

		library-allowable-codebase		
Vendor	Manifest	built-date	2024-11-16 16:25	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.urllookup	High
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	urllookup	Highest
Product	jar	package name	urllookup	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-11-16 16:25	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.urllookup	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.urllookup	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.10.221	High

## Identifiers



## hamcrest-2.2.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.hamcrest/hamcrest/2.2.1/1820c0968dba3a11a1b30669bb1f01978a91dedc/hamcrest-2.2.jar

**MD5:** 10b47e837f271d0662f28780e60388e8

**SHA1:** 1820c0968dba3a11a1b30669bb1f01978a91dedc

**SHA256:5e62846a89f05cd78cd9c1a553f340d002458380c320455dd1f8fc5497a8a1c1**

**Referenced In Project/Scope:** standalone:inetPlugin

**Included by:** pkg:maven/pdfc/standalone@24.10

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	hamcrest	High
Vendor	gradle	artifactid	hamcrest	Highest
Vendor	gradle	groupid	org.hamcrest	Highest
Vendor	jar	package name	hamcrest	Highest
Vendor	jar	package name	hamcrest	Low
Vendor	Manifest	automatic-module-name	org.hamcrest	Medium
Vendor	Manifest	bundle-symbolicname	org.hamcrest	Medium
Vendor	Manifest	Implementation-Vendor	hamcrest.org	High
Product	file	name	hamcrest	High
Product	gradle	artifactid	hamcrest	Highest
Product	jar	package name	hamcrest	Highest
Product	Manifest	automatic-module-name	org.hamcrest	Medium
Product	Manifest	Bundle-Name	hamcrest	Medium
Product	Manifest	bundle-symbolicname	org.hamcrest	Medium
Product	Manifest	Implementation-Title	hamcrest	High
Version	file	version	2.2	High

Version	Manifest	Implementation-Version	2.2	High
---------	----------	------------------------	-----	------

### Identifiers

- [pkg:maven/org.hamcrest/hamcrest@2.2](#) (*Confidence: Highest*)

## inetcore-24.10-tools.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/24.10/b2caf689aa6ff99ce2c77b1790b7b4d486f7e5a3/inetcore-24.10-tools.jar

**MD5:** 5a4e65ccdad889e1b9dceb88061b936b

**SHA1:** b2caf689aa6ff99ce2c77b1790b7b4d486f7e5a3

**SHA256:** 430a59318046eb2340c53385ca0636e9c43a958fa007ca17c37557839726ab3b

**Referenced In Project/Scope:** standalone:inetPlugin

**Included by:** pkg:maven/pdfc/standalone@24.10

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	inetcore	High
Vendor	gradle	artifactid	inetcore	Highest
Vendor	gradle	groupid	shared	Highest
Vendor	jar	package name	test	Low
Product	file	name	inetcore	High
Product	gradle	artifactid	inetcore	Highest
Version	file	name	inetcore	Medium
Version	file	version	24.10	High
Version	gradle	version	24.10	Highest

### Identifiers

- [pkg:maven/shared/inetcore@24.10](#) (*Confidence: Highest*)

## inetcore-24.10.jar (shaded: com.inet.shared:inetcore:null)

**Description:**

A blend composite defines the rule according to which a drawing primitive (known as the source) is mixed with existing graphics (know as the destination.)

ColorUtilities contains a set of tools to perform common color operations easily.

**License:**

LGPL: <http://www.gnu.org/licenses/lgpl.txt>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/24.10/6530cbd98703c9172106ad293be4f0f541c7c857/inetcore-24.10.jar/META-INF/com/inet/shared/utils/BlendComposite/pom.xml  
**MD5:** b7bc59004e73f85cce4369bc5e034e6b  
**SHA1:** 9caff88589bdd8fdc3c3f320340b76830f3818de  
**SHA256:** aab973b164e2d64808cd34c47b78399c4f016ec308900f5393733d3bc5c706bc  
**Referenced In Project/Scope:** standalone:inetPlugin

Evidence				
Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	inetcore	Low
Vendor	pom	developer email	contact@inetsoftware.de	Low
Vendor	pom	developer email	morgand@apache.org	Low
Vendor	pom	developer id	inetsoftware	Medium
Vendor	pom	developer id	romainguy	Medium
Vendor	pom	developer id	sun	Medium
Vendor	pom	developer name	i-net /// software	Medium
Vendor	pom	developer name	Romain Guy	Medium
Vendor	pom	developer name	Sun	Medium
Vendor	pom	developer org	Sun	Medium
Vendor	pom	groupid	com.inet.shared	Highest
Vendor	pom	name	BlendComposite and ColorUtils	High
Vendor	pom (hint)	developer id	oracle	Medium
Vendor	pom (hint)	developer name	oracle	Medium
Vendor	pom (hint)	developer org	oracle	Medium
Product	pom	artifactid	inetcore	Highest
Product	pom	developer email	contact@inetsoftware.de	Low
Product	pom	developer email	morgand@apache.org	Low
Product	pom	developer id	inetsoftware	Low
Product	pom	developer id	romainguy	Low
Product	pom	developer id	sun	Low
Product	pom	developer name	i-net /// software	Low

Product	pom	developer name	Romain Guy	Low
Product	pom	developer name	Sun	Low
Product	pom	developer org	Sun	Low
Product	pom	groupid	com.inet.shared	Highest
Product	pom	name	BlendComposite and ColorUtils	High

### Identifiers

- None

## inetcore-24.10.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/24.10/6530cbd98703c9172106ad293be4f0f541c7c857/inetcore-24.10.jar

**MD5:** d73f6e0b5429113ee41fa3637793650c

**SHA1:** 6530cbd98703c9172106ad293be4f0f541c7c857

**SHA256:** 2e5a5090484b024316e444c2ec707abfaace0990f954b4e72ee3062155496923

**Referenced In Project/Scope:** standalone:inetPlugin

**Included by:** pkg:maven/pdfc/standalone@24.10

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	inetcore	High
Vendor	gradle	artifactid	inetcore	Highest
Vendor	gradle	groupid	shared	Highest
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-11-16 12:23	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low

Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	inetcore	High
Product	gradle	artifactid	inetcore	Highest
Product	jar	package name	permissions	Highest
Product	jar	package name	shared	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-11-16 12:23	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	inetcore	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	inetcore	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	file	name	inetcore	Medium
Version	file	version	24.10	High
Version	gradle	version	24.10	Highest
Version	jar	package name	permissions	Highest
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	24.10.221	High

## Identifiers

- [pkg:maven/shared/inetcore@24.10](#) (*Confidence: Highest*)

**java-21-jre-x64-linux.tar.gz: java-21-jre-x64-linux.tar: jrt-fs.jar**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/java-21-jre-x64-linux.tar.gz/java-21-jre-x64-linux.tar/jre-11/lib/jrt-fs.jar  
**MD5:** e2138468a2337af9f0acf041d47ae631  
**SHA1:** 8ef69b54cab31de533182a0d3ec4e7d6f9207016  
**SHA256:** 644d3383b1bacc328b0f3e6676abfe32b2af105c0c6177b34eaa7fb6bba9f7a0  
**Referenced In Project/Scope:** standalone

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jrt-fs	High
Vendor	jar	package name	internal	Low
Vendor	jar	package name	jdk	Low
Vendor	jar	package name	jimage	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Adoptium	High
Vendor	Manifest	specification-vendor	Oracle Corporation	Low
Product	file	name	jrt-fs	High
Product	jar	package name	internal	Low
Product	jar	package name	jimage	Low
Product	Manifest	Implementation-Title	Java Runtime Environment	High
Product	Manifest	specification-title	Java Platform API Specification	Medium
Version	Manifest	Implementation-Version	21.0.5	High

### Identifiers

- [cpe:2.3:a:eclipse:platform:21.0.5:\\*\\*\\*:\\*\\*\\*:\\*\\*\\*](#) (Confidence:Medium) suppress

## jlessc-1.12.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/de/inetsoftware/jlessc/1.12/8ea5dba973ee8e969a243e08e47a27ca48121b5c/jlessc-1.12.jar  
**MD5:** 8e0d57ed6e6809be8002db58024c370e  
**SHA1:** 8ea5dba973ee8e969a243e08e47a27ca48121b5c  
**SHA256:** 0969bc655eba47f824791ef12ed90c96baac2238a775b0ceaa0921deeb6681f8  
**Referenced In Project/Scope:** standalone:inetPlugin  
**Included by:** pkg:maven/pdfc/standalone@24.10

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jlessc	High
Vendor	gradle	artifactid	jlessc	Highest
Vendor	gradle	groupid	de.inetsoftware	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	less	Low
Vendor	jar	package name	lib	Low
Vendor	Manifest	automatic-module-name	de.inetsoftware.jlessc	Medium
Vendor	Manifest	bundle-symbolicname	de.inetsoftware.jlessc	Medium
Vendor	Manifest	Implementation-Vendor	i-net software GmbH, Berlin, Germany	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Product	file	name	jlessc	High
Product	gradle	artifactid	jlessc	Highest
Product	jar	package name	less	Low
Product	jar	package name	lib	Low
Product	Manifest	automatic-module-name	de.inetsoftware.jlessc	Medium
Product	Manifest	bundle-symbolicname	de.inetsoftware.jlessc	Medium
Product	Manifest	Implementation-Title	JLessC, a Less CSS compiler	High
Version	file	version	1.12	High
Version	Manifest	Implementation-Version	1.12	High

### Identifiers

- [pkg:maven/de.inetsoftware/jlessc@1.12](#) (Confidence:Highest)

### junit-4.13.2.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/junit/junit/4.13.2

/8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12/junit-4.13.2.jar

**MD5:** d98a9a02a99a9acd22d7653cbcc1f31f

**SHA1:** 8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12

**SHA256:**8e495b634469d64fb8acf3495a065cbacc8a0fff55ce1e31007be4c16dc57d3

**Referenced In Project/Scope:** standalone:inetPlugin

**Included by:** pkg:maven/pdfc/standalone@24.10

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit	High
Vendor	gradle	artifactid	junit	Highest
Vendor	gradle	groupid	junit	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	Manifest	automatic-module-name	junit	Medium
Vendor	Manifest	implementation-url	http://junit.org	Low
Vendor	Manifest	Implementation-Vendor	JUnit	High
Vendor	Manifest	Implementation-Vendor-Id	junit	Medium
Product	file	name	junit	High
Product	gradle	artifactid	junit	Highest
Product	jar	package name	junit	Highest
Product	Manifest	automatic-module-name	junit	Medium
Product	Manifest	Implementation-Title	JUnit	High
Product	Manifest	implementation-url	http://junit.org	Low
Version	file	version	4.13.2	High
Version	Manifest	Implementation-Version	4.13.2	High

### Identifiers

- [pkg:maven/junit/junit@4.13.2](#) (*Confidence: Highest*)
- [cpe:2.3:a:junit:junit4:4.13.2:\\*\\*\\*:\\*\\*\\*:\\*\\*\\*](#) (*Confidence: Highest*)

[suppress](#)

junit-jupiter-5.10.3.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter/5.10.3/6686d8fbf251f9bf8ecba413cab57b9e00f9134d/junit-jupiter-5.10.3.jar

**MD5:** 8312d239f10b3aaa94c3dc69f84a250f

**SHA1:** 6686d8fbf251f9bf8ecba413cab57b9e00f9134d

**SHA256:** e6fc09f881eba8b8d8a7660a6c7f4d582fa7881f306136afe2d82964a2e7c22f

**Referenced In Project/Scope:** standalone:inetPlugin

**Included by:**

- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3
- pkg:maven/pdfc/standalone@24.10
- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3

**Evidence**



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter	High
Vendor	gradle	artifactid	junit-jupiter	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	module-info	Low
Vendor	Manifest	build-date	2024-06-27	Low
Vendor	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Vendor	Manifest	build-time	16:07:04.699+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-jupiter	High
Product	gradle	artifactid	junit-jupiter	Highest
Product	Manifest	build-date	2024-06-27	Low
Product	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Product	Manifest	build-time	16:07:04.699+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter (Aggregator)	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter	Medium
Product	Manifest	Implementation-Title	junit-jupiter	High
Product	Manifest	specification-title	junit-jupiter	Medium
Version	file	version	5.10.3	High
Version	Manifest	Implementation-Version	5.10.3	High

## Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3](#) (Confidence: Highest)

## junit-jupiter-api-5.10.3.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-api/5.10.3/a22aa91d1d6c69b2020a9aeb6d095ea81132bfa5/junit-jupiter-api-5.10.3.jar

**MD5:** 9c5af4543b8784a55eab254418cc367b

**SHA1:** a22aa91d1d6c69b2020a9aeb6d095ea81132bfa5

**SHA256:** 6efe6e01ca1ff79b7bf4c6f1eed0b29292e166c27eaf7b00ac981a14d4de61aa

**Referenced In Project/Scope:** standalone:inetPlugin

**Included by:**

- [pkg:maven/org.junit.platform/junit-platform-suite@1.10.3](#)
- [pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3](#)

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter-api	High
Vendor	gradle	artifactid	junit-jupiter-api	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	api	Highest
Vendor	jar	package name	api	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	Manifest	build-date	2024-06-27	Low
Vendor	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Vendor	Manifest	build-time	16:07:04.699+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-api	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-jupiter-api	High
Product	gradle	artifactid	junit-jupiter-api	Highest
Product	jar	package name	api	Highest

Product	jar	package name	api	Low
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	Manifest	build-date	2024-06-27	Low
Product	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Product	Manifest	build-time	16:07:04.699+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter API	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-api	Medium
Product	Manifest	Implementation-Title	junit-jupiter-api	High
Product	Manifest	specification-title	junit-jupiter-api	Medium
Version	file	version	5.10.3	High
Version	Manifest	Implementation-Version	5.10.3	High

## Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter-api@5.10.3](#) (Confidence: Highest)

## junit-jupiter-engine-5.10.3.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-engine/5.10.3/48c14e866bb1a87ca35d24ff068463bb202ada24/junit-jupiter-engine-5.10.3.jar

**MD5:** c87ca6659d594120a6030a2760bcd14

**SHA1:** 48c14e866bb1a87ca35d24ff068463bb202ada24

**SHA256:** bbd3ce8dc11e9925071ef9691d68af1ab6e712faa6851f7c5275bc8aafc88673

**Referenced In Project/Scope:** standalone:inetPlugin

**Included by:**

- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3
- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter-engine	High
Vendor	gradle	artifactid	junit-jupiter-engine	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	engine	Highest

Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	Manifest	build-date	2024-06-27	Low
Vendor	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Vendor	Manifest	build-time	16:07:04.699+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-jupiter;version:Version="5.10.3"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-jupiter-engine	High
Product	gradle	artifactid	junit-jupiter-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	Manifest	build-date	2024-06-27	Low
Product	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Product	Manifest	build-time	16:07:04.699+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter Engine	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-engine	Medium
Product	Manifest	Implementation-Title	junit-jupiter-engine	High
Product	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-jupiter;version:Version="5.10.3"	Low
Product	Manifest	specification-title	junit-jupiter-engine	Medium
Version	file	version	5.10.3	High
Version	Manifest	Implementation-Version	5.10.3	High

## Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.10.3](#) (Confidence: Highest)

## junit-jupiter-params-5.10.3.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-params/5.10.3/4852f4e4af9074d9214213b199751f99efeab8b9/junit-jupiter-params-5.10.3.jar

**MD5:** 8c0d875131fa73e688df785a3b2f338d

**SHA1:** 4852f4e4af9074d9214213b199751f99efeab8b9

**SHA256:** 7c3ed8cefb12496b76c53c3da986ea8f0bf3f426781869475551ae3a506c1ad8

**Referenced In Project/Scope:** standalone:inetPlugin

**Included by:**

- [pkg:maven/org.junit.platform/junit-platform-suite@1.10.3](#)
- [pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3](#)

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter-params	High
Vendor	gradle	artifactid	junit-jupiter-params	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	jar	package name	params	Highest
Vendor	jar	package name	params	Low
Vendor	Manifest	build-date	2024-06-27	Low
Vendor	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Vendor	Manifest	build-time	16:07:04.699+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-params	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-jupiter-params	High
Product	gradle	artifactid	junit-jupiter-params	Highest
Product	jar	package name	junit	Highest

Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	jar	package name	params	Highest
Product	jar	package name	params	Low
Product	jar	package name	shadow	Low
Product	Manifest	build-date	2024-06-27	Low
Product	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Product	Manifest	build-time	16:07:04.699+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter Params	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-params	Medium
Product	Manifest	Implementation-Title	junit-jupiter-params	High
Product	Manifest	specification-title	junit-jupiter-params	Medium
Version	file	version	5.10.3	High
Version	Manifest	Implementation-Version	5.10.3	High

### Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter-params@5.10.3](#) (Confidence: Highest)

## junit-platform-commons-1.10.3.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-commons/1.10.3/a353d42a2f13343a7cb80c5228ae66ff64495481/junit-platform-commons-1.10.3.jar

**MD5:** 83ff374dd428b03f1cf70d0143259f01

**SHA1:** a353d42a2f13343a7cb80c5228ae66ff64495481

**SHA256:** 9787f04d49db59397cdd7555d421a5bd2d1445666997d327b94f85e38bed57f1

**Referenced In Project/Scope:** standalone:inetPlugin

**Included by:**

- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3
- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-commons	High
Vendor	gradle	artifactid	junit-platform-commons	Highest
Vendor	gradle	groupid	org.junit.platform	Highest

Vendor	jar	package name	commons	Highest
Vendor	jar	package name	commons	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	org	Highest
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2024-06-27	Low
Vendor	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Vendor	Manifest	build-time	16:07:04.699+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-commons	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-commons	High
Product	gradle	artifactid	junit-platform-commons	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	commons	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	util	Low
Product	Manifest	build-date	2024-06-27	Low
Product	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Product	Manifest	build-time	16:07:04.699+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Commons	Medium
Product	Manifest	bundle-symbolicname	junit-platform-commons	Medium
Product	Manifest	Implementation-Title	junit-platform-commons	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	junit-platform-commons	Medium
Version	file	version	1.10.3	High
Version	Manifest	Implementation-Version	1.10.3	High

## Identifiers

- [pkg:maven/org.junit.platform/junit-platform-commons@1.10.3](#) (Confidence: Highest)

## junit-platform-engine-1.10.3.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-engine/1.10.3/365a320c3cf47f3346625e541e424e35dc75c42/junit-platform-engine-1.10.3.jar

**MD5:** 8fe56ec6a59c1e208e8ba0def9e47bf3

**SHA1:** 365a320c3cf47f3346625e541e424e35dc75c42

**SHA256:** df7c32bf75cf47c4c8ddd1942091027947a7d765d30b731fe00830115fafa133

**Referenced In Project/Scope:** standalone:inetPlugin

**Included by:**

- [pkg:maven/org.junit.platform/junit-platform-suite@1.10.3](#)
- [pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3](#)

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-engine	High
Vendor	gradle	artifactid	junit-platform-engine	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2024-06-27	Low
Vendor	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Vendor	Manifest	build-time	16:07:04.699+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-engine	High
Product	gradle	artifactid	junit-platform-engine	Highest

Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	support	Low
Product	Manifest	build-date	2024-06-27	Low
Product	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Product	Manifest	build-time	16:07:04.699+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Engine API	Medium
Product	Manifest	bundle-symbolicname	junit-platform-engine	Medium
Product	Manifest	Implementation-Title	junit-platform-engine	High
Product	Manifest	specification-title	junit-platform-engine	Medium
Version	file	version	1.10.3	High
Version	Manifest	Implementation-Version	1.10.3	High

### Identifiers

- [pkg:maven/org.junit.platform/junit-platform-engine@1.10.3](#) (Confidence: Highest)

## junit-platform-launcher-1.10.3.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-launcher/1.10.3/2e07e6389624f3e93fb2e87aec2fdc30cc84b069/junit-platform-launcher-1.10.3.jar

**MD5:** 2bc703d74e40b64a2c7964e3ef4da945

**SHA1:** 2e07e6389624f3e93fb2e87aec2fdc30cc84b069

**SHA256:** deaeede2f011eaf94f5bc681e04eee2f4a0f6d69771e1a79aa950d898b405d8d

**Referenced In Project/Scope:** standalone:inetPlugin

**Included by:**

- [pkg:maven/org.junit.platform/junit-platform-suite@1.10.3](#)
- [pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3](#)

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-launcher	High

Vendor	gradle	artifactid	junit-platform-launcher	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	launcher	Highest
Vendor	jar	package name	launcher	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2024-06-27	Low
Vendor	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Vendor	Manifest	build-time	16:07:04.699+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-launcher	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.launcher;org.junit.platform.launcher=junit-platform-launcher;version:Version="1.10.3"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-launcher	High
Product	gradle	artifactid	junit-platform-launcher	Highest
Product	jar	package name	junit	Highest
Product	jar	package name	launcher	Highest
Product	jar	package name	launcher	Low
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	Manifest	build-date	2024-06-27	Low
Product	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Product	Manifest	build-time	16:07:04.699+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Launcher	Medium
Product	Manifest	bundle-symbolicname	junit-platform-launcher	Medium
Product	Manifest	Implementation-Title	junit-platform-launcher	High
Product	Manifest	provide-capability	org.junit.platform.launcher;org.junit.platform.launcher=junit-platform-launcher;version:Version="1.10.3"	Low
Product	Manifest	specification-title	junit-platform-launcher	Medium
Version	file	version	1.10.3	High

Version	Manifest	Implementation-Version	1.10.3	High
---------	----------	------------------------	--------	------

### Identifiers

- [pkg:maven/org.junit.platform/junit-platform-launcher@1.10.3](#) (Confidence: Highest)

## junit-platform-suite-1.10.3.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite/1.10.3/48ea585d380c250428cd440b354e344461a887b4/junit-platform-suite-1.10.3.jar

**MD5:** d508bda8927cf328d45dc2a128f073c1

**SHA1:** 48ea585d380c250428cd440b354e344461a887b4

**SHA256:** 17f9384f40dcb480784277b2d1a96e560d69936eda6296c15c68c209e476828b

**Referenced In Project/Scope:** standalone:inetPlugin

**Included by:**

- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3
- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3
- pkg:maven/pdflc/standalone@24.10

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite	High
Vendor	gradle	artifactid	junit-platform-suite	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	module-info	Low
Vendor	Manifest	build-date	2024-06-27	Low
Vendor	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Vendor	Manifest	build-time	16:07:04.699+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-suite	High
Product	gradle	artifactid	junit-platform-suite	Highest
Product	Manifest	build-date	2024-06-27	Low
Product	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low

Product	Manifest	build-time	16:07:04.699+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite (Aggregator)	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite	Medium
Product	Manifest	Implementation-Title	junit-platform-suite	High
Product	Manifest	specification-title	junit-platform-suite	Medium
Version	file	version	1.10.3	High
Version	Manifest	Implementation-Version	1.10.3	High

## Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite@1.10.3](#) (Confidence: Highest)

## junit-platform-suite-api-1.10.3.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-api/1.10.3/8358a40913929201e7ba817ca7a66456165fa7eb/junit-platform-suite-api-1.10.3.jar

**MD5:** 689122f3641d81b7756fec816e79a6f9

**SHA1:** 8358a40913929201e7ba817ca7a66456165fa7eb

**SHA256:** bdb1de13d1a86a17a8093f2612014cd3271a1625b46fedee01c9982a3b4287af

**Referenced In Project/Scope:** standalone:inetPlugin

**Included by:**

- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3
- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite-api	High
Vendor	gradle	artifactid	junit-platform-suite-api	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	api	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low

Vendor	Manifest	build-date	2024-06-27	Low
Vendor	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Vendor	Manifest	build-time	16:07:04.699+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-api	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-suite-api	High
Product	gradle	artifactid	junit-platform-suite-api	Highest
Product	jar	package name	api	Highest
Product	jar	package name	api	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2024-06-27	Low
Product	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Product	Manifest	build-time	16:07:04.699+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite API	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-api	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-api	High
Product	Manifest	specification-title	junit-platform-suite-api	Medium
Version	file	version	1.10.3	High
Version	Manifest	Implementation-Version	1.10.3	High

## Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite-api@1.10.3](#) (Confidence: Highest)

junit-platform-suite-commons-1.10.3.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-commons/1.10.3/e184697bc6e8d96072815df8ca40eaed940c3fd8/junit-platform-suite-commons-1.10.3.jar

**MD5:** 4218be8526eab4fdb25437440a1225d5

**SHA1:** e184697bc6e8d96072815df8ca40eaed940c3fd8

**SHA256:** da51c58786762602848f38bcf45d9d18387ed10d030308ebd8d4989cfaf7fd59

**Referenced In Project/Scope:** standalone:inetPlugin

**Included by:**

- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3
- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3

**Evidence**



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite-commons	High
Vendor	gradle	artifactid	junit-platform-suite-commons	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2024-06-27	Low
Vendor	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Vendor	Manifest	build-time	16:07:04.699+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-commons	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-suite-commons	High
Product	gradle	artifactid	junit-platform-suite-commons	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	commons	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest

Product	jar	package name	suite	Low
Product	Manifest	build-date	2024-06-27	Low
Product	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Product	Manifest	build-time	16:07:04.699+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite Commons	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-commons	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-commons	High
Product	Manifest	specification-title	junit-platform-suite-commons	Medium
Version	file	version	1.10.3	High
Version	Manifest	Implementation-Version	1.10.3	High

## Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite-commons@1.10.3](#) (Confidence: Highest)

## junit-platform-suite-engine-1.10.3.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-engine/1.10.3/a3585e7639577aa12b24e90f2ab7f0433997b5e0/junit-platform-suite-engine-1.10.3.jar

**MD5:** 1f4805e105121cea17015917c1411ace

**SHA1:** a3585e7639577aa12b24e90f2ab7f0433997b5e0

**SHA256:** 65887849bc0ae1e11f19500116e1c1a68bfb101813bfc4c63e72225cf3354340

**Referenced In Project/Scope:** standalone:inetPlugin

**Included by:**

- [pkg:maven/org.junit.platform/junit-platform-suite@1.10.3](#)
- [pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3](#)

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite-engine	High
Vendor	gradle	artifactid	junit-platform-suite-engine	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest

Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2024-06-27	Low
Vendor	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Vendor	Manifest	build-time	16:07:04.699+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-suite-engine	High
Product	gradle	artifactid	junit-platform-suite-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2024-06-27	Low
Product	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Product	Manifest	build-time	16:07:04.699+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite Engine	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-engine	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-engine	High
Product	Manifest	specification-title	junit-platform-suite-engine	Medium
Version	file	version	1.10.3	High
Version	Manifest	Implementation-Version	1.10.3	High

## Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite-engine@1.10.3](#) (*Confidence: Highest*)

## junit-vintage-engine-5.10.3.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.vintage/junit-vintage-engine/5.10.3/18ddfc904011b7b8ab7bcf606ca77b7469c05f48/junit-vintage-engine-5.10.3.jar

**MD5:** 794a99a9431931e019e4fe9ea5b06bd5

**SHA1:** 18ddfc904011b7b8ab7bcf606ca77b7469c05f48

**SHA256:** d60288d3e850ba9f2af4701203a5171ef30634efd34da40ab47facebd2c65d6c

**Referenced In Project/Scope:** standalone:inetPlugin

**Included by:**

- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3
- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3
- pkg:maven/pdfc/standalone@24.10

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-vintage-engine	High
Vendor	gradle	artifactid	junit-vintage-engine	Highest
Vendor	gradle	groupid	org.junit.vintage	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	vintage	Highest
Vendor	jar	package name	vintage	Low
Vendor	Manifest	build-date	2024-06-27	Low
Vendor	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Vendor	Manifest	build-time	16:07:04.699+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-vintage-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-vintage;version:Version="5.10.3"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-vintage-engine	High
Product	gradle	artifactid	junit-vintage-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low

Product	jar	package name	junit	Highest
Product	jar	package name	vintage	Highest
Product	jar	package name	vintage	Low
Product	Manifest	build-date	2024-06-27	Low
Product	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Product	Manifest	build-time	16:07:04.699+0200	Low
Product	Manifest	Bundle-Name	JUnit Vintage Engine	Medium
Product	Manifest	bundle-symbolicname	junit-vintage-engine	Medium
Product	Manifest	Implementation-Title	junit-vintage-engine	High
Product	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-vintage;version:Version="5.10.3"	Low
Product	Manifest	specification-title	junit-vintage-engine	Medium
Version	file	version	5.10.3	High
Version	Manifest	Implementation-Version	5.10.3	High

### Identifiers

- [pkg:maven/org.junit.vintage/junit-vintage-engine@5.10.3](#) (Confidence: Highest)

## maintenance.pdfc.zip: maintenance.pdfc.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/maintenance.pdfc.zip/maintenance.pdfc.jar

**MD5:** c5d71223975d5125d27cdd2278327e5d

**SHA1:** ac4e0421721cb6dde12737a6bc6af5f8a887a555

**SHA256:** b4334390491d74fc63a3aa202ac37b3afd4be16fb1438da5684fb170890ef3ee

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	maintenance.pdfc	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2024-11-16 16:27	Low

Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	maintenance.pdfc	High
Product	jar	package name	maintenance	Highest
Product	jar	package name	maintenance	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	plugins	Low
Product	Manifest	built-date	2024-11-16 16:27	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	maintenance.pdfc	High
Product	Manifest	specification-title	maintenance.pdfc	Medium
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.10.221	High

### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.10.221.\*.\*.\*.\*.\* (Confidence:Low) suppress

## maintenance.pdfc.zip: maintenance.pdfc.jar: app.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/maintenance.pdfc.zip/maintenance.pdfc.jar/com/inet/pdfc/plugins/maintenance/server/comparisons/js/app.js

**MD5:** c5b81bbd2ccc5c70732cb9b5140031e8

**SHA1:** 3600bccef3b8e5e8673753dba6e44219e1ee6084e

**SHA256:** 29f813005b914380fb3d2431e48cc5256085b01352b29cd52a030c039f4c5048

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### maintenance.pdfc.zip: maintenance.pdfc.jar: comparisons.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/maintenance.pdfc.zip/maintenance.pdfc.jar/com/inet/pdfc/plugins/maintenance/server/comparisons/js/comparisons.js

**MD5:** 4a358909e70f5e92382c4ffa1ad9b09f

**SHA1:** bbfe46ecb44e78fddfc7d2b46e8eac1f2e064425

**SHA256:** 744b2fd3fca72ee7c3e807ad435821ce5d5591dbdfd7222b8772637807543e16

**Referenced In Project/Scope:** standalone

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ocr.tesseract.zip: commons-io.jar

#### Description:

The Apache Commons IO library contains utility classes, stream implementations, file filters, file comparators, endian transformation classes, and much more.

#### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/commons-io.jar

**MD5:** ed8191a5a217940140001b0acfcd18d9

**SHA1:** 377d592e740dc77124e0901291dbfaa6810a200e

**SHA256:** f41f7baacd716896447ace9758621f62c1c6b0a91d89acee488da26fc477c84f

**Referenced In Project/Scope:** standalone

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-io	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	file	Highest
Vendor	jar	package name	io	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.io	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-io/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.common-io	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-io	Low
Vendor	pom	developer email	bayard@apache.org	Low
Vendor	pom	developer email	dion@apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	jeremias@apache.org	Low
Vendor	pom	developer email	jochen.wiedmann@gmail.com	Low
Vendor	pom	developer email	krosenvold@apache.org	Low
Vendor	pom	developer email	martinc@apache.org	Low
Vendor	pom	developer email	matth@apache.org	Low
Vendor	pom	developer email	nicolaken@apache.org	Low
Vendor	pom	developer email	roxspring@apache.org	Low
Vendor	pom	developer email	sanders@apache.org	Low
Vendor	pom	developer id	bayard	Medium
Vendor	pom	developer id	dion	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jeremias	Medium
Vendor	pom	developer id	jochen	Medium
Vendor	pom	developer id	jukka	Medium
Vendor	pom	developer id	krosenvold	Medium

Vendor	pom	developer id	martinc	Medium
Vendor	pom	developer id	matth	Medium
Vendor	pom	developer id	niallp	Medium
Vendor	pom	developer id	nicolaken	Medium
Vendor	pom	developer id	roxspring	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	scolebourne	Medium
Vendor	pom	developer name	dlon Gillard	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Henri Yandell	Medium
Vendor	pom	developer name	Jeremias Maerki	Medium
Vendor	pom	developer name	Jochen Wiedmann	Medium
Vendor	pom	developer name	Jukka Zitting	Medium
Vendor	pom	developer name	Kristian Rosenvold	Medium
Vendor	pom	developer name	Martin Cooper	Medium
Vendor	pom	developer name	Matthew Hawthorne	Medium
Vendor	pom	developer name	Niall Pemberton	Medium
Vendor	pom	developer name	Nicola Ken Barozzi	Medium
Vendor	pom	developer name	Rob Oxspring	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Stephen Colebourne	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	<a href="https://www.apache.org/">https://www.apache.org/</a>	Medium
Vendor	pom	groupid	commons-io	Highest
Vendor	pom	name	Apache Commons IO	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	<a href="https://commons.apache.org/proper/commons-io/">https://commons.apache.org/proper/commons-io/</a>	Highest
Product	file	name	commons-io	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	file	Highest
Product	jar	package name	io	Highest
Product	Manifest	automatic-module-name	org.apache.commons.io	Medium

Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-io/">https://commons.apache.org/proper/commons-io/</a>	Low
Product	Manifest	Bundle-Name	Apache Commons IO	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.common-io	Medium
Product	Manifest	Implementation-Title	Apache Commons IO	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Apache Commons IO	Medium
Product	pom	artifactid	commons-io	Highest
Product	pom	developer email	bayard@apache.org	Low
Product	pom	developer email	dion@apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	jeremias@apache.org	Low
Product	pom	developer email	jochen.wiedmann@gmail.com	Low
Product	pom	developer email	krosenvold@apache.org	Low
Product	pom	developer email	martinc@apache.org	Low
Product	pom	developer email	matth@apache.org	Low
Product	pom	developer email	nicolaken@apache.org	Low
Product	pom	developer email	roxspring@apache.org	Low
Product	pom	developer email	sanders@apache.org	Low
Product	pom	developer id	bayard	Low
Product	pom	developer id	dion	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jeremias	Low
Product	pom	developer id	jochen	Low
Product	pom	developer id	jukka	Low
Product	pom	developer id	krosenvold	Low
Product	pom	developer id	martinc	Low
Product	pom	developer id	matth	Low
Product	pom	developer id	niallp	Low
Product	pom	developer id	nicolaken	Low
Product	pom	developer id	roxspring	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	scolebourne	Low

Product	pom	developer name	dlon Gillard	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Henri Yandell	Low
Product	pom	developer name	Jeremias Maerki	Low
Product	pom	developer name	Jochen Wiedmann	Low
Product	pom	developer name	Jukka Zitting	Low
Product	pom	developer name	Kristian Rosenvold	Low
Product	pom	developer name	Martin Cooper	Low
Product	pom	developer name	Matthew Hawthorne	Low
Product	pom	developer name	Niall Pemberton	Low
Product	pom	developer name	Nicola Ken Barozzi	Low
Product	pom	developer name	Rob Oxspring	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Stephen Colebourne	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	https://www.apache.org/	Low
Product	pom	groupid	commons-io	Highest
Product	pom	name	Apache Commons IO	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper/commons-io/	Medium
Version	Manifest	Bundle-Version	2.16.1	High
Version	Manifest	Implementation-Version	2.16.1	High
Version	pom	parent-version	2.16.1	Low
Version	pom	version	2.16.1	Highest

## Related Dependencies

- parser.docx.zip: commons-io.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/commons-io.jar
  - MD5: ed8191a5a217940140001b0acfed18d9
  - SHA1: 377d592e740dc77124e0901291dbfaa6810a200e
  - SHA256: f41f7baacd716896447ace9758621f62c1c6b0a91d89acee488da26fc477c84f
  - [pkg:maven/commons-io/commons-io@2.16.1](#)

## Identifiers

- [pkg:maven/commons-io/commons-io@2.16.1](#) (*Confidence:High*)
- [cpe:2.3:a:apache:commons\\_io:2.16.1.\\*.\\*.\\*.\\*.\\*](#) (*Confidence:Highest*)

[suppress](#)

## ocr.tesseract.zip: commons-logging.jar

### Description:

Apache Commons Logging is a thin adapter allowing configurable bridging to other, well-known logging systems.

### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/commons-logging.jar

**MD5:** 62de1aea096b3ac52e46b908dac4ac97

**SHA1:** 580ad1a4f34876c4f964c083361de31b3d60be68

**SHA256:** 5828f96c09d886f9b1a0993c7804b27cf4fcec8534517164f5137ac8b67ea9b9

**Referenced In Project/Scope:** standalone

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-logging	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	logging	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.logging	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-logging/">https://commons.apache.org/proper/commons-logging/</a>	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.common-logging	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-logging	Low
Vendor	pom	developer email	baliuka@apache.org	Low

Vendor	pom	developer email	costin@apache.org	Low
Vendor	pom	developer email	craigmcc@apache.org	Low
Vendor	pom	developer email	dennisl@apache.org	Low
Vendor	pom	developer email	donaldp@apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	morgand@apache.org	Low
Vendor	pom	developer email	rdonkin@apache.org	Low
Vendor	pom	developer email	rsitze@apache.org	Low
Vendor	pom	developer email	rwaldhoff@apache.org	Low
Vendor	pom	developer email	sanders@apache.org	Low
Vendor	pom	developer email	skitching@apache.org	Low
Vendor	pom	developer email	tn@apache.org	Low
Vendor	pom	developer id	baliuka	Medium
Vendor	pom	developer id	bstansberry	Medium
Vendor	pom	developer id	costin	Medium
Vendor	pom	developer id	craigmcc	Medium
Vendor	pom	developer id	dennisl	Medium
Vendor	pom	developer id	donaldp	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	morgand	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	rsitze	Medium
Vendor	pom	developer id	rwaldhoff	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	skitching	Medium
Vendor	pom	developer id	tn	Medium
Vendor	pom	developer name	Brian Stansberry	Medium
Vendor	pom	developer name	Costin Manolache	Medium
Vendor	pom	developer name	Craig McClanahan	Medium
Vendor	pom	developer name	Dennis Lundberg	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Juozas Baliuka	Medium
Vendor	pom	developer name	Morgan Delagrange	Medium
Vendor	pom	developer name	Peter Donald	Medium
Vendor	pom	developer name	Richard Sitze	Medium

Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Rodney Waldhoff	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Simon Kitching	Medium
Vendor	pom	developer name	Thomas Neidhart	Medium
Vendor	pom	developer org	Apache	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	<a href="https://www.apache.org/">https://www.apache.org/</a>	Medium
Vendor	pom	groupid	commons-logging	Highest
Vendor	pom	name	Apache Commons Logging	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	<a href="https://commons.apache.org/proper/commons-logging/">https://commons.apache.org/proper/commons-logging/</a>	Highest
Product	file	name	commons-logging	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	logging	Highest
Product	Manifest	automatic-module-name	org.apache.commons.logging	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-logging/">https://commons.apache.org/proper/commons-logging/</a>	Low
Product	Manifest	Bundle-Name	Apache Commons Logging	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-logging	Medium
Product	Manifest	Implementation-Title	Apache Commons Logging	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Apache Commons Logging	Medium
Product	pom	artifactid	commons-logging	Highest
Product	pom	developer email	baliuka@apache.org	Low
Product	pom	developer email	costin@apache.org	Low
Product	pom	developer email	craigmcc@apache.org	Low
Product	pom	developer email	dennisl@apache.org	Low
Product	pom	developer email	donaldp@apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low

Product	pom	developer email	morgand@apache.org	Low
Product	pom	developer email	rdonkin@apache.org	Low
Product	pom	developer email	rsitze@apache.org	Low
Product	pom	developer email	rwaldhoff@apache.org	Low
Product	pom	developer email	sanders@apache.org	Low
Product	pom	developer email	skitching@apache.org	Low
Product	pom	developer email	tn@apache.org	Low
Product	pom	developer id	baliuka	Low
Product	pom	developer id	bstansberry	Low
Product	pom	developer id	costin	Low
Product	pom	developer id	craigmcc	Low
Product	pom	developer id	dennisl	Low
Product	pom	developer id	donaldp	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	morgand	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	rsitze	Low
Product	pom	developer id	rwaldhoff	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	skitching	Low
Product	pom	developer id	tn	Low
Product	pom	developer name	Brian Stansberry	Low
Product	pom	developer name	Costin Manolache	Low
Product	pom	developer name	Craig McClanahan	Low
Product	pom	developer name	Dennis Lundberg	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Juozas Baliuka	Low
Product	pom	developer name	Morgan Delagrange	Low
Product	pom	developer name	Peter Donald	Low
Product	pom	developer name	Richard Sitze	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Rodney Waldhoff	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Simon Kitching	Low
Product	pom	developer name	Thomas Neidhart	Low

Product	pom	developer org	Apache	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	<a href="https://www.apache.org/">https://www.apache.org/</a>	Low
Product	pom	groupid	commons-logging	Highest
Product	pom	name	Apache Commons Logging	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	<a href="https://commons.apache.org/proper/commons-logging/">https://commons.apache.org/proper/commons-logging/</a>	Medium
Version	Manifest	Bundle-Version	1.3.3	High
Version	Manifest	Implementation-Version	1.3.3	High
Version	pom	parent-version	1.3.3	Low
Version	pom	version	1.3.3	Highest

### Identifiers

- [pkg:maven/commons-logging/commons-logging@1.3.3](#) (*Confidence: High*)

## ocr.tesseract.zip: fontbox.jar

### Description:

The Apache FontBox library is an open source Java tool to obtain low level information from font files. FontBox is a subproject of Apache PDFBox.

### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/fontbox.jar

**MD5:** 7800e63000a8ffb6fea286f17b4629

**SHA1:** 7e4077f110d575ba6b6f87ec1701b6e3a2373743

**SHA256:** 76cf0410e903e3db714032afbb458d5a23b92253b9fdf880035f09ea8ad3adac

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	fontbox	High
Vendor	jar	package name	apache	Highest

Vendor	jar	package name	fontbox	Highest
Vendor	Manifest	automatic-module-name	org.apache.fontbox	Medium
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-docurl	https://pdfbox.apache.org	Low
Vendor	Manifest	bundle-symbolicname	org.apache.pdfbox.fontbox	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	fontbox	Low
Vendor	pom	groupid	org.apache.pdfbox	Highest
Vendor	pom	name	Apache FontBox	High
Vendor	pom	parent-artifactid	pdfbox-parent	Low
Vendor	pom	url	http://pdfbox.apache.org/	Highest
Product	file	name	fontbox	High
Product	jar	package name	apache	Highest
Product	jar	package name	fontbox	Highest
Product	Manifest	automatic-module-name	org.apache.fontbox	Medium
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	bundle-docurl	https://pdfbox.apache.org	Low
Product	Manifest	Bundle-Name	Apache FontBox	Medium
Product	Manifest	bundle-symbolicname	org.apache.pdfbox.fontbox	Medium
Product	Manifest	Implementation-Title	Apache FontBox	High
Product	Manifest	specification-title	Apache FontBox	Medium
Product	pom	artifactid	fontbox	Highest
Product	pom	groupid	org.apache.pdfbox	Highest
Product	pom	name	Apache FontBox	High
Product	pom	parent-artifactid	pdfbox-parent	Medium
Product	pom	url	http://pdfbox.apache.org/	Medium
Version	Manifest	Bundle-Version	3.0.2	High
Version	Manifest	Implementation-Version	3.0.2	High
Version	pom	version	3.0.2	Highest

## Identifiers

- [pkg:maven/org.apache.pdfbox/fontbox@3.0.2](#) (Confidence:High)

## ocr.tesseract.zip: jai-imageio-core.jar

### Description:

Java Advanced Imaging Image I/O Tools API core, but without the classes involved with javax.media.jai dependencies, JPEG2000 or codecLibJIO, meaning that this library can be distributed under the modified BSD license and should be GPL compatible.

### License:

BSD 3-clause License w/nuclear disclaimer: LICENSE.txt

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jai-imageio-core.jar

**MD5:** 6978d733bfb55c0a82639f724fe5f3bb

**SHA1:** fb6d79b929556362a241b2f65a04e538062f0077

**SHA256:** 8ad3c68e9efffb10ac87ff8bc589adf64b04a729c5194c079efd0643607fd72a

**Referenced In Project/Scope:** standalone

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jai-imageio-core	High
Vendor	jar	package name	github	Highest
Vendor	Manifest	bundle-docurl	https://github.com/jai-imageio/	Low
Vendor	Manifest	bundle-symbolicname	jai-imageio-core	Medium
Vendor	Manifest	extension-name	com.github.jai-imageio-jai-imageio-core	Medium
Vendor	Manifest	Implementation-Vendor	https://github.com/jai-imageio/ jai-imageio GitHub group	High
Vendor	Manifest	specification-vendor	Sun Microsystems, Inc.	Low
Vendor	Manifest	url	https://github.com/jai-imageio/jai-imageio-core	Low
Vendor	pom	artifactid	jai-imageio-core	Low
Vendor	pom	developer email	stian@s11.no	Low
Vendor	pom	developer name	Stian Soiland-Reyes	Medium
Vendor	pom	developer org	s11	Medium
Vendor	pom	developer org	http://s11.no/	Medium

		URL		
Vendor	pom	groupid	com.github.jai-imageio	Highest
Vendor	pom	name	Java Advanced Imaging Image I/O Tools API core (standalone)	High
Vendor	pom	organization name	jai-imageio GitHub group	High
Vendor	pom	organization url	jai-imageio/	Medium
Vendor	pom	url	jai-imageio/jai-imageio-core	Highest
Product	file	name	jai-imageio-core	High
Product	jar	package name	github	Highest
Product	Manifest	bundle-docurl	https://github.com/jai-imageio/	Low
Product	Manifest	Bundle-Name	Java Advanced Imaging Image I/O Tools API core (standalone)	Medium
Product	Manifest	bundle-symbolicname	jai-imageio-core	Medium
Product	Manifest	extension-name	com.github.jai-imageio-jai-imageio-core	Medium
Product	Manifest	Implementation-Title	Java Advanced Imaging Image I/O Tools API core (standalone)	High
Product	Manifest	specification-title	Java Advanced Imaging	Medium
Product	Manifest	url	https://github.com/jai-imageio/jai-imageio-core	Low
Product	pom	artifactid	jai-imageio-core	Highest
Product	pom	developer email	stian@s11.no	Low
Product	pom	developer name	Stian Soiland-Reyes	Low
Product	pom	developer org	s11	Low
Product	pom	developer org URL	http://s11.no/	Low
Product	pom	groupid	com.github.jai-imageio	Highest
Product	pom	name	Java Advanced Imaging Image I/O Tools API core (standalone)	High
Product	pom	organization name	jai-imageio GitHub group	Low
Product	pom	url	jai-imageio/	High
Product	pom	url	jai-imageio/jai-imageio-core	High
Version	Manifest	Bundle-Version	1.4.0	High
Version	Manifest	Implementation-Version	1.4.0	High
Version	pom	version	1.4.0	Highest

## Identifiers

- [pkg:maven/com.github.jai-imageio/jai-imageio-core@1.4.0](#) (Confidence:High)

## ocr.tesseract.zip: jbig2-imageio.jar

### Description:

Java Image I/O plugin for reading JBIG2-compressed image data.  
Formerly known as the levigo JBig2 ImageIO plugin (com.levigo.jbig2:levigo-jbig2-imageio).

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jbig2-imageio.jar

**MD5:** c51f45dc3d29bbf716774f9ff9e95ad6

**SHA1:** ad09a9bb94ea791ea81fb6c5bc2b13dd77872598

**SHA256:** 29cb2951622f10acf61fd0656c4e6fa5562194a9095f7a1d26aa426e2f6b17eb

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jbig2-imageio	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	image	Highest
Vendor	jar	package name	jbig2	Highest
Vendor	jar	package name	pdfbox	Highest
Vendor	Manifest	automatic-module-name	org.apache.pdfbox.jbig2	Medium
Vendor	Manifest	implementation-url	https://www.apache.org/jbig2-imageio/	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache.pdfbox	Medium
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	jbig2-imageio	Low
Vendor	pom	developer id	adam	Medium
Vendor	pom	developer id	blitchfield	Medium
Vendor	pom	developer id	carrier	Medium
Vendor	pom	developer id	danielwilson	Medium
Vendor	pom	developer id	gbailleul	Medium
Vendor	pom	developer id	hennejg	Medium

Vendor	pom	developer id	holdersn	Medium
Vendor	pom	developer id	jahewson	Medium
Vendor	pom	developer id	jeremias	Medium
Vendor	pom	developer id	jukka	Medium
Vendor	pom	developer id	kjackson	Medium
Vendor	pom	developer id	koch	Medium
Vendor	pom	developer id	koehlecn	Medium
Vendor	pom	developer id	lehmi	Medium
Vendor	pom	developer id	leleueri	Medium
Vendor	pom	developer id	mmayer	Medium
Vendor	pom	developer id	msayhoun	Medium
Vendor	pom	developer id	pkoch	Medium
Vendor	pom	developer id	tallison	Medium
Vendor	pom	developer id	tboehme	Medium
Vendor	pom	developer id	tchojecki	Medium
Vendor	pom	developer id	tilman	Medium
Vendor	pom	developer id	vfed	Medium
Vendor	pom	developer name	Adam Nichols	Medium
Vendor	pom	developer name	Andreas Lehmkühler	Medium
Vendor	pom	developer name	Ben Litchfield	Medium
Vendor	pom	developer name	Brian Carrier	Medium
Vendor	pom	developer name	Carolin Köhler	Medium
Vendor	pom	developer name	Daniel Wilson	Medium
Vendor	pom	developer name	Eric Leleu	Medium
Vendor	pom	developer name	Guillaume Bailleul	Medium
Vendor	pom	developer name	Jeremias Maerki	Medium
Vendor	pom	developer name	Johannes Koch	Medium
Vendor	pom	developer name	John Hewson	Medium
Vendor	pom	developer name	Jukka Zitting	Medium
Vendor	pom	developer name	Jörg Henne	Medium
Vendor	pom	developer name	Kevin Jackson	Medium
Vendor	pom	developer name	Maruan Sayhoun	Medium
Vendor	pom	developer name	Matthäus Mayer	Medium
Vendor	pom	developer name	Phillipp Koch	Medium
Vendor	pom	developer name	Sebastian Holder	Medium

Vendor	pom	developer name	Thomas Chojecki	Medium
Vendor	pom	developer name	Tilman Hausherr	Medium
Vendor	pom	developer name	Tim Allison	Medium
Vendor	pom	developer name	Timo Boehme	Medium
Vendor	pom	developer name	Villu Ruusmann	Medium
Vendor	pom	groupid	org.apache.pdfbox	Highest
Vendor	pom	name	PDFBox JBIG2 ImageIO plugin	High
Vendor	pom	organization name	The Apache Software Foundation	High
Vendor	pom	organization url	<a href="http://pdfbox.apache.org">http://pdfbox.apache.org</a>	Medium
Vendor	pom	parent-artifactid	apache	Low
Vendor	pom	parent-groupid	org.apache	Medium
Product	file	name	jbig2-imageio	High
Product	jar	package name	apache	Highest
Product	jar	package name	image	Highest
Product	jar	package name	jbig2	Highest
Product	jar	package name	pdfbox	Highest
Product	Manifest	automatic-module-name	org.apache.pdfbox.jbig2	Medium
Product	Manifest	Implementation-Title	PDFBox JBIG2 ImageIO plugin	High
Product	Manifest	implementation-url	<a href="https://www.apache.org/jbig2-imageio/">https://www.apache.org/jbig2-imageio/</a>	Low
Product	Manifest	specification-title	PDFBox JBIG2 ImageIO plugin	Medium
Product	pom	artifactid	jbig2-imageio	Highest
Product	pom	developer id	adam	Low
Product	pom	developer id	blitchfield	Low
Product	pom	developer id	carrier	Low
Product	pom	developer id	danielwilson	Low
Product	pom	developer id	gbailleul	Low
Product	pom	developer id	hennejg	Low
Product	pom	developer id	holdersn	Low
Product	pom	developer id	jahewson	Low
Product	pom	developer id	jeremias	Low
Product	pom	developer id	jukka	Low
Product	pom	developer id	kjackson	Low
Product	pom	developer id	koch	Low

Product	pom	developer id	koehlecn	Low
Product	pom	developer id	lehmi	Low
Product	pom	developer id	leleueri	Low
Product	pom	developer id	mmayer	Low
Product	pom	developer id	msayhoun	Low
Product	pom	developer id	pkoch	Low
Product	pom	developer id	tallison	Low
Product	pom	developer id	tboehme	Low
Product	pom	developer id	tchojecki	Low
Product	pom	developer id	tilman	Low
Product	pom	developer id	vfed	Low
Product	pom	developer name	Adam Nichols	Low
Product	pom	developer name	Andreas Lehmkühler	Low
Product	pom	developer name	Ben Litchfield	Low
Product	pom	developer name	Brian Carrier	Low
Product	pom	developer name	Carolin Köhler	Low
Product	pom	developer name	Daniel Wilson	Low
Product	pom	developer name	Eric Leleu	Low
Product	pom	developer name	Guillaume Bailleul	Low
Product	pom	developer name	Jeremias Maerki	Low
Product	pom	developer name	Johannes Koch	Low
Product	pom	developer name	John Hewson	Low
Product	pom	developer name	Jukka Zitting	Low
Product	pom	developer name	Jörg Henne	Low
Product	pom	developer name	Kevin Jackson	Low
Product	pom	developer name	Maruan Sayhoun	Low
Product	pom	developer name	Matthäus Mayer	Low
Product	pom	developer name	Phillipp Koch	Low
Product	pom	developer name	Sebastian Holder	Low
Product	pom	developer name	Thomas Chojecki	Low
Product	pom	developer name	Tilman Hausherr	Low
Product	pom	developer name	Tim Allison	Low
Product	pom	developer name	Timo Boehme	Low
Product	pom	developer name	Villu Ruusmann	Low
Product	pom	groupid	org.apache.pdfbox	Highest

Product	pom	name	PDFBox JBIG2 ImageIO plugin	High
Product	pom	organization name	The Apache Software Foundation	Low
Product	pom	organization url	http://pdfbox.apache.org	Low
Product	pom	parent-artifactid	apache	Medium
Product	pom	parent-groupid	org.apache	Medium
Version	Manifest	Implementation-Version	3.0.4	High
Version	pom	parent-version	3.0.4	Low
Version	pom	version	3.0.4	Highest

## Identifiers

- [pkg:maven/org.apache.pdfbox/jbig2-imageio@3.0.4](#) (Confidence:High)
- [cpe:2.3:a:apache:pdfbox:3.0.4.\\*.\\*.\\*.\\*.\\*](#) (Confidence:Highest) suppress

## ocr.tesseract.zip: jboss-vfs.jar

### Description:

A VFS library

### License:

Apache License 2.0: <http://repository.jboss.org/licenses/apache-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jboss-vfs.jar

**MD5:** ecf3234794d1b7d03dc1eb5380328e04

**SHA1:** 748b9f156f35bf63ead9887f040cfc48af18f7f0

**SHA256:** 33a84eac3f1027551146247e3ef4057dc8840fcf8cd436cb2f925b6f5d2126e9

**Referenced In Project/Scope:** standalone

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jboss-vfs	High
Vendor	jar	package name	jboss	Highest
Vendor	jar	package name	vfs	Highest
Vendor	Manifest	automatic-module-name	org.jboss.vfs	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	implementation-	http://www.jboss.org	Low

url				
Vendor	Manifest	Implementation-Vendor	JBoss, A division of Red Hat, Inc	High
Vendor	Manifest	specification-vendor	JBoss, A division of Red Hat, Inc	Low
Vendor	pom	artifactid	jboss-vfs	Low
Vendor	pom	groupid	org.jboss	Highest
Vendor	pom	name	JBoss VFS	High
Vendor	pom	organization name	JBoss, A division of Red Hat, Inc	High
Vendor	pom	organization url	http://www.jboss.org	Medium
Vendor	pom	parent-artifactid	jboss-parent	Low
Vendor	pom	url	http://www.jboss.org	Highest
Product	file	name	jboss-vfs	High
Product	jar	package name	jboss	Highest
Product	jar	package name	vfs	Highest
Product	Manifest	automatic-module-name	org.jboss.vfs	Medium
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	Implementation-Title	JBoss VFS	High
Product	Manifest	implementation-url	http://www.jboss.org	Low
Product	Manifest	specification-title	JBoss VFS	Medium
Product	pom	artifactid	jboss-vfs	Highest
Product	pom	groupid	org.jboss	Highest
Product	pom	name	JBoss VFS	High
Product	pom	organization name	JBoss, A division of Red Hat, Inc	Low
Product	pom	organization url	http://www.jboss.org	Low
Product	pom	parent-artifactid	jboss-parent	Medium
Product	pom	url	http://www.jboss.org	Medium
Version	Manifest	Implementation-Version	3.3.2.Final	High
Version	pom	parent-version	3.3.2.Final	Low
Version	pom	version	3.3.2.Final	Highest

## Identifiers

- [pkg:maven/org.jboss/jboss-vfs@3.3.2.Final](#) (Confidence:High)

## ocr.tesseract.zip: jna.jar

### Description:

JNA Library

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jna.jar

**MD5:** 9bb1338e58031463c300f643cb3c41fa

**SHA1:** d9c6794f22c2e3c846b02d51c6a95c304e8e056b

**SHA256:** 336f2ae25222389eb9f3c90f8f7c3a6258c33581964b2338bf836b3b865b049e

**Referenced In Project/Scope:** standalone

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jna	High
Vendor	jar	package name	jna	Highest
Vendor	jar	package name	jna	Low
Vendor	jar	package name	sun	Highest
Vendor	jar	package name	sun	Low
Vendor	jar (hint)	package name	oracle	Highest
Vendor	jar (hint)	package name	oracle	Low
Vendor	Manifest	automatic-module-name	com.sun.jna	Medium
Vendor	Manifest	bundle-activationpolicy	lazy	Low
Vendor	Manifest	bundle-category	jni	Low
Vendor	Manifest	bundle-nativecode	com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win32, com/sun/jna /win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win32, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64; osname=win32, com/sun/jna/win32-x86 /jnidispatch.dll; processor=x86;osname=win, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win, com/sun/jna /win32-aarch64/jnidispatch.dll; processor=aarch64;osname=win, com/sun /jna/w32ce-arm/jnidispatch.dll; processor=arm;osname=wince, com/sun/jna /sunos-x86/libjnidispatch.so; processor=x86; osname=sunos, com/sun/jna/sunos-x86-64 /libjnidispatch.so; processor=x86-64; osname=sunos, com/sun/jna/sunos-sparc	Low

			/libjnidispatch.so; processor=sparc; osname=sunos, com/sun/jna/sunos-sparcv9 /libjnidispatch.so; processor=sparcv9; osname=sunos, com/sun/jna/aix-ppc /libjnidispatch.a; processor=ppc; osname=aix, com/sun/jna/aix-ppc64 /libjnidispatch.a; processor=ppc64; osname=aix, com/sun/jna/linux-ppc /libjnidispatch.so; processor=ppc; osname=linux, com/sun/jna/linux-ppc64 /libjnidispatch.so; processor=ppc64; osname=linux, com/sun/jna/linux-ppc64le /libjnidispatch.so; processor=ppc64le; osname=linux, com/sun/jna/linux-x86 /libjnidispatch.so; processor=x86; osname=linux, com/sun/jna/linux-x86-64 /libjnidispatch.so; processor=x86-64; osname=linux, com/sun/jna/linux-arm /libjnidispatch.so; processor=arm; osname=linux, com/sun/jna/linux-arm /libjnidispatch.so; processor=arm_le; osname=linux, com/sun/jna/linux-armel /libjnidispatch.so; processor=armel; osname=linux, com/sun/jna/linux-aarch64 /libjnidispatch.so; processor=aarch64; osname=linux, com/sun/jna/linux-ia64 /libjnidispatch.so; processor=ia64; osname=linux, com/sun/jna/linux-sparcv9 /libjnidispatch.so; processor=sparcv9; osname=linux, com/sun/jna/linux-mips64el /libjnidispatch.so; processor=mips64el; osname=linux, com/sun/jna/linux-s390x /libjnidispatch.so; processor=S390x; osname=linux, com/sun/jna/linux- loongarch64/libjnidispatch.so; processor=loongarch64;osname=linux, com /sun/jna/freebsd-x86/libjnidispatch.so; processor=x86;osname=freebsd, com/sun /jna/freebsd-x86-64/libjnidispatch.so; processor=x86-64;osname=freebsd, com /sun/jna/openbsd-x86/libjnidispatch.so; processor=x86;osname=openbsd, com/sun /jna/openbsd-x86-64/libjnidispatch.so; processor=x86-64;osname=openbsd, com /sun/jna/darwin-ppc/libjnidispatch.jnilib; osname=macosx;processor=ppc, com/sun /jna/darwin-ppc64/libjnidispatch.jnilib; osname=macosx;processor=ppc64, com/sun /jna/darwin-x86/libjnidispatch.jnilib; osname=macosx;processor=x86, com/sun /jna/darwin-x86-64/libjnidispatch.jnilib; osname=macosx;processor=x86-64, com /sun/jna/darwin-aarch64/libjnidispatch.jnilib; osname=macosx;processor=aarch64	
--	--	--	---	--

Vendor	Manifest	bundle-requiredexecution	JavaSE-1.6	Low
Vendor	Manifest	bundle-symbolicname	com.sun.jna	Medium
Vendor	Manifest	Implementation-Vendor	JNA Development Team	High
Vendor	Manifest	specification-vendor	JNA Development Team	Low
Product	file	name	jna	High

Product	jar	package name	jna	Highest
Product	jar	package name	jna	Low
Product	jar	package name	library	Highest
Product	jar	package name	native	Highest
Product	jar	package name	sun	Highest
Product	jar	package name	win32	Highest
Product	Manifest	automatic-module-name	com.sun.jna	Medium
Product	Manifest	bundle-activationpolicy	lazy	Low
Product	Manifest	bundle-category	jni	Low
Product	Manifest	Bundle-Name	jna	Medium
Product	Manifest	bundle-nativecode	com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win32, com/sun/jna /win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win32, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64; osname=win32, com/sun/jna/win32-x86 /jnidispatch.dll; processor=x86;osname=win, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win, com/sun/jna /win32-aarch64/jnidispatch.dll; processor=aarch64;osname=win, com/sun /jna/w32ce-arm/jnidispatch.dll; processor=arm;osname=wince, com/sun/jna /sunos-x86/libjnidispatch.so; processor=x86; osname=sunos, com/sun/jna/sunos-x86-64 /libjnidispatch.so; processor=x86-64; osname=sunos, com/sun/jna/sunos-sparc /libjnidispatch.so; processor=sparc; osname=sunos, com/sun/jna/sunos-sparcv9 /libjnidispatch.so; processor=sparcv9; osname=sunos, com/sun/jna/aix-ppc /libjnidispatch.a; processor=ppc; osname=aix, com/sun/jna/aix-ppc64 /libjnidispatch.a; processor=ppc64; osname=aix, com/sun/jna/linux-ppc /libjnidispatch.so; processor=ppc; osname=linux, com/sun/jna/linux-ppc64 /libjnidispatch.so; processor=ppc64; osname=linux, com/sun/jna/linux-ppc64le /libjnidispatch.so; processor=ppc64le; osname=linux, com/sun/jna/linux-x86 /libjnidispatch.so; processor=x86; osname=linux, com/sun/jna/linux-x86-64 /libjnidispatch.so; processor=x86-64; osname=linux, com/sun/jna/linux-arm /libjnidispatch.so; processor=arm; osname=linux, com/sun/jna/linux-arm /libjnidispatch.so; processor=arm_le; osname=linux, com/sun/jna/linux-armel /libjnidispatch.so; processor=armel; osname=linux, com/sun/jna/linux-aarch64 /libjnidispatch.so; processor=aarch64; osname=linux, com/sun/jna/linux-ia64 /libjnidispatch.so; processor=ia64; osname=linux, com/sun/jna/linux-sparcv9 /libjnidispatch.so; processor=sparcv9;	Low

```
osname=linux, com/sun/jna/linux-mips64el  
/libjnidispatch.so; processor=mips64el;  
osname=linux, com/sun/jna/linux-s390x  
/libjnidispatch.so; processor=S390x;  
osname=linux, com/sun/jna/linux-  
loongarch64/libjnidispatch.so;  
processor=loongarch64;osname=linux, com  
/sun/jna/freebsd-x86/libjnidispatch.so;  
processor=x86;osname=freebsd, com/sun  
/jna/freebsd-x86-64/libjnidispatch.so;  
processor=x86-64;osname=freebsd, com  
/sun/jna/openbsd-x86/libjnidispatch.so;  
processor=x86;osname=openbsd, com/sun  
/jna/openbsd-x86-64/libjnidispatch.so;  
processor=x86-64;osname=openbsd, com  
/sun/jna/darwin-ppc/libjnidispatch.jnilib;  
osname=macosx;processor=ppc, com/sun  
/jna/darwin-ppc64/libjnidispatch.jnilib;  
osname=macosx;processor=ppc64, com/sun  
/jna/darwin-x86/libjnidispatch.jnilib;  
osname=macosx;processor=x86, com/sun  
/jna/darwin-x86-64/libjnidispatch.jnilib;  
osname=macosx;processor=x86-64, com  
/sun/jna/darwin-aarch64/libjnidispatch.jnilib;  
osname=macosx;processor=aarch64
```

Product	Manifest	bundle- requiredexecution	JavaSE-1.6	Low
Product	Manifest	bundle- symbolicname	com.sun.jna	Medium
Product	Manifest	Implementation- Title	com.sun.jna	High
Product	Manifest	specification-title	Java Native Access (JNA)	Medium
Version	jar	package name	jna	Highest
Version	jar	package name	sun	Highest
Version	jar	package name	win32	Highest
Version	Manifest	Bundle-Version	5.14.0	High
Version	Manifest	Implementation- Version	5.14.0 (b0)	High

## Identifiers



**ocr.tesseract.zip: jna.jar: jnidispatch.dll**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jna.jar/com/sun/jna/win32-aarch64/jnidispatch.dll

**MD5:** f6bef568e690d361a5dcc165f5ad4b1f

**SHA1:** 05638a4aaafa689a6c246530823afdc18d3fd438

**SHA256:**b9d1479b9619b7ece4a36b6ae31365ffaf15a1355d4f6da02f8b5f09df2fa82f

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jnidispatch	High
Product	file	name	jnidispatch	High

### Identifiers

- None

## ocr.tesseract.zip: jna.jar: jnidispatch.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jna.jar/com/sun/jna/win32-x86-64/jnidispatch.dll

**MD5:** 719d6ba1946c25aa61ce82f90d77ffd5

**SHA1:** 94d2191378cac5719daecc826fc116816284c406

**SHA256:**69c45175ecfd25af023f96ac0bb2c45e6a95e3ba8a5a50ee7969ccab14825c44

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jnidispatch	High
Product	file	name	jnidispatch	High

### Identifiers

- None

## ocr.tesseract.zip: jna.jar: jnidispatch.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jna.jar/com/sun/jna/win32-x86/jnidispatch.dll

**MD5:** e15183ef9c6c255b76fda73d01ca7ecb

**SHA1:** f816f998c43204230d9ea3eecffb5f8372a32c2e

**SHA256:**38650a0612730c52580c9f32ff766b44b1c5a426d52e7dd7a53687bf3389ac2c

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jnidispatch	High
Product	file	name	jnidispatch	High

### Identifiers

- None

## ocr.tesseract.zip: lept4j.jar

### Description:

# Lept4J

## Description:

A Java JNA wrapper for Leptonica Image Processing library.

Lept4J is released and distributed under the Apache License, v2.0.

### License:

Apache License 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/lept4j.jar

**MD5:** 70889e28b7569dd54e7da9ced01dabdf

**SHA1:** ec69d554f05e030b5e06295a4d39057634759549

**SHA256:**5feb69a8fc9550809b23cb980270cdf99368dea330ba7d98789e2dc93f8bef6f

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	lept4j	High
Vendor	jar	package name	lept4j	Highest
Vendor	jar	package name	leptonica	Highest
Vendor	jar	package name	net	Highest
Vendor	jar	package name	sourceforge	Highest

Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	pom	artifactid	lept4j	Low
Vendor	pom	developer email	nguyenq@users.sf.net	Low
Vendor	pom	developer name	Quan Nguyen	Medium
Vendor	pom	groupid	net.sourceforge.lept4j	Highest
Vendor	pom	name	Lept4J - Leptonica for Java	High
Vendor	pom	url	nguyenq/lept4j	Highest
Product	file	name	lept4j	High
Product	jar	package name	lept4j	Highest
Product	jar	package name	leptonica	Highest
Product	jar	package name	net	Highest
Product	jar	package name	sourceforge	Highest
Product	Manifest	build-jdk-spec	1.8	Low
Product	pom	artifactid	lept4j	Highest
Product	pom	developer email	nguyenq@users.sf.net	Low
Product	pom	developer name	Quan Nguyen	Low
Product	pom	groupid	net.sourceforge.lept4j	Highest
Product	pom	name	Lept4J - Leptonica for Java	High
Product	pom	url	nguyenq/lept4j	High
Version	pom	version	1.19.1	Highest

## Identifiers

- [pkg:maven/net.sourceforge.lept4j/lept4j@1.19.1](#) (Confidence: High)

## ocr.tesseract.zip: lept4j.jar: libleptonica1841.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/lept4j.jar/win32-x86-64/libleptonica1841.dll

**MD5:** 981b8e38e33018fff693c8e3ec0f2254

**SHA1:** 91a9cd0a874d614bc8a8946d2e0a8573e8b96ac1

**SHA256:** 0b2cb584baeb38b90033344b4d70830b33ba01396fb9142b9b733e83c8a73fb8

**Referenced In Project/Scope:** standalone

## Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	libleptonica1841	High
Product	file	name	libleptonica1841	High
Version	file	name	libleptonica1841	Medium
Version	file	version	1841	Medium

### Identifiers

- None

## ocr.tesseract.zip: lept4j.jar: libleptonica1841.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/lept4j.jar/win32-x86/libleptonica1841.dll

**MD5:** 64f0634192bcf75ade5ea06f8119512d

**SHA1:** b387accaa5209f796fb3065395548d2adcbad620e

**SHA256:**405e5263b72cb7d63c723fd85a124201cd66aa9a983b3a1c1e4c82003c91bcaa

**Referenced In Project/Scope:** standalone

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	libleptonica1841	High
Product	file	name	libleptonica1841	High
Version	file	name	libleptonica1841	Medium
Version	file	version	1841	Medium

### Identifiers

- None

## ocr.tesseract.zip: ocr.tesseract.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/ocr.tesseract.jar

**MD5:** 7ef91b5dc50afdc5a14e7cb8ca5786c6

**SHA1:** 8792730eea84972807e3726b1aa0952726d04cf0

**SHA256:**c910f9857b760e9af9133905d849ecf5135c912f552d10fae24b5584d078a625

**Referenced In Project/Scope:** standalone

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ocr.tesseract	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	ocr	Low
Vendor	jar	package name	pdhc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-11-16 16:27	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdhc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	ocr.tesseract	High
Product	jar	package name	ocr	Highest
Product	jar	package name	ocr	Low
Product	jar	package name	pdhc	Highest
Product	jar	package name	pdhc	Low
Product	jar	package name	tesseract	Highest
Product	jar	package name	tesseract	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-11-16 16:27	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdhc	Low

Product	Manifest	Implementation-Title	ocr.tesseract	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	ocr.tesseract	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.10.221	High

## Identifiers



**ocr.tesseract.zip: pdfbox.jar**

### Description:

The Apache PDFBox library is an open source Java tool for working with PDF documents.

**License:**

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/pdfbox.jar

**MD5:** f8bb8523379f78ce9d6a009589a5d442

**SHA1:** 52327f7106515024494a08850a629e50ac7a1b9b

**SHA256:**cafe2ccac101e9aa3adf3f7ea76dff02e5885a2b2558b75fa9f97476f0487ee2

**Referenced In Project/Scope:** standalone

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	pdfbox	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	pdfbox	Highest
Vendor	Manifest	automatic-module-name	org.apache.pdfbox	Medium
Vendor	Manifest	build-jdk-spec	1.8	Low

Vendor	Manifest	bundle-docurl	https://pdfbox.apache.org	Low
Vendor	Manifest	bundle-symbolicname	org.apache.pdfbox	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	pdfbox	Low
Vendor	pom	groupid	org.apache.pdfbox	Highest
Vendor	pom	name	Apache PDFBox	High
Vendor	pom	parent-artifactid	pdfbox-parent	Low
Product	file	name	pdfbox	High
Product	jar	package name	apache	Highest
Product	jar	package name	pdfbox	Highest
Product	Manifest	automatic-module-name	org.apache.pdfbox	Medium
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	bundle-docurl	https://pdfbox.apache.org	Low
Product	Manifest	Bundle-Name	Apache PDFBox	Medium
Product	Manifest	bundle-symbolicname	org.apache.pdfbox	Medium
Product	Manifest	Implementation-Title	Apache PDFBox	High
Product	Manifest	specification-title	Apache PDFBox	Medium
Product	pom	artifactid	pdfbox	Highest
Product	pom	groupid	org.apache.pdfbox	Highest
Product	pom	name	Apache PDFBox	High
Product	pom	parent-artifactid	pdfbox-parent	Medium
Version	Manifest	Bundle-Version	3.0.2	High
Version	Manifest	Implementation-Version	3.0.2	High
Version	pom	version	3.0.2	Highest

### Related Dependencies



- ocr.tesseract.zip: pdfbox-debugger.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins /ocr.tesseract.zip/pdfbox-debugger.jar
  - MD5: 6fcc3b30839dc242405127293f79ad00
  - SHA1: b6d60e293f2f2e05dce7bae534c96acc5754fac6
  - SHA256: bb07d0c5d2daf7ec84e9b13803854fe413448000874c45ce7a07b1a0a562f0c3

- [pkg:maven/org.apache.pdfbox/pdfbox-debugger@3.0.2](#)

## Identifiers

- [pkg:maven/org.apache.pdfbox/pdfbox@3.0.2](#) (*Confidence:High*)
- [cpe:2.3:a:apache:pdfbox:3.0.2.\\*.\\*.\\*.\\*.\\*](#) (*Confidence:Highest*)

[suppress](#)

## ocr.tesseract.zip: tess4j.jar

### Description:

# Tess4J

## Description:

A Java JNA wrapper for Tesseract OCR API.

Tess4J is released and distributed under the Apache License, v2.0.

## Features:

The library provides optical character recognition (OCR) support for:

TIFF, JPEG, GIF, PNG, and BMP image formats

Multi-page TIFF images

PDF document format

### License:

Apache License 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/tess4j.jar

**MD5:** f6a0f08fb08771303e5cb8dffbc949a

**SHA1:** 851d6f93d97a155d8831736ad1031a539946014e

**SHA256:** e65bcc6328ab575684038d45e1891fa48e0d8255097a628baee0d8cfec5ea816

**Referenced In Project/Scope:** standalone

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	tess4j	High
Vendor	jar	package name	net	Highest
Vendor	jar	package name	recognition	Highest
Vendor	jar	package name	sourceforge	Highest
Vendor	jar	package name	tess4j	Highest
Vendor	jar	package name	tesseract	Highest
Vendor	Manifest	build-jdk-spec	1.8	Low

Vendor	Manifest	implementation-url	http://tess4j.sourceforge.net	Low
Vendor	Manifest	Implementation-Vendor	Tess4J	High
Vendor	Manifest	specification-vendor	Tess4J	Low
Vendor	pom	artifactid	tess4j	Low
Vendor	pom	developer email	nguyenq@users.sf.net	Low
Vendor	pom	developer email	osoriojaques@gmail.com	Low
Vendor	pom	developer name	O.J. Sousa Rodrigues	Medium
Vendor	pom	developer name	Quan Nguyen	Medium
Vendor	pom	groupid	net.sourceforge.tess4j	Highest
Vendor	pom	name	Tess4J - Tesseract for Java	High
Vendor	pom	organization name	Tess4J	High
Vendor	pom	organization url	http://tess4j.sourceforge.net	Medium
Vendor	pom	url	http://tess4j.sourceforge.net	Highest
Product	file	name	tess4j	High
Product	jar	package name	net	Highest
Product	jar	package name	recognition	Highest
Product	jar	package name	sourceforge	Highest
Product	jar	package name	tess4j	Highest
Product	jar	package name	tesseract	Highest
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Implementation-Title	Tess4J - Tesseract for Java	High
Product	Manifest	implementation-url	http://tess4j.sourceforge.net	Low
Product	Manifest	specification-title	Tess4J - Tesseract for Java	Medium
Product	pom	artifactid	tess4j	Highest
Product	pom	developer email	nguyenq@users.sf.net	Low
Product	pom	developer email	osoriojaques@gmail.com	Low
Product	pom	developer name	O.J. Sousa Rodrigues	Low
Product	pom	developer name	Quan Nguyen	Low
Product	pom	groupid	net.sourceforge.tess4j	Highest
Product	pom	name	Tess4J - Tesseract for Java	High
Product	pom	organization name	Tess4J	Low

Product	pom	organization url	http://tess4j.sourceforge.net	Low
Product	pom	url	http://tess4j.sourceforge.net	Medium
Version	Manifest	Implementation-Version	5.12.0	High
Version	pom	version	5.12.0	Highest

## Identifiers

- [pkg:maven/net.sourceforge.tess4j/tess4j@5.12.0](#) (*Confidence:High*)
- cpe:2.3:a:tesseract\_project:tesseract:5.12.0.\*:\*.\*.\*.\*.\* (\* *Confidence:Low*)

[suppress](#)

## ocr.tesseract.zip: tess4j.jar: libtesseract541.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/tess4j.jar/win32-x86-64/libtesseract541.dll

**MD5:** 1246c1e50200dc43722e926e28fc7c03

**SHA1:** d8a78040e9c7c71ccaeb627b73c41c66a18b5157

**SHA256:** 8180efb176e09b7218144fe69d84c0cf6b6187e20d8529f1138bd77396d6f4fa

**Referenced In Project/Scope:** standalone

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	libtesseract541	High
Product	file	name	libtesseract541	High
Version	file	name	libtesseract541	Medium
Version	file	version	541	Medium

## Identifiers

- None

## ocr.tesseract.zip: tess4j.jar: libtesseract541.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/tess4j.jar/win32-x86/libtesseract541.dll

**MD5:** cbf57c8eb12e95512e67638f344ae537

**SHA1:** 5531d539121fd0aa57d11febcd2e8b2a5c13fca05

**SHA256:** d4d1843d9efeeec1ca53c4eb6d39e22e5bf17f5bee8b9eedb3bcef7c3c8c84d

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	libtesseract541	High
Product	file	name	libtesseract541	High
Version	file	name	libtesseract541	Medium
Version	file	version	541	Medium

### Identifiers

- None

## opentest4j-1.3.0.jar

### License:

The Apache License, Version 2.0

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.opentest4j/opentest4j/1.3.0/152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e/opentest4j-1.3.0.jar

**MD5:** 03c404f727531f3fd3b4c73997899327

**SHA1:** 152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e

**SHA256:** 48e2df636cab6563ced64cdff8abb2355627cb236ef0bf37598682ddf742f1b

**Referenced In Project/Scope:** standalone:inetPlugin

### Included by:

- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3
- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	opentest4j	High
Vendor	gradle	artifactid	opentest4j	Highest
Vendor	gradle	groupid	org.opentest4j	Highest
Vendor	jar	package name	opentest4j	Highest
Vendor	jar	package name	opentest4j	Low
Vendor	Manifest	build-date	2023-07-06	Low
Vendor	Manifest	build-revision	214973bfa4e7e9be7d04e623202cc4147c7036	Low

Vendor	Manifest	build-time	14:25:06.116+0200	Low
Vendor	Manifest	bundle-symbolicname	org.opentest4j	Medium
Vendor	Manifest	Implementation-Vendor	opentest4j.org	High
Vendor	Manifest	specification-vendor	opentest4j.org	Low
Product	file	name	opentest4j	High
Product	gradle	artifactid	opentest4j	Highest
Product	jar	package name	opentest4j	Highest
Product	Manifest	build-date	2023-07-06	Low
Product	Manifest	build-revision	214973bfa4e7e9be7d04e623202cc4147c7036	Low
Product	Manifest	build-time	14:25:06.116+0200	Low
Product	Manifest	Bundle-Name	opentest4j	Medium
Product	Manifest	bundle-symbolicname	org.opentest4j	Medium
Product	Manifest	Implementation-Title	opentest4j	High
Product	Manifest	specification-title	opentest4j	Medium
Version	file	version	1.3.0	High
Version	Manifest	Implementation-Version	1.3.0	High

### Identifiers

- [pkg:maven/org.opentest4j/opentest4j@1.3.0](#) (*Confidence*: Highest)

### parser.docx.zip: DocxParser.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/DocxParser.jar

**MD5:** 477307e1c3c493835cf777c126f644a9

**SHA1:** b2645f0ece33e7a80bbddd85bdef2c9c8f9b3288

**SHA256:** 31abe9801e4feab38f8af10206218bd0d1fa2196bb031ef1c297ab00e593b0f4

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	DocxParser	High

Vendor	jar	package name	docx	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-11-16 12:55	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	DocxParser	High
Product	jar	package name	docx	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-11-16 12:55	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	DocxParser	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	DocxParser	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	24.10.221	High

## Identifiers

- None

## parser.docx.zip: EmfParser.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/EmfParser.jar

**MD5:** e543c2f352869c9f17dd3e3ce77a2d05

**SHA1:** 4686826ba00e0c63424c09f03594df70bfe7e482

**SHA256:** a40f3ef7c501ac0ae7e4d71466a157690f6c054808405409e2b7876ef11db749

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	EmfParser	High
Vendor	jar	package name	emf	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	records	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-11-16 12:54	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	EmfParser	High
Product	jar	package name	emf	Low
Product	jar	package name	records	Low
Product	Manifest	application-library-allowable-codebase	*	Low

Product	Manifest	built-date	2024-11-16 12:54	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	EmfParser	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	EmfParser	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	24.10.221	High

### Identifiers

- None

## parser.docx.zip: SparseBitSet.jar

### Description:

An efficient sparse bitset implementation for Java

### License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/SparseBitSet.jar

**MD5:** fbe27bb4c05e8719b7fff5aa71a57364

**SHA1:** 533eac055afe3d5f614ea95e333af6c2bde8f26

**SHA256:** f76b85adb0c00721ae267b7cfde4da7f71d3121cc2160c9fc00c0c89f8c53c8a

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	SparseBitSet	High
Vendor	jar	package name	sparsebitset	Highest
Vendor	jar	package name	zaxxer	Highest
Vendor	Manifest	automatic-module-name	com.zaxxer.sparsebitset	Medium
Vendor	Manifest	build-jdk-spec	11	Low

Vendor	pom	artifactid	SparseBitSet	Low
Vendor	pom	developer email	brett.wooldridge@gmail.com	Low
Vendor	pom	developer name	Brett Wooldridge	Medium
Vendor	pom	groupid	com.zaxxer	Highest
Vendor	pom	name	SparseBitSet	High
Vendor	pom	organization name	Zaxxer.com	High
Vendor	pom	organization url	brettwooldridge/SparseBitSet	Medium
Vendor	pom	url	brettwooldridge/SparseBitSet	Highest
Product	file	name	SparseBitSet	High
Product	jar	package name	sparsebitset	Highest
Product	jar	package name	zaxxer	Highest
Product	Manifest	automatic-module-name	com.zaxxer.sparsebitset	Medium
Product	Manifest	build-jdk-spec	11	Low
Product	pom	artifactid	SparseBitSet	Highest
Product	pom	developer email	brett.wooldridge@gmail.com	Low
Product	pom	developer name	Brett Wooldridge	Low
Product	pom	groupid	com.zaxxer	Highest
Product	pom	name	SparseBitSet	High
Product	pom	organization name	Zaxxer.com	Low
Product	pom	url	brettwooldridge/SparseBitSet	High
Version	pom	version	1.3	Highest

## Identifiers

- [pkg:maven/com.zaxxer/SparseBitSet@1.3](#) (Confidence:High)
- cpe:2.3:a:bit\_project:bit:1.3:\*.\*.\*.\*.\*.\* (Confidence:Low) suppress

## parser.docx.zip: commons-codec.jar

### Description:

The Apache Commons Codec component contains encoders and decoders for various formats such as Base16, Base32, Base64, digest, and Hexadecimal. In addition to these

widely used encoders and decoders, the codec package also maintains a collection of phonetic encoding utilities.

**License:**

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/commons-codec.jar

**MD5:** 7b3438ab4c6d91e0066d410947e43f3e

**SHA1:** 973638b7149d333563584137ebf13a691bb60579

**SHA256:** f9f6cb103f2ddc3c99a9d80ada2ae7bf0685111fd6bffccb72033d1da4e6ff23

**Referenced In Project/Scope:** standalone

Evidence				
Type	Source	Name	Value	Confidence
Vendor	file	name	commons-codec	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	codec	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	digest	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.codec	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-codec/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commonscodec	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-codec	Low
Vendor	pom	developer email	bayard@apache.org	Low
Vendor	pom	developer email	chtompki@apache.org	Low
Vendor	pom	developer email	dgraham@apache.org	Low
Vendor	pom	developer email	dlr@finemaltcoding.com	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	jon@collab.net	Low
Vendor	pom	developer email	julius@apache.org	Low
Vendor	pom	developer email	mattsicker@apache.org	Low
Vendor	pom	developer email	rwaldhoff@apache.org	Low

Vendor	pom	developer email	sanders@totalsync.com	Low
Vendor	pom	developer email	tn@apache.org	Low
Vendor	pom	developer email	tobrien@apache.org	Low
Vendor	pom	developer id	bayard	Medium
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	dgraham	Medium
Vendor	pom	developer id	dlr	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jon	Medium
Vendor	pom	developer id	julius	Medium
Vendor	pom	developer id	mattsicker	Medium
Vendor	pom	developer id	rwaldhoff	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	tn	Medium
Vendor	pom	developer id	tobrien	Medium
Vendor	pom	developer name	Daniel Rall	Medium
Vendor	pom	developer name	David Graham	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Henri Yandell	Medium
Vendor	pom	developer name	Jon S. Stevens	Medium
Vendor	pom	developer name	Julius Davies	Medium
Vendor	pom	developer name	Matt Sicker	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Rodney Waldhoff	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Thomas Neidhart	Medium
Vendor	pom	developer name	Tim O'Brien	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	http://juliusdavies.ca/	Medium
Vendor	pom	developer org URL	https://www.apache.org/	Medium
Vendor	pom	groupid	commons-codec	Highest
Vendor	pom	name	Apache Commons Codec	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium

Vendor	pom	url	<a href="https://commons.apache.org/proper/commons-codec/">https://commons.apache.org/proper/commons-codec/</a>	Highest
Product	file	name	commons-codec	High
Product	jar	package name	apache	Highest
Product	jar	package name	codec	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	digest	Highest
Product	Manifest	automatic-module-name	org.apache.commons.codec	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-codec/">https://commons.apache.org/proper/commons-codec/</a>	Low
Product	Manifest	Bundle-Name	Apache Commons Codec	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commonscod	Medium
Product	Manifest	Implementation-Title	Apache Commons Codec	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Apache Commons Codec	Medium
Product	pom	artifactid	commons-codec	Highest
Product	pom	developer email	bayard@apache.org	Low
Product	pom	developer email	chtompki@apache.org	Low
Product	pom	developer email	dgraham@apache.org	Low
Product	pom	developer email	dlr@finemaltcoding.com	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	jon@collab.net	Low
Product	pom	developer email	julius@apache.org	Low
Product	pom	developer email	mattsicker@apache.org	Low
Product	pom	developer email	rwaldhoff@apache.org	Low
Product	pom	developer email	sanders@totalsync.com	Low
Product	pom	developer email	tn@apache.org	Low
Product	pom	developer email	tobrien@apache.org	Low
Product	pom	developer id	bayard	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	dgraham	Low
Product	pom	developer id	dlr	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jon	Low

Product	pom	developer id	julius	Low
Product	pom	developer id	mattsicker	Low
Product	pom	developer id	rwaldhoff	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	tn	Low
Product	pom	developer id	tobrien	Low
Product	pom	developer name	Daniel Rall	Low
Product	pom	developer name	David Graham	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Henri Yandell	Low
Product	pom	developer name	Jon S. Stevens	Low
Product	pom	developer name	Julius Davies	Low
Product	pom	developer name	Matt Sicker	Low
Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Rodney Waldhoff	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Thomas Neidhart	Low
Product	pom	developer name	Tim OBrien	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	<a href="http://juliusdavies.ca/">http://juliusdavies.ca/</a>	Low
Product	pom	developer org URL	<a href="https://www.apache.org/">https://www.apache.org/</a>	Low
Product	pom	groupid	commons-codec	Highest
Product	pom	name	Apache Commons Codec	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	<a href="https://commons.apache.org/proper/commons-codec/">https://commons.apache.org/proper/commons-codec/</a>	Medium
Version	Manifest	Bundle-Version	1.17.1	High
Version	Manifest	Implementation-Version	1.17.1	High
Version	pom	parent-version	1.17.1	Low
Version	pom	version	1.17.1	Highest

## Identifiers

- [pkg:maven/commons-codec/commons-codec@1.17.1](#) (Confidence:High)

## parser.docx.zip: commons-collections4.jar

### Description:

The Apache Commons Collections package contains types that extend and augment the Java Collections Framework.

### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/commons-collections4.jar

**MD5:** 4a37023740719b391f10030362c86be6

**SHA1:** 62ebe7544cb7164d87e0637a2a6a2bdc981395e8

**SHA256:** 1df8b9430b5c8ed143d7815e403e33ef5371b2400aadbe9bda0883762e0846d1

**Referenced In Project/Scope:** standalone

Evidence				
Type	Source	Name	Value	Confidence
Vendor	file	name	commons-collections4	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	collections4	Highest
Vendor	jar	package name	commons	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.collections4	Medium
Vendor	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-collections/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commonscollections4	Medium
Vendor	Manifest	implementation-url	https://commons.apache.org/proper/commons-collections/	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache.commons	Medium
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-collections4	Low
Vendor	pom	developer id	adriannistor	Medium
Vendor	pom	developer id	amamment	Medium
Vendor	pom	developer id	bayard	Medium

Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	craigmcc	Medium
Vendor	pom	developer id	dlaha	Medium
Vendor	pom	developer id	geirm	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jcarman	Medium
Vendor	pom	developer id	luc	Medium
Vendor	pom	developer id	matth	Medium
Vendor	pom	developer id	mbenson	Medium
Vendor	pom	developer id	morgand	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	rwaldhoff	Medium
Vendor	pom	developer id	scolebourne	Medium
Vendor	pom	developer id	tn	Medium
Vendor	pom	developer name	Adrian Nistor	Medium
Vendor	pom	developer name	Arun M. Thomas	Medium
Vendor	pom	developer name	Craig McClanahan	Medium
Vendor	pom	developer name	Dipanjan Laha	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Geir Magnusson	Medium
Vendor	pom	developer name	Henri Yandell	Medium
Vendor	pom	developer name	James Carman	Medium
Vendor	pom	developer name	Luc Maisonobe	Medium
Vendor	pom	developer name	Matt Benson	Medium
Vendor	pom	developer name	Matthew Hawthorne	Medium
Vendor	pom	developer name	Morgan Delagrange	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Rodney Waldhoff	Medium
Vendor	pom	developer name	Stephen Colebourne	Medium
Vendor	pom	developer name	Thomas Neidhart	Medium
Vendor	pom	groupid	org.apache.commons	Highest
Vendor	pom	name	Apache Commons Collections	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	url	<a href="https://commons.apache.org/proper/commons-collections/">https://commons.apache.org/proper/commons-collections/</a>	Highest

Product	file	name	commons-collections4	High
Product	jar	package name	apache	Highest
Product	jar	package name	collections4	Highest
Product	jar	package name	commons	Highest
Product	Manifest	automatic-module-name	org.apache.commons.collections4	Medium
Product	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-collections/">https://commons.apache.org/proper/commons-collections/</a>	Low
Product	Manifest	Bundle-Name	Apache Commons Collections	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.collections4	Medium
Product	Manifest	Implementation-Title	Apache Commons Collections	High
Product	Manifest	implementation-url	<a href="https://commons.apache.org/proper/commons-collections/">https://commons.apache.org/proper/commons-collections/</a>	Low
Product	Manifest	specification-title	Apache Commons Collections	Medium
Product	pom	artifactid	commons-collections4	Highest
Product	pom	developer id	adriannistor	Low
Product	pom	developer id	amamment	Low
Product	pom	developer id	bayard	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	craigmcc	Low
Product	pom	developer id	dlaha	Low
Product	pom	developer id	geirm	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jcarman	Low
Product	pom	developer id	luc	Low
Product	pom	developer id	matth	Low
Product	pom	developer id	mbenson	Low
Product	pom	developer id	morgand	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	rwaldhoff	Low
Product	pom	developer id	scolebourne	Low
Product	pom	developer id	tn	Low
Product	pom	developer name	Adrian Nistor	Low
Product	pom	developer name	Arun M. Thomas	Low
Product	pom	developer name	Craig McClanahan	Low
Product	pom	developer name	Dipanjan Laha	Low

Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Geir Magnusson	Low
Product	pom	developer name	Henri Yandell	Low
Product	pom	developer name	James Carman	Low
Product	pom	developer name	Luc Maisonobe	Low
Product	pom	developer name	Matt Benson	Low
Product	pom	developer name	Matthew Hawthorne	Low
Product	pom	developer name	Morgan Delagrange	Low
Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Rodney Waldhoff	Low
Product	pom	developer name	Stephen Colebourne	Low
Product	pom	developer name	Thomas Neidhart	Low
Product	pom	groupid	org.apache.commons	Highest
Product	pom	name	Apache Commons Collections	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	url	https://commons.apache.org/proper/commons-collections/	Medium
Version	Manifest	Implementation-Version	4.4	High
Version	pom	parent-version	4.4	Low
Version	pom	version	4.4	Highest

## Identifiers

- [pkg:maven/org.apache.commons/commons-collections4@4.4](#) (*Confidence:High*)
- [cpe:2.3:a:apache:commons\\_collections:4.4:\\*\\*\\*:\\*\\*\\*:\\*\\*\\*:\\*](#) (*Confidence:Highest*) suppress

## parser.docx.zip: commons-compress.jar

### Description:

Apache Commons Compress defines an API for working with compression and archive formats. These include bzip2, gzip, pack200, LZMA, XZ, Snappy, traditional Unix Compress, DEFLATE, DEFLATE64, LZ4, Brotli, Zstandard and ar, cpio, jar, tar, zip, dump, 7z, arj.

### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/commons-compress.jar

**MD5:** d2c5abbd0a822c0b79cf4f03ead483ee

**SHA1:** eb1f823447af685208e684fce84783b43517960c

**SHA256:** 9168a03141d8fc7eda21a2360d83cc0412bcbb1d6204d992bd48c2573cb3c6b8

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-compress	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	compress	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.compress	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-compress/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commonsc-compress	Medium
Vendor	Manifest	extension-name	org.apache.commonsc-compress	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	originally-created-by	Apache Maven Bundle Plugin 5.1.9	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-compress	Low
Vendor	pom	developer email	bodewig at apache.org	Low
Vendor	pom	developer email	chtomppki at apache.org	Low
Vendor	pom	developer email	damjan at apache.org	Low
Vendor	pom	developer email	ebourg at apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	grobmeier at apache.org	Low
Vendor	pom	developer email	julius at apache.org	Low
Vendor	pom	developer email	peterlee at apache.org	Low

Vendor	pom	developer email	sebb at apache.org	Low
Vendor	pom	developer email	tcurdt at apache.org	Low
Vendor	pom	developer id	bodewig	Medium
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	damjan	Medium
Vendor	pom	developer id	ebourg	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	grobmeier	Medium
Vendor	pom	developer id	julius	Medium
Vendor	pom	developer id	peterlee	Medium
Vendor	pom	developer id	sebb	Medium
Vendor	pom	developer id	tcurdt	Medium
Vendor	pom	developer name	Christian Grobmeier	Medium
Vendor	pom	developer name	Damjan Jovanovic	Medium
Vendor	pom	developer name	Emmanuel Bourg	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Julius Davies	Medium
Vendor	pom	developer name	Peter Alfred Lee	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Sebastian Bazley	Medium
Vendor	pom	developer name	Stefan Bodewig	Medium
Vendor	pom	developer name	Torsten Curdt	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	<a href="https://www.apache.org/">https://www.apache.org/</a>	Medium
Vendor	pom	groupid	org.apache.commons	Highest
Vendor	pom	name	Apache Commons Compress	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	url	<a href="https://commons.apache.org/proper/commons-compress/">https://commons.apache.org/proper/commons-compress/</a>	Highest
Product	file	name	commons-compress	High
Product	jar	package name	9	Highest
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	compress	Highest
Product	Manifest	automatic-module-name	org.apache.commons.compress	Medium

Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-compress/">https://commons.apache.org/proper/commons-compress/</a>	Low
Product	Manifest	Bundle-Name	Apache Commons Compress	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commonscompress	Medium
Product	Manifest	extension-name	org.apache.commonscompress	Medium
Product	Manifest	Implementation-Title	Apache Commons Compress	High
Product	Manifest	multi-release	true	Low
Product	Manifest	originally-created-by	Apache Maven Bundle Plugin 5.1.9	Low
Product	Manifest	specification-title	Apache Commons Compress	Medium
Product	pom	artifactid	commons-compress	Highest
Product	pom	developer email	bodewig at apache.org	Low
Product	pom	developer email	chtompki at apache.org	Low
Product	pom	developer email	damjan at apache.org	Low
Product	pom	developer email	ebourg at apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	grobmeier at apache.org	Low
Product	pom	developer email	julius at apache.org	Low
Product	pom	developer email	peterlee at apache.org	Low
Product	pom	developer email	sebb at apache.org	Low
Product	pom	developer email	tcurdःt at apache.org	Low
Product	pom	developer id	bodewig	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	damjan	Low
Product	pom	developer id	ebourg	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	grobmeier	Low
Product	pom	developer id	julius	Low
Product	pom	developer id	peterlee	Low
Product	pom	developer id	sebb	Low
Product	pom	developer id	tcurdःt	Low
Product	pom	developer name	Christian Grobmeier	Low
Product	pom	developer name	Damjan Jovanovic	Low
Product	pom	developer name	Emmanuel Bourg	Low

Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Julius Davies	Low
Product	pom	developer name	Peter Alfred Lee	Low
Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Sebastian Bazley	Low
Product	pom	developer name	Stefan Bodewig	Low
Product	pom	developer name	Torsten Curdt	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	<a href="https://www.apache.org/">https://www.apache.org/</a>	Low
Product	pom	groupid	org.apache.commons	Highest
Product	pom	name	Apache Commons Compress	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	url	<a href="https://commons.apache.org/proper/commons-compress/">https://commons.apache.org/proper/commons-compress/</a>	Medium
Version	Manifest	Bundle-Version	1.26.2	High
Version	Manifest	Implementation-Version	1.26.2	High
Version	pom	parent-version	1.26.2	Low
Version	pom	version	1.26.2	Highest

## Identifiers

- [pkg:maven/org.apache.commons/commons-compress@1.26.2](#) (*Confidence: High*)
- [cpe:2.3:a:apache:commons\\_compress:1.26.2:\\*\\*\\*:\\*\\*\\*:\\*](#) (*Confidence: Highest*)

[suppress](#)

## parser.docx.zip: commons-math3.jar

### Description:

The Apache Commons Math project is a library of lightweight, self-contained mathematics and statistics components addressing the most common practical problems not immediately available in the Java programming language or commons-lang.

### License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/commons-math3.jar  
**MD5:** 5b730d97e4e6368069de1983937c508e

**SHA1:** e4ba98f1d4b3c80ec46392f25e094a6a2e58fcbf

**SHA256:** 1e56d7b058d28b65abd256b8458e3885b674c1d588fa43cd7d1cbb9c7ef2b308

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-math3	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	math3	Highest
Vendor	Manifest	bundle-docurl	http://commons.apache.org/proper/commons-math/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.math3	Medium
Vendor	Manifest	implementation-build	16abfe5de688cc52fb0396e0609cb33044b156d 2016-03-17 13:30:43-0400	Low
Vendor	Manifest	implementation-url	http://commons.apache.org/proper/commons-math/	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-math3	Low
Vendor	pom	developer email	achou at apache dot org	Low
Vendor	pom	developer email	billbarker at apache dot org	Low
Vendor	pom	developer email	brentworden at apache dot org	Low
Vendor	pom	developer email	celestin at apache dot org	Low
Vendor	pom	developer email	dimpbx at apache dot org	Low
Vendor	pom	developer email	erans at apache dot org	Low
Vendor	pom	developer email	evanward at apache dot org	Low
Vendor	pom	developer email	gregs at apache dot org	Low
Vendor	pom	developer email	j3322ptm at yahoo dot de	Low
Vendor	pom	developer email	luc at apache dot org	Low
Vendor	pom	developer email	mdiggory at apache dot org	Low
Vendor	pom	developer email	mikl at apache dot org	Low
Vendor	pom	developer email	oertl at apache dot org	Low
Vendor	pom	developer email	rdonkin at apache dot org	Low

Vendor	pom	developer email	tn at apache dot org	Low
Vendor	pom	developer email	tobrien at apache dot org	Low
Vendor	pom	developer id	achou	Medium
Vendor	pom	developer id	billbarker	Medium
Vendor	pom	developer id	brentworden	Medium
Vendor	pom	developer id	celestin	Medium
Vendor	pom	developer id	dimpbx	Medium
Vendor	pom	developer id	erans	Medium
Vendor	pom	developer id	evanward	Medium
Vendor	pom	developer id	gregs	Medium
Vendor	pom	developer id	luc	Medium
Vendor	pom	developer id	mdiggory	Medium
Vendor	pom	developer id	mikl	Medium
Vendor	pom	developer id	oertl	Medium
Vendor	pom	developer id	pietsch	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	tn	Medium
Vendor	pom	developer id	tobrien	Medium
Vendor	pom	developer name	Albert Davidson Chou	Medium
Vendor	pom	developer name	Bill Barker	Medium
Vendor	pom	developer name	Brent Worden	Medium
Vendor	pom	developer name	Dimitri Pourbaix	Medium
Vendor	pom	developer name	Evan Ward	Medium
Vendor	pom	developer name	Gilles Sadowski	Medium
Vendor	pom	developer name	Greg Sterjevski	Medium
Vendor	pom	developer name	J. Pietschmann	Medium
Vendor	pom	developer name	Luc Maisonobe	Medium
Vendor	pom	developer name	Mark Diggory	Medium
Vendor	pom	developer name	Mikkel Meyer Andersen	Medium
Vendor	pom	developer name	Otmar Ertl	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Sbastien Brisard	Medium
Vendor	pom	developer name	Thomas Neidhart	Medium
Vendor	pom	developer name	Tim O'Brien	Medium
Vendor	pom	groupid	org.apache.commons	Highest

Vendor	pom	name	Apache Commons Math	High
Vendor	pom	parent-artifacid	commons-parent	Low
Vendor	pom	url	http://commons.apache.org/proper/commons-math/	Highest
Product	file	name	commons-math3	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	math3	Highest
Product	Manifest	bundle-docurl	http://commons.apache.org/proper/commons-math/	Low
Product	Manifest	Bundle-Name	Apache Commons Math	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.math3	Medium
Product	Manifest	implementation-build	16abfe5de688cc52fb0396e0609cb33044b156! 2016-03-17 13:30:43-0400	Low
Product	Manifest	Implementation-Title	Apache Commons Math	High
Product	Manifest	implementation-url	http://commons.apache.org/proper/commons-math/	Low
Product	Manifest	specification-title	Apache Commons Math	Medium
Product	pom	artifactid	commons-math3	Highest
Product	pom	developer email	achou at apache dot org	Low
Product	pom	developer email	billbarker at apache dot org	Low
Product	pom	developer email	brentworden at apache dot org	Low
Product	pom	developer email	celestin at apache dot org	Low
Product	pom	developer email	dimpbx at apache dot org	Low
Product	pom	developer email	erans at apache dot org	Low
Product	pom	developer email	evanward at apache dot org	Low
Product	pom	developer email	gregs at apache dot org	Low
Product	pom	developer email	j3322ptm at yahoo dot de	Low
Product	pom	developer email	luc at apache dot org	Low
Product	pom	developer email	mdiggory at apache dot org	Low
Product	pom	developer email	mikl at apache dot org	Low
Product	pom	developer email	oertl at apache dot org	Low
Product	pom	developer email	rdonkin at apache dot org	Low
Product	pom	developer email	tn at apache dot org	Low
Product	pom	developer email	tobrien at apache dot org	Low
Product	pom	developer id	achou	Low

Product	pom	developer id	billbarker	Low
Product	pom	developer id	brentworden	Low
Product	pom	developer id	celestin	Low
Product	pom	developer id	dimpbx	Low
Product	pom	developer id	erans	Low
Product	pom	developer id	evanward	Low
Product	pom	developer id	gregs	Low
Product	pom	developer id	luc	Low
Product	pom	developer id	mdiggory	Low
Product	pom	developer id	mikl	Low
Product	pom	developer id	oertl	Low
Product	pom	developer id	pietsch	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	tn	Low
Product	pom	developer id	tobrien	Low
Product	pom	developer name	Albert Davidson Chou	Low
Product	pom	developer name	Bill Barker	Low
Product	pom	developer name	Brent Worden	Low
Product	pom	developer name	Dimitri Pourbaix	Low
Product	pom	developer name	Evan Ward	Low
Product	pom	developer name	Gilles Sadowski	Low
Product	pom	developer name	Greg Sterijevski	Low
Product	pom	developer name	J. Pietschmann	Low
Product	pom	developer name	Luc Maisonobe	Low
Product	pom	developer name	Mark Diggory	Low
Product	pom	developer name	Mikkel Meyer Andersen	Low
Product	pom	developer name	Otmar Ertl	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Sbastien Brisard	Low
Product	pom	developer name	Thomas Neidhart	Low
Product	pom	developer name	Tim O'Brien	Low
Product	pom	groupid	org.apache.commons	Highest
Product	pom	name	Apache Commons Math	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	url	http://commons.apache.org/proper/commons-math/	Medium

Version	Manifest	Bundle-Version	3.6.1	High
Version	Manifest	Implementation-Version	3.6.1	High
Version	pom	parent-version	3.6.1	Low
Version	pom	version	3.6.1	Highest

## Identifiers

- [pkg:maven/org.apache.commons/commons-math3@3.6.1](#) (Confidence:High)

## parser.docx.zip: curvesapi.jar

### Description:

Implementation of various mathematical curves that define themselves over a set of control points. The API is written in Java. The curves supported are: Bezier, B-Spline, Cardinal Spline, Catmull-Rom Spline, Lagrange, Natural Cubic Spline, and NURBS.

### License:

BSD License: <http://opensource.org/licenses/BSD-3-Clause>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/curvesapi.jar

**MD5:** fc3aed90346691e7c79da06bb6606beb

**SHA1:** 3d3d36568154059825089b289dcfca481fe44e2c

**SHA256:** ad95b08b8bbf9d7d17e5e00814898fa23324f32bc5b62f1a37801e6a56ce0079

**Referenced In Project/Scope:** standalone

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	curvesapi	High
Vendor	Manifest	automatic-module-name	com.github.virtuald.curvesapi	Medium
Vendor	pom	artifactid	curvesapi	Low
Vendor	pom	developer id	stormdollar	Medium
Vendor	pom	developer id	virtuald	Medium
Vendor	pom	developer name	Dustin Spicuzza	Medium
Vendor	pom	developer name	stormdollar	Medium
Vendor	pom	groupid	com.github.virtuald	Highest
Vendor	pom	name	curvesapi	High
Vendor	pom	url	virtuald/curvesapi	Highest

Product	file	name	curvesapi	High
Product	Manifest	automatic-module-name	com.github.virtuald.curvesapi	Medium
Product	pom	artifactid	curvesapi	Highest
Product	pom	developer id	stormdollar	Low
Product	pom	developer id	virtuald	Low
Product	pom	developer name	Dustin Spicuzza	Low
Product	pom	developer name	stormdollar	Low
Product	pom	groupid	com.github.virtuald	Highest
Product	pom	name	curvesapi	High
Product	pom	url	virtuald/curvesapi	High
Version	pom	version	1.08	Highest

### Identifiers

- [pkg:maven/com.github.virtuald/curvesapi@1.08](#) (Confidence: High)

## parser.docx.zip: log4j-api.jar

### Description:

The Apache Log4j API

### License:

Apache-2.0: <https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/log4j-api.jar

**MD5:** bee2e2dcbeeb983bdb6b71c9c3476b6a

**SHA1:** 9c15c29c526d9c6783049c0a77722693c66706e1

**SHA256:** 92ec1fd36ab3bc09de6198d2d7c0914685c0f7127ea931acc32fd2ecdd82ea89

**Referenced In Project/Scope:** standalone

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	log4j-api	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	log4j	Highest
Vendor	jar	package name	logging	Highest
Vendor	jar	package name	org	Highest

Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-activationpolicy	lazy	Low
Vendor	Manifest	bundle-symbolicname	org.apache.logging.log4j.api	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	provide-capability	osgi.service;objectClass>List="org.apache.logging.log4j.util.PropertySource";effective:=active,osgi.serviceloader;osgi.serviceloader="org.apache.logging.log4j.util.PropertySource";register:="org.apache.logging.log4j.util.EnvironmentPropertySource",osgi.serviceloader;osgi.serviceloader="org.apache.logging.log4j.util.PropertySource";register:="org.apache.logging.log4j.util.SystemPropertiesPropertySource"	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	log4j-api	Low
Vendor	pom	groupid	org.apache.logging.log4j	Highest
Vendor	pom	name	Apache Log4j API	High
Vendor	pom	parent-artifactid	log4j	Low
Product	file	name	log4j-api	High
Product	jar	package name	apache	Highest
Product	jar	package name	log4j	Highest
Product	jar	package name	logging	Highest
Product	jar	package name	org	Highest
Product	jar	package name	util	Highest
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-activationpolicy	lazy	Low
Product	Manifest	Bundle-Name	Apache Log4j API	Medium
Product	Manifest	bundle-symbolicname	org.apache.logging.log4j.api	Medium
Product	Manifest	Implementation-Title	Apache Log4j API	High
Product	Manifest	multi-release	true	Low
Product	Manifest	provide-capability	osgi.service;objectClass>List="org.apache.logging.log4j.util.PropertySource";effective:=active,osgi.serviceloader;osgi.serviceloader="org.apache.logging.log4j.util.PropertySource";register:="org.apache.logging.log4j.util.	Low

			EnvironmentPropertySource", osgi.serviceloader; osgi.serviceloader="org.apache.logging.log4j.util.PropertySource"; register:="org.apache.logging.log4j.util.SystemPropertiesPropertySource"	
Product	Manifest	specification-title	Apache Log4j API	Medium
Product	pom	artifactid	log4j-api	Highest
Product	pom	groupid	org.apache.logging.log4j	Highest
Product	pom	name	Apache Log4j API	High
Product	pom	parent-artifactid	log4j	Medium
Version	Manifest	Bundle-Version	2.23.1	High
Version	Manifest	Implementation-Version	2.23.1	High
Version	pom	version	2.23.1	Highest

## Identifiers

- [pkg:maven/org.apache.logging.log4j/log4j-api@2.23.1](#) (Confidence: High)
- [cpe:2.3:a:apache:log4j:2.23.1:\\*\\*:\\*\\*:\\*\\*](#) (Confidence: Highest)

## parser.docx.zip: parser.docx.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller /standalone/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/parser.docx.jar

**MD5:** 6b2c066d19ace50caf93ea742c6034cf

**SHA1:** 7b8f11d74fa1606b39233b0ba0215eaf4b9f1762

**SHA256:** 9e764bf3887865becc9748873aad3ca8a47dc5f44b64d46156e86deb2b3ee10b

**Referenced In Project/Scope:** standalone

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	parser.docx	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	plugin	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-11-16 16:27	Low

Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	parser.docx	High
Product	jar	package name	docxparser	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	plugin	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-11-16 16:27	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	parser.docx	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	parser.docx	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.10.221	High

## Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.10.221.\*::\*:::\* (Confidence:Low) suppress

## parser.docx.zip: poi.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/poi.jar

**MD5:** d4b21c2109d83abb8e93ba4bcfbdeb3a

**SHA1:** 2fb22ae74ad5aea6af1a9c64b9542f2ccf348604

**SHA256:** 1d4c81a283e127693db89e85df45119d9d312d5686d2439b5be9445c2c649155

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	poi	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	apache	Low
Vendor	jar	package name	poi	Highest
Vendor	jar	package name	poi	Low
Vendor	Manifest	automatic-module-name	org.apache.poi.poi	Medium
Vendor	Manifest	Implementation-Vendor	org.apache.poi	High
Vendor	Manifest	Implementation-Vendor-Id	The Apache Software Foundation	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Product	file	name	poi	High
Product	jar	package name	apache	Highest
Product	jar	package name	poi	Highest
Product	jar	package name	poi	Low
Product	Manifest	automatic-module-name	org.apache.poi.poi	Medium
Product	Manifest	Implementation-Title	Apache POI	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Apache POI	Medium
Version	Manifest	Implementation-Version	5.2.3	High

### Related Dependencies



- parser.docx.zip: poi-ooxml-full.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/poi-ooxml-full.jar
  - MD5: 12cee970c8c7143c8d5ff643e1599bd8
  - SHA1: 339a05530a7076e8a86b88253a48a44e0144ce25
  - SHA256: 0484b712eb63a8872723cafb88004be60f47187baccacddae12712a1ad2e7b5
- parser.docx.zip: poi-ooxml.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/poi-ooxml.jar
  - MD5: 4874ead60c5e3aa7fcf29d3ad351eefa
  - SHA1: 02efd11c940adb18c03eb9ce7ad88fc40ee6a196
  - SHA256: 9b8ff6ecf562836299ce15997796e3d47fe063a5956c1c7d3f6e2a4bf6e60b79
- parser.docx.zip: poi-scratchpad.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/poi-scratchpad.jar
  - MD5: 760ac0bcd0f4877fb57b134fc7e79fb4
  - SHA1: 2a7fce47e22b7fdb1b277347ff4fe36d6eda50d
  - SHA256: f0a98ad2a2a8c2863135357224fe8ffb2b4e7bb121d75aff59750eb671451aed

## Identifiers

- [cpe:2.3:a:apache:poi:5.2.3.\\*.\\*.\\*.\\*.\\*](#) (Confidence: Highest) suppress

## parser.docx.zip: xmlbeans.jar

### Description:

XmlBeans main jar

### License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/parser.docx.zip/xmlbeans.jar

**MD5:** 48f887315aeea29588550b86aada1068

**SHA1:** e16ddf17fe181c202b097e0dcc0ee2fed91cb7da

**SHA256:** eff1746a43780845d625a3ceb137976d4665d01a71209507dc383c6f43ab288a

**Referenced In Project/Scope:** standalone

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	xmlbeans	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	org	Highest
Vendor	jar	package name	xmlbeans	Highest

Vendor	Manifest	multi-release	true	Low
Vendor	manifest org /apache /xmlbear	Implementation- Vendor	org.apache.xmlbeans	Medium
Vendor	pom	artifactid	xmlbeans	Low
Vendor	pom	developer email	user@poi.apache.org	Low
Vendor	pom	developer id	poi	Medium
Vendor	pom	developer name	POI Team	Medium
Vendor	pom	developer org	Apache POI	Medium
Vendor	pom	groupid	org.apache.xmlbeans	Highest
Vendor	pom	name	XmlBeans	High
Vendor	pom	organization name	XmlBeans	High
Vendor	pom	organization url	https://xmlbeans.apache.org/	Medium
Vendor	pom	url	https://xmlbeans.apache.org/	Highest
Product	file	name	xmlbeans	High
Product	jar	package name	apache	Highest
Product	jar	package name	org	Highest
Product	jar	package name	xmlbeans	Highest
Product	Manifest	multi-release	true	Low
Product	manifest org /apache /xmlbear	Implementation- Title	Apache XmlBeans	Medium
Product	manifest org /apache /xmlbear	Specification- Title	Apache XmlBeans	Medium
Product	pom	artifactid	xmlbeans	Highest
Product	pom	developer email	user@poi.apache.org	Low
Product	pom	developer id	poi	Low
Product	pom	developer name	POI Team	Low
Product	pom	developer org	Apache POI	Low
Product	pom	groupid	org.apache.xmlbeans	Highest
Product	pom	name	XmlBeans	High
Product	pom	organization name	XmlBeans	Low
Product	pom	organization url	https://xmlbeans.apache.org/	Low
Product	pom	url	https://xmlbeans.apache.org/	Medium

Version	manifest org /apache /xmlbear	Implementation-Version	5.2.1	Medium
---------	-------------------------------	------------------------	-------	--------

Version	pom	version	5.2.1	Highest
---------	-----	---------	-------	---------

## Identifiers

- [pkg:maven/org.apache.xmlbeans/xmlbeans@5.2.1](#) (Confidence:High)
- [cpe:2.3:a:apache:xmlbeans:5.2.1:\\*\\*\\*:\\*\\*\\*](#) (Confidence:Highest) suppress

## parser.image.zip: parser.image.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/parser.image.zip/parser.image.jar

**MD5:** cba7136eee44355ac516dee45528ba7d

**SHA1:** fb44460e05d3c2f0be0b74922168388923ceb73f

**SHA256:** fdb7bc673d6d8ca782f975d1686195c50b429e132c810b50556c10c6473480b7

**Referenced In Project/Scope:** standalone

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	parser.image	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	plugin	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-11-16 16:27	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low

Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	parser.image	High
Product	jar	package name	imageparser	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	plugin	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-11-16 16:27	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	parser.image	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	parser.image	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.10.221	High

## Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.10.221.\*:.\*:.\*:.\*:.\*: (Confidence:Low) suppress

## parser.pdf.config.zip: parser.pdf.config.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/parser.pdf.config.zip/parser.pdf.config.jar

**MD5:** ca85bc68afa0101be34f972a2621460a

**SHA1:** c26f5253b41f35c3f063f50ecb6a76671e75a6ce

**SHA256:** de8331ab2e3998dae48ecf72c6506f01bc9df7677d5c521add2ec318a50072b1

**Referenced In Project/Scope:** standalone

## Evidence

[+]

Type	Source	Name	Value	Confidence
Vendor	file	name	parser.pdf.config	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	plugin	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-11-16 16:26	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	parser.pdf.config	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	pdfparserconfig	Low
Product	jar	package name	plugin	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-11-16 16:26	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	parser.pdf.config	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	parser.pdf.config	Medium

Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.10.221	High

## Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.10.221.\*::\*:\*\*\*:\*\*\* (Confidence:Low) suppress

## parser.text.zip: parser.text.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/parser.text.zip/parser.text.jar

**MD5:** a9c8b1195124edd7ad4cf388a50d8d0b

**SHA1:** 1d5900c207bf64410128d4ac985eac41f8702376

**SHA256:** dc0b90b2d1abae44b29bd7970d65e778aea748afe705d399f50b1df563a3c459

**Referenced In Project/Scope:** standalone

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	parser.text	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	plugin	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-11-16 16:26	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-	i-net software	Low

Dependency Analysis Report - Q4 2024				
Category	Type	Key	Value	Risk Level
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	parser.text	High
Product	jar	package name	pdhc	Highest
Product	jar	package name	pdhc	Low
Product	jar	package name	plugin	Low
Product	jar	package name	textparser	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-11-16 16:26	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdhc	Low
Product	Manifest	Implementation-Title	parser.text	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	parser.text	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdhc	Highest
Version	Manifest	Implementation-Version	24.10.221	High

## Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.10.221:\*\*\*:\*\*\*:\*\*\* (Confidence:Low)  suppress

## pdfc.gui.zip: TableLayout.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.gui.zip/TableLayout.jar

**MD5:** 1e432e776e18d71f12dd72b7d235a965

**SHA1:** 62ffa1cca3e71f94d0bdce85ea97ea7083fdb1b

**SHA256:**13e73cf77a93f0c52184e5a5557d7dbba081bf54904edfdb84645b5daf7dd18

**Referenced In Project/Scope:** standalone

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	TableLayout	High
Vendor	jar	package name	clearthought	Low
Vendor	jar	package name	info	Low
Vendor	jar	package name	layout	Low
Product	file	name	TableLayout	High
Product	jar	package name	clearthought	Low
Product	jar	package name	layout	Low

## Identifiers

- None

## pdfc.gui.zip: VividSwingAnimations.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.gui.zip/VividSwingAnimations.jar

**MD5:** 3f8bfce43cee6f5bf712881bde6d3379

**SHA1:** 539fa7c887865bc82e12f359bbf259fd330bfe5e

**SHA256:** 0cdae11fed0c91c56935eec42b3b626891a80c0fcfdb25e67b6abd6460db35cd

**Referenced In Project/Scope:** standalone

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	VividSwingAnimations	High
Vendor	jar	package name	anormalmedia	Low
Vendor	jar	package name	de	Low
Vendor	jar	package name	vividswinganimations	Low
Product	file	name	VividSwingAnimations	High
Product	jar	package name	anormalmedia	Low
Product	jar	package name	vividswinganimations	Low

## Identifiers

- None

## pdfc.gui.zip: inetswingcore.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.gui.zip/inetswingcore.jar

**MD5:** 8938a0e57fde5ea4020d132e128a2a10

**SHA1:** 2236202a31049d7a7232688fd4415a54706be88c

**SHA256:** d50c717fd558307acdfc27758f1b39c0598a3331556fa8d18a691e794c71bb7f

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	inetswingcore	High
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	swing	Low
Vendor	Manifest	built-date	2024-11-16 12:54	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	inetswingcore	High
Product	jar	package name	swing	Low
Product	Manifest	built-date	2024-11-16 12:54	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	inetswingcore	High
Product	Manifest	specification-title	inetswingcore	Medium
Version	Manifest	Implementation-Version	24.10.221	High

### Identifiers

- None

## pdfc.gui.zip: pdfc.gui.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.gui.zip/pdfc.gui.jar

**MD5:** 8eb8eda6de1f1dbfc17e417be1bbbc0b

**SHA1:** d97ef66d7d35a472cf34ce5914c45d609c39b0ef

**SHA256:** 1d242a3dc2c301ac13ba3536fa20615705b2ba939edc9335474233cbfba0abcd

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	pdfc.gui	High
Vendor	jar	package name	gui	Low
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-11-16 16:15	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pdfc.gui	High
Product	jar	package name	gui	Highest
Product	jar	package name	gui	Low

Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-11-16 16:15	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	pdfc.gui	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	pdfc.gui	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.10.221	High

## Identifiers



**pdhc.standalone.zip: pdhc.standalone.jar**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar

**MD5:** a6ccaf56975949b5d600acd13d584120

**SHA1:** 931649f909d21b84cf1d6f9261bebd76398c112c

**SHA256:**f8b23334c14034ba83351181955732c19ef4c466c65a27f0816a7cbd73fef4f9

## **Referenced In Project/Scope:** standalone

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	pdfc.standalone	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	standalone	Low

Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-11-16 16:33	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pdfc.standalone	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	standalone	Highest
Product	jar	package name	standalone	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-11-16 16:33	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	pdfc.standalone	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	pdfc.standalone	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.10.221	High

## Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.10.221:\*\*\*.\*.\*.\*.\* (Confidence:Low) suppress

## **pdfc.standalone.zip: pdfc.standalone.jar: bridge.js**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/bridge.js

**MD5:** 2a95bf89950e8052e3af9af5bee07ef4

**SHA1:** 978da14921b3a944c07757746fe47dbfe429cc2d

**SHA256:**24a37b38b64549b3ea9ae3e04d9531e7616f57b88e4facb38ec3e22c0554ec7f

**Referenced In Project/Scope:** standalone

## Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Identifiers

- None

## **pdfc.standalone.zip: pdfc.standalone.jar: bridgeConfig.js**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/bridgeConfig.js

**MD5:** 9f43cf98bd3c8940eed51c159da2456c

**SHA1:** 5138d2170282fb335227b94e880ade9403fe4bf

**SHA256:52b00c40b77e05274a803ab51b780d7132ae8be52c6b762d81de25f75a7c7851**

## **Referenced In Project/Scope:** standalone

## Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Identifiers

- None

## pdfc.standalone.zip: pdfc.standalone.jar: bridgePDFC.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/bridgePDFC.js

**MD5:** f6f06f8c027851da10dccd5a5242e281

**SHA1:** 60b8dfd47edf47e758612f828c81f6dfc466cde9

**SHA256:** 66af0cedddcbfef9c04ac331a51285ba94d9c6afcfe9e1e1f9fb9e86c241d818

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence

### Identifiers

- None

## pdfc.standalone.zip: pdfc.standalone.jar: extraMenu.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/extraMenu.js

**MD5:** 53f8e53d15c7b07e8788a352f7df0c36

**SHA1:** 7328e0fb96f13539ecfdd5bc9c568da9224aa0b3

**SHA256:** 7c43530722b566e3c3489a4c6a6e8ae5ca281d247588e861d34feb27193a4464

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence

### Identifiers

- None

## pdfc.standalone.zip: pdfc.standalone.jar: removeHeader.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet

/pdfc/standalone/webgui/removeHeader.js

**MD5:** a8b4230454da739eab400d2e9f2ff298

**SHA1:** 481935ac331cfa918a6ac03dc7790e12e5dbf395

**SHA256:**f009dd87443ae4d9f07430d9cf97da5a98822df85ac48b1f66a5f0c3c57bb8fd

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence

### Identifiers

- None

## pdfc.standalone.zip: pdfc.standalone.jar: removePDFCElements.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/removePDFCElements.js

**MD5:** fcc7442097338c14ba2cd8cdfe00a1da

**SHA1:** 506821ea8b11fd1b7ad16967edf8dce0cd05c59

**SHA256:**535372463777922ce25ad14febe7954c85ed3cc8e6d8f054c69fb3295997aa87

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence

### Identifiers

- None

## pdfc.standalone.zip: pdfc.standalone.jar: theme.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/theme.js

**MD5:** 708839daa5601db6c264ce69580073de

**SHA1:** 49b2200451fd765f2169bc57bb4332613603d2e9

**SHA256:**a410392d048ebef0b2abc09ceeba71a0fcfedf635a742ed2cdc776f0ec6674240

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## pdfc.standalone.zip: pdfc.standalone.jar: translation.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/translation.js

**MD5:** 621d763124b67fb179acc33b37ba2403

**SHA1:** 9dbddaa076eebdcc47bc6d6ded602743bfefbb9069

**SHA256:** 04921f1b7a0c7f6205807a94095f5eed2f88a0589b69a6e6a20260e1c556bf31

**Referenced In Project/Scope:** standalone

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## pdfc.zip: icu4j.jar (shaded: com.ibm.icu:collate:75.1)

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar/META-INF/maven/com.ibm.icu/collate/pom.xml

**MD5:** 6437944b574d2edc0489a2686541c342

**SHA1:** 79d3aae549c6e03f2fedc07937e5bb82f42726b6

**SHA256:** e7d86b14f180dc0d50f1ef4692d9658946a006a6cd72b0b24aebe30d622c9b53

**Referenced In Project/Scope:** standalone

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	collate	Low
Vendor	pom	groupid	com.ibm.icu	Highest

Vendor	pom	parent-artifactid	icu4j-root	Low
Product	pom	artifactid	collate	Highest
Product	pom	groupid	com.ibm.icu	Highest
Product	pom	parent-artifactid	icu4j-root	Medium
Version	pom	version	75.1	Highest

### Identifiers

- [pkg:maven/com.ibm.icu/collate@75.1](#) (*Confidence:High*)

## pdfc.zip: icu4j.jar (shaded: com.ibm.icu:core:75.1)

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar/META-INF/maven/com.ibm.icu/core/pom.xml

**MD5:** a5bee0ecb2bab83ccbdcd09270e79d

**SHA1:** d9d9fd5376b2fb9dc5fb837412a8d071fe364737

**SHA256:** c68e7e79279ca0ffec5197d0f53e145ffc62228eaca5d7350fabadb119258c77

**Referenced In Project/Scope:** standalone

### Evidence

Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	core	Low
Vendor	pom	groupid	com.ibm.icu	Highest
Vendor	pom	parent-artifactid	icu4j-root	Low
Product	pom	artifactid	core	Highest
Product	pom	groupid	com.ibm.icu	Highest
Product	pom	parent-artifactid	icu4j-root	Medium
Version	pom	version	75.1	Highest

### Identifiers

- [pkg:maven/com.ibm.icu/core@75.1](#) (*Confidence:High*)

## pdfc.zip: icu4j.jar (shaded: com.ibm.icu:currdata:75.1)

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar/META-INF/maven/com.ibm.icu/currdata/pom.xml

**MD5:** 107a122f91947a58bb4d048fe50b6fc

**SHA1:** 060528557a1dada8bc2b8bb6decd9797ed65ef3c

**SHA256:** 552ad9a0293a7f0d597386ed684dc8b76ba31bed4c45397150f467f7312b3aa

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	currdata	Low
Vendor	pom	groupid	com.ibm.icu	Highest
Vendor	pom	parent-artifactid	icu4j-root	Low
Product	pom	artifactid	currdata	Highest
Product	pom	groupid	com.ibm.icu	Highest
Product	pom	parent-artifactid	icu4j-root	Medium
Version	pom	version	75.1	Highest

### Identifiers

- [pkg:maven/com.ibm.icu/currdata@75.1](#) (Confidence:High)

## pdfc.zip: icu4j.jar (shaded: com.ibm.icu:langdata:75.1)

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar/META-INF/maven/com.ibm.icu/langdata/pom.xml

**MD5:** e0de4919c10bf48bad114168d8f86b3a

**SHA1:** e0d436fb0ed6432917a9314ba67350285d5d1613

**SHA256:** 7f62c12d946136ddbe1950d801bf4c6fa1e009986a48515efbc97c5d6c460fcd

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	langdata	Low
Vendor	pom	groupid	com.ibm.icu	Highest
Vendor	pom	parent-artifactid	icu4j-root	Low
Product	pom	artifactid	langdata	Highest
Product	pom	groupid	com.ibm.icu	Highest

Product	pom	parent-artifactid	icu4j-root	Medium
Version	pom	version	75.1	Highest

#### Identifiers

- [pkg:maven/com.ibm.icu/langdata@75.1](#) (Confidence:High)

### pdfc.zip: icu4j.jar (shaded: com.ibm.icu:regiondata:75.1)

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar/META-INF/maven/com.ibm.icu/regiondata/pom.xml

**MD5:** 88f562f2bde0c8a461a1bb50c71e619c

**SHA1:** 09451e1b53d7eb8b8d0dc118f96401ff5132fe46

**SHA256:** 6d7c245393582c860f4e587afd52c51ad88308c29ef19bdbf791d2856e3ed2d3

**Referenced In Project/Scope:** standalone

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	regiondata	Low
Vendor	pom	groupid	com.ibm.icu	Highest
Vendor	pom	parent-artifactid	icu4j-root	Low
Product	pom	artifactid	regiondata	Highest
Product	pom	groupid	com.ibm.icu	Highest
Product	pom	parent-artifactid	icu4j-root	Medium
Version	pom	version	75.1	Highest

#### Identifiers

- [pkg:maven/com.ibm.icu/regiondata@75.1](#) (Confidence:High)

### pdfc.zip: icu4j.jar (shaded: com.ibm.icu:translit:75.1)

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar/META-INF/maven/com.ibm.icu/translit/pom.xml

**MD5:** 3e2e6c3d22c96e4d111ebe51d1c41371

**SHA1:** c60a096b43c577f37a2dc0e325f4d9f13013fe31

**SHA256:** 1bb9ff578f3f6a0470aa4dd2869cf87e1e241b3263d116ec201a3c3ef64a2ce8

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	translit	Low
Vendor	pom	groupid	com.ibm.icu	Highest
Vendor	pom	parent-artifactid	icu4j-root	Low
Product	pom	artifactid	translit	Highest
Product	pom	groupid	com.ibm.icu	Highest
Product	pom	parent-artifactid	icu4j-root	Medium
Version	pom	version	75.1	Highest

### Identifiers

- [pkg:maven/com.ibm.icu/translit@75.1](#) (Confidence:High)

## pdfc.zip: icu4j.jar

### Description:

International Components for Unicode for Java (ICU4J) is a mature, widely used Java library providing Unicode and Globalization support

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar

**MD5:** 0a299714195ba447c9774f5491cdb57

**SHA1:** e8f8dcc2967f5ec2cae185172293adfa5599b78

**SHA256:** 543e43a91d1499e331c711a756f833d6fb8cc019f9c9913c0bdf4d53009932d5

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	icu4j	High
Vendor	file (hint)	name	icu-project	High
Vendor	file (hint)	name	unicode	High
Vendor	jar	package name	ibm	Highest

Vendor	jar	package name	icu	Highest
Vendor	Manifest	automatic-module-name	com.ibm.icu	Medium
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-copyright	© 2016 and later: Unicode, Inc. and others. License & terms of use: http://www.unicode.org/copyright.html	Low
Vendor	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Vendor	Manifest	bundle-symbolicname	com.ibm.icu	Medium
Vendor	Manifest	Implementation-Vendor	Unicode, Inc.	High
Vendor	Manifest	Implementation-Vendor-Id	org.unicode	Medium
Vendor	pom	artifactid	icu4j	Low
Vendor	pom	groupid	com.ibm.icu	Highest
Vendor	pom	parent-artifactid	icu4j-root	Low
Vendor	pom (hint)	artifactid	icu-project	Low
Vendor	pom (hint)	artifactid	unicode	Low
Product	file	name	icu4j	High
Product	hint analyzer	product	international_components_for_unicode	Highest
Product	jar	package name	ibm	Highest
Product	jar	package name	icu	Highest
Product	Manifest	automatic-module-name	com.ibm.icu	Medium
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	bundle-copyright	© 2016 and later: Unicode, Inc. and others. License & terms of use: http://www.unicode.org/copyright.html	Low
Product	Manifest	Bundle-Name	ICU4J	Medium
Product	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Product	Manifest	bundle-symbolicname	com.ibm.icu	Medium
Product	Manifest	Implementation-Title	International Components for Unicode for Java	High
Product	Manifest	specification-title	International Components for Unicode for Java	Medium
Product	pom	artifactid	icu4j	Highest
Product	pom	groupid	com.ibm.icu	Highest

Product	pom	parent-artifacid	icu4j-root	Medium
Version	Manifest	Bundle-Version	75.1	High
Version	Manifest	Implementation-Version	75.1	High
Version	pom	version	75.1	Highest

## Identifiers



**pdfc.zip: jbig2.jar**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/ibiq2.jar

**MD5:** ab5dd1acc5e6c85903e342dac7998ce7

**SHA1:** a3f4214b62615d4456de761cce1136cba65a663

**SHA256:** 93e79e795182b4b6e12991046e489c2c0780e867d3e18e4e7ee20973316930d4

**Referenced In Project/Scope:** standalone

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jbig2	High
Vendor	jar	package name	jbig2	Low
Vendor	jar	package name	jpedal	Low
Product	file	name	jbig2	High
Product	jar	package name	jbig2	Low
Version	file	name	jbig2	Medium
Version	file	version	2	Medium

## Identifiers

- None

## pdfc.zip: pdfc-javadoc.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar

**MD5:** 83b2f1561e246b86bd00e5178a9aa744

**SHA1:** c2212c490750426546e49902407df79ed2f34772

**SHA256:** 5bf8263f321f714b7900b87336f141b6ce62782d86b09773084257a9687da92e

**Referenced In Project/Scope:** standalone

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	pdfc-javadoc	High
Product	file	name	pdfc-javadoc	High

### Identifiers

- None

## pdfc.zip: pdfc-javadoc.jar: jquery-3.6.1.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/script-dir/jquery-3.6.1.min.js

**MD5:** 00727d1d5d9c90f7de826f1a4a9cc632

**SHA1:** ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2

**SHA256:** a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74

**Referenced In Project/Scope:** standalone

### Evidence

Type	Source	Name	Value	Confidence

### Identifiers

- None

## pdfc.zip: pdfc-javadoc.jar: jquery-ui.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/script-dir/jquery-ui.min.js

**MD5:** 32059df39c14a910ccc2325f6a3cd62f

**SHA1:** d3289f1b527a3f054d303ec769402e037fbfcf4b

**SHA256:** 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424

**Referenced In Project/Scope:** standalone

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jquery-ui	High
Product	file	name	jquery-ui	High
Version	file	version	1.13.1	High

#### Identifiers

- [pkg:javascript/jquery-ui@1.13.1](#) (*Confidence: Highest*)

## pdfc.zip: pdfc-javadoc.jar: member-search-index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/member-search-index.js

**MD5:** 63f276681e362c4576ec13404afbc312

**SHA1:** b2922a157a3baec5af37460d9317838604a659c7

**SHA256:** b4dcddfcf722af5e16a719efe8f87c64b53cb85a247839c459918b06d2debbb2

**Referenced In Project/Scope:** standalone

#### Evidence



Type	Source	Name	Value	Confidence

#### Identifiers

- None

## pdfc.zip: pdfc-javadoc.jar: module-search-index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/module-search-index.js

**MD5:** a33da0f469acbd03f77bf407bac505f5

**SHA1:** 1e996cce630c6e1ada3ea86d7b71dabca0180f8e8

**SHA256:** 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence

### Identifiers

- None

## pdfc.zip: pdfc-javadoc.jar: package-search-index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/package-search-index.js

**MD5:** 704b175752fd9646f0b53f0630993ec3

**SHA1:** ab8c6e78cec3f37d42bae22d017bbb92b736d663

**SHA256:** e85fb555ff19b3ac1934c0188d4e33f4443ddc4cd557c7dee9b6de5a0a952a05

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence

### Identifiers

- None

## pdfc.zip: pdfc-javadoc.jar: script.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/script.js

**MD5:** baf9d9e16237acbdce975a33c54ee8ae

**SHA1:** cc6a3c8d72f17eff0d613ddfcf7c1095535573f7

**SHA256:** 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence

## Identifiers

- None

## pdfc.zip: pdfc-javadoc.jar: search.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/search.js

**MD5:** cb277f670590ffec20a12745260518dc

**SHA1:** 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca

**SHA256:** 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f

**Referenced In Project/Scope:** standalone

## Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Identifiers

- None

## pdfc.zip: pdfc-javadoc.jar: tag-search-index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/tag-search-index.js

**MD5:** 95810a7878ddd3f49d938eb6b5c0f1b2

**SHA1:** 4d0358e131242bf1a29d1db368e9e24381ad979

**SHA256:** e31bd7c6847cd8b49a884fe01244f740ad184cdb7aa6449830be21985158f0d9

**Referenced In Project/Scope:** standalone

## Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Identifiers

- None

## pdfc.zip: pdfc-javadoc.jar: type-search-index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/type-search-index.js

**MD5:** 31f04900a69797b30c22632a48c0e24e

**SHA1:** e4966b9a2256258841673910106f738e00b5837b

**SHA256:** 93cd53a9a8bdaeb9cb173dae7348e2737d8585019f307f33c4308557ad3e1e06

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## pdfc.zip: pdfc.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc.jar

**MD5:** 7288d80093b777a25abd3928e549b9cb

**SHA1:** 82a78e03d6344f3db379315e7498d22488ab9511

**SHA256:** ab6f935315fb3971c5fbcdad3dbb7def6ec918b9a849a657a5bc43399cb8b4dd

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	pdfc	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-11-16 16:16	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High

Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pdfc	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	permissions	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-11-16 16:16	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	pdfc	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	pdfc	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	jar	package name	permissions	Highest
Version	Manifest	Implementation-Version	24.10.221	High

## Identifiers



## **pdfcserver.zip: pdfcserver.jar**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfcserver.zip/pdfcserver.jar

**MD5:** 2b5536dee87ab74b74eb42420b5e513d

**SHA1:** 774aed0c93eb635b3f5f615ae3c18481838529ff

**SHA256:** 9219a3c4a1e9bc85fffc247681f7d771322c1c889ee81818fb1d159d62bafed

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	pdfcserver	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	server	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-11-16 16:15	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pdfcserver	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	persistence	Low
Product	jar	package name	server	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-11-16 16:15	Low
Product	Manifest	codebase	*	Low

Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	pdfcserver	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	pdfcserver	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.10.221	High

#### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.10.221:\*:\*:\*:\*:\* (Confidence:Low) suppress

### pdfcserver.zip: pdfcserver.jar: compareconfigrenderer.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfcserver.zip/pdfcserver.jar/com/inet/pdfc/server/structure/compareconfigrenderer.js

**MD5:** 433763c0501141554e5d9cdd2c98f338

**SHA1:** cb28b1fb22141841a461a33be936b6a4fe452805

**SHA256:** ddd7abcd7fec65fcba080a48ed89c5e358d4162481c91016de23ebe761ccfcb

**Referenced In Project/Scope:** standalone

#### Evidence



Type	Source	Name	Value	Confidence

#### Identifiers

- None

### pdfcsetupwizard.zip: pdfcsetupwizard.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfcsetupwizard.zip/pdfcsetupwizard.jar

**MD5:** dd04cd4ca9683e7d4382f50c0b313e70

**SHA1:** 10f89f244a23c5971c1eeb9c4c8c81162524635b

**SHA256:** 56fcc31c4aaaf647cd0dd1233ab5dcd5ebc340249300c27e3a58c468368e38cac

**Referenced In Project/Scope:** standalone

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	pdfcsetupwizard	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	setupwizard	Low
Vendor	Manifest	built-date	2024-11-16 16:27	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pdfcsetupwizard	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	setupwizard	Low
Product	jar	package name	steps	Low
Product	Manifest	built-date	2024-11-16 16:27	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	pdfcsetupwizard	High
Product	Manifest	specification-title	pdfcsetupwizard	Medium
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.10.221	High

### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.10.221:\*::\*:::\*::\* (Confidence:Low) suppress

## pdfcsetupwizard.zip: pdfcsetupwizard.jar: controller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfcsetupwizard.zip/pdfcsetupwizard.jar/com/inet/pdfc/setupwizard/steps/license/controller.js

**MD5:** c7e0df8227e1af8819a0497b7d45cdef

**SHA1:** c7e80e0b3b6811f4dbd6e4e37a3016df01cf553c

**SHA256:** c3d071e05b63278de236d9465c4b676eb21801e012bac93c056e0f636f18c32c

**Referenced In Project/Scope:** standalone

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## processbridge.pdfc.zip: processbridge.pdfc.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/processbridge.pdfc.zip/processbridge.pdfc.jar

**MD5:** 4284800a42c53261af8dfe7179908aec

**SHA1:** c6f4db15f9264fea7172164e5138be897f01c8c3

**SHA256:** 8bd95eb45ecbd75cbf7caa2e875dad88da09063d73e3dacbafb616a015cc0a7c

**Referenced In Project/Scope:** standalone

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	processbridge.pdfc	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	processbridge	Low
Vendor	Manifest	built-date	2024-11-16 16:33	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium

Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	processbridge.pdfc	High
Product	jar	package name	api	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	processbridge	Highest
Product	jar	package name	processbridge	Low
Product	Manifest	built-date	2024-11-16 16:33	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	processbridge.pdfc	High
Product	Manifest	specification-title	processbridge.pdfc	Medium
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.10.221	High

## Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.10.221.\*.\*.\*.\*.\*.\* (Confidence:Low) suppress

## slf4j-api-2.0.13.jar

### Description:

The slf4j API

### License:

<http://www.opensource.org/licenses/mit-license.php>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.slf4j/slf4j-api/2.0.13/80229737f704b121a318bba5d5deacbcf395bc77/slf4j-api-2.0.13.jar

**MD5:** 7f4028aa04f75427327f3f30cd62ba4e

**SHA1:** 80229737f704b121a318bba5d5deacbcf395bc77

**SHA256:** e7c2a48e8515ba1f49fa637d57b4e2f590b3f5bd97407ac699c3aa5efb1204a9

**Referenced In Project/Scope:** standalone:inetPlugin

**Included by:** pkg:maven/pdfc/standalone@24.10

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	slf4j-api	High
Vendor	gradle	artifactid	slf4j-api	Highest
Vendor	gradle	groupid	org.slf4j	Highest
Vendor	jar	package name	slf4j	Highest
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	http://www.slf4j.org	Low
Vendor	Manifest	bundle-symbolicname	slf4j.api	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	pom	artifactid	slf4j-api	Low
Vendor	pom	groupid	org.slf4j	Highest
Vendor	pom	name	SLF4J API Module	High
Vendor	pom	parent-artifactid	slf4j-parent	Low
Vendor	pom	url	http://www.slf4j.org	Highest
Product	file	name	slf4j-api	High
Product	gradle	artifactid	slf4j-api	Highest
Product	jar	package name	slf4j	Highest
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	http://www.slf4j.org	Low
Product	Manifest	Bundle-Name	SLF4J API Module	Medium
Product	Manifest	bundle-symbolicname	slf4j.api	Medium
Product	Manifest	Implementation-Title	slf4j-api	High
Product	Manifest	multi-release	true	Low
Product	pom	artifactid	slf4j-api	Highest
Product	pom	groupid	org.slf4j	Highest
Product	pom	name	SLF4J API Module	High
Product	pom	parent-artifactid	slf4j-parent	Medium
Product	pom	url	http://www.slf4j.org	Medium
Version	file	version	2.0.13	High
Version	gradle	version	2.0.13	Highest
Version	Manifest	Bundle-Version	2.0.13	High
Version	Manifest	Implementation-Version	2.0.13	High
Version	pom	version	2.0.13	Highest

## Identifiers

- [pkg:maven/org.slf4j/slf4j-api@2.0.13](#) (*Confidence:High*)

## taskplanner.pdfc.zip: taskplanner.pdfc.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.pdfc.zip/taskplanner.pdfc.jar

**MD5:** 718bc533ee8f4637143e0786f6cfdc14

**SHA1:** a9362d46ac7474eef02e79ab3307c6c938764053

**SHA256:** 0cbfd8149c84ca59cdce3fd3e4337ae2f646220377adf2dbd03bc1cf5b000149

**Referenced In Project/Scope:** standalone

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner.pdfc	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	taskplanner	Low
Vendor	Manifest	built-date	2024-11-16 16:33	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner.pdfc	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low
Product	Manifest	built-date	2024-11-16 16:33	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-	taskplanner.pdfc	High

Product	Manifest	specification-title	taskplanner.pdfc	Medium
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	24.10.221	High

## Identifiers

- cpe:2.3:a:inetsoftware:pdfc:24.10.221:\*\*\*.\*.\*.\*.\*.\* (Confidence:Low) suppress

## **Suppressed Vulnerabilities**

**pdfc.zip: pdfc-javadoc.jar: jquery-ui.min.js**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/script-dir/jquery-ui.min.js

**MD5:** 32059df39c14a910ccc2325f6a3cd62f

**SHA1:** d3289f1b527a3f054d303ec769402e037fbfcf4b

**SHA256:** 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424

## Referenced In Project/Scope: standalone

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jquery-ui	High
Product	file	name	jquery-ui	High
Version	file	version	1.13.1	High

## Suppressed Identifiers

- None

## Suppressed Vulnerabilities

[CVE-2022-31160](#) suppressed

jQuery UI is a curated set of user interface interactions, effects, widgets, and themes built on top of jQuery. Versions prior to 1.13.2 are potentially vulnerable to cross-site scripting. Initializing a checkboxradio widget on an input enclosed within a label makes that parent label contents considered as the input label. Calling `.checkboxradio( "refresh" )` on such a widget and the initial HTML contained encoded HTML entities will make them erroneously get decoded. This

can lead to potentially executing JavaScript code. The bug has been patched in jQuery UI 1.13.2. To remediate the issue, someone who can change the initial HTML can wrap all the non-input contents of the `label` in a `span`.

## CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-h6gj-6jq-h8g9>
- info - <https://github.com/jquery/jquery-ui/commit/8cc5bae1caa1fcf96bf5862c5646c787020ba3f9>
- info - <https://github.com/jquery/jquery-ui/issues/2101>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2022-31160>
- security-advisories@github.com - [EXPLOIT, MITIGATION, RELEASE NOTES, THIRD PARTY ADVISORY](#)
- security-advisories@github.com - [MAILING LIST, THIRD PARTY ADVISORY](#)
- security-advisories@github.com - [PATCH, THIRD PARTY ADVISORY](#)
- security-advisories@github.com - [RELEASE NOTES, VENDOR ADVISORY](#)
- security-advisories@github.com - [THIRD PARTY ADVISORY](#)
- security-advisories@github.com - [THIRD PARTY ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:jquery\_ui\_checkboxradio:8.x-1.0:\*.\*.\*:drupal:.\*
- cpe:2.3:a:drupal:jquery\_ui\_checkboxradio:8.x-1.1:\*.\*.\*:drupal:.\*
- cpe:2.3:a:drupal:jquery\_ui\_checkboxradio:8.x-1.2:\*.\*.\*:drupal:.\*
- cpe:2.3:a:drupal:jquery\_ui\_checkboxradio:8.x-1.3:\*.\*.\*:drupal:.\*
- cpe:2.3:a:jqueryui:jquery\_ui:\*\*\*:\*:jquery:/\* versions up to (excluding) 1.13.2
- cpe:2.3:a:netapp:oncommand\_insight:-\*.\*.\*.\*.\*

This report contains data retrieved from the [National Vulnerability Database](#).

This report may contain data retrieved from the [CISA Known Exploited Vulnerability Catalog](#).

This report may contain data retrieved from the [Github Advisory Database \(via NPM Audit API\)](#).

This report may contain data retrieved from [RetireJS](#).

This report may contain data retrieved from the [Sonatype OSS Index](#).