



Dependency-Check is an open source tool performing a best effort analysis of 3rd party dependencies; false positives and false negatives may exist in the analysis performed by the tool. Use of the tool and the reporting provided constitutes acceptance for use in an AS IS condition, and there are NO warranties, implied or otherwise, with regard to the analysis or its use. Any use of the tool and the reporting provided is at the user's risk. In no event shall the copyright holder or OWASP be held liable for any damages whatsoever arising out of or in connection with the use of this tool, the analysis performed, or the resulting report.

[How to read the report](#) | [Suppressing false positives](#) | [Getting Help: github issues](#)

 [Sponsor](#)

Project: project ':server'

pdfc:server:25.10

Scan Information ([show all](#)):

- *dependency-check version:* 10.0.3
- *Report Generated On:* Wed, 22 Oct 2025 20:34:11 +0200
- *Dependencies Scanned:* 1391 (1320 unique)
- *Vulnerable Dependencies:* 0
- *Vulnerabilities Found:* 0
- *Vulnerabilities Suppressed:* 106 ([show](#))
- ...
- *NVD API Last Checked:* 2025-10-22T18:31:29Z
- *NVD API Last Modified:* 2024-09-18T11:15:10Z
- *NVD Cache Last Checked:* 2025-10-22T18:31:29Z
- *NVD Cache Last Modified:* 2024-09-18T11:15:10Z

Summary

Display: [Showing Vulnerable Dependencies \(click to show all\)](#)

Dependency	Vulnerability IDs	Package
Merlia-0.jar		pkg:maven/lib/Merlia@0
PDFCNUit.dll		
PDFCNUit.dll		
PDFCNUit.dll		
analysis.language.zip: analysis.language.jar	cpe:2.3:a:inetsoftware:pdfc:25.10.219: *****	
analysis.language.zip: guava.jar	cpe:2.3:a:google:guava:33.4.8:*:*:*:*:*	pkg:maven/com.google.guava/guava@33.4.8-jre
analysis.language.zip: jsonic.jar		
analysis.language.zip: language-detector.jar		pkg:maven/com.optimaize/languagedetector

		/language-detector@0.6
annotations-3.0.1.jar (shaded: com.google.code.findbugs:jsr305:3.0.1)		pkg:maven/com.google.code.findbugs/jsr305@3.0.1
annotations-3.0.1.jar		pkg:maven/com.google.code.findbugs/annotations@3.0.1
application.currenttime.sample.zip: application.currenttime.sample.jar		
application.currenttime.sample.zip: application.currenttime.sample.jar: sampleapplication.js		
application.embedded.sample.zip: application.embedded.sample.jar		
application.embedded.sample.zip: application.embedded.sample.jar: embeddedMode.js		
application.googleanalytics.sample.zip: application.googleanalytics.sample.jar		
application.googleanalytics.sample.zip: application.googleanalytics.sample.jar: googleanalytics.js		
application.googleanalytics.sample.zip: application.googleanalytics.sample.jar: jquery.cookiebar.js		
application.helloworld.sample.zip: application.helloworld.sample.jar		
authentication.oauth.ex.sample.zip: authentication.oauth.ex.sample.jar		
authentication.pam.zip: authentication.pam.jar		
authentication.pam.zip: jna.jar	cpe:2.3:a:oracle:java_se:5.14.0:****:*.*.*	
authentication.pam.zip: jna.jar: jnidispatch.dll		
authentication.pam.zip: jna.jar: jnidispatch.dll		
authentication.pam.zip: jna.jar: jnidispatch.dll		
authentication.passwordfile.sample.zip: authentication.passwordfile.sample.jar		
authentication.product.zip: authentication.product.jar		
authentication.windows.zip: authentication.windows.jar		
authentication.windows.zip: caffeine.jar		
authentication.windows.zip: jna-platform.jar		
authentication.windows.zip: waffle-jna-jakarta.jar	cpe:2.3:a:4d:4d:3.5.1:****:*.*.*	pkg:maven/com.github.waffle/waffle-jna-jakarta@3.5.1
bson.jar	cpe:2.3:a:mongodb:bson:5.5.1:****:*.*	

**.*

command.jsonexport.zip: command.jsonexport.jar	cpe:2.3:a:inetsoftware:pdfc:25.10.219:*****.*	
commons-logging.jar		pkg:maven/commons-logging/commons-logging@1.3.4
comparison.api.zip: comparison.api.jar	cpe:2.3:a:inetsoftware:pdfc:25.10.219:*****.*	
comparison.rpc.zip: comparison.rpc.jar	cpe:2.3:a:inetsoftware:pdfc:25.10.219:*****.*	
comparison.webgui.zip: comparison.webgui.jar	cpe:2.3:a:inetsoftware:pdfc:25.10.219:*****.*	
comparison.webgui.zip: comparison.webgui.jar: app.js		
comparison.webgui.zip: comparison.webgui.jar: compare.js		
comparison.webgui.zip: comparison.webgui.jar: contextmenuextension.js		
comparison.webgui.zip: comparison.webgui.jar: contingent.js		
comparison.webgui.zip: comparison.webgui.jar: controller.js		
comparison.webgui.zip: comparison.webgui.jar: descriptionarea.js		
comparison.webgui.zip: comparison.webgui.jar: dropzone.js		
comparison.webgui.zip: comparison.webgui.jar: export.js		
comparison.webgui.zip: comparison.webgui.jar: factory.js		
comparison.webgui.zip: comparison.webgui.jar: model.js		
comparison.webgui.zip: comparison.webgui.jar: multipasswordpanel.js		
comparison.webgui.zip: comparison.webgui.jar: mycomparisons.js		
comparison.webgui.zip: comparison.webgui.jar: passwordpanel.js		
comparison.webgui.zip: comparison.webgui.jar: pdfconfig.js		
comparison.webgui.zip: comparison.webgui.jar: profil.js		
comparison.webgui.zip: comparison.webgui.jar: profileentry.js		
comparison.webgui.zip: comparison.webgui.jar: publishdialog.js		

comparison.webgui.zip: comparison.webgui.jar: publishprofiledialog.js		
comparison.webgui.zip: comparison.webgui.jar: report.js		
comparison.webgui.zip: comparison.webgui.jar: scroller.js		
comparison.webgui.zip: comparison.webgui.jar: searchcomponent.js		
comparison.webgui.zip: comparison.webgui.jar: userlist.js		
comparison.webgui.zip: comparison.webgui.jar: visibilitysettings.js		
comparison.webgui.zip: comparison.webgui.jar: zoomer.js		
configuration.automaticconfigrestore.sample.zip: configuration.automaticconfigrestore.sample.jar		
configuration.zip: configuration.jar		
configuration.zip: configuration.jar: authenticationItemRenderer.directive.js		
configuration.zip: configuration.jar: authenticationRenderer.directive.js		
configuration.zip: configuration.jar: boolean.directive.js		
configuration.zip: configuration.jar: booleanButton.directive.js		
configuration.zip: configuration.jar: colorInput.directive.js		
configuration.zip: configuration.jar: controller.js		
configuration.zip: configuration.jar: datafactory.js		
configuration.zip: configuration.jar: fileUploadRenderer.directive.js		
configuration.zip: configuration.jar: filesystemFileInputOrUpload.directive.js		
configuration.zip: configuration.jar: filesystemInputButton.directive.js		
configuration.zip: configuration.jar: filesystemInputDirectory.directive.js		
configuration.zip: configuration.jar: filesystemInputFile.directive.js		
configuration.zip: configuration.jar: iconDropRenderer.directive.js		
configuration.zip: configuration.jar: inlinerenderer.directive.js		
configuration.zip: configuration.jar: keyLabelText.directive.js		
configuration.zip: configuration.jar: labelLink.directive.js		

[configuration.zip: configuration.jar: labelText.directive.js](#)

[configuration.zip: configuration.jar: licenseKeyItemRenderer.directive.js](#)

[configuration.zip: configuration.jar: licenseKeyRenderer.directive.js](#)

[configuration.zip: configuration.jar: listItemRenderer.directive.js](#)

[configuration.zip: configuration.jar: logopreview.directive.js](#)

[configuration.zip: configuration.jar: multiLineCode.directive.js](#)

[configuration.zip: configuration.jar: multiLineText.directive.js](#)

[configuration.zip: configuration.jar: multiLingualTextRenderer.directive.js](#)

[configuration.zip: configuration.jar: passwordText.directive.js](#)

[configuration.zip: configuration.jar: reloadSelectInputsTrigger.directive.js](#)

[configuration.zip: configuration.jar: renderer.directive.js](#)

[configuration.zip: configuration.jar: repoDbRenderer.directive.js](#)

[configuration.zip: configuration.jar: repoFsRenderer.directive.js](#)

[configuration.zip: configuration.jar: repositoryItemRenderer.directive.js](#)

[configuration.zip: configuration.jar: repositoryRenderer.directive.js](#)

[configuration.zip: configuration.jar: selectEditText.directive.js](#)

[configuration.zip: configuration.jar: selectFilteredText.directive.js](#)

[configuration.zip: configuration.jar: selectLanguageChooserRenderer.directive.js](#)

[configuration.zip: configuration.jar: selectSimpleText.directive.js](#)

[configuration.zip: configuration.jar: simpleDate.directive.js](#)

[configuration.zip: configuration.jar: simpleSlider.directive.js](#)

[configuration.zip: configuration.jar: simpleText.directive.js](#)

[configuration.zip: configuration.jar: tableRenderer.directive.js](#)

[configuration.zip: configuration.jar: treeRenderer.](#)

directive.js		
configuration.zip: configuration.jar: usersandgroupselect.directive.js		
diagnostics.zip: diagnostics.jar		
diagnostics.zip: diagnostics.jar: MemoryPieChart.js		
diagnostics.zip: diagnostics.jar: MemoryUsageChart.js		
diagnostics.zip: diagnostics.jar: WebServerErrorChart.js		
diagnostics.zip: diagnostics.jar: benchmarkCtrl.js		
diagnostics.zip: diagnostics.jar: client-server.js		
diagnostics.zip: diagnostics.jar: controller.js		
diagnostics.zip: diagnostics.jar: cpu.js		
diagnostics.zip: diagnostics.jar: cpuspeed.js		
diagnostics.zip: diagnostics.jar: directives.js		
diagnostics.zip: diagnostics.jar: errorHistoryChart.js		
diagnostics.zip: diagnostics.jar: flotr2.min.js		
diagnostics.zip: diagnostics.jar: global.js		
diagnostics.zip: diagnostics.jar: harddisk.js		
diagnostics.zip: diagnostics.jar: heapdumpCtrl.js		
diagnostics.zip: diagnostics.jar: informationCtrl.js		
diagnostics.zip: diagnostics.jar: intArrayUtils.js		
diagnostics.zip: diagnostics.jar: iospeed.js		
diagnostics.zip: diagnostics.jar: jobs.js		
diagnostics.zip: diagnostics.jar: logging.js		
diagnostics.zip: diagnostics.jar: memory.js		
diagnostics.zip: diagnostics.jar: overviewCtrl.js		
diagnostics.zip: diagnostics.jar: pde.diagnostics.js		
diagnostics.zip: diagnostics.jar: timeformat.js		
docfx.js		
docfx.vendor.js		pkg:javascript/bootstrap@3.4.1
drive.zip: commons-compress.jar	cpe:2.3:a:apache:commons_compress:1.27.1:*****	pkg:maven/org.apache.commons/commons-compress@1.27.1
drive.zip: commons-io.jar	cpe:2.3:a:apache:commons_io:2.18.0:*****	pkg:maven/commons-io/commons-io@2.18.0

drive.zip: drive.jar		
drive.zip: drive.jar: actions.js		
drive.zip: drive.jar: actions.service.js		
drive.zip: drive.jar: contentextension.js		
drive.zip: drive.jar: controller.js		
drive.zip: drive.jar: drivecleanup.js		
drive.zip: drive.jar: drivecontroller.js		
drive.zip: drive.jar: drivefactory.js		
drive.zip: drive.jar: drivemodel.js		
drive.zip: drive.jar: dropzone.directive.js		
drive.zip: drive.jar: entryactions.directive.js		
drive.zip: drive.jar: fileconfig.directive.js		
drive.zip: drive.jar: folderlist.directive.js		
drive.zip: drive.jar: linkdialog.js		
drive.zip: drive.jar: locationchooser.js		
drive.zip: drive.jar: mountdialog.js		
drive.zip: drive.jar: myshareextension.js		
drive.zip: drive.jar: permissionsextension.js		
drive.zip: drive.jar: progress.service.js		
drive.zip: drive.jar: progresspanel.directive.js		
drive.zip: drive.jar: resolve.service.js		
drive.zip: drive.jar: responsivetoolbar.directive.js		
drive.zip: drive.jar: selectedextension.js		
drive.zip: drive.jar: shareextension.js		
drive.zip: drive.jar: shareextension.js		
drive.zip: drive.jar: thumbnailextension.js		
drive.zip: drive.jar: toolbaraction.directive.js		
drive.zip: drive.jar: unzipextension.js		
drive.zip: drive.jar: zipextension.js		
embeddedMode.js		
filter.area.zip: filter.area.jar	cpe:2.3:a:inetsoftware:pdfc:25.10.219: *****	
filter.baselinetable.zip: filter.baselinetable.jar	cpe:2.3:a:inetsoftware:pdfc:25.10.219: *****	
filter.cmappatch.zip: filter.cmappatch.jar	cpe:2.3:a:inetsoftware:pdfc:25.10.219: *****	

filter.headerfooter.zip: filter.headerfooter.jar	cpe:2.3:a:inetsoftware:pdfc:25.10.219: *****	
filter.hiderotation.zip: filter.hiderotation.jar	cpe:2.3:a:inetsoftware:pdfc:25.10.219: *****	
filter.invisibleelements.zip: filter.invisibleelements.jar	cpe:2.3:a:inetsoftware:pdfc:25.10.219: *****	
filter.multicolumn.zip: filter.multicolumn.jar	cpe:2.3:a:inetsoftware:pdfc:25.10.219: *****	
filter.ocr.zip: filter.ocr.jar	cpe:2.3:a:inetsoftware:pdfc:25.10.219: *****	
filter.pagerange.zip: filter.pagerange.jar	cpe:2.3:a:inetsoftware:pdfc:25.10.219: *****	
filter.regex.zip: filter.regex.jar	cpe:2.3:a:inetsoftware:pdfc:25.10.219: *****	
filter.regex.zip: filter.regex.jar: filterrenderer.js		
filter.texttransform.zip: filter.texttransform.jar	cpe:2.3:a:inetsoftware:pdfc:25.10.219: *****	
filter.urllookup.zip: filter.urllookup.jar	cpe:2.3:a:inetsoftware:pdfc:25.10.219: *****	
googleanalytics.js		
hamcrest-3.0.jar		pkg:maven/org.hamcrest/hamcrest@3.0
help.zip: commons-beanutils.jar	cpe:2.3:a:apache:commons_beanutils:1.11.0:*****	pkg:maven/commons-beanutils/commons-beanutils@1.11.0
help.zip: commons-digester3.jar		pkg:maven/org.apache.commons/commons-digester3@3.2
help.zip: help.jar		
help.zip: help.jar: app.js		
help.zip: help.jar: controller.js		
help.zip: help.jar: shared.factory.js		
help.zip: help.jar: shared.highlighter.js		
help.zip: jsoup.jar	cpe:2.3:a:jsoup:jsoup:1.18.3:*****	pkg:maven/org.jsoup/jsoup/jsoup@1.18.3
htmlengine.zip: JWebEngine.jar		
htmlengine.zip: htmlengine.jar		
inetcore-25.10-tools.jar		pkg:maven/shared/inetcore@25.10

inetcore-25.10.jar (shaded: com.inet.shared:inetcore:null)		
inetcore-25.10.jar		pkg:maven/shared/inetcore@25.10
inetloggeradapter.jar		
inetsoftware.Pdfc.dll		
inetsoftware.Pdfc.dll		
jakarta.servlet-api.jar	cpe:2.3:a:oracle:projects:6.1.0:*:*:*:*:*:*:*	pkg:maven/jakarta.servlet/jakarta.servlet-api@6.1.0
jakarta.websocket-api.jar		pkg:maven/jakarta.websocket/jakarta.websocket-api@2.2.0
jakarta.websocket-client-api.jar	cpe:2.3:a:web_project:web:2.2.0:*:*:*:*:*:*	pkg:maven/jakarta.websocket/jakarta.websocket-client-api@2.2.0
java-21-jre-x64-linux.tar.gz: java-21-jre-x64-linux.tar:jrt-fs.jar	cpe:2.3:a:eclipse:platform:21.0.8:*:*:*:*:*	
jcip-annotations-1.0.jar		pkg:maven/net.jcip/jcip-annotations@1.0
jlessc-1.14.jar		pkg:maven/de.inetsoftware/jlessc@1.14
jpeg2000.zip: asm.jar		
jpeg2000.zip: con crt140.dll		
jpeg2000.zip: imageio-openjpeg.jar		pkg:maven/de.digitalcollections.imageio/imageio-openjpeg@0.6.8
jpeg2000.zip: jffi-native.jar		
jpeg2000.zip: jffi-native.jar: jffi-1.2.dll		
jpeg2000.zip: jffi-native.jar: jffi-1.2.dll		
jpeg2000.zip: jffi-native.jar: jffi-1.2.dll		
jpeg2000.zip: jffi.jar		pkg:maven/com.github.jnr/jffi@1.3.13
jpeg2000.zip: jnr-ffi.jar		pkg:maven/com.github.jnr/jnr-ffi@2.2.17
jpeg2000.zip: jpeg2000.jar		

jpeg2000.zip: msvcp140.dll		
jpeg2000.zip: msvcp140_1.dll		
jpeg2000.zip: msvcp140_2.dll		
jpeg2000.zip: msvcp140_atomic_wait.dll		
jpeg2000.zip: msvcp140_codecvt_ids.dll	cpe:2.3:a:ids:ids:140:*:*:*:*:*	
jpeg2000.zip: openjp2.dll		
jpeg2000.zip: vcruntime140.dll		
jpeg2000.zip: vcruntime140_1.dll		
jquery.cookiebar.js		
jsr305-3.0.2.jar		pkg:maven/com.google.code.findbugs/jsr305@3.0.2
junit-4.13.2.jar	cpe:2.3:a:junit:junit4:4.13.2:*:*:*:*:*	pkg:maven/junit/junit@4.13.2
junit-jupiter-5.13.4.jar		pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
junit-jupiter-api-5.13.4.jar		pkg:maven/org.junit.jupiter/junit-jupiter-api@5.13.4
junit-jupiter-engine-5.13.4.jar		pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4
junit-jupiter-params-5.13.4.jar		pkg:maven/org.junit.jupiter/junit-jupiter-params@5.13.4
junit-platform-commons-1.13.4.jar		pkg:maven/org.junit.platform/junit-platform-commons@1.13.4
junit-platform-engine-1.13.4.jar		pkg:maven/org.junit.platform/junit-platform-engine@1.13.4
junit-platform-launcher-1.13.4.jar		pkg:maven/org.junit.platform/junit-platform-launcher@1.13.4
junit-platform-suite-1.13.4.jar		pkg:maven/org.junit.platform/junit-platform-suite@1.13.4
junit-platform-suite-api-1.13.4.jar		pkg:maven/org.junit.platform/junit-platform-

		suite-api@1.13.4
junit-platform-suite-commons-1.13.4.jar		pkg:maven/org.junit.platform/junit-platform-suite-commons@1.13.4
junit-platform-suite-engine-1.13.4.jar		pkg:maven/org.junit.platform/junit-platform-suite-engine@1.13.4
junit-vintage-engine-5.13.4.jar		pkg:maven/org.junit.vintage/junit-vintage-engine@5.13.4
lunr.js		
lunr.min.js		
mail.zip: angus-activation.jar		pkg:maven/org.eclipse.angus/angus-activation@2.0.3
mail.zip: angus-mail.jar (shaded: org.eclipse.angus:angus-core:2.0.4)		pkg:maven/org.eclipse.angus/angus-core@2.0.4
mail.zip: angus-mail.jar (shaded: org.eclipse.angus:imap:2.0.4)		pkg:maven/org.eclipse.angus/imap@2.0.4
mail.zip: angus-mail.jar (shaded: org.eclipse.angus:logging-mailhandler:2.0.4)		pkg:maven/org.eclipse.angus/logging-mailhandler@2.0.4
mail.zip: angus-mail.jar (shaded: org.eclipse.angus:pop3:2.0.4)		pkg:maven/org.eclipse.angus/pop3@2.0.4
mail.zip: angus-mail.jar (shaded: org.eclipse.angus:smtp:2.0.4)		pkg:maven/org.eclipse.angus/smtp@2.0.4
mail.zip: angus-mail.jar		pkg:maven/org.eclipse.angus/angus-mail@2.0.4
mail.zip: bc-fips.jar	cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.1.2:*:*:*:*:*	
mail.zip: bcjmail-fips.jar	cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.1.6:*:*:*:*:* * -	
mail.zip: bcpq-fips.jar	cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.1.11:*:*:*:*:*	

	** cpe:2.3:a:openpgp:openpgp:2.1.11:*:*: *****	
mail.zip: bcpxix-fips.jar	cpe:2.3:a:bouncycastle: bouncy_castle_for_java:2.1.10:*:*:*:*: ** *	
mail.zip: bcutil-fips.jar	cpe:2.3:a:bouncycastle: bouncy_castle_for_java:2.1.5:*:*:*:*: * -	
mail.zip: jakarta.activation-api.jar		pkg:maven /jakarta. activation /jakarta. activation- api@2.1.3
mail.zip: jakarta.mail-api.jar		pkg:maven /jakarta.mail /jakarta.mail- api@2.1.3
mail.zip: mail.jar		
mail.zip: mail.jar: smimeconfig.js		
main.js		
maintenance.pdf.zip: maintenance.pdf.jar	cpe:2.3:a:inetsoftware:pdfc:25.10.219: *****	
maintenance.pdf.zip: maintenance.pdf.jar: app.js		
maintenance.pdf.zip: maintenance.pdf.jar: comparisons.js		
maintenance.zip: maintenance-javadoc.jar		
maintenance.zip: maintenance-javadoc.jar: jquery-3.6.1.min.js		
maintenance.zip: maintenance-javadoc.jar: jquery-ui.min.js		pkg:javascript /jquery-ui@1. 13.1
maintenance.zip: maintenance-javadoc.jar: member-search-index.js		
maintenance.zip: maintenance-javadoc.jar: module-search-index.js		
maintenance.zip: maintenance-javadoc.jar: package-search-index.js		
maintenance.zip: maintenance-javadoc.jar: script.js		
maintenance.zip: maintenance-javadoc.jar: search.js		
maintenance.zip: maintenance-javadoc.jar: tag-search-index.js		
maintenance.zip: maintenance-javadoc.jar: type-search-index.js		
maintenance.zip: maintenance.jar		
maintenance.zip: maintenance.jar: controller.js		

maintenance.zip: maintenance.jar: controller.js		
maintenance.zip: maintenance.jar: controller.js		
maintenance.zip: maintenance.jar: controller.js		
maintenance.zip: maintenance.jar: controller.js		
maintenance.zip: maintenance.jar: filechooser.js		
maintenance.zip: maintenance.jar: multieditusers.js		
mongodb-driver-core.jar		
mongodb-driver-sync.jar		
notification.zip: notification.jar		
notification.zip: notification.jar: notification.js		
notification.zip: notification.jar: notification_config.js		
notification.zip: notification.jar: notification_taskplanner.js		
notification.zip: notification.jar: targetrenderer.js		
ocr.tesseract.zip: fontbox.jar		pkg:maven/org.apache.pdfbox/fontbox@3.0.5
ocr.tesseract.zip: jai-imageio-core.jar		pkg:maven/com.github.jai-imageio/jai-imageio-core@1.4.0
ocr.tesseract.zip: jbig2-imageio.jar	cpe:2.3:a:apache:pdfbox:3.0.4:*:*:*:*:*	pkg:maven/org.apache.pdfbox/jbig2-imageio@3.0.4
ocr.tesseract.zip: jboss-vfs.jar		pkg:maven/org.jboss/jboss-vfs@3.3.2.Final
ocr.tesseract.zip: lept4j.jar		pkg:maven/net.sourceforge.lept4j/lept4j@1.19.1
ocr.tesseract.zip: lept4j.jar: libleptonica1841.dll		
ocr.tesseract.zip: lept4j.jar: libleptonica1841.dll		
ocr.tesseract.zip: ocr.tesseract.jar	cpe:2.3:a:tesseract_ocr_project:tesseract_ocr:25.10.219:*:*:*:*:* cpe:2.3:a:tesseract_project:tesseract:25.10.219:*:*:*:**	
ocr.tesseract.zip: pdfbox.jar	cpe:2.3:a:apache:pdfbox:3.0.5:*:*:*:**	pkg:maven/org.apache.pdfbox/pdfbox@3.0.5
ocr.tesseract.zip: tess4j.jar	cpe:2.3:a:tesseract_project:tesseract:5.12.0:*:*:*:**	pkg:maven/net.sourceforge.tess4j/tess4j@5.12.0

ocr.tesseract.zip: tess4j.jar: libtesseract541.dll		
ocr.tesseract.zip: tess4j.jar: libtesseract541.dll		
opentest4j-1.3.0.jar		pkg:maven/org.opentest4j/opentest4j@1.3.0
parser.image.zip: parser.image.jar	cpe:2.3:a:inetsoftware:pdfc:25.10.219:*****	
parser.pdf.config.zip: parser.pdf.config.jar	cpe:2.3:a:inetsoftware:pdfc:25.10.219:*****	
parser.pdf.zip: PDFParser.jar		
parser.pdf.zip: jbig2.jar		
parser.pdf.zip: parser.pdf.jar		
parser.text.zip: parser.text.jar	cpe:2.3:a:inetsoftware:pdfc:25.10.219:*****	
pdfc.standalone.zip: pdfc.standalone.jar	cpe:2.3:a:inetsoftware:pdfc:25.10.219:*****	
pdfc.standalone.zip: pdfc.standalone.jar: bridge.js		
pdfc.standalone.zip: pdfc.standalone.jar: bridgeConfig.js		
pdfc.standalone.zip: pdfc.standalone.jar: bridgePDFC.js		
pdfc.standalone.zip: pdfc.standalone.jar: extraMenu.js		
pdfc.standalone.zip: pdfc.standalone.jar: removeHeader.js		
pdfc.standalone.zip: pdfc.standalone.jar: removePDFCElements.js		
pdfc.standalone.zip: pdfc.standalone.jar: theme.js		
pdfc.standalone.zip: pdfc.standalone.jar: translation.js		
pdfc.zip: icu4j.jar (shaded: com.ibm.icu:collate:77.1)		pkg:maven/com.ibm.icu/collate@77.1
pdfc.zip: icu4j.jar (shaded: com.ibm.icu:core:77.1)		pkg:maven/com.ibm.icu/core@77.1
pdfc.zip: icu4j.jar (shaded: com.ibm.icu:currdata:77.1)		pkg:maven/com.ibm.icu/currdata@77.1
pdfc.zip: icu4j.jar (shaded: com.ibm.icu:langdata:77.1)		pkg:maven/com.ibm.icu/langdata@77.1
pdfc.zip: icu4j.jar (shaded: com.ibm.icu:regiondata:77.1)		pkg:maven/com.ibm.icu/regiondata@77.1
pdfc.zip: icu4j.jar (shaded: com.ibm.icu:translit:77.1)		pkg:maven/com.ibm.icu/translit@77.1

		ibm.icu/translit@77.1
pdfc.zip: icu4j.jar	cpe:2.3:a:icu-project:international_components_for_unicode:77.1:*:*:*:*:* cpe:2.3:a:unicode:international_components_for_unicode:77.1:*:*:*:*:*	pkg:maven/com.ibm.icu/icu4j@77.1
pdfc.zip: pdfc-javadoc.jar		
pdfc.zip: pdfc-javadoc.jar: member-search-index.js		
pdfc.zip: pdfc-javadoc.jar: package-search-index.js		
pdfc.zip: pdfc-javadoc.jar: tag-search-index.js		
pdfc.zip: pdfc-javadoc.jar: type-search-index.js		
pdfc.zip: pdfc.jar	cpe:2.3:a:inetsoftware:pdfc:25.10.219:*:*:*:*:*	
pdfcunit.jar	cpe:2.3:a:inetsoftware:pdfc:25.10.219:*:*:*:*:*	
pdfcserver.zip: pdfcserver.jar	cpe:2.3:a:inetsoftware:pdfc:25.10.219:*:*:*:*:*	
pdfcserver.zip: pdfcserver.jar: compareconfigrenderers.js		
pdfcsetupwizard.zip: pdfcsetupwizard.jar	cpe:2.3:a:inetsoftware:pdfc:25.10.219:*:*:*:*:*	
pdfcsetupwizard.zip: pdfcsetupwizard.jar: controller.js		
pdfcwebapiclient.jar	cpe:2.3:a:inetsoftware:pdfc:25.10.219:*:*:*:*:*	
persistence.jar		
pluginstore.client.zip: pluginstore.client.jar		
pluginstore.client.zip: pluginstore.client.jar: controller.js		
pluginstore.client.zip: pluginstore.client.jar: pluginstorehelpcontroller.js		
pluginstore.client.zip: pluginstore.client.jar: publicstoreconfig.js		
pluginstore.client.zip: pluginstore.client.jar: storecontroller.js		
pluginstore.client.zip: pluginstore.client.jar: storedirectives.js		
pluginstore.client.zip: pluginstore.client.jar: storemodel.js		
processbridge.pdfc.zip: processbridge.pdfc.jar	cpe:2.3:a:inetsoftware:pdfc:25.10.219:*:*:*:*:*	
processbridge.zip: processbridge.jar		
remotegui.zip: angular-animate.jar		pkg:maven/org.webjars.npm/angular-

		animate@1.8.3
remotegui.zip: angular-animate.jar: angular-animate.js		pkg:javascript/angularjs@1.8.3
remotegui.zip: angular-animate.jar: angular-animate.min.js		pkg:javascript/angularjs@1.8.3
remotegui.zip: angular-animate.jar: index.js		
remotegui.zip: angular-animate.jar: package.json		
remotegui.zip: angular-cookies.jar		pkg:maven/org.webjars.npm/angular-cookies@1.8.3
remotegui.zip: angular-cookies.jar: angular-cookies.js		pkg:javascript/angularjs@1.8.3
remotegui.zip: angular-cookies.jar: angular-cookies.min.js		pkg:javascript/angularjs@1.8.3
remotegui.zip: angular-cookies.jar: index.js		
remotegui.zip: angular-cookies.jar: package.json		
remotegui.zip: angular-sanitize.jar		pkg:maven/org.webjars.npm/angular-sanitize@1.8.3
remotegui.zip: angular-sanitize.jar: angular-sanitize.js		pkg:javascript/angularjs@1.8.3
remotegui.zip: angular-sanitize.jar: angular-sanitize.min.js		pkg:javascript/angularjs@1.8.3
remotegui.zip: angular-sanitize.jar: index.js		
remotegui.zip: angular-sanitize.jar: package.json		
remotegui.zip: angular.jar		pkg:maven/org.webjars.npm/angular@1.8.3
remotegui.zip: angular.jar: angular.js		pkg:javascript/angularjs@1.8.3
remotegui.zip: angular.jar: angular.min.js		pkg:javascript/angularjs@1.8.3
remotegui.zip: angular.jar: index.js		
remotegui.zip: angular.jar: package.json		
remotegui.zip: codemirror.jar	cpe:2.3:a:codemirror:codemirror:6.65.7:*:*:*:*:*	pkg:maven/org.webjars.npm/codemirror@6.65.7
remotegui.zip: codemirror.jar: CodeMirror.js		
remotegui.zip: codemirror.jar: ContentEditableInput.js		
remotegui.zip: codemirror.jar: Display.js		
remotegui.zip: codemirror.jar: Doc.js		

remotegui.zip: codemirror.jar: StringStream.js		
remotegui.zip: codemirror.jar: TextareaInput.js		
remotegui.zip: codemirror.jar: active-line.js		
remotegui.zip: codemirror.jar: annotatescrollbar.js		
remotegui.zip: codemirror.jar: anyword-hint.js		
remotegui.zip: codemirror.jar: apl.js		
remotegui.zip: codemirror.jar: asciarmor.js		
remotegui.zip: codemirror.jar: asn.1.js		
remotegui.zip: codemirror.jar: asterisk.js		
remotegui.zip: codemirror.jar: autorefresh.js		
remotegui.zip: codemirror.jar: bidi.js		
remotegui.zip: codemirror.jar: brace-fold.js		
remotegui.zip: codemirror.jar: brainfuck.js		
remotegui.zip: codemirror.jar: browser.js		
remotegui.zip: codemirror.jar: change_measurement.js		
remotegui.zip: codemirror.jar: changes.js		
remotegui.zip: codemirror.jar: chunk.js		
remotegui.zip: codemirror.jar: clike.js		
remotegui.zip: codemirror.jar: clojure.js		
remotegui.zip: codemirror.jar: closebrackets.js		
remotegui.zip: codemirror.jar: closetag.js		
remotegui.zip: codemirror.jar: cmake.js		
remotegui.zip: codemirror.jar: cobol.js		
remotegui.zip: codemirror.jar: codemirror-standalone.js		
remotegui.zip: codemirror.jar: codemirror.js		
remotegui.zip: codemirror.jar: codemirror.js		
remotegui.zip: codemirror.jar: codemirror.node.js		
remotegui.zip: codemirror.jar: coffeescript-lint.js		
remotegui.zip: codemirror.jar: coffeescript.js		
remotegui.zip: codemirror.jar: colorize.js		
remotegui.zip: codemirror.jar: commands.js		
remotegui.zip: codemirror.jar: comment-fold.js		
remotegui.zip: codemirror.jar: comment.js		
remotegui.zip: codemirror.jar: commonlisp.js		
remotegui.zip: codemirror.jar: continuecomment.js		

remotegui.zip: codemirror.jar: continuelist.js		
remotegui.zip: codemirror.jar: crystal.js		
remotegui.zip: codemirror.jar: css-hint.js		
remotegui.zip: codemirror.jar: css-lint.js		
remotegui.zip: codemirror.jar: css.js		
remotegui.zip: codemirror.jar: cypher.js		
remotegui.zip: codemirror.jar: d.js		
remotegui.zip: codemirror.jar: dart.js		
remotegui.zip: codemirror.jar: deleteNearSelection.js		
remotegui.zip: codemirror.jar: dialog.js		
remotegui.zip: codemirror.jar: diff.js		
remotegui.zip: codemirror.jar: django.js		
remotegui.zip: codemirror.jar: dockerfile.js		
remotegui.zip: codemirror.jar: document_data.js		
remotegui.zip: codemirror.jar: dom.js		
remotegui.zip: codemirror.jar: drop_events.js		
remotegui.zip: codemirror.jar: dtd.js		
remotegui.zip: codemirror.jar: dylan.js		
remotegui.zip: codemirror.jar: ebnf.js		
remotegui.zip: codemirror.jar: ecl.js		
remotegui.zip: codemirror.jar: eiffel.js		
remotegui.zip: codemirror.jar: elm.js		
remotegui.zip: codemirror.jar: emacs.js		
remotegui.zip: codemirror.jar: erlang.js		
remotegui.zip: codemirror.jar: event.js		
remotegui.zip: codemirror.jar: factor.js		
remotegui.zip: codemirror.jar: fcl.js		
remotegui.zip: codemirror.jar: feature_detection.js		
remotegui.zip: codemirror.jar: focus.js		
remotegui.zip: codemirror.jar: foldcode.js		
remotegui.zip: codemirror.jar: foldgutter.js		
remotegui.zip: codemirror.jar: forth.js		
remotegui.zip: codemirror.jar: fortran.js		
remotegui.zip: codemirror.jar: fromTextArea.js		
remotegui.zip: codemirror.jar: fullscreen.js		

[remotegui.zip: codemirror.jar: gas.js](#)

[remotegui.zip: codemirror.jar: gfm.js](#)

[remotegui.zip: codemirror.jar: gherkin.js](#)

[remotegui.zip: codemirror.jar: global_events.js](#)

[remotegui.zip: codemirror.jar: go.js](#)

[remotegui.zip: codemirror.jar: groovy.js](#)

[remotegui.zip: codemirror.jar: gutters.js](#)

[remotegui.zip: codemirror.jar: haml.js](#)

[remotegui.zip: codemirror.jar: handlebars.js](#)

[remotegui.zip: codemirror.jar: hardwrap.js](#)

[remotegui.zip: codemirror.jar: haskell-literate.js](#)

[remotegui.zip: codemirror.jar: haskell.js](#)

[remotegui.zip: codemirror.jar: haxe.js](#)

[remotegui.zip: codemirror.jar: highlight.js](#)

[remotegui.zip: codemirror.jar: highlight_worker.js](#)

[remotegui.zip: codemirror.jar: history.js](#)

[remotegui.zip: codemirror.jar: html-hint.js](#)

[remotegui.zip: codemirror.jar: html-lint.js](#)

[remotegui.zip: codemirror.jar: htmlembdedded.js](#)

[remotegui.zip: codemirror.jar: htmlmixed.js](#)

[remotegui.zip: codemirror.jar: http.js](#)

[remotegui.zip: codemirror.jar: idl.js](#)

[remotegui.zip: codemirror.jar: indent-fold.js](#)

[remotegui.zip: codemirror.jar: indent.js](#)

[remotegui.zip: codemirror.jar: input.js](#)

[remotegui.zip: codemirror.jar: javascript-hint.js](#)

[remotegui.zip: codemirror.jar: javascript-lint.js](#)

[remotegui.zip: codemirror.jar: javascript.js](#)

[remotegui.zip: codemirror.jar: jinja2.js](#)

[remotegui.zip: codemirror.jar: json-lint.js](#)

[remotegui.zip: codemirror.jar: jsx.js](#)

[remotegui.zip: codemirror.jar: julia.js](#)

[remotegui.zip: codemirror.jar: jump-to-line.js](#)

[remotegui.zip: codemirror.jar: key_events.js](#)

[remotegui.zip: codemirror.jar: keymap.js](#)

remotegui.zip: codemirror.jar: keynames.js		
remotegui.zip: codemirror.jar: legacy.js		
remotegui.zip: codemirror.jar: line_data.js		
remotegui.zip: codemirror.jar: line_numbers.js		
remotegui.zip: codemirror.jar: line_widget.js		
remotegui.zip: codemirror.jar: lint.js		
remotegui.zip: codemirror.jar: livescript.js		
remotegui.zip: codemirror.jar: loadmode.js		
remotegui.zip: codemirror.jar: lua.js		
remotegui.zip: codemirror.jar: main.js		
remotegui.zip: codemirror.jar: mark-selection.js		
remotegui.zip: codemirror.jar: mark_text.js		
remotegui.zip: codemirror.jar: markdown-fold.js		
remotegui.zip: codemirror.jar: markdown.js		
remotegui.zip: codemirror.jar: match-highlighter.js		
remotegui.zip: codemirror.jar: matchbrackets.js		
remotegui.zip: codemirror.jar: matchesonscrollbar.js		
remotegui.zip: codemirror.jar: matchtags.js		
remotegui.zip: codemirror.jar: mathematica.js		
remotegui.zip: codemirror.jar: mbox.js		
remotegui.zip: codemirror.jar: merge.js		
remotegui.zip: codemirror.jar: meta.js		
remotegui.zip: codemirror.jar: methods.js		
remotegui.zip: codemirror.jar: mirc.js		
remotegui.zip: codemirror.jar: misc.js		
remotegui.zip: codemirror.jar: mllike.js		
remotegui.zip: codemirror.jar: mode_state.js		
remotegui.zip: codemirror.jar: modelica.js		
remotegui.zip: codemirror.jar: modes.js		
remotegui.zip: codemirror.jar: mouse_events.js		
remotegui.zip: codemirror.jar: movement.js		
remotegui.zip: codemirror.jar: mscgen.js		
remotegui.zip: codemirror.jar: multiplex.js		
remotegui.zip: codemirror.jar: multiplex_test.js		
remotegui.zip: codemirror.jar: mumps.js		

[remotegui.zip: codemirror.jar: nginx.js](#)

[remotegui.zip: codemirror.jar: nsis.js](#)

[remotegui.zip: codemirror.jar: ntriples.js](#)

[remotegui.zip: codemirror.jar: octave.js](#)

[remotegui.zip: codemirror.jar: operation_group.js](#)

[remotegui.zip: codemirror.jar: operations.js](#)

[remotegui.zip: codemirror.jar: options.js](#)

[remotegui.zip: codemirror.jar: overlay.js](#)

[remotegui.zip: codemirror.jar: oz.js](#)

[remotegui.zip: codemirror.jar: package.json](#)

[remotegui.zip: codemirror.jar: panel.js](#)

[remotegui.zip: codemirror.jar: pascal.js](#)

[remotegui.zip: codemirror.jar: pegjs.js](#)

[remotegui.zip: codemirror.jar: perl.js](#)

[remotegui.zip: codemirror.jar: php.js](#)

[remotegui.zip: codemirror.jar: pig.js](#)

[remotegui.zip: codemirror.jar: placeholder.js](#)

[remotegui.zip: codemirror.jar: pos.js](#)

[remotegui.zip: codemirror.jar: position_measurement.js](#)

[remotegui.zip: codemirror.jar: powershell.js](#)

[remotegui.zip: codemirror.jar: properties.js](#)

[remotegui.zip: codemirror.jar: protobuf.js](#)

[remotegui.zip: codemirror.jar: pug.js](#)

[remotegui.zip: codemirror.jar: puppet.js](#)

[remotegui.zip: codemirror.jar: python.js](#)

[remotegui.zip: codemirror.jar: q.js](#)

[remotegui.zip: codemirror.jar: r.js](#)

[remotegui.zip: codemirror.jar: rollup.config.js](#)

[remotegui.zip: codemirror.jar: rpm.js](#)

[remotegui.zip: codemirror.jar: rst.js](#)

[remotegui.zip: codemirror.jar: ruby.js](#)

[remotegui.zip: codemirror.jar: rulers.js](#)

[remotegui.zip: codemirror.jar: runmode-standalone.js](#)

[remotegui.zip: codemirror.jar: runmode-standalone.js](#)

[remotegui.zip: codemirror.jar: runmode.js](#)

remotegui.zip: codemirror.jar: runmode.node.js		
remotegui.zip: codemirror.jar: runmode.node.js		
remotegui.zip: codemirror.jar: rust.js		
remotegui.zip: codemirror.jar: sas.js		
remotegui.zip: codemirror.jar: sass.js		
remotegui.zip: codemirror.jar: saw_special_spans.js		
remotegui.zip: codemirror.jar: scheme.js		
remotegui.zip: codemirror.jar: scroll_events.js		
remotegui.zip: codemirror.jar: scrollbars.js		
remotegui.zip: codemirror.jar: scrolling.js		
remotegui.zip: codemirror.jar: scrollpastend.js		
remotegui.zip: codemirror.jar: search.js		
remotegui.zip: codemirror.jar: searchcursor.js		
remotegui.zip: codemirror.jar: selection-pointer.js		
remotegui.zip: codemirror.jar: selection.js		
remotegui.zip: codemirror.jar: selection.js		
remotegui.zip: codemirror.jar: selection_updates.js		
remotegui.zip: codemirror.jar: shell.js		
remotegui.zip: codemirror.jar: show-hint.js		
remotegui.zip: codemirror.jar: sieve.js		
remotegui.zip: codemirror.jar: simple.js		
remotegui.zip: codemirror.jar: simplescrollbars.js		
remotegui.zip: codemirror.jar: slim.js		
remotegui.zip: codemirror.jar: smalltalk.js		
remotegui.zip: codemirror.jar: smarty.js		
remotegui.zip: codemirror.jar: solr.js		
remotegui.zip: codemirror.jar: soy.js		
remotegui.zip: codemirror.jar: spans.js		
remotegui.zip: codemirror.jar: sparql.js		
remotegui.zip: codemirror.jar: spreadsheet.js		
remotegui.zip: codemirror.jar: sql-hint.js		
remotegui.zip: codemirror.jar: sql.js		
remotegui.zip: codemirror.jar: stex.js		
remotegui.zip: codemirror.jar: stylus.js		
remotegui.zip: codemirror.jar: sublime.js		

[remotegui.zip: codemirror.jar: swift.js](#)

[remotegui.zip: codemirror.jar: tcl.js](#)

[remotegui.zip: codemirror.jar: tern.js](#)

[remotegui.zip: codemirror.jar: textile.js](#)

[remotegui.zip: codemirror.jar: tiddlywiki.js](#)

[remotegui.zip: codemirror.jar: tiki.js](#)

[remotegui.zip: codemirror.jar: toml.js](#)

[remotegui.zip: codemirror.jar: tornado.js](#)

[remotegui.zip: codemirror.jar: trailingspace.js](#)

[remotegui.zip: codemirror.jar: troff.js](#)

[remotegui.zip: codemirror.jar: ttcn-cfg.js](#)

[remotegui.zip: codemirror.jar: ttcn.js](#)

[remotegui.zip: codemirror.jar: turtle.js](#)

[remotegui.zip: codemirror.jar: twig.js](#)

[remotegui.zip: codemirror.jar: update_display.js](#)

[remotegui.zip: codemirror.jar: update_line.js](#)

[remotegui.zip: codemirror.jar: update_lines.js](#)

[remotegui.zip: codemirror.jar: utils.js](#)

[remotegui.zip: codemirror.jar: utils_line.js](#)

[remotegui.zip: codemirror.jar: vb.js](#)

[remotegui.zip: codemirror.jar: vbscript.js](#)

[remotegui.zip: codemirror.jar: velocity.js](#)

[remotegui.zip: codemirror.jar: verilog.js](#)

[remotegui.zip: codemirror.jar: vhdl.js](#)

[remotegui.zip: codemirror.jar: view_tracking.js](#)

[remotegui.zip: codemirror.jar: vim.js](#)

[remotegui.zip: codemirror.jar: vue.js](#)

[remotegui.zip: codemirror.jar: wast.js](#)

[remotegui.zip: codemirror.jar: webidl.js](#)

[remotegui.zip: codemirror.jar: widgets.js](#)

[remotegui.zip: codemirror.jar: worker.js](#)

[remotegui.zip: codemirror.jar: xml-fold.js](#)

[remotegui.zip: codemirror.jar: xml-hint.js](#)

[remotegui.zip: codemirror.jar: xml.js](#)

[remotegui.zip: codemirror.jar: xquery.js](#)

remotegui.zip: codemirror.jar: yacas.js		
remotegui.zip: codemirror.jar: yaml-frontmatter.js		
remotegui.zip: codemirror.jar: yaml-lint.js		
remotegui.zip: codemirror.jar: yaml.js		
remotegui.zip: codemirror.jar: z80.js		
remotegui.zip: crypto-js.jar		pkg:maven/org.webjars/npm/crypto-js@4.2.0
remotegui.zip: crypto-js.jar: aes.js		
remotegui.zip: crypto-js.jar: blowfish.js		
remotegui.zip: crypto-js.jar: cipher-core.js		
remotegui.zip: crypto-js.jar: core.js		
remotegui.zip: crypto-js.jar: crypto-js.js		
remotegui.zip: crypto-js.jar: enc-base64.js		
remotegui.zip: crypto-js.jar: enc-base64url.js		
remotegui.zip: crypto-js.jar: enc-hex.js		
remotegui.zip: crypto-js.jar: enc-latin1.js		
remotegui.zip: crypto-js.jar: enc-utf16.js		
remotegui.zip: crypto-js.jar: enc-utf8.js		
remotegui.zip: crypto-js.jar: evpkdf.js		
remotegui.zip: crypto-js.jar: format-hex.js		
remotegui.zip: crypto-js.jar: format-openssl.js		
remotegui.zip: crypto-js.jar: hmac-md5.js		
remotegui.zip: crypto-js.jar: hmac-ripemd160.js		
remotegui.zip: crypto-js.jar: hmac-sha1.js		
remotegui.zip: crypto-js.jar: hmac-sha224.js		
remotegui.zip: crypto-js.jar: hmac-sha256.js		
remotegui.zip: crypto-js.jar: hmac-sha3.js		
remotegui.zip: crypto-js.jar: hmac-sha384.js		
remotegui.zip: crypto-js.jar: hmac-sha512.js		
remotegui.zip: crypto-js.jar: hmac.js		
remotegui.zip: crypto-js.jar: index.js		
remotegui.zip: crypto-js.jar: lib-typedarrays.js		
remotegui.zip: crypto-js.jar: md5.js		
remotegui.zip: crypto-js.jar: mode-cfb.js		
remotegui.zip: crypto-js.jar: mode-ctr-gladman.js		

remotegui.zip: crypto-js.jar: mode-ctr.js		
remotegui.zip: crypto-js.jar: mode-ecb.js		
remotegui.zip: crypto-js.jar: mode-ofb.js		
remotegui.zip: crypto-js.jar: package.json		
remotegui.zip: crypto-js.jar: pad-ansix923.js		
remotegui.zip: crypto-js.jar: pad-iso10126.js		
remotegui.zip: crypto-js.jar: pad-iso97971.js		
remotegui.zip: crypto-js.jar: pad-nopadding.js		
remotegui.zip: crypto-js.jar: pad-pkcs7.js		
remotegui.zip: crypto-js.jar: pad-zeropadding.js		
remotegui.zip: crypto-js.jar: pbkdf2.js		
remotegui.zip: crypto-js.jar: rabbit-legacy.js		
remotegui.zip: crypto-js.jar: rabbit.js		
remotegui.zip: crypto-js.jar: rc4.js		
remotegui.zip: crypto-js.jar: ripemd160.js		
remotegui.zip: crypto-js.jar: sha1.js		
remotegui.zip: crypto-js.jar: sha224.js		
remotegui.zip: crypto-js.jar: sha256.js		
remotegui.zip: crypto-js.jar: sha3.js		
remotegui.zip: crypto-js.jar: sha384.js		
remotegui.zip: crypto-js.jar: sha512.js		
remotegui.zip: crypto-js.jar: tripledes.js		
remotegui.zip: crypto-js.jar: x64-core.js		
remotegui.zip: hugerte-languages.jar		pkg:maven/org.webjars/npm/hugerte-languages@1.0.9
remotegui.zip: hugerte-languages.jar: ar.js		
remotegui.zip: hugerte-languages.jar: ar_SA.js		
remotegui.zip: hugerte-languages.jar: az.js		
remotegui.zip: hugerte-languages.jar: be.js		
remotegui.zip: hugerte-languages.jar: bg_BG.js		
remotegui.zip: hugerte-languages.jar: bn_BD.js		
remotegui.zip: hugerte-languages.jar: ca.js		
remotegui.zip: hugerte-languages.jar: cs.js		
remotegui.zip: hugerte-languages.jar: cy.js		

[remotegui.zip: hugerte-languages.jar: da.js](#)

[remotegui.zip: hugerte-languages.jar: de.js](#)

[remotegui.zip: hugerte-languages.jar: el.js](#)

[remotegui.zip: hugerte-languages.jar: eo.js](#)

[remotegui.zip: hugerte-languages.jar: es.js](#)

[remotegui.zip: hugerte-languages.jar: es_MX.js](#)

[remotegui.zip: hugerte-languages.jar: et.js](#)

[remotegui.zip: hugerte-languages.jar: eu.js](#)

[remotegui.zip: hugerte-languages.jar: fa.js](#)

[remotegui.zip: hugerte-languages.jar: fi.js](#)

[remotegui.zip: hugerte-languages.jar: fr_FR.js](#)

[remotegui.zip: hugerte-languages.jar: ga.js](#)

[remotegui.zip: hugerte-languages.jar: gl.js](#)

[remotegui.zip: hugerte-languages.jar: he_IL.js](#)

[remotegui.zip: hugerte-languages.jar: hr.js](#)

[remotegui.zip: hugerte-languages.jar: hu_HU.js](#)

[remotegui.zip: hugerte-languages.jar: hy.js](#)

[remotegui.zip: hugerte-languages.jar: id.js](#)

[remotegui.zip: hugerte-languages.jar: is_IS.js](#)

[remotegui.zip: hugerte-languages.jar: it.js](#)

[remotegui.zip: hugerte-languages.jar: ja.js](#)

[remotegui.zip: hugerte-languages.jar: ka_GE.js](#)

[remotegui.zip: hugerte-languages.jar: kab.js](#)

[remotegui.zip: hugerte-languages.jar: kk.js](#)

[remotegui.zip: hugerte-languages.jar: ko_KR.js](#)

[remotegui.zip: hugerte-languages.jar: ku.js](#)

[remotegui.zip: hugerte-languages.jar: lt.js](#)

[remotegui.zip: hugerte-languages.jar: lv.js](#)

[remotegui.zip: hugerte-languages.jar: nb_NO.js](#)

[remotegui.zip: hugerte-languages.jar: ne.js](#)

[remotegui.zip: hugerte-languages.jar: nl.js](#)

[remotegui.zip: hugerte-languages.jar: nl_BE.js](#)

[remotegui.zip: hugerte-languages.jar: oc.js](#)

[remotegui.zip: hugerte-languages.jar: pl.js](#)

[remotegui.zip: hugerte-languages.jar: pt_BR.js](#)

remotegui.zip: hugerte-languages.jar: pt_PT.js		
remotegui.zip: hugerte-languages.jar: ro.js		
remotegui.zip: hugerte-languages.jar: ru.js		
remotegui.zip: hugerte-languages.jar: sk.js		
remotegui.zip: hugerte-languages.jar: sl_SI.js		
remotegui.zip: hugerte-languages.jar: sq.js		
remotegui.zip: hugerte-languages.jar: sr.js		
remotegui.zip: hugerte-languages.jar: sv_SE.js		
remotegui.zip: hugerte-languages.jar: ta.js		
remotegui.zip: hugerte-languages.jar: tg.js		
remotegui.zip: hugerte-languages.jar: th_TH.js		
remotegui.zip: hugerte-languages.jar: tr.js		
remotegui.zip: hugerte-languages.jar: ug.js		
remotegui.zip: hugerte-languages.jar: uk.js		
remotegui.zip: hugerte-languages.jar: uz.js		
remotegui.zip: hugerte-languages.jar: vi.js		
remotegui.zip: hugerte-languages.jar: zh_CN.js		
remotegui.zip: hugerte-languages.jar: zh_HK.js		
remotegui.zip: hugerte-languages.jar: zh_MO.js		
remotegui.zip: hugerte-languages.jar: zh_SG.js		
remotegui.zip: hugerte-languages.jar: zh_TW.js		
remotegui.zip: hugerte.jar		pkg:maven/org.webjars/npm/hugerte@1.0.9
remotegui.zip: hugerte.jar: ar.js		
remotegui.zip: hugerte.jar: bg_BG.js		
remotegui.zip: hugerte.jar: ca.js		
remotegui.zip: hugerte.jar: content.inline.js		
remotegui.zip: hugerte.jar: content.inline.js		
remotegui.zip: hugerte.jar: content.inline.js		
remotegui.zip: hugerte.jar: content.inline.js		
remotegui.zip: hugerte.jar: content.js		
remotegui.zip: hugerte.jar: content.js		
remotegui.zip: hugerte.jar: content.js		
remotegui.zip: hugerte.jar: content.js		
remotegui.zip: hugerte.jar: content.js		

[illegible]

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: it.js](#)

[remotegui.zip: hugerte.jar: ja.js](#)

[remotegui.zip: hugerte.jar: kk.js](#)

[remotegui.zip: hugerte.jar: ko_KR.js](#)

[remotegui.zip: hugerte.jar: model.js](#)

[remotegui.zip: hugerte.jar: model.min.js](#)

[remotegui.zip: hugerte.jar: ms.js](#)

[remotegui.zip: hugerte.jar: nb_NO.js](#)

[remotegui.zip: hugerte.jar: nl.js](#)

remotegui.zip: hugerte.jar: package.json		
remotegui.zip: hugerte.jar: pl.js		
remotegui.zip: hugerte.jar: plugin.js		
remotegui.zip: hugerte.jar: plugin.js		
remotegui.zip: hugerte.jar: plugin.js		
remotegui.zip: hugerte.jar: plugin.js		
remotegui.zip: hugerte.jar: plugin.js		
remotegui.zip: hugerte.jar: plugin.js		
remotegui.zip: hugerte.jar: plugin.js		
remotegui.zip: hugerte.jar: plugin.js		
remotegui.zip: hugerte.jar: plugin.js		
remotegui.zip: hugerte.jar: plugin.js		
remotegui.zip: hugerte.jar: plugin.js		
remotegui.zip: hugerte.jar: plugin.js		
remotegui.zip: hugerte.jar: plugin.js		
remotegui.zip: hugerte.jar: plugin.js		
remotegui.zip: hugerte.jar: plugin.js		
remotegui.zip: hugerte.jar: plugin.js		
remotegui.zip: hugerte.jar: plugin.js		
remotegui.zip: hugerte.jar: plugin.js		
remotegui.zip: hugerte.jar: plugin.js		
remotegui.zip: hugerte.jar: plugin.js		
remotegui.zip: hugerte.jar: plugin.js		
remotegui.zip: hugerte.jar: plugin.js		
remotegui.zip: hugerte.jar: plugin.js		
remotegui.zip: hugerte.jar: plugin.js		
remotegui.zip: hugerte.jar: plugin.js		
remotegui.zip: hugerte.jar: plugin.js		
remotegui.zip: hugerte.jar: plugin.js		
remotegui.zip: hugerte.jar: plugin.min.js		
remotegui.zip: hugerte.jar: plugin.min.js		
remotegui.zip: hugerte.jar: plugin.min.js		

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: pt_BR.js](#)

[remotegui.zip: hugerte.jar: pt_PT.js](#)

[remotegui.zip: hugerte.jar: ro.js](#)

[remotegui.zip: hugerte.jar: ru.js](#)

[remotegui.zip: hugerte.jar: sk.js](#)

[remotegui.zip: hugerte.jar: skin.js](#)

[remotegui.zip: hugerte.jar: skin.js](#)

[remotegui.zip: hugerte.jar: skin.js](#)

[remotegui.zip: hugerte.jar: skin.js](#)

remotegui.zip: hugerte.jar: skin.js		
remotegui.zip: hugerte.jar: skin.shadowdom.js		
remotegui.zip: hugerte.jar: skin.shadowdom.js		
remotegui.zip: hugerte.jar: skin.shadowdom.js		
remotegui.zip: hugerte.jar: skin.shadowdom.js		
remotegui.zip: hugerte.jar: sl_SI.js		
remotegui.zip: hugerte.jar: sv_SE.js		
remotegui.zip: hugerte.jar: th_TH.js		
remotegui.zip: hugerte.jar: theme.js		
remotegui.zip: hugerte.jar: theme.min.js		
remotegui.zip: hugerte.jar: tr.js		
remotegui.zip: hugerte.jar: uk.js		
remotegui.zip: hugerte.jar: vi.js		
remotegui.zip: hugerte.jar: zh_CN.js		
remotegui.zip: hugerte.jar: zh_TW.js		
remotegui.zip: jquery-ui.jar		pkg:maven/org.webjars/jquery-ui@1.14.1
remotegui.zip: jquery-ui.jar: jquery-ui.js		
remotegui.zip: jquery-ui.jar: jquery-ui.min.js		
remotegui.zip: jquery-ui.jar: package.json		
remotegui.zip: jquery-ui.jar: webjars-requirejs.js		
remotegui.zip: jquery.jar		pkg:javascript/jquery@2.2.4 pkg:maven/org.webjars/jquery@2.2.4
remotegui.zip: jquery.jar: webjars-requirejs.js		
remotegui.zip: moment-timezone.jar		pkg:maven/org.webjars.npm/moment-timezone@0.5.46
remotegui.zip: moment-timezone.jar: index.js		
remotegui.zip: moment-timezone.jar: moment-timezone-utils.js		
remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.js		
remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.min.js		
remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.js		

remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.min.js		
remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.js		
remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.min.js		
remotegui.zip: moment-timezone.jar: moment-timezone-with-data.js		
remotegui.zip: moment-timezone.jar: moment-timezone-with-data.min.js		
remotegui.zip: moment-timezone.jar: moment-timezone.js		
remotegui.zip: moment-timezone.jar: moment-timezone.min.js		
remotegui.zip: moment-timezone.jar: package.json		
remotegui.zip: momentjs.jar		pkg:maven/org.webjars/momentjs@2.29.4
remotegui.zip: momentjs.jar: af.js		
remotegui.zip: momentjs.jar: ar-dz.js		
remotegui.zip: momentjs.jar: ar-kw.js		
remotegui.zip: momentjs.jar: ar-ly.js		
remotegui.zip: momentjs.jar: ar-ma.js		
remotegui.zip: momentjs.jar: ar-sa.js		
remotegui.zip: momentjs.jar: ar-tn.js		
remotegui.zip: momentjs.jar: ar.js		
remotegui.zip: momentjs.jar: az.js		
remotegui.zip: momentjs.jar: be.js		
remotegui.zip: momentjs.jar: bg.js		
remotegui.zip: momentjs.jar: bm.js		
remotegui.zip: momentjs.jar: bn-bd.js		
remotegui.zip: momentjs.jar: bn.js		
remotegui.zip: momentjs.jar: bo.js		
remotegui.zip: momentjs.jar: br.js		
remotegui.zip: momentjs.jar: bs.js		
remotegui.zip: momentjs.jar: ca.js		
remotegui.zip: momentjs.jar: cs.js		
remotegui.zip: momentjs.jar: cv.js		
remotegui.zip: momentjs.jar: cy.js		

remotegui.zip: momentjs.jar: da.js		
remotegui.zip: momentjs.jar: de-at.js		
remotegui.zip: momentjs.jar: de-ch.js		
remotegui.zip: momentjs.jar: de.js		
remotegui.zip: momentjs.jar: dv.js		
remotegui.zip: momentjs.jar: el.js		
remotegui.zip: momentjs.jar: en-au.js		
remotegui.zip: momentjs.jar: en-ca.js		
remotegui.zip: momentjs.jar: en-gb.js		
remotegui.zip: momentjs.jar: en-ie.js		
remotegui.zip: momentjs.jar: en-il.js		
remotegui.zip: momentjs.jar: en-in.js		
remotegui.zip: momentjs.jar: en-nz.js		
remotegui.zip: momentjs.jar: en-sg.js		
remotegui.zip: momentjs.jar: eo.js		
remotegui.zip: momentjs.jar: es-do.js		
remotegui.zip: momentjs.jar: es-mx.js		
remotegui.zip: momentjs.jar: es-us.js		
remotegui.zip: momentjs.jar: es.js		
remotegui.zip: momentjs.jar: et.js		
remotegui.zip: momentjs.jar: eu.js		
remotegui.zip: momentjs.jar: fa.js		
remotegui.zip: momentjs.jar: fi.js		
remotegui.zip: momentjs.jar: fil.js		
remotegui.zip: momentjs.jar: fo.js		
remotegui.zip: momentjs.jar: fr-ca.js		
remotegui.zip: momentjs.jar: fr-ch.js		
remotegui.zip: momentjs.jar: fr.js		
remotegui.zip: momentjs.jar: fy.js		
remotegui.zip: momentjs.jar: ga.js		
remotegui.zip: momentjs.jar: gd.js		
remotegui.zip: momentjs.jar: gl.js		
remotegui.zip: momentjs.jar: gom-deva.js		
remotegui.zip: momentjs.jar: gom-latn.js		
remotegui.zip: momentjs.jar: gu.js		

[remotegui.zip: momentjs.jar: he.js](#)

[remotegui.zip: momentjs.jar: hi.js](#)

[remotegui.zip: momentjs.jar: hr.js](#)

[remotegui.zip: momentjs.jar: hu.js](#)

[remotegui.zip: momentjs.jar: hy-am.js](#)

[remotegui.zip: momentjs.jar: id.js](#)

[remotegui.zip: momentjs.jar: is.js](#)

[remotegui.zip: momentjs.jar: it-ch.js](#)

[remotegui.zip: momentjs.jar: it.js](#)

[remotegui.zip: momentjs.jar: ja.js](#)

[remotegui.zip: momentjs.jar: jv.js](#)

[remotegui.zip: momentjs.jar: ka.js](#)

[remotegui.zip: momentjs.jar: kk.js](#)

[remotegui.zip: momentjs.jar: km.js](#)

[remotegui.zip: momentjs.jar: kn.js](#)

[remotegui.zip: momentjs.jar: ko.js](#)

[remotegui.zip: momentjs.jar: ku.js](#)

[remotegui.zip: momentjs.jar: ky.js](#)

[remotegui.zip: momentjs.jar: lb.js](#)

[remotegui.zip: momentjs.jar: lo.js](#)

[remotegui.zip: momentjs.jar: locales.js](#)

[remotegui.zip: momentjs.jar: locales.min.js](#)

[remotegui.zip: momentjs.jar: lt.js](#)

[remotegui.zip: momentjs.jar: lv.js](#)

[remotegui.zip: momentjs.jar: me.js](#)

[remotegui.zip: momentjs.jar: mi.js](#)

[remotegui.zip: momentjs.jar: mk.js](#)

[remotegui.zip: momentjs.jar: ml.js](#)

[remotegui.zip: momentjs.jar: mn.js](#)

[remotegui.zip: momentjs.jar: moment-with-locales.js](#)

[remotegui.zip: momentjs.jar: moment-with-locales.min.js](#)

[remotegui.zip: momentjs.jar: moment.js](#)

[remotegui.zip: momentjs.jar: moment.min.js](#)

[remotegui.zip: momentjs.jar: mr.js](#)

[remotegui.zip: momentjs.jar: ms-my.js](#)

remotegui.zip: momentjs.jar: ms.js		
remotegui.zip: momentjs.jar: mt.js		
remotegui.zip: momentjs.jar: my.js		
remotegui.zip: momentjs.jar: nb.js		
remotegui.zip: momentjs.jar: ne.js		
remotegui.zip: momentjs.jar: nl-be.js		
remotegui.zip: momentjs.jar: nl.js		
remotegui.zip: momentjs.jar: nn.js		
remotegui.zip: momentjs.jar: oc-lnc.js		
remotegui.zip: momentjs.jar: pa-in.js		
remotegui.zip: momentjs.jar: package.js		
remotegui.zip: momentjs.jar: package.json		
remotegui.zip: momentjs.jar: pl.js		
remotegui.zip: momentjs.jar: pt-br.js		
remotegui.zip: momentjs.jar: pt.js		
remotegui.zip: momentjs.jar: ro.js		
remotegui.zip: momentjs.jar: ru.js		
remotegui.zip: momentjs.jar: sd.js		
remotegui.zip: momentjs.jar: se.js		
remotegui.zip: momentjs.jar: si.js		
remotegui.zip: momentjs.jar: sk.js		
remotegui.zip: momentjs.jar: sl.js		
remotegui.zip: momentjs.jar: sq.js		
remotegui.zip: momentjs.jar: sr-cyrl.js		
remotegui.zip: momentjs.jar: sr.js		
remotegui.zip: momentjs.jar: ss.js		
remotegui.zip: momentjs.jar: sv.js		
remotegui.zip: momentjs.jar: sw.js		
remotegui.zip: momentjs.jar: ta.js		
remotegui.zip: momentjs.jar: te.js		
remotegui.zip: momentjs.jar: tests.js		
remotegui.zip: momentjs.jar: tet.js		
remotegui.zip: momentjs.jar: tg.js		
remotegui.zip: momentjs.jar: th.js		
remotegui.zip: momentjs.jar: tk.js		

[remotegui.zip: momentjs.jar: tl-ph.js](#)

[remotegui.zip: momentjs.jar: tlh.js](#)

[remotegui.zip: momentjs.jar: tr.js](#)

[remotegui.zip: momentjs.jar: tzl.js](#)

[remotegui.zip: momentjs.jar: tzm-latn.js](#)

[remotegui.zip: momentjs.jar: tzm.js](#)

[remotegui.zip: momentjs.jar: ug-cn.js](#)

[remotegui.zip: momentjs.jar: uk.js](#)

[remotegui.zip: momentjs.jar: ur.js](#)

[remotegui.zip: momentjs.jar: uz-latn.js](#)

[remotegui.zip: momentjs.jar: uz.js](#)

[remotegui.zip: momentjs.jar: vi.js](#)

[remotegui.zip: momentjs.jar: webjars-requirejs.js](#)

[remotegui.zip: momentjs.jar: x-pseudo.js](#)

[remotegui.zip: momentjs.jar: yo.js](#)

[remotegui.zip: momentjs.jar: zh-cn.js](#)

[remotegui.zip: momentjs.jar: zh-hk.js](#)

[remotegui.zip: momentjs.jar: zh-mo.js](#)

[remotegui.zip: momentjs.jar: zh-tw.js](#)

[remotegui.zip: remotegui.jar](#)

[remotegui.zip: remotegui.jar: angular-websocket.js](#)

[remotegui.zip: remotegui.jar: app.js](#)

[remotegui.zip: remotegui.jar: app.js](#)

[remotegui.zip: remotegui.jar: app.js](#)

[remotegui.zip: remotegui.jar: app.js](#)

[remotegui.zip: remotegui.jar: appbadge.service.js](#)

[remotegui.zip: remotegui.jar: authInterceptor.service.js](#)

[remotegui.zip: remotegui.jar: avatarcard.directive.js](#)

[remotegui.zip: remotegui.jar: avatardetails.directive.js](#)

[remotegui.zip: remotegui.jar: avatarimage.directive.js](#)

[remotegui.zip: remotegui.jar: avatarimagedetails.directive.js](#)

[remotegui.zip: remotegui.jar: basic.js](#)

[remotegui.zip: remotegui.jar: bootstrap-colorpicker.js](#)

[remotegui.zip: remotegui.jar: bootstrap-datetimepicker.js](#)

remotegui.zip: remotegui.jar: browsercheck.js		
remotegui.zip: remotegui.jar: changeavatar.js		
remotegui.zip: remotegui.jar: changeavatarcontroller.controller.js		
remotegui.zip: remotegui.jar: changeavatarservice.service.js		
remotegui.zip: remotegui.jar: clearreports.controller.js		
remotegui.zip: remotegui.jar: collapse.directive.js		
remotegui.zip: remotegui.jar: colorPicker.directive.js		
remotegui.zip: remotegui.jar: connectionstate.js		
remotegui.zip: remotegui.jar: controller.js		
remotegui.zip: remotegui.jar: controller.js		
remotegui.zip: remotegui.jar: controller.js		
remotegui.zip: remotegui.jar: controllerAbout.js		
remotegui.zip: remotegui.jar: controllerShortcuts.controller.js		
remotegui.zip: remotegui.jar: controllerUserTheme.controller.js		
remotegui.zip: remotegui.jar: controllers.js		
remotegui.zip: remotegui.jar: controllers.js		
remotegui.zip: remotegui.jar: controllers.js		
remotegui.zip: remotegui.jar: controllers.js		
remotegui.zip: remotegui.jar: controllers.js		
remotegui.zip: remotegui.jar: controllers.js		
remotegui.zip: remotegui.jar: controllers.js		
remotegui.zip: remotegui.jar: controllers.js		
remotegui.zip: remotegui.jar: currencyNumber.directive.js		
remotegui.zip: remotegui.jar: currencyValidator.directive.js		
remotegui.zip: remotegui.jar: customEmojiUploadConfigItemRenderer.directive.js		
remotegui.zip: remotegui.jar: customEmojiUploadConfigRenderer.directive.js		
remotegui.zip: remotegui.jar: customemojiupload.js		
remotegui.zip: remotegui.jar: data-test.js		
remotegui.zip: remotegui.jar: dataservice.js		
remotegui.zip: remotegui.jar: dataservice.service.js		
remotegui.zip: remotegui.jar: datepicker-de.js		

remotegui.zip: remotegui.jar: debug.directive.js		
remotegui.zip: remotegui.jar: dialogservice.service.js		
remotegui.zip: remotegui.jar: directives.js		
remotegui.zip: remotegui.jar: dropdown.directive.js		
remotegui.zip: remotegui.jar: emojiModel.service.js		
remotegui.zip: remotegui.jar: emojiselector.directive.js		
remotegui.zip: remotegui.jar: errorservice.js		
remotegui.zip: remotegui.jar: errorservice.service.js		
remotegui.zip: remotegui.jar: eventemitter.js		
remotegui.zip: remotegui.jar: filechooser.service.js		
remotegui.zip: remotegui.jar: fixNumber.directive.js		
remotegui.zip: remotegui.jar: fixNumberValidator.directive.js		
remotegui.zip: remotegui.jar: floatNumber.directive.js		
remotegui.zip: remotegui.jar: floatNumberValidator.directive.js		
remotegui.zip: remotegui.jar: globalactionservice.service.js		
remotegui.zip: remotegui.jar: hdField.directive.js		
remotegui.zip: remotegui.jar: hdMandatory.directive.js		
remotegui.zip: remotegui.jar: hdNeedchange.directive.js		
remotegui.zip: remotegui.jar: hdValidate.directive.js		
remotegui.zip: remotegui.jar: hdattachment.js		
remotegui.zip: remotegui.jar: hdfileupload.js		
remotegui.zip: remotegui.jar: hsimp.min.js		
remotegui.zip: remotegui.jar: hsimp.renderer.js		
remotegui.zip: remotegui.jar: html5modeurls.js		
remotegui.zip: remotegui.jar: htmleditor.directive.js		
remotegui.zip: remotegui.jar: htmleditorFactory.service.js		
remotegui.zip: remotegui.jar: htmleditorModel.service.js		
remotegui.zip: remotegui.jar: icons.js		
remotegui.zip: remotegui.jar: indexed-db.js		
remotegui.zip: remotegui.jar: initUsernameField.directive.js		
remotegui.zip: remotegui.jar: introduction.js		
remotegui.zip: remotegui.jar: jquery.fileupload.js		

remotegui.zip: remotegui.jar: keyservice.service.js		
remotegui.zip: remotegui.jar: kytos-attribute.js		
remotegui.zip: remotegui.jar: kytos-data.js		
remotegui.zip: remotegui.jar: kytos-dropdown.js		
remotegui.zip: remotegui.jar: kytos-element.js		
remotegui.zip: remotegui.jar: kytos-i18n-placeholder.js		
remotegui.zip: remotegui.jar: kytos-i18n.js		
remotegui.zip: remotegui.jar: kytos-on.js		
remotegui.zip: remotegui.jar: kytos-repeat.js		
remotegui.zip: remotegui.jar: kytos-src.js		
remotegui.zip: remotegui.jar: kytos.js		
remotegui.zip: remotegui.jar: localfilesystem.service.js		
remotegui.zip: remotegui.jar: locationservice.service.js		
remotegui.zip: remotegui.jar: modal.directive.js		
remotegui.zip: remotegui.jar: modalservice.service.js		
remotegui.zip: remotegui.jar: moduledragdrop.js		
remotegui.zip: remotegui.jar: my-test.js		
remotegui.zip: remotegui.jar: navtaboverflow.directive.js		
remotegui.zip: remotegui.jar: ng-hugerte.js		
remotegui.zip: remotegui.jar: ng-i18n.js		
remotegui.zip: remotegui.jar: numberUtil.js		
remotegui.zip: remotegui.jar: numberValidatorUtil.factory.js		
remotegui.zip: remotegui.jar: ocLazyLoad.jsloader.js		
remotegui.zip: remotegui.jar: ocLazyLoad.min.js		
remotegui.zip: remotegui.jar: pageablenavbaractiondropdown.directive.js		
remotegui.zip: remotegui.jar: paged.filter.js		
remotegui.zip: remotegui.jar: pagination.directive.js		
remotegui.zip: remotegui.jar: piechart.directive.js		
remotegui.zip: remotegui.jar: popover.js		
remotegui.zip: remotegui.jar: pwa-service-worker.js		
remotegui.zip: remotegui.jar: pwa.js		
remotegui.zip: remotegui.jar: qrcode.min.js		
remotegui.zip: remotegui.jar: rangeSlider.directive.js		
remotegui.zip: remotegui.jar: resizableDivider.js		

remotegui.zip: remotegui.jar: scrollabledropdownmenu.directive.js		
remotegui.zip: remotegui.jar: search-panel.js		
remotegui.zip: remotegui.jar: selectInput.directive.js		
remotegui.zip: remotegui.jar: shadowLogger.factory.js		
remotegui.zip: remotegui.jar: sidenavigation.js		
remotegui.zip: remotegui.jar: takeoutDataController.controller.js		
remotegui.zip: remotegui.jar: takeoutDataFactory.factory.js		
remotegui.zip: remotegui.jar: takeoutDataModel.service.js		
remotegui.zip: remotegui.jar: timeInput.directive.js		
remotegui.zip: remotegui.jar: timeInputContainer.directive.js		
remotegui.zip: remotegui.jar: timeMeridiemContainer.directive.js		
remotegui.zip: remotegui.jar: toastservice.js		
remotegui.zip: remotegui.jar: translate.js		
remotegui.zip: remotegui.jar: unitFixNumber.directive.js		
remotegui.zip: remotegui.jar: unitFloatNumber.directive.js		
remotegui.zip: remotegui.jar: userservice.js		
remotegui.zip: remotegui.jar: usersorgroupsselection.js		
remotegui.zip: remotegui.jar: usestrict.js		
remotegui.zip: remotegui.jar: websitedownload.renderer.js		
remotegui.zip: remotegui.jar: websocketdataservice.js		
remotegui.zip: remotegui.jar: websocketkeepaliveworker.js		
remotegui.zip: remotegui.jar: windowdatastore.js		
remotegui.zip: twemoji.jar		pkg:maven/lib/twemoji-null@1.0
reporting.zip: jcommon.jar		pkg:maven/org.jfree/jcommon@1.0.24
reporting.zip: jfreechartCC.jar		
reporting.zip: reporting-javadoc.jar		
reporting.zip: reporting-javadoc.jar: member-search-index.js		

[reporting.zip: reporting-javadoc.jar: package-search-index.js](#)

[reporting.zip: reporting-javadoc.jar: type-search-index.js](#)

[reporting.zip: reporting.jar](#)

[reporting.zip: reporting.jar: events.js](#)

[reporting.zip: reporting.jar: export.js](#)

[reporting.zip: reporting.jar: functions.js](#)

[reporting.zip: reporting.jar: generator.js](#)

[reporting.zip: reporting.jar: grouptree.js](#)

[reporting.zip: reporting.jar: htmlreportextension.js](#)

[reporting.zip: reporting.jar: jstorage.js](#)

[reporting.zip: reporting.jar: keylistener.js](#)

[reporting.zip: reporting.jar: menubar.js](#)

[reporting.zip: reporting.jar: page.js](#)

[reporting.zip: reporting.jar: pagecount.js](#)

[reporting.zip: reporting.jar: popup.js](#)

[reporting.zip: reporting.jar: print.js](#)

[reporting.zip: reporting.jar: prompts.js](#)

[reporting.zip: reporting.jar: prototype.array.js](#)

[reporting.zip: reporting.jar: prototype.element.js](#)

[reporting.zip: reporting.jar: prototype.string.js](#)

[reporting.zip: reporting.jar: renderreportextension.js](#)

[reporting.zip: reporting.jar: reorder.js](#)

[reporting.zip: reporting.jar: report.export.js](#)

[reporting.zip: reporting.jar: report.exportdialog.controller.js](#)

[reporting.zip: reporting.jar: report.exportdialog.service.js](#)

[reporting.zip: reporting.jar: report.exportframe.js](#)

[reporting.zip: reporting.jar: script.js](#)

[reporting.zip: reporting.jar: search.js](#)

[reporting.zip: reporting.jar: serverping.js](#)

[reporting.zip: reporting.jar: stacktrace.js](#)

[reporting.zip: reporting.jar: tabbar.js](#)

[sampleapplication.js](#)

[search-worker.js](#)

security.zip: security.jar		
setuplauncher.jar		
slf4j-api-2.0.16.jar		pkg:maven/org.slf4j/slf4j-api@2.0.16
taskplanner.logaction.sample.zip: taskplanner.logaction.sample.jar		
taskplanner.openweathermap.sample.zip: taskplanner.openweathermap.sample.jar		
taskplanner.pdfc.zip: taskplanner.pdfc.jar	cpe:2.3:a:inetsoftware:pdfc:25.10.219:*****	
taskplanner.zip: commons-cli.jar		pkg:maven/commons-cli/commons-cli@1.9.0
taskplanner.zip: cron-utils.jar	cpe:2.3:a:cron-utils_project:cron-utils:9.2.1:***** cpe:2.3:a:utils_project:utils:9.2.1:***** ***	pkg:maven/com.cronutils/cron-utils@9.2.1
taskplanner.zip: taskplanner-javadoc.jar		
taskplanner.zip: taskplanner-javadoc.jar: member-search-index.js		
taskplanner.zip: taskplanner-javadoc.jar: package-search-index.js		
taskplanner.zip: taskplanner-javadoc.jar: type-search-index.js		
taskplanner.zip: taskplanner.jar		
taskplanner.zip: taskplanner.jar: app.js		
taskplanner.zip: taskplanner.jar: boolean.directive.js		
taskplanner.zip: taskplanner.jar: colorField.directive.js		
taskplanner.zip: taskplanner.jar: controller.js		
taskplanner.zip: taskplanner.jar: factory.js		
taskplanner.zip: taskplanner.jar: filechooserAddonButton.directive.js		
taskplanner.zip: taskplanner.jar: model.js		
taskplanner.zip: taskplanner.jar: numberRange.directive.js		
taskplanner.zip: taskplanner.jar: numberWrapper.directive.js		
taskplanner.zip: taskplanner.jar: passwordTextField.directive.js		
taskplanner.zip: taskplanner.jar: renderer.directive.js		
taskplanner.zip: taskplanner.jar: simpleCurrencyField.directive.js		

[taskplanner.zip: taskplanner.jar: simpleDateTimeField.directive.js](#)

[taskplanner.zip: taskplanner.jar: simpleFileFolderField.directive.js](#)

[taskplanner.zip: taskplanner.jar: simpleGroup.directive.js](#)

[taskplanner.zip: taskplanner.jar: simpleLabel.directive.js](#)

[taskplanner.zip: taskplanner.jar: simpleLink.directive.js](#)

[taskplanner.zip: taskplanner.jar: simpleSelect.directive.js](#)

[taskplanner.zip: taskplanner.jar: simpleTextField.directive.js](#)

[taskplanner.zip: taskplanner.jar: stringTable.directive.js](#)

[taskplanner.zip: taskplanner.jar: taskplanner_maintenance.js](#)

[taskplanner.zip: taskplanner.jar: textAreaField.directive.js](#)

[theme.zip: theme.jar](#)

[urlcookie.sample.zip: urlcookie.sample.jar](#)

[usersandgroupsmanager.zip: usersandgroupsmanager.jar](#)

[usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeAccountSettingsRenderer.directive.js](#)

[usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeBooleanRenderer.directive.js](#)

[usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeCommaSeparatedRenderer.directive.js](#)

[usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeCurrencyRenderer.directive.js](#)

[usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeDateRenderer.directive.js](#)

[usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeDoubleRenderer.directive.js](#)

[usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeHintRenderer.directive.js](#)

[usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeIntegerRenderer.directive.js](#)

[usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeLinkRenderer.directive.js](#)

directive.js		
usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeLoginsRenderer.directive.js		
usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeMembersRenderer.directive.js		
usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeMultilineRenderer.directive.js		
usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypePermissionRenderer.directive.js		
usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeSelectRenderer.directive.js		
usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeStayLoggedInSessionsRenderer.directive.js		
usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeStringListRenderer.directive.js		
usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeStringRenderer.directive.js		
usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeTimeRenderer.directive.js		
usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeTimerangeRenderer.directive.js		
usersandgroupsmanager.zip: usersandgroupsmanager.jar: membershipentry.directive.js		
usersandgroupsmanager.zip: usersandgroupsmanager.jar: membershiplist.directive.js		
usersandgroupsmanager.zip: usersandgroupsmanager.jar: nonmembershiplist.directive.js		
usersandgroupsmanager.zip: usersandgroupsmanager.jar: permissionCheckboxRenderer.directive.js		
usersandgroupsmanager.zip: usersandgroupsmanager.jar: permissionRadiobuttonRenderer.directive.js		
usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagercontroller.js		
usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdetailscontroller.js		

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdialogcontroller.js		
usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdirectives.js		
usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagereffectivepermissionscontroller.js		
usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerfactory.js		
usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagermodel.js		
usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerpredeletionwarning.js		
usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerrender.js		
usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerstatisticscontroller.js		
usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagertakeoutcontroller.js		
webapi.core.zip: swagger-models.jar	cpe:2.3:a:http-swagger_project:http-swagger:2.2.27:::*****	pkg:maven/io.swagger.core.v3/swagger-models@2.2.27
webapi.core.zip: webapi.core.jar		
webapi.core.zip: webapi.core.jar: shared.factory.js		
webapi.core.zip: webapi.core.jar: webapi.codemirror.js		
webapi.core.zip: webapi.core.jar: webapi.core.editor.js		
webapi.core.zip: webapi.core.jar: webapi.core.js		
webserver.defender.zip: webserver.defender.jar		
webserver.zip: acme4j-client.jar		pkg:maven/org.shredzone.acme4j/acme4j-client@3.5.1
webserver.zip: jetty-websocket-core-client.jar	cpe:2.3:a:eclipse:jetty:12.1.2:::***** cpe:2.3:a:jetty:jetty:12.1.2:::***** cpe:2.3:a:mortbay_jetty:jetty:12.1.2:::*****	pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-client@12.1.2
webserver.zip: jetty-websocket-core-server.jar	cpe:2.3:a:eclipse:jetty:12.1.2:::***** cpe:2.3:a:jetty:jetty:12.1.2:::***** cpe:2.3:a:jetty:http_server:12.1.2:	pkg:maven/org.eclipse.jetty.websocket/jetty-

	***** cpe:2.3:a:mortbay_jetty:jetty:12.1.2:*:* *****	websocket-core-server@12.1.2
webserver.zip: jose4j.jar	cpe:2.3:a:jose4j_project:jose4j:0.9.6:*:* *****	pkg:maven/org.bitbucket.b_c/jose4j@0.9.6
webserver.zip: webserver.jar		

Dependencies (vulnerable)

Merlia-0.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/lib/Merlia/0

/e4af937135679cc07f99529ee7ca127519bd3a06/Merlia-0.jar

MD5: 3eb81fb3cc977f1a3eb1fb26b2b38666

SHA1: e4af937135679cc07f99529ee7ca127519bd3a06

SHA256: b1d1878d936c27b010e6f3c123d8d7f2f7f6960a53e5b01b1b1c3d104c29b0a8

Referenced In Project/Scope: server:inetPlugin

Included by: pkg:maven/pdfc/server@25.10

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	Merlia-0	High
Vendor	gradle	artifactid	Merlia	Highest
Vendor	gradle	groupid	lib	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	tds	Low
Product	file	name	Merlia-0	High
Product	gradle	artifactid	Merlia	Highest
Product	jar	package name	tds	Low
Version	file	name	Merlia-0	Medium
Version	file	version	0	Medium
Version	gradle	version	0	Highest
Version	Manifest	driver-version	8.13	Medium

Identifiers

- [pkg:maven/lib/Merlia@0](#) (*Confidence*:Highest)

PDFCNUUnit.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC NUnit/net4.5/PDFCNUUnit.dll

MD5: 6c15ec4172bb9c4a3eadbc5392c21d69

SHA1: b3b632dce59b9b2824b445444f74895ae8de5e3c

SHA256: 8417ceb306c4d9ca9687e934651ae600aebfa583cfe34dbcd9966c483eae0509

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	PDFCNUUnit	High
Product	file	name	PDFCNUUnit	High

Identifiers

- None

PDFCNUUnit.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC NUnit/net5.0/PDFCNUUnit.dll

MD5: 9c1b9bae36863c90f9ac52b4bda8b8b2

SHA1: b53f06e804d982bbc8c3d68af46a8d17be5d6a87

SHA256: 7432942f175602f29d470a70a3ef581d40f978700b8d9dd7defdbeb025483f54

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	PDFCNUUnit	High
Product	file	name	PDFCNUUnit	High

Identifiers

- None

PDFCNUUnit.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC NUnit/netcore3.1/PDFCUnit.dll
MD5: 20774451d344e34678abe7898b760486
SHA1: d1aa9ee9c62fa162e2e8e480f1c915fb6be6ed70
SHA256:f34281855d5185bc87148f1d4ae416ce6838c0e9602dce3d12367133da89f328
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	PDFCUnit	High
Product	file	name	PDFCUnit	High

Identifiers

- None

analysis.language.zip: analysis.language.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/analysis.language.zip/analysis.language.jar
MD5: 74b4a629a27e0d5972b5f91ee6e5bbfd
SHA1: e22f0ffa441a5911585daf4f3b45860b3453e515
SHA256:ab6d4701eec76af4cf6423dd163fbe9eebf5d16ab5bd9e85e4737534363066cc
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	analysis.language	High
Vendor	jar	package name	analysis	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-10-22 20:20	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-	i-net software	High

		Vendor		
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	analysis.language	High
Product	jar	package name	analysis	Highest
Product	jar	package name	analysis	Low
Product	jar	package name	language	Highest
Product	jar	package name	language	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-10-22 20:20	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	analysis.language	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	analysis.language	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.10.219:*:*:*:*:* (Confidence:Low)

suppress

analysis.language.zip: guava.jar

Description:

Guava is a suite of core and expanded libraries that include utility classes, Google's collections, I/O classes, and much more.

License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/analysis.language.zip/guava.jar

MD5: 72920caab34426c5815e3b00f80e3b01

SHA1: e70a3268e6cd3e7d458aa15787ce6811c34e96ae

SHA256: f3d7f57f67fd622f4d468dfdd692b3a5e3909246c28017ac3263405f0fe617ed

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	guava	High
Vendor	jar	package name	google	Highest
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	https://github.com/google/guava/	Low
Vendor	Manifest	bundle-symbolicname	com.google.guava	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	pom	artifactid	guava	Low
Vendor	pom	groupid	com.google.guava	Highest
Vendor	pom	name	Guava: Google Core Libraries for Java	High
Vendor	pom	parent-artifactid	guava-parent	Low
Vendor	pom	url	google/guava	Highest
Product	file	name	guava	High
Product	jar	package name	google	Highest
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	https://github.com/google/guava/	Low
Product	Manifest	Bundle-Name	Guava: Google Core Libraries for Java	Medium
Product	Manifest	bundle-symbolicname	com.google.guava	Medium
Product	Manifest	multi-release	true	Low
Product	pom	artifactid	guava	Highest

Product	pom	groupid	com.google.guava	Highest
Product	pom	name	Guava: Google Core Libraries for Java	High
Product	pom	parent-artifactid	guava-parent	Medium
Product	pom	url	google/guava	High
Version	pom	version	33.4.8-jre	Highest

Related Dependencies

- taskplanner.zip: guava.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/guava.jar
 - MD5: 72920caab34426c5815e3b00f80e3b01
 - SHA1: e70a3268e6cd3e7d458aa15787ce6811c34e96ae
 - SHA256: f3d7f57f67fd622f4d468dfdd692b3a5e3909246c28017ac3263405f0fe617ed
 - [pkg:maven/com.google.guava/guava@33.4.8-jre](https://mvnrepository.com/artifact/com.google.guava/guava/33.4.8-jre)

Identifiers

- [pkg:maven/com.google.guava/guava@33.4.8-jre](https://mvnrepository.com/artifact/com.google.guava/guava/33.4.8-jre) (*Confidence:High*)
- [cpe:2.3:a:google:guava:33.4.8:*:*:*:*](https://cpe.mitre.org/cpe/2.3/a/google/guava/33.4.8/*:*:*:*:*:*) (*Confidence:Highest*) suppress

analysis.language.zip: jsonic.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/analysis.language.zip/jsonic.jar

MD5: 504496d0069da0121c059c219147e90c

SHA1: 98e8a1f25aa40ed92ff2ecca4d1301d48b552452

SHA256: 150e3ac24b103cb0cd50595018dbe3c8ba4b3dee81a76eb4b987607f96e9602b

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jsonic	High
Vendor	jar	package name	arnx	Low
Vendor	jar	package name	jsonic	Low
Vendor	jar	package name	net	Low
Product	file	name	jsonic	High
Product	jar	package name	arnx	Low
Product	jar	package name	jsonic	Low

Identifiers

- None

analysis.language.zip: language-detector.jar

Description:

Language Detection Library for Java.

License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/analysis.language.zip/language-detector.jar

MD5: e5475d5cabd54e5ddf6428d63864888f

SHA1: 52fee1eaa101f8d3e30b7095e1b6e0054d514dde

SHA256: f53ecc3d71da9ebc82edd10fb35638d32e8b9d849273dd717a021eca02f2278d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	language-detector	High
Vendor	jar	package name	langdetect	Low
Vendor	jar	package name	languagedetector	Highest
Vendor	jar	package name	optimaize	Highest
Vendor	jar	package name	optimaize	Low
Vendor	pom	artifactid	language-detector	Low
Vendor	pom	developer name	Fabian Kessler	Medium
Vendor	pom	developer name	François ROLAND	Medium
Vendor	pom	developer name	Nakatani Shuyo	Medium
Vendor	pom	developer name	Robert Theis	Medium
Vendor	pom	groupid	com.optimaize.languagedetector	Highest
Vendor	pom	name	language-detector	High
Vendor	pom	url	optimaize/language-detector	Highest
Product	file	name	language-detector	High
Product	jar	package name	langdetect	Low
Product	jar	package name	languagedetector	Highest

Product	jar	package name	optimaize	Highest
Product	pom	artifactid	language-detector	Highest
Product	pom	developer name	Fabian Kessler	Low
Product	pom	developer name	François ROLAND	Low
Product	pom	developer name	Nakatani Shuyo	Low
Product	pom	developer name	Robert Theis	Low
Product	pom	groupid	com.optimaize.languagedetector	Highest
Product	pom	name	language-detector	High
Product	pom	url	optimaize/language-detector	High
Version	pom	version	0.6	Highest

Identifiers

- <pkg:maven/com.optimaize.languagedetector/language-detector@0.6> (*Confidence:High*)

annotations-3.0.1.jar (shaded: com.google.code.findbugs:jsr305:3.0.1)

Description:

JSR305 Annotations for Findbugs

License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/com.google.code.findbugs/annotations/3.0.1/fc019a2216218990d64dfe756e7aa20f0069dea2/annotations-3.0.1.jar/META-INF/maven/com.google.code.findbugs/jsr305/pom.xml

MD5: d08567d16867a0b79bc8149683918452

SHA1: d04690f71f3393e23f30998d9534365274fa5f9f

SHA256: 4170a761dc5bfd3981a8e6f7aab9e2acdce82d34fd5aa9bb11e3c090d25314ce

Referenced In Project/Scope: server:inetPlugin

Evidence



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	jsr305	Low
Vendor	pom	groupid	com.google.code.findbugs	Highest
Vendor	pom	name	FindBugs-jsr305	High
Vendor	pom	url	http://findbugs.sourceforge.net/	Highest
Product	pom	artifactid	jsr305	Highest

Product	pom	groupid	com.google.code.findbugs	Highest
Product	pom	name	FindBugs-jsr305	High
Product	pom	url	http://findbugs.sourceforge.net/	Medium
Version	pom	version	3.0.1	Highest

Identifiers

- <pkg:maven/com.google.code.findbugs/jsr305@3.0.1> (*Confidence:High*)

annotations-3.0.1.jar

Description:

Annotation the FindBugs tool supports

License:

GNU Lesser Public License: <http://www.gnu.org/licenses/lgpl.html>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/com.google.code.findbugs/annotations/3.0.1/fc019a2218990d64dfe756e7aa20f0069dea2/annotations-3.0.1.jar

MD5: fc4f102f22ba4f1df3f1d7cc6b202152

SHA1: fc019a2218990d64dfe756e7aa20f0069dea2

SHA256: 6b47ff0a6de0ce17cbcdc3abb0828ca5bce3009d53ea47b3723ff023c4742f79

Referenced In Project/Scope: server:inetPlugin

Included by: pkg:maven/de.inetsoftware/jlessc@1.14

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	annotations	High
Vendor	gradle	artifactid	annotations	Highest
Vendor	gradle	groupid	com.google.code.findbugs	Highest
Vendor	jar	package name	annotation	Highest
Vendor	jar	package name	annotations	Highest
Vendor	jar	package name	findbugs	Highest
Vendor	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Vendor	Manifest	bundle-symbolicname	findbugsAnnotations	Medium
Vendor	pom	artifactid	annotations	Low
Vendor	pom	developer email	Loskutov@gmx.de	Low
Vendor	pom	developer email	pugh at cs.umd.edu	Low

Vendor	pom	developer id	al	Medium
Vendor	pom	developer id	bp	Medium
Vendor	pom	developer name	Andrey Loskutov	Medium
Vendor	pom	developer name	Bill Pugh	Medium
Vendor	pom	developer name	Keith Lea	Medium
Vendor	pom	groupid	com.google.code.findbugs	Highest
Vendor	pom	name	FindBugs-Annotations	High
Vendor	pom	url	http://findbugs.sourceforge.net/	Highest
Product	file	name	annotations	High
Product	gradle	artifactid	annotations	Highest
Product	jar	package name	annotation	Highest
Product	jar	package name	annotations	Highest
Product	jar	package name	findbugs	Highest
Product	Manifest	Bundle-Name	FindBugs-Annotations	Medium
Product	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Product	Manifest	bundle-symbolicname	findbugsAnnotations	Medium
Product	pom	artifactid	annotations	Highest
Product	pom	developer email	Loskutov@gmx.de	Low
Product	pom	developer email	pugh at cs.umd.edu	Low
Product	pom	developer id	al	Low
Product	pom	developer id	bp	Low
Product	pom	developer name	Andrey Loskutov	Low
Product	pom	developer name	Bill Pugh	Low
Product	pom	developer name	Keith Lea	Low
Product	pom	groupid	com.google.code.findbugs	Highest
Product	pom	name	FindBugs-Annotations	High
Product	pom	url	http://findbugs.sourceforge.net/	Medium
Version	file	version	3.0.1	High
Version	gradle	version	3.0.1	Highest
Version	Manifest	Bundle-Version	3.0.1	High
Version	pom	version	3.0.1	Highest

Identifiers

- pkg:maven/com.google.code.findbugs/annotations@3.0.1 (Confidence:High)

application.currenttime.sample.zip: application.currenttime.sample.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/CurrentTimePlugin/application.currenttime.sample.zip/application.currenttime.sample.jar
MD5: c3be46c8818f27c51c4cb0e5c0a50a23
SHA1: 99b5a8d7b7cef433498880b87c540eb06b336955
SHA256: 7b0dde62255368eba3f4bcea4715ac2e47f063ec81e66f709ed071e8a76694ff
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	application.currenttime.sample	High
Vendor	jar	package name	application	Low
Vendor	jar	package name	currenttime	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2025-10-22 17:24	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	application.currenttime.sample	High
Product	jar	package name	application	Highest
Product	jar	package name	application	Low
Product	jar	package name	currenttime	Highest
Product	jar	package name	currenttime	Low
Product	Manifest	built-date	2025-10-22 17:24	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	application.currenttime.sample	High
Product	Manifest	specification-title	application.currenttime.sample	Medium
Version	Manifest	Implementation-	25.10.219	High

Version

Identifiers

- None

application.currenttime.sample.zip: application.currenttime.sample.jar: sampleapplication.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/CurrentTimePlugin/application.currenttime.sample.zip/application.currenttime.sample.jar/com/inet/application/currenttime/sampleapplication.js

MD5: a3910ea7b1fdb6e9f0ae2807b1bce25

SHA1: 19e674ef9827646b616d4e421a0ecd41238c90e8

SHA256: 388c312835e10d79f36784aea686e74b6379a3f54c0d3795d69868561dfae038

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

application.embedded.sample.zip: application.embedded.sample.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/Embedded/application.embedded.sample.zip/application.embedded.sample.jar

MD5: a0060250a52d2b56400f0fe285462226

SHA1: 0bab1b1e9e7e1b75fa0090e25544caf5c6d22eae

SHA256: bcf57db7ab8107f1e049b4dcd61064d368616fe8a8b38c3158fc9f0291fcd25

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	application.embedded.sample	High
--------	------	------	-----------------------------	------

Vendor	jar	package name	application	Low
--------	-----	--------------	-------------	-----

Vendor	jar	package name	embedded	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2025-10-22 17:24	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	application.embedded.sample	High
Product	jar	package name	application	Highest
Product	jar	package name	application	Low
Product	jar	package name	embedded	Highest
Product	jar	package name	embedded	Low
Product	jar	package name	embeddedserverplugin	Low
Product	Manifest	built-date	2025-10-22 17:24	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	application.embedded.sample	High
Product	Manifest	specification-title	application.embedded.sample	Medium
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- None

application.embedded.sample.zip: application.embedded.sample.jar: embeddedMode.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/Embedded/application.embedded.sample.zip/application.embedded.sample.jar/com/inet/application/embedded/webgui/embeddedMode.js
MD5: 629060ea8d8f25c979c25d7070a1e6d5

SHA1: 67b65682b95eb6398d4800b26ebbe112fb4633d6
SHA256:e658130c19572f14c548794df3b72a480190472f328f8bfd06a078b99d908d18
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

application.googleanalytics.sample.zip: application.googleanalytics.sample.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/application.googleanalytics.sample.zip/application.googleanalytics.sample.jar
MD5: f7a63c2357eed637d48cf7230163290
SHA1: 22d859b3803a3e466989e75da0d506a8a808880f
SHA256:5b95736403b87bdbab7875cdeaeae4792487020d1fbda5800c93d8c07afccf195
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	application.googleanalytics.sample	High
Vendor	jar	package name	application	Low
Vendor	jar	package name	googleanalytics	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2025-10-22 17:24	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	application.googleanalytics.sample	High
Product	jar	package name	application	Highest

Product	jar	package name	application	Low
Product	jar	package name	googleanalytics	Highest
Product	jar	package name	googleanalytics	Low
Product	Manifest	built-date	2025-10-22 17:24	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	application.googleanalytics.sample	High
Product	Manifest	specification-title	application.googleanalytics.sample	Medium
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- None

application.googleanalytics.sample.zip: application.googleanalytics.sample.jar: googleanalytics.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/application.googleanalytics.sample.zip/application.googleanalytics.sample.jar/com/inet/application/googleanalytics/client/js/googleanalytics.js

MD5: 2bcad1fb24d551b4fe04b4d73f7bfe35

SHA1: fc802523418fc05403a6a5c8e6142dcd469e17e4

SHA256: e338ff1f433e6cf428a20f2913fb03eea9ba9c7f9ca6c14f8e187f4f6ab56aec

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

application.googleanalytics.sample.zip: application.googleanalytics.sample.jar: jquery.cookiebar.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/application.googleanalytics.sample.zip/application.googleanalytics.sample.jar/com/inet/application/googleanalytics/client/js/jquery.cookiebar.js
MD5: f323a266f0d55dd8cdf8e65dcafb4175
SHA1: 0fec2371e38e6e6b7045d5bb59dbb6b8d2952d46
SHA256:a0b3af2e82f054e2076675d95716d19a1df707c0fc723f5360ef4cce1b0e02e9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

application.helloworld.sample.zip: application.helloworld.sample.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/HelloWorld/application.helloworld.sample.zip/application.helloworld.sample.jar
MD5: d0824dddcec016c2145f9676d4af9e04
SHA1: ed6b85b260bd9045af3361d503f12b2b71d9e5d8
SHA256:291cda3847ba780589a767ad9a36603eec2798c904076495e1fd966c64aba212
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	application.helloworld.sample	High
Vendor	jar	package name	application	Low
Vendor	jar	package name	helloworld	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2025-10-22 17:24	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium

Product	file	name	application.helloworld.sample	High
Product	jar	package name	application	Highest
Product	jar	package name	application	Low
Product	jar	package name	helloworld	Highest
Product	jar	package name	helloworld	Low
Product	Manifest	built-date	2025-10-22 17:24	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	application.helloworld.sample	High
Product	Manifest	specification-title	application.helloworld.sample	Medium
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- None

authentication.oauth.ex.sample.zip: authentication.oauth.ex.sample.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Authentication/OAuth/authentication.oauth.ex.sample.zip/authentication.oauth.ex.sample.jar

MD5: a8505d9bb657452f917ba159289c7a6a

SHA1: e73bdc6ff0e39b2828713fddf69ee193d057edb6

SHA256: 2be570170e9b0f892313ff58915705fdeee24d5a01ea751bdeed85309a98a8af

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.oauth.ex.sample	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	oauth	Low
Vendor	Manifest	built-date	2025-10-22 17:24	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High

Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.oauth.ex.sample	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	ex	Highest
Product	jar	package name	ex	Low
Product	jar	package name	oauth	Highest
Product	jar	package name	oauth	Low
Product	Manifest	built-date	2025-10-22 17:24	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.oauth.ex.sample	High
Product	Manifest	specification-title	authentication.oauth.ex.sample	Medium
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- None

authentication.pam.zip: authentication.pam.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.pam.zip/authentication.pam.jar

MD5: 2e6a50ccd719d7ff395d6ac9ac82b63c

SHA1: b0fdac5e8863d930b1e0e7cd470f04d24a857e4a

SHA256: f3bcc21a8b05eddcdd6fe107d3e20c19328c61d9cbcfec85961f74d71b5c725c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.pam	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low

Vendor	jar	package name	pam	Low
Vendor	Manifest	built-date	2025-10-22 17:11	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.pam	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	libpam	Low
Product	jar	package name	pam	Highest
Product	jar	package name	pam	Low
Product	Manifest	built-date	2025-10-22 17:11	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.pam	High
Product	Manifest	specification-title	authentication.pam	Medium
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- None

authentication.pam.zip: jna.jar

Description:

JNA Library

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.pam.zip/jna.jar

MD5: 9bb1338e58031463c300f643cb3c41fa

SHA1: d9c6794f22c2e3c846b02d51c6a95c304e8e056b

SHA256: 336f2ae25222389eb9f3c90f8f7c3a6258c33581964b2338bf836b3b865b049e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jna	High
Vendor	jar	package name	jna	Highest
Vendor	jar	package name	jna	Low
Vendor	jar	package name	sun	Highest
Vendor	jar	package name	sun	Low
Vendor	jar (hint)	package name	oracle	Highest
Vendor	jar (hint)	package name	oracle	Low
Vendor	Manifest	automatic-module-name	com.sun.jna	Medium
Vendor	Manifest	bundle-activationpolicy	lazy	Low
Vendor	Manifest	bundle-category	jni	Low
Vendor	Manifest	bundle-nativecode	com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win32, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win32, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64; osname=win32, com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64;osname=win, com/sun/jna/w32ce-arm/jnidispatch.dll; processor=arm;osname=wince, com/sun/jna/sunos-x86/libjnidispatch.so; processor=x86; osname=sunos, com/sun/jna/sunos-x86-64/libjnidispatch.so; processor=x86-64; osname=sunos, com/sun/jna/sunos-sparc/libjnidispatch.so; processor=sparc; osname=sunos, com/sun/jna/sunos-sparcv9/libjnidispatch.so; processor=sparcv9; osname=sunos, com/sun/jna/aix-ppc/libjnidispatch.a; processor=ppc; osname=aix, com/sun/jna/aix-ppc64/libjnidispatch.a; processor=ppc64; osname=aix, com/sun/jna/linux-ppc/libjnidispatch.so; processor=ppc; osname=linux, com/sun/jna/linux-ppc64/libjnidispatch.so; processor=ppc64; osname=linux, com/sun/jna/linux-ppc64le/libjnidispatch.so; processor=ppc64le; osname=linux, com/sun/jna/linux-x86/libjnidispatch.so; processor=x86; osname=linux, com/sun/jna/linux-x86-64/libjnidispatch.so; processor=x86-64;	Low

			osname=linux, com/sun/jna/linux-arm /libjnidispatch.so; processor=arm; osname=linux, com/sun/jna/linux-arm /libjnidispatch.so; processor=arm_le; osname=linux, com/sun/jna/linux-armel /libjnidispatch.so; processor=armel; osname=linux, com/sun/jna/linux-aarch64 /libjnidispatch.so; processor=aarch64; osname=linux, com/sun/jna/linux-ia64 /libjnidispatch.so; processor=ia64; osname=linux, com/sun/jna/linux-sparcv9 /libjnidispatch.so; processor=sparcv9; osname=linux, com/sun/jna/linux-mips64el /libjnidispatch.so; processor=mips64el; osname=linux, com/sun/jna/linux-s390x /libjnidispatch.so; processor=S390x; osname=linux, com/sun/jna/linux- loongarch64/libjnidispatch.so; processor=loongarch64;osname=linux, com /sun/jna/freebsd-x86/libjnidispatch.so; processor=x86;osname=freebsd, com/sun /jna/freebsd-x86-64/libjnidispatch.so; processor=x86-64;osname=freebsd, com /sun/jna/openbsd-x86/libjnidispatch.so; processor=x86;osname=openbsd, com/sun /jna/openbsd-x86-64/libjnidispatch.so; processor=x86-64;osname=openbsd, com /sun/jna/darwin-ppc/libjnidispatch.jnilib; osname=macosx;processor=ppc, com/sun /jna/darwin-ppc64/libjnidispatch.jnilib; osname=macosx;processor=ppc64, com/sun /jna/darwin-x86/libjnidispatch.jnilib; osname=macosx;processor=x86, com/sun /jna/darwin-x86-64/libjnidispatch.jnilib; osname=macosx;processor=x86-64, com /sun/jna/darwin-aarch64/libjnidispatch.jnilib; osname=macosx;processor=aarch64	
Vendor	Manifest	bundle- requiredexecution	JavaSE-1.6	Low
Vendor	Manifest	bundle- symbolicname	com.sun.jna	Medium
Vendor	Manifest	Implementation- Vendor	JNA Development Team	High
Vendor	Manifest	specification- vendor	JNA Development Team	Low
Product	file	name	jna	High
Product	jar	package name	jna	Highest
Product	jar	package name	jna	Low
Product	jar	package name	library	Highest
Product	jar	package name	native	Highest
Product	jar	package name	sun	Highest
Product	jar	package name	win32	Highest
Product	Manifest	automatic- module-name	com.sun.jna	Medium
Product	Manifest	bundle- activationpolicy	lazy	Low

Product	Manifest	bundle-category	jni	Low
Product	Manifest	Bundle-Name	jna	Medium
Product	Manifest	bundle-nativecode	com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win32, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win32, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64;osname=win32, com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64;osname=win, com/sun/jna/w32ce-arm/jnidispatch.dll; processor=arm;osname=wince, com/sun/jna/sunos-x86/libjnidispatch.so; processor=x86;osname=sunos, com/sun/jna/sunos-x86-64/libjnidispatch.so; processor=x86-64;osname=sunos, com/sun/jna/sunos-sparc/libjnidispatch.so; processor=sparc;osname=sunos, com/sun/jna/sunos-sparcv9/libjnidispatch.so; processor=sparcv9;osname=sunos, com/sun/jna/aix-ppc/libjnidispatch.a; processor=ppc;osname=aix, com/sun/jna/aix-ppc64/libjnidispatch.a; processor=ppc64;osname=aix, com/sun/jna/linux-ppc/libjnidispatch.so; processor=ppc;osname=linux, com/sun/jna/linux-ppc64/libjnidispatch.so; processor=ppc64;osname=linux, com/sun/jna/linux-ppc64le/libjnidispatch.so; processor=ppc64le;osname=linux, com/sun/jna/linux-x86/libjnidispatch.so; processor=x86;osname=linux, com/sun/jna/linux-x86-64/libjnidispatch.so; processor=x86-64;osname=linux, com/sun/jna/linux-arm/libjnidispatch.so; processor=arm;osname=linux, com/sun/jna/linux-arm/libjnidispatch.so; processor=arm_le;osname=linux, com/sun/jna/linux-armel/libjnidispatch.so; processor=armel;osname=linux, com/sun/jna/linux-aarch64/libjnidispatch.so; processor=aarch64;osname=linux, com/sun/jna/linux-ia64/libjnidispatch.so; processor=ia64;osname=linux, com/sun/jna/linux-sparcv9/libjnidispatch.so; processor=sparcv9;osname=linux, com/sun/jna/linux-mips64el/libjnidispatch.so; processor=mips64el;osname=linux, com/sun/jna/linux-s390x/libjnidispatch.so; processor=S390x;osname=linux, com/sun/jna/linux-loongarch64/libjnidispatch.so; processor=loongarch64;osname=linux, com/sun/jna/freebsd-x86/libjnidispatch.so; processor=x86;osname=freebsd, com/sun/jna/freebsd-x86-64/libjnidispatch.so; processor=x86-64;osname=freebsd, com/sun/jna/openbsd-x86/libjnidispatch.so; processor=x86;osname=openbsd, com/sun/jna/openbsd-x86-64/libjnidispatch.so; processor=x86-64;osname=openbsd, com/sun/jna/darwin-ppc/libjnidispatch.jnilib;osname=macosx;processor=ppc, com/sun	Low

			/jna/darwin-ppc64/libjnidispatch.jnilib; osname=macosx;processor=ppc64, com/sun /jna/darwin-x86/libjnidispatch.jnilib; osname=macosx;processor=x86, com/sun /jna/darwin-x86-64/libjnidispatch.jnilib; osname=macosx;processor=x86-64, com /sun/jna/darwin-aarch64/libjnidispatch.jnilib; osname=macosx;processor=aarch64	
Product	Manifest	bundle- requiredexecution	JavaSE-1.6	Low
Product	Manifest	bundle- symbolicname	com.sun.jna	Medium
Product	Manifest	Implementation- Title	com.sun.jna	High
Product	Manifest	specification-title	Java Native Access (JNA)	Medium
Version	jar	package name	jna	Highest
Version	jar	package name	sun	Highest
Version	jar	package name	win32	Highest
Version	Manifest	Bundle-Version	5.14.0	High
Version	Manifest	Implementation- Version	5.14.0 (b0)	High

Related Dependencies



- authentication.windows.zip: jna.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.windows.zip/jna.jar
 - MD5: 9bb1338e58031463c300f643cb3c41fa
 - SHA1: d9c6794f22c2e3c846b02d51c6a95c304e8e056b
 - SHA256: 336f2ae25222389eb9f3c90f8f7c3a6258c33581964b2338bf836b3b865b049e
- ocr.tesseract.zip: jna.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jna.jar
 - MD5: 9bb1338e58031463c300f643cb3c41fa
 - SHA1: d9c6794f22c2e3c846b02d51c6a95c304e8e056b
 - SHA256: 336f2ae25222389eb9f3c90f8f7c3a6258c33581964b2338bf836b3b865b049e

Identifiers

- cpe:2.3:a:oracle:java_se:5.14.0:*:*:*:*:* (Confidence:Low) suppress

authentication.pam.zip: jna.jar: jnidispatch.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.pam.zip/jna.jar/com/sun/jna/win32-aarch64/jnidispatch.dll
MD5: f6bef568e690d361a5dcc165f5ad4b1f
SHA1: 05638a4aaafa689a6c246530823afdc18d3fd438
SHA256: b9d1479b9619b7ece4a36b6ae31365faf15a1355d4f6da02f8b5f09df2fa82f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jnidispatch	High
Product	file	name	jnidispatch	High

Related Dependencies

- authentication.windows.zip: jna.jar: jnidispatch.dll
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.windows.zip/jna.jar/com/sun/jna/win32-aarch64/jnidispatch.dll
 - MD5: f6bef568e690d361a5dcc165f5ad4b1f
 - SHA1: 05638a4aaafa689a6c246530823afdc18d3fd438
 - SHA256: b9d1479b9619b7ece4a36b6ae31365faf15a1355d4f6da02f8b5f09df2fa82f
- ocr.tesseract.zip: jna.jar: jnidispatch.dll
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jna.jar/com/sun/jna/win32-aarch64/jnidispatch.dll
 - MD5: f6bef568e690d361a5dcc165f5ad4b1f
 - SHA1: 05638a4aaafa689a6c246530823afdc18d3fd438
 - SHA256: b9d1479b9619b7ece4a36b6ae31365faf15a1355d4f6da02f8b5f09df2fa82f

Identifiers

- None

authentication.pam.zip: jna.jar: jnidispatch.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.pam.zip/jna.jar/com/sun/jna/win32-x86-64/jnidispatch.dll
MD5: 719d6ba1946c25aa61ce82f90d77ffd5
SHA1: 94d2191378cac5719daecc826fc116816284c406
SHA256: 69c45175ecfd25af023f96ac0bb2c45e6a95e3ba8a5a50ee7969ccab14825c44
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	jnidispatch	High
Product	file	name	jnidispatch	High

Related Dependencies



- authentication.windows.zip: jna.jar: jnidispatch.dll
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.windows.zip/jna.jar/com/sun/jna/win32-x86-64/jnidispatch.dll
 - MD5: 719d6ba1946c25aa61ce82f90d77ffd5
 - SHA1: 94d2191378cac5719daecc826fc116816284c406
 - SHA256: 69c45175ecfd25af023f96ac0bb2c45e6a95e3ba8a5a50ee7969ccab14825c44
- ocr.tesseract.zip: jna.jar: jnidispatch.dll
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jna.jar/com/sun/jna/win32-x86-64/jnidispatch.dll
 - MD5: 719d6ba1946c25aa61ce82f90d77ffd5
 - SHA1: 94d2191378cac5719daecc826fc116816284c406
 - SHA256: 69c45175ecfd25af023f96ac0bb2c45e6a95e3ba8a5a50ee7969ccab14825c44

Identifiers

- None

authentication.pam.zip: jna.jar: jnidispatch.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.pam.zip/jna.jar/com/sun/jna/win32-x86/jnidispatch.dll

MD5: e15183ef9c6c255b76fda73d01ca7ecb

SHA1: f816f998c43204230d9ea3eecffb5f8372a32c2e

SHA256: 38650a0612730c52580c9f32ff766b44b1c5a426d52e7dd7a53687bf3389ac2c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jnidispatch	High
Product	file	name	jnidispatch	High

Related Dependencies



- authentication.windows.zip: jna.jar: jnidispatch.dll

- File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.windows.zip/jna.jar/com/sun/jna/win32-x86/jnidispach.dll
- MD5: e15183ef9c6c255b76fda73d01ca7ecb
- SHA1: f816f998c43204230d9ea3eecffb5f8372a32c2e
- SHA256: 38650a0612730c52580c9f32ff766b44b1c5a426d52e7dd7a53687bf3389ac2c
- ocr.tesseract.zip: jna.jar: jnidispach.dll
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jna.jar/com/sun/jna/win32-x86/jnidispach.dll
 - MD5: e15183ef9c6c255b76fda73d01ca7ecb
 - SHA1: f816f998c43204230d9ea3eecffb5f8372a32c2e
 - SHA256: 38650a0612730c52580c9f32ff766b44b1c5a426d52e7dd7a53687bf3389ac2c

Identifiers

- None

authentication.passwordfile.sample.zip: authentication.passwordfile.sample.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Authentication/PasswordFile/authentication.passwordfile.sample.zip/authentication.passwordfile.sample.jar

MD5: 1efcb326ba958c51a3e68b27c394e542

SHA1: b711983e639e2ae374e56ccb0c9e06068cce55f5

SHA256: bb7abfb81a9ac722ac87fe94ab07cb121c658d347d6dd33c07d49899c4cd4550

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.passwordfile.sample	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	passwordfile	Low
Vendor	Manifest	built-date	2025-10-22 17:24	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium

Product	file	name	authentication.passwordfile.sample	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	passwordfile	Highest
Product	jar	package name	passwordfile	Low
Product	Manifest	built-date	2025-10-22 17:24	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.passwordfile.sample	High
Product	Manifest	specification-title	authentication.passwordfile.sample	Medium
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- None

authentication.product.zip: authentication.product.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.product.zip/authentication.product.jar

MD5: 746e4d2d2f1c1cf6cb85063a36759765

SHA1: 09ab792c345d7c93721c1d488448c5bc63bc035c

SHA256: 5c4afc3401ea1789e34ea52639a770fd17ce50cfa6dccb6a6dba33b7b5a4833

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.product	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	product	Low
Vendor	Manifest	built-date	2025-10-22 17:16	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-	de.inetsoftware	Medium

Vendor-Id

Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.product	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	product	Highest
Product	jar	package name	product	Low
Product	Manifest	built-date	2025-10-22 17:16	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.product	High
Product	Manifest	specification-title	authentication.product	Medium
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- None

authentication.windows.zip: authentication.windows.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.windows.zip/authentication.windows.jar

MD5: 6510606530919281ce874a78c0787848

SHA1: 39761d93d7162393ab18302352387e92dab15226

SHA256: ed60cc1f524dc2b87a4e5bbb0f438c7f53ebdedda8418968c6cebbfbcdd275e4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.windows	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	windows	Low
Vendor	Manifest	built-date	2025-10-22 17:11	Low

Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.windows	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	windows	Highest
Product	jar	package name	windows	Low
Product	Manifest	built-date	2025-10-22 17:11	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.windows	High
Product	Manifest	specification-title	authentication.windows	Medium
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- None

authentication.windows.zip: caffeine.jar

Description:

A high performance caching library

License:

<https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.windows.zip/caffeine.jar

MD5: 7661b25999918646ec802846cc4c16bc

SHA1: 3646a0d1b1abe6a31f72f2237d9004d10a5be91d

SHA256: 0311f9d5d9750aa2a1c11cbdba5a5cb7fec91c8870d6f179f324b3f5295b87dd

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	caffeine	High
Vendor	jar	package name	benmanes	Highest
Vendor	jar	package name	benmanes	Low
Vendor	jar	package name	caffeine	Highest
Vendor	jar	package name	caffeine	Low
Vendor	jar	package name	github	Highest
Vendor	jar	package name	github	Low
Vendor	Manifest	automatic-module-name	com.github.benmanes.caffeine	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-symbolicname	com.github.ben-manes.caffeine	Medium
Product	file	name	caffeine	High
Product	jar	package name	benmanes	Highest
Product	jar	package name	benmanes	Low
Product	jar	package name	cache	Low
Product	jar	package name	caffeine	Highest
Product	jar	package name	caffeine	Low
Product	jar	package name	github	Highest
Product	Manifest	automatic-module-name	com.github.benmanes.caffeine	Medium
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	Bundle-Name	com.github.ben-manes.caffeine	Medium
Product	Manifest	bundle-symbolicname	com.github.ben-manes.caffeine	Medium
Product	Manifest	Implementation-Title	A high performance caching library	High
Version	Manifest	build-jdk-spec	11	Low
Version	Manifest	Bundle-Version	3.1.6	High
Version	Manifest	Implementation-Version	3.1.6	High

Identifiers

- None

authentication.windows.zip: jna-platform.jar

Description:

JNA Platform Library

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.windows.zip/jna-platform.jar

MD5: 3bc3f09a698e6ad250dd093f64fbb8a7

SHA1: 28934d48aed814f11e4c584da55c49fa7032b31b

SHA256: ae4caceb3840730c2537f9b7fb55a01baba580286b4122951488bcee558c2449

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jna-platform	High
Vendor	jar	package name	jna	Highest
Vendor	jar	package name	jna	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	sun	Highest
Vendor	jar	package name	sun	Low
Vendor	jar (hint)	package name	oracle	Highest
Vendor	jar (hint)	package name	oracle	Low
Vendor	Manifest	automatic-module-name	com.sun.jna.platform	Medium
Vendor	Manifest	bundle-category	jni	Low
Vendor	Manifest	bundle-requiredexecution	J2SE-1.4	Low
Vendor	Manifest	bundle-symbolicname	com.sun.jna.platform	Medium
Vendor	Manifest	Implementation-Vendor	JNA Development Team	High
Vendor	Manifest	require-bundle	com.sun.jna;bundle-version="5.14.0"	Low
Vendor	Manifest	specification-vendor	JNA Development Team	Low
Product	file	name	jna-platform	High
Product	jar	package name	jna	Highest
Product	jar	package name	jna	Low

Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	sun	Highest
Product	jar	package name	win32	Low
Product	Manifest	automatic-module-name	com.sun.jna.platform	Medium
Product	Manifest	bundle-category	jni	Low
Product	Manifest	Bundle-Name	jna-platform	Medium
Product	Manifest	bundle-requiredexecution	J2SE-1.4	Low
Product	Manifest	bundle-symbolicname	com.sun.jna.platform	Medium
Product	Manifest	Implementation-Title	com.sun.jna	High
Product	Manifest	require-bundle	com.sun.jna;bundle-version="5.14.0"	Low
Product	Manifest	specification-title	Java Native Access (JNA)	Medium
Version	jar	package name	jna	Highest
Version	jar	package name	sun	Highest
Version	Manifest	Bundle-Version	5.14.0	High
Version	Manifest	Implementation-Version	5.14.0 (b0)	High

Identifiers

- None

authentication.windows.zip: waffle-jna-jakarta.jar

Description:

WAFFLE JNA Jakarta Package implementation

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.windows.zip/waffle-jna-jakarta.jar

MD5: 4292b31211ec75d0a54780009f620fd7

SHA1: a54b03b4de48b62188b183e04313092119f3e247

SHA256: e53d74bd6e09b543b97ccb7b5aff7dbdb1a9058066eafb9c2573c75adf254703

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	waffle-jna-jakarta	High
Vendor	jar	package name	waffle	Highest
Vendor	Manifest	automatic-module-name	waffle.jna.jakarta	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	copyright	2024	Low
Vendor	Manifest	git-revision	725e568c485ae01eddb2777e17e1c3f78955d4	Low
Vendor	Manifest	Implementation-Vendor	com.github.waffle	High
Vendor	Manifest	specification-vendor	com.github.waffle	Low
Vendor	pom	artifactid	waffle-jna-jakarta	Low
Vendor	pom	groupid	com.github.waffle	Highest
Vendor	pom	name	waffle-jna-jakarta	High
Vendor	pom	parent-artifactid	waffle	Low
Vendor	pom	url	https://waffle.github.io/waffle/	Highest
Product	file	name	waffle-jna-jakarta	High
Product	jar	package name	waffle	Highest
Product	Manifest	automatic-module-name	waffle.jna.jakarta	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	copyright	2024	Low
Product	Manifest	git-revision	725e568c485ae01eddb2777e17e1c3f78955d4	Low
Product	Manifest	Implementation-Title	waffle-jna-jakarta	High
Product	Manifest	specification-title	waffle-jna-jakarta	Medium
Product	pom	artifactid	waffle-jna-jakarta	Highest
Product	pom	groupid	com.github.waffle	Highest
Product	pom	name	waffle-jna-jakarta	High
Product	pom	parent-artifactid	waffle	Medium
Product	pom	url	https://waffle.github.io/waffle/	Medium
Version	Manifest	Implementation-Version	3.5.1	High
Version	pom	version	3.5.1	Highest

Identifiers

- [pkg:maven/com.github.waffle/waffle-jna-jakarta@3.5.1](https://maven.com.github.waffle/waffle-jna-jakarta@3.5.1) (Confidence:High)
-

cpe:2.3:a:4d:4d:3.5.1:****:* (Confidence:Low)

suppress

bson.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/persistence/bson.jar
MD5: 762e85d4cc6da6619fdb4803342b5e25
SHA1: 58d899dce48b970ee25995802f78d828bae4a1b6
SHA256:99fd39f8b313ca5f39cb1a2e62454283a592dc4227c9010909e3652ef578a274
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	bson	High
Vendor	jar	package name	bson	Highest
Vendor	jar	package name	bson	Low
Vendor	Manifest	automatic-module-name	org.mongodb.bson	Medium
Vendor	Manifest	bundle-symbolicname	org.mongodb.bson	Medium
Product	file	name	bson	High
Product	jar	package name	bson	Highest
Product	Manifest	automatic-module-name	org.mongodb.bson	Medium
Product	Manifest	Bundle-Name	bson	Medium
Product	Manifest	bundle-symbolicname	org.mongodb.bson	Medium
Version	Manifest	build-version	5.5.1	Medium
Version	Manifest	Bundle-Version	5.5.1	High

- Identifiers
- [cpe:2.3:a:mongodb:bson:5.5.1:****:*](#) (Confidence:Medium)

suppress

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/command.jsonexport.zip/command.jsonexport.jar
MD5: 3c744739dd395b1bbd901811e1469861
SHA1: f462d486710d336faef41ff1b8714d07a088504f
SHA256:100c4305b122ee60407001ef9d6d51937bbedae27ae797360da48727b6029f30
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	command.jsonexport	High
Vendor	jar	package name	command	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-10-22 20:20	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	command.jsonexport	High
Product	jar	package name	command	Highest
Product	jar	package name	command	Low
Product	jar	package name	json	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-10-22 20:20	Low

Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	command.jsonexport	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	command.jsonexport	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.10.219:*:*:*:*:* (Confidence:Low) suppress

commons-logging.jar

Description:

Apache Commons Logging is a thin adapter allowing configurable bridging to other, well-known logging systems.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/java/commons-logging.jar

MD5: e7a1e7cb6a89241ed9bfec4c25b6c645

SHA1: b9fc14968d63a8b8a8a2c1885fe3e90564239708

SHA256: bc2dfe32f1ef06509e6a065144c1adf7b420eabf11a87f30bd127f8faa332016

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	commons-logging	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	logging	Highest
Vendor	Manifest	automatic-	org.apache.commons.logging	Medium

		module-name		
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-logging/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-logging	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-logging	Low
Vendor	pom	developer email	baliuka@apache.org	Low
Vendor	pom	developer email	costin@apache.org	Low
Vendor	pom	developer email	craigmcc@apache.org	Low
Vendor	pom	developer email	dennisl@apache.org	Low
Vendor	pom	developer email	donaldp@apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	morgand@apache.org	Low
Vendor	pom	developer email	rdonkin@apache.org	Low
Vendor	pom	developer email	rsitze@apache.org	Low
Vendor	pom	developer email	rwaldhoff@apache.org	Low
Vendor	pom	developer email	sanders@apache.org	Low
Vendor	pom	developer email	skitching@apache.org	Low
Vendor	pom	developer email	tn@apache.org	Low
Vendor	pom	developer id	baliuka	Medium
Vendor	pom	developer id	bstansberry	Medium
Vendor	pom	developer id	costin	Medium
Vendor	pom	developer id	craigmcc	Medium
Vendor	pom	developer id	dennisl	Medium
Vendor	pom	developer id	donaldp	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	morgand	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	rsitze	Medium
Vendor	pom	developer id	rwaldhoff	Medium
Vendor	pom	developer id	sanders	Medium

Vendor	pom	developer id	skitching	Medium
Vendor	pom	developer id	tn	Medium
Vendor	pom	developer name	Brian Stansberry	Medium
Vendor	pom	developer name	Costin Manolache	Medium
Vendor	pom	developer name	Craig McClanahan	Medium
Vendor	pom	developer name	Dennis Lundberg	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Juozas Baliuka	Medium
Vendor	pom	developer name	Morgan Delagrance	Medium
Vendor	pom	developer name	Peter Donald	Medium
Vendor	pom	developer name	Richard Sitze	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Rodney Waldhoff	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Simon Kitching	Medium
Vendor	pom	developer name	Thomas Neidhart	Medium
Vendor	pom	developer org	Apache	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	https://www.apache.org/	Medium
Vendor	pom	groupid	commons-logging	Highest
Vendor	pom	name	Apache Commons Logging	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	https://commons.apache.org/proper/commons-logging/	Highest
Product	file	name	commons-logging	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	logging	Highest
Product	Manifest	automatic-module-name	org.apache.commons.logging	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-logging/	Low
Product	Manifest	Bundle-Name	Apache Commons Logging	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-logging	Medium

Product	Manifest	Implementation-Title	Apache Commons Logging	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Apache Commons Logging	Medium
Product	pom	artifactid	commons-logging	Highest
Product	pom	developer email	baliuka@apache.org	Low
Product	pom	developer email	costin@apache.org	Low
Product	pom	developer email	craigmcc@apache.org	Low
Product	pom	developer email	dennisl@apache.org	Low
Product	pom	developer email	donaldp@apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	morgand@apache.org	Low
Product	pom	developer email	rdonkin@apache.org	Low
Product	pom	developer email	rsitze@apache.org	Low
Product	pom	developer email	rwaldhoff@apache.org	Low
Product	pom	developer email	sanders@apache.org	Low
Product	pom	developer email	skitching@apache.org	Low
Product	pom	developer email	tn@apache.org	Low
Product	pom	developer id	baliuka	Low
Product	pom	developer id	bstansberry	Low
Product	pom	developer id	costin	Low
Product	pom	developer id	craigmcc	Low
Product	pom	developer id	dennisl	Low
Product	pom	developer id	donaldp	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	morgand	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	rsitze	Low
Product	pom	developer id	rwaldhoff	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	skitching	Low
Product	pom	developer id	tn	Low
Product	pom	developer name	Brian Stansberry	Low
Product	pom	developer name	Costin Manolache	Low
Product	pom	developer name	Craig McClanahan	Low
Product	pom	developer name	Dennis Lundberg	Low

Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Juozas Baliuka	Low
Product	pom	developer name	Morgan Delagrange	Low
Product	pom	developer name	Peter Donald	Low
Product	pom	developer name	Richard Sitze	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Rodney Waldhoff	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Simon Kitching	Low
Product	pom	developer name	Thomas Neidhart	Low
Product	pom	developer org	Apache	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	https://www.apache.org/	Low
Product	pom	groupid	commons-logging	Highest
Product	pom	name	Apache Commons Logging	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper/commons-logging/	Medium
Version	Manifest	Bundle-Version	1.3.4	High
Version	Manifest	Implementation-Version	1.3.4	High
Version	pom	parent-version	1.3.4	Low
Version	pom	version	1.3.4	Highest

Related Dependencies



- ocr.tesseract.zip: commons-logging.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/commons-logging.jar
 - MD5: e7a1e7cb6a89241ed9bfec4c25b6c645
 - SHA1: b9fc14968d63a8b8a8a2c1885fe3e90564239708
 - SHA256: bc2dfe32f1ef06509e6a065144c1adf7b420eabf11a87f30bd127f8faa332016
 - [pkg:maven/commons-logging/commons-logging@1.3.4](https://mvnrepository.com/artifact/org.apache.commons/commons-logging/1.3.4)

Identifiers

- [pkg:maven/commons-logging/commons-logging@1.3.4](https://mvnrepository.com/artifact/org.apache.commons/commons-logging/1.3.4) (Confidence:High)

comparison.api.zip: comparison.api.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.api.zip/comparison.api.jar

MD5: aa0d952fff2861968e79fe43b001393e

SHA1: d22116db17a3939a944baf28d29c5229eb6aa2f6

SHA256: 80da1ef64d1ec660f99ac7f1029c14e396bd90c4609b075dff5b26326d47cfb9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	comparison.api	High
Vendor	jar	package name	comparisonapi	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-10-22 20:13	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	comparison.api	High
Product	jar	package name	comparisonapi	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-	*	Low

allowable-
codebase

Product	Manifest	built-date	2025-10-22 20:13	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	comparison.api	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	comparison.api	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.10.219:*:*:*:*:* (Confidence:Low) suppress

comparison.rpc.zip: comparison.rpc.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.rpc.zip/comparison.rpc.jar

MD5: f3a351108ff43965187b3096e5964338

SHA1: c1944c9aa50a96788ec3a6b368c39d60055594aa

SHA256: 3772630e43670872e2047d0c17ff000bed952abd616f64ab7c895e8aaec680e5

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	comparison.rpc	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	rpc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low

Vendor	Manifest	built-date	2025-10-22 20:13	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	comparison.rpc	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	rpc	Highest
Product	jar	package name	rpc	Low
Product	jar	package name	websocket	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-10-22 20:13	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	comparison.rpc	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	comparison.rpc	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

comparison.webgui.zip: comparison.webgui.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar

MD5: 30604eebcc49a675874abe2812be02b0

SHA1: 12ea79e59e3832555d76cf6ff9c8be70da30a76

SHA256: 5f22cf148b57f9b101149c9bdc7dfe4d0c84c642eaa7ecb2a420466d70beef5

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	comparison.webgui	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	webgui	Low
Vendor	Manifest	built-date	2025-10-22 20:14	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	comparison.webgui	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	server	Low
Product	jar	package name	webgui	Highest
Product	jar	package name	webgui	Low
Product	Manifest	built-date	2025-10-22 20:14	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	comparison.webgui	High
Product	Manifest	specification-title	comparison.webgui	Medium

Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.10.219:*:*:*:*:* (Confidence:Low) suppress

comparison.webgui.zip: comparison.webgui.jar: app.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/app.js

MD5: 2e4ad8b6a0f9a76284c281df29d4ae4d

SHA1: c715d01b3797ea1cc4e3615d97412a8d2cf8a067

SHA256: c1ace93a6f794644bab65004932e9335d040e375a3d93c6ca4f7029bc5e06e59

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: compare.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/compare.js

MD5: 6b51954c7a299af1f898d3f564bde203

SHA1: c840cfecd51004f94fd0ee982c9db6ee63fb04cc

SHA256: 6a7ab442206a31de5e93cd43b3736f314afd89a075e642d6c72a5891f01ae06e

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: contextmenuextension.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/drive/contextmenuextension.js

MD5: b5f087715014cac13f4ccbc40c947f1c

SHA1: bf853c9b9c629eb66ce96fd12a24e973aa2cb1c6

SHA256: 3096c6232dfe34a586f3d3bf0175b12bbd3b20a25d2f499da0aaa390a122d97b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: contingent.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/contingent.js

MD5: 10782a90b423f2db0450adaa8944f25a

SHA1: 8d7242260155b1bc6cbca8cd0fa034c3be0c021b

SHA256: c54c35e7c00b764c4e9b7511916a30510158e88b8c8e5ee4d61c7302a7d87295

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/controller.js

MD5: aacf28f3a507db78d714d36140550854

SHA1: 17c29a4631e4ae05cd4cefb76cea06e6ee94046f

SHA256: b305eec27b595654e3edced1f288390c04ce7f19f8fd058129dbf5167c9cd05c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: descriptionarea.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/descriptionarea.js

MD5: 14028f3ecbcfc96a785ea29eec407af0

SHA1: c89033c6f1414aabc1e006e78079167ab6ffb194

SHA256: 64973d746a823e043ad9df56ce9aff83dbe2f89cea86bed498cfe1dc82d799ca

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: dropzone.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet

/pdfc/webgui/client/js/directives/dropzone.js

MD5: 2856733a745b9f8fdb7e8f5806f32299

SHA1: e644c116bc9337732ee3fd448430f5ad7c9056f1

SHA256: 37993d37570580a0b7d0ab92083862738ab1aa30c9767241a29173342a08e1bb

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: export.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/export.js

MD5: e1a2cc48050ef9b378b8a53a081d082a

SHA1: 5cd7fe1140bd00b2f6db400724b659ae7abbadd9

SHA256: 17fe08df83d82b913f8d1416e4ce5c2530ee55f4a35348f6c9dad90fde158ec7

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: factory.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/factory.js

MD5: 74c60c48fbcc1dea077c4e2a1f617446

SHA1: 09bad3af86aad6976b1898fb818c73aa532efeb5

SHA256: 4c7ce44ad7127235a295e80100e58fd41897a69602fac5320c774560546061a9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: model.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/model.js

MD5: a0ce24ce0abb9a25fbc93919008d176

SHA1: 91de96e8843f7ed1bba7b94b4d869f3e7c07f2ad

SHA256: 6deec42335e4e4062ab72773fa598a37afda2b1207451a35d6ee9df31124836

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: multipasswordpanel.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/multipasswordpanel.js

MD5: 34d4d5fd0cf1fa77d569e928af1a00aa

SHA1: 230e35fe5f8f5a48ccd930cee3c79f16df858b97

SHA256: 28be5c583ef3c82dca061d79f33a43f3672421b6a1b42e460a444f296d49a79a

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: mycomparisons.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/mycomparisons.js

MD5: ec823fcf834bc8b9c79050fc5ee6a84e

SHA1: 0683120ef8ec8c044248b93375348549fce783d5

SHA256: 713e5065e3623b225277c4718c9763e2785272ded0b6cc476f0ff20724401017

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: passwordpanel.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/passwordpanel.js

MD5: 4e69b1954226ce194fd836df7ad77e35

SHA1: 6e79c7f2354f08c8effe8adfd66c6dcaff4bdb8c

SHA256: 6078c754f425f4087a05cf8e6aca77ab5b6c9df996e5143d730f32bd8f46ca21

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: pdfconfig.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/pdfconfig.js

MD5: 676338e9e274fd0d9ab59db49e3ea86f

SHA1: 5c8a910bd5453a9e9ff6163db9f760533e9db5b6

SHA256: 3cbb5959eb832a0c7880d2a0c58a4f82cc6e66b177b4aeeef49a87540265b96f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: profil.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/profil.js

MD5: a80e7a67200f9bebc58cc1b1f648ba81

SHA1: 67a71dca22d20ed3e4cacd59e7b013052bba6059

SHA256: 1eb1aed349f9e8d0781de9f352733a58b6a4fcac9e89d259888005099b5216d8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: profileentry.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/profileentry.js

MD5: 70fba9a0806250f9fc3f559012ebdfc5

SHA1: 911155de0ffa9aff766b028eff7d2a74557da44c

SHA256: 7dc35ebc9b13805fc2160bd904bea53c880ab49854079e55e4f141984b6ab075

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: publishdialog.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/publishdialog.js

MD5: 3c6b3557cb70409b766dcadc7593ef40

SHA1: 15ab54e19f4ed112a10fc9bb380d5613f4c9e10f

SHA256: bc6ff09abcaa54afd0b07b558cec428824f5e1b157a5459e3eb2308802eca100

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: publishprofiledialog.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/publishprofiledialog.js

MD5: 15cb57cdb21d62986b893e35495ac8d0

SHA1: 060e44459b5a3e7b684be7a9faefd5683a22ea9

SHA256: c1ce1c1ef7c98cb682a6844bec27307b2e7aee3403b607ce6743394984d5f481

Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

comparison.webgui.zip: comparison.webgui.jar: report.js


File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/report.js
MD5: 161485eaea5b9b5f65d479f48911c56f
SHA1: edc976c964a05132b9b34aa9b3d8d282147bbc04
SHA256: 35e773c2f1fa99f13a7aac090863d403636547f5b7df7e0c05a88b3eda6f1ecc
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

comparison.webgui.zip: comparison.webgui.jar: scroller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/scroller.js
MD5: 258842a58c95114e959f659bfa15d9a7
SHA1: f947fcb0b63cc56cacedf1d9f3f812b3330586b
SHA256: 4d7e9feb475bec916fc11571fbf16ac1f9113abf4db43bdd18bd4f3ae0560666
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

comparison.webgui.zip: comparison.webgui.jar: searchcomponent.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/searchcomponent.js
MD5: bdc3caac35d953edd2e6f68c0d4bfd74
SHA1: ef70a291cb7226084945b2648356f3a389b7fa58
SHA256: 36620c84f1984fc0d8f98256fb345a0329ab25c834dcfa8c916d552ff370799e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: userlist.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/userlist.js
MD5: f0280a91fc83e571ef486c22a7f93ef7
SHA1: 68abf77cf988cad21dd9dad06a89175f906b1d9e
SHA256: 1b0b6bc3b19aa7a697b17a94c617ad8e1807b10ac7de9d9292bfdc3f929c41cb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: visibilitysettings.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/visibilitysettings.js
MD5: 1f6d120c92d4c7e6c41cc4368b09ebac
SHA1: 9cdf600708312b16e2d9eadd26aea32da1ffc7d2
SHA256: 50fe2d4678259193d90aae7c481487d02566b4c92ba3ca4d7c2cf13c9e345250
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: zoomer.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/zoomer.js
MD5: 9292c505ec54cc329a2c2f0dc6612a43
SHA1: 724665a18dfc42d5fb8ba99a8010022de75bfccd
SHA256: d9d4db5a4a662a0887793825308e350047a54dc41810200c7ffb732c57a61f1c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.automaticconfigrestore.sample.zip: configuration.automaticconfigrestore.sample.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Configuration/AutomaticConfigRestore/configuration.automaticconfigrestore.sample.zip/configuration.automaticconfigrestore.sample.jar

MD5: 591fba3cee5425b7f31c9151430a9532
SHA1: cf36ff9e5aa069539a1d9869ce5e22f67d665fa2
SHA256:221b996471509a0729375ed2384a894687a0daf197fea94bce2e3ef468e5011c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	configuration.automaticconfigrestore.sample	High
Vendor	jar	package name	automaticconfigrestore	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2025-10-22 17:24	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	configuration.automaticconfigrestore.sample	High
Product	jar	package name	automaticconfigrestore	Highest
Product	jar	package name	automaticconfigrestore	Low
Product	Manifest	built-date	2025-10-22 17:24	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	configuration.automaticconfigrestore.sample	High
Product	Manifest	specification-title	configuration.automaticconfigrestore.sample	Medium
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- None

configuration.zip: configuration.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar
MD5: 45f210a7b06d2c48c8f7c6e3e1da388f
SHA1: 7ab40985b8babe3c848ae70449f7de6ab560feff
SHA256:60510cecd6b0e9db604714090d7afdde46b1a4ce38e7d0daa3aee0421d385f0c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	configuration	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2025-10-22 17:17	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	configuration	High
Product	jar	package name	config	Low
Product	jar	package name	plugins	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2025-10-22 17:17	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	configuration	High
Product	Manifest	specification-title	configuration	Medium
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- None

configuration.zip: configuration.jar: authenticationItemRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/authenticationItemRenderer.directive.js

MD5: aefb1a2a7d97d2df669e0545658c3e24

SHA1: 4a2a34c98fb71cf2dfa520bb02dc8baf0d0810f9

SHA256: c277d6842312394b3aa4ac0385e1c800c73dc0b2b0cd9696bc5f51293d859b29

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: authenticationRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/authenticationRenderer.directive.js

MD5: 08d42fd374d37fbb791917830a779fa8

SHA1: 3e7daea97fb445ace87c90fd3e9188690660d99d

SHA256: 1719515423a8f8edcddfccb5519f22251afbedfd9de10bea76c99e461bd82929

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: boolean.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report

/plugins/config/client/js/renderer/boolean.directive.js

MD5: e281bd179c94019bdf388759a526f31

SHA1: 5f4be414c7db7b9c699a371bc3a84a945e1c13a3

SHA256: 3e819332e6b9a66c5041ae377459a6b7d7f10fd94dd71ad85a3f8169fdab4f48

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: booleanButton.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/booleanButton.directive.js

MD5: dc5744f572a36fa29dc813914156944d

SHA1: 40a96829d9f498e1364fac7ec8bf8a626c4ac66c

SHA256: edf806317b3487f3998c758a4e56a0aa8bb08bfe38fd4b38c9ec68abbabf25f6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: colorInput.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/colorInput.directive.js

MD5: db9d1ee17d2b4f79813c66e8a52b8fcd

SHA1: 68e81a259a7bce7f49dbf629230020cdf0b01398

SHA256: 1fff0ddf3d275467e77832ae82c55ffdebfb4cc31aee0bfb31def6574f734ae

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/controller.js

MD5: e69357181c946dd07a2b66b77865eb57

SHA1: 937e49dc0424751b10f4b955268de469381c6102

SHA256:287166afe772ea2a1ae5316cc79ba85e35dd37a01e6339c53b14d3f7b437287c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: datafactory.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/datafactory.js

MD5: 07ae83528b0f987b01930435cc86454e

SHA1: 37740d90bf0cc142a3375c9e47512da796531d83

SHA256:3cb2f55655d2214888210be8aea166e47e41a03cf2212c8ea2fd91a03c585ca5

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: fileUploadRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/fileUploadRenderer.directive.js

MD5: 231de69a8b11511aba2b1d554b1c237c

SHA1: 07a949eca5cea00f3244c0c327a5055e938c20f1

SHA256: 09bb8467939975c92a5fed3ed5d48e62b5b4573873aa6ea55cc68f815675f4e3

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: filesystemFileInputOrUpload.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/filesystemFileInputOrUpload.directive.js

MD5: f644a3106bfee156df76d5700377f70d

SHA1: c95cf943e2d57132b71a47525b512fbe46f7fed4

SHA256: 2ce6c7628582dc79f62161e19e2733b679647ff423e8d8ee83474eef6ce9624d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: filesystemInputButton.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/filesystemInputButton.directive.js

MD5: d4fa34d24a58237edaff0cd1e52a98b

SHA1: 61aeecd618d7e15f1db7a65874b6fb9b3cdf9206

SHA256: 40e25504ccab4019abc2801de1f33715437dbb95c92d03bf759376bed942d8c3

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: filesystemInputDirectory.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/filesystemInputDirectory.directive.js

MD5: abe8d738b4230681785b9608df31d0a7

SHA1: 3773d4f21f49fea9fd3c19ff9c94396b273e82cf

SHA256: 5283b122ef2a3db054632ead2dedd2c62c9616419840ae7e146355e8782fcee6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: filesystemInputFile.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/filesystemInputFile.directive.js

MD5: 95eec66eb56684db24cb9d8c5cc387fc

SHA1: 33e9abd6b5c84780196226b277217e4d189216c8
SHA256: 1eab4ff2b96200a36c283d701e3b2bbdc0b3a527544f1b0eed6f31172a9dd10b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: iconDropRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/iconDropRenderer.directive.js
MD5: e01df58e761b7fba83e716c5d665eb22
SHA1: b4fd37979b7a3ae4d7252b56bcec8ef0903113ba
SHA256: 50bae6b105ce7e868d443dcc911cc8170f2e5dd175482ab0d89bb1dec6f7e51d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: inlinerenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/inlinerenderer.directive.js
MD5: 4531879fc071658f5888a12116e31f0d
SHA1: 374bcc0bbcc65b4d88ff5a224731409c78a4f7b7
SHA256: 032c6ac3238780e1eb1767300dae7818ccda70bb17ccb70725ea06d8ee19adf2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: keyLabelText.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/keyLabelText.directive.js
MD5: 2f2a25596ec290d0f62e10a37fc973c8
SHA1: a4e327416b73eeda15ba6d1874a3bbc3849ae81e
SHA256:2a481ea7ff3b62f87adb28b57e222ef1352f1cfa73a154d63902cb0df0113b42
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: labelLink.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/labelLink.directive.js
MD5: a90349ac59fc4f16a05deb269d1c3519
SHA1: 484e8d038dafee8f547b1259f7e4d2d65ab5ee4a
SHA256:be8c4ebe7804af2f0d1f03340173d04745cff39383aa6ba47e144cf4177ffd99
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: labelText.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/labelText.directive.js

MD5: 1dc9a77a6475334b814a4eb39b6e8aa0

SHA1: d0db5c5a08bd2c74dffcafcbef0ffc8438e35357

SHA256: 1cb05364e04e307603df6a644178aff10fabfed16bfce4d21c86fb75f44139ba

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: licenseKeyItemRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/licenseKeyItemRenderer.directive.js

MD5: 1b7acb7f77157666bd8163e13cc47fdf

SHA1: e623aa9b016fc3d3f9fc16449dd1ac48f3e17fd3

SHA256: ac41f0893480d1086562eef9c8269ea35f4605b80fd3f60628e4a9f3d6aa73a4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: licenseKeyRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/licenseKeyRenderer.directive.js
MD5: 6d48b1b05a2bd2ef4384bb996789ddca
SHA1: d1131bfe50939a01e50982034b1b7574822215bf
SHA256: 8c881d970f4c71dc3a5eddb6a2028729ce9efc82dc629880885a4bd043db53ba
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: listItemRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/listItemRenderer.directive.js
MD5: be04a63c48d156613c5b932c79e55ebb
SHA1: dc125d4dacfe2898e75f194131c0b39ce41096dd
SHA256: b95a73fde9c903ffc1b1e25b7fe7d338e1bb195bdeec298bb160f5fdc00cc83d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: logopreview.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/logopreview.directive.js
MD5: 84cbbf2c3c0b52d6c249e076fe48cb8f

SHA1: c63e504fabdb02f4cbe1dd2dfa110288472a4e0c
SHA256: e1b11195c665b08ffc7c19b22e7d7d77e49ed86877cd65e6bc9a166566aa5d31
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: multiLineCode.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/multiLineCode.directive.js
MD5: e2a752736b313cd15c5067b9e2f7abc6
SHA1: 2c22df117b9f45a082498e2696385eca5919534d
SHA256: c1d8916f36bc63228d52ff52432d599f6001077d784d2bf47870569daf2a99c6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: multiLineText.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/multiLineText.directive.js
MD5: 9769483af9509271e1ffd9602c681481
SHA1: fbb61268f1e63f705fb6d167bdb9f5138d622a18
SHA256: 36e44de5802b59df141325897a839a73be22d803df0300985e3eb23ef0f060d4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: multiLingualTextRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/multiLingualTextRenderer.directive.js
MD5: c417f8278dcca4343be0b1c60d6c5fe1
SHA1: 3eda017cc7075b934736e1daf71b0d59aa412203
SHA256:c497b95a7eb0af1ef36a9733a5e9675a5ac62c094a738288ed8c021b7cd9a429
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: passwordText.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/passwordText.directive.js
MD5: a762f68eb820d383f03214a0c401d090
SHA1: 05c793442f5193f2ffa3b952cd62af88309e68f6
SHA256:fba766ee79b545a364e9b8d53a5fd0df688657a201bdd25c7c6bcf3a92678337
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: reloadSelectInputsTrigger.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/reloadSelectInputsTrigger.directive.js

MD5: ee0760c34d35b7ab1f556b36ef72504b

SHA1: cfcab22873b681c7d9019378b4c7fa9c6af49b47

SHA256: 40e2a2f7b5e647a301971e061dbd5a7d614458f9172510d8f64f1b21b2347e3f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: renderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/renderer.directive.js

MD5: e6700ce9f732a1f1b614ffdc2c94933

SHA1: 1c5c4b48b29a6b9fd8b9f560207df52cf3ff430d

SHA256: 3c26aeb2ecfd733d17ff0facd86c8328a20759a6fe1b4059bbcc8221461d3574

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: repoDbRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/repoDbRenderer.directive.js
MD5: 5ef1c770c4e5fe42e93f01f633f453d3
SHA1: 5da8e6fda8968333e5a0badb6aa45020a83b6b69
SHA256: c763e8eefee951c377e2c0c54a8d52618e50224dbb458529d750701c7a1f9e96
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: repoFsRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/repoFsRenderer.directive.js
MD5: 6bf0ab3a102f1607ad605c4820851ff4
SHA1: ec76ee20ea8fc5950c233ebb71a89367fb0b5d48
SHA256: 71fb520ea8562e3a06f3eabc3117b85a874092205bc7052a856faaec867e7df6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: repositoryItemRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/repositoryItemRenderer.directive.js
MD5: 35b661e3e8a0b9517b5ef113729adebf

SHA1: 451b13b299f3189adeb149487bd614b2de8ec78c
SHA256: f155af09a82a7d6bab233a77ffa620935e78b1bb8e8636ec2987241a0fec48b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: repositoryRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/repositoryRenderer.directive.js
MD5: cca1b6d749a3ff9bb3ed1e546c1ddd3f
SHA1: 295dbe208d68b96973cfde80dc8f657cdaedb7f2
SHA256: 597b792888878b76bd3e67b99651b5d52c1332790765d4a6e11a9f9d3d289490
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: selectEditText.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectEditText.directive.js
MD5: 3aa24125a54ec0a890cf9c3ecb3579ad
SHA1: 5cf9a71def93c493f1781f6729abeeabe36999f4
SHA256: 8bcd98ff5ca4562ebacaae43968be209fdf058365ea8bfea6ac96342f42de0a2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: selectFilteredText.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectFilteredText.directive.js
MD5: 1d900550c21095ac4bf85607121a14e1
SHA1: e756ceb1b1e5a6eaa30bbb366c4e62c59e77d783
SHA256:bbfd861491aa357cbbfa2f1ee15b232366b1f88b28c4962339bf5756e49297b9
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: selectLanguageChooserRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectLanguageChooserRenderer.directive.js
MD5: b2dfe60265ea9129a4b1abe952ad92ff
SHA1: 20176c71d76cb163d19b6add0667a5179bb4e9ec
SHA256:3c3904cb2f26ca946b317091a674646fbd692bed2a7288097f016bbe7be7af1
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: selectSimpleText.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectSimpleText.directive.js

MD5: 133dcb833b683d40c4a902b736bdd1d6

SHA1: e8d02811739badfec2c515780b99466e9d5f2dc9

SHA256: 9d3df25fc91e91042b12096910ee5628baff6e5ea237e5809a9ea1856531b312

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: simpleDate.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/simpleDate.directive.js

MD5: 7859e473016ba4b6c663b2de73e886d0

SHA1: 2c6104c939065689031febe53b2c4690eb17af15

SHA256: cf6b91be17479f785ea267d269c6a254a9fd14d70df735721d723e556bf07f28

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: simpleSlider.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/simpleSlider.directive.js
MD5: 00171fe096529318005c987067f6cae4
SHA1: 586d31e6a344760d84d76e12763b6f47e69618d0
SHA256: db8ceb31a065dc67a9b7d9bc2144e6906a6f0dadd1e698f77b41cc6232246aec
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: simpleText.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/simpleText.directive.js
MD5: 8c4598540efc682f3551a75bde20dfd9
SHA1: 42c3a77e9067c8d053e4dac23de2a40a70d67ec4
SHA256: b18a8129f293a7ce070aa7b9bd5edbe9eceebe36b10e82a9e6a3469c1484f3d0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: tableRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/tableRenderer.directive.js
MD5: 9c912ea0c0e6a7cd18a45ab3aa2234d2

SHA1: cb8d0ba6ae90abff58f47ae07d63f3e57dfc0723

SHA256: 967fadfaccbc663230a6fc2c0242cba122ea115816585f28e1c43518005c99d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: treeRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/treeRenderer.directive.js

MD5: 0a727a5f05e3fd245c2160b5366328f1

SHA1: 678f64bfd07d434e17c8ec082ae6b65c34e80953

SHA256: 926c541bf1a1faa35175ff6d0aec1875cef3da5828a2a7cd24816b3052023d10

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: usersandgroupsselect.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/usersandgroupsselect.directive.js

MD5: 27bf7f8502a7aa8612104bf9da20aa9d

SHA1: a75f988f7790d6be413c8f962c051a78880d96d7

SHA256: c7b08fadcb0c0d0907adf944c05e79a20d065d9faebfe4472b570f5f73a976d1

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar
MD5: 0c4fe4b6974fd1601035d3737da66227
SHA1: e955d57311b543e425eb4c211b75944f5c6352c6
SHA256:b5b307545cd8dbc3b831c4a43c3e0bb164a88a751c060dbadc275f30860c6ee7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	diagnostics	High
Vendor	jar	package name	diagnostics	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	shared	Low
Vendor	Manifest	built-date	2025-10-22 17:27	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	diagnostics	High
Product	jar	package name	diagnostics	Highest
Product	jar	package name	diagnostics	Low
Product	jar	package name	shared	Highest
Product	jar	package name	shared	Low
Product	jar	package name	widgets	Low
Product	Manifest	built-date	2025-10-22 17:27	Low

Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	diagnostics	High
Product	Manifest	specification-title	diagnostics	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- None

diagnostics.zip: diagnostics.jar: MemoryPieChart.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/information/resources/MemoryPieChart.js

MD5: 6672ce6950e54f655abda54ed0f66ed5

SHA1: 3043ce3c7f15e47f311010f1863bbe38f47f9902

SHA256: c1e3f04eb8893a9a04750d0c1b6da7de0e22820db78773eb345add1267fbd784

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: MemoryUsageChart.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/information/resources/MemoryUsageChart.js

MD5: 8755baee0fb97dbfdf5d5b972b7cf9bc

SHA1: 1c4299a3df93cd84ff68923b6db924b325e8ed79

SHA256: 576dde92cfe5caf4a9fb8084b64d73ef914d1b44b695cd74ee916829c6d652cf

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: WebServerErrorChart.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/webserver/resources/WebServerErrorChart.js

MD5: 46ed42c329ea270b64073af7b041554e

SHA1: 1e2685c45d920807865bde8647def47f405d70c0

SHA256: b062fe753fb5117f9ee299ce3d7c7aa6631e229aaecfea9351af3847f20ef152

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: benchmarkCtrl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/resources/benchmarkCtrl.js

MD5: 9eaeff897d71b988456b1081f7baa57e

SHA1: 8dc7208ccfa11ba9eb736aaee676e9c7f2f62146

SHA256: 3457f3446ce7a565f734ecd3aa8712884c713b10dd97713ffab9cf196becafc9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: client-server.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/clientserver/client-server.js

MD5: 0f1ab9cf9534b099e18cc5852ee024dc

SHA1: 404002851f13cee9f19794e77396da6d11c9adfd

SHA256: 93af3fdaf826e858e80a21ea6ece6281e38bc6e6c4c006f76db5ed3849aaa629

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/controller.js

MD5: c9d9a63b248de3b1ab32753b2652581f

SHA1: 9e9f1cf1ddcea2a7ae541d2a67b0f36d68514e77

SHA256: 6ab396c52d329bb05ffc977b19f70afae28b05f93ed53e7766369f734126485

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: cpu.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/cpu/cpu.js

MD5: 00bbba279bab5ddacde78dc991498f9f

SHA1: c0c245794ad50fdff5bae6b15f494130d740ee51

SHA256: 492f447221e59374290a8994359099d7c8ce3de45961e5dd2cbb648d4a6b29c2

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: cpuspeed.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/cpuspeed/cpuspeed.js

MD5: affca3db509cab73d34a15f21623ee7

SHA1: d3a2d26b44827807dd0035932815b1a8f72e453d

SHA256: c7328c891ff58d6da40001887b68e993052b856d83e1d6493a32f0fed8dff6a5

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: directives.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/directives.js

MD5: c7436529172605f449dda5c983dc74dd
SHA1: e7fd8c8ccf06d2fadce799bb442b4b8bc10fcad4
SHA256: 993aecee895d9e18dd484cbcfc7b1b908db6dd2fe5a8078bf664faa39070dbe7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: errorHistoryChart.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/logging/resources/errorHistoryChart.js

MD5: 83231947ca2ffb7ee6d2839bbfac6a62
SHA1: 7418ac3a78c906c55d8779d363184d5f2a335428
SHA256: 7ad4ad758d262497faee037107f81e81b1a996d6f4111a46bd91092925cc58a3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: flotr2.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/flotr2.min.js

MD5: 0b7015815b97473a69b1917da6dc9c7c
SHA1: d23aa3eb0326ea5ae26e4d98383e80f3f63a05de
SHA256: 8e91d325cb89a573c87ec87930a17a0dd4e16b59926d4bcc06691c26e37ab9fc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: global.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/global.js

MD5: ea308918919d88577b89513d61dfa21b

SHA1: 42b1d16409b39bb01ede0fbb44357a27bb8d0249

SHA256:dc162fa9f5ab8b95bec8b06db139fa7b57a14257b51a349578ff6c2681a1fd6a

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: harddisk.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/harddisk/harddisk.js

MD5: 538fd0fdeb11c4fa3dd2ac88c8711204

SHA1: 80957f16c25af55fc467e6c5af84153a595115c8

SHA256:a7762d8a143e8ac4eb9931e082988207cd45ab55d088120ff28d5f833fc09c2e

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: heapdumpCtrl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/dump/resources/heapdumpCtrl.js

MD5: c5fdaf4ccf9027d4a81c2f62b897e927

SHA1: 667f13f878547fe5bdd76d63151a8bf8113736ac

SHA256: 9694aabb30d8dc4bd9f9a6886f91248fe5a68d51a0f4dfd3a7b7adcd4db0b625

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: informationCtrl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/information/resources/informationCtrl.js

MD5: 751ab48845663bb2e183db1c23837049

SHA1: 68afe450d8d8b18885e9a1609dcdaa354cdc38ea

SHA256: 03827ae0ce0f6ce8e4b023a418f796284cbe2358a1f468fa3e5a5ee24018ad20

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: intArrayUtils.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/intArrayUtils.js

MD5: 132205ce288f4d0108593ba2adf79e7f

SHA1: b1fc530ffd7332db05d9b5431535ec0beb9ff688

SHA256: 089688ab933277e0148ec91a8bd6d1d3d6e1030ec0216139675a78f8c9fd672e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: iospeed.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/iospeed/iospeed.js

MD5: 43d6af3fce515e8c01c806b587663d18

SHA1: 3144a2d2373abb1e911388b3cc049467fe9f616e

SHA256: 8ad0c4ac7fb4dea2dc4f38137e5136e2d4b9f4f380203be7de3fd430cbab5260

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: jobs.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/jobs/resources/jobs.js

MD5: c86f20826acb4cd47c7bd5dbfb75b0d4

SHA1: 91bc3730aac03d2108e538843d28f0e47d531bc2

SHA256:392dd734b01789eb4d38f999bfa2cc439550d8bb4321024a2047179676315e47
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: logging.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/logging/resources/logging.js
MD5: 547f9875c9c43a8e13e5831262ce7629
SHA1: 777e8a815832ebb01cd38d376692c43b66e58cb8
SHA256:0348322950015a8c715d7eac1366190d313bbaeb529ab02d7ee49e2b182071f3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: memory.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/memory/memory.js
MD5: 362ed951b53dd4ef9c8494e8d1749466
SHA1: 9879a26fb052a8e75d1b46672397dfb5b1927f77
SHA256:abbe117c43a3b186c9453af73cceb55b3f42ab2cccb6809a4b1dc04b4b1489e9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: overviewCtrl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/overview/resources/overviewCtrl.js

MD5: 80f5e4358aa6a9ba6d35c364803e6c6a

SHA1: 43c0492bb6e31b22174edb46514f0981930d2e39

SHA256: cdf4ae1ac491e48bcb17849a4b9ccdfb5eea517798c0dc10fe13fb75b1eca99

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: pde.diagnostics.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/webserver/resources/pde.diagnostics.js

MD5: d341fba13a10131585866bd8575fb85c

SHA1: 1829064e54bcc91f1a96ef0605fcb71188f6126d

SHA256: 8554a8c566d5aed56913953c9cd38fdb6a59fb3292279d76e624f615c2c97c1e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: timeformat.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/timeformat.js

MD5: 31e9928c521c394f829c570f248fab50

SHA1: 97977864881447d98bab1568b64f96115f4a4d4a

SHA256: f96d3c13acc616439828fdcf4a368dedb6f8a740eb44cef5980b659ee9c07845

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

docfx.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/docfx.js

MD5: 8d6c494b74e6c47ae0eb2e20c5c528f8

SHA1: 65e3447fe91b30ebb4c4863adbe13f20c4cc81b0

SHA256: c210b0b1dc0081355faa906b4239e82f670c0ed7b49b31c9de2161cceed3e7f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- docfx.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/nunit - API Doc/styles/docfx.js
 - MD5: 8d6c494b74e6c47ae0eb2e20c5c528f8
 - SHA1: 65e3447fe91b30ebb4c4863adbe13f20c4cc81b0
 - SHA256: c210b0b1dc0081355faa906b4239e82f670c0ed7b49b31c9de2161cceed3e7f

Identifiers

- None

docfx.vendor.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/docfx.vendor.js

MD5: e546d4a3ac43d85422e9c43bf9488c88

SHA1: 7387f5bf1a3382308d646560039243629968f137

SHA256: 4dfa2ef41a41c02b0cd0cb18b5c3ee71dd40cdc060271f0d832235e7a1c72c34

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	bootstrap	High
Product	file	name	bootstrap	High
Version	file	version	3.4.1	High

Related Dependencies

- docfx.vendor.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/nunit - API Doc/styles/docfx.vendor.js
 - MD5: e546d4a3ac43d85422e9c43bf9488c88
 - SHA1: 7387f5bf1a3382308d646560039243629968f137
 - SHA256: 4dfa2ef41a41c02b0cd0cb18b5c3ee71dd40cdc060271f0d832235e7a1c72c34

Identifiers

- [pkg:javascript/bootstrap@3.4.1](#) (*Confidence: Highest*)

drive.zip: commons-compress.jar

Description:

Apache Commons Compress defines an API for working with compression and archive formats. These include bzip2, gzip, pack200, LZMA, XZ, Snappy, traditional Unix Compress, DEFLATE, DEFLATE64, LZ4,

Brotli, Zstandard and ar, cpio, jar, tar, zip, dump, 7z, arj.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/commons-compress.jar

MD5: 1db4bd87b0082044c6e7a6af0b977a3e

SHA1: a19151084758e2fbb6b41eddaa88e7b8ff4e6599

SHA256: 293d80f54b536b74095dcd7ea3cf0a29bbfc3402519281332495f4420d370d16

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-compress	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	compress	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.compress	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-compress/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-compress	Medium
Vendor	Manifest	extension-name	org.apache.commons.compress	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	originally-created-by	Apache Maven Bundle Plugin 5.1.9	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-compress	Low
Vendor	pom	developer email	bodewig at apache.org	Low
Vendor	pom	developer email	chtompki at apache.org	Low
Vendor	pom	developer email	damjan at apache.org	Low
Vendor	pom	developer email	ebourg at apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	grobmeier at apache.org	Low

Vendor	pom	developer email	julius at apache.org	Low
Vendor	pom	developer email	peterlee at apache.org	Low
Vendor	pom	developer email	sebb at apache.org	Low
Vendor	pom	developer email	tcurdt at apache.org	Low
Vendor	pom	developer id	bodewig	Medium
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	damjan	Medium
Vendor	pom	developer id	ebourg	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	grobmeier	Medium
Vendor	pom	developer id	julius	Medium
Vendor	pom	developer id	peterlee	Medium
Vendor	pom	developer id	sebb	Medium
Vendor	pom	developer id	tcurdt	Medium
Vendor	pom	developer name	Christian Grobmeier	Medium
Vendor	pom	developer name	Damjan Jovanovic	Medium
Vendor	pom	developer name	Emmanuel Bourg	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Julius Davies	Medium
Vendor	pom	developer name	Peter Alfred Lee	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Sebastian Bazley	Medium
Vendor	pom	developer name	Stefan Bodewig	Medium
Vendor	pom	developer name	Torsten Curdt	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	https://www.apache.org/	Medium
Vendor	pom	groupid	org.apache.commons	Highest
Vendor	pom	name	Apache Commons Compress	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	url	https://commons.apache.org/proper/commons-compress/	Highest
Product	file	name	commons-compress	High
Product	jar	package name	9	Highest
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest

Product	jar	package name	compress	Highest
Product	Manifest	automatic-module-name	org.apache.commons.compress	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-compress/	Low
Product	Manifest	Bundle-Name	Apache Commons Compress	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-compress	Medium
Product	Manifest	extension-name	org.apache.commons.compress	Medium
Product	Manifest	Implementation-Title	Apache Commons Compress	High
Product	Manifest	multi-release	true	Low
Product	Manifest	originally-created-by	Apache Maven Bundle Plugin 5.1.9	Low
Product	Manifest	specification-title	Apache Commons Compress	Medium
Product	pom	artifactid	commons-compress	Highest
Product	pom	developer email	bodewig at apache.org	Low
Product	pom	developer email	chtompki at apache.org	Low
Product	pom	developer email	damjan at apache.org	Low
Product	pom	developer email	ebourg at apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	grobmeier at apache.org	Low
Product	pom	developer email	julius at apache.org	Low
Product	pom	developer email	peterlee at apache.org	Low
Product	pom	developer email	sebb at apache.org	Low
Product	pom	developer email	tcurdt at apache.org	Low
Product	pom	developer id	bodewig	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	damjan	Low
Product	pom	developer id	ebourg	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	grobmeier	Low
Product	pom	developer id	julius	Low
Product	pom	developer id	peterlee	Low
Product	pom	developer id	sebb	Low
Product	pom	developer id	tcurdt	Low
Product	pom	developer name	Christian Grobmeier	Low

Product	pom	developer name	Damjan Jovanovic	Low
Product	pom	developer name	Emmanuel Bourg	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Julius Davies	Low
Product	pom	developer name	Peter Alfred Lee	Low
Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Sebastian Bazley	Low
Product	pom	developer name	Stefan Bodewig	Low
Product	pom	developer name	Torsten Curdt	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	https://www.apache.org/	Low
Product	pom	groupid	org.apache.commons	Highest
Product	pom	name	Apache Commons Compress	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	url	https://commons.apache.org/proper/commons-compress/	Medium
Version	Manifest	Bundle-Version	1.27.1	High
Version	Manifest	Implementation-Version	1.27.1	High
Version	pom	parent-version	1.27.1	Low
Version	pom	version	1.27.1	Highest

Identifiers

- [pkg:maven/org.apache.commons/commons-compress@1.27.1](#) (*Confidence:High*)
- [cpe:2.3:a:apache:commons_compress:1.27.1:*:*:*:*:*](#) (*Confidence:Highest*)

suppress

drive.zip: commons-io.jar

Description:

The Apache Commons IO library contains utility classes, stream implementations, file filters, file comparators, endian transformation classes, and much more.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/commons-io.jar
MD5: 8cce74ccf461cd6502ae04c908eca917
SHA1: 44084ef756763795b31c578403dd028ff4a22950
SHA256: f3ca0f8d63c40e23a56d54101c60d5edee136b42d84bfb85bc7963093109cf8b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-io	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	file	Highest
Vendor	jar	package name	io	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.io	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-io/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-io	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-io	Low
Vendor	pom	developer email	bayard@apache.org	Low
Vendor	pom	developer email	dion@apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	jeremias@apache.org	Low
Vendor	pom	developer email	jochen.wiedmann@gmail.com	Low
Vendor	pom	developer email	krosenvold@apache.org	Low
Vendor	pom	developer email	martinc@apache.org	Low
Vendor	pom	developer email	matth@apache.org	Low
Vendor	pom	developer email	nicolaken@apache.org	Low
Vendor	pom	developer email	roxspring@apache.org	Low
Vendor	pom	developer email	sanders@apache.org	Low
Vendor	pom	developer id	bayard	Medium
Vendor	pom	developer id	dion	Medium

Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jeremias	Medium
Vendor	pom	developer id	jochen	Medium
Vendor	pom	developer id	jukka	Medium
Vendor	pom	developer id	krosenvold	Medium
Vendor	pom	developer id	martinc	Medium
Vendor	pom	developer id	matth	Medium
Vendor	pom	developer id	niallp	Medium
Vendor	pom	developer id	nicolaken	Medium
Vendor	pom	developer id	roxspring	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	scolebourne	Medium
Vendor	pom	developer name	dlon Gillard	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Henri Yandell	Medium
Vendor	pom	developer name	Jeremias Maerki	Medium
Vendor	pom	developer name	Jochen Wiedmann	Medium
Vendor	pom	developer name	Jukka Zitting	Medium
Vendor	pom	developer name	Kristian Rosenvold	Medium
Vendor	pom	developer name	Martin Cooper	Medium
Vendor	pom	developer name	Matthew Hawthorne	Medium
Vendor	pom	developer name	Niall Pemberton	Medium
Vendor	pom	developer name	Nicola Ken Barozzi	Medium
Vendor	pom	developer name	Rob Oxspring	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Stephen Colebourne	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	https://www.apache.org/	Medium
Vendor	pom	groupid	commons-io	Highest
Vendor	pom	name	Apache Commons IO	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	https://commons.apache.org/proper/commons-io/	Highest
Product	file	name	commons-io	High

Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	file	Highest
Product	jar	package name	io	Highest
Product	Manifest	automatic-module-name	org.apache.commons.io	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-io/	Low
Product	Manifest	Bundle-Name	Apache Commons IO	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-io	Medium
Product	Manifest	Implementation-Title	Apache Commons IO	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Apache Commons IO	Medium
Product	pom	artifactid	commons-io	Highest
Product	pom	developer email	bayard@apache.org	Low
Product	pom	developer email	dion@apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	jeremias@apache.org	Low
Product	pom	developer email	jochen.wiedmann@gmail.com	Low
Product	pom	developer email	krosenvold@apache.org	Low
Product	pom	developer email	martinc@apache.org	Low
Product	pom	developer email	matth@apache.org	Low
Product	pom	developer email	nicolaken@apache.org	Low
Product	pom	developer email	roxspring@apache.org	Low
Product	pom	developer email	sanders@apache.org	Low
Product	pom	developer id	bayard	Low
Product	pom	developer id	dion	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jeremias	Low
Product	pom	developer id	jochen	Low
Product	pom	developer id	jukka	Low
Product	pom	developer id	krosenvold	Low
Product	pom	developer id	martinc	Low
Product	pom	developer id	matth	Low

Product	pom	developer id	niallp	Low
Product	pom	developer id	nicolaken	Low
Product	pom	developer id	roxspring	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	scolebourne	Low
Product	pom	developer name	dlon Gillard	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Henri Yandell	Low
Product	pom	developer name	Jeremias Maerki	Low
Product	pom	developer name	Jochen Wiedmann	Low
Product	pom	developer name	Jukka Zitting	Low
Product	pom	developer name	Kristian Rosenvold	Low
Product	pom	developer name	Martin Cooper	Low
Product	pom	developer name	Matthew Hawthorne	Low
Product	pom	developer name	Niall Pemberton	Low
Product	pom	developer name	Nicola Ken Barozzi	Low
Product	pom	developer name	Rob Oxspring	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Stephen Colebourne	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	https://www.apache.org/	Low
Product	pom	groupid	commons-io	Highest
Product	pom	name	Apache Commons IO	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper/commons-io/	Medium
Version	Manifest	Bundle-Version	2.18.0	High
Version	Manifest	Implementation-Version	2.18.0	High
Version	pom	parent-version	2.18.0	Low
Version	pom	version	2.18.0	Highest

Identifiers

- [pkg:maven/commons-io/commons-io@2.18.0](#) (*Confidence:High*)
-

suppress

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller
/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar
MD5: 2a175ce9df15c14db9014305c101a445
SHA1: 7a5964bab21489171031037f88f9b49f80738ea1
SHA256: a7c515b1ccfc80663ffeda618d3f388ca50eabbbf263b5686883f32340bbc74e6
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	drive	High
Vendor	jar	package name	drive	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2025-10-22 17:30	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	drive	High
Product	jar	package name	drive	Highest
Product	jar	package name	drive	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2025-10-22 17:30	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	drive	High
Product	Manifest	specification-title	drive	Medium
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- None

drive.zip: drive.jar: actions.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/actions.js

MD5: 5a6ae0c7fc82c58bab37f4285e30512b

SHA1: f1eb0409af6e5773374b81f52f389bca0ce2b3f1

SHA256: 28381f95ccbb508ef57234b2bb33f0446e2d705a298d38be6dd5dbcdae45963c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: actions.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/service/actions.service.js

MD5: 76c128ee144d982b861703fe6f509ff6

SHA1: 66c53f109f83a7b37ca210c97b2dd7b83c658d0f

SHA256: 9e54fd5796c8933fab7e6d0250654e5ae273c5db90098ad41afaf37d731668a6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: contentextension.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/contentextension.js

MD5: e99878ac66d8fee42530ec9cbf14d75f

SHA1: bf4cac0f4d3f8e744876675ab122dc1ccc2cd7d1

SHA256: 0a3b2a0f884a52125aa6e456f74a8ab1b866787cccafa24cc38a174433b81e25

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/setup/controller.js

MD5: 6a09c1de9657a2568448b248854ce706

SHA1: 9a21426a9902e57e5297092257ac4293c38d4e66

SHA256: 8b126647fca0365414ccc650e8abdb03e33a34c1017ad17ee81216c410ce4ab6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: drivecleanup.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/server/maintenance/js/drivecleanup.js

MD5: b169a86e136d29c6086ce2d4ce844940
SHA1: f9e647250896fbe4c6447cf54b8388cce0536699
SHA256: 313ebf97b25e12025391ae0648df534c31991d488f9566cc1aa530aa79ce3178
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: drivecontroller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/drivecontroller.js

MD5: 79316912d24539555baa8dc8db6ad5cc
SHA1: 1eaadda2ee84d53e49e24fcb4ed7771295a80d1c
SHA256: b1e82a7ac200d82e2bab797e80f8262e5c3e3b90a9c1cda15319150caa540839
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: drivefactory.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/drivefactory.js

MD5: ec1a645849b15ac87257c67b72db01e5
SHA1: fd5919d6e363363288fa4f36598641d2e8d1037b
SHA256: 5408f66148315113346fe686fc546487de94f3492a3a8e44a38f54cdfc7969ae
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: drivemodel.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/drivemodel.js

MD5: 15baadf362e4a6bbe9a11156c356379c

SHA1: 05a6ac4aa85f9d1b98cac8d1c942db6e00b10395

SHA256:533450f05968f0823eaa8fa4554a274f3495c13109443dde13ad2c4c7227783a

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: dropzone.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/dropzone.directive.js

MD5: 9333360f3ab2b58025292cfc300d2306

SHA1: feb2c2ae6a060ba3b1f51732fa15a8440054ca42

SHA256:2efa8838dffff4758fb089069c6248dc2cde45767d752411bff610fb5ca61bfe

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: entryactions.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/entryactions.directive.js

MD5: 4e1af222fa8434c45c9967dae33e4ba9

SHA1: 067370c7d53fca7b04dc7ebc1bcde2b2a68ba7c3

SHA256: a716406bfdebc18c913061f0087bcdcf9c08d7c1379619071da2993ad8a853f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: fileconfig.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/server/mount/file/webgui/fileconfig.directive.js

MD5: 50021227a8c1fde7c5e9021fb4c9662e

SHA1: 9e1c4f0d2797885ed42bd13c2d5f61c8503ea8a5

SHA256: c85bf99b97ddbb557902ed0f23d4a3f240b7a30d98a7d14b30770b463cd10535

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: folderlist.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/folderlist.directive.js

MD5: 4b24a6e7eed98f96a4aacd30236cf1ff

SHA1: 2fa7cc99c29eff9ed30d996376e090b14c7546dc

SHA256: e2afefbd377b98737e447807786aec7287ad53863379816259cc9e9d069218f9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: linkdialog.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/linkdialog.js

MD5: f15f4145fae202d6226cd16552f4332e

SHA1: 55d3a3a74a0097f2140679fd038db9e117b91210

SHA256: 00e825cc4311746a4694f6534bb97e2baf9eb0fd8230e28d0a18ad504118b3d2

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None


drive.zip: drive.jar: locationchooser.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/locationchooser.js

MD5: 63cc3a56e78e101f8772b6971837cabe

SHA1: 9607b46402152c52677255207bfb1d8a53ddc65d

SHA256:8a0b7240d62d62efd231eff9b0eef7e552534e05f2e86e58d0898cdab40acbf0
Referenced In Project/Scope: server

Evidence 


Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: mountdialog.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/mountdialog.js
MD5: bae8655b5724d052aa7a9711f4152936
SHA1: 56bf6845f5178a95afec6d2038d3f9ab6f73c0c3
SHA256:a3fa9b43fda1a23e4ba1bca6d626d4e4f75856ccb567e99c66f5c1bed6cbe54e
Referenced In Project/Scope: server

Evidence 


Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: myshareextension.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/myshareextension.js
MD5: 3341e49fd8b74545b74fb5801eea08f7
SHA1: 495f3198d67735901fcee27163e685c11dcc548c
SHA256:c167e8ab447f2bbff5cd9ca084cfbf20a53ebf7dbafa0e715ca07abdbc75832e
Referenced In Project/Scope: server

Evidence 

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: permissionsextension.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/extensions/permissionsextension.js

MD5: 9c5c581b9803ab8041a11b31f21ffc99

SHA1: 5707cae0a20fff67b505d52485895bbb60e20f35

SHA256: 55dcc82f643b3b8c4a7c464049e7bcece0a5952639742692bdd8db1a20b20b3a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: progress.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/service/progress.service.js

MD5: b004817959f313b9b60d12ef02c30ed9

SHA1: 67a59999e03435474845d8662a6e15158bc1a963

SHA256: e971b5c8d0b1dbb020ee0093bce0fd08bbad7b83a8f5f64365f39d96f5cec439

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: progresspanel.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/progresspanel.directive.js

MD5: bea9ad91c5e843050f2f26c1224edb8d

SHA1: 7b690153a846fd222ce973ce5f83f429d226e2ef

SHA256: c8f9e65c8e6e6438ecb4ee3062ec7c66b0145e32d68de0cd2f543bb6e4945b12

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: resolve.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/service/resolve.service.js

MD5: 95b31366585c193c85a04bef11668e8f

SHA1: 61138ba7e20763911657b0f426b3f1c2c56f1cb6

SHA256: de639385d47d388a361976f14e9672ee20b4864fa1c51f4157d8c2055c4d0f6e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: responsivetoolbar.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/responsivetoolbar.directive.js
MD5: 27e0c257622ce7abaa3d79b16f4ca956
SHA1: fdc8792d25cc1f9c717829edcb42bccb96ba815c
SHA256: 678811dd758af1a5a9e1cc6245c15c92dc6cf3ab19048a02e4974ab57851d175
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: selectedextension.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/selectedextension.js
MD5: bc1586beb3196d958558dec1e3aad8cc
SHA1: 6692fb56799c97f45146219295a634e5b3f8bd3c
SHA256: eb9e87833bf57bcbcb808231f58e7fb4efc25bea6865755e41f9c9f21e3045630
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: shareextension.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/shareextension.js
MD5: b709a1856dfd4688f3d642ba8512838d
SHA1: f119d948dc1479b33bd304aebd0650c239c8a903
SHA256: 8667bdb30f708796b86f3992836b5d25e63ba5c73c7932014d4d7e8b00df628a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: shareextension.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/extensions/shareextension.js

MD5: 53aeb65f11b5aea7b667be8659e289c

SHA1: 9ba72346c5f1e9e6e5a418d599b13f92193a65dc

SHA256: 7e293e5d53b937b45c0c310bd5fcf0ecbb8ddd8bee801bae11469653333f34ad

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: thumbnailextension.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/thumbnailextension.js

MD5: 16297c9704c91eea2ca65ad4ccef42ab

SHA1: d21cb0b96916a7659a493e0f7d2e62c61df3633d

SHA256: 34505c2844ba933bdf08fac79eb6a642e7581e6630fd14fc7313fcab99bda312

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: toolbaraction.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/toolbaraction.directive.js

MD5: 6f4fabe4efc8a816d22cdc075c83e252

SHA1: 2499850520381d89890f6b1188c0d78785e8c4b0

SHA256: 67ecf4f475e00aa01cbfd00b745b4b7fd982f7355d720238534dcbfc39e94874

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: unzipextension.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/extensions/unzipextension.js

MD5: eb1cc3ddc27ca5cebcc29928a73b284b

SHA1: d88389fb2ca0c9f222856c4448dffedf192893d0

SHA256: 16131306dd92c55b463f0f0ef4c3c4316c2a3d16d4d43c6e26ca17ec547f9f7f

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: zipextension.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/extensions/zipextension.js

MD5: 0a73ec5359838800bd35ba9a1f9e5559

SHA1: 207e48452de653ffa8c64e97d421c4424f38e84c

SHA256: 761ecdcbabba3f0826296e17c414d975e421c5b571cb4613982020e3f7c17822

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

embeddedMode.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/Embedded/src/com/inet/application/embedded/webgui/embeddedMode.js

MD5: 92314f8cc3acd209a1f91a13fc50a2fb

SHA1: dadaca7712877d347c6052a89d3ac5bcc796ebab

SHA256: 4ed3dd2cdd5ef6552ed5af7ccc9dc6bd3622dd717d63b4a75631234ecf3186ae

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- application.embedded.sample.zip: embeddedMode.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/Embedded/application.embedded.sample.zip/src/com/inet/application/embedded/webgui/embeddedMode.js
 - MD5: 92314f8cc3acd209a1f91a13fc50a2fb
 - SHA1: dadaca7712877d347c6052a89d3ac5bcc796ebab
 - SHA256: 4ed3dd2cdd5ef6552ed5af7ccc9dc6bd3622dd717d63b4a75631234ecf3186ae

Identifiers

- None

filter.area.zip: filter.area.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.area.zip/filter.area.jar

MD5: b38d5568b590497701ca4709b7195aef

SHA1: c22ca6a020eca5f6f25aa36c4d2c956113c5bdfd

SHA256: 79d75e1b443afef254b187b066f3be00228febc0243b0c7965298b69146a6762

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	filter.area	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-10-22 20:18	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.area	High
Product	jar	package name	area	Highest
Product	jar	package name	area	Low
Product	jar	package name	filter	Highest

Product	jar	package name	filter	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-10-22 20:18	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.area	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.area	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.10.219.*.*.*.*.* (Confidence:Low) suppress

filter.baselinetable.zip: filter.baselinetable.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller
/server/build/tmp/dependencies/i-net PDFC/plugins/filter.baselinetable.zip/filter.baselinetable.jar

MD5: 080f9d957aa5230bdd0fbf73d67b0021

SHA1: a9ed573778e8481ca081827064cba53df02571e8

SHA256:6579a4771e21345a489ca15fc5bc20cc1a7c87a66406cff7fc3e851c32405145

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	filter.baselinetable	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low

Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-10-22 20:17	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.baselinetable	High
Product	jar	package name	baselinetable	Highest
Product	jar	package name	baselinetable	Low
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-10-22 20:17	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.baselinetable	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.baselinetable	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest

Version	Manifest	Implementation-Version	25.10.219	High
---------	----------	------------------------	-----------	------

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.10.219:*:*:*:*:* (Confidence:Low) suppress

filter.cmappatch.zip: filter.cmappatch.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.cmappatch.zip/filter.cmappatch.jar

MD5: 74f3e25a7c9ff1153ac0f6d6ca20ab37

SHA1: 6d43cc8567f9e525621f3dd6c49eaecdecf3e730

SHA256: 914acbf48ecf9bc4203014b9f44c470997ddad57b494f1b4f8ba993b413838c4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	filter.cmappatch	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-10-22 20:13	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low

Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.cmappatch	High
Product	jar	package name	cmappatch	Highest
Product	jar	package name	cmappatch	Low
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-10-22 20:13	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.cmappatch	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.cmappatch	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.10.219:*:*:*:*:* (Confidence:Low) suppress

filter.headerfooter.zip: filter.headerfooter.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.headerfooter.zip/filter.headerfooter.jar

MD5: 2c3b59e5999a736d934bcbef1543a3f1

SHA1: aba4849c658a89b65666538108a82ab807d868d3

SHA256: 3575ec8b8512cd2545ee87a3d402937a2a5820c367306dfe5b568c3d27805dba

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	filter.headerfooter	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-10-22 20:16	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.headerfooter	High
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	headerfooter	Highest
Product	jar	package name	headerfooter	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-10-22 20:16	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.headerfooter	High

Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.headerfooter	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.10.219:*:*:*:*:* (Confidence:Low) suppress

filter.hiderotation.zip: filter.hiderotation.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller
/server/build/tmp/dependencies/i-net PDFC/plugins/filter.hiderotation.zip/filter.hiderotation.jar

MD5: 826fdd140693befdb240728f7589dbe4

SHA1: dfae437ad6c9ff5848583b4fb5ce277429f972ce

SHA256:488ac559768e512b0fcdeb47f486dcb2ab36fcd79a76d37e712ea48a7f35ff88

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	filter.hiderotation	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-10-22 20:13	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium

Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.hiderotation	High
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	hiderotation	Highest
Product	jar	package name	hiderotation	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-10-22 20:13	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.hiderotation	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.hiderotation	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.10.219:*:*:*:*:* (*Confidence:Low*) suppress

filter.invisibleelements.zip: filter.invisibleelements.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.invisibleelements.zip/filter.invisibleelements.jar
MD5: bd3a0da045c2193159ff72b801fc75c4
SHA1: d15d304d1048d8ef9ba40173dcbc12e12f5637cf
SHA256: 931fdb7c1032db2c2beef2e016cdbf8a70c924255fc57d29d54253790ce9ce3c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	filter.invisibleelements	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-10-22 20:13	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.invisibleelements	High
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	invisibleelements	Highest
Product	jar	package name	invisibleelements	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low

Product	Manifest	built-date	2025-10-22 20:13	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.invisibleelements	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.invisibleelements	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.10.219:*:*:*:*:* (Confidence:Low)

suppress

filter.multicolumn.zip: filter.multicolumn.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.multicolumn.zip/filter.multicolumn.jar

MD5: beeb3e668efa906212d08f0f1520a56c

SHA1: 5dd3deaff0ae7b08f56dac092bfa79eabb87b238

SHA256: 49b8c117c618aef264cbd73ba06ac20b17676373b9cb852fd4123d605d4d6e2a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	filter.multicolumn	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-10-22 20:13	Low
Vendor	Manifest	codebase	*	Low

Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.multicolumn	High
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	multicolumn	Highest
Product	jar	package name	multicolumn	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-10-22 20:13	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.multicolumn	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.multicolumn	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.10.219:*:*:*:*:* (Confidence:Low)

suppress

filter.ocr.zip: filter.ocr.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.ocr.zip/filter.ocr.jar
MD5: c8dcd02441c9c0bde00a3f2d5665ac13
SHA1: 070e7ff50099cc28ac4493f8d7fdbb73994897e5
SHA256:f26df7f31ca8bedc5b2fe1e2547b331ed04daca59bffdbd450421f8d214823d6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	filter.ocr	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-10-22 20:13	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.ocr	High
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	ocr	Highest
Product	jar	package name	ocr	Low

Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-10-22 20:13	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.ocr	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.ocr	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.10.219:****:*:* (Confidence:Low) suppress

filter.pagerange.zip: filter.pagerange.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.pagerange.zip/filter.pagerange.jar
MD5: 3818c2b65226aa334a9244a2307748c9
SHA1: a1898740d84531a986771ee23ba39c6716ea8419
SHA256: 3ec59e5c57d40528030856f148d07ea718c22ff13b9b68c12958991d33c9c295
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	filter.pagerange	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low

Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-10-22 20:17	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.pagerange	High
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	page	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-10-22 20:17	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.pagerange	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.pagerange	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.10.219:*:*:*:*:* (Confidence:Low) suppress

filter.regex.zip: filter.regex.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.regex.zip/filter.regex.jar

MD5: f126448213b7656268ead9daeebd78a1

SHA1: 66be5acc01aa9354c9a62102ccab0efcc049d28f

SHA256: 3232d43e697b57ecc0be6148fe3beed91ee70688a867f2ee9696114beeb1362a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	filter.regex	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-10-22 20:16	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.regex	High
Product	jar	package name	filter	Highest

Product	jar	package name	filter	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	regex	Highest
Product	jar	package name	regex	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-10-22 20:16	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.regex	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.regex	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.10.219:*:*:*:*:* (Confidence:Low) suppress

filter.regex.zip: filter.regex.jar: filterrenderer.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.regex.zip/filter.regex.jar/com/inet/pdfc/filter/regex/structure/filterrenderer.js

MD5: fed6198a818efccd3e71fac743e61c3f

SHA1: dc6d579196c5b147daac7e14e034e2b004ca36f2

SHA256: 87b3e46faf43504c51e1ad9407e3d6c17a3bcd8170c14ea7df3b1f4282275442

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

filter.texttransform.zip: filter.texttransform.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.texttransform.zip/filter.texttransform.jar

MD5: 13e264d62aac9c8e580ecbf0800b46b4

SHA1: 0eda9dcc1af6f6848d6cf4740ad546cc8ba06c6c

SHA256: 9fdd0b35df0d20c7b136ca52f6341475839372f2df9e743914d3e35577c565b2

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	filter.texttransform	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-10-22 20:17	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.texttransform	High
Product	jar	package name	filter	Highest

Product	jar	package name	filter	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	texttransform	Highest
Product	jar	package name	texttransform	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-10-22 20:17	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.texttransform	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.texttransform	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

• cpe:2.3:a:inetsoftware:pdfc:25.10.219:*:*:*:*:* (Confidence:Low) suppress

filter.urllookup.zip: filter.urllookup.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.urllookup.zip/filter.urllookup.jar
MD5: fcee4d4213ea83d0c89e57a438ccb136
SHA1: 62c9997838191b2bb986c8588a49a4064a1a8b1a
SHA256: 5a23e52857f907860dd82c2271737bb02c7cfbf9e2f0e3c15e89e3c5ee00efdd
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Vendor	file	name	filter.urllookup	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-10-22 20:19	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.urllookup	High
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	urllookup	Highest
Product	jar	package name	urllookup	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-10-22 20:19	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.urllookup	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.urllookup	Medium

Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.10.219:*:*:*:*:* (Confidence:Low) suppress

googleanalytics.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/src/com/inet/application/googleanalytics/client/js/googleanalytics.js

MD5: 9baed8cfe9d4f693465c4a9174c0413f

SHA1: 03818d5c1e5939c41e453f974efc74ae92e26be7

SHA256: efa405309d646c8a1fbc758eb18a248d7cac07cf390c48d0421d1d006b550ff6

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- application.googleanalytics.sample.zip: googleanalytics.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/application.googleanalytics.sample.zip/src/com/inet/application/googleanalytics/client/js/googleanalytics.js
 - MD5: 9baed8cfe9d4f693465c4a9174c0413f
 - SHA1: 03818d5c1e5939c41e453f974efc74ae92e26be7
 - SHA256: efa405309d646c8a1fbc758eb18a248d7cac07cf390c48d0421d1d006b550ff6

Identifiers

- None

hamcrest-3.0.jar

License:

BSD-3-Clause

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.hamcrest/hamcrest/3.0/8fd9b78a8e6a6510a078a9e30e9e86a6035cfaf7/hamcrest-3.0.jar

MD5: 781023c38b054e9cf1c818c77895e1eb

SHA1: 8fd9b78a8e6a6510a078a9e30e9e86a6035cfaf7

SHA256: 5d66b6a4a680755cb6ed7cb104fa7835ef644667586ff0737adeb977c39ecdbc

Referenced In Project/Scope: server:inetPlugin

Included by: pkg:maven/pdfc/server@25.10

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	hamcrest	High
Vendor	gradle	artifactid	hamcrest	Highest
Vendor	gradle	groupid	org.hamcrest	Highest
Vendor	jar	package name	hamcrest	Highest
Vendor	jar	package name	hamcrest	Low
Vendor	Manifest	automatic-module-name	org.hamcrest	Medium
Vendor	Manifest	bundle-symbolicname	org.hamcrest	Medium
Vendor	Manifest	Implementation-Vendor	hamcrest.org	High
Product	file	name	hamcrest	High
Product	gradle	artifactid	hamcrest	Highest
Product	jar	package name	hamcrest	Highest
Product	Manifest	automatic-module-name	org.hamcrest	Medium
Product	Manifest	Bundle-Name	org.hamcrest	Medium
Product	Manifest	bundle-symbolicname	org.hamcrest	Medium
Product	Manifest	Implementation-Title	hamcrest	High
Version	file	version	3.0	High
Version	Manifest	Implementation-Version	3.0	High

Identifiers

- <pkg:maven/org.hamcrest/hamcrest@3.0> (Confidence: Highest)

help.zip: commons-beanutils.jar

Description:

Apache Commons BeanUtils provides an easy-to-use but flexible wrapper around reflection and introspection.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/help.zip/commons-beanutils.jar

MD5: 32ed51f196dfa19e0dc1ce53eeed29e

SHA1: ac03ea606d13de04c2e4508227680faff151f491

SHA256: 9e44ba68ec9a3f21286fa2a8bbb003b735c0f69101bb43144b79f4f8aaa74709

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-beanutils	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	beanutils	Highest
Vendor	jar	package name	commons	Highest
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-beanutils	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-beanutils	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-beanutils	Low
Vendor	pom	developer email	britter@apache.org	Low
Vendor	pom	developer email	chtompki@apache.org	Low
Vendor	pom	developer email	craigmcc@apache.org	Low
Vendor	pom	developer email	dion@apache.org	Low
Vendor	pom	developer email	epugh@apache.org	Low

Vendor	pom	developer email	geirm@apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	jcarman@apache.org	Low
Vendor	pom	developer email	jconlon@apache.org	Low
Vendor	pom	developer email	jstrachan@apache.org	Low
Vendor	pom	developer email	morgand@apache.org	Low
Vendor	pom	developer email	mvdb@apache.org	Low
Vendor	pom	developer email	niallp@apache.org	Low
Vendor	pom	developer email	rdonkin@apache.org	Low
Vendor	pom	developer email	rwaldhoff@apache.org	Low
Vendor	pom	developer email	sanders@apache.org	Low
Vendor	pom	developer email	scolebourne@apache.org	Low
Vendor	pom	developer email	skitching@apache.org	Low
Vendor	pom	developer email	stain@apache.org	Low
Vendor	pom	developer email	tobrien@apache.org	Low
Vendor	pom	developer email	yoavs@apache.org	Low
Vendor	pom	developer id	britter	Medium
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	craigmcc	Medium
Vendor	pom	developer id	dion	Medium
Vendor	pom	developer id	epugh	Medium
Vendor	pom	developer id	geirm	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jcarman	Medium
Vendor	pom	developer id	jconlon	Medium
Vendor	pom	developer id	jstrachan	Medium
Vendor	pom	developer id	morgand	Medium
Vendor	pom	developer id	mvdb	Medium
Vendor	pom	developer id	niallp	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	rwaldhoff	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	scolebourne	Medium
Vendor	pom	developer id	skitching	Medium
Vendor	pom	developer id	stain	Medium

Vendor	pom	developer id	tobrien	Medium
Vendor	pom	developer id	yoavs	Medium
Vendor	pom	developer name	Benedikt Ritter	Medium
Vendor	pom	developer name	Craig McClanahan	Medium
Vendor	pom	developer name	David Eric Pugh	Medium
Vendor	pom	developer name	Dion Gillard	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Geir Magnusson Jr.	Medium
Vendor	pom	developer name	James Carman	Medium
Vendor	pom	developer name	James Strachan	Medium
Vendor	pom	developer name	John E. Conlon	Medium
Vendor	pom	developer name	Martin van den Bemt	Medium
Vendor	pom	developer name	Morgan James Delagrangre	Medium
Vendor	pom	developer name	Niall Pemberton	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Rodney Waldhoff	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Simon Kitching	Medium
Vendor	pom	developer name	Stephen Colebourne	Medium
Vendor	pom	developer name	Stian Soiland-Reyes	Medium
Vendor	pom	developer name	Tim O'Brien	Medium
Vendor	pom	developer name	Yoav Shapira	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	https://www.apache.org/	Medium
Vendor	pom	groupid	commons-beanutils	Highest
Vendor	pom	name	Apache Commons BeanUtils	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	https://commons.apache.org/proper/commons-beanutils	Highest
Product	file	name	commons-beanutils	High
Product	jar	package name	apache	Highest
Product	jar	package name	beanutils	Highest
Product	jar	package name	commons	Highest

Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-beanutils	Low
Product	Manifest	Bundle-Name	Apache Commons BeanUtils	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-beanutils	Medium
Product	Manifest	Implementation-Title	Apache Commons BeanUtils	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Apache Commons BeanUtils	Medium
Product	pom	artifactid	commons-beanutils	Highest
Product	pom	developer email	britter@apache.org	Low
Product	pom	developer email	chtompki@apache.org	Low
Product	pom	developer email	craigmcc@apache.org	Low
Product	pom	developer email	dion@apache.org	Low
Product	pom	developer email	epugh@apache.org	Low
Product	pom	developer email	geirm@apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	jcarman@apache.org	Low
Product	pom	developer email	jconlon@apache.org	Low
Product	pom	developer email	jstrachan@apache.org	Low
Product	pom	developer email	morgand@apache.org	Low
Product	pom	developer email	mvdb@apache.org	Low
Product	pom	developer email	niallp@apache.org	Low
Product	pom	developer email	rdonkin@apache.org	Low
Product	pom	developer email	rwaldhoff@apache.org	Low
Product	pom	developer email	sanders@apache.org	Low
Product	pom	developer email	scolebourne@apache.org	Low
Product	pom	developer email	skitching@apache.org	Low
Product	pom	developer email	stain@apache.org	Low
Product	pom	developer email	tobrien@apache.org	Low
Product	pom	developer email	yoavs@apache.org	Low
Product	pom	developer id	britter	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	craigmcc	Low
Product	pom	developer id	dion	Low
Product	pom	developer id	epugh	Low

Product	pom	developer id	geirm	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jcarman	Low
Product	pom	developer id	jconlon	Low
Product	pom	developer id	jstrachan	Low
Product	pom	developer id	morgand	Low
Product	pom	developer id	mvdb	Low
Product	pom	developer id	niallp	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	rwaldhoff	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	scolebourne	Low
Product	pom	developer id	skitching	Low
Product	pom	developer id	stain	Low
Product	pom	developer id	tobrien	Low
Product	pom	developer id	yoavs	Low
Product	pom	developer name	Benedikt Ritter	Low
Product	pom	developer name	Craig McClanahan	Low
Product	pom	developer name	David Eric Pugh	Low
Product	pom	developer name	Dion Gillard	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Geir Magnusson Jr.	Low
Product	pom	developer name	James Carman	Low
Product	pom	developer name	James Strachan	Low
Product	pom	developer name	John E. Conlon	Low
Product	pom	developer name	Martin van den Bemt	Low
Product	pom	developer name	Morgan James Delagrange	Low
Product	pom	developer name	Niall Pemberton	Low
Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Rodney Waldhoff	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Simon Kitching	Low
Product	pom	developer name	Stephen Colebourne	Low
Product	pom	developer name	Stian Soiland-Reyes	Low

Product	pom	developer name	Tim O'Brien	Low
Product	pom	developer name	Yoav Shapira	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	https://www.apache.org/	Low
Product	pom	groupid	commons-beanutils	Highest
Product	pom	name	Apache Commons BeanUtils	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper/commons-beanutils	Medium
Version	Manifest	Bundle-Version	1.11.0	High
Version	Manifest	Implementation-Version	1.11.0	High
Version	pom	parent-version	1.11.0	Low
Version	pom	version	1.11.0	Highest

Identifiers

- [pkg:maven/commons-beanutils/commons-beanutils@1.11.0](#) (*Confidence:High*)
- [cpe:2.3:a:apache:commons_beanutils:1.11.0:*:*:*:*:*](#) (*Confidence:Highest*)

suppress

help.zip: commons-digester3.jar

Description:

The Apache Commons Digester package lets you configure an XML to Java object mapping module which triggers certain actions called rules whenever a particular pattern of nested XML elements is recognized.

License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/help.zip/commons-digester3.jar

MD5: 41d2c62c7aedafa7a3627794abc83f71

SHA1: c3f68c5ff25ec5204470fd8fdf4cb8feff5e8a79

SHA256: 1c150e3d2df4b4237b47e28fea2079fb0da324578d5cca6a5fed2e37a62082ec

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-digester3	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	digester	Highest
Vendor	jar	package name	digester3	Highest
Vendor	jar	package name	rules	Highest
Vendor	Manifest	bundle-docurl	http://commons.apache.org/digester/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.digester	Medium
Vendor	Manifest	implementation-build	tags/DIGESTER3_3_2_RC2@r1212807; 2011-12-10 15:57:06+0100	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-digester3	Low
Vendor	pom	developer email	craigmcc@apache.org	Low
Vendor	pom	developer email	jfarcand@apache.org	Low
Vendor	pom	developer email	jstrachan@apache.org	Low
Vendor	pom	developer email	jvanzyl@apache.org	Low
Vendor	pom	developer email	mbenson AT apache DOT org	Low
Vendor	pom	developer email	rahul AT apache DOT org	Low
Vendor	pom	developer email	rdonkin@apache.org	Low
Vendor	pom	developer email	sanders@totalsync.com	Low
Vendor	pom	developer email	simonetripodi AT apache DOT org	Low
Vendor	pom	developer email	skitching@apache.org	Low
Vendor	pom	developer email	tobrien@apache.org	Low
Vendor	pom	developer id	craigmcc	Medium
Vendor	pom	developer id	jfarcand	Medium
Vendor	pom	developer id	jstrachan	Medium
Vendor	pom	developer id	jvanzyl	Medium
Vendor	pom	developer id	mbenson	Medium
Vendor	pom	developer id	rahul	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	sanders	Medium

Vendor	pom	developer id	simonetripodi	Medium
Vendor	pom	developer id	skitching	Medium
Vendor	pom	developer id	tobrien	Medium
Vendor	pom	developer name	Craig McClanahan	Medium
Vendor	pom	developer name	James Strachan	Medium
Vendor	pom	developer name	Jason van Zyl	Medium
Vendor	pom	developer name	Jean-Francois Arcand	Medium
Vendor	pom	developer name	Matt Benson	Medium
Vendor	pom	developer name	Rahul Akolkar	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Simon Kitching	Medium
Vendor	pom	developer name	Simone Tripodi	Medium
Vendor	pom	developer name	Tim OBrien	Medium
Vendor	pom	groupid	org.apache.commons	Highest
Vendor	pom	name	Apache Commons Digester	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	url	http://commons.apache.org/digester/	Highest
Product	file	name	commons-digester3	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	digester	Highest
Product	jar	package name	digester3	Highest
Product	jar	package name	rules	Highest
Product	Manifest	bundle-docurl	http://commons.apache.org/digester/	Low
Product	Manifest	Bundle-Name	Apache Commons Digester	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.digester	Medium
Product	Manifest	implementation-build	tags/DIGESTER3_3_2_RC2@r1212807; 2011-12-10 15:57:06+0100	Low
Product	Manifest	Implementation-Title	Apache Commons Digester	High
Product	Manifest	specification-title	Apache Commons Digester	Medium
Product	pom	artifactid	commons-digester3	Highest
Product	pom	developer email	craigmcc@apache.org	Low
Product	pom	developer email	jfarcan@apache.org	Low

Product	pom	developer email	jstrachan@apache.org	Low
Product	pom	developer email	jvanzyl@apache.org	Low
Product	pom	developer email	mbenson AT apache DOT org	Low
Product	pom	developer email	rahul AT apache DOT org	Low
Product	pom	developer email	rdonkin@apache.org	Low
Product	pom	developer email	sanders@totalsync.com	Low
Product	pom	developer email	simonetripodi AT apache DOT org	Low
Product	pom	developer email	skitching@apache.org	Low
Product	pom	developer email	tobrien@apache.org	Low
Product	pom	developer id	craigmcc	Low
Product	pom	developer id	jfarcand	Low
Product	pom	developer id	jstrachan	Low
Product	pom	developer id	jvanzyl	Low
Product	pom	developer id	mbenson	Low
Product	pom	developer id	rahul	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	simonetripodi	Low
Product	pom	developer id	skitching	Low
Product	pom	developer id	tobrien	Low
Product	pom	developer name	Craig McClanahan	Low
Product	pom	developer name	James Strachan	Low
Product	pom	developer name	Jason van Zyl	Low
Product	pom	developer name	Jean-Francois Arcand	Low
Product	pom	developer name	Matt Benson	Low
Product	pom	developer name	Rahul Akolkar	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Simon Kitching	Low
Product	pom	developer name	Simone Tripodi	Low
Product	pom	developer name	Tim OBrien	Low
Product	pom	groupid	org.apache.commons	Highest
Product	pom	name	Apache Commons Digester	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	url	http://commons.apache.org/digester/	Medium

Version	Manifest	Implementation-Version	3.2	High
Version	pom	parent-version	3.2	Low
Version	pom	version	3.2	Highest

Identifiers

- <pkg:maven/org.apache.commons/commons-digester3@3.2> (*Confidence:High*)

help.zip: help.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/help.zip/help.jar

MD5: 05dc1d5d368be630e027d51f0ac7df37

SHA1: 28ce661ea774d2b5d1f0cdd07dec5778875e7c54

SHA256:bbf5001d1ef310213c53dce4b4e2dc2cb7223972ea0c202d5983eef6e5bec3ee

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	help	High
Vendor	jar	package name	help	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2025-10-22 17:20	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	help	High
Product	jar	package name	help	Highest
Product	jar	package name	help	Low
Product	Manifest	built-date	2025-10-22 17:20	Low
Product	Manifest	implementation-group	shared	Low

Product	Manifest	Implementation-Title	help	High
Product	Manifest	specification-title	help	Medium
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- None

help.zip: help.jar: app.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/help.zip/help.jar/com/inet/help/resources/js/app.js
MD5: 3a626c6ba8ee31fb8ebf60eabda6f994
SHA1: c39bfbdd57aadcb966452b9fc2790e555fa12867
SHA256: 1a77be335c5f6949c202f5b8e959c01b7d20c29d70b1fa242805724dc08a5f71
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

help.zip: help.jar: controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/help.zip/help.jar/com/inet/help/resources/js/controller.js
MD5: 56aaa1c940ebe63e698f2c96d8d349b1
SHA1: ec2bffb7d788815074a91285778836919c4fe6245
SHA256: dcadc7df6c99e3ec93d8e539c3d7e5f3a1aac871e021c961ea6df16ade78162d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

help.zip: help.jar: shared.factory.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/help.zip/help.jar/com/inet/help/resources/js/shared.factory.js

MD5: 0b9f1c69fe745940b59dfcc46b07c9e8

SHA1: d04efd9797d2fdca767d508cf120351bef141846

SHA256: 1b2cc4f4fd954ea4954b04681293f059a417fe38c59c129f87bd22dbc9bdf0cc

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

help.zip: help.jar: shared.highlighter.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/help.zip/help.jar/com/inet/help/resources/js/shared.highlighter.js

MD5: af91e703b72f064acb7b0980a1981705

SHA1: 53a2a1c5190b1f3a3e3d4e68e645a152732c1893

SHA256: 12e9a91bfad9c6958f82cc85b396c869363b181054843e472342bad54ebd4ad1

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

help.zip: jsoup.jar

Description:

jsoup is a Java library that simplifies working with real-world HTML and XML. It offers an easy-to-use API for URL fetching, data parsing, extraction, and manipulation using DOM API methods, CSS, and xpath selectors. jsoup implements the WHATWG HTML5 specification, and parses HTML to the same DOM as modern browsers.

License:

The MIT License: <https://jsoup.org/license>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/help.zip/jsoup.jar

MD5: d15bd94d71d99e967c893e64f6452b84

SHA1: 0fb42d6cc9898ced4b73175eac49c61a40f35325

SHA256: 5be1ccd3228ae5fd6eed1bd6d827bac2bc65b91c20e9957d16ea65f739f15302

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jsoup	High
Vendor	jar	package name	jsoup	Highest
Vendor	jar	package name	org	Highest
Vendor	jar	package name	parser	Highest
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	https://jsoup.org/	Low
Vendor	Manifest	bundle-symbolicname	org.jsoup	Medium
Vendor	Manifest	Implementation-Vendor	Jonathan Hedley	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	originally-created-by	Apache Maven Bundle Plugin 5.1.9	Low
Vendor	pom	artifactid	jsoup	Low
Vendor	pom	developer email	jonathan@hedley.net	Low
Vendor	pom	developer id	jhy	Medium
Vendor	pom	developer name	Jonathan Hedley	Medium
Vendor	pom	groupid	org.jsoup	Highest
Vendor	pom	name	jsoup Java HTML Parser	High
Vendor	pom	organization name	Jonathan Hedley	High
Vendor	pom	organization url	https://jhy.io/	Medium

Vendor	pom	url	https://jsoup.org/	Highest
Product	file	name	jsoup	High
Product	jar	package name	9	Highest
Product	jar	package name	jsoup	Highest
Product	jar	package name	org	Highest
Product	jar	package name	parser	Highest
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	https://jsoup.org/	Low
Product	Manifest	Bundle-Name	jsoup Java HTML Parser	Medium
Product	Manifest	bundle-symbolicname	org.jsoup	Medium
Product	Manifest	Implementation-Title	jsoup Java HTML Parser	High
Product	Manifest	multi-release	true	Low
Product	Manifest	originally-created-by	Apache Maven Bundle Plugin 5.1.9	Low
Product	pom	artifactid	jsoup	Highest
Product	pom	developer email	jonathan@hedley.net	Low
Product	pom	developer id	jhy	Low
Product	pom	developer name	Jonathan Hedley	Low
Product	pom	groupid	org.jsoup	Highest
Product	pom	name	jsoup Java HTML Parser	High
Product	pom	organization name	Jonathan Hedley	Low
Product	pom	organization url	https://jhy.io/	Low
Product	pom	url	https://jsoup.org/	Medium
Version	Manifest	Bundle-Version	1.18.3	High
Version	Manifest	Implementation-Version	1.18.3	High
Version	pom	version	1.18.3	Highest

Identifiers

- [pkg:maven/org.jsoup/jsoup@1.18.3](#) (*Confidence:High*)
- [cpe:2.3:a:jsoup:jsoup:1.18.3:*:*:*:*:*](#) (*Confidence:Highest*)

suppress

htmlengine.zip: JWebEngine.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/htmlengine.zip/JWebEngine.jar

MD5: e26e08bf9115c53e479bef3cb7f78a16

SHA1: fa1059e85b9a04e435ef65f560a254aeb700dff9

SHA256: 7ce6a1dca7a62661d4051a91b6dba76e94ab39e059fdcdb2331e97411705afca

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	JWebEngine	High
Vendor	jar	package name	html	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-10-22 01:23	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	lib	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	JWebEngine	High
Product	jar	package name	html	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-10-22 01:23	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	lib	Low
Product	Manifest	Implementation-	JWebEngine	High

		Title		
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	JWebEngine	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	1.13.1808	High

Identifiers

- None

htmlengine.zip: htmlengine.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/htmlengine.zip/htmlengine.jar

MD5: cb08e5ffdb70b23dcccdfcafe013f9129

SHA1: a73e4866c07a4f966c938bee2794c5497a388f0c

SHA256: dd1b35e4cf858a74a26398fd314d36f3c3674fab04c6a6281afb64b83991a56

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	htmlengine	High
Vendor	jar	package name	htmlengine	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2025-10-22 17:31	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	htmlengine	High
Product	jar	package name	hmtlengineserverplugin	Low
Product	jar	package name	htmlengine	Highest

Product	jar	package name	htmlengine	Low
Product	Manifest	built-date	2025-10-22 17:31	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	htmlengine	High
Product	Manifest	specification-title	htmlengine	Medium
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- None

inetcore-25.10-tools.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/25.10/2e7af7803d163d444ca0989f1dbd086e4ab5a748/inetcore-25.10-tools.jar

MD5: b4eecad3e668afd1b0cbe395742ad96b

SHA1: 2e7af7803d163d444ca0989f1dbd086e4ab5a748

SHA256: 6838341fcefac0f07e6c14d3ed049edea119924c58d58fc0df47730142a55790

Referenced In Project/Scope: server:inetPlugin

Included by: pkg:maven/pdfc/server@25.10

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	inetcore	High
Vendor	gradle	artifactid	inetcore	Highest
Vendor	gradle	groupid	shared	Highest
Vendor	jar	package name	test	Low
Product	file	name	inetcore	High
Product	gradle	artifactid	inetcore	Highest
Version	file	name	inetcore	Medium
Version	file	version	25.10	High
Version	gradle	version	25.10	Highest

Identifiers

- [pkg:maven/shared/inetcore@25.10](#) (*Confidence: Highest*)

inetcore-25.10.jar (shaded: com.inet.shared:inetcore:null)

Description:

A blend composite defines the rule according to which a drawing primitive (known as the source) is mixed with existing graphics (known as the destination.)

ColorUtilities contains a set of tools to perform common color operations easily.

License:

LGPL: <http://www.gnu.org/licenses/lgpl.txt>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/25.10/500cd6c83e1c01b57ac11a19c6e8f6085b06da1e/inetcore-25.10.jar/META-INF/com/inet/shared/Utils/BlendComposite/pom.xml

MD5: 15e3963148212192804e2b1a2b73ad1c

SHA1: 1095ba4522949a04590ab9c98b7f684e92579ef9

SHA256: e5556987ad0b1ede84a994741147dadf6de0cb7d80b845f530e2a96505b79151

Referenced In Projects/Scopes:

- server
- server:inetPlugin

Evidence



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	inetcore	Low
Vendor	pom	developer email	contact@inetsoftware.de	Low
Vendor	pom	developer email	morgand@apache.org	Low
Vendor	pom	developer id	inetsoftware	Medium
Vendor	pom	developer id	romainguy	Medium
Vendor	pom	developer id	sun	Medium
Vendor	pom	developer name	i-net /// software	Medium
Vendor	pom	developer name	Romain Guy	Medium
Vendor	pom	developer name	Sun	Medium
Vendor	pom	developer org	Sun	Medium
Vendor	pom	groupid	com.inet.shared	Highest
Vendor	pom	name	BlendComposite and ColorUtilities	High
Vendor	pom (hint)	developer id	oracle	Medium
Vendor	pom (hint)	developer name	oracle	Medium
Vendor	pom	developer org	oracle	Medium

	(hint)			
Product	pom	artifactid	inetcore	Highest
Product	pom	developer email	contact@inetsoftware.de	Low
Product	pom	developer email	morgand@apache.org	Low
Product	pom	developer id	inetsoftware	Low
Product	pom	developer id	romainguy	Low
Product	pom	developer id	sun	Low
Product	pom	developer name	i-net /// software	Low
Product	pom	developer name	Romain Guy	Low
Product	pom	developer name	Sun	Low
Product	pom	developer org	Sun	Low
Product	pom	groupid	com.inet.shared	Highest
Product	pom	name	BlendComposite and ColorUtilities	High

Identifiers

- None

inetcore-25.10.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/25.10/500cd6c83e1c01b57ac11a19c6e8f6085b06da1e/inetcore-25.10.jar

MD5: accca7628dd1bd40ebc6174b87c4308a

SHA1: 500cd6c83e1c01b57ac11a19c6e8f6085b06da1e

SHA256: 8538b336b65fb7cfd414d871201cd175b0632965d8f66f711f902aad6920f3ad

Referenced In Projects/Scopes:

- server
- server:inetPlugin

Included by: pkg:maven/pdfc/server@25.10

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	inetcore	High
Vendor	gradle	artifactid	inetcore	Highest
Vendor	gradle	groupid	shared	Highest
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low

Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-10-22 16:38	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	inetcore	High
Product	gradle	artifactid	inetcore	Highest
Product	jar	package name	permissions	Highest
Product	jar	package name	shared	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-10-22 16:38	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	inetcore	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	inetcore	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	file	name	inetcore	Medium
Version	file	version	25.10	High
Version	gradle	version	25.10	Highest
Version	jar	package name	permissions	Highest
Version	jar	package name	shared	Highest

Version	Manifest	Implementation-Version	25.10.219	High
---------	----------	------------------------	-----------	------

Related Dependencies

- inetcore.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/java/inetcore.jar
 - MD5: accca7628dd1bd40ebc6174b87c4308a
 - SHA1: 500cd6c83e1c01b57ac11a19c6e8f6085b06da1e
 - SHA256: 8538b336b65fb7cfd414d871201cd175b0632965d8f66f711f902aad6920f3ad

Identifiers

- [pkg:maven/shared/inetcore@25.10](#) (*Confidence: Highest*)

inetloggeradapter.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/java/inetloggeradapter.jar

MD5: 85e9c955cfc1664a6b200f7dbf8baa72

SHA1: defe408ff86d732526b23b29439f7d971dca27e2

SHA256: af045fae8fc6be48e5065585e21d08d882c83fe60458f4034cc0083923d3efb

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	inetloggeradapter	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	slf4j	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-10-22 17:08	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-	de.inetsoftware	Medium

		Vendor-Id		
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	inetloggeradapter	High
Product	jar	package name	slf4j	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-10-22 17:08	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	i-net Logger Adapter	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	inetloggeradapter	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- None

inetsoftware.Pdfc.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC .NET Bridge/inetsoftware.Pdfc.dll

MD5: 37187b32070a02cde90c1363108b3720

SHA1: 36f3e4ecd2ae499bb62700d54ea4f27861047781

SHA256: 4ec7adc84e904c167f9f8ff360a4a5862b396a33aa57fcb23d4fd56c48fda45c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	inetsoftware.Pdfc	High
Product	file	name	inetsoftware.Pdfc	High

Identifiers

- None

inetsoftware.Pdfc.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC .NET Bridge/strongly named/inetsoftware.Pdfc.dll

MD5: cc73d9ebd3abbad477001152428fb966

SHA1: c835de6882ce6954b76c57eafcaac98192dfec7d

SHA256: ed7cbe797c1e3083fe7d6d0d0453f0407985728134eaf8ec4821ddb3aec6dcfd

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	inetsoftware.Pdfc	High
Product	file	name	inetsoftware.Pdfc	High

Identifiers

- None

jakarta.servlet-api.jar

Description:

Jakarta Servlet 6.1

License:

EPL 2.0: <http://www.eclipse.org/legal/epl-2.0>

GPL2 w/ CPE: <https://www.gnu.org/software/classpath/license.html>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/java/jakarta.servlet-api.jar

MD5: 314c930b3e40ac1abc3529c7c9942f09

SHA1: 1169a246913fe3823782af7943e7a103634867c5

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.servlet-api	High
Vendor	jar	package name	jakarta	Highest
Vendor	jar	package name	servlet	Highest
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	jakarta.servlet-api	Medium
Vendor	Manifest	extension-name	jakarta.servlet	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.eclipse	Medium
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.servlet-api	Low
Vendor	pom	developer id	yaminikb	Medium
Vendor	pom	developer name	Yamini K B	Medium
Vendor	pom	developer org	Oracle Corporation	Medium
Vendor	pom	developer org URL	http://www.oracle.com/	Medium
Vendor	pom	groupid	jakarta.servlet	Highest
Vendor	pom	name	Jakarta Servlet	High
Vendor	pom	parent-artifactid	project	Low
Vendor	pom	parent-groupid	org.eclipse.ee4j	Medium
Vendor	pom	url	https://projects.eclipse.org/projects/ee4j.servlet	Highest
Product	file	name	jakarta.servlet-api	High
Product	jar	package name	jakarta	Highest
Product	jar	package name	servlet	Highest
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta Servlet	Medium
Product	Manifest	bundle-symbolicname	jakarta.servlet-api	Medium

Product	Manifest	extension-name	jakarta.servlet	Medium
Product	pom	artifactid	jakarta.servlet-api	Highest
Product	pom	developer id	yaminikb	Low
Product	pom	developer name	Yamini K B	Low
Product	pom	developer org	Oracle Corporation	Low
Product	pom	developer org URL	http://www.oracle.com/	Low
Product	pom	groupid	jakarta.servlet	Highest
Product	pom	name	Jakarta Servlet	High
Product	pom	parent-artifactid	project	Medium
Product	pom	parent-groupid	org.eclipse.ee4j	Medium
Product	pom	url	https://projects.eclipse.org/projects/ee4j.servlet	Medium
Version	Manifest	Bundle-Version	6.1.0	High
Version	Manifest	Implementation-Version	6.1.0	High
Version	pom	parent-version	6.1.0	Low
Version	pom	version	6.1.0	Highest

Identifiers

- [pkg:maven/jakarta.servlet/jakarta.servlet-api@6.1.0](#) (*Confidence:High*)
- [cpe:2.3:a:oracle:projects:6.1.0:*:*:*:*:*](#) (*Confidence:Low*)

suppress

jakarta.websocket-api.jar

Description:

Jakarta WebSocket - Server API

License:

<https://www.eclipse.org/org/documents/epl-2.0/EPL-2.0.txt>, <https://www.gnu.org/software/classpath/license.html>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/java/jakarta.websocket-api.jar

MD5: b1098129a9c74ae03d618fb841990ab0

SHA1: 60e525188fdb42120506debd90ffd4e204fd6f24

SHA256: 541d00436cbca0a5e1f6a457c9f70a64f00bd2f83e10ed89c2b372bc34843b7e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.websocket-api	High
Vendor	jar	package name	jakarta	Highest
Vendor	jar	package name	server	Highest
Vendor	jar	package name	websocket	Highest
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	jakarta.websocket-api	Medium
Vendor	Manifest	extension-name	jakarta.websocket	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.websocket-api	Low
Vendor	pom	groupid	jakarta.websocket	Highest
Vendor	pom	name	Jakarta WebSocket - Server API	High
Vendor	pom	parent-artifactid	jakarta.websocket-all	Low
Vendor	pom	url	https://projects.eclipse.org/projects/ee4j.websocket	Highest
Product	file	name	jakarta.websocket-api	High
Product	jar	package name	jakarta	Highest
Product	jar	package name	server	Highest
Product	jar	package name	websocket	Highest
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta WebSocket - Server API	Medium
Product	Manifest	bundle-symbolicname	jakarta.websocket-api	Medium
Product	Manifest	extension-name	jakarta.websocket	Medium
Product	pom	artifactid	jakarta.websocket-api	Highest
Product	pom	groupid	jakarta.websocket	Highest
Product	pom	name	Jakarta WebSocket - Server API	High
Product	pom	parent-artifactid	jakarta.websocket-all	Medium
Product	pom	url	https://projects.eclipse.org/projects/ee4j.websocket	Medium
Version	Manifest	Bundle-Version	2.2.0	High

Version	Manifest	Implementation-Version	2.2.0	High
Version	pom	version	2.2.0	Highest

Identifiers

- <pkg:maven/jakarta.websocket/jakarta.websocket-api@2.2.0> (Confidence:High)

jakarta.websocket-client-api.jar

Description:

Jakarta WebSocket - Client API

License:

<https://www.eclipse.org/org/documents/epl-2.0/EPL-2.0.txt>, <https://www.gnu.org/software/classpath/license.html>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/java/jakarta.websocket-client-api.jar

MD5: 9c363a8d4ab7b78b6160569e27568c1a

SHA1: cf7eafc1b929a80429c77e4450c6720a7de56814

SHA256: aa6fa9331a3f470daee0dbfcf084abfbd7a49507297575d5bb8bfbf3d62fe8c0

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.websocket-client-api	High
Vendor	jar	package name	jakarta	Highest
Vendor	jar	package name	websocket	Highest
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	jakarta.websocket-client-api	Medium
Vendor	Manifest	extension-name	jakarta.websocket-client	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.websocket-client-api	Low
Vendor	pom	groupid	jakarta.websocket	Highest
Vendor	pom	name	Jakarta WebSocket - Client API	High

Vendor	pom	parent-artifactid	jakarta.websocket-all	Low
Vendor	pom	url	https://projects.eclipse.org/projects/ee4j.websocket	Highest
Product	file	name	jakarta.websocket-client-api	High
Product	jar	package name	jakarta	Highest
Product	jar	package name	websocket	Highest
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta WebSocket - Client API	Medium
Product	Manifest	bundle-symbolicname	jakarta.websocket-client-api	Medium
Product	Manifest	extension-name	jakarta.websocket-client	Medium
Product	pom	artifactid	jakarta.websocket-client-api	Highest
Product	pom	groupid	jakarta.websocket	Highest
Product	pom	name	Jakarta WebSocket - Client API	High
Product	pom	parent-artifactid	jakarta.websocket-all	Medium
Product	pom	url	https://projects.eclipse.org/projects/ee4j.websocket	Medium
Version	Manifest	Bundle-Version	2.2.0	High
Version	Manifest	Implementation-Version	2.2.0	High
Version	pom	version	2.2.0	Highest

Identifiers

- [pkg:maven/jakarta.websocket/jakarta.websocket-client-api@2.2.0](#) (*Confidence:High*)
- [cpe:2.3:a:web_project:web:2.2.0:*:*:*:*:*](#) (*Confidence:High*) suppress

java-21-jre-x64-linux.tar.gz: java-21-jre-x64-linux.tar: jrt-fs.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/java-21-jre-x64-linux.tar.gz/java-21-jre-x64-linux.tar/jre-11/lib/jrt-fs.jar

MD5: fd232b1a93c699d86f56595d88cc54da

SHA1: 5c034ec23e7858f7e3a5be3970833e12a9555f11

SHA256: ca81222a25fccfd0ecc9ef5c3d1efee0634e7938ab3c245e69b5bc0a55019028

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jrt-fs	High
Vendor	jar	package name	internal	Low
Vendor	jar	package name	jdk	Low
Vendor	jar	package name	jimage	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Adoptium	High
Vendor	Manifest	specification-vendor	Oracle Corporation	Low
Product	file	name	jrt-fs	High
Product	jar	package name	internal	Low
Product	jar	package name	jimage	Low
Product	Manifest	Implementation-Title	Java Runtime Environment	High
Product	Manifest	specification-title	Java Platform API Specification	Medium
Version	Manifest	Implementation-Version	21.0.8	High

Identifiers

- [cpe:2.3:a:eclipse:platform:21.0.8:****:*](#) (Confidence:Medium) suppress

jcip-annotations-1.0.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/net.jcip/jcip-annotations/1.0/afba4942caaeaf46aab0b976afd57cc7c181467e/jcip-annotations-1.0.jar

MD5: 9d5272954896c5a5d234f66b7372b17a

SHA1: afba4942caaeaf46aab0b976afd57cc7c181467e

SHA256: be5805392060c71474bf6c9a67a099471274d30b83eef84bfc4e0889a4f1dcc0

Referenced In Project/Scope: server:inetPlugin

Included by: pkg:maven/de.inetsoftware/jlessc@1.14

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jcip-annotations	High
Vendor	gradle	artifactid	jcip-annotations	Highest
Vendor	gradle	groupid	net.jcip	Highest
Vendor	jar	package name	annotations	Low

Vendor	jar	package name	jcip	Low
Vendor	jar	package name	net	Low
Product	file	name	jcip-annotations	High
Product	gradle	artifactid	jcip-annotations	Highest
Product	jar	package name	annotations	Low
Product	jar	package name	jcip	Low
Version	file	name	jcip-annotations	Medium
Version	file	version	1.0	High
Version	gradle	version	1.0	Highest

Identifiers

- [pkg:maven/net.jcip/jcip-annotations@1.0](https://maven.net.jcip/jcip-annotations@1.0) (*Confidence*:Highest)

jlessc-1.14.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/de.inetsoftware/jlessc/1.14

/5b2789630acdc41bab5c86da8937ffef3811a3c3/jlessc-1.14.jar

MD5: 73ef6dc09f0efda918ffcf67677ad2b0

SHA1: 5b2789630acdc41bab5c86da8937ffef3811a3c3

SHA256:5445ebb2231d943301b977e2b30451fc704835ea9b5f96fa64618c608938cb52

Referenced In Projects/Scopes:

- server
- server:inetPlugin

Included by: pkg:maven/pdfc/server@25.10

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jlessc	High
Vendor	gradle	artifactid	jlessc	Highest
Vendor	gradle	groupid	de.inetsoftware	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	less	Low
Vendor	jar	package name	lib	Low
Vendor	Manifest	automatic-module-name	de.inetsoftware.jlessc	Medium
Vendor	Manifest	bundle-symbolicname	de.inetsoftware.jlessc	Medium

Vendor	Manifest	Implementation-Vendor	i-net software GmbH, Berlin, Germany	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Product	file	name	jlessc	High
Product	gradle	artifactid	jlessc	Highest
Product	jar	package name	less	Low
Product	jar	package name	lib	Low
Product	Manifest	automatic-module-name	de.inetsoftware.jlessc	Medium
Product	Manifest	bundle-symbolicname	de.inetsoftware.jlessc	Medium
Product	Manifest	Implementation-Title	JLessC, a Less CSS compiler	High
Version	file	version	1.14	High
Version	Manifest	Implementation-Version	1.14	High

Related Dependencies



- theme.zip: jlessc.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/jlessc.jar
 - MD5: 73ef6dc09f0efda918ffcf67677ad2b0
 - SHA1: 5b2789630acdc41bab5c86da8937ffef3811a3c3
 - SHA256: 5445ebb2231d943301b977e2b30451fc704835ea9b5f96fa64618c608938cb52

Identifiers

- [pkg:maven/de.inetsoftware/jlessc@1.14](#) (*Confidence*:Highest)

jpeg2000.zip: asm.jar

License:

BSD-3-Clause;link=https://asm.ow2.io/LICENSE.txt

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/asm.jar

MD5: 11d087d43c52ef8747d6b01bb972f0c0

SHA1: 722ae5cdd841978aa0ef7335af48d52be074d797

SHA256: 88c2477bf5a0b28a8da109281eb3e539986872e10b8e0cae1b43c40535deed3d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	asm	High
Vendor	jar	package name	asm	Highest
Vendor	jar	package name	asm	Low
Vendor	jar	package name	objectweb	Highest
Vendor	jar	package name	objectweb	Low
Vendor	Manifest	bundle-docurl	http://asm.ow2.org	Low
Vendor	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Vendor	Manifest	bundle-symbolicname	org.objectweb.asm	Medium
Product	file	name	asm	High
Product	jar	package name	asm	Highest
Product	jar	package name	asm	Low
Product	jar	package name	objectweb	Highest
Product	Manifest	bundle-docurl	http://asm.ow2.org	Low
Product	Manifest	Bundle-Name	org.objectweb.asm	Medium
Product	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Product	Manifest	bundle-symbolicname	org.objectweb.asm	Medium
Product	Manifest	Implementation-Title	ASM, a very small and fast Java bytecode manipulation framework	High
Version	jar	package name	asm	Highest
Version	Manifest	Bundle-Version	9.7.1	High
Version	Manifest	Implementation-Version	9.7.1	High

Identifiers

- None

jpeg2000.zip: con crt140.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/openjpeg/windows/concrt140.dll
MD5: 5fe9a647921ded8a2fad92deb9ec4ab2
SHA1: 1ce87fac4c22aae82a81ddb26952c074b744e78d
SHA256: 2405355f0a58067b258f8df33c327e3a3d716eac5a3a5aebb757842d85bd376
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	concrt140	High
Product	file	name	concrt140	High
Version	file	name	concrt140	Medium
Version	file	version	140	Medium

Identifiers

- None

jpeg2000.zip: imageio-openjpeg.jar

Description:

ImageIO plugin for reading and writing JPEG2000 images via OpenJPEG.
Requires the OpenJPEG shared native library to be installed on the system.

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/imageio-openjpeg.jar
MD5: 763b2e733b44dbbf60095b7adb18b048
SHA1: 154e1277c5fe9c97de95ed04e68bb5fe7d4cb1ba
SHA256: e53b27049538136fddc55e041430bedbea5035f33fe902d4672a65db3dd8fe38
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	imageio-openjpeg	High
Vendor	jar	package name	de	Highest
Vendor	jar	package name	de	Low
Vendor	jar	package name	digitalcollections	Highest
Vendor	jar	package name	digitalcollections	Low
Vendor	jar	package name	imageio	Highest

Vendor	jar	package name	openjpeg	Highest
Vendor	jar	package name	openjpeg	Low
Vendor	pom	artifactid	imageio-openjpeg	Low
Vendor	pom	groupid	de.digitalcollections.imageio	Highest
Vendor	pom	name	MDZ/Bayerische Staatsbibliothek :: ImageIO :: OpenJPEG/JPEG2000 plugin	High
Vendor	pom	parent-artifactid	imageio-jnr	Low
Product	file	name	imageio-openjpeg	High
Product	jar	package name	de	Highest
Product	jar	package name	digitalcollections	Highest
Product	jar	package name	digitalcollections	Low
Product	jar	package name	imageio	Highest
Product	jar	package name	lib	Low
Product	jar	package name	openjpeg	Highest
Product	jar	package name	openjpeg	Low
Product	pom	artifactid	imageio-openjpeg	Highest
Product	pom	groupid	de.digitalcollections.imageio	Highest
Product	pom	name	MDZ/Bayerische Staatsbibliothek :: ImageIO :: OpenJPEG/JPEG2000 plugin	High
Product	pom	parent-artifactid	imageio-jnr	Medium
Version	pom	version	0.6.8	Highest

Identifiers

- pkg:maven/de.digitalcollections.imageio/imageio-openjpeg@0.6.8 (*Confidence:High*)

jpeg2000.zip: jffi-native.jar

Description:

Java Foreign Function Interface - Native Libraries

License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>, <https://www.gnu.org/licenses/lgpl-3.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller
/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/jffi-native.jar

MD5: ea4c21ae54125ef4e2022e2a7de7a133

SHA1: 56fa80f9d5da6c533fb1d3749786b3f726d1a6b6

SHA256: 68804fb455ad40151cc953d197bd57900021527e4205cd8b349ecaf9307e6ee9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jffi-native	High
Vendor	Manifest	automatic-module-name	org.jnrproject.jffi.nativelibs	Medium
Vendor	Manifest	bundle-symbolicname	com.github.jnr.jffi.native	Medium
Product	file	name	jffi-native	High
Product	Manifest	automatic-module-name	org.jnrproject.jffi.nativelibs	Medium
Product	Manifest	Bundle-Name	jffi	Medium
Product	Manifest	bundle-symbolicname	com.github.jnr.jffi.native	Medium
Version	Manifest	Bundle-Version	1.3.13	High

Identifiers

- None

jpeg2000.zip: jffi-native.jar: jffi-1.2.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/jffi-native.jar/jni/aarch64-Windows/jffi-1.2.dll

MD5: 2c0b62583a6446ca74c26dd356a6efc8

SHA1: 97d03509897bb23ab808c232fe0fa3240e91d52d

SHA256: a4e7cb99d84f2a3b195fabcc4a6c59ab48e9eb25ddf58284b26d068163c9e505

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jffi	High
Product	file	name	jffi	High
Version	file	name	jffi	Medium
Version	file	version	1.2	High

Identifiers

- None

jpeg2000.zip: jffi-native.jar: jffi-1.2.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/jffi-native.jar/jni/i386-Windows/jffi-1.2.dll

MD5: 841e60814ed6b2971a47b267aef1c58a

SHA1: 07d30c6407fefad8df4b6afc4d85f83e547975ca

SHA256: d63b0ec9a7cc75c26fa951928bf550c0e9a5e6c195a3de94a9c24995206bbfd2

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jffi	High
Product	file	name	jffi	High
Version	file	name	jffi	Medium
Version	file	version	1.2	High

Identifiers

- None

jpeg2000.zip: jffi-native.jar: jffi-1.2.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/jffi-native.jar/jni/x86_64-Windows/jffi-1.2.dll

MD5: 5d80b61c1f9e31860c17b3a410948e7e

SHA1: 5ca292116336ee4ceed00d10e756afea580e62cf

SHA256: 58398ba5cda1b7cb89ad4e03dd4a658006956f81acfef4efb4e7dd934e2733ef

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jffi	High

Product	file	name	jffi	High
Version	file	name	jffi	Medium
Version	file	version	1.2	High

Identifiers

- None

jpeg2000.zip: jffi.jar

Description:

Java Foreign Function Interface

License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>
 GNU Lesser General Public License version 3: <https://www.gnu.org/licenses/lgpl-3.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/jffi.jar

MD5: 407af735df2612df369101acd5cabe8b

SHA1: 3086fd94312ef21d296f4091c638aed976ed0f9c

SHA256: edb6da5008678e087480d07aea7bcaecd921ce123fb3d82cadbd363cb6c4fb7d

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jffi	High
Vendor	jar	package name	foreign	Highest
Vendor	jar	package name	function	Highest
Vendor	jar	package name	jffi	Highest
Vendor	Manifest	automatic-module-name	org.jnrproject.jffi	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	pom	artifactid	jffi	Low
Vendor	pom	developer email	wmeissner@gmail.com	Low
Vendor	pom	developer id	wmeissner	Medium
Vendor	pom	developer name	Wayne Meissner	Medium
Vendor	pom	groupid	com.github.jnr	Highest
Vendor	pom	name	jffi	High

Vendor	pom	url	http://github.com/jnr/jffi	Highest
Product	file	name	jffi	High
Product	jar	package name	foreign	Highest
Product	jar	package name	function	Highest
Product	jar	package name	jffi	Highest
Product	Manifest	automatic-module-name	org.jnrproject.jffi	Medium
Product	Manifest	build-jdk-spec	11	Low
Product	pom	artifactid	jffi	Highest
Product	pom	developer email	wmeissner@gmail.com	Low
Product	pom	developer id	wmeissner	Low
Product	pom	developer name	Wayne Meissner	Low
Product	pom	groupid	com.github.jnr	Highest
Product	pom	name	jffi	High
Product	pom	url	http://github.com/jnr/jffi	Medium
Version	pom	version	1.3.13	Highest

Identifiers

- [pkg:maven/com.github.jnr/jffi@1.3.13](https://maven.com.github.jnr/jffi@1.3.13) (*Confidence:High*)

jpeg2000.zip: jnr-ffi.jar

Description:

A library for invoking native functions from java

License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/jnr-ffi.jar

MD5: 33445e92317287740bda4afb8f966d27

SHA1: c3f29871fc15e8a944dfac498f828a117b427078

SHA256: 2950407a0fccdc5b2be2e62a369025739cf0a7e77bcf162f4b1091cea89400ce

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jnr-ffi	High

Vendor	jar	package name	ffi	Highest
Vendor	jar	package name	jnr	Highest
Vendor	jar	package name	library	Highest
Vendor	Manifest	automatic-module-name	org.jnrproject.ffi	Medium
Vendor	Manifest	bundle-symbolicname	com.github.jnr.ffi	Medium
Vendor	pom	artifactid	jnr-ffi	Low
Vendor	pom	developer email	headius@headius.com	Low
Vendor	pom	developer email	wmeissner@gmail.com	Low
Vendor	pom	developer id	headius	Medium
Vendor	pom	developer id	wmeissner	Medium
Vendor	pom	developer name	Charles Oliver Nutter	Medium
Vendor	pom	developer name	Wayne Meissner	Medium
Vendor	pom	groupid	com.github.jnr	Highest
Vendor	pom	name	jnr-ffi	High
Vendor	pom	url	http://github.com/jnr/jnr-ffi	Highest
Product	file	name	jnr-ffi	High
Product	jar	package name	ffi	Highest
Product	jar	package name	jnr	Highest
Product	jar	package name	library	Highest
Product	Manifest	automatic-module-name	org.jnrproject.ffi	Medium
Product	Manifest	Bundle-Name	jnr-ffi	Medium
Product	Manifest	bundle-symbolicname	com.github.jnr.ffi	Medium
Product	pom	artifactid	jnr-ffi	Highest
Product	pom	developer email	headius@headius.com	Low
Product	pom	developer email	wmeissner@gmail.com	Low
Product	pom	developer id	headius	Low
Product	pom	developer id	wmeissner	Low
Product	pom	developer name	Charles Oliver Nutter	Low
Product	pom	developer name	Wayne Meissner	Low
Product	pom	groupid	com.github.jnr	Highest
Product	pom	name	jnr-ffi	High
Product	pom	url	http://github.com/jnr/jnr-ffi	Medium
Version	Manifest	Bundle-Version	2.2.17	High

Version	pom	version	2.2.17	Highest
---------	-----	---------	--------	---------

Identifiers

- <pkg:maven/com.github.jnr/jnr-ffi@2.2.17> (*Confidence:High*)

jpeg2000.zip: jpeg2000.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/jpeg2000.jar

MD5: 7b3ac3d9b53ac192fc2388c03485fbeb

SHA1: 15bb75993c5b4e57682b237d42a5d25f839e299a

SHA256: 1ef03721f5dc1ebe10a8ef0afac5a21410682d158a5dfcadbaee305b4c45b29b

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jpeg2000	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	jpeg2000	Low
Vendor	Manifest	built-date	2025-10-22 17:14	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	jpeg2000	High
Product	jar	package name	jpeg2000	Highest
Product	jar	package name	jpeg2000	Low
Product	jar	package name	jpeg2000serverplugin	Low
Product	Manifest	built-date	2025-10-22 17:14	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	jpeg2000	High

Product	Manifest	specification-title	jpeg2000	Medium
Version	file	name	jpeg2000	Medium
Version	file	version	2000	Medium
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- None

jpeg2000.zip: msvcp140.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/openjpeg/windows/msvcp140.dll
MD5: bc88b387cafa556068b5c5d6ff3ccc8f
SHA1: b370eca8fa727e46cf61d834fcc956698b02e1fd
SHA256: 0f885b509a685d2bbfa652fed26b5fb31d88fbdab0a978c641d1c7b8aa460aa9
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	msvcp140	High
Product	file	name	msvcp140	High
Version	file	name	msvcp140	Medium
Version	file	version	140	Medium

Identifiers

- None

jpeg2000.zip: msvcp140_1.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/openjpeg/windows/msvcp140_1.dll
MD5: 2a214cb2f0f9473e7765ee3b8db8651e
SHA1: 9ce5c3d6c7d94b175f136f552af8771dca6147b3
SHA256: bfad5aef4c63a669e3c140655cdfdf395b6c979b400a447bd5dcb65ed8826c3d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	msvc140_1	High
Product	file	name	msvc140_1	High

Identifiers

- None

jpeg2000.zip: msvc140_2.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/openjpeg/windows/msvc140_2.dll

MD5: 3151333808c2c2339d5f5466df70b7dc

SHA1: e48159bb2127ec812ff679f6fab41141009f26a

SHA256: 3ea06f0ee098b4823cb79599df3780e7f23cce52c19aac31d2a0d47efe33a5e9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	msvc140_2	High
Product	file	name	msvc140_2	High

Identifiers

- None

jpeg2000.zip: msvc140_atomic_wait.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/openjpeg/windows/msvc140_atomic_wait.dll

MD5: 44aec42494531580bca182b0e2fb19c2

SHA1: a85a6a4de6656e5969fa4ab15f2230dfe2839e75

SHA256: 640b2aefced484d0368eea5bdd06addd0658a3a70a49256e560d6923b404a479

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	msvc140_atomic_wait	High
Product	file	name	msvc140_atomic_wait	High
Version	file	name	msvc140_atomic_wait	Medium
Version	file	version	140	Medium

Identifiers

- None

jpeg2000.zip: msvc140_codecvt_ids.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/openjpeg/windows/msvc140_codecvt_ids.dll

MD5: 3ece3fb90bfaea8e9a5fb7139ff9cbdc

SHA1: 91b19dd0db24a5cbd944eca9c67fad3b53f9c154

SHA256: f2069a52880ec885ee7f0511186100eb7fada0411a2b4948fafea7735b878a18

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	msvc140_codecvt_ids	High
Product	file	name	msvc140_codecvt_ids	High
Version	file	name	msvc140_codecvt_ids	Medium
Version	file	version	140	Medium

Identifiers

- [cpe:2.3:a:ids:ids:140:*:*:*:*:*](#) (*Confidence:High*) suppress

jpeg2000.zip: openjp2.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/openjpeg/windows/openjp2.dll
MD5: 314edfd45bf5903a645f40ba1d7199a6
SHA1: 7cdb0e711a199b6cd581e1455be7d5fe3fd46766
SHA256: 4e5261df72ca0702b2de0bac29d772e86a316a24373e16aaf6aec84c7081aeb9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	openjp2	High
Product	file	name	openjp2	High
Version	file	name	openjp2	Medium
Version	file	version	2	Medium

Identifiers

- None

jpeg2000.zip: vcruntime140.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/openjpeg/windows/vcruntime140.dll
MD5: 6ca4edb2b52ec46c7fca3fd372ca6c00
SHA1: 3d2998a27d164dd7cc3bc7d3eca08acf89a0ee42
SHA256: d5e4d9a3e835fa679450145d6a7d94e36573a509317111904d9b3712c30d9066
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	vcruntime140	High
Product	file	name	vcruntime140	High
Version	file	name	vcruntime140	Medium
Version	file	version	140	Medium

Identifiers

- None

jpeg2000.zip: vcruntime140_1.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/openjpeg/windows/vcruntime140_1.dll

MD5: cd1b08f4930b276ad78853580b76b5c6

SHA1: a0330279d3d0d47f19ed984726e25260b547a228

SHA256: 1f2d41c4aa5db0bc33ebf7b66d72943a817d7ce6cbe880502a9403823633093f

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	vcruntime140_1	High
Product	file	name	vcruntime140_1	High

Identifiers

- None

jquery.cookiebar.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/src/com/inet/application/googleanalytics/client/js/jquery.cookiebar.js

MD5: 1d80c26eef415bdf8697bac674711242

SHA1: de48d8a423f629ee5bd320aa8f6a1a9d8d38e488

SHA256: 346f57f7300726376004aee29a3e1bc02614355bbf6f60f1153d215105761c8e

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- application.googleanalytics.sample.zip: jquery.cookiebar.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/application.googleanalytics.sample.zip/src/com/inet/application/googleanalytics/client/js/jquery.cookiebar.js
 - MD5: 1d80c26eef415bdf8697bac674711242
 - SHA1: de48d8a423f629ee5bd320aa8f6a1a9d8d38e488
 - SHA256: 346f57f7300726376004aee29a3e1bc02614355bbf6f60f1153d215105761c8e

Identifiers

- None

jsr305-3.0.2.jar

Description:

JSR305 Annotations for Findbugs

License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/com.google.code.findbugs/jsr305/3.0.2/25ea2e8b0c338a877313bd4672d3fe056ea78f0d/jsr305-3.0.2.jar

MD5: dd83accb899363c32b07d7a1b2e4ce40

SHA1: 25ea2e8b0c338a877313bd4672d3fe056ea78f0d

SHA256: 766ad2a0783f2687962c8ad74ceecc38a28b9f72a2d085ee438b7813e928d0c7

Referenced In Project/Scope: server:inetPlugin

Included by: pkg:maven/de.inetsoftware/jlessc@1.14

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jsr305	High
Vendor	gradle	artifactid	jsr305	Highest
Vendor	gradle	groupid	com.google.code.findbugs	Highest
Vendor	Manifest	bundle-symbolicname	org.jsr-305	Medium
Vendor	pom	artifactid	jsr305	Low
Vendor	pom	groupid	com.google.code.findbugs	Highest
Vendor	pom	name	FindBugs-jsr305	High
Vendor	pom	url	http://findbugs.sourceforge.net/	Highest
Product	file	name	jsr305	High
Product	gradle	artifactid	jsr305	Highest
Product	Manifest	Bundle-Name	FindBugs-jsr305	Medium
Product	Manifest	bundle-symbolicname	org.jsr-305	Medium
Product	pom	artifactid	jsr305	Highest
Product	pom	groupid	com.google.code.findbugs	Highest

Product	pom	name	FindBugs-jsr305	High
Product	pom	url	http://findbugs.sourceforge.net/	Medium
Version	file	version	3.0.2	High
Version	gradle	version	3.0.2	Highest
Version	Manifest	Bundle-Version	3.0.2	High
Version	pom	version	3.0.2	Highest

Identifiers

- <pkg:maven/com.google.code.findbugs/jsr305@3.0.2> (*Confidence:High*)

junit-4.13.2.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/junit/junit/4.13.2

/8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12/junit-4.13.2.jar

MD5: d98a9a02a99a9acd22d7653cbcc1f31f

SHA1: 8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12

SHA256: 8e495b634469d64fb8acfa3495a065cbacc8a0fff55ce1e31007be4c16dc57d3

Referenced In Project/Scope: server:inetPlugin

Included by: pkg:maven/pdfc/server@25.10

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	junit	High
Vendor	gradle	artifactid	junit	Highest
Vendor	gradle	groupid	junit	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	Manifest	automatic-module-name	junit	Medium
Vendor	Manifest	implementation-url	http://junit.org	Low
Vendor	Manifest	Implementation-Vendor	JUnit	High
Vendor	Manifest	Implementation-Vendor-Id	junit	Medium
Product	file	name	junit	High
Product	gradle	artifactid	junit	Highest
Product	jar	package name	junit	Highest

Product	Manifest	automatic-module-name	junit	Medium
Product	Manifest	Implementation-Title	JUnit	High
Product	Manifest	implementation-url	http://junit.org	Low
Version	file	version	4.13.2	High
Version	Manifest	Implementation-Version	4.13.2	High

Identifiers

- [pkg:maven/junit/junit@4.13.2](#) (Confidence: Highest)
- [cpe:2.3:a:junit:junit4:4.13.2:*:*:*:*:*](#) (Confidence: Highest) suppress

junit-jupiter-5.13.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter/5.13.4/93547b3eca48a61f65f735c1898d3ec196e34149/junit-jupiter-5.13.4.jar

MD5: 3f4e38bdbea73c98a50f08b7c6e33426

SHA1: 93547b3eca48a61f65f735c1898d3ec196e34149

SHA256: b960f79217dd01c863031b678f07df4730bbf1eac650c74ad6b0c61faad78379

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/pdfc/server@25.10
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter	High
Vendor	gradle	artifactid	junit-jupiter	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	module-info	Low
Vendor	Manifest	build-date	2025-07-21	Low
Vendor	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Vendor	Manifest	build-time	08:57:57.538+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter	Medium

Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-jupiter	High
Product	gradle	artifactid	junit-jupiter	Highest
Product	Manifest	build-date	2025-07-21	Low
Product	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Product	Manifest	build-time	08:57:57.538+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter (Aggregator)	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter	Medium
Product	Manifest	Implementation-Title	junit-jupiter	High
Product	Manifest	specification-title	junit-jupiter	Medium
Version	file	version	5.13.4	High
Version	Manifest	Implementation-Version	5.13.4	High

Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4](https://maven.org/junit/jupiter/junit-jupiter@5.13.4) (*Confidence: Highest*)

junit-jupiter-api-5.13.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-api/5.13.4/2817f736551fe4949b79924715ef6f594ee072f4/junit-jupiter-api-5.13.4.jar

MD5: d9981621212d598a4ba380342094c92f

SHA1: 2817f736551fe4949b79924715ef6f594ee072f4

SHA256: d1bb81abfd9e03418306b4e6a3390c8db52c58372e749c2980ac29f0c08278f1

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter-api	High
Vendor	gradle	artifactid	junit-jupiter-api	Highest

Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	api	Highest
Vendor	jar	package name	api	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	Manifest	build-date	2025-07-21	Low
Vendor	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Vendor	Manifest	build-time	08:57:57.538+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-api	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-jupiter-api	High
Product	gradle	artifactid	junit-jupiter-api	Highest
Product	jar	package name	api	Highest
Product	jar	package name	api	Low
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	Manifest	build-date	2025-07-21	Low
Product	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Product	Manifest	build-time	08:57:57.538+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter API	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-api	Medium
Product	Manifest	Implementation-Title	junit-jupiter-api	High
Product	Manifest	specification-title	junit-jupiter-api	Medium
Version	file	version	5.13.4	High
Version	Manifest	Implementation-Version	5.13.4	High

Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter-api@5.13.4](#) (Confidence: Highest)

junit-jupiter-engine-5.13.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-engine/5.13.4/d29fc8b6a28d21b8741f299ae4deb3e3aa68b2e8/junit-jupiter-engine-5.13.4.jar

MD5: 3416ff6cff3dd4ea789b92338a49b9b2

SHA1: d29fc8b6a28d21b8741f299ae4deb3e3aa68b2e8

SHA256: 027404a92fe618b72465792a257951495c503a7d5751e2791e0f51c87f67f5bc

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/pdfc/server@25.10
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter-engine	High
Vendor	gradle	artifactid	junit-jupiter-engine	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	Manifest	build-date	2025-07-21	Low
Vendor	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Vendor	Manifest	build-time	08:57:57.538+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-jupiter;version:Version="5.13.4"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-jupiter-engine	High
Product	gradle	artifactid	junit-jupiter-engine	Highest

Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	Manifest	build-date	2025-07-21	Low
Product	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Product	Manifest	build-time	08:57:57.538+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter Engine	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-engine	Medium
Product	Manifest	Implementation-Title	junit-jupiter-engine	High
Product	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-jupiter;version:Version="5.13.4"	Low
Product	Manifest	specification-title	junit-jupiter-engine	Medium
Version	file	version	5.13.4	High
Version	Manifest	Implementation-Version	5.13.4	High

Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4](https://maven.org/junit/jupiter/junit-jupiter-engine@5.13.4) (*Confidence: Highest*)

junit-jupiter-params-5.13.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-params/5.13.4

/c8930eb7fcfbcd0b191703ab53f48475a75bd17/junit-jupiter-params-5.13.4.jar

MD5: a1db21cc54b627a085918626a3908c9e

SHA1: 0c8930eb7fcfbcd0b191703ab53f48475a75bd17

SHA256: 3a8c6365716dbb698c0d49a05456c1e1ad05c406613c550f9dd50037872efc41

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter-params	High

Vendor	gradle	artifactid	junit-jupiter-params	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	jar	package name	params	Highest
Vendor	jar	package name	params	Low
Vendor	Manifest	build-date	2025-07-21	Low
Vendor	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Vendor	Manifest	build-time	08:57:57.538+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-params	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-jupiter-params	High
Product	gradle	artifactid	junit-jupiter-params	Highest
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	jar	package name	params	Highest
Product	jar	package name	params	Low
Product	jar	package name	shadow	Low
Product	Manifest	build-date	2025-07-21	Low
Product	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Product	Manifest	build-time	08:57:57.538+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter Params	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-params	Medium
Product	Manifest	Implementation-Title	junit-jupiter-params	High
Product	Manifest	specification-title	junit-jupiter-params	Medium
Version	file	version	5.13.4	High
Version	Manifest	Implementation-Version	5.13.4	High

Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter-params@5.13.4](#) (Confidence: Highest)

junit-platform-commons-1.13.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-commons/1.13.4/8f63c7ed05b473d95cc63d1082054d7bfcf9c0e5/junit-platform-commons-1.13.4.jar

MD5: 7c39b85780e5bec0a23408959ac83fa9

SHA1: 8f63c7ed05b473d95cc63d1082054d7bfcf9c0e5

SHA256: 1c25ca641ebaae44ff3ad21ca1b2ef68d0dd84bfeb07c4805ba7840899b77408

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-commons	High
Vendor	gradle	artifactid	junit-platform-commons	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	commons	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	org	Highest
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2025-07-21	Low
Vendor	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Vendor	Manifest	build-time	08:57:57.538+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-commons	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	junit.org	Low

Product	file	name	junit-platform-commons	High
Product	gradle	artifactid	junit-platform-commons	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	commons	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	Manifest	build-date	2025-07-21	Low
Product	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Product	Manifest	build-time	08:57:57.538+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Commons	Medium
Product	Manifest	bundle-symbolicname	junit-platform-commons	Medium
Product	Manifest	Implementation-Title	junit-platform-commons	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	junit-platform-commons	Medium
Version	file	version	1.13.4	High
Version	Manifest	Implementation-Version	1.13.4	High

Identifiers

- [pkg:maven/org.junit.platform/junit-platform-commons@1.13.4](#) (*Confidence*:Highest)

junit-platform-engine-1.13.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-engine/1.13.4/cdd49063ae6e25494d1a9a08f4a9ab5de2b73bcb/junit-platform-engine-1.13.4.jar

MD5: 736aa9e83f7ba2b54adb5f86821fd4dd

SHA1: cdd49063ae6e25494d1a9a08f4a9ab5de2b73bcb

SHA256:390c5f77b84283a64b644f88251b397e0b0debb80bdcc50f899881aecff43a5a

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-engine	High
Vendor	gradle	artifactid	junit-platform-engine	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2025-07-21	Low
Vendor	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Vendor	Manifest	build-time	08:57:57.538+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-engine	High
Product	gradle	artifactid	junit-platform-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	support	Low
Product	Manifest	build-date	2025-07-21	Low
Product	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Product	Manifest	build-time	08:57:57.538+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Engine API	Medium
Product	Manifest	bundle-symbolicname	junit-platform-engine	Medium
Product	Manifest	Implementation-Title	junit-platform-engine	High
Product	Manifest	specification-title	junit-platform-engine	Medium
Version	file	version	1.13.4	High
Version	Manifest	Implementation-	1.13.4	High

Version

Identifiers

- [pkg:maven/org.junit.platform/junit-platform-engine@1.13.4](#) (*Confidence: Highest*)

junit-platform-launcher-1.13.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-launcher/1.13.4/e72a4d00af6177569fd57df4c8c4bb241c6aa4b6/junit-platform-launcher-1.13.4.jar

MD5: bdfea9c8c038752c70631934b2067073

SHA1: e72a4d00af6177569fd57df4c8c4bb241c6aa4b6

SHA256: 0b0beaeb6880a31149641d2d848b863712885469670c12099586d7f798522564

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-launcher	High
Vendor	gradle	artifactid	junit-platform-launcher	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	launcher	Highest
Vendor	jar	package name	launcher	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2025-07-21	Low
Vendor	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Vendor	Manifest	build-time	08:57:57.538+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-launcher	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.launcher;org.junit.platform.launcher=junit-platform-launcher;version:Version="1.13.4"	Low

Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-launcher	High
Product	gradle	artifactid	junit-platform-launcher	Highest
Product	jar	package name	junit	Highest
Product	jar	package name	launcher	Highest
Product	jar	package name	launcher	Low
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	Manifest	build-date	2025-07-21	Low
Product	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Product	Manifest	build-time	08:57:57.538+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Launcher	Medium
Product	Manifest	bundle-symbolicname	junit-platform-launcher	Medium
Product	Manifest	Implementation-Title	junit-platform-launcher	High
Product	Manifest	provide-capability	org.junit.platform.launcher;org.junit.platform.launcher=junit-platform-launcher;version:Version="1.13.4"	Low
Product	Manifest	specification-title	junit-platform-launcher	Medium
Version	file	version	1.13.4	High
Version	Manifest	Implementation-Version	1.13.4	High

Identifiers

- [pkg:maven/org.junit.platform/junit-platform-launcher@1.13.4](https://maven.org/junit.platform/junit-platform-launcher@1.13.4) (*Confidence*:Highest)

junit-platform-suite-1.13.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite/1.13.4/7af47cc4d0fbbd9a940644799a69f1f4c3ec4ee7/junit-platform-suite-1.13.4.jar

MD5: 378c01f6aba4143235fcd78ee5e1490f

SHA1: 7af47cc4d0fbbd9a940644799a69f1f4c3ec4ee7

SHA256:8088a80b47f5a7e73fa107f466dfa6a86776ca496fc2e7724aba65202d467913

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4

- pkg:maven/pdfc/server@25.10
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite	High
Vendor	gradle	artifactid	junit-platform-suite	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	module-info	Low
Vendor	Manifest	build-date	2025-07-21	Low
Vendor	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Vendor	Manifest	build-time	08:57:57.538+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-suite	High
Product	gradle	artifactid	junit-platform-suite	Highest
Product	Manifest	build-date	2025-07-21	Low
Product	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Product	Manifest	build-time	08:57:57.538+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite (Aggregator)	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite	Medium
Product	Manifest	Implementation-Title	junit-platform-suite	High
Product	Manifest	specification-title	junit-platform-suite	Medium
Version	file	version	1.13.4	High
Version	Manifest	Implementation-Version	1.13.4	High

Identifiers

- <pkg:maven/org.junit.platform/junit-platform-suite@1.13.4> (*Confidence:High*)

junit-platform-suite-api-1.13.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-api/1.13.4/7e29167859b8b66ae9bc60f63f33202b1c8b77e3/junit-platform-suite-api-1.13.4.jar

MD5: 53ff3dfddb5bc864217e7442ca0a8243

SHA1: 7e29167859b8b66ae9bc60f63f33202b1c8b77e3

SHA256: 9a05bf77e128371f5b3e25ffc89f7af467a9f68dd365fdced469ebcf533abc9

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite-api	High
Vendor	gradle	artifactid	junit-platform-suite-api	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	api	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2025-07-21	Low
Vendor	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Vendor	Manifest	build-time	08:57:57.538+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-api	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-suite-api	High
Product	gradle	artifactid	junit-platform-suite-api	Highest
Product	jar	package name	api	Highest
Product	jar	package name	api	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low

Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2025-07-21	Low
Product	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Product	Manifest	build-time	08:57:57.538+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite API	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-api	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-api	High
Product	Manifest	specification-title	junit-platform-suite-api	Medium
Version	file	version	1.13.4	High
Version	Manifest	Implementation-Version	1.13.4	High

Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite-api@1.13.4](https://maven.org/junit.platform/junit-platform-suite-api@1.13.4) (*Confidence:High*est)

junit-platform-suite-commons-1.13.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-commons/1.13.4/65f946a08a21ddec266dd3010977111bbc84043/junit-platform-suite-commons-1.13.4.jar

MD5: ecab6fa371485191490729865ca59fba

SHA1: 65f946a08a21ddec266dd3010977111bbc84043

SHA256: e7dacfcfa3bc692c0a7a413cefd5f51ae420415a14d39091bdf88aebfdb70b6

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite-commons	High
Vendor	gradle	artifactid	junit-platform-suite-commons	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	junit	Highest

Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2025-07-21	Low
Vendor	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Vendor	Manifest	build-time	08:57:57.538+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-commons	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-suite-commons	High
Product	gradle	artifactid	junit-platform-suite-commons	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	commons	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2025-07-21	Low
Product	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Product	Manifest	build-time	08:57:57.538+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite Commons	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-commons	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-commons	High
Product	Manifest	specification-title	junit-platform-suite-commons	Medium
Version	file	version	1.13.4	High
Version	Manifest	Implementation-Version	1.13.4	High

Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite-commons@1.13.4](https://maven.org/junit.platform/junit-platform-suite-commons@1.13.4) (*Confidence: Highest*)

junit-platform-suite-engine-1.13.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-engine/1.13.4/b888a7a9e00b25cc19b4d45dbd4dcfe0b3a4f6ca/junit-platform-suite-engine-1.13.4.jar

MD5: 69e03866f05f55ea65268adc36fa3fc0

SHA1: b888a7a9e00b25cc19b4d45dbd4dcfe0b3a4f6ca

SHA256: 3b34fd8172d70d0d7c59155e487bd8e77d43bdfdcfe1d78c2b4eea55e9acb92

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite-engine	High
Vendor	gradle	artifactid	junit-platform-suite-engine	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2025-07-21	Low
Vendor	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Vendor	Manifest	build-time	08:57:57.538+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-suite-engine	High
Product	gradle	artifactid	junit-platform-suite-engine	Highest
Product	jar	package name	engine	Highest

Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2025-07-21	Low
Product	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Product	Manifest	build-time	08:57:57.538+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite Engine	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-engine	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-engine	High
Product	Manifest	specification-title	junit-platform-suite-engine	Medium
Version	file	version	1.13.4	High
Version	Manifest	Implementation-Version	1.13.4	High

Identifiers

- pkg:maven/org.junit.platform/junit-platform-suite-engine@1.13.4 (*Confidence*:Highest)

junit-vintage-engine-5.13.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.vintage/junit-vintage-engine/5.13.4/9fa3f512a7b8de3013eb63e51623c9e73f8d0e34/junit-vintage-engine-5.13.4.jar

MD5: 77270af1c5e9ea55a3705683f261eddd

SHA1: 9fa3f512a7b8de3013eb63e51623c9e73f8d0e34

SHA256:066b702d850ebcde36f2a8181b46a2f0f1416129d1dc63c3a1e1531006e74739

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/pdfc/server@25.10
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-vintage-engine	High

Vendor	gradle	artifactid	junit-vintage-engine	Highest
Vendor	gradle	groupid	org.junit.vintage	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	vintage	Highest
Vendor	jar	package name	vintage	Low
Vendor	Manifest	build-date	2025-07-21	Low
Vendor	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Vendor	Manifest	build-time	08:57:57.538+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-vintage-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-vintage;version:Version="5.13.4"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-vintage-engine	High
Product	gradle	artifactid	junit-vintage-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	vintage	Highest
Product	jar	package name	vintage	Low
Product	Manifest	build-date	2025-07-21	Low
Product	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Product	Manifest	build-time	08:57:57.538+0200	Low
Product	Manifest	Bundle-Name	JUnit Vintage Engine	Medium
Product	Manifest	bundle-symbolicname	junit-vintage-engine	Medium
Product	Manifest	Implementation-Title	junit-vintage-engine	High
Product	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-vintage;version:Version="5.13.4"	Low
Product	Manifest	specification-title	junit-vintage-engine	Medium

Version	file	version	5.13.4	High
Version	Manifest	Implementation-Version	5.13.4	High

Identifiers

- pkg:maven/org.junit.vintage/junit-vintage-engine@5.13.4 (*Confidence*:Highest)

lunr.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/lunr.js

MD5: da4f3703ce0083f8050d00e900aac7b0

SHA1: ae614550091dd5ea4b432d94fa4e286b2c91278d

SHA256: f9671350512fd9359469b1a2113ed3134e7b007fa0041e8e1cfe006de3d7f6f6

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- lunr.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/nunit - API Doc/styles/lunr.js
 - MD5: da4f3703ce0083f8050d00e900aac7b0
 - SHA1: ae614550091dd5ea4b432d94fa4e286b2c91278d
 - SHA256: f9671350512fd9359469b1a2113ed3134e7b007fa0041e8e1cfe006de3d7f6f6

Identifiers

- None

lunr.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/lunr.min.js

MD5: 323b7324b0cd0280e1d33689fd88e70a

SHA1: f44691b6ed6e0cd684175f7779eea8fc4a2a5015

SHA256:447b131dc7c9500a8fb188bc88271941b88805d610a60a0c953c482d69abdf2b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- lunr.min.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/nunit - API Doc/styles/lunr.min.js
 - MD5: 323b7324b0cd0280e1d33689fd88e70a
 - SHA1: f44691b6ed6e0cd684175f7779eea8fc4a2a5015
 - SHA256: 447b131dc7c9500a8fb188bc88271941b88805d610a60a0c953c482d69abdf2b

Identifiers

- None

mail.zip: angus-activation.jar

Description:

Implementation

License:

<http://www.eclipse.org/org/documents/edl-v10.php>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/angus-activation.jar

MD5: ad20392145690b36b4f950fe31a31a2a

SHA1: 7f80607ea5014fef0b1779e6c33d63a88a45a563

SHA256:a6bd35c538cf90fff941ad6258c40c08fca0b5c9c3f536c657114f27ce0527a7

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	angus-activation	High
--------	------	------	------------------	------

Vendor	jar	package name	activation	Highest
--------	-----	--------------	------------	---------

Vendor	jar	package name	angus	Highest
--------	-----	--------------	-------	---------

Vendor	jar	package name	eclipse	Highest
--------	-----	--------------	---------	---------

Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	angus-activation	Medium
Vendor	Manifest	extension-name	org.eclipse.angus	Medium
Vendor	Manifest	implementation-build-id	2.0.3-RELEASE-6eff4c5	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="jakarta.activation.spi.MailcapRegistryProvider",osgi.serviceloader;osgi.serviceloader="jakarta.activation.spi.MimeTypeRegistryProvider"	Low
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	angus-activation	Low
Vendor	pom	groupid	org.eclipse.angus	Highest
Vendor	pom	name	Angus Activation Registries	High
Vendor	pom	parent-artifactid	angus-activation-project	Low
Product	file	name	angus-activation	High
Product	jar	package name	activation	Highest
Product	jar	package name	angus	Highest
Product	jar	package name	eclipse	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Angus Activation Registries	Medium
Product	Manifest	bundle-symbolicname	angus-activation	Medium
Product	Manifest	extension-name	org.eclipse.angus	Medium
Product	Manifest	implementation-build-id	2.0.3-RELEASE-6eff4c5	Low
Product	Manifest	Implementation-Title	Angus Activation Registries	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="jakarta.activation.spi.MailcapRegistryProvider",osgi.serviceloader;osgi.serviceloader="jakarta.activation.spi.MimeTypeRegistryProvider"	Low
Product	Manifest	specification-title	Jakarta Activation Specification	Medium
Product	pom	artifactid	angus-activation	Highest
Product	pom	groupid	org.eclipse.angus	Highest
Product	pom	name	Angus Activation Registries	High
Product	pom	parent-artifactid	angus-activation-project	Medium
Version	Manifest	Bundle-Version	2.0.3	High

Version	pom	version	2.0.3	Highest
---------	-----	---------	-------	---------

Identifiers

- <pkg:maven/org.eclipse.angus/angus-activation@2.0.3> (*Confidence*:High)

mail.zip: angus-mail.jar (shaded: org.eclipse.angus:angus-core:2.0.4)

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/angus-mail.jar/META-INF/maven/org.eclipse.angus/angus-core/pom.xml

MD5: b00ad1f3322ed736d6eb717441a20f0d

SHA1: bab276e894997c88c72a981691a57d5e81762128

SHA256: 87a6b385eb4df03ff2ffeb750af3858efc2a90d056f46990ae359505d59a66ab

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	angus-core	Low
Vendor	pom	groupid	org.eclipse.angus	Highest
Vendor	pom	name	Angus Mail Core	High
Vendor	pom	parent-artifactid	all	Low
Product	pom	artifactid	angus-core	Highest
Product	pom	groupid	org.eclipse.angus	Highest
Product	pom	name	Angus Mail Core	High
Product	pom	parent-artifactid	all	Medium
Version	pom	version	2.0.4	Highest

Identifiers

- <pkg:maven/org.eclipse.angus/angus-core@2.0.4> (*Confidence*:High)

mail.zip: angus-mail.jar (shaded: org.eclipse.angus:imap:2.0.4)

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/angus-mail.jar/META-INF/maven/org.eclipse.

angus/imap/pom.xml

MD5: c920e46a1ca1efea40ae8a6886beda7c

SHA1: 3d47f9345b5c2467969815646fd114c3b08f108f

SHA256: 7a397cec3d2d1bf26c8bd7df77dd5d0caa57af718976290e7bc3d7fca2c42917

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	imap	Low
Vendor	pom	groupid	org.eclipse.angus	Highest
Vendor	pom	name	Angus Mail imap provider	High
Vendor	pom	parent-artifactid	providers	Low
Product	pom	artifactid	imap	Highest
Product	pom	groupid	org.eclipse.angus	Highest
Product	pom	name	Angus Mail imap provider	High
Product	pom	parent-artifactid	providers	Medium
Version	pom	version	2.0.4	Highest

Identifiers

- [pkg:maven/org.eclipse.angus/imap@2.0.4](https://maven.org.eclipse.angus/imap@2.0.4) (*Confidence:High*)

mail.zip: angus-mail.jar (shaded: org.eclipse.angus:logging-mailhandler:2.0.4)

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/angus-mail.jar/META-INF/maven/org.eclipse.angus/logging-mailhandler/pom.xml

MD5: 0711b1e4cbb2e1b50e7f17e3428f7ae6

SHA1: b51bb90174f0e2a47662e5cd5127b9bf0845e6f9

SHA256: ba3ab28c7633eba0503755d160d0e09b244bf4ed58ec1b89bc8ff891eaecebea

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	logging-mailhandler	Low
Vendor	pom	groupid	org.eclipse.angus	Highest
Vendor	pom	name	Angus Mail logging handler	High
Vendor	pom	parent-artifactid	all	Low
Product	pom	artifactid	logging-mailhandler	Highest

Product	pom	groupid	org.eclipse.angus	Highest
Product	pom	name	Angus Mail logging handler	High
Product	pom	parent-artifactid	all	Medium
Version	pom	version	2.0.4	Highest

Identifiers

- pkg:maven/org.eclipse.angus/logging-mailhandler@2.0.4 (*Confidence:High*)

mail.zip: angus-mail.jar (shaded: org.eclipse.angus:pop3:2.0.4)

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/angus-mail.jar/META-INF/maven/org.eclipse.angus/pop3/pom.xml

MD5: af34e8ae164e4f64dfca8f725e0f0105

SHA1: 9d0a63878e71486ca6bfe4da1219352bf2ff4b45

SHA256: ac0712407bab89e2fef06ec09d455221bee73606f03811ae1a412774ab143792

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	pop3	Low
Vendor	pom	groupid	org.eclipse.angus	Highest
Vendor	pom	name	Angus Mail pop3 provider	High
Vendor	pom	parent-artifactid	providers	Low
Product	pom	artifactid	pop3	Highest
Product	pom	groupid	org.eclipse.angus	Highest
Product	pom	name	Angus Mail pop3 provider	High
Product	pom	parent-artifactid	providers	Medium
Version	pom	version	2.0.4	Highest

Identifiers

- pkg:maven/org.eclipse.angus/pop3@2.0.4 (*Confidence:High*)

mail.zip: angus-mail.jar (shaded: org.eclipse.angus:smtp:2.0.4)

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/angus-mail.jar/META-INF/maven/org.eclipse.angus/smtp/pom.xml

MD5: 1ac1221625342393598ca07f164f7d74

SHA1: 14c27147014f1e749253c9d9a12975490759cf64

SHA256: 8d7f154fa84b483de7e118563cbe3461479b20c2f149ec7099e6b6be69083128

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	smtp	Low
Vendor	pom	groupid	org.eclipse.angus	Highest
Vendor	pom	name	Angus Mail smtp provider	High
Vendor	pom	parent-artifactid	providers	Low
Product	pom	artifactid	smtp	Highest
Product	pom	groupid	org.eclipse.angus	Highest
Product	pom	name	Angus Mail smtp provider	High
Product	pom	parent-artifactid	providers	Medium
Version	pom	version	2.0.4	Highest

Identifiers

- <pkg:maven/org.eclipse.angus/smtp@2.0.4> (*Confidence:High*)

mail.zip: angus-mail.jar

Description:

Angus Mail Provider

License:

<http://www.eclipse.org/legal/epl-2.0>, <https://www.gnu.org/software/classpath/license.html>, <http://www.eclipse.org/org/documents/edl-v10.php>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/angus-mail.jar

MD5: 5e39c666abac5e0c7837894606af28b8

SHA1: 80a49d6e187788d17a23b05e375bad75f56a4a92

SHA256: 87301865584bad9170662b3eeef0350aaafea4522483e38e54ae87dc3df3e958

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angus-mail	High
Vendor	jar	package name	angus	Highest
Vendor	jar	package name	eclipse	Highest
Vendor	jar	package name	mail	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	org.eclipse.angus.mail	Medium
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="jakarta.mail.util.StreamProvider",osgi.serviceloader;osgi.serviceloader="jakarta.mail.Provider"	Low
Vendor	pom	artifactid	angus-mail	Low
Vendor	pom	groupid	org.eclipse.angus	Highest
Vendor	pom	name	Angus Mail Provider	High
Vendor	pom	parent-artifactid	all	Low
Product	file	name	angus-mail	High
Product	jar	package name	angus	Highest
Product	jar	package name	eclipse	Highest
Product	jar	package name	mail	Highest
Product	jar	package name	util	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Angus Mail Provider	Medium
Product	Manifest	bundle-symbolicname	org.eclipse.angus.mail	Medium
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="jakarta.mail.util.StreamProvider",osgi.serviceloader;osgi.serviceloader="jakarta.mail.Provider"	Low
Product	pom	artifactid	angus-mail	Highest
Product	pom	groupid	org.eclipse.angus	Highest
Product	pom	name	Angus Mail Provider	High
Product	pom	parent-artifactid	all	Medium
Version	Manifest	Bundle-Version	2.0.4	High
Version	pom	version	2.0.4	Highest

Identifiers

- pkg:maven/org.eclipse.angus/angus-mail@2.0.4 (Confidence:High)

mail.zip: bc-fips.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/bc-fips.jar

MD5: 0e3ce147f5132e096e7c3b22ab23a079

SHA1: 061fbe8383f70489dda95a11a2a4739eb818ff2c

SHA256: 044fcd8a29d236edea8a5b414406cdae63b475f9ad9f05fe2dc904a277941115

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	bc-fips	High
Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	fips	Highest
Vendor	jar	package name	org	Highest
Vendor	jar	package name	provider	Highest
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle FIPS Provider	Medium
Vendor	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Vendor	Manifest	bundle-symbolicname	bcfips	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcfips	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low

Vendor	Manifest	trusted-library	true	Low
Product	file	name	bc-fips	High
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	fips	Highest
Product	jar	package name	org	Highest
Product	jar	package name	permissions	Highest
Product	jar	package name	provider	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle FIPS Provider	Medium
Product	Manifest	Bundle-Name	bcfips	Medium
Product	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Product	Manifest	bundle-symbolicname	bcfips	Medium
Product	Manifest	caller-allowable-codebase	*	Low
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcfips	Medium
Product	Manifest	multi-release	true	Low
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Version	jar	package name	permissions	Highest
Version	Manifest	Bundle-Version	2.1.2	High
Version	Manifest	Implementation-Version	2.1.2	High

Related Dependencies



- webserver.zip: bc-fips.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/bc-fips.jar
 - MD5: 0e3ce147f5132e096e7c3b22ab23a079
 - SHA1: 061fbe8383f70489dda95a11a2a4739eb818ff2c
 - SHA256: 044fcd8a29d236edea8a5b414406cdac63b475f9ad9f05fe2dc904a277941115

Identifiers

- cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.1.2:*:*:*:*:* (Confidence:Low)

suppress

mail.zip: bcjmail-fips.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/bcjmail-fips.jar

MD5: 3b3a2949caf465737f18eba828c82f8d

SHA1: 11d1755a9103ae0359a5d8a0e3397d054bf16b0f

SHA256: 134bd06e17e66f13319b5e90781695d9c2bd586f4ed1dc3fc6f833279a750bc9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	bcjmail-fips	High
Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	mail	Low
Vendor	jar	package name	smime	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle FIPS JAKARTA S/MIME API	Medium
Vendor	Manifest	automatic-module-name	org.bouncycastle.fips.bcjmail	Medium
Vendor	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Vendor	Manifest	bundle-symbolicname	bcjmail	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcjmail.mail	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	permissions	all-permissions	Low

Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Product	file	name	bcjmail-fips	High
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	mail	Low
Product	jar	package name	smime	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle FIPS JAKARTA S/MIME API	Medium
Product	Manifest	automatic-module-name	org.bouncycastle.fips.bcjmail	Medium
Product	Manifest	Bundle-Name	bcjmail	Medium
Product	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Product	Manifest	bundle-symbolicname	bcjmail	Medium
Product	Manifest	caller-allowable-codebase	*	Low
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcjmail.mail	Medium
Product	Manifest	multi-release	true	Low
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Version	Manifest	Bundle-Version	2.1.6	High
Version	Manifest	Implementation-Version	2.1.6	High

Identifiers

- [cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.1.6:****:*:*](#) (*Confidence*:Highest)

suppress

mail.zip: bcpq-fips.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/bcp-g-fips.jar
MD5: 22924ccba346b696acaa3c72634ea8b5
SHA1: 727e087a843f3a5a8143e4f3a7518c8c3517df18
SHA256: ea51efee825bd0d61c3d22cff5a127898edc7ca62ba454fbcf4789801031d850
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	bcp-g-fips	High
Vendor	jar	package name	bcp-g	Highest
Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	openpgp	Highest
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle FIPS OpenPGP API	Medium
Vendor	Manifest	automatic-module-name	org.bouncycastle.fips.pg	Medium
Vendor	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Vendor	Manifest	bundle-symbolicname	bcp-g	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcfips.pg	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Product	file	name	bcp-g-fips	High
Product	jar	package name	bcp-g	Highest
Product	jar	package name	bouncycastle	Highest

Product	jar	package name	openpgp	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle FIPS OpenPGP API	Medium
Product	Manifest	automatic-module-name	org.bouncycastle.fips.pg	Medium
Product	Manifest	Bundle-Name	bcpkg	Medium
Product	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Product	Manifest	bundle-symbolicname	bcpkg	Medium
Product	Manifest	caller-allowable-codebase	*	Low
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcfips.pg	Medium
Product	Manifest	multi-release	true	Low
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Version	Manifest	Bundle-Version	2.1.11	High
Version	Manifest	Implementation-Version	2.1.11	High

Identifiers

- [cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.1.11:*****](#) (Confidence: Highest)
- [cpe:2.3:a:openpgp:openpgp:2.1.11:*****](#) (Confidence: Highest)

mail.zip: bcpkix-fips.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/bcpkix-fips.jar
MD5: 17235576f301545c841cd96c00cc4815
SHA1: 41d15c70437440d63b65225d7c00873a030d25d0
SHA256: c4370064664d474d8681f55f302cfdade4cae0f3d798b10fd18b0ab8fbd6fed1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	bcpkix-fips	High
Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	pkix	Highest
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle FIPS PKIX API	Medium
Vendor	Manifest	automatic-module-name	org.bouncycastle.fips.pkix	Medium
Vendor	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Vendor	Manifest	bundle-symbolicname	bcpkix	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcfips.pkix	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Product	file	name	bcpkix-fips	High
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	pkix	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle FIPS PKIX API	Medium
Product	Manifest	automatic-module-name	org.bouncycastle.fips.pkix	Medium
Product	Manifest	Bundle-Name	bcpkix	Medium
Product	Manifest	bundle-	JavaSE-1.8	Low

requiredexecution

Product	Manifest	bundle-symbolicname	bcpkix	Medium
Product	Manifest	caller-allowable-codebase	*	Low
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcfixs.pkix	Medium
Product	Manifest	multi-release	true	Low
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Version	Manifest	Bundle-Version	2.1.10	High
Version	Manifest	Implementation-Version	2.1.10	High

Related Dependencies



- webserver.zip: bcpkix-fips.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/bcpkix-fips.jar
 - MD5: 17235576f301545c841cd96c00cc4815
 - SHA1: 41d15c70437440d63b65225d7c00873a030d25d0
 - SHA256: c4370064664d474d8681f55f302cfdade4cae0f3d798b10fd18b0ab8fbd6fed1

Identifiers

- [cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.1.10:****:*](#) (*Confidence: Highest*)

mail.zip: bcutil-fips.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/bcutil-fips.jar

MD5: ca132f36f25d85df12535487bb9a2d33

SHA1: 30b41ebc759a4f02e2ff7ab9acb09268923ee41f

SHA256: 503aaf5c2c5b7c729547462efe13699b5f6dacf9be150b7c48bba974b793dc92

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	bcutil-fips	High

Vendor	jar	package name	asn1	Low
Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	its	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle FIPS Utility API	Medium
Vendor	Manifest	automatic-module-name	org.bouncycastle.fips.util	Medium
Vendor	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Vendor	Manifest	bundle-symbolicname	bcutil	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcfips.util	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Product	file	name	bcutil-fips	High
Product	jar	package name	asn1	Low
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	its	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle FIPS Utility API	Medium
Product	Manifest	automatic-module-name	org.bouncycastle.fips.util	Medium
Product	Manifest	Bundle-Name	bcutil	Medium
Product	Manifest	bundle-	JavaSE-1.8	Low

requiredexecution

Product	Manifest	bundle-symbolicname	bcutil	Medium
Product	Manifest	caller-allowable-codebase	*	Low
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcips.util	Medium
Product	Manifest	multi-release	true	Low
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Version	Manifest	Bundle-Version	2.1.5	High
Version	Manifest	Implementation-Version	2.1.5	High

Related Dependencies



- webserver.zip: bcutil-fips.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/bcutil-fips.jar
 - MD5: ca132f36f25d85df12535487bb9a2d33
 - SHA1: 30b41ebc759a4f02e2ff7ab9acb09268923ee41f
 - SHA256: 503aaf5c2c5b7c729547462efe13699b5f6dacf9be150b7c48bba974b793dc92

Identifiers

- [cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.1.5:****:*](#) (*Confidence: Highest*)

mail.zip: jakarta.activation-api.jar

Description:

Specification

License:

EDL 1.0: <http://www.eclipse.org/org/documents/edl-v10.php>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/jakarta.activation-api.jar

MD5: 76e7b680375ea9f40f3ddbd702efcd25

SHA1: fa165bd70cda600368eee31555222776a46b881f

SHA256: 01b176d718a169263e78290691fc479977186bcc6b333487325084d6586f4627

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.activation-api	High
Vendor	jar	package name	activation	Highest
Vendor	jar	package name	jakarta	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	jakarta.activation-api	Medium
Vendor	Manifest	extension-name	jakarta.activation	Medium
Vendor	Manifest	implementation-build-id	7f7d358	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.activation-api	Low
Vendor	pom	developer email	bill.shannon@oracle.com	Low
Vendor	pom	developer id	shannon	Medium
Vendor	pom	developer name	Bill Shannon	Medium
Vendor	pom	developer org	Oracle	Medium
Vendor	pom	groupid	jakarta.activation	Highest
Vendor	pom	name	Jakarta Activation API	High
Vendor	pom	parent-artifactid	project	Low
Vendor	pom	parent-groupid	org.eclipse.ee4j	Medium
Vendor	pom	url	jakartaee/jaf-api	Highest
Vendor	pom (hint)	developer org	sun	Medium
Product	file	name	jakarta.activation-api	High
Product	jar	package name	activation	Highest
Product	jar	package name	jakarta	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta Activation API	Medium
Product	Manifest	bundle-symbolicname	jakarta.activation-api	Medium
Product	Manifest	extension-name	jakarta.activation	Medium
Product	Manifest	implementation-build-id	7f7d358	Low

Product	Manifest	Implementation-Title	Jakarta Activation API	High
Product	Manifest	specification-title	Jakarta Activation Specification	Medium
Product	pom	artifactid	jakarta.activation-api	Highest
Product	pom	developer email	bill.shannon@oracle.com	Low
Product	pom	developer id	shannon	Low
Product	pom	developer name	Bill Shannon	Low
Product	pom	developer org	Oracle	Low
Product	pom	groupid	jakarta.activation	Highest
Product	pom	name	Jakarta Activation API	High
Product	pom	parent-artifactid	project	Medium
Product	pom	parent-groupid	org.eclipse.ee4j	Medium
Product	pom	url	jakartaee/jaf-api	High
Version	Manifest	Bundle-Version	2.1.3	High
Version	pom	parent-version	2.1.3	Low
Version	pom	version	2.1.3	Highest

Identifiers

- <pkg:maven/jakarta.activation/jakarta.activation-api@2.1.3> (*Confidence:High*)

mail.zip: jakarta.mail-api.jar

Description:

Specification API

License:

EPL 2.0: <http://www.eclipse.org/legal/epl-2.0>

GPL2 w/ CPE: <https://www.gnu.org/software/classpath/license.html>

EDL 1.0: <http://www.eclipse.org/org/documents/edl-v10.php>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/jakarta.mail-api.jar

MD5: 288a687deb06b87602ce14cd03dddff4

SHA1: a327aa5f514ba86e80d54584417d7376ed2bde0e

SHA256: 8051b58d75f982f9a5b963b3765426e824b2a64865ef0af17205e455b98db05c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	jakarta.mail-api	High
Vendor	jar	package name	jakarta	Highest
Vendor	jar	package name	mail	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	jakarta.mail-api	Medium
Vendor	Manifest	extension-name	jakarta.mail	Medium
Vendor	Manifest	implementation-build-id	0f448dc	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.mail-api	Low
Vendor	pom	groupid	jakarta.mail	Highest
Vendor	pom	name	Jakarta Mail API	High
Vendor	pom	parent-artifactid	project	Low
Vendor	pom	parent-groupid	org.eclipse.ee4j	Medium
Product	file	name	jakarta.mail-api	High
Product	jar	package name	jakarta	Highest
Product	jar	package name	mail	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta Mail API	Medium
Product	Manifest	bundle-symbolicname	jakarta.mail-api	Medium
Product	Manifest	extension-name	jakarta.mail	Medium
Product	Manifest	implementation-build-id	0f448dc	Low
Product	Manifest	Implementation-Title	Jakarta Mail API	High
Product	Manifest	specification-title	Jakarta Mail Specification	Medium
Product	pom	artifactid	jakarta.mail-api	Highest
Product	pom	groupid	jakarta.mail	Highest
Product	pom	name	Jakarta Mail API	High
Product	pom	parent-artifactid	project	Medium
Product	pom	parent-groupid	org.eclipse.ee4j	Medium
Version	Manifest	Bundle-Version	2.1.3	High
Version	pom	parent-version	2.1.3	Low

Versionpomversion2.1.3Highest

Identifiers

- [pkg:maven/jakarta.mail/jakarta.mail-api@2.1.3](#) (Confidence:High)

mail.zip: mail.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/mail.jar
MD5: 3a0a6ec7b2d61ddd4c03645d038f70ea
SHA1: 22f2f7a95ce446d4eed88a12dcac70f3e9a4d250
SHA256:227eba5c15654d55d9751482764bcf9d0ec7dcb27d52ad8483eb05e407a43002
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	mail	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	mail	Low
Vendor	Manifest	built-date	2025-10-22 17:27	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	mail	High
Product	jar	package name	mail	Highest
Product	jar	package name	mail	Low
Product	jar	package name	shared	Highest
Product	Manifest	built-date	2025-10-22 17:27	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	mail	High

Product	Manifest	specification-title	mail	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- None

mail.zip: mail.jar: smimeconfig.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/mail.jar/com/inet/mail/structure/smimeconfig.js

MD5: 5bcf984b6f7d3c12903f8e45723c4737

SHA1: c0fefbb10badfba57b9dd391e641c1357c10b615

SHA256: 0fd57f5869585f955a1274b3e859d7172f1d8c41f26fb647d256207d680c5567

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

main.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/main.js

MD5: d79b7693c3fedef6d2701f98bd63395e

SHA1: dcb11c632f69f2a29632327c71ce2b36f0ed2da0

SHA256: 8c8530e356505da9f829ef1cf582c79f20fdd14cf1bb8491abc354d5e6882334

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- main.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/nunit - API Doc/styles/main.js
 - MD5: d79b7693c3fedef6d2701f98bd63395e
 - SHA1: dcb11c632f69f2a29632327c71ce2b36f0ed2da0
 - SHA256: 8c8530e356505da9f829ef1cf582c79f20fdd14cf1bb8491abc354d5e6882334

Identifiers

- None

maintenance.pdfc.zip: maintenance.pdfc.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.pdfc.zip/maintenance.pdfc.jar
MD5: 46294a64252789a736cae61487b99d35
SHA1: 838c8bf5ababa2f4ccceb7c2472966c004ecd505
SHA256:3898b13847f632722ba8801ce07f87e1543557f387b7721da447cb254b5fc710
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	maintenance.pdfc	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2025-10-22 20:13	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	maintenance.pdfc	High
Product	jar	package name	maintenance	Highest
Product	jar	package name	maintenance	Low

Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	plugins	Low
Product	Manifest	built-date	2025-10-22 20:13	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	maintenance.pdfc	High
Product	Manifest	specification-title	maintenance.pdfc	Medium
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.10.219:*:*:*:*:* (Confidence:Low) suppress

maintenance.pdfc.zip: maintenance.pdfc.jar: app.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.pdfc.zip/maintenance.pdfc.jar/com/inet/pdfc/plugins/maintenance/server/comparisons/js/app.js

MD5: 5e534fcce6f689d176c6f3b40fc4454f

SHA1: e5f82942adf62444636d28e904add7c61a18ea32

SHA256:d08c1c9da221cbd9c38a26e0235b0da7c3bed4ab30f504aa741d4085a42f7294

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.pdfc.zip: maintenance.pdfc.jar: comparisons.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.pdf.zip/maintenance.pdf.jar/com/inet/pdfc/plugins/maintenance/server/comparisons/js/comparisons.js
MD5: dc34a947f1122f6f845deb82b822f15c
SHA1: 7a1528b00bb5229be98689b8c465b37c39bfa0ff
SHA256: 27b0ebba3a0c757e921cb562be691ee971fa06d1247423ff2c16f71d87d51bee
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.zip: maintenance-javadoc.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar
MD5: a9f19037b12f241acf3eabb44f8dd402
SHA1: 8c44e77ec035196f3b6150a5a676b6128bac80b1
SHA256: 1eddf2584a9172c35fc7b4745d65211e9650795da1841eefa2c595cfaa849b80
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	maintenance-javadoc	High
Product	file	name	maintenance-javadoc	High

Identifiers

- None

maintenance.zip: maintenance-javadoc.jar: jquery-3.6.1.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/script-dir/jquery-3.6.1.min.js
MD5: 00727d1d5d9c90f7de826f1a4a9cc632
SHA1: ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2

SHA256:a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- pdfc.zip: pdfc-javadoc.jar: jquery-3.6.1.min.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/script-dir/jquery-3.6.1.min.js
 - MD5: 00727d1d5d9c90f7de826f1a4a9cc632
 - SHA1: ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2
 - SHA256: a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74
- reporting.zip: reporting-javadoc.jar: jquery-3.6.1.min.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/script-dir/jquery-3.6.1.min.js
 - MD5: 00727d1d5d9c90f7de826f1a4a9cc632
 - SHA1: ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2
 - SHA256: a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74
- taskplanner.zip: taskplanner-javadoc.jar: jquery-3.6.1.min.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/script-dir/jquery-3.6.1.min.js
 - MD5: 00727d1d5d9c90f7de826f1a4a9cc632
 - SHA1: ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2
 - SHA256: a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74

Identifiers

- None

maintenance.zip: maintenance-javadoc.jar: jquery-ui.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/script-dir/jquery-ui.min.js
MD5: 32059df39c14a910ccc2325f6a3cd62f
SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
SHA256:672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	jquery-ui	High
Product	file	name	jquery-ui	High
Version	file	version	1.13.1	High

Related Dependencies

- pdfc.zip: pdfc-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/script-dir/jquery-ui.min.js
 - MD5: 32059df39c14a910ccc2325f6a3cd62f
 - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
 - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
 - [pkg:javascript/jquery-ui@1.13.1](#)
- reporting.zip: reporting-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/script-dir/jquery-ui.min.js
 - MD5: 32059df39c14a910ccc2325f6a3cd62f
 - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
 - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
 - [pkg:javascript/jquery-ui@1.13.1](#)
- taskplanner.zip: taskplanner-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/script-dir/jquery-ui.min.js
 - MD5: 32059df39c14a910ccc2325f6a3cd62f
 - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
 - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
 - [pkg:javascript/jquery-ui@1.13.1](#)

Identifiers

- [pkg:javascript/jquery-ui@1.13.1](#) (Confidence: Highest)

maintenance.zip: maintenance-javadoc.jar: member-search-index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/member-search-index.js

MD5: 93b51609403fe383f95ae75000fd9e09

SHA1: 32a7d291fa90846ef3a1b919485866573b8bd07b

SHA256: 5902db037c53061d68cc19ef2af2e3578c16ce0ec0397438e34dd8119c609087

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.zip: maintenance-javadoc.jar: module-search-index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/module-search-index.js

MD5: a33da0f469acbd03f77bf407bac505f5

SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8

SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- pdfc.zip: pdfc-javadoc.jar: module-search-index.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/module-search-index.js
 - MD5: a33da0f469acbd03f77bf407bac505f5
 - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
 - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18
- reporting.zip: reporting-javadoc.jar: module-search-index.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/module-search-index.js
 - MD5: a33da0f469acbd03f77bf407bac505f5
 - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
 - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18
- taskplanner.zip: taskplanner-javadoc.jar: module-search-index.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/module-search-index.js
 - MD5: a33da0f469acbd03f77bf407bac505f5
 - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
 - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18

Identifiers

- None

maintenance.zip: maintenance-javadoc.jar: package-search-index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/package-search-index.js

MD5: e89f47c422716f6284a74cd96ed0cd3f

SHA1: 658d9c6eebf7c62d01f7808a26b6024b8c39ecf4

SHA256: 9687f5061532bbd21fa8c795aca6a657bdac71e356eb43f7103a1cd02bd9306d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.zip: maintenance-javadoc.jar: script.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/script.js

MD5: baf9d9e16237acbdce975a33c54ee8ae

SHA1: cc6a3c8d72f17eff0d613ddfcf7c1095535573f7

SHA256: 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- pdfc.zip: pdfc-javadoc.jar: script.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/script.js
 - MD5: baf9d9e16237acbdce975a33c54ee8ae
 - SHA1: cc6a3c8d72f17eff0d613ddfcf7c1095535573f7
 - SHA256: 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975
- reporting.zip: reporting-javadoc.jar: script.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/script.js
 - MD5: baf9d9e16237acbdce975a33c54ee8ae
 - SHA1: cc6a3c8d72f17eff0d613ddfcf7c1095535573f7
 - SHA256: 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975

- taskplanner.zip: taskplanner-javadoc.jar: script.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/script.js
 - MD5: baf9d9e16237acbdce975a33c54ee8ae
 - SHA1: cc6a3c8d72f17eff0d613ddfcf7c1095535573f7
 - SHA256: 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975

Identifiers

- None

maintenance.zip: maintenance-javadoc.jar: search.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/search.js

MD5: cb277f670590ffec20a12745260518dc

SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca

SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Related Dependencies

- pdfc.zip: pdfc-javadoc.jar: search.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/search.js
 - MD5: cb277f670590ffec20a12745260518dc
 - SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
 - SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f
- reporting.zip: reporting-javadoc.jar: search.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/search.js
 - MD5: cb277f670590ffec20a12745260518dc
 - SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
 - SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f
- taskplanner.zip: taskplanner-javadoc.jar: search.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/search.js
 - MD5: cb277f670590ffec20a12745260518dc
 - SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
 - SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f

Identifiers

- None

maintenance.zip: maintenance-javadoc.jar: tag-search-index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/tag-search-index.js

MD5: 3236248138000d701400e0346999c1a8

SHA1: 565146643a30712208f9299bd94a37566eab76b8

SHA256: 72960c457566fe509fb1610d2612152b3f78b15485c891197f1053febdf8f8d1

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.zip: maintenance-javadoc.jar: type-search-index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/type-search-index.js

MD5: 4fc01a884f0b77974cfda0ecd2b9008f

SHA1: d9610bba6879a5a4f88fb61427b75cd69bce1546

SHA256: cb975e5713d5cd570800e6107aceaa23f53deee11f68222408fec819358da987

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.zip: maintenance.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance.jar

MD5: 4fa58d65f5d4645ae70f50aa3ebc95f1

SHA1: 32aebc23e2b46882e4c49dd66dc1aa671abd6abe

SHA256: 961e0cf3e010b0b0a452d8ca47cd01725bcb984e85459a0bf5db60517ba233c2

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	maintenance	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	maintenance	Low
Vendor	jar	package name	server	Low
Vendor	Manifest	built-date	2025-10-22 17:08	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	maintenance	High
Product	jar	package name	maintenance	Highest
Product	jar	package name	maintenance	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2025-10-22 17:08	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	maintenance	High
Product	Manifest	specification-title	maintenance	Medium
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- None

maintenance.zip: maintenance.jar: controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/backup/js/controller.js

MD5: eda28b0d3fc75e6df1ec801c4dda1184

SHA1: bde7771a725ab5f735940d621e891210d76d746c

SHA256: a6b050a5c95270a0c67687822415186d22ee8330dcf39902d53e80d8272effda

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.zip: maintenance.jar: controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/cache/js/controller.js

MD5: aa44ef9d57351256e8288279206e9da0

SHA1: 29d071ac271977ff8019c6031ee24ddabc5fc3f1

SHA256: 4fbd2dbd4693521ea657c6d95d5f20f8128e38208d742ad6388f76e962052fec

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.zip: maintenance.jar: controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/main/js/controller.js
MD5: 0ff72e191a3f127973fc5a9381f1e3fb
SHA1: 2ed064d4500a047ef82b23173f0abf1e9813e1a2
SHA256:6d60b6004b5b228cc1e6fc6ba01afc922d7d6e174f32773dbf32f1993085a0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.zip: maintenance.jar: controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/programdata/js/controller.js
MD5: fa453d5635f82f0078c224f27dd99a7d
SHA1: 6288a3c4fbff29ee7cc6a8f69149de44c49ef5c6
SHA256:f7902fb5b8dd900a95b90969872c55787e2d4f65f3736d827fcb13c0ebcef46b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.zip: maintenance.jar: controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/usercleanup/js/controller.js
MD5: 8761a32cdcf4e1e4a7685026230292f7
SHA1: c2d0abdc930a08da61c93cf63f310c9a74434f3c
SHA256:358479a73183963c1626c72ae92d5c4f7c03b83363c80257ac03dc58eb4285bd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.zip: maintenance.jar: filechooser.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/main/js/filechooser.js

MD5: e68e2ea53d15557b2fb1deaf06d441d3

SHA1: 047d5f2582143536ea470e92aa91fb7b77c7f093

SHA256: c44d53718171530ce586b9932fe7126a09de8e6f7bb9e40aaf949483e432e87d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.zip: maintenance.jar: multieditusers.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/usercleanup/js/multieditusers.js

MD5: 9344849a6f020a58c0f0d718e8c76929

SHA1: 2d636915befe9b9bd1db90c54bffe6acfb088d87

SHA256: ab73fb84fe0687eaea50fa310992eb630da346b49387ccee829854f6ecc03329

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

mongodb-driver-core.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/persistence/mongodb-driver-core.jar

MD5: eda912af57291d623e2402c4124a3aed

SHA1: 8e4056228072c05edec24f325cca34194983ad84

SHA256:9bd21650f6c0688461a5de30000efb67ec1d5d81a1e80c5c4928bb50bbca3f16

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	mongodb-driver-core	High
Vendor	jar	package name	internal	Low
Vendor	jar	package name	mongodb	Highest
Vendor	jar	package name	mongodb	Low
Vendor	Manifest	automatic-module-name	org.mongodb.driver.core	Medium
Vendor	Manifest	bundle-symbolicname	org.mongodb.driver-core	Medium
Product	file	name	mongodb-driver-core	High
Product	jar	package name	internal	Low
Product	jar	package name	mongodb	Highest
Product	Manifest	automatic-module-name	org.mongodb.driver.core	Medium
Product	Manifest	Bundle-Name	mongodb-driver-core	Medium
Product	Manifest	bundle-symbolicname	org.mongodb.driver-core	Medium
Version	Manifest	build-version	5.5.1	Medium
Version	Manifest	Bundle-Version	5.5.1	High

Identifiers

- None

mongodb-driver-sync.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/persistence/mongodb-driver-sync.jar

MD5: 84bff743029ebe7b223a7ebe8f2409e8

SHA1: 7e8d22f9567868a73eede1bcb281e4f87537626c

SHA256: 10fbba300aca76d6996ea8a842226e78bcaaf108c908687940c991885be5e875

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	mongodb-driver-sync	High
Vendor	jar	package name	client	Highest
Vendor	jar	package name	client	Low
Vendor	jar	package name	internal	Low
Vendor	jar	package name	mongodb	Highest
Vendor	jar	package name	mongodb	Low
Vendor	Manifest	automatic-module-name	org.mongodb.driver.sync.client	Medium
Vendor	Manifest	bundle-symbolicname	org.mongodb.driver-sync	Medium
Product	file	name	mongodb-driver-sync	High
Product	jar	package name	client	Highest
Product	jar	package name	client	Low
Product	jar	package name	internal	Low
Product	jar	package name	mongodb	Highest
Product	Manifest	automatic-module-name	org.mongodb.driver.sync.client	Medium
Product	Manifest	Bundle-Name	mongodb-driver-sync	Medium
Product	Manifest	bundle-symbolicname	org.mongodb.driver-sync	Medium
Version	Manifest	build-version	5.5.1	Medium
Version	Manifest	Bundle-Version	5.5.1	High

Identifiers

- None

notification.zip: notification.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/notification.zip/notification.jar

MD5: 039905a7c50efe36e74481a91c1e3caf

SHA1: 5cf613175fca330055a9a2a94b2953082daa722

SHA256: 0b86b3db175234e89387bada30c204393285b8aadd492eb86f2e06aee240c26f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	notification	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	notificationui	Low
Vendor	jar	package name	server	Low
Vendor	Manifest	built-date	2025-10-22 17:25	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	notification	High
Product	jar	package name	notificationui	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2025-10-22 17:25	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	notification	High
Product	Manifest	specification-title	notification	Medium
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- None

notification.zip: notification.jar: notification.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/notification.js

MD5: a7914294220b5e8b3455195997e7a654

SHA1: 6aa5184b6872c79a90cb0c7db02e4b383ae1d6f0

SHA256: 1adacc2b14565423a88959085345d44027d4ca43cb75b2a1dceb5ffdde9c0637

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

notification.zip: notification.jar: notification_config.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/notification_config.js

MD5: 323c074408d9e2dc2145230f2f2bec9e

SHA1: e6ca6eb13f3c22aedfdb90b0d7306c35cd7d2b28

SHA256: c86eed2c4c6b7df65bdebffc00a3ea2d809997c4b7a97cd22d55f7193ebd4b94

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

notification.zip: notification.jar: notification_taskplanner.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/notification_taskplanner.js
MD5: 34de69c55375ed77dcc583b60d7682a7
SHA1: 61bc262edf6fc6e902bbbc4bbc16c546a01e4f78
SHA256: ddb2f468d7348ce9388681d450895a6e4b5ba6c22d632f3d53bc1e837be83508
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

notification.zip: notification.jar: targetrenderer.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/targetrenderer.js
MD5: 9207efb9b92d4108c031b3e7f469ccff
SHA1: fc19cd09c51417a29979d39e3a74a2d99fbf9c03
SHA256: c6c83159f063f74a44c1d68bd67a67c4c96023c3eba9f87ce1090b8f994f49bd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

ocr.tesseract.zip: fontbox.jar

Description:

The Apache FontBox library is an open source Java tool to obtain low level information from font files. FontBox is a subproject of Apache PDFBox.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/fontbox.jar

MD5: 76fe707f08787cd215f287da48ed7e1b

SHA1: b4a068e1dba2b9832a108cdf6e9a3249680e3ce8

SHA256: e8a62be2df27a0d44191b6669c0b18df6efe5271232db8dcb8745d5d9774755b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	fontbox	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	fontbox	Highest
Vendor	Manifest	automatic-module-name	org.apache.fontbox	Medium
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-docurl	https://pdfbox.apache.org	Low
Vendor	Manifest	bundle-symbolicname	org.apache.pdfbox.fontbox	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	fontbox	Low
Vendor	pom	groupid	org.apache.pdfbox	Highest
Vendor	pom	name	Apache FontBox	High
Vendor	pom	parent-artifactid	pdfbox-parent	Low
Vendor	pom	url	http://pdfbox.apache.org/	Highest
Product	file	name	fontbox	High
Product	jar	package name	apache	Highest
Product	jar	package name	fontbox	Highest
Product	Manifest	automatic-module-name	org.apache.fontbox	Medium
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	bundle-docurl	https://pdfbox.apache.org	Low
Product	Manifest	Bundle-Name	Apache FontBox	Medium
Product	Manifest	bundle-symbolicname	org.apache.pdfbox.fontbox	Medium
Product	Manifest	Implementation-Title	Apache FontBox	High
Product	Manifest	specification-title	Apache FontBox	Medium

Product	pom	artifactid	fontbox	Highest
Product	pom	groupid	org.apache.pdfbox	Highest
Product	pom	name	Apache FontBox	High
Product	pom	parent-artifactid	pdfbox-parent	Medium
Product	pom	url	http://pdfbox.apache.org/	Medium
Version	Manifest	Bundle-Version	3.0.5	High
Version	Manifest	Implementation-Version	3.0.5	High
Version	pom	version	3.0.5	Highest

Identifiers

- <pkg:maven/org.apache.pdfbox/fontbox@3.0.5> (*Confidence*:High)

ocr.tesseract.zip: jai-imageio-core.jar

Description:

Java Advanced Imaging Image I/O Tools API core, but without the classes involved with javax.media.jai dependencies, JPEG2000 or codecLibJIO, meaning that this library can be distributed under the modified BSD license and should be GPL compatible.

License:

BSD 3-clause License w/nuclear disclaimer: LICENSE.txt

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jai-imageio-core.jar

MD5: 6978d733bfb55c0a82639f724fe5f3bb

SHA1: fb6d79b929556362a241b2f65a04e538062f0077

SHA256: 8ad3c68e9effb10ac87ff8bc589adf64b04a729c5194c079efd0643607fd72a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jai-imageio-core	High
Vendor	jar	package name	github	Highest
Vendor	Manifest	bundle-docurl	https://github.com/jai-imageio/	Low
Vendor	Manifest	bundle-symbolicname	jai-imageio-core	Medium
Vendor	Manifest	extension-name	com.github.jai-imageio-jai-imageio-core	Medium

Vendor	Manifest	Implementation-Vendor	https://github.com/jai-imageio/ jai-imageio GitHub group	High
Vendor	Manifest	specification-vendor	Sun Microsystems, Inc.	Low
Vendor	Manifest	url	https://github.com/jai-imageio/jai-imageio-core	Low
Vendor	pom	artifactid	jai-imageio-core	Low
Vendor	pom	developer email	stian@s11.no	Low
Vendor	pom	developer name	Stian Soiland-Reyes	Medium
Vendor	pom	developer org	s11	Medium
Vendor	pom	developer org URL	http://s11.no/	Medium
Vendor	pom	groupid	com.github.jai-imageio	Highest
Vendor	pom	name	Java Advanced Imaging Image I/O Tools API core (standalone)	High
Vendor	pom	organization name	jai-imageio GitHub group	High
Vendor	pom	organization url	jai-imageio/	Medium
Vendor	pom	url	jai-imageio/jai-imageio-core	Highest
Product	file	name	jai-imageio-core	High
Product	jar	package name	github	Highest
Product	Manifest	bundle-docurl	https://github.com/jai-imageio/	Low
Product	Manifest	Bundle-Name	Java Advanced Imaging Image I/O Tools API core (standalone)	Medium
Product	Manifest	bundle-symbolicname	jai-imageio-core	Medium
Product	Manifest	extension-name	com.github.jai-imageio-jai-imageio-core	Medium
Product	Manifest	Implementation-Title	Java Advanced Imaging Image I/O Tools API core (standalone)	High
Product	Manifest	specification-title	Java Advanced Imaging	Medium
Product	Manifest	url	https://github.com/jai-imageio/jai-imageio-core	Low
Product	pom	artifactid	jai-imageio-core	Highest
Product	pom	developer email	stian@s11.no	Low
Product	pom	developer name	Stian Soiland-Reyes	Low
Product	pom	developer org	s11	Low
Product	pom	developer org URL	http://s11.no/	Low
Product	pom	groupid	com.github.jai-imageio	Highest
Product	pom	name	Java Advanced Imaging Image I/O Tools API core (standalone)	High

Product	pom	organization name	jai-imageio GitHub group	Low
Product	pom	url	jai-imageio/	High
Product	pom	url	jai-imageio/jai-imageio-core	High
Version	Manifest	Bundle-Version	1.4.0	High
Version	Manifest	Implementation-Version	1.4.0	High
Version	pom	version	1.4.0	Highest

Identifiers

- <pkg:maven/com.github.jai-imageio/jai-imageio-core@1.4.0> (Confidence:High)

ocr.tesseract.zip: jbig2-imageio.jar

Description:

Java Image I/O plugin for reading JBIG2-compressed image data.
Formerly known as the levigo JBig2 ImageIO plugin (com.levigo.jbig2:levigo-jbig2-imageio).

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jbig2-imageio.jar

MD5: c51f45dc3d29bbf716774f9ff9e95ad6

SHA1: ad09a9bb94ea791ea81fb6c5bc2b13dd77872598

SHA256: 29cb2951622f10acf61fd0656c4e6fa5562194a9095f7a1d26aa426e2f6b17eb

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jbig2-imageio	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	image	Highest
Vendor	jar	package name	jbig2	Highest
Vendor	jar	package name	pdfbox	Highest
Vendor	Manifest	automatic-module-name	org.apache.pdfbox.jbig2	Medium
Vendor	Manifest	implementation-url	https://www.apache.org/jbig2-imageio/	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-	org.apache.pdfbox	Medium

		Vendor-Id		
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	jbig2-imageio	Low
Vendor	pom	developer id	adam	Medium
Vendor	pom	developer id	blitchfield	Medium
Vendor	pom	developer id	carrier	Medium
Vendor	pom	developer id	danielwilson	Medium
Vendor	pom	developer id	gbailleul	Medium
Vendor	pom	developer id	hennejg	Medium
Vendor	pom	developer id	holdersn	Medium
Vendor	pom	developer id	jahewson	Medium
Vendor	pom	developer id	jeremias	Medium
Vendor	pom	developer id	jukka	Medium
Vendor	pom	developer id	kjackson	Medium
Vendor	pom	developer id	koch	Medium
Vendor	pom	developer id	koehlecn	Medium
Vendor	pom	developer id	lehmi	Medium
Vendor	pom	developer id	leleueri	Medium
Vendor	pom	developer id	mmayer	Medium
Vendor	pom	developer id	msayhoun	Medium
Vendor	pom	developer id	pkoch	Medium
Vendor	pom	developer id	tallison	Medium
Vendor	pom	developer id	tboehme	Medium
Vendor	pom	developer id	tchojecki	Medium
Vendor	pom	developer id	tilman	Medium
Vendor	pom	developer id	vfed	Medium
Vendor	pom	developer name	Adam Nichols	Medium
Vendor	pom	developer name	Andreas Lehmkuhler	Medium
Vendor	pom	developer name	Ben Litchfield	Medium
Vendor	pom	developer name	Brian Carrier	Medium
Vendor	pom	developer name	Carolin Köhler	Medium
Vendor	pom	developer name	Daniel Wilson	Medium
Vendor	pom	developer name	Eric Leleu	Medium
Vendor	pom	developer name	Guillaume Bailleul	Medium
Vendor	pom	developer name	Jeremias Maerki	Medium

Vendor	pom	developer name	Johannes Koch	Medium
Vendor	pom	developer name	John Hewson	Medium
Vendor	pom	developer name	Jukka Zitting	Medium
Vendor	pom	developer name	Jörg Henne	Medium
Vendor	pom	developer name	Kevin Jackson	Medium
Vendor	pom	developer name	Maruan Sayhoun	Medium
Vendor	pom	developer name	Matthäus Mayer	Medium
Vendor	pom	developer name	Phillipp Koch	Medium
Vendor	pom	developer name	Sebastian Holder	Medium
Vendor	pom	developer name	Thomas Chojecki	Medium
Vendor	pom	developer name	Tilman Hausherr	Medium
Vendor	pom	developer name	Tim Allison	Medium
Vendor	pom	developer name	Timo Boehme	Medium
Vendor	pom	developer name	Villu Ruusmann	Medium
Vendor	pom	groupid	org.apache.pdfbox	Highest
Vendor	pom	name	PDFBox JBIG2 ImageIO plugin	High
Vendor	pom	organization name	The Apache Software Foundation	High
Vendor	pom	organization url	http://pdfbox.apache.org	Medium
Vendor	pom	parent-artifactid	apache	Low
Vendor	pom	parent-groupid	org.apache	Medium
Product	file	name	jbig2-imageio	High
Product	jar	package name	apache	Highest
Product	jar	package name	image	Highest
Product	jar	package name	jbig2	Highest
Product	jar	package name	pdfbox	Highest
Product	Manifest	automatic-module-name	org.apache.pdfbox.jbig2	Medium
Product	Manifest	Implementation-Title	PDFBox JBIG2 ImageIO plugin	High
Product	Manifest	implementation-url	https://www.apache.org/jbig2-imageio/	Low
Product	Manifest	specification-title	PDFBox JBIG2 ImageIO plugin	Medium
Product	pom	artifactid	jbig2-imageio	Highest
Product	pom	developer id	adam	Low
Product	pom	developer id	blitchfield	Low
Product	pom	developer id	carrier	Low

Product	pom	developer id	danielwilson	Low
Product	pom	developer id	gbailleul	Low
Product	pom	developer id	hennejg	Low
Product	pom	developer id	holdersn	Low
Product	pom	developer id	jahewson	Low
Product	pom	developer id	jeremias	Low
Product	pom	developer id	jukka	Low
Product	pom	developer id	kjackson	Low
Product	pom	developer id	koch	Low
Product	pom	developer id	koehlecn	Low
Product	pom	developer id	lehmi	Low
Product	pom	developer id	leleuri	Low
Product	pom	developer id	mmayer	Low
Product	pom	developer id	msayhoun	Low
Product	pom	developer id	pkoch	Low
Product	pom	developer id	tallison	Low
Product	pom	developer id	tboehme	Low
Product	pom	developer id	tchojecki	Low
Product	pom	developer id	tilman	Low
Product	pom	developer id	vfed	Low
Product	pom	developer name	Adam Nichols	Low
Product	pom	developer name	Andreas Lehmkuhler	Low
Product	pom	developer name	Ben Litchfield	Low
Product	pom	developer name	Brian Carrier	Low
Product	pom	developer name	Carolin Köhler	Low
Product	pom	developer name	Daniel Wilson	Low
Product	pom	developer name	Eric Leleu	Low
Product	pom	developer name	Guillaume Bailleul	Low
Product	pom	developer name	Jeremias Maerki	Low
Product	pom	developer name	Johannes Koch	Low
Product	pom	developer name	John Hewson	Low
Product	pom	developer name	Jukka Zitting	Low
Product	pom	developer name	Jörg Henne	Low
Product	pom	developer name	Kevin Jackson	Low
Product	pom	developer name	Maruan Sayhoun	Low

Product	pom	developer name	Matthäus Mayer	Low
Product	pom	developer name	Phillipp Koch	Low
Product	pom	developer name	Sebastian Holder	Low
Product	pom	developer name	Thomas Chojecki	Low
Product	pom	developer name	Tilman Hausherr	Low
Product	pom	developer name	Tim Allison	Low
Product	pom	developer name	Timo Boehme	Low
Product	pom	developer name	Villu Ruusmann	Low
Product	pom	groupid	org.apache.pdfbox	Highest
Product	pom	name	PDFBox JBIG2 ImageIO plugin	High
Product	pom	organization name	The Apache Software Foundation	Low
Product	pom	organization url	http://pdfbox.apache.org	Low
Product	pom	parent-artifactid	apache	Medium
Product	pom	parent-groupid	org.apache	Medium
Version	Manifest	Implementation-Version	3.0.4	High
Version	pom	parent-version	3.0.4	Low
Version	pom	version	3.0.4	Highest

Identifiers

- [pkg:maven/org.apache.pdfbox/jbig2-imageio@3.0.4](#) (*Confidence:High*)
- [cpe:2.3:a:apache:pdfbox:3.0.4:*:*:*:*:*](#) (*Confidence:Highest*) suppress

ocr.tesseract.zip: jboss-vfs.jar

Description:

A VFS library

License:

Apache License 2.0: <http://repository.jboss.org/licenses/apache-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jboss-vfs.jar

MD5: ecf3234794d1b7d03dc1eb5380328e04

SHA1: 748b9f156f35bf63ead9887f040cfc48af18f7f0

SHA256: 33a84eac3f1027551146247e3ef4057dc8840cfc8cd436cb2f925b6f5d2126e9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jboss-vfs	High
Vendor	jar	package name	jboss	Highest
Vendor	jar	package name	vfs	Highest
Vendor	Manifest	automatic-module-name	org.jboss.vfs	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	implementation-url	http://www.jboss.org	Low
Vendor	Manifest	Implementation-Vendor	JBoss, A division of Red Hat, Inc	High
Vendor	Manifest	specification-vendor	JBoss, A division of Red Hat, Inc	Low
Vendor	pom	artifactid	jboss-vfs	Low
Vendor	pom	groupid	org.jboss	Highest
Vendor	pom	name	JBoss VFS	High
Vendor	pom	organization name	JBoss, A division of Red Hat, Inc	High
Vendor	pom	organization url	http://www.jboss.org	Medium
Vendor	pom	parent-artifactid	jboss-parent	Low
Vendor	pom	url	http://www.jboss.org	Highest
Product	file	name	jboss-vfs	High
Product	jar	package name	jboss	Highest
Product	jar	package name	vfs	Highest
Product	Manifest	automatic-module-name	org.jboss.vfs	Medium
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	Implementation-Title	JBoss VFS	High
Product	Manifest	implementation-url	http://www.jboss.org	Low
Product	Manifest	specification-title	JBoss VFS	Medium
Product	pom	artifactid	jboss-vfs	Highest
Product	pom	groupid	org.jboss	Highest
Product	pom	name	JBoss VFS	High
Product	pom	organization name	JBoss, A division of Red Hat, Inc	Low
Product	pom	organization url	http://www.jboss.org	Low

Product	pom	parent-artifactid	jboss-parent	Medium
Product	pom	url	http://www.jboss.org	Medium
Version	Manifest	Implementation-Version	3.3.2.Final	High
Version	pom	parent-version	3.3.2.Final	Low
Version	pom	version	3.3.2.Final	Highest

Identifiers

- pkg:maven/org.jboss/jboss-vfs@3.3.2.Final (*Confidence:High*)

ocr.tesseract.zip: lept4j.jar

Description:

Lept4J

Description:

A Java JNA wrapper for Leptonica Image Processing library.

Lept4J is released and distributed under the Apache License, v2.0.

License:

Apache License 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/lept4j.jar

MD5: 70889e28b7569dd54e7da9ced01dabdf

SHA1: ec69d554f05e030b5e06295a4d39057634759549

SHA256: 5feb69a8fc9550809b23cb980270cdf99368dea330ba7d98789e2dc93f8bef6f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	lept4j	High
Vendor	jar	package name	lept4j	Highest
Vendor	jar	package name	leptonica	Highest
Vendor	jar	package name	net	Highest
Vendor	jar	package name	sourceforge	Highest
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	pom	artifactid	lept4j	Low

Vendor	pom	developer email	nguyenq@users.sf.net	Low
Vendor	pom	developer name	Quan Nguyen	Medium
Vendor	pom	groupid	net.sourceforge.lept4j	Highest
Vendor	pom	name	Lept4J - Leptonica for Java	High
Vendor	pom	url	nguyenq/lept4j	Highest
Product	file	name	lept4j	High
Product	jar	package name	lept4j	Highest
Product	jar	package name	leptonica	Highest
Product	jar	package name	net	Highest
Product	jar	package name	sourceforge	Highest
Product	Manifest	build-jdk-spec	1.8	Low
Product	pom	artifactid	lept4j	Highest
Product	pom	developer email	nguyenq@users.sf.net	Low
Product	pom	developer name	Quan Nguyen	Low
Product	pom	groupid	net.sourceforge.lept4j	Highest
Product	pom	name	Lept4J - Leptonica for Java	High
Product	pom	url	nguyenq/lept4j	High
Version	pom	version	1.19.1	Highest

Identifiers

- [pkg:maven/net.sourceforge.lept4j/lept4j@1.19.1](#) (*Confidence:High*)

ocr.tesseract.zip: lept4j.jar: libleptonica1841.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/lept4j.jar/win32-x86-64/libleptonica1841.dll

MD5: 981b8e38e33018fff693c8e3ec0f2254

SHA1: 91a9cd0a874d614bc8a8946d2e0a8573e8b96ac1

SHA256: 0b2cb584baeb38b90033344b4d70830b33ba01396fb9142b9b733e83c8a73fb8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	libleptonica1841	High
Product	file	name	libleptonica1841	High

Version	file	name	libleptonica1841	Medium
Version	file	version	1841	Medium

Identifiers

- None

ocr.tesseract.zip: lept4j.jar: libleptonica1841.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/lept4j.jar/win32-x86/libleptonica1841.dll

MD5: 64f0634192bcf75ade5ea06f8119512d

SHA1: b387acaa5209f796fb3065395548d2adcbad620e

SHA256: 405e5263b72cb7d63c723fd85a124201cd66aa9a983b3a1c1e4c82003c91bcaa

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	libleptonica1841	High
Product	file	name	libleptonica1841	High
Version	file	name	libleptonica1841	Medium
Version	file	version	1841	Medium

Identifiers

- None

ocr.tesseract.zip: ocr.tesseract.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/ocr.tesseract.jar

MD5: 317c192aa6bdbbea82491c96c3c1e20e4

SHA1: 5a96d17ad8c06a4e119a10cff9187d2fe0e7d6d2

SHA256: a087e3f5c85d00006abffbf6503e6841d2b096446d0ecf4a8648f3bfe03a258

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	ocr.tesseract	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	ocr	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-10-22 20:13	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	ocr.tesseract	High
Product	jar	package name	ocr	Highest
Product	jar	package name	ocr	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	tesseract	Highest
Product	jar	package name	tesseract	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-10-22 20:13	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	ocr.tesseract	High
Product	Manifest	permissions	all-permissions	Low

Product	Manifest	specification-title	ocr.tesseract	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- cpe:2.3:a:tesseract_ocr_project:tesseract_ocr:25.10.219:~::~~::~~::~~::~~::~~::~~:: (Confidence:Low) suppress
- cpe:2.3:a:tesseract_project:tesseract:25.10.219:~::~~::~~::~~::~~::~~::~~:: (Confidence:Low) suppress

ocr.tesseract.zip: pdfbox.jar

Description:

The Apache PDFBox library is an open source Java tool for working with PDF documents.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller
/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/pdfbox.jar

MD5: f6ae0d983002caad75515488a3091dab

SHA1: c34109061c3a0d85d871d9edc469ac0682f81856

SHA256:f0e5d3a1e573c707e4fbcc2ee8e42ea8ca1d5261bdbcb3a05a08d2118553c1e5a

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	pdfbox	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	pdfbox	Highest
Vendor	Manifest	automatic-module-name	org.apache.pdfbox	Medium
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-docurl	https://pdfbox.apache.org	Low
Vendor	Manifest	bundle-symbolicname	org.apache.pdfbox	Medium

Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	pdfbox	Low
Vendor	pom	groupid	org.apache.pdfbox	Highest
Vendor	pom	name	Apache PDFBox	High
Vendor	pom	parent-artifactid	pdfbox-parent	Low
Product	file	name	pdfbox	High
Product	jar	package name	apache	Highest
Product	jar	package name	pdfbox	Highest
Product	Manifest	automatic-module-name	org.apache.pdfbox	Medium
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	bundle-docurl	https://pdfbox.apache.org	Low
Product	Manifest	Bundle-Name	Apache PDFBox	Medium
Product	Manifest	bundle-symbolicname	org.apache.pdfbox	Medium
Product	Manifest	Implementation-Title	Apache PDFBox	High
Product	Manifest	specification-title	Apache PDFBox	Medium
Product	pom	artifactid	pdfbox	Highest
Product	pom	groupid	org.apache.pdfbox	Highest
Product	pom	name	Apache PDFBox	High
Product	pom	parent-artifactid	pdfbox-parent	Medium
Version	Manifest	Bundle-Version	3.0.5	High
Version	Manifest	Implementation-Version	3.0.5	High
Version	pom	version	3.0.5	Highest

Related Dependencies



- ocr.tesseract.zip: pdfbox-debugger.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/pdfbox-debugger.jar
 - MD5: d55d7e2d0ad7790c653e4ea136faa569
 - SHA1: 750d08a268dc586f71fb6d8af484b07be9372eb3
 - SHA256: 39719096b2af98c856ec083f0818938e8ab18ec2be85a2a525e46a65b36f570d
 - pkg:maven/org.apache.pdfbox/pdfbox-debugger@3.0.5

Identifiers

- [pkg:maven/org.apache.pdfbox/pdfbox@3.0.5](#) (*Confidence:High*)
- [cpe:2.3:a:apache:pdfbox:3.0.5:*:*:*:*:*](#) (*Confidence:Highest*)

suppress

ocr.tesseract.zip: tess4j.jar

Description:

Tess4J

Description:

A Java JNA wrapper for Tesseract OCR API.

Tess4J is released and distributed under the Apache License, v2.0.

Features:

The library provides optical character recognition (OCR) support for:

TIFF, JPEG, GIF, PNG, and BMP image formats
Multi-page TIFF images
PDF document format

License:

Apache License 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/tess4j.jar

MD5: f6a0f08fbc08771303e5cb8dffbc949a

SHA1: 851d6f93d97a155d8831736ad1031a539946014e

SHA256: e65bcc6328ab575684038d45e1891fa48e0d8255097a628baee0d8cf5eb5ea816

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	tess4j	High
Vendor	jar	package name	net	Highest
Vendor	jar	package name	recognition	Highest
Vendor	jar	package name	sourceforge	Highest
Vendor	jar	package name	tess4j	Highest
Vendor	jar	package name	tesseract	Highest
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	implementation-url	http://tess4j.sourceforge.net	Low
Vendor	Manifest	Implementation-	Tess4J	High

		Vendor		
Vendor	Manifest	specification-vendor	Tess4J	Low
Vendor	pom	artifactid	tess4j	Low
Vendor	pom	developer email	nguyenq@users.sf.net	Low
Vendor	pom	developer email	osoriojaques@gmail.com	Low
Vendor	pom	developer name	O.J. Sousa Rodrigues	Medium
Vendor	pom	developer name	Quan Nguyen	Medium
Vendor	pom	groupid	net.sourceforge.tess4j	Highest
Vendor	pom	name	Tess4J - Tesseract for Java	High
Vendor	pom	organization name	Tess4J	High
Vendor	pom	organization url	http://tess4j.sourceforge.net	Medium
Vendor	pom	url	http://tess4j.sourceforge.net	Highest
Product	file	name	tess4j	High
Product	jar	package name	net	Highest
Product	jar	package name	recognition	Highest
Product	jar	package name	sourceforge	Highest
Product	jar	package name	tess4j	Highest
Product	jar	package name	tesseract	Highest
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Implementation-Title	Tess4J - Tesseract for Java	High
Product	Manifest	implementation-url	http://tess4j.sourceforge.net	Low
Product	Manifest	specification-title	Tess4J - Tesseract for Java	Medium
Product	pom	artifactid	tess4j	Highest
Product	pom	developer email	nguyenq@users.sf.net	Low
Product	pom	developer email	osoriojaques@gmail.com	Low
Product	pom	developer name	O.J. Sousa Rodrigues	Low
Product	pom	developer name	Quan Nguyen	Low
Product	pom	groupid	net.sourceforge.tess4j	Highest
Product	pom	name	Tess4J - Tesseract for Java	High
Product	pom	organization name	Tess4J	Low
Product	pom	organization url	http://tess4j.sourceforge.net	Low
Product	pom	url	http://tess4j.sourceforge.net	Medium
Version	Manifest	Implementation-	5.12.0	High

		Version		
Version	pom	version	5.12.0	Highest

Identifiers

- [pkg:maven/net.sourceforge.tess4j/tess4j@5.12.0](#) (*Confidence:High*)
- [cpe:2.3:a:tesseract_project:tesseract:5.12.0:*:*:*:*:*](#) (*Confidence:Low*) suppress

ocr.tesseract.zip: tess4j.jar: libtesseract541.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/tess4j.jar/win32-x86-64/libtesseract541.dll

MD5: 1246c1e50200dc43722e926e28fc7c03

SHA1: d8a78040e9c7c71ccaeb627b73c41c66a18b5157

SHA256: 8180efb176e09b7218144fe69d84c0cf6b6187e20d8529f1138bd77396d6f4fa

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	libtesseract541	High
Product	file	name	libtesseract541	High
Version	file	name	libtesseract541	Medium
Version	file	version	541	Medium

Identifiers

- None

ocr.tesseract.zip: tess4j.jar: libtesseract541.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/tess4j.jar/win32-x86/libtesseract541.dll

MD5: cbf57c8eb12e95512e67638f344ae537

SHA1: 5531d539121fd0aa57d11febd2e8b2a5c13fca05

SHA256: d4d1843d9efeeec1ca53c4ebe6d39e22e5bf17f5bee8b9eedb3bcef7c3c8c84d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	libtesseract541	High
Product	file	name	libtesseract541	High
Version	file	name	libtesseract541	Medium
Version	file	version	541	Medium

Identifiers

- None

opentest4j-1.3.0.jar

License:

The Apache License, Version 2.0

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.opentest4j/opentest4j/1.3.0/152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e/opentest4j-1.3.0.jar

MD5: 03c404f727531f3fd3b4c73997899327

SHA1: 152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e

SHA256: 48e2df636cab6563ced64dcdf8abb2355627cb236ef0bf37598682ddf742f1b

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	opentest4j	High
Vendor	gradle	artifactid	opentest4j	Highest
Vendor	gradle	groupid	org.opentest4j	Highest
Vendor	jar	package name	opentest4j	Highest
Vendor	jar	package name	opentest4j	Low
Vendor	Manifest	build-date	2023-07-06	Low
Vendor	Manifest	build-revision	214973bfa4e7e9be7d04e623202cc4147c7036	Low
Vendor	Manifest	build-time	14:25:06.116+0200	Low
Vendor	Manifest	bundle-symbolicname	org.opentest4j	Medium

Vendor	Manifest	Implementation-Vendor	opentest4j.org	High
Vendor	Manifest	specification-vendor	opentest4j.org	Low
Product	file	name	opentest4j	High
Product	gradle	artifactid	opentest4j	Highest
Product	jar	package name	opentest4j	Highest
Product	Manifest	build-date	2023-07-06	Low
Product	Manifest	build-revision	214973bfa4e7e9be7d04e623202cc4147c7036	Low
Product	Manifest	build-time	14:25:06.116+0200	Low
Product	Manifest	Bundle-Name	opentest4j	Medium
Product	Manifest	bundle-symbolicname	org.opentest4j	Medium
Product	Manifest	Implementation-Title	opentest4j	High
Product	Manifest	specification-title	opentest4j	Medium
Version	file	version	1.3.0	High
Version	Manifest	Implementation-Version	1.3.0	High

Identifiers

- <pkg:maven/org.opentest4j/opentest4j@1.3.0> (*Confidence*:Highest)

parser.image.zip: parser.image.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.image.zip/parser.image.jar
MD5: 02104b607f1b97bb81ccc5135be0bf64
SHA1: ded4ff160c339c3b6967edc0ebcf220c24c329f9
SHA256: 044cac8cf9ed7c5381038f8e49311864f2780f98c331bfb880dce40f1984158d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	parser.image	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	plugin	Low

Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-10-22 20:13	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	parser.image	High
Product	jar	package name	imageparser	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	plugin	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-10-22 20:13	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	parser.image	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	parser.image	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.10.219.*.*.*.*.* (Confidence:Low) suppress

suppress

parser.pdf.config.zip: parser.pdf.config.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller
/server/build/tmp/dependencies/i-net PDFC/plugins/parser.pdf.config.zip/parser.pdf.config.jar

MD5: 5d36572296a6267884d1a3b403051c02

SHA1: fbd64ad78980c7c063d1bfd4ec3eaae5b62056de

SHA256:7d656071d22f7e1e65ddfacc882a1c756dd7efaf1d0a3c232cc312c992dc181c8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	parser.pdf.config	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	plugin	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-10-22 20:13	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	parser.pdf.config	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low

Product	jar	package name	pdfparserconfig	Low
Product	jar	package name	plugin	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-10-22 20:13	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	parser.pdf.config	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	parser.pdf.config	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.10.219:*:*:*:*:* (*Confidence:Low*) suppress

parser.pdf.zip: PDFParser.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.pdf.zip/PDFParser.jar
MD5: 99a8a7ca10e9eaa4073184c3ecd6613
SHA1: dadfc3c98cba8a70d2922ecfef0a3f33d409e567
SHA256: 8e1c920cbbd22d0fe9a2e1f963c5ad96e5f8e7faae193396cad6cd2e18e64f09
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	PDFParser	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfview	Low

Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-10-22 17:08	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	PDFParser	High
Product	jar	package name	pdfparser	Highest
Product	jar	package name	pdfview	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-10-22 17:08	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	PDFParser	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	PDFParser	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- None

parser.pdf.zip: jbig2.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.pdf.zip/jbig2.jar

MD5: ab5dd1acc5e6c85903e342dac7998ce7

SHA1: a3f4214b62615d4456de761ccef1136cba65a663

SHA256: 93e79e795182b4b6e12991046e489c2c0780e867d3e18e4e7ee20973316930d4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jbig2	High
Vendor	jar	package name	jbig2	Low
Vendor	jar	package name	jpegal	Low
Product	file	name	jbig2	High
Product	jar	package name	jbig2	Low
Version	file	name	jbig2	Medium
Version	file	version	2	Medium

Identifiers

- None

parser.pdf.zip: parser.pdf.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.pdf.zip/parser.pdf.jar

MD5: ba9c65be7ca75b75ad922ec01972bf55

SHA1: b3aeb8c4f447a9a0a297f748fc361ee204d8b4dc

SHA256: aef2f8b2f86ea8b602b8926ff01ec4eeead15fccc319672792f3d680b6accbf6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	parser.pdf	High
Vendor	jar	package name	encoder	Low
Vendor	jar	package name	inet	Low

Vendor	jar	package name	pdf	Low
Vendor	Manifest	built-date	2025-10-22 17:29	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	parser.pdf	High
Product	jar	package name	encoder	Low
Product	jar	package name	pdf	Highest
Product	jar	package name	pdf	Low
Product	Manifest	built-date	2025-10-22 17:29	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	parser.pdf	High
Product	Manifest	specification-title	parser.pdf	Medium
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- None

parser.text.zip: parser.text.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.text.zip/parser.text.jar

MD5: f1378ba64cf16919ecb9206346f4b74c

SHA1: de4b014b4843bb8d5989b19cf585a0687511cd8a

SHA256: dd0eea96315990aed44b934ac2bbd645c3e06987853e646cbe7302251ec08945

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	parser.text	High

Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	plugin	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-10-22 20:13	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	parser.text	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	plugin	Low
Product	jar	package name	textparser	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-10-22 20:13	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	parser.text	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	parser.text	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest

Version	Manifest	Implementation-Version	25.10.219	High
---------	----------	------------------------	-----------	------

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.10.219:*:*:*:*:* (Confidence:Low) suppress

pdfc.standalone.zip: pdfc.standalone.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar

MD5: 6528d382f3cf6d7e96ffcd96d425a840

SHA1: 6f7fa6c91bb44699431a4256e7ff95b98e9324df

SHA256:66b516966a818529c4a3ec8141659569bba8aab374f9ae0d1ef5c405b7dbb25a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	pdfc.standalone	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	standalone	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-10-22 20:19	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low

Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pdfc.standalone	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	standalone	Highest
Product	jar	package name	standalone	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-10-22 20:19	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	pdfc.standalone	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	pdfc.standalone	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.10.219:*:*:*:*:* (Confidence:Low)

suppress

pdfc.standalone.zip: pdfc.standalone.jar: bridge.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/bridge.js

MD5: 93a24df267249dca305f5af83c047f48

SHA1: 2690836189ad0dd3715568d15b8bba5a3a9fbc93

SHA256: b17c61dcfca7e59009ebe3e57ec254ad68c2dc080d9a194d867a185902e6a433

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfc.standalone.zip: pdfc.standalone.jar: bridgeConfig.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/bridgeConfig.js
MD5: 50c7b33549870b71c25e22443829ba78
SHA1: 0a50eb333055885b58537a1463009c6d321ca110
SHA256: 7ba9c85404a965c72b736350b26b97bef813b9e523081ed2bf1f9b7303ba0ce4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfc.standalone.zip: pdfc.standalone.jar: bridgePDFC.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/bridgePDFC.js
MD5: 918410e4e9590ab87b5ca1ea983ebdf1
SHA1: 422e9fa020147687e2c79fa87f8d7ac23d964df1
SHA256: 3d95bb11030e08751e23f02d299b19e2c8db823a14217bdc0cea034a1e23199d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfc.standalone.zip: pdfc.standalone.jar: extraMenu.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/extraMenu.js

MD5: 76f716ef25759cac5242607c7d46afab

SHA1: ffd9728b1116de8148c96cb1aac069abc994692f

SHA256: 0f2b1cc0136aacbc57993ce598a490e36849a34cdacce15f213b1f2410fc002

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfc.standalone.zip: pdfc.standalone.jar: removeHeader.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/removeHeader.js

MD5: 6155f56ea46454fd9b26ec029b07cb4c

SHA1: fdbb377d77e7a33fccd3e56eda617da18a45af3c

SHA256: 7f74294ea3dd2d4561aadf5deb9e1436af5cd08d3f53754b8c2e2321ddad3687

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfc.standalone.zip: pdfc.standalone.jar: removePDFCElements.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/removePDFCElements.js
MD5: cf23507d05d2a8f690f9489d131e7de7
SHA1: bff6a66569787ecf08f314c176220be0ef16f86c
SHA256: 3d2d7526c75020284374f9298157f8fb7d0c37d38d079cffda17b94f9b73690a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfc.standalone.zip: pdfc.standalone.jar: theme.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/theme.js
MD5: 9ee2557b2355cd5367ad7b7cdf3505e2
SHA1: 6a8e3c4a8964395018faac989bbbd37abf148cd3
SHA256: 0acc32f71a37d0f0f7485be6746f688e449df07e6db3b5ad01973ad7fc3aa53a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfc.standalone.zip: pdfc.standalone.jar: translation.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/translation.js
MD5: 087098ce4993357914ab7ee2ca130bc0

SHA1: b77b0d98a5a98b3a5c9317333f29c0c18d36d86e
SHA256:26eb8ace7faad440f3aedd47c1c3f6c1603fe7b150213ad32a4251d1226a3895
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfc.zip: icu4j.jar (shaded: com.ibm.icu:collate:77.1)

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar/META-INF/maven/com.ibm.icu:collate/pom.xml
MD5: 992a39f99fe3dc15c118ae48dbd677b7
SHA1: 464299894060cb85408673b5a0c114bd198452ad
SHA256:1d2b90273cc853edcc755cf6e0dd5315c22bb0adacbc01c79bc437d2fcac402f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	collate	Low
Vendor	pom	groupid	com.ibm.icu	Highest
Vendor	pom	parent-artifactid	icu4j-root	Low
Product	pom	artifactid	collate	Highest
Product	pom	groupid	com.ibm.icu	Highest
Product	pom	parent-artifactid	icu4j-root	Medium
Version	pom	version	77.1	Highest

Identifiers

- [pkg:maven/com.ibm.icu:collate@77.1](#) (Confidence:High)

pdfc.zip: icu4j.jar (shaded: com.ibm.icu:core:77.1)

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar/META-INF/maven/com.ibm.icu/core/pom.xml
MD5: 502c9d2f06cf62c5ac285bab7809991f
SHA1: bc36a1f957d482728432241bcb57d8a658380a08
SHA256: f206b5ca5da0270f41d189f2ea4fa21378ccf84636a9b5ae95c36020df3b650a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	core	Low
Vendor	pom	groupid	com.ibm.icu	Highest
Vendor	pom	parent-artifactid	icu4j-root	Low
Product	pom	artifactid	core	Highest
Product	pom	groupid	com.ibm.icu	Highest
Product	pom	parent-artifactid	icu4j-root	Medium
Version	pom	version	77.1	Highest

Identifiers

- [pkg:maven/com.ibm.icu/core@77.1](#) (*Confidence:High*)

pdfc.zip: icu4j.jar (shaded: com.ibm.icu:currdata:77.1)

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar/META-INF/maven/com.ibm.icu/currdata/pom.xml
MD5: c135b97d469b8ccf8d9c956167c9f430
SHA1: 64f64417795107669e127461da338cf4a0d0bf69
SHA256: c189ab6128f84d96348f1fd05ac60fbb8be783c628be71b0549a90f8222f7440
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	currdata	Low
Vendor	pom	groupid	com.ibm.icu	Highest
Vendor	pom	parent-artifactid	icu4j-root	Low
Product	pom	artifactid	currdata	Highest
Product	pom	groupid	com.ibm.icu	Highest

Product	pom	parent-artifactid	icu4j-root	Medium
Version	pom	version	77.1	Highest

Identifiers

- <pkg:maven/com.ibm.icu/currdata@77.1> (*Confidence:High*)

pdfc.zip: icu4j.jar (shaded: com.ibm.icu:langdata:77.1)

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar/META-INF/maven/com.ibm.icu/langdata/pom.xml

MD5: 4bf78b2e96a7103d760c462eec229e1d

SHA1: 5cbfae9d81b33328d9957a04537f9b1cea94a9d3

SHA256: d135a2d4bcd4ffe15c7f4950083be429ea611b7eb991f79ba9efd1aa28d519aa

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	langdata	Low
Vendor	pom	groupid	com.ibm.icu	Highest
Vendor	pom	parent-artifactid	icu4j-root	Low
Product	pom	artifactid	langdata	Highest
Product	pom	groupid	com.ibm.icu	Highest
Product	pom	parent-artifactid	icu4j-root	Medium
Version	pom	version	77.1	Highest

Identifiers

- <pkg:maven/com.ibm.icu/langdata@77.1> (*Confidence:High*)

pdfc.zip: icu4j.jar (shaded: com.ibm.icu:regiondata:77.1)

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar/META-INF/maven/com.ibm.icu/regiondata/pom.xml

MD5: 82587df137f511ae93d6a1c1eb3a6b85

SHA1: dab45b6568a01e28324a83ef144817fda24d6f7a

SHA256: 063896c31cded4ded5e25fa43026cc0cb5f78cbf5ab7a2d433a96f69d25c7e3d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	regiondata	Low
Vendor	pom	groupid	com.ibm.icu	Highest
Vendor	pom	parent-artifactid	icu4j-root	Low
Product	pom	artifactid	regiondata	Highest
Product	pom	groupid	com.ibm.icu	Highest
Product	pom	parent-artifactid	icu4j-root	Medium
Version	pom	version	77.1	Highest

Identifiers

- <pkg:maven/com.ibm.icu/regiondata@77.1> (*Confidence:High*)

pdfc.zip: icu4j.jar (shaded: com.ibm.icu:translit:77.1)

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar/META-INF/maven/com.ibm.icu/translit/pom.xml

MD5: 16f6a16e682ddf80814caf2f4786a3f7

SHA1: f28c6551ff41ed52a8f758a32e561d60ff8b0aec

SHA256: 74354d4b8cc7c3cc5d37cc8c934ef902ccf6e78ac20b9e629b5dd4536edac5a9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	translit	Low
Vendor	pom	groupid	com.ibm.icu	Highest
Vendor	pom	parent-artifactid	icu4j-root	Low
Product	pom	artifactid	translit	Highest
Product	pom	groupid	com.ibm.icu	Highest
Product	pom	parent-artifactid	icu4j-root	Medium
Version	pom	version	77.1	Highest

Identifiers

- [pkg:maven/com.ibm.icu/translit@77.1](https://mvnrepository.com/artifact/com.ibm.icu/translit/77.1) (*Confidence:High*)

pdfc.zip: icu4j.jar

Description:

International Components for Unicode for Java (ICU4J) is a mature, widely used Java library providing Unicode and Globalization support

License:

Unicode-3.0: <https://raw.githubusercontent.com/unicode-org/icu/maint/maint-77/LICENSE>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar

MD5: 3e8d6fc9877483a0699efa1843b92326

SHA1: 38693cf0b1d7362a8b726af74dc06026a7c23809

SHA256: b3640b9f416a4411fd33c59abbeca8fd57d024c23e1819bf9673220a97499fe3

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	icu4j	High
Vendor	file (hint)	name	icu-project	High
Vendor	file (hint)	name	unicode	High
Vendor	jar	package name	ibm	Highest
Vendor	jar	package name	icu	Highest
Vendor	Manifest	automatic-module-name	com.ibm.icu	Medium
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-copyright	© 2016 and later: Unicode, Inc. and others. License & terms of use: http://www.unicode.org/copyright.html	Low
Vendor	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Vendor	Manifest	bundle-symbolicname	com.ibm.icu	Medium
Vendor	Manifest	Implementation-Vendor	Unicode, Inc.	High
Vendor	Manifest	Implementation-Vendor-Id	org.unicode	Medium

Vendor	pom	artifactid	icu4j	Low
Vendor	pom	developer id	markusicu	Medium
Vendor	pom	developer id	richgillam	Medium
Vendor	pom	developer name	Markus Scherer	Medium
Vendor	pom	developer name	Richard Gillam	Medium
Vendor	pom	developer org	Google	Medium
Vendor	pom	groupid	com.ibm.icu	Highest
Vendor	pom	name	ICU4J	High
Vendor	pom	url	https://icu.unicode.org/	Highest
Vendor	pom (hint)	artifactid	icu-project	Low
Vendor	pom (hint)	artifactid	unicode	Low
Vendor	pom (hint)	name	icu-project	High
Vendor	pom (hint)	name	unicode	High
Product	file	name	icu4j	High
Product	hint analyzer	product	international_components_for_unicode	Highest
Product	jar	package name	ibm	Highest
Product	jar	package name	icu	Highest
Product	Manifest	automatic- module-name	com.ibm.icu	Medium
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	bundle-copyright	© 2016 and later: Unicode, Inc. and others. License & terms of use: http://www.unicode.org/copyright.html	Low
Product	Manifest	Bundle-Name	ICU4J	Medium
Product	Manifest	bundle- requiredexecution	JavaSE-1.8	Low
Product	Manifest	bundle- symbolicname	com.ibm.icu	Medium
Product	Manifest	Implementation- Title	International Components for Unicode for Java	High
Product	Manifest	specification-title	International Components for Unicode for Java	Medium
Product	pom	artifactid	icu4j	Highest
Product	pom	developer id	markusicu	Low
Product	pom	developer id	richgillam	Low
Product	pom	developer name	Markus Scherer	Low

Product	pom	developer name	Richard Gillam	Low
Product	pom	developer org	Google	Low
Product	pom	groupid	com.ibm.icu	Highest
Product	pom	name	ICU4J	High
Product	pom	url	https://icu.unicode.org/	Medium
Version	Manifest	Bundle-Version	77.1	High
Version	Manifest	Implementation-Version	77.1	High
Version	pom	version	77.1	Highest

Identifiers

- [pkg:maven/com.ibm.icu/icu4j@77.1](#) (*Confidence:High*)
- cpe:2.3:a:icu-project:international_components_for_unicode:77.1:*:*:*:*:* (*Confidence:Low*)
- cpe:2.3:a:unicode:international_components_for_unicode:77.1:*:*:*:*:* (*Confidence:Low*)

pdfc.zip: pdfc-javadoc.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar

MD5: d519d12539966b97c46925e3def4c885

SHA1: af48f3fc0e67932b759b442fc780b8857cb0c8ee

SHA256: d8e8080edbcf440c188d591fe67c5c8d16ebb826a49095d634edc04490e6636e

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	pdfc-javadoc	High
Product	file	name	pdfc-javadoc	High

Identifiers

- None

pdfc.zip: pdfc-javadoc.jar: member-search-index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/member-search-index.js
MD5: 6b0d6c845b62b81d696f7a43af181584
SHA1: f74a3e9265358bdea3995af040606c885ac0e922
SHA256: fbf37a555a8f7b84d00249055e409779700ff5623d8f34ec963d7b3515218d53
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfc.zip: pdfc-javadoc.jar: package-search-index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/package-search-index.js
MD5: 704b175752fd9646f0b53f0630993ec3
SHA1: ab8c6e78cec3f37d42bae22d017bbb92b736d663
SHA256: e85fb555ff19b3ac1934c0188d4e33f4443ddc4cd557c7dee9b6de5a0a952a05
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfc.zip: pdfc-javadoc.jar: tag-search-index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/tag-search-index.js
MD5: 95810a7878ddd3f49d938eb6b5c0f1b2
SHA1: 4d0358e131242bfb1a29d1db368e9e24381ad979
SHA256: e31bd7c6847cd8b49a884fe01244f740ad184cdb7aa6449830be21985158f0d9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- reporting.zip: reporting-javadoc.jar: tag-search-index.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/tag-search-index.js
 - MD5: 95810a7878ddd3f49d938eb6b5c0f1b2
 - SHA1: 4d0358e131242bfb1a29d1db368e9e24381ad979
 - SHA256: e31bd7c6847cd8b49a884fe01244f740ad184cdb7aa6449830be21985158f0d9
- taskplanner.zip: taskplanner-javadoc.jar: tag-search-index.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/tag-search-index.js
 - MD5: 95810a7878ddd3f49d938eb6b5c0f1b2
 - SHA1: 4d0358e131242bfb1a29d1db368e9e24381ad979
 - SHA256: e31bd7c6847cd8b49a884fe01244f740ad184cdb7aa6449830be21985158f0d9

Identifiers

- None

pdfc.zip: pdfc-javadoc.jar: type-search-index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/type-search-index.js

MD5: 709163eef2bdfcabf43d6f1058f7e5c3

SHA1: 0471197c5a2b7bd7ef511433127b1497472e8c54

SHA256: 576b26c4b6ae1b4a14e18d6ecf749dfcd7c34408db9dfbdf27f7aa9575b70105

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfc.zip: pdfc.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc.jar

MD5: 723052a241e6aa25a9c86b2011778012

SHA1: a4fe266beea134e3ed9a23caab026eab48db9088

SHA256: e616f46d251b29a1560031a46d47ed039f36bf7e364f0b836f513b39f0e4630

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	pdfc	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-10-22 19:59	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pdfc	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	permissions	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-10-22 19:59	Low
Product	Manifest	codebase	*	Low

Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	pdfc	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	pdfc	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	jar	package name	permissions	Highest
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.10.219:*:*:*:*:* (Confidence:Low) suppress

pdfcjunit.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/junit/pdfcjunit.jar

MD5: 37c1b78437d941d91bb091beb69b2985

SHA1: 1da33c0653eac0b3463b1567291d55bd9c2698b6

SHA256: df84e54a868f570dfd658e41ed50b231aaf467e248cdfef3e271d12ac1476c63

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	pdfcjunit	High
Vendor	jar	package name	client	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	pdfc	Highest
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-	i-net PDFC JUnit Client	Medium

name

Vendor	Manifest	built-date	2025-10-22 20:13	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pdfcunit	High
Product	jar	package name	client	Highest
Product	jar	package name	junit	Highest
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	i-net PDFC JUnit Client	Medium
Product	Manifest	built-date	2025-10-22 20:13	Low
Product	Manifest	codebase	*	Low
Product	Manifest	Implementation-Title	pdfcunit	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	pdfcunit	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- [cpe:2.3:a:inetsoftware:pdfc:25.10.219:*****](#) (*Confidence:Medium*) suppress

pdfcserver.zip: pdfcserver.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfcserver.zip/pdfcserver.jar

MD5: 37f5ddf1105cc49a9a55f2546ead15e3

SHA1: d2162174d44c26ad601c141e975e3017af566d29

SHA256: 84080f6f065a90ff868bd88775df25ed1dfa861963ad8cd0a0cad9d79e82444d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	pdfcserver	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	server	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-10-22 19:59	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pdfcserver	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	persistence	Low
Product	jar	package name	server	Low
Product	Manifest	application-library-allowable-	*	Low

		codebase		
Product	Manifest	built-date	2025-10-22 19:59	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	pdfcserver	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	pdfcserver	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.10.219:*:*:*:*:* (Confidence:Low) suppress

pdfcserver.zip: pdfcserver.jar: compareconfigrenderers.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfcserver.zip/pdfcserver.jar/com/inet/pdfc/server/structure/compareconfigrenderers.js

MD5: ca54201f240ce7fea03db4f46ecd818a

SHA1: 420f31523aa51830c134d193dae0a692eff5b4da

SHA256: 0aa678824bea93ed82b1747fc75512915488e2d65b5f11c9c22d4214bb129cec

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfcsetupwizard.zip: pdfcsetupwizard.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfcsetupwizard.zip/pdfcsetupwizard.jar

MD5: 44eaebd6df2ec480bcfd5d344b93cc45

SHA1: 50e4e0b77685b30014e3a879527afdfab150f85a

SHA256: d564a341aad2c92d5f43fcbcf88602a221e36e2d540196a04760c54695255a70

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	pdfcsetupwizard	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	setupwizard	Low
Vendor	Manifest	built-date	2025-10-22 20:13	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pdfcsetupwizard	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	setupwizard	Low
Product	jar	package name	steps	Low
Product	Manifest	built-date	2025-10-22 20:13	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	pdfcsetupwizard	High
Product	Manifest	specification-title	pdfcsetupwizard	Medium
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.10.219:.*.*.*.*.* (Confidence:Low) suppress

```
| suppress
```

pdfcsetupwizard.zip: pdfcsetupwizard.jar: controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller
/server/build/tmp/dependencies/i-net PDFC/plugins/pdfcsetupwizard.zip/pdfcsetupwizard.jar/com/inet/pdfc
/setupwizard/steps/license/controller.js

MD5: b21c2ee13289577d98bbb1687726af34

SHA1: 9032230fff5222847734d3cb4723103733f88e92

SHA256:6c1d316ea3da704c21cc9e3fa2426863fa173c3d44a212506fc4bc1e187991e9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfcwebapiclient.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller
/server/build/tmp/dependencies/i-net PDFC/junit/pdfcwebapiclient.jar

MD5: cd959805508002fc41adacfe92c5ef4e

SHA1: c074eccc58002c01c50a206dc3221ee867639030

SHA256:ddfe215dce1f466b582b889111cf5258e1392e11a293dfb77c3d554af839f734

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	pdfcwebapiclient	High
--------	------	------	------------------	------

Vendor	jar	package name	inet	Low
--------	-----	--------------	------	-----

Vendor	jar	package name	junit	Highest
--------	-----	--------------	-------	---------

Vendor	jar	package name	junit	Low
--------	-----	--------------	-------	-----

Vendor	jar	package name	pdfc	Highest
--------	-----	--------------	------	---------

Vendor	jar	package name	pdfc	Low
--------	-----	--------------	------	-----

Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	i-net PDFC pure Java JUnit Client	Medium
Vendor	Manifest	built-date	2025-10-22 20:13	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pdfcwebapiclient	High
Product	jar	package name	junit	Highest
Product	jar	package name	junit	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	i-net PDFC pure Java JUnit Client	Medium
Product	Manifest	built-date	2025-10-22 20:13	Low
Product	Manifest	codebase	*	Low
Product	Manifest	Implementation-Title	pdfcwebapiclient	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	pdfcwebapiclient	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- [cpe:2.3:a:inetsoftware:pdfc:25.10.219:*:*:*:*:*](#) (Confidence:Medium) suppress

persistence.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/persistence/persistence.jar

MD5: ce9c42d42537a3720805207976c775c5

SHA1: e46fef0fdc1eaad3c41a107e4cbdea0c8c0d0cb4

SHA256: f8219a8a041988b5dbfe3eaf87cf870adf6cfd6a9da5dd626439620bdf47c5ae

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	persistence	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	persistence	Low
Vendor	Manifest	built-date	2025-10-22 17:16	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	persistence	High
Product	jar	package name	persistence	Highest
Product	jar	package name	persistence	Low
Product	Manifest	built-date	2025-10-22 17:16	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	persistence	High
Product	Manifest	specification-title	persistence	Medium
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- None

pluginstore.client.zip: pluginstore.client.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller
/server/build/tmp/dependencies/i-net PDFC/plugins/pluginstore.client.zip/pluginstore.client.jar
MD5: e4183f91104d5395895b1ad06d9e0455
SHA1: 0323ffbec01de8281eccd2bf91bb23e0936a954a
SHA256:63998a8ebad522ceaca0788fd357dcd679d2fb1709e986bac480c6441f6cd44b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	pluginstore.client	High
Vendor	jar	package name	client	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	store	Low
Vendor	Manifest	built-date	2025-10-22 17:28	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pluginstore.client	High
Product	jar	package name	client	Highest
Product	jar	package name	client	Low
Product	jar	package name	shared	Highest
Product	jar	package name	store	Low
Product	Manifest	built-date	2025-10-22 17:28	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	pluginstore.client	High
Product	Manifest	specification-title	pluginstore.client	Medium

Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- None

pluginstore.client.zip: pluginstore.client.jar: controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/setup/controller.js

MD5: b890353af95e8d67ed666d72e55d5583

SHA1: cdc7ae95f6ea08ce7051388a5a6487c8a965eec3

SHA256: b2efe42a4dfe713e2a079e24a1044fdc777effb0518d6750fdf9a3974ac78936

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pluginstore.client.zip: pluginstore.client.jar: pluginstorehelpcontroller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/plugin/help/js/pluginstorehelpcontroller.js

MD5: 33e0b25623e005ecbba43c00c91b043a

SHA1: 6b9855a487458ce85ae48ee1c5a129b26093b289

SHA256: a70a95787e2759bf1d43b76947ea5d48e541c6d94c640d25c9efd31ce281e3a7

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pluginstore.client.zip: pluginstore.client.jar: publicstoreconfig.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/publicstoreconfig.js

MD5: 640b897e30bb04f24b310e948f963701

SHA1: c4f24830c5130eabd110ac29f1e198ca4f88e35b

SHA256: 45bf77256d46306542a6592243af524e1be940c5bef8746be0fd62ec7209eb84

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pluginstore.client.zip: pluginstore.client.jar: storecontroller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/storecontroller.js

MD5: 512668a61bc16fe85f6442a56f622a9d

SHA1: f9bc6cb342455404802657a7c0d1dd1ed6ec7297

SHA256: 7f183982c67d73d4a2bfb963dcc5aa8241b3beb2f2acf5d19aaec20357b715d6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pluginstore.client.zip: pluginstore.client.jar: storedirectives.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/storedirectives.js

MD5: ec0e5529e70952af58b9df0ce2bfebb4

SHA1: 0b859497e1b59e55936959192636c3fec9bacef5

SHA256: 5066f9af1ecc472186f35289ec17fd270e6a0ef404796f1fbe6acdf69c40fe90

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pluginstore.client.zip: pluginstore.client.jar: storemodel.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/storemodel.js

MD5: 79df37a017eb872811c499812d1eb6dc

SHA1: 1765bf02e7673e3559cac97d4e8a8308c3cf7fcb

SHA256: 763d9661e237f8406a59f8fbec70549b5f4cf3e70e58b0c038bc233447d29669

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

processbridge.pdfc.zip: processbridge.pdfc.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/processbridge.pdfc.zip/processbridge.pdfc.jar

MD5: 2a31d72c16629ec3cef74d763473c91c

SHA1: a973b9575e43448ad46e40893c5dcbc70979ac24
SHA256:abf9f8744a56e93f9c1b1ed3f84fc5cafc59890ba24e01e3af1d8623c6a5aa5c
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	processbridge.pdf	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdf	Low
Vendor	jar	package name	processbridge	Low
Vendor	Manifest	built-date	2025-10-22 20:17	Low
Vendor	Manifest	implementation-group	pdf	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	processbridge.pdf	High
Product	jar	package name	api	Low
Product	jar	package name	pdf	Highest
Product	jar	package name	pdf	Low
Product	jar	package name	processbridge	Highest
Product	jar	package name	processbridge	Low
Product	Manifest	built-date	2025-10-22 20:17	Low
Product	Manifest	implementation-group	pdf	Low
Product	Manifest	Implementation-Title	processbridge.pdf	High
Product	Manifest	specification-title	processbridge.pdf	Medium
Version	jar	package name	pdf	Highest
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- cpe:2.3:a:inetsoftware:pdf:25.10.219:*:*:*:*:* (Confidence:Low) suppress

processbridge.zip: processbridge.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/processbridge.zip/processbridge.jar

MD5: 3023360e45a31dc0c1b666c0470b901e

SHA1: c1a109a796f4680b7b058b938bb64d65eb508348

SHA256: 0cbf7542b8f06e6c4b5274792d3392b8c37522ba9aa56398d76d57a1bf2df13c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	processbridge	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	processbridge	Low
Vendor	Manifest	built-date	2025-10-22 17:23	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	processbridge	High
Product	jar	package name	processbridge	Highest
Product	jar	package name	processbridge	Low
Product	Manifest	built-date	2025-10-22 17:23	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	processbridge	High
Product	Manifest	specification-title	processbridge	Medium
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- None

remotegui.zip: angular-animate.jar

Description:

WebJar for angular-animate

License:

MIT

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-animate.jar

MD5: 1dcc988a8392618e7c5127f57b3453d1

SHA1: 7ea94213dad8a46ab088e1a3dd6a5def2ecf8e78

SHA256: dbbce06145963ef7bfd197c1646722fedfe76a9b54b01f1b6dc7ccf7e8b51163

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angular-animate	High
Vendor	pom	artifactid	angular-animate	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	angular-animate	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	angular-animate	High
Product	pom	artifactid	angular-animate	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	angular-animate	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	1.8.3	Highest

Identifiers

- [pkg:maven/org.webjars.npm/angular-animate@1.8.3](https://mvnrepository.com/artifact/org.webjars.npm/angular-animate/1.8.3) (Confidence:High)

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/angular-animate.js

MD5: 31312b87e7226c8bf0714fcef0ea5d18

SHA1: dc9fb55f2c7f922c5ba83449266239ba1353db45

SHA256: 58e79e0e7cbb1e1502d216701e1fae41c405d92320aea1b68a223054096fda93

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence: Highest*)

remotegui.zip: angular-animate.jar: angular-animate.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/angular-animate.min.js

MD5: 5d2d0f42bb7e1b5503e914674f59dad0

SHA1: 4c15a58541e53c451c6f946d2048104f88b833c7

SHA256: 8e6202b1330a469a61ccdeebbd1cb3a20d0ecd9c8d106f68da5b85e9b67a1cd5

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence: Highest*)

remotegui.zip: angular-animate.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/index.js

MD5: eca59ea32960ae595dd18ad9480185b1

SHA1: b8fe1c0a06b723a75c7e596fd8a86d91965f681c

SHA256: 7f2f9350e5624bf86e8760d1deae03fae4477949284b49471eb67e2b6498cb7d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: angular-animate.jar: package.json

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/package.json

MD5: 13957f0482b591f50a2e9528a5b84330

SHA1: 16ec0d9e9e70f179261a1bd672e610b159876ff5

SHA256: e2fc9996d890ec0c6601b2c9176a1ada7806e1dcd6eca8549bba9022235877

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: angular-cookies.jar

Description:

License:

MIT

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-cookies.jar

MD5: 5d743cd15e44b5a942478abaa3a008ae

SHA1: 2ebe196f9032e261a470467b5a14632d81d3d4f9

SHA256:0809dd125183f03e6682985208de5f1221478221ed41667545133f7e729dd000

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angular-cookies	High
Vendor	pom	artifactid	angular-cookies	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	angular-cookies	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	angular-cookies	High
Product	pom	artifactid	angular-cookies	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	angular-cookies	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	1.8.3	Highest

Identifiers

- <pkg:maven/org.webjars.npm/angular-cookies@1.8.3> (*Confidence:High*)

remotegui.zip: angular-cookies.jar: angular-cookies.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.js

MD5: e17187aea1f0e6dbd25722e34b754915

SHA1: 20f43f716b9fef7d72537bc1b0e5aa2bc480cee5

SHA256:f3291c552042f6d0c500167769912a78ab3ecec9917128b2d6ea8e7c6714bb97

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence: Highest*)

remotegui.zip: angular-cookies.jar: angular-cookies.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.min.js

MD5: c41aff8423276d46f0d02de6dcb71524

SHA1: 7dc53f75d5bf7dd2c770cb50f31242c70193c086

SHA256: 926509b494009bea03288bba191a2b238032188e9112377e50fbfe7814c6639b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence: Highest*)

remotegui.zip: angular-cookies.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/index.js

MD5: 88188b8869bb0cbae63eb86aa6c1059a

SHA1: ce388b565b0d0392802138b2a7d4bf393c3d49f9
SHA256: b1b8d54ed8400d4f997da0f2fa672e8728d4771a77028d9f495cf1732fcb1e6f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: angular-cookies.jar: package.json

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/package.json
MD5: 6785fbb341602e147af808078db0d42b
SHA1: a30ac55dae62b1a7c8921c7687a3276dbeeed564
SHA256: 81847196d700fe42834ebf82cb0c68267d9c237134566556a466e070659c7222
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: angular-sanitize.jar

Description:

WebJar for angular-sanitize

License:

MIT

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-sanitize.jar
MD5: f47ca0f7e843acea25d245b34ce30feb
SHA1: 8050e163f66fb899645cc67ffa67d92a25096902

SHA256:4de072c9e746b2bf70aee70cc1c9b61350e017002dd71089e5f66a587f7ed92f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angular-sanitize	High
Vendor	pom	artifactid	angular-sanitize	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	angular-sanitize	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	angular-sanitize	High
Product	pom	artifactid	angular-sanitize	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	angular-sanitize	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	1.8.3	Highest

Identifiers

- [pkg:maven/org.webjars.npm/angular-sanitize@1.8.3](https://mvnrepository.com/artifact/org.webjars.npm/angular-sanitize/1.8.3) (*Confidence:High*)

remotegui.zip: angular-sanitize.jar: angular-sanitize.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller
/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources
/webjars/angular-sanitize/1.8.3/angular-sanitize.js

MD5: 0127d7a139abfc8bd45875a9c8ea6348

SHA1: 197aea2acc25a0fa821766400950cac58a3627a5

SHA256:c84c65250afe5a1265f36a7e16c6010652e55c2ae3a779c351fb68536c42bf64

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High

Version	file	version	1.8.3	High
---------	------	---------	-------	------

Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence: Highest*)

remotegui.zip: angular-sanitize.jar: angular-sanitize.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.min.js
MD5: f3c62abeec216e9431e7d5b22d8e813b
SHA1: 21355ef18c5e1ce2b2c711b9dba21cbea0655646
SHA256: cc80a30ad0439c2e9c209b3d7fcffb1d10e6007fd1d00c9cc144f393664a7045
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence: Highest*)

remotegui.zip: angular-sanitize.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/index.js
MD5: 796078246b8e97f002ea5c97c4c7de54
SHA1: 0ce03000a4c04ae0a8b4353715bda54b8a8e8c69
SHA256: 44cbd8c36c3e2818d011eb0dc7d95293730667fa5a98a23449e9b4add369f65b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: angular-sanitize.jar: package.json

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/package.json

MD5: 515d23261280a10a4d84ed267c425880

SHA1: 84d37bbaefc2117ac59c79b0d87a953a1abd4911

SHA256: 5e5c191e41b4e9902cfaeb95878d5b92333585e6dad936588fe1adfd1445af86

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: angular.jar

Description:

WebJar for angular

License:

MIT

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular.jar

MD5: f339a9a66a64c67eebb21ec3b251dfc6

SHA1: cff4aee339a9ca4ae2f095079930edead6a94ee

SHA256: a997eb40987ddb5d3bf64adf3d33afc3ac2b1eb2e7255b5203a387f8097cd0

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	angular	High
--------	------	------	---------	------

Vendor	pom	artifactid	angular	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	angular	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	angular	High
Product	pom	artifactid	angular	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	angular	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	1.8.3	Highest

Identifiers

- [pkg:maven/org.webjars.npm/angular@1.8.3](https://maven.org/webjars/npm/angular@1.8.3) (*Confidence:High*)

remotegui.zip: angular.jar: angular.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/angular.js

MD5: e09f650a016c24bc1b5a1edc93bfade

SHA1: 0f1f7445b761b9bbd5385f9f0b316dbf1ca48696

SHA256: fdca889e76f55fdee7ab661920f37ce19233563bf7f4ac8120f8ebc2ac768768

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Identifiers

- [pkg:javascript/angularjs@1.8.3](https://pkg.js.org/angularjs@1.8.3) (*Confidence:Highest*)

remotegui.zip: angular.jar: angular.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/angular.min.js

MD5: 967a32633fa8f38f4ac3376c1a37b992

SHA1: b53b74d8e0b732dcdb98fbe521146b88299ea2f1

SHA256: 396dc1a03d6cc02e9c51a80246e0db53c5c8df9bd07287e3b51bce4a29dab355

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence: Highest*)

remotegui.zip: angular.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/index.js

MD5: 0d848853205d22ab8be985876aec948a

SHA1: a2bfe847bea879ad2775509c4421291c404d8c21

SHA256: d469f8e93a4c345f01d81d162a803116de1bc6afd4bfeba8b45951449956b686

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: angular.jar: package.json

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/package.json

MD5: c5e0d73dc5121cf479c775248d2ca497

SHA1: bc29d1f7c080dfb1f701ad4f1c4ff548916f28e5

SHA256: 95ad7872af90c37e7a5597581f5bb2362d59c49fc3f2766dd9f2568a041cf10a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar

Description:

WebJar for codemirror

License:

MIT

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar

MD5: 669061572ba6292cc848f48535366409

SHA1: c1c5b1fda926e89ab3204a2b4d2871078ce6d448

SHA256: b5f4ff56ec0eb788f4c150fc67b7a127e189e555e2438318742003e01c78282c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	codemirror	High
Vendor	pom	artifactid	codemirror	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	codemirror	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	codemirror	High

Product	pom	artifactid	codemirror	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	codemirror	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	6.65.7	Highest

Identifiers

- [pkg:maven/org.webjars.npm/codemirror@6.65.7](#) (Confidence:High)
- [cpe:2.3:a:codemirror:codemirror:6.65.7:*.~*~*~*~*~*~*](#) (Confidence:High)

suppress

remotegui.zip: codemirror.jar: CodeMirror.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/CodeMirror.js

MD5: d154477df9eebe156a1a493731acb01d

SHA1: 69efd74f28f36317a2bb9101dbbaec73f5ca3735

SHA256: 258db73a89eb6d88475013d38f4e0e01cc1476788f931058bf470db1ee26ca53

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: ContentEditableInput.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/ContentEditableInput.js

MD5: 40e61dbb4388425c66403ecd7e9a5a10

SHA1: 70cfc8bedef61e8d2f6cbb85ee41d65088d44c53

SHA256: 5c07c3caef1fc6122ef3ce8d681afb87d65f86aaead8db5d1ca3466803b57da8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: Display.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/Display.js

MD5: bbf05006cf414f786e21cdb02b443aac

SHA1: 6bcab3100f9fd46d39f5c47d78b6ad9ad863b464

SHA256: 6e26756a9ae829558cf81a83fd9d48dd0f605241c7c7e8028a8bcf94bfa7a9d4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: Doc.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/Doc.js

MD5: 66f02c635454d1ae55f7472709417566

SHA1: 8799d7becd0b3ee9bfd397c157c43ca6ebb264d0

SHA256: 32bf377fa99365b49732f69c5e565c61995fefdf8d0bc6f3404d4fc00ed8ac7f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: StringStream.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/StringStream.js

MD5: d187f08909bf9bb188d04c79f089c26a

SHA1: f5c4fc956b8b4de762087204024eb625cb00a790

SHA256: 9f1ab50bba4ae102fa5c611d4ef5b056d063a63a7f20cfef59eea64e93c3e04e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: TextareaInput.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/TextareaInput.js

MD5: 87e959dd1978b0e022083d3e5ad65158

SHA1: d08b9e7e675368968faf8e93bb1dbaddf9996410

SHA256: 48684a26a28a3fd1793a80aa67509c4281b56d6924d25511540a1d19aed72eb9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: active-line.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/selection/active-line.js

MD5: 774e515fe054cbcd6cc869bfd550b17d

SHA1: 3d950f5055286088e93e0ee4c8a1d62eaf8aedac

SHA256: 3afbcbf78835c9bdc342e3992c53d9b74286722613bb1a8adc9d140edc8737ee8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: annotatescrollbar.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/scroll/annotatescrollbar.js

MD5: a9dfd7f9d78bd36c617429ed88cb67e5

SHA1: ad1133e5432a7c65881747c87c84529fed297ecb

SHA256: 9041e8d81e3cebc481cabfae90d3b80596f3194de75d98e5526d3bfa44ae3bbc

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: anyword-hint.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/anyword-hint.js

MD5: ba7fa17b24f0937d9431f93b9de2da37
SHA1: a87db7c6de5231a1bfd702e26ecf4aa76d822a0a
SHA256: e834ad178bd23449476e29179e8cb9f0c1ebaed35dab9059ed9a46b388271f3e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: apl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/apl/apl.js

MD5: c0d55e310ae0a4290d3fcca84bff448
SHA1: 006c98d2b17e85168065eebf44c3fdd91b9ff874
SHA256: 47e0fdac0a39e0186019064e13b674dda4223b03b2748d34cccc09489fde2674
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: asciiarmor.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/asciiarmor/asciiarmor.js

MD5: 42e5c7f3f48fa085f63bd7708bb204fd
SHA1: b15cdadbf5a869d06a79e6a9e187d0509dca1239
SHA256: bdc68c4b0c9dc53b2af587673461a495f123a5b9da8f6be79d97fee2790f9ae
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: asn.1.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/asn.1/asn.1.js

MD5: a928fdb102ef88113a9d1c0d9e520114

SHA1: f293930644bd6093dbb02475e8b409fe9794f437

SHA256: 5b50cca4b34820cb3d57c218945ff2d870d57eba83e13c2c66590063e2a23acc

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: asterisk.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/asterisk/asterisk.js

MD5: 2f4e25e805d878f43b8568609c48dba8

SHA1: 109a76d631e43dd32c13cbb0c23ad83e1851ad0a

SHA256: 0849e3a141e967559d752de2205956cb690f1d4ba0a5ace5481c6c565db9b674

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: autorefresh.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/autorefresh.js

MD5: 16b07faa9ef79a1fb79432fb4f4a9e3a

SHA1: 091a2b17758e7c3182542314256139a2247b508c

SHA256: 2ec9d5585bd24d7611f30ebbb1cd8fedf79747cf89c1f83852dd1dd9981f10bd

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: bidi.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/bidi.js

MD5: 22a12be2f1e24a9bfddc5c3b0d187ede

SHA1: ab735d3376e0040172b6dc972f97df663f231dc4

SHA256: 0a4646d7a1214acfc71ad351d021f31795b056ce7a08f80d29857aeca1a5163b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: brace-fold.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/brace-fold.js

MD5: d56849bd7cce8a10ccb842d50f0de179

SHA1: 4103103f28436925442d5397c24425fbaf660fce

SHA256: 2907087538a295e5b4f084f8c5ee7eba35cc973db194cbf596ab13a6c97a6834

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: brainfuck.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/brainfuck/brainfuck.js

MD5: f3ff733b3609dfb34a49652f6a4a2d09

SHA1: 41a8164ddba5e25fe2401265eb9fd4222e415549

SHA256: 67496a83fe1ea3304a3f65a8f8196f3a4a40060ea4febcb60a82c7657205abd

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: browser.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/browser.js

MD5: 564eafde7c1566f1b9b0d976cc3ace2f

SHA1: 2c592606b3242ac9cf080d138aae3516cc2ef05d

SHA256:de647094595511fabe9d548d9e45dacf746d7b83a198cb69b5b8859fa3eccb30
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: change_measurement.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/change_measurement.js
MD5: 39707c0eb637648efc07d95bb60253d3
SHA1: 025a52f620cc5b6edee8fb9c63a3f6ecf4c2284c
SHA256:1d1648706bf317acc33a64673cb4fbc2d2a7db8205bcc1cd9fe52819c13b87f0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: changes.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/changes.js
MD5: 822465b81d600e9a703579605e2147bc
SHA1: 1b77f1034de1cac51a8ff50e48f9604bc62556e5
SHA256:13b0b2c417e0181ec9cb012932c1fa167c50171133391c00582e2939206362a0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: chunk.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/chunk.js

MD5: 7dd1b45f75341b5a03a01f6607da69a4

SHA1: 89dfb21758e8a384033d09678a8d5b1ce8983e6f

SHA256: 18f55da6b39c1b12fb5406c7962a88884e00d2122566622784720cbe612fc676

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: clike.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/clike/clike.js

MD5: 145b41ea6cde47e8889ef8b2214eecde

SHA1: d0ae7cc4040a57a76b86265f492f87e251d1cc9d

SHA256: a1ff458a030f8b1db2d901811344f3e178eaceb19b598277d054bf83dacfec2

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: clojure.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/clojure/clojure.js

MD5: 7f3277e322bd000aefbfb172d3edf7e6

SHA1: e701f8e843e3390a0a411700d3c8989dc147780c

SHA256: 86b7b779ab84fa77bc6e461a05fd0887d85a3c8cd42a96576cad973b355bb1b8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: closebrackets.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/closebrackets.js

MD5: 667059f346609f6ad778936b17c43824

SHA1: 248b45be826a8856a0ed0733c8511d9d0c595507

SHA256: 143c3014c29254f3531cc30be6d90205084bcfc36cfa6f9b2a46fd42a40be20

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: closetag.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/closetag.js
MD5: 744876ab906996c429eef7654278f514
SHA1: 0e0e10e59f93f87c9bc35247b14831091113adb4
SHA256: 6f6e2b93cc1744d9e14ad1d613449f7e16df4c2aa2842f658efc17abf662f850
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: cmake.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/cmake/cmake.js
MD5: fc204bb5f2393f59bcd34a860f1e1a57
SHA1: 73985b80cdb80d12831a7476b740733e3fdd065d
SHA256: 6379ded0f75af38659031d1eaa803d2bd5be0fa7cebc216e55ca65d01a35bf1a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: cobol.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/cobol/cobol.js
MD5: d8a271c0bf27ef5cc2dd8ea19886aa75
SHA1: 93072b3c895318fc58f8ed16d68cc213ac7910de
SHA256: 0cecf82da2915c20187ab4e29cfc4abbb0078536874b27978726d48371487e4c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: codemirror-standalone.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/codemirror-standalone.js

MD5: f1f47322e6af5937de4a14fb10863e3e

SHA1: 843d01e1379550e5fed3e64aba1af1a359441e7a

SHA256: a18754c4ae17e27b7bba46b338c404d28804e237f41425aed96904c0aa1f49f2

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: codemirror.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/lib/codemirror.js

MD5: 15fc3cdfe569fa38b1f91d86ebbea13d

SHA1: c5f9252d9467c2af70c5e6fc579e696648ee242b

SHA256: a4f1c30365d5f85951a22160b07a7ce34048cb640c283545c8192132b46efba8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: codemirror.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/codemirror.js

MD5: 0d4d22de0bcd7f7afd8131d4e59f130

SHA1: 819f8c37a4df0c61ef735d5b884c6c598bc0983e

SHA256: b2a1b676605c6428b6dd7ce21a8a0d2509d4652ceb2297be93078ca6d66926dd

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: codemirror.node.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/codemirror.node.js

MD5: a524724c274d1c038c7984e164428b3d

SHA1: 18fd7183236cbf1437175c8d31509ffa6cd4ba64

SHA256: fdc02024dc3845f85b38046ae842b0f572f91adc5f34a6979cd92ead0fe4a0a1

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: coffeescript-lint.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/coffeescript-lint.js

MD5: e852ea5b9ebb97947ffd169523eca098

SHA1: 58ec1f05cb6893a519fe2d7ad1b9716f15219b89

SHA256: 824caa68710a7f931ebd30491fec19dcd2c6fa166c21158f5ccd61321069da2d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: coffeescript.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/coffeescript/coffeescript.js

MD5: 438a52e20ca46a26383d4eb6d33a5c6f

SHA1: 8dd398cbd2955bcffcd70180f9b560f56acf567

SHA256: 67792b36933d29b482307761ee03da520a19b3b30ca60f54df9cdef4051db628

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: colorize.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources

/webjars/codemirror/6.65.7/addon/runmode/colorize.js

MD5: 626a64f8687ca9576bb017843ab2c30b

SHA1: 4899e8d499849fb02f134afb39711d3ab2c28903

SHA256: 9d39f5267c05d930f079fc4f223b453e8f9fd54cae6cf52db9b5dc3a0b9dd694

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: commands.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/commands.js

MD5: 9f984e904c9556f8e270502eaf1d5a5b

SHA1: d16928b2cc389c46f7b77121beb7376a50f11c35

SHA256: 5f23178d2f8f62f97af955560fb192e5aa898f81153b9c24cee8ed6ac567f658

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: comment-fold.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/comment-fold.js

MD5: 3bf750756a24d5a0ba9cf16819bf5cfe

SHA1: ad4d1534287f90692567139c0b007be29aac4a9d

SHA256: a79d02eb1b425d8a4823f2d962b7b9f49af578fc9042b928b892417c00e7d13a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: comment.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/comment/comment.js

MD5: 18fc449bec0798e43182173ba47455b9

SHA1: 29442cfbafce86a08679824a999b87ec1acdf567

SHA256:a65c038258c6541658a0e9f24c56c78255e0e20d4cf06aa9ad83342069a589be

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: commonlisp.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/commonlisp/commonlisp.js

MD5: 9449ffe942392a1ad14eaa723578b606

SHA1: c734ecc91ff4949d4cac179a55bec5cee55da153

SHA256:0efe46913f843f5c335c79e05ae758e60212dde9cd3c45d99fae8066bd13c128

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: continuecomment.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/comment/continuecomment.js

MD5: 174c186ec1902fdb1aa708a9dea1aa4

SHA1: 7c3bb959b0c3befa4395c61ee8fbba3f7f6c6033

SHA256: eb64c50f80cb3080052971bc075bbbf421ab50287804af8ce47b0536da5365e9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: continuelist.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/continuelist.js

MD5: 630509c4379923d8c811b3f1acc931fc

SHA1: 09118fd53589fe18289006df5cc57b4818321197

SHA256: 6ba9cd9528b74e7f76f4b9ce9ed0677bfed7057d1aade0050185368cfd0ea2e3

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: crystal.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/crystal/crystal.js

MD5: ae980ca83523592958a2c7f8144bd365

SHA1: b52f1f9ec7c854891491f792ae93aae419efd2ac

SHA256: 5e6e8458e3fa4079ff438060ac7f93b8b7a160212b1cce92516f1ea9680b57da

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: css-hint.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/css-hint.js

MD5: 55823389add79e8c52ffa7df6ba94515

SHA1: 59e0f4c17ecd9595fe88a84bc47fbb994803fab6

SHA256: 0e22d6efa1ea084e8316ec6d5e4c809534f0e36f363bbc4156609201d95c6601

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: css-lint.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/css-lint.js

MD5: e392cd5f86989535e38b3cbfb5134985

SHA1: 0986b3dc26b02d98a91b91bb38d46065b5c0214d
SHA256:f3fc7474cbefded7f1b06d63efe980d58970785831cb35f29874ec371cb4ece8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: css.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/css/css.js
MD5: 3675078ada8a185a353a6560bda2d5ac
SHA1: 1045cdc88a58fb002511eb21db184ed242730f05
SHA256:60f0689e5c6af7f36c341e8e1341a4f10b4f0a04cebf7341bcbdba9b572b32
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: cypher.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/cypher/cypher.js
MD5: 0439f14eea37e69f9bd0af1b9c57e014
SHA1: c65b82f89865edb564d52f00afddafc3d18a8d6b
SHA256:6d8c9c8993fdeb724f1f68e9574fdab0001da1d31196e33ac6112303005d3f63
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: d.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/d/d.js
MD5: 0632861907c7e77ea48e0952d2081136
SHA1: f000ac2fe16c377837034c69cdace651a45f4e7a
SHA256:8e3994ce4f507e692b65aa73ffbfd58112c4a22771b84b8ad86152578d4e8130
Referenced In Project/Scope: server

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: dart.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dart/dart.js
MD5: 0bfa12b4210e1faba31c98d2fcbd226f
SHA1: 4caa7d422c3c931f7df5b46e09c9596a9ca19ed0
SHA256:b09be809dc1f9e3ad59374b198b0e5c4992788b9ff524765fccd0b84fde52212
Referenced In Project/Scope: server

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				

- None

remotegui.zip: codemirror.jar: deleteNearSelection.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/deleteNearSelection.js

MD5: 813d638d2d4693bd14f7b6490445a417

SHA1: eec62305710c8c0a032933bbbee41c3fd45142669

SHA256: dac971ad5b761896b830e95f5e2240e2748fb83c909ef4c5ea4fd1f60ae031fd

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: dialog.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/dialog/dialog.js

MD5: 1b33c63e7d89d740d4738ce9766b19b0

SHA1: 14cccbefbfc2f33d928c4a41d854237cda5dd97

SHA256: fd8c925fcc25357617faff21220c026bb91a617b995268d96c5d39232fd42833

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: diff.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/diff/diff.js
MD5: f80746d74770ee6dcf444e99f75d5537
SHA1: 45f65817bf0cfe00f52a620c44e48031e926e5bc
SHA256: 3fd0e844e22f475503415744b7e7af24df4cd0670709c77e5e43e92185ba32fd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: django.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/django/django.js
MD5: 3c02fcac64b6100a0f369edc8d145f97
SHA1: 9ab00e90ea9a3788178187e9451bdaf61bd311fe
SHA256: 71a3fa0ac63fe080a12097209e509c36abe0fde9c9709610be1656163d25a8bc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: dockerfile.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dockerfile/dockerfile.js
MD5: 35fd7d7d73ad6c400c0afed686a383da

SHA1: b6574f6951c483c563456c9094178769ea733631
SHA256: fca390cea85e1b711389d1a91b99faeccf7b4df0f48e3ceaecf2e517982cb2b7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: document_data.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/document_data.js
MD5: 86420f7d4afaa1aa00313618bff8292f
SHA1: c26428a7245c7ccbc2da6e15ea8071a308efe21e
SHA256: bded28025266e28229d4328e2a4ff6c829e26757b12861ec0c561c495d4b87e5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: dom.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/dom.js
MD5: b56830faf8f75c5daea99bdc94508b38
SHA1: 6425ef8de5f6d50a057a5cdaced4da9ed166ddfe
SHA256: 20275e6018fa90811c51e20246d4803c01d7e744f64434bb9194c7b1df41d1b1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: drop_events.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/drop_events.js
MD5: 940690e5c792ff535ef797090cb7ed5d
SHA1: 05108fb9bb15e761e86ef290e006cb7c620de955
SHA256:60fa1577514a516587de192c7c779b4447aff1b6d26de0498030340e12945390
Referenced In Project/Scope: server

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: dtd.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dtd/dtd.js
MD5: eb3e9b71c4e33120225df386c29a0b30
SHA1: c91a19fca8b5bb610ff35e8ea7c9190c9ef996f0
SHA256:3f04995b147addeee1637bbfd0054676e78d13f7accaf2f589c55837d70148c1
Referenced In Project/Scope: server

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				

- None

remotegui.zip: codemirror.jar: dylan.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dylan/dylan.js

MD5: 99e3fa83adb7b3af2e363942a5b720ac

SHA1: 795b6199d3643d0a9eb0b018a02357da66be8f3d

SHA256: 999b862ebc559366e71a731e2a28b2762ae4fe7c7882ba5f6bf20c33a2d737b7

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: ebnf.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ebnf/ebnf.js

MD5: 8d8a62f6874e4e8378d16d02b09ada60

SHA1: 84295b3d4f48cd3080508f3c5c12ecca2842dca4

SHA256: 1175e07f831fd02ccf09d4582351c5932a48fa03be5c0eb1028c8f96c051935f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: ecl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ecl/ecl.js
MD5: 04722d23df4c17765bb397d871875452
SHA1: 63a19016bf2e53ba5c73fde154b9bbc19d96130d
SHA256:c78998872dd14cdb356d5a9bd196f7d3525e3cb03a591133e0e904afaaec11b7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: eiffel.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/eiffel/eiffel.js
MD5: d202831cfe3aa85bdefffd44534dc98e
SHA1: e5767dbfb329d8e3786acf893d038e1e4dd35c39
SHA256:183e855f6474cc2c4cf0b6c5e5c40ea7821707d37ac414277dcda294ffae1721
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: elm.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/elm/elm.js
MD5: c37089c171d4384ec97f9af66d5ac972

SHA1: e28a667656ac12ff06766d2ee857962dcd9146e2
SHA256: e343ffaaff2dc6fd9c5923228b46c23723c396993459eca6217871f1c087ebc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: emacs.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/keymap/emacs.js
MD5: 258e09f1d4cdb812940d869afce12a11
SHA1: fa3b963c38f809ab13c37fd7aa654ac46a39e740
SHA256: af2f42c9f461951f13e9785f634cc9f8e5d63b0c5c2375b331105dea19a71fef
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: erlang.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/erlang/erlang.js
MD5: 29f92a4be923242d30cf1f4288c89adc
SHA1: 45f94b33af2bc74d8c5eed73de27eb8a4047c20
SHA256: 2ae29808247e9d6a58a83893b0e8b627c0ca337cfa541ef16fb506edfdb77e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: event.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/event.js
MD5: b700f1676589e7f88e59c943cc209156
SHA1: 516c718a9b2f86f68127680267b92d10fbf5a579
SHA256:1b13113fab8763c3c9e2284d1b6bdf1f84ab3424999a2eacffb771ea8b75513
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: factor.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/factor/factor.js
MD5: d497dd1c4f0f85b83245bfb80943e5cc
SHA1: ec2430a02377f3b14692370e329b8f83b017d1b9
SHA256:baf7c16c387e7abfc308dfcb7fcc1ea9ae0a898d13455349083ea72c7bfa4c4a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: fcl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/fcl/fcl.js
MD5: bfa4a30d52fa501346b203c8ab6aa0cc
SHA1: 9befb1efc7f051c189e1c2c7cccd976576bcefca
SHA256: 7c9d372be44c1c418a101885662d80d4bf6104e1b717d36cbdbd05a5956abc70
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: feature_detection.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/feature_detection.js
MD5: 3b63813f217d9351f7a1d90edf345310
SHA1: f236ad77f54768dfaf4b78905be71b6873691698
SHA256: 4aeaf197f379b3450c8c297f23e449df3795a9954bec48cfcddf4b3615d5f371
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: focus.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/focus.js
MD5: 307daeb9d6322c3905fc5b2ba846fa16
SHA1: d1e1cceb41ec90a9b18fd25ae6cad9805e86811d
SHA256: 2f6ad1d093d5d933ad58ded481d34002320d2887b5d06badb35918289338757e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: foldcode.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/foldcode.js
MD5: f520bc635201c451609403065b8bacfa
SHA1: 78958ff57ef86b84ac8a8085a4f0923433eea9d3
SHA256: 07f353e02abcc300739b09f31a9d32a958ebe5d2f76959291e5643c6e40a26a5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: foldgutter.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/foldgutter.js
MD5: 9606e4f3ca8c5ac259c2cf703753017b

SHA1: 2f4f7e099042dcbde74bfd3a8f5856f595326ecd
SHA256:fc85fcd61894dc551a4c7c221ec41b7fa4007d1e33239b1cf8faf56ef1811727
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: forth.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/forth/forth.js
MD5: 3e09048506ea36823a8a5e6ad244c7d5
SHA1: ef3e2632de5a4c57f8b14225026940309167d270
SHA256:1c6c0a8fb3572fba544083795b3259f8a35cae81ec2ddb19b4fd7af2a91ab34a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: fortran.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/fortran/fortran.js
MD5: acf9c5ff78882f6ee77416eb957e881e
SHA1: 30130e625c08eedd8d62021c0dc77a71d066fd1d
SHA256:b3351c6cd6e696c2ebf0e6ae1ff7925ed65add92947007402e0b3112634f6392
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				


remotegui.zip: codemirror.jar: fromTextArea.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/fromTextArea.js
MD5: a910ea4413c5f8fabb9be57bc80a7cc7
SHA1: c2bb053e04c5cc11df632ae7332863f5f0d30c70
SHA256: 796a25d1e7f2a7c35ac9289bdb21e9c56c1253779a71c1b9e8a8c04160829e2d
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: fullscreen.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/fullscreen.js
MD5: dffe3df188ef201ff7f04977d0ead894
SHA1: 29d2bbd2368fb2dfc02a06aac6db6aa9691ab330
SHA256: 8e4a21aa77765df8893fc854c4b6be56279e12d9a70cbede913083c307ac769e
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				

- None

remotegui.zip: codemirror.jar: gas.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/gas/gas.js
MD5: 9403b8d57b58f52a0d02efd3d6d99571
SHA1: afdd8ef0502d68ba8020134c780ebce498f65ac9
SHA256: 414899aed81f9bdb726a6729047f1afb538679ee58623beb8fa51dc7412db6e9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: gfm.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/gfm/gfm.js
MD5: da48b005ec4e651d019aa09b3d6d4aac
SHA1: ea5f855ce519bf55f09cb2c968dce9660615c698
SHA256: 1fcd9fa611c238acf53f906126fba93ae0550d74858efad61d72b8b3ed6e0bc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: gherkin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/gherkin/gherkin.js
MD5: 3d87a67e559ce2d1851c4f1fcca83fe2
SHA1: 289ab840bb7ad7d5cf292406eff4fb8e55ece301
SHA256: 732eb81eccbef7db49729af3f23d477dc8f27a4d9bf2fb2c6bb520d8ec19bddb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: global_events.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/global_events.js
MD5: 288615615004321c6abe2bf66842b8bc
SHA1: 858b4b90c061cf34960b0bd4231a2b7dd7ec5f3b
SHA256: fa803fc7e109d232afd12dfdf4d99adea71081cc4b71e547d4b1c2bf46cc9ca2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: go.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/go/go.js
MD5: 51890857b15156f02106103dd73d2b0e

SHA1: ef0de14a73f6656facd0d7355a11b1d17df86b16
SHA256: 4e3b08bda2f85c9ef68c03f24c0c5ca3b8ba479127b6cbc50f33cb9593dbaf00
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: groovy.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/groovy/groovy.js
MD5: d6ca518a6aa5ab5b420bbf21d65b2d05
SHA1: 48fb64db46a7408334eeda329d755dd09aec41ec
SHA256: 6641a0b1555ee0f1bca36975a4fcadd43d512de7ca814328cc6402e1ce836b4c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: gutters.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/gutters.js
MD5: af3de2621d2ef402646889be16bcde7b
SHA1: 130d94f44dea7f614a15009677e496ad2b853025
SHA256: 2143db3d42d9a3408b556eb50068870d138041a9b98ab256d070d982e09346df
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				


remotegui.zip: codemirror.jar: haml.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haml/haml.js
MD5: 7d65bfd39de90f56597eb8e278a39af7
SHA1: 7bafda0fd81e500fb2f364d2e657fd9dec939505
SHA256:9e9606fecf19869e51c32a84e18c4447c0d4ad2031730e5690b571f318409022
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: handlebars.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/handlebars/handlebars.js
MD5: efacd8d006bf9f83baec2fc5a8c71feb
SHA1: 7fefb944ec70e00d262252956fdc71f04c1046b2
SHA256:60bac3d6993264e155b5a06f52cda56b7bab2fb5923f3d1cc7e8caf704fca724
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				

- None

remotegui.zip: codemirror.jar: hardwrap.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/wrap/hardwrap.js
MD5: 049ed63630662fcb8a977fa43f86e058
SHA1: 535a020f7839e52da6fc7b8af3d249f641c5e055
SHA256: bee81aee6222a46b1aeb14d6fc738d3cc09a4e421f808e29b3c6989710ccbf8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: haskell-literate.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haskell-literate/haskell-literate.js
MD5: f0bd7313413cdc35018db90a6522d1ef
SHA1: 670b7735a8c85e5251aeaf51f5005d5cf45df44
SHA256: 7519d0b515603244f029c3031a4625fdccac88cb640fcb6e117718ec2c0b3c50
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: haskell.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haskell/haskell.js
MD5: e4f82d95d10c028eebae3338e678be22
SHA1: 30c46651b2b0b5a7fc70910b22e52e2d1d8687ff
SHA256:4745a90832e950c9536f0bf498e5bf6fb3753a4a98bea09ec152b92354c0fdaa
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: haxe.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haxe/haxe.js
MD5: 13c21da31a992b536d4f37ee53e09605
SHA1: 6a694b4a0a68b148e0b2e0b761a521a5fa4a0296
SHA256:f3596c7efe948a3331bb1bea299f6fcb8e7733777dc2114a9f2147dfc1c69257
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: highlight.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/highlight.js
MD5: d7710bcd63c26c5fdc37c19b15e02d4e

SHA1: cc5bac275e64696339642c6f5a52c254f139fbfd
SHA256: ccf8b3a879acfa0013ee5b11e036b822b68ec5a136c218400775fe2e35a3fd9b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: highlight_worker.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/highlight_worker.js
MD5: fc6f314859dad397c1f867ed5d73205f
SHA1: 80e56feeeffb3ad7b76e40dc4577962a60becc11
SHA256: fc9d8bf90534b9a6c7d5a45e8f8f79a4f8827a661c4271f812776e7c3d2bdc09
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: history.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/history.js
MD5: 34cb233d1bf8cc676a0c5fc9e9c24b04
SHA1: 4c42d70f020d1fd9397fa16ea34f5cf54487e93d
SHA256: 961d52432f8f463614f83e660c2945f9bfbbc9c8fb7767575b9221c3e88821a2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: html-hint.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/html-hint.js
MD5: 609fea85a7894f8098719813c58219c5
SHA1: f593de64cb802e0e456482b88959a68260e06bff
SHA256:64d3ef9293ed8917e40ed4e8196da6919379a3b4970c007785c7ed27ab9a0478
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: html-lint.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/html-lint.js
MD5: 0844a30ecec022fb60101fc0cc6a5cfe
SHA1: 3ed8b2f11d4c7462cf29fc93b58e579680bcc32f
SHA256:ab7827913934f06a8b4d00e41d5954974c90d5085d1295fe02c484c782c75843
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: htmlembdedded.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/htmlembdedded/htmlembdedded.js

MD5: e7a464409318dee8c3c6e0b68225d461

SHA1: 548ebed43650c26970abca5933aa237b4a1950c5

SHA256:8afc8da4e446322cf92d78bef9940f9444aee339f56c8b9af5452fadb867601

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: htmlmixed.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/htmlmixed/htmlmixed.js

MD5: 4c5a6f44d738b718d1f6164c1c8d6904

SHA1: a4f9c3552740fb908e14fb0f47832d10a3f535d6

SHA256:fe5912e1d10f8fecb98bd31e2f957c0bbc9abf6b505d11b6dbcd27542d0fdcad

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: http.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/http/http.js
MD5: 42dcfb1c4b83e85eea0303f75a3f08e1
SHA1: 7fa224e2e3ab674ca61cedd48fd430c5e62e1218
SHA256: 89842864a707564a989a841ce934b61659f34b012f2349e5c4fd9a09c5982f6c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: idl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/idl/idl.js
MD5: 1ae58242a3b61aae5bdc5665bd5fc2ed
SHA1: c25b0c5644c33ee3993ee3152df8f4c27235e172
SHA256: 7d45bc0899e019f558e68eca684ed84660bf4687cd64fb4ed2c959ad249b763d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: indent-fold.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/indent-fold.js
MD5: 623d14360009d84560611f43b83e6759

SHA1: 731e1d84971dcafb20d1417761c18c55883c3d98
SHA256: a835ed1af176b96a1bf00379622e76573a1f6327bd76b583d9c4757a2c4a4194
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: indent.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/indent.js
MD5: 835649b199c40a992e89a61de3514147
SHA1: e3d98527805fcef17ac4f710d7600fe0da52db33
SHA256: f28260cac8eba83de19891709eb8545ecaa6cfa3ec716e617992e14cd0112404
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: input.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/input.js
MD5: 8347e0beb43b7f458587e94f323c58bd
SHA1: 62cfb278476d7f293b853e92e35bd9221c6d1a1c
SHA256: bbfc32c56077171637375314abe257f54f925e8142b3f3a9eb669296ec3f12ff
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: javascript-hint.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/javascript-hint.js
MD5: de72c8e29800ee9ae93e5c8a43c6c6a4
SHA1: e348c54c78f75047c06629a13422c0aee0ee3253
SHA256:e4dfa3414b3b9535514737074cec2fb0cbf0bfea7e765307122295c98c5137fb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: javascript-lint.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/javascript-lint.js
MD5: 55eb8a1558ef8c9da7d355a32334d62e
SHA1: d452acc1222c992a222c6c4bc55c0546eb2a465f
SHA256:69906dbb83d60e0d104ddf395e29dcaf4a05063f24c085975b9c09693dc860c1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: javascript.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/javascript/javascript.js

MD5: 178dfcd5f64c97da22a3d3a62713b7a9

SHA1: 969b4a80be53b334612b44a0cc6ef57cfe171a26

SHA256: 21fa74c1638c7a4eb3e8cd04b5c8c997181394568330b341c83716da18ffad8e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: jinja2.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/jinja2/jinja2.js

MD5: 82ad8f3f5eac62b4012d21c9deabfc69

SHA1: f1b92b1cce15292571979194dc1331accc5fb2d9

SHA256: b408eeadec21747f7c4ed41dcb9ec4e540aa1493d0a7971e74aa1eed05049b93

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: json-lint.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/json-lint.js
MD5: b01056a065c6df2ed0f61038c88e5ecc
SHA1: 8fcdcb87fd1c9f8fc04f3fc325fa590b27441183
SHA256: cb3522e1bdffb075461c848ba2091cc781b52ef0e69cb39d9a33e1b74dc35ae2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: jsx.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/jsx/jsx.js
MD5: 5dcc6cfebb32872e929bee63d517295e
SHA1: f22b5965deb7b3f6e434d6012b22af7a7ba4c9c6
SHA256: c6babd67df23bb0278d432fba3d2dbd03bb1fb3862d4d70549cda1b0d9953abf
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: julia.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/julia/julia.js
MD5: 544d9103cd9877e0a7dbb26dd5a34eea

SHA1: 4d6fef3f38c3c9717b6ac72fa4fa3c6d48ca189f
SHA256: 54d93c9a83269af3bd8bc6593be2368f07b4efa4223074b54f3aad44097a4d32
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: jump-to-line.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/jump-to-line.js
MD5: ae33156dd047f75a6d2539b21ac92df9
SHA1: 4b8098d4df0e0bdbda6b27961ffc7bdaac14e85a
SHA256: 39b7d80ee80cabe2f5936673b3cadbfd4d260dfe6dc6f936523a334044962ffa
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: key_events.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/key_events.js
MD5: c299e1b06d3f6ec725718c1dc60141c7
SHA1: 09df110e22b2eccc9f3deb5a2dbe0a6fa884d23
SHA256: f24d2b392714dc1fe63b23f79d45d01503a1a8860cb7b92dff6e5eb05e35cc69
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: keymap.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/keymap.js
MD5: 1c8d554d0dfbb08ac3b4ff11303f313a
SHA1: bcbddfc0d1411afa8455d75564758dacde1e15d5
SHA256:9be4f88cba00a971a1a007ca4fcc56f244ac84fb8b24f165f6ce2793c2f83a95
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: keynames.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/keynames.js
MD5: e4ae7351260c5e7b9f2253e21b5ca9dd
SHA1: 9b6381177e6d4afdd03388c548a00bef7e101b0b
SHA256:7054358c3e0ad3945e0c3c31fde7b77d1af78874a5fd436a908aa0e8eeab7b03
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: legacy.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/legacy.js
MD5: dfa5acb74b48161d442a6d83e1abbc03
SHA1: 70f5248919c6a806ec8da7a53b9167ea0d28f28e
SHA256: 663e30df9b1f4994092c95d5a4a2a127d67d59896b4795807ac912773a759a4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: line_data.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/line_data.js
MD5: 0239405c8ea2b45a5a3a2de75bc481b7
SHA1: 936ff2393f4614f8fb907274c896d2435d34250d
SHA256: 11203cf446205f30a8eb2f5633369c7a6c00cc778b3cdbf1da16570571937d92
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: line_numbers.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/line_numbers.js
MD5: 22976744e5315917483bef53cab4d368
SHA1: 32c75bf2e39c2315fd1a1d04cbcbddb666c998e0
SHA256: 2474c6d14659ccbd6664aa88eaac7f1bb5589cc44f5acff4c5d8a22ed5da5d4c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: line_widget.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/line_widget.js
MD5: 2a58b1a6d7eadb596d3968096f1493e4
SHA1: e06ec6ee060c9b180dd6269107c1643618024acf
SHA256: 4557109a8ced89105c13e911cd0d4036a043ce83abcfaefe9b6889ea8d058b16
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: lint.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/lint.js
MD5: 7930c46b5411e82099bf4d021be44897

SHA1: 9d4fcf298565cd2e6b6234c331113e5ee80a996f
SHA256:7c2e8241383104a6188c43b657b17ff7633e0de89d9b98f7d09df29570341e76
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: livescript.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/livescript/livescript.js
MD5: 303cf9371fc666702d07b7892d4d69b8
SHA1: cc1a29423cc292dab8ceccbe8d1d4995426ce11d
SHA256:b9b5f3fca094c735f94174d463746bc39d0930dc42b70bf5004efaed96b080ea
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: loadmode.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/loadmode.js
MD5: 43a51215f06278be12990128bf16cfa
SHA1: 62a2787a4f3b623af185185edaedc7eaed7ffc08
SHA256:be81c0312e7041f56c217430a177fea61e572bcb9579a39ca1922a2e4d51abec
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: lua.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/lua/lua.js
MD5: ccf279dcbcb882c0e99fc9dfda9dd734d
SHA1: 13ec1f41c7c723c70f185f6c22e116cdf532d8dd
SHA256:5c702747f50d5d4158ab8c096b33a7e0092529d5682a728a20624b01dfd86e2a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: main.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/main.js
MD5: cc33d6b2c4f87f24fe91b103cfee3da7
SHA1: 7a267e163871e4d9c505a7dbda69289619573e76
SHA256:2644139a384fcda2ff3bcb59fad7a45a3faa166c443fcd2d05315558dc7d1f99
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: mark-selection.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/selection/mark-selection.js

MD5: f2b8639c24afc6cc370f4097eb6bb217

SHA1: 62883a7928526106b19fa78a1195adf463550b4

SHA256: 5b9c6a0031fe895641f2eb2198df2592ec769a6685d6bb10f3f9b92a7822e286

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: mark_text.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/mark_text.js

MD5: 7611054f886606aed04a7a3f3c4d5a78

SHA1: 3e6ac9ae6a89f720e9c148d25746ff37f9207d07

SHA256: b17ada4f3979fa8170a4abc071035badcddd87870a212cd92dc5b0a70fac19e0

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: markdown-fold.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/markdown-fold.js
MD5: e9844099dad7cf95607a804988677f22
SHA1: 400fdaaf493a4d15e10b397553549b6b4e09dc92
SHA256: 6a81721447c7260578e8e306c89b33a49e98edc1c2cb0c52a18ca0e913684d96
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: markdown.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/markdown/markdown.js
MD5: a7326be775e85028373f9236c26a572e
SHA1: c7dda08f12cf129cba6b317f70ee7ce0abf775b9
SHA256: 8fe7b11848f79cc9119b2a239f38a00944f6f2bb764a00bc837ecf8d34cf7690
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: match-highlighter.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/match-highlighter.js
MD5: d7d3dd2592e2df81c743b86a46ccc555

SHA1: 21bd58338eb506c53cd367b4e30c6aefa2e7edee
SHA256: 8c3e196f9a5f9e5cf9d7e71751132a05293e7cdb180defacf28be9fe919682cb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: matchbrackets.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/matchbrackets.js
MD5: 2d2902edcfd32a8f481124c0957889ff
SHA1: 1555a87118f8082edd03c7b7c1363ebd1daaea45
SHA256: 9d0e5ee4c199fcbe487a901860c2cf7d007263852677dd5858098fcaa8580f1e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: matchesonscrollbar.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/matchesonscrollbar.js
MD5: e005f8b0c7cedc509a29ea1a517cc829
SHA1: 73a8bbcf26072f44bc7003faea790d1f3d59096f
SHA256: a2deca7f8ca380dc7772929cc7c23b6737109f3cf0a55e7e18832808d98530c8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: matchtags.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/matchtags.js
MD5: 6e8c7c68653d8d6b912138fe6f155e1f
SHA1: 99f7135d209eb1da2c326486eb53ecdd330f0f2c
SHA256:263d752f850b20890f0506fcb277b094b474138692a58b45d7b9bb03e20aa00c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: mathematica.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mathematica/mathematica.js
MD5: a8c37dcebeb98162e29e9d1483edf7c4
SHA1: 82d9653bf7ca5b228759c5ad53845a8237625792
SHA256:a301011fbb5d9ea4f39fc574718c2d27afd9425e31a1a5bf9005617603b45c0a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: mbox.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mbox/mbox.js

MD5: 9ce449eaef8f2c3e6253bb202a3da0d0

SHA1: 6848c5a33d4ea2c76fc6abb4fdc3c9253eedbc9b

SHA256: 9affa80931d9bb09746d08b9b0f90286d2b47f5b16a0bd8a1a06227b496c4b07

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: merge.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/merge/merge.js

MD5: d2a6bc0c40e52723665afdc3b17ab226

SHA1: c2c82dc8159b4d4b38ac4e74d88b513cae40be01

SHA256: 916279b765e93236826a1aa71f96924084707d50486739e9b4524a3f773d41ae

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: meta.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/meta.js
MD5: 11f14aa114ed56768aa48301be3b9f03
SHA1: 516781b99334a9aeaed0d9f1b9463d8330d00ab2
SHA256:f95786f9c83e631225fe7866f39892f808aeb015e80ce9d8a58d5a1d4e9c4bb6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: methods.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/methods.js
MD5: e0aee4bf62e8df22b1edf8c98171c1ff
SHA1: ec9e2b700a1252d5787249b1c8046b5fb0df6073
SHA256:80aa117e54c13edec48656384e623b81f8ae5ecece3f426ba9b4638872fd88e6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: mirc.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mirc/mirc.js
MD5: 23555fdd21b7305d57c24d1378a03754

SHA1: 373c327846304793f8016feaa0164226d6fd5020
SHA256: ac173799c5f81a8c8813a5b0c20b700b27a1f571d1e70132e67d8451c3efaa5e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: misc.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/misc.js
MD5: e94bdb7dadf69d57a0baf64df69e7780
SHA1: 7d04fd04c64f91033740df1756ceb180fe1ec38b
SHA256: dec9a3df5d525da109210c8f63bc47ef6270de5d0336e446c54d6c490f45bbfd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: mllike.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mllike/mllike.js
MD5: b30e7da7837eee7a5966685fa03522f0
SHA1: 648a539e28df2714182163665b797d783cd47d80
SHA256: a887947e50c37db0215fa4076c3b211093dd9abf643518a2f304677bef848211
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: mode_state.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/mode_state.js
MD5: ffc05060eaa3b3d89beaaaae86b0483a
SHA1: ad4db1fa999cdec7dca274bc0d440b9817706fcb
SHA256:7d986b2f9cea39f7829ffd57fe70a6d891afb68bda46557f3d361fce6abddedb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: modelica.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/modelica/modelica.js
MD5: 9d173268d73ae885e07741f6a60913ef
SHA1: 2cebfe05d43ff1b9a4608bde365d0e340b9e2b08
SHA256:96befada89421de8d32f6355c326510128e429167390c60ba81d93dfce4b360a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: modes.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/modes.js

MD5: bcf367e11e7fac26e7f11668e8f1d1968

SHA1: 26c51a0d675e8420deabe41af39537b98b494f6a

SHA256: faf6b57425b7b95a14650da5da6a488cde013e23c1ca57e4223146ccd369230b

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: mouse_events.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/mouse_events.js

MD5: 9a8c2a4f4b71ceb0d641c905ea325dfa

SHA1: 88d8b3f37ba37358b2f270ac184852f0f53c4e8d

SHA256: 17a6d6d77b3607cfd0ba1d551fef84d161747a62b42ecd9454d7427a1c3da610

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: movement.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/movement.js
MD5: 386a27ecd12315f9eff836ce5ab2091f
SHA1: 3170cd5a925774250a79d9e1c9130040e89a6be8
SHA256: 45f4ab6d34f817b4d945449664a35848a252a87f7aa7e917cbefd5710cc06334
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: mscgen.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mscgen/mscgen.js
MD5: 8e06dd81adc9a26c6c708d253868c290
SHA1: d44dd69d6fe4e456417da210928371090d426921
SHA256: 91eff4cccc80f0048d1f7efce0197be483a013dd299e2718b49315639a3d4885
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: multiplex.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/multiplex.js
MD5: 0bdb637f0ca08689fe55e572cc10ab16

SHA1: c1eb99a3fdd03722c84c78cb9351791428ff0bbe
SHA256: 09ec21386de4e951c1eefe0f1db478a9f57701b202ce18424f2b89d4f74aeff5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: multiplex_test.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/multiplex_test.js
MD5: 8a377bbbcf33896551524b1ccebcb823f
SHA1: bf15c3dc16b8de593577266b9ef1f5625d67a0ea
SHA256: 73e22c6765036bce1db37e31f8c46d62a56ca232840fb4fb968d17c24c3e8f74
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: mumps.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mumps/mumps.js
MD5: 8e0c6375b6bbe74f633feed856f4283c
SHA1: 6944b10c9a28d7097d90291dcae08e9924461140
SHA256: 1455108cba483e767bc5072ebda6c4c219395adb574aa70f7d7ec856225c3d42
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: nginx.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/nginx/nginx.js
MD5: 63e717882de52ba3a4bb62c9e7bef83d
SHA1: f008d01cd0b803de9bd5bf1088feec56c6eac9c5
SHA256:e35111d1834678cd34bfec04abe169cb11739f39750d1c41ab57c8f2524748fe
Referenced In Project/Scope: server

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: nsis.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/nsis/nsis.js
MD5: 4851ad88c595ddafbe3979f2e47b4d0a
SHA1: c27aea13ecb53b8797926e831d8730099a585d42
SHA256:5f9aab831632e1de8d8a4f6fcf52dcd75eb704ab8fe47e2c76aac24c8c30fbd7
Referenced In Project/Scope: server

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				

- None

remotegui.zip: codemirror.jar: ntriples.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ntriples/ntriples.js

MD5: a21f011183564e5725ea16a6ca11b089

SHA1: 62d7d39e91ecca5bad75c91241aa31421a303ba4

SHA256: d7a1fd7fba26679ecb0a6ac0b67164ed12a37db25d32ece3472920c6f25a74cd

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: octave.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/octave/octave.js

MD5: d830f31f1647efb252a53d0cb1f18aa1

SHA1: 1abba38966f306c238e8f9cf168f95db0e16d5a5

SHA256: b6c6966b9a564ceafa2b2c5ddde2f2efb0349cacdab3f61d90fce2544ece8615

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: operation_group.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/operation_group.js
MD5: 72f0c675f45f87c9a45b5f5784212fa9
SHA1: 8ca609f3cf238954efccc55c720e733a56f5029d
SHA256: aaa9c34bd1240b164897a412a257d2e693d2ad35bec219cf8959561de6559edb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: operations.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/operations.js
MD5: f2e13ff94b86a05aa5daff82022da8d2
SHA1: dbbbc8bf0cd26ed344d48e6be8ba83d3a3ad983a
SHA256: 6570698684e4da9507306248649b72c362cb918b63180b3b3571d91ffed78f83
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: options.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/options.js
MD5: feecb2723f03f979c8b8c9a85c553a1d

SHA1: 99d3d0aa7ab678573f2970b2273404ed4c7cc73b
SHA256: feb45909b7d01751e0edd20b7156ad016ec045cb2eea8e92b96b1505bf6e2159
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: overlay.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/overlay.js
MD5: 3cb76447dd1f64cc2bb037f3ec8c88a9
SHA1: 1ad72da6c675d9b6074f69404c66118ff24389c7
SHA256: 1b44334e2a04d90f2b473c26847798859039190142e53f72f3b7de0f82696d0e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: oz.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/oz/oz.js
MD5: a097901a9fe996b190b9103a64ace0c6
SHA1: d49b86c59bab331924fc03e3f680af92a6bd79d5
SHA256: 641554f9736e5260ff1aea064749a590cba2a854bad6fc334db8ffa2bc1a6892
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: package.json

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/package.json
MD5: e2faa7704d8de49e9d70e7a834d83ae8
SHA1: cab269db696fc76be4a9c83dc82f287546253792
SHA256:352f4e90706a839430cb2cee1a2080b0c1a0660243d4d2a544e81a57cf8c006a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: panel.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/panel.js
MD5: f647c5e58b5c032c1691693333104941
SHA1: 5c8285f946d9888b499ae0266e8e165696947074
SHA256:2b137f8e8631c717d2af81edc341d436cd3a6debb8e9fdfdc20630296685d3cb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: pascal.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pascal/pascal.js
MD5: bdc6c5432f1408c29254a933f45ca2e7
SHA1: 541ec18ed0863a528118a8026b6a5aa11a9c5918
SHA256: 5eaac022259857d3b9b127ac0deb76c84d2523dee102d203738293f95ce5086c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: pegjs.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pegjs/pegjs.js
MD5: ad4350eff079b204cd634114959c0904
SHA1: 978baa600d3539e1eb05834fd0b7d659f0fed792
SHA256: 8cc7fe980c79a1ded9265d338062c8ecdfe6e0d044fb795bf11eb8d9813dc492
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: perl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/perl/perl.js
MD5: c6a3b40a8b2971690ff06860516bd140
SHA1: 08bb3e219af9990114dda08e2ad935c5992dd39f
SHA256: a614830dc6e71770cb4feabc487dfa1b72e29444789b94d1bcad62490827ca1e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: php.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/php/php.js
MD5: f2f1668dbc8a4b0fd9f031dceda0e4ab
SHA1: 31d6961d6d4cbe7bf5deb2f0b5ba099c49e5c962
SHA256: 07819ae34d5830a3cf040e1904d4b641cb70142845394211f7fb63c891d80945
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: pig.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pig/pig.js
MD5: 40f967482626259f7cdfb972548743cd

SHA1: bd2d7d6522d69e9849f8a6cf3b631ddaf50a091e
SHA256: e9a9ec475aeee8b2f75fd1c8a58ea0a2d0cffd383b1a3fb8bdc460881d612352
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: placeholder.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/placeholder.js
MD5: b5b4d8391f1b94044cda61cc979cc772
SHA1: af7eaa5519c4e0fa823224593b0ae0b7fda73a23
SHA256: 44619626e2301fc16ebade252564e2c064113483e02f2fc8d8d262aed2485b9c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: pos.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/pos.js
MD5: d1fc4bdcc5a93ac92f4c3c9cb34bd220
SHA1: 810afb684197135ac8ac6626a4a7eebef9ad5cc3
SHA256: b708bfbb9ce809d5ce2d1490d806933fad9b471ac63e0f4c72a31ada57e05f9b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: position_measurement.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/measurement/position_measurement.js
MD5: 6c17908c000f5a7beb67e75b1340c3ef
SHA1: c5dd40151e773a61694906cf92f941fe27ce51de
SHA256:c5c488b91320e33d6e25fbb8ce4fbd3c28621511328b48e9690f797b81d51c32
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: powershell.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/powershell/powershell.js
MD5: cf3b0559e54ae537a420d86a07b441a5
SHA1: 992cbac5ee6c618eab5f646438ba5fb54f66cfe1
SHA256:9530fdf52d164be6d021a87de567acb8738f86f6fd98577533a9db3545e873c8
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: properties.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/properties/properties.js
MD5: fdca15c3c811413459ed12fce119db54
SHA1: 715881cc0ccd13302e302dade67f675d37cfdbd4
SHA256: 3f85f36e32edf82eba526ad56edadf04c33864d72bf0cfae2592a490530a4966
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: protobuf.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/protobuf/protobuf.js
MD5: 3e57a349742d01647347b7339572d9fe
SHA1: 909346135655b3aacdb909a19acb59876e2810dd
SHA256: 93d1459ed6cc4e2a4701fc17959fe7f56b797d1d35b47f44b8030c0d19adf5b3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: pug.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pug/pug.js
MD5: 63473aabe4ad7435cc804132bf743ec3
SHA1: 4e624a3174fd238241f692c1f935ae75d41269f4
SHA256:1f9e975ab889f6dd9183758bc7b454224dd11859b8e045ce5b98e2c4a05bcf9b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: puppet.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/puppet/puppet.js
MD5: be03e9aad763ae4b5ee3d6a226aa8c78
SHA1: 7dae96b96e285c5e747624c864be8f1b0cb61e5e
SHA256:237b966a50a514c6beabddfb83649797f764a29f7f2c7100dac1f411709040af
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: python.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/python/python.js
MD5: 9b50648e6f546e4f63f1a8eb25adb039

SHA1: b178c4d31cc4eeefe58e97a60723d47af96b79ed
SHA256: ec56443dfebe73f332cc639289ad2de6921560c8952a3e2127397a0849882657
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: q.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/q/q.js
MD5: ec0a69917f7ff85ef3c89ab34cbd0ee9
SHA1: c52261047f62fbf5a52a2fb36e0e926859505ac3
SHA256: 1fecda8902c9c63fa36833c073370e479c7b8def1b883147c364f81cc6ac9171
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: r.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/r/r.js
MD5: 32999ceba0af47e9e6b4042314e2cdc0
SHA1: f044c32fe6998d6c6fbf774910766fca456273d5
SHA256: d4b1d1ad4275187d4f371fb61ca77ec10f63deba233644c484667750f934b23c
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				


remotegui.zip: codemirror.jar: rollup.config.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/rollup.config.js
MD5: 73a1da56a828ad2854d28749fc155632
SHA1: 48bed29223b72a22a9939b57333c2d6e58bdfd39
SHA256:8c887c6ebd69fc77f4d1690cc0eb5afaaad25f0e18baaa5c7fdb16a6618ee08
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: rpm.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/rpm/rpm.js
MD5: 5fbb2d4919f2d396e78074f4c98812c0
SHA1: 719d22639e2bbb16d80df811da20013f3998c42b
SHA256:5e8a8253eb986b58fb170e2d58bdd134b05fc7dc02a456374a034d7564f77fcb
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				

- None

remotegui.zip: codemirror.jar: rst.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/rst/rst.js
MD5: bd89a589282ae08505026ef31cd4c6ad
SHA1: bfc1dea7ab7b49ed20e4127add87019c8dc56850
SHA256: b50d542cf38074c392f7fde44ef2cbab24b45bbfd178c426cfef6848d6d3e90d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: ruby.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ruby/ruby.js
MD5: b0b2ef072186390edb0444a0eb2e315f
SHA1: d63568f7de026f9c17e0a4124161ad5007c0c709
SHA256: 953daad8a24225d56733f77c0c4451cf05436f70ad00e5dd1618486a1d5e01b9
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: rulers.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/rulers.js
MD5: 267bb54847534c8bfb41dcf227f7aeb0
SHA1: ef8505818354f0e8e79d6ef7a902ec0feaaa0ed7
SHA256: 175d32d6794e2d917f446c4bcc8053c9a9e69eb9fcb3b805daaf015189b6ec03
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: runmode-standalone.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/runmode-standalone.js
MD5: 51867497bb73c2eba5e2e6cd1352f29d
SHA1: 591c22764dd7599a2d443c593bd5d4fd77928e65
SHA256: c1c9bc16a627699da49d9733f93d75963603175081a540b276f11c604739abc9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: runmode-standalone.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/runmode-standalone.js
MD5: 8bb22c65e3d5cb3b6466654c7c6ec4c8

SHA1: 942779dcd636d8372e9d8c9949858ea5b68bfdcf
SHA256:8a06491ff4969718a7bbe2f8ae9d380e9f05f0947d7f5e0d940930e5a929e469
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: runmode.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/runmode.js
MD5: 6b9c51f3ec2f5a79c75836a0f75569c0
SHA1: 88d7a8053ef7fe9996f63800076992a5f65c4dba
SHA256:920d8eee55e987468236ba7ed2886de0bb8b2fed9d7060383a39ea29924ae885
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: runmode.node.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/runmode.node.js
MD5: 3847af673a6ae44d53fa8d697df2b8e0
SHA1: 91e688f6fc356c47f9bea928ea3768b7c7a57693
SHA256:0d796745f8db549e4ade4132025a45994f45dd6f4765402ee75e4113019edea6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: runmode.node.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/runmode.node.js
MD5: fe41270e99f973a568d5a823cd6e2bfe
SHA1: c78b8d45e3db1891ad28f93b64ebd5ec6d0b9c98
SHA256: 016bd87dc725d65c80cfa58d2e58033e013e703878cc05f322f938d58ddbcbf9e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: rust.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/rust/rust.js
MD5: bfb43032004a8d5d115c6b817cbbe2ba
SHA1: af76d8276b553e168b5fab49108e715452cff07e
SHA256: 797a9abcf8581f192bc49b11434346d3f8014763f4967ae260fbe31f25b2bdfb
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: sas.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sas/sas.js
MD5: 46f6d321e806768f9ebbc0155a5f9807
SHA1: 441d94bf2da7c5299662ba76dba352aac7df705a
SHA256: b69f2877e395b89682a4066f62f686c12cb66eac441b6c1d3ee15d5004859f43
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: sass.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sass/sass.js
MD5: 0067718b0d6fa922bcf032b58966c3fa
SHA1: 1dbee553e6dfa3d57a3aa6548b43a753ccdb7380
SHA256: 01ba99f4a91e70d2a5d3ef881c542f14a1f59f3ded58672484bcd56b41921866
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: saw_special_spans.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/saw_special_spans.js
MD5: 72b6184ab657ca37a0d984dc73e7088c
SHA1: d84fccfe8c3cd0f1a0b5b2f388de87e57503df3
SHA256: fb122060ec500dd99a179c002fbb6a8709eba030bf8f7695d868109b470b31ff
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: scheme.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/scheme/scheme.js
MD5: a64f664dcef608b26dea48b1ea52b622
SHA1: 1e90715a9ecc9c8cc9500e9b064ffe0defc60b9c
SHA256: 0bc81b318e12c7c5bbd94943d9d64cf1a64674c3bcc7057788ed1ade8701ab80
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: scroll_events.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/scroll_events.js
MD5: 8c96ad450d94581a7a461c44fa1e7cfd

SHA1: c92034958533fbaa6512c99d715a6032d43355b0
SHA256: b0472dfdc7a904f6a082f064c9384dde3ce1ec95953d9c276216424da03ffa01
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: scrollbars.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/scrollbars.js
MD5: f06876b47feef8deb64e7cd59d76ab1f
SHA1: 73c1a417818efb800852fec0742136fb1c891c1f
SHA256: 11cdf1fc628da528adf11b23bf19cc06072bb573cde470669343d27be9b0ab4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: scrolling.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/scrolling.js
MD5: 104c04ec259e68a53516216e4947e9b1
SHA1: 54446fd791e3331041e6e9a0874fa66d4794bcb4
SHA256: 07f6964d12cb85a698967bcfeca73824a7b602475d488ed6f57e2981879e7487
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: scrollpastend.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/scroll/scrollpastend.js
MD5: 74be53ff23fb5eda7725c96f1ff683b2
SHA1: 1aec49fd4f7f5571fac13fddaad9eb1705cd522d
SHA256:6cd389df1da1ff9ba25728e03afb7f47df3162c3d9bdb5cedd06fc91c6199479
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: search.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/search.js
MD5: aee5a4efc34387df3d1974e09cd2965e
SHA1: aa36dc4a27460ccc0b4b40ee643907303b64a880
SHA256:4949580371fcd81c0ad70164b169dd8bcab2bd9869eddaa0d7e295508bec7a04
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: searchcursor.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/searchcursor.js

MD5: ca8612c41c44b87a10703ffe71d4f750

SHA1: 6bc4c36ea23ce7bf583f95ba4ad49e599bc646a1

SHA256: 2c0b8cd8fe7ca5ca2253f4aacc914b390bff5b3cac3475df66c43a9ea8c8ccbe

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: selection-pointer.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/selection/selection-pointer.js

MD5: 3ea743f9f1b458692e5258bcd8c8afbd8

SHA1: 4306383d109eb987ee62a6e2defa8926dec870ba

SHA256: fdd7ff53d0ca796c5e3792ceb5063c84d0735bcaf198a1c06c78880f1c664a22

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: selection.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/selection.js
MD5: 34d76a4a0d6602f8d4ff937e499f7906
SHA1: c759ce0c87a62abdd8916125e3bad601e4ce4efe
SHA256: ca2d26085ea9380b686c57d5ef8789e3c3032ed8c5d90ae0e1c9dba69635a89f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: selection.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/selection.js
MD5: 8f89f30a603010383e7c118550697100
SHA1: da2d4548c10827c45fd625bdfd1ffdf0e28e0c30
SHA256: 03cb03c86030e258ed013dc958cab854e2978893145cb096468ff8149417502f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: selection_updates.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/selection_updates.js
MD5: 252e2ea7a38323b8d82902e6595d23ae

SHA1: 27719d66e1ff98e650abbc5b48f2f4635f65df13

SHA256: a285a62ec8522c5d8271505b1438dddaf39c3dbfd4dec5ac01971728e21a765

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: shell.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/shell/shell.js

MD5: ab0fc779b5fb9bdc1310a28d7dccc379

SHA1: ece7e7661886871cc46ef71248c67ea53a61ac7d

SHA256: 24f77cb162ea9d9e9fc79b95ba547a7cc10a0767e3a5a52c786d4c24253736fe

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: show-hint.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/show-hint.js

MD5: c9e3db9bd2540c05ac67b249f8122387

SHA1: e8092d9477bb1ad4d17d44522d99cc67ead53b16

SHA256: 28d2123fd1c9cf197651c2a0b3cb65762ba06dc073e023c75ec05b1f139b0af5

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: sieve.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sieve/sieve.js
MD5: 88c6148d955c6542b3f10482b736e553
SHA1: 72627a945e27e3044717e5b8db378f3d776ad0fc
SHA256:c233866cf4990e2f28f11c96ecedc7e7dc465c19c5b445b30bdc037118f7b65d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: simple.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/simple.js
MD5: 282f2d54ca2c7b60ab4bc0cd762b943d
SHA1: f08a5e5394568164edb85911dfc452f433bb2483
SHA256:400f49309b31197c0c4ec76519c93647b494ab80f59f96d7f051463e0aa37eb0
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: simplescrollbars.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/scroll/simplescrollbars.js

MD5: 34d6903cded2822fb2261678e1a479cc

SHA1: 0707d27834fdde0fe2c32935af79d4575cf9f1ad

SHA256: 62b48bff43436bf8ecc5e3273e6047f0b934c1d873c81e863e13bb462d1e1ab

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: slim.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/slim/slim.js

MD5: 447874e5c5dd225949004c357d17ffe2

SHA1: 2cdc3263aa6d9766131d73157afb05fc6767b50

SHA256: a8d555221c610512119f2107d58bb1c57d294cebc91f82638ea6e235286b5c15

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: smalltalk.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/smalltalk/smalltalk.js
MD5: f6e7ef04f9f907a13604ea5b1938d3d7
SHA1: 57f009cf2b2147f14c530f697fdfbd3ac493e053
SHA256:9f649668162a61cfa6a3528dbe513d012162932c742c7b0696078bd2a6d3b190
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: smarty.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/smarty/smarty.js
MD5: 3ccd6f2129ee79c85ef96a8237f1de7a
SHA1: 5fc274f49b704c0a99e0f0b9030c90f56fc7c1f7
SHA256:9e95bcd71635efe200c3871c57cbb1c07edc1f8206d173f4552fd2dfbcf9e9af
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: solr.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/solr/solr.js
MD5: df4ba46ed00e24c144deaef9a817d024

SHA1: c880da8431afd54034ae7fbfedb45d94966638b7
SHA256: 17f16060f00cd932914722bf2cd1a01318c402503b62f3bd2bda09bab6b42b85
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: soy.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/soy/soy.js
MD5: 1db8a99a573b2ab07cf30cc58da1bb2a
SHA1: 7c0a178caed0b849f140d0b21de6548a0355f9c1
SHA256: 358a1861e92366d238eb240fd5d5cf8ea6f5fe219f389667d277031c0a1a47c5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: spans.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/spans.js
MD5: 52150a5a01dd7c56de003aa132f71e25
SHA1: 92cc8b4ab38a103a106f574c40d25d16e97d48eb
SHA256: 719ad01e720518e7594a76ed4dc4904fec7c495b12d87fc4599b40032975789
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: sparql.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sparql/sparql.js
MD5: 856d73e41310b4dd6a18f13d64fec0be
SHA1: 1669e717cbfb9fa9b30e99415a6e5f7a66feb286
SHA256:e646ae1e2796c936a8760af321089f5814d0158ef72aa3f3efb60765430a2e6b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: spreadsheet.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/spreadsheet/spreadsheet.js
MD5: 370c01bed3c433131f942ef7e6f69187
SHA1: 94b3e4c80f954a378ab94f13068d879e9ab3394b
SHA256:0807dd557c55f5b6d8579c5c9019c5eddcda9c56ce559190e5f2985b156a00da
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: sql-hint.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/sql-hint.js

MD5: 8d41549d89ca9bfa3ef068190df379ca

SHA1: 6a2cbde78c9311f75509d3350877a8018499e8c7

SHA256: 60703945eb6cc93d4f47d70b65f955e66ae8a22c0cb1ceefa69cf0890564544d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: sql.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sql/sql.js

MD5: b48a3934b20b392ae812b17df05355f4

SHA1: 40d1a558afba1f5043b23131e496de37d8e2dfb4

SHA256: ac23d3f196deb9be25cfcecb966bdc1789b9e177aac683ddccde1420670c4d8a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: stex.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/stex/stex.js
MD5: c7ef8ac785ee813860cc414ea17dbf6d
SHA1: 3e46d97b4e694c7389cd0df4d13b914697d28c8f
SHA256: edc1f57c69920967a31defb66954aa29f5751fdb2f7ed8e52fa08978ff890e3b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: stylus.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/stylus/stylus.js
MD5: 7e6d36c0cc269b4e518bd48b9b6342d6
SHA1: ea339b15b178a1082a2acdadae82ef1f4a599f32
SHA256: 85683adfef4f0129670fc2e5ee9148ad956213f5fa0c8dd05ac7970ad7f0b337
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: sublime.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/keymap/sublime.js
MD5: 1d7ea7f929183e76740bd9d98e9cac41

SHA1: 84a64b60b5802e86b0689ccfa95665339347f0c7
SHA256: 1d532a67594845cb7163b090a06da9287b896944ab5f22df67f14e176bd434e5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: swift.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/swift/swift.js
MD5: bf859160b6f348fc2d72673fc40b9da9
SHA1: c6b46b402c9b1fc3166712d68eb10ad29c5d01f9
SHA256: 939dc67bbef9f0f6847f5bc2a89b0c8f4b411d57fbed4f9d5cc21fabd7e191c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: tcl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tcl/tcl.js
MD5: 28a739b5550bd5ad13b47dbec84a9716
SHA1: 2ce8afb99f36fece39e1b3df7be02509f77b19ee
SHA256: 98552bab94ce9adc9fcef5658da2965994a84e852c83098e94564884815b3026
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: tern.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/tern/tern.js
MD5: b9418efb9c0d90a3432dff86169fd293
SHA1: e4d1225e756d51fcb69c2f14ddce1b09fa2a23b7
SHA256:1ebb5ad38f72115c49865b5537fd9c77da506b7ed2be38bd310306af3c698e44
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: textile.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/textile/textile.js
MD5: d3923b19d37114a9e2a346c191c318e1
SHA1: 979b17e6363d63ac2d1b3a6854ba6196564fc5d4
SHA256:c121fcf3e641a7433b9e328c76aa0b1755aa4c0412e4f59a1d8d6ac24b36df06
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: tiddlywiki.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tiddlywiki/tiddlywiki.js
MD5: 3e4fb7a08d9df5cbe9822cb1756bec86
SHA1: 84885a1cb7be096c19a3dfddd70252efcc83960e
SHA256: 4b62acf34df4acb1a4bc1a2729edaf221583679761d35e0e9077883810fccbfe
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: tiki.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tiki/tiki.js
MD5: 6e4bd43879571d0fdfa79714f550a3bf
SHA1: 6fd2ece4b20160c1859f34cb245b173459c21163
SHA256: af92cd0858a99f3c5cacf240874db7eac2704a7b193a3cdfddfc5ba70382a293
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: toml.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/toml/toml.js
MD5: dc2ba16cf830b53759b71306e9473ed5
SHA1: 1a394f9f45c508fdbc270b7c0a1f72460fc897d9
SHA256: 67bbbc2696788633071f2a2b8a1cf6ca4f4ac82213e3d85b7cd183d60b117679
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: tornado.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tornado/tornado.js
MD5: f45c2ec37cc008dc5dbd5f9c077ba666
SHA1: 8b55c6a85279c8f7d6b3f539fa097fed877c16b9
SHA256: d006020d7d093cb4f5ed5088ed151d4c45417fe5ccde69d960eb82cfcb9e0ecc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: trailingspace.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/trailingspace.js
MD5: 43599469275c2b662b7907971147c978

SHA1: de4d3ee3d32f01f94921b8b3944c7383da7ba970
SHA256: a0d2c0196d8f4991cd58f320498f7aece971e502e4811ecf58cb5af8e83007c6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: troff.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/troff/troff.js
MD5: e7f5f0a2bf68a81f0f3e547ab5640627
SHA1: f59246b4ff5ce93afc87a4ed30a0cba0e6ba4775
SHA256: f7714fdc46774467c168e75fc36eca90e6df16e27afd0b608b882b2df769b8c3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: ttcn-cfg.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ttcn-cfg/ttcn-cfg.js
MD5: d847dacea4534ee2841f01f5ac419060
SHA1: 0df7a9b8f5e91e2ae8d5a8a02c99bf779e221743
SHA256: 22983894e4a3794c9bcf396e7a4119efa5ea07a4f97e060e15f3c13ec2c1a01b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: ttcn.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ttcn/ttcn.js
MD5: f94e618b386e8bfd0ffa2252482e9c84
SHA1: a463a8817c26dcec47a7d006aa097dacf74b28d1
SHA256:10be6704eac48032ce00890bdfffa03d445aae18e3ef7bd74eb14a26e5867a28
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: turtle.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/turtle/turtle.js
MD5: f36ec21c639822b370b87c63415533f1
SHA1: 9b6341bdf7330b71a5959cde815241b6e7deaf05
SHA256:0f82b51ecc43b95e55a752f80f719f8a39b607697b86d3fa4523a5e8280d3520
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: twig.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/twig/twig.js
MD5: 09ab2491f1056e9d142e233dbc9dc1de
SHA1: 4cb5eb7c9bf77dce80f92f2498d83af92f3398b8
SHA256: 72b6e091bbd6a7c6eb786db2591c1f6f59c7880ef224ce5365ed39ec786d583b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: update_display.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/update_display.js
MD5: 8a51230ca1be6a91aeb25d4d0f7b55a
SHA1: 79b7a1faa3bfaa65f28ab4e324fa88b485ed21e2
SHA256: cf96f09d7f210f2cbf0c1912058eca1f96b51e63b1bf7b39016c0156c2b9ffc6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: update_line.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/update_line.js
MD5: b9b8f3c5e697e33d73d1044eaaa86dc9
SHA1: 4f7c764ac36b54c918f06b68129b8835b22b55f4
SHA256: 5fafd013fc16591f0c978c6a4bacb3cf054d52f5051becd4325de8c21ba07f7d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: update_lines.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/update_lines.js
MD5: c864b2f05d2101a47c52b9c01aad5b47
SHA1: c63e8555c30976387f5904fda11fb55174743a88
SHA256: 80e80a6c8ad664587c2f01128e85c5c931f29cd021381584e2195073a53df45b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: utils.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/utils.js
MD5: 4e9e033cb9daa0702d84b88dfcebae20

SHA1: 8e5257ed7b93a00cb5eccbf544d6a1043f2edac7
SHA256:06220f9e424434492b73e0aea65bebbba1fe74fc3002f8b3672d1d0d3a445f20d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: utils_line.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/utils_line.js
MD5: 0f6f365b60c1688d8f0fcb8d57a9d9d4
SHA1: 574435cdc400815c829db19a67652b7077b00433
SHA256:a8b39ff57b6d43dfceda786380d6dacef7b1738a81fb6033e7573502501d4b6e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: vb.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vb/vb.js
MD5: fa430588a34292ebd66e33fa60217b4a
SHA1: a89cb1b315fbed1886d709d921ae95b216d89fc9
SHA256:e8f8e4496baed70b1e6ff44979382bad81b921b9570b7da1a377835e973f28f6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: vbscript.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vbscript/vbscript.js
MD5: 2da61e304ec310d9291e372c53c6b06a
SHA1: 9c582c79ac9ef6d1c08850c180f988bf974aedb5
SHA256:77109e0c2218502dac03b5bc3b290cfe0b46ea00f4d267f3dc4378d9abe1bdc9
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: velocity.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/velocity/velocity.js
MD5: be30a2a88271b692c85d7de9744f7c16
SHA1: d45880a6f5d3d4840ed1297d7b3f14ba4c9a4be7
SHA256:3c076c7bdb1e2d3d25bffa1a682556ae449f1545c3731935306333b5831aa951
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: verilog.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/verilog/verilog.js

MD5: a79b1a94e41866ba625c37e77a76ba16

SHA1: 4818788973bd3f66d3b9e14992710d96a7ec18d4

SHA256: ae7c58b13650019ca08760e04f3ece3315e889eb5aa849a34400f16542610eb1

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: vhdl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vhdl/vhdl.js

MD5: 4f804b6884d0d7c233a0acc15fdab384

SHA1: d30d775adce22818b6e3955fae1d653028abb5dc

SHA256: da078efdda01a1245fb8ed5a16cffe0a51823e5917e3802457041dc48243539

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: view_tracking.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/view_tracking.js
MD5: a26525bd629440e84b02128d6eb323b4
SHA1: 2cb6103f9dad13f5ee416f272cc9f8f14084ffc6
SHA256:077f385b690f0c7af9976cb7b6d2b60a175f762753a77b3060a6db2686a5ee81
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: vim.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/keymap/vim.js
MD5: 3a5542b6dabf86e3983f29c5c5a184b6
SHA1: b8afaac94045745d4517c9635a5d0c1c266db7ca
SHA256:c8124370e0ba7e76d5cde3c18d257c5c99e5578d6505f0eeaab5c791673c40e8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: vue.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vue/vue.js
MD5: 9e7dbdd0bcaee6279ed4e77f5ebc36ad

SHA1: dc5c50230fdd556f9c3530f781b7a2b16ad30a20
SHA256: 8b9c4f59c1230c537f44f593f5d608a81604e4b3dfd345ea938939d0d62f668e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: wast.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/wast/wast.js
MD5: fb1f6ce81911f07db605e2e5ccf41cf2
SHA1: be86e08e18cc74130b483022c355846d72116c20
SHA256: 8e8ae8ab4475c66d2f05960ffda597af6279c8c93f62cdab443407bea74c0091
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: webidl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/webidl/webidl.js
MD5: f31e84cde3fcc1fa2efec9889038d7e5
SHA1: 0757847217a95faf4defc9685f6821accb9d8988
SHA256: a12293542727a69514ae5477a65e33eed4f871fc207c6b275c9d8be1f2177062
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: widgets.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/measurement/widgets.js
MD5: 675098b5f0aea0bf351a1b5762febfa6
SHA1: c922dccdf98c79f92fa086bc2a36d970c76b56df
SHA256:09874ad13a856fad11b3afd084e58411741ee2735e61b4d95fetc060b60bfd65
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: worker.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/tern/worker.js
MD5: c6d16e68bc203e9489fbbd11b5b100ef
SHA1: f8adb9ac9944f88bf6e69048c001f89537f32198
SHA256:80c0e9bc4e2ef9ca9c97199818318429d26fae0d2452a20547b1e458eccf794d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: xml-fold.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/xml-fold.js

MD5: bcfaae27958026e83cd442b5df731da4

SHA1: 7ad4740f2ecbaa3869b066156b19401075a0315f

SHA256: 4ad0fdc2f93882174c9071e9a3c2324d15d4deb0c43fe607f9efe01dda1af9b4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: xml-hint.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/xml-hint.js

MD5: f2651770cad286ae58d12e9f5c4e9e6f

SHA1: 17bce6be75e45d7a291a32d0c1e346e4818296db

SHA256: 6b78f04d2137358d5a01e9fa2b3a8f069acc70f925cc7efc39448ebe9599a805

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: xml.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/xml/xml.js
MD5: c93fe254ef100aeb5c9dfcda4c91d27f
SHA1: 510c71566cf81560cb5bd1bb25287ed6502dde75
SHA256: dc7e44d410399326f802e2924573cbf6f942a79f647fd0b97f0b607973bc9a09
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: xquery.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/xquery/xquery.js
MD5: 56cd9562591919c15b7610f13cd112be
SHA1: b294546669da04806196e6aca774914a30a0b3f8
SHA256: 618685277efde78e0e48fd5cf95948ae32a4d57de942038ed0579415f3f2f9dc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: yacas.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/yacas/yacas.js
MD5: a70c01cbbd7d4311d4dda287ace27a79

SHA1: e853bda930d5fed1db0bd56ab9426612e759f9b3
SHA256:edab39fac054aaee5ea8ad3d09e0d38f57d5b24f826df7561526b5efb229fc72
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: yaml-frontmatter.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/yaml-frontmatter/yaml-frontmatter.js
MD5: c2dc6071833d8d9bf02d81244403cbd6
SHA1: 212780f18d78644233eb826c8c660eee51b6ac70
SHA256:98baa91eee7ba77aaf150a59d7e5146d4964ddb271076cd963cce43f9928b3f8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: yaml-lint.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/yaml-lint.js
MD5: 925332d44aefcb89b106d4fe9b32e93d
SHA1: 19221be874d11d57582a77dd08fd2f244e9b5500
SHA256:ee7249600f6b395c302b24054060f8abe87cbaa68a9f426593ca5e5f3748bbf9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: yaml.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/yaml/yaml.js
MD5: 77fd959da1bbaeff5cdd97689da94570
SHA1: 9b206b33cc7b2b5e1e21d39bd177b1c6500e9722
SHA256:3256b4e40302d4488834925a990edb32cef7d431f70a40917c1c5398468d861b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: z80.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/z80/z80.js
MD5: 85b28ee5eafe8552bf842eeba91325f7
SHA1: 34971fc9b5ed5aa2f8714030186cd3e0056cb2ac
SHA256:0f501d7b8c9c48942900b4d7131f5bb18130395024e66ea5d98aea480f845e2e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar

Description:

WebJar for crypto-js

License:

MIT

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar

MD5: e70e1fdbb3054453cd57ab3368e6bdb9

SHA1: 622835f605f708155af4ffdb1fda1fed2983bccf

SHA256: 9e11775c13feb6a3161844db96974ad007dc36d1f4b3033555f34813a1584270

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	crypto-js	High
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	org.webjars.npm.crypto-js	Medium
Vendor	pom	artifactid	crypto-js	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	crypto-js	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	crypto-js	High
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	crypto-js	Medium
Product	Manifest	bundle-symbolicname	org.webjars.npm.crypto-js	Medium
Product	pom	artifactid	crypto-js	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	crypto-js	High
Product	pom	url	https://www.webjars.org	Medium
Version	Manifest	Bundle-Version	4.2.0	High

Version	pom	version	4.2.0	Highest
---------	-----	---------	-------	---------

Identifiers

- [pkg:maven/org.webjars.npm/crypto-js@4.2.0](#) (*Confidence:High*)

remotegui.zip: crypto-js.jar: aes.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/aes.js
MD5: da81b91b1b57c279c29b3469649d9b86
SHA1: 5441866409bd32d32331c4b4b652057fb90bc298
SHA256:d6bb48feacbd63fd455becce7a5528877242f70e73ba1f7838c186ed8f35fd3c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: blowfish.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/blowfish.js
MD5: f324783486bb1c6c2bad1faf07c63372
SHA1: abce1a3fd40ce0c3f511fc0ea0be9a5d9006e580
SHA256:dce696d0842412093ec68ceef095d0db470a358628dbc352867bf535ef3edfb6
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: cipher-core.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/cipher-core.js

MD5: b9c2f3c51e3ffe719444390f47c51627

SHA1: fb31443b26eb46eba12f324ff2c567d28e43c9c8

SHA256: 1b3331c29f4a1e222ebf7d3b9bd3458a308c2a47fc5e6cccb93f7d2d5c57533d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: core.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/core.js

MD5: b55ae8027253d4d54c4f1ef3b6254646

SHA1: 06951bbea3ba1ca54de91f0feefc13fb62b66f38

SHA256: 2638bdd7224472f801890636d42df16c144ca46c84229ef3087190d21f935daf

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: crypto-js.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/crypto-js.js
MD5: 4b481d280be0331ef01b43c2d9b2a58c
SHA1: 4e84b6508f97c27e80a3fdeea2923d489d2b8fc5
SHA256: ee02257ffbaf0a9b481c7039b0f3bb20c360c9674fe4be8b38ae709b2ea59bbe
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: enc-base64.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-base64.js
MD5: f551ce1340a86e5edbfef4a6aefa798f
SHA1: 9e1b1bf75f35833ca2480ee401b4cff8b7eb1fe3
SHA256: 84b69d1625474179d55622a8333c3aac376dd8bc77de7b06c21695762cb69cab
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: enc-base64url.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-base64url.js
MD5: b87419e0e9ad776b37cfce5433ff5852

SHA1: 24aa5251bd4c6b8ca1bbaf0a5ab838fbdcb6ab
SHA256: 8747798ddd53f467bebd7101bcd053b3f12ef028b3e6c012aede147732c8a9c6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: enc-hex.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-hex.js
MD5: efb02f85686d948c69ad13ec6a7d479c
SHA1: 27f6a54ae346ef0a9a63084990591e0f986bea38
SHA256: c7dad9931250921c24508ba9949abb818745b38891da44693359249b11ed143d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: enc-latin1.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-latin1.js
MD5: a8c77d13f48479c2f76678c6e7f06ca8
SHA1: 9753af5959867f998f0feffd6f1699e88c92f39e
SHA256: 24dfee2cc51ec0481aad1f62933bd0ae1238c34c5b0e73aeb1729027c913a26b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: enc-utf16.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-utf16.js
MD5: e24e079fb22a2f7063cb9f856bdf10b
SHA1: 01f29539d0bc1e2c10638d0f3b9af99d978e15f7
SHA256:c35339900b45fa701c390c924009a95270b4b4d91b427e40984f117c2f7ec67d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: enc-utf8.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-utf8.js
MD5: 5a9aaa6b97e87bf258edf26223bdcf61
SHA1: 16bab2dd76daec10b9b3e2569f3fc1a207b5f726
SHA256:8c7e44dc2d49b20fd78a44827fa962a28a5e22e0adfe036aa0fdcfc7adb89984
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: evpkdf.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/evpkdf.js

MD5: 7106e06bc97d1f59a9324ef5ef9c14c2

SHA1: 89cccca6c0e5261d31302cb4726a26f21a84ef39

SHA256: 03a8ec00db105b3b813902400ed65169d12ecd382fa13402fd62c55e251caacc

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: format-hex.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/format-hex.js

MD5: e2f78f02b844140cb8763fa7cd8daa45

SHA1: a359182575c8d43c6e5381209472f8954e4d5496

SHA256: 040a2918bec8cb8ba0a6303fa3c1bbfd899bc8644643e8ac493e3c08a0c09097

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: format-openssl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/format-openssl.js
MD5: 502d6df5aa16084bf5abb0f3077c13b5
SHA1: 7507a0c1ccf7049a8a10bf2ed73f24af5ed00aa3
SHA256: 1ffa86862e66b6c0fff35cb96875e97a793aaf86ca749b29381cbc67a0877bba
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: hmac-md5.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-md5.js
MD5: 95b2fb61fbadc00bb3dce9098e37256a
SHA1: 143d92d0c7d56bc57036c318cf78dc50cd72b557
SHA256: d3072014eb4186d02e335c511b3cc6e163a5cfefbaa8c4ae13634af24887078e6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: hmac-ripemd160.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-ripemd160.js
MD5: 6d51886c1d976bc143c790593cdc0920

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: hmac-sha256.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha256.js
MD5: 69817fc0da86033d4ef559f0febd3d32
SHA1: 84c60e2a1dce8f06c1e4340542199cc9cc9a3454
SHA256:11d26c11f858b74bf0f106c74ddb579a112d3e7321fd684365a77ba2a7a5dffc
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: hmac-sha3.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha3.js
MD5: ea6cba03f7c6b257b70c1497022b5514
SHA1: 0d8f8002491a9311c7035aaf07d4a0329f38ced0
SHA256:bc63c36741416fb55fbbe3c7c4a78b5e056d9b902a471bb16b6f5672fbbacb8
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: hmac-sha384.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha384.js
MD5: 7afbdf157b81970eb00a50bc421e7ce1
SHA1: 9196d839c46163f6e51c63410ba0076a09ccf178
SHA256: 93494b918b2eb79cd1be66145a41137ac0d65739ed6cb9e04f82bf1d7cdc7019
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: hmac-sha512.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha512.js
MD5: 5d3e9930daf490e45b446cb42b31833e
SHA1: 4b07089a6c56852d15ec948b58408d5b5d32cafd
SHA256: 6c2b59ac5e27099986b28d32e425ed3d65a4621c1c6512d03d40b336c6e88a2d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: hmac.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac.js
MD5: ee162ca0ed3b55dd9b2fe74a3464bb74
SHA1: d68f1ed4e3aed7807fe17a8193fca4775221dfa3
SHA256: c89f8f08ae06990edbc0763cd46853d16c70eaf513de8592b1ffb74a2ad2f7da
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/index.js
MD5: 8181544c4f4842cba38a939989ddb460
SHA1: b4ff6b82e1e72ccc2a5de8f94968c3b82060f61c
SHA256: 7de6a6041ebd1a43ecd79b59708795ac273930bb36265b41fff832d781e7bb27
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: lib-typedarrays.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/lib-typedarrays.js
MD5: b8bac2e22a7a589167e014be77736c72

SHA1: 622fc0f297b3799ff91b08469989e6fe113cbda4

SHA256: a5875f287e6cc6dea0ab64024db32783229a7db55f74deccf6566973bbd76ec9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: md5.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/md5.js

MD5: fcd0c8cd3533c15bb4f0628f82cf5175

SHA1: ed91751fd5c6009667d6b43c5fd3939993edd568

SHA256: ffce8dc6b782620c6238a5b2280c5a98f6bef8c77fa80e581fac8cce0f08effe

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: mode-cfb.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/mode-cfb.js

MD5: 5847dafc1beecdcd23925f9f4989b2

SHA1: c9972596e02db6c6221ae019dcf1498d30e9ffb4

SHA256: a3626b78fe53d7d32fbcaeaeb92750db305e84e2ccb84e61d735ac7a4dc7345c

Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: crypto-js.jar: mode-ctr-gladman.js


File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/mode-ctr-gladman.js
MD5: c4bd3b4755cf275747f8e68b0eed7995
SHA1: cabbcc4100b4d363f1b55d42b930ec547ad67dd1
SHA256:fcd6166981435cc01bdfd2fb8f9e2773acfb144ab8c47e0c71473d9bdee755b0
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: crypto-js.jar: mode-ctr.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/mode-ctr.js
MD5: 6cec0458e4e62c1ff8b534e59f9132ff
SHA1: 591484053ed26919fa6e4cecf7aa723dcade4bb6
SHA256:9e67161f61922a475b142b2e18cb4470ed7860ef61bc6e7a41f327f7a59be96f
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: crypto-js.jar: mode-ecb.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/mode-ecb.js
MD5: 3a84195b8427195dd9c345a0f3aa2313
SHA1: fe621e95709e31a5289c78d114aad4a920f14923
SHA256: 4f563373ba4af442e1b425b7b7dd1030ed84b9babe9821949922d9677bf14701
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: mode-ofb.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/mode-ofb.js
MD5: 48f5529799d5eac8fa9f855ba1402737
SHA1: 4e97befa1e4d0003cd2fe9d21d85d6636513fdb4
SHA256: b49077bf4bf5e8f2cbb2de0e2d48c4d941a3feba2bc7c629abd51fe2ac8bdb2f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: package.json

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/package.json
MD5: 2f31b0aec8f5d1c63af62bf46623876c
SHA1: 7316c3382382dee4cc36236a13bf43543b8a855d
SHA256: 011d61589c95ad4e16051c492565f7c19c6a7832580674503cceeeca612e7a6cd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: pad-ansix923.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-ansix923.js
MD5: ca8ab3266976ddad6e811577212b8c88
SHA1: 505018913484e110aa81842a4511a2a52cbf2231
SHA256: 7d950bc42f262159a2786eea30d1153a3d0bca9aab9acdbcc1a981a8d2854ef7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: pad-iso10126.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-iso10126.js
MD5: b1c4aa95c8bc79280076e66352b6c219

SHA1: 9c081665a8d0f4399c5f3874f38f811932900d54
SHA256: d3695304e8e7a001cc6e1b84d4b58abd429dd7e3f09514c260bcd3122a3aa685
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: pad-iso97971.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-iso97971.js
MD5: 4027c92ac1ed3c95f39e8e2a391500d3
SHA1: b7034e19bcb012cf7549baea65a70d25b8e71480
SHA256: f7f7179b8bea5b6ef4f0891f23b563db8aa530376795cd99ef84942cfc62d328
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: pad-nopadding.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-nopadding.js
MD5: e288e14e2cd299c3247120114e1178e6
SHA1: af4df0df185ab10e12fe8c01f885027eabe3c8f3
SHA256: a722d1f11486b807b34076ec3277ea3a65f21837db2d9f76eb5daa7de312479a6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: pad-pkcs7.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-pkcs7.js
MD5: 23c101a5a832bfa8a894b9813323044c
SHA1: d21f12b724eccd65c9f20503bdac2c41eb8ce985
SHA256:9a3c909e8c3b6604bfd7a48a3c7e61504292744d894bce1266b44691b857c1bc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: pad-zeropadding.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-zeropadding.js
MD5: 23b4116306620a01bed22b52014c7c65
SHA1: 34360c2d2f9a38e5c3d197223a2f5b6777cbc1e9
SHA256:d99e781985e817da7c6af30d957c45419b1a7e176bf52160424ebbbf970df906
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: pbkdf2.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pbkdf2.js

MD5: 3f2876e100b991885f606065d1342984

SHA1: 006198366f41423a82b05dc582d9882530c3f6e5

SHA256: 89cca1be3926c8d89b6f827d70970bb3bc94ae47943342ca8949992faf8d2b60

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: rabbit-legacy.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/rabbit-legacy.js

MD5: 8fdb6b7d8bcf3aef27398d47d13dacb9

SHA1: 23dc78f4b418c296ffc166bbcad8c678d6ab2efa

SHA256: cf9afefa87b216dd4d8be00524f8904bba1147fbb90273e5e6a7b2824b52e56f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: rabbit.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/rabbit.js
MD5: b3bae9fc93314924cbd6c4283c1e91ef
SHA1: 4bd339e3a9e954c2766a07a96cf7ec2547e76cab
SHA256: dc93dba650db41783f8a3faba6ba17ad82cb0eb1b6fa84df406f71d520d84b42
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: rc4.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/rc4.js
MD5: 846a99f1e90dbcbb5773793c3fe8aa5c
SHA1: fbb684811bde18ce2faad2ffbda3aa9c00939e90
SHA256: 571eca05c055a26c729f757f83b9f849968ae0dc0ba9870e5be9526019c53a33
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: ripemd160.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/ripemd160.js
MD5: 1d13fd2d4858d87c36c43a0a6436f0d4

SHA1: 9187ea140085390e357f1e7804f95e7a5812d494
SHA256:3d7eea732acb8f27ba7be5ec54cc1c5ea198be2f7b12ae78cf03ce3b87d78da1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: sha1.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha1.js
MD5: 5fbc23cf1d5cf34e9f7798650d07b333
SHA1: 7401e77dcaff4ecaab8e57fd11fccfaf5f33c75
SHA256:fca2d5560acb8de760ebc94679ff210056722af8193871e75176a61a977ac30f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: sha224.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha224.js
MD5: bd908518f276d2df58277bb38185b307
SHA1: b10b13e02fadeea29119f6976b346d9b06c84342
SHA256:542ddc722d9711595c11d57caa9424beca928b3553747a51e3f1c57c2c08ec16
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: sha256.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha256.js
MD5: 561d24c90633fb34c13537a330d12786
SHA1: 7593f14b59ba2099cbb4ffb806e75758fdeb12f5
SHA256:d8074f23cbd27aa6c2f231b8bdad34bbd8d49c7e47ffa0d7cd07a2c4d1d3c798
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: sha3.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha3.js
MD5: 6fe2614bbdfb802fa873f118621c7fb8
SHA1: d977f518e609149d1b51932648669a4be7a97f27
SHA256:6ee08cd3d69b181cb735011acd0a0d57b6a4a071baf8ecbbbb9aa18cf1e4d6ac
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: sha384.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha384.js
MD5: 6ae085f20325eb927ff673ef20568137
SHA1: 8d7bb4a99b713d53723f8f1ad3442cf9e9edf9a4
SHA256: 8d902216aef6840bb9951117bdd3aa6331078e68ee04987aa1d59c73b5ff3066
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: sha512.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha512.js
MD5: 0e5e8946947671eefe910c58f1272c48
SHA1: 7b4efa121b30865b12f7546f1e99e22c6c2a3c40
SHA256: 986ca486a1c9e58e9d8fc38d1db4e652e14c751ba1a6a15fd81439d261efe2b0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: tripledes.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/tripledes.js
MD5: fcd80fd597ef5e6a0fe34cdf484a8825
SHA1: 94c5615ac7a0f2ee61bb5325e46d61151893dfa6
SHA256: 8d8de06235e08f38ddc855070ef8cb86d7c69a67b3a5278f8cbf2af64b55122d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: x64-core.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/x64-core.js
MD5: 677577ca38d04508f116ebc977dcb11b
SHA1: 966f596f1adb7e7780021ae463a62890de8b19fc
SHA256: c54130dcd19ae2c7f8c4b4a69cb2038a65d363899cddf7ebaae0102bfc8fe086
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar

License:

LGPL 2.1

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar

MD5: fb8b1b6b34605a5f009111354952152d

SHA1: ecf7ff886113ce62c8b84821517c18eee4ccb552

SHA256: fca0ba33cd0ec4300d7aeae8be26a9985578df5090c8e6126a2d8fc40a4bef3d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	hugerte-languages	High
Vendor	Manifest	url	https://www.tiny.cloud/get-tiny/language-packages/	Low
Vendor	pom	artifactid	hugerte-languages	Low
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	url	https://www.tiny.cloud/get-tiny/language-packages/	Highest
Product	file	name	hugerte-languages	High
Product	Manifest	url	https://www.tiny.cloud/get-tiny/language-packages/	Low
Product	pom	artifactid	hugerte-languages	Highest
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	url	https://www.tiny.cloud/get-tiny/language-packages/	Medium
Version	pom	version	1.0.9	Highest

Identifiers

- <pkg:maven/org.webjars.npm/hugerte-languages@1.0.9> (*Confidence:High*)

remotegui.zip: hugerte-languages.jar: ar.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ar.js

MD5: 823f9945c776bff8a5d1d33b7d053f76

SHA1: dc44a63c5afd84dc271d61e5673fc814e1de20f0

SHA256: 16ea01e589d138a6136652e9bbbff6f0a78c7da2c52f777e50c2b1c51b85cf6d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: ar_SA.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ar_SA.js

MD5: de0f31d1f1a0932c71125d7baef80a5a

SHA1: 29240f1954b11d0cc527d22342d62b23d6be35d7

SHA256: df5dea24dc375556b47d00f787af4457a306dce441d7560dc5708926e65196a4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: az.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/az.js

MD5: 41a5444280dc4fed40bd7007a8734bd1

SHA1: ebff1c1e5fe696a05d5b025cf996239d07e5728a

SHA256: 56722b025676cc2a88be8cb111e7d93a1cf5f076e25b57603c9ee34770eb1d21

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: be.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/be.js

MD5: a21eb5c6f25273f8bad1ed7d263c9bb2

SHA1: 029a79f496d18774c6e463c76bb351c5e36d745f

SHA256: 38ac39070c67cc3dab2aa62cf3c67f6aae5de17412aadaa7f3a7f0fc07fe1f5f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: bg_BG.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/bg_BG.js

MD5: 801f9914266c7293a3235a7fb0ae7f3c

SHA1: e7a34a80a73fff9be96fb31dc8f0f9d1a3987c59

SHA256: 251201625c9f4281c1c290631b000379b84305155f6e36387ff62c21ee8b45f0

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: bn_BD.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF

/resources/webjars/hugerte/langs/bn_BD.js

MD5: 220b63a6f7d42943f33d94ba67423a64

SHA1: 86740e376336efef54a75384cc7b08ba1dbb8224

SHA256:afcae81dc0d30507f943432518ba500a7fbb86b4e215643b400cdbc1b1ca219f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: ca.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller
/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF
/resources/webjars/hugerte/langs/ca.js

MD5: d44f1cce804fcec692b814e203609991

SHA1: 1cf7f636e5e5b04322d9d339da3315384c58548a

SHA256:268e5bd32cafc47a21baae85aece4afd933ca25ec9f9ead891679987c64579d3

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: cs.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller
/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF
/resources/webjars/hugerte/langs/cs.js

MD5: 79a288d0c7f661ca7f5e3107341e4c9f

SHA1: 9aee0c1dcba66150ddbb2648fa9a827633e94366

SHA256:a3f3b00c1079b33aa9ea1ecde5182c5f1e427931e6cf82e85271d5e8ed85a99c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: cy.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/cy.js

MD5: aa66134f9a69db8bf5e37e9c00486dc4

SHA1: a8e3c6399e8efe5cc72a88bca7d9df33ac016a41

SHA256: 7b39d495ecb2ea1eca56270c5591c17475756c9aee5f0178d7dda9fa41201f8b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: da.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/da.js

MD5: 86be98bf9b1a2028d498158c10d995f6

SHA1: 2a88c16d9f97f6fbd64841c4bc7953775aa7c98d

SHA256: 5f26a49c249458207d87d14f4a13ea76f9dfe83aa3192d9519aa3564caa5b593

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: de.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/de.js

MD5: c2a71fc1e4286824de66f53bd7b82485

SHA1: 13afdd59bb4a7ed1d67154bf5b5e8fd4e74ecc31

SHA256: 89ecb25e929cb079bd55d7747c46f8c767d0ae6a82d0b5f4b88ed9764d899db7

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: el.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/el.js

MD5: 915f10cf164e849c6fcebadaab64b00ef

SHA1: 9915d6d53f204fb3098db4fcc6984f3c7aacb5ac

SHA256: 023ff4f96e5a56be54b8f5fe60b5dd437e7e0701452a1b2c3cccd9227b6dc35f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: eo.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/eo.js

MD5: 8f0c327a379a1687bd1d79b356e0c6b9

SHA1: e8db0b00cf0948cc7912deffc721d91d55b8bed7

SHA256: 97e596fdc130fae102a9199bc538546abc46f300728c0f51697391d57aa31e5f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: es.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/es.js

MD5: 033628b467ed06d308c9612dcd5bbdb5

SHA1: 09113c6d952a730226b8a1d12cd237b3899789e4

SHA256: dade4c15e9cf8d18119ca2fdf6482b3853f5b59cf0f970d089170daf767075f3

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: es_MX.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/es_MX.js

MD5: 449d6aedeedbdb6381c83d9a5769597

SHA1: 5998163f1a11b65a5e7a0ab9c9dce230fd413e76
SHA256:bb871036a74c5306485caf250a509025740ee01a01c7423004462fea3cc2be39
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: et.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/et.js
MD5: 091758942df0564e10bebe19a78d313f
SHA1: ff025e62b8c42678618820b34d7931c5786b1aea
SHA256:6cc07e99a6c3b8c624a76c01a1fa3808711fae8f1f1dc47d2b8080b7522e8223
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: eu.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/eu.js
MD5: 1485b45393804c99c99314aebbdcc0e6
SHA1: a95f6eae92569b428b700fb12dbe489a0b71a4f5
SHA256:cc21d29d3cb923a4ff36015cbe7bd17dd7a64a5e72fc6ac872e4c945db16241b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: fa.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/fa.js
MD5: 0dc23c9242a62695e3cbeb9a2f78e139
SHA1: ef67cbd5dc74eab86408aa69634ae8e2067620d2
SHA256:22e7c7518a2bfad61e9fcbe065ecc02ab03fa8534322980bce9f99ebc63a73a4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: fi.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/fi.js
MD5: b7e0faf1d8fe236d9b2936d625a0fdb7
SHA1: 20be70760980449856bb658599c1330a5a8075af
SHA256:4917f9d328011a6ef7ab83ad444289f6f99f83b715427198ba361639dad96bb2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: fr_FR.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/fr_FR.js
MD5: dfa01543f5cf0741603c794997fb5d9b
SHA1: 635f1e92319d08246c041243dc9095d3c93e1f8b
SHA256: bcdfb2da8b8415d7127043dd30676369f9beaec15d3f632bd4c956bf9cd52598
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: ga.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ga.js
MD5: 845b69d910adfa4628178f438a718482
SHA1: 4943d1679c82f7e96a9336d77cb0d2c3aab1fecf
SHA256: 5958b2e476b049ab4baeedc79aba6df32354d77ab53d5d247031c770b1511651
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: gl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/gl.js
MD5: a795d0920b1380017ff30141839551e0
SHA1: f88dcdaa4f1ccc07c852f840f98e2152fef000dd
SHA256: 71207713e3e7847c58b60968a99f4a78433badc4fe7e30b72dba09aeca4555c5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: he_IL.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/he_IL.js
MD5: f0c6393b918763fc15eee6d3e0c37466
SHA1: 9b1b2433bdf168dbaa699f013d91e7ea7604e892
SHA256: 78083d15ce5a545d77b567697bbf442b183cb251db84479fc6b4170d61dfb246
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: hr.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/hr.js
MD5: 2441d08f559cb16b4d43b9d5105b860f

Referenced In Project/Scope: server

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

- None

Referenced In Project/Scope: server

+

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

- None

Referenced In Project/Scope: server

+

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: id.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/id.js
MD5: ed414a75874cc8ff481bfadbb830ddb3
SHA1: cbca76c07a1123375eea910af43aeadd620e0308
SHA256: 7c1fa631ca44d4e22f9c50b9891fbcca962e0220ef09aee6a40e75d5cdfd1cda
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: is_IS.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/is_IS.js
MD5: 9b77beb5d73d767a20f9023e43b95cde
SHA1: 89b10e76a8640b05c60235c2cd14f95fcecc5eee
SHA256: 628c8dc10e2139d038274d9f0df5bc71f07dc761f94ebf2d6b16b26c1d492d81
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: it.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/it.js

MD5: 90e171ba4678a4ed19a31f0e440aee2e

SHA1: ce567152b20166647800c975e326ff77eb80b769

SHA256: b65405201879f02f69f991462a9874c1a3a3cd73789f120e4ce01e0e67ca0711

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: ja.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ja.js

MD5: 9dc6598ea78c3171a5c79d12e9bd0d2b

SHA1: 4e7cb9da114814fe1bc798fc51cda71fcd0b38a6

SHA256: f8e09ab0e2d7b205a27ac040fe43756055e49247b706fa7ce3010507111eb2de

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: ka_GE.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ka_GE.js
MD5: b23cbf69f2fa02f39ed9086f46d0a527
SHA1: 96a4216380b61acd215df2c2c62ec2cf27506e92
SHA256: 60f5880d40ce0196356c7f8f1ccfa77284dfd4e528165e9da1a540570b0e587e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: kab.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/kab.js
MD5: 3b7ec13af25657f158d12387daaf5ba0
SHA1: 413a6adc6339cff29fc21c8a1ee9d713dd406d01
SHA256: fcbbc32ff3396f8720fa5384f168495f2046b3fa6a38a3415bc6349cbe01933d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: kk.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/kk.js
MD5: bfc0aef232b63aadea153d6169b33886

SHA1: edb0a148549b2481162c47544d83a46c26522f1a
SHA256: 3a0eae48e37986a44e71d7aeabcc9048de840262309cb13ca4642b6a8f4c9619
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: ko_KR.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ko_KR.js
MD5: 3c1ae38527476e28004119b28e635254
SHA1: 179653599026e2ac4cb9b87c2ad7762b8c792dcd
SHA256: 0ad35f07972e8121a88dcf1106a2f502b71998dbb485bd678fbb48adc8a6e3c9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: ku.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ku.js
MD5: 031a3776060e93cd2fcc2a469982794e
SHA1: bde4d51b40929f76f5517c6381f02ef63beec9fb
SHA256: 4c69b5c3c53f4f9069a26c409eae732e76316c1a39cb50e2b6296b9aee256f41
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: lt.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/lt.js
MD5: ae38ef0f7d831c5a2c0ebe933fd37040
SHA1: e2267f00cb816718ceec6b265d536f0eb41ea7ad
SHA256:a250c03862616afd2a73875e64c2ddd130c3bda5d565b744ec64e85bc6401cee
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: lv.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/lv.js
MD5: 5e9a34b9de6fb86881a0c116f445fcf0
SHA1: 9914a2be93fa142736794389a8ef160cc64a8ed3
SHA256:7068369f71f128d11f274aed093a35b649d6ffe0e33ec5b2cb56ecf5be1c4271
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: nb_NO.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/nb_NO.js
MD5: 2b23909699f576ef026ba5fb78ae31da
SHA1: cdbda59aa32791840f8d0428c7cffc54d722b63f
SHA256: e1ee0336aab8a84310f002fbfec4b7636ff074b5646c4552be7a8237593156bc
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: ne.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ne.js
MD5: 885af0f75b6673ac70ef74b275396b8f
SHA1: 5cbd5c46bad6c490f79dcfc6a53649cccca0f4b6
SHA256: 35322c1614889e08dfc7c46a8998db16efcdfd4b03ddb32e3c9813084920728b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: nl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/nl.js
MD5: 0826a3893ffe0dcf835c41f022fa6736
SHA1: 0e3d08a78eb44a9c625d380a05c0995da54f9978
SHA256: 42ca9cdc0c09b899c4c31bc9ad8ca252389ef50ad3f19ec09ea8160ca044b751
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: nl_BE.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/nl_BE.js
MD5: 81b7362a9af0bacb4f46de26b7258f98
SHA1: 7f4f768b30b547d50dc27670114f1e5bd5a9de2d
SHA256: 53578716f41e51150f1ef17e05294fcc4a9c251a05f63c4f9886c650999caef4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: oc.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/oc.js
MD5: ad364ff6bfb912aaa60afcbe530eeb84

SHA1: 7178d959acb8e51067c6867dbc104d07c7a174ea
SHA256: 3dc4b06e29d1d0f9e1337341da3cc6855505b4443dcc505e60c75f0e8cc9d3a9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: pl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/pl.js
MD5: 73c0a111949ba936650bbca9d70e7f2f
SHA1: e862ea235cff52a45837fd4b80f37e38b9933c47
SHA256: d8630e2cd3a9abe445ed7475635580ecfb02da50ccf4d3534b275d7bcd7d85bc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: pt_BR.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/pt_BR.js
MD5: 4025b9c06a52018128f87471d7536250
SHA1: dcf2f7fe4ef9b75bd76fe24f6a29639d26484e7
SHA256: bcdfab8b8e078ea63af41e912bf9fda8fe5bbb10efccd2fb59b59809dcdb5223
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: pt_PT.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/pt_PT.js
MD5: 9591ec64028ef59a6d4eed3254f77364
SHA1: ed58d2d5a64a1dff28c1083d808405a5437c5971
SHA256:f4687f157cacb710fefe7a234c7513e9c842375dc628fb85e356d7734e649892
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: ro.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ro.js
MD5: ee5452aead10357b0225b214dd94ba7f
SHA1: ae56e4a834e45614d4f26ddad0d7e0db61441f1d
SHA256:66ee1e952526d1200d4426df433d3c9342ae28c1f4784715b1e2436cc36bad64
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: ru.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ru.js
MD5: 5f4a09edb41ca0d3656f0d5ce9058860
SHA1: e4aefa0eb5f9f75fd1ea15807021e0867d860b76
SHA256: cc26bc049ef33a17197075266eaabe26a01ad63c304b964efcfc5cee4ceb41cc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: sk.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/sk.js
MD5: 46334ad086220eadf9a63d34c0f2c0a1
SHA1: 100e6a70a6f05d43ee711601895399b3cbb7921b
SHA256: ff3342881ae9ce3f99283c5bb2874d1222b526ac3636148415f40cddd808d90d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: sl_SI.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/sl_SI.js
MD5: bc7133a87c4c9d0bd8eaf59ef8c874ff
SHA1: 29c1685346e76a3bed36059a6bbea63058969879
SHA256: 58b6ab701cf8f0ee76a6fd7300e265cede6102c9acf83ceba8d4cf4b00251ff7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: sq.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/sq.js
MD5: 861c26592664176acb3e275413859f28
SHA1: e5f0e123e4d250d2b6e1ff6ef50f4ea3d7b7aa7c
SHA256: 9e266507d00b4e3d55af374d7097e74a66049541f761c93f2402ef941b50d2f6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: sr.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/sr.js
MD5: 85a21c38605be1a745a8d91d7d0b650b

SHA1: b42391f82ad5765fa205c62f6c63d1e365690c2c
SHA256: 94c18c230ab69fd848a72c3276c91037f7a803859438d69b890395b97e9f1ff0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: sv_SE.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/sv_SE.js
MD5: 5ed724e831b0b24b153d2ee7db5b3816
SHA1: f729969fcdbb302547cab963d560acb8da35c1c4
SHA256: 1ff7f0f713beb4d59fc3a45704ee9064264eba748dee158024af49ddd7d4ae20
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: ta.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ta.js
MD5: e2088db6edf402bc276bfc8d6856e2d2
SHA1: 42f8f57987cc20025703e0ba4df401d0cc8511b8
SHA256: 2704c32a0eae180c20586f7b3ac7a5d83e777f5d2abe14ce8cab8cf786dc7d1a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: tg.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/tg.js
MD5: cdd2d5743671715d8aaff1bda4ad1f94
SHA1: 917638fd2950dd42fef4dbf6627cf078bd2b7aed
SHA256:1ec107508768200fe55d3c56ca19f91bbcde436ae90d32c62d912f9131064038
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: th_TH.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/th_TH.js
MD5: 75f892fe79cac886b58ba8263b9304ab
SHA1: ced62928d872f509b9112a7be0bd652a028b12b7
SHA256:f09ba8c508eeb7fd2bd0a31ddb0909cde3e701a0c15a7f5dd7caa1aad1b721f2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: tr.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/tr.js
MD5: 705bd62d8012d72d0d4911d3ff5630cf
SHA1: 8d3beb46e6610edf2f362b5fd52cf6aa8763a3b2
SHA256: 96dd1e00efec4becd581735af1d6b1467cc9798de54f2e945ece2afb70d43e4c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: ug.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ug.js
MD5: aaec10538e96e70ff869484f6c747c5e
SHA1: e398b581d4d74426689508a414eea025392e6fe8
SHA256: 6fcda2bec399a07ae3684fdd4497318ed005eadf33b3ac24ecba3f258007dc0c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: uk.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/uk.js
MD5: 99020cb723ec0b122e56170b40053d20
SHA1: 5fab28c63533fd3e3fe00d38cd63ba6f23c32b2d
SHA256: 6f3fcb3f5f2d4920b3c5be68509ab140f28c454595cb5cfc3ad02e996146830b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: uz.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/uz.js
MD5: 6efa9afc8b45dcb30d5c20dc2d651a99
SHA1: 4cbfda4fa00dcfef02d859a683f6a2e049a395e4
SHA256: b03c325f76d34d3d62a0de7aed705b4c015c5cef8fe07aa10e28b5261397cd4b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: vi.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/vi.js
MD5: 181808a7542470b9901cefad7eb4b5bf

SHA1: be4a2aebc0c2e9fe45f2fbe7e9c19ee5ed78d6f9
SHA256:24622b29a7ad643866d6c8a74277e58f207366f2f3c34b4311b42f93204092c7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: zh_CN.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/zh_CN.js
MD5: 7584b32dc413a2d39e5b85d9dafa173a
SHA1: 10dd91679dff2a3160f40ad3188db117b9afa2f
SHA256:9c06f952379981963600a4b3aa40af35eec78c163d3daa9da681107f8c647089
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: zh_HK.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/zh_HK.js
MD5: 1b4894b4e6c2e724475ea8c701568734
SHA1: 552f1316a1cfc565a018ea4fab9129a3825dd6d3
SHA256:ba7fde91f1a45dd5c6901368d6dd18c24683a876629c54b88396222b493c4513
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: zh_MO.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/zh_MO.js
MD5: 90d19ed9a0ebb0b0680ba6ba483804eb
SHA1: 4912da322d65705edd33e0570e81714a7209020c
SHA256:395ffcd48bad59534174877050ef1f016fc7598382e46e6f2105a44620bcff31
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: zh_SG.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/zh_SG.js
MD5: e29a6f7769ede1bbbb5f96a5eeb2f24e
SHA1: 3407630e6f9c9919f5e7b4d9b74cc652946189b2
SHA256:0d13680b26585e33a31f21153391e341ff5d2c6a0803cb882a621e7dc5231284
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: zh_TW.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/zh_TW.js
MD5: 0a3c9f75e226b3129e8b7f89f7130007
SHA1: c940597951e8d42bafd5602b1801c00fccb1dc47
SHA256: 1dd655d41c2ac0bd1e939d787cb4baaf427fcddec6ba22c0f612f765195d548b0
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar

Description:

WebJar for hugerte

License:

MIT

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar
MD5: 40e3c36b730763dcffae9299f0a70fa2
SHA1: 3e832b2eee0c63d39d757c106d67aedfa531ccf6
SHA256: 2447fb813adb57766372cfb1b76e9318dd9022e6bc8eff4752dcd6de2c6651d0
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	hugerte	High
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	org.webjars.npm.hugerte	Medium

Vendor	pom	artifactid	hugerte	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	hugerte	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	hugerte	High
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	hugerte	Medium
Product	Manifest	bundle-symbolicname	org.webjars.npm.hugerte	Medium
Product	pom	artifactid	hugerte	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	hugerte	High
Product	pom	url	https://www.webjars.org	Medium
Version	Manifest	Bundle-Version	1.0.9	High
Version	pom	version	1.0.9	Highest

Identifiers

- <pkg:maven/org.webjars.npm/hugerte@1.0.9> (Confidence:High)

remotegui.zip: hugerte.jar: ar.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/ar.js
MD5: f5f0b4553a42a7a74e7be718fc557e2b
SHA1: 302dcb720a73fd97345627a102ef162125fee945
SHA256: 9866698a529f686db8b4222bdeb175003c3e09c142ba130aed9fa98d5aeef08c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: bg_BG.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/bg_BG.js
MD5: e532c81c8e86f9066729809870cff6fc
SHA1: 4e1e104ee689097ff1192decfe90175300e6baf2
SHA256: b884906123ab5b8b1ca1ea4c156a2d6635dc42319b10cf51b4d6e544c8c56867
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: ca.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/ca.js
MD5: abf90dbb77512d6a2bafa26c36c9e068
SHA1: 77120a22296fdd4c779f3736396215ad82276065
SHA256: 1f8935be80e07f8b30a9a96f5ba621ecc2f568fc96f69614ab4e073b6b3eeafc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: content.inline.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/hugerte-5-dark/content.inline.js
MD5: a8531e7d906f77df4085d9ded150c281
SHA1: b255e033e1b16c6df35859cc23c49a33c3baad8b
SHA256: 7512a420bf16d072edbd796eadc03c74483fe6f5947bb070f517a012b80fc576
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: content.inline.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/hugerte-5/content.inline.js
MD5: cbf28002f872e95b1e9310dec7df4bdf
SHA1: 22b3e10eb6a88534c75b1dc9be9d6b511eb53e08
SHA256: 8d35969f2fee55d8d2eb61f1aa8a2372dd941c9629379dda6f9f131457132c03
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: content.inline.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/oxide-dark/content.inline.js
MD5: ac1812f6eb6c6bb8e98918582d3e855a

SHA1: 4681a3ada53a664e69ee64477e735aa371cb5a2f
SHA256:f5433e2fcd731cc793e3c59313f39aecc22aa87dbc0a6b63ed1640ca6961dcf0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: content.inline.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/oxide/content.inline.js
MD5: 3b6064b7d2242fcadf7c3cd1025eb192
SHA1: 6e92f0f2c271bdeae04920ed292d5385cc91d344
SHA256:ee579e0bb81106269b705dd351fd986dd576b01e418c5d7a9f34a15116163a3a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: content.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/content/dark/content.js
MD5: 218eb5454658554e8d6094d607ef9f35
SHA1: f784fd4493d88dca9b7c46492a0a95ef16f5c0fb
SHA256:cdd9773b89ccda5cfbf54982376a2e28ae038d2e24649cba35c88d17991d283
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: content.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/content/default/content.js
MD5: 132f74870c5e313c2fdab42f1284c595
SHA1: 1005edec7a293e74d659823370d4fb589b1328ec
SHA256:e7f4d1b242145ee6d6359b90140226a759267a8aa753a2d311545d432900fc10
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: content.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/content/document/content.js
MD5: 3b0be7f67904711c70f317ddd089f5c
SHA1: 4ad6d86b14653ae3d62974017cfed4ee5294a695
SHA256:4b45250053780a31fa19ead75e59f56d57d5d1dd6e285856ad5aeddc3fc72960
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: content.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/content/hugerte-5-dark/content.js
MD5: b982025040e29e7cbbb8d113fedfd69c
SHA1: 4042d2d851ed0b54502fea16c06d9e28159f29a8
SHA256: a28224012e76c4e795e0854f7f99ec681ef424b589b4661bc8f68885f98e98
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: content.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/content/hugerte-5/content.js
MD5: 1130965418bf44c6d085f938cdff6650
SHA1: c59de9f12455d9eddfc658b74c28a355f68319db
SHA256: cec00ecbc3b3d3f8afe4586a97d23cb761994002a224c21be3e29057636013a3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: content.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/content/writer/content.js
MD5: e4542246b3519a09b2d632b5197243e8
SHA1: 9573c58453f17a4c921086d5f90938987fe511e8
SHA256: 852f7d5ae9af37997c185bff42937182a79e494089a75b782266882cb4f4f197
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: content.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/hugerte-5-dark/content.js
MD5: b7766067e593da14ae6f23d290c9bd6c
SHA1: 6534e3c7ac5b4e5309a7dfc2ea3b0c337d442cc2
SHA256: 45e8515c9c66aa5066577c1d275c586965ba4080a951c292beeb2b3da0d0acbd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: content.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/hugerte-5/content.js
MD5: 9d85292a93c6d2940a80f50d1f0e6966

SHA1: 935d111369099d41bd50a3db11d6563051a634c0
SHA256: aee448e5c016b1143a15ecd0f43e555f3c9add2bca6af40cc4b36b88cdc588
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: content.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/oxide-dark/content.js
MD5: add25b66f87fcb7ca581f9f2b953a653
SHA1: 989b6df98ca78608dd8ddcc2c3033bde0de2d8be
SHA256: 0786d0145a5e55b9ae24c45196348cb00c5c91454f75a186d978942739091bea
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: content.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/oxide/content.js
MD5: 76c08495990d174584d15c5f50a8e5c7
SHA1: e75376adbaa0ac5d81908ec178263ada61dada8b
SHA256: 23e53a768bc59564bcf0e8600b187a8fc8822e23c2f175701d760cf5153760a3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: cs.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/cs.js
MD5: 1779aef97fcc89fa4e8c6ae639bec3b
SHA1: 0c798783fa338bcf0b607e19b69a157e5aaf67fd
SHA256:dfaf6a6afa02f7a7da5c27cde37b1074e860982c75ca4a7d8df9a42e8f1ad723
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: da.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/da.js
MD5: e3bcef539406efdba466a679cd9625ba
SHA1: 3529f5c2cb29ac9eb0ef88d41ca2007e5b78fac7
SHA256:96e1ded7bd90160f1a26e3b4e04128d0c45940c459cc25763a4898d4731e72cc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: de.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/de.js
MD5: 24268690ce3e0719f04f4d8bc47c1145
SHA1: 57d8098db012b33e240b5816d014960db2d80087
SHA256: f2f2eee6eb358dedbce018731c82def4a43e8343ce331fba26150f7377ebb410
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: el.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/el.js
MD5: 1f775a05597f190dddcbe67b14d4bfaa
SHA1: ab9abb40af9aebdd589aeed4b24f3c50771f9d9c
SHA256: f252b51d126cf0ffd18c3c2c68554e4026adcd0c520b1338ae353a0849178450
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: emojiimages.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/emoticons/js/emojiimages.js
MD5: 0e1ec31644343aefba41e9bbb5ea2231
SHA1: 3235ab996282c236e7bc4c711cada55734fd26d0
SHA256:f9a88019c8420a4b97fd84faf58efc5e8924e14c1765b829179e60f23c41893f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: emojiimages.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/emoticons/js/emojiimages.min.js
MD5: e0e428be7a98bedc05200e5df282bb0c
SHA1: e858d05289b36fa9b0d43a3460a639498d7109f3
SHA256:14e1cee35411960c25902c281791a769024993abbf406388578ce0f974661acd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: emojis.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/emoticons/js/emojis.js
MD5: 2a49c03ffdf163dec6ad6e104c671170

SHA1: e62bda2b7fa8b932cbcc964ce39767430ebddede
SHA256:59bbd3aff8dc1dc9955c3f30c9e2f15111102eca13251a46e3a825c215253b65
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: emojis.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller
/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars
/hugerte/1.0.9/plugins/emoticons/js/emojis.min.js
MD5: 1eb6671b67d9dfe2947197a7629a0129
SHA1: 42c380fb43ad0289a1d3a5336f9e8ccedb21871e
SHA256:b662b97899d18ec5daf78a78716a0f939b5e6bd8ada678212bf8de2a782b54e0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: en.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller
/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars
/hugerte/1.0.9/plugins/help/js/i18n/keynav/en.js
MD5: 6282ec2e9f83d1acefa2850555212877
SHA1: 853f9a0d2a2191756fed83005fdea7f97b5e41d5
SHA256:2223298388692bcc135105122d1686322188e6511163860453d791d1243279bc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: es.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/es.js
MD5: 810a9870708a49348955ead70c5d7009
SHA1: c6e78b5abb4c3cf4d67da9ff7c848caf24861c16
SHA256:dbc1fb0acc05dd8e01e2834f69f5f19fadba93b90e76854063663e5b335fdc3f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: eu.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/eu.js
MD5: 0d85c3a9cf44223833af08ff51d80e27
SHA1: 2ac31465284e8e4583a8ce69abb64c3ff461114f
SHA256:5f6c854cf8372351ab402d7fe1f66a5a837c08e979b8072d16f32166edc07b02
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: fa.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/fa.js
MD5: a6809dbb54bf58699540c6a210e3cfde
SHA1: e3c03f38d4b4da86c3e9eb761c9f1a1ed542f436
SHA256: 6c4c3e12ef9d008f12fa5b603658a6a00a0940ca7e85048d87ef80666eb3c36d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: fi.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/fi.js
MD5: b7f976710075bdcbf5e57ee57acb59b0
SHA1: 8a4b373ecc42055da226c1c31ad9d976a10b9a11
SHA256: e67af5c13c21f4421bf7160bd19aab9318e6d19955111c5b9f890a362d0899e6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: fr_FR.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/fr_FR.js
MD5: d2eb59e6f3de25ac913be0e61a05591c
SHA1: 715dfb82a6e641415c0047f2901b7926ee8179f2
SHA256: 5005b632badb0fc86ceaa196753a4712b1dd76d50b79e0d5d6410efa96f55ebe
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: he_IL.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/he_IL.js
MD5: 57b3dcbaeca69401b1a80d78ddb7d495
SHA1: 95b7e01187222aaf1ea80d0b74f846cc9a4f4764
SHA256: 692233e8906b51c91d1d70882a0502be5dddb2027b5095c07d79c491925ad8fc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: hi.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/hi.js
MD5: 9eea865c5a377f40de2f8b4c41da17a1

SHA1: ddd56f4bd89abe1c502e0a9ead4b913fb1ea00fc
SHA256:9585fc860ca2b1a749f458be9832932118b54d5e2b9591df62191ffa22102592
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: hr.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/hr.js
MD5: 3279eb68d7116c5e50c2445e392e313f
SHA1: 2b3cb7b1e01fdd84b9a52becf9f310329f4bc61a
SHA256:93300531f9cdd8b934d7a2f421fa0fd36ac20b2eb7f09a0b25ae96b28c3cfd84
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: hu_HU.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/hu_HU.js
MD5: 27b9bf10dbe7c9c15b8ea20a44b569aa
SHA1: ca2dddca3514deeadbb45a59877a5498ecb7faea
SHA256:9d62a3922fb0f24d96143e1a677211fec156bcd53ef0f60b386b8738861efce1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: hugerte.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/hugerte.js
MD5: d0aa2effd4195d127283b734e149192b
SHA1: 987bb99dfd3f7834343ed9610ad9862c8e465efd
SHA256:3c3ab278cd6a18aab0b5dabd7794bff0511c36b28128ddda21a66e38de04dcee
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: hugerte.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/hugerte.min.js
MD5: 5303f8cde20e4ca7877bf6eed3a30e37
SHA1: f64876d293f88f8184566b1f75be76cb3e3746b5
SHA256:47893b03a0e0dcc89476d85f1e9cdbb7af26b67a21d8823d0062632844b337a2
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: icons.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/icons/default/icons.js
MD5: 946e6ff563681f2a84bf542c7d1f835b
SHA1: 57dd9db9f500ae6bbc16c1b39d6871be228c12ec
SHA256:a70cbbbb7c397786fb814a416f691b2d39bbc1856af4c975acaccb27f190bb1e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: icons.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/icons/default/icons.min.js
MD5: ee63c9a58bfadec7d3f124f01fe865d8
SHA1: 04bcd2f358ef5f562ff3bf05ded0e86ee39fb1f
SHA256:c422b0ee2a8c7c988d377c3455b95fe98b95b07616de53abe547a631cb7845ed
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: id.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/id.js
MD5: 559f08d3791f170b18fab02235ec1682
SHA1: 3e1621e3d7f2cc26ec7c76e3aad8b10740284c1c
SHA256: 6b6f28465d15233f2f9d98dfea0ba7e43d983f7c5a616b5cf26185ece8248810
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/icons/default/index.js
MD5: 712c532c3b060cd5981af00496091812
SHA1: 1f0e1f66069455601e60b07941f412ec8da948d5
SHA256: 01dcd2e841efaea732b35abab85f9b9c177708377e8a71cca9aa1cbc08ce50fb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/models/dom/index.js
MD5: bf6538ccd91ff0c8c459ea52568dad68

SHA1: 039492d60bc08eff76200837b005f238a4a4d93b
SHA256: 7e00163f1579c2463df0e1794c7083972c531e65e97e79cc1d3fa5fb79b8e782
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

• None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/accordion/index.js
MD5: 275d42a50d44665e7c641933489d2fb4
SHA1: 4fe5780ee870d8e4ed3e19b06a6dcba0745951dc
SHA256: cfc10117bda3513b6a8d5fc147c46d599d939188819b053cfe8b037d27aab68
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

• None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/advlist/index.js
MD5: bf1fd55a8b6b4c1288234708e4a63e04
SHA1: 4c00e9817344c41649c8a5692b8a50f46e86ec63
SHA256: 65afd673d4ccdd16025bbea20476e1e97173e975c6907b17a03bbbf3bfdb8e4f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/anchor/index.js

MD5: f53211f88e234e0b071178c50bb17158

SHA1: 7ce22ad1179e09599e011a9117e17a2b648fd131

SHA256:db1389e04f95143a547eac5a86b8b83ffacae1baa4abae7b1b9c71158745a10e

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

• None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/autolink/index.js

MD5: e71fe17e37cc448ee08c8073edbd8511

SHA1: 8f90089dd67c4dd2c43ce5bd0c2041957b33814b

SHA256:a8464397c27fa3fc75c53ab84f63daae3c85d7b25106af78b2337752f1e18768

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/autoresize/index.js
MD5: 6f84b0950a44436492f038d3aa0ba3e7
SHA1: 4f4bfdbe1b26fa78144a693b7c3dbc4d33f0db94
SHA256: 171a9ea14e7b62d3300d5e5d557bd55d366d3ae3a707273898df479c096276eb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/autosave/index.js
MD5: 08ef53866b246c81dfe6ef294869a901
SHA1: 431a34505e18811756e55c896308c5b1216fd994
SHA256: 421e960cdc5dfa2ed55fabf2223966e7b8ba0fa29b04eb16cd0d1076013e54b0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/charmap/index.js
MD5: 4c65bd74732eab0ab7e847ecba83b2b8
SHA1: 39b4ed0edd6e1ee5c4636b947e518cd4d07b1c22
SHA256: 74c2ee3ce6dae9ab7052f10c47839820e2b8d15a8d82360d76c22adf2e140036
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/code/index.js
MD5: b44ce9c633a47f29ece07d74747d1e06
SHA1: 7ba540f71aa2a39348361b231a3836e247070e84
SHA256: 989a665058a05fa887eae0f403aee3207efe08c27adbf298db424ddd877002fe
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/codesample/index.js
MD5: 90f716db1597b13e7574913db0271635

SHA1: c27fea0504a61d12e50a8064c3c8f76993e57304
SHA256:090fd58bf0e341f935b41011fe6d785674f550720bc4d3d7fbe61b9d7250b573
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/directionality/index.js
MD5: f40440b25858539de61515b1dea80954
SHA1: 33d1633c7f24beec0f6d23c6248f0df20a16816e
SHA256:bacf651ffcb58e57f22f8f6fb14ffbf696a50ea7b868a1f4af9cd03bd13b3884
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/emoticons/index.js
MD5: 9c2896100b43bf842537b98ccb1696bd
SHA1: 8a5d6682c000d686462ad08266489d5ef6e4bf6d
SHA256:f6ab4d39b9c01bdb42e11a9aeed2f28e173155d1a8c3744ae766db3820ab6b02
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: hugerte.jar: index.js


File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/fullscreen/index.js
MD5: e187f0117b672a2e8033678f08d2f1f1
SHA1: d303bb5448dc1e0d404f366f07b51cd3f0487c28
SHA256:ea62f70b60de9fca52f2d2fa328391a3bf5d3de2965d40549fd1dbdd74f69d4b
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/index.js
MD5: b5bffc3c2adee9b308f33253c4fe7004
SHA1: b6307cda1e5123ee6c213d4f2c072011c69876c3
SHA256:9740f6f6ad80924540a5bbf0c2a63cc9dfd8e61794fab7fd0f1b01a25cd6b92f
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/image/index.js
MD5: 095a51c136955dcc74a7e0fd9604e21a
SHA1: e68b5998a5cb615262e6d82f2e823bed40228967
SHA256: c4680d28a23819fd558d0535d085e7362d8cbac560044be6c9236708ee8ccf2f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/importcss/index.js
MD5: 5e5f8c0aecc68703ecbbb0e4234e7d27
SHA1: 523289fb23e7e4902a037c16885ee32d836f00ac
SHA256: 81545fe205f290c3c31c7bfdb4ba83b3081f90ddfccea856d4b6c29ce6944745
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/insertdatetime/index.js
MD5: d8a0567abeb81a32ae97c146b2056f1c
SHA1: 6178edb15029bf8995370971585639e047345aab
SHA256: f5e4e03c4fceeaa5e024fd441d21be9d6f403c124335e0f4430f3cfb6ec4d124
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/link/index.js
MD5: 77e9b56d47087efd55f769120600d9e8
SHA1: 75dd165d3fc4f04daa39c21f2ade96fdea9afddd
SHA256: 320914e928c5be2837bec40ed93b5b6c536c027e67bdffd9db2119461057b7bd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------


Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/lists/index.js
MD5: 024e229dcff4a27cfcc170a5410b4843

SHA1: 4c554e5bc1d9621a491410c001775da57f879798
SHA256:7790a64cb53b91a9153c1b69bc3da83e3b159d20a7af6bdc13d27874a4615168
Referenced In Project/Scope: server

Evidence 


Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/media/index.js
MD5: a1da1bf87b3ac65830fd803e9a28c381
SHA1: f09ec4275e63ebd377840fad37a65b011ddc6631
SHA256:45426a57dc58b349746fec58e3051f139895fdbd818c671f8f7c17443c46b701
Referenced In Project/Scope: server

Evidence 

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/nonbreaking/index.js
MD5: 8c1c718293b28a845a15c257772ff932
SHA1: 7fa2acf1e9f7bc30632d71735ef9ed0d2f9fab29
SHA256:720b764ae93c6103550a9200e0effd11853b564f2d6be45743bd17e4276a23a2
Referenced In Project/Scope: server

Evidence 

Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/pagebreak/index.js
MD5: 165034455e178e0eb99918d3a1421dfa
SHA1: 8af3f0527d7530ef2e63e621e7dea1c3c376162f
SHA256: fff3b308b4a7e7e6756f7c1cd80517f788c8fc0e95cb9b7bb360b6f24892f5f2
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/preview/index.js
MD5: 83bb991d584186dab916e348799e4e2c
SHA1: 263f51c7a0512a1bed20eff7895b6498978532d8
SHA256: 2e7cbeb72f62c23c850b1376295742a5c4908ce80808e8a9b9de214deeb7a72b
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/quickbars/index.js
MD5: 99532be871de2c1e018b2f38fae3f505
SHA1: 4dad183c0694e2b520d32253e332e10179891435
SHA256: 3b0f4ee52d5f152c733aa21e443ddb633517fce8675fdb8b164346e32cea3770
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/save/index.js
MD5: 358e82db36264f8bf5d5f211581d2e12
SHA1: 85b2560fe9b4c7dd77be693082e8ca54561d04e2
SHA256: e4ad55ebe0c5dd257c742be63db9f7faa361a03febcd6949b34e50a5958e257
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/searchreplace/index.js
MD5: ed22a1e468fc1241e3e70c8720098442
SHA1: 49ad5ecf24b66612a3e9e8f1258f5fd8d1ac6624
SHA256: 2e9e32ea2edcd011f669cac3b7bf65efd4635a2c24c72a81167a7bf79e6a4c73
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/table/index.js
MD5: a40ed84889ba858c1d78a423a7339067
SHA1: cea53ea715d6b6010912a3bbcec73e7c9501bd4d
SHA256: e23ef84ba7634338aa304fce140296fb95ed92bddfa40e1e8975a2f725de0dc3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/template/index.js
MD5: aeb80b7c4b07610c34901a284b372ed9

SHA1: cccdcf94dd46b6ebfff271867bace1d0df8c3255
SHA256:6b6206bca3f79af4262b418278b2b1d44ffbf0c16e618d6daabc3d022e555d6b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/visualblocks/index.js
MD5: 99fbe6ec0ba267d5bd4f4b56834bd6df
SHA1: dee26e00314addaf5d7359e4f672c6fdb309b17e
SHA256:1527138d82593c7a2c56998be7d938c05b1d18dc01590ba8638033f41655dfdf
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/visualchars/index.js
MD5: cc4e861499e09f90d3d9214c307a9078
SHA1: 058e9ea96642f6d7da84f762a854c9aea27c7a5c
SHA256:09730d585920b1cb562c8e382cb7180101b81d419930364aee24714e1eec37fa
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/wordcount/index.js
MD5: 042a01800558e0b5f08e835cabe311ee
SHA1: c0efda748192eb1ec1bed53d5d48447899f9e7e1
SHA256: 01e372dddf4f6441849ee78e1ded584ebd68d35fa0a7da3abb7c27fee75b90b
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/themes/silver/index.js
MD5: c116e3f9ad1e1e3e232e65a88c76606d
SHA1: 4b21b67afb114f7d741f0c78ff1a8a6d89342806
SHA256: 7a7e4dbaaebca073b2bb9bc3eeeba34ce5496be0a35b62bce19b461b43218911
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: hugerte.jar: it.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/it.js
MD5: 368a1232972a0c4f634c76db78e5b498
SHA1: dbb121749285ea1340cf147a3f44a3cac915e734
SHA256: 7b9aac4916b04925b60c3ed0c3f65adc48373d479b6d030b216b4f031401e9f8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: ja.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/ja.js
MD5: 64c8b443274c245de92530cf50ac8706
SHA1: f567bfcd4417b6aeae2fc38edf748924b1181efc
SHA256: 53276c8771c3de2715c9ad8eb2826d997f0d8830ecf2e333388ff0c27d6ac30f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: kk.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/kk.js
MD5: 3f9a7601fd781bb6c65059c58fe96989
SHA1: 189054aec78882a40f812d5cb9b300f452872a7f
SHA256: 37325ef03f35faca200aca41e278c54b67e437ff81e74147480598470e43b2fc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: ko_KR.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/ko_KR.js
MD5: 20ef64c247eff15d94fab02896a15c6
SHA1: 4ffbdcd647ae10e4b54b50a1722ea75b8a9e1ad
SHA256: 85fe5b45bb8b659b296a16663f03987bf40ec88099d52a4d1d56879665d6da2b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: model.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/models/dom/model.js
MD5: ea92d999d52ff5bc41dab34f3000109a

SHA1: fc7aceba92d2b9489b66227f330abe03b18420ce
SHA256: b0b76ca1ce4789de4cfac034a0268d9d8cbe5385356f826ff44a73c156a4f9ec
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: model.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/models/dom/model.min.js
MD5: 38ff76460d7b2cba43647cb8ef80b494
SHA1: 46a2359c0480257d4e8796bcec443f28fc12bfd7
SHA256: cf9379ce9f42b92b2e8a38f3b112b0af2470f25d1f0eb5d77f472964177939c0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: ms.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/ms.js
MD5: f0f057fe6321dee6122f9dc1a0aebfeb
SHA1: fbcacc7aac260a30a4c6213687aa7f3371995c83
SHA256: abff2edcfb4baec1ebd93c681f58fe893a09d56a3a6c9ebe8bd51348dd78925b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: nb_NO.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/nb_NO.js
MD5: 776be941e0917d4513e0beb2f8e18e99
SHA1: 164b9c95814d8941940485a56e8d5c2144fd2693
SHA256:4e2aa817da52cd69366fdf338b40d6e4284f521156b9e73653b468327431e3df
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: nl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/nl.js
MD5: 5199e61a9d49f51233fa4996003bc1bd
SHA1: 19056a6dd9e7a5ca3f77eb810d821fa14c6b8ba9
SHA256:5620e476f2a53f177ebd3dce0e5e1d0712922784e25f4a4a7e4ebd61133dacfe
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: package.json

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/package.json

MD5: c83739ac586c57e24f48d20412052cc4

SHA1: f9d2fde79d1e57c3ec1fce7df38a5bad6b8802a7

SHA256: 4fc3895b1495936c7fd491f87593269b53ec448c0931ee3be0c42848602510ef

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: pl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/pl.js

MD5: ad4d61e73b6f7c576bb2d042b7c6ee83

SHA1: d88f3d98055cf7ed05a82402fe97fc5e08c9a2e1

SHA256: 9d0dfe442f6fe41f504a97ba8154fcc35d4cfd011c518f5812bf8afc5d2b4552

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/accordion/plugin.js
MD5: bb9a851a7652a629cbe9014fd0d45353
SHA1: 4e961e043fdb49db615a5fe3604eed67f0514d6
SHA256: 0d004a5b325e59fd7d46e708cbe7eff96734d94f2b9b3aa8d9793c822c1a375d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/advlist/plugin.js
MD5: 9672017f8cb47a0f8e7a15288f1fbe2d
SHA1: 01400fb213a38c57ab82828cf4662880eff48f
SHA256: 4e2b9ea093af00a79a8fcd5b0b6f2b412012efe82e50d6e19233cf1379d08b6a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/anchor/plugin.js
MD5: 44cbc9c4f90d6fd656d86c827362cf2c

SHA1: 1418c7f38ef3a0b7c46ddf2dd05a1bcc01b19f99
SHA256:8b62f53abc47941cafff332cda969f5954057c402bf46abd0d1352c4269ef218
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/autolink/plugin.js
MD5: 0ab7a578e466b35723d0ed662415a013
SHA1: 310889d42259d9ff43bca44d38bb8cb3c9773bd5
SHA256:28f7e1b80f1136c6725de1b5ada7cfe3150edb7c245f1b8172911b17d0bc5654
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/autoresize/plugin.js
MD5: 534c91532b22102088a443af10500bcf
SHA1: 756f6efae36d116c0b28d1552e70e35ed165f233
SHA256:f140bee3dcf93b5c14f252f2a813e4bfe993ff6369a3da5bfa3ce9eaff525745
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/autosave/plugin.js

MD5: 004b04a41cc83b5d672129bd6db5e5af

SHA1: e361b4009a2a0ba04464b6a48ab2834265f62948

SHA256:3731d6e377a3845ff76f2f100892b189a6e02209d38818c944a38fd01a18b11b

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

• None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/charmap/plugin.js

MD5: bde87f7ae6a5f2c09924f31b072a9f08

SHA1: 7a846c883f204aff2c0b485460e9f9c943569d69

SHA256:6d1f628c4a4898db9874963d77e4982a9377edefd717acd4d053361f4c50aaca

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/code/plugin.js
MD5: 2b1923091da88983782a7233383e71ca
SHA1: 32a2e8c7030f13d09f529e205ad3eddf085fbf30
SHA256: ec2ddf573680eedd8614a74554284c260f234cda60d7151ccd86148ba7b03852
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/codesample/plugin.js
MD5: e452f1703dd40fa5005075de1b8c4bc1
SHA1: 6998084c2f46aa53c290a14a55ce29e9ca7adb8e
SHA256: f661d7710dfdaf1f16daa611c0b795cbe49dff01624419d99c01b52367b02c20
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/directionality/plugin.js
MD5: 218e4936d3eaa2e92fb7c20cd912ed79
SHA1: 7779f79b46260adf35ab6d585ae2138b6cd843dc
SHA256: 9e219f89c0d2a6f31ccfb55590846079b0bb2c3fc90c7a4509f62bd4ab9edf68
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/emoticons/plugin.js
MD5: e5acf963ed401e7ce50d92caaf8ffcb3
SHA1: 7b23a4251aaf63bc1fc4f843de9a87e8b4422a6c
SHA256: f90b9cfecfa9124f228adc778b1a385b203ab980a4dc4d962401ad4245ede9e1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------


Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/fullscreen/plugin.js
MD5: a7190f52e2a2ac9a54ebcc4ed4589bf2

SHA1: 12440a7193c2ab61a55bd9fb19b4247504ea781e
SHA256:03b026188abaefd15805519f58aeb88e3ad091523fd4c8cd85bad758a908e5a0
Referenced In Project/Scope: server

Evidence 


Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/plugin.js
MD5: 1357da7329d4cf33cedf33a0d40bb6a5
SHA1: 01ebc257cef3efdfb2c909121a4c4f72c7b72d94
SHA256:2ce9d07771aa38674cb7f3c2eba96ce89c5f50b3cfaf0e441e61b70d47359d81
Referenced In Project/Scope: server

Evidence 

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/image/plugin.js
MD5: d8f13a4068dcc563ea9b18ead5de9012
SHA1: 1a89b6d2f03d5d8ce023ba2d86953469d395d3a0
SHA256:9019eda1d1613d6db8aa7bf0159e1b86ce8f29570f00707ad8bd5ca483bafa83
Referenced In Project/Scope: server

Evidence 

Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/importcss/plugin.js
MD5: 672c399c9623bb568183592a7a952aac
SHA1: 9d587e0d6b87ac561a7ca2286f02926baeba515f
SHA256: 7e935a56695f19cd1c494633d8facedafce666bda736ecd37836e69f8ce9087f
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/insertdatetime/plugin.js
MD5: be4fb6445ed89ee977689961aa9b496e
SHA1: e5594d16ff829fe0b94532b90d9eff74371ecce2
SHA256: e92c219053318a85f82e9077a4b5bc88450b362d0784c119166917e9cf4d451b
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/link/plugin.js
MD5: b06badd72663095e10be856258f46fe5
SHA1: d5217fc363ba0eefc40494597b95fb2ebd74c320
SHA256: d358673ca0a1ed6f3dbff46949f242639dc75c0ed9c066edabdf2167f6bce1a7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/lists/plugin.js
MD5: 37a02adc5b441e24a0675686a97fa40b
SHA1: 5c494dce06dde1ec60ea34f714d90a51345184ab
SHA256: 94851d8dd5848b11dac8a04a7cd0e4be932dde7904730879aff797d4f29523f5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/media/plugin.js
MD5: 79e41e725b87125f58681f0b66cd9758
SHA1: 594fdfabaa7ccac14e88f539875597d0b27ba3a9
SHA256: b1796e52348418770c353b661f7791f0267c55e28a4b619bf5ad78e408af2fd9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/nonbreaking/plugin.js
MD5: c9b9b0b37ac4387187e0528129af0593
SHA1: 9b6bd5d34beee839b7de482db5c62da6ecabb179
SHA256: dd8a18e24375ae9bf05d10986dc0716a1512f06079388c30fb2976cbca8bf56c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/pagebreak/plugin.js
MD5: 4c0768968e5bdec1b021efd551650427

SHA1: 8857714337a7fd3d605271d30cec692cb18c1130
SHA256:f12553a9e8b8ef4e7f469eff0db21317997c35bf360481f972c3b0959ddb8e16
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/preview/plugin.js
MD5: a28b9a72f10d3b604840aafe2e172953
SHA1: 9a82bdfbf5fe053993ce408ea828159a601f5b38
SHA256:63fd32916b397f82e07d3d88697e7a4e55e069ba6055e3cb4f6a8e2e2d50ca29
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/quickbars/plugin.js
MD5: 9f18ced48cedf30e140d69ae1e793c5f
SHA1: ac07614d0d9ebe34e79382a97e7a80eca56465da
SHA256:883c60721cdb06e30d33c24034f7177343fed69bcc2b4e0e27218188cfa4dfb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/save/plugin.js

MD5: c30e3938d1e31a890241c2fe2763e891

SHA1: 227006428928fb2414080dcead17534ba6994285

SHA256:069cab9c9616c94fe0eb6028a01db61a79d55a7088368c4b96b6831064dfa796a

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

• None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/searchreplace/plugin.js

MD5: d1cfae03ecfe36f136fdde332d800d22

SHA1: 89faa9d53eda9df05dbc67af41afe5176a952364

SHA256:7a2b6ee2f04f81933352b6c69e8af8831cf978c650249501733cc3d00d65f7ae

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/table/plugin.js
MD5: 72d3502b85e9cfe665a17dae1f75f8b6
SHA1: b1d4d1bbc0051878e274cb1e0261b1ada46cec2b
SHA256: 8b1b59e1fa2c07d3c998fa07acdfc0253e802101c44ad84289578547d4924b5f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/template/plugin.js
MD5: e160b39a3f84d978b8c3f5f505ee2ecf
SHA1: 6eb9eaac47b0c292d5b5a9c40c390dce8bbd00b1
SHA256: 1384e7fd322ef044199c17bbb4fa068700c34419f02aec5bd70fe8012e5865a4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/visualblocks/plugin.js
MD5: f4080011127a6b83a27d8cc09cd09385
SHA1: 90117ab6546f501e835a25ea584ae52e36ce3c8a
SHA256: e669b24c7917beca7a6c743554e83fbfa99c0f20b9e5fcc5dc24bc0b957de7bc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/visualchars/plugin.js
MD5: 6d530b4958f8e328ae3158c91f85319c
SHA1: 9925e6273be20da795b51a96a1d4bf8b33208b74
SHA256: 188934dfbdef9cce8445d474eb462a47f07e0d6537af4ae80498c9b76640c5a9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/wordcount/plugin.js
MD5: 73f8125bd8632aa20b27348410935f0f

SHA1: 2f1660dda2c4468063a3d77dfdbafee5bc246716
SHA256: e8e593dac4ffca3f0f70d92caac136f759492ddba2212e2ee0b603fcda9117c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/accordion/plugin.min.js
MD5: af5f50c03d18bc7e20527c879cd39b5d
SHA1: 6ddf83c7b6913eb1f62eb752ad8a9b59e8acf3e2
SHA256: e1d095e2fe0edc89f2e75be7807d7e1e401fc91a7b7869b8daad9fdbda72768a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/advlist/plugin.min.js
MD5: 0fc3aedcd87b363a6fd16ae3f0f448e5
SHA1: aa6bce57ce4454a12bf2436d998bf50602d7bcef
SHA256: 12c18485e809b0515c0030f25b969c1baa5c2f6ef4bd6bd8b9e27d177b76109b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/anchor/plugin.min.js

MD5: 296ce02af3e17a6c04fc286e22531027

SHA1: 537ef2a71a668e2cebb955d4a21fc6e0630f1f03

SHA256:58814a2b194ab60f8a4491be47ec2fa6589c4bbb497ea8758dc05aa16842caca

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

• None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/autolink/plugin.min.js

MD5: 3dd3680eb8ac6b1522deccfe504ab10d

SHA1: c78c9611e4d93c910a1b1829a0193b3643a431c5

SHA256:077956a523118b659a2e495e04b4f6dac6125cc53cea087c6534450ee0cc0be2

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/autoresize/plugin.min.js
MD5: 1b8174e2fec6b9358892617d3b5cbd12
SHA1: 08a7d0eae27d40b8712510f8c134bdc27e4421f
SHA256: 44607b4db38864c672f26be755d462711256397a2e8f69816ed82d07b721e617
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/autosave/plugin.min.js
MD5: 30f756aa108275a41c95577648f1fe88
SHA1: 5a340724636283fdce725641daf17ea7ea3f3383
SHA256: 9019d96afd235741b329b097b636b08fcc35da2840f7088230f830de4e3a6eea
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/charmap/plugin.min.js
MD5: fbbfb4b28f9cbf556a78769e552abc8
SHA1: 6b1dace5c1c01271011e8c5184beb885e5c8c06a
SHA256: da81a7ebc1fe81239a90892c397ffa9ff27ab20ae04b8b12604c7556e71b3daf
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/code/plugin.min.js
MD5: 28cb6cc3a793740f4e98ec345e80f982
SHA1: 84ae9d76be67b6e32022f81c940a8ee8d715975a
SHA256: bb9f782bfd003de87dd3838a45aab43b3801f8c639c7310a6b1b2daeb964bdc6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/codesample/plugin.min.js
MD5: 86a3ac56e7b162caaa338833c76fa5e8

SHA1: c86fa66cebbef28a7f9a285f61d95ff6b21b9927
SHA256:0678f1ff9480a55aa70779c441a47bfefc5c2aaa3cdba1ae5456b2671d91b1a4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller
/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars
/hugerte/1.0.9/plugins/directionality/plugin.min.js
MD5: 7a02d96b0bf1b1d44cd5430453c48d70
SHA1: 9b2bed06d7be9b56d375607a988646d41914812a
SHA256:aa8b957cd2ed156806d83e0a7d601c216e7357caf092d852efaf86ab414fdb61
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller
/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars
/hugerte/1.0.9/plugins/emoticons/plugin.min.js
MD5: 4a765ef6fd236c066e435bd1a28f0ebc
SHA1: 3e3e638005cba8f301aef6e0b028c4d9e1458556
SHA256:0acfcfd26e907e747ef2701b349cad859b61481954969e9c47fe2fbf38c60f08
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/fullscreen/plugin.min.js
MD5: 04cf813b1d99091d4d8f40e3158bd34b
SHA1: be3404a4993b120a1f7c4fe40bda2e64915eb8c0
SHA256:851aeeb1bcf6a79767c34dc0647b6d849c21715b9bb3d5a4dea86761cd423b21
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/plugin.min.js
MD5: cb27dad39aeaf6aeef8ff1f3bdfb9573
SHA1: fd1a81740ca5dc2c35454c0f7aa928b4a1d17b8f
SHA256:94f67342d256d9bb5fec1d897fcf5a7bbe5e4d99a2ddb4bf869c7f6052db68f0
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/image/plugin.min.js
MD5: 1fe9a377f894004a7b629b37f1b77dea
SHA1: 593d3b35896ce3f36be640c5212f93d2982de43e
SHA256: 81f173695205496c86ccc55042a2c2a3592ce75e05fc8b3d005ba40c20b0b056
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/importcss/plugin.min.js
MD5: 73836b9a7227181bf394f2a7bb4eb453
SHA1: 72eede5c9963aff923e031af376e9191ebed5f70
SHA256: 9ea80ba59015ed17efd9b1754849ea2e6281e4fb1e47fec7b06af3966ab25046
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/insertdatetime/plugin.min.js
MD5: 4ce0194911ef36bd044c2c48969ba336
SHA1: d193ccf7cbdaa4bc91f169719e5844e90b9343
SHA256: 3584a493f4ba8344c339be4d52301036b38396a1075de13d399c29cf6ead6b15
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/link/plugin.min.js
MD5: 88d088b9879d32b5e9f9abfbccfc19b8
SHA1: 4442826baeb0f0db889ba4edf256cfc15ec5abe2
SHA256: cf4d8dd094010546d89c0104e6752269f0321030b64d4ccca1c1a5e1fb598e38
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/lists/plugin.min.js
MD5: a147d1f605555555cbc9218a559e52dca9

SHA1: cb82eec3ce89b43005a037f2692e5ad8217152ca
SHA256:8b0504947d5352cda41d75f61632b8fc463bda763ec7138f90c709bc29392643
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/media/plugin.min.js
MD5: c9d30db6cfcae0f8329a3a307e57f946
SHA1: b3e6d8f97020ba8279d637d9b5cba1aea8fb7e5a
SHA256:88e6907d4f03102d90ca0f4fd52924b8dd074df828ec243a10238fb52f3c58f4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/nonbreaking/plugin.min.js
MD5: 799d4853b7e0a74449e210b5c201a9cd
SHA1: 11c23865a4cc1ba76ff218ddb77de28ce7db22c
SHA256:08d04ac77fcdc8d0907bc9cb8a5ff20c5643cda76a923af4bcdef6584e47e053
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/pagebreak/plugin.min.js

MD5: 7026eab8948154643bbc854eadf451d4

SHA1: 21fb56117402314f6a17c1a3c9a64e152bdac9cb

SHA256:65313838c5ea0c2ff825c397ee6ad9a9ae348f024323bbfcb89b217537078461

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

• None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/preview/plugin.min.js

MD5: d65638c7bc519b719f52fd24893efac2

SHA1: 3db54502850be0110b251c9eb2c2e3f328bd0baa

SHA256:837ea53213b3b42c71d8ba07c756cc966cdaa2e6a7fbada3d648f52173959690

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/quickbars/plugin.min.js
MD5: 629e065354a83c678e655754f4abce87
SHA1: 5b6e78078aa4880c5a8afc8d9b43bee0efaece01
SHA256: c2f087936cc6a4a87fa2527344cc8b2d9ea3adab588b3c8c7fb34fe6cadf094b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/save/plugin.min.js
MD5: 7544d08ffa546ade48cc557266590257
SHA1: 9a7335d02aa8b6daec50e5bf822269c60b55f5dc
SHA256: daaf725f29520c4b84a62345b0af4b6a1abb8b051f669a544833439d622ba6ae
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/searchreplace/plugin.min.js
MD5: 8ac32c3f364f15375ab1520374e96e49
SHA1: cee1ac61ce7165708695a82a4b3fb4c8f3617fd6
SHA256: 420206bed53f715b8d9dd3b4ebc7545b44c5f759c7f9d23f155d75ad1e1f6ddb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/table/plugin.min.js
MD5: 140f00e5460acc860c2f373461de4e41
SHA1: 1258e5bbccfc562eda0a4963babd34e5568011a5
SHA256: dae1998ce26e0f58cd70583c022ce6f12e3ac58c2f357778fbc21677401e3d76
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/template/plugin.min.js
MD5: 74e903340c0a66dfd2966123531d5205

SHA1: e31bcb852bc753dfbea00e778415fc30e4aaa524
SHA256: eeb8b11b6d4fec6454972736588fbb8f5a2406da593de22513c92c9f6cc73f7b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/visualblocks/plugin.min.js
MD5: 9f3e3da30322efdf83c810de7d9d059c
SHA1: bd408215541e85224629f030aa63c50be6564b77
SHA256: e010f187ff5397dfab6005908d65e960efa1ced77380083b786617a9a2691f50
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/visualchars/plugin.min.js
MD5: 05813e3f1db884fa38b34b10320c5bb7
SHA1: a8cf2a93182bde05505c450e52ff2c68e0a4cded
SHA256: 3968990fb774d1123b0c8ed0662c70b836b1bae6489f29a3bd154f0af075879e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/wordcount/plugin.min.js
MD5: 76a353a89523b53f3a28f4f95b24b93d
SHA1: e8b3e5ccded8e726ce69f5e4db6b3176ad2337e3
SHA256:125d0140a670a6a7d59c95804c2ea50d81dba90c1b59637fc6db73a29769df88
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: pt_BR.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/pt_BR.js
MD5: ca7a4eeff4a8529a84f3ff5e7f1fbd4d
SHA1: 301b5e181620e9a86b8e0521cc3f56835f98a0e9
SHA256:571938497a73a22fdc5ad20de30a0d6051b489ac787659a73dd6927f73bf813f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: pt_PT.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/pt_PT.js

MD5: 98c786e104869984b866baa8ed1cc414

SHA1: 70386a8fcd314249ce73542a259404019f40fe56

SHA256: f9fcbf81468c7312fd52504380f411df09c2f59cb2a1647c6d0cab5f3f414b9c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: ro.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/ro.js

MD5: 954a4ab723e0f927235bcd3020c8e0e7

SHA1: eeb3638b56c77058c31193b95ae72b4811ca2e92

SHA256: 1e0e4e94519949b7e750007e7193e3d3a20855f57b5ff982a985edb0718f885d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: ru.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/ru.js
MD5: 1d302511d2a9b1a0a765358559e6ed8c
SHA1: dc2960bf5917645f7f007fdc082efedce924e695
SHA256:019be56e2cd8f3a4b7bc028535cabaf69c075744666652bcd40edd8483d543a6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: sk.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/sk.js
MD5: fe4a80d8945887d8dcf20af8a3c1352e
SHA1: 36a21dd701f08b0d0acfb8294f006762fc424dde
SHA256:b259ee9a894fa2cc41a7900fa637a2aa8e4224be1f4ef842b541f977240f903f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: skin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/hugerte-5-dark/skin.js
MD5: 33bfe3e522c9bcc81a0ac4a754d0fa01

SHA1: 822a6e8c4751f9dda822f84703ee522f7ce0ccc1
SHA256:bbf5986c65426afbf26be7c0e5de03fa8e68d8f2219e2919001f1a10b173a952
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: skin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/hugerte-5/skin.js
MD5: e955f1a8b28d4fc0e3ff9437a54cf3f0
SHA1: 7523ca2c72f80f957cce1cff4c6f697266e0b425
SHA256:963a34799e5790f24ddf1824583cd10f3ba9c39db04e5ec60a5cf11ece7fca31
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: skin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/oxide-dark/skin.js
MD5: f1e6180bbc9af02f6eadd4fb72053f8c
SHA1: 58a5ea6b0767562cf4db3aa7b4f4e8bb1cc53dcf
SHA256:5048d4c092234ee6ca7dc7cc764f9539b3dd8579355f4b64a30eaff4d05bf654
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: skin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/oxide/skin.js
MD5: eb819709d0ce9c502c5b7ad421407d60
SHA1: 9f75d43603bdcd46cc03bdfb67071160409dc91b
SHA256:5a3d4132dbd49631dff83665fdc93242175673ee02a44c25303038edd70b7037
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: skin.shadowdom.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/hugerte-5-dark/skin.shadowdom.js
MD5: d738bf552b3156b0a77176ee6602cca5
SHA1: 268465839d61adf3a0b0672f8ffdecedfaafb053
SHA256:d24a492050fb69964cdb38329571b9fddd1b0834d3e7dbdb408ddd58493ca2e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: skin.shadowdom.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/hugerte-5/skin.shadowdom.js
MD5: 20b5197219c55275d0b70c53fba64ed4
SHA1: 1e2c40c61236d680b9a79abc119fe7e9a0134f81
SHA256: afb05e588c7480e5fe4659e23d1455fcf4d50d88ceee199989022fe3af1fba44
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: skin.shadowdom.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/oxide-dark/skin.shadowdom.js
MD5: 1e892ba61cc3e6d5bfec63dc9cec18c3
SHA1: 84dbd80ba099e183e44debb25fd01890797707cc
SHA256: 60f0ac19cbb0903f7fd4bc8a1fadb16e818d45b1908db27a89679aadf6fd6332
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: skin.shadowdom.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/oxide/skin.shadowdom.js
MD5: 731f24060ee9a8c936071b8765cdde89
SHA1: 21f37b358ef16cc9fab3344261a2236b0260ac0d
SHA256: bea22e87cbf4ff22524e43516d28e285d0f096409d7891fb6e91aae8fdf56eda
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: sl_SI.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/sl_SI.js
MD5: ac35121257bf831e811f75c28c471dcb
SHA1: 5e2e75c81c74714798f3ab92f1cbf4889a705830
SHA256: f001ce48bbaaa6e711eda1b603d13edc38f0c2db5592f0f8cb3b798f001b6e17
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: sv_SE.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/sv_SE.js
MD5: b24075bd395a8abe5e100788bba0a74a

SHA1: 699908a684581883ca84b7f43db273ee83d68245
SHA256: 24e435fe459e6a809eb78b0b66c0146226482f29cf4caf7c84d6a09889a5ae25
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: th_TH.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/th_TH.js
MD5: 0f0c790204d30c81b6645735545d20ec
SHA1: 5fee086306a6157bfa9758380c9da89040dcfaa4
SHA256: 38e2e42abab10f72d5ea1f17714112c287f350fcbca05c5906ced9d3595c16aa
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: theme.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/themes/silver/theme.js
MD5: 572e0af60c2c23c429300c543010c5e1
SHA1: e861f1c638b5a6ebfb64587ea661c6d783c6475a
SHA256: d225e3128037cd8fa703099ae69d7a98b3ea53db30d2711ca109f0a00b8f1c79
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: theme.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/themes/silver/theme.min.js
MD5: 51bb8b3ef0c08ea6787f781d4365114e
SHA1: 01b6b750a96e094c7cf4ad3c9dec2952dbf66381
SHA256:cad2d699287302619ff3ea721e748af7e8854677cb431e02af2c4e5c09c8a2c4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: tr.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/tr.js
MD5: 4543135c90640b64ea11bd4ca58192b3
SHA1: 93c8cbd63e67d56b8943946634ebc319efcc8302
SHA256:fa1b123a9dc42af696b525c76386e38f2abaab07b29d29fca957a3d82feb9170
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: uk.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/uk.js
MD5: 64c0553a6c8b19667964e263a03dab26
SHA1: 998a732ac0b403137b79178d83163accdbbcad27
SHA256: 0d63c3d3ef18445fa032a6b4f8d6c80c26bebc6eacb71dc934d7b5666453b2a5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: vi.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/vi.js
MD5: 85d7f56b3ae07bedcadde6e04251dc9a
SHA1: 5333ccaa75ac528e70e6d3a50bc47a46573dd353
SHA256: a8fd67b418a1d1225ded5342c6cb7ab53606818c22b7a964148c74cebfabd0ff
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: zh_CN.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/zh_CN.js
MD5: 93f3f1526fb8af6be6fea9c9d4cac78e
SHA1: dbd189b2ee499e1be666408ccd83b41c7ee84bb5
SHA256: 5f3a261a4604bf1e7116dbdb1602f87bb93e324849b64227398c8b93113a38ac
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: zh_TW.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/zh_TW.js
MD5: e3325e4ccd2fbabf42e18053b168428f
SHA1: 6c105cd27982cba07413ba280b946ea010c9ea5f
SHA256: 5f8f7d1e97005d84e3f868727db6c36baf3096f1cd4d14effb7ecd33ae0ccb1b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: jquery-ui.jar

Description:

WebJar for jQuery UI

License:

MIT License: <https://github.com/jquery/jquery-ui/blob/master/LICENSE.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/jquery-ui.jar

MD5: 9ce7e600d17800cdae8476eb3dcf1789

SHA1: c1122cd36f9bab512ddb4ab072d84fba5ad0e2a

SHA256: 0ce631a38c140f67c210a407ead84ac6ef88d82aaf1cde4c8b8e210b92f2b59d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jquery-ui	High
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	pom	artifactid	jquery-ui	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	jQuery UI	High
Vendor	pom	url	http://webjars.org	Highest
Product	file	name	jquery-ui	High
Product	Manifest	build-jdk-spec	21	Low
Product	pom	artifactid	jquery-ui	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	jQuery UI	High
Product	pom	url	http://webjars.org	Medium
Version	pom	version	1.14.1	Highest

Identifiers

- [pkg:maven/org.webjars/jquery-ui@1.14.1](https://mvnrepository.com/artifact/org.webjars/jquery-ui/1.14.1) (*Confidence:High*)

remotegui.zip: jquery-ui.jar: jquery-ui.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.14.1/jquery-ui.js
MD5: 0c983553a5edeaffb408e27b4bc526ad
SHA1: 01510c553ab12baa303a09fb5820e49807037389
SHA256:f739630caa44fe643199a47857670655a43b6ab17709c5f16abbe0afb4a3f147
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: jquery-ui.jar: jquery-ui.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.14.1/jquery-ui.min.js
MD5: 12c28b31a1369383b3549abf958b01fe
SHA1: 8b7a32df053a6b24e568f20908e47a90e9a3c852
SHA256:0254e2768f39b973e54b2c9a64db23257782b34ede4afdebe3793209573c0a12
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: jquery-ui.jar: package.json

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.14.1/package.json
MD5: 79f59c9c2d3b9b7f4b95c47c355c7d12
SHA1: 2aa7dc3ced6d8ca3dae2d05030bf6d67dd83c417
SHA256:02f0804ebb96cd8b18ecdb1fcd511d96a8f8ec9463bc33b847cd38f50180d06
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: jquery-ui.jar: webjars-requirejs.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.14.1/webjars-requirejs.js

MD5: 2b45f24ce91f8c0d5c764e705b1eed88

SHA1: 03056311ea772e4b7b09a70f108cb2733ae13766

SHA256: a0f18ed7e4b55b53dcf2752e99573c9f7363fd4ba7d98f14a65c36cf34fe1ec3

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: jquery.jar

Description:

WebJar for jQuery

License:

MIT License: <https://github.com/jquery/jquery/blob/master/MIT-LICENSE.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/jquery.jar

MD5: 4af65e569248d8a2411f66498d720280

SHA1: c3dc40b1b5f24c56afa36fd9a463bb9f378ac4ab

SHA256: de28c4da0ea9f16101352dd3582ec8021ee5e2de5f45104ca171876003d54db6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jquery	High
Vendor	pom	artifactid	jquery	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	jquery	High
Vendor	pom	url	http://webjars.org	Highest
Product	file	name	jquery	High
Product	pom	artifactid	jquery	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	jquery	High
Product	pom	url	http://webjars.org	Medium
Version	pom	version	2.2.4	Highest

Identifiers

- [pkg:javascript/jquery@2.2.4](#) (Confidence:Highest)
- [pkg:maven/org.webjars/jquery@2.2.4](#) (Confidence:High)

remotegui.zip: jquery.jar: webjars-requirejs.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/jquery.jar/META-INF/resources/webjars/jquery/2.2.4/webjars-requirejs.js

MD5: 30e1a7f167b667001f50e32ea87bf7b5

SHA1: d18dc733350ad3549af2df096599e824c10f777e

SHA256:daca7b23bc4d8302a8961373b92b78d36d5c85d730fc14130e29d55d976aa420

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar

Description:

WebJar for moment-timezone

License:

MIT

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar

MD5: b67a7dc1dcd1cde774e16ea7295f7a7a

SHA1: d6ffe442fb3dcdee42878d04c1b4d976b7cd20ca

SHA256: 49205ba9340f3485b3e34bdda5b108f5e569c633cb58e19eff52fefcc28399de

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	moment-timezone	High
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	org.webjars.npm.moment-timezone	Medium
Vendor	pom	artifactid	moment-timezone	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	moment-timezone	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	moment-timezone	High
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	moment-timezone	Medium
Product	Manifest	bundle-symbolicname	org.webjars.npm.moment-timezone	Medium
Product	pom	artifactid	moment-timezone	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest

Product	pom	name	moment-timezone	High
Product	pom	url	https://www.webjars.org	Medium
Version	Manifest	Bundle-Version	0.5.46	High
Version	pom	version	0.5.46	Highest

Identifiers

- <pkg:maven/org.webjars.npm/moment-timezone@0.5.46> (*Confidence:High*)

remotegui.zip: moment-timezone.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/index.js

MD5: 16b10b9be0471f35921bc17b645c6fcd

SHA1: 7e9c41f04cff37b876169e1e5108b5b757305822

SHA256: b93bc1a0ab15d56e12f0e281bf005d39166952d9208b828e8d056563f3ff1fd1

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-utils.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/moment-timezone-utils.js

MD5: 90654a904bb09ecee1bb69826888a5d

SHA1: d06ace28682186b95e8c77ccac6be2c6b78e2af9

SHA256: 2308979235e0b497edfe99b6d8e26f73741116759cc94146b8eb3f5f4330b9e9

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data-10-year-range.js

MD5: 5c7411391c96d7a9407d012ad63feb21

SHA1: 7cf2adfb51070ff78c591c68dd6ca2cb590380d2

SHA256: 1a7b3990451f312b3740f47e1e3f87786238be17c2baa6d3550873051e7bf42

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data-10-year-range.min.js

MD5: d5aeae4a577010e7c15ddcd154274d2b

SHA1: 4ae699e9510e9618df20ed048f6fd0331146de51

SHA256: c03a6809ab0f5c7f1f6ef0425ac96517d78de1112f26f3ae9de8064bdfdefd1b

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data-1970-2030.js

MD5: f82a24e0aa5d8afcf2b7a3c1a7b4bfcd

SHA1: 6a6e43fdeddbed946fed9519ccd79faefaeedaae

SHA256: 661b21dfa5f1ada53fb2213cd08db079ce356c2a4ce854ce7a97ccbb4cafc87

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data-1970-2030.min.js

MD5: e06ec12b8553baf30ff6e85ce8d10964

SHA1: 34c1a456edc895eb873ffd479e54e08a7a74bee2

SHA256: 769d4a0ebe9a9bfba668de05ba0981f0ec387f0f79da4c4e98648762cf40f20c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data-2012-2022.js
MD5: 6da99be351d53c831a06d6d7317d4d60
SHA1: 7adf9fa72a350e9caf2e7a81632b68976a446de8
SHA256: e35b085c0170469205050f559c0bdffa06443a48769d1ba730221d83bad2cf38
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data-2012-2022.min.js
MD5: f356ef2c04a62c0e75c97be41dade934
SHA1: 75639764d95ffcc67d8b504d057fbf3e81141980
SHA256: 52cf16914f9e1d6513783cd3d0ca694210108b5b7b07f754375e3b554eba96b1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-with-data.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data.js
MD5: b5b482e4b444b7d90adbbf0d37eea19f
SHA1: 8a17c35adb3b76b5bd6d73d61fdd43c285769574
SHA256: 71f92c899d20ad2218587d86dfab051adbcc75a29dfd8491cfd6461142afffa0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-with-data.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data.min.js

MD5: 0f804300030c5469cc61b626ed611aca

SHA1: 7b8f841bd2c3164c4875faa5c2f43b03db6ed346

SHA256: 841048af54bda7e255160dc05c6b1d527c2454a4a7aab021e71330c9486822cf

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/moment-timezone.js

MD5: 86d592243f72b1cdc5e7b6b76a813771

SHA1: 8ae2cd2ad133ae4f4110731b6eba9006d550c02f

SHA256: 7094d157b8819a2c51d9f43a4a278ff8f99e51bcbef23adfc0954fbe47f063cd

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone.min.js

MD5: 0241a5d39425af1420371aa287a5a983

SHA1: 5fcf85ba0aba14d8ab9f083e27e803b2f2fe6a6b

SHA256: 4609240cd6b8f3830421bcc16b761a2852a219a919dfb2b8c5283880e0650c3a

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: package.json

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/package.json

MD5: 110931c82b0ed1700693a3adc127b31b

SHA1: 257d60a4a93567698cff76f4ab43a745ade67e7c

SHA256: 3c13f23eaecb30aa04a119df2d1a2d78ea662cc890816f740b676b3a91b0d84a

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar

Description:

WebJar for Moment.js

License:

MIT License: <http://opensource.org/licenses/MIT>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar

MD5: 72ad6b420b3b741d7def80f4837682f5

SHA1: 6087f9eb29294249887afa1eb4ec8308657c35f1

SHA256: 71f0cbc7e4d2c943077dc758f7c8f0c7d48e1ddc7f9e7cfd27aecbc12712cfdc

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	momentjs	High
Vendor	pom	artifactid	momentjs	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	Moment.js	High
Vendor	pom	url	http://webjars.org	Highest
Product	file	name	momentjs	High
Product	pom	artifactid	momentjs	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	Moment.js	High
Product	pom	url	http://webjars.org	Medium
Version	pom	version	2.29.4	Highest

Identifiers

- pkg:maven/org.webjars/momentjs@2.29.4 (*Confidence:High*)

remotegui.zip: momentjs.jar: af.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/af.js

MD5: abbd3f78270e280c248535ca3e3b3e3b

SHA1: 489ddba9b2a2f15e2a8d59d751a45c5ed7041f14

SHA256: c59e2f2d09098829d00f5dab85e6ec623f6aa9e70285ec2aac12030a014e4161

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ar-dz.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-dz.js

MD5: 10e8f6da8f425e389f9dd462018dcece

SHA1: d638dc753916f10981ce562c7e7543944aa5755e

SHA256: 2fcf1465ad9fcb33a1ee00188d0d8cb19e0d9094da9e27f56444b67e50c6810c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ar-kw.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-kw.js
MD5: 5ad9681e194f33543d33a588e2a21f09
SHA1: da190c4671145eb702d41ee980b985a9816bc9c5
SHA256:ebcd2afd129890e49aa91cbd6718916ceb743122a4d264c681a533d8066de673
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ar-ly.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-ly.js
MD5: 293c5c572f1e70336fb5a5cab29faded
SHA1: d969dc63c258a2c5587efa0cb2ac80034c44a5f3
SHA256:0a70bf3f66b074d68453af125059d60f1ce4d5a96d3401b0bb7f013fb7a56696
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ar-ma.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-ma.js
MD5: 6f5179b883bce68003df4d2c99caa156
SHA1: 3af849ad551cc126ea26fe472770b0f2c86363b2
SHA256:ae28a7c4d994a1d4059f2dc1e6385182f3d5aab262d637a6bdfc80f3e3f5471e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ar-sa.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-sa.js

MD5: 92455d26a00821fe9aba7ea8e23ec89c

SHA1: 18d22d6e22b460fb0d248426001e4cbfd9a69393

SHA256: 4913900a380ed33b662fc5299fda05cfba74367870ba23f3d9db5dfd0775c876

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ar-tn.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-tn.js

MD5: bf6b33329fd589f8b3b393f6e64717d4

SHA1: adf2dc833a46ad99f030b5761a7e6a97497ca764

SHA256: 2b6a611f7d21a0752d9101347b22943dcdd91293f7e09ac11c3b04cee41f594f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ar.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar.js

MD5: b0110c65e23d25860762820db7d2150e

SHA1: 249cc300a99b9cdc47ff3fd70c9b4cb22f0aed61

SHA256: 73485f16cb9317f156bab05ba8a3233fa87513cf1cb52728fetc53703ffd5b3e

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: az.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/az.js

MD5: ec1a4acd4aa555dd71722c2639df4db6

SHA1: 49b4198f1b008f9deeb9aa5d33e27647e812f0df

SHA256: 21cfe14e920b3edc4bc394709929f61aa5f2f9e51d3ca0c6edd1e51f29d7e3c9

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: be.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/be.js

MD5: 5c38f8d3d5da2b1b930f109553918781

SHA1: 181a1762773de78de3e2d21696e77a49a9e188a5

SHA256: aa0657f4f1e9f9ef3a3ce289bc882f5971195e4681499f02409486ed985e1407

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: bg.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bg.js

MD5: ebd43c527dac81f273926142beec5553

SHA1: 46101d46348f560c622895e9e65465dd26e92d6a

SHA256: 0d034309eedbd03f17e22dbd963c8cc8d490c8e877f39c6c4081636d1cd28fca

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: bm.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bm.js
MD5: 2ef1c37399931e14e2a4471ebc57bd21
SHA1: 1e10777797f13333027873cf0a1e05e52c2a9264
SHA256: 1f3217d69f6512ea3984fb7428e1afe0c7779cf3822582c52e6eaa8982ac23b1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: bn-bd.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bn-bd.js
MD5: f2988fa9e29bc5573603a8140b321051
SHA1: ddca0b09ab220aa3e7d8b6d01e98b06071942e4a
SHA256: 87296cd8b904b633d89b0a72b779aaf04e8d625fd8ed772e3227046b3a3acf80
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: bn.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bn.js
MD5: f5037a3495a3fefb37d9456b6745537a
SHA1: 5d8e28e5703371e674a9b2947426e23a1429455a
SHA256: a43f974ec15f638e67cec9d73cb33c339ce7cb35bb7041b478a930197977a890
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: bo.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bo.js

MD5: 7dc25ead6d51909386b03c060b891690

SHA1: 5b47f8a1cd1b1dad8e8ae1c6f408dadda7cd6983

SHA256: dbf83d196ab69149d5f056a2b44e06441626f1e5d3c3aa1a300e64dc5150565f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: br.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/br.js

MD5: 65949057a5632b430fce65f65c89ace7

SHA1: eda5bd14e942c85896b263b137e2e14f161836e6

SHA256: 35b4113f7552400639dc76ea40d55f1be6f44af2eaf4289e7c37e4e657522ba4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: bs.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bs.js

MD5: fac80361cb7d5e0c44f8956063e8eb07

SHA1: e0f831af87ad28205b93fbe4d7ef9001227eb1e4

SHA256: 1d185f2b71c18bb14d0e5db063d59912396d42a04aec97cfbbec19a5bb8bb5ec

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ca.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ca.js

MD5: 9c6c8738154552a40a29505cf41311af

SHA1: 65eee9703d130c7a90d085214ee60c4e087b9d1d

SHA256: c0ebe3bb033ce8f82c66a46dd297c19b30c80ba64036c721aca36a7f86f1b234

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: cs.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/cs.js

MD5: 8f0a7bef088e6698b6a090a6f6fe22de

SHA1: b137a5adfe662d0b1c258fe7bb2b73b971e2268e

SHA256: 0dcf511c06f565a917e4718cce467392bf898ba60af2b3fdb032b1910599ebc5

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: cv.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/cv.js

MD5: baf681a1e97ac68186325a98d5ef1861

SHA1: c0433a02791baf8efe6945a4ae0370c6d8d55b6

SHA256: 231b3a65bc4beb4d6f0920962dafc82611403df4979655cea53d9740d2986904

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: cy.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/cy.js
MD5: 868cca92c4392ae5b0627f305f9633b4
SHA1: 9c0f75132a2eaa3fdf0631a08f210f0e29208501
SHA256: 05d100692e8cdd4a6b3b0eb56eb37c9c64dacab3254aaeba18c24689b18a6cf8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: da.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/da.js
MD5: 47fe4d0a5079542391abdcd125b4cb60
SHA1: 423a66383275eaf3f441f384c69b2d6e2cf905d1
SHA256: 891e90544d1061ea578b51173a2dc4638c0e9af95cc2986f1f89ad5008e301e7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: de-at.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/de-at.js
MD5: c2df366205b041e50b0dc27fe427c54d
SHA1: c52be9218cfbe8ae8d51f78af3494d3a2ed5d35f
SHA256: 0575c8ba66974f2eb3d7d74e16a265c40dbfe7802cefdecc9f196f92c0ecee97
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: de-ch.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/de-ch.js

MD5: 1f9bf40d5d392a14bb758de02e9d98df

SHA1: 838d95c91f39f7e28483c660e6f5005921d3da11

SHA256: b3c3d71abc98200d579cbbef89d470a6cbb272c4faa71e31232a68ef6451edd4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: de.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/de.js

MD5: 260cd4a4a123af8e02f5aa4001cceaac

SHA1: b928a076571a81fde7fc1fd4a2adb45d9a9a2279

SHA256: 20fb0d0967e2720d135a6894165bf96e327b42bdedcbf45a9b2f9e44da7986dc

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: dv.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/dv.js

MD5: b3ac7e877fac1116b8759c6e7384e86d

SHA1: 3321dfc6f7147d148167b23a3642212fb10b1b89

SHA256: 94a1563faab9fe61f359a515042f56e2672886200e084de98bbd98769f71ba69

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: el.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/el.js

MD5: 7a1966e1fd7848aabcbe28ff2a445e

SHA1: 29af743b2dd9c09d9962080c3a5b4cdac2b09409

SHA256: a73fa8b59dd099d28a7824980577379437273f6ef35a90409cf36492bc2b3600

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: en-au.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-au.js

MD5: fc0b9a852c77ef21ee6deb24d95769f8

SHA1: 829e7b64e421cc91fbb306243b31d71f06fabdc2

SHA256: 6a84d80e99d57f1ca1faa1dcca9f48e9925de4013ac5ceab52cbf20b059cff8c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: en-ca.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-ca.js

MD5: b6f095c75787cb0eb2421b32b2e9ea14

SHA1: 415ffbaa1c99a53d233979f5e907e83b59d54c9a

SHA256: d7b47d71cd5b63a0cd7bc3945ca1799d9345ba9dc3e85356231dbb4f6becdd01

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: en-gb.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-gb.js
MD5: 5ebfadfe47485b65c484822391d0aad1
SHA1: 4154fff794c0118f1c280d4e3c222b0b3f96a6eb
SHA256: 46e86bfd873ce2ba61885faa9e0ba2ae1a510574f698d6a3aba7da49d1505eb9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: en-ie.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-ie.js
MD5: f5175b64f4c382500e7a00ed4113c3a3
SHA1: 12cf24c0dcfa4f82be14783a2889022043fe1f80
SHA256: 41a3d03fb561db37dc1e3a63cba10467c0bcabb2ab7e788329f86b6be6f72d9e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: en-il.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-il.js
MD5: 8f131247f11cf746d1b477c75de2e0a2
SHA1: f1fbc068a029ca0fcb5755fc5211ae43c9b2dd00
SHA256: 494c5f26d0a16c8c1645d70cfc327e19086831ce78bc98599f4e5abc321db7d7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: en-in.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-in.js

MD5: 2d5a9ac86d2a83833aec6a68bc8947ae

SHA1: 64d4492b47eac3212f09a9dd1fdfe2afc9721142

SHA256: 290dd53cb6262cfc22c961faf969851adfa8c38b30c80c496b8c8f19232a13e8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: en-nz.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-nz.js

MD5: 3a68b41d7982ae7bbc8a396d23e9d1a1

SHA1: 0c30117c176ae1c60d35e54c3c0cd47b5104e28e

SHA256: 9590cf61d2ab1b83f793be9f074340397e639fbb112a80c8bb7d2e3a77c45448

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: en-sg.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-sg.js

MD5: d32a209c24b07b617c68fb03e081061c

SHA1: 34729febed76ec17cccafdc06ce4f51902daaf42

SHA256: e3b29449d67e5d53d3420b5f4ec207dbd70f651380573b59f39aee2b1b9ca52d

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: eo.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/eo.js

MD5: f19d7f5dae34785b6ffd82971ff01712

SHA1: 8a6937235d4219a192ae127506cca9479097abdf

SHA256: 823d3e21f85f9d3801f7004cc5cde82d5f45d98e977979322543a65908411e4c

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: es-do.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es-do.js

MD5: 3f09c253c2e7ed72706b062bdb3ecee6

SHA1: 3bcd2f7f697c4241a5f47985835b0190a643630a

SHA256: a1d29019dcff0ce2a11cdf97018c20e99fbc739163c059ad8bf2408f77d3161

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: es-mx.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es-mx.js

MD5: d16f10cddba51c3467b316318e592f22

SHA1: 4cc238005f4d59b4e3877449babf5cc8b3595f38

SHA256: a233573f641cc9c93c87b555fc5564c2e5ebb97e251338e971ba76e74d512646

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: es-us.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es-us.js
MD5: 276e7c3c7756f9e962f6141f5048894d
SHA1: bab0d54cfa34f527dcf6960f5379aeef05cc66c8
SHA256: 3923c6bd6137387d5edc62f6dc0174cc9eef8363238c16eef78bd9d9c69bfafe
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: es.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es.js
MD5: 0e92f45548e01672fc6a2f73979c397e
SHA1: 6e6385cb5f6e39ed9ba95ebc1fb66526e2c3371a
SHA256: 2a8f1790d492fc338933a032a862f99998f31bcdf7a0e4fc298b6a3cb04cdf7e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: et.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/et.js
MD5: 8b5c6c8136c1bcb3dd35ff204c28b1fc
SHA1: 82ecef743869c8231a6ef06cf5959e5cdbc7fc9
SHA256: 95c974679dba419b7d835fa51340c430bd0066bdc38a7a139caa575b67389d7e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: eu.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/eu.js

MD5: 1f0f32ac558d6bf2591f0e7c59b09e88

SHA1: e8989f9da9ff458c51d7d4c21f9bfc99ddcd72a7

SHA256: ecbc07cdb215cf9996405fa56ef306761ec6a9383e19a53c2b45d6a1c5c4dc68

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: fa.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fa.js

MD5: bad9e9e51e7cd982360114a2d6b9a03a

SHA1: 7285494b159552cdee8bb7050d1278144da80b04

SHA256: 15ca66ce1faa865c68998fcc8ab1160207636b9161ad76f7cf7acd0d7c0ebd1f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: fi.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fi.js

MD5: 08d74def02ac724471fce607ab87f4af

SHA1: 7f40cb04e95803f706af5caf5a983f7aa3f2365b

SHA256: 1339d4170019588a6764a56236c2a7c5b2389ace52a9ec5e8c09f1997935741f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: fil.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fil.js

MD5: fbc9e6bd5b49897ba8503d27e2d061ec

SHA1: 2121d4a7333acb3b7b120c1580a809a8a5927dc6

SHA256: d24cac0d0069d89c48b4c8cee34cddcb7e39892c91f07b884574fe0cafb66ef7

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: fo.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fo.js

MD5: 85d4a1a25dd5c3fa021f9e6f63fd01ac

SHA1: 95d11e45e86f344a148706df7f5c86019e02ae30

SHA256: 6338de573601e330030918569b8d2f80f98a57754e748a03ff56e3672fa25be7

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: fr-ca.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fr-ca.js

MD5: c0ef60f7029fe6ab773c090320f0a66e

SHA1: 8970ff163faa9c8702be24f65f95e94b962d8622

SHA256: 59c5acfb5605fa641721bf16123300164ccc043f4bad6009aa8d880b159124a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: fr-ch.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fr-ch.js
MD5: 3345c9d13645ae5fb2964c17559326f5
SHA1: d0cd4c6466797300434db0d6c8028bf46fe35bc0
SHA256: b32f50aa3d147ba5441d7728a45bce592125fd0a97117ca4b93b32c6393d847d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: fr.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fr.js
MD5: 775f1eb59d6f597b1c398036002ae329
SHA1: e6f1741f5598b62a83bb071459d9e8cae4b3a127
SHA256: d87b4eb850bc7742c104557450d0a70d18a48a917335221af08d23850667523e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: fy.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fy.js
MD5: a54d9827ca1a619a839a15c94b7893a0
SHA1: 66863e3aaff531e89e83acd8844ca87f8516cf38
SHA256: c33ae59d9a05aca0dbe86d74bff25eb44d04ee97b738034fcb72a21b73ec1cf1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ga.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ga.js

MD5: 264a960fc2850670387b1cc90dc29dbb

SHA1: ddd261054362b16567ba858afae968cf2380bb6c

SHA256: fc6d5d441553b23b5ebc3c79896499a093a3285f1e6134a680b8899b5cca4c86

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: gd.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gd.js

MD5: 0f3b98fcc8a06995436819446130320f

SHA1: 0050fa33180aa1f35c739cecb397846bff7d24e4

SHA256: efa1d779f65671809a63f900479c69bed19c262f2fe7936076793bd13deda080

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: gl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gl.js

MD5: 0d346a7ad989c39c04631e181056acb5

SHA1: 74c436284f15589fd53c9d4c090a4f75ff8376aa

SHA256: 825e6fad55094c13118d2cada0b6c5945a97ea9b647686c2b00dc6980bea4608

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: gom-deva.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gom-deva.js

MD5: 6d2091e4ba1b31399eb4f1f3d92acaa2

SHA1: 9e27b24c4f8ff43da0373ca75738e0322cc1bd77

SHA256: ff5ebf00d100f610caa956ea22c45584e34067f762c2e9811326d5903ccd819c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: gom-latn.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gom-latn.js

MD5: 45f0c567784f534e16f304dd625682ad

SHA1: fc4b281f7d57696decbf3bd5e8c572f4191c9289

SHA256: caa6b3cafb8d463c7cb0b47783b84d7f7637f685b8d33d1224548f7f9a124cd5

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: gu.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gu.js

MD5: e108958bf473fcc52349ecba7dcff10e

SHA1: 977667ee217d20d2ff2338dfa6ea9bda2e0c13d5

SHA256: 5155f3aa5fe43b18c7b06cf02ff6e9d6c157d7da822c658fbd8e2f0edceef161

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: he.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/he.js
MD5: f5e7fb20bbb7618d95e4928fee094f7e
SHA1: cbc69bf9fa2cc2493d086af3a5cb15e893c7d64
SHA256: 93b540d4f1bc21d5668854475e8efd2d6fcaa2f596704752a586ce07d471d475
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: hi.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hi.js
MD5: 10451c28a31c032807f1fbf1bea5c32f
SHA1: 8ab3e8fd6823a63a2348cca98ca4eba215ad01a9
SHA256: 482f9289851cc5add17895787d427259acf8d9467db37000d383021aa097a1e3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: hr.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hr.js
MD5: bfeb6da022ce8f5d4610a485f6063935
SHA1: 0e475a985f8f3612c397a07781933bc4235be646
SHA256: 4af37cc6b498a4c3418f0b5d90efe5354422b3d158681454dc2eedee31ce1469
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: hu.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hu.js

MD5: d485a763ba31196c55bafddc763cf98e

SHA1: 83c283112870db2a37b8d6a96e2ff423f27addac

SHA256: 518c3c1b849d41be9ef9673726ac3c71290096a727ff29c9edfb0f7489e3253f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: hy-am.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hy-am.js

MD5: 8fedcd99fde263a8a5a906b27de70605

SHA1: 3fbec521a9f7cd9b7576fb37a3f35ba2705e88

SHA256: 2c3bf5ef8c5162c7c4ed0ce4b144fad24eefd691911d7c8b86c21cab84f3bfe6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: id.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/id.js

MD5: 3000b8d8d73e16384fd2a13aa7259d3e

SHA1: 1bcd369482f53edce0c1d34aeb15a918f3c7af7c

SHA256: 036154641aa4cba94ac8a65b98af75d2fa0ec29156674947d1148fa146689dc3

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: is.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/is.js

MD5: 0f5a457d3457dfef1c5d256436b5e442

SHA1: af0c0c6573bb9628ee8c97479651f65571d6a56e

SHA256: 6943c853ee0ad65ad2e3e38baecc90dc8088071f10406ee8a5ad995d7cf5f6e6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: it-ch.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/it-ch.js

MD5: 0c0cd69247909aeca5d78d255b30a617

SHA1: 71631e4e4ce3a8466d80d4960a86605634a713dd

SHA256: 9670e2244dd63556408fc20671fd763fb91be52041eee92934710e75e2b3b7fa

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: it.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/it.js

MD5: 1abd9a8f32e7930bbdebd23a2bfa4afb

SHA1: 40cc21bf11475c48c1681ebc18a63a2bea4b8962

SHA256: 2fe7346bd6fdf02aee19fde76bd2ca0b5e65903ddd45d097be2342ee7b0b9470

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ja.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ja.js
MD5: f39b4bc3b33715242a84fed53b50d596
SHA1: 8bebb66d25df95fc67d48f4ebc4b519fbc7d9482
SHA256: 9720de4592dd94861f2fabb51110533fe44620f517e50448dd828a7f2eef7009
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: jv.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/jv.js
MD5: 307628de0dbfe42c1aedc98c3afc1aae
SHA1: 7620cfee82f0241100b34de89cefd40412456ef6
SHA256: 707617feaac7459e5d5c39ff3ea4a5e5da0cf398384902c1cd5975cbd1a113cd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ka.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ka.js
MD5: 629be6bde33738ff66f7119b3b617798
SHA1: 02209d78bf7dfa3b5e585e64ebfc61ce561e5f3d
SHA256: 2c15068d2ceb1f34e4b92f95710b181bd1034410b8a96ae15dd11ee24d0ff0fa
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: kk.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/kk.js

MD5: 4532f947979a50597d1c82a42f0facb8

SHA1: 9a8cad32d8e4350e40184813f4d19aa05882a8c9

SHA256: 430c86f6c0ea0199d8622045883048b35875bea37b44424663bbe573056ec981

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: km.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/km.js

MD5: f73d0c92be21341d171e019c00173f3d

SHA1: 6adb747842bb733d90ce2b7dcf4963f1d62a7a4b

SHA256: 01b837409a1ee03d8269886915f10ae1b9460b2cc42cc5f6fac862f7360ba103

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: kn.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/kn.js

MD5: 72e237c519a91674447b268b61983bbe

SHA1: d72624462d7dbcf362ccc15385d5cb5a124304c2

SHA256: 9673f6d7a10086cda8228f1c080ec032e8f34e3a3de2f1413582e0a6cc6f2128

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ko.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ko.js

MD5: 14369b837e9e15378938754b04bd2189

SHA1: 9c886434ef46530e25cea737272027ac505b6adc

SHA256: f115f592b5d7d5bbbd061c5ad31d4c45f462ad43acad74808c6a7105b108ec0eb

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ku.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ku.js

MD5: ba513eb127fa22206ca1a67ad8467da2

SHA1: 45c0c079a209932f8a8be25a94f0fb97be8ebf84

SHA256: 816c9c27f4237f1fa595c5be0a60b7e5c58ec0336d5a908e03f73fd8596e1caf

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ky.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ky.js

MD5: 68f9c0556546367a8c25903bb8348b80

SHA1: 5bc99ba86f969c07cd1b0dc62510c572707adb64

SHA256: d3c35f2c47610c7c921268cb98cf398599068d24d51e7a89167707130c85ad59

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: lb.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lb.js
MD5: 474c1a2279d961b67a8329372fb54367
SHA1: c6acf49c446bb128ce8aa5f980664107e92523cd
SHA256: cecd52da4e3f3a7a69d4cde1692c90d000a3726772f8e00a9c232faf4d6ff985
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: lo.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lo.js
MD5: 629f0195acb5feb16432ffc78b6418d0
SHA1: 10730e85c79a5c325f30a5f0fd1b83928918cde2
SHA256: 83c284d16d40e861cd01c28683acf77475813993b2a17201f17127e238e5bcd6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: locales.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/locales.js
MD5: 3aabc3a57ff7796110a9d427e6e61280
SHA1: 59155d41e1b7a2f651f26f8db2768c42206bc4b7
SHA256: a6d8d341af2a118463f8dbec697f3b5210552997ef51e0d9a77c84235f2eb2dd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: locales.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/locales.min.js

MD5: 5d62f0a64211c2d3e0d009cc69c48202

SHA1: 4c6bb9ae2e43259229cc16e9eb7ef70f3c8cea12

SHA256: 1a3224b3cabca0fa92ca56e14da46d7f209ed28ce68ed50940b4fa6ed2ffd254

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: lt.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lt.js

MD5: fc931f5db9a4d5b832e7c53985cfb233

SHA1: 6d5575d2ab06036bb29e50e7b4607985b0c10aec

SHA256: a02ce50203e4cc9e85db77632d41f489f14c893f986199c8dd04191199924094

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: lv.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lv.js

MD5: bc6f1396c4b85e2b01b4b2fca550c0b7

SHA1: a18e4175ecd49b5e3382dac1bbcdc48c3279c60f

SHA256: e4f68dbe7147bdc76d7614102eb525f9a5d8dacc690dd661091412b0c9505cb1

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: me.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/me.js

MD5: 4b76ccc2617dfc9bd6a54643659bec05

SHA1: 924aea795ae1a9581ed184b384806891ce336e27

SHA256: 24103df1e95500b3fdc4aa60b933c66d2cf33aa4ff8d2401ae847c516285679e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: mi.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mi.js

MD5: 89179085b30d2752584c4f4e9c3ac04a

SHA1: dbf999f790c8e7f99c27c55d8184cb46d1f0ee85

SHA256: 9cc67dce66cf3f0f9a57ce732af6878cc23fedcf256fd5302c6cf57df87eac3a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: mk.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mk.js

MD5: 7a6a2a4ae623481704f78bb0ed6e1968

SHA1: 3d984281f4acbb38920919c47916a0ecc46d8d82

SHA256: c38140b5408a91d9632765d23f4368f0cc98dfb6aafb0fce452b6b4bfa93efd

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ml.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ml.js
MD5: adaeaf5c9b5995567c7723ded581c647
SHA1: 3cbb01a59dbfdd3b86caf1b30938598c52e1dac8
SHA256: d45ac595a918393ae8f76838688fcd569c917b945e9c53861ec4a1f11f20aed2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: mn.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mn.js
MD5: 2229e9c27b35b688a4211bad4d7574eb
SHA1: 7fb0c3b04afb903aaa0a3a1b4b478a8b2d9d6bf3
SHA256: 0f1f5bbc9eaf020931f8cb54ae085e51c41c0761ffc7fd265dbb60cbe7d84076
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: moment-with-locales.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/moment-with-locales.js
MD5: d07131713d356424c14481ed9e77ced2
SHA1: 6ef93c81041412f1b60d1254595cb04b53f8ec39
SHA256: f37cad4429c2815e53699ca98abd4e8773737f696fff554c63a58f4d6589200b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: moment-with-locales.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/moment-with-locales.min.js

MD5: d458b68730a7330653700489333a7837

SHA1: 4059aeca1d0b99aec8006b37a927f09d9c0e794d

SHA256: 430725b95468277dcbccc27e08e3d873276c0082737310b0b1ad330392511847

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: moment.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/moment.js

MD5: 6e5aa6783efbeff584f4292398326b32

SHA1: 450696675b814c89ec016901b570c05891ca2c04

SHA256: c33f09a4e1230f3075be8d2a94081108d52f62d3c30b9a238941fe80790267c6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: moment.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/moment.min.js

MD5: 6c0a2330b0d8d6ea185d4669a0eddeab

SHA1: d4f50308961144876b2b5fa57684b737694a4b04

SHA256: f343aa319a17a3fc372ee6ad5af482b9bf6a298cb22652b4aa7502604821071f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: mr.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mr.js

MD5: cd715ac0f919538bf79acdb4a477763e

SHA1: 467bc9f9b59ee399af6ef3f89886c150f74ae52a

SHA256: f6347f442281844a205245620f9e469f52cacb7dd41640ef67d32a94f2c583d0

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ms-my.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ms-my.js

MD5: cb7a91cedb211e85abf06a4683d39800

SHA1: 05754f446f94d9b0d34885bdb0dd40d08df23295

SHA256: fa77f6b23884ace43199d189a596c8cd436ab20b2b6966599dd9fd589e51548f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ms.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ms.js

MD5: 3f2df63e4e8e99e5f3a23b44e135f90a

SHA1: 7e8563a8e513fb3f2f711395992fb34d6039e841

SHA256: 6b6301d42544281a07e51e517a1acd2e498e6289b29e74817433a86751761f71

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: mt.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mt.js
MD5: 3cc610e1a28bb045e3f21adfa96614ce
SHA1: f22377dc419295b8cf22ca6459df3f834475ddf9
SHA256: 6af1d3643bd218941f30da0f6ba7bd64d4c2d0c49336876308af3af0387b0440
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: my.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/my.js
MD5: 1de06907d41a2fbf6861958ee0eaaba6
SHA1: 1b5eaf3d04d7a45a9e93db791963bfa0cf999383
SHA256: 92732cb26a774bc3e049c7e212d8ef1425413d63522ccca1fb1b0696854da4ad
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: nb.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nb.js
MD5: ee293037089769cbdbbf9f2dba3e01e6
SHA1: bfed5520bb401c83f0b391cf09ab1907e4362f2e
SHA256: 36f088dce675389ff1b12afe35703b6d166cef8df8a24e1e1d6ecfcf7be84fd5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ne.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ne.js

MD5: f09e1496b96096e594254145053e777d

SHA1: 601e6b5e8ead8fac21d661c4cb1f5aee22c96755

SHA256: 804bbd6c30dc3b74de711a44f9019db06210323a0db31e53ce730feab5ea6275

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: nl-be.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nl-be.js

MD5: e50c24ded5247900814470d1a6cc8854

SHA1: 73d12dfe3645a5ea9e0b6c4d5b2a5f28ac022af2

SHA256: 2bd27e18811c7363a1b46b815173d626102523a2f76854792885166f4a99eb5f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: nl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nl.js

MD5: 843085f588379356ba9556d93aa9ccdb

SHA1: afe70913ffce08e256c3c9ffe350272bcb791a0

SHA256: 037e055b18b4376112d853e3d357b217dcc0bfd3990e0155b980ff622b4ff8d9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: nn.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nn.js

MD5: 7c29b42f21ff6b7e0b1f16ebb20d2a5a

SHA1: 9464502746665d34779fd3e7c9c05212db534556

SHA256: 66007f84c945a3475100a3024d5fa3d430d6e11e64de81849e50ea73e3f390be

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: oc-lnc.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/oc-lnc.js

MD5: 16a8d7288d0007906a6ebb39fd954265

SHA1: 5442e9e7ee72e6f2ed438139d5779ddcfaaf471c

SHA256: 1e03cd598c495e4dca3bae56e3822cacde57333ab5a85f555c582e104f54261c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: pa-in.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pa-in.js

MD5: 8247ac1929cfdcc902a77542e9fa470c

SHA1: a0270710978d4f03b32a4d5cd38065d6d274729a

SHA256: 5ba548ba7844a1c5c4a7f003337237f940b5e8aa67254fb90e1a05a66f2b43ac

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: package.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/package.js
MD5: a26087930b5278aa21fd79491b952ac0
SHA1: ea880b139fa5aad30129356d4c2b61c7acad7452
SHA256: 6334f70497c6d8fd22adb3089eec30bf1e2b3dacf92508df52eaa7a8aee12bba
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: package.json

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/package.json
MD5: f1965dc95e9d5ef4816ffbb597d484ab
SHA1: fa7b033b3a1adcb85370480289e6a60cfd21ac89
SHA256: 25f5d25a676dda5763fea169d93a31dc12bd0a6d5d7f352379c8afcb1e3d794e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: pl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pl.js
MD5: ea2f9b5ff7c97f62603f1e8786708d7a
SHA1: a9b097f9c1dfe0872befdf47995602029bbd22c9
SHA256: 5435a1265dacc269403f275095e24a63ff3b8bb0f95908f7a2a987fbe2ab9e43
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: pt-br.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pt-br.js

MD5: b70a96c3353ca41f14b5628aaeef6461

SHA1: 02e3841b0ed1fbf086a5b8bc1be8cf835cc9d8c2

SHA256: 8a8b165be42795d9e945e7494f38ea353ee2f7eee7eab123073f3a42ce755687

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: pt.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pt.js

MD5: 71f120e6f7682b0e80a9d5982b8a4711

SHA1: 49494f7c1cdb36294b6d640a524c2cf19eed12b5

SHA256: 89e4c2f2d351ad7e2fefec9332778b16cd4a31858ded9ad6fece12fd9db94ac2

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ro.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ro.js

MD5: 84b1a53a794d8749061a53eb558110f3

SHA1: c2241e36357a248cdc870a8f83c19d12a031b479

SHA256: f66bcaadde14018ffb3bce26ea8ffc3ce36cc65c4c1e9ef9ed6cb321b7ae9481

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ru.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ru.js

MD5: c66d22693e1e950330471ed9de408aaa

SHA1: 3f4b2156029a26bc408cdfccf5812bd125c760cd

SHA256: 47b9c98d906dc3d7b7f40e604d793fff2e142f7d788f6ac0deac5030458ef5

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: sd.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sd.js

MD5: 115132c218de16cbea034b2762b9df9d

SHA1: ff940a6362744a8258e15cb09c4e4b46c48f3ec9

SHA256: e5f27127927a41eb82e45491e52bd6a529d3db5e6cd519c48f7473268909f6c3

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: se.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/se.js

MD5: d63f9c00eb2beeff26eabfea1406a3bc

SHA1: 8fc07d6276adf84ab94a1d352d55c105769f9017

SHA256: 424ed10805d004f217b44ff6a0da5bad51d8f3b25577306f6e1f59c387525da2

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: si.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/si.js
MD5: 0bdd326bd6fe7e94a1c3fed06cf79cdb
SHA1: 6dc83c8bee2af014c11994abd5f0718ed9c4dc64
SHA256: 8e7582efb99ff00bb7aeb6de0bfa65792592a5b4e81ae6caa7bf8cd8cb3180de
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: sk.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sk.js
MD5: 0d4c93cc1adf0c2fe5bdcde7b1cca213
SHA1: 17c72fd3b31573f097f962b851fc82db22f217c1
SHA256: 7685c076b71fd8e36c2cb84c645bb3a75d84566f26c3682a2792f0113b4d9b16
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: sl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sl.js
MD5: 11bbdf40343f7ee615144b2c3df93d54
SHA1: 853a6dcfaa15df6205729d754739633de7e3f667
SHA256: ff2e8352962c2d13d114356c863701f2473651f6491639e1826ab417d0377f90
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: sq.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sq.js

MD5: f5c6cad85947f97d184ce17397145e3c

SHA1: 1817cdeeb3261b7f03f13902a7d8adfe46c36a65

SHA256: 9d7d061c245349d6897732c90ad57841c9132b9b556be07a24dc76ff17cf75a0

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: sr-cyrl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sr-cyrl.js

MD5: 403a704d0b31d44f5d43a05f060f879d

SHA1: fe545c0831b16a2393a771221f2daf3f8af50cf8

SHA256: e62567ebcb6434f8652b1867386d7324c06d1f226fe9fad0517e658503ab496a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: sr.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sr.js

MD5: b5752681e826802ad4578a65d446d2ab

SHA1: 18c79b7064d378b578c83facf15be80314e34581

SHA256: 307eb8be823a2997ce88c5ad8c3ca19e7a6345f116331fe3856659665de0d453

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ss.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ss.js

MD5: e61a001b0c3ea5bebde2d4d96d7c19c6

SHA1: a26e124883144d6ac990722d7915ceb80a44f7c8

SHA256: 0d8a08574cc28602738aca72bed6364e88dd93fb2131a20c06630e3dd7565945

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: sv.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sv.js

MD5: a276c85890a03d5a55715768969516fc

SHA1: 135396ef7e63b71af3df1cbafc5b060a32aaea4e

SHA256: 08f8dbba970b89522adaabe609f47a3f20857c0985967888124f9204f4c3e2f0

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: sw.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sw.js

MD5: b9e0ae98f621d6f9a622fe09225978cf

SHA1: 42f76f09c8d7049758fcf8f78e30881e6681c40e

SHA256: d6056ac79071a9f60793825357dac3ecf35c43acf10e02a65f1892f1fd9cc0c1

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ta.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ta.js
MD5: 2b48e3a057ec1ecf49d4e16d56263ed8
SHA1: 94a700dff6eda352ad3a2c4d7f5a4dc5e6219321
SHA256: 2dae88a3138adda69fdec54914461ec28d4fa5e720d7626ddb3fb91a74a2ab6b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: te.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/te.js
MD5: 39e36c17c46798dfdcf0ddae92610807
SHA1: 1168038e9d7c735ac44fc0eca95796067ca7b51b
SHA256: 2cc07292a2ab5702d8e1e849ae3b28cca5c6194d0d150ec637c6289d9d864e32
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: tests.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/tests.js
MD5: d39f31787b27fc1bb028ef80e699cd7c
SHA1: 4c0335c7f8c19e26ecdd2f9f0ed08323507031d7
SHA256: 895d3ab9bb945f1f86903438a18c9fb308e84a912e4859da39fd1bb08da63e44
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: tet.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tet.js

MD5: 0a6f7fbd649b280c8fff433d32591867

SHA1: 15f108397be93776a1c232f3de813e27f305550e

SHA256: d80dcb236c671594af031c93d32ed883c322a6f32bd25637d454d7b9d9e81593

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: tg.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tg.js

MD5: 83e93f32f7f488c26def6938e280b716

SHA1: 59886e50e9d7e53beb111b317d5195ee0382050e

SHA256: 24c8928619c471831467afc05aca6f0299e40b418b78bb30b4d66942d872d2bb

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: th.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/th.js

MD5: e14a3488b2c85b54f65262d6fcc6b1b5

SHA1: 7697e04cbe08eefdc5ad4cefca7ea7ef42cac791

SHA256: 9911634c353a7ce63a81139f914552fc80a499029a803ced8b32b6af88c53bf4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: tk.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tk.js

MD5: c01b5d264b1cfa34c4723e995439ebb9

SHA1: 8445ede8c1ce77556495f9a5469ead5d3b2b3ee8

SHA256: fc6654229cf3f6e6bb2aeb5b70dc4e6adf7f307575af9d15b7a31aab897a9988

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: tl-ph.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tl-ph.js

MD5: aefa584c5d3e7690a710b144fc505a7d

SHA1: ccc8535e56aeb0b2c2991ec7c2c232a16334f09b

SHA256: e324f1791432534af3ada36c185637db02eaf3d3ed8f88ddf143538dc484cc3a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: tlh.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tlh.js

MD5: 59508c37879615bd0a0beee8f69a28da

SHA1: 15324b9edf1a3e7bbc52b1e510ac53def8ce02ef

SHA256: dccea1319a2e92d9bf373e1d8dadcd4a130e1fa2457d7a66dd035c3cb93601cd

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: tr.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tr.js
MD5: 0cf5765f4f245b2cd8a21dee0c3c92ba
SHA1: 7eb8afffa83fb85eba987c80a934c6ad30a23b23
SHA256: e8af125b0bdb3c15ff5ef2eb171bfe698507a026a9cab54bedb0770cdca34fb2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: tzl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tzl.js
MD5: a2587bce05b5fa3015dce4ccedbd802
SHA1: b9c4bb7a9f9ad9dd515bb9de82be90d0d4932fe6
SHA256: 393e6424d498fd2abbf646217a197b61c4c57706e6b29ec2873ab20e7bdf6970
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: tzm-latn.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tzm-latn.js
MD5: 582198d314e9ced1007620d4e7701734
SHA1: 17859d3345ae82ce39d5d036649c1976b9e4474a
SHA256: 7909cef0eb3080599c24794c079e05ba07af565f198450df0ad411c85be45030
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: tzm.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tzm.js

MD5: 69d71f7f7674fd7f8b35f14dc179339b

SHA1: b5166e0443eb54c38185227e954cd5cc2b1f589b

SHA256: e6f3a2e2e3ca86953e2c06ca562607a95d2b5129e751e5e0905270f3e56a1f52

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ug-cn.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ug-cn.js

MD5: aad8845e8fb63517d21b322fef4a3545

SHA1: aff6b2361311a6475b9fd755bf63d23e3e6132b1

SHA256: 58de2ad653876b1eb27ceaffb0037ddb0e4fb7917e111fa7a88ef8ab01fd041d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: uk.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/uk.js

MD5: fbe69f339b236b654b3e41d8d8b56536

SHA1: d9fdc9224f535c1338048858a9e457558f95349e

SHA256: 725764b2851d3db79d8fb20b96ce7708cd1dc60c6ca6f37bac4df2350f3ccbf4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ur.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ur.js

MD5: 3da71179953500680163984295abe43d

SHA1: 2fdee5b33f8d29a565d84927fd333a2d9d41e5b2

SHA256: c89fc485a14cb20c0576ff20bc3d157e1296f2b2ddfa8035f71e8b58f61a29a4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: uz-latn.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/uz-latn.js

MD5: 75ce0ce4c28806c32575c4f28ded6185

SHA1: 2648a6adc3ebb4dc12b070a5cc0a126050cf685a

SHA256: 3943e946fcad9c965f147c50e08da71d3270239175de530d1f48be6fb44956ed

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: uz.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/uz.js

MD5: 3d11efeaad9c7b7f344eb8beb691a2d3

SHA1: 73ce197519648ecb5e6756bb2fb953688b42af2a

SHA256: 9f22344f9ff69b1cf5546c975fd8847884bb032216d15054ea267cb964a09b08

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: vi.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/vi.js
MD5: 28c7ec0c4bf82120245da0d15112f4b0
SHA1: 1470d1969733e49331f2e435910b045e6a0a518b
SHA256: c5db03ae438e4c55a6edfa004540aaf1def14fe0968f9ed3e03fe7dd7c3faf03
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: webjars-requirejs.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/webjars-requirejs.js
MD5: 34b1a7dcca0ee03eed1432670ed9c472
SHA1: 9de80e951270f04bbafd39d9d7822df4f7d08839
SHA256: 197295e6af66b25f2aaa0909c6911f7c1c76e24eaf170d9cba2d84644146bfeb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: x-pseudo.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/x-pseudo.js
MD5: 18b5b8d8f2f327f6d5ec947e550f35e0
SHA1: acc470244b95f709e4b68e7ab94b2c645f929f47
SHA256: ca8ab052a09b2f320574c71c472609e026b4aa72c87a06f204ff33670249e2bf
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: yo.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/yo.js

MD5: 42b28f7a2ea67c7b5a342c87ef0a5771

SHA1: 84f6d714e3aadf74ab8a755b465df7ec8215fada

SHA256: d80655b604558af2855f5b67b21b28ec5770985b67fde59e94e1168e5f4795c8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: zh-cn.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-cn.js

MD5: 49fa27dd7c374122f336369f30a87973

SHA1: 768eeb42e5372200634e8825680c6e18b0c8db8d

SHA256: 53138532aad7c571af10cf6b17a678552e9a9e7ef5014d250f97af8dc61ae6e1

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: zh-hk.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-hk.js

MD5: 9338eb6ad8e887a63be4fbaa05cab197

SHA1: 92340e4f48872df241a47bf9bd13647092fd25c9

SHA256: c6d7de0d1f5544a1d3bb64c7eb27481b30316766f1214fbb5b1c6be358a4b921

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: zh-mo.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-mo.js

MD5: a986f68bda18d9751f6bedd7356e6e7c

SHA1: 6cac0e5b7b9e15ea799ce6a1575be93df4832c87

SHA256: 874ca3806f556c5809842613ba410c965111ea9441fb949a32abe2a7c3bf7f8a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: zh-tw.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-tw.js
MD5: 94fb46a7c1ce21f0a91512b170d4fdea
SHA1: cb69c6ca687ace454432d994ae5b624ba9011b62
SHA256:62fb1b36d24050120cadf807b975ffe9d7986aeb41a0f4ac218c3ad23a1c9b1a
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar
MD5: 7c43eac7247a698d1fd2505d38914e69
SHA1: 7df267fbea324e9be4f23e00558f83fbd973550b
SHA256:f05130321ec6e06c4e27c611bcb1881267aa2166d43e33459daba7a45663b72c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	remotegui	High
Vendor	jar	package name	gui	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	remote	Low
Vendor	Manifest	built-date	2025-10-22 16:54	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium

Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	remotegui	High
Product	jar	package name	gui	Low
Product	jar	package name	remote	Low
Product	jar	package name	shared	Highest
Product	Manifest	built-date	2025-10-22 16:54	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	remotegui	High
Product	Manifest	specification-title	remotegui	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- None

remotegui.zip: remotegui.jar: angular-websocket.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/angularwebsocket/angular-websocket.js

MD5: 40cf028986784d5006d57219f6dbe0a8

SHA1: 40efa9ba93f90c2933ea22c767a0b1439e10303d

SHA256: eb77f7788e6b757192f2fbf8c6af6560731c3539b06fdf7d476e92b989ca50b0

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: app.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/app.js

MD5: 6f61e39f7ed0928ce2046d44760db061

SHA1: 1a79dd0d084db06894770d115b3b808a0d8c0ecb

SHA256: bd0c38131628418202bc8a896fcee79fc4933ac37da60263562ddb37ede2f26

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: app.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/login/js/app.js

MD5: d9a96ed732439b0dc0417d960d30b667

SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1

SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: remotegui.jar: app.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/logout/js/app.js
 - MD5: d9a96ed732439b0dc0417d960d30b667
 - SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1
 - SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93
- remotegui.zip: remotegui.jar: app.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/masterlogin/js/app.js
 - MD5: d9a96ed732439b0dc0417d960d30b667
 - SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1

- SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93
- remotegui.zip: remotegui.jar: app.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/passwordreset/js/app.js
 - MD5: d9a96ed732439b0dc0417d960d30b667
 - SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1
 - SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93
- remotegui.zip: remotegui.jar: app.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signup/js/app.js
 - MD5: d9a96ed732439b0dc0417d960d30b667
 - SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1
 - SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93
- remotegui.zip: remotegui.jar: app.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signupbasic/js/app.js
 - MD5: d9a96ed732439b0dc0417d960d30b667
 - SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1
 - SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93

Identifiers

- None

remotegui.zip: remotegui.jar: app.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/reporterror/js/app.js

MD5: 6ad83588ff8ae2fca8a22a9973c9a22e

SHA1: e34a66c038feb5d7eaaebe6f5641ff754ba2133a

SHA256: 171ea457d3942a068d637c9c416f4314d2e337896c4c06466d5048d1b207964c

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: app.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/start/js/app.js

MD5: a92b24ddb292c48b2b37f8f612dcf510

SHA1: 4fb6c8ec1c639068e82cea773e346402bee5db6b

SHA256: f9a5dfaf43cc245a92f3da0e6a6a05df73027571f820767630c897274510e125

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: appbadge.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/appbadge.service.js

MD5: 4fd729dbd4e3e172e18625eeeb1d21f3

SHA1: bda842fc94e89b87c8ac7ab1fda990058708c679

SHA256: 8ba199a5047196dec59a090d09d62628d962bd4827c6f58491688405af98bf20

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: authInterceptor.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/authInterceptor.service.js

MD5: 7fa3864d221a30bc7380c1d61fd0127d

SHA1: 7711e764bb81e7518be8f1582ba36c0bcaffbc12
SHA256: 78a5ae26f5463a9ffaa3aba943dcc4a6852dafa4e6a161a77db4e57e57c9565
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: avatarcard.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatarcard.directive.js
MD5: 42e2eeddd15b1c78fa69908f6680ee70
SHA1: 700e560ae973d1bc7fc1533f10000bff031ae452
SHA256: 1f84952e5877f9a0a2bb6de1db33baec5f4bc55d5aba12f70cb4f7a6f79729d0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: avatardetails.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatardetails.directive.js
MD5: 1736536ca17f8949cfbcea3546666700
SHA1: c6d2b53e9caa1ad5b19f0063a4c7f88c31784ccc
SHA256: 5bedc4c3e7b3be6a29f2c85fbd2881b935f24172fd42d5f893f221c1972bdc5e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: avatarimage.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatarimage.directive.js
MD5: 70e2255c02822aec0a74da3386baa781
SHA1: 927e3a72f635deb32b6dd3bd1e3deea711b73521
SHA256:9c3a64b8c4c5e6bdeadd27b840e1835d240e7e291b2499e331545d0f3d6fb3da
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: avatarimagedetails.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatarimagedetails.directive.js
MD5: 30a2af71a10ee42a8e840c52dc445a33
SHA1: 2767a8c4d10f738a7cbc2f0166473a721724465c
SHA256:4c5603e04daff5cb4de37b3a8e120e0049036ea10683980c3062c96919d1521e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: basic.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/basic.js

MD5: 6ce37bb0cdb3e8dfb60502a14fe7566

SHA1: b5cf170633b03bb7e703f0fe1369c71a0d451dae

SHA256: de45f22f52903c15f3869bbbf9856da834d7a0d535bc5138832434984996079

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: bootstrap-colorpicker.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/colorpicker/bootstrap-colorpicker.js

MD5: 66fc7adafdc312da33c1610ddb02650

SHA1: c0fe35fdc3e1a7b23415601264ee3f5f8b6408ba

SHA256: 359ac587e9aac88dcb26774fea01a3b04b89ff8f8d49c36b0dff82d0ca3f2a9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: bootstrap-datetimepicker.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/datetimepicker/js/bootstrap-datetimepicker.js
MD5: f99cb51a76e41db0a93720a7ab76f79a
SHA1: 811d10b8029074990b4328164ea5645759789a5e
SHA256: 3ae825ea00eae0f2169e66d6574fa1e8323b51bf253091bb5a66df76663d37ef
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: browsercheck.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/browsercheck.js
MD5: 2a66f45992dabf075363ec46a8f1913e
SHA1: 6dd5a0ea9f6b8471d5133f32a13090af611156a5
SHA256: 9591b9925bdfd5c199c34417db703dda37c469646adfe38409453527af025015
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: changeavatar.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/changeavatar/changeavatar.js
MD5: 8d2dac6b040a8c19644f32bf31bd71a5

SHA1: 71bf152e7bc6f067ea04a5b3aa1cca0a77af4b2e
SHA256: 2dee1dc75f9ea3da5c18de2d3f7ab5da477c1b0e29952f28f14ec488140c3d0d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: changeavatarcontroller.controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/changeavatar/changeavatarcontroller.controller.js
MD5: f4c8b7a6dadbe05f4e359733f723d5f6
SHA1: 119cdcaf2e65398e1f02c279bc915fb748c851e7
SHA256: f6cdf51e77bf2b01b8d6d81d62929f453e651b07cecf5ec1a592556855c297d3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: changeavatar.service.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/changeavatar/changeavatar.service.service.js
MD5: 0867b1420c57ea1bd0df6b217d0f0a27
SHA1: 3b540de9bd01aa2d887ff4690636a46d59e54ac0
SHA256: a4e383e6b3971ae28b1ab569fb9bd73553c7155615dd6684f9eb1db4c28f9ca8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: clearreports.controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/clearreports.controller.js
MD5: 3e7fceb2b9ef747bc218cb75a43c2f00
SHA1: e73d081fea644eb31534bca4d63d8e37a5f2239f
SHA256:565b256ba888e792b1e08f6775f46d4db5f3e7cabbc6e07b61321a8f8b207053
Referenced In Project/Scope: server

Evidence				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: remotegui.jar: collapse.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/collapse.directive.js
MD5: c1382e5bab1e0095998e5b19ac91f381
SHA1: 2bfac81cdcbdbc9919f24433ada8d3d78ff826a
SHA256:f09aeeb80d0d0811b4e6c9ae46d2a975cfa372d339236dc1f74e238218a60be4
Referenced In Project/Scope: server

Evidence				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: remotegui.jar: colorPicker.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/colorPicker.directive.js
MD5: 21ef7608799862ae50c2c74f78d0a9fc
SHA1: 747b3d2b2615c51fda36d4177ff6742a3f254784
SHA256: ecdde453424a6164c70d2a8ae42bbd0e2f36aa424dda81a021daddfc3be97cda
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: connectionstate.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/connectionstate.js
MD5: 4a6174bd421f26ebbcfee0cd497cb818
SHA1: dd1fd437528d6680073b6ec992627e58a7117d1d
SHA256: 4b755f8f5c4c823a55df73cda77ecfaad11829b5945c0f60e9c3be0de7ffcaee
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/controller.js

MD5: 8886375e9fdbaea08407ec6d19efb81a

SHA1: 1e0b4d981a4a8cefe6737624ea1f4ab9636116e9

SHA256: dd9f87011fd0cb0ed630d3f392e7527a62dc516584014a2169a411d783d683e3

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/invalidlicense/js/controller.js

MD5: ca1979cf2df78c9a22c96f3478247107

SHA1: 6b8bd8aa94a41d55d9b5c11f37a6e0a2a25a5a5e

SHA256: 2e689b5bdc728198ed225e4e7634d0bc374f6d5f0190f706808d3c1857b1591c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/vetomessage/js/controller.js

MD5: b3d1cbd2470d7a37317a1a3b2f731b76

SHA1: 8be451bf390bbc31e274d966fa238675d192598d
SHA256:d478572d76089fa663779be7fb47933ca9c7bec7f97ada36dd8d7ca80f6f4eb5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controllerAbout.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/about/controllerAbout.js
MD5: 80b4da64ffededbe3c3523b55e2bf326
SHA1: df84d88eb510b8e820880297404310f5a8795f4f
SHA256:48bbb094dff3f6b7dcf787d12214c26dafedc27cd37003b651e1ce179026029
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controllerShortcuts.controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/shortcuts/controllerShortcuts.controller.js
MD5: 9be25409fea8e060b32a3ed16afa0496
SHA1: 36808df213a842d807c44b517fcdabd52c7479ac
SHA256:18169a2a57beb8edc203674e334cd2eccaf262635e4cea0b408e2f8608338008
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controllerUserTheme.controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/usertheme/controllerUserTheme.controller.js
MD5: 3f22da2a31a50aae9eca2ddf181a32e6
SHA1: 92ef56f938fd823a8d2d234190af4aff18ce8223
SHA256:e3b5b9c6ba45a9f4e7ea82817ad2e4eebfa514eb88f0056ed61741a37917049a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/login/js/controllers.js
MD5: a8ac2709cc86b403df12e2112b1c50da
SHA1: 344a480dca6074c311786b03a13aeaff5cfb58a3
SHA256:3efd28cc6f37f33f4c99fcd534349933d13c07cfbb85ae6b424c7d0889e968fc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/logout/js/controllers.js

MD5: 72df17aceff55a08379e0d53b414a348

SHA1: e3364d95d630e8ee2831c6f8c043e380892303de

SHA256: fde8f9a6bd901c3a4fb1eff6e1b28cd70ed29ecd1ca0eb4d516fe8257b10866d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/masterlogin/js/controllers.js

MD5: b7ce1065cd78fdac56af02a9c2990479

SHA1: bb6e0f303c2a2601864542d89f2e2f5da4cc582d

SHA256: b062b60f3c71cca9147df8429acfeaf1333646ebed0a49abfd57e828594969bd

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/passwordreset/js/controllers.js
MD5: 4dbf4bd5e209bcf9da2dbea374055b93
SHA1: 87bc7d80e618d023de04a942c4bcf78a0f63ef94
SHA256: c4fc820510883428e8b7f8cc620917ad024a053406fc8e06a1f5d291e7cb8277
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/reporterror/js/controllers.js
MD5: f0eae135a9846e9583286cd7e26e16c1
SHA1: 2ebb1635a8de2bf5a5b733d22be21e702b12b72c
SHA256: 03bece9cc5a2def46cb9af89cf57416e825bc861f4bef8e388418e2e2f7fd2fe
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signup/js/controllers.js
MD5: 258465212e0911f69571bb053df33a43

SHA1: 91a7f8521507ac4c7f3694cf5dd955417828e559
SHA256:f3cd796047cab32758bcd5425fddda63249ccf268422094f9bafb9183d52a13b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signupbasic/js/controllers.js
MD5: 17128560e8941aedb7e852204f4a179f
SHA1: bafe38ec75526c6f24a08468efcb54b174af8a12
SHA256:c86e24d128397562391debe2cda9c5a59382ed887ce040fdd950fba13307b093
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/start/js/controllers.js
MD5: 3451d3dc4466d917bdaaeca802ffedae
SHA1: cf35aaaad9461c21764024842d788d1ffdd36bd
SHA256:81ee322dec22a872c1c1b2cbdeb032036fb825c53bb8d0fee0270318ed49dae1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: currencyNumber.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/currencyNumber.directive.js

MD5: baae690d1879d5770a785db43c416078

SHA1: 6652a3fc50dbfeff6d2c3ba5d163b6198d48952a

SHA256:c6cf472a9ba060122120b728e7f034a46b42e3b035ef56144ff482bfe5092cf4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: currencyValidator.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/currencyValidator.directive.js

MD5: 73a660a1b69b3c877a80104908dcd0fe

SHA1: f452a6e6a90eafec046f8364e92e8991639fc0e3

SHA256:a54b14192bdf0b13eb46a513c0de90d2217df002a87b69faff4a97a2b438e78a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: customEmojiUploadConfigItemRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/customEmojiUploadConfigItemRenderer.directive.js

MD5: 614bca272bedcbaa6f867d223c67ca6b

SHA1: 158169ab1d6de578cf3d3157b44fc5568a0dff9d

SHA256: 38d245ad840d4d01acece7fb531bfaf683e40367b70e1965761df25378601795

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: customEmojiUploadConfigRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/customEmojiUploadConfigRenderer.directive.js

MD5: 646c45383035b8a172b1e3cea4462065

SHA1: ccd25b4652f738ffd5db41da6f2c01b9bf2e8fdc

SHA256: 366ac5823f773c9420495a3f7cceb31703515e7840963340d9b088a9a280b8c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: customemojiupload.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/customemojiupload.js
MD5: 5ab9bc583256cb4bf16a2ed2611a694c
SHA1: 8aa95d9a6f7aa446ca449dd06a22ec766e011c3e
SHA256: 10c1b4c00e9ea48d9216001bfde435ad3d978dc7924328afcde5985e31cc5052
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: data-test.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/data-test.js
MD5: 0bf0cab1b86930641a40d2973ec43f5a
SHA1: 1b7a4fe37b3c6e007214f9c723db5b3d0ca7878a
SHA256: 4d4a8637b7d7ccdc780a838e6524a1ef9d1ab35b425359d03aa08db039d69660
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: dataservice.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/dataservice.js
MD5: 78f781249b28482d2e48cc15713b8fb5

SHA1: be00284d2473c6eec88a36d5b121f40e90f812ea
SHA256: a0f7b276a906aa54b6d0431fd525c527d2dfdd25fe0146cc1cae822fdca12a75
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: dataservice.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/dataservice.service.js
MD5: a0abf2ba0adab44349a929fa37dc4c1b
SHA1: fbc197759253e4eb2a469ff121ec4dfdba229889
SHA256: 79fbb725896e7a3d0af0fdf980d6348d8d4ff3a4d8e197469651f67fe8f93fe4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: datepicker-de.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/jquery/i18n/datepicker-de.js
MD5: 797fabcb912b0290ab3e259ffab24855
SHA1: 46bdb9bae4acf4a0f014121d0f9eaf2d5c15cc63
SHA256: 1bd259fc9bb5d2965296710ef6ea072f59c2ad669173e47958f672d0ee98de1f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: debug.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/debug.directive.js
MD5: af5e64405e9df914078db9c21e2d6cd2
SHA1: 9daecb829ec4ef49f5ff9415f03c1130b97cdfa9
SHA256:7e8f60d4320fb77c329b93858e2cb2435b756cc939395dcb0259f9324667cb25
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: dialogservice.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/dialogservice.service.js
MD5: ff3705252f1a1e7205abc5305b16d24d
SHA1: 5d137431c4fecf3c36e40aa0024d48f64c0f3b9a
SHA256:c030948a627465a777ae0f4a631c5cee1339c36a6fd57b5feb86cccf2b57569f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: directives.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/directives.js
MD5: 19f28ec5f19f91bee0b1c9e74e173dc1
SHA1: 8f3d5294a051eabba98d8b9ceada4b2411210e58
SHA256: 0543ab08833d1e44de5f6c23d230703cea6ad2cb637577549e308d185afea1fb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: dropdown.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/dropdown.directive.js
MD5: 34a62e5850a9c548493cfacae2971677
SHA1: 72304276999b43f29dd0ba3cd13829e7208c6d65
SHA256: 575b84426322c7c3724e5aac3bdacee5d92bcd2ddaecb017ff9bad91e1a714b9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: emojiModel.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/emojiModel.service.js
MD5: 38564647d31b6797536db5765411e4ed
SHA1: 48fd70c8edf0adcf125823e861e4a139a381cbcf
SHA256: d22736cdec4e2e645ac67859b8dd33c6af37c304f60a2d1da1d4faefb33f087e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: emojiselector.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/emojiselector.directive.js
MD5: cf4481407a72642bb8f659e8b1811a6d
SHA1: f5b4d06097e39d132c2e341005a5f37945e6d25b
SHA256: c9b023b87ba265d2fbc5af9dfaf4d739f2a5445ba1368d9fdf02f7cc0e07e307
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: errorservice.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/errorservice.js
MD5: 785c07e4d15b2f2a72b41c819a95cff6

SHA1: 00face8e88e24ab885ca5bc0ef14948c87bcbb87
SHA256: 23319ffbf9167f0a5945db9b9b2c730b84a90d9a58660c76c6e7dc24d2d395f3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: errorservice.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/errorservice.service.js
MD5: 360281c6620553158495b0209b5f061b
SHA1: 5b97c5e92c061efde53949663bdac202c1621e8f
SHA256: 176a28354cdf47070b01c03759f35cc1c4ddfd293367421a058ffaa68647ede7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: eventemitter.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/eventemitter.js
MD5: 3e9e49ddf3534bc5e1ff95b7f17367c1
SHA1: 56913966a816d180fc0215fbb438e7e6fe9517c1
SHA256: e7e4248b578d827250e51c12ab9c4e806195260c1750aa92c16aa02989ec9adc
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: filechooser.service.js


File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/filechooser.service.js
MD5: 5e0b478b81135a47200d26a4a107206b
SHA1: 3d4059f43cb16ae92568642a830284b20cdeeea0
SHA256: 0e01b0b88c94036b3237e64cc2115f2a7a8331fbaf7714fdea8885598887325a
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: remotegui.jar: fixNumber.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/fixNumber.directive.js
MD5: 4012901ce3b8c0dd2c30de58b4010f93
SHA1: 2f74672bcb93cbc5a5ad537ab900e5ea2993244c
SHA256: df68e84e582a52b12400fdb1ef79d935013e189579795a435a6ed8055573c35
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: remotegui.jar: fixNumberValidator.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/fixNumberValidator.directive.js
MD5: cd63efa13934af29deb8ebaa34d99d16
SHA1: 6b6c6bb19f785f4cddf2aced9381c3578a3213f5
SHA256: 8d6e9515be7e1db5f56dfe91a1e96c91b8ca536f4ffdc31614a30a5a7e7dad88
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: floatNumber.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/floatNumber.directive.js
MD5: 0b5378d3a8d7f79543eefb43bd125bcb
SHA1: 0c50d5b03526ee6a4b5ecafca50e139183e64bf6
SHA256: e1e487d744826c96b46a8e946a32892ee07520f3f29e421d243df51291f729f6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: floatNumberValidator.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/floatNumberValidator.directive.js
MD5: cf0422e6f9e9d1503247ff475d10d3d2
SHA1: c0d2a9c1ba8905a8853b7880e484fd2546bd91cc
SHA256:f64676d8ca0e5be8cdbcdce1658d71f18608aeee7229a43e8076139ddf5d7f15
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: globalactionservice.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/globalactionservice.service.js
MD5: 6d4f2194f51d48cc3b21f9526f7fee57
SHA1: 30f480f24b629a9dd3a93fe04dca7eb04a20b677
SHA256:8c1f6dd7a7ecd6472d75748edd38d98783b20e103c898220b2e3b25f4090f6a2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: hdField.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdField.directive.js
MD5: eb473c0da5fce407a8585e0ecce20bc8

SHA1: 3f2b16de362bb37d19bdd9147b03dc59f1036b18

SHA256: 6e58cc4e6bd4b86833f4d7eb154a422d0ea77f2481cebb41cf784722eafa2548

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: hdMandatory.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdMandatory.directive.js

MD5: 5ebb609350c6d0ae645e8ac20cbb32b9

SHA1: 15bb7b61dcc2a479beee7e0162796788565fafc4

SHA256: 593ebe1d558142ea9e12a998fba8034c5539267794d3f1ae01fa61cc30103e2d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: hdNeedchange.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdNeedchange.directive.js

MD5: c3abe040e55d2f09b03b6ff4a839b795

SHA1: 4ba516326ef10cdbac82bfeca2ef5a82122c27b9

SHA256: 49e8d8b1fe5a2d491a81412531fe794b9b32ccad6536f9b06041e7931f83a8b

Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: hdValidate.directive.js


File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdValidate.directive.js
MD5: e6e8c3e26ad3be54df16ec1bb887bb70
SHA1: 4b1e88e7eed9dade1052f00086c2c09f18a0be32
SHA256:18040f9661212ce2406d973b0431fd3c320033bd4d6b931db124aeca515873f1
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: remotegui.jar: hdattachment.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdattachment.js
MD5: 16e85502191f7fe25433de5ad6c746f9
SHA1: 712909937e6a4ad47396146d4e79e4a3dd0b32e4
SHA256:b59d7f8b2225790fa30812d87d012f6668ecf1ce2d3a0cba04d987812ad2cd4b
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: remotegui.jar: hdfupload.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdfupload.js
MD5: 75a66761b717a6997b593736a3636c7f
SHA1: c7dcef33b520474109257a31e81c13967de4fd70
SHA256: 1e85e4d3ca53baf4a8da1008aaaf7bf0b048d078a08e8bae3fa8628804dbe5b4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: hsimp.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/hsimp/js/hsimp.min.js
MD5: 31da02c3356fe92d686f09c9e9a2d3b5
SHA1: 77c9d1aae30a77bb4f4ff1015d9886a9fb2bad93
SHA256: 44cdb7ca377e6793dac301775332a628e89b3624b6330964a9e2592d1f5b0389
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: hsimp.renderer.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/hsimp/js/hsimp.renderer.js
MD5: 5f06f676ed65e93315ba629f480077b0
SHA1: 213a052ff56e4e0cce58b108a93995300b7f21b7
SHA256:a6741fb1ac97dd1d59dcbfb635c018a4fc51ee6bcbecf8f0928fb76019cf3658
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: html5modeurls.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/html5modeurls.js
MD5: 784c54f58e8351e6821785bdeaa852fd
SHA1: 945f8e892ff235c347b61d726cbca71c51cfa0ec
SHA256:3cb5e8d76193fd52fe4672a8510546b527e84df68876952b6965e146d816f97a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: htmleditor.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/htmleditor.directive.js
MD5: dc39ff4d4ed88e924ec83375565732e6

SHA1: e0296d02f1d6e4760c430fa1bd2b63513bdc6415
SHA256: 16ee6814ddf609aec305ff499ce9d3aee696fe42a59be2e31fbd4c4ceaa0da64
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: htmleditorFactory.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/htmleditorFactory.service.js
MD5: ae7cf9f1949727b0b0abbe02d00322a3
SHA1: 8f6ca76d2a1d16c23d015e5fc99c0b5eba633ca0
SHA256: ada0a0081829c6575f5107ad1f2b857976454e420b33fb4e11caa971d23243b9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: htmleditorModel.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/htmleditorModel.service.js
MD5: 5065e5c03040fe00e77e7c35c9491459
SHA1: a07cd621341d26b6a8af98193dad1b028e518a16
SHA256: e4eb54f0aa3b0f5e3b015668ac05a9410b2fe4e2af0f796f3b9a9c1dc68de3e1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: icons.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/customhugerte/icons/inet/icons.js
MD5: 81ce9691eda2df21f0904f09079b80e7
SHA1: b4a46ece9a2ab75c6aa0753ca006bc8b01d0169d
SHA256:870a4c211fd913aaee81fddc05c555949806ad233f9bdd1e5151b3b20a370fbc
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: indexed-db.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/indexed-db.js
MD5: 8e18eb72cdab27b9f50d8be736fb5d3a
SHA1: 9a0e5e9098ca6fb8c1ff37a52cd41493b9c5b765
SHA256:8a7b578a09e75c8abf3b5c7796a3a9fdd812f0e1fe1b9cb2dde13c8ca4dec439
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: initUsernameField.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/initUsernameField.directive.js
MD5: f3f6879a5d27234809f195e8361367fb
SHA1: 24d20461bd9e38654b9feb17b07291ac539c186b
SHA256: ce03423bc27bf8ae5f2a0ee43236549dedb25ae612839b3e645bc11849b5113f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: introduction.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/introduction.js
MD5: 89901332f1495e0cd0ee5b86914cedb1
SHA1: 35a849463bb5de9d8fc94de631c5641743d37abf
SHA256: afee3a22ebd23a8eac80d546a023e642c33409bc80ed5340e4372fc91cc30360
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: jquery.fileupload.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/jquery.fileupload.js
MD5: 240236292f36eca6c17aeac05fd73d61
SHA1: fac06f570617460bbc6f377136ee040bebad8828
SHA256: 16d6dd6c899f13098e81e50b8f75ef74df0da97ed95cd2759933a13d53dc876b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: keyservice.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/keyservice.service.js
MD5: f23478b8dd57156641a72835c4ba157d
SHA1: e8f8d906c18d20e47d651a64680a20db7f7eea0e
SHA256: c584eaf3c626b046c9c592fc813efc7831d9420fef68fdc6fac95999519180d2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: kytos-attribute.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/kytos-attribute.js
MD5: 5bb6035188c4e1c54d61442a810f8248

SHA1: 931d5b4f58c1ed00341c31bd7cc6a2e39fd95faa
SHA256: 3820432cd3db58e325157b9493754079feda4fab4db08d38296df413c6a72c30
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: kytos-data.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/kytos-data.js

MD5: 79b7f23bbce604a15a1e9f8b28e321c7

SHA1: ebd7b9ea49d5d6f8da732a89a7d9850c0b8614a7

SHA256: a0c941c8ba1f69e19b7afd1c952228244b235a61f0d82b474f1ef9b934483af9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: kytos-dropdown.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/kytos-dropdown.js

MD5: 51af44834d6aa24a2375a5dd37a08854

SHA1: d24606878b7f5acceac8ff0b7b000fe02f9532df

SHA256: 6e955549f49e3d628b44f498e50f1f5874042980f6a26780ae880f77713357a6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: kytos-element.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/kytos-element.js

MD5: 7376f629e24a94902eb928e3011dea03

SHA1: 3de4895fcb745fac4bd15fb5499c7acd097319d9

SHA256:4c56e12ca9499ae2dbaf1841456752da1b2dc5fce177e312a3079514cba5958c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: kytos-i18n-placeholder.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/kytos-i18n-placeholder.js

MD5: c2ddf4ebfc98c053b2cf38e316d67a9e

SHA1: 558b0eda02d143df94aa87ba51c55a282eb1730f

SHA256:1594fbfcf0410acad583b620fd613364af498faa76530bc2eecce247abab1f14

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: kytos-i18n.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/kytos-i18n.js

MD5: f828085d946fa2ec5043d11bc31123eb

SHA1: ed02dcbce2e6de89f5431c21dd4e2fae658e07ef

SHA256: 2dd438f05fe18415e72341be8681e913d3b291482a6db53fc8190a9c09ebb7db

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: kytos-on.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/kytos-on.js

MD5: 15063ae2298fdcbc06f0d553980ad33e

SHA1: 1dacb61e604f894bcb4ef23c2d146d9872eda47a

SHA256: 268c59e78abaa34e119f9e33f0478b97905cd60dc25c95e22006aa309a673f60

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: kytos-repeat.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/kytos-repeat.js
MD5: 79e3a5e2634666f50d40cb4841d5e564
SHA1: bca7b3ef1c01355797d3e7a66e08781e9a55f497
SHA256: 62b3500eeb92de0ded700ea5b2ce8ce3d3fe30819347026c0db9ef00debd6e90
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: kytos-src.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/kytos-src.js
MD5: 668154cbece972e8c4538e661daf0efb
SHA1: 48ad7d4e2246f6016e16e26c5a2e88c31a512c28
SHA256: 227f9b2e149db2ef20aa3e66832f35e006bbbe52e7cfd3958b027a01c1e4645a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: kytos.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/kytos.js
MD5: ec6c9c49dd82ce9e1d04e7a5676bca53

SHA1: 35f2b6a2f7ba2bcaa10cb39b0e1bb6a8e54c07c9
SHA256: 4948dce62c0fdb2562088c264153582874da88e82268203fbe47b1c6a133ab3e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: localfilesystem.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/localfilesystem.service.js
MD5: 277d95afddcd590e0d141b2d577b5e62
SHA1: 20bcb984e60bdb0a2939939f52951e728a4f0af7
SHA256: 07ed33c8a8d0f7931367e1c0138049de8105adefde3fa138dd50e4c7a31f8aae
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: locationservice.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/locationservice.service.js
MD5: 62ff5fc8eaa864ac3784bf03692532c1
SHA1: 53ddc25f9c7f713a3102e0f0de0535072c0020dc
SHA256: 0fb76cfbf05c00b400df4f87dd0f5753d89e68c65bd9b39d89107101321440aa
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: modal.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/modal.directive.js
MD5: 8b4f5159c55d2de4f772c61b5bf7dcc3
SHA1: 6d4df793d2fbad75c24f62e005eefa9ed62954cb
SHA256:2a5553a5186b68c5f299d2e1f274ba754bf9af25bcea981725d472dd762d9e42
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: modalservice.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/modalservice.service.js
MD5: 4acca3d003e0b03b3f5e384003755de3
SHA1: 1e0cae788079de22547aabb02d319de12adcaeef
SHA256:0ff64d3810936ecaa504005327a4ce6b1d113fc762a15ad24874427cd51fe144
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: moduledragdrop.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/moduledragdrop.js

MD5: 3958a1734972672ba1c124b1ed886668

SHA1: 4eb0ba0abaf32269baf7023edcaf12cc623783d3

SHA256: 10d5980e1ab5d292009b20fd37d4d53367a0f76a55bd04b545074ece66d20a25

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: my-test.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/my-test.js

MD5: 663dbecfca84238754bd85b54ca72706

SHA1: 9a92853adf7e5c8ceb8e948a07124ef3780c5d9f

SHA256: fa76b5d51cc673d4abd904d0947d04d9258fd8a04bed04e4f9c565ce7546af79

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: navtaboverflow.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/navtabsoverflow.directive.js
MD5: 0ce7f7b7b6a5a148404b16e1962caf60
SHA1: 8ef17d2fe2fe1832fa5c49d6d65b6ef5fb1b7bdf
SHA256:b3557a1661a5cb1508bb1654d46bf5938bacaad8b4dcce03cf86d729793bd47e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: ng-hugerte.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/nghugerte/ng-hugerte.js
MD5: d62cf052e63074e92faf5f0c7ffa8876
SHA1: b4c035d46a81de2db06cfa7183889f4a2b0e4f03
SHA256:88e8c189a593f1bb43af4af96b91abe4a87af72307eba9d0a4b704d73a02171c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: ng-i18n.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/ng-i18n.js
MD5: f70ed5b4b0d12a1df931521a5bfd4d55

SHA1: 2f141a8d67bb4381b248e0292c2b566eb17d6ea8
SHA256:f8c9dd393e16101f533ed78c9c7d84eb60aeadd228f3573950b0930221c6425f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: numberUtil.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/numberUtil.js
MD5: fc50f41d150aa956d3405cf5538d0ef8
SHA1: 36dd5feae806c1dff8a67fd8ae4c4b4ac8d590b1
SHA256:0a6ba6dc2719ab3741995db471ebc7e94594f837227eaad277bec79785ff9eb5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: numberValidatorUtil.factory.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/numberValidatorUtil.factory.js
MD5: 5cfcc7ddeb5ee5abe9b657cb4c4aad1b
SHA1: 3e1befb49a7e3de749bbf7c11db74fad428ac1a0
SHA256:b098b08a665832d5ec3cc30a813f3ac471cc62b9f9362125b8fbc879d5d6be66
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: ocLazyLoad.jsloader.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/ocLazyLoad.jsloader.js
MD5: 6efc2b278388ff3b8fd01d214f68de95
SHA1: 1d366d752be481f2502ad6e928bf443dc1bbc11e
SHA256:7c22d04e3e40f316fe62e2df4c73ffe9ca1fc552117386466972ad8a524b4154
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: ocLazyLoad.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/ocLazyLoad.min.js
MD5: f2d4908265b909369078aed0cfafffa3
SHA1: 2d19edef03246ca520c6b3d658e75fad0d791695
SHA256:a5f7c8f4292aba0f63174bbb86fef9e919d97ed72f80857e83065c66ddbcb5a4
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: pageablenavbaractiondropdown.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/pageablenavbaractiondropdown.directive.js

MD5: d1feb482374e4058601ab2f7b89adab6

SHA1: 3c5f495653d3856460bcd8ff62dc530292fe91a5

SHA256: ef9d71d87d4a4d8f2222fb5ce1f9030667e65a51b42e7a65ab47139193909983

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: paged.filter.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/paged.filter.js

MD5: 620885e608d87c0af2184057fa716019

SHA1: 99aab6b764bd796a4fad0b23da057c07f0a173bd

SHA256: 7838a62ddb112a36d3f6b3ca85606aa02bc913e5551e40a1d37a2a7411f67c88

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: pagination.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/pagination.directive.js
MD5: 9072dd128b777cbe8c9a3f5cff6d1ffc
SHA1: 9aff2deccd8bd06b84530f2759b5d3708496680c
SHA256: fe2e2a1a9bd791563352ef8b3350fc0bde4b50ae191a675e4a0fb5d592389778
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: piechart.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/piechart.directive.js
MD5: 57b1a6b4c82b90c7ae6728361bfd83aa
SHA1: c4010db7bf32f2263f721e7d0642b0e4e99b7e2c
SHA256: 514ec005ce503ed102e409c830b71a04afda4dec41d04cf23e4a80f6e1def184
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: popover.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/popover.js
MD5: 24e950e89aace08f1aaa17fd06bb396c

SHA1: 1b794fe5f9c1c3015159425162f6b3b167ff1665

SHA256: 4deeedf673d7fc514627d7ebca5d4595a76c7d11d9cf3bdeb720dd6f663666c6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: pwa-service-worker.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/pwa/pwa-service-worker.js

MD5: 95a33b245d3237810fe50090f6719728

SHA1: 1092e1c782d256a86ba9034dfc86b2af50d31117

SHA256: 933121280fca1f5ea88c243ffecbf998a62fdc3b62b5ca70875a990c18c9edd

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: pwa.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/pwa/pwa.js

MD5: d5f6fdc8eb151d3a71ca5eefe74f6dd9

SHA1: e7e28c16da057e3d23295da872a11d99239f67cb

SHA256: cd0a4ccc24239ef74ccf067d2eac8ac8989524fc41b0e7ce4946295f92a75b72

Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: qrcode.min.js


File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/reporterror/js/qrcode.min.js
MD5: 4b36f8e71a871112384d908a90471a76
SHA1: f103f61ed24f3dd86bbee1aecb91ad4ff0a15282
SHA256: 6afbe1ebc2ba9b4bb0833f9f55c4eb80edb582903ea9611a9be49633a7aa3b09
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: remotegui.jar: rangeSlider.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/rangeSlider.directive.js
MD5: 8f0195ad048023303ca75052988a2958
SHA1: f30f14dce0300f317db5ad815d452dccf20c6726
SHA256: 20efc1b10baaf76c2d287f1553ab7650017d266804f3c8859c8abbfd89e3766f
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: remotegui.jar: resizableDivider.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/resizableDivider.js
MD5: 92155894052072c1b3585f3f378ed64c
SHA1: 284e63d9a8d92f3227dabbba220ce81b406fd5f7
SHA256: 46db0e3c06217214be457419fa2e4a0df6dfbfa6424e163b2c9315162a9711a7
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: scrollabledropdownmenu.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/scrollabledropdownmenu.directive.js
MD5: 6ccf4fe00949b9ba0161679c557720b7
SHA1: ded14570028ed526c18dba9174881e0dd4c60ae3
SHA256: aea1486dfd6055925eaceaed65bbe26260cb5a9fa6bf17acfb4655308e34d1c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: search-panel.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/search-panel.js
MD5: 62e0a4cb45cdf5cbb82f93ee7c43f679
SHA1: c9bece27698f9e7c6f272a2b83425f6e4d73c0ef
SHA256: e93b61232ebe9eae031c84bccd6eb15b7fb360a8ddd65b7c910ccc93ded13ece
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: selectInput.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/selectInput.directive.js
MD5: 94814e3d56c2235cb31d6bc6ed5f92d7
SHA1: 4619d613f58383a0bc148f0da510fdc6a4a32fee
SHA256: 53afd5593d387bb8bb0730e2625220a66c60b62106d730f9177f84963ecda0e7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: shadowLogger.factory.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/shadowLogger.factory.js
MD5: fa91436385b8994b55a7d310d63aae1b

SHA1: 6dcf22bc7bc7561e394ab64f4cd68935378b77cb
SHA256: 99d32693c3484880d4e331ee348efbf9a6c37f657a63045a1f50ef3e8dd3d60c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: sidenavigation.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/sidenavigation.js
MD5: 41e61e3b773bf6851e57056ebf4cbd3e
SHA1: ccf7dd4e2a531856e99cc4865ae92a4ce80db8f4
SHA256: ccf467b7d7629f106d0bf698be444ba56a7a1545c5118e5bdad132c177241323
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: takeoutDataController.controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/takeout/js/takeoutDataController.controller.js
MD5: 82d1cec699a839f96167893738956807
SHA1: b0c88a87252c6c7c558b366e8f8c8b85179cd354
SHA256: 48b31ddf8b1f4607a020ba89e0cc44d41fa7d29e440224d794f494186a70d6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: takeoutDataFactory.factory.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/takeout/js/takeoutDataFactory.factory.js
MD5: 4c2e4791571aa7c4beef1d13e162b700
SHA1: 72b5880e8daf6c9ff20aa30132fe79c7f4868ca8
SHA256:7cd1066a0db5c12af802b239d6d2b1d0afa29c5417460189ae5c22f5c6c3484e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: takeoutDataModel.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/takeout/js/takeoutDataModel.service.js
MD5: 6bcf8a37b4157e9c59412040d832b2e9
SHA1: 12b1e7fb37e1533e850a261eb24e5260e42368f8
SHA256:9a256e7e32f5971e086b0aa0e02d74c9b128fa2b2700a957af0282d8a1387d72
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: timeInput.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timeInput.directive.js
MD5: ba7319d83a3bcc33e0019d36fdfe0d9
SHA1: 019c707edf3c03914faea76cc116043f51a55ca2
SHA256: ae9ff67469f81911d87d69f7e89d7651b2517673b0a1538f04fb64076f5d0c70
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: timeInputContainer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timeInputContainer.directive.js
MD5: fbc7a8c9f4e3a3cc38d7659d83a6c29e
SHA1: 6b62e43062fdea0d9a6d7dc537e8be85787990a0
SHA256: 13eb8eba0cfd94da346f8cd131a4f90c98261fd83473d80c6c4b98529dcb7e1c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: timeMeridiemContainer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timeMeridiemContainer.directive.js
MD5: e1458f3e6ea63204589509e5237f5c31
SHA1: 0a3f9057c78f591a1bb4086e1910af248290e689
SHA256: b9663e93c6051a50803d0425bf1da08bb6079b7eaedfbbb88f073880cd833088
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: toastservice.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/toastservice.js
MD5: d4d58312cf60d3ba47d98e1ab289db6c
SHA1: 963249daf9fa96bb66be31a2f0ed817de83eed52
SHA256: d70b11b0d47fe3dec7cf9e1f19c2cbd080d7410c4c160da6c68fd9854cca6788
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: translate.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/translate.js
MD5: 061e99802cbbcc1f551b74ad18d8f5e5

SHA1: 941904c2d0237f7941cd16a088d3cf943a8628d7
SHA256:eecc08ab9f22b266c4c1ca774958609372959797bcbc2ef9be0d68fbeac88ced
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: unitFixNumber.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/unitFixNumber.directive.js
MD5: 29d24835a3a3f09d56371f64a9e5501d
SHA1: 74508076d24cd85f342390ee1809e2bb70f48839
SHA256:6a20d4eca5c69740c0fa2f99c209aed92ffa49c48848e3ff63ab6fc9b2f6ac32
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: unitFloatNumber.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/unitFloatNumber.directive.js
MD5: 1d3c2d9b2853e77c53b7f755e4f82bc0
SHA1: 56134dad87141744f8fee3574ebde43a96484ce5
SHA256:dde76e45fa7be7de9e04b3eb5a33954d8c2470636fa945458c08031b593b7492
Referenced In Project/Scope: server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: userservice.js


File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/userdetails/userservice.js
MD5: 8b519101d8b11cdf9b3981d47452b48e
SHA1: fa4b18f4979b804b3a6312eb8c851f050789e244
SHA256:87668f5830e7c8ce1c26eaae7c671a78e3c3116971e6f11c18d7bd6c3ae7ba8d
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: remotegui.jar: usersorgroupsselection.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/usersorgroupsselection/usersorgroupsselection.js
MD5: ba532f7f8d9ad9ddcd5e43589c875a9f
SHA1: 878776cbfda46c3ba5b5c4c2340576fbab6ea109
SHA256:7e213a45192881f06c8f3d521d02f32a8c380bb2c4551c6d1c527f4afceba266
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

remotegui.zip: remotegui.jar: usestrict.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/usestrict.js

MD5: 8e742d11d6b24c401e35f3b516726584

SHA1: 89b72153bd7e6390415ba25b9b5fbe750e6e16d5

SHA256: 8e8cc72e61ff6f6c0c945a976756d112732c499cd64fc5b207bb213fc84a1e40

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: websitedownload.renderer.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/website/js/websitedownload.renderer.js

MD5: 997a09bf4e3740f123d6933770b57ed1

SHA1: d59541fedeba1aa388dc41757bccde3f35324d1a

SHA256: 53a3d1d2454b0730a885b126c853b9ee7a53ff1e01266fc2aae4b758fa1dd7a3

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: websocketdataservice.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/websocketdataservice.js
MD5: 1cc96c975f832a236c163c562ffaf922
SHA1: 414e1e26600a6b724a30d9270560ee8e0e51ef8e
SHA256: ad0eaa536d38b479cd06ed54e6f630fe029710af48ddd47c7ec63796be119cbd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: websocketkeepaliveworker.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/websocketkeepaliveworker.js
MD5: b378595229f68cdd9acc7775a85e3746
SHA1: 5eb59a40044f9cfb861f3c39cf4969cb7e969323
SHA256: d695e751ea4e77b998aefab636299872246f04af2b189623dde151cce2fca67d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: windowdatastore.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/windowdatastore.js
MD5: f9cf627d8040037181eed0b792258784

SHA1: b308fd5ef5d759a9891870ce0b9ae57e62fe338b
SHA256:c80f708b2a3dcd3c44dabdc44165276c349e1226024fc40683a5ba68f03035
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: twemoji.jar

License:

MIT

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller
/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/twemoji.jar

MD5: af9b535ef495075dfb0a7d5bec95eee6

SHA1: 0a559adee289b6b855ad1294b17dd71d9f3d21eb

SHA256:9ce4f61ef563851b37c3918c54a876a865d2f66fda5f80dd2bfecebb2d7e386f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	twemoji	High
Vendor	Manifest	url	https://github.com/twitter/twemoji/blob/master/LICENSE	Low
Vendor	pom	artifactid	twemoji-null	Low
Vendor	pom	groupid	lib	Highest
Vendor	pom	url	twitter/twemoji/blob/master/LICENSE	Highest
Product	file	name	twemoji	High
Product	Manifest	url	https://github.com/twitter/twemoji/blob/master/LICENSE	Low
Product	pom	artifactid	twemoji-null	Highest
Product	pom	groupid	lib	Highest
Product	pom	url	twitter/twemoji/blob/master/LICENSE	High
Version	pom	version	1.0	Highest

Identifiers

- [pkg:maven/lib/twemoji-null@1.0](#) (*Confidence:High*)

reporting.zip: jcommon.jar

Description:

JCommon is a free general purpose Java class library that is used in several projects at www.jfree.org, including JFreeChart and JFreeReport.

License:

GNU Lesser General Public Licence: <http://www.gnu.org/licenses/lgpl.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/jcommon.jar

MD5: 3872e82627df950d40a949144a93e491

SHA1: d5016f7703896c38f9e511f8a9edda2585cbac8b

SHA256: 13e2596044935f76694cce65a22d1df908907ddcba0da2b49ff030930262d417

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jcommon	High
Vendor	jar	package name	jcommon	Highest
Vendor	jar	package name	jfree	Highest
Vendor	jar	package name	jfree	Low
Vendor	jar	package name	library	Highest
Vendor	jar	package name	ui	Low
Vendor	pom	artifactid	jcommon	Low
Vendor	pom	developer email	dave@jfree.org	Low
Vendor	pom	developer name	David Gilbert	Medium
Vendor	pom	developer org	Object Refinery Limited	Medium
Vendor	pom	developer org URL	http://www.object-refinery.com	Medium
Vendor	pom	groupid	org.jfree	Highest
Vendor	pom	name	JCommon	High
Vendor	pom	organization name	JFree.org	High
Vendor	pom	organization url	http://www.jfree.org/	Medium

Vendor	pom	url	http://www.jfree.org/jcommon/	Highest
Product	file	name	jcommon	High
Product	jar	package name	jcommon	Highest
Product	jar	package name	jfree	Highest
Product	jar	package name	library	Highest
Product	jar	package name	ui	Low
Product	pom	artifactid	jcommon	Highest
Product	pom	developer email	dave@jfree.org	Low
Product	pom	developer name	David Gilbert	Low
Product	pom	developer org	Object Refinery Limited	Low
Product	pom	developer org URL	http://www.object-refinery.com	Low
Product	pom	groupid	org.jfree	Highest
Product	pom	name	JCommon	High
Product	pom	organization name	JFree.org	Low
Product	pom	organization url	http://www.jfree.org/	Low
Product	pom	url	http://www.jfree.org/jcommon/	Medium
Version	pom	version	1.0.24	Highest

Identifiers

- pkg:maven/org.jfree/jcommon@1.0.24 (*Confidence:High*)

reporting.zip: jfreechartCC.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/jfreechartCC.jar

MD5: fd2ed94cbe3cf5b6a22a967759d356c0

SHA1: 40e6d9c22d0d0319e82d1678d3cc6eab761ac2ea

SHA256: a0d073c935fa9313c7e44fb4d04dcfa92717b2dd6edd8e5ff8f5aa0445791b53

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jfreechartCC	High
Vendor	jar	package name	chart	Low

Vendor	jar	package name	inet	Low
Vendor	jar	package name	jfree	Low
Vendor	Manifest	built-date	2025-10-22 18:15	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	jfreechartCC	High
Product	jar	package name	chart	Low
Product	jar	package name	jfree	Low
Product	Manifest	built-date	2025-10-22 18:15	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	jfreechartCC	High
Product	Manifest	specification-title	jfreechartCC	Medium
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- None

reporting.zip: reporting-javadoc.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar

MD5: 905972c422bb0384748c9f84de16b06f

SHA1: 8e3ac613d799fb451af5677bb1afed456aa791f8

SHA256: efb4e6b7d0690272a1e4e52f4b3a96f0a5f0c92296d32de10ba005d8861ab598

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	reporting-javadoc	High

Product file name reporting-javadoc

High

Identifiers

- None

reporting.zip: reporting-javadoc.jar: member-search-index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/member-search-index.js

MD5: 4e156314aab662d8bd20e04d1e7051b4

SHA1: 513dc09a501c027f8a199108eca2742b6b0137cf

SHA256: 80a6415178fb8e4ed93b07032a47eb453a3e350e3257497ba928c5c6fbfecbd3

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting-javadoc.jar: package-search-index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/package-search-index.js

MD5: 2c0f8742f3f9b12b580ebbb1d05b246c

SHA1: 4ab261d1781d9f77c131e641ec031d38e39a0444

SHA256: 40e580f6c42f5eaad108580601b9279ee0d06eb1b35574573d0d2a3798580d82

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting-javadoc.jar: type-search-index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/type-search-index.js
MD5: 8008687a1ad6ed821adc84cca8826520
SHA1: a21713c3a63548a6651afc41259760ad85b6226d
SHA256: a9e4cb81069076017cfaf4566173432128024441225b5c4d9bc20a04637f5416
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar
MD5: 054457241c16af183f5e36d3de173633
SHA1: cffcd9fd0a6d212021d1a432de8c9d308ba602b6
SHA256: a98ee57215cbe607f39fd0ff03ff76f8bc46964ada13b40ab9aeee064f30449f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	reporting	High
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-10-22 18:19	Low
Vendor	Manifest	codebase	*	Low

Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	reporting	High
Product	jar	package name	permissions	Highest
Product	jar	package name	report	Low
Product	jar	package name	reporting	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-10-22 18:19	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	reporting	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	reporting	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	permissions	Highest
Version	jar	package name	reporting	Highest
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- None

reporting.zip: reporting.jar: events.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/events.js

MD5: 867af7b9527093452195d3057166a9ca

SHA1: e4856efc3e95a20f25beff5da4ce9b907c3a1575

SHA256: c342986741d1c87b03bfc899d7640ab9267f3e95c5a744e75c5ee12c321f2408

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: export.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/export.js

MD5: 25d677f9db7379990f234c6e0e8a3eca

SHA1: 36c595def0ffb9bd0f3d8d648cf3d68c9bd8a70e

SHA256: 31874fa566bc0532b344ede59518de718ec056b5fccff2b30bfc5130d1ec0d7d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: functions.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/functions.js

MD5: 4cd489d3699e18018f4ee1c88710a066
SHA1: 1fea1856f278aa8a929db3b5dca00fc44bc6de0d
SHA256: 31dd7b3daef9e4ca25bf78e180523407ff4d332f987eb9223b63e36ef4d7f93e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: generator.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/generator.js

MD5: d98c2ca06a72837183dc17a3eeec0039
SHA1: cfa6d7f381d3cb43b6702884df53b0fa08149fc8
SHA256: b865ad0a07fa5779ed8ae8610cf3129c95c79337b20cbe479477b13d2c83d876
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: grouptree.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/grouptree.js

MD5: 03effe09b42d19447ffc8cb035ef827f
SHA1: 3c8c2af60ab10e237af37bbf3a0a2d6106870cde
SHA256: 9cbd9e01ec128a9fd563ee1dbe271e644b68b75f50cabf37a6312b21ed61f6a3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: htmlreportextension.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/plugins/drive/client/js/htmlreportextension.js

MD5: 4a91827e853ef0bf19cf06f343e18e98

SHA1: fda14009355a1098b25c75a307900e27d43a5e09

SHA256: 004b3358d2bc621a7bb7c3b3f7e350876ed7904cd41c4d51d88533babf4cf590

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: jstorage.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/jstorage.js

MD5: 8078b278235f9eb8cf63b1474a1362db

SHA1: feb74af17fb5ba7b01c4ad997759ec21ac685ad5

SHA256: 9d86bf1ad26f873ca615b15fc8cab964e332fa363317b8569c3f624fc947d8a8

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: keylistener.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/keylistener.js

MD5: 54d50496c4b43d4c78c30facfd01809d

SHA1: 9e29b6d13b0478339596ac131e214c605e10fa0d

SHA256: 29f7a3a51b8d139109d0165111d062e6e9ecd2c2d90de1e99b539da6c2e966bf

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: menubar.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/menubar.js

MD5: e26148c5b4c16d3da8a96dea494c4593

SHA1: 51cfaf2c4e1813b5512e500513da3d32e7ad7b61

SHA256: 28ec27cd322d861cb53ad7eb536618f64a33ba0e16b16392d22bf9609c35042a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: page.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/page.js

MD5: 214a1cd3653bb9aa3cec9078e6ee3316

SHA1: edb8d66493699591d0202d1a14b8f34af49daa75

SHA256: c559154fab98f5343d44cb8c02a2203f800eabd9e13d1fd9dd926440ee5fe825

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: pagecount.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/pagecount.js

MD5: c6823ab782e12fa9e9c0325321ab0011

SHA1: facbdd75d7176e5809cebd5d5702cfbb0bf677ac

SHA256: 5d189f3efc0e10f5c5e85964e89ffde18c81a1279c9132c64453f2a149423a5e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None


reporting.zip: reporting.jar: popup.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/popup.js

MD5: c3941efe0d33e1e9b046fccd239033cb

SHA1: 53951b79a3c0e93768dd4043b3d16d884fc2c7ca

SHA256:0ed137328526d278076dcab6bfac9792717dadda6c0776cc839710fa0f1e49a3
Referenced In Project/Scope: server

Evidence 


Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: print.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/print.js
MD5: f8fec5b39e4c5055f35e01c926e8b959
SHA1: b4f6666f078b60a130ec12b993d2884b2d3f81e7
SHA256:2e3276591241b179642f2159147f317f020fc03df408dfbe6f8d370cd04f5824
Referenced In Project/Scope: server

Evidence 


Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: prompts.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/prompts.js
MD5: 2f5c5a5ef5cb256a9821ea4d1d6419c0
SHA1: 06cbaf426406533188f8071ebb9bb7d393c7b0fe
SHA256:cbe5282d8ec16c52ca33a3ab53f17eca55024fb744c06f489d61d7579f124fea
Referenced In Project/Scope: server

Evidence 

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: prototype.array.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.array.js

MD5: c69ba575e53ba415b800f18386ce2d65

SHA1: 968d437fa28bd784a3dac6a58d090027bf8e0563

SHA256: 6dcde95b98fa808923a311e7b4a345da4c1b3df17ea2554294d6ef47e871dad5

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: prototype.element.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.element.js

MD5: b51b2dd46fafbff64c30ff2e731c814d

SHA1: ea525bae8dd23860d1b8202869a316626af91c26

SHA256: bd28001d8f95e450a5aed4bcd72851bbc126f9f5efb13feba698c034774a06ff

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: prototype.string.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.string.js
MD5: f0bb166a036ca364a6c047d345fc9a0e
SHA1: d491f3851e9aa5d8fd70d4139669635eb5cdd1b0
SHA256: fd0fc8d93a6bce3d07ec8a7db922110e3d15f5f0a7a66562599f9b369b6f6f30
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: renderreportextension.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/plugins/drive/client/js/renderreportextension.js
MD5: e4f2d17c10a193f2e46e30c80de52d09
SHA1: d37d5dc99e12ada04ae0737c180ced7fef7450c7
SHA256: ddf8e053d7cd180056fdd26cd15e3e269b917ce948d11b7a487dd6d000dc5051
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: reorder.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/reorder.js
MD5: c2f6f517d3d3f572c54fe096339ff49d
SHA1: a429dd95146869f4ab9b00c3611947ddf6b91d1a
SHA256: d4dbc3e3b8d16c84dc14e11b1e02ed413473d7d8da48b2c733f8c7024179f7fd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: report.export.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/exportwebui/js/report.export.js
MD5: 11b5592b08b3a2f21b98843222cb5c99
SHA1: d2b4b4fd948c46fbb8d18d5f26ddbdfc243b676d
SHA256: 95bfb6ccb730c142642ebafe6267fb4f2d94703b26c26084ac9073d75f14ebed
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: report.exportdialog.controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/exportwebui/js/report.exportdialog.controller.js
MD5: 33165ad89f5e1337a51632847b2d0e27
SHA1: 5d2c08233db36cafec84fdf42311ea706c186980
SHA256: 2e5f124cbc095e6af716907a4f7a2222563c5f198f7b80c115807d3dd20293a5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: report.exportdialog.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/exportwebui/js/report.exportdialog.service.js

MD5: e0c64da7a618e8b61743ab3f796e480f

SHA1: b3f3b1820ac805200784c2a04a8e9e0c5c6a773d

SHA256: e57c19851718e326461b09834966d70d0de3d3ce09f1656d16afe7f88f2807e7

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: report.exportframe.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/exportwebui/js/report.exportframe.js

MD5: 2c9f57a3ef5d760bc9f1fe6d344384da

SHA1: a2562e63bc825ea8eeaaea75a98e09c2a6be7186

SHA256: f4417bf8d9d1430364d95d6e8eebffa28cc97c6cb34346e78d0612d5842d02a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: script.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/script.js

MD5: 9237075ecd44006d5ab48177001c5314

SHA1: fe08bb48bf207cdcf0ff4e2d776b59672f965518

SHA256: bf5ee8cda7861d90ae35343c6233ccb210da8860285def9b47d20057685f97ba

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: search.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/search.js

MD5: faa3f4fb9604ed70bec53256b055ffa6

SHA1: 892688617be684946fa39098413d0c55d9e769cc

SHA256: ea1c42a5640880562ea7639e1c6ff2bb1af2496964ce572c64fa7735b51a5f6f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: serverping.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/serverping.js

MD5: 6124f0f67286f7e3fbf239bdc4988d95

SHA1: aa0bb794c4e5c40bf4a7e580e251c2d15ae09e1d

SHA256: f688956f4c5cba792d04903423d249f8eeeaaffe37e3537b723f10572cf0d66d8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: stacktrace.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/stacktrace.js

MD5: e9687f11beba8f607c0c98af4eb0cc94

SHA1: f92f65d1f27fad2febcc8ad23824f10f51cc722b

SHA256: 0b4e8ce367ded3ec4d68ff2fa931958f8e3d99d649e7175b4a1e62f27cf15701

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: tabbar.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html

/viewer/modules/tabbar.js

MD5: fdb707b4dc212e365bff1fa637bbfa32

SHA1: 14e364be23b61f3f94427a79ce8c0f87bb186c04

SHA256: f9e18e41672898499dd50f0e802618952e153ddb40c052148dff9edce742a0ba

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

sampleapplication.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/CurrentTimePlugin/src/com/inet/application/currenttime/sampleapplication.js

MD5: a0b6ce01eb88d27464c409bd56d4fa65

SHA1: c23569535b8a3fb31880228a5e8c3efd42555175

SHA256: 8d80f1c43ca8a4dba57c52e977bd61d92acae6cfdb8655b68fbc7102b021905

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- application.currenttime.sample.zip: sampleapplication.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/CurrentTimePlugin/application.currenttime.sample.zip/src/com/inet/application/currenttime/sampleapplication.js
 - MD5: a0b6ce01eb88d27464c409bd56d4fa65
 - SHA1: c23569535b8a3fb31880228a5e8c3efd42555175
 - SHA256: 8d80f1c43ca8a4dba57c52e977bd61d92acae6cfdb8655b68fbc7102b021905

Identifiers

- None

search-worker.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/search-worker.js

MD5: 5e2f2f2ecf39ab1197fa1f33bb73dce9

SHA1: fdf200a9954128e900e26e11749fc5c9250ba4eb

SHA256: 422e115f5fd7829299546902847141ff52b972eca6c6b040bc7dbb81dcc79b89

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- search-worker.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/nunit - API Doc/styles/search-worker.js
 - MD5: 5e2f2f2ecf39ab1197fa1f33bb73dce9
 - SHA1: fdf200a9954128e900e26e11749fc5c9250ba4eb
 - SHA256: 422e115f5fd7829299546902847141ff52b972eca6c6b040bc7dbb81dcc79b89

Identifiers

- None

security.zip: security.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/security.zip/security.jar

MD5: 356c4bc7364849f2af2911f41afc9b7a

SHA1: 03c63347d7fbb73d05ca6c74a9dc14276fd755dd

SHA256: 56083b89c994232ea69274d6a1a1e9338af336beddbff7d791653a715db7b946

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	security	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	security	Low
Vendor	jar	package name	server	Low

Vendor	Manifest	built-date	2025-10-22 17:26	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	security	High
Product	jar	package name	security	Highest
Product	jar	package name	security	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2025-10-22 17:26	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	security	High
Product	Manifest	specification-title	security	Medium
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- None

setuplauncher.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/java/setuplauncher.jar

MD5: 2b76d052a566ab78ab33f7c5f8c10e59

SHA1: 4fb8d375adfa0c618d16630d45e8821c13cd6c4a

SHA256: 777c950ae29e0fe242080e4e841cdbb7e3cca360c1885719cf2b78c63b3dbdf4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	setuplauncher	High
Vendor	jar	package name	inet	Low

Vendor	jar	package name	setuplauncher	Low
Vendor	Manifest	built-date	2025-10-22 17:09	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	setuplauncher	High
Product	jar	package name	setuplauncher	Highest
Product	jar	package name	setuplauncher	Low
Product	Manifest	built-date	2025-10-22 17:09	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	setuplauncher	High
Product	Manifest	specification-title	setuplauncher	Medium
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- None

slf4j-api-2.0.16.jar

Description:

The slf4j API

License:

<http://www.opensource.org/licenses/mit-license.php>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.slf4j/slf4j-api/2.0.16/172931663a09a1fa515567af5fbef00897d3c04/slf4j-api-2.0.16.jar

MD5: c8de8f5d740584cb24b5652cfba8b3c4

SHA1: 0172931663a09a1fa515567af5fbef00897d3c04

SHA256: a12578dde1ba00bd9b816d388a0b879928d00bab3c83c240f7013bf4196c579a

Referenced In Projects/Scopes:

- server

- server:inetPlugin

Included by: pkg:maven/pdfc/server@25.10

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	slf4j-api	High
Vendor	gradle	artifactid	slf4j-api	Highest
Vendor	gradle	groupid	org.slf4j	Highest
Vendor	jar	package name	slf4j	Highest
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	http://www.slf4j.org	Low
Vendor	Manifest	bundle-symbolicname	slf4j.api	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	pom	artifactid	slf4j-api	Low
Vendor	pom	groupid	org.slf4j	Highest
Vendor	pom	name	SLF4J API Module	High
Vendor	pom	parent-artifactid	slf4j-parent	Low
Vendor	pom	url	http://www.slf4j.org	Highest
Product	file	name	slf4j-api	High
Product	gradle	artifactid	slf4j-api	Highest
Product	jar	package name	slf4j	Highest
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	http://www.slf4j.org	Low
Product	Manifest	Bundle-Name	SLF4J API Module	Medium
Product	Manifest	bundle-symbolicname	slf4j.api	Medium
Product	Manifest	Implementation-Title	slf4j-api	High
Product	Manifest	multi-release	true	Low
Product	pom	artifactid	slf4j-api	Highest
Product	pom	groupid	org.slf4j	Highest
Product	pom	name	SLF4J API Module	High
Product	pom	parent-artifactid	slf4j-parent	Medium
Product	pom	url	http://www.slf4j.org	Medium
Version	file	version	2.0.16	High

Version	gradle	version	2.0.16	Highest
Version	Manifest	Bundle-Version	2.0.16	High
Version	Manifest	Implementation-Version	2.0.16	High
Version	pom	version	2.0.16	Highest

Related Dependencies

- slf4j-api.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/java/slf4j-api.jar
 - MD5: c8de8f5d740584cb24b5652cfba8b3c4
 - SHA1: 0172931663a09a1fa515567af5fbef00897d3c04
 - SHA256: a12578dde1ba00bd9b816d388a0b879928d00bab3c83c240f7013bf4196c579a

Identifiers

- [pkg:maven/org.slf4j/slf4j-api@2.0.16](#) (*Confidence:High*)

taskplanner.logaction.sample.zip: taskplanner.logaction.sample.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/TaskPlanner/LogActionPlugin/taskplanner.logaction.sample.zip/taskplanner.logaction.sample.jar

MD5: 984a8e00ad8aa22039848bebe14284ff

SHA1: ed29ce6a3829fd1390aada0bdeab3d4c34654577

SHA256:60be73b8ed7cd1869d7dea9f416ac653e54f27dff3b3fdc62363994208b21093

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner.logaction.sample	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	logaction	Low
Vendor	jar	package name	taskplanner	Low
Vendor	Manifest	built-date	2025-10-22 17:24	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High

Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner.logaction.sample	High
Product	jar	package name	logaction	Highest
Product	jar	package name	logaction	Low
Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low
Product	Manifest	built-date	2025-10-22 17:24	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	taskplanner.logaction.sample	High
Product	Manifest	specification-title	taskplanner.logaction.sample	Medium
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- None

taskplanner.openweathermap.sample.zip: taskplanner.openweathermap.sample.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/TaskPlanner/OpenWeatherMapPlugin/taskplanner.openweathermap.sample.zip/taskplanner.openweathermap.sample.jar

MD5: 9a218bcd19ab8894649c329d4e35259b

SHA1: e6ef61a9b406ae910bfc9cf268a3e42222842612

SHA256: 368ee32d86880b3a0075a1bdc5dcf6332be610e0bb737b932ea45b79a22259b8

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner.openweathermap.sample	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	openweathermap	Low
Vendor	jar	package name	taskplanner	Low

Vendor	Manifest	built-date	2025-10-22 17:24	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner.openweathermap.sample	High
Product	jar	package name	openweathermap	Highest
Product	jar	package name	openweathermap	Low
Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low
Product	Manifest	built-date	2025-10-22 17:24	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	taskplanner.openweathermap.sample	High
Product	Manifest	specification-title	taskplanner.openweathermap.sample	Medium
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- None

taskplanner.pdfvc.zip: taskplanner.pdfvc.jar

File Path: /home/jenkins/workspace/pdfvc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.pdfvc.zip/taskplanner.pdfvc.jar
MD5: 7167fb9ce9c2d48e5067d708d0f8512
SHA1: 5d5cbfb0474d5a3468adb9a779f0c5daba413806
SHA256: 60d4227d4de179931c255b79b1547e7fb1c4f54fee1ddcf80fc46f6cbcf44d12
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

--	--	--	--	--

Vendor	file	name	taskplanner.pdf	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	taskplanner	Low
Vendor	Manifest	built-date	2025-10-22 20:17	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner.pdf	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low
Product	Manifest	built-date	2025-10-22 20:17	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	taskplanner.pdf	High
Product	Manifest	specification-title	taskplanner.pdf	Medium
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.10.219:*:*:*:*:* (Confidence:Low) suppress

taskplanner.zip: commons-cli.jar

Description:

Apache Commons CLI provides a simple API for presenting, processing, and validating a Command Line Interface.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/commons-cli.jar

MD5: ef66360f30909f8372d6358dfc5d1b6c

SHA1: e1cdfa8bf40ccbb7440b2d1232f9f45bb20a1844

SHA256: d3d530d0f28fd0fbbffe2b0b338f70e8cb96f1605579e2e3abd4db29cac24e69

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-cli	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	cli	Highest
Vendor	jar	package name	commons	Highest
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-cli/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.cli	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-cli	Low
Vendor	pom	developer email	bob@werken.com	Low
Vendor	pom	developer email	chtompki@apache.org	Low
Vendor	pom	developer email	ebourg@apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	jbjk@mac.com	Low
Vendor	pom	developer email	jstrachan@apache.org	Low
Vendor	pom	developer email	roxspring@imapmail.org	Low
Vendor	pom	developer email	tn@apache.org	Low
Vendor	pom	developer id	bob	Medium

Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	ebourg	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jkeyes	Medium
Vendor	pom	developer id	jstrachan	Medium
Vendor	pom	developer id	roxspring	Medium
Vendor	pom	developer id	tn	Medium
Vendor	pom	developer name	Bob McWhirter	Medium
Vendor	pom	developer name	Emmanuel Bourg	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	James Strachan	Medium
Vendor	pom	developer name	John Keyes	Medium
Vendor	pom	developer name	Rob Oxspring	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Thomas Neidhart	Medium
Vendor	pom	developer org	Ariane Software	Medium
Vendor	pom	developer org	Indigo Stone	Medium
Vendor	pom	developer org	integral Source	Medium
Vendor	pom	developer org	SpiritSoft, Inc.	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org	Werken	Medium
Vendor	pom	developer org URL	https://www.apache.org/	Medium
Vendor	pom	groupid	commons-cli	Highest
Vendor	pom	name	Apache Commons CLI	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	https://commons.apache.org/proper/commons-cli/	Highest
Product	file	name	commons-cli	High
Product	jar	package name	apache	Highest
Product	jar	package name	cli	Highest
Product	jar	package name	commons	Highest
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-cli/	Low
Product	Manifest	Bundle-Name	Apache Commons CLI	Medium

Product	Manifest	bundle-symbolicname	org.apache.commons.cli	Medium
Product	Manifest	Implementation-Title	Apache Commons CLI	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Apache Commons CLI	Medium
Product	pom	artifactid	commons-cli	Highest
Product	pom	developer email	bob@werken.com	Low
Product	pom	developer email	chtompki@apache.org	Low
Product	pom	developer email	ebourg@apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	jbjk@mac.com	Low
Product	pom	developer email	jstrachan@apache.org	Low
Product	pom	developer email	roxspring@imapmail.org	Low
Product	pom	developer email	tn@apache.org	Low
Product	pom	developer id	bob	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	ebourg	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jkeyes	Low
Product	pom	developer id	jstrachan	Low
Product	pom	developer id	roxspring	Low
Product	pom	developer id	tn	Low
Product	pom	developer name	Bob McWhirter	Low
Product	pom	developer name	Emmanuel Bourg	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	James Strachan	Low
Product	pom	developer name	John Keyes	Low
Product	pom	developer name	Rob Oxspring	Low
Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Thomas Neidhart	Low
Product	pom	developer org	Ariane Software	Low
Product	pom	developer org	Indigo Stone	Low
Product	pom	developer org	integral Source	Low
Product	pom	developer org	SpiritSoft, Inc.	Low
Product	pom	developer org	The Apache Software Foundation	Low

Product	pom	developer org	Werken	Low
Product	pom	developer org URL	https://www.apache.org/	Low
Product	pom	groupid	commons-cli	Highest
Product	pom	name	Apache Commons CLI	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper/commons-cli/	Medium
Version	Manifest	Bundle-Version	1.9.0	High
Version	Manifest	Implementation-Version	1.9.0	High
Version	pom	parent-version	1.9.0	Low
Version	pom	version	1.9.0	Highest

Identifiers

- [pkg:maven/commons-cli/commons-cli@1.9.0](#) (*Confidence:High*)

taskplanner.zip: cron-utils.jar

Description:

A Java library to parse, migrate and validate crons as well as describe them in human readable language

License:

Apache 2.0: <http://www.apache.org/licenses/LICENSE-2.0.html>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/cron-utils.jar

MD5: 4c27537eecc6fa37ed5740b5383643c8

SHA1: 5d3738bc7a2eaa45a94a76c6e87af54a95414637

SHA256: 02af0e8b2fe93c9fa6eef97b53b39faae14c5b996356edb132e9fe620013744

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	cron-utils	High
Vendor	jar	package name	cron	Highest
Vendor	jar	package name	cronutils	Highest

Vendor	jar	package name	utils	Highest
Vendor	Manifest	automatic-module-name	com.cronutils	Medium
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	com.cronutils.cron-utils	Medium
Vendor	pom	artifactid	cron-utils	Low
Vendor	pom	developer id	jmrozanec	Medium
Vendor	pom	groupid	com.cronutils	Highest
Vendor	pom	name	cron-utils	High
Vendor	pom	url	http://cron-parser.com/	Highest
Product	file	name	cron-utils	High
Product	jar	package name	cron	Highest
Product	jar	package name	cronutils	Highest
Product	jar	package name	utils	Highest
Product	Manifest	automatic-module-name	com.cronutils	Medium
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	cron-utils	Medium
Product	Manifest	bundle-symbolicname	com.cronutils.cron-utils	Medium
Product	pom	artifactid	cron-utils	Highest
Product	pom	developer id	jmrozanec	Low
Product	pom	groupid	com.cronutils	Highest
Product	pom	name	cron-utils	High
Product	pom	url	http://cron-parser.com/	Medium
Version	Manifest	Bundle-Version	9.2.1	High
Version	pom	version	9.2.1	Highest

Identifiers

- [pkg:maven/com.cronutils/cron-utils@9.2.1](#) (*Confidence:High*)
- [cpe:2.3:a:cron-utils_project:cron-utils:9.2.1:*:*:*:*:*](#) (*Confidence:Highest*) suppress
- [cpe:2.3:a:utils_project:utils:9.2.1:*:*:*:*:*](#) (*Confidence:Highest*) suppress

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar
MD5: 7cce504cf88260c8f0952b77bcfb9905
SHA1: fbed6f3792953929648d687033f144ca4cb1a08f
SHA256: 67bc61defe39580bbf5d675af5bc8e6c08b932ee24c6b96e182a6452dd22cf88
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner-javadoc	High
Product	file	name	taskplanner-javadoc	High

Identifiers

- None

taskplanner.zip: taskplanner-javadoc.jar: member-search-index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/member-search-index.js
MD5: 2c85a0e81afba508978fadcba5aa3460
SHA1: cb85238fca040dcfa240b4e4fbac2481b9befe54
SHA256: 9643a71d4723befc56eb12c0202aa16dcc65c8ba1d822b54df799a66dbd3444c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner-javadoc.jar: package-search-index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/package-search-index.js

MD5: 664e97ca24dfa41c9d227a21aa0d43c5
SHA1: 4594dfafaa4e3780974c8476ea5a1ea1b9898f41
SHA256:d5638352f038b195118792e06962bd06f15b8ca6ebd6df9db669aa096012ec0d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner-javadoc.jar: type-search-index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/type-search-index.js

MD5: 403c03a0b80f39466847272fb5b2af44
SHA1: da5ea9b74d65f24c1b01b22f303270920f068cc0
SHA256:6088624051edbdba398386cc066f7ef45d12fad739cafc76734b688ccd26fa4c8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar

MD5: b5ceaea52133445f329e34d3a1a839a5
SHA1: c46c6d491d7e4ede291ec55f4b9a4700a9a5edd7
SHA256:d28e98a76bb7397b418ee75ba24790333a9642e0110e08de5767128134fe722b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	server	Low
Vendor	jar	package name	taskplanner	Low
Vendor	Manifest	built-date	2025-10-22 16:57	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner	High
Product	jar	package name	api	Low
Product	jar	package name	server	Low
Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low
Product	Manifest	built-date	2025-10-22 16:57	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	taskplanner	High
Product	Manifest	specification-title	taskplanner	Medium
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- None

taskplanner.zip: taskplanner.jar: app.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/app.js

MD5: 22be8e86a9121096b162ff523e37842e

SHA1: cc6010fdc028f0b9c5c95def16c69e3bab116bf0

SHA256: 511c001c378b9f9e28f261cafaa88892acb5a29743c50d5daf15dd869357bc0c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: boolean.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/boolean.directive.js

MD5: 8dcbd2299e9082c7d30047c62d84fa7d

SHA1: 46e20aa1bd139542182a754edf0eaa8fa8684782

SHA256: f28e377c325d8ac419426606ae56bbb78e523210087910b9a595d87235d4eed0

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: colorField.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/colorField.directive.js

MD5: 6befac83d2b0754235fb738ada07b8db

SHA1: fa581823e83812639dd7a834b580619472492cff

SHA256: 299ff7b917c507bb852d4c8f7a305e545c214806ae816b47aa9f2b37928a5154

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/controller.js
MD5: 031cd3c1515d58fe90d61e8905e65d2e
SHA1: 0fe2d71ec83e6822e066eb8ba9aecea629185b7b
SHA256:6b9c7f1dbbe8280f9c67f96989edc4c1530630ef12d00bbfe2fded24094f0521
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: factory.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/factory.js
MD5: 2b26329c1c444c0c0c16d739621cd7f2
SHA1: 6c985723b3fa48ad6d46458232f1d16df14797c7
SHA256:41c2f7a18fdd00f11f848cd0e6a5ecfa8e3a0b6765299293e3f48f258b55efb1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: filechooserAddonButton.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/filechooserAddonButton.directive.js

MD5: 1dbc17a2a4e1fc7930dda7d5d3e4630a

SHA1: 350be18d05b89c69fa3167a09822876d21a42143

SHA256: 140100d27da0900d67a30dadcf9971ed9eff5c2787aa5814b930f986615c6abb

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: model.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/model.js

MD5: 97d28d6942b4bc22b121b554b5b9d36f

SHA1: 25ad1c5dac475ab3a13df6e6a2792d52e9fd29ca

SHA256: 7bdd9f9c01104aa2dec6ba649ad42a0617e31cdb655b1a5920934fdd0a75519b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: numberRange.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/numberRange.directive.js
MD5: e98f0aec3fd059575c390f4488396764
SHA1: 5fb36b30f1022112f5da2a9373fa562859a8f05d
SHA256: 2164d0a1c06a1750c41b3be860ade120946d0091f3f6c512241235601c3f74b6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: numberWrapper.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/numberWrapper.directive.js
MD5: c71128c3dac942fc1d5d488562b727a0
SHA1: 51e1419abd22f7f48debceb976752bfec46e36f4
SHA256: 3c3f6b8e5bcc8bf32a3cf2192a10de8472100d195cc2b08c4ff860a0dcb9bacf
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: passwordTextField.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/passwordTextField.directive.js
MD5: 3c1bcad68930caf2fa88697134624473

SHA1: 6c25ac7bd32b0c40b2202c9dc43f83842c55f846
SHA256:4620ce8c28a46c1675c50490a25f14d481e8910a7b3687a4bb712d73c80f3d73
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: renderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/renderer.directive.js
MD5: 3e232b940bcd532e99c88f5b95bf60b2
SHA1: a051ce6df82ad9673fc1b23bafc3670d70bb4cac
SHA256:b930dc86802f4307b5f6d4671f27dac5bd85d5766f32567f5479ecc9077bf5a3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleCurrencyField.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleCurrencyField.directive.js
MD5: 54ae56c2f76e7b601b9e9785dc51a623
SHA1: af05845b893807b4460bc65fa189700abcb4dc82
SHA256:847d6da58f5887edac53896e6bec4dde5b293a08a8ac6e421aa2847991f3b877
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleDateTimeField.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleDateTimeField.directive.js
MD5: 53d33b9956ea6ffea7cb1fef5e878961
SHA1: 2388423f76a1b38cb2e5729e57a113245e1d3f2d
SHA256:7cbb2507fe22dfec607af8d76d85317a395c3ebb98e31ec9be26e73350dbcd9f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleFileFolderField.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleFileFolderField.directive.js
MD5: 76de6683bc2d43547059d2f746b9524f
SHA1: c6ce84f2d2a89f07c4f05e95137abcdade89cec5
SHA256:7e15aca0687784f1221b8c76328af4d013a0a1573a56232d880c4b60cd3311a0
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleGroup.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleGroup.directive.js

MD5: d69a3c1dd5569172999325602506517f

SHA1: 780808312f5a19e0b6726453655b1911dde585bc

SHA256: 4eada3908c9db4213e058eb378f9f7f28e7e96e0ee3de2817f5d408b88176dc5

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleLabel.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleLabel.directive.js

MD5: ecbe7da1cc7d51e0bd4e73e7c2fad4df

SHA1: d16a32bb34f1ff4d0f4740a06660ed72f4eca1fc

SHA256: 2b533fa13f74789de6b02fb037bfd7eae3b8b6e7d0f851a66f57739f565fd453

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleLink.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleLink.directive.js
MD5: 525dc45cb1886c4808186e1094480bba
SHA1: 7198a40b645128e0495d6d04c008b31b37faf827
SHA256: 7f2b60bda8c8e3938f9e8762c000606909ba0411aa784a202c93a1b2371cd82e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleSelect.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleSelect.directive.js
MD5: e54a750acec037585e380229a6b74b39
SHA1: a6323f355bb4da4cdcac24be2572fec96332bfa8
SHA256: 39d6b66fe24beb027a1445157af449f17a51069e0887603b4eaf624474b5ee6c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleTextField.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleTextField.directive.js
MD5: 998a4b2340386c5ff39fd74451642547

SHA1: b0025705125d1a18bec3624d0eb34176bb332c9d
SHA256: 8a7ad2a61dbd1c78565a7626a8c100523c97984be77d431929041f19e2f24c1c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: stringTable.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/stringTable.directive.js
MD5: 2731ad8625d24769bc3f9727361b4d6f
SHA1: d0c7a2e05d815252c80a51064ffe4d66f0d18843
SHA256: db785a8486fd5f45ef2a56d1d977afa0b445bf4491e1b429a9863c46e5a2d35a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: taskplanner_maintenance.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/maintenance/taskplanner_maintenance.js
MD5: c4330ed5aced8829454f0e8893f8725c
SHA1: 178b4ecba1c10e50c162c7e09dc5f4b643303508
SHA256: 3ba039d8a74f4fd350441ef7a9f1f98322eb951887ee1635c7d78c66c8908b53
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

taskplanner.zip: taskplanner.jar: textAreaField.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/textAreaField.directive.js
MD5: 46bf6266b3aa8c7d331c34aa58185b2d
SHA1: f6348f31ef689122ec81b2dac2455e15f4b561e6
SHA256:4f679ccc7d9fdb172764575fb3e9fdffb3cb21d370b3adcf06b17fd7326f877b
Referenced In Project/Scope: server

Evidence				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

theme.zip: theme.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/theme.jar
MD5: 5144caf6419e9488ace38ca0e7b50cd5
SHA1: 6826df100b5abb10ab7a11734771a7f6658db585
SHA256:0e56ec5fb19c9ad33b254c05a7a733e2fd226ff558758d988e5179d3b0c364e7
Referenced In Project/Scope: server

Evidence				
Type	Source	Name	Value	Confidence
Vendor	file	name	theme	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	server	Low
Vendor	jar	package name	theme	Low

Vendor	Manifest	built-date	2025-10-22 16:51	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	theme	High
Product	jar	package name	server	Low
Product	jar	package name	theme	Highest
Product	jar	package name	theme	Low
Product	Manifest	built-date	2025-10-22 16:51	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	theme	High
Product	Manifest	specification-title	theme	Medium
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- None

urlcookie.sample.zip: urlcookie.sample.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Authentication/UrlCookiePlugin/urlcookie.sample.zip/urlcookie.sample.jar

MD5: ded1242576f40e6c9c52fd7e1d8eac6f

SHA1: f6a56a9a0c9c7851c473171125924e778ade33fb

SHA256: 1a6c250c3d684e4f7223b935f4b7e83f34e2987062158a7aea6cc19a79c028f1

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	urlcookie.sample	High

Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	urlcookie	Low
Vendor	Manifest	built-date	2025-10-22 17:24	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	urlcookie.sample	High
Product	jar	package name	authentication	Low
Product	jar	package name	urlcookie	Highest
Product	jar	package name	urlcookie	Low
Product	Manifest	built-date	2025-10-22 17:24	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	urlcookie.sample	High
Product	Manifest	specification-title	urlcookie.sample	Medium
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar

MD5: 5e64ee45ec665fbc952d596b58d545ad

SHA1: f7776cbbc18e115f9b2049cec392c99bfc8512f4

SHA256: 03f0cad2b2791e6a870057c986471309af2efc9bc7cfbe7d1efbf72e308f91ba

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	usersandgroupsmanager	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	server	Low
Vendor	jar	package name	usersandgroupsmanager	Low
Vendor	Manifest	built-date	2025-10-22 17:16	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	usersandgroupsmanager	High
Product	jar	package name	server	Low
Product	jar	package name	usersandgroupsmanager	Highest
Product	jar	package name	usersandgroupsmanager	Low
Product	Manifest	built-date	2025-10-22 17:16	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	usersandgroupsmanager	High
Product	Manifest	specification-title	usersandgroupsmanager	Medium
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:
fieldtypeAccountSettingsRenderer.directive.js**

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeAccountSettingsRenderer.directive.js

MD5: 136a634e0236a238529acf990312d10e
SHA1: 75518847c3c3aa3737e31149c6834bb6c40f4606
SHA256: 9901a11fad82515fe2425d4f07163b716e8dfa8233196e7fcdc8f21b3aca6817
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeBooleanRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeBooleanRenderer.directive.js

MD5: e6bb2b0218c39ede42d1779e09d0b306
SHA1: bfedb33d3a2d6896458956fdc4209692d43e0d02
SHA256: 7e4281e4831ef87da9cf9e032009349bcf48c35a0b2769e742a978cdda8de750
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeCommaSeparatedRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeCommaSeparatedRenderer.directive.js

MD5: c951e088eb99044087cb876a2ad80f5c
SHA1: f2b74d24949b8a35f38a36bbff7f12a73c939305
SHA256: fffae5f607dd4f6b565ae943bb15075423a58f6601346c1fc670985cd1da7f9b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeCurrencyRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeCurrencyRenderer.directive.js

MD5: 64550819586104467e438b403590e32a

SHA1: e6c4957a7648c8baa484227d04cad8a186aac008

SHA256: e8d9d2cffbcd1355ea33fe7d3615a95c3cef34b5be3445be5fe9bddd1b54b38f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeDateRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeDateRenderer.directive.js

MD5: 44f37b8866281fc7c293da24a2c85a70

SHA1: 90bf5ee3414c0b14352fece7ff49252f0993ee34

SHA256: 3cd49a8b48976c1456092476ff9e09678ade7ec6909c5e0f59f6f570b92c4256

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeDoubleRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeDoubleRenderer.directive.js

MD5: 65ddc17ce6fe22f66db3066174836be4

SHA1: a6f9bedc7c489f3e0f3b4ff366e2f892a08bf29c

SHA256: ec52f2531296ff86fda9a20858daf87e52ac3dfaf1bc942daae33c7513fac7e4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeHintRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeHintRenderer.directive.js

MD5: 9c0f5b5dde50569ef2e9efb5feeef050

SHA1: 3793878df0a194ac7445ae9076fd1f235cf26a42

SHA256: d4a42152b9ce8527dc853e66f110464f038f4c885cf1df7fe415203dbcb8148b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeIntegerRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeIntegerRenderer.directive.js

MD5: fb567b3054e16ecd92115183e677f194

SHA1: a956bb37b828d2b0016c3e63df573291cf3a65c1

SHA256: a25204639ecdb47cfdeaaba8461fe9caedc30b4fa3afa5865b502880c4c3fb80

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeLinkRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeLinkRenderer.directive.js

MD5: b4e5347a3fc15cee057d292ac2fe7d91

SHA1: 70fba39954e7947be220792ce9d792ecfec06748

SHA256: 33ad47fd4a0e7943e9a39fdf239becc5fd54c4a1b9be4c727c27daf720b0d1e7

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeLoginsRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeLoginsRenderer.directive.js

MD5: 77e510f9e074e3104df3096deb39cd91

SHA1: 68e57a5859aa1073fdb62dd1102867d0c7db3c9f

SHA256: 70fdfe453166ed5a8bae30f56d71e5e52c58c98db676853519a0d35dd71de650

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeMembersRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeMembersRenderer.directive.js

MD5: 110c0a60b3a8824c7cf38b3cfd38423b

SHA1: b130d47d83af3073663f95cfe0392d9c055d06cd

SHA256: e34d1d921aada8085754efea61b320506608504a2332d0b186031e7beba524f2

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeMultilineRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeMultilineRenderer.directive.js
MD5: 5b24949676b9be3413f73641882f7125
SHA1: 1b5266b7516f4a6f4e1b25dc128969f10b0a8c09
SHA256: 698d88b748ec45a4e7bdd87b1c97472d8868165551ae5ecf7d0159925c92ed71
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypePermissionRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypePermissionRenderer.directive.js
MD5: cf56b95e7c81bb7bb0027f214dde9847
SHA1: b098c8143c168614aac2a46fda4bf02078b31f9e
SHA256: c8f403974591a2b05c630a7117596fd64540d53205808bee40d6ede27a166790
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeSelectRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeSelectRenderer.directive.js
MD5: eff35ed2335d82f48e0f301bbe002c13
SHA1: 33c6717aeac4415d8fd2b3e573c2c4c067344351

SHA256:ff2a7f5c982515dbdf6a16e2205866e1b5a8f45df37e0297357daf27aa4ac042
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar:
fieldtypeStayLoggedInSessionsRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeStayLoggedInSessionsRenderer.directive.js
MD5: 8f7246a8c4620515a714dd858c7b0847
SHA1: bab49440daa202026ce7fdb25d3c3ab7d0ac2473
SHA256:85a66f84209b323ddf4e87ee26891210234ea42bfc20d6befdc3074cde326595
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar:
fieldtypeStringListRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeStringListRenderer.directive.js
MD5: ecfa08e9586484891e935de461582539
SHA1: 128276640372b4e442f5c63c643c908710c7fedf
SHA256:aff8a656bfc2d940c02a861b600e4a95cefa61453508fb2b8659fe42582bccea
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeStringRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeStringRenderer.directive.js

MD5: 6e46d5a536692ff278cf276eeb7151bb

SHA1: 11b326f65d25098d5d02c6077e20b867d5c331ec

SHA256:b2158332ea8f76ceee5435e803e4def4b559a3216ce6ae90e0385d1554d3924

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeTimeRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeTimeRenderer.directive.js

MD5: 8513454094f6efb43b4257acfafb955f

SHA1: 56784b3ea31cc21416f65da1661b7c18b8e9eb5e

SHA256:3758a9259a963b155469b4d6b979fd30fee14edcaca155910f20b33b7d2a9d7f

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeTimerangeRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeTimerangeRenderer.directive.js

MD5: 8ca11f921f530ae3c6d14011f1026be2

SHA1: 123f12b6375637b6819435453cbfc089589514d6

SHA256: 3e31b81046fd3a24c691fc82c45f4779912d02b3bad3ca52366670c31042edfe

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: membershipentry.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/membershipentry.directive.js

MD5: 84693fc1ef165371ef27b1475ee7408c

SHA1: d49e9b44b5d99f5b63a93dcb031d51aea068ca3c

SHA256: f3fecadbb3c511b7c006eb44006d5203c16f180a1cbb260c756f0b3b670a55d8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: membershiplist.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/membershiplist.directive.js
MD5: 9de8f2f539c79244aa95473d497004db
SHA1: dab0863017fbaf80d7da94770dbb17d87cff3a80
SHA256: 2939b841bcd7d14e9874e99c72e4c0f58e7c8f5b485fe04158782c2b0d3cdcd1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: nonmembershiplist.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/nonmembershiplist.directive.js
MD5: 22269c6c1e32356a15788a694358c895
SHA1: c4909db34c175ff0621e17f241f66994e0516bc6
SHA256: 1f276cac3365d03c06572f9325217ffc7c65db411b5d40035f818c4890e66ffc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:
permissionCheckboxRenderer.directive.js**

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/permissionCheckboxRenderer.directive.js

MD5: f43b62e6ec19922b603e65ac0d9811bc

SHA1: b82e36201fade72e6423ba980d5351e13c657bbb

SHA256: e3d32df00dc3c4d43110a9a8f277ce1383c133b6912f0154626190931c6daff7

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:
permissionRadiobuttonRenderer.directive.js**

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/permissionRadiobuttonRenderer.directive.js

MD5: b2674a06f9fcfb8cab9196229817a52c

SHA1: 2816becffb93dad552e07d80fb7e5042e13f1d26

SHA256: 07270db8fca85c74ed49ae3f2345692c66443c01ef0be67234cc3d01e0873675

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:
usersandgroupsmanagercontroller.js**

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagercontroller.js
MD5: 3966dde5288327ce4a7664ffa146425f
SHA1: 9f1156c2c726e731d362aff1b4bf1f611da47c70
SHA256: bf3ede557a367f1cca803b9a259d1cc6c8f4109e6b381d08ea43c1360e7f9598
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdetailscontroller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerdetailscontroller.js
MD5: cd4b90a897c42eb0c1a38f660153f739
SHA1: c582f35a31ed251b2b02456bf79fcb8e6edbf9dc
SHA256: 656c50c31f9f812740468c695b10f58d1e54b770765a25e7be047e661e305870
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdialogcontroller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerdialogcontroller.js
MD5: e35a43fa1eb935369c4e018ff1ee7640

SHA1: d239261c725a4ba6e6efa911b48e4909c5372d69

SHA256:3625665593e42ba14b5b40999ac21bdaeaea0baa80831182e221207a5019b541

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdirectives.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerdirectives.js

MD5: e1d11e0ea312cfb6b0e395077779112b

SHA1: 3d63a2c1282afd900c5d74643ba4c1e61bb4118a

SHA256:98f7717de0a411a3513e01b7126c19ad53f28a4b4d62183b77083195660ed7ab

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagereffectivepermissionscontroller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagereffectivepermissionscontroller.js

MD5: e38beee6d03d93074acba84010e4c176

SHA1: d27284aae10d28fac162196094e0196c7c2486cf

SHA256:c2c9dd56c576d23e8038048090751071a5b29f53bb9fbbba03d42cedb31d927d0

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerfactory.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerfactory.js

MD5: 94ac82f47d59b465f5bfc271f16543f3

SHA1: eeb9fff4352ecf04ab487cf0168b7c2911b2d01b

SHA256: 3bcc388d9d2174651a443c62b5a7dde3f08f38ff8a918c9c154277660be520eb

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagermodel.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagermodel.js

MD5: 6a3ab01b9cf9fe9c45e4228f3f0a449e

SHA1: 2bfe0e4bf86ed5c09f3e70231a4f30f64cf930d2

SHA256: 01056b1c5b989974d14013791592960bc20677ef95883092a6d52f78a2a44503

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerpredeletionwarning.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerpredeletionwarning.js

MD5: 2e963c8f1de1c02f2a9c062f03aff6a5

SHA1: 1f5065e679fefcb1e927248cecf6d15950df2d1f

SHA256: 8cea620f3d0600315b5b8296a91d5b5826093ee4c728d432dd1f00460347aff5

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerrender.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerrender.js

MD5: 66a9eef845301ec92243566a8a8a5fd0

SHA1: 07cdb6a5a6e3d559c7e69fc37aeb1261d9e8c54b

SHA256: b8aba3f0ce4c611245296998ca48c1ba116b76a9aedef381e7ccfa69411b8b4bc

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:
usersandgroupsmanagerstatisticscontroller.js**

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerstatisticscontroller.js
MD5: 15db7d8e1d9c9102dff09a6540eacfdc
SHA1: 0ca6006da11c419453850c3ec9ec855c42e7b58b
SHA256: 6d215333ea6f212da404f333e073a3ca4ab48c921f75f159950694913b1b17bf
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:
usersandgroupsmanagertakeoutcontroller.js**

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagertakeoutcontroller.js
MD5: aecb7916c7ddc1ab36bb620e0bba61aa
SHA1: e98561144eeaf1048f88096ef4adeb4de63d971f
SHA256: cdb865f01764972194727fb6a715369b4353c620ecfdbeeadc40021144b7361c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

webapi.core.zip: swagger-models.jar

Description:

swagger-models

License:

"Apache License 2.0";link="http://www.apache.org/licenses/LICENSE-2.0.html"

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webapi.core.zip/swagger-models.jar

MD5: f17667842889d8671d785b92e248a76e

SHA1: 00b7e1973dee1b69f8df24013c7468b830a42dec

SHA256: 25ee351c9646ba391167a88b15c2214a6c29cf4bcebeafa52ea93dd79a13759e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	swagger-models	High
Vendor	jar	package name	io	Highest
Vendor	jar	package name	oas	Highest
Vendor	jar	package name	swagger	Highest
Vendor	jar	package name	v3	Highest
Vendor	Manifest	automatic-module-name	io.swagger.v3.oas.models	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-developers	frantuma;email="frantuma@yahoo.com"; name="Francesco Tumanischvili",fehgyu; email="fehgyu@gmail.com";name="Tony Tam",webron;email="webron@gmail.com"; name="Ron Ratovsky"	Low
Vendor	Manifest	bundle-docurl	https://github.com/swagger-api/swagger-core/modules/swagger-models	Low
Vendor	Manifest	bundle-symbolicname	io.swagger.core.v3.swagger-models	Medium
Vendor	Manifest	mode	development	Low
Vendor	Manifest	url	https://github.com/swagger-api/swagger-core/modules/swagger-models	Low
Vendor	pom	artifactid	swagger-models	Low
Vendor	pom	groupid	io.swagger.core.v3	Highest
Vendor	pom	name	swagger-models	High
Vendor	pom	parent-artifactid	swagger-project	Low
Product	file	name	swagger-models	High
Product	jar	package name	io	Highest
Product	jar	package name	oas	Highest

Product	jar	package name	swagger	Highest
Product	jar	package name	v3	Highest
Product	Manifest	automatic-module-name	io.swagger.v3.oas.models	Medium
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-developers	frantuma;email="frantuma@yahoo.com";name="Francesco Tumanischvili",fehgyu;email="fehgyu@gmail.com";name="Tony Tam",webbron;email="webbron@gmail.com";name="Ron Ratovsky"	Low
Product	Manifest	bundle-docurl	https://github.com/swagger-api/swagger-core/modules/swagger-models	Low
Product	Manifest	Bundle-Name	swagger-models	Medium
Product	Manifest	bundle-symbolicname	io.swagger.core.v3.swagger-models	Medium
Product	Manifest	mode	development	Low
Product	Manifest	url	https://github.com/swagger-api/swagger-core/modules/swagger-models	Low
Product	pom	artifactid	swagger-models	Highest
Product	pom	groupid	io.swagger.core.v3	Highest
Product	pom	name	swagger-models	High
Product	pom	parent-artifactid	swagger-project	Medium
Version	Manifest	Bundle-Version	2.2.27	High
Version	Manifest	implementation-version	2.2.27	High
Version	pom	version	2.2.27	Highest

Related Dependencies



- webapi.core.zip: swagger-annotations.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webapi.core.zip/swagger-annotations.jar
 - MD5: b4bb05bf9161df53de9e26ef05f21a64
 - SHA1: 4e37522be663224e6a7ed22e49e889bac0be3f16
 - SHA256: 3a7317e9b44f1517df5ce8b66db5ee54e9b4e28668059e76388d4a910f19e21e
 - [pkg:maven/io.swagger.core.v3/swagger-annotations@2.2.27](#)

Identifiers

- [pkg:maven/io.swagger.core.v3/swagger-models@2.2.27](#) (Confidence:High)
- cpe:2.3:a:http-swagger_project:http-swagger:2.2.27:****:* (Confidence:Low)

suppress

webapi.core.zip: webapi.core.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webapi.core.zip/webapi.core.jar

MD5: a8da6c189176e6b0eb75faee19d0aa6e

SHA1: 55fb125835162503c0337890a88b949a34ed8c92

SHA256: 7b4a7ece6c1c0c71b2581281e0a161f28d3dc94ae7ef196b4cb43686a2bb1828

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	webapi.core	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugin	Low
Vendor	jar	package name	webapi	Low
Vendor	Manifest	built-date	2025-10-22 16:53	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	webapi.core	High
Product	jar	package name	plugin	Low
Product	jar	package name	server	Low
Product	jar	package name	webapi	Highest
Product	jar	package name	webapi	Low
Product	Manifest	built-date	2025-10-22 16:53	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	webapi.core	High
Product	Manifest	specification-title	webapi.core	Medium
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- None

webapi.core.zip: webapi.core.jar: shared.factory.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webapi.core.zip/webapi.core.jar/com/inet/plugin/webapi/client/shared.factory.js

MD5: 71ebae03129e5cfe9a365b5e720e3490

SHA1: ea9693443bf3c22859304d80e0211f93bf497cae

SHA256: 241a674b73b581ebcf526dec899352c4c538d0d7fd8f70cf9d4e8e9090ed889e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

webapi.core.zip: webapi.core.jar: webapi.codemirror.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webapi.core.zip/webapi.core.jar/com/inet/plugin/webapi/client/webapi.codemirror.js

MD5: e37705cda1cd7e6eb4408e5d4fe774fa

SHA1: 1c74dd696c40608ba0a369d96c27365c327b64a2

SHA256: 4cb0f58de26541e79a05e5c326492f4650175cebd514d7fb797acd90c89b6e0e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

webapi.core.zip: webapi.core.jar: webapi.core.editor.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webapi.core.zip/webapi.core.jar/com/inet/plugin/webapi/client/webapi.core.editor.js

MD5: 0f186644fa1082401ecc910c0be91f51

SHA1: 569dbaab077a37a1ea1121afa06aeefac2c945e3

SHA256: fb23237975712b0dc682ec16c872107c0f3226cfc1872bda4c8da6e4a010b560

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

webapi.core.zip: webapi.core.jar: webapi.core.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webapi.core.zip/webapi.core.jar/com/inet/plugin/webapi/client/webapi.core.js

MD5: 0c00e5e824de4b6038adbe1bcb6ee87f

SHA1: 02fe68638167ae36cf137419f1db2364d1141faf

SHA256: 35421bda275eb1ea8a4b87517a5bee5b3ba8c1a61094e276198530b875a5c64b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

webserver.defender.zip: webserver.defender.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.defender.zip/webserver.defender.jar

MD5: b6e344011c5952f0d152b485e36cc07f
SHA1: aff7199444d6ed1249168a3ded70ab54ce00d90b
SHA256:5b56ae28387510f8a936e95cb4488c2f89f85afeee235a286e4bd4abe983b9f3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	webserver.defender	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	webserverdefender	Low
Vendor	Manifest	built-date	2025-10-22 17:26	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	webserver.defender	High
Product	jar	package name	webserverdefender	Low
Product	Manifest	built-date	2025-10-22 17:26	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	webserver.defender	High
Product	Manifest	specification-title	webserver.defender	Medium
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- None

webserver.zip: acme4j-client.jar

Description:

ACME client for Java

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/acme4j-client.jar
MD5: 7dc0b1c03b3cc50a9a4ff57198d681e5
SHA1: 61a9eac083a03d76d16bef326e2141e84ebfe36f
SHA256: b4b378abd10df779d870bbc798dc8e6b18125203f07c829350726751ccbde80d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	acme4j-client	High
Vendor	jar	package name	acme4j	Highest
Vendor	jar	package name	shredzone	Highest
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	pom	artifactid	acme4j-client	Low
Vendor	pom	groupid	org.shredzone.acme4j	Highest
Vendor	pom	name	acme4j Client	High
Vendor	pom	parent-artifactid	acme4j	Low
Product	file	name	acme4j-client	High
Product	jar	package name	acme4j	Highest
Product	jar	package name	shredzone	Highest
Product	Manifest	build-jdk-spec	17	Low
Product	pom	artifactid	acme4j-client	Highest
Product	pom	groupid	org.shredzone.acme4j	Highest
Product	pom	name	acme4j Client	High
Product	pom	parent-artifactid	acme4j	Medium
Version	pom	version	3.5.1	Highest

Identifiers

- [pkg:maven/org.shredzone.acme4j/acme4j-client@3.5.1](https://mvnrepository.com/artifact/org.shredzone.acme4j/acme4j-client/3.5.1) (Confidence:High)

webserver.zip: jetty-websocket-core-client.jar

Description:

Jetty module for Core :: Websocket :: Client

License:

EPL-2.0 OR Apache-2.0
https://www.eclipse.org/legal/epl-2.0/, https://www.apache.org/licenses/LICENSE-2.0

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-websocket-core-client.jar
MD5: 7020aa45a4fd5e3b1906cf0d3b4a4af7
SHA1: 709296664540576fad4c8a6c268f163342301361
SHA256:b5ce964994c74357606b6ccb3884c4ec264df2e9a1ba6e6c0c7b292a207d1ed6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jetty-websocket-core-client	High
Vendor	jar	package name	core	Highest
Vendor	jar	package name	eclipse	Highest
Vendor	jar	package name	jetty	Highest
Vendor	jar	package name	websocket	Highest
Vendor	Manifest	build-jdk-spec	22	Low
Vendor	Manifest	bundle-copyright	Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others.	Low
Vendor	Manifest	bundle-docurl	https://jetty.org/	Low
Vendor	Manifest	bundle-symbolicname	org.eclipse.jetty.websocket.core.client	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Jetty Project	High
Vendor	Manifest	url	https://jetty.org/	Low
Vendor	pom	artifactid	jetty-websocket-core-client	Low
Vendor	pom	groupid	org.eclipse.jetty.websocket	Highest
Vendor	pom	name	Core :: Websocket :: Client	High
Vendor	pom	parent-artifactid	jetty-websocket	Low
Product	file	name	jetty-websocket-core-client	High
Product	jar	package name	core	Highest
Product	jar	package name	eclipse	Highest
Product	jar	package name	jetty	Highest
Product	jar	package name	websocket	Highest
Product	Manifest	build-jdk-spec	22	Low
Product	Manifest	bundle-copyright	Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others.	Low
Product	Manifest	bundle-docurl	https://jetty.org/	Low
Product	Manifest	Bundle-Name	Core :: Websocket :: Client	Medium
Product	Manifest	bundle-	org.eclipse.jetty.websocket.core.client	Medium

		symbolicname		
Product	Manifest	url	https://jetty.org/	Low
Product	pom	artifactid	jetty-websocket-core-client	Highest
Product	pom	groupid	org.eclipse.jetty.websocket	Highest
Product	pom	name	Core :: Websocket :: Client	High
Product	pom	parent-artifactid	jetty-websocket	Medium
Version	Manifest	Bundle-Version	12.1.2	High
Version	Manifest	Implementation-Version	12.1.2	High
Version	pom	version	12.1.2	Highest

Related Dependencies



- webserver.zip: jetty-client.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-client.jar
 - MD5: 23dab4cef86c0397d45534e75a5ab5d4
 - SHA1: 122562838a6106b63398136a3db9f6605eafbdd7
 - SHA256: 46c202eff79ae49aa0c4149bd452d74d48e34747bc07ab32d1c31055c48086b1
 - [pkg:maven/org.eclipse.jetty/jetty-client@12.1.2](https://maven.org/eclipse.jetty/jetty-client@12.1.2)
- webserver.zip: jetty-ee11-servlet.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-ee11-servlet.jar
 - MD5: 415ba12000a36a131b29af215b442b31
 - SHA1: fca8c55ee2d2458d49084acc52cd1a8af4f29dcf
 - SHA256: a5914a85e853516bfa4ab849fdeea896b78a2eacb9332e48ded74c91935b1953
 - [pkg:maven/org.eclipse.jetty.11/jetty-ee11-servlet@12.1.2](https://maven.org/eclipse.jetty.11/jetty-ee11-servlet@12.1.2)
- webserver.zip: jetty-ee11-servlets.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-ee11-servlets.jar
 - MD5: c9e4b14319dbb2fa1cc51da4789b2c1c
 - SHA1: 7fe7e77dc7849d9bd5d9ad45ef256ea2703e0933
 - SHA256: 756a47089bbd3514b5673b217c95efff89c622977c86c87b63fcac63a1139f72
 - [pkg:maven/org.eclipse.jetty.11/jetty-ee11-servlets@12.1.2](https://maven.org/eclipse.jetty.11/jetty-ee11-servlets@12.1.2)
- webserver.zip: jetty-ee11-websocket-jakarta-client.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-ee11-websocket-jakarta-client.jar
 - MD5: 3b5eb3bb4924ddb2f9227b7e39dc967
 - SHA1: 536558fb642481f53fa6bd13e8eeec24cc6e77f6
 - SHA256: 66152d406316015a7c0997ab44cf79ffb1e2331b61efccc7179c316242574581
 - [pkg:maven/org.eclipse.jetty.11.websocket/jetty-ee11-websocket-jakarta-client@12.1.2](https://maven.org/eclipse.jetty.11.websocket/jetty-ee11-websocket-jakarta-client@12.1.2)
- webserver.zip: jetty-ee11-websocket-jakarta-common.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-ee11-websocket-jakarta-common.jar
 - MD5: 53bb6cc1ca13116c226b7a50f59a326f
 - SHA1: 894a8f808baaf36a6f77b06bb627bcc29960ce74
 - SHA256: cbbb65c5e4999226f7776463e3a736e2b6692ab965cb6b143ace6001a2ab42a4
 - [pkg:maven/org.eclipse.jetty.11.websocket/jetty-ee11-websocket-jakarta-common@12.1.2](https://maven.org/eclipse.jetty.11.websocket/jetty-ee11-websocket-jakarta-common@12.1.2)

- webserver.zip: jetty-ee11-websocket-servlet.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-ee11-websocket-servlet.jar
 - MD5: 87376f6371e84c996c249dbb429a6215
 - SHA1: a5d5957e0ea4b4b0ae84a6e39a5b3329382b9ffb
 - SHA256: 34d2dc97921befc73164d1a17f59c74c01c6465e18b33356d80c570accb2be77
 - pkg:maven/org.eclipse.jetty/jetty-ee11-websocket/jetty-ee11-websocket-servlet@12.1.2
- webserver.zip: jetty-http.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-http.jar
 - MD5: cc22352478994f92da6fece7e7c84b73
 - SHA1: a6779fee9ca5dd87c0dc0e05531a086090b7f6f5
 - SHA256: 3a5872100eafaac97fb91b6963ed27e87378e9457b3562ca59c362bbae1d290b
 - pkg:maven/org.eclipse.jetty/jetty-http@12.1.2
- webserver.zip: jetty-http2-common.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-http2-common.jar
 - MD5: 2e8e639acc7649fafda435476b2133cc
 - SHA1: ea96a6896bfda21ee745c41e640233533becce27
 - SHA256: f63585b9c9096d3aad95ff3bd7b2887efeff8a46f8ca267c7ccb6f153f5ae4d0
 - pkg:maven/org.eclipse.jetty/jetty-http2/jetty-http2-common@12.1.2
- webserver.zip: jetty-http2-hpack.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-http2-hpack.jar
 - MD5: af9103e33a570ff38d8eaa2683a5e7ae
 - SHA1: 952d8b53037cc5971514a4cb023a9b29e9333568
 - SHA256: d711dbf0d680b8f846f2866bd0e3794f3ca5c4aa16c0cdde581218ffcc3f9964
 - pkg:maven/org.eclipse.jetty/jetty-http2/jetty-http2-hpack@12.1.2
- webserver.zip: jetty-io.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-io.jar
 - MD5: 29d4d07f69d50fb270ba7ef18a4cf1ff
 - SHA1: 1e75b0d24a6de72168840fe0995e29d83feb5663
 - SHA256: 1250330209cf77e0c95880af2bb8cd7226906ebfb2f9526ea2ac428f1d8aeeb1
 - pkg:maven/org.eclipse.jetty/jetty-io@12.1.2
- webserver.zip: jetty-security.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-security.jar
 - MD5: a77052da72cdefcf0258f81c89dc4597
 - SHA1: 72d8d46b2b37ee2de71132df90f8aa11f6decc8a
 - SHA256: 415a289e776e7501744658e69bd6fad48e75550783c843424aa7fb726e6d821
 - pkg:maven/org.eclipse.jetty/jetty-security@12.1.2
- webserver.zip: jetty-session.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-session.jar
 - MD5: 0b88095c2b4cb06a180549a0ba3d0c44
 - SHA1: a59a4089b58062cee20e9ddb058565ff4459f060
 - SHA256: 522de25195d751e0058483f07bc6ff757abeb3fce13f63e201ab532882f4638
 - pkg:maven/org.eclipse.jetty/jetty-session@12.1.2
- webserver.zip: jetty-util.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-util.jar
 - MD5: e78acdd4cff73346026b06e62d62c42b
 - SHA1: 1faf3f0b8a1b41fad87bc17eba9e23785905918c
 - SHA256: 03f144ee693205eef00a494e785bf73931324a8c7053b979082bd7425f7af3ea
 - pkg:maven/org.eclipse.jetty/jetty-util@12.1.2
- webserver.zip: jetty-websocket-core-common.jar

- File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-websocket-core-common.jar
- MD5: 4c141ccb7564053f9a310adc88b84fee
- SHA1: 50a1e8dfe71c2fa5a0583f64814b7442ccee7f1
- SHA256: 9c1d9b3849e4a92fc47d934fb9a6c3b3ae1b9b307ea35e4a975defa6326907b1
- pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-common@12.1.2
- webserver.zip: jetty-websocket-jetty-api.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-websocket-jetty-api.jar
 - MD5: 57e2aa8034f7ae18f4004bf699753c0c
 - SHA1: fbad70b9f2dfd3291a1bc380940bce486347fc03
 - SHA256: d6e48f2ebe11fb48eaabae99ce027972664f74dbafbe5db6104ec628f16a8ad0
 - pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-jetty-api@12.1.2

Identifiers

- pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-client@12.1.2 (Confidence: High)
- [cpe:2.3:a:eclipse:jetty:12.1.2:*:*:*:*](https://cpe:2.3:a:eclipse:jetty:12.1.2:*:*:*:*:*) (Confidence: Highest) suppress
- [cpe:2.3:a:jetty:jetty:12.1.2:*:*:*](https://cpe:2.3:a:jetty:jetty:12.1.2:*:*:*:*) (Confidence: Highest) suppress
- [cpe:2.3:a:mortbay_jetty:jetty:12.1.2:*:*:*](https://cpe:2.3:a:mortbay:jetty:jetty:12.1.2:*:*:*:*) (Confidence: Highest) suppress

webserver.zip: jetty-websocket-core-server.jar

Description:

Jetty module for Core :: Websocket :: Server

License:

EPL-2.0 OR Apache-2.0

<https://www.eclipse.org/legal/epl-2.0/>, <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-websocket-core-server.jar

MD5: 9d1e4f36986ab797d71bdcaa57f66120

SHA1: bf54bb4309ea4c946c45d2ef0ac0548c8af0d80f

SHA256: 590db7b3430c7977ec0e6783aeef9b6b1333702ccbf32bbb9a96d45f4d72e1b6

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jetty-websocket-core-server	High
Vendor	jar	package name	core	Highest
Vendor	jar	package name	eclipse	Highest
Vendor	jar	package name	jetty	Highest

Vendor	jar	package name	websocket	Highest
Vendor	Manifest	build-jdk-spec	22	Low
Vendor	Manifest	bundle-copyright	Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others.	Low
Vendor	Manifest	bundle-docurl	https://jetty.org/	Low
Vendor	Manifest	bundle-symbolicname	org.eclipse.jetty.websocket.core.server	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Jetty Project	High
Vendor	Manifest	url	https://jetty.org/	Low
Vendor	pom	artifactid	jetty-websocket-core-server	Low
Vendor	pom	groupid	org.eclipse.jetty.websocket	Highest
Vendor	pom	name	Core :: Websocket :: Server	High
Vendor	pom	parent-artifactid	jetty-websocket	Low
Product	file	name	jetty-websocket-core-server	High
Product	jar	package name	core	Highest
Product	jar	package name	eclipse	Highest
Product	jar	package name	jetty	Highest
Product	jar	package name	websocket	Highest
Product	Manifest	build-jdk-spec	22	Low
Product	Manifest	bundle-copyright	Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others.	Low
Product	Manifest	bundle-docurl	https://jetty.org/	Low
Product	Manifest	Bundle-Name	Core :: Websocket :: Server	Medium
Product	Manifest	bundle-symbolicname	org.eclipse.jetty.websocket.core.server	Medium
Product	Manifest	url	https://jetty.org/	Low
Product	pom	artifactid	jetty-websocket-core-server	Highest
Product	pom	groupid	org.eclipse.jetty.websocket	Highest
Product	pom	name	Core :: Websocket :: Server	High
Product	pom	parent-artifactid	jetty-websocket	Medium
Version	Manifest	Bundle-Version	12.1.2	High
Version	Manifest	Implementation-Version	12.1.2	High
Version	pom	version	12.1.2	Highest

Related Dependencies



- webserver.zip: jetty-alpn-java-server.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-alpn-java-server.jar
 - MD5: 3505dc9a66cc674b004af1006b7a7b4b
 - SHA1: 6c3f3800858009d8b46b65feb4345d38bc18ff36
 - SHA256: a5542a743db11e636edd7c76a42c53b10a89485668f463cc020aec60dbfe4236
 - pkg:maven/org.eclipse.jetty/jetty-alpn-java-server@12.1.2
- webserver.zip: jetty-alpn-server.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-alpn-server.jar
 - MD5: a6ceb01426b88a2cd3ab61ccc03a9d42
 - SHA1: e27c4a5d684985605914c6601913fd219ddc8116
 - SHA256: 5ee000787f3bc2fa5b9c79e3d6cde0574be852bc5be75d646042de3d205101fc
 - pkg:maven/org.eclipse.jetty/jetty-alpn-server@12.1.2
- webserver.zip: jetty-ee11-websocket-jakarta-server.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-ee11-websocket-jakarta-server.jar
 - MD5: 8ae1e9a04c6e2d1e63feb3d126e44bb9
 - SHA1: 49f196b01dcccda49a9fda3fcdac86628af6c2440
 - SHA256: b0a2e0a3ba1b583e1cdf6e168d56526517f4a615a9d6a726f7506dc8bbaa126d
 - pkg:maven/org.eclipse.jetty.jakarta.websocket/jetty-ee11-websocket-jakarta-server@12.1.2
- webserver.zip: jetty-ee11-websocket-jetty-server.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-ee11-websocket-jetty-server.jar
 - MD5: 22de69c04f15197088d72a5dd8b3338a
 - SHA1: 21b16fffe06f2ec250cd24796e6c76a77e25f75
 - SHA256: d47c1f98b4c2427dae4b772e083c6377bf76b705c6f9f457eddf3029cdb8347e
 - pkg:maven/org.eclipse.jetty.websocket/jetty-ee11-websocket-jetty-server@12.1.2
- webserver.zip: jetty-http2-server.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-http2-server.jar
 - MD5: fd6754692ca569e1b3b69cabdbf7469d
 - SHA1: babe0dee7c043499855b32422a772e32567cbdd3
 - SHA256: 54e205d3abc000297150cfd01116067a8bf246e7a48e7a4138939e9f7a2bb538
 - pkg:maven/org.eclipse.jetty.http2/jetty-http2-server@12.1.2
- webserver.zip: jetty-server.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-server.jar
 - MD5: 42475fbb406eb90521bab47d8f4e30d0
 - SHA1: 7259af2fe6c2a17304dbf70e9cfcf72d359bbcb69
 - SHA256: eb7d67d3fa0e8a6213b5fc38dab10a20ca87c2a9a888aca8c8d0beceb2f70807
 - pkg:maven/org.eclipse.jetty/jetty-server@12.1.2

Identifiers

- pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-server@12.1.2 (*Confidence: High*)
- [cpe:2.3:a:eclipse:jetty:12.1.2:*:*:*:*:](https://cpe:2.3:a:eclipse:jetty:12.1.2:*:*:*:*:*) (*Confidence: Highest*) suppress
- [cpe:2.3:a:jetty:jetty:12.1.2:*:*:*:*:](https://cpe:2.3:a:jetty:jetty:12.1.2:*:*:*:*:*) (*Confidence: Highest*) suppress
- [cpe:2.3:a:jetty:jetty_http_server:12.1.2:*:*:*:*:](https://cpe:2.3:a:jetty:jetty_http_server:12.1.2:*:*:*:*:*) (*Confidence: Low*) suppress
- [cpe:2.3:a:mortbay:jetty:12.1.2:*:*:*:*:](https://cpe:2.3:a:mortbay:jetty:12.1.2:*:*:*:*:*) (*Confidence: Highest*) suppress

webserver.zip: jose4j.jar

Description:

The jose4j library is a robust and easy to use open source implementation of JSON Web Token (JWT) and the JOSE specification suite (JWS, JWE, and JWK).

It is written in Java and relies solely on the JCA APIs for cryptography.

Please see https://bitbucket.org/b_c/jose4j/wiki/Home for more info, examples, etc..

License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jose4j.jar

MD5: f57cb91efc5beaa940029f5515a888c2

SHA1: 357a3836bb5da16f314f3a1e954518e5468cd915

SHA256: 7314af50cde9c99e8eaf43eee617a23edcc6bb43036221064355094999d837ef

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jose4j	High
Vendor	jar	package name	jca	Highest
Vendor	jar	package name	jose4j	Highest
Vendor	jar	package name	json	Highest
Vendor	jar	package name	jwe	Highest
Vendor	jar	package name	jwk	Highest
Vendor	jar	package name	jws	Highest
Vendor	jar	package name	jwt	Highest
Vendor	jar	package name	use	Highest
Vendor	Manifest	automatic-module-name	org.jose4j	Medium
Vendor	Manifest	bundle-symbolicname	org.bitbucket.b_c.jose4j	Medium
Vendor	pom	artifactid	jose4j	Low
Vendor	pom	developer email	brian.d.campbell@gmail.com	Low
Vendor	pom	developer name	Brian Campbell	Medium
Vendor	pom	groupid	org.bitbucket.b_c	Highest
Vendor	pom	name	jose4j	High
Vendor	pom	url	https://bitbucket.org/b_c/jose4j/	Highest

Product	file	name	jose4j	High
Product	jar	package name	jca	Highest
Product	jar	package name	jose4j	Highest
Product	jar	package name	json	Highest
Product	jar	package name	jwe	Highest
Product	jar	package name	jwk	Highest
Product	jar	package name	jws	Highest
Product	jar	package name	jwt	Highest
Product	jar	package name	use	Highest
Product	Manifest	automatic-module-name	org.jose4j	Medium
Product	Manifest	Bundle-Name	jose4j	Medium
Product	Manifest	bundle-symbolicname	org.bitbucket.b_c.jose4j	Medium
Product	pom	artifactid	jose4j	Highest
Product	pom	developer email	brian.d.campbell@gmail.com	Low
Product	pom	developer name	Brian Campbell	Low
Product	pom	groupid	org.bitbucket.b_c	Highest
Product	pom	name	jose4j	High
Product	pom	url	https://bitbucket.org/b_c/jose4j/	Medium
Version	Manifest	Bundle-Version	0.9.6	High
Version	pom	version	0.9.6	Highest

Identifiers

- [pkg:maven/org.bitbucket.b_c/jose4j@0.9.6](#) (*Confidence:High*)
- [cpe:2.3:a:jose4j_project:jose4j:0.9.6:*:*:*:*:*](#) (*Confidence:Highest*) suppress

webserver.zip: webserver.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/webserver.jar

MD5: 5f67f13b9902ec4f9949ed08ea1a84f2

SHA1: a5ecb91b07ebcd4b38219fcfc748cfbd77b40eea

SHA256: 0aaeab3b593a8dee0c647c937f14d216847eab538bb94ebdc7740489163d2332

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	webserver	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	webserver	Low
Vendor	Manifest	built-date	2025-10-22 17:04	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	webserver	High
Product	jar	package name	webserver	Highest
Product	jar	package name	webserver	Low
Product	Manifest	built-date	2025-10-22 17:04	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	webserver	High
Product	Manifest	specification-title	webserver	Medium
Version	Manifest	Implementation-Version	25.10.219	High

Identifiers

- None

Suppressed Vulnerabilities



docfx.vendor.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/docfx.vendor.js
MD5: e546d4a3ac43d85422e9c43bf9488c88

SHA1: 7387f5bf1a3382308d646560039243629968f137
SHA256: 4dfa2ef41a41c02b0cd0cb18b5c3ee71dd40cdc060271f0d832235e7a1c72c34
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	bootstrap	High
Product	file	name	bootstrap	High
Version	file	version	3.4.1	High

Related Dependencies +

- docfx.vendor.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/nunit - API Doc/styles/docfx.vendor.js
 - MD5: e546d4a3ac43d85422e9c43bf9488c88
 - SHA1: 7387f5bf1a3382308d646560039243629968f137
 - SHA256: 4dfa2ef41a41c02b0cd0cb18b5c3ee71dd40cdc060271f0d832235e7a1c72c34

Suppressed Identifiers

- None

Suppressed Vulnerabilities -

CVE-2025-1647 (RETIREJS) suppressed

Notes: file name: docfx.vendor.js This is a dependency by a third-party tool DocFX that can not be updated. Used exclusively in the .NET API documentation within the SDK.

Unscored:

- Severity: medium

References:

- info - <https://lists.debian.org/debian-lts-announce/2025/06/msg00001.html>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-1647>

Vulnerable Software & Versions (RETIREJS):

Bootstrap before 4.0.0 is end-of-life and no longer maintained. (RETIREJS) suppressed

Bootstrap before 4.0.0 is end-of-life and no longer maintained.

Notes: file name: docfx.vendor.js This is a dependency by a third-party tool DocFX that can not be updated. Used exclusively in the .NET API documentation within the SDK.

Unscored:

- Severity: low

References:

- info - <https://github.com/twbs/bootstrap/issues/20631>
- retid - 72

Vulnerable Software & Versions (RETIREJS):

maintenance.zip: maintenance-javadoc.jar: jquery-ui.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/script-dir/jquery-ui.min.js

MD5: 32059df39c14a910ccc2325f6a3cd62f

SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b

SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jquery-ui	High
Product	file	name	jquery-ui	High
Version	file	version	1.13.1	High

Related Dependencies

- pdfc.zip: pdfc-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/script-dir/jquery-ui.min.js
 - MD5: 32059df39c14a910ccc2325f6a3cd62f
 - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
 - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
- reporting.zip: reporting-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/script-dir/jquery-ui.min.js
 - MD5: 32059df39c14a910ccc2325f6a3cd62f
 - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
 - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
- taskplanner.zip: taskplanner-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/script-dir/jquery-ui.min.js
 - MD5: 32059df39c14a910ccc2325f6a3cd62f
 - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
 - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424

Suppressed Identifiers

- None

Suppressed Vulnerabilities



[CVE-2022-31160](#) suppressed

jQuery UI is a curated set of user interface interactions, effects, widgets, and themes built on top of jQuery. Versions prior to 1.13.2 are potentially vulnerable to cross-site scripting. Initializing a checkboxradio widget on an input enclosed within a label makes that parent label contents considered as the input label. Calling `.checkboxradio("refresh")` on such a widget and the initial HTML contained encoded HTML entities will make them erroneously get decoded. This can lead to potentially executing JavaScript code. The bug has been patched in jQuery UI 1.13.2. To remediate the issue, someone who can change the initial HTML can wrap all the non-input contents of the `label` in a `span`.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-h6gj-6jjq-h8g9>
- info - <https://github.com/jquery/jquery-ui/commit/8cc5bae1caa1fcf96bf5862c5646c787020ba3f9>
- info - <https://github.com/jquery/jquery-ui/issues/2101>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2022-31160>
- security-advisories@github.com - [EXPLOIT,MITIGATION,RELEASE_NOTES,THIRD_PARTY_ADVISORY](#)
- security-advisories@github.com - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)
- security-advisories@github.com - [PATCH,THIRD_PARTY_ADVISORY](#)
- security-advisories@github.com - [RELEASE_NOTES,VENDOR_ADVISORY](#)
- security-advisories@github.com - [THIRD_PARTY_ADVISORY](#)
- security-advisories@github.com - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.0:*:*:*:*:drupal:*:*
- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.1:*:*:*:*:drupal:*:*
- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.2:*:*:*:*:drupal:*:*
- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.3:*:*:*:*:drupal:*:*
- cpe:2.3:a:jqueryui:jquery_ui:*:*:*:*:jquery:*:* versions up to (excluding) 1.13.2
- cpe:2.3:a:netapp:oncommand_insight:-:*:*:*:*:*

remotegui.zip: angular-animate.jar: angular-animate.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/angular-animate.js

MD5: 31312b87e7226c8bf0714fcef0ea5d18

SHA1: dc9fb55f2c7f922c5ba83449266239ba1353db45

SHA256: 58e79e0e7cbb1e1502d216701e1fae41c405d92320aea1b68a223054096fda93

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities



[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value.
Note: 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:-:*:*:*:*:*

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [@angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:node.js:*:* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)

- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2qgx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:*:*:*:*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:*:*:*:*

[CVE-2024-8373](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqgm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions up to (excluding) 1.9.6

CVE-2025-2336 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/bNGYaXx/412a3a4218387479898912f60c269c6c>
- info - <https://github.com/advisories/GHSA-4p4w-6hg8-63wx>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-2336>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-2336>

Vulnerable Software & Versions (RETIREJS):

CVE-2025-4690 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77>
- info - <https://github.com/advisories/GHSA-hfff-63hg-f47j>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-4690>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-4690>

Vulnerable Software & Versions (RETIREJS):

CVE-2025-0716 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915>
- info - <https://github.com/advisories/GHSA-j58c-ww9w-pwp5>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-0716>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-0716>

Vulnerable Software & Versions (RETIREJS):

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>

- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: angular-animate.jar: angular-animate.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/angular-animate.min.js

MD5: 5d2d0f42bb7e1b5503e914674f59dad0

SHA1: 4c15a58541e53c451c6f946d2048104f88b833c7

SHA256: 8e6202b1330a469a61ccdeebbd1cb3a20d0ecdfe8d106f68da5b85e9b67a1cd5

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value.
Note: 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>

- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:-:*:*:*:*:*:

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [[@angular/core](https://www.npmjs.com/package/@angular/core)](<https://www.npmjs.com/package/@angular/core>).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:node.js:*:* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2qqx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:* node.js:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:*:*:*:*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:*:*:*:*

[CVE-2024-8373](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions up to (excluding) 1.9.6

CVE-2025-2336 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/bNGYaXx/412a3a4218387479898912f60c269c6c>
- info - <https://github.com/advisories/GHSA-4p4w-6hg8-63wx>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-2336>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-2336>

Vulnerable Software & Versions (RETIREJS):

CVE-2025-4690 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77>
- info - <https://github.com/advisories/GHSA-hfff-63hg-f47j>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-4690>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-4690>

Vulnerable Software & Versions (RETIREJS):

CVE-2025-0716 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915>

- info - <https://github.com/advisories/GHSA-j58c-ww9w-pwp5>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-0716>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-0716>

Vulnerable Software & Versions (RETIREJS):

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: angular-cookies.jar: angular-cookies.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.js

MD5: e17187aea1f0e6dbd25722e34b754915

SHA1: 20f43f716b9fef7d72537bc1b0e5aa2bc480cee5

SHA256: f3291c552042f6d0c500167769912a78ab3ecec9917128b2d6ea8e7c6714bb97

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities -

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value. **Note:** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:*:*:*:*:*:

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [@angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:node.js:*:* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2qqx-w9hr-q5gx>

- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here <https://docs.angularjs.org/misc/version-support-status> .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>

- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:*:*:*:*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:*:*:*:*

CVE-2024-8373 suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions up to (excluding) 1.9.6

CVE-2025-2336 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/bNGYaxx/412a3a4218387479898912f60c269c6c>
- info - <https://github.com/advisories/GHSA-4p4w-6hg8-63wx>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-2336>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-2336>

Vulnerable Software & Versions (RETIREJS):

CVE-2025-4690 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77>
- info - <https://github.com/advisories/GHSA-hfff-63hg-f47j>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-4690>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-4690>

Vulnerable Software & Versions (RETIREJS):

CVE-2025-0716 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915>
- info - <https://github.com/advisories/GHSA-j58c-ww9w-pwp5>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-0716>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-0716>

Vulnerable Software & Versions (RETIREJS):

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: angular-cookies.jar: angular-cookies.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.min.js
MD5: c41aff8423276d46f0d02de6dcb71524
SHA1: 7dc53f75d5bf7dd2c770cb50f31242c70193c086
SHA256: 926509b494009bea03288bba191a2b238032188e9112377e50fbfe7814c6639b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High

Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value. **Note:** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:*:*:*:*:*

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [@angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:node.js:* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2qgx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here <https://docs.angularjs.org/misc/version-support-status>.

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:*:*:*:*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:*:*:*:*

[CVE-2024-8373](#) suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing.

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here <https://docs.angularjs.org/misc/version-support-status>.

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions up to (excluding) 1.9.6

[CVE-2025-2336 \(RETIREJS\)](#) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/bNGYxX/412a3a4218387479898912f60c269c6c>
- info - <https://github.com/advisories/GHSA-4p4w-6hg8-63wx>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-2336>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-2336>

Vulnerable Software & Versions (RETIREJS):

CVE-2025-4690 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77>
- info - <https://github.com/advisories/GHSA-hfff-63hg-f47j>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-4690>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-4690>

Vulnerable Software & Versions (RETIREJS):

CVE-2025-0716 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915>
- info - <https://github.com/advisories/GHSA-j58c-ww9w-pwp5>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-0716>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-0716>

Vulnerable Software & Versions (RETIREJS):

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: angular-sanitize.jar: angular-sanitize.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.js

MD5: 0127d7a139abfc8bd45875a9c8ea6348

SHA1: 197aea2acc25a0fa821766400950cac58a3627a5

SHA256: c84c65250afe5a1265f36a7e16c6010652e55c2ae3a779c351fb68536c42bf64

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value.
****Note:**** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)

- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:-:*:*:*:*:*

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [[@angular/core](https://www.npmjs.com/package/@angular/core)](<https://www.npmjs.com/package/@angular/core>).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:node.js:*:* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2qgx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:* node.js:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:*:*:*:*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:*:*:*:*

[CVE-2024-8373](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions up to (excluding) 1.9.6

CVE-2025-2336 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/bNGYaxX/412a3a4218387479898912f60c269c6c>
- info - <https://github.com/advisories/GHSA-4p4w-6hg8-63wx>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-2336>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-2336>

Vulnerable Software & Versions (RETIREJS):

CVE-2025-4690 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77>
- info - <https://github.com/advisories/GHSA-hfff-63hg-f47j>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-4690>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-4690>

Vulnerable Software & Versions (RETIREJS):

CVE-2025-0716 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915>

- info - <https://github.com/advisories/GHSA-j58c-ww9w-pwp5>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-0716>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-0716>

Vulnerable Software & Versions (RETIREJS):

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: angular-sanitize.jar: angular-sanitize.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.min.js

MD5: f3c62abeec216e9431e7d5b22d8e813b

SHA1: 21355ef18c5e1ce2b2c711b9dba21cbea0655646

SHA256: cc80a30ad0439c2e9c209b3d7fcffb1d10e6007fd1d00c9cc144f393664a7045

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities -

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value. **Note:** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:*:*:*:*:*:

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [@angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:node.js:*:* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2qqx-w9hr-q5gx>

- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here <https://docs.angularjs.org/misc/version-support-status> .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>

- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:*:*:*:*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:*:*:*:*

CVE-2024-8373 suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions up to (excluding) 1.9.6

CVE-2025-2336 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/bNGYaxx/412a3a4218387479898912f60c269c6c>
- info - <https://github.com/advisories/GHSA-4p4w-6hg8-63wx>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-2336>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-2336>

Vulnerable Software & Versions (RETIREJS):

CVE-2025-4690 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77>
- info - <https://github.com/advisories/GHSA-hfff-63hg-f47j>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-4690>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-4690>

Vulnerable Software & Versions (RETIREJS):

CVE-2025-0716 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915>
- info - <https://github.com/advisories/GHSA-j58c-ww9w-pwp5>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-0716>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-0716>

Vulnerable Software & Versions (RETIREJS):

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: angular.jar

Description:

WebJar for angular

License:

MIT

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular.jar

MD5: f339a9a66a64c67eebb21ec3b251dfc6

SHA1: cff4aee339a9ca4ae2f095079930edeaad6a94ee

SHA256: a997eb40987ddb5d3bf64adf3d33afcff3ac2b1eb2e7255b5203a387f8097cd0

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angular	High
Vendor	pom	artifactid	angular	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	angular	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	angular	High
Product	pom	artifactid	angular	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	angular	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	1.8.3	Highest

Suppressed Identifiers

- None

Suppressed Vulnerabilities



CVE-2022-25844 (OSSINDEX) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value.
Note: 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2022-25844> for details

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

References:

- OSSINDEX - [\[CVE-2022-25844\] CWE-1333](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2022-25844>
- OSSIndex - <https://www.tenable.com/cve/CVE-2022-25844>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.npm:angular:1.8.3:*.~*~*~*~*~*~*

CVE-2021-4231 (OSSINDEX) suppressed

A vulnerability was found in Angular up to 11.0.4/11.1.0-next.2. It has been classified as problematic. Affected is the handling of comments. The manipulation leads to cross site scripting. It is possible to launch the attack remotely but it might require an authentication first. Upgrading to version 11.0.5 and 11.1.0-next.3 is able to address this issue. The name of the patch is ba8da742e3b243e8f43d4c63aa842b44e14f2b09. It is recommended to upgrade the affected component.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2021-4231> for details

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.400000095367432)
- CVSS:3.1/AV:N/AC:L/PR:L/UI:R/S:C/C:L/I:L/A:N

References:

- OSSINDEX - [\[CVE-2021-4231\] CWE-79: Improper Neutralization of Input During Web Page Generation \('Cross-site Scripting'\)](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2021-4231>
- OSSIndex - <https://github.com/angular/angular/pull/40136>
- OSSIndex - <https://github.com/angular/angular/pull/40525>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.npm:angular:1.8.3:*.~*~*~*~*~*~*

CVE-2023-26116 (OSSINDEX) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.300000190734863)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:

- OSSINDEX - [\[CVE-2023-26116\] CWE-1333](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2023-26116>
- OSSIndex - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- OSSIndex - <https://stackblitz.com/edit/angularjs-vulnerability-angular-copy-redos?file=index.js>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.npm:angular:1.8.3:*.~*~*~*~*~*~*

CVE-2023-26118 (OSSINDEX) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large

Carefully-crafted input, which can result in catastrophic backtracking.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2023-26118> for details

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.300000190734863)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:

- OSSINDEX - [\[CVE-2023-26118\] CWE-1333](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2023-26118>
- OSSIndex - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- OSSIndex - <https://stackblitz.com/edit/angularjs-vulnerability-inpur-url-validation-redos?file=index.js>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.npm:angular:1.8.3:*****

remotegui.zip: angular.jar: angular.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/angular.js

MD5: e09f650a016c24bc1b5a1edc93bfbade

SHA1: 0f1f7445b761b9bbd5385f9f0b316dbf1ca48696

SHA256: fdca889e76f55fdee7ab661920f37ce19233563bf7f4ac8120f8ebc2ac768768

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value.
Note: 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:*:*:*:*:*

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [@angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:node.js:* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2qqx-w9hr-q5gx>

- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here <https://docs.angularjs.org/misc/version-support-status> .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>

- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:*:*:*:*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:*:*:*:*

CVE-2024-8373 suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions up to (excluding) 1.9.6

CVE-2025-2336 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/bNGYaxx/412a3a4218387479898912f60c269c6c>
- info - <https://github.com/advisories/GHSA-4p4w-6hg8-63wx>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-2336>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-2336>

Vulnerable Software & Versions (RETIREJS):

CVE-2025-4690 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77>
- info - <https://github.com/advisories/GHSA-hfff-63hg-f47j>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-4690>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-4690>

Vulnerable Software & Versions (RETIREJS):

CVE-2025-0716 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915>
- info - <https://github.com/advisories/GHSA-j58c-ww9w-pwp5>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-0716>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-0716>

Vulnerable Software & Versions (RETIREJS):

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: angular.jar: angular.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/angular.min.js

MD5: 967a32633fa8f38f4ac3376c1a37b992

SHA1: b53b74d8e0b732dcdb98fbe521146b88299ea2f1

SHA256: 396dc1a03d6cc02e9c51a80246e0db53c5c8df9bd07287e3b51bce4a29dab355

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High

Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value. **Note:** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:*:*:*:*:*

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [@angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:node.js:* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2qgx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here <https://docs.angularjs.org/misc/version-support-status>.

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:*:*:*:*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:*:*:*:*

[CVE-2024-8373](#) suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing.

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here <https://docs.angularjs.org/misc/version-support-status>.

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions up to (excluding) 1.9.6

[CVE-2025-2336 \(RETIREJS\)](#) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/bNGYxX/412a3a4218387479898912f60c269c6c>
- info - <https://github.com/advisories/GHSA-4p4w-6hg8-63wx>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-2336>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-2336>

Vulnerable Software & Versions (RETIREJS):

CVE-2025-4690 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77>
- info - <https://github.com/advisories/GHSA-hfff-63hg-f47j>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-4690>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-4690>

Vulnerable Software & Versions (RETIREJS):

CVE-2025-0716 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915>
- info - <https://github.com/advisories/GHSA-j58c-ww9w-pwp5>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-0716>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-0716>

Vulnerable Software & Versions (RETIREJS):

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: jquery.jar

Description:

WebJar for jQuery

License:

MIT License: <https://github.com/jquery/jquery/blob/master/MIT-LICENSE.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/jquery.jar

MD5: 4af65e569248d8a2411f66498d720280

SHA1: c3dc40b1b5f24c56afa36fd9a463bb9f378ac4ab

SHA256: de28c4da0ea9f16101352dd3582ec8021ee5e2de5f45104ca171876003d54db6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jquery	High
Vendor	pom	artifactid	jquery	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	jquery	High
Vendor	pom	url	http://webjars.org	Highest
Product	file	name	jquery	High
Product	pom	artifactid	jquery	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	jquery	High
Product	pom	url	http://webjars.org	Medium
Version	pom	version	2.2.4	Highest

Suppressed Identifiers

- None

Suppressed Vulnerabilities



CVE-2016-10707 (OSSINDEX) suppressed

jquery - Uncontrolled Resource Consumption

The software does not properly restrict the size or amount of resources that are requested or influenced by an actor, which can be used to consume more resources than intended.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2016-10707> for details

CWE-400 Uncontrolled Resource Consumption

Notes: file name: remotegui.jar: jquery.min.js - We can not yet upgrade to a newer version due to dependencies. We do, however, not directly use the functionality that is being CVEd

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

References:

- OSSINDEX - [\[CVE-2016-10707\] CWE-400: Uncontrolled Resource Consumption \('Resource Exhaustion'\)](#)
- OSSIndex - <https://github.com/advisories/GHSA-mhpp-875w-9cpv>
- OSSIndex - <https://github.com/jquery/jquery/issues/3133>
- OSSIndex - <https://github.com/jquery/jquery/issues/3371>
- OSSIndex - <https://github.com/jquery/jquery/pull/2916>
- OSSIndex - <https://github.com/jquery/jquery/pull/3134>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars:jquery:2.2.4:****.*.*.*

CVE-2019-11358 (OSSINDEX) suppressed

jQuery before 3.4.0, as used in Drupal, Backdrop CMS, and other products, mishandles jQuery.extend(true, {}, ...) because of Object.prototype pollution. If an unsanitized source object contained an enumerable __proto__ property, it could extend the native Object.prototype.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2019-11358> for details

CWE-1321 Improperly Controlled Modification of Object Prototype Attributes ('Prototype Pollution')

Notes: file name: remotegui.jar: jquery.min.js - We can not yet upgrade to a newer version due to dependencies. We do, however, not directly use the functionality that is being CVEd

CVSSv3:

- MEDIUM (6.099999904632568)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- OSSINDEX - [\[CVE-2019-11358\] CWE-1321](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2019-11358>
- OSSIndex - <https://blog.jquery.com/2019/04/10/jquery-3-4-0-released/>
- OSSIndex - <https://github.com/cbeust/testng/issues/2150>
- OSSIndex - <https://github.com/jquery/jquery/pull/4333>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars:jquery:2.2.4:*:*:*:*:*

CVE-2020-11023 (OSSINDEX) suppressed

In jQuery versions greater than or equal to 1.0.3 and before 3.5.0, passing HTML containing <option> elements from untrusted sources - even after sanitizing it - to one of jQuery's DOM manipulation methods (i.e. .html(), .append(), and others) may execute untrusted code. This problem is patched in jQuery 3.5.0.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: file name: remotegui.jar: jquery.min.js - We can not yet upgrade to a newer version due to dependencies. We do, however, not directly use the functionality that is being CVEd

CVSSv3:

- MEDIUM (6.0999999904632568)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- OSSINDEX - [\[CVE-2020-11023\] CWE-79: Improper Neutralization of Input During Web Page Generation \('Cross-site Scripting'\)](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2020-11023>
- OSSIndex - <https://github.com/advisories/GHSA-jpcq-cgw6-v4j6>
- OSSIndex - <https://jquery.com/upgrade-guide/3.5/>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars:jquery:2.2.4:*:*:*:*:*

This report contains data retrieved from the [National Vulnerability Database](#).

This report may contain data retrieved from the [CISA Known Exploited Vulnerability Catalog](#).

This report may contain data retrieved from the [Github Advisory Database \(via NPM Audit API\)](#).

This report may contain data retrieved from [RetireJS](#).

This report may contain data retrieved from the [Sonatype OSS Index](#).