



Dependency-Check is an open source tool performing a best effort analysis of 3rd party dependencies; false positives and false negatives may exist in the analysis performed by the tool. Use of the tool and the reporting provided constitutes acceptance for use in an AS IS condition, and there are NO warranties, implied or otherwise, with regard to the analysis or its use. Any use of the tool and the reporting provided is at the user's risk. In no event shall the copyright holder or OWASP be held liable for any damages whatsoever arising out of or in connection with the use of this tool, the analysis performed, or the resulting report.

[How to read the report](#) | [Suppressing false positives](#) | [Getting Help: github issues](#)

 [Sponsor](#)

Project: project ':server'

pdfc:server:25.4

Scan Information ([show all](#)):

- *dependency-check version:* 10.0.3
- *Report Generated On:* Tue, 6 May 2025 07:33:45 +0200
- *Dependencies Scanned:* 1333 (1260 unique)
- *Vulnerable Dependencies:* 0
- *Vulnerabilities Found:* 0
- *Vulnerabilities Suppressed:* 96 ([show](#))
- ...
- *NVD API Last Checked:* 2025-05-06T05:31:16Z
- *NVD API Last Modified:* 2024-09-18T11:15:10Z
- *NVD Cache Last Checked:* 2025-05-06T05:31:16Z
- *NVD Cache Last Modified:* 2024-09-18T11:15:10Z

Summary

Display: [Showing Vulnerable Dependencies \(click to show all\)](#)

| Dependency | Vulnerability IDs | Package |
|--|---|---|
| Merlia-0.jar | | pkg:maven/lib/Merlia@0 |
| PDFCNUit.dll | | |
| PDFCNUit.dll | | |
| PDFCNUit.dll | | |
| analysis.language.zip: analysis.language.jar | cpe:2.3:a:inetsoftware:pdfc:25.4.232:*:***** | |
| analysis.language.zip: guava.jar | cpe:2.3:a:google:guava:33.4.0:*:*:*:*:*.* | pkg:maven/com.google.guava/guava@33.4.0-jre |
| analysis.language.zip: jsonic.jar | | |
| analysis.language.zip: language-detector.jar | | pkg:maven/com.optimaize.languagedetector |

| | | |
|--|--|--|
| | | /language-detector@0.6 |
| application.currenttime.zip: application.currenttime.sample.jar | | |
| application.currenttime.zip: application.currenttime.sample.jar: sampleapplication.js | | |
| application.embedded.zip: application.embedded.sample.jar | | |
| application.embedded.zip: application.embedded.sample.jar: embeddedMode.js | | |
| application.googleanalytics.zip: application.googleanalytics.sample.jar | | |
| application.googleanalytics.zip: application.googleanalytics.sample.jar: googleanalytics.js | | |
| application.googleanalytics.zip: application.googleanalytics.sample.jar: jquery.cookiebar.js | | |
| application.helloworld.zip: application.helloworld.sample.jar | | |
| authentication.oauth.ex.zip: authentication.oauth.ex.sample.jar | | |
| authentication.pam.zip: authentication.pam.jar | | |
| authentication.pam.zip: jna.jar | cpe:2.3:a:oracle:java_se:5.14.0:*.***:*** | |
| authentication.pam.zip: jna.jar: jnidispatch.dll | | |
| authentication.pam.zip: jna.jar: jnidispatch.dll | | |
| authentication.pam.zip: jna.jar: jnidispatch.dll | | |
| authentication.passwordfile.zip: authentication.passwordfile.sample.jar | | |
| authentication.product.zip: authentication.product.jar | | |
| authentication.windows.zip: authentication.windows.jar | | |
| authentication.windows.zip: caffeine.jar | | |
| authentication.windows.zip: jna-platform.jar | | |
| authentication.windows.zip: waffle-jna-jakarta.jar | cpe:2.3:a:4d:4d:3.5.1:*.***:*** | pkg:maven/com.github.waffle/waffle-jna-jakarta@3.5.1 |
| command.jsonexport.zip: command.jsonexport.jar | cpe:2.3:a:inetsoftware:pdfc:25.4.232:*.***:*** | |
| commons-logging.jar | | pkg:maven/commons-logging/commons-logging@1.3.4 |
| comparison.api.zip: comparison.api.jar | cpe:2.3:a:inetsoftware:pdfc:25.4.232:*.***:*** | |
| | | |

| | | |
|---|--|--|
| comparison.rpc.zip: comparison.rpc.jar | cpe:2.3:a:inetsoftware:pdfc:25.4.232:*: ***** | |
| comparison.webgui.zip: comparison.webgui.jar | cpe:2.3:a:inetsoftware:pdfc:25.4.232:*: ***** | |
| comparison.webgui.zip: comparison.webgui.jar: app.js | | |
| comparison.webgui.zip: comparison.webgui.jar: compare.js | | |
| comparison.webgui.zip: comparison.webgui.jar: contextmenuextension.js | | |
| comparison.webgui.zip: comparison.webgui.jar: contingent.js | | |
| comparison.webgui.zip: comparison.webgui.jar: controller.js | | |
| comparison.webgui.zip: comparison.webgui.jar: descriptionarea.js | | |
| comparison.webgui.zip: comparison.webgui.jar: dropzone.js | | |
| comparison.webgui.zip: comparison.webgui.jar: export.js | | |
| comparison.webgui.zip: comparison.webgui.jar: factory.js | | |
| comparison.webgui.zip: comparison.webgui.jar: model.js | | |
| comparison.webgui.zip: comparison.webgui.jar: multipasswordpanel.js | | |
| comparison.webgui.zip: comparison.webgui.jar: mycomparisons.js | | |
| comparison.webgui.zip: comparison.webgui.jar: passwordpanel.js | | |
| comparison.webgui.zip: comparison.webgui.jar: pdfconfig.js | | |
| comparison.webgui.zip: comparison.webgui.jar: profil.js | | |
| comparison.webgui.zip: comparison.webgui.jar: profileentry.js | | |
| comparison.webgui.zip: comparison.webgui.jar: publishdialog.js | | |
| comparison.webgui.zip: comparison.webgui.jar: publishprofiledialog.js | | |
| comparison.webgui.zip: comparison.webgui.jar: report.js | | |
| comparison.webgui.zip: comparison.webgui.jar: scroller.js | | |
| comparison.webgui.zip: comparison.webgui.jar: searchcomponent.js | | |
| comparison.webgui.zip: comparison.webgui.jar: userlist.js | | |

| | | |
|---|--|--|
| comparison.webgui.zip: comparison.webgui.jar: visibilitysettings.js | | |
| comparison.webgui.zip: comparison.webgui.jar: zoomer.js | | |
| configuration.automaticconfigrestore.zip: configuration.automaticconfigrestore.sample.jar | | |
| configuration.zip: configuration.jar | | |
| configuration.zip: configuration.jar: authenticationItemRenderer.directive.js | | |
| configuration.zip: configuration.jar: authenticationRenderer.directive.js | | |
| configuration.zip: configuration.jar: boolean.directive.js | | |
| configuration.zip: configuration.jar: booleanButton.directive.js | | |
| configuration.zip: configuration.jar: colorInput.directive.js | | |
| configuration.zip: configuration.jar: controller.js | | |
| configuration.zip: configuration.jar: datafactory.js | | |
| configuration.zip: configuration.jar: fileUploadRenderer.directive.js | | |
| configuration.zip: configuration.jar: filesystemInputButton.directive.js | | |
| configuration.zip: configuration.jar: filesystemInputDirectory.directive.js | | |
| configuration.zip: configuration.jar: filesystemInputFile.directive.js | | |
| configuration.zip: configuration.jar: iconDropRenderer.directive.js | | |
| configuration.zip: configuration.jar: inlinerenderer.directive.js | | |
| configuration.zip: configuration.jar: keyLabelText.directive.js | | |
| configuration.zip: configuration.jar: labelLink.directive.js | | |
| configuration.zip: configuration.jar: labelText.directive.js | | |
| configuration.zip: configuration.jar: licenseKeyItemRenderer.directive.js | | |
| configuration.zip: configuration.jar: licenseKeyRenderer.directive.js | | |
| configuration.zip: configuration.jar: listItemRenderer.directive.js | | |
| configuration.zip: configuration.jar: logopreview.directive.js | | |
| configuration.zip: configuration.jar: multiLineCode.directive.js | | |

[configuration.zip: configuration.jar: multiLineText.directive.js](#)

[configuration.zip: configuration.jar: multiLingualTextRenderer.directive.js](#)

[configuration.zip: configuration.jar: passwordText.directive.js](#)

[configuration.zip: configuration.jar: reloadSelectInputsTrigger.directive.js](#)

[configuration.zip: configuration.jar: renderer.directive.js](#)

[configuration.zip: configuration.jar: repoDbRenderer.directive.js](#)

[configuration.zip: configuration.jar: repoFsRenderer.directive.js](#)

[configuration.zip: configuration.jar: repositoryItemRenderer.directive.js](#)

[configuration.zip: configuration.jar: repositoryRenderer.directive.js](#)

[configuration.zip: configuration.jar: selectEditText.directive.js](#)

[configuration.zip: configuration.jar: selectFilteredText.directive.js](#)

[configuration.zip: configuration.jar: selectLanguageChooserRenderer.directive.js](#)

[configuration.zip: configuration.jar: selectSimpleText.directive.js](#)

[configuration.zip: configuration.jar: simpleDate.directive.js](#)

[configuration.zip: configuration.jar: simpleSlider.directive.js](#)

[configuration.zip: configuration.jar: simpleText.directive.js](#)

[configuration.zip: configuration.jar: tableRenderer.directive.js](#)

[configuration.zip: configuration.jar: treeRenderer.directive.js](#)

[configuration.zip: configuration.jar: usersandgroupselect.directive.js](#)

[diagnostics.zip: diagnostics.jar](#)

[diagnostics.zip: diagnostics.jar: MemoryPieChart.js](#)

[diagnostics.zip: diagnostics.jar: MemoryUsageChart.js](#)

[diagnostics.zip: diagnostics.jar: WebServerErrorChart.js](#)

[diagnostics.zip: diagnostics.jar: benchmarkCtrl.js](#)

[diagnostics.zip: diagnostics.jar: client-server.js](#)

| | | |
|--|---|--|
| diagnostics.zip: diagnostics.jar: controller.js | | |
| diagnostics.zip: diagnostics.jar: cpu.js | | |
| diagnostics.zip: diagnostics.jar: cpuspeed.js | | |
| diagnostics.zip: diagnostics.jar: directives.js | | |
| diagnostics.zip: diagnostics.jar: errorHistoryChart.js | | |
| diagnostics.zip: diagnostics.jar: flotr2.min.js | | |
| diagnostics.zip: diagnostics.jar: global.js | | |
| diagnostics.zip: diagnostics.jar: hddisk.js | | |
| diagnostics.zip: diagnostics.jar: heapdumpCtrl.js | | |
| diagnostics.zip: diagnostics.jar: informationCtrl.js | | |
| diagnostics.zip: diagnostics.jar: intArrayUtils.js | | |
| diagnostics.zip: diagnostics.jar: iospeed.js | | |
| diagnostics.zip: diagnostics.jar: jobs.js | | |
| diagnostics.zip: diagnostics.jar: logging.js | | |
| diagnostics.zip: diagnostics.jar: memory.js | | |
| diagnostics.zip: diagnostics.jar: overviewCtrl.js | | |
| diagnostics.zip: diagnostics.jar: pde.diagnostics.js | | |
| diagnostics.zip: diagnostics.jar: timeformat.js | | |
| docfx.js | | |
| docfx.vendor.js | | pkg:javascript/bootstrap@3.4.1 |
| drive.zip: commons-compress.jar | cpe:2.3:a:apache:commons_compress:1.27.1:*****: | pkg:maven/org.apache.commons/commons-compress@1.27.1 |
| drive.zip: commons-io.jar | cpe:2.3:a:apache:commons_io:2.18.0:*****: | pkg:maven/commons-io/commons-io@2.18.0 |
| drive.zip: drive.jar | | |
| drive.zip: drive.jar: actions.js | | |
| drive.zip: drive.jar: actions.service.js | | |
| drive.zip: drive.jar: contentextension.js | | |
| drive.zip: drive.jar: controller.js | | |
| drive.zip: drive.jar: drivecleanup.js | | |
| drive.zip: drive.jar: drivecontroller.js | | |
| drive.zip: drive.jar: drivefactory.js | | |
| drive.zip: drive.jar: drivemodel.js | | |

| | | |
|--|---|--|
| drive.zip: drive.jar: dropzone.directive.js | | |
| drive.zip: drive.jar: entryactions.directive.js | | |
| drive.zip: drive.jar: fileconfig.directive.js | | |
| drive.zip: drive.jar: folderlist.directive.js | | |
| drive.zip: drive.jar: linkdialog.js | | |
| drive.zip: drive.jar: locationchooser.js | | |
| drive.zip: drive.jar: mountdialog.js | | |
| drive.zip: drive.jar: myshareextension.js | | |
| drive.zip: drive.jar: permissionsextension.js | | |
| drive.zip: drive.jar: progress.service.js | | |
| drive.zip: drive.jar: progresspanel.directive.js | | |
| drive.zip: drive.jar: resolve.service.js | | |
| drive.zip: drive.jar: responsivetoolbar.directive.js | | |
| drive.zip: drive.jar: selectedextension.js | | |
| drive.zip: drive.jar: shareextension.js | | |
| drive.zip: drive.jar: shareextension.js | | |
| drive.zip: drive.jar: thumbnailextension.js | | |
| drive.zip: drive.jar: toolbaraction.directive.js | | |
| drive.zip: drive.jar: unzipextension.js | | |
| drive.zip: drive.jar: zipextension.js | | |
| embeddedMode.js | | |
| filter.area.zip: filter.area.jar | cpe:2.3:a:inetsoftware:pdfc:25.4.232:*. ***** ***** | |
| filter.baselinetable.zip: filter.baselinetable.jar | cpe:2.3:a:inetsoftware:pdfc:25.4.232:*. ***** ***** | |
| filter.cmappatch.zip: filter.cmappatch.jar | cpe:2.3:a:inetsoftware:pdfc:25.4.232:*. ***** ***** | |
| filter.headerfooter.zip: filter.headerfooter.jar | cpe:2.3:a:inetsoftware:pdfc:25.4.232:*. ***** ***** | |
| filter.hiderotation.zip: filter.hiderotation.jar | cpe:2.3:a:inetsoftware:pdfc:25.4.232:*. ***** ***** | |
| filter.invisibleelements.zip: filter.invisibleelements.jar | cpe:2.3:a:inetsoftware:pdfc:25.4.232:*. ***** ***** | |
| filter.multicolumn.zip: filter.multicolumn.jar | cpe:2.3:a:inetsoftware:pdfc:25.4.232:*. ***** ***** | |
| filter.ocr.zip: filter.ocr.jar | cpe:2.3:a:inetsoftware:pdfc:25.4.232:*. ***** ***** | |
| filter.pagerange.zip: filter.pagerange.jar | cpe:2.3:a:inetsoftware:pdfc:25.4.232:*. ***** ***** | |

| | | |
|---|--|---|
| filter.regex.zip: filter.regex.jar | cpe:2.3:a:inetsoftware:pdfc:25.4.232:*: ***** | |
| filter.regex.zip: filter.regex.jar: filterrenderer.js | | |
| filter.texttransform.zip: filter.texttransform.jar | cpe:2.3:a:inetsoftware:pdfc:25.4.232:*: ***** | |
| filter.urllookup.zip: filter.urllookup.jar | cpe:2.3:a:inetsoftware:pdfc:25.4.232:*: ***** | |
| googleanalytics.js | | |
| hamcrest-3.0.jar | | pkg:maven/org.hamcrest/hamcrest@3.0 |
| help.zip: commons-beanutils.jar | cpe:2.3:a:apache:commons_beanutils:1.9.4:***** | pkg:maven/commons-beanutils/commons-beanutils@1.9.4 |
| help.zip: commons-digester3.jar | | pkg:maven/org.apache.commons/commons-digester3@3.2 |
| help.zip: help.jar | | |
| help.zip: help.jar: app.js | | |
| help.zip: help.jar: controller.js | | |
| help.zip: help.jar: shared.factory.js | | |
| help.zip: help.jar: shared.highlighter.js | | |
| help.zip: jsoup.jar | cpe:2.3:a:jsoup:jsoup:1.18.3:***** | pkg:maven/org.jsoup/jsoup@1.18.3 |
| htmlengine.zip: JWebEngine.jar | | |
| htmlengine.zip: htmlengine.jar | | |
| inetcore-25.4-tools.jar | | pkg:maven/shared/inetcore@25.4 |
| inetcore-25.4.jar (shaded: com.inet.shared:inetcore:null) | | |
| inetcore-25.4.jar | | pkg:maven/shared/inetcore@25.4 |
| inetloggeradapter.jar | | |
| inetsoftware.Pdfc.dll | | |
| inetsoftware.Pdfc.dll | | |
| jakarta.servlet-api.jar | cpe:2.3:a:oracle:projects:6.1.0:*****: ** | pkg:maven/jakarta.servlet/jakarta.servlet-api@6.1.0 |
| | | |

| | | |
|---|---|--|
| jakarta.websocket-api.jar | | pkg:maven/jakarta.websocket/jakarta.websocket-api@2.2.0 |
| jakarta.websocket-client-api.jar | cpe:2.3:a:web_project:web:2.2.0:*.***:*** | pkg:maven/jakarta.websocket/jakarta.websocket-client-api@2.2.0 |
| java-21-jre-x64-linux.tar.gz: java-21-jre-x64-linux.tar: jrt-fs.jar | cpe:2.3:a:eclipse:platform:21.0.7:*.***:*** | |
| jlessc-1.12.jar | | pkg:maven/de.inetsoftware/jlessc@1.12 |
| jpeg2000.zip: asm.jar | | |
| jpeg2000.zip: con crt140.dll | | |
| jpeg2000.zip: imageio-openjpeg.jar | | pkg:maven/de.digitalcollections.imageio/imageio-openjpeg@0.6.8 |
| jpeg2000.zip: jffi-native.jar | | |
| jpeg2000.zip: jffi-native.jar: jffi-1.2.dll | | |
| jpeg2000.zip: jffi-native.jar: jffi-1.2.dll | | |
| jpeg2000.zip: jffi-native.jar: jffi-1.2.dll | | |
| jpeg2000.zip: jffi.jar | | pkg:maven/com.github.jnr/jffi@1.3.13 |
| jpeg2000.zip: jnr-ffi.jar | | pkg:maven/com.github.jnr/jnr-ffi@2.2.17 |
| jpeg2000.zip: jpeg2000.jar | | |
| jpeg2000.zip: msvcp140.dll | | |
| jpeg2000.zip: msvcp140_1.dll | | |
| jpeg2000.zip: msvcp140_2.dll | | |
| jpeg2000.zip: msvcp140_atomic_wait.dll | | |
| jpeg2000.zip: msvcp140_codecvt_ids.dll | cpe:2.3:a:ids:ids:140:*.***:*** | |
| jpeg2000.zip: openjp2.dll | | |
| jpeg2000.zip: vcruntime140.dll | | |
| jpeg2000.zip: vcruntime140_1.dll | | |
| jquery.cookiebar.js | | |
| junit-4.13.2.jar | cpe:2.3:a:junit:junit4:4.13.2:*.***:*** | pkg:maven/junit/junit@4.13.2 |
| | | |

| | | |
|---|--|--|
| junit-jupiter-5.11.4.jar | | pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4 |
| junit-jupiter-api-5.11.4.jar | | pkg:maven/org.junit.jupiter/junit-jupiter-api@5.11.4 |
| junit-jupiter-engine-5.11.4.jar | | pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4 |
| junit-jupiter-params-5.11.4.jar | | pkg:maven/org.junit.jupiter/junit-jupiter-params@5.11.4 |
| junit-platform-commons-1.11.4.jar | | pkg:maven/org.junit.platform/junit-platform-commons@1.11.4 |
| junit-platform-engine-1.11.4.jar | | pkg:maven/org.junit.platform/junit-platform-engine@1.11.4 |
| junit-platform-launcher-1.11.4.jar | | pkg:maven/org.junit.platform/junit-platform-launcher@1.11.4 |
| junit-platform-suite-1.11.4.jar | | pkg:maven/org.junit.platform/junit-platform-suite@1.11.4 |
| junit-platform-suite-api-1.11.4.jar | | pkg:maven/org.junit.platform/junit-platform-suite-api@1.11.4 |
| junit-platform-suite-commons-1.11.4.jar | | pkg:maven/org.junit.platform/junit-platform-suite-commons@1.11.4 |
| junit-platform-suite-engine-1.11.4.jar | | pkg:maven/org.junit.platform/junit-platform-suite-engine@1.11.4 |
| junit-vintage-engine-5.11.4.jar | | pkg:maven/org.junit.vintage/junit-vintage-engine@5.11.4 |
| lunr.js | | |
| lunr.min.js | | |
| mail.zip: angus-activation.jar | | pkg:maven/org.eclipse.angus |

| | | |
|--|---|---|
| | | /angus-activation@2.0.2 |
| mail.zip: angus-mail.jar (shaded: org.eclipse.angus:angus-core:2.0.3) | | pkg:maven/org.eclipse.angus/angus-core@2.0.3 |
| mail.zip: angus-mail.jar (shaded: org.eclipse.angus:imap:2.0.3) | | pkg:maven/org.eclipse.angus/imap@2.0.3 |
| mail.zip: angus-mail.jar (shaded: org.eclipse.angus:logging-mailhandler:2.0.3) | | pkg:maven/org.eclipse.angus/logging-mailhandler@2.0.3 |
| mail.zip: angus-mail.jar (shaded: org.eclipse.angus:pop3:2.0.3) | | pkg:maven/org.eclipse.angus/pop3@2.0.3 |
| mail.zip: angus-mail.jar (shaded: org.eclipse.angus:smtp:2.0.3) | | pkg:maven/org.eclipse.angus/smtp@2.0.3 |
| mail.zip: angus-mail.jar | | pkg:maven/org.eclipse.angus/angus-mail@2.0.3 |
| mail.zip: bc-fips.jar | | |
| mail.zip: bcjmail-fips.jar | cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.0.5:*:*:*:*:*: * - | |
| mail.zip: bcpkg-fips.jar | cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.0.9:*:*:*:*:*: * - cpe:2.3:a:openpgp:openpgp:2.0.9:*:*:*:*:*: *.*.*.* .*** | |
| mail.zip: bcpkix-fips.jar | cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.0.7:*:*:*:*:*: * - | |
| mail.zip: bcutil-fips.jar | cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.0.3:*:*:*:*:*: * - | |
| mail.zip: jakarta.activation-api.jar | | pkg:maven/jakarta.activation/jakarta.activation-api@2.1.3 |
| mail.zip: jakarta.mail-api.jar | | pkg:maven/jakarta.mail/jakarta.mail-api@2.1.3 |
| mail.zip: mail.jar | | |
| mail.zip: mail.jar: smimeconfig.js | | |
| main.js | | |

| | | |
|---|--|---|
| maintenance.pdf: maintenance.pdf.jar | cpe:2.3:a:inetsoftware:pdfc:25.4.232:*: ***** | |
| maintenance.pdf: maintenance.pdf.jar: app.js | | |
| maintenance.pdf: maintenance.pdf.jar: comparisons.js | | |
| maintenance.zip: maintenance-javadoc.jar | | |
| maintenance.zip: maintenance-javadoc.jar: jquery-3.6.1.min.js | | |
| maintenance.zip: maintenance-javadoc.jar: jquery-ui.min.js | | pkg:javascript/ jquery-ui@1.13.1 |
| maintenance.zip: maintenance-javadoc.jar: member-search-index.js | | |
| maintenance.zip: maintenance-javadoc.jar: module-search-index.js | | |
| maintenance.zip: maintenance-javadoc.jar: package-search-index.js | | |
| maintenance.zip: maintenance-javadoc.jar: script.js | | |
| maintenance.zip: maintenance-javadoc.jar: search.js | | |
| maintenance.zip: maintenance-javadoc.jar: tag-search-index.js | | |
| maintenance.zip: maintenance-javadoc.jar: type-search-index.js | | |
| maintenance.zip: maintenance.jar | | |
| maintenance.zip: maintenance.jar: controller.js | | |
| maintenance.zip: maintenance.jar: controller.js | | |
| maintenance.zip: maintenance.jar: controller.js | | |
| maintenance.zip: maintenance.jar: controller.js | | |
| maintenance.zip: maintenance.jar: controller.js | | |
| maintenance.zip: maintenance.jar: filechooser.js | | |
| maintenance.zip: maintenance.jar: multieditusers.js | | |
| mongo-java-driver.jar | cpe:2.3:a:mongodb:java_driver: 3.12.14:***** | |
| notification.zip: notification.jar | | |
| notification.zip: notification.jar: notification.js | | |
| notification.zip: notification.jar: notification_config.js | | |
| notification.zip: notification.jar: notification_taskplanner.js | | |
| notification.zip: notification.jar: targetrenderer.js | | |
| ocr.tesseract.zip: fontbox.jar | | pkg:maven/org. apache.pdfbox/ fontbox@3.0.3 |

| | | |
|---|--|---|
| ocr.tesseract.zip: jai-imageio-core.jar | | pkg:maven/com.github.jai-imageio/jai-imageio-core@1.4.0 |
| ocr.tesseract.zip: jbig2-imageio.jar | cpe:2.3:a:apache:pdfbox:3.0.4:*:*:*:*:* | pkg:maven/org.apache.pdfbox/jbig2-imageio@3.0.4 |
| ocr.tesseract.zip: jboss-vfs.jar | | pkg:maven/org.jboss/jboss-vfs@3.3.2.Final |
| ocr.tesseract.zip: lept4j.jar | | pkg:maven/net.sourceforge.lept4j/lept4j@1.19.1 |
| ocr.tesseract.zip: lept4j.jar: libleptonica1841.dll | | |
| ocr.tesseract.zip: lept4j.jar: libleptonica1841.dll | | |
| ocr.tesseract.zip: ocr.tesseract.jar | cpe:2.3:a:tesseract_ocr_project:tesseract_ocr:25.4.232:*:*:*:*:* cpe:2.3:a:tesseract_project:tesseract:25.4.232:*:*:*:*:* | |
| ocr.tesseract.zip: pdfbox.jar | cpe:2.3:a:apache:pdfbox:3.0.3:*:*:*:*:* | pkg:maven/org.apache.pdfbox/pdfbox@3.0.3 |
| ocr.tesseract.zip: tess4j.jar | cpe:2.3:a:tesseract_project:tesseract:5.12.0:*:*:*:*:* | pkg:maven/net.sourceforge.tess4j/tess4j@5.12.0 |
| ocr.tesseract.zip: tess4j.jar: libtesseract541.dll | | |
| ocr.tesseract.zip: tess4j.jar: libtesseract541.dll | | |
| opentest4j-1.3.0.jar | | pkg:maven/org.opentest4j/opentest4j@1.3.0 |
| parser.image.zip: parser.image.jar | cpe:2.3:a:inetsoftware:pdfc:25.4.232:*:*:*:* | |
| parser.pdf.config.zip: parser.pdf.config.jar | cpe:2.3:a:inetsoftware:pdfc:25.4.232:*:*:*:* | |
| parser.pdf.zip: PDFParser.jar | | |
| parser.pdf.zip: jbig2.jar | | |
| parser.pdf.zip: parser.pdf.jar | | |
| parser.text.zip: parser.text.jar | cpe:2.3:a:inetsoftware:pdfc:25.4.232:*:*:*:* | |
| pdfc.standalone.zip: pdfc.standalone.jar | cpe:2.3:a:inetsoftware:pdfc:25.4.232:*:*:*:* | |
| pdfc.standalone.zip: pdfc.standalone.jar: bridge.js | | |
| pdfc.standalone.zip: pdfc.standalone.jar: bridgeConfig.js | | |

| | | |
|---|--|---|
| pdfc.standalone.zip: pdfc.standalone.jar: bridgePDFC.js | | |
| pdfc.standalone.zip: pdfc.standalone.jar: extraMenu.js | | |
| pdfc.standalone.zip: pdfc.standalone.jar: removeHeader.js | | |
| pdfc.standalone.zip: pdfc.standalone.jar: removePDFCElements.js | | |
| pdfc.standalone.zip: pdfc.standalone.jar: theme.js | | |
| pdfc.standalone.zip: pdfc.standalone.jar: translation.js | | |
| pdfc.zip: icu4j.jar (shaded: com.ibm.icu.collate:76.1) | | pkg:maven/com.ibm.icu/collate@76.1 |
| pdfc.zip: icu4j.jar (shaded: com.ibm.icu.core:76.1) | | pkg:maven/com.ibm.icu/core@76.1 |
| pdfc.zip: icu4j.jar (shaded: com.ibm.icu.curldata:76.1) | | pkg:maven/com.ibm.icu/curldata@76.1 |
| pdfc.zip: icu4j.jar (shaded: com.ibm.icu.langdata:76.1) | | pkg:maven/com.ibm.icu/langdata@76.1 |
| pdfc.zip: icu4j.jar (shaded: com.ibm.icu.regiondata:76.1) | | pkg:maven/com.ibm.icu/regiondata@76.1 |
| pdfc.zip: icu4j.jar (shaded: com.ibm.icu.translit:76.1) | | pkg:maven/com.ibm.icu/translit@76.1 |
| pdfc.zip: icu4j.jar | cpe:2.3:a:icu-project:international_components_for_unicode:76.1:*:*:*:*:* cpe:2.3:a:unicode:international_components_for_unicode:76.1:*:*:*:*:* | pkg:maven/com.ibm.icu/icu4j@76.1 |
| pdfc.zip: pdfc-javadoc.jar | | |
| pdfc.zip: pdfc-javadoc.jar: member-search-index.js | | |
| pdfc.zip: pdfc-javadoc.jar: package-search-index.js | | |
| pdfc.zip: pdfc-javadoc.jar: tag-search-index.js | | |
| pdfc.zip: pdfc-javadoc.jar: type-search-index.js | | |
| pdfc.zip: pdfc.jar | cpe:2.3:a:inetsoftware:pdfc:25.4.232:*:*:*:*:* | |
| pdfcjunit.jar | cpe:2.3:a:inetsoftware:pdfc:25.4.232:*:*:*:*:* | |
| pdfcserver.zip: pdfcserver.jar | cpe:2.3:a:inetsoftware:pdfc:25.4.232:*:*:*:*:* | |
| pdfcserver.zip: pdfcserver.jar: compareconfigrenderers.js | | |

| | | |
|--|--|--|
| pdfcsetupwizard.zip: pdfcsetupwizard.jar | cpe:2.3:a:inetsoftware:pdfc:25.4.232:*: ***** | |
| pdfcsetupwizard.zip: pdfcsetupwizard.jar: controller.js | | |
| pdfcwebapiclient.jar | cpe:2.3:a:inetsoftware:pdfc:25.4.232:*: ***** | |
| persistence.jar | | |
| pluginstore.client.zip: pluginstore.client.jar | | |
| pluginstore.client.zip: pluginstore.client.jar: controller.js | | |
| pluginstore.client.zip: pluginstore.client.jar: pluginstorehelpcontroller.js | | |
| pluginstore.client.zip: pluginstore.client.jar: publicstoreconfig.js | | |
| pluginstore.client.zip: pluginstore.client.jar: storecontroller.js | | |
| pluginstore.client.zip: pluginstore.client.jar: storedirectives.js | | |
| pluginstore.client.zip: pluginstore.client.jar: storemodel.js | | |
| processbridge.pdf: processbridge.pdf.jar | cpe:2.3:a:inetsoftware:pdf:25.4.232:*: ***** | |
| processbridge.zip: processbridge.jar | | |
| remotegui.zip: angular-animate.jar | | pkg:maven/org.webjars.npm/angular-animate@1.8.3 |
| remotegui.zip: angular-animate.jar: angular-animate.js | | pkg:javascript/angularjs@1.8.3 |
| remotegui.zip: angular-animate.jar: angular-animate.min.js | | pkg:javascript/angularjs@1.8.3 |
| remotegui.zip: angular-animate.jar: index.js | | |
| remotegui.zip: angular-animate.jar: package.json | | |
| remotegui.zip: angular-cookies.jar | | pkg:maven/org.webjars.npm/angular-cookies@1.8.3 |
| remotegui.zip: angular-cookies.jar: angular-cookies.js | | pkg:javascript/angularjs@1.8.3 |
| remotegui.zip: angular-cookies.jar: angular-cookies.min.js | | pkg:javascript/angularjs@1.8.3 |
| remotegui.zip: angular-cookies.jar: index.js | | |
| remotegui.zip: angular-cookies.jar: package.json | | |
| remotegui.zip: angular-sanitize.jar | | pkg:maven/org.webjars.npm/angular-sanitize@1.8.3 |
| | | |

| | | |
|--|--|---|
| remotegui.zip: angular-sanitize.jar: angular-sanitize.js | | pkg:javascript/angularjs@1.8.3 |
| remotegui.zip: angular-sanitize.jar: angular-sanitize.min.js | | pkg:javascript/angularjs@1.8.3 |
| remotegui.zip: angular-sanitize.jar: index.js | | |
| remotegui.zip: angular-sanitize.jar: package.json | | |
| remotegui.zip: angular.jar | | pkg:maven/org.webjars/npm/angular@1.8.3 |
| remotegui.zip: angular.jar: angular.js | | pkg:javascript/angularjs@1.8.3 |
| remotegui.zip: angular.jar: angular.min.js | | pkg:javascript/angularjs@1.8.3 |
| remotegui.zip: angular.jar: index.js | | |
| remotegui.zip: angular.jar: package.json | | |
| remotegui.zip: codemirror.jar | cpe:2.3:a:codemirror:codemirror:6.65.7:*.***.***.* | pkg:maven/org.webjars/npm/codemirror@6.65.7 |
| remotegui.zip: codemirror.jar: CodeMirror.js | | |
| remotegui.zip: codemirror.jar: ContentEditableInput.js | | |
| remotegui.zip: codemirror.jar: Display.js | | |
| remotegui.zip: codemirror.jar: Doc.js | | |
| remotegui.zip: codemirror.jar: StringStream.js | | |
| remotegui.zip: codemirror.jar: TextareaInput.js | | |
| remotegui.zip: codemirror.jar: active-line.js | | |
| remotegui.zip: codemirror.jar: annotatescrollbar.js | | |
| remotegui.zip: codemirror.jar: anyword-hint.js | | |
| remotegui.zip: codemirror.jar: apl.js | | |
| remotegui.zip: codemirror.jar: asciarmor.js | | |
| remotegui.zip: codemirror.jar: asn.1.js | | |
| remotegui.zip: codemirror.jar: asterisk.js | | |
| remotegui.zip: codemirror.jar: autorefresh.js | | |
| remotegui.zip: codemirror.jar: bidi.js | | |
| remotegui.zip: codemirror.jar: brace-fold.js | | |
| remotegui.zip: codemirror.jar: brainfuck.js | | |
| remotegui.zip: codemirror.jar: browser.js | | |
| remotegui.zip: codemirror.jar: change_measurement.js | | |
| remotegui.zip: codemirror.jar: changes.js | | |
| remotegui.zip: codemirror.jar: chunk.js | | |

| | | |
|---|--|--|
| remotegui.zip: codemirror.jar: clike.js | | |
| remotegui.zip: codemirror.jar: clojure.js | | |
| remotegui.zip: codemirror.jar: closebrackets.js | | |
| remotegui.zip: codemirror.jar: closetag.js | | |
| remotegui.zip: codemirror.jar: cmake.js | | |
| remotegui.zip: codemirror.jar: cobol.js | | |
| remotegui.zip: codemirror.jar: codemirror-standalone.js | | |
| remotegui.zip: codemirror.jar: codemirror.js | | |
| remotegui.zip: codemirror.jar: codemirror.js | | |
| remotegui.zip: codemirror.jar: codemirror.node.js | | |
| remotegui.zip: codemirror.jar: coffeescript-lint.js | | |
| remotegui.zip: codemirror.jar: coffeescript.js | | |
| remotegui.zip: codemirror.jar: colorize.js | | |
| remotegui.zip: codemirror.jar: commands.js | | |
| remotegui.zip: codemirror.jar: comment-fold.js | | |
| remotegui.zip: codemirror.jar: comment.js | | |
| remotegui.zip: codemirror.jar: commonlisp.js | | |
| remotegui.zip: codemirror.jar: continuecomment.js | | |
| remotegui.zip: codemirror.jar: continuelist.js | | |
| remotegui.zip: codemirror.jar: crystal.js | | |
| remotegui.zip: codemirror.jar: css-hint.js | | |
| remotegui.zip: codemirror.jar: css-lint.js | | |
| remotegui.zip: codemirror.jar: css.js | | |
| remotegui.zip: codemirror.jar: cypher.js | | |
| remotegui.zip: codemirror.jar: d.js | | |
| remotegui.zip: codemirror.jar: dart.js | | |
| remotegui.zip: codemirror.jar: deleteNearSelection.js | | |
| remotegui.zip: codemirror.jar: dialog.js | | |
| remotegui.zip: codemirror.jar: diff.js | | |
| remotegui.zip: codemirror.jar: django.js | | |
| remotegui.zip: codemirror.jar: dockerfile.js | | |
| remotegui.zip: codemirror.jar: document_data.js | | |
| remotegui.zip: codemirror.jar: dom.js | | |
| remotegui.zip: codemirror.jar: drop_events.js | | |
| remotegui.zip: codemirror.jar: dtd.js | | |
| | | |

| | | |
|---|--|--|
| remotegui.zip: codemirror.jar: dylan.js | | |
| remotegui.zip: codemirror.jar: ebnf.js | | |
| remotegui.zip: codemirror.jar: ecl.js | | |
| remotegui.zip: codemirror.jar: eiffel.js | | |
| remotegui.zip: codemirror.jar: elm.js | | |
| remotegui.zip: codemirror.jar: emacs.js | | |
| remotegui.zip: codemirror.jar: erlang.js | | |
| remotegui.zip: codemirror.jar: event.js | | |
| remotegui.zip: codemirror.jar: factor.js | | |
| remotegui.zip: codemirror.jar: fcl.js | | |
| remotegui.zip: codemirror.jar: feature_detection.js | | |
| remotegui.zip: codemirror.jar: focus.js | | |
| remotegui.zip: codemirror.jar: foldcode.js | | |
| remotegui.zip: codemirror.jar: foldgutter.js | | |
| remotegui.zip: codemirror.jar: forth.js | | |
| remotegui.zip: codemirror.jar: fortran.js | | |
| remotegui.zip: codemirror.jar: fromTextArea.js | | |
| remotegui.zip: codemirror.jar: fullscreen.js | | |
| remotegui.zip: codemirror.jar: gas.js | | |
| remotegui.zip: codemirror.jar: gfm.js | | |
| remotegui.zip: codemirror.jar: gherkin.js | | |
| remotegui.zip: codemirror.jar: global_events.js | | |
| remotegui.zip: codemirror.jar: go.js | | |
| remotegui.zip: codemirror.jar: groovy.js | | |
| remotegui.zip: codemirror.jar: gutters.js | | |
| remotegui.zip: codemirror.jar: haml.js | | |
| remotegui.zip: codemirror.jar: handlebars.js | | |
| remotegui.zip: codemirror.jar: hardwrap.js | | |
| remotegui.zip: codemirror.jar: haskell-literate.js | | |
| remotegui.zip: codemirror.jar: haskell.js | | |
| remotegui.zip: codemirror.jar: haxe.js | | |
| remotegui.zip: codemirror.jar: highlight.js | | |
| remotegui.zip: codemirror.jar: highlight_worker.js | | |
| remotegui.zip: codemirror.jar: history.js | | |
| remotegui.zip: codemirror.jar: html-hint.js | | |

[remotegui.zip: codemirror.jar: html-lint.js](#)

[remotegui.zip: codemirror.jar: htmlembdedded.js](#)

[remotegui.zip: codemirror.jar: htmlmixed.js](#)

[remotegui.zip: codemirror.jar: http.js](#)

[remotegui.zip: codemirror.jar: idl.js](#)

[remotegui.zip: codemirror.jar: indent-fold.js](#)

[remotegui.zip: codemirror.jar: indent.js](#)

[remotegui.zip: codemirror.jar: input.js](#)

[remotegui.zip: codemirror.jar: javascript-hint.js](#)

[remotegui.zip: codemirror.jar: javascript-lint.js](#)

[remotegui.zip: codemirror.jar: javascript.js](#)

[remotegui.zip: codemirror.jar: jinja2.js](#)

[remotegui.zip: codemirror.jar: json-lint.js](#)

[remotegui.zip: codemirror.jar: jsx.js](#)

[remotegui.zip: codemirror.jar: julia.js](#)

[remotegui.zip: codemirror.jar: jump-to-line.js](#)

[remotegui.zip: codemirror.jar: key_events.js](#)

[remotegui.zip: codemirror.jar: keymap.js](#)

[remotegui.zip: codemirror.jar: keynames.js](#)

[remotegui.zip: codemirror.jar: legacy.js](#)

[remotegui.zip: codemirror.jar: line_data.js](#)

[remotegui.zip: codemirror.jar: line_numbers.js](#)

[remotegui.zip: codemirror.jar: line_widget.js](#)

[remotegui.zip: codemirror.jar: lint.js](#)

[remotegui.zip: codemirror.jar: livescript.js](#)

[remotegui.zip: codemirror.jar: loadmode.js](#)

[remotegui.zip: codemirror.jar: lua.js](#)

[remotegui.zip: codemirror.jar: main.js](#)

[remotegui.zip: codemirror.jar: mark-selection.js](#)

[remotegui.zip: codemirror.jar: mark_text.js](#)

[remotegui.zip: codemirror.jar: markdown-fold.js](#)

[remotegui.zip: codemirror.jar: markdown.js](#)

[remotegui.zip: codemirror.jar: match-highlighter.js](#)

[remotegui.zip: codemirror.jar: matchbrackets.js](#)

[remotegui.zip: codemirror.jar: matchesonscrollbar.js](#)

| | | |
|---|--|--|
| remotegui.zip: codemirror.jar: matchtags.js | | |
| remotegui.zip: codemirror.jar: mathematica.js | | |
| remotegui.zip: codemirror.jar: mbox.js | | |
| remotegui.zip: codemirror.jar: merge.js | | |
| remotegui.zip: codemirror.jar: meta.js | | |
| remotegui.zip: codemirror.jar: methods.js | | |
| remotegui.zip: codemirror.jar: mirc.js | | |
| remotegui.zip: codemirror.jar: misc.js | | |
| remotegui.zip: codemirror.jar: mllike.js | | |
| remotegui.zip: codemirror.jar: mode_state.js | | |
| remotegui.zip: codemirror.jar: modelica.js | | |
| remotegui.zip: codemirror.jar: modes.js | | |
| remotegui.zip: codemirror.jar: mouse_events.js | | |
| remotegui.zip: codemirror.jar: movement.js | | |
| remotegui.zip: codemirror.jar: mscgen.js | | |
| remotegui.zip: codemirror.jar: multiplex.js | | |
| remotegui.zip: codemirror.jar: multiplex_test.js | | |
| remotegui.zip: codemirror.jar: mumps.js | | |
| remotegui.zip: codemirror.jar: nginx.js | | |
| remotegui.zip: codemirror.jar: nsis.js | | |
| remotegui.zip: codemirror.jar: ntriples.js | | |
| remotegui.zip: codemirror.jar: octave.js | | |
| remotegui.zip: codemirror.jar: operation_group.js | | |
| remotegui.zip: codemirror.jar: operations.js | | |
| remotegui.zip: codemirror.jar: options.js | | |
| remotegui.zip: codemirror.jar: overlay.js | | |
| remotegui.zip: codemirror.jar: oz.js | | |
| remotegui.zip: codemirror.jar: package.json | | |
| remotegui.zip: codemirror.jar: panel.js | | |
| remotegui.zip: codemirror.jar: pascal.js | | |
| remotegui.zip: codemirror.jar: pegjs.js | | |
| remotegui.zip: codemirror.jar: perl.js | | |
| remotegui.zip: codemirror.jar: php.js | | |
| remotegui.zip: codemirror.jar: pig.js | | |
| remotegui.zip: codemirror.jar: placeholder.js | | |

[remotegui.zip: codemirror.jar: pos.js](#)

[remotegui.zip: codemirror.jar: position_measurement.js](#)

[remotegui.zip: codemirror.jar: powershell.js](#)

[remotegui.zip: codemirror.jar: properties.js](#)

[remotegui.zip: codemirror.jar: protobuf.js](#)

[remotegui.zip: codemirror.jar: pug.js](#)

[remotegui.zip: codemirror.jar: puppet.js](#)

[remotegui.zip: codemirror.jar: python.js](#)

[remotegui.zip: codemirror.jar: q.js](#)

[remotegui.zip: codemirror.jar: r.js](#)

[remotegui.zip: codemirror.jar: rollup.config.js](#)

[remotegui.zip: codemirror.jar: rpm.js](#)

[remotegui.zip: codemirror.jar: rst.js](#)

[remotegui.zip: codemirror.jar: ruby.js](#)

[remotegui.zip: codemirror.jar: rulers.js](#)

[remotegui.zip: codemirror.jar: runmode-standalone.js](#)

[remotegui.zip: codemirror.jar: runmode-standalone.js](#)

[remotegui.zip: codemirror.jar: runmode.js](#)

[remotegui.zip: codemirror.jar: runmode.node.js](#)

[remotegui.zip: codemirror.jar: runmode.node.js](#)

[remotegui.zip: codemirror.jar: rust.js](#)

[remotegui.zip: codemirror.jar: sas.js](#)

[remotegui.zip: codemirror.jar: sass.js](#)

[remotegui.zip: codemirror.jar: saw_special_spans.js](#)

[remotegui.zip: codemirror.jar: scheme.js](#)

[remotegui.zip: codemirror.jar: scroll_events.js](#)

[remotegui.zip: codemirror.jar: scrollbar.js](#)

[remotegui.zip: codemirror.jar: scrolling.js](#)

[remotegui.zip: codemirror.jar: scrollpastend.js](#)

[remotegui.zip: codemirror.jar: search.js](#)

[remotegui.zip: codemirror.jar: searchcursor.js](#)

[remotegui.zip: codemirror.jar: selection-pointer.js](#)

[remotegui.zip: codemirror.jar: selection.js](#)

[remotegui.zip: codemirror.jar: selection.js](#)

[remotegui.zip: codemirror.jar: selection_updates.js](#)

| | | |
|--|--|--|
| remotegui.zip: codemirror.jar: shell.js | | |
| remotegui.zip: codemirror.jar: show-hint.js | | |
| remotegui.zip: codemirror.jar: sieve.js | | |
| remotegui.zip: codemirror.jar: simple.js | | |
| remotegui.zip: codemirror.jar: simplescrollbars.js | | |
| remotegui.zip: codemirror.jar: slim.js | | |
| remotegui.zip: codemirror.jar: smalltalk.js | | |
| remotegui.zip: codemirror.jar: smarty.js | | |
| remotegui.zip: codemirror.jar: solr.js | | |
| remotegui.zip: codemirror.jar: soy.js | | |
| remotegui.zip: codemirror.jar: spans.js | | |
| remotegui.zip: codemirror.jar: sparql.js | | |
| remotegui.zip: codemirror.jar: spreadsheet.js | | |
| remotegui.zip: codemirror.jar: sql-hint.js | | |
| remotegui.zip: codemirror.jar: sql.js | | |
| remotegui.zip: codemirror.jar: stex.js | | |
| remotegui.zip: codemirror.jar: stylus.js | | |
| remotegui.zip: codemirror.jar: sublime.js | | |
| remotegui.zip: codemirror.jar: swift.js | | |
| remotegui.zip: codemirror.jar: tcl.js | | |
| remotegui.zip: codemirror.jar: tern.js | | |
| remotegui.zip: codemirror.jar: textile.js | | |
| remotegui.zip: codemirror.jar: tiddlywiki.js | | |
| remotegui.zip: codemirror.jar: tiki.js | | |
| remotegui.zip: codemirror.jar: toml.js | | |
| remotegui.zip: codemirror.jar: tornado.js | | |
| remotegui.zip: codemirror.jar: trailingspace.js | | |
| remotegui.zip: codemirror.jar: troff.js | | |
| remotegui.zip: codemirror.jar: ttcn-cfg.js | | |
| remotegui.zip: codemirror.jar: ttcn.js | | |
| remotegui.zip: codemirror.jar: turtle.js | | |
| remotegui.zip: codemirror.jar: twig.js | | |
| remotegui.zip: codemirror.jar: update_display.js | | |
| remotegui.zip: codemirror.jar: update_line.js | | |
| remotegui.zip: codemirror.jar: update_lines.js | | |

| | | |
|--|--|---|
| remotegui.zip: codemirror.jar: utils.js | | |
| remotegui.zip: codemirror.jar: utils_line.js | | |
| remotegui.zip: codemirror.jar: vb.js | | |
| remotegui.zip: codemirror.jar: vbscript.js | | |
| remotegui.zip: codemirror.jar: velocity.js | | |
| remotegui.zip: codemirror.jar: verilog.js | | |
| remotegui.zip: codemirror.jar: vhdl.js | | |
| remotegui.zip: codemirror.jar: view_tracking.js | | |
| remotegui.zip: codemirror.jar: vim.js | | |
| remotegui.zip: codemirror.jar: vue.js | | |
| remotegui.zip: codemirror.jar: wast.js | | |
| remotegui.zip: codemirror.jar: webidl.js | | |
| remotegui.zip: codemirror.jar: widgets.js | | |
| remotegui.zip: codemirror.jar: worker.js | | |
| remotegui.zip: codemirror.jar: xml-fold.js | | |
| remotegui.zip: codemirror.jar: xml-hint.js | | |
| remotegui.zip: codemirror.jar: xml.js | | |
| remotegui.zip: codemirror.jar: xquery.js | | |
| remotegui.zip: codemirror.jar: yacas.js | | |
| remotegui.zip: codemirror.jar: yaml-frontmatter.js | | |
| remotegui.zip: codemirror.jar: yaml-lint.js | | |
| remotegui.zip: codemirror.jar: yaml.js | | |
| remotegui.zip: codemirror.jar: z80.js | | |
| remotegui.zip: crypto-js.jar | | pkg:maven/org.webjars/npm/crypto-js@4.2.0 |
| remotegui.zip: crypto-js.jar: aes.js | | |
| remotegui.zip: crypto-js.jar: blowfish.js | | |
| remotegui.zip: crypto-js.jar: cipher-core.js | | |
| remotegui.zip: crypto-js.jar: core.js | | |
| remotegui.zip: crypto-js.jar: crypto-js.js | | |
| remotegui.zip: crypto-js.jar: enc-base64.js | | |
| remotegui.zip: crypto-js.jar: enc-base64url.js | | |
| remotegui.zip: crypto-js.jar: enc-hex.js | | |
| remotegui.zip: crypto-js.jar: enc-latin1.js | | |
| remotegui.zip: crypto-js.jar: enc-utf16.js | | |

| | | |
|---|--|--|
| remotegui.zip: crypto-js.jar: enc-utf8.js | | |
| remotegui.zip: crypto-js.jar: evpkdf.js | | |
| remotegui.zip: crypto-js.jar: format-hex.js | | |
| remotegui.zip: crypto-js.jar: format-openssl.js | | |
| remotegui.zip: crypto-js.jar: hmac-md5.js | | |
| remotegui.zip: crypto-js.jar: hmac-ripemd160.js | | |
| remotegui.zip: crypto-js.jar: hmac-sha1.js | | |
| remotegui.zip: crypto-js.jar: hmac-sha224.js | | |
| remotegui.zip: crypto-js.jar: hmac-sha256.js | | |
| remotegui.zip: crypto-js.jar: hmac-sha3.js | | |
| remotegui.zip: crypto-js.jar: hmac-sha384.js | | |
| remotegui.zip: crypto-js.jar: hmac-sha512.js | | |
| remotegui.zip: crypto-js.jar: hmac.js | | |
| remotegui.zip: crypto-js.jar: index.js | | |
| remotegui.zip: crypto-js.jar: lib-typedarrays.js | | |
| remotegui.zip: crypto-js.jar: md5.js | | |
| remotegui.zip: crypto-js.jar: mode-cfb.js | | |
| remotegui.zip: crypto-js.jar: mode-ctr-gladman.js | | |
| remotegui.zip: crypto-js.jar: mode-ctr.js | | |
| remotegui.zip: crypto-js.jar: mode-ecb.js | | |
| remotegui.zip: crypto-js.jar: mode-ofb.js | | |
| remotegui.zip: crypto-js.jar: package.json | | |
| remotegui.zip: crypto-js.jar: pad-ansix923.js | | |
| remotegui.zip: crypto-js.jar: pad-iso10126.js | | |
| remotegui.zip: crypto-js.jar: pad-iso97971.js | | |
| remotegui.zip: crypto-js.jar: pad-nopadding.js | | |
| remotegui.zip: crypto-js.jar: pad-pkcs7.js | | |
| remotegui.zip: crypto-js.jar: pad-zeropadding.js | | |
| remotegui.zip: crypto-js.jar: pbkdf2.js | | |
| remotegui.zip: crypto-js.jar: rabbit-legacy.js | | |
| remotegui.zip: crypto-js.jar: rabbit.js | | |
| remotegui.zip: crypto-js.jar: rc4.js | | |
| remotegui.zip: crypto-js.jar: ripemd160.js | | |
| remotegui.zip: crypto-js.jar: sha1.js | | |
| remotegui.zip: crypto-js.jar: sha224.js | | |
| | | |

| | | |
|--|--|---|
| remotegui.zip: crypto-js.jar: sha256.js | | |
| remotegui.zip: crypto-js.jar: sha3.js | | |
| remotegui.zip: crypto-js.jar: sha384.js | | |
| remotegui.zip: crypto-js.jar: sha512.js | | |
| remotegui.zip: crypto-js.jar: tripledes.js | | |
| remotegui.zip: crypto-js.jar: x64-core.js | | |
| remotegui.zip: jquery-ui.jar | | pkg:maven/org.webjars/jquery-ui@1.14.1 |
| remotegui.zip: jquery-ui.jar: jquery-ui.js | | |
| remotegui.zip: jquery-ui.jar: jquery-ui.min.js | | |
| remotegui.zip: jquery-ui.jar: package.json | | |
| remotegui.zip: jquery-ui.jar: webjars-requirejs.js | | |
| remotegui.zip: jquery.jar | | pkg:javascript/jquery@2.2.4 pkg:maven/org.webjars/jquery@2.2.4 |
| remotegui.zip: jquery.jar: webjars-requirejs.js | | |
| remotegui.zip: moment-timezone.jar | | pkg:maven/org.webjars.npm/moment-timezone@0.5.46 |
| remotegui.zip: moment-timezone.jar: index.js | | |
| remotegui.zip: moment-timezone.jar: moment-timezone-utils.js | | |
| remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.js | | |
| remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.min.js | | |
| remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.js | | |
| remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.min.js | | |
| remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.js | | |
| remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.min.js | | |
| remotegui.zip: moment-timezone.jar: moment-timezone-with-data.js | | |
| remotegui.zip: moment-timezone.jar: moment-timezone-with-data.min.js | | |
| remotegui.zip: moment-timezone.jar: moment-timezone.js | | |

[remotegui.zip: moment-timezone.jar: moment-timezone.min.js](#)

[remotegui.zip: moment-timezone.jar: package.json](#)

[remotegui.zip: momentjs.jar](#)

[pkg:maven/org.webjars/momentjs@2.29.4](#)

[remotegui.zip: momentjs.jar: af.js](#)

[remotegui.zip: momentjs.jar: ar-dz.js](#)

[remotegui.zip: momentjs.jar: ar-kw.js](#)

[remotegui.zip: momentjs.jar: ar-ly.js](#)

[remotegui.zip: momentjs.jar: ar-ma.js](#)

[remotegui.zip: momentjs.jar: ar-sa.js](#)

[remotegui.zip: momentjs.jar: ar-tn.js](#)

[remotegui.zip: momentjs.jar: ar.js](#)

[remotegui.zip: momentjs.jar: az.js](#)

[remotegui.zip: momentjs.jar: be.js](#)

[remotegui.zip: momentjs.jar: bg.js](#)

[remotegui.zip: momentjs.jar: bm.js](#)

[remotegui.zip: momentjs.jar: bn-bd.js](#)

[remotegui.zip: momentjs.jar: bn.js](#)

[remotegui.zip: momentjs.jar: bo.js](#)

[remotegui.zip: momentjs.jar: br.js](#)

[remotegui.zip: momentjs.jar: bs.js](#)

[remotegui.zip: momentjs.jar: ca.js](#)

[remotegui.zip: momentjs.jar: cs.js](#)

[remotegui.zip: momentjs.jar: cv.js](#)

[remotegui.zip: momentjs.jar: cy.js](#)

[remotegui.zip: momentjs.jar: da.js](#)

[remotegui.zip: momentjs.jar: de-at.js](#)

[remotegui.zip: momentjs.jar: de-ch.js](#)

[remotegui.zip: momentjs.jar: de.js](#)

[remotegui.zip: momentjs.jar: dv.js](#)

[remotegui.zip: momentjs.jar: el.js](#)

[remotegui.zip: momentjs.jar: en-au.js](#)

[remotegui.zip: momentjs.jar: en-ca.js](#)

[remotegui.zip: momentjs.jar: en-gb.js](#)

| | | |
|--|--|--|
| remotegui.zip: momentjs.jar: en-ie.js | | |
| remotegui.zip: momentjs.jar: en-il.js | | |
| remotegui.zip: momentjs.jar: en-in.js | | |
| remotegui.zip: momentjs.jar: en-nz.js | | |
| remotegui.zip: momentjs.jar: en-sg.js | | |
| remotegui.zip: momentjs.jar: eo.js | | |
| remotegui.zip: momentjs.jar: es-do.js | | |
| remotegui.zip: momentjs.jar: es-mx.js | | |
| remotegui.zip: momentjs.jar: es-us.js | | |
| remotegui.zip: momentjs.jar: es.js | | |
| remotegui.zip: momentjs.jar: et.js | | |
| remotegui.zip: momentjs.jar: eu.js | | |
| remotegui.zip: momentjs.jar: fa.js | | |
| remotegui.zip: momentjs.jar: fi.js | | |
| remotegui.zip: momentjs.jar: fil.js | | |
| remotegui.zip: momentjs.jar: fo.js | | |
| remotegui.zip: momentjs.jar: fr-ca.js | | |
| remotegui.zip: momentjs.jar: fr-ch.js | | |
| remotegui.zip: momentjs.jar: fr.js | | |
| remotegui.zip: momentjs.jar: fy.js | | |
| remotegui.zip: momentjs.jar: ga.js | | |
| remotegui.zip: momentjs.jar: gd.js | | |
| remotegui.zip: momentjs.jar: gl.js | | |
| remotegui.zip: momentjs.jar: gom-deva.js | | |
| remotegui.zip: momentjs.jar: gom-latn.js | | |
| remotegui.zip: momentjs.jar: gu.js | | |
| remotegui.zip: momentjs.jar: he.js | | |
| remotegui.zip: momentjs.jar: hi.js | | |
| remotegui.zip: momentjs.jar: hr.js | | |
| remotegui.zip: momentjs.jar: hu.js | | |
| remotegui.zip: momentjs.jar: hy-am.js | | |
| remotegui.zip: momentjs.jar: id.js | | |
| remotegui.zip: momentjs.jar: is.js | | |
| remotegui.zip: momentjs.jar: it-ch.js | | |
| remotegui.zip: momentjs.jar: it.js | | |

[remotegui.zip: momentjs.jar: ja.js](#)

[remotegui.zip: momentjs.jar: jv.js](#)

[remotegui.zip: momentjs.jar: ka.js](#)

[remotegui.zip: momentjs.jar: kk.js](#)

[remotegui.zip: momentjs.jar: km.js](#)

[remotegui.zip: momentjs.jar: kn.js](#)

[remotegui.zip: momentjs.jar: ko.js](#)

[remotegui.zip: momentjs.jar: ku.js](#)

[remotegui.zip: momentjs.jar: ky.js](#)

[remotegui.zip: momentjs.jar: lb.js](#)

[remotegui.zip: momentjs.jar: lo.js](#)

[remotegui.zip: momentjs.jar: locales.js](#)

[remotegui.zip: momentjs.jar: locales.min.js](#)

[remotegui.zip: momentjs.jar: lt.js](#)

[remotegui.zip: momentjs.jar: lv.js](#)

[remotegui.zip: momentjs.jar: me.js](#)

[remotegui.zip: momentjs.jar: mi.js](#)

[remotegui.zip: momentjs.jar: mk.js](#)

[remotegui.zip: momentjs.jar: ml.js](#)

[remotegui.zip: momentjs.jar: mn.js](#)

[remotegui.zip: momentjs.jar: moment-with-locales.js](#)

[remotegui.zip: momentjs.jar: moment-with-locales.min.js](#)

[remotegui.zip: momentjs.jar: moment.js](#)

[remotegui.zip: momentjs.jar: moment.min.js](#)

[remotegui.zip: momentjs.jar: mr.js](#)

[remotegui.zip: momentjs.jar: ms-my.js](#)

[remotegui.zip: momentjs.jar: ms.js](#)

[remotegui.zip: momentjs.jar: mt.js](#)

[remotegui.zip: momentjs.jar: my.js](#)

[remotegui.zip: momentjs.jar: nb.js](#)

[remotegui.zip: momentjs.jar: ne.js](#)

[remotegui.zip: momentjs.jar: nl-be.js](#)

[remotegui.zip: momentjs.jar: nl.js](#)

[remotegui.zip: momentjs.jar: nn.js](#)

[remotegui.zip: momentjs.jar: oc-lnc.js](#)

| | | |
|---|--|--|
| remotegui.zip: momentjs.jar: pa-in.js | | |
| remotegui.zip: momentjs.jar: package.js | | |
| remotegui.zip: momentjs.jar: package.json | | |
| remotegui.zip: momentjs.jar: pl.js | | |
| remotegui.zip: momentjs.jar: pt-br.js | | |
| remotegui.zip: momentjs.jar: pt.js | | |
| remotegui.zip: momentjs.jar: ro.js | | |
| remotegui.zip: momentjs.jar: ru.js | | |
| remotegui.zip: momentjs.jar: sd.js | | |
| remotegui.zip: momentjs.jar: se.js | | |
| remotegui.zip: momentjs.jar: si.js | | |
| remotegui.zip: momentjs.jar: sk.js | | |
| remotegui.zip: momentjs.jar: sl.js | | |
| remotegui.zip: momentjs.jar: sq.js | | |
| remotegui.zip: momentjs.jar: sr-cyrl.js | | |
| remotegui.zip: momentjs.jar: sr.js | | |
| remotegui.zip: momentjs.jar: ss.js | | |
| remotegui.zip: momentjs.jar: sv.js | | |
| remotegui.zip: momentjs.jar: sw.js | | |
| remotegui.zip: momentjs.jar: ta.js | | |
| remotegui.zip: momentjs.jar: te.js | | |
| remotegui.zip: momentjs.jar: tests.js | | |
| remotegui.zip: momentjs.jar: tet.js | | |
| remotegui.zip: momentjs.jar: tg.js | | |
| remotegui.zip: momentjs.jar: th.js | | |
| remotegui.zip: momentjs.jar: tk.js | | |
| remotegui.zip: momentjs.jar: tl-ph.js | | |
| remotegui.zip: momentjs.jar: tlh.js | | |
| remotegui.zip: momentjs.jar: tr.js | | |
| remotegui.zip: momentjs.jar: tzl.js | | |
| remotegui.zip: momentjs.jar: tzm-latn.js | | |
| remotegui.zip: momentjs.jar: tzm.js | | |
| remotegui.zip: momentjs.jar: ug-cn.js | | |
| remotegui.zip: momentjs.jar: uk.js | | |
| remotegui.zip: momentjs.jar: ur.js | | |

[remotegui.zip: momentjs.jar: uz-latn.js](#)

[remotegui.zip: momentjs.jar: uz.js](#)

[remotegui.zip: momentjs.jar: vi.js](#)

[remotegui.zip: momentjs.jar: webjars-requirejs.js](#)

[remotegui.zip: momentjs.jar: x-pseudo.js](#)

[remotegui.zip: momentjs.jar: yo.js](#)

[remotegui.zip: momentjs.jar: zh-cn.js](#)

[remotegui.zip: momentjs.jar: zh-hk.js](#)

[remotegui.zip: momentjs.jar: zh-mo.js](#)

[remotegui.zip: momentjs.jar: zh-tw.js](#)

[remotegui.zip: remotegui.jar](#)

[remotegui.zip: remotegui.jar: angular-websocket.js](#)

[remotegui.zip: remotegui.jar: app.js](#)

[remotegui.zip: remotegui.jar: app.js](#)

[remotegui.zip: remotegui.jar: app.js](#)

[remotegui.zip: remotegui.jar: app.js](#)

[remotegui.zip: remotegui.jar: appbadge.service.js](#)

[remotegui.zip: remotegui.jar: authInterceptor.service.js](#)

[remotegui.zip: remotegui.jar: avatarcard.directive.js](#)

[remotegui.zip: remotegui.jar: avatardetails.directive.js](#)

[remotegui.zip: remotegui.jar: avatarimage.directive.js](#)

[remotegui.zip: remotegui.jar: avatarimagedetails.directive.js](#)

[remotegui.zip: remotegui.jar: basic.js](#)

[remotegui.zip: remotegui.jar: bootstrap-colorpicker.js](#)

[remotegui.zip: remotegui.jar: bootstrap-datetimepicker.js](#)

[remotegui.zip: remotegui.jar: browsercheck.js](#)

[remotegui.zip: remotegui.jar: changeavatar.js](#)

[remotegui.zip: remotegui.jar: changeavatarcontroller.controller.js](#)

[remotegui.zip: remotegui.jar: changeavatar.service.js](#)

[remotegui.zip: remotegui.jar: clearreports.controller.js](#)

[remotegui.zip: remotegui.jar: collapse.directive.js](#)

[remotegui.zip: remotegui.jar: colorPicker.directive.js](#)

[remotegui.zip: remotegui.jar: connectionstate.js](#)

| | | |
|--|--|--|
| remotegui.zip: remotegui.jar: controller.js | | |
| remotegui.zip: remotegui.jar: controller.js | | |
| remotegui.zip: remotegui.jar: controller.js | | |
| remotegui.zip: remotegui.jar: controllerAbout.js | | |
| remotegui.zip: remotegui.jar: controllerShortcuts.controller.js | | |
| remotegui.zip: remotegui.jar: controllerUserTheme.controller.js | | |
| remotegui.zip: remotegui.jar: controllers.js | | |
| remotegui.zip: remotegui.jar: controllers.js | | |
| remotegui.zip: remotegui.jar: controllers.js | | |
| remotegui.zip: remotegui.jar: controllers.js | | |
| remotegui.zip: remotegui.jar: controllers.js | | |
| remotegui.zip: remotegui.jar: controllers.js | | |
| remotegui.zip: remotegui.jar: controllers.js | | |
| remotegui.zip: remotegui.jar: controllers.js | | |
| remotegui.zip: remotegui.jar: currencyNumber.directive.js | | |
| remotegui.zip: remotegui.jar: currencyValidator.directive.js | | |
| remotegui.zip: remotegui.jar: customEmojiUploadConfigItemRenderer.directive.js | | |
| remotegui.zip: remotegui.jar: customEmojiUploadConfigRenderer.directive.js | | |
| remotegui.zip: remotegui.jar: customemojiupload.js | | |
| remotegui.zip: remotegui.jar: dataservice.service.js | | |
| remotegui.zip: remotegui.jar: datepicker-de.js | | |
| remotegui.zip: remotegui.jar: debug.directive.js | | |
| remotegui.zip: remotegui.jar: dialogservice.service.js | | |
| remotegui.zip: remotegui.jar: directives.js | | |
| remotegui.zip: remotegui.jar: dropdown.directive.js | | |
| remotegui.zip: remotegui.jar: emojiModel.service.js | | |
| remotegui.zip: remotegui.jar: emojiselector.directive.js | | |
| remotegui.zip: remotegui.jar: errorservice.service.js | | |
| remotegui.zip: remotegui.jar: filechooser.service.js | | |
| remotegui.zip: remotegui.jar: fixNumber.directive.js | | |
| remotegui.zip: remotegui.jar: fixNumberValidator.directive.js | | |
| remotegui.zip: remotegui.jar: floatNumber.directive.js | | |

| | | |
|---|--|--|
| remotegui.zip: remotegui.jar: floatNumberValidator.directive.js | | |
| remotegui.zip: remotegui.jar: globalactionservice.service.js | | |
| remotegui.zip: remotegui.jar: hdField.directive.js | | |
| remotegui.zip: remotegui.jar: hdMandatory.directive.js | | |
| remotegui.zip: remotegui.jar: hdNeedchange.directive.js | | |
| remotegui.zip: remotegui.jar: hdValidate.directive.js | | |
| remotegui.zip: remotegui.jar: hdattachment.js | | |
| remotegui.zip: remotegui.jar: hdfileupload.js | | |
| remotegui.zip: remotegui.jar: hsimp.min.js | | |
| remotegui.zip: remotegui.jar: hsimp.renderer.js | | |
| remotegui.zip: remotegui.jar: html5modeurls.js | | |
| remotegui.zip: remotegui.jar: htmleditor.directive.js | | |
| remotegui.zip: remotegui.jar: htmleditorFactory.service.js | | |
| remotegui.zip: remotegui.jar: htmleditorModel.service.js | | |
| remotegui.zip: remotegui.jar: icons.js | | |
| remotegui.zip: remotegui.jar: indexed-db.js | | |
| remotegui.zip: remotegui.jar: initUsernameField.directive.js | | |
| remotegui.zip: remotegui.jar: introduction.js | | |
| remotegui.zip: remotegui.jar: jquery.fileupload.js | | |
| remotegui.zip: remotegui.jar: keyservice.service.js | | |
| remotegui.zip: remotegui.jar: localfilesystem.service.js | | |
| remotegui.zip: remotegui.jar: locationservice.service.js | | |
| remotegui.zip: remotegui.jar: modal.directive.js | | |
| remotegui.zip: remotegui.jar: modalservice.service.js | | |
| remotegui.zip: remotegui.jar: moduledragdrop.js | | |
| remotegui.zip: remotegui.jar: navtaboverflow.directive.js | | |
| remotegui.zip: remotegui.jar: ng-tinymce.js | | |
| remotegui.zip: remotegui.jar: numberUtil.js | | |
| remotegui.zip: remotegui.jar: numberValidatorUtil.factory.js | | |
| remotegui.zip: remotegui.jar: ocLazyLoad.jsloader.js | | |
| remotegui.zip: remotegui.jar: ocLazyLoad.min.js | | |

[remotegui.zip: remotegui.jar: pageablenavbaractiondropdown.directive.js](#)

[remotegui.zip: remotegui.jar: paged.filter.js](#)

[remotegui.zip: remotegui.jar: pagination.directive.js](#)

[remotegui.zip: remotegui.jar: piechart.directive.js](#)

[remotegui.zip: remotegui.jar: popover.js](#)

[remotegui.zip: remotegui.jar: pwa-service-worker.js](#)

[remotegui.zip: remotegui.jar: pwa.js](#)

[remotegui.zip: remotegui.jar: qrcode.min.js](#)

[remotegui.zip: remotegui.jar: rangeSlider.directive.js](#)

[remotegui.zip: remotegui.jar: resizableDivider.js](#)

[remotegui.zip: remotegui.jar: scrollabledropdownmenu.directive.js](#)

[remotegui.zip: remotegui.jar: search-panel.js](#)

[remotegui.zip: remotegui.jar: selectInput.directive.js](#)

[remotegui.zip: remotegui.jar: shadowLogger.factory.js](#)

[remotegui.zip: remotegui.jar: sidenavigation.js](#)

[remotegui.zip: remotegui.jar: takeoutDataController.controller.js](#)

[remotegui.zip: remotegui.jar: takeoutDataFactory.factory.js](#)

[remotegui.zip: remotegui.jar: takeoutDataModel.service.js](#)

[remotegui.zip: remotegui.jar: timeInput.directive.js](#)

[remotegui.zip: remotegui.jar: timeInputContainer.directive.js](#)

[remotegui.zip: remotegui.jar: timeMeridiemContainer.directive.js](#)

[remotegui.zip: remotegui.jar: translate.js](#)

[remotegui.zip: remotegui.jar: unitFixNumber.directive.js](#)

[remotegui.zip: remotegui.jar: unitFloatNumber.directive.js](#)

[remotegui.zip: remotegui.jar: userservice.js](#)

[remotegui.zip: remotegui.jar: usersorgroupselection.js](#)

[remotegui.zip: remotegui.jar: usestrict.js](#)

[remotegui.zip: remotegui.jar: websitedownload.render.js](#)

[remotegui.zip: remotegui.jar: websocketdataservice.js](#)

[remotegui.zip: remotegui.jar: websocketkeepaliveworker.js](#)

[remotegui.zip: remotegui.jar: windowdatastore.js](#)

[remotegui.zip: tinymce-languages.jar: ar.js](#)

[remotegui.zip: tinymce-languages.jar: bg_BG.js](#)

[remotegui.zip: tinymce-languages.jar: ca.js](#)

[remotegui.zip: tinymce-languages.jar: cs.js](#)

[remotegui.zip: tinymce-languages.jar: cy.js](#)

[remotegui.zip: tinymce-languages.jar: da.js](#)

[remotegui.zip: tinymce-languages.jar: de.js](#)

[remotegui.zip: tinymce-languages.jar: el.js](#)

[remotegui.zip: tinymce-languages.jar: eo.js](#)

[remotegui.zip: tinymce-languages.jar: es.js](#)

[remotegui.zip: tinymce-languages.jar: es_ES.js](#)

[remotegui.zip: tinymce-languages.jar: es_MX.js](#)

[remotegui.zip: tinymce-languages.jar: eu.js](#)

[remotegui.zip: tinymce-languages.jar: fa.js](#)

[remotegui.zip: tinymce-languages.jar: fa_IR.js](#)

[remotegui.zip: tinymce-languages.jar: fi.js](#)

[remotegui.zip: tinymce-languages.jar: fr_FR.js](#)

[remotegui.zip: tinymce-languages.jar: gl.js](#)

[remotegui.zip: tinymce-languages.jar: he_IL.js](#)

[remotegui.zip: tinymce-languages.jar: hr.js](#)

[remotegui.zip: tinymce-languages.jar: hu_HU.js](#)

[remotegui.zip: tinymce-languages.jar: id.js](#)

[remotegui.zip: tinymce-languages.jar: it.js](#)

[remotegui.zip: tinymce-languages.jar: it_IT.js](#)

[remotegui.zip: tinymce-languages.jar: ja.js](#)

[remotegui.zip: tinymce-languages.jar: kk.js](#)

[remotegui.zip: tinymce-languages.jar: ko_KR.js](#)

[remotegui.zip: tinymce-languages.jar: lt.js](#)

[remotegui.zip: tinymce-languages.jar: nb_NO.js](#)

[remotegui.zip: tinymce-languages.jar: nl.js](#)

[remotegui.zip: tinymce-languages.jar: pl.js](#)

[remotegui.zip: tinymce-languages.jar: pt_BR.js](#)

[remotegui.zip: tinymce-languages.jar: pt_PT.js](#)

[remotegui.zip: tinymce-languages.jar: ro.js](#)

[illegible]

[illegible]

remotegui.zip: tinymce.jar: jquery.tinymce.js

[illegible]

[illegible]

| | | |
|--|--|--|
| remotegui.zip: tinymce.jar: plugin.min.js | | |
| remotegui.zip: tinymce.jar: plugin.min.js | | |
| remotegui.zip: tinymce.jar: plugin.min.js | | |
| remotegui.zip: tinymce.jar: plugin.min.js | | |
| remotegui.zip: tinymce.jar: plugin.min.js | | |
| remotegui.zip: tinymce.jar: plugin.min.js | | |
| remotegui.zip: tinymce.jar: plugin.min.js | | |
| remotegui.zip: tinymce.jar: plugin.min.js | | |
| remotegui.zip: tinymce.jar: plugin.min.js | | |
| remotegui.zip: tinymce.jar: plugin.min.js | | |
| remotegui.zip: tinymce.jar: plugin.min.js | | |
| remotegui.zip: tinymce.jar: plugin.min.js | | |
| remotegui.zip: tinymce.jar: plugin.min.js | | |
| remotegui.zip: tinymce.jar: plugin.min.js | | |
| remotegui.zip: tinymce.jar: plugin.min.js | | |
| remotegui.zip: tinymce.jar: plugin.min.js | | |
| remotegui.zip: tinymce.jar: plugin.min.js | | |
| remotegui.zip: tinymce.jar: theme.js | | |
| remotegui.zip: tinymce.jar: theme.js | | pkg:javascript/DOMPurify@2.3.8 |
| remotegui.zip: tinymce.jar: theme.min.js | | |
| remotegui.zip: tinymce.jar: theme.min.js | | |
| remotegui.zip: tinymce.jar: tinyMCE.js | | pkg:javascript/tinyMCE@5.10.9 |
| remotegui.zip: tinymce.jar: tinyMCE.min.js | | pkg:javascript/tinyMCE@5.10.9 |
| remotegui.zip: twemoji.jar | | pkg:maven/lib/twemoji-null@1.0 |
| reporting.zip: jcommon.jar | | pkg:maven/org.jfree/jcommon@1.0.24 |
| reporting.zip: jfreechartCC.jar | | |
| reporting.zip: reporting-javadoc.jar | | |
| reporting.zip: reporting-javadoc.jar: member-search- | | |

| | | |
|---|--|--|
| index.js | | |
| reporting.zip: reporting-javadoc.jar: package-search-index.js | | |
| reporting.zip: reporting-javadoc.jar: type-search-index.js | | |
| reporting.zip: reporting.jar | | |
| reporting.zip: reporting.jar: events.js | | |
| reporting.zip: reporting.jar: export.js | | |
| reporting.zip: reporting.jar: functions.js | | |
| reporting.zip: reporting.jar: generator.js | | |
| reporting.zip: reporting.jar: grouptree.js | | |
| reporting.zip: reporting.jar: htmlreportextension.js | | |
| reporting.zip: reporting.jar: jstorage.js | | |
| reporting.zip: reporting.jar: keylistener.js | | |
| reporting.zip: reporting.jar: menubar.js | | |
| reporting.zip: reporting.jar: page.js | | |
| reporting.zip: reporting.jar: pagecount.js | | |
| reporting.zip: reporting.jar: popup.js | | |
| reporting.zip: reporting.jar: print.js | | |
| reporting.zip: reporting.jar: prompts.js | | |
| reporting.zip: reporting.jar: prototype.array.js | | |
| reporting.zip: reporting.jar: prototype.element.js | | |
| reporting.zip: reporting.jar: prototype.string.js | | |
| reporting.zip: reporting.jar: renderreportextension.js | | |
| reporting.zip: reporting.jar: reorder.js | | |
| reporting.zip: reporting.jar: report.export.js | | |
| reporting.zip: reporting.jar: report.exportdialog.controller.js | | |
| reporting.zip: reporting.jar: report.exportdialog.service.js | | |
| reporting.zip: reporting.jar: report.exportframe.js | | |
| reporting.zip: reporting.jar: script.js | | |
| reporting.zip: reporting.jar: search.js | | |
| reporting.zip: reporting.jar: serverping.js | | |
| reporting.zip: reporting.jar: stacktrace.js | | |
| reporting.zip: reporting.jar: tabbar.js | | |
| sampleapplication.js | | |

| | | |
|---|---|--|
| search-worker.js | | |
| security.zip: security.jar | | |
| setuplauncher.jar | | |
| slf4j-api-2.0.16.jar | | pkg:maven/org.slf4j/slf4j-api@2.0.16 |
| taskplanner.logaction.zip: taskplanner.logaction.sample.jar | | |
| taskplanner.openweathermap.zip: taskplanner.openweathermap.sample.jar | | |
| taskplanner.pdfc.zip: taskplanner.pdfc.jar | cpe:2.3:a:inetsoftware:pdfc:25.4.232:*:*:*:*:* | |
| taskplanner.zip: commons-cli.jar | | pkg:maven/commons-cli/commons-cli@1.9.0 |
| taskplanner.zip: cron-utils.jar | cpe:2.3:a:cron-utils_project:cron-utils:9.2.1:*:*:*:*:* cpe:2.3:a:utils_project:utils:9.2.1:*:*:*:* *** | pkg:maven/com.cronutils/cron-utils@9.2.1 |
| taskplanner.zip: taskplanner-javadoc.jar | | |
| taskplanner.zip: taskplanner-javadoc.jar: member-search-index.js | | |
| taskplanner.zip: taskplanner-javadoc.jar: package-search-index.js | | |
| taskplanner.zip: taskplanner-javadoc.jar: type-search-index.js | | |
| taskplanner.zip: taskplanner.jar | | |
| taskplanner.zip: taskplanner.jar: app.js | | |
| taskplanner.zip: taskplanner.jar: boolean.directive.js | | |
| taskplanner.zip: taskplanner.jar: colorField.directive.js | | |
| taskplanner.zip: taskplanner.jar: controller.js | | |
| taskplanner.zip: taskplanner.jar: factory.js | | |
| taskplanner.zip: taskplanner.jar: filechooserAddonButton.directive.js | | |
| taskplanner.zip: taskplanner.jar: model.js | | |
| taskplanner.zip: taskplanner.jar: numberRange.directive.js | | |
| taskplanner.zip: taskplanner.jar: numberWrapper.directive.js | | |
| taskplanner.zip: taskplanner.jar: passwordTextField.directive.js | | |
| taskplanner.zip: taskplanner.jar: renderer.directive.js | | |
| taskplanner.zip: taskplanner.jar: simpleCurrencyField. | | |

| | | |
|---|--|--|
| directive.js | | |
| taskplanner.zip: taskplanner.jar: simpleDateTimeField.directive.js | | |
| taskplanner.zip: taskplanner.jar: simpleFileFolderField.directive.js | | |
| taskplanner.zip: taskplanner.jar: simpleGroup.directive.js | | |
| taskplanner.zip: taskplanner.jar: simpleLabel.directive.js | | |
| taskplanner.zip: taskplanner.jar: simpleLink.directive.js | | |
| taskplanner.zip: taskplanner.jar: simpleSelect.directive.js | | |
| taskplanner.zip: taskplanner.jar: simpleTextField.directive.js | | |
| taskplanner.zip: taskplanner.jar: stringTable.directive.js | | |
| taskplanner.zip: taskplanner.jar: taskplanner_maintenance.js | | |
| taskplanner.zip: taskplanner.jar: textAreaField.directive.js | | |
| theme.zip: theme.jar | | |
| urlcookie.zip: urlcookie.sample.jar | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeAccountSettingsRenderer.directive.js | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeBooleanRenderer.directive.js | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeCommaSeparatedRenderer.directive.js | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeCurrencyRenderer.directive.js | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeDateRenderer.directive.js | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeDoubleRenderer.directive.js | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeHintRenderer.directive.js | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeIntegerRenderer.directive.js | | |
| | | |

| | | |
|--|--|--|
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeLinkRenderer. directive.js | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeLoginsRenderer. directive.js | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeMembersRenderer.directive.js | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeMultilineRenderer.directive.js | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypePermissionRenderer.directive.js | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeSelectRenderer. directive.js | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeStayLoggedInSessionsRenderer.directive.js | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeStringListRenderer.directive.js | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeStringRenderer. directive.js | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeTimeRenderer. directive.js | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeTimerangeRenderer.directive.js | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: membershipentry. directive.js | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: membershiplist.directive. js | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: nonmembershiplist. directive.js | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: permissionCheckboxRenderer.directive.js | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: permissionRadiobuttonRenderer.directive.js | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagercontroller.js | | |
| usersandgroupsmanager.zip: | | |

| | | |
|--|---|---|
| usersandgroupsmanager.jar: usersandgroupsmanagerdetailscontroller.js | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdialogcontroller.js | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdirectives.js | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagereffectivepermissionscontroller.js | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerfactory.js | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagermodel.js | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerpredeletionwarning.js | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerrenderer.js | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerstatisticscontroller.js | | |
| usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagertakeoutcontroller.js | | |
| webapi.core.zip: swagger-models.jar | cpe:2.3:a:http-swagger_project:http-swagger:2.2.27:*:*:*:*:* | pkg:maven/io.swagger.core.v3/swagger-models@2.2.27 |
| webapi.core.zip: webapi.core.jar | | |
| webapi.core.zip: webapi.core.jar: shared.factory.js | | |
| webapi.core.zip: webapi.core.jar: webapi.codemirror.js | | |
| webapi.core.zip: webapi.core.jar: webapi.core.editor.js | | |
| webapi.core.zip: webapi.core.jar: webapi.core.js | | |
| webserver.defender.zip: webserver.defender.jar | | |
| webserver.zip: acme4j-client.jar | | pkg:maven/org.shredzone.acme4j/acme4j-client@2.16 |
| webserver.zip: jetty-websocket-core-client.jar | cpe:2.3:a:eclipse:jetty:12.0.16:*:*:*:*:* cpe:2.3:a:jetty:jetty:12.0.16:*:*:*:*:* cpe:2.3:a:mortbay_jetty:jetty:12.0.16:*:*:*:* | pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-client@12.0.16 |
| webserver.zip: jetty-websocket-core-server.jar | cpe:2.3:a:eclipse:jetty:12.0.16:*:*:*:* | pkg:maven/org. |

| | | |
|--|--|---|
| | ** cpe:2.3:a:jetty:jetty:12.0.16:*.~*~*~*~*~*~* cpe:2.3:a:jetty:jetty_http_server:12.0.16:*.~*~*~*~*~*~* cpe:2.3:a:mortbay_jetty:jetty:12.0.16:*.~*~*~*~*~*~* | eclipse.jetty.websocket/jetty-websocket-core-server@12.0.16 |
| webserver.zip: jose4j.jar | cpe:2.3:a:jose4j_project:jose4j:0.9.6:*.~*~*~*~*~*~* | pkg:maven/org.bitbucket.b_c/jose4j@0.9.6 |
| webserver.zip: webserver.jar | | |

Dependencies (vulnerable)

Merlia-0.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/lib/Merlia/0/e4af937135679cc07f99529ee7ca127519bd3a06/Merlia-0.jar

MD5: 3eb81fb3cc977f1a3eb1fb26b2b38666

SHA1: e4af937135679cc07f99529ee7ca127519bd3a06

SHA256: b1d1878d936c27b010e6f3c123d8d7f2f7f6960a53e5b01b1b1c3d104c29b0a8

Referenced In Project/Scope: server:inetPlugin

Included by: pkg:maven/pdfc/server@25.4

Evidence

| Type | Source | Name | Value | Confidence |
|---------|----------|----------------|----------|------------|
| Vendor | file | name | Merlia-0 | High |
| Vendor | gradle | artifactid | Merlia | Highest |
| Vendor | gradle | groupid | lib | Highest |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | tds | Low |
| Product | file | name | Merlia-0 | High |
| Product | gradle | artifactid | Merlia | Highest |
| Product | jar | package name | tds | Low |
| Version | file | name | Merlia-0 | Medium |
| Version | file | version | 0 | Medium |
| Version | gradle | version | 0 | Highest |
| Version | Manifest | driver-version | 8.13 | Medium |

Identifiers

- [pkg:maven/lib/Merlia@0](#) (*Confidence:*Highest)

PDFCNUUnit.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC NUnit/net4.5/PDFCNUUnit.dll

MD5: 72ca8a25358338a5e34ec5b0c2bff1e6

SHA1: a1f176d98b751c7689330b70e8f76ba14987e36f

SHA256: 1ad3e3cfbd8184d5e99d940645da63f4b63b4f26983a636cb64864bc1a57b7c7

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|--------|------|------------|------------|
| Vendor | file | name | PDFCNUUnit | High |
| Product | file | name | PDFCNUUnit | High |

Identifiers

- None

PDFCNUUnit.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC NUnit/net5.0/PDFCNUUnit.dll

MD5: 99399729894c88ee5ce12c20ddfad7d4

SHA1: c202b53fd6e755bde0fd7dfbb41203990d9fbefc

SHA256: 39e5b6759acffce92d6115f12ddd4521c917c2605829a4d8c8f57b942b253678

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|--------|------|------------|------------|
| Vendor | file | name | PDFCNUUnit | High |
| Product | file | name | PDFCNUUnit | High |

Identifiers

- None

PDFCNUUnit.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC NUnit/netcore3.1/PDFCNUUnit.dll

MD5: 7c3557fe35c4a94277f43d4717a4a381

SHA1: 93610b6cfce4edb72c21eaffb08a800752e20be4

SHA256: 93ca52378bfb700abbc8265a5dd75b397e17b9186536d66e5fcbfab03111f899

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|--------|------|------------|------------|
| Vendor | file | name | PDFCNUUnit | High |
| Product | file | name | PDFCNUUnit | High |

Identifiers

- None

analysis.language.zip: analysis.language.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/analysis.language.zip/analysis.language.jar

MD5: 6cae6e9d70befb8c84dac0c8f26bc95b

SHA1: 886b1e2cda4aa3cba1db3cf5fe788b5e2da1105d

SHA256: 6ef0b1b6bf15ba9a65cc2c2419d8c881370f9fc6c0f4269b5339d5951cd46da1

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|--------|----------|--|-------------------|------------|
| Vendor | file | name | analysis.language | High |
| Vendor | jar | package name | analysis | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2025-05-06 07:20 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |

| | | | | |
|---------|----------|--|--------------------------------------|---------|
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | analysis.language | High |
| Product | jar | package name | analysis | Highest |
| Product | jar | package name | analysis | Low |
| Product | jar | package name | language | Highest |
| Product | jar | package name | language | Low |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2025-05-06 07:20 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | analysis.language | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | analysis.language | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 25.4.232 | High |

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.232:*:*:*:*:* (Confidence:Low)

suppress

analysis.language.zip: guava.jar

Description:

Guava is a suite of core and expanded libraries that include utility classes, Google's collections, I/O classes, and much more.

License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/analysis.language.zip/guava.jar

MD5: 5732af16367192820c7bf177e9b29512

SHA1: 03fcc0a259f724c7de54a6a55ea7e26d3d5c0cac

SHA256: b918c98a7e44dbe94ebd9fe3e40cddaadb5a93e6a78eb6008b42df237241e538

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|-----------------------|---------------------------------------|------------|
| Vendor | file | name | guava | High |
| Vendor | jar | package name | common | Highest |
| Vendor | jar | package name | google | Highest |
| Vendor | Manifest | automatic-module-name | com.google.common | Medium |
| Vendor | Manifest | build-jdk-spec | 11 | Low |
| Vendor | Manifest | bundle-docurl | https://github.com/google/guava/ | Low |
| Vendor | Manifest | bundle-symbolicname | com.google.guava | Medium |
| Vendor | pom | artifactid | guava | Low |
| Vendor | pom | groupid | com.google.guava | Highest |
| Vendor | pom | name | Guava: Google Core Libraries for Java | High |
| Vendor | pom | parent-artifactid | guava-parent | Low |
| Vendor | pom | url | google/guava | Highest |
| Product | file | name | guava | High |
| Product | jar | package name | common | Highest |
| Product | jar | package name | google | Highest |
| Product | Manifest | automatic-module-name | com.google.common | Medium |
| Product | Manifest | build-jdk-spec | 11 | Low |
| Product | Manifest | bundle-docurl | https://github.com/google/guava/ | Low |

| | | | | |
|---------|----------|---------------------|---------------------------------------|---------|
| Product | Manifest | Bundle-Name | Guava: Google Core Libraries for Java | Medium |
| Product | Manifest | bundle-symbolicname | com.google.guava | Medium |
| Product | pom | artifactid | guava | Highest |
| Product | pom | groupid | com.google.guava | Highest |
| Product | pom | name | Guava: Google Core Libraries for Java | High |
| Product | pom | parent-artifactid | guava-parent | Medium |
| Product | pom | url | google/guava | High |
| Version | pom | version | 33.4.0-jre | Highest |

Related Dependencies

- taskplanner.zip: guava.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/guava.jar
 - MD5: 5732af16367192820c7bf177e9b29512
 - SHA1: 03fcc0a259f724c7de54a6a55ea7e26d3d5c0cac
 - SHA256: b918c98a7e44dbe94ebd9fe3e40cddaadb5a93e6a78eb6008b42df237241e538
 - pkg:maven/com.google.guava/guava@33.4.0-jre

Identifiers

- pkg:maven/com.google.guava/guava@33.4.0-jre (Confidence:High)
- [cpe:2.3:a:google:guava:33.4.0:*:*:*:*](https://cpe:2.3:a:google:guava:33.4.0:*:*:*:*:*) (Confidence:Highest)

suppress

analysis.language.zip: jsonic.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/analysis.language.zip/jsonic.jar

MD5: 504496d0069da0121c059c219147e90c

SHA1: 98e8a1f25aa40ed92ff2ecca4d1301d48b552452

SHA256: 150e3ac24b103cb0cd50595018dbe3c8ba4b3dee81a76eb4b987607f96e9602b

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|--------|--------|--------------|--------|------------|
| Vendor | file | name | jsonic | High |
| Vendor | jar | package name | arnx | Low |
| Vendor | jar | package name | jsonic | Low |

| | | | | |
|---------|------|--------------|--------|------|
| Vendor | jar | package name | net | Low |
| Product | file | name | jsonic | High |
| Product | jar | package name | arnx | Low |
| Product | jar | package name | jsonic | Low |

Identifiers

- None

analysis.language.zip: language-detector.jar

Description:

Language Detection Library for Java.

License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/analysis.language.zip/language-detector.jar

MD5: e5475d5cabd54e5ddf6428d63864888f

SHA1: 52fee1eaa101f8d3e30b7095e1b6e0054d514dde

SHA256: f53ecc3d71da9ebc82edd10fb35638d32e8b9d849273dd717a021eca02f2278d

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|--------|--------|----------------|--------------------------------|------------|
| Vendor | file | name | language-detector | High |
| Vendor | jar | package name | langdetect | Low |
| Vendor | jar | package name | languagedetector | Highest |
| Vendor | jar | package name | optimaize | Highest |
| Vendor | jar | package name | optimaize | Low |
| Vendor | pom | artifactid | language-detector | Low |
| Vendor | pom | developer name | Fabian Kessler | Medium |
| Vendor | pom | developer name | François ROLAND | Medium |
| Vendor | pom | developer name | Nakatani Shuyo | Medium |
| Vendor | pom | developer name | Robert Theis | Medium |
| Vendor | pom | groupid | com.optimaize.languagedetector | Highest |
| Vendor | pom | name | language-detector | High |

| | | | | |
|---------|------|----------------|--------------------------------|---------|
| Vendor | pom | url | optimaize/language-detector | Highest |
| Product | file | name | language-detector | High |
| Product | jar | package name | langdetect | Low |
| Product | jar | package name | languagedetector | Highest |
| Product | jar | package name | optimaize | Highest |
| Product | pom | artifactid | language-detector | Highest |
| Product | pom | developer name | Fabian Kessler | Low |
| Product | pom | developer name | François ROLAND | Low |
| Product | pom | developer name | Nakatani Shuyo | Low |
| Product | pom | developer name | Robert Theis | Low |
| Product | pom | groupid | com.optimaize.languagedetector | Highest |
| Product | pom | name | language-detector | High |
| Product | pom | url | optimaize/language-detector | High |
| Version | pom | version | 0.6 | Highest |

Identifiers

- <pkg:maven/com.optimaize.languagedetector/language-detector@0.6> (*Confidence:High*)

application.currenttime.zip: application.currenttime.sample.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/CurrentTimePlugin/application.currenttime.zip/application.currenttime.sample.jar

MD5: ab884c70f11d3902c088707ae16cfa6

SHA1: 216a09b4006e66ea4b07ea0a459eeadda8a22b87

SHA256: d5a5d6443451eae3f2d1c522891b436ade21d3a03819642ac9d838ff9b7311f4

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|--------|----------|-----------------|--------------------------------|------------|
| Vendor | file | name | application.currenttime.sample | High |
| Vendor | jar | package name | application | Low |
| Vendor | jar | package name | currenttime | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | Manifest | built-date | 2025-05-01 11:43 | Low |
| Vendor | Manifest | implementation- | shared | Low |

group

| | | | | |
|---------|----------|--------------------------|--------------------------------------|---------|
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | application.currenttime.sample | High |
| Product | jar | package name | application | Highest |
| Product | jar | package name | application | Low |
| Product | jar | package name | currenttime | Highest |
| Product | jar | package name | currenttime | Low |
| Product | Manifest | built-date | 2025-05-01 11:43 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | application.currenttime | High |
| Product | Manifest | specification-title | application.currenttime | Medium |
| Version | Manifest | Implementation-Version | 25.4.227 | High |

Identifiers

- None

application.currenttime.zip: application.currenttime.sample.jar: sampleapplication.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/CurrentTimePlugin/application.currenttime.zip/application.currenttime.sample.jar/com/inet/application/currenttime/sampleapplication.js

MD5: a3910ea7b1fdb6e9f0ae2807b1bce25

SHA1: 19e674ef9827646b616d4e421a0ecd41238c90e8

SHA256: 388c312835e10d79f36784aea686e74b6379a3f54c0d3795d69868561dfae038

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

application.embedded.zip: application.embedded.sample.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/Embedded/application.embedded.zip/application.embedded.sample.jar

MD5: 8c3d5801b1258f27b1edb66bb484dde6

SHA1: 31c5b8c5bf750b9d66cdc8684581c414d0cab54c

SHA256: 6d0161182ce68fd14f4652bad9bcba553cfbb24680685a0aab74b2992e256028

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor | file | name | application.embedded.sample | High |
| Vendor | jar | package name | application | Low |
| Vendor | jar | package name | embedded | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | Manifest | built-date | 2025-05-01 11:43 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | application.embedded.sample | High |
| Product | jar | package name | application | Highest |
| Product | jar | package name | application | Low |
| Product | jar | package name | embedded | Highest |
| Product | jar | package name | embedded | Low |
| Product | jar | package name | embeddedservletplugin | Low |
| Product | Manifest | built-date | 2025-05-01 11:43 | Low |
| Product | Manifest | implementation-group | shared | Low |
| | | | | |

| | | | | |
|---------|----------|------------------------|----------------------|--------|
| Product | Manifest | Implementation-Title | application.embedded | High |
| Product | Manifest | specification-title | application.embedded | Medium |
| Version | Manifest | Implementation-Version | 25.4.227 | High |

Identifiers

- None

application.embedded.zip: application.embedded.sample.jar: embeddedMode.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/Embedded/application.embedded.zip/application.embedded.sample.jar/com/inet/application/embedded/webgui/embeddedMode.js

MD5: 629060ea8d8f25c979c25d7070a1e6d5

SHA1: 67b65682b95eb6398d4800b26ebbe112fb4633d6

SHA256: e658130c19572f14c548794df3b72a480190472f328f8bfd06a078b99d908d18

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

application.googleanalytics.zip: application.googleanalytics.sample.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/application.googleanalytics.zip/application.googleanalytics.sample.jar

MD5: eb1bfd6f68f4810196017ed8c7753e2f

SHA1: 8c49291cd6328260d362a03de7af1705f1db0938

SHA256: 6fc742fd8e00031193d8148c4fe8a91ffe40eb1658b25aaf77139c0152b509f9

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

| | | | | |
|---------|----------|--------------------------|--------------------------------------|---------|
| Vendor | file | name | application.googleanalytics.sample | High |
| Vendor | jar | package name | application | Low |
| Vendor | jar | package name | googleanalytics | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | Manifest | built-date | 2025-05-01 11:43 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | application.googleanalytics.sample | High |
| Product | jar | package name | application | Highest |
| Product | jar | package name | application | Low |
| Product | jar | package name | googleanalytics | Highest |
| Product | jar | package name | googleanalytics | Low |
| Product | Manifest | built-date | 2025-05-01 11:43 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | application.googleanalytics | High |
| Product | Manifest | specification-title | application.googleanalytics | Medium |
| Version | Manifest | Implementation-Version | 25.4.227 | High |

Identifiers

- None

application.googleanalytics.zip: application.googleanalytics.sample.jar: googleanalytics.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/application.googleanalytics.zip/application.googleanalytics.sample.jar/com/inet/application/googleanalytics/client/js/googleanalytics.js

MD5: 38354bea23700c1023043d0667606fd1
SHA1: 7253c5097754b1a2e5b8654055b2e3fc4c480494
SHA256: f544b955a56ec3cf896849dc53f589b9c13437e75928762cd14cbfa781740703
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

application.googleanalytics.zip: application.googleanalytics.sample.jar: jquery.cookiebar.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/application.googleanalytics.zip/application.googleanalytics.sample.jar/com/inet/application/googleanalytics/client/js/jquery.cookiebar.js

MD5: 5f27de8769d766906fbc4d01e314063a
SHA1: 3e03e04cbf91a4d82977db16c9f3fd62586f5a81
SHA256: 9b5c1b8ed9375646edfc7092daf9b4130bc7a06dab69317323719418d893a75d
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

application.helloworld.zip: application.helloworld.sample.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/HelloWorld/application.helloworld.zip/application.helloworld.sample.jar

MD5: 93eb670a84d680f0038c66778636f257
SHA1: fff7003fea627e6126c5deb387d02bc7d0488d02
SHA256: 60ea0b0326bd9e14477033d84fd78d6605707da4fc62fcb9fa4156cee2026aba
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor | file | name | application.helloworld.sample | High |
| Vendor | jar | package name | application | Low |
| Vendor | jar | package name | helloworld | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | Manifest | built-date | 2025-05-01 11:43 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | application.helloworld.sample | High |
| Product | jar | package name | application | Highest |
| Product | jar | package name | application | Low |
| Product | jar | package name | helloworld | Highest |
| Product | jar | package name | helloworld | Low |
| Product | Manifest | built-date | 2025-05-01 11:43 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | application.helloworld | High |
| Product | Manifest | specification-title | application.helloworld | Medium |
| Version | Manifest | Implementation-Version | 25.4.227 | High |

Identifiers

- None

authentication.oauth.ex.zip: authentication.oauth.ex.sample.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Authentication/OAuth/authentication.oauth.ex.zip/authentication.oauth.ex.sample.jar
MD5: f4d20ca6469c925c49992a77c9b1fa62
SHA1: 15bd94208ac34fee18b340a0eea3cd51e83e80c7
SHA256:209317015afeb1863c7fa6e6b0df1fad3419b166798c58e8a8cc7cf9d95b3ebe
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor | file | name | authentication.oauth.ex.sample | High |
| Vendor | jar | package name | authentication | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | oauth | Low |
| Vendor | Manifest | built-date | 2025-05-01 11:43 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | authentication.oauth.ex.sample | High |
| Product | jar | package name | authentication | Highest |
| Product | jar | package name | authentication | Low |
| Product | jar | package name | ex | Highest |
| Product | jar | package name | ex | Low |
| Product | jar | package name | oauth | Highest |
| Product | jar | package name | oauth | Low |
| Product | Manifest | built-date | 2025-05-01 11:43 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | authentication.oauth.ex | High |
| Product | Manifest | specification-title | authentication.oauth.ex | Medium |
| Version | Manifest | Implementation-Version | 25.4.227 | High |

Identifiers

- None

authentication.pam.zip: authentication.pam.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller /server/build/tmp/dependencies/i-net PDFC/plugins/authentication.pam.zip/authentication.pam.jar
MD5: 15fc796b3280a1aa30edd1237c5d69fd
SHA1: a12ab26f39a1f4bfc2ecbdb86c63d7440e2e0d51
SHA256:8523381875ed7d75d96e8ba1d344ffc086ca3f80b5ae979df409375fe1269bb2
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor | file | name | authentication.pam | High |
| Vendor | jar | package name | authentication | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pam | Low |
| Vendor | Manifest | built-date | 2025-05-01 11:33 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | authentication.pam | High |
| Product | jar | package name | authentication | Highest |
| Product | jar | package name | authentication | Low |
| Product | jar | package name | libpam | Low |
| Product | jar | package name | pam | Highest |
| Product | jar | package name | pam | Low |
| Product | Manifest | built-date | 2025-05-01 11:33 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | authentication.pam | High |

| | | | | |
|---------|----------|------------------------|--------------------|--------|
| Product | Manifest | specification-title | authentication.pam | Medium |
| Version | Manifest | Implementation-Version | 25.4.227 | High |

Identifiers

- None

authentication.pam.zip: jna.jar

Description:

JNA Library

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.pam.zip/jna.jar

MD5: 9bb1338e58031463c300f643cb3c41fa

SHA1: d9c6794f22c2e3c846b02d51c6a95c304e8e056b

SHA256: 336f2ae25222389eb9f3c90f8f7c3a6258c33581964b2338bf836b3b865b049e

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|--------|------------|-------------------------|--|------------|
| Vendor | file | name | jna | High |
| Vendor | jar | package name | jna | Highest |
| Vendor | jar | package name | jna | Low |
| Vendor | jar | package name | sun | Highest |
| Vendor | jar | package name | sun | Low |
| Vendor | jar (hint) | package name | oracle | Highest |
| Vendor | jar (hint) | package name | oracle | Low |
| Vendor | Manifest | automatic-module-name | com.sun.jna | Medium |
| Vendor | Manifest | bundle-activationpolicy | lazy | Low |
| Vendor | Manifest | bundle-category | jni | Low |
| Vendor | Manifest | bundle-nativecode | com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win32, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win32, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64;osname=win32, com/sun/jna/win32-x86 | Low |

| | | | | |
|--------|----------|--------------------------|--|-----|
| | | | /jnidispatch.dll; processor=x86;osname=win, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64;osname=win, com/sun/jna/w32ce-arm/jnidispatch.dll; processor=arm;osname=wince, com/sun/jna/sunos-x86/libjnidispatch.so; processor=x86; osname=sunos, com/sun/jna/sunos-x86-64/libjnidispatch.so; processor=x86-64; osname=sunos, com/sun/jna/sunos-sparc/libjnidispatch.so; processor=sparc; osname=sunos, com/sun/jna/sunos-sparcv9/libjnidispatch.so; processor=sparcv9; osname=sunos, com/sun/jna/aix-ppc/libjnidispatch.a; processor=ppc; osname=aix, com/sun/jna/aix-ppc64/libjnidispatch.a; processor=ppc64; osname=aix, com/sun/jna/linux-ppc/libjnidispatch.so; processor=ppc; osname=linux, com/sun/jna/linux-ppc64/libjnidispatch.so; processor=ppc64; osname=linux, com/sun/jna/linux-ppc64le/libjnidispatch.so; processor=ppc64le; osname=linux, com/sun/jna/linux-x86/libjnidispatch.so; processor=x86; osname=linux, com/sun/jna/linux-x86-64/libjnidispatch.so; processor=x86-64; osname=linux, com/sun/jna/linux-arm/libjnidispatch.so; processor=arm; osname=linux, com/sun/jna/linux-arm/libjnidispatch.so; processor=arm_le; osname=linux, com/sun/jna/linux-armel/libjnidispatch.so; processor=armel; osname=linux, com/sun/jna/linux-aarch64/libjnidispatch.so; processor=aarch64; osname=linux, com/sun/jna/linux-ia64/libjnidispatch.so; processor=ia64; osname=linux, com/sun/jna/linux-sparcv9/libjnidispatch.so; processor=sparcv9; osname=linux, com/sun/jna/linux-mips64el/libjnidispatch.so; processor=mips64el; osname=linux, com/sun/jna/linux-s390x/libjnidispatch.so; processor=S390x; osname=linux, com/sun/jna/linux-loongarch64/libjnidispatch.so; processor=loongarch64;osname=linux, com/sun/jna/freebsd-x86/libjnidispatch.so; processor=x86;osname=freebsd, com/sun/jna/freebsd-x86-64/libjnidispatch.so; processor=x86-64;osname=freebsd, com/sun/jna/openbsd-x86/libjnidispatch.so; processor=x86;osname=openbsd, com/sun/jna/openbsd-x86-64/libjnidispatch.so; processor=x86-64;osname=openbsd, com/sun/jna/darwin-ppc/libjnidispatch.jnilib; osname=macosx;processor=ppc, com/sun/jna/darwin-ppc64/libjnidispatch.jnilib; osname=macosx;processor=ppc64, com/sun/jna/darwin-x86/libjnidispatch.jnilib; osname=macosx;processor=x86, com/sun/jna/darwin-x86-64/libjnidispatch.jnilib; osname=macosx;processor=x86-64, com/sun/jna/darwin-aarch64/libjnidispatch.jnilib; osname=macosx;processor=aarch64 | |
| Vendor | Manifest | bundle-requiredexecution | JavaSE-1.6 | Low |

| | | | | |
|---------|----------|-------------------------|--|---------|
| Vendor | Manifest | bundle-symbolicname | com.sun.jna | Medium |
| Vendor | Manifest | Implementation-Vendor | JNA Development Team | High |
| Vendor | Manifest | specification-vendor | JNA Development Team | Low |
| Product | file | name | jna | High |
| Product | jar | package name | jna | Highest |
| Product | jar | package name | jna | Low |
| Product | jar | package name | library | Highest |
| Product | jar | package name | native | Highest |
| Product | jar | package name | sun | Highest |
| Product | jar | package name | win32 | Highest |
| Product | Manifest | automatic-module-name | com.sun.jna | Medium |
| Product | Manifest | bundle-activationpolicy | lazy | Low |
| Product | Manifest | bundle-category | jni | Low |
| Product | Manifest | Bundle-Name | jna | Medium |
| Product | Manifest | bundle-nativecode | com/sun/jna/win32-x86/jnidispach.dll; processor=x86;osname=win32, com/sun/jna/win32-x86-64/jnidispach.dll; processor=x86-64;osname=win32, com/sun/jna/win32-aarch64/jnidispach.dll; processor=aarch64; osname=win32, com/sun/jna/win32-x86/jnidispach.dll; processor=x86;osname=win, com/sun/jna/win32-x86-64/jnidispach.dll; processor=x86-64;osname=win, com/sun/jna/win32-aarch64/jnidispach.dll; processor=aarch64;osname=win, com/sun/jna/w32ce-arm/jnidispach.dll; processor=arm;osname=wince, com/sun/jna/sunos-x86/libjniidispach.so; processor=x86; osname=sunos, com/sun/jna/sunos-x86-64/libjniidispach.so; processor=x86-64; osname=sunos, com/sun/jna/sunos-sparc/libjniidispach.so; processor=sparc; osname=sunos, com/sun/jna/sunos-sparcv9/libjniidispach.so; processor=sparcv9; osname=sunos, com/sun/jna/aix-ppc/libjniidispach.a; processor=ppc; osname=aix, com/sun/jna/aix-ppc64/libjniidispach.a; processor=ppc64; osname=aix, com/sun/jna/linux-ppc/libjniidispach.so; processor=ppc; osname=linux, com/sun/jna/linux-ppc64/libjniidispach.so; processor=ppc64; osname=linux, com/sun/jna/linux-ppc64le/libjniidispach.so; processor=ppc64le; osname=linux, com/sun/jna/linux-x86/libjniidispach.so; processor=x86; osname=linux, com/sun/jna/linux-x86-64/libjniidispach.so; processor=x86-64; osname=linux, com/sun/jna/linux-arm | Low |

| | | | | |
|---------|----------|--------------------------|--|---------|
| | | | /libjnidispatch.so; processor=arm; osname=linux, com/sun/jna/linux-arm /libjnidispatch.so; processor=arm_le; osname=linux, com/sun/jna/linux-armel /libjnidispatch.so; processor=armel; osname=linux, com/sun/jna/linux-aarch64 /libjnidispatch.so; processor=aarch64; osname=linux, com/sun/jna/linux-ia64 /libjnidispatch.so; processor=ia64; osname=linux, com/sun/jna/linux-sparcv9 /libjnidispatch.so; processor=sparcv9; osname=linux, com/sun/jna/linux-mips64el /libjnidispatch.so; processor=mips64el; osname=linux, com/sun/jna/linux-s390x /libjnidispatch.so; processor=S390x; osname=linux, com/sun/jna/linux- loongarch64/libjnidispatch.so; processor=loongarch64;osname=linux, com /sun/jna/freebsd-x86/libjnidispatch.so; processor=x86;osname=freebsd, com/sun /jna/freebsd-x86-64/libjnidispatch.so; processor=x86-64;osname=freebsd, com /sun/jna/openbsd-x86/libjnidispatch.so; processor=x86;osname=openbsd, com/sun /jna/openbsd-x86-64/libjnidispatch.so; processor=x86-64;osname=openbsd, com /sun/jna/darwin-ppc/libjnidispatch.jnilib; osname=macosx;processor=ppc, com/sun /jna/darwin-ppc64/libjnidispatch.jnilib; osname=macosx;processor=ppc64, com/sun /jna/darwin-x86/libjnidispatch.jnilib; osname=macosx;processor=x86, com/sun /jna/darwin-x86-64/libjnidispatch.jnilib; osname=macosx;processor=x86-64, com /sun/jna/darwin-aarch64/libjnidispatch.jnilib; osname=macosx;processor=aarch64 | |
| Product | Manifest | bundle-requiredexecution | JavaSE-1.6 | Low |
| Product | Manifest | bundle-symbolicname | com.sun.jna | Medium |
| Product | Manifest | Implementation-Title | com.sun.jna | High |
| Product | Manifest | specification-title | Java Native Access (JNA) | Medium |
| Version | jar | package name | jna | Highest |
| Version | jar | package name | sun | Highest |
| Version | jar | package name | win32 | Highest |
| Version | Manifest | Bundle-Version | 5.14.0 | High |
| Version | Manifest | Implementation-Version | 5.14.0 (b0) | High |

Related Dependencies



- authentication.windows.zip: jna.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.windows.zip/jna.jar

- MD5: 9bb1338e58031463c300f643cb3c41fa
- SHA1: d9c6794f22c2e3c846b02d51c6a95c304e8e056b
- SHA256: 336f2ae25222389eb9f3c90f8f7c3a6258c33581964b2338bf836b3b865b049e
- ocr.tesseract.zip: jna.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jna.jar
 - MD5: 9bb1338e58031463c300f643cb3c41fa
 - SHA1: d9c6794f22c2e3c846b02d51c6a95c304e8e056b
 - SHA256: 336f2ae25222389eb9f3c90f8f7c3a6258c33581964b2338bf836b3b865b049e

Identifiers

- cpe:2.3:a:oracle:java_se:5.14.0:*:*:*:*:* (Confidence:Low) suppress

authentication.pam.zip: jna.jar: jnidispatch.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.pam.zip/jna.jar/com/sun/jna/win32-aarch64/jnidispatch.dll

MD5: f6bef568e690d361a5dcc165f5ad4b1f

SHA1: 05638a4aaafa689a6c246530823afdc18d3fd438

SHA256: b9d1479b9619b7ece4a36b6ae31365ffaf15a1355d4f6da02f8b5f09df2fa82f

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|---------|--------|------|-------------|------------|
| Vendor | file | name | jnidispatch | High |
| Product | file | name | jnidispatch | High |

Related Dependencies

- authentication.windows.zip: jna.jar: jnidispatch.dll
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.windows.zip/jna.jar/com/sun/jna/win32-aarch64/jnidispatch.dll
 - MD5: f6bef568e690d361a5dcc165f5ad4b1f
 - SHA1: 05638a4aaafa689a6c246530823afdc18d3fd438
 - SHA256: b9d1479b9619b7ece4a36b6ae31365ffaf15a1355d4f6da02f8b5f09df2fa82f
- ocr.tesseract.zip: jna.jar: jnidispatch.dll
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jna.jar/com/sun/jna/win32-aarch64/jnidispatch.dll
 - MD5: f6bef568e690d361a5dcc165f5ad4b1f
 - SHA1: 05638a4aaafa689a6c246530823afdc18d3fd438
 - SHA256: b9d1479b9619b7ece4a36b6ae31365ffaf15a1355d4f6da02f8b5f09df2fa82f

Identifiers

- None

authentication.pam.zip: jna.jar: jnidispatch.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.pam.zip/jna.jar/com/sun/jna/win32-x86-64/jnidispatch.dll

MD5: 719d6ba1946c25aa61ce82f90d77ffd5

SHA1: 94d2191378cac5719daecc826fc116816284c406

SHA256: 69c45175ecfd25af023f96ac0bb2c45e6a95e3ba8a5a50ee7969ccab14825c44

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|---------|--------|------|-------------|------------|
| Vendor | file | name | jnidispatch | High |
| Product | file | name | jnidispatch | High |

Related Dependencies

- authentication.windows.zip: jna.jar: jnidispatch.dll
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.windows.zip/jna.jar/com/sun/jna/win32-x86-64/jnidispatch.dll
 - MD5: 719d6ba1946c25aa61ce82f90d77ffd5
 - SHA1: 94d2191378cac5719daecc826fc116816284c406
 - SHA256: 69c45175ecfd25af023f96ac0bb2c45e6a95e3ba8a5a50ee7969ccab14825c44
- ocr.tesseract.zip: jna.jar: jnidispatch.dll
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jna.jar/com/sun/jna/win32-x86-64/jnidispatch.dll
 - MD5: 719d6ba1946c25aa61ce82f90d77ffd5
 - SHA1: 94d2191378cac5719daecc826fc116816284c406
 - SHA256: 69c45175ecfd25af023f96ac0bb2c45e6a95e3ba8a5a50ee7969ccab14825c44

Identifiers

- None

authentication.pam.zip: jna.jar: jnidispatch.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.pam.zip/jna.jar/com/sun/jna/win32-x86/jnidispatch.dll
MD5: e15183ef9c6c255b76fda73d01ca7ecb
SHA1: f816f998c43204230d9ea3eecffb5f8372a32c2e
SHA256:38650a0612730c52580c9f32ff766b44b1c5a426d52e7dd7a53687bf3389ac2c
Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|---------|--------|------|-------------|------------|
| Vendor | file | name | jnidispatch | High |
| Product | file | name | jnidispatch | High |

Related Dependencies

- authentication.windows.zip: jna.jar: jnidispatch.dll
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.windows.zip/jna.jar/com/sun/jna/win32-x86/jnidispatch.dll
 - MD5: e15183ef9c6c255b76fda73d01ca7ecb
 - SHA1: f816f998c43204230d9ea3eecffb5f8372a32c2e
 - SHA256: 38650a0612730c52580c9f32ff766b44b1c5a426d52e7dd7a53687bf3389ac2c
- ocr.tesseract.zip: jna.jar: jnidispatch.dll
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jna.jar/com/sun/jna/win32-x86/jnidispatch.dll
 - MD5: e15183ef9c6c255b76fda73d01ca7ecb
 - SHA1: f816f998c43204230d9ea3eecffb5f8372a32c2e
 - SHA256: 38650a0612730c52580c9f32ff766b44b1c5a426d52e7dd7a53687bf3389ac2c

Identifiers

- None

authentication.passwordfile.zip: authentication.passwordfile.sample.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Authentication/PasswordFile/authentication.passwordfile.zip/authentication.passwordfile.sample.jar
MD5: b0c624e436d64cae577f2b7890ed8f2a
SHA1: 429ec0e3aaa21b8e9e17d7dfa8185cc871b8826a
SHA256:37abc5c4fb0ffcaf05e52f479575ace30a08011c5a25ccb03fe5500a1bd2cb75
Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor | file | name | authentication.passwordfile.sample | High |
| Vendor | jar | package name | authentication | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | passwordfile | Low |
| Vendor | Manifest | built-date | 2025-05-01 11:43 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | authentication.passwordfile.sample | High |
| Product | jar | package name | authentication | Highest |
| Product | jar | package name | authentication | Low |
| Product | jar | package name | passwordfile | Highest |
| Product | jar | package name | passwordfile | Low |
| Product | Manifest | built-date | 2025-05-01 11:43 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | authentication.passwordfile | High |
| Product | Manifest | specification-title | authentication.passwordfile | Medium |
| Version | Manifest | Implementation-Version | 25.4.227 | High |

Identifiers

- None

authentication.product.zip: authentication.product.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.product.zip/authentication.product.jar
MD5: c1e5baa8e2e742cb35b542b37bd8460a
SHA1: e6bd943c79185f76347307f9fe4bcc5e73864f08

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor | file | name | authentication.product | High |
| Vendor | jar | package name | authentication | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | product | Low |
| Vendor | Manifest | built-date | 2025-05-01 11:38 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | authentication.product | High |
| Product | jar | package name | authentication | Highest |
| Product | jar | package name | authentication | Low |
| Product | jar | package name | product | Highest |
| Product | jar | package name | product | Low |
| Product | Manifest | built-date | 2025-05-01 11:38 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | authentication.product | High |
| Product | Manifest | specification-title | authentication.product | Medium |
| Version | Manifest | Implementation-Version | 25.4.227 | High |

Identifiers

- None

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.windows.zip/authentication.windows.jar
MD5: e9eafbb8219c85368bd53599f925691d
SHA1: 90e0ef96eb122f775fedfb0b94b96e34e73fd723
SHA256: 6b61f825175a96bcd1e5b0c52fd08dd6fae73cb44b3548e134e9092ac386ff8f
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor | file | name | authentication.windows | High |
| Vendor | jar | package name | authentication | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | windows | Low |
| Vendor | Manifest | built-date | 2025-05-01 11:33 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | authentication.windows | High |
| Product | jar | package name | authentication | Highest |
| Product | jar | package name | authentication | Low |
| Product | jar | package name | windows | Highest |
| Product | jar | package name | windows | Low |
| Product | Manifest | built-date | 2025-05-01 11:33 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | authentication.windows | High |
| Product | Manifest | specification-title | authentication.windows | Medium |
| Version | Manifest | Implementation-Version | 25.4.227 | High |

Identifiers

- None

authentication.windows.zip: caffeine.jar

Description:

A high performance caching library

License:

<https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.windows.zip/caffeine.jar

MD5: 7661b25999918646ec802846cc4c16bc

SHA1: 3646a0d1b1abe6a31f72f2237d9004d10a5be91d

SHA256: 0311f9d5d9750aa2a1c11cbdba5a5cb7fec91c8870d6f179f324b3f5295b87dd

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|-----------------------|-------------------------------|------------|
| Vendor | file | name | caffeine | High |
| Vendor | jar | package name | benmanes | Highest |
| Vendor | jar | package name | benmanes | Low |
| Vendor | jar | package name | caffeine | Highest |
| Vendor | jar | package name | caffeine | Low |
| Vendor | jar | package name | github | Highest |
| Vendor | jar | package name | github | Low |
| Vendor | Manifest | automatic-module-name | com.github.benmanes.caffeine | Medium |
| Vendor | Manifest | build-jdk-spec | 11 | Low |
| Vendor | Manifest | bundle-symbolicname | com.github.ben-manes.caffeine | Medium |
| Product | file | name | caffeine | High |
| Product | jar | package name | benmanes | Highest |
| Product | jar | package name | benmanes | Low |
| Product | jar | package name | cache | Low |
| Product | jar | package name | caffeine | Highest |
| Product | jar | package name | caffeine | Low |
| Product | jar | package name | github | Highest |
| Product | Manifest | automatic-module-name | com.github.benmanes.caffeine | Medium |
| | | | | |

| | | | | |
|---------|----------|------------------------|------------------------------------|--------|
| Product | Manifest | build-jdk-spec | 11 | Low |
| Product | Manifest | Bundle-Name | com.github.ben-manes.caffeine | Medium |
| Product | Manifest | bundle-symbolicname | com.github.ben-manes.caffeine | Medium |
| Product | Manifest | Implementation-Title | A high performance caching library | High |
| Version | Manifest | build-jdk-spec | 11 | Low |
| Version | Manifest | Bundle-Version | 3.1.6 | High |
| Version | Manifest | Implementation-Version | 3.1.6 | High |

Identifiers

- None

authentication.windows.zip: jna-platform.jar

Description:

JNA Platform Library

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.windows.zip/jna-platform.jar

MD5: 3bc3f09a698e6ad250dd093f64fbb8a7

SHA1: 28934d48aed814f11e4c584da55c49fa7032b31b

SHA256: ae4caceb3840730c2537f9b7fb55a01baba580286b4122951488bcee558c2449

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|--------|------------|--------------|--------------|------------|
| Vendor | file | name | jna-platform | High |
| Vendor | jar | package name | jna | Highest |
| Vendor | jar | package name | jna | Low |
| Vendor | jar | package name | platform | Highest |
| Vendor | jar | package name | platform | Low |
| Vendor | jar | package name | sun | Highest |
| Vendor | jar | package name | sun | Low |
| Vendor | jar (hint) | package name | oracle | Highest |
| Vendor | jar (hint) | package name | oracle | Low |

| | | | | |
|---------|----------|--------------------------|-------------------------------------|---------|
| Vendor | Manifest | automatic-module-name | com.sun.jna.platform | Medium |
| Vendor | Manifest | bundle-category | jni | Low |
| Vendor | Manifest | bundle-requiredexecution | J2SE-1.4 | Low |
| Vendor | Manifest | bundle-symbolicname | com.sun.jna.platform | Medium |
| Vendor | Manifest | Implementation-Vendor | JNA Development Team | High |
| Vendor | Manifest | require-bundle | com.sun.jna;bundle-version="5.14.0" | Low |
| Vendor | Manifest | specification-vendor | JNA Development Team | Low |
| Product | file | name | jna-platform | High |
| Product | jar | package name | jna | Highest |
| Product | jar | package name | jna | Low |
| Product | jar | package name | platform | Highest |
| Product | jar | package name | platform | Low |
| Product | jar | package name | sun | Highest |
| Product | jar | package name | win32 | Low |
| Product | Manifest | automatic-module-name | com.sun.jna.platform | Medium |
| Product | Manifest | bundle-category | jni | Low |
| Product | Manifest | Bundle-Name | jna-platform | Medium |
| Product | Manifest | bundle-requiredexecution | J2SE-1.4 | Low |
| Product | Manifest | bundle-symbolicname | com.sun.jna.platform | Medium |
| Product | Manifest | Implementation-Title | com.sun.jna | High |
| Product | Manifest | require-bundle | com.sun.jna;bundle-version="5.14.0" | Low |
| Product | Manifest | specification-title | Java Native Access (JNA) | Medium |
| Version | jar | package name | jna | Highest |
| Version | jar | package name | sun | Highest |
| Version | Manifest | Bundle-Version | 5.14.0 | High |
| Version | Manifest | Implementation-Version | 5.14.0 (b0) | High |

Identifiers

- None

authentication.windows.zip: waffle-jna-jakarta.jar

Description:

WAFFLE JNA Jakarta Pakage implementation

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.windows.zip/waffle-jna-jakarta.jar

MD5: 4292b31211ec75d0a54780009f620fd7

SHA1: a54b03b4de48b62188b183e04313092119f3e247

SHA256:e53d74bd6e09b543b97ccb7b5aff7dbdb1a9058066eafb9c2573c75adf254703

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|-----------------------|--|------------|
| Vendor | file | name | waffle-jna-jakarta | High |
| Vendor | jar | package name | waffle | Highest |
| Vendor | Manifest | automatic-module-name | waffle.jna.jakarta | Medium |
| Vendor | Manifest | build-jdk-spec | 21 | Low |
| Vendor | Manifest | copyright | 2024 | Low |
| Vendor | Manifest | git-revision | 725e568c485ae01eddb2777e17e1c3f78955d4 | Low |
| Vendor | Manifest | Implementation-Vendor | com.github.waffle | High |
| Vendor | Manifest | specification-vendor | com.github.waffle | Low |
| Vendor | pom | artifactid | waffle-jna-jakarta | Low |
| Vendor | pom | groupid | com.github.waffle | Highest |
| Vendor | pom | name | waffle-jna-jakarta | High |
| Vendor | pom | parent-artifactid | waffle | Low |
| Vendor | pom | url | https://waffle.github.io/waffle/ | Highest |
| Product | file | name | waffle-jna-jakarta | High |
| Product | jar | package name | waffle | Highest |
| Product | Manifest | automatic-module-name | waffle.jna.jakarta | Medium |
| Product | Manifest | build-jdk-spec | 21 | Low |
| Product | Manifest | copyright | 2024 | Low |
| Product | Manifest | git-revision | 725e568c485ae01eddb2777e17e1c3f78955d4 | Low |
| Product | Manifest | Implementation- | waffle-jna-jakarta | High |

| Title | | | | |
|---------|----------|------------------------|----------------------------------|---------|
| Product | Manifest | specification-title | waffle-jna-jakarta | Medium |
| Product | pom | artifactid | waffle-jna-jakarta | Highest |
| Product | pom | groupid | com.github.waffle | Highest |
| Product | pom | name | waffle-jna-jakarta | High |
| Product | pom | parent-artifactid | waffle | Medium |
| Product | pom | url | https://waffle.github.io/waffle/ | Medium |
| Version | Manifest | Implementation-Version | 3.5.1 | High |
| Version | pom | version | 3.5.1 | Highest |

Identifiers

- [pkg:maven/com.github.waffle/waffle-jna-jakarta@3.5.1](#) (Confidence:High)
- [cpe:2.3:a:4d:4d:3.5.1:*:*:*:*:*](#) (Confidence:Low)

suppress

command.jsonexport.zip: command.jsonexport.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/command.jsonexport.zip/command.jsonexport.jar
MD5: 778de8f5674ffdc6595dd85b2c6797bd
SHA1: 25061ff1190c6f55e0528a0558d89281db31e44c
SHA256:c291bee08da0b83fb2cc9646003d6dac61f76c3c6efa152841e77bd05dffbd60
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|--------|----------|--|--------------------|------------|
| Vendor | file | name | command.jsonexport | High |
| Vendor | jar | package name | command | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2025-05-06 07:20 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |

| | | | | |
|---------|----------|--|--------------------------------------|---------|
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | command.jsonexport | High |
| Product | jar | package name | command | Highest |
| Product | jar | package name | command | Low |
| Product | jar | package name | json | Low |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2025-05-06 07:20 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | command.jsonexport | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | command.jsonexport | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 25.4.232 | High |

Identifiers

- `cpe:2.3:a:inetsoftware:pdfc:25.4.232:*:*:*:*:*` (*Confidence:Low*)

suppress

commons-logging.jar

Description:

Apache Commons Logging is a thin adapter allowing configurable bridging to other, well-known logging systems.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/java/commons-logging.jar

MD5: e7a1e7cb6a89241ed9bfec4c25b6c645

SHA1: b9fc14968d63a8b8a8a2c1885fe3e90564239708

SHA256: bc2dfe32f1ef06509e6a065144c1adf7b420eabf11a87f30bd127f8faa332016

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|--------|----------|-----------------------|---|------------|
| Vendor | file | name | commons-logging | High |
| Vendor | jar | package name | apache | Highest |
| Vendor | jar | package name | commons | Highest |
| Vendor | jar | package name | logging | Highest |
| Vendor | Manifest | automatic-module-name | org.apache.commons.logging | Medium |
| Vendor | Manifest | build-jdk-spec | 17 | Low |
| Vendor | Manifest | bundle-docurl | https://commons.apache.org/proper/commons-logging/ | Low |
| Vendor | Manifest | bundle-symbolicname | org.apache.commons.commons-logging | Medium |
| Vendor | Manifest | Implementation-Vendor | The Apache Software Foundation | High |
| Vendor | Manifest | multi-release | true | Low |
| Vendor | Manifest | specification-vendor | The Apache Software Foundation | Low |
| Vendor | pom | artifactid | commons-logging | Low |
| Vendor | pom | developer email | baliuka@apache.org | Low |
| Vendor | pom | developer email | costin@apache.org | Low |
| Vendor | pom | developer email | craigmcc@apache.org | Low |
| Vendor | pom | developer email | dennisl@apache.org | Low |
| Vendor | pom | developer email | donaldp@apache.org | Low |
| Vendor | pom | developer email | ggregory at apache.org | Low |
| Vendor | pom | developer email | morgand@apache.org | Low |

| | | | | |
|--------|-----|-----------------|-----------------------|--------|
| Vendor | pom | developer email | rdonkin@apache.org | Low |
| Vendor | pom | developer email | rsitze@apache.org | Low |
| Vendor | pom | developer email | rwaldhoff@apache.org | Low |
| Vendor | pom | developer email | sanders@apache.org | Low |
| Vendor | pom | developer email | skitching@apache.org | Low |
| Vendor | pom | developer email | tn@apache.org | Low |
| Vendor | pom | developer id | baliuka | Medium |
| Vendor | pom | developer id | bstansberry | Medium |
| Vendor | pom | developer id | costin | Medium |
| Vendor | pom | developer id | craigmcc | Medium |
| Vendor | pom | developer id | dennisl | Medium |
| Vendor | pom | developer id | donaldp | Medium |
| Vendor | pom | developer id | ggregory | Medium |
| Vendor | pom | developer id | morgand | Medium |
| Vendor | pom | developer id | rdonkin | Medium |
| Vendor | pom | developer id | rsitze | Medium |
| Vendor | pom | developer id | rwaldhoff | Medium |
| Vendor | pom | developer id | sanders | Medium |
| Vendor | pom | developer id | skitching | Medium |
| Vendor | pom | developer id | tn | Medium |
| Vendor | pom | developer name | Brian Stansberry | Medium |
| Vendor | pom | developer name | Costin Manolache | Medium |
| Vendor | pom | developer name | Craig McClanahan | Medium |
| Vendor | pom | developer name | Dennis Lundberg | Medium |
| Vendor | pom | developer name | Gary Gregory | Medium |
| Vendor | pom | developer name | Juozas Baliuka | Medium |
| Vendor | pom | developer name | Morgan Delagrangue | Medium |
| Vendor | pom | developer name | Peter Donald | Medium |
| Vendor | pom | developer name | Richard Sitze | Medium |
| Vendor | pom | developer name | Robert Burrell Donkin | Medium |
| Vendor | pom | developer name | Rodney Waldhoff | Medium |
| Vendor | pom | developer name | Scott Sanders | Medium |
| Vendor | pom | developer name | Simon Kitching | Medium |
| Vendor | pom | developer name | Thomas Neidhart | Medium |
| Vendor | pom | developer org | Apache | Medium |
| | | | | |

| | | | | |
|---------|----------|-----------------------|--|---------|
| Vendor | pom | developer org | The Apache Software Foundation | Medium |
| Vendor | pom | developer org URL | https://www.apache.org/ | Medium |
| Vendor | pom | groupid | commons-logging | Highest |
| Vendor | pom | name | Apache Commons Logging | High |
| Vendor | pom | parent-artifactid | commons-parent | Low |
| Vendor | pom | parent-groupid | org.apache.commons | Medium |
| Vendor | pom | url | https://commons.apache.org/proper/commons-logging/ | Highest |
| Product | file | name | commons-logging | High |
| Product | jar | package name | apache | Highest |
| Product | jar | package name | commons | Highest |
| Product | jar | package name | logging | Highest |
| Product | Manifest | automatic-module-name | org.apache.commons.logging | Medium |
| Product | Manifest | build-jdk-spec | 17 | Low |
| Product | Manifest | bundle-docurl | https://commons.apache.org/proper/commons-logging/ | Low |
| Product | Manifest | Bundle-Name | Apache Commons Logging | Medium |
| Product | Manifest | bundle-symbolicname | org.apache.commons.commons-logging | Medium |
| Product | Manifest | Implementation-Title | Apache Commons Logging | High |
| Product | Manifest | multi-release | true | Low |
| Product | Manifest | specification-title | Apache Commons Logging | Medium |
| Product | pom | artifactid | commons-logging | Highest |
| Product | pom | developer email | baliuka@apache.org | Low |
| Product | pom | developer email | costin@apache.org | Low |
| Product | pom | developer email | craigmcc@apache.org | Low |
| Product | pom | developer email | dennisl@apache.org | Low |
| Product | pom | developer email | donaldp@apache.org | Low |
| Product | pom | developer email | ggregory at apache.org | Low |
| Product | pom | developer email | morgand@apache.org | Low |
| Product | pom | developer email | rdonkin@apache.org | Low |
| Product | pom | developer email | rsitze@apache.org | Low |
| Product | pom | developer email | rwaldhoff@apache.org | Low |
| Product | pom | developer email | sanders@apache.org | Low |
| Product | pom | developer email | skitching@apache.org | Low |
| | | | | |

| | | | | |
|---------|-----|-------------------|---|---------|
| Product | pom | developer email | tn@apache.org | Low |
| Product | pom | developer id | baliuka | Low |
| Product | pom | developer id | bstansberry | Low |
| Product | pom | developer id | costin | Low |
| Product | pom | developer id | craigmcc | Low |
| Product | pom | developer id | dennisl | Low |
| Product | pom | developer id | donaldp | Low |
| Product | pom | developer id | ggregory | Low |
| Product | pom | developer id | morgand | Low |
| Product | pom | developer id | rdonkin | Low |
| Product | pom | developer id | rsitze | Low |
| Product | pom | developer id | rwaldhoff | Low |
| Product | pom | developer id | sanders | Low |
| Product | pom | developer id | skitching | Low |
| Product | pom | developer id | tn | Low |
| Product | pom | developer name | Brian Stansberry | Low |
| Product | pom | developer name | Costin Manolache | Low |
| Product | pom | developer name | Craig McClanahan | Low |
| Product | pom | developer name | Dennis Lundberg | Low |
| Product | pom | developer name | Gary Gregory | Low |
| Product | pom | developer name | Juozas Baliuka | Low |
| Product | pom | developer name | Morgan Delagrange | Low |
| Product | pom | developer name | Peter Donald | Low |
| Product | pom | developer name | Richard Sitze | Low |
| Product | pom | developer name | Robert Burrell Donkin | Low |
| Product | pom | developer name | Rodney Waldhoff | Low |
| Product | pom | developer name | Scott Sanders | Low |
| Product | pom | developer name | Simon Kitching | Low |
| Product | pom | developer name | Thomas Neidhart | Low |
| Product | pom | developer org | Apache | Low |
| Product | pom | developer org | The Apache Software Foundation | Low |
| Product | pom | developer org URL | https://www.apache.org/ | Low |
| Product | pom | groupid | commons-logging | Highest |
| Product | pom | name | Apache Commons Logging | High |
| Product | pom | parent-artifactid | commons-parent | Medium |

| | | | | |
|---------|----------|------------------------|--|---------|
| Product | pom | parent-groupid | org.apache.commons | Medium |
| Product | pom | url | https://commons.apache.org/proper/commons-logging/ | Medium |
| Version | Manifest | Bundle-Version | 1.3.4 | High |
| Version | Manifest | Implementation-Version | 1.3.4 | High |
| Version | pom | parent-version | 1.3.4 | Low |
| Version | pom | version | 1.3.4 | Highest |

Related Dependencies

- ocr.tesseract.zip: commons-logging.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/commons-logging.jar
 - MD5: e7a1e7cb6a89241ed9bfec4c25b6c645
 - SHA1: b9fc14968d63a8b8a8a2c1885fe3e90564239708
 - SHA256: bc2dfe32f1ef06509e6a065144c1adf7b420eabf11a87f30bd127f8faa332016
 - [pkg:maven/commons-logging/commons-logging@1.3.4](#)

Identifiers

- [pkg:maven/commons-logging/commons-logging@1.3.4](#) (*Confidence:High*)

comparison.api.zip: comparison.api.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.api.zip/comparison.api.jar

MD5: 9675689ca93e4bac1e30aa097bb9cfe2

SHA1: 5a5ca27f713077836666e1f587bb2879788e28aa

SHA256: ad5a44f8df50ede178c1a844bbc3d2fae085986e54030682bf65aab30d2b6b87

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|--------|----------|--------------------------------|----------------|------------|
| Vendor | file | name | comparison.api | High |
| Vendor | jar | package name | comparisonapi | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | Manifest | application-library-allowable- | * | Low |

| | | | | |
|---------|----------|--|--------------------------------------|---------|
| | | codebase | | |
| Vendor | Manifest | built-date | 2025-05-06 07:14 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | comparison.api | High |
| Product | jar | package name | comparisonapi | Low |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2025-05-06 07:14 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | comparison.api | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | comparison.api | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 25.4.232 | High |

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.232:*:*:*:*:* (Confidence:Low)

suppress

comparison.rpc.zip: comparison.rpc.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.rpc.zip/comparison.rpc.jar

MD5: 79063013ab82dc5920962179892ac89e

SHA1: 92a35a77c4073f99d1c638e43d9af259763a2a13

SHA256: 86ffeab7e01f8f1c3a39881f06bae5f6d4c37e172b2f3fc9a99b3683187ebdd7

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|--|--------------------------------------|------------|
| Vendor | file | name | comparison.rpc | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | jar | package name | rpc | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2025-05-06 07:14 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | comparison.rpc | High |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | jar | package name | rpc | Highest |
| Product | jar | package name | rpc | Low |
| | | | | |

| | | | | |
|---------|----------|--|------------------|---------|
| Product | jar | package name | websocket | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2025-05-06 07:14 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | comparison.rpc | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | comparison.rpc | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 25.4.232 | High |

Identifiers

• `cpe:2.3:a:inetsoftware:pdfc:25.4.232:*:*:*:*:*` (*Confidence:Low*) suppress

comparison.webgui.zip: comparison.webgui.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar

MD5: d836eb2ad485889cf1a4bfed361047e2

SHA1: 6e8e6f0e9c1c80824ea6a60ebe8404f2e63612d1

SHA256: 032c02128b59fe50fa9e4ccf4f2d31457323a3cbc466afaf753490038c8d2872

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|--------|----------|--------------|-------------------|------------|
| Vendor | file | name | comparison.webgui | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | jar | package name | webgui | Low |
| Vendor | Manifest | built-date | 2025-05-06 07:14 | Low |

| | | | | |
|---------|----------|--------------------------|--------------------------------------|---------|
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | comparison.webgui | High |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | jar | package name | server | Low |
| Product | jar | package name | webgui | Highest |
| Product | jar | package name | webgui | Low |
| Product | Manifest | built-date | 2025-05-06 07:14 | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | comparison.webgui | High |
| Product | Manifest | specification-title | comparison.webgui | Medium |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 25.4.232 | High |

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.232:****:* (Confidence:Low)

suppress

comparison.webgui.zip: comparison.webgui.jar: app.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/app.js

MD5: 2e4ad8b6a0f9a76284c281df29d4ae4d

SHA1: c715d01b3797ea1cc4e3615d97412a8d2cf8a067

SHA256: c1ace93a6f794644bab65004932e9335d040e375a3d93c6ca4f7029bc5e06e59

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: compare.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/compare.js

MD5: fe7f8734bc1028998896d5481e83ec96

SHA1: 629930095748e05440178c2e8b85ee6e6e77d4c8

SHA256: 6f2dc1284b4be78d07a1513d814d4985861a476832231825b5917d4274304ae9

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: contextmenuextension.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/drive/contextmenuextension.js

MD5: eae9fe75a066b1ae24dd4129630d1072

SHA1: 38ea62246d2d53d55b07336b84bb2a00f16c0f3f

SHA256: e19f73b725f90f01fd3f2e4c9110579a076c51b46947c55ed5e781898955d981

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: contingent.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/contingent.js

MD5: 10782a90b423f2db0450adaa8944f25a

SHA1: 8d7242260155b1bc6cbca8cd0fa034c3be0c021b

SHA256:c54c35e7c00b764c4e9b7511916a30510158e88b8c8e5ee4d61c7302a7d87295

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/controller.js

MD5: 977c91c73c21098ba5fec977cc6c0768

SHA1: c6abeca9e064164218c9f78476cf3d4d1ee75d4d

SHA256:0f96865a41ece89e9bf83ba206f096b61e7d7026e5d3fd5b86e6b5f177cd180e

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: descriptionarea.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/descriptionarea.js
MD5: 14028f3ecbcfc96a785ea29eec407af0
SHA1: c89033c6f1414aabc1e006e78079167ab6ffb194
SHA256: 64973d746a823e043ad9df56ce9aff83dbe2f89cea86bed498cfe1dc82d799ca
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: dropzone.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/dropzone.js
MD5: 2856733a745b9f8fdb7e8f5806f32299
SHA1: e644c116bc9337732ee3fd448430f5ad7c9056f1
SHA256: 37993d37570580a0b7d0ab92083862738ab1aa30c9767241a29173342a08e1bb
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: export.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/export.js
MD5: 5a9324f394f0c1d72dc439a5116731e4
SHA1: 868b2ea069d71ea15ba88cb2b6759433ddc1a367

SHA256:196971b3452a5c1ba2e3dd0a6f37560df39ef90a6fd9950d1996a8375f6df1dd
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: factory.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/factory.js

MD5: ae51bbc0f34f3fdf3d07421cc9710283

SHA1: b1dedb5423fa7d010ac58e11a3529d8fea4024d5

SHA256:a6c16801e3693f8c5b6d20f8b554bb0acfec2d919f916328211477b8cff38239

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: model.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/model.js

MD5: bf9df0234fcd2eb46f769206c4080fb5

SHA1: 089cec63bfbf392d8e10738a0abf51cc3fc6bd1c

SHA256:f53a5668fefbb2b5d8a95dc1004b49b191a56885cf74babe58b3d6399b10579f

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: multipasswordpanel.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/multipasswordpanel.js

MD5: 34d4d5fd0cf1fa77d569e928af1a00aa

SHA1: 230e35fe5f8f5a48ccd930cee3c79f16df858b97

SHA256: 28be5c583ef3c82dca061d79f33a43f3672421b6a1b42e460a444f296d49a79a

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: mycomparisons.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/mycomparisons.js

MD5: efd8f1209beda5284dc15f8aca112d27

SHA1: 687c737e897e48cb3acb63e59285cfa857336164

SHA256: 88934f701f39a3614089252f4eb9ca972c53bbd249ffbd4c4b702fab1b5f5a2e

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: passwordpanel.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/passwordpanel.js
MD5: 4e69b1954226ce194fd836df7ad77e35
SHA1: 6e79c7f2354f08c8effe8adfd66c6dcaff4bdb8c
SHA256: 6078c754f425f4087a05cf8e6aca77ab5b6c9df996e5143d730f32bd8f46ca21
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: pdfconfig.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/pdfconfig.js
MD5: 676338e9e274fd0d9ab59db49e3ea86f
SHA1: 5c8a910bd5453a9e9ff6163db9f760533e9db5b6
SHA256: 3cbb5959eb832a0c7880d2a0c58a4f82cc6e66b177b4aeeef49a87540265b96f
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: profil.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/profil.js
MD5: a80e7a67200f9bebc58cc1b1f648ba81
SHA1: 67a71dca22d20ed3e4cacd59e7b013052bba6059
SHA256: 1eb1aed349f9e8d0781de9f352733a58b6a4fcac9e89d259888005099b5216d8
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: profileentry.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/profileentry.js
MD5: 70fba9a0806250f9fc3f559012ebdfc5
SHA1: 911155de0ffa9aff766b028eff7d2a74557da44c
SHA256: 7dc35ebc9b13805fc2160bd904bea53c880ab49854079e55e4f141984b6ab075
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: publishdialog.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/publishdialog.js
MD5: 3c6b3557cb70409b766dcadc7593ef40
SHA1: 15ab54e19f4ed112a10fc9bb380d5613f4c9e10f
SHA256: bc6ff09abcaa54afd0b07b558cec428824f5e1b157a5459e3eb2308802eca100
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: publishprofiledialog.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/publishprofiledialog.js
MD5: 15cb57cdb21d62986b893e35495ac8d0
SHA1: 060e44459b5a3e7b684be7a9faaefd5683a22ea9
SHA256:c1ce1c1ef7c98cb682a6844bec27307b2e7aee3403b607ce6743394984d5f481
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: report.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/report.js
MD5: 161485eaea5b9b5f65d479f48911c56f
SHA1: edc976c964a05132b9b34aa9b3d8d282147bbc04
SHA256:35e773c2f1fa99f13a7aac090863d403636547f5b7df7e0c05a88b3eda6f1ecc
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: scroller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/scroller.js

MD5: 258842a58c95114e959f659bfa15d9a7

SHA1: f947fcb0b63cc56cacedf1d9f3f812b3330586b

SHA256: 4d7e9feb475bec916fc11571fbf16ac1f9113abf4db43bdd18bd4f3ae0560666

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: searchcomponent.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/searchcomponent.js

MD5: bdc3caac35d953edd2e6f68c0d4bfd74

SHA1: ef70a291cb7226084945b2648356f3a389b7fa58

SHA256: 36620c84f1984fc0d8f98256fb345a0329ab25c834dcfa8c916d552ff370799e

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: userlist.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/userlist.js

MD5: f0280a91fc83e571ef486c22a7f93ef7

SHA1: 68abf77cf988cad21dd9dad06a89175f906b1d9e

SHA256: 1b0b6bc3b19aa7a697b17a94c617ad8e1807b10ac7de9d9292bfdc3f929c41cb

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: visibilitysettings.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/visibilitysettings.js

MD5: 1f6d120c92d4c7e6c41cc4368b09ebac

SHA1: 9cdf600708312b16e2d9eadd26aea32da1ffc7d2

SHA256: 50fe2d4678259193d90aae7c481487d02566b4c92ba3ca4d7c2cf13c9e345250

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: zoomer.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet

/pdfc/webgui/client/js/directives/zoomer.js
MD5: 9292c505ec54cc329a2c2f0dc6612a43
SHA1: 724665a18dfc42d5fb8ba99a8010022de75bfccd
SHA256:d9d4db5a4a662a0887793825308e350047a54dc41810200c7ffb732c57a61f1c
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

configuration.automaticconfigrestore.zip: configuration.automaticconfigrestore.sample.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Configuration/AutomaticConfigRestore/configuration.automaticconfigrestore.zip/configuration.automaticconfigrestore.sample.jar
MD5: 6662ce6d6afc5dd43d202837572cddc6
SHA1: 6138b2fdd0565a7263513ee320d00815858f4978
SHA256:c744933731eae79cd17634484ff07e34442bbad730a0b26c6a8b1943cd0cf145
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|--------------------------|---|------------|
| Vendor | file | name | configuration.automaticconfigrestore.sample | High |
| Vendor | jar | package name | automaticconfigrestore | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | Manifest | built-date | 2025-05-01 11:43 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | configuration.automaticconfigrestore.sample | High |

| | | | | |
|---------|----------|------------------------|--------------------------------------|---------|
| Product | jar | package name | automaticconfigrestore | Highest |
| Product | jar | package name | automaticconfigrestore | Low |
| Product | Manifest | built-date | 2025-05-01 11:43 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | configuration.automaticconfigrestore | High |
| Product | Manifest | specification-title | configuration.automaticconfigrestore | Medium |
| Version | Manifest | Implementation-Version | 25.4.227 | High |

Identifiers

- None

configuration.zip: configuration.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar

MD5: cd31bc4da8b3974413f7b1b18caaa77e

SHA1: 702c4900f8b780d377701c777189e1eadee6865b

SHA256: 5bfabff102ddd55ee0c189dbbc5606680aeba0c6cdf15cacae8c8d877146c0bf

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|--------|----------|--------------------------|--------------------------------------|------------|
| Vendor | file | name | configuration | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | plugins | Low |
| Vendor | jar | package name | report | Low |
| Vendor | Manifest | built-date | 2025-05-01 11:38 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |

| | | | | |
|---------|----------|------------------------|------------------|--------|
| Product | file | name | configuration | High |
| Product | jar | package name | config | Low |
| Product | jar | package name | plugins | Low |
| Product | jar | package name | report | Low |
| Product | Manifest | built-date | 2025-05-01 11:38 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | configuration | High |
| Product | Manifest | specification-title | configuration | Medium |
| Version | Manifest | Implementation-Version | 25.4.227 | High |

Identifiers

- None

configuration.zip: configuration.jar: authenticationItemRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/authenticationItemRenderer.directive.js

MD5: aefb1a2a7d97d2df669e0545658c3e24

SHA1: 4a2a34c98fb71cf2dfa520bb02dc8baf0d0810f9

SHA256: c277d6842312394b3aa4ac0385e1c800c73dc0b2b0cd9696bc5f51293d859b29

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

configuration.zip: configuration.jar: authenticationRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/authenticationRenderer.directive.js
MD5: 08d42fd374d37fbb791917830a779fa8
SHA1: 3e7daea97fb445ace87c90fd3e9188690660d99d
SHA256: 1719515423a8f8edcddfcb5519f22251afbedfd9de10bea76c99e461bd82929
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

configuration.zip: configuration.jar: boolean.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/boolean.directive.js
MD5: e281bd179c94019bdf388759a526f31
SHA1: 5f4be414c7db7b9c699a371bc3a84a945e1c13a3
SHA256: 3e819332e6b9a66c5041ae377459a6b7d7f10fd94dd71ad85a3f8169fdab4f48
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

configuration.zip: configuration.jar: booleanButton.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/booleanButton.directive.js
MD5: dc5744f572a36fa29dc813914156944d
SHA1: 40a96829d9f498e1364fac7ec8bf8a626c4ac66c
SHA256: edf806317b3487f3998c758a4e56a0aa8bb08bfe38fd4b38c9ec68abbabf25f6
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

configuration.zip: configuration.jar: colorInput.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/colorInput.directive.js

MD5: db9d1ee17d2b4f79813c66e8a52b8fcd

SHA1: 68e81a259a7bce7f49dbf629230020cdf0b01398

SHA256: 1fff0ddf3d275467e77832ae82c55ffdebfb4cc31aee0bfb31def6574f734ae

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

configuration.zip: configuration.jar: controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/controller.js

MD5: b0813d0ec9806c583ef329e581525cfa

SHA1: e9aa95314c1ff7db39f348a7f4971530842a422b

SHA256: 7e63f4f6c7700fc7d5195d3b9d94ae7cdf3586e27564c4ef4b49aa61788adca4

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

configuration.zip: configuration.jar: datafactory.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/datafactory.js

MD5: 07ae83528b0f987b01930435cc86454e

SHA1: 37740d90bf0cc142a3375c9e47512da796531d83

SHA256: 3cb2f55655d2214888210be8aea166e47e41a03cf2212c8ea2fd91a03c585ca5

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

configuration.zip: configuration.jar: fileUploadRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/fileUploadRenderer.directive.js

MD5: 20b3a86faec53d2c52df25ddca88019d

SHA1: 4679535064a337528d0af74e436ed9efc3ecba34

SHA256: 3b1c9149d512831e048e5f304017d98f9f3a881df714df1eaa7f80a5c715ffb9

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

configuration.zip: configuration.jar: filesystemInputButton.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/filesystemInputButton.directive.js

MD5: d4fa34d24a58237edaff0fcd1e52a98b

SHA1: 61aeecd618d7e15f1db7a65874b6fb9b3cdf9206

SHA256: 40e25504ccab4019abc2801de1f33715437dbb95c92d03bf759376bed942d8c3

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

configuration.zip: configuration.jar: filesystemInputDirectory.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/filesystemInputDirectory.directive.js

MD5: b969add17dc880386a4a12aeb1418ac7

SHA1: 043902937f854307250351d4962b245ba7d35da0

SHA256: 176336118fdd2a25e038b03053b99b681052199b0a55c4b8a1f7dbbbbcbdfdcdb

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

configuration.zip: configuration.jar: filesystemInputFile.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/filesystemInputFile.directive.js
MD5: 95eec66eb56684db24cb9d8c5cc387fc
SHA1: 33e9abd6b5c84780196226b277217e4d189216c8
SHA256: 1eab4ff2b96200a36c283d701e3b2bbdc0b3a527544f1b0eed6f31172a9dd10b
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

configuration.zip: configuration.jar: iconDropRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/iconDropRenderer.directive.js
MD5: e01df58e761b7fba83e716c5d665eb22
SHA1: b4fd37979b7a3ae4d7252b56bcec8ef0903113ba
SHA256: 50bae6b105ce7e868d443dcc911cc8170f2e5dd175482ab0d89bb1dec6f7e51d
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

configuration.zip: configuration.jar: inlinerenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/inlinerenderer.directive.js
MD5: 4531879fc071658f5888a12116e31f0d
SHA1: 374bcc0bbcc65b4d88ff5a224731409c78a4f7b7
SHA256: 032c6ac3238780e1eb1767300dae7818ccda70bb17ccb70725ea06d8ee19adf2
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

configuration.zip: configuration.jar: keyLabelText.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/keyLabelText.directive.js

MD5: 2f2a25596ec290d0f62e10a37fc973c8

SHA1: a4e327416b73eeda15ba6d1874a3bbc3849ae81e

SHA256: 2a481ea7ff3b62f87adb28b57e222ef1352f1cfa73a154d63902cb0df0113b42

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

configuration.zip: configuration.jar: labelLink.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/labelLink.directive.js

MD5: a90349ac59fc4f16a05deb269d1c3519

SHA1: 484e8d038dafee8f547b1259f7e4d2d65ab5ee4a

SHA256: be8c4ebe7804af2f0d1f03340173d04745cff39383aa6ba47e144cf4177fd99

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

configuration.zip: configuration.jar: labelText.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/labelText.directive.js

MD5: 07e0e206944a58f4cdbdf7650c525baf

SHA1: 7835f237aaba8bcab20abdbcf39fd819b2965a69

SHA256:f429d8ef4497a3bc8347c737a37dec47141e9468e5c2ed4d5e221b8a28b531e2

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

configuration.zip: configuration.jar: licenseKeyItemRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/licenseKeyItemRenderer.directive.js

MD5: 1b7acb7f77157666bd8163e13cc47fdf

SHA1: e623aa9b016fc3d3f9fc16449dd1ac48f3e17fd3

SHA256:ac41f0893480d1086562eef9c8269ea35f4605b80fd3f60628e4a9f3d6aa73a4

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

configuration.zip: configuration.jar: licenseKeyRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/licenseKeyRenderer.directive.js

MD5: 6d48b1b05a2bd2ef4384bb996789ddca

SHA1: d1131bfe50939a01e50982034b1b7574822215bf

SHA256: 8c881d970f4c71dc3a5eddb6a2028729ce9efc82dc629880885a4bd043db53ba

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

configuration.zip: configuration.jar: listItemRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/listItemRenderer.directive.js

MD5: 3861af3c3295e6c4a5294cb6acbba516

SHA1: c50509a982a993396e02d822b3c3fb34e222436e

SHA256: 311fd55e9bc277170770072f1ea723e6ad7a851aaec8163599e666ff544d8be6

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

configuration.zip: configuration.jar: logopreview.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/logopreview.directive.js
MD5: 26dcfa1ad0cdb0544ef008924888a991
SHA1: 0ea96c5d21849d29d88b410e3183598f055b3731
SHA256: af02f5e1a9d65ef994a9f218d87d8ad6a257aff3de9891fe0a42b06afa8a6cee
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

configuration.zip: configuration.jar: multiLineCode.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/multiLineCode.directive.js
MD5: e2a752736b313cd15c5067b9e2f7abc6
SHA1: 2c22df117b9f45a082498e2696385eca5919534d
SHA256: c1d8916f36bc63228d52ff52432d599f6001077d784d2bf47870569daf2a99c6
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

configuration.zip: configuration.jar: multiLineText.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/multiLineText.directive.js
MD5: 9769483af9509271e1ffd9602c681481
SHA1: fbb61268f1e63f705fb6d167bdb9f5138d622a18
SHA256: 36e44de5802b59df141325897a839a73be22d803df0300985e3eb23ef0f060d4
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

configuration.zip: configuration.jar: multiLingualTextRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/multiLingualTextRenderer.directive.js

MD5: c417f8278dcca4343be0b1c60d6c5fe1

SHA1: 3eda017cc7075b934736e1daf71b0d59aa412203

SHA256: c497b95a7eb0af1ef36a9733a5e9675a5ac62c094a738288ed8c021b7cd9a429

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

configuration.zip: configuration.jar: passwordText.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/passwordText.directive.js

MD5: a762f68eb820d383f03214a0c401d090

SHA1: 05c793442f5193f2ffa3b952cd62af88309e68f6

SHA256: fba766ee79b545a364e9b8d53a5fd0df688657a201bdd25c7c6bcf3a92678337

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

configuration.zip: configuration.jar: reloadSelectInputsTrigger.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/reloadSelectInputsTrigger.directive.js

MD5: ee0760c34d35b7ab1f556b36ef72504b

SHA1: cfcab22873b681c7d9019378b4c7fa9c6af49b47

SHA256: 40e2a2f7b5e647a301971e061dbd5a7d614458f9172510d8f64f1b21b2347e3f

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

configuration.zip: configuration.jar: renderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/renderer.directive.js

MD5: e6700ce9f732a1f1b614ffdcd2c94933

SHA1: 1c5c4b48b29a6b9fd8b9f560207df52cf3ff430d

SHA256: 3c26aeb2ecfd733d17ff0facd86c8328a20759a6fe1b4059bbcc8221461d3574

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

configuration.zip: configuration.jar: repoDbRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/repoDbRenderer.directive.js

MD5: 5ef1c770c4e5fe42e93f01f633f453d3

SHA1: 5da8e6fda8968333e5a0badb6aa45020a83b6b69

SHA256: c763e8eefee951c377e2c0c54a8d52618e50224dbb458529d750701c7a1f9e96

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

configuration.zip: configuration.jar: repoFsRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/repoFsRenderer.directive.js

MD5: 6bf0ab3a102f1607ad605c4820851ff4

SHA1: ec76ee20ea8fc5950c233ebb71a89367fb0b5d48

SHA256: 71fb520ea8562e3a06f3eabc3117b85a874092205bc7052a856faaec867e7df6

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

configuration.zip: configuration.jar: repositoryItemRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/repositoryItemRenderer.directive.js
MD5: 35b661e3e8a0b9517b5ef113729adebf
SHA1: 451b13b299f3189adeb149487bd614b2de8ec78c
SHA256:f155af09a82a7d6bab233a77ffa620935e78b1bb8e8636ec2987241a0fec48b
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

configuration.zip: configuration.jar: repositoryRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/repositoryRenderer.directive.js
MD5: cca1b6d749a3ff9bb3ed1e546c1ddd3f
SHA1: 295dbe208d68b96973cfde80dc8f657cdaedb7f2
SHA256:597b792888878b76bd3e67b99651b5d52c1332790765d4a6e11a9f9d3d289490
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

configuration.zip: configuration.jar: selectEditText.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectEditText.directive.js
MD5: 3aa24125a54ec0a890cf9c3ecb3579ad
SHA1: 5cf9a71def93c493f1781f6729abeeabe36999f4
SHA256:8bcd98ff5ca4562ebacaae43968be209fdf058365ea8bfea6ac96342f42de0a2
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

configuration.zip: configuration.jar: selectFilteredText.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectFilteredText.directive.js

MD5: 1d900550c21095ac4bf85607121a14e1

SHA1: e756ceb1b1e5a6eaa30bbb366c4e62c59e77d783

SHA256:bbfd861491aa357cbbfa2f1ee15b232366b1f88b28c4962339bf5756e49297b9

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

configuration.zip: configuration.jar: selectLanguageChooserRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectLanguageChooserRenderer.directive.js

MD5: b2dfe60265ea9129a4b1abe952ad92ff

SHA1: 20176c71d76cb163d19b6add0667a5179bb4e9ec

SHA256:3c3904cb2f26ca946b317091a674646fbd692bed2a7288097f016bbe7be7af1

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

configuration.zip: configuration.jar: selectSimpleText.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectSimpleText.directive.js

MD5: 133dcb833b683d40c4a902b736bdd1d6

SHA1: e8d02811739badfec2c515780b99466e9d5f2dc9

SHA256: 9d3df25fc91e91042b12096910ee5628baff6e5ea237e5809a9ea1856531b312

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

configuration.zip: configuration.jar: simpleDate.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/simpleDate.directive.js

MD5: 7859e473016ba4b6c663b2de73e886d0

SHA1: 2c6104c939065689031febe53b2c4690eb17af15

SHA256: cf6b91be17479f785ea267d269c6a254a9fd14d70df735721d723e556bf07f28

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

configuration.zip: configuration.jar: simpleSlider.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/simpleSlider.directive.js

MD5: 00171fe096529318005c987067f6cae4

SHA1: 586d31e6a344760d84d76e12763b6f47e69618d0

SHA256: db8ceb31a065dc67a9b7d9bc2144e6906a6f0dadd1e698f77b41cc6232246aec

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

configuration.zip: configuration.jar: simpleText.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/simpleText.directive.js

MD5: 8c4598540efc682f3551a75bde20dfd9

SHA1: 42c3a77e9067c8d053e4dac23de2a40a70d67ec4

SHA256: b18a8129f293a7ce070aa7b9bd5edbe9eceebe36b10e82a9e6a3469c1484f3d0

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

configuration.zip: configuration.jar: tableRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/tableRenderer.directive.js
MD5: 9c912ea0c0e6a7cd18a45ab3aa2234d2
SHA1: cb8d0ba6ae90abff58f47ae07d63f3e57dfc0723
SHA256: 967fadfaccbc663230a6fc2c0242cba122ea115816585f28e1c43518005c99d
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

configuration.zip: configuration.jar: treeRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/treeRenderer.directive.js
MD5: 0a727a5f05e3fd245c2160b5366328f1
SHA1: 678f64bfd07d434e17c8ec082ae6b65c34e80953
SHA256: 926c541bf1a1faa35175ff6d0aec1875cef3da5828a2a7cd24816b3052023d10
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

configuration.zip: configuration.jar: usersandgroupssselect.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/usersandgroupssselect.directive.js
MD5: 27bf7f8502a7aa8612104bf9da20aa9d
SHA1: a75f988f7790d6be413c8f962c051a78880d96d7
SHA256: c7b08fadcb0c0d0907adf944c05e79a20d065d9faebfe4472b570f5f73a976d1
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

diagnostics.zip: diagnostics.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar
MD5: cf99755af7d3c6feae783d1522b8f7e9
SHA1: 761cfc926382658e17ec407b29d4d2bae59c00d0
SHA256: 4e2e794170a38fe3ce363f93962b83afa1fb8eaa933e6070f409dad95e12aa7c
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor | file | name | diagnostics | High |
| Vendor | jar | package name | diagnostics | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | shared | Low |
| Vendor | Manifest | built-date | 2025-05-01 11:47 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | diagnostics | High |
| Product | jar | package name | diagnostics | Highest |
| Product | jar | package name | diagnostics | Low |
| Product | jar | package name | shared | Highest |
| Product | jar | package name | shared | Low |

| | | | | |
|---------|----------|------------------------|------------------|---------|
| Product | jar | package name | widgets | Low |
| Product | Manifest | built-date | 2025-05-01 11:47 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | diagnostics | High |
| Product | Manifest | specification-title | diagnostics | Medium |
| Version | jar | package name | shared | Highest |
| Version | Manifest | Implementation-Version | 25.4.227 | High |

Identifiers

- None

diagnostics.zip: diagnostics.jar: MemoryPieChart.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/information/resources/MemoryPieChart.js

MD5: 6672ce6950e54f655abda54ed0f66ed5

SHA1: 3043ce3c7f15e47f311010f1863bbe38f47f9902

SHA256: c1e3f04eb8893a9a04750d0c1b6da7de0e22820db78773eb345add1267fbd784

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

diagnostics.zip: diagnostics.jar: MemoryUsageChart.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/information/resources/MemoryUsageChart.js

MD5: 8755baee0fb97dbfdf5d5b972b7cf9bc

SHA1: 1c4299a3df93cd84ff68923b6db924b325e8ed79

SHA256:576dde92cfe5caf4a9fb8084b64d73ef914d1b44b695cd74ee916829c6d652cf
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

diagnostics.zip: diagnostics.jar: WebServerErrorChart.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/webserver/resources/WebServerErrorChart.js

MD5: 46ed42c329ea270b64073af7b041554e

SHA1: 1e2685c45d920807865bde8647def47f405d70c0

SHA256:b062fe753fb5117f9ee299ce3d7c7aa6631e229aaecfea9351af3847f20ef152

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

diagnostics.zip: diagnostics.jar: benchmarkCtrl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/resources/benchmarkCtrl.js

MD5: 9eaeff897d71b988456b1081f7baa57e

SHA1: 8dc7208ccfa11ba9eb736aaee676e9c7f2f62146

SHA256:3457f3446ce7a565f734ecd3aa8712884c713b10dd97713ffab9cf196becafc9

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

diagnostics.zip: diagnostics.jar: client-server.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/clientserver/client-server.js

MD5: 0f1ab9cf9534b099e18cc5852ee024dc

SHA1: 404002851f13cee9f19794e77396da6d11c9adfd

SHA256: 93af3fdaf826e858e80a21ea6ece6281e38bc6e6c4c006f76db5ed3849aaa629

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

diagnostics.zip: diagnostics.jar: controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/controller.js

MD5: c9d9a63b248de3b1ab32753b2652581f

SHA1: 9e9f1cf1ddcea2a7ae541d2a67b0f36d68514e77

SHA256: 6ab396c52d329bb05ffc977b19f70afaae28b05f93ed53e7766369f734126485

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

diagnostics.zip: diagnostics.jar: cpu.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/cpu/cpu.js

MD5: 00bbba279bab5ddacde78dc991498f9f

SHA1: c0c245794ad50fdff5bae6b15f494130d740ee51

SHA256: 492f447221e59374290a8994359099d7c8ce3de45961e5dd2cbb648d4a6b29c2

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

diagnostics.zip: diagnostics.jar: cpuspeed.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/cpuspeed/cpuspeed.js

MD5: affca3db509cab73d34a15f21623ee7

SHA1: d3a2d26b44827807dd0035932815b1a8f72e453d

SHA256: c7328c891ff58d6da40001887b68e993052b856d83e1d6493a32f0fed8dff6a5

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

diagnostics.zip: diagnostics.jar: directives.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/directives.js
MD5: c7436529172605f449dda5c983dc74dd
SHA1: e7fd8c8ccf06d2fadce799bb442b4b8bc10fcad4
SHA256: 993aecee895d9e18dd484cbcfc7b1b908db6dd2fe5a8078bf664faa39070dbe7
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

diagnostics.zip: diagnostics.jar: errorHistoryChart.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/logging/resources/errorHistoryChart.js
MD5: 83231947ca2ffb7ee6d2839bbfac6a62
SHA1: 7418ac3a78c906c55d8779d363184d5f2a335428
SHA256: 7ad4ad758d262497faee037107f81e81b1a996d6f4111a46bd91092925cc58a3
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

diagnostics.zip: diagnostics.jar: flotr2.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/flotr2.min.js
MD5: 0b7015815b97473a69b1917da6dc9c7c
SHA1: d23aa3eb0326ea5ae26e4d98383e80f3f63a05de
SHA256: 8e91d325cb89a573c87ec87930a17a0dd4e16b59926d4bcc06691c26e37ab9fc
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

diagnostics.zip: diagnostics.jar: global.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/global.js

MD5: ea308918919d88577b89513d61dfa21b

SHA1: 42b1d16409b39bb01ede0fbb44357a27bb8d0249

SHA256: dc162fa9f5ab8b95bec8b06db139fa7b57a14257b51a349578ff6c2681a1fd6a

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

diagnostics.zip: diagnostics.jar: haddisk.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/haddisk/haddisk.js

MD5: 538fd0fdeb11c4fa3dd2ac88c8711204

SHA1: 80957f16c25af55fc467e6c5af84153a595115c8

SHA256: a7762d8a143e8ac4eb9931e082988207cd45ab55d088120ff28d5f833fc09c2e

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

diagnostics.zip: diagnostics.jar: heapdumpCtrl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/dump/resources/heapdumpCtrl.js

MD5: c5fdaf4ccf9027d4a81c2f62b897e927

SHA1: 667f13f878547fe5bdd76d63151a8bf8113736ac

SHA256: 9694aabb30d8dc4bd9f9a6886f91248fe5a68d51a0f4dfd3a7b7adcd4db0b625

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

diagnostics.zip: diagnostics.jar: informationCtrl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/information/resources/informationCtrl.js

MD5: 751ab48845663bb2e183db1c23837049

SHA1: 68afe450d8d8b18885e9a1609dcdad354cdc38ea

SHA256: 03827ae0ce0f6ce8e4b023a418f796284cbe2358a1f468fa3e5a5ee24018ad20

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

diagnostics.zip: diagnostics.jar: intArrayUtils.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/intArrayUtils.js

MD5: 132205ce288f4d0108593ba2adf79e7f

SHA1: b1fc530ffd7332db05d9b5431535ec0beb9ff688

SHA256: 089688ab933277e0148ec91a8bd6d1d3d6e1030ec0216139675a78f8c9fd672e

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

diagnostics.zip: diagnostics.jar: iospeed.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/iospeed/iospeed.js

MD5: 43d6af3fce515e8c01c806b587663d18

SHA1: 3144a2d2373abb1e911388b3cc049467fe9f616e

SHA256: 8ad0c4ac7fb4dea2dc4f38137e5136e2d4b9f4f380203be7de3fd430cbab5260

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

diagnostics.zip: diagnostics.jar: jobs.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared

/diagnostics/widgets/jobs/resources/jobs.js

MD5: c86f20826acb4cd47c7bd5dbfb75b0d4

SHA1: 91bc3730aac03d2108e538843d28f0e47d531bc2

SHA256: 392dd734b01789eb4d38f999bfa2cc439550d8bb4321024a2047179676315e47

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

diagnostics.zip: diagnostics.jar: logging.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/logging/resources/logging.js

MD5: 547f9875c9c43a8e13e5831262ce7629

SHA1: 777e8a815832ebb01cd38d376692c43b66e58cb8

SHA256: 0348322950015a8c715d7eac1366190d313bbaeb529ab02d7ee49e2b182071f3

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

diagnostics.zip: diagnostics.jar: memory.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/memory/memory.js

MD5: 362ed951b53dd4ef9c8494e8d1749466

SHA1: 9879a26fb052a8e75d1b46672397dfb5b1927f77

SHA256: abbe117c43a3b186c9453af73cceb55b3f42ab2cccb6809a4b1dc04b4b1489e9

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

diagnostics.zip: diagnostics.jar: overviewCtrl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/overview/resources/overviewCtrl.js

MD5: 80f5e4358aa6a9ba6d35c364803e6c6a

SHA1: 43c0492bb6e31b22174edb46514f0981930d2e39

SHA256: cdf4ae1ac491e48bcb17849a4b9ccdfb5eea517798c0dc10fe13fb75b1eca99

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

diagnostics.zip: diagnostics.jar: pde.diagnostics.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/webserver/resources/pde.diagnostics.js

MD5: d341fba13a10131585866bd8575fb85c

SHA1: 1829064e54bcc91f1a96ef0605fcb71188f6126d

SHA256: 8554a8c566d5aed56913953c9cd38fdb6a59fb3292279d76e624f615c2c97c1e

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

diagnostics.zip: diagnostics.jar: timeformat.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/timeformat.js

MD5: 31e9928c521c394f829c570f248fab50

SHA1: 97977864881447d98bab1568b64f96115f4a4d4a

SHA256: f96d3c13acc616439828fdcf4a368dedb6f8a740eb44cef5980b659ee9c07845

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

docfx.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/docfx.js

MD5: 8d6c494b74e6c47ae0eb2e20c5c528f8

SHA1: 65e3447fe91b30ebb4c4863adbe13f20c4cc81b0

SHA256: c210b0b1dc0081355faa906b4239e82f670c0ed7b49b31c9de2161cceed3e7f

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Related Dependencies



- docfx.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/nunit - API Doc/styles/docfx.js
 - MD5: 8d6c494b74e6c47ae0eb2e20c5c528f8
 - SHA1: 65e3447fe91b30ebb4c4863adbe13f20c4cc81b0

- SHA256: c210b0b1dc0081355faa906b4239e82f670c0ed7b49b31c9de2161cceed3e7f

Identifiers

- None

docfx.vendor.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/docfx.vendor.js

MD5: e546d4a3ac43d85422e9c43bf9488c88

SHA1: 7387f5bf1a3382308d646560039243629968f137

SHA256: 4dfa2ef41a41c02b0cd0cb18b5c3ee71dd40cdc060271f0d832235e7a1c72c34

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|---------|--------|---------|-----------|------------|
| Vendor | file | name | bootstrap | High |
| Product | file | name | bootstrap | High |
| Version | file | version | 3.4.1 | High |

Related Dependencies

- docfx.vendor.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/nunit - API Doc/styles/docfx.vendor.js
 - MD5: e546d4a3ac43d85422e9c43bf9488c88
 - SHA1: 7387f5bf1a3382308d646560039243629968f137
 - SHA256: 4dfa2ef41a41c02b0cd0cb18b5c3ee71dd40cdc060271f0d832235e7a1c72c34
 - [pkg:javascript/bootstrap@3.4.1](#)

Identifiers

- [pkg:javascript/bootstrap@3.4.1](#) (*Confidence: Highest*)

drive.zip: commons-compress.jar

Description:

Apache Commons Compress defines an API for working with compression and archive formats. These include bzip2, gzip, pack200, LZMA, XZ, Snappy, traditional Unix Compress, DEFLATE, DEFLATE64, LZ4, Brotli, Zstandard and ar, cpio, jar, tar, zip, dump, 7z, arj.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/commons-compress.jar

MD5: 1db4bd87b0082044c6e7a6af0b977a3e

SHA1: a19151084758e2fbb6b41eddaa88e7b8ff4e6599

SHA256: 293d80f54b536b74095dcd7ea3cf0a29bbfc3402519281332495f4420d370d16

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|--------|----------|--------------------------|---|------------|
| Vendor | file | name | commons-compress | High |
| Vendor | jar | package name | apache | Highest |
| Vendor | jar | package name | commons | Highest |
| Vendor | jar | package name | compress | Highest |
| Vendor | Manifest | automatic-module-name | org.apache.commons.compress | Medium |
| Vendor | Manifest | build-jdk-spec | 17 | Low |
| Vendor | Manifest | bundle-docurl | https://commons.apache.org/proper/commons-compress/ | Low |
| Vendor | Manifest | bundle-symbolicname | org.apache.commons.commons-compress | Medium |
| Vendor | Manifest | extension-name | org.apache.commons.compress | Medium |
| Vendor | Manifest | Implementation-Vendor | The Apache Software Foundation | High |
| Vendor | Manifest | Implementation-Vendor-Id | org.apache | Medium |
| Vendor | Manifest | multi-release | true | Low |
| Vendor | Manifest | originally-created-by | Apache Maven Bundle Plugin 5.1.9 | Low |
| Vendor | Manifest | specification-vendor | The Apache Software Foundation | Low |
| Vendor | pom | artifactid | commons-compress | Low |
| Vendor | pom | developer email | bodewig at apache.org | Low |
| Vendor | pom | developer email | chtompki at apache.org | Low |
| Vendor | pom | developer email | damjan at apache.org | Low |
| Vendor | pom | developer email | ebourg at apache.org | Low |

| | | | | |
|---------|------|-------------------|---|---------|
| Vendor | pom | developer email | ggregory at apache.org | Low |
| Vendor | pom | developer email | grobmeier at apache.org | Low |
| Vendor | pom | developer email | julius at apache.org | Low |
| Vendor | pom | developer email | peterlee at apache.org | Low |
| Vendor | pom | developer email | sebb at apache.org | Low |
| Vendor | pom | developer email | tcurdt at apache.org | Low |
| Vendor | pom | developer id | bodewig | Medium |
| Vendor | pom | developer id | chtompki | Medium |
| Vendor | pom | developer id | damjan | Medium |
| Vendor | pom | developer id | ebourg | Medium |
| Vendor | pom | developer id | ggregory | Medium |
| Vendor | pom | developer id | grobmeier | Medium |
| Vendor | pom | developer id | julius | Medium |
| Vendor | pom | developer id | peterlee | Medium |
| Vendor | pom | developer id | sebb | Medium |
| Vendor | pom | developer id | tcurdt | Medium |
| Vendor | pom | developer name | Christian Grobmeier | Medium |
| Vendor | pom | developer name | Damjan Jovanovic | Medium |
| Vendor | pom | developer name | Emmanuel Bourg | Medium |
| Vendor | pom | developer name | Gary Gregory | Medium |
| Vendor | pom | developer name | Julius Davies | Medium |
| Vendor | pom | developer name | Peter Alfred Lee | Medium |
| Vendor | pom | developer name | Rob Tompkins | Medium |
| Vendor | pom | developer name | Sebastian Bazley | Medium |
| Vendor | pom | developer name | Stefan Bodewig | Medium |
| Vendor | pom | developer name | Torsten Curdt | Medium |
| Vendor | pom | developer org | The Apache Software Foundation | Medium |
| Vendor | pom | developer org URL | https://www.apache.org/ | Medium |
| Vendor | pom | groupid | org.apache.commons | Highest |
| Vendor | pom | name | Apache Commons Compress | High |
| Vendor | pom | parent-artifactid | commons-parent | Low |
| Vendor | pom | url | https://commons.apache.org/proper/commons-compress/ | Highest |
| Product | file | name | commons-compress | High |
| Product | jar | package name | 9 | Highest |

| | | | | |
|---------|----------|-----------------------|---|---------|
| Product | jar | package name | apache | Highest |
| Product | jar | package name | commons | Highest |
| Product | jar | package name | compress | Highest |
| Product | Manifest | automatic-module-name | org.apache.commons.compress | Medium |
| Product | Manifest | build-jdk-spec | 17 | Low |
| Product | Manifest | bundle-docurl | https://commons.apache.org/proper/commons-compress/ | Low |
| Product | Manifest | Bundle-Name | Apache Commons Compress | Medium |
| Product | Manifest | bundle-symbolicname | org.apache.commons.commons-compress | Medium |
| Product | Manifest | extension-name | org.apache.commons.compress | Medium |
| Product | Manifest | Implementation-Title | Apache Commons Compress | High |
| Product | Manifest | multi-release | true | Low |
| Product | Manifest | originally-created-by | Apache Maven Bundle Plugin 5.1.9 | Low |
| Product | Manifest | specification-title | Apache Commons Compress | Medium |
| Product | pom | artifactid | commons-compress | Highest |
| Product | pom | developer email | bodewig at apache.org | Low |
| Product | pom | developer email | chtompki at apache.org | Low |
| Product | pom | developer email | damjan at apache.org | Low |
| Product | pom | developer email | ebourg at apache.org | Low |
| Product | pom | developer email | ggregory at apache.org | Low |
| Product | pom | developer email | grobmeier at apache.org | Low |
| Product | pom | developer email | julius at apache.org | Low |
| Product | pom | developer email | peterlee at apache.org | Low |
| Product | pom | developer email | sebb at apache.org | Low |
| Product | pom | developer email | tcurdt at apache.org | Low |
| Product | pom | developer id | bodewig | Low |
| Product | pom | developer id | chtompki | Low |
| Product | pom | developer id | damjan | Low |
| Product | pom | developer id | ebourg | Low |
| Product | pom | developer id | ggregory | Low |
| Product | pom | developer id | grobmeier | Low |
| Product | pom | developer id | julius | Low |
| Product | pom | developer id | peterlee | Low |
| Product | pom | developer id | sebb | Low |

| | | | | |
|---------|----------|------------------------|---|---------|
| Product | pom | developer id | tcurdt | Low |
| Product | pom | developer name | Christian Grobmeier | Low |
| Product | pom | developer name | Damjan Jovanovic | Low |
| Product | pom | developer name | Emmanuel Bourg | Low |
| Product | pom | developer name | Gary Gregory | Low |
| Product | pom | developer name | Julius Davies | Low |
| Product | pom | developer name | Peter Alfred Lee | Low |
| Product | pom | developer name | Rob Tompkins | Low |
| Product | pom | developer name | Sebastian Bazley | Low |
| Product | pom | developer name | Stefan Bodewig | Low |
| Product | pom | developer name | Torsten Curdt | Low |
| Product | pom | developer org | The Apache Software Foundation | Low |
| Product | pom | developer org URL | https://www.apache.org/ | Low |
| Product | pom | groupid | org.apache.commons | Highest |
| Product | pom | name | Apache Commons Compress | High |
| Product | pom | parent-artifactid | commons-parent | Medium |
| Product | pom | url | https://commons.apache.org/proper/commons-compress/ | Medium |
| Version | Manifest | Bundle-Version | 1.27.1 | High |
| Version | Manifest | Implementation-Version | 1.27.1 | High |
| Version | pom | parent-version | 1.27.1 | Low |
| Version | pom | version | 1.27.1 | Highest |

Identifiers

- [pkg:maven/org.apache.commons/commons-compress@1.27.1](#) (*Confidence:High*)
- [cpe:2.3:a:apache:commons_compress:1.27.1:****:*](#) (*Confidence:Highest*)

drive.zip: commons-io.jar

Description:

The Apache Commons IO library contains utility classes, stream implementations, file filters, file comparators, endian transformation classes, and much more.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/commons-io.jar

MD5: 8cce74ccf461cd6502ae04c908eca917

SHA1: 44084ef756763795b31c578403dd028ff4a22950

SHA256: f3ca0f8d63c40e23a56d54101c60d5edee136b42d84bfb85bc7963093109cf8b

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|--------|----------|-----------------------|---|------------|
| Vendor | file | name | commons-io | High |
| Vendor | jar | package name | apache | Highest |
| Vendor | jar | package name | commons | Highest |
| Vendor | jar | package name | file | Highest |
| Vendor | jar | package name | io | Highest |
| Vendor | Manifest | automatic-module-name | org.apache.commons.io | Medium |
| Vendor | Manifest | build-jdk-spec | 17 | Low |
| Vendor | Manifest | bundle-docurl | https://commons.apache.org/proper/commons-io/ | Low |
| Vendor | Manifest | bundle-symbolicname | org.apache.commons.commons-io | Medium |
| Vendor | Manifest | Implementation-Vendor | The Apache Software Foundation | High |
| Vendor | Manifest | multi-release | true | Low |
| Vendor | Manifest | specification-vendor | The Apache Software Foundation | Low |
| Vendor | pom | artifactid | commons-io | Low |
| Vendor | pom | developer email | bayard@apache.org | Low |
| Vendor | pom | developer email | dion@apache.org | Low |
| Vendor | pom | developer email | ggregory at apache.org | Low |
| Vendor | pom | developer email | jeremias@apache.org | Low |
| Vendor | pom | developer email | jochen.wiedmann@gmail.com | Low |
| Vendor | pom | developer email | krosenvold@apache.org | Low |
| Vendor | pom | developer email | martinc@apache.org | Low |
| Vendor | pom | developer email | matth@apache.org | Low |
| Vendor | pom | developer email | nicolaken@apache.org | Low |
| Vendor | pom | developer email | roxspring@apache.org | Low |
| Vendor | pom | developer email | sanders@apache.org | Low |

| | | | | |
|--------|-----|-------------------|---|---------|
| Vendor | pom | developer id | bayard | Medium |
| Vendor | pom | developer id | dion | Medium |
| Vendor | pom | developer id | ggregory | Medium |
| Vendor | pom | developer id | jeremias | Medium |
| Vendor | pom | developer id | jochen | Medium |
| Vendor | pom | developer id | jukka | Medium |
| Vendor | pom | developer id | krosenvold | Medium |
| Vendor | pom | developer id | martinc | Medium |
| Vendor | pom | developer id | matth | Medium |
| Vendor | pom | developer id | niallp | Medium |
| Vendor | pom | developer id | nicolaken | Medium |
| Vendor | pom | developer id | roxspring | Medium |
| Vendor | pom | developer id | sanders | Medium |
| Vendor | pom | developer id | scolebourne | Medium |
| Vendor | pom | developer name | dlon Gillard | Medium |
| Vendor | pom | developer name | Gary Gregory | Medium |
| Vendor | pom | developer name | Henri Yandell | Medium |
| Vendor | pom | developer name | Jeremias Maerki | Medium |
| Vendor | pom | developer name | Jochen Wiedmann | Medium |
| Vendor | pom | developer name | Jukka Zitting | Medium |
| Vendor | pom | developer name | Kristian Rosenvold | Medium |
| Vendor | pom | developer name | Martin Cooper | Medium |
| Vendor | pom | developer name | Matthew Hawthorne | Medium |
| Vendor | pom | developer name | Niall Pemberton | Medium |
| Vendor | pom | developer name | Nicola Ken Barozzi | Medium |
| Vendor | pom | developer name | Rob Oxspring | Medium |
| Vendor | pom | developer name | Scott Sanders | Medium |
| Vendor | pom | developer name | Stephen Colebourne | Medium |
| Vendor | pom | developer org | The Apache Software Foundation | Medium |
| Vendor | pom | developer org URL | https://www.apache.org/ | Medium |
| Vendor | pom | groupid | commons-io | Highest |
| Vendor | pom | name | Apache Commons IO | High |
| Vendor | pom | parent-artifactid | commons-parent | Low |
| Vendor | pom | parent-groupid | org.apache.commons | Medium |
| | | | | |

| | | | | |
|---------|----------|-----------------------|---|---------|
| Vendor | pom | url | https://commons.apache.org/proper/commons-io/ | Highest |
| Product | file | name | commons-io | High |
| Product | jar | package name | apache | Highest |
| Product | jar | package name | commons | Highest |
| Product | jar | package name | file | Highest |
| Product | jar | package name | io | Highest |
| Product | Manifest | automatic-module-name | org.apache.commons.io | Medium |
| Product | Manifest | build-jdk-spec | 17 | Low |
| Product | Manifest | bundle-docurl | https://commons.apache.org/proper/commons-io/ | Low |
| Product | Manifest | Bundle-Name | Apache Commons IO | Medium |
| Product | Manifest | bundle-symbolicname | org.apache.commons.commons-io | Medium |
| Product | Manifest | Implementation-Title | Apache Commons IO | High |
| Product | Manifest | multi-release | true | Low |
| Product | Manifest | specification-title | Apache Commons IO | Medium |
| Product | pom | artifactid | commons-io | Highest |
| Product | pom | developer email | bayard@apache.org | Low |
| Product | pom | developer email | dion@apache.org | Low |
| Product | pom | developer email | ggregory at apache.org | Low |
| Product | pom | developer email | jeremias@apache.org | Low |
| Product | pom | developer email | jochen.wiedmann@gmail.com | Low |
| Product | pom | developer email | krosenvold@apache.org | Low |
| Product | pom | developer email | martinc@apache.org | Low |
| Product | pom | developer email | matth@apache.org | Low |
| Product | pom | developer email | nicolaken@apache.org | Low |
| Product | pom | developer email | roxspring@apache.org | Low |
| Product | pom | developer email | sanders@apache.org | Low |
| Product | pom | developer id | bayard | Low |
| Product | pom | developer id | dion | Low |
| Product | pom | developer id | ggregory | Low |
| Product | pom | developer id | jeremias | Low |
| Product | pom | developer id | jochen | Low |
| Product | pom | developer id | jukka | Low |
| Product | pom | developer id | krosenvold | Low |

| | | | | |
|---------|----------|------------------------|---|---------|
| Product | pom | developer id | martinc | Low |
| Product | pom | developer id | matth | Low |
| Product | pom | developer id | niallp | Low |
| Product | pom | developer id | nicolaken | Low |
| Product | pom | developer id | roxspring | Low |
| Product | pom | developer id | sanders | Low |
| Product | pom | developer id | scolebourne | Low |
| Product | pom | developer name | dlon Gillard | Low |
| Product | pom | developer name | Gary Gregory | Low |
| Product | pom | developer name | Henri Yandell | Low |
| Product | pom | developer name | Jeremias Maerki | Low |
| Product | pom | developer name | Jochen Wiedmann | Low |
| Product | pom | developer name | Jukka Zitting | Low |
| Product | pom | developer name | Kristian Rosenvold | Low |
| Product | pom | developer name | Martin Cooper | Low |
| Product | pom | developer name | Matthew Hawthorne | Low |
| Product | pom | developer name | Niall Pemberton | Low |
| Product | pom | developer name | Nicola Ken Barozzi | Low |
| Product | pom | developer name | Rob Oxspring | Low |
| Product | pom | developer name | Scott Sanders | Low |
| Product | pom | developer name | Stephen Colebourne | Low |
| Product | pom | developer org | The Apache Software Foundation | Low |
| Product | pom | developer org URL | https://www.apache.org/ | Low |
| Product | pom | groupid | commons-io | Highest |
| Product | pom | name | Apache Commons IO | High |
| Product | pom | parent-artifactid | commons-parent | Medium |
| Product | pom | parent-groupid | org.apache.commons | Medium |
| Product | pom | url | https://commons.apache.org/proper/commons-io/ | Medium |
| Version | Manifest | Bundle-Version | 2.18.0 | High |
| Version | Manifest | Implementation-Version | 2.18.0 | High |
| Version | pom | parent-version | 2.18.0 | Low |
| Version | pom | version | 2.18.0 | Highest |

Identifiers

- [pkg:maven/commons-io/commons-io@2.18.0](#) (Confidence:High)
- [cpe:2.3:a:apache:commons_io:2.18.0:*.~*~*~*~*~*~*](#) (Confidence:Highest) suppress

drive.zip: drive.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar
MD5: f6028844ae124dce12f066cd90b99a5f
SHA1: 5d8960a9344c581653046626f34b0b7833fd5f4e
SHA256:b4d0b1a542724aa3e8c427479143c3ea4988fcb0e70988499ba550a119b30e3
Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor | file | name | drive | High |
| Vendor | jar | package name | drive | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | Manifest | built-date | 2025-05-01 11:49 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | drive | High |
| Product | jar | package name | drive | Highest |
| Product | jar | package name | drive | Low |
| Product | jar | package name | server | Low |
| Product | Manifest | built-date | 2025-05-01 11:49 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | drive | High |
| Product | Manifest | specification-title | drive | Medium |
| Version | Manifest | Implementation- | 25.4.227 | High |

Version

Identifiers

- None

drive.zip: drive.jar: actions.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/actions.js

MD5: 5a6ae0c7fc82c58bab37f4285e30512b

SHA1: f1eb0409af6e5773374b81f52f389bca0ce2b3f1

SHA256: 28381f95ccbb508ef57234b2bb33f0446e2d705a298d38be6dd5dbcdade45963c

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

drive.zip: drive.jar: actions.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/service/actions.service.js

MD5: 998a27160003a3469286feae6566087f

SHA1: c89f2b764a184edcb2ecea721a8de5505e120645

SHA256: b3974489f4a331f499333d670ff26406e81127f12e9f67922bbbe93fb8b7d1f9

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

drive.zip: drive.jar: contentextension.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/contentextension.js

MD5: e99878ac66d8fee42530ec9cbf14d75f

SHA1: bf4cac0f4d3f8e744876675ab122dc1ccc2cd7d1

SHA256: 0a3b2a0f884a52125aa6e456f74a8ab1b866787cccafa24cc38a174433b81e25

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

drive.zip: drive.jar: controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/setup/controller.js

MD5: 6a09c1de9657a2568448b248854ce706

SHA1: 9a21426a9902e57e5297092257ac4293c38d4e66

SHA256: 8b126647fca0365414ccc650e8abdb03e33a34c1017ad17ee81216c410ce4ab6

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

drive.zip: drive.jar: drivecleanup.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/server/maintenance/js/drivecleanup.js
MD5: b169a86e136d29c6086ce2d4ce844940
SHA1: f9e647250896fbe4c6447cf54b8388cce0536699
SHA256: 313ebf97b25e12025391ae0648df534c31991d488f9566cc1aa530aa79ce3178
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

drive.zip: drive.jar: drivecontroller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/drivecontroller.js
MD5: 79316912d24539555baa8dc8db6ad5cc
SHA1: 1eaadda2ee84d53e49e24fcb4ed7771295a80d1c
SHA256: b1e82a7ac200d82e2bab797e80f8262e5c3e3b90a9c1cda15319150caa540839
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

drive.zip: drive.jar: drivefactory.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/drivefactory.js
MD5: ec1a645849b15ac87257c67b72db01e5
SHA1: fd5919d6e363363288fa4f36598641d2e8d1037b
SHA256: 5408f66148315113346fe686fc546487de94f3492a3a8e44a38f54cdfc7969ae
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

drive.zip: drive.jar: drivemodel.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/drivemodel.js

MD5: 15baadf362e4a6bbe9a11156c356379c

SHA1: 05a6ac4aa85f9d1b98cac8d1c942db6e00b10395

SHA256: 533450f05968f0823eaa8fa4554a274f3495c13109443dde13ad2c4c7227783a

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

drive.zip: drive.jar: dropzone.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/dropzone.directive.js

MD5: 9333360f3ab2b58025292cfc300d2306

SHA1: feb2c2ae6a060ba3b1f51732fa15a8440054ca42

SHA256: 2efa8838dffff4758fb089069c6248dc2cde45767d752411bff610fb5ca61bfe

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

drive.zip: drive.jar: entryactions.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/entryactions.directive.js

MD5: 4e1af222fa8434c45c9967dae33e4ba9

SHA1: 067370c7d53fca7b04dc7ebc1bcde2b2a68ba7c3

SHA256:a716406bfdebc18c913061f0087bcdcf9c08d7c1379619071da2993ad8a853f

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

drive.zip: drive.jar: fileconfig.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/server/mount/file/webgui/fileconfig.directive.js

MD5: 50021227a8c1fde7c5e9021fb4c9662e

SHA1: 9e1c4f0d2797885ed42bd13c2d5f61c8503ea8a5

SHA256:c85bf99b97d5bb557902ed0f23d4a3f240b7a30d98a7d14b30770b463cd10535

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

drive.zip: drive.jar: folderlist.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/folderlist.directive.js

MD5: 4b24a6e7eed98f96a4aacd30236cf1ff

SHA1: 2fa7cc99c29eff9ed30d996376e090b14c7546dc

SHA256: e2afefbd377b98737e447807786aec7287ad53863379816259cc9e9d069218f9

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

drive.zip: drive.jar: linkdialog.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/linkdialog.js

MD5: f15f4145fae202d6226cd16552f4332e

SHA1: 55d3a3a74a0097f2140679fd038db9e117b91210

SHA256: 00e825cc4311746a4694f6534bb97e2baf9eb0fd8230e28d0a18ad504118b3d2

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

drive.zip: drive.jar: locationchooser.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/locationchooser.js
MD5: 63cc3a56e78e101f8772b6971837cabe
SHA1: 9607b46402152c52677255207bfb1d8a53ddc65d
SHA256: 8a0b7240d62d62efd231eff9b0eef7e552534e05f2e86e58d0898cdab40acbf0
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

drive.zip: drive.jar: mountdialog.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/mountdialog.js
MD5: bae8655b5724d052aa7a9711f4152936
SHA1: 56bf6845f5178a95afec6d2038d3f9ab6f73c0c3
SHA256: a3fa9b43fda1a23e4ba1bca6d626d4e4f75856ccb567e99c66f5c1bed6cbe54e
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

drive.zip: drive.jar: myshareextension.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/myshareextension.js
MD5: 3341e49fd8b74545b74fb5801eea08f7
SHA1: 495f3198d67735901fcee27163e685c11dcc548c
SHA256: c167e8ab447f2bbff5cd9ca084cfbf20a53ebf7dbafa0e715ca07abdbc75832e
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

drive.zip: drive.jar: permissionsextension.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/extensions/permissionsextension.js

MD5: 5d4347a1688c497e577b0f206f03f387

SHA1: e04d5fc64f5f793c15da17d5d17aec329d2a07e2

SHA256: a8cef4b2cab03b5feff517a8ae7945812af41773a05f64a7922e44a0271586a3

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

drive.zip: drive.jar: progress.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/service/progress.service.js

MD5: b004817959f313b9b60d12ef02c30ed9

SHA1: 67a59999e03435474845d8662a6e15158bc1a963

SHA256: e971b5c8d0b1dbb020ee0093bce0fd08bbad7b83a8f5f64365f39d96f5cec439

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

drive.zip: drive.jar: progresspanel.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/progresspanel.directive.js

MD5: bea9ad91c5e843050f2f26c1224edb8d

SHA1: 7b690153a846fd222ce973ce5f83f429d226e2ef

SHA256: c8f9e65c8e6e6438ecb4ee3062ec7c66b0145e32d68de0cd2f543bb6e4945b12

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

drive.zip: drive.jar: resolve.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/service/resolve.service.js

MD5: 95b31366585c193c85a04bef11668e8f

SHA1: 61138ba7e20763911657b0f426b3f1c2c56f1cb6

SHA256: de639385d47d388a361976f14e9672ee20b4864fa1c51f4157d8c2055c4d0f6e

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

drive.zip: drive.jar: responsivetoolbar.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/responsivetoolbar.directive.js

MD5: 27e0c257622ce7abaa3d79b16f4ca956

SHA1: fdc8792d25cc1f9c717829edcb42bccb96ba815c

SHA256: 678811dd758af1a5a9e1cc6245c15c92dc6cf3ab19048a02e4974ab57851d175

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

drive.zip: drive.jar: selectedextension.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/selectedextension.js

MD5: bc1586beb3196d958558dec1e3aad8cc

SHA1: 6692fb56799c97f45146219295a634e5b3f8bd3c

SHA256: eb9e87833bf57bc8c808231f58e7fb4efc25bea6865755e41f9c9f21e3045630

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

drive.zip: drive.jar: shareextension.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/shareextension.js

MD5: b709a1856dfd4688f3d642ba8512838d

SHA1: f119d948dc1479b33bd304aebd0650c239c8a903

SHA256: 8667bdb30f708796b86f3992836b5d25e63ba5c73c7932014d4d7e8b00df628a

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

drive.zip: drive.jar: shareextension.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/extensions/shareextension.js

MD5: b07b04985445ebdbba87887d414abea0

SHA1: 3744199533dc4ec6e6518de0e4ca457488bcfac4

SHA256: fa52946d9bcdb4e2a16aa25d3affc4ee3928e701b2869b6603efbe26776e0602

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

drive.zip: drive.jar: thumbnailextension.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/thumbnailextension.js

MD5: 16297c9704c91eea2ca65ad4ccef42ab

SHA1: d21cb0b96916a7659a493e0f7d2e62c61df3633d

SHA256: 34505c2844ba933bdf08fac79eb6a642e7581e6630fd14fc7313fcab99bda312

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

drive.zip: drive.jar: toolbaraction.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/toolbaraction.directive.js

MD5: 6f4fabe4efc8a816d22cdc075c83e252

SHA1: 2499850520381d89890f6b1188c0d78785e8c4b0

SHA256: 67ecf4f475e00aa01cbfd00b745b4b7fd982f7355d720238534dcbfc39e94874

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

drive.zip: drive.jar: unzipextension.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/extensions/unzipextension.js

MD5: eb1cc3ddc27ca5cebcc29928a73b284b

SHA1: d88389fb2ca0c9f222856c4448dffedf192893d0

SHA256: 16131306dd92c55b463f0ef4c3c4316c2a3d16d4d43c6e26ca17ec547f9f7f

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

drive.zip: drive.jar: zipextension.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/extensions/zipextension.js

MD5: 0a73ec5359838800bd35ba9a1f9e5559

SHA1: 207e48452de653ffa8c64e97d421c4424f38e84c

SHA256: 761ecdcbba3f0826296e17c414d975e421c5b571cb4613982020e3f7c17822

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

embeddedMode.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/Embedded/src/com/inet/application/embedded/webgui/embeddedMode.js

MD5: 92314f8cc3acd209a1f91a13fc50a2fb

SHA1: dadaca7712877d347c6052a89d3ac5bcc796ebab

SHA256: 4ed3dd2cdd5ef6552ed5af7ccc9dc6bd3622dd717d63b4a75631234ecf3186ae

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Related Dependencies



- application.embedded.zip: embeddedMode.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and

Samples/Plugin - Samples/Application/Embedded/application.embedded.zip/src
/com/inet/application/embedded/webgui/embeddedMode.js

- MD5: 92314f8cc3acd209a1f91a13fc50a2fb
- SHA1: dadaca7712877d347c6052a89d3ac5bcc796ebab
- SHA256: 4ed3dd2cdd5ef6552ed5af7ccc9dc6bd3622dd717d63b4a75631234ecf3186ae

Identifiers

- None

filter.area.zip: filter.area.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller
/server/build/tmp/dependencies/i-net PDFC/plugins/filter.area.zip/filter.area.jar

MD5: 1422cb4ab56fcc5675833b0e1d543913

SHA1: 340bd3e411397347fab1b7f480adc853bb106755

SHA256: 1b2e11b49b05859497ebc36b4643fd1a5c867c5f2a8a1528b8b504bc54299054

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|--------|----------|--|------------------|------------|
| Vendor | file | name | filter.area | High |
| Vendor | jar | package name | filter | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2025-05-06 07:20 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |

| | | | | |
|---------|----------|--|--------------------------------------|---------|
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | filter.area | High |
| Product | jar | package name | area | Highest |
| Product | jar | package name | area | Low |
| Product | jar | package name | filter | Highest |
| Product | jar | package name | filter | Low |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2025-05-06 07:20 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | filter.area | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | filter.area | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 25.4.232 | High |

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.232:*:*:*:*:* (*Confidence:Low*) suppress

filter.baselinetable.zip: filter.baselinetable.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.baselinetable.zip/filter.baselinetable.jar

MD5: f059f2598fceeabd50ad539bae85e1a9

SHA1: 25be5107a99a9a4d31deb42b3447962a2acab81b

SHA256: 73730f92c4d2431376838fb4c47e5bcf2cd415bee3815ff0bdf8722159277bd

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|--|--------------------------------------|------------|
| Vendor | file | name | filter.baselinetable | High |
| Vendor | jar | package name | filter | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2025-05-06 07:19 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | filter.baselinetable | High |
| Product | jar | package name | baselinetable | Highest |
| Product | jar | package name | baselinetable | Low |
| Product | jar | package name | filter | Highest |
| Product | jar | package name | filter | Low |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2025-05-06 07:19 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | filter.baselinetable | High |

| | | | | |
|---------|----------|------------------------|----------------------|---------|
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | filter.baselinetable | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 25.4.232 | High |

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.232:*:*:*:*:* (Confidence:Low) suppress

filter.cmappatch.zip: filter.cmappatch.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.cmappatch.zip/filter.cmappatch.jar

MD5: 02223ec8abe31d6552de0abbb5cb3541

SHA1: c9e3b43870944acc89ac6c4158823aff293be7ff

SHA256: 6c942a40824ae43acf3d1d25ee72a385c78f6f1b2073b6d246f94b8903f82

Referenced In Project/Scope: server

Evidence +

| Type | Source | Name | Value | Confidence |
|--------|----------|--|------------------|------------|
| Vendor | file | name | filter.cmappatch | High |
| Vendor | jar | package name | filter | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2025-05-06 07:15 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |

| | | | | |
|---------|----------|--|--------------------------------------|---------|
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | filter.cmappatch | High |
| Product | jar | package name | cmappatch | Highest |
| Product | jar | package name | cmappatch | Low |
| Product | jar | package name | filter | Highest |
| Product | jar | package name | filter | Low |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2025-05-06 07:15 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | filter.cmappatch | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | filter.cmappatch | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 25.4.232 | High |

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.232:*:*:*:*:* (Confidence:Low) suppress

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.headerfooter.zip/filter.headerfooter.jar
MD5: 9e8060a3cdfaf074d1b0c06a0c683d26
SHA1: 47c29e59de1fa7b8deb94ca7e3556578540bdd2d
SHA256:a4cc831200708d3bd1fd1d75c017ce83d19347713944572eb1c3f0eebe38b0b7
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|--|--------------------------------------|------------|
| Vendor | file | name | filter.headerfooter | High |
| Vendor | jar | package name | filter | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2025-05-06 07:17 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | filter.headerfooter | High |
| Product | jar | package name | filter | Highest |
| Product | jar | package name | filter | Low |
| Product | jar | package name | headerfooter | Highest |
| Product | jar | package name | headerfooter | Low |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |

| | | | | |
|---------|----------|------------------------|---------------------|---------|
| Product | Manifest | built-date | 2025-05-06 07:17 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | filter.headerfooter | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | filter.headerfooter | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 25.4.232 | High |

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.232:*:*:*:*:* (*Confidence:Low*)

suppress

filter.hiderotation.zip: filter.hiderotation.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.hiderotation.zip/filter.hiderotation.jar

MD5: 7ab48d58d7364ea28368991cb8cf940a

SHA1: c573c7baab1722deb911518cc7da8fc6b9f788cf

SHA256:46221bfe0f8d05f76c70da13d93686a3a85a87b1c467b00f8eec887ba79a3dfa

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|--------|----------|--|---------------------|------------|
| Vendor | file | name | filter.hiderotation | High |
| Vendor | jar | package name | filter | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2025-05-06 07:14 | Low |
| Vendor | Manifest | codebase | * | Low |

| | | | | |
|---------|----------|--|--------------------------------------|---------|
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | filter.hiderotation | High |
| Product | jar | package name | filter | Highest |
| Product | jar | package name | filter | Low |
| Product | jar | package name | hiderotation | Highest |
| Product | jar | package name | hiderotation | Low |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2025-05-06 07:14 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | filter.hiderotation | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | filter.hiderotation | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 25.4.232 | High |

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.232:*:*:*:*:* (Confidence:Low)

suppress

filter.invisibleelements.zip: filter.invisibleelements.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.invisibleelements.zip/filter.invisibleelements.jar
MD5: 6102a14cdf3b9015449defe83889a49f
SHA1: c2e07244f14a7faf1f278500554359277dcdf0cc
SHA256:fd52d58b8a0a23460945a3216fc22fb58f998880d8e0e0031a17857296c50ff0
Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|---------|----------|--|--------------------------------------|------------|
| Vendor | file | name | filter.invisibleelements | High |
| Vendor | jar | package name | filter | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2025-05-06 07:14 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | filter.invisibleelements | High |
| Product | jar | package name | filter | Highest |
| Product | jar | package name | filter | Low |
| Product | jar | package name | invisibleelements | Highest |
| Product | jar | package name | invisibleelements | Low |
| | | | | |

| | | | | |
|---------|----------|--|--------------------------|---------|
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2025-05-06 07:14 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | filter.invisibleelements | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | filter.invisibleelements | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 25.4.232 | High |

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.232:*:*:*:*:* (Confidence:Low) suppress

filter.multicolumn.zip: filter.multicolumn.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.multicolumn.zip/filter.multicolumn.jar
MD5: dc4dc7e62309c9fecb8e6a1c9ed92da4
SHA1: 8f34373911912f5c9af37241f7a2767b1eface99
SHA256: 92abfe7b9131c225579beea304147cec49f9e2aba9f5c5eacec5cf315196bd6f
Referenced In Project/Scope: server

Evidence +

| Type | Source | Name | Value | Confidence |
|--------|--------|--------------|--------------------|------------|
| Vendor | file | name | filter.multicolumn | High |
| Vendor | jar | package name | filter | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |

| | | | | |
|---------|----------|--|--------------------------------------|---------|
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2025-05-06 07:14 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | filter.multicolumn | High |
| Product | jar | package name | filter | Highest |
| Product | jar | package name | filter | Low |
| Product | jar | package name | multicolumn | Highest |
| Product | jar | package name | multicolumn | Low |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2025-05-06 07:14 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | filter.multicolumn | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | filter.multicolumn | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation- | 25.4.232 | High |

Version

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.232:****:*:* (*Confidence:Low*)

suppress

filter.ocr.zip: filter.ocr.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.ocr.zip/filter.ocr.jar

MD5: dcdb09c730b3d8f09ae4fbd07b35e32d

SHA1: 6072de8c6ccbef1901a9a865c0a5378bcb906885

SHA256: cbf422f9be0fe6c03eaf075c5be03804a93144128b22ada13022361e23c6993

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|--------|----------|--|--------------------------------------|------------|
| Vendor | file | name | filter.ocr | High |
| Vendor | jar | package name | filter | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2025-05-06 07:14 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |

| | | | | |
|---------|----------|--|------------------|---------|
| Product | file | name | filter.ocr | High |
| Product | jar | package name | filter | Highest |
| Product | jar | package name | filter | Low |
| Product | jar | package name | ocr | Highest |
| Product | jar | package name | ocr | Low |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2025-05-06 07:14 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | filter.ocr | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | filter.ocr | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 25.4.232 | High |

Identifiers

• cpe:2.3:a:inetsoftware:pdfc:25.4.232:***** (Confidence:Low) suppress

filter.pagerange.zip: filter.pagerange.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.pagerange.zip/filter.pagerange.jar

MD5: 30272ac9b700f77045aecb457b1eff5

SHA1: b55145fb2228c37de73560f648d34e54672a295f

SHA256: e479db0b793586a52e1d0b51a0c3be362fcd9e5c30d0ceec7b18f6e915ac6010

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|--|--------------------------------------|------------|
| Vendor | file | name | filter.pagerange | High |
| Vendor | jar | package name | filter | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2025-05-06 07:19 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | filter.pagerange | High |
| Product | jar | package name | filter | Highest |
| Product | jar | package name | filter | Low |
| Product | jar | package name | page | Low |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2025-05-06 07:19 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | filter.pagerange | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | filter.pagerange | Medium |

| | | | | |
|---------|----------|------------------------|----------|---------|
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 25.4.232 | High |

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.232:*:*:*:*:* (*Confidence:Low*) suppress

filter.regex.zip: filter.regex.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.regex.zip/filter.regex.jar

MD5: 8f4fd03a842a0e6d2799f53957988c9d

SHA1: a0060baa5987985ea4a5d950fa34bb80a73b932e

SHA256:f478ead6cf878a0be70be021bfc7b90400658f6674940a272d8bd70bff0fd9b7

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|--------|----------|--|------------------|------------|
| Vendor | file | name | filter.regex | High |
| Vendor | jar | package name | filter | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2025-05-06 07:17 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |

| | | | | |
|---------|----------|--|--------------------------------------|---------|
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | filter.regex | High |
| Product | jar | package name | filter | Highest |
| Product | jar | package name | filter | Low |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | jar | package name | regex | Highest |
| Product | jar | package name | regex | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2025-05-06 07:17 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | filter.regex | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | filter.regex | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 25.4.232 | High |

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.232:*:*:*:*:* (*Confidence:Low*) suppress

filter.regex.zip: filter.regex.jar: filterrenderer.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.regex.zip/filter.regex.jar/com/inet/pdfc/filter/regex/structure/filterrenderer.js

MD5: fed6198a818efccd3e71fac743e61c3f

SHA1: dc6d579196c5b147daac7e14e034e2b004ca36f2
SHA256:87b3e46faf43504c51e1ad9407e3d6c17a3bcd8170c14ea7df3b1f4282275442
Referenced In Project/Scope: server

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

filter.texttransform.zip: filter.texttransform.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.texttransform.zip/filter.texttransform.jar
MD5: 53257186c016a1bacb3b17c5c96060b3
SHA1: daa5225576ecf27044ecf58c69adaa3fac6b976e
SHA256:e95a9200b57ca4d0d975074d0a3b244793aa7b57c7a26867c7907f5832110c4e
Referenced In Project/Scope: server

Evidence +

| Type | Source | Name | Value | Confidence |
|--------|----------|--|----------------------|------------|
| Vendor | file | name | filter.texttransform | High |
| Vendor | jar | package name | filter | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2025-05-06 07:17 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification- | i-net software | Low |

vendor

| | | | | |
|---------|----------|--|--------------------------------------|---------|
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | filter.texttransform | High |
| Product | jar | package name | filter | Highest |
| Product | jar | package name | filter | Low |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | jar | package name | texttransform | Highest |
| Product | jar | package name | texttransform | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2025-05-06 07:17 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | filter.texttransform | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | filter.texttransform | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 25.4.232 | High |

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.232:*:*:*:*:* (Confidence:Low) suppress

filter.urllookup.zip: filter.urllookup.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.urllookup.zip/filter.urllookup.jar

MD5: 1dbb669f6a2488b2fb3f66b902cf5bf2

SHA1: c68cf2227575eee91da786efa1eaa7565528fec7

SHA256: ae84fa81b391cfed5c92fa9e1a2a9bec41c1b6fc011a52b07002327482ab2b5f

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|--|--------------------------------------|------------|
| Vendor | file | name | filter.urllookup | High |
| Vendor | jar | package name | filter | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2025-05-06 07:20 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | filter.urllookup | High |
| Product | jar | package name | filter | Highest |
| Product | jar | package name | filter | Low |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | jar | package name | urllookup | Highest |
| Product | jar | package name | urllookup | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2025-05-06 07:20 | Low |
| | | | | |

| | | | | |
|---------|----------|------------------------|------------------|---------|
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | filter.urllookup | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | filter.urllookup | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 25.4.232 | High |

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.232:*:*:*:*:* (Confidence:Low) suppress

googleanalytics.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/src/com/inet/application/googleanalytics/client/js/googleanalytics.js

MD5: 2d80a02a8a912b832b3fd044f985011b

SHA1: a1fdc1c0ff040b9b2cce863058e8ef63b94a160f

SHA256: 99ec57bd66db3cfd2f65e9b2bc0ccd0c01a659945f206d8f3240294c6fac281a

Referenced In Project/Scope: server

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Related Dependencies +

- application.googleanalytics.zip: googleanalytics.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/application.googleanalytics.zip/src/com/inet/application/googleanalytics/client/js/googleanalytics.js
 - MD5: 2d80a02a8a912b832b3fd044f985011b
 - SHA1: a1fdc1c0ff040b9b2cce863058e8ef63b94a160f
 - SHA256: 99ec57bd66db3cfd2f65e9b2bc0ccd0c01a659945f206d8f3240294c6fac281a

Identifiers

- None

hamcrest-3.0.jar

License:

BSD-3-Clause

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.hamcrest/hamcrest/3.0/8fd9b78a8e6a6510a078a9e30e9e86a6035cfaf7/hamcrest-3.0.jar

MD5: 781023c38b054e9cf1c818c77895e1eb

SHA1: 8fd9b78a8e6a6510a078a9e30e9e86a6035cfaf7

SHA256: 5d66b6a4a680755cb6ed7cb104fa7835ef644667586ff0737adeb977c39ecdbc

Referenced In Project/Scope: server:inetPlugin

Included by: pkg:maven/pdfc/server@25.4

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|-----------------------|--------------|------------|
| Vendor | file | name | hamcrest | High |
| Vendor | gradle | artifactid | hamcrest | Highest |
| Vendor | gradle | groupid | org.hamcrest | Highest |
| Vendor | jar | package name | hamcrest | Highest |
| Vendor | jar | package name | hamcrest | Low |
| Vendor | Manifest | automatic-module-name | org.hamcrest | Medium |
| Vendor | Manifest | bundle-symbolicname | org.hamcrest | Medium |
| Vendor | Manifest | Implementation-Vendor | hamcrest.org | High |
| Product | file | name | hamcrest | High |
| Product | gradle | artifactid | hamcrest | Highest |
| Product | jar | package name | hamcrest | Highest |
| Product | Manifest | automatic-module-name | org.hamcrest | Medium |
| Product | Manifest | Bundle-Name | org.hamcrest | Medium |
| Product | Manifest | bundle-symbolicname | org.hamcrest | Medium |
| Product | Manifest | Implementation-Title | hamcrest | High |

| | | | | |
|---------|----------|------------------------|-----|------|
| Version | file | version | 3.0 | High |
| Version | Manifest | Implementation-Version | 3.0 | High |

Identifiers

- pkg:maven/org.hamcrest/hamcrest@3.0 (*Confidence*:Highest)

help.zip: commons-beanutils.jar

Description:

Apache Commons BeanUtils provides an easy-to-use but flexible wrapper around reflection and introspection.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/help.zip/commons-beanutils.jar

MD5: 07dc532ee316fe1f2f0323e9bd2f8df4

SHA1: d52b9abcd97f38c81342bb7e7ae1eee9b73cba51

SHA256: 7d938c81789028045c08c065e94be75fc280527620d5bd62b519d5838532368a

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|--------|----------|--------------------------|---|------------|
| Vendor | file | name | commons-beanutils | High |
| Vendor | jar | package name | apache | Highest |
| Vendor | jar | package name | beanutils | Highest |
| Vendor | jar | package name | commons | Highest |
| Vendor | Manifest | bundle-docurl | https://commons.apache.org/proper/commons-beanutils/ | Low |
| Vendor | Manifest | bundle-symbolicname | org.apache.commons.commons-beanutils | Medium |
| Vendor | Manifest | implementation-build | UNKNOWN_BRANCH@r??????; 2019-07-28 22:14:44+0000 | Low |
| Vendor | Manifest | implementation-url | https://commons.apache.org/proper/commons-beanutils/ | Low |
| Vendor | Manifest | Implementation-Vendor | The Apache Software Foundation | High |
| Vendor | Manifest | Implementation-Vendor-Id | org.apache | Medium |

| | | | | |
|--------|----------|----------------------|--------------------------------|--------|
| Vendor | Manifest | specification-vendor | The Apache Software Foundation | Low |
| Vendor | pom | artifactid | commons-beanutils | Low |
| Vendor | pom | developer email | britter@apache.org | Low |
| Vendor | pom | developer email | chtompki@apache.org | Low |
| Vendor | pom | developer email | craigmcc@apache.org | Low |
| Vendor | pom | developer email | dion@apache.org | Low |
| Vendor | pom | developer email | epugh@apache.org | Low |
| Vendor | pom | developer email | geirm@apache.org | Low |
| Vendor | pom | developer email | ggregory@apache.org | Low |
| Vendor | pom | developer email | jcarman@apache.org | Low |
| Vendor | pom | developer email | jconlon@apache.org | Low |
| Vendor | pom | developer email | jstrachan@apache.org | Low |
| Vendor | pom | developer email | morgand@apache.org | Low |
| Vendor | pom | developer email | mvdb@apache.org | Low |
| Vendor | pom | developer email | niallp@apache.org | Low |
| Vendor | pom | developer email | rdonkin@apache.org | Low |
| Vendor | pom | developer email | rwaldhoff@apache.org | Low |
| Vendor | pom | developer email | sanders@apache.org | Low |
| Vendor | pom | developer email | scolebourne@apache.org | Low |
| Vendor | pom | developer email | skitching@apache.org | Low |
| Vendor | pom | developer email | stain@apache.org | Low |
| Vendor | pom | developer email | tobrien@apache.org | Low |
| Vendor | pom | developer email | yoavs@apache.org | Low |
| Vendor | pom | developer id | britter | Medium |
| Vendor | pom | developer id | chtompki | Medium |
| Vendor | pom | developer id | craigmcc | Medium |
| Vendor | pom | developer id | dion | Medium |
| Vendor | pom | developer id | epugh | Medium |
| Vendor | pom | developer id | geirm | Medium |
| Vendor | pom | developer id | ggregory | Medium |
| Vendor | pom | developer id | jcarman | Medium |
| Vendor | pom | developer id | jconlon | Medium |
| Vendor | pom | developer id | jstrachan | Medium |
| Vendor | pom | developer id | morgand | Medium |
| Vendor | pom | developer id | mvdb | Medium |

| | | | | |
|--------|-----|-------------------|--------------------------------|---------|
| Vendor | pom | developer id | niallp | Medium |
| Vendor | pom | developer id | rdonkin | Medium |
| Vendor | pom | developer id | rwaldhoff | Medium |
| Vendor | pom | developer id | sanders | Medium |
| Vendor | pom | developer id | scolebourne | Medium |
| Vendor | pom | developer id | skitching | Medium |
| Vendor | pom | developer id | stain | Medium |
| Vendor | pom | developer id | tobrien | Medium |
| Vendor | pom | developer id | yoavs | Medium |
| Vendor | pom | developer name | Benedikt Ritter | Medium |
| Vendor | pom | developer name | Craig McClanahan | Medium |
| Vendor | pom | developer name | David Eric Pugh | Medium |
| Vendor | pom | developer name | Dion Gillard | Medium |
| Vendor | pom | developer name | Gary Gregory | Medium |
| Vendor | pom | developer name | Geir Magnusson Jr. | Medium |
| Vendor | pom | developer name | James Carman | Medium |
| Vendor | pom | developer name | James Strachan | Medium |
| Vendor | pom | developer name | John E. Conlon | Medium |
| Vendor | pom | developer name | Martin van den Bemt | Medium |
| Vendor | pom | developer name | Morgan James Delagrang | Medium |
| Vendor | pom | developer name | Niall Pemberton | Medium |
| Vendor | pom | developer name | Rob Tompkins | Medium |
| Vendor | pom | developer name | Robert Burrell Donkin | Medium |
| Vendor | pom | developer name | Rodney Waldhoff | Medium |
| Vendor | pom | developer name | Scott Sanders | Medium |
| Vendor | pom | developer name | Simon Kitching | Medium |
| Vendor | pom | developer name | Stephen Colebourne | Medium |
| Vendor | pom | developer name | Stian Soiland-Reyes | Medium |
| Vendor | pom | developer name | Tim O'Brien | Medium |
| Vendor | pom | developer name | Yoav Shapira | Medium |
| Vendor | pom | developer org | The Apache Software Foundation | Medium |
| Vendor | pom | groupid | commons-beanutils | Highest |
| Vendor | pom | name | Apache Commons BeanUtils | High |
| Vendor | pom | parent-artifactid | commons-parent | Low |
| Vendor | pom | parent-groupid | org.apache.commons | Medium |
| | | | | |

| | | | | |
|---------|----------|----------------------|---|---------|
| Vendor | pom | url | https://commons.apache.org/proper/commons-beanutils/ | Highest |
| Product | file | name | commons-beanutils | High |
| Product | jar | package name | apache | Highest |
| Product | jar | package name | beanutils | Highest |
| Product | jar | package name | commons | Highest |
| Product | Manifest | bundle-docurl | https://commons.apache.org/proper/commons-beanutils/ | Low |
| Product | Manifest | Bundle-Name | Apache Commons BeanUtils | Medium |
| Product | Manifest | bundle-symbolicname | org.apache.commons.commons-beanutils | Medium |
| Product | Manifest | implementation-build | UNKNOWN_BRANCH@r??????; 2019-07-28 22:14:44+0000 | Low |
| Product | Manifest | Implementation-Title | Apache Commons BeanUtils | High |
| Product | Manifest | implementation-url | https://commons.apache.org/proper/commons-beanutils/ | Low |
| Product | Manifest | specification-title | Apache Commons BeanUtils | Medium |
| Product | pom | artifactid | commons-beanutils | Highest |
| Product | pom | developer email | britter@apache.org | Low |
| Product | pom | developer email | chtompki@apache.org | Low |
| Product | pom | developer email | craigmcc@apache.org | Low |
| Product | pom | developer email | dion@apache.org | Low |
| Product | pom | developer email | epugh@apache.org | Low |
| Product | pom | developer email | geirm@apache.org | Low |
| Product | pom | developer email | ggregory@apache.org | Low |
| Product | pom | developer email | jcarman@apache.org | Low |
| Product | pom | developer email | jconlon@apache.org | Low |
| Product | pom | developer email | jstrachan@apache.org | Low |
| Product | pom | developer email | morgand@apache.org | Low |
| Product | pom | developer email | mvdb@apache.org | Low |
| Product | pom | developer email | niallp@apache.org | Low |
| Product | pom | developer email | rdonkin@apache.org | Low |
| Product | pom | developer email | rwaldhoff@apache.org | Low |
| Product | pom | developer email | sanders@apache.org | Low |
| Product | pom | developer email | scolebourne@apache.org | Low |
| Product | pom | developer email | skitching@apache.org | Low |
| Product | pom | developer email | stain@apache.org | Low |
| | | | | |

| | | | | |
|---------|-----|-----------------|------------------------|-----|
| Product | pom | developer email | tobrien@apache.org | Low |
| Product | pom | developer email | yoavs@apache.org | Low |
| Product | pom | developer id | britter | Low |
| Product | pom | developer id | chtompki | Low |
| Product | pom | developer id | craigmcc | Low |
| Product | pom | developer id | dion | Low |
| Product | pom | developer id | epugh | Low |
| Product | pom | developer id | geirm | Low |
| Product | pom | developer id | ggregory | Low |
| Product | pom | developer id | jcarman | Low |
| Product | pom | developer id | jconlon | Low |
| Product | pom | developer id | jstrachan | Low |
| Product | pom | developer id | morgand | Low |
| Product | pom | developer id | mvdb | Low |
| Product | pom | developer id | niallp | Low |
| Product | pom | developer id | rdonkin | Low |
| Product | pom | developer id | rwaldhoff | Low |
| Product | pom | developer id | sanders | Low |
| Product | pom | developer id | scolebourne | Low |
| Product | pom | developer id | skitching | Low |
| Product | pom | developer id | stain | Low |
| Product | pom | developer id | tobrien | Low |
| Product | pom | developer id | yoavs | Low |
| Product | pom | developer name | Benedikt Ritter | Low |
| Product | pom | developer name | Craig McClanahan | Low |
| Product | pom | developer name | David Eric Pugh | Low |
| Product | pom | developer name | Dion Gillard | Low |
| Product | pom | developer name | Gary Gregory | Low |
| Product | pom | developer name | Geir Magnusson Jr. | Low |
| Product | pom | developer name | James Carman | Low |
| Product | pom | developer name | James Strachan | Low |
| Product | pom | developer name | John E. Conlon | Low |
| Product | pom | developer name | Martin van den Bemt | Low |
| Product | pom | developer name | Morgan James Delagrang | Low |
| Product | pom | developer name | Niall Pemberton | Low |

| | | | | |
|---------|----------|------------------------|---|---------|
| Product | pom | developer name | Rob Tompkins | Low |
| Product | pom | developer name | Robert Burrell Donkin | Low |
| Product | pom | developer name | Rodney Waldhoff | Low |
| Product | pom | developer name | Scott Sanders | Low |
| Product | pom | developer name | Simon Kitching | Low |
| Product | pom | developer name | Stephen Colebourne | Low |
| Product | pom | developer name | Stian Soiland-Reyes | Low |
| Product | pom | developer name | Tim O'Brien | Low |
| Product | pom | developer name | Yoav Shapira | Low |
| Product | pom | developer org | The Apache Software Foundation | Low |
| Product | pom | groupid | commons-beanutils | Highest |
| Product | pom | name | Apache Commons BeanUtils | High |
| Product | pom | parent-artifactid | commons-parent | Medium |
| Product | pom | parent-groupid | org.apache.commons | Medium |
| Product | pom | url | https://commons.apache.org/proper/commons-beanutils/ | Medium |
| Version | Manifest | Bundle-Version | 1.9.4 | High |
| Version | Manifest | Implementation-Version | 1.9.4 | High |
| Version | pom | parent-version | 1.9.4 | Low |
| Version | pom | version | 1.9.4 | Highest |

Identifiers

- [pkg:maven/commons-beanutils/commons-beanutils@1.9.4](#) (*Confidence:High*)
- [cpe:2.3:a:apache:commons_beanutils:1.9.4:****:*](#) (*Confidence:Highest*)

suppress

help.zip: commons-digester3.jar

Description:

The Apache Commons Digester package lets you configure an XML to Java object mapping module which triggers certain actions called rules whenever a particular pattern of nested XML elements is recognized.

License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/help.zip/commons-digester3.jar
MD5: 41d2c62c7aedafa7a3627794abc83f71
SHA1: c3f68c5ff25ec5204470fd8fdf4cb8feff5e8a79
SHA256: 1c150e3d2df4b4237b47e28fea2079fb0da324578d5cca6a5fed2e37a62082ec
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|--------|----------|--------------------------|---|------------|
| Vendor | file | name | commons-digester3 | High |
| Vendor | jar | package name | apache | Highest |
| Vendor | jar | package name | commons | Highest |
| Vendor | jar | package name | digester | Highest |
| Vendor | jar | package name | digester3 | Highest |
| Vendor | jar | package name | rules | Highest |
| Vendor | Manifest | bundle-docurl | http://commons.apache.org/digester/ | Low |
| Vendor | Manifest | bundle-symbolicname | org.apache.commons.digester | Medium |
| Vendor | Manifest | implementation-build | tags/DIGESTER3_3_2_RC2@r1212807; 2011-12-10 15:57:06+0100 | Low |
| Vendor | Manifest | Implementation-Vendor | The Apache Software Foundation | High |
| Vendor | Manifest | Implementation-Vendor-Id | org.apache | Medium |
| Vendor | Manifest | specification-vendor | The Apache Software Foundation | Low |
| Vendor | pom | artifactid | commons-digester3 | Low |
| Vendor | pom | developer email | craigmcc@apache.org | Low |
| Vendor | pom | developer email | jfarcand@apache.org | Low |
| Vendor | pom | developer email | jstrachan@apache.org | Low |
| Vendor | pom | developer email | jvanzyl@apache.org | Low |
| Vendor | pom | developer email | mbenson AT apache DOT org | Low |
| Vendor | pom | developer email | rahul AT apache DOT org | Low |
| Vendor | pom | developer email | rdonkin@apache.org | Low |
| Vendor | pom | developer email | sanders@totalsync.com | Low |
| Vendor | pom | developer email | simonetripodi AT apache DOT org | Low |
| Vendor | pom | developer email | skitching@apache.org | Low |
| Vendor | pom | developer email | tobrien@apache.org | Low |
| Vendor | pom | developer id | craigmcc | Medium |
| Vendor | pom | developer id | jfarcand | Medium |

| | | | | |
|---------|----------|----------------------|--|---------|
| Vendor | pom | developer id | jstrachan | Medium |
| Vendor | pom | developer id | jvanzyl | Medium |
| Vendor | pom | developer id | mbenson | Medium |
| Vendor | pom | developer id | rahul | Medium |
| Vendor | pom | developer id | rdonkin | Medium |
| Vendor | pom | developer id | sanders | Medium |
| Vendor | pom | developer id | simonetripodi | Medium |
| Vendor | pom | developer id | skitching | Medium |
| Vendor | pom | developer id | tobrien | Medium |
| Vendor | pom | developer name | Craig McClanahan | Medium |
| Vendor | pom | developer name | James Strachan | Medium |
| Vendor | pom | developer name | Jason van Zyl | Medium |
| Vendor | pom | developer name | Jean-Francois Arcand | Medium |
| Vendor | pom | developer name | Matt Benson | Medium |
| Vendor | pom | developer name | Rahul Akolkar | Medium |
| Vendor | pom | developer name | Robert Burrell Donkin | Medium |
| Vendor | pom | developer name | Scott Sanders | Medium |
| Vendor | pom | developer name | Simon Kitching | Medium |
| Vendor | pom | developer name | Simone Tripodi | Medium |
| Vendor | pom | developer name | Tim OBrien | Medium |
| Vendor | pom | groupid | org.apache.commons | Highest |
| Vendor | pom | name | Apache Commons Digester | High |
| Vendor | pom | parent-artifactid | commons-parent | Low |
| Vendor | pom | url | http://commons.apache.org/digester/ | Highest |
| Product | file | name | commons-digester3 | High |
| Product | jar | package name | apache | Highest |
| Product | jar | package name | commons | Highest |
| Product | jar | package name | digester | Highest |
| Product | jar | package name | digester3 | Highest |
| Product | jar | package name | rules | Highest |
| Product | Manifest | bundle-docurl | http://commons.apache.org/digester/ | Low |
| Product | Manifest | Bundle-Name | Apache Commons Digester | Medium |
| Product | Manifest | bundle-symbolicname | org.apache.commons.digester | Medium |
| Product | Manifest | implementation-build | tags/DIGESTER3_3_2_RC2@r1212807; 2011-12-10 15:57:06+0100 | Low |
| | | | | |

| | | | | |
|---------|----------|----------------------|---------------------------------|---------|
| Product | Manifest | Implementation-Title | Apache Commons Digester | High |
| Product | Manifest | specification-title | Apache Commons Digester | Medium |
| Product | pom | artifactid | commons-digester3 | Highest |
| Product | pom | developer email | craigmcc@apache.org | Low |
| Product | pom | developer email | jfarcand@apache.org | Low |
| Product | pom | developer email | jstrachan@apache.org | Low |
| Product | pom | developer email | jvanzyl@apache.org | Low |
| Product | pom | developer email | mbenson AT apache DOT org | Low |
| Product | pom | developer email | rahul AT apache DOT org | Low |
| Product | pom | developer email | rdonkin@apache.org | Low |
| Product | pom | developer email | sanders@totalsync.com | Low |
| Product | pom | developer email | simonetripodi AT apache DOT org | Low |
| Product | pom | developer email | skitching@apache.org | Low |
| Product | pom | developer email | tobrien@apache.org | Low |
| Product | pom | developer id | craigmcc | Low |
| Product | pom | developer id | jfarcand | Low |
| Product | pom | developer id | jstrachan | Low |
| Product | pom | developer id | jvanzyl | Low |
| Product | pom | developer id | mbenson | Low |
| Product | pom | developer id | rahul | Low |
| Product | pom | developer id | rdonkin | Low |
| Product | pom | developer id | sanders | Low |
| Product | pom | developer id | simonetripodi | Low |
| Product | pom | developer id | skitching | Low |
| Product | pom | developer id | tobrien | Low |
| Product | pom | developer name | Craig McClanahan | Low |
| Product | pom | developer name | James Strachan | Low |
| Product | pom | developer name | Jason van Zyl | Low |
| Product | pom | developer name | Jean-Francois Arcand | Low |
| Product | pom | developer name | Matt Benson | Low |
| Product | pom | developer name | Rahul Akolkar | Low |
| Product | pom | developer name | Robert Burrell Donkin | Low |
| Product | pom | developer name | Scott Sanders | Low |
| Product | pom | developer name | Simon Kitching | Low |
| Product | pom | developer name | Simone Tripodi | Low |

| | | | | |
|---------|----------|------------------------|-------------------------------------|---------|
| Product | pom | developer name | Tim OBrien | Low |
| Product | pom | groupid | org.apache.commons | Highest |
| Product | pom | name | Apache Commons Digester | High |
| Product | pom | parent-artifactid | commons-parent | Medium |
| Product | pom | url | http://commons.apache.org/digester/ | Medium |
| Version | Manifest | Implementation-Version | 3.2 | High |
| Version | pom | parent-version | 3.2 | Low |
| Version | pom | version | 3.2 | Highest |

Identifiers

- <pkg:maven/org.apache.commons/commons-digester3@3.2> (*Confidence:High*)

help.zip: help.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/help.zip/help.jar

MD5: de0287cdc82522003c100ac44f4d9152

SHA1: f29ee6153487a0952ff44a97050049d5d187940e

SHA256: 0c2e4fbb3d3c13c51174d084b1b2c7a4715e362d6038dbb35f27cf3922a6f4c1

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor | file | name | help | High |
| Vendor | jar | package name | help | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | Manifest | built-date | 2025-05-01 11:38 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | help | High |

| | | | | |
|---------|----------|------------------------|------------------|---------|
| Product | jar | package name | help | Highest |
| Product | jar | package name | help | Low |
| Product | Manifest | built-date | 2025-05-01 11:38 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | help | High |
| Product | Manifest | specification-title | help | Medium |
| Version | Manifest | Implementation-Version | 25.4.227 | High |

Identifiers

- None

help.zip: help.jar: app.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/help.zip/help.jar/com/inet/help/resources/js/app.js
MD5: 3a626c6ba8ee31fb8ebf60eabda6f994
SHA1: c39bfbdd57aadcb966452b9fc2790e555fa12867
SHA256: 1a77be335c5f6949c202f5b8e959c01b7d20c29d70b1fa242805724dc08a5f71
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

help.zip: help.jar: controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/help.zip/help.jar/com/inet/help/resources/js/controller.js
MD5: 56aaa1c940ebe63e698f2c96d8d349b1

SHA1: ec2bffb788815074a91285778836919c4fe6245
SHA256:dcadc7df6c99e3ec93d8e539c3d7e5f3a1aac871e021c961ea6df16ade78162d
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

help.zip: help.jar: shared.factory.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/help.zip/help.jar/com/inet/help/resources/js/shared.factory.js

MD5: 0b9f1c69fe745940b59dfcc46b07c9e8

SHA1: d04efd9797d2fdca767d508cf120351bef141846

SHA256:1b2cc4f4fd954ea4954b04681293f059a417fe38c59c129f87bd22dbc9bdf0cc

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

help.zip: help.jar: shared.highlighter.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/help.zip/help.jar/com/inet/help/resources/js/shared.highlighter.js

MD5: af91e703b72f064acb7b0980a1981705

SHA1: 53a2a1c5190b1f3a3e3d4e68e645a152732c1893

SHA256:12e9a91bfad9c6958f82cc85b396c869363b181054843e472342bad54ebd4ad1

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

help.zip: jsoup.jar

Description:

jsoup is a Java library that simplifies working with real-world HTML and XML. It offers an easy-to-use API for URL fetching, data parsing, extraction, and manipulation using DOM API methods, CSS, and xpath selectors. jsoup implements the WHATWG HTML5 specification, and parses HTML to the same DOM as modern browsers.

License:

The MIT License: <https://jsoup.org/license>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/help.zip/jsoup.jar

MD5: d15bd94d71d99e967c893e64f6452b84

SHA1: 0fb42d6cc9898ced4b73175eac49c61a40f35325

SHA256: 5be1ccd3228ae5fd6eed1bd6d827bac2bc65b91c20e9957d16ea65f739f15302

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|--------|----------|-----------------------|--|------------|
| Vendor | file | name | jsoup | High |
| Vendor | jar | package name | jsoup | Highest |
| Vendor | jar | package name | org | Highest |
| Vendor | jar | package name | parser | Highest |
| Vendor | Manifest | build-jdk-spec | 17 | Low |
| Vendor | Manifest | bundle-docurl | https://jsoup.org/ | Low |
| Vendor | Manifest | bundle-symbolicname | org.jsoup | Medium |
| Vendor | Manifest | Implementation-Vendor | Jonathan Hedley | High |
| Vendor | Manifest | multi-release | true | Low |
| Vendor | Manifest | originally-created-by | Apache Maven Bundle Plugin 5.1.9 | Low |
| Vendor | pom | artifactid | jsoup | Low |
| Vendor | pom | developer email | jonathan@hedley.net | Low |

| | | | | |
|---------|----------|------------------------|----------------------------------|---------|
| Vendor | pom | developer id | jhy | Medium |
| Vendor | pom | developer name | Jonathan Hedley | Medium |
| Vendor | pom | groupid | org.jsoup | Highest |
| Vendor | pom | name | jsoup Java HTML Parser | High |
| Vendor | pom | organization name | Jonathan Hedley | High |
| Vendor | pom | organization url | https://jhy.io/ | Medium |
| Vendor | pom | url | https://jsoup.org/ | Highest |
| Product | file | name | jsoup | High |
| Product | jar | package name | 9 | Highest |
| Product | jar | package name | jsoup | Highest |
| Product | jar | package name | org | Highest |
| Product | jar | package name | parser | Highest |
| Product | Manifest | build-jdk-spec | 17 | Low |
| Product | Manifest | bundle-docurl | https://jsoup.org/ | Low |
| Product | Manifest | Bundle-Name | jsoup Java HTML Parser | Medium |
| Product | Manifest | bundle-symbolicname | org.jsoup | Medium |
| Product | Manifest | Implementation-Title | jsoup Java HTML Parser | High |
| Product | Manifest | multi-release | true | Low |
| Product | Manifest | originally-created-by | Apache Maven Bundle Plugin 5.1.9 | Low |
| Product | pom | artifactid | jsoup | Highest |
| Product | pom | developer email | jonathan@hedley.net | Low |
| Product | pom | developer id | jhy | Low |
| Product | pom | developer name | Jonathan Hedley | Low |
| Product | pom | groupid | org.jsoup | Highest |
| Product | pom | name | jsoup Java HTML Parser | High |
| Product | pom | organization name | Jonathan Hedley | Low |
| Product | pom | organization url | https://jhy.io/ | Low |
| Product | pom | url | https://jsoup.org/ | Medium |
| Version | Manifest | Bundle-Version | 1.18.3 | High |
| Version | Manifest | Implementation-Version | 1.18.3 | High |
| Version | pom | version | 1.18.3 | Highest |

Identifiers

- [pkg:maven/org.jsoup/jsoup@1.18.3](#) (Confidence:High)
- [cpe:2.3:a:jsoup:jsoup:1.18.3:*:*:*:*:*](#) (Confidence:Highest) suppress

htmlengine.zip: JWebEngine.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/htmlengine.zip/JWebEngine.jar
MD5: 178d5fe700ac300f684c9fd097cb2c8e
SHA1: c2a701af633d4356c28f51439a01fe2e538502c8
SHA256: c8ae2dfb5c94a418d4e474af4617c9dc060b9fc45dc09ae29fed28f275025efb
Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|---------|----------|--|--------------------------------------|------------|
| Vendor | file | name | JWebEngine | High |
| Vendor | jar | package name | html | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2025-05-01 01:23 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | lib | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | JWebEngine | High |
| Product | jar | package name | html | Low |
| Product | Manifest | application- | * | Low |

| | | | | |
|---------|----------|----------------------------|------------------|--------|
| | | library-allowable-codebase | | |
| Product | Manifest | built-date | 2025-05-01 01:23 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | lib | Low |
| Product | Manifest | Implementation-Title | JWebEngine | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | JWebEngine | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | Manifest | Implementation-Version | 1.13.1634 | High |

Identifiers

- None

htmlengine.zip: htmlengine.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/htmlengine.zip/htmlengine.jar
MD5: 271cf5f7da308d386089ebc07bdaeca0
SHA1: b258c237c2f923dbd32f281e98d35224ec937507
SHA256: 876ce89edc14752b56d67ed90b05069dae78d9386cd7317bf6288fa8aac8f7bc
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|--------|----------|-----------------------|------------------|------------|
| Vendor | file | name | htmlengine | High |
| Vendor | jar | package name | htmlengine | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | Manifest | built-date | 2025-05-01 11:50 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation- | de.inetsoftware | Medium |

| | | | | |
|---------|----------|------------------------|--------------------------------------|---------|
| | | Vendor-Id | | |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | htmlengine | High |
| Product | jar | package name | hmtlengineserverplugin | Low |
| Product | jar | package name | htmlengine | Highest |
| Product | jar | package name | htmlengine | Low |
| Product | Manifest | built-date | 2025-05-01 11:50 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | htmlengine | High |
| Product | Manifest | specification-title | htmlengine | Medium |
| Version | Manifest | Implementation-Version | 25.4.227 | High |

Identifiers

- None

inetcore-25.4-tools.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/25.4

/a1ec3b817c42109c9619d6141103d0a9cba7a9ac/inetcore-25.4-tools.jar

MD5: a481b71fe7c78c6577a524f5e97db847

SHA1: a1ec3b817c42109c9619d6141103d0a9cba7a9ac

SHA256: e7d2324ca4f390420d506d6e96f3c8ed48299424dc22f488693f12573e479e3c

Referenced In Project/Scope: server:inetPlugin

Included by: pkg:maven/pdfc/server@25.4

Evidence +

| Type | Source | Name | Value | Confidence |
|---------|--------|--------------|----------|------------|
| Vendor | file | name | inetcore | High |
| Vendor | gradle | artifactid | inetcore | Highest |
| Vendor | gradle | groupid | shared | Highest |
| Vendor | jar | package name | test | Low |
| Product | file | name | inetcore | High |
| Product | gradle | artifactid | inetcore | Highest |

| | | | | |
|---------|--------|---------|----------|---------|
| Version | file | name | inetcore | Medium |
| Version | file | version | 25.4 | High |
| Version | gradle | version | 25.4 | Highest |

Identifiers

- [pkg:maven/shared/inetcore@25.4](#) (*Confidence*:Highest)

inetcore-25.4.jar (shaded: com.inet.shared:inetcore:null)

Description:

A blend composite defines the rule according to which a drawing primitive (known as the source) is mixed with existing graphics (known as the destination.)

ColorUtilities contains a set of tools to perform common color operations easily.

License:

LGPL: <http://www.gnu.org/licenses/lgpl.txt>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/25.4/c2ea43c0b356c03b59ffcfceefa38106f4dee41a/inetcore-25.4.jar/META-INF/com/inet/shared/utills/BlendComposite/pom.xml

MD5: b7bc59004e73f85cce4369bc5e034e6b

SHA1: 9caff88589bdd8fdc3c3f320340b76830f3818de

SHA256: aab973b164e2d64808cd34c47b78399c4f016ec308900f5393733d3bc5c706bc

Referenced In Projects/Scopes:

- server
- server:inetPlugin

Evidence



| Type | Source | Name | Value | Confidence |
|--------|--------|-----------------|-------------------------|------------|
| Vendor | pom | artifactid | inetcore | Low |
| Vendor | pom | developer email | contact@inetsoftware.de | Low |
| Vendor | pom | developer email | morgand@apache.org | Low |
| Vendor | pom | developer id | inetsoftware | Medium |
| Vendor | pom | developer id | romainguy | Medium |
| Vendor | pom | developer id | sun | Medium |
| Vendor | pom | developer name | i-net /// software | Medium |
| Vendor | pom | developer name | Romain Guy | Medium |
| Vendor | pom | developer name | Sun | Medium |
| Vendor | pom | developer org | Sun | Medium |

| | | | | |
|---------|------------|-----------------|-------------------------------|---------|
| Vendor | pom | groupid | com.inet.shared | Highest |
| Vendor | pom | name | BlendComposite and ColorUtils | High |
| Vendor | pom (hint) | developer id | oracle | Medium |
| Vendor | pom (hint) | developer name | oracle | Medium |
| Vendor | pom (hint) | developer org | oracle | Medium |
| Product | pom | artifactid | inetcore | Highest |
| Product | pom | developer email | contact@inetsoftware.de | Low |
| Product | pom | developer email | morgand@apache.org | Low |
| Product | pom | developer id | inetsoftware | Low |
| Product | pom | developer id | romainguy | Low |
| Product | pom | developer id | sun | Low |
| Product | pom | developer name | i-net /// software | Low |
| Product | pom | developer name | Romain Guy | Low |
| Product | pom | developer name | Sun | Low |
| Product | pom | developer org | Sun | Low |
| Product | pom | groupid | com.inet.shared | Highest |
| Product | pom | name | BlendComposite and ColorUtils | High |

Identifiers

- None

inetcore-25.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/25.4/c2ea43c0b356c03b59ffcfceefa38106f4dee41a/inetcore-25.4.jar

MD5: 6170412be972950d50d373f817c58c3f

SHA1: c2ea43c0b356c03b59ffcfceefa38106f4dee41a

SHA256: 19c911bd5d950f8524de221c2229ad8bd642a0feb78b580b4f975a8a7507ccca

Referenced In Projects/Scopes:

- server
- server:inetPlugin

Included by: pkg:maven/pdfc/server@25.4

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|--|--------------------------------------|------------|
| Vendor | file | name | inetcore | High |
| Vendor | gradle | artifactid | inetcore | Highest |
| Vendor | gradle | groupid | shared | Highest |
| Vendor | jar | package name | i | Highest |
| Vendor | jar | package name | inet | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2025-05-01 10:59 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | inetcore | High |
| Product | gradle | artifactid | inetcore | Highest |
| Product | jar | package name | permissions | Highest |
| Product | jar | package name | shared | Highest |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2025-05-01 10:59 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | inetcore | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | inetcore | Medium |
| Product | Manifest | trusted-library | false | Low |

| | | | | |
|---------|----------|------------------------|-------------|---------|
| Product | Manifest | trusted-only | false | Low |
| Version | file | name | inetcore | Medium |
| Version | file | version | 25.4 | High |
| Version | gradle | version | 25.4 | Highest |
| Version | jar | package name | permissions | Highest |
| Version | jar | package name | shared | Highest |
| Version | Manifest | Implementation-Version | 25.4.227 | High |

Related Dependencies

- inetcore.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/java/inetcore.jar
 - MD5: 6170412be972950d50d373f817c58c3f
 - SHA1: c2ea43c0b356c03b59ffcfceefa38106f4dee41a
 - SHA256: 19c911bd5d950f8524de221c2229ad8bd642a0feb78b580b4f975a8a7507ccca

Identifiers

- [pkg:maven/shared/inetcore@25.4](#) (*Confidence*:Highest)

inetloggeradapter.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/java/inetloggeradapter.jar

MD5: c37e7cdb7274fd59b3a2340455671ec1

SHA1: 6b63be4d5e933ce5a9ccae507c12f19027cb807f

SHA256: b363bf5bc53cef1855a3cd938dbde1dd9d786921bc5f2d8c604c593c7170e0a2

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|--------|----------|--|-------------------|------------|
| Vendor | file | name | inetloggeradapter | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | slf4j | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| | | | | |

| | | | | |
|---------|----------|--|--------------------------------------|--------|
| Vendor | Manifest | built-date | 2025-05-01 11:30 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | inetloggeradapter | High |
| Product | jar | package name | slf4j | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2025-05-01 11:30 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | i-net Logger Adapter | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | inetloggeradapter | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | Manifest | Implementation-Version | 25.4.227 | High |

Identifiers

- None

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC .NET Bridge/inetsoftware.Pdfc.dll

MD5: 88698a7995cfc4932d6ee6aa1866f335

SHA1: 744c54ed8df512795907f27c692f9c33f2c9ed48

SHA256:cb34283669027bd79f1ee4739aaffa8a2d82b6afbd99163710f23718c1e6eff1

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|--------|------|-------------------|------------|
| Vendor | file | name | inetsoftware.Pdfc | High |
| Product | file | name | inetsoftware.Pdfc | High |

Identifiers

- None

inetsoftware.Pdfc.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC .NET Bridge/strongly named/inetsoftware.Pdfc.dll

MD5: dba4853ce6063fd2ac9f390f62158543

SHA1: 95446492c34e461f9ea55048d1cfddf6e621109f

SHA256:ed77cb726478d63ef2d0fd71edf94a2a360b6126326cd0c4c0d8c314334b4cff

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|--------|------|-------------------|------------|
| Vendor | file | name | inetsoftware.Pdfc | High |
| Product | file | name | inetsoftware.Pdfc | High |

Identifiers

- None

jakarta.servlet-api.jar

Description:

License:EPL 2.0: <http://www.eclipse.org/legal/epl-2.0>GPL2 w/ CPE: <https://www.gnu.org/software/classpath/license.html>**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/java/jakarta.servlet-api.jar**MD5:** 314c930b3e40ac1abc3529c7c9942f09**SHA1:** 1169a246913fe3823782af7943e7a103634867c5**SHA256:** 8a31f465f3593bf2351531a5c952014eb839da96a605b5825b93dd54714c48c4**Referenced In Project/Scope:** server**Evidence**

| Type | Source | Name | Value | Confidence |
|---------|----------|--------------------------|---|------------|
| Vendor | file | name | jakarta.servlet-api | High |
| Vendor | jar | package name | jakarta | Highest |
| Vendor | jar | package name | servlet | Highest |
| Vendor | Manifest | build-jdk-spec | 11 | Low |
| Vendor | Manifest | bundle-docurl | https://www.eclipse.org | Low |
| Vendor | Manifest | bundle-symbolicname | jakarta.servlet-api | Medium |
| Vendor | Manifest | extension-name | jakarta.servlet | Medium |
| Vendor | Manifest | Implementation-Vendor | Eclipse Foundation | High |
| Vendor | Manifest | Implementation-Vendor-Id | org.eclipse | Medium |
| Vendor | Manifest | specification-vendor | Eclipse Foundation | Low |
| Vendor | pom | artifactid | jakarta.servlet-api | Low |
| Vendor | pom | developer id | yaminikb | Medium |
| Vendor | pom | developer name | Yamini K B | Medium |
| Vendor | pom | developer org | Oracle Corporation | Medium |
| Vendor | pom | developer org URL | http://www.oracle.com/ | Medium |
| Vendor | pom | groupid | jakarta.servlet | Highest |
| Vendor | pom | name | Jakarta Servlet | High |
| Vendor | pom | parent-artifactid | project | Low |
| Vendor | pom | parent-groupid | org.eclipse.ee4j | Medium |
| Vendor | pom | url | https://projects.eclipse.org/projects/ee4j.servlet | Highest |
| Product | file | name | jakarta.servlet-api | High |
| Product | jar | package name | jakarta | Highest |

| | | | | |
|---------|----------|------------------------|--|---------|
| Product | jar | package name | servlet | Highest |
| Product | Manifest | build-jdk-spec | 11 | Low |
| Product | Manifest | bundle-docurl | https://www.eclipse.org | Low |
| Product | Manifest | Bundle-Name | Jakarta Servlet | Medium |
| Product | Manifest | bundle-symbolicname | jakarta.servlet-api | Medium |
| Product | Manifest | extension-name | jakarta.servlet | Medium |
| Product | pom | artifactid | jakarta.servlet-api | Highest |
| Product | pom | developer id | yaminikb | Low |
| Product | pom | developer name | Yamini K B | Low |
| Product | pom | developer org | Oracle Corporation | Low |
| Product | pom | developer org URL | http://www.oracle.com/ | Low |
| Product | pom | groupid | jakarta.servlet | Highest |
| Product | pom | name | Jakarta Servlet | High |
| Product | pom | parent-artifactid | project | Medium |
| Product | pom | parent-groupid | org.eclipse.ee4j | Medium |
| Product | pom | url | https://projects.eclipse.org/projects/ee4j.servlet | Medium |
| Version | Manifest | Bundle-Version | 6.1.0 | High |
| Version | Manifest | Implementation-Version | 6.1.0 | High |
| Version | pom | parent-version | 6.1.0 | Low |
| Version | pom | version | 6.1.0 | Highest |

Identifiers

- [pkg:maven/jakarta.servlet/jakarta.servlet-api@6.1.0](#) (*Confidence:High*)
- [cpe:2.3:a:oracle:projects:6.1.0:*:*:*:*:*](#) (*Confidence:Low*)

suppress

jakarta.websocket-api.jar

Description:

Jakarta WebSocket - Server API

License:

<https://www.eclipse.org/org/documents/epl-2.0/EPL-2.0.txt>, <https://www.gnu.org/software/classpath/license.html>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/java/jakarta.websocket-api.jar

MD5: b1098129a9c74ae03d618fb841990ab0

SHA1: 60e525188fdb42120506debd90ffd4e204fd6f24

SHA256:541d00436cbca0a5e1f6a457c9f70a64f00bd2f83e10ed89c2b372bc34843b7e

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|-----------------------|---|------------|
| Vendor | file | name | jakarta.websocket-api | High |
| Vendor | jar | package name | jakarta | Highest |
| Vendor | jar | package name | server | Highest |
| Vendor | jar | package name | websocket | Highest |
| Vendor | Manifest | build-jdk-spec | 11 | Low |
| Vendor | Manifest | bundle-docurl | https://www.eclipse.org | Low |
| Vendor | Manifest | bundle-symbolicname | jakarta.websocket-api | Medium |
| Vendor | Manifest | extension-name | jakarta.websocket | Medium |
| Vendor | Manifest | Implementation-Vendor | Eclipse Foundation | High |
| Vendor | Manifest | specification-vendor | Eclipse Foundation | Low |
| Vendor | pom | artifactid | jakarta.websocket-api | Low |
| Vendor | pom | groupid | jakarta.websocket | Highest |
| Vendor | pom | name | Jakarta WebSocket - Server API | High |
| Vendor | pom | parent-artifactid | jakarta.websocket-all | Low |
| Vendor | pom | url | https://projects.eclipse.org/projects/ee4j.websocket | Highest |
| Product | file | name | jakarta.websocket-api | High |
| Product | jar | package name | jakarta | Highest |
| Product | jar | package name | server | Highest |
| Product | jar | package name | websocket | Highest |
| Product | Manifest | build-jdk-spec | 11 | Low |
| Product | Manifest | bundle-docurl | https://www.eclipse.org | Low |
| Product | Manifest | Bundle-Name | Jakarta WebSocket - Server API | Medium |
| Product | Manifest | bundle-symbolicname | jakarta.websocket-api | Medium |
| Product | Manifest | extension-name | jakarta.websocket | Medium |

| | | | | |
|---------|----------|------------------------|--|---------|
| Product | pom | artifactid | jakarta.websocket-api | Highest |
| Product | pom | groupid | jakarta.websocket | Highest |
| Product | pom | name | Jakarta WebSocket - Server API | High |
| Product | pom | parent-artifactid | jakarta.websocket-all | Medium |
| Product | pom | url | https://projects.eclipse.org/projects/ee4j.websocket | Medium |
| Version | Manifest | Bundle-Version | 2.2.0 | High |
| Version | Manifest | Implementation-Version | 2.2.0 | High |
| Version | pom | version | 2.2.0 | Highest |

Identifiers

- <pkg:maven/jakarta.websocket/jakarta.websocket-api@2.2.0> (*Confidence:High*)

jakarta.websocket-client-api.jar

Description:

Jakarta WebSocket - Client API

License:

<https://www.eclipse.org/org/documents/epl-2.0/EPL-2.0.txt>, <https://www.gnu.org/software/classpath/license.html>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/java/jakarta.websocket-client-api.jar

MD5: 9c363a8d4ab7b78b6160569e27568c1a

SHA1: cf7eafc1b929a80429c77e4450c6720a7de56814

SHA256: aa6fa9331a3f470daee0dbfcf084abfbd7a49507297575d5bb8bfbf3d62fe8c0

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|--------|----------|---------------------|------------------------------|------------|
| Vendor | file | name | jakarta.websocket-client-api | High |
| Vendor | jar | package name | jakarta | Highest |
| Vendor | jar | package name | websocket | Highest |
| Vendor | Manifest | build-jdk-spec | 11 | Low |
| Vendor | Manifest | bundle-docurl | https://www.eclipse.org | Low |
| Vendor | Manifest | bundle-symbolicname | jakarta.websocket-client-api | Medium |
| | | | | |

| | | | | |
|---------|----------|------------------------|--|---------|
| Vendor | Manifest | extension-name | jakarta.websocket-client | Medium |
| Vendor | Manifest | Implementation-Vendor | Eclipse Foundation | High |
| Vendor | Manifest | specification-vendor | Eclipse Foundation | Low |
| Vendor | pom | artifactid | jakarta.websocket-client-api | Low |
| Vendor | pom | groupid | jakarta.websocket | Highest |
| Vendor | pom | name | Jakarta WebSocket - Client API | High |
| Vendor | pom | parent-artifactid | jakarta.websocket-all | Low |
| Vendor | pom | url | https://projects.eclipse.org/projects/ee4j.websocket | Highest |
| Product | file | name | jakarta.websocket-client-api | High |
| Product | jar | package name | jakarta | Highest |
| Product | jar | package name | websocket | Highest |
| Product | Manifest | build-jdk-spec | 11 | Low |
| Product | Manifest | bundle-docurl | https://www.eclipse.org | Low |
| Product | Manifest | Bundle-Name | Jakarta WebSocket - Client API | Medium |
| Product | Manifest | bundle-symbolicname | jakarta.websocket-client-api | Medium |
| Product | Manifest | extension-name | jakarta.websocket-client | Medium |
| Product | pom | artifactid | jakarta.websocket-client-api | Highest |
| Product | pom | groupid | jakarta.websocket | Highest |
| Product | pom | name | Jakarta WebSocket - Client API | High |
| Product | pom | parent-artifactid | jakarta.websocket-all | Medium |
| Product | pom | url | https://projects.eclipse.org/projects/ee4j.websocket | Medium |
| Version | Manifest | Bundle-Version | 2.2.0 | High |
| Version | Manifest | Implementation-Version | 2.2.0 | High |
| Version | pom | version | 2.2.0 | Highest |

Identifiers

- [pkg:maven/jakarta.websocket/jakarta.websocket-client-api@2.2.0](#) (*Confidence:High*)
- [cpe:2.3:a:web_project:web:2.2.0:*:*:*:*:*](#) (*Confidence:High*)

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/java-21-jre-x64-linux.tar.gz/java-21-jre-x64-linux.tar/jre-11/lib/jrt-fs.jar
MD5: 8ed3e4038b8fa18cbef7427bee343481
SHA1: b1a2abbd70c4d7c7796c7ed889334330907a4886
SHA256: 7e6b5b9dc0997f5097abfa818d0c0500944dcb3c87db9aaaf741d4cff58c5950
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|------------------------|---------------------------------|------------|
| Vendor | file | name | jrt-fs | High |
| Vendor | jar | package name | internal | Low |
| Vendor | jar | package name | jdk | Low |
| Vendor | jar | package name | jimage | Low |
| Vendor | Manifest | Implementation-Vendor | Eclipse Adoptium | High |
| Vendor | Manifest | specification-vendor | Oracle Corporation | Low |
| Product | file | name | jrt-fs | High |
| Product | jar | package name | internal | Low |
| Product | jar | package name | jimage | Low |
| Product | Manifest | Implementation-Title | Java Runtime Environment | High |
| Product | Manifest | specification-title | Java Platform API Specification | Medium |
| Version | Manifest | Implementation-Version | 21.0.7 | High |

Identifiers

- [cpe:2.3:a:eclipse:platform:21.0.7:*.~*~*~*~*](#) (Confidence:Medium)

suppress

jlessc-1.12.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/de.inetsoftware/jlessc/1.12/8ea5dba973ee8e969a243e08e47a27ca48121b5c/jlessc-1.12.jar
MD5: 8e0d57ed6e6809be8002db58024c370e
SHA1: 8ea5dba973ee8e969a243e08e47a27ca48121b5c
SHA256: 0969bc655eba47f824791ef12ed90c96baac2238a775b0ceaa0921deeb6681f8
Referenced In Projects/Scopes:

- server
- server:inetPlugin

Included by: pkg:maven/pdfc/server@25.4

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor | file | name | jlessc | High |
| Vendor | gradle | artifactid | jlessc | Highest |
| Vendor | gradle | groupid | de.inetsoftware | Highest |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | less | Low |
| Vendor | jar | package name | lib | Low |
| Vendor | Manifest | automatic-module-name | de.inetsoftware.jlessc | Medium |
| Vendor | Manifest | bundle-symbolicname | de.inetsoftware.jlessc | Medium |
| Vendor | Manifest | Implementation-Vendor | i-net software GmbH, Berlin, Germany | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Product | file | name | jlessc | High |
| Product | gradle | artifactid | jlessc | Highest |
| Product | jar | package name | less | Low |
| Product | jar | package name | lib | Low |
| Product | Manifest | automatic-module-name | de.inetsoftware.jlessc | Medium |
| Product | Manifest | bundle-symbolicname | de.inetsoftware.jlessc | Medium |
| Product | Manifest | Implementation-Title | JLessC, a Less CSS compiler | High |
| Version | file | version | 1.12 | High |
| Version | Manifest | Implementation-Version | 1.12 | High |

Related Dependencies



- theme.zip: jlessc.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/jlessc.jar
 - MD5: 8e0d57ed6e6809be8002db58024c370e
 - SHA1: 8ea5dba973ee8e969a243e08e47a27ca48121b5c
 - SHA256: 0969bc655eba47f824791ef12ed90c96baac2238a775b0ceaa0921deeb6681f8

Identifiers

- pkg:maven/de.inetsoftware/jlessc@1.12 (*Confidence: Highest*)

jpeg2000.zip: asm.jar

License:

BSD-3-Clause;link=https://asm.ow2.io/LICENSE.txt

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/asm.jar

MD5: 5c5cbb99bccc5e3c6de0dc351f632853

SHA1: 659590d6ad5fb98f6830590dee75c06dfd719792

SHA256: b80f1b9645c5f3a0f3b24637f349f521f12bbae5db659c11378bb33236603f3e

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|--------------------------|--|------------|
| Vendor | file | name | asm | High |
| Vendor | jar | package name | asm | Highest |
| Vendor | jar | package name | asm | Low |
| Vendor | jar | package name | objectweb | Highest |
| Vendor | jar | package name | objectweb | Low |
| Vendor | Manifest | bundle-docurl | http://asm.ow2.org | Low |
| Vendor | Manifest | bundle-requiredexecution | J2SE-1.5 | Low |
| Vendor | Manifest | bundle-symbolicname | org.objectweb.asm | Medium |
| Product | file | name | asm | High |
| Product | jar | package name | asm | Highest |
| Product | jar | package name | asm | Low |
| Product | jar | package name | objectweb | Highest |
| Product | Manifest | bundle-docurl | http://asm.ow2.org | Low |
| Product | Manifest | Bundle-Name | org.objectweb.asm | Medium |
| Product | Manifest | bundle-requiredexecution | J2SE-1.5 | Low |
| Product | Manifest | bundle-symbolicname | org.objectweb.asm | Medium |
| Product | Manifest | Implementation- | ASM, a very small and fast Java bytecode | High |

| | | | | |
|---------|----------|------------------------|------------------------|---------|
| | | Title | manipulation framework | |
| Version | jar | package name | asm | Highest |
| Version | Manifest | Bundle-Version | 9.7.1 | High |
| Version | Manifest | Implementation-Version | 9.7.1 | High |

Identifiers

- None

jpeg2000.zip: concrt140.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/openjpeg/windows/concrt140.dll
MD5: b7ff8e74ab911b76f4fe2fbd2c3cea1
SHA1: 7ca4395c9083838052677ca55af0c15bc7f6c94d
SHA256: d1a9b1a0ebe71e886b42a59faa67d4bf7646c3f46e0153dd2519b0e77ebbc5
Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|---------|--------|---------|-----------|------------|
| Vendor | file | name | concrt140 | High |
| Product | file | name | concrt140 | High |
| Version | file | name | concrt140 | Medium |
| Version | file | version | 140 | Medium |

Identifiers

- None

jpeg2000.zip: imageio-openjpeg.jar

Description:

ImageIO plugin for reading and writing JPEG2000 images via OpenJPEG.
 Requires the OpenJPEG shared native library to be installed on the system.

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/imageio-openjpeg.jar
MD5: eb8d3dbd0b6bd6918ad95784de2f7542
SHA1: e8d7cd1428a66165aae33993b7e93f381134caff
SHA256: 83588ba5f8ca8a7ed4ebe39f70a2a75f5751d911afc997730964f03d4fc0b4d4
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|--------|-------------------|---|------------|
| Vendor | file | name | imageio-openjpeg | High |
| Vendor | jar | package name | de | Highest |
| Vendor | jar | package name | de | Low |
| Vendor | jar | package name | digitalcollections | Highest |
| Vendor | jar | package name | digitalcollections | Low |
| Vendor | jar | package name | imageio | Highest |
| Vendor | jar | package name | openjpeg | Highest |
| Vendor | jar | package name | openjpeg | Low |
| Vendor | pom | artifactid | imageio-openjpeg | Low |
| Vendor | pom | groupid | de.digitalcollections.imageio | Highest |
| Vendor | pom | name | MDZ/Bayerische Staatsbibliothek :: ImageIO :: OpenJPEG/JPEG2000 plugin | High |
| Vendor | pom | parent-artifactid | imageio-jnr | Low |
| Product | file | name | imageio-openjpeg | High |
| Product | jar | package name | de | Highest |
| Product | jar | package name | digitalcollections | Highest |
| Product | jar | package name | digitalcollections | Low |
| Product | jar | package name | imageio | Highest |
| Product | jar | package name | lib | Low |
| Product | jar | package name | openjpeg | Highest |
| Product | jar | package name | openjpeg | Low |
| Product | pom | artifactid | imageio-openjpeg | Highest |
| Product | pom | groupid | de.digitalcollections.imageio | Highest |
| Product | pom | name | MDZ/Bayerische Staatsbibliothek :: ImageIO :: OpenJPEG/JPEG2000 plugin | High |
| Product | pom | parent-artifactid | imageio-jnr | Medium |
| Version | pom | version | 0.6.8 | Highest |

Identifiers

- pkg:maven/de.digitalcollections.imageio/imageio-openjpeg@0.6.8 (*Confidence:High*)

jpeg2000.zip: jffi-native.jar

Description:

Java Foreign Function Interface - Native Libraries

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>, <https://www.gnu.org/licenses/lgpl-3.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/jffi-native.jar

MD5: 04e0f2ffbef3e3f30458a72af22a5840

SHA1: 0caf0c37389e68f04a56a3aa48b923e0523f6ab0

SHA256: f7181f775e0af493887198b1cfccb7a35d6ba86b8e9ea6bfd7ec099e13535aa2

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|-----------------------|--------------------------------|------------|
| Vendor | file | name | jffi-native | High |
| Vendor | Manifest | automatic-module-name | org.jnrproject.jffi.nativelibs | Medium |
| Vendor | Manifest | bundle-symbolicname | com.github.jnr.jffi.native | Medium |
| Product | file | name | jffi-native | High |
| Product | Manifest | automatic-module-name | org.jnrproject.jffi.nativelibs | Medium |
| Product | Manifest | Bundle-Name | jffi | Medium |
| Product | Manifest | bundle-symbolicname | com.github.jnr.jffi.native | Medium |
| Version | Manifest | Bundle-Version | 1.3.13 | High |

Identifiers

- None

jpeg2000.zip: jffi-native.jar: jffi-1.2.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/jffi-native.jar/jni/aarch64-Windows/jffi-1.2.dll
MD5: 2c0b62583a6446ca74c26dd356a6efc8
SHA1: 97d03509897bb23ab808c232fe0fa3240e91d52d
SHA256: a4e7cb99d84f2a3b195fabcc4a6c59ab48e9eb25ddf58284b26d068163c9e505
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|--------|---------|-------|------------|
| Vendor | file | name | jffi | High |
| Product | file | name | jffi | High |
| Version | file | name | jffi | Medium |
| Version | file | version | 1.2 | High |

Identifiers

- None

jpeg2000.zip: jffi-native.jar: jffi-1.2.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/jffi-native.jar/jni/i386-Windows/jffi-1.2.dll
MD5: 841e60814ed6b2971a47b267aef1c58a
SHA1: 07d30c6407fefad8df4b6afc4d85f83e547975ca
SHA256: d63b0ec9a7cc75c26fa951928bf550c0e9a5e6c195a3de94a9c24995206bbfd2
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|--------|---------|-------|------------|
| Vendor | file | name | jffi | High |
| Product | file | name | jffi | High |
| Version | file | name | jffi | Medium |
| Version | file | version | 1.2 | High |

Identifiers

- None

jpeg2000.zip: jffi-native.jar: jffi-1.2.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/jffi-native.jar/jni/x86_64-Windows/jffi-1.2.dll

MD5: 5d80b61c1f9e31860c17b3a410948e7e

SHA1: 5ca292116336ee4ceed00d10e756afea580e62cf

SHA256: 58398ba5cda1b7cb89ad4e03dd4a658006956f81acfe4efb4e7dd934e2733ef

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|--------|---------|-------|------------|
| Vendor | file | name | jffi | High |
| Product | file | name | jffi | High |
| Version | file | name | jffi | Medium |
| Version | file | version | 1.2 | High |

Identifiers

- None

jpeg2000.zip: jffi.jar

Description:

Java Foreign Function Interface

License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

GNU Lesser General Public License version 3: <https://www.gnu.org/licenses/lgpl-3.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/jffi.jar

MD5: ec407a01e2e755fe004d29046d7c28d6

SHA1: 6cf722954fbc1330d7ab633b22226a2dbce74693

SHA256: 0466fe13b4d9b26269033a060aff51d8a6cce40cd7282a6d02b79d5d0d21ccd7

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|--------|--------|------|-------|------------|
| Vendor | file | name | jffi | High |

| | | | | |
|---------|----------|-----------------------|----------------------------|---------|
| Vendor | jar | package name | foreign | Highest |
| Vendor | jar | package name | function | Highest |
| Vendor | jar | package name | jffi | Highest |
| Vendor | Manifest | automatic-module-name | org.jnrproject.jffi | Medium |
| Vendor | Manifest | build-jdk-spec | 11 | Low |
| Vendor | pom | artifactid | jffi | Low |
| Vendor | pom | developer email | wmeissner@gmail.com | Low |
| Vendor | pom | developer id | wmeissner | Medium |
| Vendor | pom | developer name | Wayne Meissner | Medium |
| Vendor | pom | groupid | com.github.jnr | Highest |
| Vendor | pom | name | jffi | High |
| Vendor | pom | url | http://github.com/jnr/jffi | Highest |
| Product | file | name | jffi | High |
| Product | jar | package name | foreign | Highest |
| Product | jar | package name | function | Highest |
| Product | jar | package name | jffi | Highest |
| Product | Manifest | automatic-module-name | org.jnrproject.jffi | Medium |
| Product | Manifest | build-jdk-spec | 11 | Low |
| Product | pom | artifactid | jffi | Highest |
| Product | pom | developer email | wmeissner@gmail.com | Low |
| Product | pom | developer id | wmeissner | Low |
| Product | pom | developer name | Wayne Meissner | Low |
| Product | pom | groupid | com.github.jnr | Highest |
| Product | pom | name | jffi | High |
| Product | pom | url | http://github.com/jnr/jffi | Medium |
| Version | pom | version | 1.3.13 | Highest |

Identifiers

- [pkg:maven/com.github.jnr/jffi@1.3.13](https://maven.com.github.jnr/jffi@1.3.13) (*Confidence:High*)

Description:

A library for invoking native functions from java

License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/jnr-ffi.jar

MD5: 1f2579fe3b94120993a50c1c248e008f

SHA1: d99f025487a3a944b5db3d949bf5573c944e87c2

SHA256: 90484e9e53efbb74346dc2c87e16d724bcc39d38c112467f441362f28abfc313

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|---------|----------|-----------------------|---|------------|
| Vendor | file | name | jnr-ffi | High |
| Vendor | jar | package name | ffi | Highest |
| Vendor | jar | package name | jnr | Highest |
| Vendor | jar | package name | library | Highest |
| Vendor | Manifest | automatic-module-name | org.jnrproject.ffi | Medium |
| Vendor | Manifest | bundle-symbolicname | com.github.jnr.ffi | Medium |
| Vendor | pom | artifactid | jnr-ffi | Low |
| Vendor | pom | developer email | headius@headius.com | Low |
| Vendor | pom | developer email | wmeissner@gmail.com | Low |
| Vendor | pom | developer id | headius | Medium |
| Vendor | pom | developer id | wmeissner | Medium |
| Vendor | pom | developer name | Charles Oliver Nutter | Medium |
| Vendor | pom | developer name | Wayne Meissner | Medium |
| Vendor | pom | groupid | com.github.jnr | Highest |
| Vendor | pom | name | jnr-ffi | High |
| Vendor | pom | url | http://github.com/jnr/jnr-ffi | Highest |
| Product | file | name | jnr-ffi | High |
| Product | jar | package name | ffi | Highest |
| Product | jar | package name | jnr | Highest |
| Product | jar | package name | library | Highest |
| Product | Manifest | automatic-module-name | org.jnrproject.ffi | Medium |
| Product | Manifest | Bundle-Name | jnr-ffi | Medium |
| Product | Manifest | bundle- | com.github.jnr.ffi | Medium |

| | | symbolicname | | |
|---------|----------|-----------------|-------------------------------|---------|
| Product | pom | artifactid | jnr-ffi | Highest |
| Product | pom | developer email | headius@headius.com | Low |
| Product | pom | developer email | wmeissner@gmail.com | Low |
| Product | pom | developer id | headius | Low |
| Product | pom | developer id | wmeissner | Low |
| Product | pom | developer name | Charles Oliver Nutter | Low |
| Product | pom | developer name | Wayne Meissner | Low |
| Product | pom | groupid | com.github.jnr | Highest |
| Product | pom | name | jnr-ffi | High |
| Product | pom | url | http://github.com/jnr/jnr-ffi | Medium |
| Version | Manifest | Bundle-Version | 2.2.17 | High |
| Version | pom | version | 2.2.17 | Highest |

Identifiers

- [pkg:maven/com.github.jnr/jnr-ffi@2.2.17](https://maven.com.github.jnr/jnr-ffi@2.2.17) (Confidence:High)

jpeg2000.zip: jpeg2000.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/jpeg2000.jar

MD5: 34bd5ec6bea52471031cd8406b9a06d2

SHA1: b0339800a47f9707d82e9cadff01b3849aaac64f

SHA256: e8dd80983a5fd626bf8daa2833a1645d3d0af5b3f1ded7733181c9a759944a35

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|--------|----------|-----------------------|------------------|------------|
| Vendor | file | name | jpeg2000 | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | jpeg2000 | Low |
| Vendor | Manifest | built-date | 2025-05-01 11:36 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| | | | | |

| | | | | |
|---------|----------|--------------------------|--------------------------------------|---------|
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | jpeg2000 | High |
| Product | jar | package name | jpeg2000 | Highest |
| Product | jar | package name | jpeg2000 | Low |
| Product | jar | package name | jpeg2000serverplugin | Low |
| Product | Manifest | built-date | 2025-05-01 11:36 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | jpeg2000 | High |
| Product | Manifest | specification-title | jpeg2000 | Medium |
| Version | file | name | jpeg2000 | Medium |
| Version | file | version | 2000 | Medium |
| Version | Manifest | Implementation-Version | 25.4.227 | High |

Identifiers

- None

jpeg2000.zip: msvcp140.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/openjpeg/windows/msvcp140.dll
MD5: 0d89995cc45c7eb40e5a7e287506c1e9
SHA1: 096c27b06ee7fff2bcd290af0264cdafd04cded9
SHA256: e0a22a594e148fa55ceef3e49969bfa77011a801267a0bd7805b681b593c9d0b
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|--------|---------|----------|------------|
| Vendor | file | name | msvcp140 | High |
| Product | file | name | msvcp140 | High |
| Version | file | name | msvcp140 | Medium |
| Version | file | version | 140 | Medium |

Identifiers

- None

jpeg2000.zip: msvcp140_1.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/openjpeg/windows/msvcp140_1.dll

MD5: c060bb176a671f068362db2673a08c5e

SHA1: 1d6b4ae5e778f1daf3573d4817777a51c35cbac4

SHA256: 768e0829decea713afb35a7de07e276f051581c8ff2c17e1bae9b07dd1445dd0

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|--------|------|------------|------------|
| Vendor | file | name | msvcp140_1 | High |
| Product | file | name | msvcp140_1 | High |

Identifiers

- None

jpeg2000.zip: msvcp140_2.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/openjpeg/windows/msvcp140_2.dll

MD5: 94bc7a22ec7308f851cc58fd6de90b2d

SHA1: cb4d8dcd2c8e9bbf049c1628246cb12cdd34b353

SHA256: 5c12eaef6db18b168f712bff9b55793e0effddf15b89552e7f5ca4f8f1887b9b

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|--------|------|------------|------------|
| Vendor | file | name | msvcp140_2 | High |
| Product | file | name | msvcp140_2 | High |

Identifiers

- None

jpeg2000.zip: msvcp140_atomic_wait.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/openjpeg/windows/msvcp140_atomic_wait.dll

MD5: 6407c40330e6081689bb702daa5aacac

SHA1: 24126ff2ddd568a6ed17134e539cad94e22152a7

SHA256: 0193cdcff562f12218ecab5841fd6bbc4d24295cd8e4dcae960e2fb47cceb662

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|--------|---------|----------------------|------------|
| Vendor | file | name | msvcp140_atomic_wait | High |
| Product | file | name | msvcp140_atomic_wait | High |
| Version | file | name | msvcp140_atomic_wait | Medium |
| Version | file | version | 140 | Medium |

Identifiers

- None

jpeg2000.zip: msvcp140_codecvt_ids.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/openjpeg/windows/msvcp140_codecvt_ids.dll

MD5: 23efa781b89641f24c17592de857bb40

SHA1: fd537ff2cf7d09701baf6550640d6cc96bd5d284

SHA256: 9c6c0d8fa51ecca5e274295cbd72d45be474f3c6ce1070ec5e90f70242ae7185

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|--------|--------|------|----------------------|------------|
| Vendor | file | name | msvcp140_codecvt_ids | High |

| | | | | |
|---------|------|---------|----------------------|--------|
| Product | file | name | msvcp140_codecvt_ids | High |
| Version | file | name | msvcp140_codecvt_ids | Medium |
| Version | file | version | 140 | Medium |

Identifiers

- [cpe:2.3:a:ids:ids:140:*:*:*:*:*](#) (*Confidence:High*) suppress

jpeg2000.zip: openjp2.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/openjpeg/windows/openjp2.dll

MD5: a068a39973dbe3f985f9a3c2e06f2d27

SHA1: 2f726c784e92d68084b4e293664710e1389c6564

SHA256: 0e5682e82f3cee9d23c56259bfae7b0bcd8fab2d117e3832ac2308b96ae87585

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|---------|--------|---------|---------|------------|
| Vendor | file | name | openjp2 | High |
| Product | file | name | openjp2 | High |
| Version | file | name | openjp2 | Medium |
| Version | file | version | 2 | Medium |

Identifiers

- None

jpeg2000.zip: vcruntime140.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/openjpeg/windows/vcruntime140.dll

MD5: a4cf5c1f71c540c69371c861abe57726

SHA1: f272b34182db8a78ffc71755b46a57a253fcd384

SHA256: c179d8914ba8e57b2f8f4d6c101c2c550c7c6712a7f0f9920a97db340f9d9574

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|--------|---------|--------------|------------|
| Vendor | file | name | vcruntime140 | High |
| Product | file | name | vcruntime140 | High |
| Version | file | name | vcruntime140 | Medium |
| Version | file | version | 140 | Medium |

Identifiers

- None

jpeg2000.zip: vcruntime140_1.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/openjpeg/windows/vcruntime140_1.dll

MD5: 9f4eac207cb58e8d110477e7fd19d565

SHA1: 687051b863f7a7178cabf9c06ab3b534b1e23dd3

SHA256: 7cf38d20d00b6640d510eab70171e1c6f8fa2e42040832e17c7433ab61d94a8e

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|--------|------|----------------|------------|
| Vendor | file | name | vcruntime140_1 | High |
| Product | file | name | vcruntime140_1 | High |

Identifiers

- None

jquery.cookiebar.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/src/com/inet/application/googleanalytics/client/js/jquery.cookiebar.js

MD5: 35bdd1bde2d5eefde68b90c95580dcbb

SHA1: 1e82ddc04aedccb5ba4c90239c0d60188c7c7b6e
SHA256:bc3199c6d3de4c4c93746de532f5bd208b0c48c8ecf9f2b7fa3bb5f67be53556
Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Related Dependencies

- application.googleanalytics.zip: jquery.cookiebar.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/application.googleanalytics.zip/src/com/inet/application/googleanalytics/client/js/jquery.cookiebar.js
 - MD5: 35bdd1bde2d5eefde68b90c95580dcbb
 - SHA1: 1e82ddc04aedccb5ba4c90239c0d60188c7c7b6e
 - SHA256: bc3199c6d3de4c4c93746de532f5bd208b0c48c8ecf9f2b7fa3bb5f67be53556

Identifiers

- None

junit-4.13.2.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/junit/junit/4.13.2/8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12/junit-4.13.2.jar
MD5: d98a9a02a99a9acd22d7653cbcc1f31f
SHA1: 8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12
SHA256:8e495b634469d64fb8acfa3495a065cbacc8a0fff55ce1e31007be4c16dc57d3
Referenced In Project/Scope: server:inetPlugin
Included by: pkg:maven/pdfc/server@25.4

Evidence

| Type | Source | Name | Value | Confidence |
|--------|----------|-----------------------|-------|------------|
| Vendor | file | name | junit | High |
| Vendor | gradle | artifactid | junit | Highest |
| Vendor | gradle | groupid | junit | Highest |
| Vendor | jar | package name | junit | Highest |
| Vendor | jar | package name | junit | Low |
| Vendor | Manifest | automatic-module-name | junit | Medium |

| | | | | |
|---------|----------|--------------------------|------------------|---------|
| Vendor | Manifest | implementation-url | http://junit.org | Low |
| Vendor | Manifest | Implementation-Vendor | JUnit | High |
| Vendor | Manifest | Implementation-Vendor-Id | junit | Medium |
| Product | file | name | junit | High |
| Product | gradle | artifactid | junit | Highest |
| Product | jar | package name | junit | Highest |
| Product | Manifest | automatic-module-name | junit | Medium |
| Product | Manifest | Implementation-Title | JUnit | High |
| Product | Manifest | implementation-url | http://junit.org | Low |
| Version | file | version | 4.13.2 | High |
| Version | Manifest | Implementation-Version | 4.13.2 | High |

Identifiers

- [pkg:maven/junit/junit@4.13.2](#) (*Confidence*:Highest)
- [cpe:2.3:a:junit:junit4:4.13.2:*:*:*:*:*](#) (*Confidence*:Highest) suppress

junit-jupiter-5.11.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter/5.11.4/a699f024a4a4706b36bddbeb42d499aff9e09379/junit-jupiter-5.11.4.jar

MD5: 0ff4b8499092fdeb7905380e53e848cb

SHA1: a699f024a4a4706b36bddbeb42d499aff9e09379

SHA256: aa880e4afba87d447357e4c1fc098c5cb1d200cb9403496c00d3b35a5bd0e8db

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/pdfc/server@25.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4

Evidence +

| Type | Source | Name | Value | Confidence |
|--------|--------|------------|---------------|------------|
| Vendor | file | name | junit-jupiter | High |
| Vendor | gradle | artifactid | junit-jupiter | Highest |

| | | | | |
|---------|----------|------------------------|---|---------|
| Vendor | gradle | groupid | org.junit.jupiter | Highest |
| Vendor | jar | package name | module-info | Low |
| Vendor | Manifest | build-date | 2024-12-16 | Low |
| Vendor | Manifest | build-revision | 6430ba4f653f6ae42f326cd0731b259ee699c71 | Low |
| Vendor | Manifest | build-time | 14:07:27.656+0100 | Low |
| Vendor | Manifest | bundle-symbolicname | junit-jupiter | Medium |
| Vendor | Manifest | Implementation-Vendor | junit.org | High |
| Vendor | Manifest | specification-vendor | junit.org | Low |
| Product | file | name | junit-jupiter | High |
| Product | gradle | artifactid | junit-jupiter | Highest |
| Product | Manifest | build-date | 2024-12-16 | Low |
| Product | Manifest | build-revision | 6430ba4f653f6ae42f326cd0731b259ee699c71 | Low |
| Product | Manifest | build-time | 14:07:27.656+0100 | Low |
| Product | Manifest | Bundle-Name | JUnit Jupiter (Aggregator) | Medium |
| Product | Manifest | bundle-symbolicname | junit-jupiter | Medium |
| Product | Manifest | Implementation-Title | junit-jupiter | High |
| Product | Manifest | specification-title | junit-jupiter | Medium |
| Version | file | version | 5.11.4 | High |
| Version | Manifest | Implementation-Version | 5.11.4 | High |

Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4](#) (*Confidence: Highest*)

junit-jupiter-api-5.11.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-api/5.11.4/308315b28e667db4091b2ba1f7aa220d1ddadb97/junit-jupiter-api-5.11.4.jar

MD5: e055a09339f2abd6ad3dc6d206ff1c3a

SHA1: 308315b28e667db4091b2ba1f7aa220d1ddadb97

SHA256: ab83ef9e51ac4597d59d26b4b58812129550e2f579a404c8af7d09f5ce5b4293

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|-----------------------|---|------------|
| Vendor | file | name | junit-jupiter-api | High |
| Vendor | gradle | artifactid | junit-jupiter-api | Highest |
| Vendor | gradle | groupid | org.junit.jupiter | Highest |
| Vendor | jar | package name | api | Highest |
| Vendor | jar | package name | api | Low |
| Vendor | jar | package name | junit | Highest |
| Vendor | jar | package name | junit | Low |
| Vendor | jar | package name | jupiter | Highest |
| Vendor | jar | package name | jupiter | Low |
| Vendor | Manifest | build-date | 2024-12-16 | Low |
| Vendor | Manifest | build-revision | 6430ba4f653f6ae42f326cd0731b259ee699c71 | Low |
| Vendor | Manifest | build-time | 14:07:27.656+0100 | Low |
| Vendor | Manifest | bundle-symbolicname | junit-jupiter-api | Medium |
| Vendor | Manifest | Implementation-Vendor | junit.org | High |
| Vendor | Manifest | specification-vendor | junit.org | Low |
| Product | file | name | junit-jupiter-api | High |
| Product | gradle | artifactid | junit-jupiter-api | Highest |
| Product | jar | package name | api | Highest |
| Product | jar | package name | api | Low |
| Product | jar | package name | junit | Highest |
| Product | jar | package name | jupiter | Highest |
| Product | jar | package name | jupiter | Low |
| Product | Manifest | build-date | 2024-12-16 | Low |
| Product | Manifest | build-revision | 6430ba4f653f6ae42f326cd0731b259ee699c71 | Low |
| Product | Manifest | build-time | 14:07:27.656+0100 | Low |
| Product | Manifest | Bundle-Name | JUnit Jupiter API | Medium |
| Product | Manifest | bundle-symbolicname | junit-jupiter-api | Medium |
| Product | Manifest | Implementation-Title | junit-jupiter-api | High |

| | | | | |
|---------|----------|------------------------|-------------------|--------|
| Product | Manifest | specification-title | junit-jupiter-api | Medium |
| Version | file | version | 5.11.4 | High |
| Version | Manifest | Implementation-Version | 5.11.4 | High |

Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter-api@5.11.4](#) (*Confidence: Highest*)

junit-jupiter-engine-5.11.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-engine/5.11.4/dc10ec209623986a68ea07f67cdc7d2a65a60355/junit-jupiter-engine-5.11.4.jar

MD5: ff0242ed33cb684ec5a1d02164c5d26d

SHA1: dc10ec209623986a68ea07f67cdc7d2a65a60355

SHA256: cdf8ac59f3fad774ca738ad03890950eeb91833ef0e8908753177edd26f1581c

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/pdfc/server@25.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4

Evidence



| Type | Source | Name | Value | Confidence |
|--------|----------|---------------------|---|------------|
| Vendor | file | name | junit-jupiter-engine | High |
| Vendor | gradle | artifactid | junit-jupiter-engine | Highest |
| Vendor | gradle | groupid | org.junit.jupiter | Highest |
| Vendor | jar | package name | engine | Highest |
| Vendor | jar | package name | engine | Low |
| Vendor | jar | package name | junit | Highest |
| Vendor | jar | package name | junit | Low |
| Vendor | jar | package name | jupiter | Highest |
| Vendor | jar | package name | jupiter | Low |
| Vendor | Manifest | build-date | 2024-12-16 | Low |
| Vendor | Manifest | build-revision | 6430ba4f653f6ae42f326cd0731b259ee699c71 | Low |
| Vendor | Manifest | build-time | 14:07:27.656+0100 | Low |
| Vendor | Manifest | bundle-symbolicname | junit-jupiter-engine | Medium |

| | | | | |
|---------|----------|------------------------|--|---------|
| Vendor | Manifest | Implementation-Vendor | junit.org | High |
| Vendor | Manifest | provide-capability | org.junit.platform.engine;org.junit.platform.engine=junit-jupiter;version:Version="5.11.4" | Low |
| Vendor | Manifest | specification-vendor | junit.org | Low |
| Product | file | name | junit-jupiter-engine | High |
| Product | gradle | artifactid | junit-jupiter-engine | Highest |
| Product | jar | package name | engine | Highest |
| Product | jar | package name | engine | Low |
| Product | jar | package name | junit | Highest |
| Product | jar | package name | jupiter | Highest |
| Product | jar | package name | jupiter | Low |
| Product | Manifest | build-date | 2024-12-16 | Low |
| Product | Manifest | build-revision | 6430ba4f653f6ae42f326cd0731b259ee699c71 | Low |
| Product | Manifest | build-time | 14:07:27.656+0100 | Low |
| Product | Manifest | Bundle-Name | JUnit Jupiter Engine | Medium |
| Product | Manifest | bundle-symbolicname | junit-jupiter-engine | Medium |
| Product | Manifest | Implementation-Title | junit-jupiter-engine | High |
| Product | Manifest | provide-capability | org.junit.platform.engine;org.junit.platform.engine=junit-jupiter;version:Version="5.11.4" | Low |
| Product | Manifest | specification-title | junit-jupiter-engine | Medium |
| Version | file | version | 5.11.4 | High |
| Version | Manifest | Implementation-Version | 5.11.4 | High |

Identifiers

- <pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4> (*Confidence: Highest*)

junit-jupiter-params-5.11.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-params/5.11.4/e4c86fbe2a39c60c6b87260ef7f7e7c1a1906481/junit-jupiter-params-5.11.4.jar
MD5: 2eee588489ec62b5134fa04cff32592c
SHA1: e4c86fbe2a39c60c6b87260ef7f7e7c1a1906481

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|-----------------------|---|------------|
| Vendor | file | name | junit-jupiter-params | High |
| Vendor | gradle | artifactid | junit-jupiter-params | Highest |
| Vendor | gradle | groupid | org.junit.jupiter | Highest |
| Vendor | jar | package name | junit | Highest |
| Vendor | jar | package name | junit | Low |
| Vendor | jar | package name | jupiter | Highest |
| Vendor | jar | package name | jupiter | Low |
| Vendor | jar | package name | params | Highest |
| Vendor | jar | package name | params | Low |
| Vendor | Manifest | build-date | 2024-12-16 | Low |
| Vendor | Manifest | build-revision | 6430ba4f653f6ae42f326cd0731b259ee699c71 | Low |
| Vendor | Manifest | build-time | 14:07:27.656+0100 | Low |
| Vendor | Manifest | bundle-symbolicname | junit-jupiter-params | Medium |
| Vendor | Manifest | Implementation-Vendor | junit.org | High |
| Vendor | Manifest | specification-vendor | junit.org | Low |
| Product | file | name | junit-jupiter-params | High |
| Product | gradle | artifactid | junit-jupiter-params | Highest |
| Product | jar | package name | junit | Highest |
| Product | jar | package name | jupiter | Highest |
| Product | jar | package name | jupiter | Low |
| Product | jar | package name | params | Highest |
| Product | jar | package name | params | Low |
| Product | jar | package name | shadow | Low |
| Product | Manifest | build-date | 2024-12-16 | Low |
| Product | Manifest | build-revision | 6430ba4f653f6ae42f326cd0731b259ee699c71 | Low |
| Product | Manifest | build-time | 14:07:27.656+0100 | Low |
| | | | | |

| | | | | |
|---------|----------|------------------------|----------------------|--------|
| Product | Manifest | Bundle-Name | JUnit Jupiter Params | Medium |
| Product | Manifest | bundle-symbolicname | junit-jupiter-params | Medium |
| Product | Manifest | Implementation-Title | junit-jupiter-params | High |
| Product | Manifest | specification-title | junit-jupiter-params | Medium |
| Version | file | version | 5.11.4 | High |
| Version | Manifest | Implementation-Version | 5.11.4 | High |

Identifiers

- <pkg:maven/org.junit.jupiter/junit-jupiter-params@5.11.4> (*Confidence: Highest*)

junit-platform-commons-1.11.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-commons/1.11.4/8898eea3ed0da2641548d602c3e308804f166303/junit-platform-commons-1.11.4.jar

MD5: 7e51034e6332ac61c11f9a00eb1d9471

SHA1: 8898eea3ed0da2641548d602c3e308804f166303

SHA256: 9edd969b0d0670c54105bc91ae79bd1c6f503e12115faba82073b84c86bbc334

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4

Evidence



| Type | Source | Name | Value | Confidence |
|--------|--------|--------------|------------------------|------------|
| Vendor | file | name | junit-platform-commons | High |
| Vendor | gradle | artifactid | junit-platform-commons | Highest |
| Vendor | gradle | groupid | org.junit.platform | Highest |
| Vendor | jar | package name | commons | Highest |
| Vendor | jar | package name | commons | Low |
| Vendor | jar | package name | junit | Highest |
| Vendor | jar | package name | junit | Low |
| Vendor | jar | package name | org | Highest |
| Vendor | jar | package name | platform | Highest |
| Vendor | jar | package name | platform | Low |
| | | | | |

| | | | | |
|---------|----------|------------------------|---|---------|
| Vendor | Manifest | build-date | 2024-12-16 | Low |
| Vendor | Manifest | build-revision | 6430ba4f653f6ae42f326cd0731b259ee699c71 | Low |
| Vendor | Manifest | build-time | 14:07:27.656+0100 | Low |
| Vendor | Manifest | bundle-symbolicname | junit-platform-commons | Medium |
| Vendor | Manifest | Implementation-Vendor | junit.org | High |
| Vendor | Manifest | multi-release | true | Low |
| Vendor | Manifest | specification-vendor | junit.org | Low |
| Product | file | name | junit-platform-commons | High |
| Product | gradle | artifactid | junit-platform-commons | Highest |
| Product | jar | package name | commons | Highest |
| Product | jar | package name | commons | Low |
| Product | jar | package name | junit | Highest |
| Product | jar | package name | platform | Highest |
| Product | jar | package name | platform | Low |
| Product | Manifest | build-date | 2024-12-16 | Low |
| Product | Manifest | build-revision | 6430ba4f653f6ae42f326cd0731b259ee699c71 | Low |
| Product | Manifest | build-time | 14:07:27.656+0100 | Low |
| Product | Manifest | Bundle-Name | JUnit Platform Commons | Medium |
| Product | Manifest | bundle-symbolicname | junit-platform-commons | Medium |
| Product | Manifest | Implementation-Title | junit-platform-commons | High |
| Product | Manifest | multi-release | true | Low |
| Product | Manifest | specification-title | junit-platform-commons | Medium |
| Version | file | version | 1.11.4 | High |
| Version | Manifest | Implementation-Version | 1.11.4 | High |

Identifiers

- pkg:maven/org.junit.platform/junit-platform-commons@1.11.4 (*Confidence: Highest*)

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-engine/1.11.4/21f61b123ad6ac8f7e73971bff3a096c8d8e1cd0/junit-platform-engine-1.11.4.jar
MD5: a2489480705c1a83a9e371b053046987
SHA1: 21f61b123ad6ac8f7e73971bff3a096c8d8e1cd0
SHA256: b1dd998f64f9acadc15966d9cd3d08074662677b3e390f0a38fcbf0bb4c72330
Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|-----------------------|---|------------|
| Vendor | file | name | junit-platform-engine | High |
| Vendor | gradle | artifactid | junit-platform-engine | Highest |
| Vendor | gradle | groupid | org.junit.platform | Highest |
| Vendor | jar | package name | engine | Highest |
| Vendor | jar | package name | engine | Low |
| Vendor | jar | package name | junit | Highest |
| Vendor | jar | package name | junit | Low |
| Vendor | jar | package name | platform | Highest |
| Vendor | jar | package name | platform | Low |
| Vendor | Manifest | build-date | 2024-12-16 | Low |
| Vendor | Manifest | build-revision | 6430ba4f653f6ae42f326cd0731b259ee699c71 | Low |
| Vendor | Manifest | build-time | 14:07:27.656+0100 | Low |
| Vendor | Manifest | bundle-symbolicname | junit-platform-engine | Medium |
| Vendor | Manifest | Implementation-Vendor | junit.org | High |
| Vendor | Manifest | specification-vendor | junit.org | Low |
| Product | file | name | junit-platform-engine | High |
| Product | gradle | artifactid | junit-platform-engine | Highest |
| Product | jar | package name | engine | Highest |
| Product | jar | package name | engine | Low |
| Product | jar | package name | junit | Highest |
| Product | jar | package name | platform | Highest |
| Product | jar | package name | platform | Low |
| Product | jar | package name | support | Low |
| Product | Manifest | build-date | 2024-12-16 | Low |

| | | | | |
|---------|----------|------------------------|---|--------|
| Product | Manifest | build-revision | 6430ba4f653f6ae42f326cd0731b259ee699c71 | Low |
| Product | Manifest | build-time | 14:07:27.656+0100 | Low |
| Product | Manifest | Bundle-Name | JUnit Platform Engine API | Medium |
| Product | Manifest | bundle-symbolicname | junit-platform-engine | Medium |
| Product | Manifest | Implementation-Title | junit-platform-engine | High |
| Product | Manifest | specification-title | junit-platform-engine | Medium |
| Version | file | version | 1.11.4 | High |
| Version | Manifest | Implementation-Version | 1.11.4 | High |

Identifiers

- [pkg:maven/org.junit.platform/junit-platform-engine@1.11.4](https://maven.org/junit.platform/junit-platform-engine@1.11.4) (*Confidence*:Highest)

junit-platform-launcher-1.11.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-launcher/1.11.4/3d83c201899d8c5e74e1a5d628eab900342a0e48/junit-platform-launcher-1.11.4.jar

MD5: f8835afc4e99e5194c4a34d9b80a65e0

SHA1: 3d83c201899d8c5e74e1a5d628eab900342a0e48

SHA256: d7430bd029e7fcced53ee445e4d2d1a8a1e043ea4c4df43b6335a857f79761ae

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4

Evidence



| Type | Source | Name | Value | Confidence |
|--------|--------|--------------|-------------------------|------------|
| Vendor | file | name | junit-platform-launcher | High |
| Vendor | gradle | artifactid | junit-platform-launcher | Highest |
| Vendor | gradle | groupid | org.junit.platform | Highest |
| Vendor | jar | package name | junit | Highest |
| Vendor | jar | package name | junit | Low |
| Vendor | jar | package name | launcher | Highest |
| Vendor | jar | package name | launcher | Low |
| Vendor | jar | package name | platform | Highest |

| | | | | |
|---------|----------|------------------------|--|---------|
| Vendor | jar | package name | platform | Low |
| Vendor | Manifest | build-date | 2024-12-16 | Low |
| Vendor | Manifest | build-revision | 6430ba4f653f6ae42f326cd0731b259ee699c71 | Low |
| Vendor | Manifest | build-time | 14:07:27.656+0100 | Low |
| Vendor | Manifest | bundle-symbolicname | junit-platform-launcher | Medium |
| Vendor | Manifest | Implementation-Vendor | junit.org | High |
| Vendor | Manifest | provide-capability | org.junit.platform.launcher;org.junit.platform.launcher=junit-platform-launcher;version:Version="1.11.4" | Low |
| Vendor | Manifest | specification-vendor | junit.org | Low |
| Product | file | name | junit-platform-launcher | High |
| Product | gradle | artifactid | junit-platform-launcher | Highest |
| Product | jar | package name | junit | Highest |
| Product | jar | package name | launcher | Highest |
| Product | jar | package name | launcher | Low |
| Product | jar | package name | platform | Highest |
| Product | jar | package name | platform | Low |
| Product | Manifest | build-date | 2024-12-16 | Low |
| Product | Manifest | build-revision | 6430ba4f653f6ae42f326cd0731b259ee699c71 | Low |
| Product | Manifest | build-time | 14:07:27.656+0100 | Low |
| Product | Manifest | Bundle-Name | JUnit Platform Launcher | Medium |
| Product | Manifest | bundle-symbolicname | junit-platform-launcher | Medium |
| Product | Manifest | Implementation-Title | junit-platform-launcher | High |
| Product | Manifest | provide-capability | org.junit.platform.launcher;org.junit.platform.launcher=junit-platform-launcher;version:Version="1.11.4" | Low |
| Product | Manifest | specification-title | junit-platform-launcher | Medium |
| Version | file | version | 1.11.4 | High |
| Version | Manifest | Implementation-Version | 1.11.4 | High |

Identifiers

- [pkg:maven/org.junit.platform/junit-platform-launcher@1.11.4](https://maven.org/junit.platform/junit-platform-launcher@1.11.4) (*Confidence:High*est)

junit-platform-suite-1.11.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite/1.11.4/48b0add04256be602379ca7b2964edce30b2dff/junit-platform-suite-1.11.4.jar

MD5: 43381c147e29db866e14eab9434dc817

SHA1: 048b0add04256be602379ca7b2964edce30b2dff

SHA256: dfd78a246ec9063b401fe7f68d169aed5d9b9d974aabc85555af6ebd13d8507c

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/pdfc/server@25.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|-----------------------|---|------------|
| Vendor | file | name | junit-platform-suite | High |
| Vendor | gradle | artifactid | junit-platform-suite | Highest |
| Vendor | gradle | groupid | org.junit.platform | Highest |
| Vendor | jar | package name | module-info | Low |
| Vendor | Manifest | build-date | 2024-12-16 | Low |
| Vendor | Manifest | build-revision | 6430ba4f653f6ae42f326cd0731b259ee699c71 | Low |
| Vendor | Manifest | build-time | 14:07:27.656+0100 | Low |
| Vendor | Manifest | bundle-symbolicname | junit-platform-suite | Medium |
| Vendor | Manifest | Implementation-Vendor | junit.org | High |
| Vendor | Manifest | specification-vendor | junit.org | Low |
| Product | file | name | junit-platform-suite | High |
| Product | gradle | artifactid | junit-platform-suite | Highest |
| Product | Manifest | build-date | 2024-12-16 | Low |
| Product | Manifest | build-revision | 6430ba4f653f6ae42f326cd0731b259ee699c71 | Low |
| Product | Manifest | build-time | 14:07:27.656+0100 | Low |
| Product | Manifest | Bundle-Name | JUnit Platform Suite (Aggregator) | Medium |
| Product | Manifest | bundle-symbolicname | junit-platform-suite | Medium |
| Product | Manifest | Implementation-Title | junit-platform-suite | High |
| Product | Manifest | specification-title | junit-platform-suite | Medium |
| Version | file | version | 1.11.4 | High |

| | | | | |
|---------|----------|------------------------|--------|------|
| Version | Manifest | Implementation-Version | 1.11.4 | High |
|---------|----------|------------------------|--------|------|

Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite@1.11.4](https://maven.org/junit.platform/junit-platform-suite@1.11.4) (*Confidence: Highest*)

junit-platform-suite-api-1.11.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-api/1.11.4/745fc2bfc37c15a6233bbc1328524fd1b1429279/junit-platform-suite-api-1.11.4.jar

MD5: 44323f08839840de0ef6ef28a1573b36

SHA1: 745fc2bfc37c15a6233bbc1328524fd1b1429279

SHA256: 3c918f69219bbb30fc14ab10889d680e9dcbb3a5f1f506cd220a5504bed64822

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4

Evidence



| Type | Source | Name | Value | Confidence |
|--------|----------|-----------------------|---|------------|
| Vendor | file | name | junit-platform-suite-api | High |
| Vendor | gradle | artifactid | junit-platform-suite-api | Highest |
| Vendor | gradle | groupid | org.junit.platform | Highest |
| Vendor | jar | package name | api | Highest |
| Vendor | jar | package name | junit | Highest |
| Vendor | jar | package name | junit | Low |
| Vendor | jar | package name | platform | Highest |
| Vendor | jar | package name | platform | Low |
| Vendor | jar | package name | suite | Highest |
| Vendor | jar | package name | suite | Low |
| Vendor | Manifest | build-date | 2024-12-16 | Low |
| Vendor | Manifest | build-revision | 6430ba4f653f6ae42f326cd0731b259ee699c71 | Low |
| Vendor | Manifest | build-time | 14:07:27.656+0100 | Low |
| Vendor | Manifest | bundle-symbolicname | junit-platform-suite-api | Medium |
| Vendor | Manifest | Implementation-Vendor | junit.org | High |

| | | | | |
|---------|----------|------------------------|---|---------|
| Vendor | Manifest | specification-vendor | junit.org | Low |
| Product | file | name | junit-platform-suite-api | High |
| Product | gradle | artifactid | junit-platform-suite-api | Highest |
| Product | jar | package name | api | Highest |
| Product | jar | package name | api | Low |
| Product | jar | package name | junit | Highest |
| Product | jar | package name | platform | Highest |
| Product | jar | package name | platform | Low |
| Product | jar | package name | suite | Highest |
| Product | jar | package name | suite | Low |
| Product | Manifest | build-date | 2024-12-16 | Low |
| Product | Manifest | build-revision | 6430ba4f653f6ae42f326cd0731b259ee699c71 | Low |
| Product | Manifest | build-time | 14:07:27.656+0100 | Low |
| Product | Manifest | Bundle-Name | JUnit Platform Suite API | Medium |
| Product | Manifest | bundle-symbolicname | junit-platform-suite-api | Medium |
| Product | Manifest | Implementation-Title | junit-platform-suite-api | High |
| Product | Manifest | specification-title | junit-platform-suite-api | Medium |
| Version | file | version | 1.11.4 | High |
| Version | Manifest | Implementation-Version | 1.11.4 | High |

Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite-api@1.11.4](https://maven.org/junit.platform/junit-platform-suite-api@1.11.4) (*Confidence*:Highest)

junit-platform-suite-commons-1.11.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-commons/1.11.4/b381d0e04bd2721c4bf348d5be61d2b4768df305/junit-platform-suite-commons-1.11.4.jar

MD5: e3e4537735e3a87f10f3d5b62e27f812

SHA1: b381d0e04bd2721c4bf348d5be61d2b4768df305

SHA256: 11fb1e06a5e2bbb8e6ce483bd4e03c1340492f75eaf4239618325e7430f39193

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|-----------------------|---|------------|
| Vendor | file | name | junit-platform-suite-commons | High |
| Vendor | gradle | artifactid | junit-platform-suite-commons | Highest |
| Vendor | gradle | groupid | org.junit.platform | Highest |
| Vendor | jar | package name | commons | Highest |
| Vendor | jar | package name | junit | Highest |
| Vendor | jar | package name | junit | Low |
| Vendor | jar | package name | platform | Highest |
| Vendor | jar | package name | platform | Low |
| Vendor | jar | package name | suite | Highest |
| Vendor | jar | package name | suite | Low |
| Vendor | Manifest | build-date | 2024-12-16 | Low |
| Vendor | Manifest | build-revision | 6430ba4f653f6ae42f326cd0731b259ee699c71 | Low |
| Vendor | Manifest | build-time | 14:07:27.656+0100 | Low |
| Vendor | Manifest | bundle-symbolicname | junit-platform-suite-commons | Medium |
| Vendor | Manifest | Implementation-Vendor | junit.org | High |
| Vendor | Manifest | specification-vendor | junit.org | Low |
| Product | file | name | junit-platform-suite-commons | High |
| Product | gradle | artifactid | junit-platform-suite-commons | Highest |
| Product | jar | package name | commons | Highest |
| Product | jar | package name | commons | Low |
| Product | jar | package name | junit | Highest |
| Product | jar | package name | platform | Highest |
| Product | jar | package name | platform | Low |
| Product | jar | package name | suite | Highest |
| Product | jar | package name | suite | Low |
| Product | Manifest | build-date | 2024-12-16 | Low |
| Product | Manifest | build-revision | 6430ba4f653f6ae42f326cd0731b259ee699c71 | Low |
| Product | Manifest | build-time | 14:07:27.656+0100 | Low |
| Product | Manifest | Bundle-Name | JUnit Platform Suite Commons | Medium |
| Product | Manifest | bundle-symbolicname | junit-platform-suite-commons | Medium |

| | | | | |
|---------|----------|------------------------|------------------------------|--------|
| Product | Manifest | Implementation-Title | junit-platform-suite-commons | High |
| Product | Manifest | specification-title | junit-platform-suite-commons | Medium |
| Version | file | version | 1.11.4 | High |
| Version | Manifest | Implementation-Version | 1.11.4 | High |

Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite-commons@1.11.4](https://maven.org/junit.platform/junit-platform-suite-commons@1.11.4) (*Confidence*:Highest)

junit-platform-suite-engine-1.11.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-engine/1.11.4/679cc57f175e5924686d600a8b2bb02fecdd16623/junit-platform-suite-engine-1.11.4.jar

MD5: b9b8e0600cba56964a087a299f312639

SHA1: 679cc57f175e5924686d600a8b2bb02fecdd16623

SHA256: 7e66132d34b7a2c2fef63da3f7d799e15dca374a5191f1875ac8c053b44ba793

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4

Evidence



| Type | Source | Name | Value | Confidence |
|--------|----------|----------------|---|------------|
| Vendor | file | name | junit-platform-suite-engine | High |
| Vendor | gradle | artifactid | junit-platform-suite-engine | Highest |
| Vendor | gradle | groupid | org.junit.platform | Highest |
| Vendor | jar | package name | engine | Highest |
| Vendor | jar | package name | junit | Highest |
| Vendor | jar | package name | junit | Low |
| Vendor | jar | package name | platform | Highest |
| Vendor | jar | package name | platform | Low |
| Vendor | jar | package name | suite | Highest |
| Vendor | jar | package name | suite | Low |
| Vendor | Manifest | build-date | 2024-12-16 | Low |
| Vendor | Manifest | build-revision | 6430ba4f653f6ae42f326cd0731b259ee699c71 | Low |
| | | | | |

| | | | | |
|---------|----------|------------------------|---|---------|
| Vendor | Manifest | build-time | 14:07:27.656+0100 | Low |
| Vendor | Manifest | bundle-symbolicname | junit-platform-suite-engine | Medium |
| Vendor | Manifest | Implementation-Vendor | junit.org | High |
| Vendor | Manifest | specification-vendor | junit.org | Low |
| Product | file | name | junit-platform-suite-engine | High |
| Product | gradle | artifactid | junit-platform-suite-engine | Highest |
| Product | jar | package name | engine | Highest |
| Product | jar | package name | engine | Low |
| Product | jar | package name | junit | Highest |
| Product | jar | package name | platform | Highest |
| Product | jar | package name | platform | Low |
| Product | jar | package name | suite | Highest |
| Product | jar | package name | suite | Low |
| Product | Manifest | build-date | 2024-12-16 | Low |
| Product | Manifest | build-revision | 6430ba4f653f6ae42f326cd0731b259ee699c71 | Low |
| Product | Manifest | build-time | 14:07:27.656+0100 | Low |
| Product | Manifest | Bundle-Name | JUnit Platform Suite Engine | Medium |
| Product | Manifest | bundle-symbolicname | junit-platform-suite-engine | Medium |
| Product | Manifest | Implementation-Title | junit-platform-suite-engine | High |
| Product | Manifest | specification-title | junit-platform-suite-engine | Medium |
| Version | file | version | 1.11.4 | High |
| Version | Manifest | Implementation-Version | 1.11.4 | High |

Identifiers

- <pkg:maven/org.junit.platform/junit-platform-suite-engine@1.11.4> (*Confidence*:Highest)

junit-vintage-engine-5.11.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.vintage/junit-vintage-engine/5.11.4/81904e219c1b038fc83ab156ba2e458e213a549e/junit-vintage-engine-5.11.4.jar

MD5: d4255a851a102f2e3d16fe8b9f1c1797

SHA1: 81904e219c1b038fc83ab156ba2e458e213a549e
SHA256:19239ff6cbef4b43e51ed5551faf1f2f1083494596ce1dd2c3275e698ccbc023
Referenced In Project/Scope: server:inetPlugin
Included by:

- pkg:maven/pdfc/server@25.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4

Evidence +

| Type | Source | Name | Value | Confidence |
|---------|----------|-----------------------|--|------------|
| Vendor | file | name | junit-vintage-engine | High |
| Vendor | gradle | artifactid | junit-vintage-engine | Highest |
| Vendor | gradle | groupid | org.junit.vintage | Highest |
| Vendor | jar | package name | engine | Highest |
| Vendor | jar | package name | engine | Low |
| Vendor | jar | package name | junit | Highest |
| Vendor | jar | package name | junit | Low |
| Vendor | jar | package name | vintage | Highest |
| Vendor | jar | package name | vintage | Low |
| Vendor | Manifest | build-date | 2024-12-16 | Low |
| Vendor | Manifest | build-revision | 6430ba4f653f6ae42f326cd0731b259ee699c71 | Low |
| Vendor | Manifest | build-time | 14:07:27.656+0100 | Low |
| Vendor | Manifest | bundle-symbolicname | junit-vintage-engine | Medium |
| Vendor | Manifest | Implementation-Vendor | junit.org | High |
| Vendor | Manifest | provide-capability | org.junit.platform.engine;org.junit.platform.engine=junit-vintage;version:Version="5.11.4" | Low |
| Vendor | Manifest | specification-vendor | junit.org | Low |
| Product | file | name | junit-vintage-engine | High |
| Product | gradle | artifactid | junit-vintage-engine | Highest |
| Product | jar | package name | engine | Highest |
| Product | jar | package name | engine | Low |
| Product | jar | package name | junit | Highest |
| Product | jar | package name | vintage | Highest |
| Product | jar | package name | vintage | Low |
| Product | Manifest | build-date | 2024-12-16 | Low |
| | | | | |

| | | | | |
|---------|----------|------------------------|--|--------|
| Product | Manifest | build-revision | 6430ba4f653f6ae42f326cd0731b259ee699c71 | Low |
| Product | Manifest | build-time | 14:07:27.656+0100 | Low |
| Product | Manifest | Bundle-Name | JUnit Vintage Engine | Medium |
| Product | Manifest | bundle-symbolicname | junit-vintage-engine | Medium |
| Product | Manifest | Implementation-Title | junit-vintage-engine | High |
| Product | Manifest | provide-capability | org.junit.platform.engine;org.junit.platform.engine=junit-vintage;version:Version="5.11.4" | Low |
| Product | Manifest | specification-title | junit-vintage-engine | Medium |
| Version | file | version | 5.11.4 | High |
| Version | Manifest | Implementation-Version | 5.11.4 | High |

Identifiers

- <pkg:maven/org.junit.vintage/junit-vintage-engine@5.11.4> (*Confidence: Highest*)

lunr.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/lunr.js

MD5: da4f3703ce0083f8050d00e900aac7b0

SHA1: ae614550091dd5ea4b432d94fa4e286b2c91278d

SHA256: f9671350512fd9359469b1a2113ed3134e7b007fa0041e8e1cfe006de3d7f6f6

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Related Dependencies



- lunr.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/nunit - API Doc/styles/lunr.js
 - MD5: da4f3703ce0083f8050d00e900aac7b0
 - SHA1: ae614550091dd5ea4b432d94fa4e286b2c91278d
 - SHA256: f9671350512fd9359469b1a2113ed3134e7b007fa0041e8e1cfe006de3d7f6f6

Identifiers

- None

lunr.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/lunr.min.js

MD5: 323b7324b0cd0280e1d33689fd88e70a

SHA1: f44691b6ed6e0cd684175f7779eea8fc4a2a5015

SHA256: 447b131dc7c9500a8fb188bc88271941b88805d610a60a0c953c482d69abdf2b

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Related Dependencies

- lunr.min.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/nunit - API Doc/styles/lunr.min.js
 - MD5: 323b7324b0cd0280e1d33689fd88e70a
 - SHA1: f44691b6ed6e0cd684175f7779eea8fc4a2a5015
 - SHA256: 447b131dc7c9500a8fb188bc88271941b88805d610a60a0c953c482d69abdf2b

Identifiers

- None

mail.zip: angus-activation.jar

Description:

Implementation

License:

<http://www.eclipse.org/org/documents/edl-v10.php>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/angus-activation.jar

MD5: 42bba74155dc773eca277ee7a16f74be

SHA1: 41f1e0ddd157c856926ed149ab837d110955a9fc

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|-------------------------|---|------------|
| Vendor | file | name | angus-activation | High |
| Vendor | jar | package name | activation | Highest |
| Vendor | jar | package name | angus | Highest |
| Vendor | jar | package name | eclipse | Highest |
| Vendor | Manifest | bundle-docurl | https://www.eclipse.org | Low |
| Vendor | Manifest | bundle-symbolicname | angus-activation | Medium |
| Vendor | Manifest | extension-name | org.eclipse.angus | Medium |
| Vendor | Manifest | implementation-build-id | 2.0.2-RELEASE-c08e320 | Low |
| Vendor | Manifest | Implementation-Vendor | Eclipse Foundation | High |
| Vendor | Manifest | provide-capability | osgi.serviceloader;osgi.serviceloader="jakarta.activation.spi.MailcapRegistryProvider",osgi.serviceloader="jakarta.activation.spi.MimeTypeRegistryProvider" | Low |
| Vendor | Manifest | specification-vendor | Eclipse Foundation | Low |
| Vendor | pom | artifactid | angus-activation | Low |
| Vendor | pom | groupid | org.eclipse.angus | Highest |
| Vendor | pom | name | Angus Activation Registries | High |
| Vendor | pom | parent-artifactid | angus-activation-project | Low |
| Product | file | name | angus-activation | High |
| Product | jar | package name | activation | Highest |
| Product | jar | package name | angus | Highest |
| Product | jar | package name | eclipse | Highest |
| Product | Manifest | bundle-docurl | https://www.eclipse.org | Low |
| Product | Manifest | Bundle-Name | Angus Activation Registries | Medium |
| Product | Manifest | bundle-symbolicname | angus-activation | Medium |
| Product | Manifest | extension-name | org.eclipse.angus | Medium |
| Product | Manifest | implementation-build-id | 2.0.2-RELEASE-c08e320 | Low |
| Product | Manifest | Implementation-Title | Angus Activation Registries | High |

| | | | | |
|---------|----------|---------------------|--|---------|
| Product | Manifest | provide-capability | osgi.serviceloader;osgi.serviceloader="jakarta.activation.spi.MailcapRegistryProvider",osgi.serviceloader;osgi.serviceloader="jakarta.activation.spi.MimeTypeRegistryProvider" | Low |
| Product | Manifest | specification-title | Jakarta Activation Specification | Medium |
| Product | pom | artifactid | angus-activation | Highest |
| Product | pom | groupid | org.eclipse.angus | Highest |
| Product | pom | name | Angus Activation Registries | High |
| Product | pom | parent-artifactid | angus-activation-project | Medium |
| Version | Manifest | Bundle-Version | 2.0.2 | High |
| Version | pom | version | 2.0.2 | Highest |

Identifiers

- <pkg:maven/org.eclipse.angus/angus-activation@2.0.2> (*Confidence:High*)

mail.zip: angus-mail.jar (shaded: org.eclipse.angus:angus-core:2.0.3)

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/angus-mail.jar/META-INF/maven/org.eclipse.angus/angus-core/pom.xml

MD5: 9907dbe21768f81f0436f492e8ceca57

SHA1: 108609abe9269199421273dfe2b5520c00ac800c

SHA256: a52a66e7dd0b6006ab29360dfe735a9d32243f70be56ea1af92bc7dca11fd1ed

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|---------|--------|-------------------|-------------------|------------|
| Vendor | pom | artifactid | angus-core | Low |
| Vendor | pom | groupid | org.eclipse.angus | Highest |
| Vendor | pom | name | Angus Mail Core | High |
| Vendor | pom | parent-artifactid | all | Low |
| Product | pom | artifactid | angus-core | Highest |
| Product | pom | groupid | org.eclipse.angus | Highest |
| Product | pom | name | Angus Mail Core | High |
| Product | pom | parent-artifactid | all | Medium |
| Version | pom | version | 2.0.3 | Highest |

Identifiers

- <pkg:maven/org.eclipse.angus/angus-core@2.0.3> (*Confidence:High*)

mail.zip: angus-mail.jar (shaded: org.eclipse.angus:imap:2.0.3)

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/angus-mail.jar/META-INF/maven/org.eclipse.angus/imap/pom.xml

MD5: 55d43d94fda869a2551af9303a7ea370

SHA1: fed2fd168251a00aef8e0ebfc379a58a05aa6346

SHA256: 2769e1c98f6d6ae4285eb0872ae1d20ce78bd503ed7a824d406e22e25e9d1b16

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|---------|--------|-------------------|--------------------------|------------|
| Vendor | pom | artifactid | imap | Low |
| Vendor | pom | groupid | org.eclipse.angus | Highest |
| Vendor | pom | name | Angus Mail imap provider | High |
| Vendor | pom | parent-artifactid | providers | Low |
| Product | pom | artifactid | imap | Highest |
| Product | pom | groupid | org.eclipse.angus | Highest |
| Product | pom | name | Angus Mail imap provider | High |
| Product | pom | parent-artifactid | providers | Medium |
| Version | pom | version | 2.0.3 | Highest |

Identifiers

- <pkg:maven/org.eclipse.angus/imap@2.0.3> (*Confidence:High*)

mail.zip: angus-mail.jar (shaded: org.eclipse.angus:logging-mailhandler:2.0.3)

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/angus-mail.jar/META-INF/maven/org.eclipse.angus/logging-mailhandler/pom.xml

MD5: eb9a0a396f32310dcaeddef53c4fecf2

SHA1: 9d10a9bd90cb079dcdb9b1ab25e1d1f6c253e78d

SHA256: e9546707cf60f5eace422c9f542ba2548fcef1639f1270e103720d54a4ea2a66

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|--------|-------------------|----------------------------|------------|
| Vendor | pom | artifactid | logging-mailhandler | Low |
| Vendor | pom | groupid | org.eclipse.angus | Highest |
| Vendor | pom | name | Angus Mail logging handler | High |
| Vendor | pom | parent-artifactid | all | Low |
| Product | pom | artifactid | logging-mailhandler | Highest |
| Product | pom | groupid | org.eclipse.angus | Highest |
| Product | pom | name | Angus Mail logging handler | High |
| Product | pom | parent-artifactid | all | Medium |
| Version | pom | version | 2.0.3 | Highest |

Identifiers

- [pkg:maven/org.eclipse.angus/logging-mailhandler@2.0.3](https://maven.org.eclipse.angus/logging-mailhandler@2.0.3) (*Confidence:High*)

mail.zip: angus-mail.jar (shaded: org.eclipse.angus:pop3:2.0.3)

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/angus-mail.jar/META-INF/maven/org.eclipse.angus/pop3/pom.xml

MD5: f814ea6c49648addacecaad34e700890

SHA1: fad30d04e576332a8ce304438a8c60444a2a15fd

SHA256: 1bf0ed0c897f7825319a0b4a8926a95a7a4430ddf4d9c11b6d1af7a34acf5261

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|--------|-------------------|--------------------------|------------|
| Vendor | pom | artifactid | pop3 | Low |
| Vendor | pom | groupid | org.eclipse.angus | Highest |
| Vendor | pom | name | Angus Mail pop3 provider | High |
| Vendor | pom | parent-artifactid | providers | Low |
| Product | pom | artifactid | pop3 | Highest |
| Product | pom | groupid | org.eclipse.angus | Highest |

| | | | | |
|---------|-----|-------------------|--------------------------|---------|
| Product | pom | name | Angus Mail pop3 provider | High |
| Product | pom | parent-artifactid | providers | Medium |
| Version | pom | version | 2.0.3 | Highest |

Identifiers

- pkg:maven/org.eclipse.angus/pop3@2.0.3 (*Confidence:High*)

mail.zip: angus-mail.jar (shaded: org.eclipse.angus:smtp:2.0.3)

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/angus-mail.jar/META-INF/maven/org.eclipse.angus/smtp/pom.xml

MD5: 88fdc95cc63d9167e76af8fd06ad205d

SHA1: 3d3b38a40ef48a4feb95a7e4d6d133df2b58c5b0

SHA256: f69db19b0c17d856e923ce29d4d6089e5dcafa30678fe549c11d316712ca3fae

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|---------|--------|-------------------|--------------------------|------------|
| Vendor | pom | artifactid | smtp | Low |
| Vendor | pom | groupid | org.eclipse.angus | Highest |
| Vendor | pom | name | Angus Mail smtp provider | High |
| Vendor | pom | parent-artifactid | providers | Low |
| Product | pom | artifactid | smtp | Highest |
| Product | pom | groupid | org.eclipse.angus | Highest |
| Product | pom | name | Angus Mail smtp provider | High |
| Product | pom | parent-artifactid | providers | Medium |
| Version | pom | version | 2.0.3 | Highest |

Identifiers

- pkg:maven/org.eclipse.angus/smtp@2.0.3 (*Confidence:High*)

mail.zip: angus-mail.jar

Description:

Angus Mail Provider

License:

<http://www.eclipse.org/legal/epl-2.0>, <https://www.gnu.org/software/classpath/license.html>, <http://www.eclipse.org/org/documents/edl-v10.php>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/angus-mail.jar

MD5: 44f609355db6385cec29ef7eab9be8ea

SHA1: 56f811522d693700013768db83b741a65da6c61c

SHA256: 6b5b6fc2ba633c53733d829c56cae51d343fb1eadee3e17b8eea01a49edc72d3

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|---------|----------|---------------------|--|------------|
| Vendor | file | name | angus-mail | High |
| Vendor | jar | package name | angus | Highest |
| Vendor | jar | package name | eclipse | Highest |
| Vendor | jar | package name | mail | Highest |
| Vendor | Manifest | bundle-docurl | https://www.eclipse.org | Low |
| Vendor | Manifest | bundle-symbolicname | org.eclipse.angus.mail | Medium |
| Vendor | Manifest | provide-capability | osgi.serviceloader;osgi.serviceloader="jakarta.mail.util.StreamProvider",osgi.serviceloader;osgi.serviceloader="jakarta.mail.Provider" | Low |
| Vendor | pom | artifactid | angus-mail | Low |
| Vendor | pom | groupid | org.eclipse.angus | Highest |
| Vendor | pom | name | Angus Mail Provider | High |
| Vendor | pom | parent-artifactid | all | Low |
| Product | file | name | angus-mail | High |
| Product | jar | package name | angus | Highest |
| Product | jar | package name | eclipse | Highest |
| Product | jar | package name | mail | Highest |
| Product | jar | package name | util | Highest |
| Product | Manifest | bundle-docurl | https://www.eclipse.org | Low |
| Product | Manifest | Bundle-Name | Angus Mail Provider | Medium |
| Product | Manifest | bundle-symbolicname | org.eclipse.angus.mail | Medium |
| Product | Manifest | provide-capability | osgi.serviceloader;osgi.serviceloader="jakarta.mail.util.StreamProvider",osgi.serviceloader;osgi.serviceloader="jakarta. | Low |

mail.Provider"

| | | | | |
|---------|----------|-------------------|---------------------|---------|
| Product | pom | artifactid | angus-mail | Highest |
| Product | pom | groupid | org.eclipse.angus | Highest |
| Product | pom | name | Angus Mail Provider | High |
| Product | pom | parent-artifactid | all | Medium |
| Version | Manifest | Bundle-Version | 2.0.3 | High |
| Version | pom | version | 2.0.3 | Highest |

Identifiers

- <pkg:maven/org.eclipse.angus/angus-mail@2.0.3> (*Confidence:High*)

mail.zip: bc-fips.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/bc-fips.jar

MD5: 027174ee7fa414dab1721ab0ca72d119

SHA1: ee9ac432cf08f9a9ebee35d7cf8a45f94959a7ab

SHA256:f6a25fd5744e91cc019a9f79733ae757da6648a80946fad9932041ad05695240

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|--------|----------|--|-----------------------------|------------|
| Vendor | file | name | bc-fips | High |
| Vendor | jar | package name | bouncycastle | Highest |
| Vendor | jar | package name | bouncycastle | Low |
| Vendor | jar | package name | fips | Highest |
| Vendor | jar | package name | org | Highest |
| Vendor | jar | package name | provider | Highest |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | application-name | Bouncy Castle FIPS Provider | Medium |
| Vendor | Manifest | caller-allowable-codebase | * | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | extension-name | org.bouncycastle.bcfips | Medium |

| | | | | |
|---------|----------|--|-----------------------------|---------|
| Vendor | Manifest | Implementation-Vendor | BouncyCastle.org | High |
| Vendor | Manifest | Implementation-Vendor-Id | org.bouncycastle | Medium |
| Vendor | Manifest | multi-release | true | Low |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | BouncyCastle.org | Low |
| Vendor | Manifest | trusted-library | true | Low |
| Product | file | name | bc-fips | High |
| Product | jar | package name | bouncycastle | Highest |
| Product | jar | package name | fips | Highest |
| Product | jar | package name | org | Highest |
| Product | jar | package name | permissions | Highest |
| Product | jar | package name | provider | Highest |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | application-name | Bouncy Castle FIPS Provider | Medium |
| Product | Manifest | caller-allowable-codebase | * | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | extension-name | org.bouncycastle.bcfips | Medium |
| Product | Manifest | multi-release | true | Low |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | trusted-library | true | Low |
| Version | jar | package name | permissions | Highest |
| Version | Manifest | Implementation-Version | 2.0.0 | High |

Related Dependencies



- webserver.zip: bc-fips.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/bc-fips.jar
 - MD5: 027174ee7fa414dab1721ab0ca72d119
 - SHA1: ee9ac432cf08f9a9ebee35d7cf8a45f94959a7ab
 - SHA256: f6a25fd5744e91cc019a9f79733ae757da6648a80946fad9932041ad05695240

Identifiers

- None

mail.zip: bcjmail-fips.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/bcjmail-fips.jar

MD5: 59c98a4085cbcd64543de157d9edd82f

SHA1: 367db7b2da9fd8e62e8a0317323ad26922a8bc4f

SHA256: 0c785a7f67769b5bab279ee49d6dd2046995d76315341d9a9e744e1409adc531

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|--------|----------|--|---------------------------------------|------------|
| Vendor | file | name | bcjmail-fips | High |
| Vendor | jar | package name | bouncycastle | Highest |
| Vendor | jar | package name | bouncycastle | Low |
| Vendor | jar | package name | mail | Low |
| Vendor | jar | package name | smime | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | application-name | Bouncy Castle FIPS JAKARTA S/MIME API | Medium |
| Vendor | Manifest | automatic-module-name | org.bouncycastle.fips.bcjmail | Medium |
| Vendor | Manifest | bundle-requiredexecution | JavaSE-1.8 | Low |
| Vendor | Manifest | bundle-symbolicname | bcjmail | Medium |
| Vendor | Manifest | caller-allowable-codebase | * | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | extension-name | org.bouncycastle.bcjmail.mail | Medium |
| Vendor | Manifest | Implementation-Vendor | BouncyCastle.org | High |
| Vendor | Manifest | Implementation-Vendor-Id | org.bouncycastle | Medium |
| Vendor | Manifest | multi-release | true | Low |
| Vendor | Manifest | permissions | all-permissions | Low |

| | | | | |
|---------|----------|--|---------------------------------------|---------|
| Vendor | Manifest | specification-vendor | BouncyCastle.org | Low |
| Vendor | Manifest | trusted-library | true | Low |
| Product | file | name | bcjmail-fips | High |
| Product | jar | package name | bouncycastle | Highest |
| Product | jar | package name | mail | Low |
| Product | jar | package name | smime | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | application-name | Bouncy Castle FIPS JAKARTA S/MIME API | Medium |
| Product | Manifest | automatic-module-name | org.bouncycastle.fips.bcjmail | Medium |
| Product | Manifest | Bundle-Name | bcjmail | Medium |
| Product | Manifest | bundle-requiredexecution | JavaSE-1.8 | Low |
| Product | Manifest | bundle-symbolicname | bcjmail | Medium |
| Product | Manifest | caller-allowable-codebase | * | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | extension-name | org.bouncycastle.bcjmail.mail | Medium |
| Product | Manifest | multi-release | true | Low |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | trusted-library | true | Low |
| Version | Manifest | Bundle-Version | 2.0.5 | High |
| Version | Manifest | Implementation-Version | 2.0.5 | High |

Identifiers

- [cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.0.5:*:*:*:*:*](#) (Confidence: Highest)

suppress

mail.zip: bcpg-fips.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/bcpq-fips.jar
MD5: 05f2bad16aa3094a96fc397cf4f100d6
SHA1: f69719ef8dbf34d5f906ce480496446b2fd2ae27
SHA256: a9daf4d3c8d484a510b66dc121db1aafa435504f2aef0fa01ef3a020aae5f3ec
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|--|--------------------------------|------------|
| Vendor | file | name | bcpq-fips | High |
| Vendor | jar | package name | bcpq | Highest |
| Vendor | jar | package name | bouncycastle | Highest |
| Vendor | jar | package name | bouncycastle | Low |
| Vendor | jar | package name | openpgp | Highest |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | application-name | Bouncy Castle FIPS OpenPGP API | Medium |
| Vendor | Manifest | automatic-module-name | org.bouncycastle.fips.pg | Medium |
| Vendor | Manifest | bundle-requiredexecution | JavaSE-1.8 | Low |
| Vendor | Manifest | bundle-symbolicname | bcpq | Medium |
| Vendor | Manifest | caller-allowable-codebase | * | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | extension-name | org.bouncycastle.bcfips.pg | Medium |
| Vendor | Manifest | Implementation-Vendor | BouncyCastle.org | High |
| Vendor | Manifest | Implementation-Vendor-Id | org.bouncycastle | Medium |
| Vendor | Manifest | multi-release | true | Low |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | BouncyCastle.org | Low |
| Vendor | Manifest | trusted-library | true | Low |
| Product | file | name | bcpq-fips | High |
| Product | jar | package name | bcpq | Highest |
| Product | jar | package name | bouncycastle | Highest |
| | | | | |

| | | | | |
|---------|----------|--|--------------------------------|---------|
| Product | jar | package name | openpgp | Highest |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | application-name | Bouncy Castle FIPS OpenPGP API | Medium |
| Product | Manifest | automatic-module-name | org.bouncycastle.fips.pg | Medium |
| Product | Manifest | Bundle-Name | bcpq | Medium |
| Product | Manifest | bundle-requiredexecution | JavaSE-1.8 | Low |
| Product | Manifest | bundle-symbolicname | bcpq | Medium |
| Product | Manifest | caller-allowable-codebase | * | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | extension-name | org.bouncycastle.bcfips.pg | Medium |
| Product | Manifest | multi-release | true | Low |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | trusted-library | true | Low |
| Version | Manifest | Bundle-Version | 2.0.9 | High |
| Version | Manifest | Implementation-Version | 2.0.9 | High |

Identifiers

- [cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.0.9:*****](#) (Confidence: Highest)
- [cpe:2.3:a:openpgp:openpgp:2.0.9:*****](#) (Confidence: Highest)

mail.zip: bcpkix-fips.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/bcpkix-fips.jar
MD5: d9a095c74c538144db95e8252803651e
SHA1: 01eea0f325315ca6295b0a6926ff862d8001cdf9
SHA256: 4471e25adb42e400fd9ffa472d78a40a3b6add49b37cd5945ac2ca62398b16fd
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|--|------------------------------|------------|
| Vendor | file | name | bcpkix-fips | High |
| Vendor | jar | package name | bouncycastle | Highest |
| Vendor | jar | package name | bouncycastle | Low |
| Vendor | jar | package name | pkix | Highest |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | application-name | Bouncy Castle FIPS PKIX API | Medium |
| Vendor | Manifest | automatic-module-name | org.bouncycastle.fips.pkix | Medium |
| Vendor | Manifest | bundle-requiredexecution | JavaSE-1.8 | Low |
| Vendor | Manifest | bundle-symbolicname | bcpkix | Medium |
| Vendor | Manifest | caller-allowable-codebase | * | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | extension-name | org.bouncycastle.bcfips.pkix | Medium |
| Vendor | Manifest | Implementation-Vendor | BouncyCastle.org | High |
| Vendor | Manifest | Implementation-Vendor-Id | org.bouncycastle | Medium |
| Vendor | Manifest | multi-release | true | Low |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | BouncyCastle.org | Low |
| Vendor | Manifest | trusted-library | true | Low |
| Product | file | name | bcpkix-fips | High |
| Product | jar | package name | bouncycastle | Highest |
| Product | jar | package name | pkix | Highest |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | application-name | Bouncy Castle FIPS PKIX API | Medium |
| Product | Manifest | automatic-module-name | org.bouncycastle.fips.pkix | Medium |
| Product | Manifest | Bundle-Name | bcpkix | Medium |
| Product | Manifest | bundle- | JavaSE-1.8 | Low |

requiredexecution

| | | | | |
|---------|----------|---------------------------|------------------------------|--------|
| Product | Manifest | bundle-symbolicname | bcpkix | Medium |
| Product | Manifest | caller-allowable-codebase | * | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | extension-name | org.bouncycastle.bcfixs.pkix | Medium |
| Product | Manifest | multi-release | true | Low |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | trusted-library | true | Low |
| Version | Manifest | Bundle-Version | 2.0.7 | High |
| Version | Manifest | Implementation-Version | 2.0.7 | High |

Related Dependencies



- webserver.zip: bcpkix-fips.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/bcpkix-fips.jar
 - MD5: d9a095c74c538144db95e8252803651e
 - SHA1: 01eea0f325315ca6295b0a6926ff862d8001cdf9
 - SHA256: 4471e25adb42e400fd9ffa472d78a40a3b6add49b37cd5945ac2ca62398b16fd

Identifiers

- [cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.0.7:*:*:*:*:*](#) (*Confidence: Highest*)

mail.zip: bcutil-fips.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/bcutil-fips.jar

MD5: 66094c025a07ead8d600cb35b194b560

SHA1: a1857cd639295b10cc90e6d31ecbc523cdafcc19

SHA256: d7ab2fa5ba33594324a2cc26c75fd30e6a13e4d6524cb2027bb8384fd1befa14

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|--------|--------|------|-------------|------------|
| Vendor | file | name | bcutil-fips | High |

| | | | | |
|---------|----------|--|--------------------------------|---------|
| Vendor | jar | package name | asn1 | Low |
| Vendor | jar | package name | bouncycastle | Highest |
| Vendor | jar | package name | bouncycastle | Low |
| Vendor | jar | package name | its | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | application-name | Bouncy Castle FIPS Utility API | Medium |
| Vendor | Manifest | automatic-module-name | org.bouncycastle.fips.util | Medium |
| Vendor | Manifest | bundle-requiredexecution | JavaSE-1.8 | Low |
| Vendor | Manifest | bundle-symbolicname | bcutil | Medium |
| Vendor | Manifest | caller-allowable-codebase | * | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | extension-name | org.bouncycastle.bcfips.util | Medium |
| Vendor | Manifest | Implementation-Vendor | BouncyCastle.org | High |
| Vendor | Manifest | Implementation-Vendor-Id | org.bouncycastle | Medium |
| Vendor | Manifest | multi-release | true | Low |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | BouncyCastle.org | Low |
| Vendor | Manifest | trusted-library | true | Low |
| Product | file | name | bcutil-fips | High |
| Product | jar | package name | asn1 | Low |
| Product | jar | package name | bouncycastle | Highest |
| Product | jar | package name | its | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | application-name | Bouncy Castle FIPS Utility API | Medium |
| Product | Manifest | automatic-module-name | org.bouncycastle.fips.util | Medium |
| Product | Manifest | Bundle-Name | bcutil | Medium |
| Product | Manifest | bundle- | JavaSE-1.8 | Low |

requiredexecution

| | | | | |
|---------|----------|---------------------------|------------------------------|--------|
| Product | Manifest | bundle-symbolicname | bcutil | Medium |
| Product | Manifest | caller-allowable-codebase | * | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | extension-name | org.bouncycastle.bcfips.util | Medium |
| Product | Manifest | multi-release | true | Low |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | trusted-library | true | Low |
| Version | Manifest | Bundle-Version | 2.0.3 | High |
| Version | Manifest | Implementation-Version | 2.0.3 | High |

Related Dependencies



- webserver.zip: bcutil-fips.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/bcutil-fips.jar
 - MD5: 66094c025a07ead8d600cb35b194b560
 - SHA1: a1857cd639295b10cc90e6d31ecbc523cdfcc19
 - SHA256: d7ab2fa5ba33594324a2cc26c75fd30e6a13e4d6524cb2027bb8384fd1befa14

Identifiers

- [cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.0.3:****:*](#) (*Confidence: Highest*)

mail.zip: jakarta.activation-api.jar

Description:

Specification

License:

EDL 1.0: <http://www.eclipse.org/org/documents/edl-v10.php>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/jakarta.activation-api.jar

MD5: 76e7b680375ea9f40f3ddbd702efcd25

SHA1: fa165bd70cda600368eee31555222776a46b881f

SHA256: 01b176d718a169263e78290691fc479977186bcc6b333487325084d6586f4627

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|------------|-------------------------|-------------------------|------------|
| Vendor | file | name | jakarta.activation-api | High |
| Vendor | jar | package name | activation | Highest |
| Vendor | jar | package name | jakarta | Highest |
| Vendor | Manifest | bundle-docurl | https://www.eclipse.org | Low |
| Vendor | Manifest | bundle-symbolicname | jakarta.activation-api | Medium |
| Vendor | Manifest | extension-name | jakarta.activation | Medium |
| Vendor | Manifest | implementation-build-id | 7f7d358 | Low |
| Vendor | Manifest | Implementation-Vendor | Eclipse Foundation | High |
| Vendor | Manifest | specification-vendor | Eclipse Foundation | Low |
| Vendor | pom | artifactid | jakarta.activation-api | Low |
| Vendor | pom | developer email | bill.shannon@oracle.com | Low |
| Vendor | pom | developer id | shannon | Medium |
| Vendor | pom | developer name | Bill Shannon | Medium |
| Vendor | pom | developer org | Oracle | Medium |
| Vendor | pom | groupid | jakarta.activation | Highest |
| Vendor | pom | name | Jakarta Activation API | High |
| Vendor | pom | parent-artifactid | project | Low |
| Vendor | pom | parent-groupid | org.eclipse.ee4j | Medium |
| Vendor | pom | url | jakartaee/jaf-api | Highest |
| Vendor | pom (hint) | developer org | sun | Medium |
| Product | file | name | jakarta.activation-api | High |
| Product | jar | package name | activation | Highest |
| Product | jar | package name | jakarta | Highest |
| Product | Manifest | bundle-docurl | https://www.eclipse.org | Low |
| Product | Manifest | Bundle-Name | Jakarta Activation API | Medium |
| Product | Manifest | bundle-symbolicname | jakarta.activation-api | Medium |
| Product | Manifest | extension-name | jakarta.activation | Medium |
| Product | Manifest | implementation-build-id | 7f7d358 | Low |
| | | | | |

| | | | | |
|---------|----------|----------------------|----------------------------------|---------|
| Product | Manifest | Implementation-Title | Jakarta Activation API | High |
| Product | Manifest | specification-title | Jakarta Activation Specification | Medium |
| Product | pom | artifactid | jakarta.activation-api | Highest |
| Product | pom | developer email | bill.shannon@oracle.com | Low |
| Product | pom | developer id | shannon | Low |
| Product | pom | developer name | Bill Shannon | Low |
| Product | pom | developer org | Oracle | Low |
| Product | pom | groupid | jakarta.activation | Highest |
| Product | pom | name | Jakarta Activation API | High |
| Product | pom | parent-artifactid | project | Medium |
| Product | pom | parent-groupid | org.eclipse.ee4j | Medium |
| Product | pom | url | jakartaee/jaf-api | High |
| Version | Manifest | Bundle-Version | 2.1.3 | High |
| Version | pom | parent-version | 2.1.3 | Low |
| Version | pom | version | 2.1.3 | Highest |

Identifiers

- <pkg:maven/jakarta.activation/jakarta.activation-api@2.1.3> (*Confidence:High*)

mail.zip: jakarta.mail-api.jar

Description:

Specification API

License:

EPL 2.0: <http://www.eclipse.org/legal/epl-2.0>

GPL2 w/ CPE: <https://www.gnu.org/software/classpath/license.html>

EDL 1.0: <http://www.eclipse.org/org/documents/edl-v10.php>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/jakarta.mail-api.jar

MD5: 288a687deb06b87602ce14cd03dddff4

SHA1: a327aa5f514ba86e80d54584417d7376ed2bde0e

SHA256: 8051b58d75f982f9a5b963b3765426e824b2a64865ef0af17205e455b98db05c

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

| | | | | |
|---------|----------|-------------------------|----------------------------|---------|
| Vendor | file | name | jakarta.mail-api | High |
| Vendor | jar | package name | jakarta | Highest |
| Vendor | jar | package name | mail | Highest |
| Vendor | Manifest | bundle-docurl | https://www.eclipse.org | Low |
| Vendor | Manifest | bundle-symbolicname | jakarta.mail-api | Medium |
| Vendor | Manifest | extension-name | jakarta.mail | Medium |
| Vendor | Manifest | implementation-build-id | 0f448dc | Low |
| Vendor | Manifest | Implementation-Vendor | Eclipse Foundation | High |
| Vendor | Manifest | specification-vendor | Eclipse Foundation | Low |
| Vendor | pom | artifactid | jakarta.mail-api | Low |
| Vendor | pom | groupid | jakarta.mail | Highest |
| Vendor | pom | name | Jakarta Mail API | High |
| Vendor | pom | parent-artifactid | project | Low |
| Vendor | pom | parent-groupid | org.eclipse.ee4j | Medium |
| Product | file | name | jakarta.mail-api | High |
| Product | jar | package name | jakarta | Highest |
| Product | jar | package name | mail | Highest |
| Product | Manifest | bundle-docurl | https://www.eclipse.org | Low |
| Product | Manifest | Bundle-Name | Jakarta Mail API | Medium |
| Product | Manifest | bundle-symbolicname | jakarta.mail-api | Medium |
| Product | Manifest | extension-name | jakarta.mail | Medium |
| Product | Manifest | implementation-build-id | 0f448dc | Low |
| Product | Manifest | Implementation-Title | Jakarta Mail API | High |
| Product | Manifest | specification-title | Jakarta Mail Specification | Medium |
| Product | pom | artifactid | jakarta.mail-api | Highest |
| Product | pom | groupid | jakarta.mail | Highest |
| Product | pom | name | Jakarta Mail API | High |
| Product | pom | parent-artifactid | project | Medium |
| Product | pom | parent-groupid | org.eclipse.ee4j | Medium |
| Version | Manifest | Bundle-Version | 2.1.3 | High |
| Version | pom | parent-version | 2.1.3 | Low |

Versionpomversion2.1.3Highest

Identifiers

- [pkg:maven/jakarta.mail/jakarta.mail-api@2.1.3](#) (Confidence:High)

mail.zip: mail.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/mail.jar
MD5: 821ac4b3a8f3458eaa573743fea93e95
SHA1: c94d2925eb6541237f1e5fd5505e9805a0393893
SHA256:8580d97827802688733529d96048516f8058f2a0fa95658d3d6a211508b08f85
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor | file | name | mail | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | mail | Low |
| Vendor | Manifest | built-date | 2025-05-01 11:47 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | mail | High |
| Product | jar | package name | mail | Highest |
| Product | jar | package name | mail | Low |
| Product | jar | package name | shared | Highest |
| Product | Manifest | built-date | 2025-05-01 11:47 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | mail | High |
| | | | | |

| | | | | |
|---------|----------|------------------------|----------|---------|
| Product | Manifest | specification-title | mail | Medium |
| Version | jar | package name | shared | Highest |
| Version | Manifest | Implementation-Version | 25.4.227 | High |

Identifiers

- None

mail.zip: mail.jar: smimeconfig.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/mail.jar/com/inet/mail/structure/smimeconfig.js

MD5: 76ded92d7b56d80d0af85480a18651dd

SHA1: 33c396d1db9c7f1133a9a79735ace61fd94b171e

SHA256: 97dd0e725e45950514b5652e5da386fa01e98aae4788d9489e3219e4a71cf3d6

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

main.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/main.js

MD5: d79b7693c3fedef6d2701f98bd63395e

SHA1: dcb11c632f69f2a29632327c71ce2b36f0ed2da0

SHA256: 8c8530e356505da9f829ef1cf582c79f20fdd14cf1bb8491abc354d5e6882334

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Related Dependencies



- main.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/nunit - API Doc/styles/main.js
 - MD5: d79b7693c3fedef6d2701f98bd63395e
 - SHA1: dcb11c632f69f2a29632327c71ce2b36f0ed2da0
 - SHA256: 8c8530e356505da9f829ef1cf582c79f20fdd14cf1bb8491abc354d5e6882334

Identifiers

- None

maintenance.pdf.zip: maintenance.pdf.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.pdf.zip/maintenance.pdf.jar

MD5: 0e060937fcb8cc936cf44c7ba42b8acc

SHA1: 65a82ecfe46b0b2d878ec78e10a2d81b57e36a28

SHA256: 81082509375f9ef267bbed043a50963ea8dfd0d22ba3820e61558458a9ddfaf9

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor | file | name | maintenance.pdf | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | jar | package name | plugins | Low |
| Vendor | Manifest | built-date | 2025-05-06 07:15 | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | maintenance.pdf | High |
| Product | jar | package name | maintenance | Highest |
| Product | jar | package name | maintenance | Low |

| | | | | |
|---------|----------|------------------------|------------------|---------|
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | jar | package name | plugins | Low |
| Product | Manifest | built-date | 2025-05-06 07:15 | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | maintenance.pdfc | High |
| Product | Manifest | specification-title | maintenance.pdfc | Medium |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 25.4.232 | High |

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.232:*:*:*:*:* (Confidence:Low)

suppress

maintenance.pdfc.zip: maintenance.pdfc.jar: app.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.pdfc.zip/maintenance.pdfc.jar/com/inet/pdfc/plugins/maintenance/server/comparisons/js/app.js

MD5: 5e534fcce6f689d176c6f3b40fc4454f

SHA1: e5f82942adf62444636d28e904add7c61a18ea32

SHA256:d08c1c9da221cbd9c38a26e0235b0da7c3bed4ab30f504aa741d4085a42f7294

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

maintenance.pdfc.zip: maintenance.pdfc.jar: comparisons.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.pdf.zip/maintenance.pdf.jar/com/inet/pdfc/plugins/maintenance/server/comparisons/js/comparisons.js
MD5: dc34a947f1122f6f845deb82b822f15c
SHA1: 7a1528b00bb5229be98689b8c465b37c39bfa0ff
SHA256: 27b0ebba3a0c757e921cb562be691ee971fa06d1247423ff2c16f71d87d51bee
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

maintenance.zip: maintenance-javadoc.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar
MD5: e7e8292892a973854af26eeb3dff8cf6
SHA1: 0a97648fa4c2d7b23790f64fef00295f4e9824d0
SHA256: 0f3bbe0bd5db5ba927100fc230edafca71772d39dd0c6ce33afecb9c2afbf0d8
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|--------|------|---------------------|------------|
| Vendor | file | name | maintenance-javadoc | High |
| Product | file | name | maintenance-javadoc | High |

Identifiers

- None

maintenance.zip: maintenance-javadoc.jar: jquery-3.6.1.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/script-dir/jquery-3.6.1.min.js
MD5: 00727d1d5d9c90f7de826f1a4a9cc632
SHA1: ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2

SHA256:a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Related Dependencies



- pdfc.zip: pdfc-javadoc.jar: jquery-3.6.1.min.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/script-dir/jquery-3.6.1.min.js
 - MD5: 00727d1d5d9c90f7de826f1a4a9cc632
 - SHA1: ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2
 - SHA256: a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74
- reporting.zip: reporting-javadoc.jar: jquery-3.6.1.min.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/script-dir/jquery-3.6.1.min.js
 - MD5: 00727d1d5d9c90f7de826f1a4a9cc632
 - SHA1: ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2
 - SHA256: a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74
- taskplanner.zip: taskplanner-javadoc.jar: jquery-3.6.1.min.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/script-dir/jquery-3.6.1.min.js
 - MD5: 00727d1d5d9c90f7de826f1a4a9cc632
 - SHA1: ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2
 - SHA256: a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74

Identifiers

- None

maintenance.zip: maintenance-javadoc.jar: jquery-ui.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/script-dir/jquery-ui.min.js
MD5: 32059df39c14a910ccc2325f6a3cd62f
SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
SHA256:672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

| | | | | |
|---------|------|---------|-----------|------|
| Vendor | file | name | jquery-ui | High |
| Product | file | name | jquery-ui | High |
| Version | file | version | 1.13.1 | High |

Related Dependencies

- pdfc.zip: pdfc-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/script-dir/jquery-ui.min.js
 - MD5: 32059df39c14a910ccc2325f6a3cd62f
 - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
 - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
 - [pkg:javascript/jquery-ui@1.13.1](#)
- reporting.zip: reporting-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/script-dir/jquery-ui.min.js
 - MD5: 32059df39c14a910ccc2325f6a3cd62f
 - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
 - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
 - [pkg:javascript/jquery-ui@1.13.1](#)
- taskplanner.zip: taskplanner-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/script-dir/jquery-ui.min.js
 - MD5: 32059df39c14a910ccc2325f6a3cd62f
 - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
 - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
 - [pkg:javascript/jquery-ui@1.13.1](#)

Identifiers

- [pkg:javascript/jquery-ui@1.13.1](#) (Confidence: Highest)

maintenance.zip: maintenance-javadoc.jar: member-search-index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/member-search-index.js

MD5: 93b51609403fe383f95ae75000fd9e09

SHA1: 32a7d291fa90846ef3a1b919485866573b8bd07b

SHA256: 5902db037c53061d68cc19ef2af2e3578c16ce0ec0397438e34dd8119c609087

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

maintenance.zip: maintenance-javadoc.jar: module-search-index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/module-search-index.js

MD5: a33da0f469acbd03f77bf407bac505f5

SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8

SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Related Dependencies



- pdfc.zip: pdfc-javadoc.jar: module-search-index.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/module-search-index.js
 - MD5: a33da0f469acbd03f77bf407bac505f5
 - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
 - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18
- reporting.zip: reporting-javadoc.jar: module-search-index.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/module-search-index.js
 - MD5: a33da0f469acbd03f77bf407bac505f5
 - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
 - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18
- taskplanner.zip: taskplanner-javadoc.jar: module-search-index.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/module-search-index.js
 - MD5: a33da0f469acbd03f77bf407bac505f5
 - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
 - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18

Identifiers

- None

maintenance.zip: maintenance-javadoc.jar: package-search-index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/package-search-index.js

MD5: e89f47c422716f6284a74cd96ed0cd3f

SHA1: 658d9c6eebf7c62d01f7808a26b6024b8c39ecf4

SHA256: 9687f5061532bbd21fa8c795aca6a657bdac71e356eb43f7103a1cd02bd9306d

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

maintenance.zip: maintenance-javadoc.jar: script.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/script.js

MD5: baf9d9e16237acbdce975a33c54ee8ae

SHA1: cc6a3c8d72f17eff0d613ddfcf7c1095535573f7

SHA256: 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Related Dependencies



- pdfc.zip: pdfc-javadoc.jar: script.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/script.js
 - MD5: baf9d9e16237acbdce975a33c54ee8ae
 - SHA1: cc6a3c8d72f17eff0d613ddfcf7c1095535573f7
 - SHA256: 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975
- reporting.zip: reporting-javadoc.jar: script.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/script.js
 - MD5: baf9d9e16237acbdce975a33c54ee8ae
 - SHA1: cc6a3c8d72f17eff0d613ddfcf7c1095535573f7
 - SHA256: 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975

- taskplanner.zip: taskplanner-javadoc.jar: script.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/script.js
 - MD5: baf9d9e16237acbdce975a33c54ee8ae
 - SHA1: cc6a3c8d72f17eff0d613ddfcf7c1095535573f7
 - SHA256: 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975

Identifiers

- None

maintenance.zip: maintenance-javadoc.jar: search.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/search.js

MD5: cb277f670590ffec20a12745260518dc

SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca

SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
| | | | | |

Related Dependencies

- pdfc.zip: pdfc-javadoc.jar: search.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/search.js
 - MD5: cb277f670590ffec20a12745260518dc
 - SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
 - SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f
- reporting.zip: reporting-javadoc.jar: search.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/search.js
 - MD5: cb277f670590ffec20a12745260518dc
 - SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
 - SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f
- taskplanner.zip: taskplanner-javadoc.jar: search.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/search.js
 - MD5: cb277f670590ffec20a12745260518dc
 - SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
 - SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f

Identifiers

- None

maintenance.zip: maintenance-javadoc.jar: tag-search-index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/tag-search-index.js

MD5: 3236248138000d701400e0346999c1a8

SHA1: 565146643a30712208f9299bd94a37566eab76b8

SHA256: 72960c457566fe509fb1610d2612152b3f78b15485c891197f1053febdf8f8d1

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

maintenance.zip: maintenance-javadoc.jar: type-search-index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/type-search-index.js

MD5: 4fc01a884f0b77974cfda0ecd2b9008f

SHA1: d9610bba6879a5a4f88fb61427b75cd69bce1546

SHA256: cb975e5713d5cd570800e6107aceaa23f53deee11f68222408fec819358da987

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

maintenance.zip: maintenance.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance.jar

MD5: 34d66e66eb0bd3ac59b96c970b2d59ec

SHA1: 6f92af626e9a240f1dfbcf38b9b32b0b387539a7

SHA256:8cfaa451d2cf031791c6104ffea0faab373aea16d7c3eada1e681c3f5b503a3c

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor | file | name | maintenance | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | maintenance | Low |
| Vendor | jar | package name | server | Low |
| Vendor | Manifest | built-date | 2025-05-01 11:31 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | maintenance | High |
| Product | jar | package name | maintenance | Highest |
| Product | jar | package name | maintenance | Low |
| Product | jar | package name | server | Low |
| Product | Manifest | built-date | 2025-05-01 11:31 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | maintenance | High |
| Product | Manifest | specification-title | maintenance | Medium |
| Version | Manifest | Implementation-Version | 25.4.227 | High |

Identifiers

- None

maintenance.zip: maintenance.jar: controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/backup/js/controller.js

MD5: eda28b0d3fc75e6df1ec801c4dda1184

SHA1: bde7771a725ab5f735940d621e891210d76d746c

SHA256: a6b050a5c95270a0c67687822415186d22ee8330dcf39902d53e80d8272effda

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

maintenance.zip: maintenance.jar: controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/cache/js/controller.js

MD5: aa44ef9d57351256e8288279206e9da0

SHA1: 29d071ac271977ff8019c6031ee24ddabc5fc3f1

SHA256: 4fbd2dbd4693521ea657c6d95d5f20f8128e38208d742ad6388f76e962052fec

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

maintenance.zip: maintenance.jar: controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/main/js/controller.js
MD5: 0ff72e191a3f127973fc5a9381f1e3fb
SHA1: 2ed064d4500a047ef82b23173f0abf1e9813e1a2
SHA256:6d60b6004b5b228cc1e6fc6ba01afc922d7d6e174f32773dbf32f1993085a0
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

maintenance.zip: maintenance.jar: controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/programdata/js/controller.js
MD5: fa453d5635f82f0078c224f27dd99a7d
SHA1: 6288a3c4fbff29ee7cc6a8f69149de44c49ef5c6
SHA256:f7902fb5b8dd900a95b90969872c55787e2d4f65f3736d827fcb13c0ebcef46b
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

maintenance.zip: maintenance.jar: controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/usercleanup/js/controller.js
MD5: 8761a32cdcf4e1e4a7685026230292f7
SHA1: c2d0abdc930a08da61c93cf63f310c9a74434f3c
SHA256:358479a73183963c1626c72ae92d5c4f7c03b83363c80257ac03dc58eb4285bd
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

maintenance.zip: maintenance.jar: filechooser.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/main/js/filechooser.js

MD5: e68e2ea53d15557b2fb1deaf06d441d3

SHA1: 047d5f2582143536ea470e92aa91fb7b77c7f093

SHA256:c44d53718171530ce586b9932fe7126a09de8e6f7bb9e40aaf949483e432e87d

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

maintenance.zip: maintenance.jar: multieditusers.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/usercleanup/js/multieditusers.js

MD5: 9344849a6f020a58c0f0d718e8c76929

SHA1: 2d636915befebb9bd1db90c54bffe6acfb088d87

SHA256:ab73fb84fe0687eaea50fa310992eb630da346b49387ccee829854f6ecc03329

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

mongo-java-driver.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/persistence/mongo-java-driver.jar

MD5: b507109fd6a0b6ead4972e9554f09fc4

SHA1: 850383a126cdc5b363fa9ffc780037f6ebeee704

SHA256: 7e6b2b9bbf24859db4bc00dd647090e21fe02e1fee9e8566918649d8356dfa3f

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|---------------------|-------------------------------|------------|
| Vendor | file | name | mongo-java-driver | High |
| Vendor | jar | package name | mongodb | Highest |
| Vendor | jar | package name | mongodb | Low |
| Vendor | Manifest | bundle-symbolicname | org.mongodb.mongo-java-driver | Medium |
| Product | file | name | mongo-java-driver | High |
| Product | jar | package name | mongo | Highest |
| Product | jar | package name | mongodb | Highest |
| Product | Manifest | Bundle-Name | mongo-java-driver | Medium |
| Product | Manifest | bundle-symbolicname | org.mongodb.mongo-java-driver | Medium |
| Version | Manifest | build-version | 3.12.14 | Medium |
| Version | Manifest | Bundle-Version | 3.12.14 | High |

Identifiers

- [cpe:2.3:a:mongodb:java_driver:3.12.14:*:*:*:*:*](#) (Confidence:High) suppress

notification.zip: notification.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/notification.zip/notification.jar
MD5: 4dae6a1bb05b6975ea12790bbc9fbf83
SHA1: a216123fbe895c3defc1d30fetc58b7da52927b9
SHA256:3dff0acef9ec869bdebf9a6fa62856f3185f7edc4dc15400fd3f568fd0f6cb11
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor | file | name | notification | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | notificationui | Low |
| Vendor | jar | package name | server | Low |
| Vendor | Manifest | built-date | 2025-05-01 11:45 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | notification | High |
| Product | jar | package name | notificationui | Low |
| Product | jar | package name | server | Low |
| Product | Manifest | built-date | 2025-05-01 11:45 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | notification | High |
| Product | Manifest | specification-title | notification | Medium |
| Version | Manifest | Implementation-Version | 25.4.227 | High |

Identifiers

- None

notification.zip: notification.jar: notification.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/notification.js

MD5: a7914294220b5e8b3455195997e7a654

SHA1: 6aa5184b6872c79a90cb0c7db02e4b383ae1d6f0

SHA256: 1adacc2b14565423a88959085345d44027d4ca43cb75b2a1dceb5ffdde9c0637

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

notification.zip: notification.jar: notification_config.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/notification_config.js

MD5: 323c074408d9e2dc2145230f2f2bec9e

SHA1: e6ca6eb13f3c22aedfbd90b0d7306c35cd7d2b28

SHA256: c86eed2c4c6b7df65bdebffc00a3ea2d809997c4b7a97cd22d55f7193ebd4b94

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

notification.zip: notification.jar: notification_taskplanner.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/notification_taskplanner.js

MD5: 34de69c55375ed77dcc583b60d7682a7

SHA1: 61bc262edf6fc6e902bbbc4bbc16c546a01e4f78
SHA256:ddb2f468d7348ce9388681d450895a6e4b5ba6c22d632f3d53bc1e837be83508
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

notification.zip: notification.jar: targetrenderer.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/targetrenderer.js
MD5: 9207efb9b92d4108c031b3e7f469ccff
SHA1: fc19cd09c51417a29979d39e3a74a2d99fbf9c03
SHA256:c6c83159f063f74a44c1d68bd67a67c4c96023c3eba9f87ce1090b8f994f49bd
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

ocr.tesseract.zip: fontbox.jar

Description:

The Apache FontBox library is an open source Java tool to obtain low level information from font files. FontBox is a subproject of Apache PDFBox.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/fontbox.jar

MD5: 05adabd366e6f8a22ac04c293237dd89

SHA1: 9eebd1ee868a79fcf7390283b2baf4179dadb8ed

SHA256:65690c3f39b04a14d12c17f4998c15186ce877d3e2ec222c708577e3cc028030

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|-----------------------|--------------------------------|------------|
| Vendor | file | name | fontbox | High |
| Vendor | jar | package name | apache | Highest |
| Vendor | jar | package name | fontbox | Highest |
| Vendor | Manifest | automatic-module-name | org.apache.fontbox | Medium |
| Vendor | Manifest | build-jdk-spec | 1.8 | Low |
| Vendor | Manifest | bundle-docurl | https://pdfbox.apache.org | Low |
| Vendor | Manifest | bundle-symbolicname | org.apache.pdfbox.fontbox | Medium |
| Vendor | Manifest | Implementation-Vendor | The Apache Software Foundation | High |
| Vendor | Manifest | specification-vendor | The Apache Software Foundation | Low |
| Vendor | pom | artifactid | fontbox | Low |
| Vendor | pom | groupid | org.apache.pdfbox | Highest |
| Vendor | pom | name | Apache FontBox | High |
| Vendor | pom | parent-artifactid | pdfbox-parent | Low |
| Vendor | pom | url | http://pdfbox.apache.org/ | Highest |
| Product | file | name | fontbox | High |
| Product | jar | package name | apache | Highest |
| Product | jar | package name | fontbox | Highest |
| Product | Manifest | automatic-module-name | org.apache.fontbox | Medium |
| Product | Manifest | build-jdk-spec | 1.8 | Low |
| Product | Manifest | bundle-docurl | https://pdfbox.apache.org | Low |
| Product | Manifest | Bundle-Name | Apache FontBox | Medium |
| Product | Manifest | bundle-symbolicname | org.apache.pdfbox.fontbox | Medium |
| Product | Manifest | Implementation-Title | Apache FontBox | High |
| Product | Manifest | specification-title | Apache FontBox | Medium |
| Product | pom | artifactid | fontbox | Highest |
| Product | pom | groupid | org.apache.pdfbox | Highest |

| | | | | |
|---------|----------|------------------------|---------------------------|---------|
| Product | pom | name | Apache FontBox | High |
| Product | pom | parent-artifactid | pdfbox-parent | Medium |
| Product | pom | url | http://pdfbox.apache.org/ | Medium |
| Version | Manifest | Bundle-Version | 3.0.3 | High |
| Version | Manifest | Implementation-Version | 3.0.3 | High |
| Version | pom | version | 3.0.3 | Highest |

Identifiers

- <pkg:maven/org.apache.pdfbox/fontbox@3.0.3> (Confidence:High)

ocr.tesseract.zip: jai-imageio-core.jar

Description:

Java Advanced Imaging Image I/O Tools API core, but without the classes involved with javax.media.jai dependencies, JPEG2000 or codecLibJIIIO, meaning that this library can be distributed under the modified BSD license and should be GPL compatible.

License:

BSD 3-clause License w/nuclear disclaimer: LICENSE.txt

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jai-imageio-core.jar

MD5: 6978d733bfb55c0a82639f724fe5f3bb

SHA1: fb6d79b929556362a241b2f65a04e538062f0077

SHA256: 8ad3c68e9effb10ac87ff8bc589adf64b04a729c5194c079efd0643607fd72a

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|--------|----------|-----------------------|--|------------|
| Vendor | file | name | jai-imageio-core | High |
| Vendor | jar | package name | github | Highest |
| Vendor | Manifest | bundle-docurl | https://github.com/jai-imageio/ | Low |
| Vendor | Manifest | bundle-symbolicname | jai-imageio-core | Medium |
| Vendor | Manifest | extension-name | com.github.jai-imageio-jai-imageio-core | Medium |
| Vendor | Manifest | Implementation-Vendor | https://github.com/jai-imageio/ jai-imageio GitHub group | High |
| Vendor | Manifest | specification- | Sun Microsystems, Inc. | Low |

| | | | | |
|---------|----------|----------------------|---|---------|
| | | vendor | | |
| Vendor | Manifest | url | https://github.com/jai-imageio/jai-imageio-core | Low |
| Vendor | pom | artifactid | jai-imageio-core | Low |
| Vendor | pom | developer email | stian@s11.no | Low |
| Vendor | pom | developer name | Stian Soiland-Reyes | Medium |
| Vendor | pom | developer org | s11 | Medium |
| Vendor | pom | developer org URL | http://s11.no/ | Medium |
| Vendor | pom | groupid | com.github.jai-imageio | Highest |
| Vendor | pom | name | Java Advanced Imaging Image I/O Tools API core (standalone) | High |
| Vendor | pom | organization name | jai-imageio GitHub group | High |
| Vendor | pom | organization url | jai-imageio/ | Medium |
| Vendor | pom | url | jai-imageio/jai-imageio-core | Highest |
| Product | file | name | jai-imageio-core | High |
| Product | jar | package name | github | Highest |
| Product | Manifest | bundle-docurl | https://github.com/jai-imageio/ | Low |
| Product | Manifest | Bundle-Name | Java Advanced Imaging Image I/O Tools API core (standalone) | Medium |
| Product | Manifest | bundle-symbolicname | jai-imageio-core | Medium |
| Product | Manifest | extension-name | com.github.jai-imageio-jai-imageio-core | Medium |
| Product | Manifest | Implementation-Title | Java Advanced Imaging Image I/O Tools API core (standalone) | High |
| Product | Manifest | specification-title | Java Advanced Imaging | Medium |
| Product | Manifest | url | https://github.com/jai-imageio/jai-imageio-core | Low |
| Product | pom | artifactid | jai-imageio-core | Highest |
| Product | pom | developer email | stian@s11.no | Low |
| Product | pom | developer name | Stian Soiland-Reyes | Low |
| Product | pom | developer org | s11 | Low |
| Product | pom | developer org URL | http://s11.no/ | Low |
| Product | pom | groupid | com.github.jai-imageio | Highest |
| Product | pom | name | Java Advanced Imaging Image I/O Tools API core (standalone) | High |
| Product | pom | organization name | jai-imageio GitHub group | Low |
| Product | pom | url | jai-imageio/ | High |

| | | | | |
|---------|----------|------------------------|------------------------------|---------|
| Product | pom | url | jai-imageio/jai-imageio-core | High |
| Version | Manifest | Bundle-Version | 1.4.0 | High |
| Version | Manifest | Implementation-Version | 1.4.0 | High |
| Version | pom | version | 1.4.0 | Highest |

Identifiers

- <pkg:maven/com.github.jai-imageio/jai-imageio-core@1.4.0> (Confidence:High)

ocr.tesseract.zip: jbig2-imageio.jar

Description:

Java Image I/O plugin for reading JBIG2-compressed image data.
Formerly known as the levigo JBIG2 ImageIO plugin (com.levigo.jbig2:levigo-jbig2-imageio).

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jbig2-imageio.jar

MD5: c51f45dc3d29bbf716774f9ff9e95ad6

SHA1: ad09a9bb94ea791ea81fb6c5bc2b13dd77872598

SHA256: 29cb2951622f10acf61fd0656c4e6fa5562194a9095f7a1d26aa426e2f6b17eb

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|--------|----------|--------------------------|---------------------------------------|------------|
| Vendor | file | name | jbig2-imageio | High |
| Vendor | jar | package name | apache | Highest |
| Vendor | jar | package name | image | Highest |
| Vendor | jar | package name | jbig2 | Highest |
| Vendor | jar | package name | pdfbox | Highest |
| Vendor | Manifest | automatic-module-name | org.apache.pdfbox.jbig2 | Medium |
| Vendor | Manifest | implementation-url | https://www.apache.org/jbig2-imageio/ | Low |
| Vendor | Manifest | Implementation-Vendor | The Apache Software Foundation | High |
| Vendor | Manifest | Implementation-Vendor-Id | org.apache.pdfbox | Medium |
| Vendor | Manifest | specification-vendor | The Apache Software Foundation | Low |

| | | | | |
|--------|-----|----------------|--------------------|--------|
| Vendor | pom | artifactid | jbig2-imageio | Low |
| Vendor | pom | developer id | adam | Medium |
| Vendor | pom | developer id | blitchfield | Medium |
| Vendor | pom | developer id | carrier | Medium |
| Vendor | pom | developer id | danielwilson | Medium |
| Vendor | pom | developer id | gbailleul | Medium |
| Vendor | pom | developer id | hennejg | Medium |
| Vendor | pom | developer id | holdersn | Medium |
| Vendor | pom | developer id | jahewson | Medium |
| Vendor | pom | developer id | jeremias | Medium |
| Vendor | pom | developer id | jukka | Medium |
| Vendor | pom | developer id | kjackson | Medium |
| Vendor | pom | developer id | koch | Medium |
| Vendor | pom | developer id | koehlecn | Medium |
| Vendor | pom | developer id | lehmi | Medium |
| Vendor | pom | developer id | leleueri | Medium |
| Vendor | pom | developer id | mmayer | Medium |
| Vendor | pom | developer id | msayhoun | Medium |
| Vendor | pom | developer id | pkoch | Medium |
| Vendor | pom | developer id | tallison | Medium |
| Vendor | pom | developer id | tboehme | Medium |
| Vendor | pom | developer id | tchojecki | Medium |
| Vendor | pom | developer id | tilman | Medium |
| Vendor | pom | developer id | vfed | Medium |
| Vendor | pom | developer name | Adam Nichols | Medium |
| Vendor | pom | developer name | Andreas Lehmkuhler | Medium |
| Vendor | pom | developer name | Ben Litchfield | Medium |
| Vendor | pom | developer name | Brian Carrier | Medium |
| Vendor | pom | developer name | Carolín Köhler | Medium |
| Vendor | pom | developer name | Daniel Wilson | Medium |
| Vendor | pom | developer name | Eric Leleu | Medium |
| Vendor | pom | developer name | Guillaume Bailleul | Medium |
| Vendor | pom | developer name | Jeremias Maerki | Medium |
| Vendor | pom | developer name | Johannes Koch | Medium |
| Vendor | pom | developer name | John Hewson | Medium |

| | | | | |
|---------|----------|-----------------------|---------------------------------------|---------|
| Vendor | pom | developer name | Jukka Zitting | Medium |
| Vendor | pom | developer name | Jörg Henne | Medium |
| Vendor | pom | developer name | Kevin Jackson | Medium |
| Vendor | pom | developer name | Maruan Sayhoun | Medium |
| Vendor | pom | developer name | Matthäus Mayer | Medium |
| Vendor | pom | developer name | Phillipp Koch | Medium |
| Vendor | pom | developer name | Sebastian Holder | Medium |
| Vendor | pom | developer name | Thomas Chojecki | Medium |
| Vendor | pom | developer name | Tilman Hausherr | Medium |
| Vendor | pom | developer name | Tim Allison | Medium |
| Vendor | pom | developer name | Timo Boehme | Medium |
| Vendor | pom | developer name | Villu Ruusmann | Medium |
| Vendor | pom | groupid | org.apache.pdfbox | Highest |
| Vendor | pom | name | PDFBox JBIG2 ImageIO plugin | High |
| Vendor | pom | organization name | The Apache Software Foundation | High |
| Vendor | pom | organization url | http://pdfbox.apache.org | Medium |
| Vendor | pom | parent-artifactid | apache | Low |
| Vendor | pom | parent-groupid | org.apache | Medium |
| Product | file | name | jbig2-imageio | High |
| Product | jar | package name | apache | Highest |
| Product | jar | package name | image | Highest |
| Product | jar | package name | jbig2 | Highest |
| Product | jar | package name | pdfbox | Highest |
| Product | Manifest | automatic-module-name | org.apache.pdfbox.jbig2 | Medium |
| Product | Manifest | Implementation-Title | PDFBox JBIG2 ImageIO plugin | High |
| Product | Manifest | implementation-url | https://www.apache.org/jbig2-imageio/ | Low |
| Product | Manifest | specification-title | PDFBox JBIG2 ImageIO plugin | Medium |
| Product | pom | artifactid | jbig2-imageio | Highest |
| Product | pom | developer id | adam | Low |
| Product | pom | developer id | blitchfield | Low |
| Product | pom | developer id | carrier | Low |
| Product | pom | developer id | danielwilson | Low |
| Product | pom | developer id | gbailleul | Low |
| | | | | |

| | | | | |
|---------|-----|----------------|--------------------|-----|
| Product | pom | developer id | hennejg | Low |
| Product | pom | developer id | holdersn | Low |
| Product | pom | developer id | jahewson | Low |
| Product | pom | developer id | jeremias | Low |
| Product | pom | developer id | jukka | Low |
| Product | pom | developer id | kjackson | Low |
| Product | pom | developer id | koch | Low |
| Product | pom | developer id | koehlecn | Low |
| Product | pom | developer id | lehmi | Low |
| Product | pom | developer id | leleueri | Low |
| Product | pom | developer id | mmayer | Low |
| Product | pom | developer id | msayhoun | Low |
| Product | pom | developer id | pkoch | Low |
| Product | pom | developer id | tallison | Low |
| Product | pom | developer id | tboehme | Low |
| Product | pom | developer id | tchojecki | Low |
| Product | pom | developer id | tilman | Low |
| Product | pom | developer id | vfed | Low |
| Product | pom | developer name | Adam Nichols | Low |
| Product | pom | developer name | Andreas Lehmkuhler | Low |
| Product | pom | developer name | Ben Litchfield | Low |
| Product | pom | developer name | Brian Carrier | Low |
| Product | pom | developer name | Carolin Köhler | Low |
| Product | pom | developer name | Daniel Wilson | Low |
| Product | pom | developer name | Eric Leleu | Low |
| Product | pom | developer name | Guillaume Bailleul | Low |
| Product | pom | developer name | Jeremias Maerki | Low |
| Product | pom | developer name | Johannes Koch | Low |
| Product | pom | developer name | John Hewson | Low |
| Product | pom | developer name | Jukka Zitting | Low |
| Product | pom | developer name | Jörg Henne | Low |
| Product | pom | developer name | Kevin Jackson | Low |
| Product | pom | developer name | Maruan Sayhoun | Low |
| Product | pom | developer name | Matthäus Mayer | Low |
| Product | pom | developer name | Phillipp Koch | Low |

| | | | | |
|---------|----------|------------------------|--------------------------------|---------|
| Product | pom | developer name | Sebastian Holder | Low |
| Product | pom | developer name | Thomas Chojecki | Low |
| Product | pom | developer name | Tilman Hausherr | Low |
| Product | pom | developer name | Tim Allison | Low |
| Product | pom | developer name | Timo Boehme | Low |
| Product | pom | developer name | Villu Ruusmann | Low |
| Product | pom | groupid | org.apache.pdfbox | Highest |
| Product | pom | name | PDFBox JBIG2 ImageIO plugin | High |
| Product | pom | organization name | The Apache Software Foundation | Low |
| Product | pom | organization url | http://pdfbox.apache.org | Low |
| Product | pom | parent-artifactid | apache | Medium |
| Product | pom | parent-groupid | org.apache | Medium |
| Version | Manifest | Implementation-Version | 3.0.4 | High |
| Version | pom | parent-version | 3.0.4 | Low |
| Version | pom | version | 3.0.4 | Highest |

Identifiers

- [pkg:maven/org.apache.pdfbox/jbig2-imageio@3.0.4](#) (*Confidence:High*)
- [cpe:2.3:a:apache:pdfbox:3.0.4:*:*:*:*:*](#) (*Confidence:Highest*)

suppress

ocr.tesseract.zip: jboss-vfs.jar

Description:

A VFS library

License:

Apache License 2.0: <http://repository.jboss.org/licenses/apache-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jboss-vfs.jar

MD5: ecf3234794d1b7d03dc1eb5380328e04

SHA1: 748b9f156f35bf63ead9887f040cfc48af18f7f0

SHA256: 33a84eac3f1027551146247e3ef4057dc8840cfc8cd436cb2f925b6f5d2126e9

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|-----------------------|-----------------------------------|------------|
| Vendor | file | name | jboss-vfs | High |
| Vendor | jar | package name | jboss | Highest |
| Vendor | jar | package name | vfs | Highest |
| Vendor | Manifest | automatic-module-name | org.jboss.vfs | Medium |
| Vendor | Manifest | build-jdk-spec | 11 | Low |
| Vendor | Manifest | implementation-url | http://www.jboss.org | Low |
| Vendor | Manifest | Implementation-Vendor | JBoss, A division of Red Hat, Inc | High |
| Vendor | Manifest | specification-vendor | JBoss, A division of Red Hat, Inc | Low |
| Vendor | pom | artifactid | jboss-vfs | Low |
| Vendor | pom | groupid | org.jboss | Highest |
| Vendor | pom | name | JBoss VFS | High |
| Vendor | pom | organization name | JBoss, A division of Red Hat, Inc | High |
| Vendor | pom | organization url | http://www.jboss.org | Medium |
| Vendor | pom | parent-artifactid | jboss-parent | Low |
| Vendor | pom | url | http://www.jboss.org | Highest |
| Product | file | name | jboss-vfs | High |
| Product | jar | package name | jboss | Highest |
| Product | jar | package name | vfs | Highest |
| Product | Manifest | automatic-module-name | org.jboss.vfs | Medium |
| Product | Manifest | build-jdk-spec | 11 | Low |
| Product | Manifest | Implementation-Title | JBoss VFS | High |
| Product | Manifest | implementation-url | http://www.jboss.org | Low |
| Product | Manifest | specification-title | JBoss VFS | Medium |
| Product | pom | artifactid | jboss-vfs | Highest |
| Product | pom | groupid | org.jboss | Highest |
| Product | pom | name | JBoss VFS | High |
| Product | pom | organization name | JBoss, A division of Red Hat, Inc | Low |
| Product | pom | organization url | http://www.jboss.org | Low |
| Product | pom | parent-artifactid | jboss-parent | Medium |
| Product | pom | url | http://www.jboss.org | Medium |

| | | | | |
|---------|----------|------------------------|-------------|---------|
| Version | Manifest | Implementation-Version | 3.3.2.Final | High |
| Version | pom | parent-version | 3.3.2.Final | Low |
| Version | pom | version | 3.3.2.Final | Highest |

Identifiers

- <pkg:maven/org.jboss/jboss-vfs@3.3.2.Final> (*Confidence*:High)

ocr.tesseract.zip: lept4j.jar

Description:

Lept4J

Description:

A Java JNA wrapper for Leptonica Image Processing library.

Lept4J is released and distributed under the Apache License, v2.0.

License:

Apache License 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/lept4j.jar

MD5: 70889e28b7569dd54e7da9ced01dabdf

SHA1: ec69d554f05e030b5e06295a4d39057634759549

SHA256: 5feb69a8fc9550809b23cb980270cdf99368dea330ba7d98789e2dc93f8bef6f

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|--------|----------|-----------------|----------------------|------------|
| Vendor | file | name | lept4j | High |
| Vendor | jar | package name | lept4j | Highest |
| Vendor | jar | package name | leptonica | Highest |
| Vendor | jar | package name | net | Highest |
| Vendor | jar | package name | sourceforge | Highest |
| Vendor | Manifest | build-jdk-spec | 1.8 | Low |
| Vendor | pom | artifactid | lept4j | Low |
| Vendor | pom | developer email | nguyenq@users.sf.net | Low |
| Vendor | pom | developer name | Quan Nguyen | Medium |

| | | | | |
|---------|----------|-----------------|-----------------------------|---------|
| Vendor | pom | groupid | net.sourceforge.lept4j | Highest |
| Vendor | pom | name | Lept4J - Leptonica for Java | High |
| Vendor | pom | url | nguyenq/lept4j | Highest |
| Product | file | name | lept4j | High |
| Product | jar | package name | lept4j | Highest |
| Product | jar | package name | leptonica | Highest |
| Product | jar | package name | net | Highest |
| Product | jar | package name | sourceforge | Highest |
| Product | Manifest | build-jdk-spec | 1.8 | Low |
| Product | pom | artifactid | lept4j | Highest |
| Product | pom | developer email | nguyenq@users.sf.net | Low |
| Product | pom | developer name | Quan Nguyen | Low |
| Product | pom | groupid | net.sourceforge.lept4j | Highest |
| Product | pom | name | Lept4J - Leptonica for Java | High |
| Product | pom | url | nguyenq/lept4j | High |
| Version | pom | version | 1.19.1 | Highest |

Identifiers

- <pkg:maven/net.sourceforge.lept4j/lept4j@1.19.1> (*Confidence:High*)

ocr.tesseract.zip: lept4j.jar: libleptonica1841.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/lept4j.jar/win32-x86-64/libleptonica1841.dll

MD5: 981b8e38e33018fff693c8e3ec0f2254

SHA1: 91a9cd0a874d614bc8a8946d2e0a8573e8b96ac1

SHA256: 0b2cb584baeb38b90033344b4d70830b33ba01396fb9142b9b733e83c8a73fb8

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|---------|--------|---------|------------------|------------|
| Vendor | file | name | libleptonica1841 | High |
| Product | file | name | libleptonica1841 | High |
| Version | file | name | libleptonica1841 | Medium |
| Version | file | version | 1841 | Medium |

Identifiers

- None

ocr.tesseract.zip: lept4j.jar: libleptonica1841.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/lept4j.jar/win32-x86/libleptonica1841.dll

MD5: 64f0634192bcf75ade5ea06f8119512d

SHA1: b387acaa5209f796fb3065395548d2adcbad620e

SHA256: 405e5263b72cb7d63c723fd85a124201cd66aa9a983b3a1c1e4c82003c91bcaa

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|---------|--------|---------|------------------|------------|
| Vendor | file | name | libleptonica1841 | High |
| Product | file | name | libleptonica1841 | High |
| Version | file | name | libleptonica1841 | Medium |
| Version | file | version | 1841 | Medium |

Identifiers

- None

ocr.tesseract.zip: ocr.tesseract.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/ocr.tesseract.jar

MD5: 9890fae619f40414e1c7c0cc34a5fcb0

SHA1: 394133286515b7341f6c14406691a7bc72e81b6b

SHA256: 73bb0f41c689af4d683ac51701ec0f008d4d740709dddf2789cab20d3c01b430

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
| | | | | |

| | | | | |
|---------|----------|--|--------------------------------------|---------|
| Vendor | file | name | ocr.tesseract | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | ocr | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2025-05-06 07:14 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | ocr.tesseract | High |
| Product | jar | package name | ocr | Highest |
| Product | jar | package name | ocr | Low |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | jar | package name | tesseract | Highest |
| Product | jar | package name | tesseract | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2025-05-06 07:14 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | ocr.tesseract | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | ocr.tesseract | Medium |

| | | | | |
|---------|----------|------------------------|----------|---------|
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 25.4.232 | High |

Identifiers

- cpe:2.3:a:tesseract_ocr_project:tesseract_ocr:25.4.232:*:*:*:*:* (Confidence:Low) suppress
- cpe:2.3:a:tesseract_project:tesseract:25.4.232:*:*:*:*:* (Confidence:Low) suppress

ocr.tesseract.zip: pdfbox.jar

Description:

The Apache PDFBox library is an open source Java tool for working with PDF documents.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/pdfbox.jar

MD5: 15cd4480a886e22cd081537be5a11f14

SHA1: a739bfc1b72d2f98d973cd1419f5ae2decd36068

SHA256: 5be38d2ec81691b05d535eb720de4dc566c5d07e5a04731fa00668d153a8b4a6

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|--------|----------|-----------------------|--------------------------------|------------|
| Vendor | file | name | pdfbox | High |
| Vendor | jar | package name | apache | Highest |
| Vendor | jar | package name | pdfbox | Highest |
| Vendor | Manifest | automatic-module-name | org.apache.pdfbox | Medium |
| Vendor | Manifest | build-jdk-spec | 1.8 | Low |
| Vendor | Manifest | bundle-docurl | https://pdfbox.apache.org | Low |
| Vendor | Manifest | bundle-symbolicname | org.apache.pdfbox | Medium |
| Vendor | Manifest | Implementation-Vendor | The Apache Software Foundation | High |

| | | | | |
|---------|----------|------------------------|--------------------------------|---------|
| Vendor | Manifest | specification-vendor | The Apache Software Foundation | Low |
| Vendor | pom | artifactid | pdfbox | Low |
| Vendor | pom | groupid | org.apache.pdfbox | Highest |
| Vendor | pom | name | Apache PDFBox | High |
| Vendor | pom | parent-artifactid | pdfbox-parent | Low |
| Product | file | name | pdfbox | High |
| Product | jar | package name | apache | Highest |
| Product | jar | package name | pdfbox | Highest |
| Product | Manifest | automatic-module-name | org.apache.pdfbox | Medium |
| Product | Manifest | build-jdk-spec | 1.8 | Low |
| Product | Manifest | bundle-docurl | https://pdfbox.apache.org | Low |
| Product | Manifest | Bundle-Name | Apache PDFBox | Medium |
| Product | Manifest | bundle-symbolicname | org.apache.pdfbox | Medium |
| Product | Manifest | Implementation-Title | Apache PDFBox | High |
| Product | Manifest | specification-title | Apache PDFBox | Medium |
| Product | pom | artifactid | pdfbox | Highest |
| Product | pom | groupid | org.apache.pdfbox | Highest |
| Product | pom | name | Apache PDFBox | High |
| Product | pom | parent-artifactid | pdfbox-parent | Medium |
| Version | Manifest | Bundle-Version | 3.0.3 | High |
| Version | Manifest | Implementation-Version | 3.0.3 | High |
| Version | pom | version | 3.0.3 | Highest |

Related Dependencies



- ocr.tesseract.zip: pdfbox-debugger.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/pdfbox-debugger.jar
 - MD5: 0bba5ce4174511b29e40978ab2db221d
 - SHA1: 1f8500ec45564fbf63a883d8b8c5be9ed1ffc706
 - SHA256: e1df57b00cc713f7b114e874716095eeaddc034cf78f772639ea6807b506d9d
 - [pkg:maven/org.apache.pdfbox/pdfbox-debugger@3.0.3](https://mvnrepository.com/artifact/org.apache.pdfbox/pdfbox-debugger/3.0.3)

Identifiers

- [pkg:maven/org.apache.pdfbox/pdfbox@3.0.3](#) (*Confidence:High*)
- [cpe:2.3:a:apache:pdfbox:3.0.3:*:*:*:*:*](#) (*Confidence:Highest*)

suppress

ocr.tesseract.zip: tess4j.jar

Description:

Tess4J

Description:

A Java JNA wrapper for Tesseract OCR API.

Tess4J is released and distributed under the Apache License, v2.0.

Features:

The library provides optical character recognition (OCR) support for:

TIFF, JPEG, GIF, PNG, and BMP image formats
Multi-page TIFF images
PDF document format

License:

Apache License 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/tess4j.jar

MD5: f6a0f08fbc08771303e5cb8dffbc949a

SHA1: 851d6f93d97a155d8831736ad1031a539946014e

SHA256: e65bcc6328ab575684038d45e1891fa48e0d8255097a628baee0d8cfeb5ea816

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|--------|----------|-----------------------|---|------------|
| Vendor | file | name | tess4j | High |
| Vendor | jar | package name | net | Highest |
| Vendor | jar | package name | recognition | Highest |
| Vendor | jar | package name | sourceforge | Highest |
| Vendor | jar | package name | tess4j | Highest |
| Vendor | jar | package name | tesseract | Highest |
| Vendor | Manifest | build-jdk-spec | 1.8 | Low |
| Vendor | Manifest | implementation-url | http://tess4j.sourceforge.net | Low |
| Vendor | Manifest | Implementation-Vendor | Tess4J | High |

| | | | | |
|---------|----------|------------------------|-------------------------------|---------|
| Vendor | Manifest | specification-vendor | Tess4J | Low |
| Vendor | pom | artifactid | tess4j | Low |
| Vendor | pom | developer email | nguyenq@users.sf.net | Low |
| Vendor | pom | developer email | osoriojaques@gmail.com | Low |
| Vendor | pom | developer name | O.J. Sousa Rodrigues | Medium |
| Vendor | pom | developer name | Quan Nguyen | Medium |
| Vendor | pom | groupid | net.sourceforge.tess4j | Highest |
| Vendor | pom | name | Tess4J - Tesseract for Java | High |
| Vendor | pom | organization name | Tess4J | High |
| Vendor | pom | organization url | http://tess4j.sourceforge.net | Medium |
| Vendor | pom | url | http://tess4j.sourceforge.net | Highest |
| Product | file | name | tess4j | High |
| Product | jar | package name | net | Highest |
| Product | jar | package name | recognition | Highest |
| Product | jar | package name | sourceforge | Highest |
| Product | jar | package name | tess4j | Highest |
| Product | jar | package name | tesseract | Highest |
| Product | Manifest | build-jdk-spec | 1.8 | Low |
| Product | Manifest | Implementation-Title | Tess4J - Tesseract for Java | High |
| Product | Manifest | implementation-url | http://tess4j.sourceforge.net | Low |
| Product | Manifest | specification-title | Tess4J - Tesseract for Java | Medium |
| Product | pom | artifactid | tess4j | Highest |
| Product | pom | developer email | nguyenq@users.sf.net | Low |
| Product | pom | developer email | osoriojaques@gmail.com | Low |
| Product | pom | developer name | O.J. Sousa Rodrigues | Low |
| Product | pom | developer name | Quan Nguyen | Low |
| Product | pom | groupid | net.sourceforge.tess4j | Highest |
| Product | pom | name | Tess4J - Tesseract for Java | High |
| Product | pom | organization name | Tess4J | Low |
| Product | pom | organization url | http://tess4j.sourceforge.net | Low |
| Product | pom | url | http://tess4j.sourceforge.net | Medium |
| Version | Manifest | Implementation-Version | 5.12.0 | High |

Versionpomversion5.12.0Highest

Identifiers

- pkg:maven/net.sourceforge.tess4j/tess4j@5.12.0 (Confidence:High)
- cpe:2.3:a:tesseract_project:tesseract:5.12.0:*:*:*:*:* (Confidence:Low)

suppress

ocr.tesseract.zip: tess4j.jar: libtesseract541.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/tess4j.jar/win32-x86-64/libtesseract541.dll
MD5: 1246c1e50200dc43722e926e28fc7c03
SHA1: d8a78040e9c7c71ccaeb627b73c41c66a18b5157
SHA256:8180efb176e09b7218144fe69d84c0cf6b6187e20d8529f1138bd77396d6f4fa
Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|---------|--------|---------|-----------------|------------|
| Vendor | file | name | libtesseract541 | High |
| Product | file | name | libtesseract541 | High |
| Version | file | name | libtesseract541 | Medium |
| Version | file | version | 541 | Medium |

Identifiers

- None

ocr.tesseract.zip: tess4j.jar: libtesseract541.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/tess4j.jar/win32-x86/libtesseract541.dll
MD5: cbf57c8eb12e95512e67638f344ae537
SHA1: 5531d539121fd0aa57d11febd2e8b2a5c13fca05
SHA256:d4d1843d9efeeec1ca53c4ebe6d39e22e5bf17f5bee8b9eedb3bcef7c3c8c84d
Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|---------|--------|---------|-----------------|------------|
| Vendor | file | name | libtesseract541 | High |
| Product | file | name | libtesseract541 | High |
| Version | file | name | libtesseract541 | Medium |
| Version | file | version | 541 | Medium |

Identifiers

- None

opentest4j-1.3.0.jar

License:

The Apache License, Version 2.0

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.opentest4j/opentest4j/1.3.0/152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e/opentest4j-1.3.0.jar

MD5: 03c404f727531f3fd3b4c73997899327

SHA1: 152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e

SHA256: 48e2df636cab6563ced64dcdf8abb2355627cb236ef0bf37598682ddf742f1b

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4

Evidence



| Type | Source | Name | Value | Confidence |
|--------|----------|-----------------------|--|------------|
| Vendor | file | name | opentest4j | High |
| Vendor | gradle | artifactid | opentest4j | Highest |
| Vendor | gradle | groupid | org.opentest4j | Highest |
| Vendor | jar | package name | opentest4j | Highest |
| Vendor | jar | package name | opentest4j | Low |
| Vendor | Manifest | build-date | 2023-07-06 | Low |
| Vendor | Manifest | build-revision | 214973bfa4e7e9be7d04e623202cc4147c7036 | Low |
| Vendor | Manifest | build-time | 14:25:06.116+0200 | Low |
| Vendor | Manifest | bundle-symbolicname | org.opentest4j | Medium |
| Vendor | Manifest | Implementation-Vendor | opentest4j.org | High |

| | | | | |
|---------|----------|------------------------|--|---------|
| Vendor | Manifest | specification-vendor | opentest4j.org | Low |
| Product | file | name | opentest4j | High |
| Product | gradle | artifactid | opentest4j | Highest |
| Product | jar | package name | opentest4j | Highest |
| Product | Manifest | build-date | 2023-07-06 | Low |
| Product | Manifest | build-revision | 214973bfa4e7e9be7d04e623202cc4147c7036 | Low |
| Product | Manifest | build-time | 14:25:06.116+0200 | Low |
| Product | Manifest | Bundle-Name | opentest4j | Medium |
| Product | Manifest | bundle-symbolicname | org.opentest4j | Medium |
| Product | Manifest | Implementation-Title | opentest4j | High |
| Product | Manifest | specification-title | opentest4j | Medium |
| Version | file | version | 1.3.0 | High |
| Version | Manifest | Implementation-Version | 1.3.0 | High |

Identifiers

- <pkg:maven/org.opentest4j/opentest4j@1.3.0> (*Confidence*:Highest)

parser.image.zip: parser.image.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.image.zip/parser.image.jar

MD5: 1509b9a0ccc3f151d6b617dbce5a6495

SHA1: f97d92126c8c3609d944dce3578a319e76922a13

SHA256: e3c2ec420c1784ce900a84442c7ce4c415a79a6508a1de155a1d823e83ee4c5e

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|--------|----------|----------------------|--------------|------------|
| Vendor | file | name | parser.image | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | jar | package name | plugin | Low |
| Vendor | Manifest | application-library- | * | Low |

| | | | | |
|---------|----------|--|--------------------------------------|---------|
| | | allowable-codebase | | |
| Vendor | Manifest | built-date | 2025-05-06 07:14 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | parser.image | High |
| Product | jar | package name | imageparser | Low |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | jar | package name | plugin | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2025-05-06 07:14 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | parser.image | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | parser.image | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 25.4.232 | High |

Identifiers

• cpe:2.3:a:inetsoftware:pdfc:25.4.232:****:* (Confidence:Low) suppress

parser.pdf.config.zip: parser.pdf.config.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.pdf.config.zip/parser.pdf.config.jar

MD5: 869b25fc570eefe552fcf13e1021ca90

SHA1: 96effa44b3ced280e6d048cecc5163305bc6e02d

SHA256: e9edbe014566644cd2953953dc12ab7f30feac4758ac9939af621986be25b56c

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|--|--------------------------------------|------------|
| Vendor | file | name | parser.pdf.config | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | jar | package name | plugin | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2025-05-06 07:14 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | parser.pdf.config | High |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | jar | package name | pdfparserconfig | Low |

| | | | | |
|---------|----------|--|-------------------|---------|
| Product | jar | package name | plugin | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2025-05-06 07:14 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | parser.pdf.config | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | parser.pdf.config | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 25.4.232 | High |

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.232:*:*:*:*:* (Confidence:Low) suppress

parser.pdf.zip: PDFParser.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.pdf.zip/PDFParser.jar

MD5: 75f886d31a05f96a318d6ee06d4f8415

SHA1: 2d04fd0e8ecacfd9ad107517ccdc8376cf4d57e

SHA256: 6dcfd1f2b457d901efb0cfab3c9ea75cc729ed6261765cc089f8cd76e22c49e9

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|--------|----------|--------------------------------|-----------|------------|
| Vendor | file | name | PDFParser | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfview | Low |
| Vendor | Manifest | application-library-allowable- | * | Low |

codebase

| | | | | |
|---------|----------|--|--------------------------------------|---------|
| Vendor | Manifest | built-date | 2025-05-01 11:31 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | PDFParser | High |
| Product | jar | package name | pdfparser | Highest |
| Product | jar | package name | pdfview | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2025-05-01 11:31 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | PDFParser | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | PDFParser | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | Manifest | Implementation-Version | 25.4.227 | High |

Identifiers

- None

parser.pdf.zip: jbig2.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.pdf.zip/jbig2.jar

MD5: ab5dd1acc5e6c85903e342dac7998ce7

SHA1: a3f4214b62615d4456de761ccef1136cba65a663

SHA256: 93e79e795182b4b6e12991046e489c2c0780e867d3e18e4e7ee20973316930d4

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|--------|--------------|--------|------------|
| Vendor | file | name | jbig2 | High |
| Vendor | jar | package name | jbig2 | Low |
| Vendor | jar | package name | jpegal | Low |
| Product | file | name | jbig2 | High |
| Product | jar | package name | jbig2 | Low |
| Version | file | name | jbig2 | Medium |
| Version | file | version | 2 | Medium |

Identifiers

- None

parser.pdf.zip: parser.pdf.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.pdf.zip/parser.pdf.jar

MD5: 1d70e74ad22d0c5e6d2a236805af0313

SHA1: d2a1c2d958b0207e172bc6badcb95e7f579daa6d

SHA256: e787a218769d01a360f37cb85cdbfce8f8c05a8ab0bc5ba522321e77a9e4154c

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|--------|--------|--------------|------------|------------|
| Vendor | file | name | parser.pdf | High |
| Vendor | jar | package name | encoder | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdf | Low |
| | | | | |

| | | | | |
|---------|----------|--------------------------|--------------------------------------|---------|
| Vendor | Manifest | built-date | 2025-05-01 11:48 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | parser.pdf | High |
| Product | jar | package name | encoder | Low |
| Product | jar | package name | pdf | Highest |
| Product | jar | package name | pdf | Low |
| Product | Manifest | built-date | 2025-05-01 11:48 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | parser.pdf | High |
| Product | Manifest | specification-title | parser.pdf | Medium |
| Version | Manifest | Implementation-Version | 25.4.227 | High |

Identifiers

- None

parser.text.zip: parser.text.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.text.zip/parser.text.jar
MD5: 551f9519a455b38900d317e987c75176
SHA1: 365e59656bd9f0988f295e5de7cc5d060aafd2cb
SHA256: 308ad90573a7475b0e25c71766a2d8f4097248d5d0726ab606f3c2807bcbe94f
Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|--------|--------|--------------|-------------|------------|
| Vendor | file | name | parser.text | High |
| Vendor | jar | package name | inet | Low |

| | | | | |
|---------|----------|--|--------------------------------------|---------|
| Vendor | jar | package name | pdfc | Low |
| Vendor | jar | package name | plugin | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2025-05-06 07:14 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | parser.text | High |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | jar | package name | plugin | Low |
| Product | jar | package name | textparser | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2025-05-06 07:14 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | parser.text | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | parser.text | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation- | 25.4.232 | High |

| | | |
|--|---------|--|
| | Version | |
|--|---------|--|

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.232:****:*:* (*Confidence:Low*)

suppress

pdfc.standalone.zip: pdfc.standalone.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar

MD5: 2a4f69896a61ae14ceb1f8b44d8dce98

SHA1: b07caf543ab829713256c99a237dc05b5baf279c

SHA256: 9f70106b24231094f24d315ed324f32c4799b0d40b41330274ac3fab4292673e

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|--------|----------|--|--------------------------------------|------------|
| Vendor | file | name | pdfc.standalone | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | jar | package name | standalone | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2025-05-06 07:21 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |

| | | | | |
|---------|----------|--|------------------|---------|
| Product | file | name | pdfc.standalone | High |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | jar | package name | standalone | Highest |
| Product | jar | package name | standalone | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2025-05-06 07:21 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | pdfc.standalone | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | pdfc.standalone | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 25.4.232 | High |

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.232:*:*:*:*:* (Confidence:Low) suppress

pdfc.standalone.zip: pdfc.standalone.jar: bridge.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/bridge.js

MD5: 93a24df267249dca305f5af83c047f48

SHA1: 2690836189ad0dd3715568d15b8bba5a3a9fbc93

SHA256:b17c61dcfca7e59009ebe3e57ec254ad68c2dc080d9a194d867a185902e6a433

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

pdfc.standalone.zip: pdfc.standalone.jar: bridgeConfig.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/bridgeConfig.js

MD5: 50c7b33549870b71c25e22443829ba78

SHA1: 0a50eb333055885b58537a1463009c6d321ca110

SHA256: 7ba9c85404a965c72b736350b26b97bef813b9e523081ed2bf1f9b7303ba0ce4

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

pdfc.standalone.zip: pdfc.standalone.jar: bridgePDFC.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/bridgePDFC.js

MD5: 918410e4e9590ab87b5ca1ea983ebdf1

SHA1: 422e9fa020147687e2c79fa87f8d7ac23d964df1

SHA256: 3d95bb11030e08751e23f02d299b19e2c8db823a14217bdc0cea034a1e23199d

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

pdfc.standalone.zip: pdfc.standalone.jar: extraMenu.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/extraMenu.js

MD5: 76f716ef25759cac5242607c7d46afab

SHA1: ffd9728b1116de8148c96cb1aac069abc994692f

SHA256: 0f2b1cc0136aacbc57993ce598a490e36849a34cdacceaa15f213b1f2410fc002

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

pdfc.standalone.zip: pdfc.standalone.jar: removeHeader.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/removeHeader.js

MD5: 6155f56ea46454fd9b26ec029b07cb4c

SHA1: fdbb377d77e7a33fccd3e56eda617da18a45af3c

SHA256: 7f74294ea3dd2d4561aadf5deb9e1436af5cd08d3f53754b8c2e2321ddad3687

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

pdfc.standalone.zip: pdfc.standalone.jar: removePDFCElements.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/removePDFCElements.js
MD5: cf23507d05d2a8f690f9489d131e7de7
SHA1: bff6a66569787ecf08f314c176220be0ef16f86c
SHA256: 3d2d7526c75020284374f9298157f8fb7d0c37d38d079cffda17b94f9b73690a
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

pdfc.standalone.zip: pdfc.standalone.jar: theme.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/theme.js
MD5: 9ee2557b2355cd5367ad7b7cdf3505e2
SHA1: 6a8e3c4a8964395018faac989bbbd37abf148cd3
SHA256: 0acc32f71a37d0f0f7485be6746f688e449df07e6db3b5ad01973ad7fc3aa53a
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

pdfc.standalone.zip: pdfc.standalone.jar: translation.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/translation.js
MD5: 087098ce4993357914ab7ee2ca130bc0
SHA1: b77b0d98a5a98b3a5c9317333f29c0c18d36d86e
SHA256: 26eb8ace7faad440f3aedd47c1c3f6c1603fe7b150213ad32a4251d1226a3895
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

pdfc.zip: icu4j.jar (shaded: com.ibm.icu:collate:76.1)

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar/META-INF/maven/com.ibm.icu:collate/pom.xml

MD5: 8c2450b0ee93ccf4dcfa13f4801aa7f5

SHA1: 1308465a655d436ab5e9099c2f6c8123df3718da

SHA256: 53cc3140165e5c4339799b70e1d397f44d74d6d818ab10778367e1afcc6737a2

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|--------|-------------------|-------------|------------|
| Vendor | pom | artifactid | collate | Low |
| Vendor | pom | groupid | com.ibm.icu | Highest |
| Vendor | pom | parent-artifactid | icu4j-root | Low |
| Product | pom | artifactid | collate | Highest |
| Product | pom | groupid | com.ibm.icu | Highest |
| Product | pom | parent-artifactid | icu4j-root | Medium |
| Version | pom | version | 76.1 | Highest |

Identifiers

- [pkg:maven/com.ibm.icu:collate@76.1](#) (Confidence:High)

pdfc.zip: icu4j.jar (shaded: com.ibm.icu:core:76.1)

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar/META-INF/maven/com.ibm.icu/core/pom.xml
MD5: f4624f05ce04172d3568c6b50afa21dc
SHA1: 64122b7101fccce66592580d8e58b97962f19f34
SHA256: c91b534f342d1ab1201cc1445ae1c8612d28926c944eb36fb2d76a17dcf54ac7
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|--------|-------------------|-------------|------------|
| Vendor | pom | artifactid | core | Low |
| Vendor | pom | groupid | com.ibm.icu | Highest |
| Vendor | pom | parent-artifactid | icu4j-root | Low |
| Product | pom | artifactid | core | Highest |
| Product | pom | groupid | com.ibm.icu | Highest |
| Product | pom | parent-artifactid | icu4j-root | Medium |
| Version | pom | version | 76.1 | Highest |

Identifiers

- [pkg:maven/com.ibm.icu/core@76.1](#) (*Confidence:High*)

pdfc.zip: icu4j.jar (shaded: com.ibm.icu:currdata:76.1)

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar/META-INF/maven/com.ibm.icu/currdata/pom.xml
MD5: 045ee3664cde518bd3ddb8fe84246906
SHA1: 3e3e56746a7b35b2f7296b4bf9b09c694012e826
SHA256: 8a2de340676c8935bdfa44dfe218bb57baf5ea497d8ca51e08d160743afcefa8
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|--------|-------------------|-------------|------------|
| Vendor | pom | artifactid | currdata | Low |
| Vendor | pom | groupid | com.ibm.icu | Highest |
| Vendor | pom | parent-artifactid | icu4j-root | Low |
| Product | pom | artifactid | currdata | Highest |
| Product | pom | groupid | com.ibm.icu | Highest |

| | | | | |
|---------|-----|-------------------|------------|---------|
| Product | pom | parent-artifactid | icu4j-root | Medium |
| Version | pom | version | 76.1 | Highest |

Identifiers

- [pkg:maven/com.ibm.icu/currdata@76.1](#) (*Confidence:High*)

pdfc.zip: icu4j.jar (shaded: com.ibm.icu:langdata:76.1)

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar/META-INF/maven/com.ibm.icu/langdata/pom.xml

MD5: 4ddf2be247c11b782950455de4e9588c

SHA1: 87e5fef83e8bb75e63137fb7061ea3655af31e9e

SHA256: d5da07e8c4adf139a99d3dc12f36a88d5591fc44efd8c32c6aad2c264effbd7f

Referenced In Project/Scope: server

Evidence +

| Type | Source | Name | Value | Confidence |
|---------|--------|-------------------|-------------|------------|
| Vendor | pom | artifactid | langdata | Low |
| Vendor | pom | groupid | com.ibm.icu | Highest |
| Vendor | pom | parent-artifactid | icu4j-root | Low |
| Product | pom | artifactid | langdata | Highest |
| Product | pom | groupid | com.ibm.icu | Highest |
| Product | pom | parent-artifactid | icu4j-root | Medium |
| Version | pom | version | 76.1 | Highest |

Identifiers

- [pkg:maven/com.ibm.icu/langdata@76.1](#) (*Confidence:High*)

pdfc.zip: icu4j.jar (shaded: com.ibm.icu:regiondata:76.1)

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar/META-INF/maven/com.ibm.icu/regiondata/pom.xml

MD5: 3e7866f6ff3e0777daf019a58d9bb8

SHA1: 29a30a103c0c8b8d8ea74fc064f81d8ac8366ce1

SHA256: a6bd23fb1c25ab55e56d9f3b6cd53508a3029e015ad639c0104d5f1e52a8998f

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|--------|-------------------|-------------|------------|
| Vendor | pom | artifactid | regiondata | Low |
| Vendor | pom | groupid | com.ibm.icu | Highest |
| Vendor | pom | parent-artifactid | icu4j-root | Low |
| Product | pom | artifactid | regiondata | Highest |
| Product | pom | groupid | com.ibm.icu | Highest |
| Product | pom | parent-artifactid | icu4j-root | Medium |
| Version | pom | version | 76.1 | Highest |

Identifiers

- <pkg:maven/com.ibm.icu/regiondata@76.1> (*Confidence:High*)

pdfc.zip: icu4j.jar (shaded: com.ibm.icu:translit:76.1)

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller
/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar/META-INF/maven/com.ibm.icu/translit
/pom.xml

MD5: 36ef3abfefa8fe880693abc20fdd1c41

SHA1: 30e18888384b283fb45556fe3509638eca9dd856

SHA256: 60054da405c38c33c837df8f45b8b6961bfb5d5d50596a184e784bfab50494b6

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|--------|-------------------|-------------|------------|
| Vendor | pom | artifactid | translit | Low |
| Vendor | pom | groupid | com.ibm.icu | Highest |
| Vendor | pom | parent-artifactid | icu4j-root | Low |
| Product | pom | artifactid | translit | Highest |
| Product | pom | groupid | com.ibm.icu | Highest |
| Product | pom | parent-artifactid | icu4j-root | Medium |
| Version | pom | version | 76.1 | Highest |

Identifiers

- [pkg:maven/com.ibm.icu/translit@76.1](https://maven.com.ibm.icu/translit@76.1) (Confidence:High)

pdfc.zip: icu4j.jar

Description:

International Components for Unicode for Java (ICU4J) is a mature, widely used Java library providing Unicode and Globalization support

License:

Unicode-3.0: <https://raw.githubusercontent.com/unicode-org/icu/maint/maint-76/LICENSE>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar

MD5: 0621976c76a3b05b0622aef5a4c1d981

SHA1: 215f3a8e936d4069344bd75f2b1368fd58112894

SHA256: 732cdf18121b1642899da1f5e37e52cc7f48e3ec07fa737105d4603976781b33

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|--------|-------------|--------------------------|--|------------|
| Vendor | file | name | icu4j | High |
| Vendor | file (hint) | name | icu-project | High |
| Vendor | file (hint) | name | unicode | High |
| Vendor | jar | package name | ibm | Highest |
| Vendor | jar | package name | icu | Highest |
| Vendor | Manifest | automatic-module-name | com.ibm.icu | Medium |
| Vendor | Manifest | build-jdk-spec | 1.8 | Low |
| Vendor | Manifest | bundle-copyright | © 2016 and later: Unicode, Inc. and others. License & terms of use: http://www.unicode.org/copyright.html | Low |
| Vendor | Manifest | bundle-requiredexecution | JavaSE-1.8 | Low |
| Vendor | Manifest | bundle-symbolicname | com.ibm.icu | Medium |
| Vendor | Manifest | Implementation-Vendor | Unicode, Inc. | High |
| Vendor | Manifest | Implementation-Vendor-Id | org.unicode | Medium |

| | | | | |
|---------|------------------|------------------------------|--|---------|
| Vendor | pom | artifactid | icu4j | Low |
| Vendor | pom | developer id | markusicu | Medium |
| Vendor | pom | developer id | richgillam | Medium |
| Vendor | pom | developer name | Markus Scherer | Medium |
| Vendor | pom | developer name | Richard Gillam | Medium |
| Vendor | pom | developer org | Google | Medium |
| Vendor | pom | groupid | com.ibm.icu | Highest |
| Vendor | pom | url | https://icu.unicode.org/ | Highest |
| Vendor | pom (hint) | artifactid | icu-project | Low |
| Vendor | pom (hint) | artifactid | unicode | Low |
| Product | file | name | icu4j | High |
| Product | hint analyzer | product | international_components_for_unicode | Highest |
| Product | jar | package name | ibm | Highest |
| Product | jar | package name | icu | Highest |
| Product | Manifest | automatic- module-name | com.ibm.icu | Medium |
| Product | Manifest | build-jdk-spec | 1.8 | Low |
| Product | Manifest | bundle-copyright | © 2016 and later: Unicode, Inc. and others. License & terms of use: http://www.unicode.org/copyright.html | Low |
| Product | Manifest | Bundle-Name | ICU4J | Medium |
| Product | Manifest | bundle- requiredexecution | JavaSE-1.8 | Low |
| Product | Manifest | bundle- symbolicname | com.ibm.icu | Medium |
| Product | Manifest | Implementation- Title | International Components for Unicode for Java | High |
| Product | Manifest | specification-title | International Components for Unicode for Java | Medium |
| Product | pom | artifactid | icu4j | Highest |
| Product | pom | developer id | markusicu | Low |
| Product | pom | developer id | richgillam | Low |
| Product | pom | developer name | Markus Scherer | Low |
| Product | pom | developer name | Richard Gillam | Low |
| Product | pom | developer org | Google | Low |
| Product | pom | groupid | com.ibm.icu | Highest |
| Product | pom | url | https://icu.unicode.org/ | Medium |

| | | | | |
|---------|----------|------------------------|------|---------|
| Version | Manifest | Bundle-Version | 76.1 | High |
| Version | Manifest | Implementation-Version | 76.1 | High |
| Version | pom | version | 76.1 | Highest |

Identifiers

- [pkg:maven/com.ibm.icu/icu4j@76.1](#) (*Confidence:High*)
- cpe:2.3:a:icu-project:international_components_for_unicode:76.1:*:*:*:*:* (*Confidence:Low*)
- cpe:2.3:a:unicode:international_components_for_unicode:76.1:*:*:*:*:* (*Confidence:Low*)

pdfc.zip: pdfc-javadoc.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar

MD5: e6a8be844273589adc538f09b0b2fdb2

SHA1: b504ef8b439cfd42e18136fae9be57dee70d0bd8

SHA256: 4aefb02fd99c4fc4a41fe0f322eb7baf7b2232b387d91f7676cddd5a2df69526

Referenced In Project/Scope: server

Evidence +

| Type | Source | Name | Value | Confidence |
|---------|--------|------|--------------|------------|
| Vendor | file | name | pdfc-javadoc | High |
| Product | file | name | pdfc-javadoc | High |

Identifiers

- None

pdfc.zip: pdfc-javadoc.jar: member-search-index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/member-search-index.js

MD5: 63f276681e362c4576ec13404afbc312

SHA1: b2922a157a3baec5af37460d9317838604a659c7

SHA256: b4dcddfcf722af5e16a719efe8f87c64b53cb85a247839c459918b06d2debbb2

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

pdfc.zip: pdfc-javadoc.jar: package-search-index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/package-search-index.js

MD5: 704b175752fd9646f0b53f0630993ec3

SHA1: ab8c6e78cec3f37d42bae22d017bbb92b736d663

SHA256: e85fb555ff19b3ac1934c0188d4e33f4443ddc4cd557c7dee9b6de5a0a952a05

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

pdfc.zip: pdfc-javadoc.jar: tag-search-index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/tag-search-index.js

MD5: 95810a7878ddd3f49d938eb6b5c0f1b2

SHA1: 4d0358e131242bfb1a29d1db368e9e24381ad979

SHA256: e31bd7c6847cd8b49a884fe01244f740ad184cdb7aa6449830be21985158f0d9

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Related Dependencies



- reporting.zip: reporting-javadoc.jar: tag-search-index.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/tag-search-index.js
 - MD5: 95810a7878ddd3f49d938eb6b5c0f1b2
 - SHA1: 4d0358e131242bfb1a29d1db368e9e24381ad979
 - SHA256: e31bd7c6847cd8b49a884fe01244f740ad184cdb7aa6449830be21985158f0d9
- taskplanner.zip: taskplanner-javadoc.jar: tag-search-index.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/tag-search-index.js
 - MD5: 95810a7878ddd3f49d938eb6b5c0f1b2
 - SHA1: 4d0358e131242bfb1a29d1db368e9e24381ad979
 - SHA256: e31bd7c6847cd8b49a884fe01244f740ad184cdb7aa6449830be21985158f0d9

Identifiers

- None

pdfc.zip: pdfc-javadoc.jar: type-search-index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/type-search-index.js

MD5: 31f04900a69797b30c22632a48c0e24e

SHA1: e4966b9a2256258841673910106f738e00b5837b

SHA256: 93cd53a9a8bdaeb9cb173dae7348e2737d8585019f307f33c4308557ad3e1e06

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

pdfc.zip: pdfc.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc.jar

MD5: 99ee6dc0ba1f830dd1703273407429bd

SHA1: 7ed69db51eddab6b1e4de9848df5fbad8703d997

SHA256: fda44a3ebeca93faef5eae9c95848e560221a81a15a57ee46e66da1e67644cbd

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|--|--------------------------------------|------------|
| Vendor | file | name | pdfc | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2025-05-06 07:05 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | pdfc | High |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | jar | package name | permissions | Highest |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2025-05-06 07:05 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | pdfc | High |
| Product | Manifest | permissions | all-permissions | Low |

| | | | | |
|---------|----------|------------------------|-------------|---------|
| Product | Manifest | specification-title | pdfc | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | jar | package name | permissions | Highest |
| Version | Manifest | Implementation-Version | 25.4.232 | High |

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.232:****:*:* (*Confidence:Low*)

suppress

pdfcjunit.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/junit/pdfcjunit.jar

MD5: f713823021c5ba54fd336b17617a2123

SHA1: 4a969fac711e908d131ce0b17a625048b357e32b

SHA256: 599c85d47c4d25db7bfb5f9452ee16f9c3b61637f0100b6a7f96cbdd9cbab398

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|--------|----------|--|-------------------------|------------|
| Vendor | file | name | pdfcjunit | High |
| Vendor | jar | package name | client | Highest |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | junit | Highest |
| Vendor | jar | package name | pdfc | Highest |
| Vendor | jar | package name | pdfc | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | application-name | i-net PDFC JUnit Client | Medium |
| Vendor | Manifest | built-date | 2025-05-06 07:14 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |

| | | | | |
|---------|----------|--|--------------------------------------|---------|
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | pdfcjunit | High |
| Product | jar | package name | client | Highest |
| Product | jar | package name | junit | Highest |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | application-name | i-net PDFC JUnit Client | Medium |
| Product | Manifest | built-date | 2025-05-06 07:14 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | Implementation-Title | pdfcjunit | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | pdfcjunit | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | Manifest | Implementation-Version | 25.4.232 | High |

Identifiers

- [cpe:2.3:a:inetsoftware:pdfc:25.4.232:*.~:~:~:~:~:~](#) (Confidence:Medium) suppress

pdfcserver.zip: pdfcserver.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfcserver.zip/pdfcserver.jar

MD5: 1a5fd52448d3806820eeca05c1664bf9

SHA1: 665e71d67fb5c1f55d283774e967ca3205df92fc

SHA256:d560da7470b83837c48121770faf174c765f0880792e23703a20826e74c31e32

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|--|--------------------------------------|------------|
| Vendor | file | name | pdfcserver | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | jar | package name | server | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2025-05-06 07:04 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | pdfcserver | High |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | jar | package name | persistence | Low |
| Product | jar | package name | server | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2025-05-06 07:04 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |

| | | | | |
|---------|----------|------------------------|-----------------|---------|
| Product | Manifest | Implementation-Title | pdfcserver | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | pdfcserver | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 25.4.232 | High |

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.232:****:*:* (Confidence:Low) suppress

pdfcserver.zip: pdfcserver.jar: compareconfigrenderer.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfcserver.zip/pdfcserver.jar/com/inet/pdfc/server/structure/compareconfigrenderer.js

MD5: ca54201f240ce7fea03db4f46ecd818a

SHA1: 420f31523aa51830c134d193dae0a692eff5b4da

SHA256: 0aa678824bea93ed82b1747fc75512915488e2d65b5f11c9c22d4214bb129cec

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

pdfcsetupwizard.zip: pdfcsetupwizard.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfcsetupwizard.zip/pdfcsetupwizard.jar

MD5: 7fe90eec9b7bc3e607460d94d6ffb1ec

SHA1: 2c67a82b2959b32b08c42ae408c5ed2a350d7047
SHA256:3b8dc139f9fb4535d6142ccb209467db976cbb4f37c545475a2e645b41649c7c
Referenced In Project/Scope: server

Evidence +

| Type | Source | Name | Value | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor | file | name | pdfcsetupwizard | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | jar | package name | setupwizard | Low |
| Vendor | Manifest | built-date | 2025-05-06 07:14 | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | pdfcsetupwizard | High |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | jar | package name | setupwizard | Low |
| Product | jar | package name | steps | Low |
| Product | Manifest | built-date | 2025-05-06 07:14 | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | pdfcsetupwizard | High |
| Product | Manifest | specification-title | pdfcsetupwizard | Medium |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 25.4.232 | High |

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.232:****:*:* (Confidence:Low) suppress

pdfcsetupwizard.zip: pdfcsetupwizard.jar: controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfcsetupwizard.zip/pdfcsetupwizard.jar/com/inet/pdfc/setupwizard/steps/license/controller.js

MD5: b21c2ee13289577d98bbb1687726af34

SHA1: 9032230fff5222847734d3cb4723103733f88e92

SHA256: 6c1d316ea3da704c21cc9e3fa2426863fa173c3d44a212506fc4bc1e187991e9

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

pdfcwebapiclient.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/junit/pdfcwebapiclient.jar

MD5: 079ebf1b9313544930049d33881eef68

SHA1: 31acd8de3f4c436a31d5872894eb1b043cbab888

SHA256: a3871d2d2f81dbd9a62d804a8b3aa64d88a32867412a01a47f63c5d4ba5bcc72

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|--------|----------|--|-----------------------------------|------------|
| Vendor | file | name | pdfcwebapiclient | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | junit | Highest |
| Vendor | jar | package name | junit | Low |
| Vendor | jar | package name | pdfc | Highest |
| Vendor | jar | package name | pdfc | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | application-name | i-net PDFC pure Java JUnit Client | Medium |

| | | | | |
|---------|----------|--|--------------------------------------|---------|
| Vendor | Manifest | built-date | 2025-05-06 07:14 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | pdfcwebapiclient | High |
| Product | jar | package name | junit | Highest |
| Product | jar | package name | junit | Low |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | application-name | i-net PDFC pure Java JUnit Client | Medium |
| Product | Manifest | built-date | 2025-05-06 07:14 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | Implementation-Title | pdfcwebapiclient | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | pdfcwebapiclient | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | Manifest | Implementation-Version | 25.4.232 | High |

Identifiers

- [cpe:2.3:a:inetsoftware:pdfc:25.4.232:*****:](#) (Confidence:Medium) suppress

persistence.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/persistence/persistence.jar

MD5: 791a3124417f573b1824ca00c0d99a88

SHA1: ec2597a2292f201fa88d5509890317a50ae3fbd5

SHA256: 4b54de8210f4b9cef717dbe5bcc7bb02554de61667c1b4abb31b175e6802280

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor | file | name | persistence | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | persistence | Low |
| Vendor | Manifest | built-date | 2025-05-01 11:38 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | persistence | High |
| Product | jar | package name | persistence | Highest |
| Product | jar | package name | persistence | Low |
| Product | Manifest | built-date | 2025-05-01 11:38 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | persistence | High |
| Product | Manifest | specification-title | persistence | Medium |
| Version | Manifest | Implementation-Version | 25.4.227 | High |

Identifiers

- None

pluginstore.client.zip: pluginstore.client.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pluginstore.client.zip/pluginstore.client.jar

MD5: bb9e30a21ee80ef0c5398d8f978b2d20

SHA1: b7659a586d3748c7efb572151574880c101b12e4

SHA256: 96c719c92b4c7eecf3b68e672c5d8823fb7b3a44cbe12b55cc69e811f674a604

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor | file | name | pluginstore.client | High |
| Vendor | jar | package name | client | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | store | Low |
| Vendor | Manifest | built-date | 2025-05-01 11:47 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | pluginstore.client | High |
| Product | jar | package name | client | Highest |
| Product | jar | package name | client | Low |
| Product | jar | package name | shared | Highest |
| Product | jar | package name | store | Low |
| Product | Manifest | built-date | 2025-05-01 11:47 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | pluginstore.client | High |
| Product | Manifest | specification-title | pluginstore.client | Medium |
| Version | jar | package name | shared | Highest |
| Version | Manifest | Implementation-Version | 25.4.227 | High |

Identifiers

- None

pluginstore.client.zip: pluginstore.client.jar: controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/setup/controller.js

MD5: b890353af95e8d67ed666d72e55d5583

SHA1: cdc7ae95f6ea08ce7051388a5a6487c8a965eec3

SHA256: b2efe42a4dfe713e2a079e24a1044fdc777effb0518d6750fdf9a3974ac78936

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

pluginstore.client.zip: pluginstore.client.jar: pluginstorehelpcontroller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/plugin/help/js/pluginstorehelpcontroller.js

MD5: 33e0b25623e005ecbba43c00c91b043a

SHA1: 6b9855a487458ce85ae48ee1c5a129b26093b289

SHA256: a70a95787e2759bf1d43b76947ea5d48e541c6d94c640d25c9efd31ce281e3a7

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

pluginstore.client.zip: pluginstore.client.jar: publicstoreconfig.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/publicstoreconfig.js

MD5: 640b897e30bb04f24b310e948f963701

SHA1: c4f24830c5130eabd110ac29f1e198ca4f88e35b

SHA256: 45bf77256d46306542a6592243af524e1be940c5bef8746be0fd62ec7209eb84

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

pluginstore.client.zip: pluginstore.client.jar: storecontroller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/storecontroller.js

MD5: 512668a61bc16fe85f6442a56f622a9d

SHA1: f9bc6cb342455404802657a7c0d1dd1ed6ec7297

SHA256: 7f183982c67d73d4a2bfb963dcc5aa8241b3beb2f2acf5d19aaec20357b715d6

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

pluginstore.client.zip: pluginstore.client.jar: storedirectives.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/storedirectives.js

MD5: ec0e5529e70952af58b9df0ce2bfebb4
SHA1: 0b859497e1b59e55936959192636c3fec9bacef5
SHA256: 5066f9af1ecc472186f35289ec17fd270e6a0ef404796f1fbe6acdf69c40fe90
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

pluginstore.client.zip: pluginstore.client.jar: storemodel.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/storemodel.js

MD5: 79df37a017eb872811c499812d1eb6dc
SHA1: 1765bf02e7673e3559cac97d4e8a8308c3cf7fcb
SHA256: 763d9661e237f8406a59f8fbec70549b5f4cf3e70e58b0c038bc233447d29669
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

processbridge.pdfc.zip: processbridge.pdfc.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/processbridge.pdfc.zip/processbridge.pdfc.jar

MD5: dacac258deaf9678f7746cfac410d574
SHA1: 33783fb415fb4926f79e825a22fe7f72e230ed82
SHA256: 5c74dca78f9b7bcd2c83b060217e9927a60f045e23a10a7c892d0e9a80325055
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor | file | name | processbridge.pdf | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | jar | package name | processbridge | Low |
| Vendor | Manifest | built-date | 2025-05-06 07:18 | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | processbridge.pdf | High |
| Product | jar | package name | api | Low |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | jar | package name | processbridge | Highest |
| Product | jar | package name | processbridge | Low |
| Product | Manifest | built-date | 2025-05-06 07:18 | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | processbridge.pdf | High |
| Product | Manifest | specification-title | processbridge.pdf | Medium |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 25.4.232 | High |

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.232:***** (Confidence:Low)

suppress

processbridge.zip: processbridge.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/processbridge.zip/processbridge.jar
MD5: ba1020328b230d350884620f2704bd9a
SHA1: b1761ea54dcd27e86cba905d473128d872ec1906
SHA256:c36e44a16a3435f838019b969ab87765961b25d1009924a6a0dce4f57239ab5f
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor | file | name | processbridge | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | processbridge | Low |
| Vendor | Manifest | built-date | 2025-05-01 11:43 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | processbridge | High |
| Product | jar | package name | processbridge | Highest |
| Product | jar | package name | processbridge | Low |
| Product | Manifest | built-date | 2025-05-01 11:43 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | processbridge | High |
| Product | Manifest | specification-title | processbridge | Medium |
| Version | Manifest | Implementation-Version | 25.4.227 | High |

Identifiers

- None

Description:

WebJar for angular-animate

License:

MIT

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-animate.jar

MD5: 1dcc988a8392618e7c5127f57b3453d1

SHA1: 7ea94213dad8a46ab088e1a3dd6a5def2ecf8e78

SHA256: dbbce06145963ef7bfd197c1646722fedfe76a9b54b01f1b6dc7ccf7e8b51163

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|---------|--------|--------------|-------------------------|------------|
| Vendor | file | name | angular-animate | High |
| Vendor | pom | artifactid | angular-animate | Low |
| Vendor | pom | developer id | webjars | Medium |
| Vendor | pom | groupid | org.webjars.npm | Highest |
| Vendor | pom | name | angular-animate | High |
| Vendor | pom | url | https://www.webjars.org | Highest |
| Product | file | name | angular-animate | High |
| Product | pom | artifactid | angular-animate | Highest |
| Product | pom | developer id | webjars | Low |
| Product | pom | groupid | org.webjars.npm | Highest |
| Product | pom | name | angular-animate | High |
| Product | pom | url | https://www.webjars.org | Medium |
| Version | pom | version | 1.8.3 | Highest |

Identifiers

- [pkg:maven/org.webjars.npm/angular-animate@1.8.3](https://www.webjars.org/angular-animate@1.8.3) (*Confidence:High*)

remotegui.zip: angular-animate.jar: angular-animate.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/angular-animate.js

MD5: 31312b87e7226c8bf0714fcef0ea5d18

SHA1: dc9fb55f2c7f922c5ba83449266239ba1353db45

SHA256:58e79e0e7cbb1e1502d216701e1fae41c405d92320aea1b68a223054096fda93
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|--------|---------|-----------|------------|
| Vendor | file | name | angularjs | High |
| Product | file | name | angularjs | High |
| Version | file | version | 1.8.3 | High |

Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence:*Highest)

remotegui.zip: angular-animate.jar: angular-animate.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller
/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-animate.jar/META-INF/resources
/webjars/angular-animate/1.8.3/angular-animate.min.js
MD5: 5d2d0f42bb7e1b5503e914674f59dad0
SHA1: 4c15a58541e53c451c6f946d2048104f88b833c7
SHA256:8e6202b1330a469a61ccdeebbd1cb3a20d0ecdfe8d106f68da5b85e9b67a1cd5
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|--------|---------|-----------|------------|
| Vendor | file | name | angularjs | High |
| Product | file | name | angularjs | High |
| Version | file | version | 1.8.3 | High |

Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence:*Highest)

remotegui.zip: angular-animate.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/index.js
MD5: eca59ea32960ae595dd18ad9480185b1
SHA1: b8fe1c0a06b723a75c7e596fd8a86d91965f681c
SHA256: 7f2f9350e5624bf86e8760d1deae03fae4477949284b49471eb67e2b6498cb7d
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: angular-animate.jar: package.json

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/package.json
MD5: 13957f0482b591f50a2e9528a5b84330
SHA1: 16ec0d9e9e70f179261a1bd672e610b159876ff5
SHA256: e2fc9996d890ec0c6601b2c9176a1ada7806e1dcd6eca8549bba9022235877
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: angular-cookies.jar

Description:

WebJar for angular-cookies

License:

MIT

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-cookies.jar
MD5: 5d743cd15e44b5a942478abaa3a008ae
SHA1: 2ebe196f9032e261a470467b5a14632d81d3d4f9
SHA256: 0809dd125183f03e6682985208de5f1221478221ed41667545133f7e729dd000
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|--------|--------------|-------------------------|------------|
| Vendor | file | name | angular-cookies | High |
| Vendor | pom | artifactid | angular-cookies | Low |
| Vendor | pom | developer id | webjars | Medium |
| Vendor | pom | groupid | org.webjars.npm | Highest |
| Vendor | pom | name | angular-cookies | High |
| Vendor | pom | url | https://www.webjars.org | Highest |
| Product | file | name | angular-cookies | High |
| Product | pom | artifactid | angular-cookies | Highest |
| Product | pom | developer id | webjars | Low |
| Product | pom | groupid | org.webjars.npm | Highest |
| Product | pom | name | angular-cookies | High |
| Product | pom | url | https://www.webjars.org | Medium |
| Version | pom | version | 1.8.3 | Highest |

Identifiers

- [pkg:maven/org.webjars.npm/angular-cookies@1.8.3](https://mvnrepository.com/artifact/org.webjars.npm/angular-cookies/1.8.3) (*Confidence:High*)

remotegui.zip: angular-cookies.jar: angular-cookies.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.js
MD5: e17187aea1f0e6dbd25722e34b754915
SHA1: 20f43f716b9fef7d72537bc1b0e5aa2bc480cee5
SHA256: f3291c552042f6d0c500167769912a78ab3ecec9917128b2d6ea8e7c6714bb97
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

| | | | | |
|---------|------|---------|-----------|------|
| Vendor | file | name | angularjs | High |
| Product | file | name | angularjs | High |
| Version | file | version | 1.8.3 | High |

Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence: Highest*)

remotegui.zip: angular-cookies.jar: angular-cookies.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.min.js

MD5: c41aff8423276d46f0d02de6dcb71524

SHA1: 7dc53f75d5bf7dd2c770cb50f31242c70193c086

SHA256: 926509b494009bea03288bba191a2b238032188e9112377e50fbfe7814c6639b

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|---------|--------|---------|-----------|------------|
| Vendor | file | name | angularjs | High |
| Product | file | name | angularjs | High |
| Version | file | version | 1.8.3 | High |

Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence: Highest*)

remotegui.zip: angular-cookies.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/index.js

MD5: 88188b8869bb0cbae63eb86aa6c1059a

SHA1: ce388b565b0d0392802138b2a7d4bf393c3d49f9

SHA256: b1b8d54ed8400d4f997da0f2fa672e8728d4771a77028d9f495cf1732fcb1e6f

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: angular-cookies.jar: package.json

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/package.json

MD5: 6785fbb341602e147af808078db0d42b

SHA1: a30ac55dae62b1a7c8921c7687a3276dbeeed564

SHA256: 81847196d700fe42834ebf82cb0c68267d9c237134566556a466e070659c7222

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: angular-sanitize.jar

Description:

WebJar for angular-sanitize

License:

MIT

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-sanitize.jar

MD5: f47ca0f7e843acea25d245b34ce30feb

SHA1: 8050e163f66fb899645cc67ffa67d92a25096902

SHA256: 4de072c9e746b2bf70aee70cc1c9b61350e017002dd71089e5f66a587f7ed92f

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|--------|--------------|-------------------------|------------|
| Vendor | file | name | angular-sanitize | High |
| Vendor | pom | artifactid | angular-sanitize | Low |
| Vendor | pom | developer id | webjars | Medium |
| Vendor | pom | groupid | org.webjars.npm | Highest |
| Vendor | pom | name | angular-sanitize | High |
| Vendor | pom | url | https://www.webjars.org | Highest |
| Product | file | name | angular-sanitize | High |
| Product | pom | artifactid | angular-sanitize | Highest |
| Product | pom | developer id | webjars | Low |
| Product | pom | groupid | org.webjars.npm | Highest |
| Product | pom | name | angular-sanitize | High |
| Product | pom | url | https://www.webjars.org | Medium |
| Version | pom | version | 1.8.3 | Highest |

Identifiers

- <pkg:maven/org.webjars.npm/angular-sanitize@1.8.3> (*Confidence:High*)

remotegui.zip: angular-sanitize.jar: angular-sanitize.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.js

MD5: 0127d7a139abfc8bd45875a9c8ea6348

SHA1: 197aea2acc25a0fa821766400950cac58a3627a5

SHA256:c84c65250afe5a1265f36a7e16c6010652e55c2ae3a779c351fb68536c42bf64

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|---------|--------|---------|-----------|------------|
| Vendor | file | name | angularjs | High |
| Product | file | name | angularjs | High |
| Version | file | version | 1.8.3 | High |

Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence: Highest*)

remotegui.zip: angular-sanitize.jar: angular-sanitize.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.min.js

MD5: f3c62abeec216e9431e7d5b22d8e813b

SHA1: 21355ef18c5e1ce2b2c711b9dba21cbea0655646

SHA256: cc80a30ad0439c2e9c209b3d7fcffb1d10e6007fd1d00c9cc144f393664a7045

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|---------|--------|---------|-----------|------------|
| Vendor | file | name | angularjs | High |
| Product | file | name | angularjs | High |
| Version | file | version | 1.8.3 | High |

Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence: Highest*)

remotegui.zip: angular-sanitize.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/index.js

MD5: 796078246b8e97f002ea5c97c4c7de54

SHA1: 0ce03000a4c04ae0a8b4353715bda54b8a8e8c69

SHA256: 44cbd8c36c3e2818d011eb0dc7d95293730667fa5a98a23449e9b4add369f65b

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: angular-sanitize.jar: package.json

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/package.json
MD5: 515d23261280a10a4d84ed267c425880
SHA1: 84d37bbaefc2117ac59c79b0d87a953a1abd4911
SHA256: 5e5c191e41b4e9902cfaeb95878d5b92333585e6dad936588fe1adfd1445af86
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: angular.jar

Description:

WebJar for angular

License:

MIT

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular.jar
MD5: f339a9a66a64c67eebb21ec3b251dfc6
SHA1: cff4aee339a9ca4ae2f095079930edeaad6a94ee
SHA256: a997eb40987ddb5d3bf64adf3d33afc3ac2b1eb2e7255b5203a387f8097cd0
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|--------|--------|--------------|-----------------|------------|
| Vendor | file | name | angular | High |
| Vendor | pom | artifactid | angular | Low |
| Vendor | pom | developer id | webjars | Medium |
| Vendor | pom | groupid | org.webjars.npm | Highest |
| Vendor | pom | name | angular | High |

| | | | | |
|---------|------|--------------|-------------------------|---------|
| Vendor | pom | url | https://www.webjars.org | Highest |
| Product | file | name | angular | High |
| Product | pom | artifactid | angular | Highest |
| Product | pom | developer id | webjars | Low |
| Product | pom | groupid | org.webjars.npm | Highest |
| Product | pom | name | angular | High |
| Product | pom | url | https://www.webjars.org | Medium |
| Version | pom | version | 1.8.3 | Highest |

Identifiers

- [pkg:maven/org.webjars.npm/angular@1.8.3](#) (*Confidence:High*)

remotegui.zip: angular.jar: angular.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/angular.js

MD5: e09f650a016c24bc1b5a1edc93bfbade

SHA1: 0f1f7445b761b9bbd5385f9f0b316dbf1ca48696

SHA256: fdca889e76f55fdee7ab661920f37ce19233563bf7f4ac8120f8ebc2ac768768

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|---------|--------|---------|-----------|------------|
| Vendor | file | name | angularjs | High |
| Product | file | name | angularjs | High |
| Version | file | version | 1.8.3 | High |

Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence:Highest*)

remotegui.zip: angular.jar: angular.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/angular.min.js
MD5: 967a32633fa8f38f4ac3376c1a37b992
SHA1: b53b74d8e0b732dcdb98fbe521146b88299ea2f1
SHA256:396dc1a03d6cc02e9c51a80246e0db53c5c8df9bd07287e3b51bce4a29dab355
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|--------|---------|-----------|------------|
| Vendor | file | name | angularjs | High |
| Product | file | name | angularjs | High |
| Version | file | version | 1.8.3 | High |

Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence: Highest*)

remotegui.zip: angular.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/index.js
MD5: 0d848853205d22ab8be985876aec948a
SHA1: a2bfe847bea879ad2775509c4421291c404d8c21
SHA256:d469f8e93a4c345f01d81d162a803116de1bc6afd4bfeba8b45951449956b686
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: angular.jar: package.json

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars

/angular/1.8.3/package.json

MD5: c5e0d73dc5121cf479c775248d2ca497

SHA1: bc29d1f7c080dfb1f701ad4f1c4ff548916f28e5

SHA256: 95ad7872af90c37e7a5597581f5bb2362d59c49fc3f2766dd9f2568a041cf10a

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar

Description:

WebJar for codemirror

License:

MIT

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller
/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar

MD5: 669061572ba6292cc848f48535366409

SHA1: c1c5b1fda926e89ab3204a2b4d2871078ce6d448

SHA256: b5f4ff56ec0eb788f4c150fc67b7a127e189e555e2438318742003e01c78282c

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

| | | | | |
|--------|------|------|------------|------|
| Vendor | file | name | codemirror | High |
|--------|------|------|------------|------|

| | | | | |
|--------|-----|------------|------------|-----|
| Vendor | pom | artifactid | codemirror | Low |
|--------|-----|------------|------------|-----|

| | | | | |
|--------|-----|--------------|---------|--------|
| Vendor | pom | developer id | webjars | Medium |
|--------|-----|--------------|---------|--------|

| | | | | |
|--------|-----|---------|-----------------|---------|
| Vendor | pom | groupid | org.webjars.npm | Highest |
|--------|-----|---------|-----------------|---------|

| | | | | |
|--------|-----|------|------------|------|
| Vendor | pom | name | codemirror | High |
|--------|-----|------|------------|------|

| | | | | |
|--------|-----|-----|-------------------------|---------|
| Vendor | pom | url | https://www.webjars.org | Highest |
|--------|-----|-----|-------------------------|---------|

| | | | | |
|---------|------|------|------------|------|
| Product | file | name | codemirror | High |
|---------|------|------|------------|------|

| | | | | |
|---------|-----|------------|------------|---------|
| Product | pom | artifactid | codemirror | Highest |
|---------|-----|------------|------------|---------|

| | | | | |
|---------|-----|--------------|---------|-----|
| Product | pom | developer id | webjars | Low |
|---------|-----|--------------|---------|-----|

| | | | | |
|---------|-----|---------|-----------------|---------|
| Product | pom | groupid | org.webjars.npm | Highest |
|---------|-----|---------|-----------------|---------|

| | | | | |
|---------|-----|---------|-------------------------|---------|
| Product | pom | name | codemirror | High |
| Product | pom | url | https://www.webjars.org | Medium |
| Version | pom | version | 6.65.7 | Highest |

Identifiers

- [pkg:maven/org.webjars.npm/codemirror@6.65.7](#) (Confidence:High)
- [cpe:2.3:a:codemirror:codemirror:6.65.7:*:*:*:*:*](#) (Confidence:High)

suppress

remotegui.zip: codemirror.jar: CodeMirror.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/CodeMirror.js

MD5: d154477df9eebe156a1a493731acb01d

SHA1: 69efd74f28f36317a2bb9101dbbaec73f5ca3735

SHA256: 258db73a89eb6d88475013d38f4e0e01cc1476788f931058bf470db1ee26ca53

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: ContentEditableInput.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/ContentEditableInput.js

MD5: 40e61dbb4388425c66403ecd7e9a5a10

SHA1: 70cfc8bedef61e8d2f6cbb85ee41d65088d44c53

SHA256: 5c07c3caef1fc6122ef3ce8d681afb87d65f86aaead8db5d1ca3466803b57da8

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: Display.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/Display.js

MD5: bbf05006cf414f786e21cdb02b443aac

SHA1: 6bcab3100f9fd46d39f5c47d78b6ad9ad863b464

SHA256: 6e26756a9ae829558cf81a83fd9d48dd0f605241c7c7e8028a8bcf94bfa7a9d4

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: Doc.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/Doc.js

MD5: 66f02c635454d1ae55f7472709417566

SHA1: 8799d7becd0b3ee9bfd397c157c43ca6ebb264d0

SHA256: 32bf377fa99365b49732f69c5e565c61995fefdf8d0bc6f3404d4fc00ed8ac7f

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: StringStream.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/StringStream.js

MD5: d187f08909bf9bb188d04c79f089c26a

SHA1: f5c4fc956b8b4de762087204024eb625cb00a790

SHA256: 9f1ab50bba4ae102fa5c611d4ef5b056d063a63a7f20cfef59eea64e93c3e04e

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: TextareaInput.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/TextareaInput.js

MD5: 87e959dd1978b0e022083d3e5ad65158

SHA1: d08b9e7e675368968faf8e93bb1dbaddf9996410

SHA256: 48684a26a28a3fd1793a80aa67509c4281b56d6924d25511540a1d19aed72eb9

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: active-line.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/selection/active-line.js
MD5: 774e515fe054cbcd6cc869bfd550b17d
SHA1: 3d950f5055286088e93e0ee4c8a1d62eaf8aedac
SHA256: 3afbcf78835c9bdc342e3992c53d9b74286722613bb1a8adc9d140edc8737ee8
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: annotatescrollbar.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/scroll/annotatescrollbar.js
MD5: a9dfd7f9d78bd36c617429ed88cb67e5
SHA1: ad1133e5432a7c65881747c87c84529fed297ecb
SHA256: 9041e8d81e3cebc481cabfae90d3b80596f3194de75d98e5526d3bfa44ae3bbc
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: anyword-hint.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/anyword-hint.js
MD5: ba7fa17b24f0937d9431f93b9de2da37
SHA1: a87db7c6de5231a1bfd702e26ecf4aa76d822a0a
SHA256: e834ad178bd23449476e29179e8cb9f0c1ebaed35dab9059ed9a46b388271f3e
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: apl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/apl/apl.js

MD5: c0d55e310ae0a4290d3fcca84bff448

SHA1: 006c98d2b17e85168065eebf44c3fdd91b9ff874

SHA256: 47e0fdac0a39e0186019064e13b674dda4223b03b2748d34cccc09489fde2674

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: asciiarmor.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/asciiarmor/asciiarmor.js

MD5: 42e5c7f3f48fa085f63bd7708bb204fd

SHA1: b15cdadbf5a869d06a79e6a9e187d0509dca1239

SHA256: bdc68c4b0c9dc53b2af587673461a495f123a5b9da8f6be79d97fee2790f9ae

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: asn.1.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/asn.1/asn.1.js

MD5: a928fdb102ef88113a9d1c0d9e520114

SHA1: f293930644bd6093dbb02475e8b409fe9794f437

SHA256: 5b50cca4b34820cb3d57c218945ff2d870d57eba83e13c2c66590063e2a23acc

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: asterisk.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/asterisk/asterisk.js

MD5: 2f4e25e805d878f43b8568609c48dba8

SHA1: 109a76d631e43dd32c13cbb0c23ad83e1851ad0a

SHA256: 0849e3a141e967559d752de2205956cb690f1d4ba0a5ace5481c6c565db9b674

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: autorefresh.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/autorefresh.js

MD5: 16b07faa9ef79a1fb79432fb4f4a9e3a

SHA1: 091a2b17758e7c3182542314256139a2247b508c

SHA256: 2ec9d5585bd24d7611f30ebbb1cd8fedf79747cf89c1f83852dd1dd9981f10bd

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: bidi.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/bidi.js

MD5: 22a12be2f1e24a9bfddc5c3b0d187ede

SHA1: ab735d3376e0040172b6dc972f97df663f231dc4

SHA256: 0a4646d7a1214acfc71ad351d021f31795b056ce7a08f80d29857aeca1a5163b

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: brace-fold.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/brace-fold.js
MD5: d56849bd7cce8a10ccb842d50f0de179
SHA1: 4103103f28436925442d5397c24425fbaf660fce
SHA256:2907087538a295e5b4f084f8c5ee7eba35cc973db194cbf596ab13a6c97a6834
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: brainfuck.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/brainfuck/brainfuck.js
MD5: f3ff733b3609dfb34a49652f6a4a2d09
SHA1: 41a8164ddb5e25fe2401265eb9fd4222e415549
SHA256:67496a83fe1ea3304a3f65a8f8196f3a4a40060ea4febcb60a82c7657205abd
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: browser.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/browser.js
MD5: 564eafde7c1566f1b9b0d976cc3ace2f
SHA1: 2c592606b3242ac9cf080d138aae3516cc2ef05d
SHA256:de647094595511fabe9d548d9e45dacf746d7b83a198cb69b5b8859fa3eccb30
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: change_measurement.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/change_measurement.js

MD5: 39707c0eb637648efc07d95bb60253d3

SHA1: 025a52f620cc5b6edee8fb9c63a3f6ecf4c2284c

SHA256: 1d1648706bf317acc33a64673cb4fbc2d2a7db8205bcc1cd9fe52819c13b87f0

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: changes.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/changes.js

MD5: 822465b81d600e9a703579605e2147bc

SHA1: 1b77f1034de1cac51a8ff50e48f9604bc62556e5

SHA256: 13b0b2c417e0181ec9cb012932c1fa167c50171133391c00582e2939206362a0

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: chunk.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/chunk.js

MD5: 7dd1b45f75341b5a03a01f6607da69a4

SHA1: 89dfb21758e8a384033d09678a8d5b1ce8983e6f

SHA256: 18f55da6b39c1b12fb5406c7962a88884e00d2122566622784720cbe612fc676

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: clike.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/clike/clike.js

MD5: 145b41ea6cde47e8889ef8b2214eecde

SHA1: d0ae7cc4040a57a76b86265f492f87e251d1cc9d

SHA256: a1ff458a030f8b1db2d901811344f3e178eaceb19b598277d054bf83dacfec2

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: clojure.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/clojure/clojure.js

MD5: 7f3277e322bd000aefbfb172d3edf7e6

SHA1: e701f8e843e3390a0a411700d3c8989dc147780c

SHA256: 86b7b779ab84fa77bc6e461a05fd0887d85a3c8cd42a96576cad973b355bb1b8

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: closebrackets.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/closebrackets.js

MD5: 667059f346609f6ad778936b17c43824

SHA1: 248b45be826a8856a0ed0733c8511d9d0c595507

SHA256: 143c3014c29254f3531cc30be6d90205084bcfc36cfa6f9b2a46fd42a40be20

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: closetag.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/closetag.js
MD5: 744876ab906996c429eef7654278f514
SHA1: 0e0e10e59f93f87c9bc35247b14831091113adb4
SHA256: 6fbe2b93cc1744d9e14ad1d613449f7e16df4c2aa2842f658efc17abf662f850
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: cmake.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/cmake/cmake.js
MD5: fc204bb5f2393f59bcd34a860f1e1a57
SHA1: 73985b80cdb80d12831a7476b740733e3fdd065d
SHA256: 6379ded0f75af38659031d1eaa803d2bd5be0fa7cebc216e55ca65d01a35bf1a
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: cobol.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/cobol/cobol.js
MD5: d8a271c0bf27ef5cc2dd8ea19886aa75
SHA1: 93072b3c895318fc58f8ed16d68cc213ac7910de
SHA256: 0cecf82da2915c20187ab4e29cfc4abbb0078536874b27978726d48371487e4c
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: codemirror-standalone.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/codemirror-standalone.js

MD5: f1f47322e6af5937de4a14fb10863e3e

SHA1: 843d01e1379550e5fed3e64aba1af1a359441e7a

SHA256: a18754c4ae17e27b7bba46b338c404d28804e237f41425aed96904c0aa1f49f2

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: codemirror.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/lib/codemirror.js

MD5: 15fc3cdf569fa38b1f91d86ebbea13d

SHA1: c5f9252d9467c2af70c5e6fc579e696648ee242b

SHA256: a4f1c30365d5f85951a22160b07a7ce34048cb640c283545c8192132b46efba8

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: codemirror.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/codemirror.js

MD5: 0d4d22de0bcd7f7afd8131d4e59f130

SHA1: 819f8c37a4df0c61ef735d5b884c6c598bc0983e

SHA256: b2a1b676605c6428b6dd7ce21a8a0d2509d4652ceb2297be93078ca6d66926dd

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: codemirror.node.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/codemirror.node.js

MD5: a524724c274d1c038c7984e164428b3d

SHA1: 18fd7183236cbf1437175c8d31509ffa6cd4ba64

SHA256: fdc02024dc3845f85b38046ae842b0f572f91adc5f34a6979cd92ead0fe4a0a1

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: coffeescript-lint.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/coffeescript-lint.js

MD5: e852ea5b9ebb97947ffd169523eca098

SHA1: 58ec1f05cb6893a519fe2d7ad1b9716f15219b89

SHA256: 824caa68710a7f931ebd30491fec19dcd2c6fa166c21158f5ccd61321069da2d

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: coffeescript.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/coffeescript/coffeescript.js

MD5: 438a52e20ca46a26383d4eb6d33a5c6f

SHA1: 8dd398cbd2955bcffcd70180f9fb560f56acf567

SHA256: 67792b36933d29b482307761ee03da520a19b3b30ca60f54df9cdef4051db628

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: colorize.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/colorize.js
MD5: 626a64f8687ca9576bb017843ab2c30b
SHA1: 4899e8d499849fb02f134afb39711d3ab2c28903
SHA256: 9d39f5267c05d930f079fc4f223b453e8f9fd54cae6cf52db9b5dc3a0b9dd694
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: commands.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/commands.js
MD5: 9f984e904c9556f8e270502eaf1d5a5b
SHA1: d16928b2cc389c46f7b77121beb7376a50f11c35
SHA256: 5f23178d2f8f62f97af955560fb192e5aa898f81153b9c24cee8ed6ac567f658
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: comment-fold.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/comment-fold.js
MD5: 3bf750756a24d5a0ba9cf16819bf5cfe
SHA1: ad4d1534287f90692567139c0b007be29aac4a9d
SHA256: a79d02eb1b425d8a4823f2d962b7b9f49af578fc9042b928b892417c00e7d13a
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: comment.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/comment/comment.js

MD5: 18fc449bec0798e43182173ba47455b9

SHA1: 29442cfbafce86a08679824a999b87ec1acdf567

SHA256: a65c038258c6541658a0e9f24c56c78255e0e20d4cf06aa9ad83342069a589be

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: commonlisp.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/commonlisp/commonlisp.js

MD5: 9449ffe942392a1ad14eaa723578b606

SHA1: c734ecc91ff4949d4cac179a55bec5cee55da153

SHA256: 0efe46913f843f5c335c79e05ae758e60212dde9cd3c45d99fae8066bd13c128

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: continuecomment.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/comment/continuecomment.js

MD5: 174c186ec1902fdb1aa708a9dea1aa4

SHA1: 7c3bb959b0c3befa4395c61ee8fbba3f7f6c6033

SHA256: eb64c50f80cb3080052971bc075bbbf421ab50287804af8ce47b0536da5365e9

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: continuelist.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/continuelist.js

MD5: 630509c4379923d8c811b3f1acc931fc

SHA1: 09118fd53589fe18289006df5cc57b4818321197

SHA256: 6ba9cd9528b74e7f76f4b9ce9ed0677bfed7057d1aade0050185368cfd0ea2e3

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: crystal.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/crystal/crystal.js

MD5: ae980ca83523592958a2c7f8144bd365

SHA1: b52f1f9ec7c854891491f792ae93aae419efd2ac

SHA256: 5e6e8458e3fa4079ff438060ac7f93b8b7a160212b1cce92516f1ea9680b57da

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: css-hint.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/css-hint.js

MD5: 55823389add79e8c52ffa7df6ba94515

SHA1: 59e0f4c17ecd9595fe88a84bc47fbb994803fab6

SHA256: 0e22d6efa1ea084e8316ec6d5e4c809534f0e36f363bbc4156609201d95c6601

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: css-lint.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/css-lint.js
MD5: e392cd5f86989535e38b3cbfb5134985
SHA1: 0986b3dc26b02d98a91b91bb38d46065b5c0214d
SHA256: f3fc7474cbefded7f1b06d63efe980d58970785831cb35f29874ec371cb4ece8
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: css.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/css/css.js
MD5: 3675078ada8a185a353a6560bda2d5ac
SHA1: 1045cdc88a58fb002511eb21db184ed242730f05
SHA256: 60f0689e5c6af7f36c341e8e1341a4f10b4f0a04cebf7341bcbdba9b572b32
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: cypher.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/cypher/cypher.js
MD5: 0439f14eea37e69f9bd0af1b9c57e014
SHA1: c65b82f89865edb564d52f00afddafc3d18a8d6b
SHA256: 6d8c9c8993fdeb724f1f68e9574fdab0001da1d31196e33ac6112303005d3f63
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: d.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/d/d.js

MD5: 0632861907c7e77ea48e0952d2081136

SHA1: f000ac2fe16c377837034c69cdace651a45f4e7a

SHA256: 8e3994ce4f507e692b65aa73ffbfd58112c4a22771b84b8ad86152578d4e8130

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: dart.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dart/dart.js

MD5: 0bfa12b4210e1faba31c98d2fcbd226f

SHA1: 4caa7d422c3c931f7df5b46e09c9596a9ca19ed0

SHA256: b09be809dc1f9e3ad59374b198b0e5c4992788b9ff524765fccd0b84fde52212

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: deleteNearSelection.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/deleteNearSelection.js

MD5: 813d638d2d4693bd14f7b6490445a417

SHA1: eec62305710c8c0a032933bbee41c3fd45142669

SHA256: dac971ad5b761896b830e95f5e2240e2748fb83c909ef4c5ea4fd1f60ae031fd

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: dialog.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/dialog/dialog.js

MD5: 1b33c63e7d89d740d4738ce9766b19b0

SHA1: 14cccbefbfc2f33d928c4a41d854237cda5dd97

SHA256: fd8c925fcc25357617faff21220c026bb91a617b995268d96c5d39232fd42833

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: diff.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/diff/diff.js

MD5: f80746d74770ee6dcf444e99f75d5537

SHA1: 45f65817bf0cfe00f52a620c44e48031e926e5bc

SHA256: 3fd0e844e22f475503415744b7e7af24df4cd0670709c77e5e43e92185ba32fd

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: django.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/django/django.js

MD5: 3c02fcac64b6100a0f369edc8d145f97

SHA1: 9ab00e90ea9a3788178187e9451bdaf61bd311fe

SHA256: 71a3fa0ac63fe080a12097209e509c36abe0fde9c9709610be1656163d25a8bc

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: dockerfile.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dockerfile/dockerfile.js
MD5: 35fd7d7d73ad6c400c0afed686a383da
SHA1: b6574f6951c483c563456c9094178769ea733631
SHA256:fca390cea85e1b711389d1a91b99faeccf7b4df0f48e3ceaecf2e517982cb2b7
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: document_data.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/document_data.js
MD5: 86420f7d4afaa1aa00313618bff8292f
SHA1: c26428a7245c7ccbc2da6e15ea8071a308efe21e
SHA256:bded28025266e28229d4328e2a4ff6c829e26757b12861ec0c561c495d4b87e5
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: dom.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/dom.js
MD5: b56830faf8f75c5daea99bdc94508b38
SHA1: 6425ef8de5f6d50a057a5cdaced4da9ed166ddfe
SHA256:20275e6018fa90811c51e20246d4803c01d7e744f64434bb9194c7b1df41d1b1
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: drop_events.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/drop_events.js

MD5: 940690e5c792ff535ef797090cb7ed5d

SHA1: 05108fb9bb15e761e86ef290e006cb7c620de955

SHA256: 60fa1577514a516587de192c7c779b4447aff1b6d26de0498030340e12945390

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: dtd.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dtd/dtd.js

MD5: eb3e9b71c4e33120225df386c29a0b30

SHA1: c91a19fca8b5bb610ff35e8ea7c9190c9ef996f0

SHA256: 3f04995b147addeee1637bbfd0054676e78d13f7accaf2f589c55837d70148c1

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: dylan.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dylan/dylan.js

MD5: 99e3fa83adb7b3af2e363942a5b720ac

SHA1: 795b6199d3643d0a9eb0b018a02357da66be8f3d

SHA256: 999b862ebc559366e71a731e2a28b2762ae4fe7c7882ba5f6bf20c33a2d737b7

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: ebnf.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ebnf/ebnf.js

MD5: 8d8a62f6874e4e8378d16d02b09ada60

SHA1: 84295b3d4f48cd3080508f3c5c12ecca2842dca4

SHA256: 1175e07f831fd02ccf09d4582351c5932a48fa03be5c0eb1028c8f96c051935f

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: ecl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ecl/ecl.js

MD5: 04722d23df4c17765bb397d871875452

SHA1: 63a19016bf2e53ba5c73fde154b9bbc19d96130d

SHA256: c78998872dd14cdb356d5a9bd196f7d3525e3cb03a591133e0e904afaaec11b7

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: eiffel.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/eiffel/eiffel.js

MD5: d202831cfe3aa85bdedffd44534dc98e

SHA1: e5767dbfb329d8e3786acf893d038e1e4dd35c39

SHA256: 183e855f6474cc2c4cf0b6c5e5c40ea7821707d37ac414277dcda294ffae1721

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: elm.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/elm/elm.js
MD5: c37089c171d4384ec97f9af66d5ac972
SHA1: e28a667656ac12ff06766d2ee857962dcd9146e2
SHA256: e343ffaaff2dc6fd9c5923228b46c23723c396993459eca6217871f1c087ebc
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: emacs.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/keymap/emacs.js
MD5: 258e09f1d4cdb812940d869afce12a11
SHA1: fa3b963c38f809ab13c37fd7aa654ac46a39e740
SHA256: af2f42c9f461951f13e9785f634cc9f8e5d63b0c5c2375b331105dea19a71fef
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: erlang.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/erlang/erlang.js
MD5: 29f92a4be923242d30cf1f4288c89adc
SHA1: 45f94b33af2bc74d8c5eed73de27eb8a4047c20
SHA256: 2ae29808247e9d6a58a83893b0e8b627c0ca337cfa541ef16fb506edfdb77e
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: event.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/event.js

MD5: b700f1676589e7f88e59c943cc209156

SHA1: 516c718a9b2f86f68127680267b92d10fbf5a579

SHA256: 1b13113fab8763c3c9e2284d1b6bdf1f84ab3424999a2eacffb771ea8b75513

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: factor.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/factor/factor.js

MD5: d497dd1c4f0f85b83245bfb80943e5cc

SHA1: ec2430a02377f3b14692370e329b8f83b017d1b9

SHA256: baf7c16c387e7abfc308dfcb7fcc1ea9ae0a898d13455349083ea72c7bfa4c4a

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: fcl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/fcl/fcl.js

MD5: bfa4a30d52fa501346b203c8ab6aa0cc

SHA1: 9befb1efc7f051c189e1c2c7cccd976576bcefca

SHA256: 7c9d372be44c1c418a101885662d80d4bf6104e1b717d36cbdbd05a5956abc70

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: feature_detection.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/feature_detection.js

MD5: 3b63813f217d9351f7a1d90edf345310

SHA1: f236ad77f54768dfaf4b78905be71b6873691698

SHA256: 4aeaf197f379b3450c8c297f23e449df3795a9954bec48cfcddf4b3615d5f371

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: focus.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/focus.js

MD5: 307daeb9d6322c3905fc5b2ba846fa16

SHA1: d1e1cceb41ec90a9b18fd25ae6cad9805e86811d

SHA256: 2f6ad1d093d5d933ad58ded481d34002320d2887b5d06badb35918289338757e

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: foldcode.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/foldcode.js

MD5: f520bc635201c451609403065b8bacfa

SHA1: 78958ff57ef86b84ac8a8085a4f0923433eea9d3

SHA256: 07f353e02abcc300739b09f31a9d32a958ebe5d2f76959291e5643c6e40a26a5

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: foldgutter.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/foldgutter.js
MD5: 9606e4f3ca8c5ac259c2cf703753017b
SHA1: 2f4f7e099042dcbde74bfd3a8f5856f595326ecd
SHA256: fc85fcd61894dc551a4c7c221ec41b7fa4007d1e33239b1cf8faf56ef1811727
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: forth.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/forth/forth.js
MD5: 3e09048506ea36823a8a5e6ad244c7d5
SHA1: ef3e2632de5a4c57f8b14225026940309167d270
SHA256: 1c6c0a8fb3572fba544083795b3259f8a35cae81ec2ddb19b4fd7af2a91ab34a
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: fortran.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/fortran/fortran.js
MD5: acf9c5ff78882f6ee77416eb957e881e
SHA1: 30130e625c08eedd8d62021c0dc77a71d066fd1d
SHA256: b3351c6cd6e696c2ebf0e6ae1ff7925ed65add92947007402e0b3112634f6392
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: fromTextArea.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/fromTextArea.js

MD5: a910ea4413c5f8fabb9be57bc80a7cc7

SHA1: c2bb053e04c5cc11df632ae7332863f5f0d30c70

SHA256: 796a25d1e7f2a7c35ac9289bdb21e9c56c1253779a71c1b9e8a8c04160829e2d

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: fullscreen.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/fullscreen.js

MD5: dffe3df188ef201ff7f04977d0ead894

SHA1: 29d2bbd2368fb2dfc02a06aac6db6aa9691ab330

SHA256: 8e4a21aa77765df8893fc854c4b6be56279e12d9a70cbde913083c307ac769e

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: gas.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/gas/gas.js

MD5: 9403b8d57b58f52a0d02efd3d6d99571

SHA1: afdd8ef0502d68ba8020134c780ebce498f65ac9

SHA256: 414899aed81f9bdb726a6729047f1afb538679ee58623beb8fa51dc7412db6e9

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: gfm.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/gfm/gfm.js

MD5: da48b005ec4e651d019aa09b3d6d4aac

SHA1: ea5f855ce519bf55f09cb2c968dce9660615c698

SHA256: 1fcd9f9a611c238acf53f906126fba93ae0550d74858efad61d72b8b3ed6e0bc

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: gherkin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/gherkin/gherkin.js

MD5: 3d87a67e559ce2d1851c4f1fcca83fe2

SHA1: 289ab840bb7ad7d5cf292406eff4fb8e55ece301

SHA256: 732eb81eccbef7db49729af3f23d477dc8f27a4d9bf2fb2c6bb520d8ec19bddb

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: global_events.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/global_events.js

MD5: 288615615004321c6abe2bf66842b8bc

SHA1: 858b4b90c061cf34960b0bd4231a2b7dd7ec5f3b

SHA256: fa803fc7e109d232afd12dfdf4d99adea71081cc4b71e547d4b1c2bf46cc9ca2

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: go.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/go/go.js
MD5: 51890857b15156f02106103dd73d2b0e
SHA1: ef0de14a73f6656facd0d7355a11b1d17df86b16
SHA256: 4e3b08bda2f85c9ef68c03f24c0c5ca3b8ba479127b6cbc50f33cb9593dbaf00
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: groovy.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/groovy/groovy.js
MD5: d6ca518a6aa5ab5b420bbf21d65b2d05
SHA1: 48fb64db46a7408334eeda329d755dd09aec41ec
SHA256: 6641a0b1555ee0f1bca36975a4fcadd43d512de7ca814328cc6402e1ce836b4c
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: gutters.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/gutters.js
MD5: af3de2621d2ef402646889be16bcde7b
SHA1: 130d94f44dea7f614a15009677e496ad2b853025
SHA256: 2143db3d42d9a3408b556eb50068870d138041a9b98ab256d070d982e09346df
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: haml.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haml/haml.js

MD5: 7d65bfd39de90f56597eb8e278a39af7

SHA1: 7bafda0fd81e500fb2f364d2e657fd9dec939505

SHA256: 9e9606fecf19869e51c32a84e18c4447c0d4ad2031730e5690b571f318409022

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: handlebars.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/handlebars/handlebars.js

MD5: efacd8d006bf9f83baec2fc5a8c71feb

SHA1: 7fefb944ec70e00d262252956fdc71f04c1046b2

SHA256: 60bac3d6993264e155b5a06f52cda56b7bab2fb5923f3d1cc7e8caf704fca724

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: hardwrap.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/wrap/hardwrap.js

MD5: 049ed63630662fcb8a977fa43f86e058

SHA1: 535a020f7839e52da6fc7b8af3d249f641c5e055

SHA256: bee81aee6222a46b1aeb14d6fc738d3cc09a4e421f808e29b3c6989710ccbf8

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: haskell-literate.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haskell-literate/haskell-literate.js

MD5: f0bd7313413cdc35018db90a6522d1ef

SHA1: 670b7735a8c85e5251aeadf51f5005d5cf45df44

SHA256: 7519d0b515603244f029c3031a4625fdccac88cb640fcb6e117718ec2c0b3c50

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: haskell.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haskell/haskell.js

MD5: e4f82d95d10c028eebae3338e678be22

SHA1: 30c46651b2b0b5a7fc70910b22e52e2d1d8687ff

SHA256: 4745a90832e950c9536f0bf498e5bf6fb3753a4a98bea09ec152b92354c0fdaa

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: haxe.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haxe/haxe.js

MD5: 13c21da31a992b536d4f37ee53e09605

SHA1: 6a694b4a0a68b148e0b2e0b761a521a5fa4a0296

SHA256: f3596c7efe948a3331bb1bea299f6fcb8e7733777dc2114a9f2147dfc1c69257

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: highlight.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/highlight.js
MD5: d7710bcd63c26c5fdc37c19b15e02d4e
SHA1: cc5bac275e64696339642c6f5a52c254f139fbfd
SHA256: ccf8b3a879acfa0013ee5b11e036b822b68ec5a136c218400775fe2e35a3fd9b
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: highlight_worker.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/highlight_worker.js
MD5: fc6f314859dad397c1f867ed5d73205f
SHA1: 80e56feeeffb3ad7b76e40dc4577962a60becc11
SHA256: fc9d8bf90534b9a6c7d5a45e8f8f79a4f8827a661c4271f812776e7c3d2bdc09
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: history.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/history.js
MD5: 34cb233d1bf8cc676a0c5fc9e9c24b04
SHA1: 4c42d70f020d1fd9397fa16ea34f5cf54487e93d
SHA256: 961d52432f8f463614f83e660c2945f9bfbbc9c8fb7767575b9221c3e88821a2
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: html-hint.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/html-hint.js

MD5: 609fea85a7894f8098719813c58219c5

SHA1: f593de64cb802e0e456482b88959a68260e06bff

SHA256: 64d3ef9293ed8917e40ed4e8196da6919379a3b4970c007785c7ed27ab9a0478

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: html-lint.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/html-lint.js

MD5: 0844a30ecec022fb60101fc0cc6a5cfe

SHA1: 3ed8b2f11d4c7462cf29fc93b58e579680bcc32f

SHA256: ab7827913934f06a8b4d00e41d5954974c90d5085d1295fe02c484c782c75843

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: htmlembedded.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/htmlembedded/htmlembedded.js

MD5: e7a464409318dee8c3c6e0b68225d461

SHA1: 548ebed43650c26970abca5933aa237b4a1950c5

SHA256: 8afc8da4e446322cf92d78bef9940f9444aee339f56c8b9af5452fadfb867601

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: htmlmixed.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/htmlmixed/htmlmixed.js

MD5: 4c5a6f44d738b718d1f6164c1c8d6904

SHA1: a4f9c3552740fb908e14fb0f47832d10a3f535d6

SHA256: fe5912e1d10f8fecb98bd31e2f957c0bbc9abf6b505d11b6dbcd27542d0fdcad

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: http.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/http/http.js

MD5: 42dcfb1c4b83e85eea0303f75a3f08e1

SHA1: 7fa224e2e3ab674ca61cedd48fd430c5e62e1218

SHA256: 89842864a707564a989a841ce934b61659f34b012f2349e5c4fd9a09c5982f6c

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: idl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/idl/idl.js

MD5: 1ae58242a3b61aae5bdc5665bd5fc2ed

SHA1: c25b0c5644c33ee3993ee3152df8f4c27235e172

SHA256: 7d45bc0899e019f558e68eca684ed84660bf4687cd64fb4ed2c959ad249b763d

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: indent-fold.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/indent-fold.js
MD5: 623d14360009d84560611f43b83e6759
SHA1: 731e1d84971dcafb20d1417761c18c55883c3d98
SHA256:a835ed1af176b96a1bf00379622e76573a1f6327bd76b583d9c4757a2c4a4194
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: indent.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/indent.js
MD5: 835649b199c40a992e89a61de3514147
SHA1: e3d98527805fcef17ac4f710d7600fe0da52db33
SHA256:f28260cac8eba83de19891709eb8545ecaa6cfa3ec716e617992e14cd0112404
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: input.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/input.js
MD5: 8347e0beb43b7f458587e94f323c58bd
SHA1: 62cfb278476d7f293b853e92e35bd9221c6d1a1c
SHA256:bbfc32c56077171637375314abe257f54f925e8142b3f3a9eb669296ec3f12ff
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: javascript-hint.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/javascript-hint.js

MD5: de72c8e29800ee9ae93e5c8a43c6c6a4

SHA1: e348c54c78f75047c06629a13422c0aee0ee3253

SHA256: e4dfa3414b3b9535514737074cec2fb0cbf0bfea7e765307122295c98c5137fb

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: javascript-lint.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/javascript-lint.js

MD5: 55eb8a1558ef8c9da7d355a32334d62e

SHA1: d452acc1222c992a222c6c4bc55c0546eb2a465f

SHA256: 69906dbb83d60e0d104ddf395e29dcaf4a05063f24c085975b9c09693dc860c1

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: javascript.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/javascript/javascript.js

MD5: 178dfcd5f64c97da22a3d3a62713b7a9

SHA1: 969b4a80be53b334612b44a0cc6ef57cfe171a26

SHA256: 21fa74c1638c7a4eb3e8cd04b5c8c997181394568330b341c83716da18ffad8e

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: jinja2.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/jinja2/jinja2.js

MD5: 82ad8f3f5eac62b4012d21c9deabfc69

SHA1: f1b92b1cce15292571979194dc1331accc5fb2d9

SHA256: b408eeadec21747f7c4ed41dcb9ec4e540aa1493d0a7971e74aa1eed05049b93

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: json-lint.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/json-lint.js

MD5: b01056a065c6df2ed0f61038c88e5ecc

SHA1: 8fcdcb87fd1c9f8fc04f3fc325fa590b27441183

SHA256: cb3522e1bdffb075461c848ba2091cc781b52ef0e69cb39d9a33e1b74dc35ae2

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: jsx.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/jsx/jsx.js

MD5: 5dcc6cfebb32872e929bee63d517295e

SHA1: f22b5965deb7b3f6e434d6012b22af7a7ba4c9c6

SHA256: c6babd67df23bb0278d432fba3d2dbd03bb1fb3862d4d70549cda1b0d9953abf

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: julia.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/julia/julia.js
MD5: 544d9103cd9877e0a7dbb26dd5a34eea
SHA1: 4d6fef3f38c3c9717b6ac72fa4fa3c6d48ca189f
SHA256:54d93c9a83269af3bd8bc6593be2368f07b4efa4223074b54f3aad44097a4d32
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: jump-to-line.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/jump-to-line.js
MD5: ae33156dd047f75a6d2539b21ac92df9
SHA1: 4b8098d4df0e0bdbda6b27961ffc7bdaac14e85a
SHA256:39b7d80ee80cabe2f5936673b3cadbfd4d260dfe6dc6f936523a334044962ffa
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: key_events.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/key_events.js
MD5: c299e1b06d3f6ec725718c1dc60141c7
SHA1: 09df110e22b2eccc9f3deb5a2dbe0a6fa884d23
SHA256:f24d2b392714dc1fe63b23f79d45d01503a1a8860cb7b92dff6e5eb05e35cc69
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: keymap.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/keymap.js

MD5: 1c8d554d0dfbb08ac3b4ff11303f313a

SHA1: bcbddfc0d1411afa8455d75564758dacde1e15d5

SHA256: 9be4f88cba00a971a1a007ca4fcc56f244ac84fb8b24f165f6ce2793c2f83a95

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: keynames.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/keynames.js

MD5: e4ae7351260c5e7b9f2253e21b5ca9dd

SHA1: 9b6381177e6d4afdd03388c548a00bef7e101b0b

SHA256: 7054358c3e0ad3945e0c3c31fde7b77d1af78874a5fd436a908aa0e8eeab7b03

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: legacy.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/legacy.js

MD5: dfa5acb74b48161d442a6d83e1abbc03

SHA1: 70f5248919c6a806ec8da7a53b9167ea0d28f28e

SHA256: 663e30df9b1f4994092c95d5a4a2a127d67d59896b4795807ac912773a759a4

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: line_data.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/line_data.js

MD5: 0239405c8ea2b45a5a3a2de75bc481b7

SHA1: 936ff2393f4614f8fb907274c896d2435d34250d

SHA256: 11203cf446205f30a8eb2f5633369c7a6c00cc778b3cdbf1da16570571937d92

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: line_numbers.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/line_numbers.js

MD5: 22976744e5315917483bef53cab4d368

SHA1: 32c75bf2e39c2315fd1a1d04cbcbddb666c998e0

SHA256: 2474c6d14659ccbd6664aa88eaac7f1bb5589cc44f5acff4c5d8a22ed5da5d4c

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: line_widget.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/line_widget.js

MD5: 2a58b1a6d7eadb596d3968096f1493e4

SHA1: e06ec6ee060c9b180dd6269107c1643618024acf

SHA256: 4557109a8ced89105c13e911cd0d4036a043ce83abcfaefe9b6889ea8d058b16

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: lint.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/lint.js
MD5: 7930c46b5411e82099bf4d021be44897
SHA1: 9d4fcf298565cd2e6b6234c331113e5ee80a996f
SHA256: 7c2e8241383104a6188c43b657b17ff7633e0de89d9b98f7d09df29570341e76
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: livescript.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/livescript/livescript.js
MD5: 303cf9371fc666702d07b7892d4d69b8
SHA1: cc1a29423cc292dab8ceccbe8d1d4995426ce11d
SHA256: b9b5f3fca094c735f94174d463746bc39d0930dc42b70bf5004efaed96b080ea
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: loadmode.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/loadmode.js
MD5: 43a51215f06278be12990128bf16cfa
SHA1: 62a2787a4f3b623af185185edaedc7eaed7ffc08
SHA256: be81c0312e7041f56c217430a177fea61e572bcb9579a39ca1922a2e4d51abec
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: lua.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/lua/lua.js

MD5: ccf279dcbc882c0e99fc9dfda9dd734d

SHA1: 13ec1f41c7c723c70f185f6c22e116cdf532d8dd

SHA256: 5c702747f50d5d4158ab8c096b33a7e0092529d5682a728a20624b01dfd86e2a

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: main.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/main.js

MD5: cc33d6b2c4f87f24fe91b103cfee3da7

SHA1: 7a267e163871e4d9c505a7dbda69289619573e76

SHA256: 2644139a384fcd2ff3bcb59fad7a45a3faa166c443fcd2d05315558dc7d1f99

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: mark-selection.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/selection/mark-selection.js

MD5: f2b8639c24afc6cc370f4097eb6bb217

SHA1: 62883a7928526106b19fa78a1195fadf463550b4

SHA256: 5b9c6a0031fe895641f2eb2198df2592ec769a6685d6bb10f3f9b92a7822e286

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: mark_text.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/mark_text.js

MD5: 7611054f886606aed04a7a3f3c4d5a78

SHA1: 3e6ac9ae6a89f720e9c148d25746ff37f9207d07

SHA256: b17ada4f3979fa8170a4abc071035badcddd87870a212cd92dc5b0a70fac19e0

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: markdown-fold.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/markdown-fold.js

MD5: e9844099dad7cf95607a804988677f22

SHA1: 400fdaaf493a4d15e10b397553549b6b4e09dc92

SHA256: 6a81721447c7260578e8e306c89b33a49e98edc1c2cb0c52a18ca0e913684d96

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: markdown.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/markdown/markdown.js

MD5: a7326be775e85028373f9236c26a572e

SHA1: c7dda08f12cf129cba6b317f70ee7ce0abf775b9

SHA256: 8fe7b11848f79cc9119b2a239f38a00944f6f2bb764a00bc837ecf8d34cf7690

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: match-highlighter.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/match-highlighter.js
MD5: d7d3dd2592e2df81c743b86a46ccc555
SHA1: 21bd58338eb506c53cd367b4e30c6aefa2e7edee
SHA256: 8c3e196f9a5f9e5cf9d7e71751132a05293e7cdb180defacf28be9fe919682cb
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: matchbrackets.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/matchbrackets.js
MD5: 2d2902edcfd32a8f481124c0957889ff
SHA1: 1555a87118f8082edd03c7b7c1363ebd1daaea45
SHA256: 9d0e5ee4c199fcb4e487a901860c2cf7d007263852677dd5858098fcaa8580f1e
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: matchesonscrollbar.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/matchesonscrollbar.js
MD5: e005f8b0c7cedc509a29ea1a517cc829
SHA1: 73a8bbcf26072f44bc7003faea790d1f3d59096f
SHA256: a2deca7f8ca380dc7772929cc7c23b6737109f3cf0a55e7e18832808d98530c8
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: matchtags.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/matchtags.js

MD5: 6e8c7c68653d8d6b912138fe6f155e1f

SHA1: 99f7135d209eb1da2c326486eb53ecdd330f0f2c

SHA256: 263d752f850b20890f0506fcb277b094b474138692a58b45d7b9bb03e20aa00c

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: mathematica.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mathematica/mathematica.js

MD5: a8c37dcebeb98162e29e9d1483edf7c4

SHA1: 82d9653bf7ca5b228759c5ad53845a8237625792

SHA256: a301011fbb5d9ea4f39fc574718c2d27afd9425e31a1a5bf9005617603b45c0a

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: mbox.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mbox/mbox.js

MD5: 9ce449eaef8f2c3e6253bb202a3da0d0

SHA1: 6848c5a33d4ea2c76fc6abb4fdc3c9253eedbc9b

SHA256: 9affa80931d9bb09746d08b9b0f90286d2b47f5b16a0bd8a1a06227b496c4b07

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: merge.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/merge/merge.js

MD5: d2a6bc0c40e52723665afdc3b17ab226

SHA1: c2c82dc8159b4d4b38ac4e74d88b513cae40be01

SHA256: 916279b765e93236826a1aa71f96924084707d50486739e9b4524a3f773d41ae

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: meta.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/meta.js

MD5: 11f14aa114ed56768aa48301be3b9f03

SHA1: 516781b99334a9aeaed0d9f1b9463d8330d00ab2

SHA256: f95786f9c83e631225fe7866f39892f808aeb015e80ce9d8a58d5a1d4e9c4bb6

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: methods.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/methods.js

MD5: e0aee4bf62e8df22b1edf8c98171c1ff

SHA1: ec9e2b700a1252d5787249b1c8046b5fb0df6073

SHA256: 80aa117e54c13edec48656384e623b81f8ae5ecece3f426ba9b4638872fd88e6

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: mirc.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mirc/mirc.js
MD5: 23555fdd21b7305d57c24d1378a03754
SHA1: 373c327846304793f8016feaa0164226d6fd5020
SHA256: ac173799c5f81a8c8813a5b0c20b700b27a1f571d1e70132e67d8451c3efaa5e
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: misc.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/misc.js
MD5: e94bdb7dadf69d57a0baf64df69e7780
SHA1: 7d04fd04c64f91033740df1756ceb180fe1ec38b
SHA256: dec9a3df5d525da109210c8f63bc47ef6270de5d0336e446c54d6c490f45bbfd
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: mllike.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mllike/mllike.js
MD5: b30e7da7837eee7a5966685fa03522f0
SHA1: 648a539e28df2714182163665b797d783cd47d80
SHA256: a887947e50c37db0215fa4076c3b211093dd9abf643518a2f304677bef848211
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: mode_state.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/mode_state.js

MD5: ffc05060eaa3b3d89beaaaae86b0483a

SHA1: ad4db1fa999cdec7dca274bc0d440b9817706fcb

SHA256: 7d986b2f9cea39f7829ffd57fe70a6d891afb68bda46557f3d361fce6abddedb

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: modelica.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/modelica/modelica.js

MD5: 9d173268d73ae885e07741f6a60913ef

SHA1: 2cebfe05d43ff1b9a4608bde365d0e340b9e2b08

SHA256: 96befada89421de8d32f6355c326510128e429167390c60ba81d93dfce4b360a

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: modes.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/modes.js

MD5: bcf367e11e7fac26e7f1668e8f1d1968

SHA1: 26c51a0d675e8420deabe41af39537b98b494f6a

SHA256: faf6b57425b7b95a14650da5da6a488cde013e23c1ca57e4223146ccd369230b

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: mouse_events.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/mouse_events.js

MD5: 9a8c2a4f4b71ceb0d641c905ea325dfa

SHA1: 88d8b3f37ba37358b2f270ac184852f0f53c4e8d

SHA256: 17a6d6d77b3607cfd0ba1d551fef84d161747a62b42ecd9454d7427a1c3da610

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: movement.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/movement.js

MD5: 386a27ecd12315f9eff836ce5ab2091f

SHA1: 3170cd5a925774250a79d9e1c9130040e89a6be8

SHA256: 45f4ab6d34f817b4d945449664a35848a252a87f7aa7e917cbefd5710cc06334

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: mscgen.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mscgen/mscgen.js

MD5: 8e06dd81adc9a26c6c708d253868c290

SHA1: d44dd69d6fe4e456417da210928371090d426921

SHA256: 91eff4cccc80f0048d1f7efce0197be483a013dd299e2718b49315639a3d4885

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: multiplex.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/multiplex.js
MD5: 0bdb637f0ca08689fe55e572cc10ab16
SHA1: c1eb99a3fdd03722c84c78cb9351791428ff0bbe
SHA256: 09ec21386de4e951c1eefe0f1db478a9f57701b202ce18424f2b89d4f74aef5
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: multiplex_test.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/multiplex_test.js
MD5: 8a377bbbcf33896551524b1cceb823f
SHA1: bf15c3dc16b8de593577266b9ef1f5625d67a0ea
SHA256: 73e22c6765036bce1db37e31f8c46d62a56ca232840fb4fb968d17c24c3e8f74
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: mumps.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mumps/mumps.js
MD5: 8e0c6375b6bbe74f633feed856f4283c
SHA1: 6944b10c9a28d7097d90291dcae08e9924461140
SHA256: 1455108cba483e767bc5072ebda6c4c219395adb574aa70f7d7ec856225c3d42
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: nginx.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/nginx/nginx.js

MD5: 63e717882de52ba3a4bb62c9e7bef83d

SHA1: f008d01cd0b803de9bd5bf1088feec56c6eac9c5

SHA256: e35111d1834678cd34bfec04abe169cb11739f39750d1c41ab57c8f2524748fe

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: nsis.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/nsis/nsis.js

MD5: 4851ad88c595ddafbe3979f2e47b4d0a

SHA1: c27aea13ecb53b8797926e831d8730099a585d42

SHA256: 5f9aab831632e1de8d8a4f6fcf52dcd75eb704ab8fe47e2c76aac24c8c30fbd7

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: ntriples.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ntriples/ntriples.js

MD5: a21f011183564e5725ea16a6ca11b089

SHA1: 62d7d39e91ecca5bad75c91241aa31421a303ba4

SHA256: d7a1fd7fba26679ecb0a6ac0b67164ed12a37db25d32ece3472920c6f25a74cd

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: octave.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/octave/octave.js

MD5: d830f31f1647efb252a53d0cb1f18aa1

SHA1: 1abba38966f306c238e8f9cf168f95db0e16d5a5

SHA256: b6c6966b9a564ceafa2b2c5ddde2f2efb0349cacdab3f61d90fce2544ece8615

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: operation_group.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/operation_group.js

MD5: 72f0c675f45f87c9a45b5f5784212fa9

SHA1: 8ca609f3cf238954efccc55c720e733a56f5029d

SHA256:aaa9c34bd1240b164897a412a257d2e693d2ad35bec219cf8959561de6559edb

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: operations.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/operations.js

MD5: f2e13ff94b86a05aa5daff82022da8d2

SHA1: dbbbc8bf0cd26ed344d48e6be8ba83d3a3ad983a

SHA256:6570698684e4da9507306248649b72c362cb918b63180b3b3571d91ffed78f83

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: options.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/options.js
MD5: feecb2723f03f979c8b8c9a85c553a1d
SHA1: 99d3d0aa7ab678573f2970b2273404ed4c7cc73b
SHA256: feb45909b7d01751e0edd20b7156ad016ec045cb2eea8e92b96b1505bf6e2159
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: overlay.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/overlay.js
MD5: 3cb76447dd1f64cc2bb037f3ec8c88a9
SHA1: 1ad72da6c675d9b6074f69404c66118ff24389c7
SHA256: 1b44334e2a04d90f2b473c26847798859039190142e53f72f3b7de0f82696d0e
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: oz.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/oz/oz.js
MD5: a097901a9fe996b190b9103a64ace0c6
SHA1: d49b86c59bab331924fc03e3f680af92a6bd79d5
SHA256: 641554f9736e5260ff1aea064749a590cba2a854bad6fc334db8ffa2bc1a6892
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: package.json

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/package.json

MD5: e2faa7704d8de49e9d70e7a834d83ae8

SHA1: cab269db696fc76be4a9c83dc82f287546253792

SHA256: 352f4e90706a839430cb2cee1a2080b0c1a0660243d4d2a544e81a57cf8c006a

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: panel.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/panel.js

MD5: f647c5e58b5c032c1691693333104941

SHA1: 5c8285f946d9888b499ae0266e8e165696947074

SHA256: 2b137f8e8631c717d2af81edc341d436cd3a6debb8e9fdcdc20630296685d3cb

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: pascal.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pascal/pascal.js

MD5: bdc6c5432f1408c29254a933f45ca2e7

SHA1: 541ec18ed0863a528118a8026b6a5aa11a9c5918

SHA256: 5eaac022259857d3b9b127ac0deb76c84d2523dee102d203738293f95ce5086c

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: pegjs.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pegjs/pegjs.js

MD5: ad4350eff079b204cd634114959c0904

SHA1: 978baa600d3539e1eb05834fd0b7d659f0fed792

SHA256: 8cc7fe980c79a1ded9265d338062c8ecdfe6e0d044fb795bf11eb8d9813dc492

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: perl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/perl/perl.js

MD5: c6a3b40a8b2971690ff06860516bd140

SHA1: 08bb3e219af9990114dda08e2ad935c5992dd39f

SHA256: a614830dc6e71770cb4feabc487dfa1b72e29444789b94d1bcad62490827ca1e

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: php.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/php/php.js

MD5: f2f1668dbc8a4b0fd9f031dceda0e4ab

SHA1: 31d6961d6d4cbe7bf5deb2f0b5ba099c49e5c962

SHA256: 07819ae34d5830a3cf040e1904d4b641cb70142845394211f7fb63c891d80945

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: pig.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pig/pig.js
MD5: 40f967482626259f7cdfb972548743cd
SHA1: bd2d7d6522d69e9849f8a6cf3b631ddaf50a091e
SHA256: e9a9ec475ae8b2f75fd1c8a58ea0a2d0cffd383b1a3fb8bdc460881d612352
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: placeholder.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/placeholder.js
MD5: b5b4d8391f1b94044cda61cc979cc772
SHA1: af7eaa5519c4e0fa823224593b0ae0b7fda73a23
SHA256: 44619626e2301fc16ebade252564e2c064113483e02f2fc8d8d262aed2485b9c
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: pos.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/pos.js
MD5: d1fc4bdcc5a93ac92f4c3c9cb34bd220
SHA1: 810afb684197135ac8ac6626a4a7eebef9ad5cc3
SHA256: b708bfbb9ce809d5ce2d1490d806933fad9b471ac63e0f4c72a31ada57e05f9b
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: position_measurement.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/measurement/position_measurement.js

MD5: 6c17908c000f5a7beb67e75b1340c3ef

SHA1: c5dd40151e773a61694906cf92f941fe27ce51de

SHA256: c5c488b91320e33d6e25fbb8ce4fbd3c28621511328b48e9690f797b81d51c32

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: powershell.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/powershell/powershell.js

MD5: cf3b0559e54ae537a420d86a07b441a5

SHA1: 992cbac5ee6c618eab5f646438ba5fb54f66cfe1

SHA256: 9530fdf52d164be6d021a87de567acb8738f86f6d98577533a9db3545e873c8

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: properties.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/properties/properties.js

MD5: fdca15c3c811413459ed12fce119db54

SHA1: 715881cc0ccd13302e302dade67f675d37cfdbd4

SHA256: 3f85f36e32edf82eba526ad56edadf04c33864d72bf0cfae2592a490530a4966

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: protobuf.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/protobuf/protobuf.js

MD5: 3e57a349742d01647347b7339572d9fe

SHA1: 909346135655b3aacdb909a19acb59876e2810dd

SHA256: 93d1459ed6cc4e2a4701fc17959fe7f56b797d1d35b47f44b8030c0d19adf5b3

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: pug.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pug/pug.js

MD5: 63473aabe4ad7435cc804132bf743ec3

SHA1: 4e624a3174fd238241f692c1f935ae75d41269f4

SHA256: 1f9e975ab889f6dd9183758bc7b454224dd11859b8e045ce5b98e2c4a05bcf9b

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: puppet.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/puppet/puppet.js

MD5: be03e9aad763ae4b5ee3d6a226aa8c78

SHA1: 7dae96b96e285c5e747624c864be8f1b0cb61e5e

SHA256: 237b966a50a514c6beabddfb83649797f764a29f7f2c7100dac1f411709040af

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: python.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/python/python.js
MD5: 9b50648e6f546e4f63f1a8eb25adb039
SHA1: b178c4d31cc4eeefe58e97a60723d47af96b79ed
SHA256: ec56443dfebe73f332cc639289ad2de6921560c8952a3e2127397a0849882657
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: q.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/q/q.js
MD5: ec0a69917f7ff85ef3c89ab34cbd0ee9
SHA1: c52261047f62fbf5a52a2fb36e0e926859505ac3
SHA256: 1fecda8902c9c63fa36833c073370e479c7b8def1b883147c364f81cc6ac9171
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: r.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/r/r.js
MD5: 32999ceba0af47e9e6b4042314e2cdc0
SHA1: f044c32fe6998d6c6fbf774910766fca456273d5
SHA256: d4b1d1ad4275187d4f371fb61ca77ec10f63deba233644c484667750f934b23c
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: rollup.config.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/rollup.config.js

MD5: 73a1da56a828ad2854d28749fc155632

SHA1: 48bed29223b72a22a9939b57333c2d6e58bdfd39

SHA256: 8c887c6ebd69fc77f4d1690cc0eb5afaaad25f0e18baaa5c7fdb16a6618ee08

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: rpm.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/rpm/rpm.js

MD5: 5fbb2d4919f2d396e78074f4c98812c0

SHA1: 719d22639e2bbb16d80df811da20013f3998c42b

SHA256: 5e8a8253eb986b58fb170e2d58bdd134b05fc7dc02a456374a034d7564f77fcb

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: rst.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/rst/rst.js

MD5: bd89a589282ae08505026ef31cd4c6ad

SHA1: bfc1dea7ab7b49ed20e4127add87019c8dc56850

SHA256: b50d542cf38074c392f7fde44ef2cbab24b45bbfd178c426cfef6848d6d3e90d

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: ruby.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ruby/ruby.js

MD5: b0b2ef072186390edb0444a0eb2e315f

SHA1: d63568f7de026f9c17e0a4124161ad5007c0c709

SHA256: 953daad8a24225d56733f77c0c4451cf05436f70ad00e5dd1618486a1d5e01b9

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: rulers.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/rulers.js

MD5: 267bb54847534c8bfb41dcf227f7aeb0

SHA1: ef8505818354f0e8e79d6ef7a902ec0feaaa0ed7

SHA256: 175d32d6794e2d917f446c4bcc8053c9a9e69eb9fcb3b805daaf015189b6ec03

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: runmode-standalone.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/runmode-standalone.js

MD5: 51867497bb73c2eba5e2e6cd1352f29d

SHA1: 591c22764dd7599a2d443c593bd5d4fd77928e65

SHA256: c1c9bc16a627699da49d9733f93d75963603175081a540b276f11c604739abc9

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: runmode-standalone.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/runmode-standalone.js
MD5: 8bb22c65e3d5cb3b6466654c7c6ec4c8
SHA1: 942779dcd636d8372e9d8c9949858ea5b68bfdcf
SHA256: 8a06491ff4969718a7bbe2f8ae9d380e9f05f0947d7f5e0d940930e5a929e469
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: runmode.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/runmode.js
MD5: 6b9c51f3ec2f5a79c75836a0f75569c0
SHA1: 88d7a8053ef7fe9996f63800076992a5f65c4dba
SHA256: 920d8eeee55e987468236ba7ed2886de0bb8b2fed9d7060383a39ea29924ae885
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: runmode.node.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/runmode.node.js
MD5: 3847af673a6ae44d53fa8d697df2b8e0
SHA1: 91e688f6fc356c47f9bea928ea3768b7c7a57693
SHA256: 0d796745f8db549e4ade4132025a45994f45dd6f4765402ee75e4113019edea6
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: runmode.node.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/runmode.node.js

MD5: fe41270e99f973a568d5a823cd6e2bfe

SHA1: c78b8d45e3db1891ad28f93b64ebd5ec6d0b9c98

SHA256: 016bd87dc725d65c80cfa58d2e58033e013e703878cc05f322f938d58ddbcf9e

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: rust.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/rust/rust.js

MD5: bfb43032004a8d5d115c6b817cbbe2ba

SHA1: af76d8276b553e168b5fab49108e715452cff07e

SHA256: 797a9abcf8581f192bc49b11434346d3f8014763f4967ae260fbe31f25b2bdfb

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: sas.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sas/sas.js

MD5: 46f6d321e806768f9ebbc0155a5f9807

SHA1: 441d94bf2da7c5299662ba76dba352aac7df705a

SHA256: b69f2877e395b89682a4066f62f686c12cb66eac441b6c1d3ee15d5004859f43

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: sass.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sass/sass.js

MD5: 0067718b0d6fa922bcf032b58966c3fa

SHA1: 1dbee553e6dfa3d57a3aa6548b43a753ccdb7380

SHA256: 01ba99f4a91e70d2a5d3ef881c542f14a1f59f3ded58672484bcd56b41921866

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: saw_special_spans.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/saw_special_spans.js

MD5: 72b6184ab657ca37a0d984dc73e7088c

SHA1: d84fccfe8c3cd0f1a0b5b2f388de87e57503df3

SHA256: fb122060ec500dd99a179c002fbb6a8709eba030bf8f7695d868109b470b31ff

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: scheme.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/scheme/scheme.js

MD5: a64f664dcef608b26dea48b1ea52b622

SHA1: 1e90715a9ecc9c8cc9500e9b064ffe0defc60b9c

SHA256: 0bc81b318e12c7c5bbd94943d9d64cf1a64674c3bcc7057788ed1ade8701ab80

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: scroll_events.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/scroll_events.js
MD5: 8c96ad450d94581a7a461c44fa1e7cfd
SHA1: c92034958533fbaa6512c99d715a6032d43355b0
SHA256: b0472dfdc7a904f6a082f064c9384dde3ce1ec95953d9c276216424da03ffa01
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: scrollbars.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/scrollbars.js
MD5: f06876b47feef8deb64e7cd59d76ab1f
SHA1: 73c1a417818efb800852fec0742136fb1c891c1f
SHA256: 11cdff1fc628da528adf11b23bf19cc06072bb573cde470669343d27be9b0ab4
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: scrolling.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/scrolling.js
MD5: 104c04ec259e68a53516216e4947e9b1
SHA1: 54446fd791e3331041e6e9a0874fa66d4794bcb4
SHA256: 07f6964d12cb85a698967bcfeca73824a7b602475d488ed6f57e2981879e7487
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: scrollpastend.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/scroll/scrollpastend.js

MD5: 74be53ff23fb5eda7725c96f1ff683b2

SHA1: 1aec49fd4f7f5571fac13fddaad9eb1705cd522d

SHA256: 6cd389df1da1ff9ba25728e03afb7f47df3162c3d9bdb5cedd06fc91c6199479

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: search.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/search.js

MD5: aee5a4efc34387df3d1974e09cd2965e

SHA1: aa36dc4a27460ccc0b4b40ee643907303b64a880

SHA256: 4949580371fcd81c0ad70164b169dd8bcab2bd9869eddaa0d7e295508bec7a04

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: searchcursor.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/searchcursor.js

MD5: ca8612c41c44b87a10703ffe71d4f750

SHA1: 6bc4c36ea23ce7bf583f95ba4ad49e599bc646a1

SHA256: 2c0b8cd8fe7ca5ca2253f4aacc914b390bff5b3cac3475df66c43a9ea8c8ccbe

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: selection-pointer.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/selection/selection-pointer.js

MD5: 3ea743f9f1b458692e5258bcd8c8afbd8

SHA1: 4306383d109eb987ee62a6e2defa8926dec870ba

SHA256: fdd7ff53d0ca796c5e3792ceb5063c84d0735bcacf198a1c06c78880f1c664a22

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: selection.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/selection.js

MD5: 34d76a4a0d6602f8d4ff937e499f7906

SHA1: c759ce0c87a62abdd8916125e3bad601e4ce4efe

SHA256: ca2d26085ea9380b686c57d5ef8789e3c3032ed8c5d90ae0e1c9dba69635a89f

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: selection.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/selection.js

MD5: 8f89f30a603010383e7c118550697100

SHA1: da2d4548c10827c45fd625bdfd1ffdf0e28e0c30

SHA256: 03cb03c86030e258ed013dc958cab854e2978893145cb096468ff8149417502f

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: selection_updates.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/selection_updates.js
MD5: 252e2ea7a38323b8d82902e6595d23ae
SHA1: 27719d66e1ff98e650abbc5b48f2f4635f65df13
SHA256: a285a62ec8522c5d8271505b1438dddaf39c3dbfd4dec5ac01971728e21a765
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: shell.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/shell/shell.js
MD5: ab0fc779b5fb9bdc1310a28d7dccd379
SHA1: ece7e7661886871cc46ef71248c67ea53a61ac7d
SHA256: 24f77cb162ea9d9e9fc79b95ba547a7cc10a0767e3a5a52c786d4c24253736fe
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: show-hint.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/show-hint.js
MD5: c9e3db9bd2540c05ac67b249f8122387
SHA1: e8092d9477bb1ad4d17d44522d99cc67ead53b16
SHA256: 28d2123fd1c9cf197651c2a0b3cb65762ba06dc073e023c75ec05b1f139b0af5
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: sieve.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sieve/sieve.js

MD5: 88c6148d955c6542b3f10482b736e553

SHA1: 72627a945e27e3044717e5b8db378f3d776ad0fc

SHA256: c233866cf4990e2f28f11c96ecedc7e7dc465c19c5b445b30bdc037118f7b65d

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: simple.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/simple.js

MD5: 282f2d54ca2c7b60ab4bc0cd762b943d

SHA1: f08a5e5394568164edb85911dfc452f433bb2483

SHA256: 400f49309b31197c0c4ec76519c93647b494ab80f59f96d7f051463e0aa37eb0

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: simplescrollbars.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/scroll/simplescrollbars.js

MD5: 34d6903cded2822fb2261678e1a479cc

SHA1: 0707d27834fdde0fe2c32935af79d4575cf9f1ad

SHA256: 62b48bff43436bfb8ecc5e3273e6047f0b934c1d873c81e863e13bb462d1e1ab

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: slim.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/slim/slim.js

MD5: 447874e5c5dd225949004c357d17ffe2

SHA1: 2cdc3263aa6d9766131d73157afb05fc6767b50

SHA256: a8d555221c610512119f2107d58bb1c57d294cebc91f82638ea6e235286b5c15

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: smalltalk.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/smalltalk/smalltalk.js

MD5: f6e7ef04f9f907a13604ea5b1938d3d7

SHA1: 57f009cf2b2147f14c530f697fd3ac493e053

SHA256: 9f649668162a61cfa6a3528dbe513d012162932c742c7b0696078bd2a6d3b190

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: smarty.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/smarty/smarty.js

MD5: 3ccd6f2129ee79c85ef96a8237f1de7a

SHA1: 5fc274f49b704c0a99e0f0b9030c90f56fc7c1f7

SHA256: 9e95bcd71635efe200c3871c57cbb1c07edc1f8206d173f4552fd2dfbcf9e9af

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: solr.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/solr/solr.js
MD5: df4ba46ed00e24c144deaef9a817d024
SHA1: c880da8431afd54034ae7fbfedb45d94966638b7
SHA256: 17f16060f00cd932914722bf2cd1a01318c402503b62f3bd2bda09bab6b42b85
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: soy.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/soy/soy.js
MD5: 1db8a99a573b2ab07cf30cc58da1bb2a
SHA1: 7c0a178caed0b849f140d0b21de6548a0355f9c1
SHA256: 358a1861e92366d238eb240fd5d5cf8ea6f5fe219f389667d277031c0a1a47c5
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: spans.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/spans.js
MD5: 52150a5a01dd7c56de003aa132f71e25
SHA1: 92cc8b4ab38a103a106f574c40d25d16e97d48eb
SHA256: 719ad01e720518e7594a76ed4dc4904fec7c495b12d87fc4599b40032975789
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: sparql.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sparql/sparql.js

MD5: 856d73e41310b4dd6a18f13d64fec0be

SHA1: 1669e717cbfb9fa9b30e99415a6e5f7a66feb286

SHA256: e646ae1e2796c936a8760af321089f5814d0158ef72aa3f3efb60765430a2e6b

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: spreadsheet.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/spreadsheet/spreadsheet.js

MD5: 370c01bed3c433131f942ef7e6f69187

SHA1: 94b3e4c80f954a378ab94f13068d879e9ab3394b

SHA256: 0807dd557c55f5b6d8579c5c9019c5eddcda9c56ce559190e5f2985b156a00da

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: sql-hint.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/sql-hint.js

MD5: 8d41549d89ca9bfa3ef068190df379ca

SHA1: 6a2cbde78c9311f75509d3350877a8018499e8c7

SHA256:60703945eb6cc93d4f47d70b65f955e66ae8a22c0cb1ceefa69cf0890564544d

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: sql.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sql/sql.js

MD5: b48a3934b20b392ae812b17df05355f4

SHA1: 40d1a558afba1f5043b23131e496de37d8e2dfb4

SHA256:ac23d3f196deb9be25cfcecb966bdc1789b9e177aac683ddccde1420670c4d8a

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: stex.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/stex/stex.js

MD5: c7ef8ac785ee813860cc414ea17dbf6d

SHA1: 3e46d97b4e694c7389cd0df4d13b914697d28c8f

SHA256: edc1f57c69920967a31defb66954aa29f5751fdb2f7ed8e52fa08978ff890e3b

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: stylus.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/stylus/stylus.js

MD5: 7e6d36c0cc269b4e518bd48b9b6342d6

SHA1: ea339b15b178a1082a2acdadae82ef1f4a599f32

SHA256: 85683adfef4f0129670fc2e5ee9148ad956213f5fa0c8dd05ac7970ad7f0b337

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: sublime.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/keymap/sublime.js
MD5: 1d7ea7f929183e76740bd9d98e9cac41
SHA1: 84a64b60b5802e86b0689ccfa95665339347f0c7
SHA256: 1d532a67594845cb7163b090a06da9287b896944ab5f22df67f14e176bd434e5
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: swift.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/swift/swift.js
MD5: bf859160b6f348fc2d72673fc40b9da9
SHA1: c6b46b402c9b1fc3166712d68eb10ad29c5d01f9
SHA256: 939dc67bbef9f0f6847f5bc2a89b0c8f4b411d57fbed4f9d5cc21fabd7e191c
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: tcl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tcl/tcl.js
MD5: 28a739b5550bd5ad13b47dbec84a9716
SHA1: 2ce8afb99f36fece39e1b3df7be02509f77b19ee
SHA256: 98552bab94ce9adc9fcef5658da2965994a84e852c83098e94564884815b3026
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: tern.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/tern/tern.js

MD5: b9418efb9c0d90a3432dff86169fd293

SHA1: e4d1225e756d51fcb69c2f14ddce1b09fa2a23b7

SHA256: 1ebb5ad38f72115c49865b5537fd9c77da506b7ed2be38bd310306af3c698e44

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: textile.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/textile/textile.js

MD5: d3923b19d37114a9e2a346c191c318e1

SHA1: 979b17e6363d63ac2d1b3a6854ba6196564fc5d4

SHA256: c121fcf3e641a7433b9e328c76aa0b1755aa4c0412e4f59a1d8d6ac24b36df06

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: tiddlywiki.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tiddlywiki/tiddlywiki.js

MD5: 3e4fb7a08d9df5cbe9822cb1756bec86

SHA1: 84885a1cb7be096c19a3dfddd70252efcc83960e

SHA256: 4b62acf34df4acb1a4bc1a2729edaf221583679761d35e0e9077883810fccbfe

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: tiki.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tiki/tiki.js

MD5: 6e4bd43879571d0fdfa79714f550a3bf

SHA1: 6fd2ece4b20160c1859f34cb245b173459c21163

SHA256: af92cd0858a99f3c5cacf240874db7eac2704a7b193a3cdfddfc5ba70382a293

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: toml.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/toml/toml.js

MD5: dc2ba16cf830b53759b71306e9473ed5

SHA1: 1a394f9f45c508fabc270b7c0a1f72460fc897d9

SHA256: 67bbbc2696788633071f2a2b8a1cf6ca4f4ac82213e3d85b7cd183d60b117679

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: tornado.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tornado/tornado.js

MD5: f45c2ec37cc008dc5dbd5f9c077ba666

SHA1: 8b55c6a85279c8f7d6b3f539fa097fed877c16b9

SHA256: d006020d7d093cb4f5ed5088ed151d4c45417fe5ccde69d960eb82cfcb9e0ecc

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: trailingspace.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/trailingspace.js
MD5: 43599469275c2b662b7907971147c978
SHA1: de4d3ee3d32f01f94921b8b3944c7383da7ba970
SHA256: a0d2c0196d8f4991cd58f320498f7aece971e502e4811ecf58cb5af8e83007c6
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: troff.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/troff/troff.js
MD5: e7f5f0a2bf68a81f0f3e547ab5640627
SHA1: f59246b4ff5ce93afc87a4ed30a0cba0e6ba4775
SHA256: f7714fdc46774467c168e75fc36eca90e6df16e27afd0b608b882b2df769b8c3
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: ttcn-cfg.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ttcn-cfg/ttcn-cfg.js
MD5: d847dacea4534ee2841f01f5ac419060
SHA1: 0df7a9b8f5e91e2ae8d5a8a02c99bf779e221743
SHA256: 22983894e4a3794c9bcf396e7a4119efa5ea07a4f97e060e15f3c13ec2c1a01b
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: ttcn.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ttcn/ttcn.js

MD5: f94e618b386e8bfd0ffa2252482e9c84

SHA1: a463a8817c26dcec47a7d006aa097dacf74b28d1

SHA256: 10be6704eac48032ce00890bdfffa03d445aae18e3ef7bd74eb14a26e5867a28

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: turtle.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/turtle/turtle.js

MD5: f36ec21c639822b370b87c63415533f1

SHA1: 9b6341bdf7330b71a5959cde815241b6e7deaf05

SHA256: 0f82b51ecc43b95e55a752f80f719f8a39b607697b86d3fa4523a5e8280d3520

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: twig.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/twig/twig.js

MD5: 09ab2491f1056e9d142e233dbc9dc1de

SHA1: 4cb5eb7c9bf77dce80f92f2498d83af92f3398b8

SHA256: 72b6e091bbd6a7c6eb786db2591c1f6f59c7880ef224ce5365ed39ec786d583b

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: update_display.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/update_display.js

MD5: 8a51230ca1be6a91aeb25d4d0f7b55a

SHA1: 79b7a1faa3bfaa65f28ab4e324fa88b485ed21e2

SHA256: cf96f09d7f210f2cbf0c1912058eca1f96b51e63b1bf7b39016c0156c2b9ffc6

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: update_line.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/update_line.js

MD5: b9b8f3c5e697e33d73d1044eaaa86dc9

SHA1: 4f7c764ac36b54c918f06b68129b8835b22b55f4

SHA256: 5fafd013fc16591f0c978c6a4bacb3cf054d52f5051becd4325de8c21ba07f7d

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: update_lines.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/update_lines.js

MD5: c864b2f05d2101a47c52b9c01aad5b47

SHA1: c63e8555c30976387f5904fda11fb55174743a88

SHA256: 80e80a6c8ad664587c2f01128e85c5c931f29cd021381584e2195073a53df45b

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: utils.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/utils.js
MD5: 4e9e033cb9daa0702d84b88dfcebae20
SHA1: 8e5257ed7b93a00cb5eccbf544d6a1043f2edac7
SHA256:06220f9e424434492b73e0aea65bebba1fe74fc3002f8b3672d1d0d3a445f20d
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: utils_line.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/utils_line.js
MD5: 0f6f365b60c1688d8f0fcb8d57a9d9d4
SHA1: 574435cdc400815c829db19a67652b7077b00433
SHA256:a8b39ff57b6d43dfceda786380d6dacef7b1738a81fb6033e7573502501d4b6e
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: vb.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vb/vb.js
MD5: fa430588a34292ebd66e33fa60217b4a
SHA1: a89cb1b315fbed1886d709d921ae95b216d89fc9
SHA256:e8f8e4496baed70b1e6ff44979382bad81b921b9570b7da1a377835e973f28f6
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: vbscript.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vbscript/vbscript.js

MD5: 2da61e304ec310d9291e372c53c6b06a

SHA1: 9c582c79ac9ef6d1c08850c180f988bf974aedb5

SHA256: 77109e0c2218502dac03b5bc3b290cfe0b46ea00f4d267f3dc4378d9abe1bdc9

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: velocity.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/velocity/velocity.js

MD5: be30a2a88271b692c85d7de9744f7c16

SHA1: d45880a6f5d3d4840ed1297d7b3f14ba4c9a4be7

SHA256: 3c076c7bdb1e2d3d25bffa1a682556ae449f1545c3731935306333b5831aa951

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: verilog.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/verilog/verilog.js

MD5: a79b1a94e41866ba625c37e77a76ba16

SHA1: 4818788973bd3f66d3b9e14992710d96a7ec18d4

SHA256: ae7c58b13650019ca08760e04f3ece3315e889eb5aa849a34400f16542610eb1

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: vhd1.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vhdl/vhd1.js

MD5: 4f804b6884d0d7c233a0acc15fdab384

SHA1: d30d775adce22818b6e3955fae1d653028abb5dc

SHA256: da078efdda01a1245fb8ed5a16cfeeb0a51823e5917e3802457041dc48243539

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: view_tracking.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/view_tracking.js

MD5: a26525bd629440e84b02128d6eb323b4

SHA1: 2cb6103f9dad13f5ee416f272cc9f8f14084ffc6

SHA256: 077f385b690f0c7af9976cb7b6d2b60a175f762753a77b3060a6db2686a5ee81

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: vim.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/keymap/vim.js

MD5: 3a5542b6dabf86e3983f29c5c5a184b6

SHA1: b8afaac94045745d4517c9635a5d0c1c266db7ca

SHA256: c8124370e0ba7e76d5cde3c18d257c5c99e5578d6505f0eeaab5c791673c40e8

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: vue.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vue/vue.js
MD5: 9e7dbdd0bcaee6279ed4e77f5ebc36ad
SHA1: dc5c50230fdd556f9c3530f781b7a2b16ad30a20
SHA256: 8b9c4f59c1230c537f44f593f5d608a81604e4b3dfd345ea938939d0d62f668e
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: wast.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/wast/wast.js
MD5: fb1f6ce81911f07db605e2e5ccf41cf2
SHA1: be86e08e18cc74130b483022c355846d72116c20
SHA256: 8e8ae8ab4475c66d2f05960ffda597af6279c8c93f62cdab443407bea74c0091
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: webidl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/webidl/webidl.js
MD5: f31e84cde3fcc1fa2efec9889038d7e5
SHA1: 0757847217a95faf4defc9685f6821accb9d8988
SHA256: a12293542727a69514ae5477a65e33eed4f871fc207c6b275c9d8be1f2177062
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: widgets.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/measurement/widgets.js

MD5: 675098b5f0aea0bf351a1b5762febfa6

SHA1: c922dccdf98c79f92fa086bc2a36d970c76b56df

SHA256: 09874ad13a856fad11b3afd084e58411741ee2735e61b4d95fec060b60bfd65

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: worker.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/tern/worker.js

MD5: c6d16e68bc203e9489fbbd11b5b100ef

SHA1: f8adb9ac9944f88bf6e69048c001f89537f32198

SHA256: 80c0e9bc4e2ef9ca9c97199818318429d26fae0d2452a20547b1e458eccf794d

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: xml-fold.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/xml-fold.js

MD5: bcfaae27958026e83cd442b5df731da4

SHA1: 7ad4740f2ecbaa3869b066156b19401075a0315f

SHA256: 4ad0fdc2f93882174c9071e9a3c2324d15d4deb0c43fe607f9efe01dda1af9b4

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: xml-hint.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/xml-hint.js

MD5: f2651770cad286ae58d12e9f5c4e9e6f

SHA1: 17bce6be75e45d7a291a32d0c1e346e4818296db

SHA256: 6b78f04d2137358d5a01e9fa2b3a8f069acc70f925cc7efc39448ebe9599a805

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: xml.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/xml/xml.js

MD5: c93fe254ef100aeb5c9dfcda4c91d27f

SHA1: 510c71566cf81560cb5bd1bb25287ed6502dde75

SHA256: dc7e44d410399326f802e2924573cbf6f942a79f647fd0b97f0b607973bc9a09

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: xquery.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/xquery/xquery.js

MD5: 56cd9562591919c15b7610f13cd112be

SHA1: b294546669da04806196e6aca774914a30a0b3f8

SHA256: 618685277efde78e0e48fd5cf95948ae32a4d57de942038ed0579415f3f2f9dc

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: yacas.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/yacas/yacas.js
MD5: a70c01cdbc7d4311d4dda287ace27a79
SHA1: e853bda930d5fed1db0bd56ab9426612e759f9b3
SHA256: edab39fac054aaee5ea8ad3d09e0d38f57d5b24f826df7561526b5efb229fc72
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: yaml-frontmatter.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/yaml-frontmatter/yaml-frontmatter.js
MD5: c2dc6071833d8d9bf02d81244403cbd6
SHA1: 212780f18d78644233eb826c8c660eee51b6ac70
SHA256: 98baa91eee7ba77aaf150a59d7e5146d4964ddb271076cd963cce43f9928b3f8
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: yaml-lint.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/yaml-lint.js
MD5: 925332d44aefcb89b106d4fe9b32e93d
SHA1: 19221be874d11d57582a77dd08fd2f244e9b5500
SHA256: ee7249600f6b395c302b24054060f8abe87cbaa68a9f426593ca5e5f3748bbf9
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: yaml.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/yaml/yaml.js

MD5: 77fd959da1bbaeff5cdd97689da94570

SHA1: 9b206b33cc7b2b5e1e21d39bd177b1c6500e9722

SHA256: 3256b4e40302d4488834925a990edb32cef7d431f70a40917c1c5398468d861b

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: z80.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/z80/z80.js

MD5: 85b28ee5eafe8552bf842eeba91325f7

SHA1: 34971fc9b5ed5aa2f8714030186cd3e0056cb2ac

SHA256: 0f501d7b8c9c48942900b4d7131f5bb18130395024e66ea5d98aea480f845e2e

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: crypto-js.jar

Description:

WebJar for crypto-js

License:

MIT

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar

MD5: e70e1fdbb3054453cd57ab3368e6bdb9

SHA1: 622835f605f708155af4ffdb1fda1fed2983bccf

SHA256: 9e11775c13feb6a3161844db96974ad007dc36d1f4b3033555f34813a1584270

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|---------------------|---------------------------|------------|
| Vendor | file | name | crypto-js | High |
| Vendor | Manifest | build-jdk-spec | 1.8 | Low |
| Vendor | Manifest | bundle-symbolicname | org.webjars.npm.crypto-js | Medium |
| Vendor | pom | artifactid | crypto-js | Low |
| Vendor | pom | developer id | webjars | Medium |
| Vendor | pom | groupid | org.webjars.npm | Highest |
| Vendor | pom | name | crypto-js | High |
| Vendor | pom | url | https://www.webjars.org | Highest |
| Product | file | name | crypto-js | High |
| Product | Manifest | build-jdk-spec | 1.8 | Low |
| Product | Manifest | Bundle-Name | crypto-js | Medium |
| Product | Manifest | bundle-symbolicname | org.webjars.npm.crypto-js | Medium |
| Product | pom | artifactid | crypto-js | Highest |
| Product | pom | developer id | webjars | Low |
| Product | pom | groupid | org.webjars.npm | Highest |
| Product | pom | name | crypto-js | High |

| | | | | |
|---------|----------|----------------|-------------------------|---------|
| Product | pom | url | https://www.webjars.org | Medium |
| Version | Manifest | Bundle-Version | 4.2.0 | High |
| Version | pom | version | 4.2.0 | Highest |

Identifiers

- pkg:maven/org.webjars/npm/crypto-js@4.2.0 (*Confidence:High*)

remotegui.zip: crypto-js.jar: aes.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/aes.js

MD5: da81b91b1b57c279c29b3469649d9b86

SHA1: 5441866409bd32d32331c4b4b652057fb90bc298

SHA256: d6bb48feacbd63fd455becce7a5528877242f70e73ba1f7838c186ed8f35fd3c

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: crypto-js.jar: blowfish.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/blowfish.js

MD5: f324783486bb1c6c2bad1faf07c63372

SHA1: abce1a3fd40ce0c3f511fc0ea0be9a5d9006e580

SHA256: dce696d0842412093ec68ceef095d0db470a358628dbc352867bf535ef3edfb6

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: crypto-js.jar: cipher-core.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/cipher-core.js

MD5: b9c2f3c51e3ffe719444390f47c51627

SHA1: fb31443b26eb46eba12f324ff2c567d28e43c9c8

SHA256: 1b3331c29f4a1e222ebf7d3b9bd3458a308c2a47fc5e6cccb93f7d2d5c57533d

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: crypto-js.jar: core.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/core.js

MD5: b55ae8027253d4d54c4f1ef3b6254646

SHA1: 06951bbea3ba1ca54de91f0feefc13fb62b66f38

SHA256: 2638bdd7224472f801890636d42df16c144ca46c84229ef3087190d21f935daf

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: crypto-js.jar: crypto-js.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/crypto-js.js

MD5: 4b481d280be0331ef01b43c2d9b2a58c

SHA1: 4e84b6508f97c27e80a3fdeea2923d489d2b8fc5

SHA256: ee02257ffbaf0a9b481c7039b0f3bb20c360c9674fe4be8b38ae709b2ea59bbe

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: crypto-js.jar: enc-base64.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-base64.js

MD5: f551ce1340a86e5edbfef4a6aefa798f

SHA1: 9e1b1bf75f35833ca2480ee401b4cff8b7eb1fe3

SHA256: 84b69d1625474179d55622a8333c3aac376dd8bc77de7b06c21695762cb69cab

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: crypto-js.jar: enc-base64url.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources

/webjars/crypto-js/4.2.0/enc-base64url.js

MD5: b87419e0e9ad776b37cfce5433ff5852

SHA1: 24aa5251bd4c6b8ca1bbaf0a5ab838fbd9fcb6ab

SHA256: 8747798ddd53f467bebd7101bcd053b3f12ef028b3e6c012aede147732c8a9c6

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: crypto-js.jar: enc-hex.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-hex.js

MD5: efb02f85686d948c69ad13ec6a7d479c

SHA1: 27f6a54ae346ef0a9a63084990591e0f986bea38

SHA256: c7dad9931250921c24508ba9949abb818745b38891da44693359249b11ed143d

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: crypto-js.jar: enc-latin1.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-latin1.js

MD5: a8c77d13f48479c2f76678c6e7f06ca8

SHA1: 9753af5959867f998f0feffd6f1699e88c92f39e

SHA256: 24dfce2cc51ec0481aad1f62933bd0ae1238c34c5b0e73aeb1729027c913a26b

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: crypto-js.jar: enc-utf16.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-utf16.js

MD5: e24e079fb22a2f7063cb9f856bdf10b

SHA1: 01f29539d0bc1e2c10638d0f3b9af99d978e15f7

SHA256:c35339900b45fa701c390c924009a95270b4b4d91b427e40984f117c2f7ec67d

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: crypto-js.jar: enc-utf8.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-utf8.js

MD5: 5a9aaa6b97e87bf258edf26223bdcf61

SHA1: 16bab2dd76daec10b9b3e2569f3fc1a207b5f726

SHA256:8c7e44dc2d49b20fd78a44827fa962a28a5e22e0adfe036aa0fdcfc7adb89984

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: crypto-js.jar: evpkdf.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/evpkdf.js

MD5: 7106e06bc97d1f59a9324ef5ef9c14c2

SHA1: 89cccca6c0e5261d31302cb4726a26f21a84ef39

SHA256: 03a8ec00db105b3b813902400ed65169d12ecd382fa13402fd62c55e251caacc

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: crypto-js.jar: format-hex.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/format-hex.js

MD5: e2f78f02b844140cb8763fa7cd8daa45

SHA1: a359182575c8d43c6e5381209472f8954e4d5496

SHA256: 040a2918bec8cb8ba0a6303fa3c1bbfd899bc8644643e8ac493e3c08a0c09097

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: crypto-js.jar: format-openssl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/format-openssl.js

MD5: 502d6df5aa16084bf5abb0f3077c13b5

SHA1: 7507a0c1ccf7049a8a10bf2ed73f24af5ed00aa3

SHA256: 1ffa86862e66b6c0fff35cb96875e97a793aaf86ca749b29381cbc67a0877bba

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: crypto-js.jar: hmac-md5.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-md5.js

MD5: 95b2fb61fbadc00bb3dce9098e37256a

SHA1: 143d92d0c7d56bc57036c318cf78dc50cd72b557

SHA256: d3072014eb4186d02e335c511b3cc6e163a5cfebaa8c4ae13634af24887078e6

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: crypto-js.jar: hmac-ripemd160.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-ripemd160.js

MD5: 6d51886c1d976bc143c790593cdc0920

SHA1: 29a848612a72b95abd8d8a9ee8d4874939fac6f0
SHA256: 28e2bdcb143840e4e01eff312a728e0f652d7dcb0d1bbdceab0bf48ff5cae8ac
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: crypto-js.jar: hmac-sha1.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha1.js
MD5: 4acf006c1688cf4513ed375d7a94f86e
SHA1: 8fbe2fbecb2caa64f74c0393f9f6641f78e3b732
SHA256: e104acb7379b834bd9249e3cfc2196acbf90a22bb10947feb2a1fbe30ded105
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: crypto-js.jar: hmac-sha224.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha224.js
MD5: 875a7a330903a92828b279818e6b06b8
SHA1: 586cc496e368eb6f6119e0a6089ef7f8f421dee6
SHA256: 35208e1e4631ff5f9bd83220dbfbef63290eb93e914055b35583fbf19eb76693
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: crypto-js.jar: hmac-sha256.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha256.js
MD5: 69817fc0da86033d4ef559f0febd3d32
SHA1: 84c60e2a1dce8f06c1e4340542199cc9cc9a3454
SHA256:11d26c11f858b74bf0f106c74ddb579a112d3e7321fd684365a77ba2a7a5dffc
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: crypto-js.jar: hmac-sha3.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha3.js
MD5: ea6cba03f7c6b257b70c1497022b5514
SHA1: 0d8f8002491a9311c7035aaf07d4a0329f38ced0
SHA256:bc63c36741416fb55fbbe3c7c4a78b5e056d9b902a471bb16b6f5672fbbacb8
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: crypto-js.jar: hmac-sha384.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha384.js
MD5: 7afbdf157b81970eb00a50bc421e7ce1
SHA1: 9196d839c46163f6e51c63410ba0076a09ccf178
SHA256: 93494b918b2eb79cd1be66145a41137ac0d65739ed6cb9e04f82bf1d7cdc7019
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: crypto-js.jar: hmac-sha512.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha512.js
MD5: 5d3e9930daf490e45b446cb42b31833e
SHA1: 4b07089a6c56852d15ec948b58408d5b5d32cafd
SHA256: 6c2b59ac5e27099986b28d32e425ed3d65a4621c1c6512d03d40b336c6e88a2d
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: crypto-js.jar: hmac.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac.js
MD5: ee162ca0ed3b55dd9b2fe74a3464bb74
SHA1: d68f1ed4e3aed7807fe17a8193fca4775221dfa3
SHA256: c89f8f08ae06990edbc0763cd46853d16c70eaf513de8592b1ffb74a2ad2f7da
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: crypto-js.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/index.js
MD5: 8181544c4f4842cba38a939989ddb460
SHA1: b4ff6b82e1e72ccc2a5de8f94968c3b82060f61c
SHA256: 7de6a6041ebd1a43ecd79b59708795ac273930bb36265b41fff832d781e7bb27
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: crypto-js.jar: lib-typedarrays.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/lib-typedarrays.js
MD5: b8bac2e22a7a589167e014be77736c72

SHA1: 622fc0f297b3799ff91b08469989e6fe113cbda4
SHA256:a5875f287e6cc6dea0ab64024db32783229a7db55f74deccf6566973bbd76ec9
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: crypto-js.jar: md5.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/md5.js
MD5: fcd0c8cd3533c15bb4f0628f82cf5175
SHA1: ed91751fd5c6009667d6b43c5fd3939993edd568
SHA256:ffce8dc6b782620c6238a5b2280c5a98f6bef8c77fa80e581fac8cce0f08effe
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: crypto-js.jar: mode-cfb.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/mode-cfb.js
MD5: 5847dafc1beecdcd23925f9f4989b2
SHA1: c9972596e02db6c6221ae019dcf1498d30e9ffb4
SHA256:a3626b78fe53d7d32fbcaeaeb92750db305e84e2ccb84e61d735ac7a4dc7345c
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: crypto-js.jar: mode-ctr-gladman.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/mode-ctr-gladman.js
MD5: c4bd3b4755cf275747f8e68b0eed7995
SHA1: cabbcc4100b4d363f1b55d42b930ec547ad67dd1
SHA256:fcd6166981435cc01bdfd2fb8f9e2773acfb144ab8c47e0c71473d9bdee755b0
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: crypto-js.jar: mode-ctr.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/mode-ctr.js
MD5: 6cec0458e4e62c1ff8b534e59f9132ff
SHA1: 591484053ed26919fa6e4cecf7aa723dcade4bb6
SHA256:9e67161f61922a475b142b2e18cb4470ed7860ef61bc6e7a41f327f7a59be96f
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: crypto-js.jar: mode-ecb.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/mode-ecb.js
MD5: 3a84195b8427195dd9c345a0f3aa2313
SHA1: fe621e95709e31a5289c78d114aad4a920f14923
SHA256: 4f563373ba4af442e1b425b7b7dd1030ed84b9babe9821949922d9677bf14701
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: crypto-js.jar: mode-ofb.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/mode-ofb.js
MD5: 48f5529799d5eac8fa9f855ba1402737
SHA1: 4e97befa1e4d0003cd2fe9d21d85d6636513fdb4
SHA256: b49077bf4bf5e8f2cbb2de0e2d48c4d941a3feba2bc7c629abd51fe2ac8bdb2f
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: crypto-js.jar: package.json

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/package.json
MD5: 2f31b0aec8f5d1c63af62bf46623876c
SHA1: 7316c3382382dee4cc36236a13bf43543b8a855d
SHA256: 011d61589c95ad4e16051c492565f7c19c6a7832580674503cceeeca612e7a6cd
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: crypto-js.jar: pad-ansix923.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-ansix923.js
MD5: ca8ab3266976ddad6e811577212b8c88
SHA1: 505018913484e110aa81842a4511a2a52cbf2231
SHA256: 7d950bc42f262159a2786eea30d1153a3d0bca9aab9acdbcc1a981a8d2854ef7
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: crypto-js.jar: pad-iso10126.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-iso10126.js
MD5: b1c4aa95c8bc79280076e66352b6c219

SHA1: 9c081665a8d0f4399c5f3874f38f811932900d54
SHA256:d3695304e8e7a001cc6e1b84d4b58abd429dd7e3f09514c260bcd3122a3aa685
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: crypto-js.jar: pad-iso97971.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-iso97971.js
MD5: 4027c92ac1ed3c95f39e8e2a391500d3
SHA1: b7034e19bcb012cf7549baea65a70d25b8e71480
SHA256:f7f7179b8bea5b6ef4f0891f23b563db8aa530376795cd99ef84942cfc62d328
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: crypto-js.jar: pad-nopadding.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-nopadding.js
MD5: e288e14e2cd299c3247120114e1178e6
SHA1: af4df0df185ab10e12fe8c01f885027eabe3c8f3
SHA256:a722d1f11486b807b34076ec3277ea3a65f21837db2d9f76eb5daa7de312479a6
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: crypto-js.jar: pad-pkcs7.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-pkcs7.js
MD5: 23c101a5a832bfa8a894b9813323044c
SHA1: d21f12b724eccd65c9f20503bdac2c41eb8ce985
SHA256:9a3c909e8c3b6604bfd7a48a3c7e61504292744d894bce1266b44691b857c1bc
Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: crypto-js.jar: pad-zeropadding.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-zeropadding.js
MD5: 23b4116306620a01bed22b52014c7c65
SHA1: 34360c2d2f9a38e5c3d197223a2f5b6777cbc1e9
SHA256:d99e781985e817da7c6af30d957c45419b1a7e176bf52160424ebbbf970df906
Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: crypto-js.jar: pbkdf2.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pbkdf2.js

MD5: 3f2876e100b991885f606065d1342984

SHA1: 006198366f41423a82b05dc582d9882530c3f6e5

SHA256: 89cca1be3926c8d89b6f827d70970bb3bc94ae47943342ca8949992faf8d2b60

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: crypto-js.jar: rabbit-legacy.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/rabbit-legacy.js

MD5: 8fdb6b7d8bcf3aef27398d47d13dacb9

SHA1: 23dc78f4b418c296ffc166bbcad8c678d6ab2efa

SHA256: cf9afefa87b216dd4d8be00524f8904bba1147fbb90273e5e6a7b2824b52e56f

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: crypto-js.jar: rabbit.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/rabbit.js
MD5: b3bae9fc93314924cbd6c4283c1e91ef
SHA1: 4bd339e3a9e954c2766a07a96cf7ec2547e76cab
SHA256: dc93dba650db41783f8a3faba6ba17ad82cb0eb1b6fa84df406f71d520d84b42
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: crypto-js.jar: rc4.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/rc4.js
MD5: 846a99f1e90dbcbb5773793c3fe8aa5c
SHA1: fbb684811bde18ce2faad2ffbda3aa9c00939e90
SHA256: 571eca05c055a26c729f757f83b9f849968ae0dc0ba9870e5be9526019c53a33
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: crypto-js.jar: ripemd160.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/ripemd160.js
MD5: 1d13fd2d4858d87c36c43a0a6436f0d4

SHA1: 9187ea140085390e357f1e7804f95e7a5812d494
SHA256:3d7eea732acb8f27ba7be5ec54cc1c5ea198be2f7b12ae78cf03ce3b87d78da1
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: crypto-js.jar: sha1.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha1.js
MD5: 5fbc23cf1d5cf34e9f7798650d07b333
SHA1: 7401e77dccaff4ecaab8e57fd11fccfaf5f33c75
SHA256:fca2d5560acb8de760ebc94679ff210056722af8193871e75176a61a977ac30f
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: crypto-js.jar: sha224.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha224.js
MD5: bd908518f276d2df58277bb38185b307
SHA1: b10b13e02fadeea29119f6976b346d9b06c84342
SHA256:542ddc722d9711595c11d57caa9424beca928b3553747a51e3f1c57c2c08ec16
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: crypto-js.jar: sha256.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha256.js
MD5: 561d24c90633fb34c13537a330d12786
SHA1: 7593f14b59ba2099cbb4ffb806e75758fdeb12f5
SHA256:d8074f23cbd27aa6c2f231b8bdad34bbd8d49c7e47ffa0d7cd07a2c4d1d3c798
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: crypto-js.jar: sha3.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha3.js
MD5: 6fe2614bbdfb802fa873f118621c7fb8
SHA1: d977f518e609149d1b51932648669a4be7a97f27
SHA256:6ee08cd3d69b181cb735011acd0a0d57b6a4a071baf8ecbbbb9aa18cf1e4d6ac
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: crypto-js.jar: sha384.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha384.js
MD5: 6ae085f20325eb927ff673ef20568137
SHA1: 8d7bb4a99b713d53723f8f1ad3442cf9e9edf9a4
SHA256: 8d902216aef6840bb9951117bdd3aa6331078e68ee04987aa1d59c73b5ff3066
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: crypto-js.jar: sha512.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha512.js
MD5: 0e5e8946947671eefe910c58f1272c48
SHA1: 7b4efa121b30865b12f7546f1e99e22c6c2a3c40
SHA256: 986ca486a1c9e58e9d8fc38d1db4e652e14c751ba1a6a15fd81439d261efe2b0
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: crypto-js.jar: tripledes.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/tripledes.js
MD5: fcd80fd597ef5e6a0fe34cdf484a8825
SHA1: 94c5615ac7a0f2ee61bb5325e46d61151893dfa6
SHA256: 8d8de06235e08f38ddc855070ef8cb86d7c69a67b3a5278f8cbf2af64b55122d
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: crypto-js.jar: x64-core.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/x64-core.js
MD5: 677577ca38d04508f116ebc977dcb11b
SHA1: 966f596f1adb7e7780021ae463a62890de8b19fc
SHA256: c54130dcd19ae2c7f8c4b4a69cb2038a65d363899cddf7ebaae0102bfc8fe086
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: jquery-ui.jar

Description:

WebJar for jQuery UI

License:

MIT License: <https://github.com/jquery/jquery-ui/blob/master/LICENSE.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/jquery-ui.jar

MD5: 9ce7e600d17800cdae8476eb3dcf1789

SHA1: c1122cd36f9bab512ddb4ab072d84fba5ad0e2a

SHA256: 0ce631a38c140f67c210a407ead84ac6ef88d82aaf1cde4c8b8e210b92f2b59d

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|-----------------|---|------------|
| Vendor | file | name | jquery-ui | High |
| Vendor | Manifest | build-jdk-spec | 21 | Low |
| Vendor | pom | artifactid | jquery-ui | Low |
| Vendor | pom | developer email | james@jamesward.org | Low |
| Vendor | pom | developer id | jamesward | Medium |
| Vendor | pom | developer name | James Ward | Medium |
| Vendor | pom | groupid | org.webjars | Highest |
| Vendor | pom | name | jQuery UI | High |
| Vendor | pom | url | http://webjars.org | Highest |
| Product | file | name | jquery-ui | High |
| Product | Manifest | build-jdk-spec | 21 | Low |
| Product | pom | artifactid | jquery-ui | Highest |
| Product | pom | developer email | james@jamesward.org | Low |
| Product | pom | developer id | jamesward | Low |
| Product | pom | developer name | James Ward | Low |
| Product | pom | groupid | org.webjars | Highest |
| Product | pom | name | jQuery UI | High |
| Product | pom | url | http://webjars.org | Medium |
| Version | pom | version | 1.14.1 | Highest |

Identifiers

- [pkg:maven/org.webjars/jquery-ui@1.14.1](https://mvnrepository.com/artifact/org.webjars/jquery-ui/1.14.1) (*Confidence:High*)

remotegui.zip: jquery-ui.jar: jquery-ui.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.14.1/jquery-ui.js
MD5: 0c983553a5edeaffb408e27b4bc526ad
SHA1: 01510c553ab12baa303a09fb5820e49807037389
SHA256:f739630caa44fe643199a47857670655a43b6ab17709c5f16abbe0afb4a3f147
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: jquery-ui.jar: jquery-ui.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.14.1/jquery-ui.min.js
MD5: 12c28b31a1369383b3549abf958b01fe
SHA1: 8b7a32df053a6b24e568f20908e47a90e9a3c852
SHA256:0254e2768f39b973e54b2c9a64db23257782b34ede4afdebe3793209573c0a12
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: jquery-ui.jar: package.json

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.14.1/package.json
MD5: 79f59c9c2d3b9b7f4b95c47c355c7d12
SHA1: 2aa7dc3ced6d8ca3dae2d05030bf6d67dd83c417
SHA256:02f0804ebb96cd8b18ecdb1fcd511d96a8f8ec9463bc33b847cd38f50180d06
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: jquery-ui.jar: webjars-requirejs.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.14.1/webjars-requirejs.js

MD5: 2b45f24ce91f8c0d5c764e705b1eed88

SHA1: 03056311ea772e4b7b09a70f108cb2733ae13766

SHA256: a0f18ed7e4b55b53dcf2752e99573c9f7363fd4ba7d98f14a65c36cf34fe1ec3

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: jquery.jar

Description:

WebJar for jQuery

License:

MIT License: <https://github.com/jquery/jquery/blob/master/MIT-LICENSE.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/jquery.jar

MD5: 4af65e569248d8a2411f66498d720280

SHA1: c3dc40b1b5f24c56afa36fd9a463bb9f378ac4ab

SHA256: de28c4da0ea9f16101352dd3582ec8021ee5e2de5f45104ca171876003d54db6

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|--------|-----------------|---------------------|------------|
| Vendor | file | name | jquery | High |
| Vendor | pom | artifactid | jquery | Low |
| Vendor | pom | developer email | james@jamesward.org | Low |
| Vendor | pom | developer id | jamesward | Medium |
| Vendor | pom | developer name | James Ward | Medium |
| Vendor | pom | groupid | org.webjars | Highest |
| Vendor | pom | name | jquery | High |
| Vendor | pom | url | http://webjars.org | Highest |
| Product | file | name | jquery | High |
| Product | pom | artifactid | jquery | Highest |
| Product | pom | developer email | james@jamesward.org | Low |
| Product | pom | developer id | jamesward | Low |
| Product | pom | developer name | James Ward | Low |
| Product | pom | groupid | org.webjars | Highest |
| Product | pom | name | jquery | High |
| Product | pom | url | http://webjars.org | Medium |
| Version | pom | version | 2.2.4 | Highest |

Identifiers

- [pkg:javascript/jquery@2.2.4](#) (Confidence: Highest)
- [pkg:maven/org.webjars/jquery@2.2.4](#) (Confidence: High)

remotegui.zip: jquery.jar: webjars-requirejs.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/jquery.jar/META-INF/resources/webjars/jquery/2.2.4/webjars-requirejs.js

MD5: 30e1a7f167b667001f50e32ea87bf7b5

SHA1: d18dc733350ad3549af2df096599e824c10f777e

SHA256: daca7b23bc4d8302a8961373b92b78d36d5c85d730fc14130e29d55d976aa420

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: moment-timezone.jar

Description:

WebJar for moment-timezone

License:

MIT

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar

MD5: b67a7dc1dcd1cde774e16ea7295f7a7a

SHA1: d6ffe442fb3dcdee42878d04c1b4d976b7cd20ca

SHA256:49205ba9340f3485b3e34bdda5b108f5e569c633cb58e19eff52fefcc28399de

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|---------------------|---------------------------------|------------|
| Vendor | file | name | moment-timezone | High |
| Vendor | Manifest | build-jdk-spec | 1.8 | Low |
| Vendor | Manifest | bundle-symbolicname | org.webjars.npm.moment-timezone | Medium |
| Vendor | pom | artifactid | moment-timezone | Low |
| Vendor | pom | developer id | webjars | Medium |
| Vendor | pom | groupid | org.webjars.npm | Highest |
| Vendor | pom | name | moment-timezone | High |
| Vendor | pom | url | https://www.webjars.org | Highest |
| Product | file | name | moment-timezone | High |
| Product | Manifest | build-jdk-spec | 1.8 | Low |
| Product | Manifest | Bundle-Name | moment-timezone | Medium |
| Product | Manifest | bundle-symbolicname | org.webjars.npm.moment-timezone | Medium |
| Product | pom | artifactid | moment-timezone | Highest |
| Product | pom | developer id | webjars | Low |
| Product | pom | groupid | org.webjars.npm | Highest |

| | | | | |
|---------|----------|----------------|-------------------------|---------|
| Product | pom | name | moment-timezone | High |
| Product | pom | url | https://www.webjars.org | Medium |
| Version | Manifest | Bundle-Version | 0.5.46 | High |
| Version | pom | version | 0.5.46 | Highest |

Identifiers

- <pkg:maven/org.webjars.npm/moment-timezone@0.5.46> (*Confidence:High*)

remotegui.zip: moment-timezone.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/index.js

MD5: 16b10b9be0471f35921bc17b645c6fcd

SHA1: 7e9c41f04cff37b876169e1e5108b5b757305822

SHA256: b93bc1a0ab15d56e12f0e281bf005d39166952d9208b828e8d056563f3ff1fd1

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-utils.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/moment-timezone-utils.js

MD5: 90654a904bb09ecee1bb69826888a5d

SHA1: d06ace28682186b95e8c77ccac6be2c6b78e2af9

SHA256: 2308979235e0b497edfe99b6d8e26f73741116759cc94146b8eb3f5f4330b9e9

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data-10-year-range.js

MD5: 5c7411391c96d7a9407d012ad63feb21

SHA1: 7cf2adfb51070ff78c591c68dd6ca2cb590380d2

SHA256: 1a7b3990451f312b3740f47e1e3f87786238be17c2baa6d3550873051e7bf42

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data-10-year-range.min.js

MD5: d5aeae4a577010e7c15ddcd154274d2b

SHA1: 4ae699e9510e9618df20ed048f6fd0331146de51

SHA256: c03a6809ab0f5c7f1f6ef0425ac96517d78de1112f26f3ae9de8064bdfdefd1b

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data-1970-2030.js

MD5: f82a24e0aa5d8afcf2b7a3c1a7b4bfcd

SHA1: 6a6e43fdeddbed946fed9519ccd79faefaeedaae

SHA256: 661b21dfa5f1ada53fb2213cd08db079ce356c2a4ce854ce7a97ccbb4cafc87

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data-1970-2030.min.js

MD5: e06ec12b8553baf30ff6e85ce8d10964

SHA1: 34c1a456edc895eb873ffd479e54e08a7a74bee2

SHA256: 769d4a0ebe9a9bfba668de05ba0981f0ec387f0f79da4c4e98648762cf40f20c

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data-2012-2022.js
MD5: 6da99be351d53c831a06d6d7317d4d60
SHA1: 7adf9fa72a350e9caf2e7a81632b68976a446de8
SHA256: e35b085c0170469205050f559c0bdffa06443a48769d1ba730221d83bad2cf38
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data-2012-2022.min.js
MD5: f356ef2c04a62c0e75c97be41dade934
SHA1: 75639764d95ffcc67d8b504d057fbf3e81141980
SHA256: 52cf16914f9e1d6513783cd3d0ca694210108b5b7b07f754375e3b554eba96b1
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-with-data.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data.js
MD5: b5b482e4b444b7d90adbbf0d37eea19f
SHA1: 8a17c35adb3b76b5bd6d73d61fdd43c285769574
SHA256: 71f92c899d20ad2218587d86dfab051adbcc75a29dfd8491cfd6461142afffa0
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-with-data.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data.min.js

MD5: 0f804300030c5469cc61b626ed611aca

SHA1: 7b8f841bd2c3164c4875faa5c2f43b03db6ed346

SHA256: 841048af54bda7e255160dc05c6b1d527c2454a4a7aab021e71330c9486822cf

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/moment-timezone.js

MD5: 86d592243f72b1cdc5e7b6b76a813771

SHA1: 8ae2cd2ad133ae4f4110731b6eba9006d550c02f

SHA256: 7094d157b8819a2c51d9f43a4a278ff8f99e51bcbef23adfc0954fbe47f063cd

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone.min.js

MD5: 0241a5d39425af1420371aa287a5a983

SHA1: 5fcf85ba0aba14d8ab9f083e27e803b2f2fe6a6b

SHA256: 4609240cd6b8f3830421bcc16b761a2852a219a919dfb2b8c5283880e0650c3a

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: moment-timezone.jar: package.json

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/package.json

MD5: 110931c82b0ed1700693a3adc127b31b

SHA1: 257d60a4a93567698cff76f4ab43a745ade67e7c

SHA256: 3c13f23eaecb30aa04a119df2d1a2d78ea662cc890816f740b676b3a91b0d84a

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar

Description:

WebJar for Moment.js

License:

MIT License: <http://opensource.org/licenses/MIT>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar

MD5: 72ad6b420b3b741d7def80f4837682f5

SHA1: 6087f9eb29294249887afa1eb4ec8308657c35f1

SHA256: 71f0cbc7e4d2c943077dc758f7c8f0c7d48e1ddc7f9e7cfd27aecbc12712cfdc

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|--------|-----------------|---|------------|
| Vendor | file | name | momentjs | High |
| Vendor | pom | artifactid | momentjs | Low |
| Vendor | pom | developer email | james@jamesward.org | Low |
| Vendor | pom | developer id | jamesward | Medium |
| Vendor | pom | developer name | James Ward | Medium |
| Vendor | pom | groupid | org.webjars | Highest |
| Vendor | pom | name | Moment.js | High |
| Vendor | pom | url | http://webjars.org | Highest |
| Product | file | name | momentjs | High |
| Product | pom | artifactid | momentjs | Highest |
| Product | pom | developer email | james@jamesward.org | Low |
| Product | pom | developer id | jamesward | Low |
| Product | pom | developer name | James Ward | Low |
| Product | pom | groupid | org.webjars | Highest |
| Product | pom | name | Moment.js | High |
| Product | pom | url | http://webjars.org | Medium |
| Version | pom | version | 2.29.4 | Highest |

Identifiers

- pkg:maven/org.webjars/momentjs@2.29.4 (*Confidence:High*)

remotegui.zip: momentjs.jar: af.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/af.js

MD5: abbd3f78270e280c248535ca3e3b3e3b

SHA1: 489ddba9b2a2f15e2a8d59d751a45c5ed7041f14

SHA256: c59e2f2d09098829d00f5dab85e6ec623f6aa9e70285ec2aac12030a014e4161

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: ar-dz.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-dz.js

MD5: 10e8f6da8f425e389f9dd462018dcece

SHA1: d638dc753916f10981ce562c7e7543944aa5755e

SHA256: 2fcf1465ad9fcb33a1ee00188d0d8cb19e0d9094da9e27f56444b67e50c6810c

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: ar-kw.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-kw.js
MD5: 5ad9681e194f33543d33a588e2a21f09
SHA1: da190c4671145eb702d41ee980b985a9816bc9c5
SHA256:ebcd2afd129890e49aa91cbd6718916ceb743122a4d264c681a533d8066de673
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: ar-ly.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-ly.js
MD5: 293c5c572f1e70336fb5a5cab29faded
SHA1: d969dc63c258a2c5587efa0cb2ac80034c44a5f3
SHA256:0a70bf3f66b074d68453af125059d60f1ce4d5a96d3401b0bb7f013fb7a56696
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: ar-ma.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-ma.js
MD5: 6f5179b883bce68003df4d2c99caa156
SHA1: 3af849ad551cc126ea26fe472770b0f2c86363b2
SHA256:ae28a7c4d994a1d4059f2dc1e6385182f3d5aab262d637a6bdfc80f3e3f5471e
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: ar-sa.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-sa.js

MD5: 92455d26a00821fe9aba7ea8e23ec89c

SHA1: 18d22d6e22b460fb0d248426001e4cbfd9a69393

SHA256: 4913900a380ed33b662fc5299fda05cfba74367870ba23f3d9db5dfd0775c876

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: ar-tn.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-tn.js

MD5: bf6b33329fd589f8b3b393f6e64717d4

SHA1: adf2dc833a46ad99f030b5761a7e6a97497ca764

SHA256: 2b6a611f7d21a0752d9101347b22943dcdd91293f7e09ac11c3b04cee41f594f

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: ar.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar.js

MD5: b0110c65e23d25860762820db7d2150e

SHA1: 249cc300a99b9cdc47ff3fd70c9b4cb22f0aed61

SHA256: 73485f16cb9317f156bab05ba8a3233fa87513cf1cb52728fefc53703ffd5b3e

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: az.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/az.js

MD5: ec1a4acd4aa555dd71722c2639df4db6

SHA1: 49b4198f1b008f9deeb9aa5d33e27647e812f0df

SHA256: 21cfe14e920b3edc4bc394709929f61aa5f2f9e51d3ca0c6edd1e51f29d7e3c9

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: be.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/be.js

MD5: 5c38f8d3d5da2b1b930f109553918781

SHA1: 181a1762773de78de3e2d21696e77a49a9e188a5

SHA256: aa0657f4f1e9f9ef3a3ce289bc882f5971195e4681499f02409486ed985e1407

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: bg.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bg.js

MD5: ebd43c527dac81f273926142beec5553

SHA1: 46101d46348f560c622895e9e65465dd26e92d6a

SHA256: 0d034309eedbd03f17e22dbd963c8cc8d490c8e877f39c6c4081636d1cd28fca

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: bm.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bm.js
MD5: 2ef1c37399931e14e2a4471ebc57bd21
SHA1: 1e10777797f13333027873cf0a1e05e52c2a9264
SHA256: 1f3217d69f6512ea3984fb7428e1afe0c7779cf3822582c52e6eaa8982ac23b1
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: bn-bd.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bn-bd.js
MD5: f2988fa9e29bc5573603a8140b321051
SHA1: ddca0b09ab220aa3e7d8b6d01e98b06071942e4a
SHA256: 87296cd8b904b633d89b0a72b779aaf04e8d625fd8ed772e3227046b3a3acf80
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: bn.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bn.js
MD5: f5037a3495a3fefb37d9456b6745537a
SHA1: 5d8e28e5703371e674a9b2947426e23a1429455a
SHA256: a43f974ec15f638e67cec9d73cb33c339ce7cb35bb7041b478a930197977a890
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: bo.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bo.js

MD5: 7dc25ead6d51909386b03c060b891690

SHA1: 5b47f8a1cd1b1dad8e8ae1c6f408dadda7cd6983

SHA256: dbf83d196ab69149d5f056a2b44e06441626f1e5d3c3aa1a300e64dc5150565f

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: br.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/br.js

MD5: 65949057a5632b430fce65f65c89ace7

SHA1: eda5bd14e942c85896b263b137e2e14f161836e6

SHA256: 35b4113f7552400639dc76ea40d55f1be6f44af2eaf4289e7c37e4e657522ba4

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: bs.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bs.js

MD5: fac80361cb7d5e0c44f8956063e8eb07

SHA1: e0f831af87ad28205b93fbe4d7ef9001227eb1e4

SHA256: 1d185f2b71c18bb14d0e5db063d59912396d42a04aec97cfbbec19a5bb8bb5ec

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: ca.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ca.js

MD5: 9c6c8738154552a40a29505cf41311af

SHA1: 65eee9703d130c7a90d085214ee60c4e087b9d1d

SHA256: c0ebe3bb033ce8f82c66a46dd297c19b30c80ba64036c721aca36a7f86f1b234

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: cs.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/cs.js

MD5: 8f0a7bef088e6698b6a090a6f6fe22de

SHA1: b137a5adfe662d0b1c258fe7bb2b73b971e2268e

SHA256: 0dcf511c06f565a917e4718cce467392bf898ba60af2b3fdb032b1910599ebc5

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: cv.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/cv.js

MD5: baf681a1e97ac68186325a98d5ef1861

SHA1: c0433a02791baf8efe6945a4ae0370c6d8d55b6

SHA256: 231b3a65bc4beb4d6f0920962dafc82611403df4979655cea53d9740d2986904

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: cy.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/cy.js
MD5: 868cca92c4392ae5b0627f305f9633b4
SHA1: 9c0f75132a2eaa3fdf0631a08f210f0e29208501
SHA256: 05d100692e8cdd4a6b3b0eb56eb37c9c64dacab3254aaeba18c24689b18a6cf8
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: da.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/da.js
MD5: 47fe4d0a5079542391abdcd125b4cb60
SHA1: 423a66383275eaf3f441f384c69b2d6e2cf905d1
SHA256: 891e90544d1061ea578b51173a2dc4638c0e9af95cc2986f1f89ad5008e301e7
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: de-at.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/de-at.js
MD5: c2df366205b041e50b0dc27fe427c54d
SHA1: c52be9218cfbe8ae8d51f78af3494d3a2ed5d35f
SHA256: 0575c8ba66974f2eb3d7d74e16a265c40dbfe7802cefdecc9f196f92c0ecee97
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: de-ch.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/de-ch.js

MD5: 1f9bf40d5d392a14bb758de02e9d98df

SHA1: 838d95c91f39f7e28483c660e6f5005921d3da11

SHA256: b3c3d71abc98200d579cbbef89d470a6cbb272c4faa71e31232a68ef6451edd4

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: de.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/de.js

MD5: 260cd4a4a123af8e02f5aa4001cceaac

SHA1: b928a076571a81fde7fc1fd4a2adb45d9a9a2279

SHA256: 20fb0d0967e2720d135a6894165bf96e327b42bdedcbf45a9b2f9e44da7986dc

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: dv.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/dv.js

MD5: b3ac7e877fac1116b8759c6e7384e86d

SHA1: 3321dfc6f7147d148167b23a3642212fb10b1b89

SHA256: 94a1563faab9fe61f359a515042f56e2672886200e084de98bbd98769f71ba69

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: el.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/el.js

MD5: 7a1966e1fd7848aabcbe28ff2a445e

SHA1: 29af743b2dd9c09d9962080c3a5b4cdac2b09409

SHA256: a73fa8b59dd099d28a7824980577379437273f6ef35a90409cf36492bc2b3600

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: en-au.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-au.js

MD5: fc0b9a852c77ef21ee6deb24d95769f8

SHA1: 829e7b64e421cc91fbb306243b31d71f06fabdc2

SHA256: 6a84d80e99d57f1ca1faa1dcca9f48e9925de4013ac5ceab52cbf20b059cff8c

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: en-ca.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-ca.js

MD5: b6f095c75787cb0eb2421b32b2e9ea14

SHA1: 415ffbaa1c99a53d233979f5e907e83b59d54c9a

SHA256: d7b47d71cd5b63a0cd7bc3945ca1799d9345ba9dc3e85356231dbb4f6becdd01

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: en-gb.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-gb.js
MD5: 5ebfadfe47485b65c484822391d0aad1
SHA1: 4154fff794c0118f1c280d4e3c222b0b3f96a6eb
SHA256: 46e86bfd873ce2ba61885faa9e0ba2ae1a510574f698d6a3aba7da49d1505eb9
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: en-ie.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-ie.js
MD5: f5175b64f4c382500e7a00ed4113c3a3
SHA1: 12cf24c0dcfa4f82be14783a2889022043fe1f80
SHA256: 41a3d03fb561db37dc1e3a63cba10467c0bcabb2ab7e788329f86b6be6f72d9e
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: en-il.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-il.js
MD5: 8f131247f11cf746d1b477c75de2e0a2
SHA1: f1fbc068a029ca0fcb5755fc5211ae43c9b2dd00
SHA256: 494c5f26d0a16c8c1645d70cfc327e19086831ce78bc98599f4e5abc321db7d7
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: en-in.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-in.js

MD5: 2d5a9ac86d2a83833aec6a68bc8947ae

SHA1: 64d4492b47eac3212f09a9dd1fdfe2afc9721142

SHA256: 290dd53cb6262cfc22c961faf969851adfa8c38b30c80c496b8c8f19232a13e8

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: en-nz.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-nz.js

MD5: 3a68b41d7982ae7bbc8a396d23e9d1a1

SHA1: 0c30117c176ae1c60d35e54c3c0cd47b5104e28e

SHA256: 9590cf61d2ab1b83f793be9f074340397e639fbb112a80c8bb7d2e3a77c45448

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: en-sg.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-sg.js

MD5: d32a209c24b07b617c68fb03e081061c

SHA1: 34729febed76ec17cccafdc06ce4f51902daaf42

SHA256: e3b29449d67e5d53d3420b5f4ec207dbd70f651380573b59f39aee2b1b9ca52d

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: eo.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/eo.js

MD5: f19d7f5dae34785b6ffd82971ff01712

SHA1: 8a6937235d4219a192ae127506cca9479097abdf

SHA256: 823d3e21f85f9d3801f7004cc5cde82d5f45d98e977979322543a65908411e4c

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: es-do.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es-do.js

MD5: 3f09c253c2e7ed72706b062bdb3ecee6

SHA1: 3bcd2f7f697c4241a5f47985835b0190a643630a

SHA256: a1d29019dcff0ce2a11cdf97018c20e99fbc739163c059ad8bf2408f77d3161

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: es-mx.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es-mx.js

MD5: d16f10cddba51c3467b316318e592f22

SHA1: 4cc238005f4d59b4e3877449babf5cc8b3595f38

SHA256: a233573f641cc9c93c87b555fc5564c2e5ebb97e251338e971ba76e74d512646

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: es-us.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es-us.js
MD5: 276e7c3c7756f9e962f6141f5048894d
SHA1: bab0d54cfa34f527dcf6960f5379aeef05cc66c8
SHA256: 3923c6bd6137387d5edc62f6dc0174cc9eef8363238c16eef78bd9d9c69bfafc
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: es.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es.js
MD5: 0e92f45548e01672fc6a2f73979c397e
SHA1: 6e6385cb5f6e39ed9ba95ebc1fb66526e2c3371a
SHA256: 2a8f1790d492fc338933a032a862f99998f31bcaf7a0e4fc298b6a3cb04cdf7e
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: et.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/et.js
MD5: 8b5c6c8136c1bcb3dd35ff204c28b1fc
SHA1: 82ecef743869c8231a6ef06cf5959e5cdbc7fc9
SHA256: 95c974679dba419b7d835fa51340c430bd0066bdc38a7a139caa575b67389d7e
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: eu.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/eu.js

MD5: 1f0f32ac558d6bf2591f0e7c59b09e88

SHA1: e8989f9da9ff458c51d7d4c21f9bfc99ddcd72a7

SHA256: ecbc07cdb215cf9996405fa56ef306761ec6a9383e19a53c2b45d6a1c5c4dc68

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: fa.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fa.js

MD5: bad9e9e51e7cd982360114a2d6b9a03a

SHA1: 7285494b159552cdee8bb7050d1278144da80b04

SHA256: 15ca66ce1faa865c68998fcc8ab1160207636b9161ad76f7cf7acd0d7c0ebd1f

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: fi.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fi.js

MD5: 08d74def02ac724471fce607ab87f4af

SHA1: 7f40cb04e95803f706af5caf5a983f7aa3f2365b

SHA256: 1339d4170019588a6764a56236c2a7c5b2389ace52a9ec5e8c09f1997935741f

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: fil.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fil.js

MD5: fbc9e6bd5b49897ba8503d27e2d061ec

SHA1: 2121d4a7333acb3b7b120c1580a809a8a5927dc6

SHA256: d24cac0d0069d89c48b4c8cee34cddcb7e39892c91f07b884574fe0cafb66ef7

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: fo.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fo.js

MD5: 85d4a1a25dd5c3fa021f9e6f63fd01ac

SHA1: 95d11e45e86f344a148706df7f5c86019e02ae30

SHA256: 6338de573601e330030918569b8d2f80f98a57754e748a03ff56e3672fa25be7

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: fr-ca.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fr-ca.js

MD5: c0ef60f7029fe6ab773c090320f0a66e

SHA1: 8970ff163faa9c8702be24f65f95e94b962d8622

SHA256: 59c5acfb5605fa641721bf16123300164ccc043f4bad6009aa8d880b159124a

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: fr-ch.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fr-ch.js
MD5: 3345c9d13645ae5fb2964c17559326f5
SHA1: d0cd4c6466797300434db0d6c8028bf46fe35bc0
SHA256: b32f50aa3d147ba5441d7728a45bce592125fd0a97117ca4b93b32c6393d847d
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: fr.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fr.js
MD5: 775f1eb59d6f597b1c398036002ae329
SHA1: e6f1741f5598b62a83bb071459d9e8cae4b3a127
SHA256: d87b4eb850bc7742c104557450d0a70d18a48a917335221af08d23850667523e
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: fy.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fy.js
MD5: a54d9827ca1a619a839a15c94b7893a0
SHA1: 66863e3aaff531e89e83acd8844ca87f8516cf38
SHA256: c33ae59d9a05aca0dbe86d74bff25eb44d04ee97b738034fcb72a21b73ec1cf1
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: ga.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ga.js

MD5: 264a960fc2850670387b1cc90dc29dbb

SHA1: ddd261054362b16567ba858afae968cf2380bb6c

SHA256: fc6d5d441553b23b5ebc3c79896499a093a3285f1e6134a680b8899b5cca4c86

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: gd.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gd.js

MD5: 0f3b98fcc8a06995436819446130320f

SHA1: 0050fa33180aa1f35c739cecb397846bff7d24e4

SHA256: efa1d779f65671809a63f900479c69bed19c262f2fe7936076793bd13deda080

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: gl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gl.js

MD5: 0d346a7ad989c39c04631e181056acb5

SHA1: 74c436284f15589fd53c9d4c090a4f75ff8376aa

SHA256: 825e6fad55094c13118d2cada0b6c5945a97ea9b647686c2b00dc6980bea4608

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: gom-deva.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gom-deva.js

MD5: 6d2091e4ba1b31399eb4f1f3d92acaa2

SHA1: 9e27b24c4f8ff43da0373ca75738e0322cc1bd77

SHA256: ff5ebf00d100f610caa956ea22c45584e34067f762c2e9811326d5903ccd819c

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: gom-latn.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gom-latn.js

MD5: 45f0c567784f534e16f304dd625682ad

SHA1: fc4b281f7d57696decbf3bd5e8c572f4191c9289

SHA256: caa6b3cafb8d463c7cb0b47783b84d7f7637f685b8d33d1224548f7f9a124cd5

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: gu.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gu.js

MD5: e108958bf473fcc52349ecba7dcff10e

SHA1: 977667ee217d20d2ff2338dfa6ea9bda2e0c13d5

SHA256: 5155f3aa5fe43b18c7b06cf02ff6e9d6c157d7da822c658fbd8e2f0edceef161

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: he.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/he.js
MD5: f5e7fb20bbb7618d95e4928fee094f7e
SHA1: cbc69bf9fa2cc2493d086af3a5cb15e893c7d64
SHA256: 93b540d4f1bc21d5668854475e8efd2d6fcaa2f596704752a586ce07d471d475
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: hi.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hi.js
MD5: 10451c28a31c032807f1fbf1bea5c32f
SHA1: 8ab3e8fd6823a63a2348cca98ca4eba215ad01a9
SHA256: 482f9289851cc5add17895787d427259acf8d9467db37000d383021aa097a1e3
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: hr.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hr.js
MD5: bfeb6da022ce8f5d4610a485f6063935
SHA1: 0e475a985f8f3612c397a07781933bc4235be646
SHA256: 4af37cc6b498a4c3418f0b5d90efe5354422b3d158681454dc2eedee31ce1469
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: hu.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hu.js

MD5: d485a763ba31196c55bafddc763cf98e

SHA1: 83c283112870db2a37b8d6a96e2ff423f27addac

SHA256: 518c3c1b849d41be9ef9673726ac3c71290096a727ff29c9edfb0f7489e3253f

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: hy-am.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hy-am.js

MD5: 8fedcd99fde263a8a5a906b27de70605

SHA1: 3fbec521a9f7cd9b7576fb37a3f35ba2705e88

SHA256: 2c3bf5ef8c5162c7c4ed0ce4b144fad24eefd691911d7c8b86c21cab84f3bfe6

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: id.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/id.js

MD5: 3000b8d8d73e16384fd2a13aa7259d3e

SHA1: 1bcd369482f53edce0c1d34aeb15a918f3c7af7c

SHA256: 036154641aa4cba94ac8a65b98af75d2fa0ec29156674947d1148fa146689dc3

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: is.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/is.js

MD5: 0f5a457d3457dfb1c5d256436b5e442

SHA1: af0c0c6573bb9628ee8c97479651f65571d6a56e

SHA256: 6943c853ee0ad65ad2e3e38baecc90dc8088071f10406ee8a5ad995d7cf5f6e6

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: it-ch.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/it-ch.js

MD5: 0c0cd69247909aeca5d78d255b30a617

SHA1: 71631e4e4ce3a8466d80d4960a86605634a713dd

SHA256: 9670e2244dd63556408fc20671fd763fb91be52041eee92934710e75e2b3b7fa

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: it.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/it.js

MD5: 1abd9a8f32e7930bbdebd23a2bfa4afb

SHA1: 40cc21bf11475c48c1681ebc18a63a2bea4b8962

SHA256: 2fe7346bd6fdf02aee19fde76bd2ca0b5e65903ddd45d097be2342ee7b0b9470

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: ja.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ja.js
MD5: f39b4bc3b33715242a84fed53b50d596
SHA1: 8bebb66d25df95fc67d48f4ebc4b519fbc7d9482
SHA256: 9720de4592dd94861f2fabb51110533fe44620f517e50448dd828a7f2eef7009
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: jv.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/jv.js
MD5: 307628de0dbfe42c1aedc98c3afc1aae
SHA1: 7620cfee82f0241100b34de89cefd40412456ef6
SHA256: 707617feaac7459e5d5c39ff3ea4a5e5da0cf398384902c1cd5975cbd1a113cd
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: ka.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ka.js
MD5: 629be6bde33738ff66f7119b3b617798
SHA1: 02209d78bf7dfa3b5e585e64ebfc61ce561e5f3d
SHA256: 2c15068d2ceb1f34e4b92f95710b181bd1034410b8a96ae15dd11ee24d0ff0fa
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: kk.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/kk.js

MD5: 4532f947979a50597d1c82a42f0facb8

SHA1: 9a8cad32d8e4350e40184813f4d19aa05882a8c9

SHA256: 430c86f6c0ea0199d8622045883048b35875bea37b44424663bbe573056ec981

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: km.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/km.js

MD5: f73d0c92be21341d171e019c00173f3d

SHA1: 6adb747842bb733d90ce2b7dcf4963f1d62a7a4b

SHA256: 01b837409a1ee03d8269886915f10ae1b9460b2cc42cc5f6fac862f7360ba103

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: kn.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/kn.js

MD5: 72e237c519a91674447b268b61983bbe

SHA1: d72624462d7dbcf362ccc15385d5cb5a124304c2

SHA256: 9673f6d7a10086cda8228f1c080ec032e8f34e3a3de2f1413582e0a6cc6f2128

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: ko.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ko.js

MD5: 14369b837e9e15378938754b04bd2189

SHA1: 9c886434ef46530e25cea737272027ac505b6adc

SHA256: f115f592b5d7d5bbbd061c5ad31d4c45f462ad43acad74808c6a7105b108ec0eb

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: ku.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ku.js

MD5: ba513eb127fa22206ca1a67ad8467da2

SHA1: 45c0c079a209932f8a8be25a94f0fb97be8ebf84

SHA256: 816c9c27f4237f1fa595c5be0a60b7e5c58ec0336d5a908e03f73fd8596e1caf

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: ky.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ky.js

MD5: 68f9c0556546367a8c25903bb8348b80

SHA1: 5bc99ba86f969c07cd1b0dc62510c572707adb64

SHA256: d3c35f2c47610c7c921268cb98cf398599068d24d51e7a89167707130c85ad59

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: lb.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lb.js
MD5: 474c1a2279d961b67a8329372fb54367
SHA1: c6acf49c446bb128ce8aa5f980664107e92523cd
SHA256: cecd52da4e3f3a7a69d4cde1692c90d000a3726772f8e00a9c232faf4d6ff985
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: lo.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lo.js
MD5: 629f0195acb5feb16432ffc78b6418d0
SHA1: 10730e85c79a5c325f30a5f0fd1b83928918cde2
SHA256: 83c284d16d40e861cd01c28683acf77475813993b2a17201f17127e238e5bcd6
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: locales.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/locales.js
MD5: 3aabc3a57ff7796110a9d427e6e61280
SHA1: 59155d41e1b7a2f651f26f8db2768c42206bc4b7
SHA256: a6d8d341af2a118463f8dbec697f3b5210552997ef51e0d9a77c84235f2eb2dd
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: locales.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/locales.min.js

MD5: 5d62f0a64211c2d3e0d009cc69c48202

SHA1: 4c6bb9ae2e43259229cc16e9eb7ef70f3c8cea12

SHA256: 1a3224b3cabca0fa92ca56e14da46d7f209ed28ce68ed50940b4fa6ed2ffd254

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: lt.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lt.js

MD5: fc931f5db9a4d5b832e7c53985cfb233

SHA1: 6d5575d2ab06036bb29e50e7b4607985b0c10aec

SHA256: a02ce50203e4cc9e85db77632d41f489f14c893f986199c8dd04191199924094

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: lv.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lv.js

MD5: bc6f1396c4b85e2b01b4b2fca550c0b7

SHA1: a18e4175ecd49b5e3382dac1bbcdc48c3279c60f

SHA256: e4f68dbe7147bdc76d7614102eb525f9a5d8dacc690dd661091412b0c9505cb1

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: me.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/me.js

MD5: 4b76ccc2617dfc9bd6a54643659bec05

SHA1: 924aea795ae1a9581ed184b384806891ce336e27

SHA256: 24103df1e95500b3fdc4aa60b933c66d2cf33aa4ff8d2401ae847c516285679e

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: mi.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mi.js

MD5: 89179085b30d2752584c4f4e9c3ac04a

SHA1: dbf999f790c8e7f99c27c55d8184cb46d1f0ee85

SHA256: 9cc67dce66cf3f0f9a57ce732af6878cc23fedcf256fd5302c6cf57df87eac3a

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: mk.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mk.js

MD5: 7a6a2a4ae623481704f78bb0ed6e1968

SHA1: 3d984281f4acbb38920919c47916a0ecc46d8d82

SHA256: c38140b5408a91d9632765d23f4368f0cc98dfb6aafb0fce452b6b4bfa93efd

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: ml.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ml.js
MD5: adaeaf5c9b5995567c7723ded581c647
SHA1: 3cbb01a59dbfdd3b86caf1b30938598c52e1dac8
SHA256: d45ac595a918393ae8f76838688fcd569c917b945e9c53861ec4a1f11f20aed2
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: mn.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mn.js
MD5: 2229e9c27b35b688a4211bad4d7574eb
SHA1: 7fb0c3b04afb903aaa0a3a1b4b478a8b2d9d6bf3
SHA256: 0f1f5bbc9eaf020931f8cb54ae085e51c41c0761ffc7fd265dbb60cbe7d84076
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: moment-with-locales.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/moment-with-locales.js
MD5: d07131713d356424c14481ed9e77ced2
SHA1: 6ef93c81041412f1b60d1254595cb04b53f8ec39
SHA256: f37cad4429c2815e53699ca98abd4e8773737f696fff554c63a58f4d6589200b
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: moment-with-locales.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/moment-with-locales.min.js

MD5: d458b68730a7330653700489333a7837

SHA1: 4059aeca1d0b99aec8006b37a927f09d9c0e794d

SHA256: 430725b95468277dcbccc27e08e3d873276c0082737310b0b1ad330392511847

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: moment.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/moment.js

MD5: 6e5aa6783efbeff584f4292398326b32

SHA1: 450696675b814c89ec016901b570c05891ca2c04

SHA256: c33f09a4e1230f3075be8d2a94081108d52f62d3c30b9a238941fe80790267c6

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: moment.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/moment.min.js

MD5: 6c0a2330b0d8d6ea185d4669a0eddeab

SHA1: d4f50308961144876b2b5fa57684b737694a4b04

SHA256: f343aa319a17a3fc372ee6ad5af482b9bf6a298cb22652b4aa7502604821071f

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: mr.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mr.js

MD5: cd715ac0f919538bf79acdb4a477763e

SHA1: 467bc9f9b59ee399af6ef3f89886c150f74ae52a

SHA256: f6347f442281844a205245620f9e469f52cacb7dd41640ef67d32a94f2c583d0

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: ms-my.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ms-my.js

MD5: cb7a91cedb211e85abf06a4683d39800

SHA1: 05754f446f94d9b0d34885bdb0dd40d08df23295

SHA256: fa77f6b23884ace43199d189a596c8cd436ab20b2b6966599dd9fd589e51548f

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: ms.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ms.js

MD5: 3f2df63e4e8e99e5f3a23b44e135f90a

SHA1: 7e8563a8e513fb3f2f711395992fb34d6039e841

SHA256: 6b6301d42544281a07e51e517a1acd2e498e6289b29e74817433a86751761f71

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: mt.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mt.js
MD5: 3cc610e1a28bb045e3f21adfa96614ce
SHA1: f22377dc419295b8cf22ca6459df3f834475ddf9
SHA256: 6af1d3643bd218941f30da0f6ba7bd64d4c2d0c49336876308af3af0387b0440
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: my.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/my.js
MD5: 1de06907d41a2fbf6861958ee0eaaba6
SHA1: 1b5eaf3d04d7a45a9e93db791963bfa0cf999383
SHA256: 92732cb26a774bc3e049c7e212d8ef1425413d63522ccca1fb1b0696854da4ad
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: nb.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nb.js
MD5: ee293037089769cbdbbf9f2dba3e01e6
SHA1: bfed5520bb401c83f0b391cf09ab1907e4362f2e
SHA256: 36f088dce675389ff1b12afe35703b6d166cef8df8a24e1e1d6ecfcf7be84fd5
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: ne.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ne.js

MD5: f09e1496b96096e594254145053e777d

SHA1: 601e6b5e8ead8fac21d661c4cb1f5aee22c96755

SHA256: 804bbd6c30dc3b74de711a44f9019db06210323a0db31e53ce730feab5ea6275

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: nl-be.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nl-be.js

MD5: e50c24ded5247900814470d1a6cc8854

SHA1: 73d12dfe3645a5ea9e0b6c4d5b2a5f28ac022af2

SHA256: 2bd27e18811c7363a1b46b815173d626102523a2f76854792885166f4a99eb5f

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: nl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nl.js

MD5: 843085f588379356ba9556d93aa9ccdb

SHA1: afe70913ffce08e256c3c9ffe350272bcb791a0

SHA256: 037e055b18b4376112d853e3d357b217dcc0bfd3990e0155b980ff622b4ff8d9

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: nn.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nn.js

MD5: 7c29b42f21ff6b7e0b1f16ebb20d2a5a

SHA1: 9464502746665d34779fd3e7c9c05212db534556

SHA256: 66007f84c945a3475100a3024d5fa3d430d6e11e64de81849e50ea73e3f390be

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: oc-lnc.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/oc-lnc.js

MD5: 16a8d7288d0007906a6ebb39fd954265

SHA1: 5442e9e7ee72e6f2ed438139d5779ddcfaaf471c

SHA256: 1e03cd598c495e4dca3bae56e3822cacde57333ab5a85f555c582e104f54261c

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: pa-in.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pa-in.js

MD5: 8247ac1929cfdcc902a77542e9fa470c

SHA1: a0270710978d4f03b32a4d5cd38065d6d274729a

SHA256: 5ba548ba7844a1c5c4a7f003337237f940b5e8aa67254fb90e1a05a66f2b43ac

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: package.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/package.js
MD5: a26087930b5278aa21fd79491b952ac0
SHA1: ea880b139fa5aad30129356d4c2b61c7acad7452
SHA256: 6334f70497c6d8fd22adb3089eec30bf1e2b3dacf92508df52eaa7a8aee12bba
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: package.json

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/package.json
MD5: f1965dc95e9d5ef4816ffbb597d484ab
SHA1: fa7b033b3a1adcb85370480289e6a60cfd21ac89
SHA256: 25f5d25a676dda5763fea169d93a31dc12bd0a6d5d7f352379c8afcb1e3d794e
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: pl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pl.js
MD5: ea2f9b5ff7c97f62603f1e8786708d7a
SHA1: a9b097f9c1dfe0872befdf47995602029bbd22c9
SHA256: 5435a1265dacc269403f275095e24a63ff3b8bb0f95908f7a2a987fbe2ab9e43
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: pt-br.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pt-br.js

MD5: b70a96c3353ca41f14b5628aaeef6461

SHA1: 02e3841b0ed1fbf086a5b8bc1be8cf835cc9d8c2

SHA256: 8a8b165be42795d9e945e7494f38ea353ee2f7eee7eab123073f3a42ce755687

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: pt.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pt.js

MD5: 71f120e6f7682b0e80a9d5982b8a4711

SHA1: 49494f7c1cdb36294b6d640a524c2cf19eed12b5

SHA256: 89e4c2f2d351ad7e2fefec9332778b16cd4a31858ded9ad6fece12fd9db94ac2

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: ro.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ro.js

MD5: 84b1a53a794d8749061a53eb558110f3

SHA1: c2241e36357a248cdc870a8f83c19d12a031b479

SHA256: f66bcaadde14018ffb3bce26ea8ffc3ce36cc65c4c1e9ef9ed6cb321b7ae9481

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: ru.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ru.js

MD5: c66d22693e1e950330471ed9de408aaa

SHA1: 3f4b2156029a26bc408cdfccf5812bd125c760cd

SHA256: 47b9c98d906dc3d7b7f40e604d793fff2e142f7d788f6ac0deac5030458ef5

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: sd.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sd.js

MD5: 115132c218de16cbea034b2762b9df9d

SHA1: ff940a6362744a8258e15cb09c4e4b46c48f3ec9

SHA256: e5f27127927a41eb82e45491e52bd6a529d3db5e6cd519c48f7473268909f6c3

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: se.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/se.js

MD5: d63f9c00eb2beeff26eabfea1406a3bc

SHA1: 8fc07d6276adf84ab94a1d352d55c105769f9017

SHA256: 424ed10805d004f217b44ff6a0da5bad51d8f3b25577306f6e1f59c387525da2

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: si.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/si.js
MD5: 0bdd326bd6fe7e94a1c3fed06cf79cdb
SHA1: 6dc83c8bee2af014c11994abd5f0718ed9c4dc64
SHA256: 8e7582efb99ff00bb7aeb6de0bfa65792592a5b4e81ae6caa7bf8cd8cb3180de
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: sk.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sk.js
MD5: 0d4c93cc1adf0c2fe5bdcde7b1cca213
SHA1: 17c72fd3b31573f097f962b851fc82db22f217c1
SHA256: 7685c076b71fd8e36c2cb84c645bb3a75d84566f26c3682a2792f0113b4d9b16
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: sl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sl.js
MD5: 11bbdf40343f7ee615144b2c3df93d54
SHA1: 853a6dcfaa15df6205729d754739633de7e3f667
SHA256: ff2e8352962c2d13d114356c863701f2473651f6491639e1826ab417d0377f90
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: sq.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sq.js

MD5: f5c6cad85947f97d184ce17397145e3c

SHA1: 1817cdeeb3261b7f03f13902a7d8adfe46c36a65

SHA256: 9d7d061c245349d6897732c90ad57841c9132b9b556be07a24dc76ff17cf75a0

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: sr-cyrl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sr-cyrl.js

MD5: 403a704d0b31d44f5d43a05f060f879d

SHA1: fe545c0831b16a2393a771221f2daf3f8af50cf8

SHA256: e62567ebcb6434f8652b1867386d7324c06d1f226fe9fad0517e658503ab496a

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: sr.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sr.js

MD5: b5752681e826802ad4578a65d446d2ab

SHA1: 18c79b7064d378b578c83facf15be80314e34581

SHA256: 307eb8be823a2997ce88c5ad8c3ca19e7a6345f116331fe3856659665de0d453

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: ss.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ss.js

MD5: e61a001b0c3ea5bebde2d4d96d7c19c6

SHA1: a26e124883144d6ac990722d7915ceb80a44f7c8

SHA256: 0d8a08574cc28602738aca72bed6364e88dd93fb2131a20c06630e3dd7565945

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: sv.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sv.js

MD5: a276c85890a03d5a55715768969516fc

SHA1: 135396ef7e63b71af3df1cbafc5b060a32aaea4e

SHA256: 08f8dbba970b89522adaabe609f47a3f20857c0985967888124f9204f4c3e2f0

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: sw.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sw.js

MD5: b9e0ae98f621d6f9a622fe09225978cf

SHA1: 42f76f09c8d7049758fcf8f78e30881e6681c40e

SHA256: d6056ac79071a9f60793825357dac3ecf35c43acf10e02a65f1892f1fd9cc0c1

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: ta.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ta.js
MD5: 2b48e3a057ec1ecf49d4e16d56263ed8
SHA1: 94a700dff6eda352ad3a2c4d7f5a4dc5e6219321
SHA256: 2dae88a3138adda69fdec54914461ec28d4fa5e720d7626ddb3fb91a74a2ab6b
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: te.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/te.js
MD5: 39e36c17c46798dfdcf0ddae92610807
SHA1: 1168038e9d7c735ac44fc0eca95796067ca7b51b
SHA256: 2cc07292a2ab5702d8e1e849ae3b28cca5c6194d0d150ec637c6289d9d864e32
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: tests.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/tests.js
MD5: d39f31787b27fc1bb028ef80e699cd7c
SHA1: 4c0335c7f8c19e26ecdd2f9f0ed08323507031d7
SHA256: 895d3ab9bb945f1f86903438a18c9fb308e84a912e4859da39fd1bb08da63e44
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: tet.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tet.js

MD5: 0a6f7fbd649b280c8fff433d32591867

SHA1: 15f108397be93776a1c232f3de813e27f305550e

SHA256: d80dcb236c671594af031c93d32ed883c322a6f32bd25637d454d7b9d9e81593

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: tg.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tg.js

MD5: 83e93f32f7f488c26def6938e280b716

SHA1: 59886e50e9d7e53beb111b317d5195ee0382050e

SHA256: 24c8928619c471831467afc05aca6f0299e40b418b78bb30b4d66942d872d2bb

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: th.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/th.js

MD5: e14a3488b2c85b54f65262d6fcc6b1b5

SHA1: 7697e04cbe08eefdc5ad4cefca7ea7ef42cac791

SHA256: 9911634c353a7ce63a81139f914552fc80a499029a803ced8b32b6af88c53bf4

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: tk.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tk.js

MD5: c01b5d264b1cfa34c4723e995439ebb9

SHA1: 8445ede8c1ce77556495f9a5469ead5d3b2b3ee8

SHA256: fc6654229cf3f6e6bb2aeb5b70dc4e6adf7f307575af9d15b7a31aab897a9988

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: tl-ph.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tl-ph.js

MD5: aefa584c5d3e7690a710b144fc505a7d

SHA1: ccc8535e56aeb0b2c2991ec7c2c232a16334f09b

SHA256: e324f1791432534af3ada36c185637db02eaf3d3ed8f88ddf143538dc484cc3a

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: tlh.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tlh.js

MD5: 59508c37879615bd0a0beee8f69a28da

SHA1: 15324b9edf1a3e7bbc52b1e510ac53def8ce02ef

SHA256: dccea1319a2e92d9bf373e1d8dadcd4a130e1fa2457d7a66dd035c3cb93601cd

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: tr.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tr.js
MD5: 0cf5765f4f245b2cd8a21dee0c3c92ba
SHA1: 7eb8afffa83fb85eba987c80a934c6ad30a23b23
SHA256: e8af125b0bdb3c15ff5ef2eb171bfe698507a026a9cab54bedb0770cdca34fb2
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: tzl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tzl.js
MD5: a2587bce05b5fa3015dce4cceddbc802
SHA1: b9c4bb7a9f9ad9dd515bb9de82be90d0d4932fe6
SHA256: 393e6424d498fd2abbf646217a197b61c4c57706e6b29ec2873ab20e7bdf6970
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: tzm-latn.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tzm-latn.js
MD5: 582198d314e9ced1007620d4e7701734
SHA1: 17859d3345ae82ce39d5d036649c1976b9e4474a
SHA256: 7909cef0eb3080599c24794c079e05ba07af565f198450df0ad411c85be45030
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: tzm.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tzm.js

MD5: 69d71f7f7674fd7f8b35f14dc179339b

SHA1: b5166e0443eb54c38185227e954cd5cc2b1f589b

SHA256: e6f3a2e2e3ca86953e2c06ca562607a95d2b5129e751e5e0905270f3e56a1f52

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: ug-cn.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ug-cn.js

MD5: aad8845e8fb63517d21b322fef4a3545

SHA1: aff6b2361311a6475b9fd755bf63d23e3e6132b1

SHA256: 58de2ad653876b1eb27ceaffb0037ddb0e4fb7917e111fa7a88ef8ab01fd041d

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: uk.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/uk.js

MD5: fbe69f339b236b654b3e41d8d8b56536

SHA1: d9fdc9224f535c1338048858a9e457558f95349e

SHA256: 725764b2851d3db79d8fb20b96ce7708cd1dc60c6ca6f37bac4df2350f3ccbf4

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: ur.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ur.js

MD5: 3da71179953500680163984295abe43d

SHA1: 2fdee5b33f8d29a565d84927fd333a2d9d41e5b2

SHA256: c89fc485a14cb20c0576ff20bc3d157e1296f2b2ddfa8035f71e8b58f61a29a4

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: uz-latn.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/uz-latn.js

MD5: 75ce0ce4c28806c32575c4f28ded6185

SHA1: 2648a6adc3ebb4dc12b070a5cc0a126050cf685a

SHA256: 3943e946fcad9c965f147c50e08da71d3270239175de530d1f48be6fb44956ed

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: uz.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/uz.js

MD5: 3d11efeaad9c7b7f344eb8beb691a2d3

SHA1: 73ce197519648ecb5e6756bb2fb953688b42af2a

SHA256: 9f22344f9ff69b1cf5546c975fd8847884bb032216d15054ea267cb964a09b08

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: vi.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/vi.js
MD5: 28c7ec0c4bf82120245da0d15112f4b0
SHA1: 1470d1969733e49331f2e435910b045e6a0a518b
SHA256: c5db03ae438e4c55a6edfa004540aaf1def14fe0968f9ed3e03fe7dd7c3faf03
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: webjars-requirejs.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/webjars-requirejs.js
MD5: 34b1a7dcca0ee03eed1432670ed9c472
SHA1: 9de80e951270f04bbafd39d9d7822df4f7d08839
SHA256: 197295e6af66b25f2aaa0909c6911f7c1c76e24eaf170d9cba2d84644146bfeb
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: x-pseudo.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/x-pseudo.js
MD5: 18b5b8d8f2f327f6d5ec947e550f35e0
SHA1: acc470244b95f709e4b68e7ab94b2c645f929f47
SHA256: ca8ab052a09b2f320574c71c472609e026b4aa72c87a06f204ff33670249e2bf
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: yo.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/yo.js

MD5: 42b28f7a2ea67c7b5a342c87ef0a5771

SHA1: 84f6d714e3aadf74ab8a755b465df7ec8215fada

SHA256: d80655b604558af2855f5b67b21b28ec5770985b67fde59e94e1168e5f4795c8

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: zh-cn.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-cn.js

MD5: 49fa27dd7c374122f336369f30a87973

SHA1: 768eeb42e5372200634e8825680c6e18b0c8db8d

SHA256: 53138532aad7c571af10cf6b17a678552e9a9e7ef5014d250f97af8dc61ae6e1

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: zh-hk.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-hk.js

MD5: 9338eb6ad8e887a63be4fbaa05cab197

SHA1: 92340e4f48872df241a47bf9bd13647092fd25c9

SHA256: c6d7de0d1f5544a1d3bb64c7eb27481b30316766f1214fbb5b1c6be358a4b921

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: zh-mo.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-mo.js

MD5: a986f68bda18d9751f6bedd7356e6e7c

SHA1: 6cac0e5b7b9e15ea799ce6a1575be93df4832c87

SHA256: 874ca3806f556c5809842613ba410c965111ea9441fb949a32abe2a7c3bf7f8a

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: zh-tw.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-tw.js

MD5: 94fb46a7c1ce21f0a91512b170d4fdea

SHA1: cb69c6ca687ace454432d994ae5b624ba9011b62

SHA256: 62fb1b36d24050120cadf807b975ffe9d7986aeb41a0f4ac218c3ad23a1c9b1a

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar

MD5: 4536d9f45a94021ed27b5a2398dbbc82

SHA1: f4b7cdb77d19258654f77e870b84ad03eb712af4

SHA256: b943eadab3a07c75dbda88db3a15ee6b1d4a3f41f5d95fd8209490e6e01a26c7

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

| | | | | |
|--------|------|------|-----------|------|
| Vendor | file | name | remotegui | High |
|--------|------|------|-----------|------|

| | | | | |
|--------|-----|--------------|-----|-----|
| Vendor | jar | package name | gui | Low |
|--------|-----|--------------|-----|-----|

| | | | | |
|--------|-----|--------------|------|-----|
| Vendor | jar | package name | inet | Low |
|--------|-----|--------------|------|-----|

| | | | | |
|--------|-----|--------------|--------|-----|
| Vendor | jar | package name | remote | Low |
|--------|-----|--------------|--------|-----|

| | | | | |
|--------|----------|------------|------------------|-----|
| Vendor | Manifest | built-date | 2025-05-01 11:17 | Low |
|--------|----------|------------|------------------|-----|

| | | | | |
|--------|----------|----------------------|--------|-----|
| Vendor | Manifest | implementation-group | shared | Low |
|--------|----------|----------------------|--------|-----|

| | | | | |
|--------|----------|-----------------------|----------------|------|
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
|--------|----------|-----------------------|----------------|------|

| | | | | |
|--------|----------|--------------------------|-----------------|--------|
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
|--------|----------|--------------------------|-----------------|--------|

| | | | | |
|---------|----------|------------------------|--------------------------------------|---------|
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | remotegui | High |
| Product | jar | package name | gui | Low |
| Product | jar | package name | remote | Low |
| Product | jar | package name | shared | Highest |
| Product | Manifest | built-date | 2025-05-01 11:17 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | remotegui | High |
| Product | Manifest | specification-title | remotegui | Medium |
| Version | jar | package name | shared | Highest |
| Version | Manifest | Implementation-Version | 25.4.227 | High |

Identifiers

- None

remotegui.zip: remotegui.jar: angular-websocket.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/angularwebsocket/angular-websocket.js

MD5: 40cf028986784d5006d57219f6dbe0a8

SHA1: 40efa9ba93f90c2933ea22c767a0b1439e10303d

SHA256: eb77f7788e6b757192f2fbf8c6af6560731c3539b06fdf7d476e92b989ca50b0

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: app.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/app.js

MD5: 6f61e39f7ed0928ce2046d44760db061

SHA1: 1a79dd0d084db06894770d115b3b808a0d8c0ecb

SHA256: bd0c38131628418202bc8a896fceee79fc4933ac37da60263562ddb37ede2f26

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: app.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/login/js/app.js

MD5: d9a96ed732439b0dc0417d960d30b667

SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1

SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Related Dependencies

- remotegui.zip: remotegui.jar: app.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/logout/js/app.js
 - MD5: d9a96ed732439b0dc0417d960d30b667
 - SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1
 - SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93
- remotegui.zip: remotegui.jar: app.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/masterlogin/js/app.js
 - MD5: d9a96ed732439b0dc0417d960d30b667
 - SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1

- SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93
- remotegui.zip: remotegui.jar: app.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/passwordreset/js/app.js
 - MD5: d9a96ed732439b0dc0417d960d30b667
 - SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1
 - SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93
- remotegui.zip: remotegui.jar: app.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signup/js/app.js
 - MD5: d9a96ed732439b0dc0417d960d30b667
 - SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1
 - SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93
- remotegui.zip: remotegui.jar: app.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signupbasic/js/app.js
 - MD5: d9a96ed732439b0dc0417d960d30b667
 - SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1
 - SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93

Identifiers

- None

remotegui.zip: remotegui.jar: app.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/reporterror/js/app.js

MD5: 6ad83588ff8ae2fca8a22a9973c9a22e

SHA1: e34a66c038feb5d7eaaebe6f5641ff754ba2133a

SHA256: 171ea457d3942a068d637c9c416f4314d2e337896c4c06466d5048d1b207964c

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: app.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/start/js/app.js

MD5: a92b24ddb292c48b2b37f8f612dcf510

SHA1: 4fb6c8ec1c639068e82cea773e346402bee5db6b

SHA256: f9a5dfaf43cc245a92f3da0e6a6a05df73027571f820767630c897274510e125

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: appbadge.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/appbadge.service.js

MD5: 4fd729dbd4e3e172e18625eeeb1d21f3

SHA1: bda842fc94e89b87c8ac7ab1fda990058708c679

SHA256: 8ba199a5047196dec59a090d09d62628d962bd4827c6f58491688405af98bf20

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: authInterceptor.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/authInterceptor.service.js

MD5: 7fa3864d221a30bc7380c1d61fd0127d

SHA1: 7711e764bb81e7518be8f1582ba36c0bcaffbc12
SHA256: 78a5ae26f5463a9ffaa3aba943dcc4a6852dafa4e6a161a77db4e57e57c9565
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: avatarcard.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatarcard.directive.js
MD5: 42e2eeddd15b1c78fa69908f6680ee70
SHA1: 700e560ae973d1bc7fc1533f10000bff031ae452
SHA256: 1f84952e5877f9a0a2bb6de1db33baec5f4bc55d5aba12f70cb4f7a6f79729d0
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: avatardetails.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatardetails.directive.js
MD5: 1736536ca17f8949cfbcea3546666700
SHA1: c6d2b53e9caa1ad5b19f0063a4c7f88c31784ccc
SHA256: 5bedc4c3e7b3be6a29f2c85fbd2881b935f24172fd42d5f893f221c1972bdc5e
Referenced In Project/Scope: server


Evidence



| Type | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers | | | | |
| • None | | | | |

remotegui.zip: remotegui.jar: avatarimage.directive.js


File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatarimage.directive.js
MD5: 70e2255c02822aec0a74da3386baa781
SHA1: 927e3a72f635deb32b6dd3bd1e3deea711b73521
SHA256:9c3a64b8c4c5e6bdeadd27b840e1835d240e7e291b2499e331545d0f3d6fb3da
Referenced In Project/Scope: server

| Evidence  | | | | |
|--|--------|------|-------|------------|
| Type | Source | Name | Value | Confidence |

| | | | | |
|-------------|--|--|--|--|
| Identifiers | | | | |
| • None | | | | |

remotegui.zip: remotegui.jar: avatarimagedetails.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatarimagedetails.directive.js
MD5: 30a2af71a10ee42a8e840c52dc445a33
SHA1: 2767a8c4d10f738a7cbc2f0166473a721724465c
SHA256:4c5603e04daff5cb4de37b3a8e120e0049036ea10683980c3062c96919d1521e
Referenced In Project/Scope: server

| Evidence  | | | | |
|--|--------|------|-------|------------|
| Type | Source | Name | Value | Confidence |

| | | | | |
|-------------|--|--|--|--|
| Identifiers | | | | |
|-------------|--|--|--|--|

- None

remotegui.zip: remotegui.jar: basic.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/basic.js

MD5: 574a7af25da940f55deebb2e71be9458

SHA1: ca75b040dee3dac2685871142ac1edfc40dfc8c4

SHA256: ca1fe925906d2cfc908f253e79f30c4a7f964c45c47c84baa22975d8886c6bc4

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: bootstrap-colorpicker.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/colorpicker/bootstrap-colorpicker.js

MD5: 66fc7adafdfc312da33c1610ddb02650

SHA1: c0fe35fdc3e1a7b23415601264ee3f5f8b6408ba

SHA256: 359ac587e9aac88dcb26774fea01a3b04b89ff8f8d49c36b0dff82d0ca3f2a9

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: bootstrap-datetimepicker.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/datetimepicker/js/bootstrap-datetimepicker.js
MD5: f99cb51a76e41db0a93720a7ab76f79a
SHA1: 811d10b8029074990b4328164ea5645759789a5e
SHA256: 3ae825ea00eae0f2169e66d6574fa1e8323b51bf253091bb5a66df76663d37ef
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: browsercheck.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/browsercheck.js
MD5: 2a66f45992dabf075363ec46a8f1913e
SHA1: 6dd5a0ea9f6b8471d5133f32a13090af611156a5
SHA256: 9591b9925bdfd5c199c34417db703dda37c469646adfe38409453527af025015
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: changeavatar.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/changeavatar/changeavatar.js
MD5: 8d2dac6b040a8c19644f32bf31bd71a5

SHA1: 71bf152e7bc6f067ea04a5b3aa1cca0a77af4b2e
SHA256: 2dee1dc75f9ea3da5c18de2d3f7ab5da477c1b0e29952f28f14ec488140c3d0d
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: changeavatarcontroller.controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/changeavatar/changeavatarcontroller.controller.js
MD5: f4c8b7a6dadbe05f4e359733f723d5f6
SHA1: 119cdcaf2e65398e1f02c279bc915fb748c851e7
SHA256: f6cdf51e77bf2b01b8d6d81d62929f453e651b07cecf5ec1a592556855c297d3
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: changeavatar.service.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/changeavatar/changeavatar.service.service.js
MD5: 0867b1420c57ea1bd0df6b217d0f0a27
SHA1: 3b540de9bd01aa2d887ff4690636a46d59e54ac0
SHA256: a4e383e6b3971ae28b1ab569fb9bd73553c7155615dd6684f9eb1db4c28f9ca8
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: clearreports.controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/clearreports.controller.js
MD5: 35ac87b4adda24a0ff88a6d84061be8d
SHA1: cb8ff8b6732e44086f6387f1309a13d9a8a133db
SHA256:40c05d8a60c1ee5908ef44430e55d543796e710051e24b21e490d27d461bd933
Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: collapse.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/collapse.directive.js
MD5: c1382e5bab1e0095998e5b19ac91f381
SHA1: 2bfacf81cdcbdbc9919f24433ada8d3d78ff826a
SHA256:f09aeeb80d0d0811b4e6c9ae46d2a975cfa372d339236dc1f74e238218a60be4
Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: colorPicker.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/colorPicker.directive.js
MD5: 21ef7608799862ae50c2c74f78d0a9fc
SHA1: 747b3d2b2615c51fda36d4177ff6742a3f254784
SHA256: ecdde453424a6164c70d2a8ae42bbd0e2f36aa424dda81a021daddfc3be97cda
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: connectionstate.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/connectionstate.js
MD5: 4a6174bd421f26ebbcfee0cd497cb818
SHA1: dd1fd437528d6680073b6ec992627e58a7117d1d
SHA256: 4b755f8f5c4c823a55df73cda77ecfaad11829b5945c0f60e9c3be0de7ffcaee
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/controller.js
MD5: 8886375e9fdbaea08407ec6d19efb81a
SHA1: 1e0b4d981a4a8cefe6737624ea1f4ab9636116e9
SHA256: dd9f87011fd0cb0ed630d3f392e7527a62dc516584014a2169a411d783d683e3
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/invalidlicense/js/controller.js
MD5: ca1979cf2df78c9a22c96f3478247107
SHA1: 6b8bd8aa94a41d55d9b5c11f37a6e0a2a25a5a5e
SHA256: 2e689b5bdc728198ed225e4e7634d0bc374f6d5f0190f706808d3c1857b1591c
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/vetomessage/js/controller.js
MD5: b3d1cbd2470d7a37317a1a3b2f731b76

SHA1: 8be451bf390bbc31e274d966fa238675d192598d
SHA256:d478572d76089fa663779be7fb47933ca9c7bec7f97ada36dd8d7ca80f6f4eb5
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: controllerAbout.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/about/controllerAbout.js
MD5: 80b4da64ffededbe3c3523b55e2bf326
SHA1: df84d88eb510b8e820880297404310f5a8795f4f
SHA256:48bbb094dff3f6b7dcf787d12214c26dafedc27cd37003b651e1ce179026029
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: controllerShortcuts.controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/shortcuts/controllerShortcuts.controller.js
MD5: 9be25409fea8e060b32a3ed16afa0496
SHA1: 36808df213a842d807c44b517fcdabd52c7479ac
SHA256:18169a2a57beb8edc203674e334cd2eccaf262635e4cea0b408e2f8608338008
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: controllerUserTheme.controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/usertheme/controllerUserTheme.controller.js
MD5: 3f22da2a31a50aae9eca2ddf181a32e6
SHA1: 92ef56f938fd823a8d2d234190af4aff18ce8223
SHA256:e3b5b9c6ba45a9f4e7ea82817ad2e4eebfa514eb88f0056ed61741a37917049a
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/login/js/controllers.js
MD5: a8ac2709cc86b403df12e2112b1c50da
SHA1: 344a480dca6074c311786b03a13aeaff5cfb58a3
SHA256:3efd28cc6f37f33f4c99fcd534349933d13c07cfbb85ae6b424c7d0889e968fc
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/logout/js/controllers.js

MD5: 72df17aceff55a08379e0d53b414a348

SHA1: e3364d95d630e8ee2831c6f8c043e380892303de

SHA256: fde8f9a6bd901c3a4fb1eff6e1b28cd70ed29ecd1ca0eb4d516fe8257b10866d

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/masterlogin/js/controllers.js

MD5: b7ce1065cd78fdac56af02a9c2990479

SHA1: bb6e0f303c2a2601864542d89f2e2f5da4cc582d

SHA256: b062b60f3c71cca9147df8429acfeaf1333646ebed0a49abfd57e828594969bd

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/passwordreset/js/controllers.js
MD5: 4dbf4bd5e209bcf9da2dbea374055b93
SHA1: 87bc7d80e618d023de04a942c4bcf78a0f63ef94
SHA256: c4fc820510883428e8b7f8cc620917ad024a053406fc8e06a1f5d291e7cb8277
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/reporterror/js/controllers.js
MD5: f0eae135a9846e9583286cd7e26e16c1
SHA1: 2ebb1635a8de2bf5a5b733d22be21e702b12b72c
SHA256: 03bece9cc5a2def46cb9af89cf57416e825bc861f4bef8e388418e2e2f7fd2fe
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signup/js/controllers.js
MD5: 258465212e0911f69571bb053df33a43

SHA1: 91a7f8521507ac4c7f3694cf5dd955417828e559
SHA256:f3cd796047cab32758bcd5425fddda63249ccf268422094f9bafb9183d52a13b
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signupbasic/js/controllers.js
MD5: 17128560e8941aedb7e852204f4a179f
SHA1: bafe38ec75526c6f24a08468efcb54b174af8a12
SHA256:c86e24d128397562391debe2cda9c5a59382ed887ce040fdd950fba13307b093
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/start/js/controllers.js
MD5: 3451d3dc4466d917bdaaeca802ffedae
SHA1: cf35aaaad9461c21764024842d788d1ffdd36bd
SHA256:81ee322dec22a872c1c1b2cbdeb032036fb825c53bb8d0fee0270318ed49dae1
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: currencyNumber.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/currencyNumber.directive.js
MD5: baae690d1879d5770a785db43c416078
SHA1: 6652a3fc50dbfeff6d2c3ba5d163b6198d48952a
SHA256:c6cf472a9ba060122120b728e7f034a46b42e3b035ef56144ff482bfe5092cf4
Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: currencyValidator.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/currencyValidator.directive.js
MD5: 73a660a1b69b3c877a80104908dcd0fe
SHA1: f452a6e6a90eafec046f8364e92e8991639fc0e3
SHA256:a54b14192bdf0b13eb46a513c0de90d2217df002a87b69faff4a97a2b438e78a
Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: customEmojiUploadConfigItemRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/customEmojiUploadConfigItemRenderer.directive.js

MD5: 614bca272bedcbaa6f867d223c67ca6b

SHA1: 158169ab1d6de578cf3d3157b44fc5568a0dff9d

SHA256: 38d245ad840d4d01acece7fb531bfaf683e40367b70e1965761df25378601795

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: customEmojiUploadConfigRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/customEmojiUploadConfigRenderer.directive.js

MD5: 646c45383035b8a172b1e3cea4462065

SHA1: ccd25b4652f738ffd5db41da6f2c01b9bf2e8fdc

SHA256: 366ac5823f773c9420495a3f7cceb31703515e7840963340d9b088a9a280b8c

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: customemojiupload.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/customemojiupload.js
MD5: 5ab9bc583256cb4bf16a2ed2611a694c
SHA1: 8aa95d9a6f7aa446ca449dd06a22ec766e011c3e
SHA256: 10c1b4c00e9ea48d9216001bfde435ad3d978dc7924328afcde5985e31cc5052
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: dataservice.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/dataservice.service.js
MD5: 937a0f3324f0745d23c6683df6519937
SHA1: 333ac3ae229c679ac686515da033ac7825811518
SHA256: 700c6dfd2f907359d5b5b26b233e029e202955200013e847a6b1ec8b33a841a5
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: datepicker-de.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/jquery/i18n/datepicker-de.js
MD5: 797fabcb912b0290ab3e259ffab24855

SHA1: 46bdb9bae4acf4a0f014121d0f9eaf2d5c15cc63

SHA256: 1bd259fc9bb5d2965296710ef6ea072f59c2ad669173e47958f672d0ee98de1f

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: debug.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/debug.directive.js

MD5: af5e64405e9df914078db9c21e2d6cd2

SHA1: 9daecb829ec4ef49f5ff9415f03c1130b97cdfa9

SHA256: 7e8f60d4320fb77c329b93858e2cb2435b756cc939395dcb0259f9324667cb25

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: dialogservice.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/dialogservice.service.js

MD5: ff3705252f1a1e7205abc5305b16d24d

SHA1: 5d137431c4fecf3c36e40aa0024d48f64c0f3b9a

SHA256: c030948a627465a777ae0f4a631c5cee1339c36a6fd57b5feb86cccf2b57569f

Referenced In Project/Scope: server


Evidence



| Type | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers | | | | |
| • None | | | | |

remotegui.zip: remotegui.jar: directives.js


File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/directives.js
MD5: 19f28ec5f19f91bee0b1c9e74e173dc1
SHA1: 8f3d5294a051eabba98d8b9ceada4b2411210e58
SHA256:0543ab08833d1e44de5f6c23d230703cea6ad2cb637577549e308d185afea1fb
Referenced In Project/Scope: server

| Evidence  | | | | |
|--|--------|------|-------|------------|
| Type | Source | Name | Value | Confidence |

| | | | | |
|-------------|--|--|--|--|
| Identifiers | | | | |
| • None | | | | |

remotegui.zip: remotegui.jar: dropdown.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/dropdown.directive.js
MD5: 40ad7d2b68347bef0008d1791b5b5eba
SHA1: 1c064c2f1ffd0ad48afb8f90e26278f9c2c39b73
SHA256:bd2194fa55f283113dc3e1b43c1e961a9be2cd763e189e05c173b32a07bd18fc
Referenced In Project/Scope: server

| Evidence  | | | | |
|--|--------|------|-------|------------|
| Type | Source | Name | Value | Confidence |

| | | | | |
|-------------|--|--|--|--|
| Identifiers | | | | |
|-------------|--|--|--|--|

- None

remotegui.zip: remotegui.jar: emojiModel.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/emojiModel.service.js

MD5: 38564647d31b6797536db5765411e4ed

SHA1: 48fd70c8edf0adcf125823e861e4a139a381cbcf

SHA256: d22736cdec4e2e645ac67859b8dd33c6af37c304f60a2d1da1d4faefb33f087e

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: emojiselector.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/emojiselector.directive.js

MD5: cf4481407a72642bb8f659e8b1811a6d

SHA1: f5b4d06097e39d132c2e341005a5f37945e6d25b

SHA256: c9b023b87ba265d2fbc5af9dfaf4d739f2a5445ba1368d9fdf02f7cc0e07e307

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: errorservice.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/errorservice.service.js
MD5: 99c26eab33a362c6882c3eac06061d33
SHA1: e4ab728acf5b24584f9252170f2f4878ec227589
SHA256: ea1929f9f8740d81ccd097c3ea42e22da13108b9a31c41e253e068abae9aef90
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: filechooser.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/filechooser.service.js
MD5: afd055cf3465f9374026bca068948171
SHA1: b4cf82dabdbcffc4fc94ceb916fb315af8c627f6
SHA256: 822a3db5d471ba6b60257f286a7b087f2ae6585243893abcc946e47c4fb4a00c
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: fixNumber.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/fixNumber.directive.js
MD5: 4012901ce3b8c0dd2c30de58b4010f93

SHA1: 2f74672bcb93cbc5a5ad537ab900e5ea2993244c

SHA256: df68e84e582a52b12400fdbc1ef79d935013e189579795a435a6ed8055573c35

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: fixNumberValidator.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/fixNumberValidator.directive.js

MD5: 3c4bc570a3e7246d6c36a87e1499d7a9

SHA1: 859f2045ffa4ce48f54b6adc97bdbe18566adfcc

SHA256: 1ae715ed60ed513ed2c543dc86ff592bd7ec3a7125818ea6d22a900607eda017

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: floatNumber.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/floatNumber.directive.js

MD5: 0b5378d3a8d7f79543eefb43bd125bcb

SHA1: 0c50d5b03526ee6a4b5ecafca50e139183e64bf6

SHA256: e1e487d744826c96b46a8e946a32892ee07520f3f29e421d243df51291f729f6

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: floatNumberValidator.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/floatNumberValidator.directive.js
MD5: 6a4dacb6228e6f4d39a9e30d0878291f
SHA1: 2162d21c1d9f48311daf8383c4b641a7cb15518a
SHA256:a14ee2997beb2fa7407e5c6fbe7e6d22b75441cfffaea522fa279ccd512a022c
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: globalactionservice.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/globalactionservice.service.js
MD5: 6d4f2194f51d48cc3b21f9526f7fee57
SHA1: 30f480f24b629a9dd3a93fe04dca7eb04a20b677
SHA256:8c1f6dd7a7ecd6472d75748edd38d98783b20e103c898220b2e3b25f4090f6a2
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: hdField.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdField.directive.js
MD5: eb473c0da5fce407a8585e0ecce20bc8
SHA1: 3f2b16de362bb37d19bdd9147b03dc59f1036b18
SHA256: 6e58cc4e6bd4b86833f4d7eb154a422d0ea77f2481cebb41cf784722eafa2548
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: hdMandatory.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdMandatory.directive.js
MD5: 5ebb609350c6d0ae645e8ac20cbb32b9
SHA1: 15bb7b61dcc2a479beee7e0162796788565fafc4
SHA256: 593ebe1d558142ea9e12a998fba8034c5539267794d3f1ae01fa61cc30103e2d
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: hdNeedchange.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdNeedchange.directive.js
MD5: c3abe040e55d2f09b03b6ff4a839b795
SHA1: 4ba516326ef10cdbac82bfeca2ef5a82122c27b9
SHA256: 49e8d8b1fe5a2d491a81412531fe794b9b32dccad6536f9b06041e7931f83a8b
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: hdValidate.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdValidate.directive.js
MD5: e6e8c3e26ad3be54df16ec1bb887bb70
SHA1: 4b1e88e7eed9dade1052f00086c2c09f18a0be32
SHA256: 18040f9661212ce2406d973b0431fd3c320033bd4d6b931db124aeca515873f1
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: hdattachment.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdattachment.js
MD5: 16e85502191f7fe25433de5ad6c746f9

SHA1: 712909937e6a4ad47396146d4e79e4a3dd0b32e4

SHA256: b59d7f8b2225790fa30812d87d012f6668ecf1ce2d3a0cba04d987812ad2cd4b

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: hdfupload.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdfupload.js

MD5: 75a66761b717a6997b593736a3636c7f

SHA1: c7dcef33b520474109257a31e81c13967de4fd70

SHA256: 1e85e4d3ca53baf4a8da1008aaaf7bf0b048d078a08e8bae3fa8628804dbe5b4

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: hsimp.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/hsimp/js/hsimp.min.js

MD5: 31da02c3356fe92d686f09c9e9a2d3b5

SHA1: 77c9d1aae30a77bb4f4ff1015d9886a9fb2bad93

SHA256: 44cdb7ca377e6793dac301775332a628e89b3624b6330964a9e2592d1f5b0389

Referenced In Project/Scope: server


Evidence



| Type | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers | | | | |
| • None | | | | |

remotegui.zip: remotegui.jar: hsimp.renderer.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/hsimp/js/hsimp.renderer.js
MD5: 5f06f676ed65e93315ba629f480077b0
SHA1: 213a052ff56e4e0cce58b108a93995300b7f21b7
SHA256:a6741fb1ac97dd1d59dcfb635c018a4fc51ee6bcbecf8f0928fb76019cf3658
Referenced In Project/Scope: server

Evidence 


| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

• None

remotegui.zip: remotegui.jar: html5modeurls.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/html5modeurls.js
MD5: 784c54f58e8351e6821785bdeaa852fd
SHA1: 945f8e892ff235c347b61d726cbca71c51cfa0ec
SHA256:3cb5e8d76193fd52fe4672a8510546b527e84df68876952b6965e146d816f97a
Referenced In Project/Scope: server

Evidence 

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: htmleditor.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/htmleditor.directive.js
MD5: 5ffeabcdafb5eed81b8a2a65418f48fd0
SHA1: 3cdc33deda9588ec7cf4495b2c5e3d9740f12a7d
SHA256:cfc0073759c7970f394696b3628e411af71f8df3f392e0d4f0fc197988ab7a1d
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: htmleditorFactory.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/htmleditorFactory.service.js
MD5: ae7cf9f1949727b0b0abbe02d00322a3
SHA1: 8f6ca76d2a1d16c23d015e5fc99c0b5eba633ca0
SHA256:ada0a0081829c6575f5107ad1f2b857976454e420b33fb4e11caa971d23243b9
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: htmleditorModel.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/htmlEditorModel.service.js
MD5: 5065e5c03040fe00e77e7c35c9491459
SHA1: a07cd621341d26b6a8af98193dad1b028e518a16
SHA256: e4eb54f0aa3b0f5e3b015668ac05a9410b2fe4e2af0f796f3b9a9c1dc68de3e1
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: icons.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/customtinymce/icons/inet/icons.js
MD5: f38d8cd5ddc30af9d60e7975dc9bf09e
SHA1: deb48848205420e8e128fbb61d54f505a9ce08b
SHA256: 9dbe9eab86795cf51d6d7a06a9133c273cacc7277b27a2b99060740a6d47eaf4
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: indexed-db.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/indexed-db.js
MD5: 8e18eb72cdab27b9f50d8be736fb5d3a

SHA1: 9a0e5e9098ca6fb8c1ff37a52cd41493b9c5b765
SHA256: 8a7b578a09e75c8abf3b5c7796a3a9fdd812f0e1fe1b9cb2dde13c8ca4dec439
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: initUsernameField.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/initUsernameField.directive.js
MD5: f3f6879a5d27234809f195e8361367fb
SHA1: 24d20461bd9e38654b9feb17b07291ac539c186b
SHA256: ce03423bc27bf8ae5f2a0ee43236549dedb25ae612839b3e645bc11849b5113f
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: introduction.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/introduction.js
MD5: 89901332f1495e0cd0ee5b86914cedb1
SHA1: 35a849463bb5de9d8fc94de631c5641743d37abf
SHA256: afee3a22ebd23a8eac80d546a023e642c33409bc80ed5340e4372fc91cc30360
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: jquery.fileupload.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/jquery.fileupload.js
MD5: 240236292f36eca6c17aeac05fd73d61
SHA1: fac06f570617460bbc6f377136ee040bebad8828
SHA256:16d6dd6c899f13098e81e50b8f75ef74df0da97ed95cd2759933a13d53dc876b
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: keyservice.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/keyservice.service.js
MD5: f1cc27a91ae66d028adca2b6d897f85c
SHA1: d124c396d8b2c54da75b2bd16087fd12dfe53e54
SHA256:0be96e02f64d28f1ddaa64afe28fa9aa3eb2aa7567242ab9cb54a9b3d2902036
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: localfilesystem.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/localfilesystem.service.js
MD5: 277d95afddcd590e0d141b2d577b5e62
SHA1: 20bcb984e60bdb0a2939939f52951e728a4f0af7
SHA256: 07ed33c8a8d0f7931367e1c0138049de8105adefde3fa138dd50e4c7a31f8aae
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: locationservice.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/locationservice.service.js
MD5: 46cec6c60b7272f24587325abda377f2
SHA1: 89b2f6bb29c4a9072e0dde7ad14a901fe105e5eb
SHA256: ae1f0ae132cf4591b41f2ce9ed9ab90b14827ec2007ae485c7b13408b02df937
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: modal.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/modal.directive.js
MD5: 8b4f5159c55d2de4f772c61b5bf7dcc3
SHA1: 6d4df793d2fbad75c24f62e005eefa9ed62954cb
SHA256: 2a5553a5186b68c5f299d2e1f274ba754bf9af25bcea981725d472dd762d9e42
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: modalservice.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/modalservice.service.js
MD5: 4acca3d003e0b03b3f5e384003755de3
SHA1: 1e0cae788079de22547aabb02d319de12adcaeef
SHA256: 0ff64d3810936ecaa504005327a4ce6b1d113fc762a15ad24874427cd51fe144
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: moduledragdrop.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/moduledragdrop.js
MD5: 3958a1734972672ba1c124b1ed886668

SHA1: 4eb0ba0abaf32269baf7023edcaf12cc623783d3
SHA256:10d5980e1ab5d292009b20fd37d4d53367a0f76a55bd04b545074ece66d20a25
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: navtaboverflow.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/navtaboverflow.directive.js
MD5: 0ce7f7b7b6a5a148404b16e1962caf60
SHA1: 8ef17d2fe2fe1832fa5c49d6d65b6ef5fb1b7bdf
SHA256:b3557a1661a5cb1508bb1654d46bf5938bacaad8b4dcce03cf86d729793bd47e
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: ng-tinymce.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/ngtinymce/ng-tinymce.js
MD5: fa3aa2ac8be2d68b85dbf5577d159de7
SHA1: 8f50aa02f73423a054955bcb8cc04a19abeda22
SHA256:3eff1fc4e1a4233c840ee575812bec93aabd2e88d04e03d291d6fb3982434444
Referenced In Project/Scope: server


Evidence



| Type | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers | | | | |
| • None | | | | |

remotegui.zip: remotegui.jar: numberUtil.js


File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/numberUtil.js
MD5: fc50f41d150aa956d3405cf5538d0ef8
SHA1: 36dd5feae806c1dff8a67fd8ae4c4b4ac8d590b1
SHA256: 0a6ba6dc2719ab3741995db471ebc7e94594f837227eaad277bec79785ff9eb5
Referenced In Project/Scope: server

| Evidence  | | | | |
|--|--------|------|-------|------------|
| Type | Source | Name | Value | Confidence |

| | | | | |
|-------------|--|--|--|--|
| Identifiers | | | | |
| • None | | | | |

remotegui.zip: remotegui.jar: numberValidatorUtil.factory.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/numberValidatorUtil.factory.js
MD5: 947bd87a3346f4361a6bdf6b86004441
SHA1: 78cfcd42fbc4a1183e2eb7e638187c56d809eded
SHA256: 6604157155c49c84813a29f51c89129608ca164104d19e4b87119ffb8b3423be
Referenced In Project/Scope: server

| Evidence  | | | | |
|--|--------|------|-------|------------|
| Type | Source | Name | Value | Confidence |

| | | | | |
|-------------|--|--|--|--|
| Identifiers | | | | |
|-------------|--|--|--|--|

- None

remotegui.zip: remotegui.jar: ocLazyLoad.jsloader.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/ocLazyLoad.jsloader.js
MD5: 6efc2b278388ff3b8fd01d214f68de95
SHA1: 1d366d752be481f2502ad6e928bf443dc1bbc11e
SHA256: 7c22d04e3e40f316fe62e2df4c73ffe9ca1fc552117386466972ad8a524b4154
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: ocLazyLoad.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/ocLazyLoad.min.js
MD5: f2d4908265b909369078aed0cfafffa3
SHA1: 2d19edef03246ca520c6b3d658e75fad0d791695
SHA256: a5f7c8f4292aba0f63174bbb86fef9e919d97ed72f80857e83065c66ddbcb5a4
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: pageablenavbaractiondropdown.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/pageablenavbaractiondropdown.directive.js
MD5: d1feb482374e4058601ab2f7b89adab6
SHA1: 3c5f495653d3856460bcd8ff62dc530292fe91a5
SHA256: ef9d71d87d4a4d8f2222fb5ce1f9030667e65a51b42e7a65ab47139193909983
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: paged.filter.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/paged.filter.js
MD5: 620885e608d87c0af2184057fa716019
SHA1: 99aab6b764bd796a4fad0b23da057c07f0a173bd
SHA256: 7838a62ddb112a36d3f6b3ca85606aa02bc913e5551e40a1d37a2a7411f67c88
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: pagination.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/pagination.directive.js
MD5: 9072dd128b777cbe8c9a3f5cff6d1ffc

SHA1: 9aff2deccd8bd06b84530f2759b5d3708496680c
SHA256: fe2e2a1a9bd791563352ef8b3350fc0bde4b50ae191a675e4a0fb5d592389778
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: piechart.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/piechart.directive.js
MD5: 57b1a6b4c82b90c7ae6728361bfd83aa
SHA1: c4010db7bf32f2263f721e7d0642b0e4e99b7e2c
SHA256: 514ec005ce503ed102e409c830b71a04afda4dec41d04cf23e4a80f6e1def184
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: popover.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/popover.js
MD5: 24e950e89aace08f1aaa17fd06bb396c
SHA1: 1b794fe5f9c1c3015159425162f6b3b167ff1665
SHA256: 4deeedf673d7fc514627d7ebca5d4595a76c7d11d9cf3bdeb720dd6f663666c6
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: pwa-service-worker.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/pwa/pwa-service-worker.js
MD5: 95a33b245d3237810fe50090f6719728
SHA1: 1092e1c782d256a86ba9034dfc86b2af50d31117
SHA256:933121280fca1f5ea88c243ffeccbf998a62fdc3b62b5ca70875a990c18c9edd
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: pwa.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/pwa/pwa.js
MD5: d5f6fdc8eb151d3a71ca5eefe74f6dd9
SHA1: e7e28c16da057e3d23295da872a11d99239f67cb
SHA256:cd0a4ccc24239ef74ccf067d2eac8ac8989524fc41b0e7ce4946295f92a75b72
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: qrcode.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/reporterror/js/qrcode.min.js

MD5: 4b36f8e71a871112384d908a90471a76

SHA1: f103f61ed24f3dd86bbe1aecb91ad4ff0a15282

SHA256: 6afbe1ebc2ba9b4bb0833f9f55c4eb80edb582903ea9611a9be49633a7aa3b09

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: rangeSlider.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/rangeSlider.directive.js

MD5: 8f0195ad048023303ca75052988a2958

SHA1: f30f14dce0300f317db5ad815d452dccf20c6726

SHA256: 20efc1b10baaf76c2d287f1553ab7650017d266804f3c8859c8abbfd89e3766f

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: resizableDivider.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/resizableDivider.js
MD5: 92155894052072c1b3585f3f378ed64c
SHA1: 284e63d9a8d92f3227dabbba220ce81b406fd5f7
SHA256: 46db0e3c06217214be457419fa2e4a0df6dfbfa6424e163b2c9315162a9711a7
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: scrollabledropdownmenu.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/scrollabledropdownmenu.directive.js
MD5: 6d4112ef908310750bc9abb11d9a0c63
SHA1: fe21a1d0063252eef334f9885461edc8a7d69f2a
SHA256: 5bdf53db43994e8684d4c4cf0dae20ba09de34e84aa902fcc0e9f68ccbe913cf
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: search-panel.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/search-panel.js
MD5: 62e0a4cb45cdf5cbb82f93ee7c43f679

SHA1: c9bece27698f9e7c6f272a2b83425f6e4d73c0ef
SHA256: e93b61232ebe9eae031c84bccd6eb15b7fb360a8ddd65b7c910ccc93ded13ece
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: selectInput.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/selectInput.directive.js
MD5: 94814e3d56c2235cb31d6bc6ed5f92d7
SHA1: 4619d613f58383a0bc148f0da510fdc6a4a32fee
SHA256: 53afd5593d387bb8bb0730e2625220a66c60b62106d730f9177f84963ecda0e7
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: shadowLogger.factory.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/shadowLogger.factory.js
MD5: fa91436385b8994b55a7d310d63aae1b
SHA1: 6dcf22bc7bc7561e394ab64f4cd68935378b77cb
SHA256: 99d32693c3484880d4e331ee348efbf9a6c37f657a63045a1f50ef3e8dd3d60c
Referenced In Project/Scope: server


Evidence



| Type | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers | | | | |
| • None | | | | |

remotegui.zip: remotegui.jar: sidenavigation.js


File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/sidenavigation.js
MD5: 41e61e3b773bf6851e57056ebf4cbd3e
SHA1: ccf7dd4e2a531856e99cc4865ae92a4ce80db8f4
SHA256:ccf467b7d7629f106d0bf698be444ba56a7a1545c5118e5bdad132c177241323
Referenced In Project/Scope: server

| Evidence  | | | | |
|--|--------|------|-------|------------|
| Type | Source | Name | Value | Confidence |

| | | | | |
|-------------|--|--|--|--|
| Identifiers | | | | |
| • None | | | | |

remotegui.zip: remotegui.jar: takeoutDataController.controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/takeout/js/takeoutDataController.controller.js
MD5: 82d1cec699a839f96167893738956807
SHA1: b0c88a87252c6c7c558b366e8f8c8b85179cd354
SHA256:48b31ddfab8b1f4607a020ba89e0cc44d41fa7d29e440224d794f494186a70d6
Referenced In Project/Scope: server

| Evidence  | | | | |
|--|--------|------|-------|------------|
| Type | Source | Name | Value | Confidence |

| | | | | |
|-------------|--|--|--|--|
| Identifiers | | | | |
|-------------|--|--|--|--|

- None

remotegui.zip: remotegui.jar: takeoutDataFactory.factory.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/takeout/js/takeoutDataFactory.factory.js

MD5: 4c2e4791571aa7c4beef1d13e162b700

SHA1: 72b5880e8daf6c9ff20aa30132fe79c7f4868ca8

SHA256: 7cd1066a0db5c12af802b239d6d2b1d0afa29c5417460189ae5c22f5c6c3484e

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: takeoutDataModel.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/takeout/js/takeoutDataModel.service.js

MD5: 6bcf8a37b4157e9c59412040d832b2e9

SHA1: 12b1e7fb37e1533e850a261eb24e5260e42368f8

SHA256: 9a256e7e32f5971e086b0aa0e02d74c9b128fa2b2700a957af0282d8a1387d72

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: timeInput.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timelInput.directive.js
MD5: ba7319d83a3bcc33e0019d36fdfef0d9
SHA1: 019c707edf3c03914faea76cc116043f51a55ca2
SHA256: ae9ff67469f81911d87d69f7e89d7651b2517673b0a1538f04fb64076f5d0c70
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: timelInputContainer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timelInputContainer.directive.js
MD5: fbc7a8c9f4e3a3cc38d7659d83a6c29e
SHA1: 6b62e43062fdea0d9a6d7dc537e8be85787990a0
SHA256: 13eb8eba0cfd94da346f8cd131a4f90c98261fd83473d80c6c4b98529dcb7e1c
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: timeMeridiemContainer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timeMeridiemContainer.directive.js
MD5: e1458f3e6ea63204589509e5237f5c31

SHA1: 0a3f9057c78f591a1bb4086e1910af248290e689
SHA256: b9663e93c6051a50803d0425bf1da08bb6079b7eaedfbbb88f073880cd833088
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: translate.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/translate.js
MD5: c21b1ca3aa6cbb690bb2f2720074a41a
SHA1: c13b04d1326ca083b29db9d793485f20cb13a62b
SHA256: 17aad88363a3786e6b33a5f24c20319d26b18093956482cf4c1ac94f6f9b0de0
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: unitFixNumber.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/unitFixNumber.directive.js
MD5: 29d24835a3a3f09d56371f64a9e5501d
SHA1: 74508076d24cd85f342390ee1809e2bb70f48839
SHA256: 6a20d4eca5c69740c0fa2f99c209aed92ffa49c48848e3ff63ab6fc9b2f6ac32
Referenced In Project/Scope: server


Evidence



| Type | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers | | | | |
| • None | | | | |

remotegui.zip: remotegui.jar: unitFloatNumber.directive.js


File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/unitFloatNumber.directive.js
MD5: 1d3c2d9b2853e77c53b7f755e4f82bc0
SHA1: 56134dad87141744f8fee3574ebde43a96484ce5
SHA256:dde76e45fa7be7de9e04b3eb5a33954d8c2470636fa945458c08031b593b7492
Referenced In Project/Scope: server

| Evidence  | | | | |
|--|--------|------|-------|------------|
| Type | Source | Name | Value | Confidence |

| | | | | |
|-------------|--|--|--|--|
| Identifiers | | | | |
| • None | | | | |

remotegui.zip: remotegui.jar: userservice.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/userdetails/userservice.js
MD5: 8b519101d8b11cdf9b3981d47452b48e
SHA1: fa4b18f4979b804b3a6312eb8c851f050789e244
SHA256:87668f5830e7c8ce1c26eaae7c671a78e3c3116971e6f11c18d7bd6c3ae7ba8d
Referenced In Project/Scope: server

| Evidence  | | | | |
|--|--------|------|-------|------------|
| Type | Source | Name | Value | Confidence |

| | | | | |
|-------------|--|--|--|--|
| Identifiers | | | | |
|-------------|--|--|--|--|

- None

remotegui.zip: remotegui.jar: usersorgroupsselection.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/usersorgroupsselection/usersorgroupsselection.js

MD5: ba532f7f8d9ad9ddcd5e43589c875a9f

SHA1: 878776cbfda46c3ba5b5c4c2340576fbab6ea109

SHA256: 7e213a45192881f06c8f3d521d02f32a8c380bb2c4551c6d1c527f4afceba266

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: usestrict.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/usestrict.js

MD5: 8e742d11d6b24c401e35f3b516726584

SHA1: 89b72153bd7e6390415ba25b9b5fbe750e6e16d5

SHA256: 8e8cc72e61ff6f6c0c945a976756d112732c499cd64fc5b207bb213fc84a1e40

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: websitedownload.renderer.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/website/js/websitedownload.renderer.js
MD5: 997a09bf4e3740f123d6933770b57ed1
SHA1: d59541fedeba1aa388dc41757bccde3f35324d1a
SHA256: 53a3d1d2454b0730a885b126c853b9ee7a53ff1e01266fc2aae4b758fa1dd7a3
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: websocketdataservice.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/websocketdataservice.js
MD5: 1cc96c975f832a236c163c562ffaf922
SHA1: 414e1e26600a6b724a30d9270560ee8e0e51ef8e
SHA256: ad0eaa536d38b479cd06ed54e6f630fe029710af48ddd47c7ec63796be119cbd
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: websocketkeepaliveworker.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/websocketkeepaliveworker.js
MD5: b378595229f68cdd9acc7775a85e3746

SHA1: 5eb59a40044f9cfb861f3c39cf4969cb7e969323

SHA256: d695e751ea4e77b998aefab636299872246f04af2b189623dde151cce2fca67d

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: windowdatarestore.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/windowdatarestore.js

MD5: f9cf627d8040037181eed0b792258784

SHA1: b308fd5ef5d759a9891870ce0b9ae57e62fe338b

SHA256: c80f708b2a3dcd3c44dabdc44165276c349e1226024fc40683a5ba68f03035

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce-languages.jar: ar.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ar.js

MD5: 0f886efdc70323a44979e1cefce05038

SHA1: 9d6816b96f0b595631ec3f0a8ef095b79d2aad2

SHA256: 7f3e6c66626d88d970c57d3883e155c93d97cf378b6e8b27c3e0294eaf1c3cd2

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce-languages.jar: bg_BG.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/bg_BG.js
MD5: 4e9304054a5dba87c44a97301ad66b18
SHA1: b4c2faa214f8b1439ad6fcbf25064557a609cdf
SHA256:b1430ba8c8ffca397dccb798611def8cec0ebd83965fff5fb0799090aa2c8f12
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce-languages.jar: ca.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ca.js
MD5: 089ce05c476ac2670a3e7191e27cac9a
SHA1: 1e076c780755f0ca6dc33f275f615cd3bf4480ca
SHA256:41d6c5ca9f26f3d51b65ec32dfc001eb5b31dba3b7ebe634fe722115ff449c94
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce-languages.jar: cs.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/cs.js
MD5: d10d9585dcd93ae57323c6a655aa2c3d
SHA1: 9349c258353e88585b5400726f66d9d49b329f26
SHA256: f876fc46225f5d756b7c93868a122d13ee141f32b4083c7f7ef6592b9004a059
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce-languages.jar: cy.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/cy.js
MD5: 2a0728ef1086a55e02eb37af4eb5b0b1
SHA1: d35bd8d1c3c3397fdec0db042d0c0c17ea7fdaf9
SHA256: df7b1c6f8cedac1f23dd1ab8c9f180665d66c7325eba121dca192c18a06f58a9
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce-languages.jar: da.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/da.js
MD5: 481aa7c5d1ceb5a94c54bd71af91b607
SHA1: fa4a7ecb526f6b215f8da7853dd2326a99838c06
SHA256:440828eeb73162291e2f8eee67763d7e34039e5b9fe4d4ad506a521e48fbd438
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce-languages.jar: de.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/de.js
MD5: 42f1476160d0c1c8da694470a77af56a
SHA1: 4862a9cb5f4ed83a312bcc769d520440f1f95a0a
SHA256:bd997ca871108f0124849619dc28981047f7e7a1ade9360e2d258a3a86ad02af
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce-languages.jar: el.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/el.js
MD5: 5416576d60c441187a77aae0846865ba

SHA1: 0f11a7714c7e4da72cd55dd70f5dbc2f0829f8fe
SHA256: 970b4322bdfe3fedb6e4544b65a9684099e82d208a6c2ad86e6550fe2d79543a
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce-languages.jar: eo.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/eo.js
MD5: c1f238debe6f92e597d18890a9b9cf39
SHA1: f10c044ef2e30b353442bc536c3c6302f83b42f4
SHA256: c316804de553f2aaa5c7724f0e1a8e2f1aaf2b7342f236358a7e12365e212384
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce-languages.jar: es.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/es.js
MD5: 833bb31f5d452f0b036f558304f7bd43
SHA1: 0c34ae192edba65fa21b762ddfd7226b129c8da
SHA256: f020e09f41ca04101127c4236b44d0d5b4938587f7449421b38f666ba9159ed1
Referenced In Project/Scope: server


Evidence



| Type | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers | | | | |
| • None | | | | |

remotegui.zip: tinymce-languages.jar: es_ES.js


File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/es_ES.js
MD5: f2bf4385f9ac938c22d699caa13805fd
SHA1: 08cd53fb716153b4a47d34b2181e53d49ea45a36
SHA256:b2356afb30584c7359dd65ceffb42296b0e420650033e73422be09da30511cd0
Referenced In Project/Scope: server

| Evidence  | | | | |
|--|--------|------|-------|------------|
| Type | Source | Name | Value | Confidence |

| | | | | |
|-------------|--|--|--|--|
| Identifiers | | | | |
| • None | | | | |

remotegui.zip: tinymce-languages.jar: es_MX.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/es_MX.js
MD5: 0d9bd141cec3e0a3c3b32d6dcf0a1739
SHA1: 976438b6d6a826cb437a4a7be47a6ba4c107be73
SHA256:8be7384d5888618e3ef7ea227c3f10cb0533db5f01fd8ecd75309cf0652008ec
Referenced In Project/Scope: server

| Evidence  | | | | |
|--|--------|------|-------|------------|
| Type | Source | Name | Value | Confidence |

| | | | | |
|-------------|--|--|--|--|
| Identifiers | | | | |
|-------------|--|--|--|--|

- None

remotegui.zip: tinymce-languages.jar: eu.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/eu.js
MD5: c674049d2a4b1c0c2bbedb9f5e519858
SHA1: d8458d8d1c93154c51a0d724785d972506cdf2a1
SHA256: 3942f6abba9679f58ccc36ba38a1f3fd6ec5a5824fb2910a3b3a922c740d1df7
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce-languages.jar: fa.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/fa.js
MD5: f4242d89d4890093b57c6435a0feef5d
SHA1: f84cbc6d12884492dcae0bb2fb25de3bd8a54fcf
SHA256: 1465f18074f43b691afb310e5dfdbb8f4f1d70f5817e5e26a1ddd23753ce962b
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce-languages.jar: fa_IR.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/fa_IR.js
MD5: e2e4ffe84b41b1763eec91c0d41c879
SHA1: df983f084fa4b2acbbaf8c2f42e2e9cb981645f8
SHA256: 019a970f6414584cd6e87515d3fe7dff153c9fc49dbc7a7bbc25b33803f19b32
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce-languages.jar: fi.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/fi.js
MD5: b5688fed7ee5c373ebb60f499959b374
SHA1: 07eced4202e01f9fe821ff7a917b65917cd814f7
SHA256: 1f1e100752101230f1b10717f8ea615f816388a79dd5ad1c47605c553f9ad935
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce-languages.jar: fr_FR.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/fr_FR.js
MD5: 39a6068252db59fd4692c3ddb15a5707

SHA1: 8b7cfcf0ed4fccaf10ec9ead72c39ea6f566a4c9

SHA256: 0eef8817097810e7cbfe4ca46e9347b2e14ba0d2c91bc02d0f217ac6a2bf6bdb

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce-languages.jar: gl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/gl.js

MD5: 4c87b5345d76e5fb9fa24d89824cbfda

SHA1: 46bae6aaf29f1d534c0312c9e8c5f8934e9196bd

SHA256: ae5a04893fc2f1900a2358fa8b43134f8f69bf72a4e7b2be58344296a788be38

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce-languages.jar: he_IL.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/he_IL.js

MD5: ab3335919ec5e713be56b82a8df6252f

SHA1: 4b9a0a979384da17166919e5f584a59226244a97

SHA256: c411d772751ae83c939e62ee23459abf33465b9f364b89fff5d1402591eee2a5

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce-languages.jar: hr.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/hr.js
MD5: ab6217dad69a25ec43e59f1a76b0c060
SHA1: 9e7f2bd0909ead0e63258d24b18cbe5c1d79c44a
SHA256:02002bccccf9d9a73114794022ac7d48d0a4b9acb0ae1094b98a001cda06d9543
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce-languages.jar: hu_HU.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/hu_HU.js
MD5: 2afccb31e0cdea6f08c23750f5531a3e
SHA1: 47b7ffbe8714c92446e18065bb622ffdabfca060
SHA256:795f98a9f97ea2a3a0edf1056ab6dd697d9138a8cc7d6c0416a24b293c79751d
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce-languages.jar: id.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/id.js
MD5: 804ca5c83b16e8aa31011340aa43cfde
SHA1: d85239b65123d712897c0b9705b1d75140320b6a
SHA256: ee0a95c92105fea050a683bc2b617332366e3f5ffda2f5b4a4df6b558ccf210e
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce-languages.jar: it.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/it.js
MD5: 2307d7e18f4d82323f8460b954366d6c
SHA1: 2dd5945ec46a5fc412a03dfe3e706096169cb50a
SHA256: 853effa3129e6856e7c555788753721d89c48efa7f35536ef08fd9d5e2860b68
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce-languages.jar: it_IT.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/it_IT.js
MD5: f5f75ba5738d186bea305abd351699d4
SHA1: 80449c059f59ab177abe08deb15d2a0fd55b25f3
SHA256:5bd51b8d9f3bb9fa4c44b54df600ba4468c16511f8272c5c30f816dea88cebd1
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce-languages.jar: ja.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ja.js
MD5: 7199e3d236184cf0a06a219442b578c9
SHA1: 16add7d88b9628d906e62a8b7d88e52057b93e29
SHA256:f250108ef667f96cf5b0e8fd061e15306267a23d9f0d6d06ac3443e268a542d9
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce-languages.jar: kk.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/kk.js
MD5: adf69e41309e0553b26d71ad07cfbb92

SHA1: 6dad67ba7364db9096844dedf946a13d8e796109
SHA256: 97e466a88551bac32d4ac08dd86dee6d8db34d763ec9c9c2db42044299f79280
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce-languages.jar: ko_KR.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ko_KR.js
MD5: c60c7a4d77abf22380711ea8c1982bb1
SHA1: 631fe4673b89932fc6855b13284f22febb9a1d41
SHA256: 66fb29bdfd16163298e024e448a6774d5ddc1b4fff7e6683173ad2e6f20f2dbd
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce-languages.jar: lt.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/lt.js
MD5: 2219c653129ccc476847f054786ec676
SHA1: d6ef2ce6c2d82e07fe9e59cc2d22f3767ac94625
SHA256: 22195ef38c08fdbee31662434b50c6928b10e0adde3d0d86cd10a72230304e9b
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce-languages.jar: nb_NO.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/nb_NO.js
MD5: 0a7352214f0ce32fcd9c1e6522df1bbe
SHA1: ee23293fd4b9972547400cf4a3249a2059b6b165
SHA256:944131baab48a0af7fa0aed2c8bd2ebb3e9064b3772712f22e976909914971f0
Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce-languages.jar: nl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/nl.js
MD5: 6f571210666a2f5e6337080e579baba6
SHA1: 836f979abe265e75b745b723288058a708392756
SHA256:7f5b894c53f3e6cdaac59ea898930837fd21369800ab6d16136427c7a773916e
Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce-languages.jar: pl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/pl.js
MD5: e250adf7e075ad1f30905b07ad627631
SHA1: 3c4f16669f023e06b0c6a3527b7465c67b57c90d
SHA256: a22b468acd116dea2dea78bd49ea798fae8e5ca8c09af7afded580fb77a19171
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce-languages.jar: pt_BR.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/pt_BR.js
MD5: cc070dfc893595619ae7c8e5349376ce
SHA1: 147966d1e0e89574988c516b1debb37add6df970
SHA256: dd8b585165d8ba7f896a08bf038278f0f0ca7bd9e4ecc80b9c1c7a8bcc2881df
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce-languages.jar: pt_PT.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/pt_PT.js
MD5: 4dd1d7b30c2fd8e55f9880b7581977c5
SHA1: 11642b53c34e4ca6a5062cd3077ed4f4bad123b7
SHA256: de802efbfdbc321426edb9cde7e6422597bdf15c173b116afc097298e96bdfc4
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce-languages.jar: ro.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ro.js
MD5: e23437166aef4c09b1b704399f8aba35
SHA1: e9bdcf37aee82113f51cbe365ed71cf0b28b7b8b
SHA256: f9337551af759ed5b346f36393b77800d9cfff670e830decdb3908027f49852c
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce-languages.jar: ro_RO.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ro_RO.js
MD5: 3f2950ecf56ad7a4afda95cac7e2bb65

SHA1: fa5af1a474a2b0e73af2dcf25d7b2446ccdacfbd
SHA256: 2d4ed665899adbe9e64a5aff8a5d686a320935e0fcac8ad5d41e1061abb0343c
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce-languages.jar: ru.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ru.js
MD5: 511a44e58e8fc2713a4544de603ab7bd
SHA1: 06132cf2444c50c1b3910bbbf82902444128f8ed
SHA256: 3fc08c1c46f210eeca7a90d384b4ba7ebf4d9655beb3b7b87e597f1e9608043d
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce-languages.jar: sk.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/sk.js
MD5: 1b3c7faef9a1e74b2b8f0543732da813
SHA1: e9b96981febbd3d364add8502420c656621bebad
SHA256: bcf6c8f5e62ee6dd60ebbd78fcb002ab1f93ba553d8e0fcd980c5559da6dc787
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce-languages.jar: sl.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/sl.js
MD5: e70856ec865c4becf6af5ee48190ed91
SHA1: a0271f39bc7d4a46c9b5b5377ee4d1eae45c6518
SHA256:0917a76a02bd84a46cd31d22a4486fc15fc5217b0da405faa980d3b4513c12cf
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce-languages.jar: sl_SI.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/sl_SI.js
MD5: 3de18771671f7e28f3df9b68e53552ce
SHA1: 1dd6b41b237df4033169ea3293fd15a36135fcef
SHA256:1e9ac60048fe7e452b59441876289e7a7a42a90820d7a8ef67ac1339e1b9dcee
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce-languages.jar: sv_SE.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/sv_SE.js

MD5: ed26794df73aa50316d1fffbbf86e51b

SHA1: ba4720adf16d253917e5718508b9d261ff317d85

SHA256: 9ddd42e6af9c413ef5e26c9b69b2f5620bf442c1cd7005bc56c1380e4b6ac7b9

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce-languages.jar: ta.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ta.js

MD5: 28baeda3ba8aad2c457984c138420160

SHA1: 8ecfbcc9693bef79e05fbde679c6576327bc1f55

SHA256: ecb0d22d12a6262265057d41923a35430e18fe42f4b7f1d12e3fe3ec52cb7cfb

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce-languages.jar: ta_IN.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ta_IN.js
MD5: c245824dc4a046048a23355d513b545b
SHA1: 064cb44b3e558377efaaa14af781563e18d184e6
SHA256: b601b126c40b5c19c89a4e7724ddad003a7db0f41357c12cbdb0be440ca6f8e5
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce-languages.jar: th_TH.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/th_TH.js
MD5: 5f149677f7303a92c615738a19bd43cf
SHA1: 3f4882111c0163aa3f1189ae12b9cbab25b9ff3c
SHA256: 6d1838ea80df11333cb5844f5ca276ac6222481e4e9c4bf1d5c5484d8e05a67c
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce-languages.jar: tr.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/tr.js
MD5: 1d942271407e5a9e69b3ec4ccb11ac50

SHA1: 6eac1370cf372727316c7fb02d92cc6e5dd75b1d
SHA256: 7e7130921470f315dd16d4cc12dc0ee7c1590671129d22fe5d663bd8b65b35b8
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce-languages.jar: tr_TR.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/tr_TR.js
MD5: 21a6afe57b91f50fdc2a04d40330ae97
SHA1: 2aa3e1a82924df177c986869e3eb2dbe9e5b33fc
SHA256: ba178265ac4f4d1f4c4caba3d9b04f3c4a4254773dbde4228a68484715b300dc
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce-languages.jar: uk.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/uk.js
MD5: acb23eed47495327f505e52144615a23
SHA1: 67d20eda3fa76c5327e39093ffc9de28b28e5a6a
SHA256: a057713c5ba1ace10f76f58e4dd6dee88a84d2e78ca957480f5459b21cf5d94f
Referenced In Project/Scope: server


Evidence



| Type | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers | | | | |
| • None | | | | |

remotegui.zip: tinymce-languages.jar: vi.js


File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/vi.js
MD5: 5dadc7e85f49ada603617302ff7571b0
SHA1: a1bb8e49ba273ec276154fe04cce93edec4d64e8
SHA256: 86da5c88594ba0b5377f5a7e20b04dae1251be817879a47645d60e25cf8e42d5
Referenced In Project/Scope: server

| Evidence  | | | | |
|--|--------|------|-------|------------|
| Type | Source | Name | Value | Confidence |

| | | | | |
|-------------|--|--|--|--|
| Identifiers | | | | |
| • None | | | | |

remotegui.zip: tinymce-languages.jar: zh_CN.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/zh_CN.js
MD5: c3ceccb2b20bc1c32a74b8ee394c399e
SHA1: 970871e70fa9c310de345b1c590335c9a75adb52
SHA256: bbf4bc7f799bd37f6a52eb032b1708583ca401e778a85c0e58cbeed4c71ef3c7
Referenced In Project/Scope: server

| Evidence  | | | | |
|--|--------|------|-------|------------|
| Type | Source | Name | Value | Confidence |

| | | | | |
|-------------|--|--|--|--|
| Identifiers | | | | |
|-------------|--|--|--|--|

- None

remotegui.zip: tinymce-languages.jar: zh_TW.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/zh_TW.js
MD5: 8b3673b738b3b96f90997fdf09121fff
SHA1: 392e2f7e6a83c9c5f4c187f371f4d0dafd239a6
SHA256: 7868b9dbbae773b768f477746f7d72383603963069426a6281c4d24298160ef1
Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar

Description:

WebJar for tinymce

License:

LGPL-2.1

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar
MD5: fd9f87ce352ee6c8d270db931c0e6026
SHA1: 9174bcf85629c63f7cc55439ff890bb7893fe451
SHA256: 26c357c95e53e0d99f3e2b840194cc7d170a31c85de15c6017de976f60919cd7
Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|--------|--------|--------------|-------------------|------------|
| Vendor | file | name | tinymce | High |
| Vendor | pom | artifactid | tinymce | Low |
| Vendor | pom | developer id | webjars | Medium |
| Vendor | pom | groupid | org.webjars.bower | Highest |

| | | | | |
|---------|------|--------------|-------------------------|---------|
| Vendor | pom | name | tinymce | High |
| Vendor | pom | url | https://www.webjars.org | Highest |
| Product | file | name | tinymce | High |
| Product | pom | artifactid | tinymce | Highest |
| Product | pom | developer id | webjars | Low |
| Product | pom | groupid | org.webjars.bower | Highest |
| Product | pom | name | tinymce | High |
| Product | pom | url | https://www.webjars.org | Medium |
| Version | pom | version | 5.10.9 | Highest |

Related Dependencies

- remotegui.zip: tinymce-languages.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar
 - MD5: 47bff91bb6cd602682ddc705ba5872fb
 - SHA1: 06c508488e5d6f2ce5c92aa8b3fa165ca871d597
 - SHA256: fa2ecf575248fc802677c26f54fd5f23a636d496223e1a654f5d6540f6c36200
 - [pkg:maven/org.webjars.bower/tinymce-languages@5.10.9](https://mvnrepository.com/artifact/org.webjars.bower/tinymce-languages/5.10.9)

Identifiers

- [pkg:maven/org.webjars.bower/tinymce@5.10.9](https://mvnrepository.com/artifact/org.webjars.bower/tinymce/5.10.9) (Confidence:High)
- [cpe:2.3:a:tinymce:tinymce:5.10.9:*:*:*:*:*](https://mvnrepository.com/artifact/org.webjars.bower/tinymce/5.10.9) (Confidence:High) suppress

remotegui.zip: tinymce.jar: emojiimages.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/js/emojiimages.js

MD5: b7c1a7f3d27f00745fb752c8bcad1476

SHA1: 96af86fa69e17db88d8c1ddb8dd5af8f01aede1

SHA256: 498c4614b7363884c469599aed4290a30c8eb2eebbbf07d5bb16886d8090aa43

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: emojiimages.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/js/emojiimages.min.js

MD5: cd8d1bac37c0a70d1d4d2005bf7c4e8e

SHA1: 29651e17ac1dd07e21f81edfaf56cdded37e8600

SHA256: 39ede17a1386121cbd7a543ab27a27f2b4dd79c7873377bea577fc0c9e942a8b

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: emojis.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/js/emojis.js

MD5: a64de2c5911dd74a7c8ce92819084843

SHA1: d9b37d490e6cf339e85f0bb008e673c823cc6cda

SHA256: 2f086a646d26f121f214f9de1df8c2ac45020e40dba0cbe4d8fd31b1df3381d7

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: emojis.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/js/emojis.min.js

MD5: 1f434c25c9c5ee365c94af299372298f

SHA1: 16d23948cbb0716178f14b58e7b50f3869d76307

SHA256: 57bb9d32b2a696c30269a8af59d2d13ca7724e501bd054986c9702069acb9b0b

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: icons.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/icons/default/icons.js

MD5: 9034bf9d33164db799056592af8f8041

SHA1: f48380a7f8ea48f94f20df7526a6dbc33aa802ee

SHA256: cddbc569467f55c984f4236d0e6b7a54b35006c47eb18813ad7ca367b14c45bb

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: icons.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/icons/default/icons.min.js

MD5: 18db240f0cf5635332dbadd948cc500
SHA1: 4421813e10fd371e67d15dbf74bf748a0a5c1794
SHA256: 6c5a69c090aa1418082e7ad5e707bbe6c531269607e080821a7089a16e0f2b61
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/icons/default/index.js

MD5: 9c5b7a740ca30e13e64b6a4de5b17c77
SHA1: cf4e63fb059346d52364a6e7592dfdd9b00eb0a8
SHA256: 772e5e2b50c2288b47f812cd3219901d992020c71940628b4cdd0ee23f3c8cc2
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/advlist/index.js

MD5: 344ca56d8dedfae33380a44b89dfdd1d
SHA1: 2ce6aeb71809802341499202ed673788fc04149
SHA256: 0e88dc5e755ed26a62535b443dc90fed27844b58677a97fb1ffa3cccdc6d410c
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/anchor/index.js

MD5: dd697e3891ed83de226860a7aa436b10

SHA1: 775e112dbcdb929e3c3ac944f65b91ad9b41dc35

SHA256:199df9a5149e52b35f0fad38f46eca0ccfc98e3c7b09de4a6e3562ed97f8190d

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autolink/index.js

MD5: fa84bd3bd42aeb01da94b784344d4d84

SHA1: 2f2169188eaa6ee85da0c015f878de6ee9bd34b4

SHA256:cf9dbb0d6d43ecab9faa41baf38db169f11d668573349d2d7f879be5868e8d43

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autoresize/index.js

MD5: 00116480a9865b9b84937b8c6ec471ed

SHA1: 9d33c32c4cc484f5c7c011b16157b63f32004e7e

SHA256: f218e9db68e5e70965a405e2c2204ce9711067ae0c277f014844a40f7c7fee66

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autosave/index.js

MD5: 8d9bb78be9ddbce43bfd7964b71678ae

SHA1: e3695d2b623495a93594f23e4132f6226b309012

SHA256: 3b68f2f8049499f537ba66c2fa27aa9648aa93a43e81b977dac7ae20eeb803fe

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/bbcode/index.js

MD5: bed89377ddde78f2d27067c6b3dcc633

SHA1: e4d0c191e90df0249d2f50c12f9979902581ab1a

SHA256: 98fe74eb6872c6e65d9a400d9da7b9b77d6fc4cfbfd7acc0fb9bbe697e43c73c

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/charmap/index.js

MD5: 18775f459a8bd073ba47b3ad3e2f6bdf

SHA1: f991e9bd8cd4912b0cd28d806beb7c1a4ec6c8c0

SHA256: 1701e8a9ccea8f198bf323636b8ceeb6dd8972625d07b466f92c65b16fc635bb

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None


remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/code/index.js

MD5: d2db687200588ab654afd39728df329f

SHA1: 55bfce05960107cf42e7d3687e330a3f42164c23

SHA256:defd6476de2e2c8f411eed38d53a774d52c7408565280806bcba0bc32e98192f
Referenced In Project/Scope: server

Evidence 


| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/codesample/index.js
MD5: 23fdb57b1d401abe9ff929ab26ec394e
SHA1: c3f3fc7e21c7627247fcd2069ebb3a36bc755c0c
SHA256:60856a5c13ac87dcb4e3ecea3ce3eefd47e348c4b696b5b74f0be9766cbd1f08
Referenced In Project/Scope: server

Evidence 


| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/colorpicker/index.js
MD5: f1771fdd14cab627310b813da43fa5ba
SHA1: 30f7ba13c981711ac0f84662dbf6c50e2af6c27c
SHA256:15de4cb9a7437d15f6631509fd379df2fdf4cc6c6c35dfcaad47c87e899e96b0
Referenced In Project/Scope: server

Evidence 

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/contextmenu/index.js
MD5: 92e19a31db91abb704ccaa13cc28b766
SHA1: 8fe36efc411a29d7579d3754f039ff35786c2e64
SHA256: f24829122684173e779bcd89afb1736b6cad304d08b002698753504db32b80e
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/directionality/index.js
MD5: cd2c90f18e8c7d1215bc4ede4a2ed3ff
SHA1: f16e46d6103a081937651c9824bda91c37906e86
SHA256: 75a8d057b97663fbd36db445ac97baedc0d4ca3948f4ee6ee5a45ca56c6fc5f
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/index.js
MD5: 57e489f4ab69ca17dc7c95aef7052d88
SHA1: b665f4f4f94b9a2aab91235965d594b8932e75be
SHA256: 5b3937add68158ae4add69fa47d2c47ae49ce17165a08dc7ce26f376979126a
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/fullpage/index.js
MD5: f5837caffaa3ead2f0b68daa0463cac0
SHA1: 6acc21854086d6155a19b3c1060ab5dbd98251b7
SHA256: b1d2d7667f4be6d981f9fd5f58219a414d83c4068cd77c3b0c9d2fbac6ec90f1
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/fullscreen/index.js
MD5: 2a071ce05b6865fc1a874f298b920e9e
SHA1: 898dd0ec802d60ee716f9ab55401720dc05840d0
SHA256: ecfc6baf3a081373dfc60f97efc1f14f7a6840f398ee8dee57502ed547370190
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/help/index.js
MD5: b7c64e9d5f9003aacb929b6944987c2e
SHA1: 92f87e4057b89c4faf476fc34898d688fea0b52a
SHA256: 90ef3eb5f05933c63e52ac470156c1eee495583b1184ae9a6abc8702e9685b36
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/hr/index.js
MD5: 95e49e5a2cd979c3e7345c78d2d15779
SHA1: 48a187d6a5e4539029a140c36b3b1010d3473975
SHA256: 1dbf6d7a4b2d4cea2135823eea377fd6052a510cca33935d23f4f58e3d49af98
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/image/index.js

MD5: 27415d3d43098d4bdb48c6c45c15e08c

SHA1: 5a081de74c9d2bf97decb82753cbdaad6366db76

SHA256: ba0e02cc9a0a8ab32790d825b0711c27452e297c4c72c8479cfd00c00a228c36

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/imagetools/index.js

MD5: 1fcdb4ed72eff27ef54bdd585e306d29

SHA1: 00c9be7d060282e6d5ec5d0779b977275c28b8b5

SHA256: 3a075c96ab9819e53918f2fdf308f1390e339cee21755ea4112c71a9d012b53f

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/importcss/index.js

MD5: 2409fda93c2625fad2c9dffe31b1473

SHA1: 39d57c8b02129997bf23302916dd7166c3726a43

SHA256: da3a35bf760696421d5dee9795c287730c310cc56f2f955ef8d7418f243ea5ef

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/insertdatetime/index.js

MD5: 4ece334f6233df3aa3e5becbfe1f9a8e

SHA1: 6734731b620634cbfa9a06a57d3ce35f3c24296c

SHA256: 6a58d89cb41c85fe3ec472376fcdad55bb875b6397a054bf4a3d53e7734fd440

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/legacyoutput/index.js

MD5: ccdb9783bca4eebefc56e308b5fd8169

SHA1: b1f84b1fa17eae3d22bb380a22eff3efea2e7fa3

SHA256: a6ad834a6a462e968bdb77190a1d8660d3bcc4e5b55b905420d6c6a1707cbeb

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/link/index.js

MD5: 5837f9d0ed7b2cc610dbffa6a7d7dfe

SHA1: d3d6b6d764556d547dfe70694b8e26bbeabd4b8a

SHA256: 393a397a9577a880392172405182506aeabc1a368da461853f6fd98c19b96292

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars

/tinymce/5.10.9/plugins/lists/index.js

MD5: 959bf9c345e983ce032814178b94cb09

SHA1: adc80fe2030cfe121d120440dcf49498f526c7af

SHA256: 8ca0f39fb279b30498948068be734b8a2a2178e32b094b98931622ee4c649ae5

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller
/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars
/tinymce/5.10.9/plugins/media/index.js

MD5: 22710d182e71e1bef50ee3838ac15b07

SHA1: d8f008c3f8abebcf2efdce06032350e2a1b80fc7

SHA256: 2cf1f01a424a6e9981e16a7c162bd51ecdf2785cd5d7e36d78edba78aa91b0c0

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller
/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars
/tinymce/5.10.9/plugins/nonbreaking/index.js

MD5: 851e4039437062e49d5729f1fe30cb40

SHA1: a1acce39f47b74cb33d2e0c0070d8af323ca0018

SHA256: ec23845a38bfd445146565839769274deb1c0d83adb74c8e464c2714f6509b87

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/noneditable/index.js

MD5: 6f84addf13157d5abd4c1f2e9f1189f5

SHA1: 974a855b957d74c47f1fca8b3582b6db5f562f51

SHA256: 73b8c1e02264f43e6acd2d72b9882d87550b913c71b87a6ccd1caa2d88c0ee24

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/pagebreak/index.js

MD5: b2ec3630c22897879bc089749ca3466e

SHA1: eeef9066bc1642e349bbaf234f20bd363f89ef19

SHA256: 3239c47c5ea169f05c26f2cb0726e85aa4a365a4e3cff8d16f79bec35d393ee4

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/paste/index.js

MD5: cd72ad7d99e1849620ff535b4f64daed

SHA1: 2e48dacc929d42922ccb634392e26310531f1d83

SHA256: ce91452b503e136d45e552ab157ab3f8b123530950cc02e7b778d04bcb6a0de0

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/preview/index.js

MD5: ac924715206330e49ae83f0ce0a41a7c

SHA1: b9fb134e272eaaad188c9da26d8c6aa22621e6cdf

SHA256: da5b43a242cf576435e63e27522182fe61afb1ea0d28aee116193c24d60c18f3

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/print/index.js

MD5: 7f3c93e1e7cf55fb60d83431fbe0af2c

SHA1: 77a64982ff692d12b1086a70ed0796bcf45c35c3

SHA256: c54ff5c05b484d6eac7bb601ddd4bcf916faf8dbdebf65a707fa6f7510a99c52

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/quickbars/index.js

MD5: 24942b053967586fefe96a215c44ae07

SHA1: 4a72eaaeb0dbddb84dbb4268e618b4451a482670

SHA256: a61d6bc69e64f107292c929d2ac70819a3970890e79c9895bc0fe0999803ce2d

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/save/index.js

MD5: d2a87bcc64b326fc6dfa962fcbc662e8

SHA1: dd1516808ce28ded9008890e2dac0b24d5a7dae0
SHA256: bcda64c02c52e23430e42fd33907ffe16b02d163174a5896f6e9f96cc1b08411
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/searchreplace/index.js
MD5: 027916795b63233ba94d3938bc15cc28
SHA1: 61bdc3b8ffb05818fa9b91a399abeafb2a4fd8d8
SHA256: 7f93e70dba14735765044f7199ff8b24fcd517b285f806d34cefb0d2e55a098c
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/spellchecker/index.js
MD5: e22949d41a8208123a8694f0c8e6dec4
SHA1: 9d66cbf780b982f778e561ce35786b7589b8fa85
SHA256: bcb0b4911bd0fef17ee195fc758585e7717500248fafdc58f32c94f6a12f08bd
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/tabfocus/index.js
MD5: c8dd5b7b07c3808712c5000e3b1d252a
SHA1: c9e127134794c715139acb1bba1fc9a90541e7b5
SHA256:779f4c8d8f7804301d0d3d63c6f4d7d12e5a4f3fc409b6433aa465ce51309bad
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/table/index.js
MD5: dc0a57cf52e5c96e8886974820620f30
SHA1: 63b104aa10ee6b0e09f6beeb420028164214037a
SHA256:d571c3bcfa2fb750545e52334325e494d60916f8db2504a8e64fbd421e901929
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/template/index.js
MD5: 4629fcd244d51c5f71a77cca7a6f0b36
SHA1: d33e8183488bfd00554ccc12b63efdcc46acbf12
SHA256: 07acf1abcbf6231d2ca53a091fa7cc1fb6206e4b268301750ef9020d6881425c
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/textcolor/index.js
MD5: ceb47c7e6b71b1089ec10b30a6aac374
SHA1: 21d607e821838299375c0ed523bca0a33c0acc05
SHA256: 4c54b2959afce4d61251463bbbd0d2e32dad074d3634192bce2bc937ee59633
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/textpattern/index.js
MD5: 4ca571ec216214e68d950539134d2e66
SHA1: 9ed373e0e6e173e7b1663344b83acd313d37cefd
SHA256: 955780d950579ce70deeb8e7ba2ca04eff56e53fe983ce81e9bf932c69d7652c
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/toc/index.js
MD5: 4fb0e875239aec497c229dcaf18d7bb5
SHA1: 1c9880a27fd0487d99bcbe666d90fde1c4fa41fa
SHA256: 2f3e63d7b8e0f9597a78fa84e92790bc91099fb7382037e870f06afc8e23d95f
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/visualblocks/index.js
MD5: 1f348278fc3fa3ae9d560a2c6074537d

SHA1: d55ebc12b7d22b21a6f06a7b1e8a4d869ddba0af
SHA256:ac58944fdb4136e5d63fd08b6070d40a9c964ba2739ea46970f1c27464f0059f
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/visualchars/index.js
MD5: 01e4394764848c643482a4e060c3c16c
SHA1: fa3c991ab8a4b06d3022a1a9050d12f97eca084a
SHA256:4cc095ed74a300b53b61907f46468821a3fd16e9abfd9b96157e72c5a6a4f901
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/wordcount/index.js
MD5: 8702637f4301b2c60b0d036a74a57952
SHA1: 10150542a5551da1d75408d86ba07b45d78a24cf
SHA256:ea19d7ceae4197532bdfdb08d97f4b64ff025cfd3016ec12428b81517f2e92fb
Referenced In Project/Scope: server


Evidence



| Type | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers | | | | |
| • None | | | | |

remotegui.zip: tinymce.jar: index.js


File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/mobile/index.js
MD5: a136bd2faba801a12080888b27e65afb
SHA1: 58533b052ba5b2cbee9fe44e6a3cebd042efb7d1
SHA256:e20188436d5d6ad6bd97a590c274fdb955fc83715e800509e4a61b25bda4e0e
Referenced In Project/Scope: server

| Evidence  | | | | |
|--|--------|------|-------|------------|
| Type | Source | Name | Value | Confidence |

| | | | | |
|-------------|--|--|--|--|
| Identifiers | | | | |
| • None | | | | |

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/silver/index.js
MD5: 7281b0268319c90508a1a300a7c06d97
SHA1: 0e3a4056988e7a06c5f4ded3f30006f1be55d445
SHA256:3bc724f73bd41f1c6af41d5c08cd472a1da8ccf6db49c6fad853998a130231d6
Referenced In Project/Scope: server

| Evidence  | | | | |
|--|--------|------|-------|------------|
| Type | Source | Name | Value | Confidence |

| | | | | |
|-------------|--|--|--|--|
| Identifiers | | | | |
|-------------|--|--|--|--|

- None

remotegui.zip: tinymce.jar: jquery.tinymce.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/jquery.tinymce.js
MD5: abc669a993b54748fbd9e3f1b04ab3bf
SHA1: edddd7e07aa9ace3afd2f3bc1579f7901708ce69
SHA256: 20e802d69c0fd9912eb39bfdaad9f85f089e383d415ef193ac6aaa2e108a8949
Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Related Dependencies

- remotegui.zip: tinymce.jar: jquery.tinymce.min.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/jquery.tinymce.min.js
 - MD5: abc669a993b54748fbd9e3f1b04ab3bf
 - SHA1: edddd7e07aa9ace3afd2f3bc1579f7901708ce69
 - SHA256: 20e802d69c0fd9912eb39bfdaad9f85f089e383d415ef193ac6aaa2e108a8949

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/advlist/plugin.js
MD5: 9a469d4c30ceeb89187f85215a5e5161
SHA1: be1f2023c91a4fef2828a452272319447f80b786
SHA256: d9457557927bd306e2cd90b622494db6d36d346ffd04aa825e71d061c243f7d6
Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/anchor/plugin.js

MD5: e204923e44d53e7610828846fdb23722

SHA1: 550446f55b597c4c376992addf459bf00fc2e0dc

SHA256: 8bf2878b95bfbe4ddef911cfebb70a07815060a6c52d85227695267900a45085

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autolink/plugin.js

MD5: f62ca8be62d1dbe910069c09b20b53a1

SHA1: 9bc811f23db52d4081a089f9774fafd7e3f21f67

SHA256: 2b218bd0095199604914b22b67b4b1a68fbc0fab309a734f2fae54496f734b9

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autoresize/plugin.js
MD5: 3130530b80820d2fe333f0a434987ebc
SHA1: 0c8b231c3d55b9724a4564ba02ad4be38c197293
SHA256: 4c7802957b5f7ddc47a97d1cab371e7c0b39592f17fbb86103626762e593c872
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autosave/plugin.js
MD5: 78ae76cf436707ded3a0ae8cb1f8f4be
SHA1: 2db5d96907012d7ad0c4c50abd11994a63637507
SHA256: 8739940eef76bbc0ad0ea5e4b6f7ded4e1ceda9aba15a52543fd00c180373756
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/bbcode/plugin.js
MD5: 5baedc3309a92d6d3b3fe7944984845f
SHA1: c3bc65277f12b71bffb0ac04fe737deb6634b8c
SHA256:960eb4c3c3d150b615d4ee81042b4a5f0616d876af4ca66d7841597192313ac1
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/charmap/plugin.js
MD5: 132a6594d2c2580c00fe3fc881f64a3e
SHA1: d4a2ccf9d64dd6eeebbdbf4cbf9d4c2e2834737f
SHA256:07beee90d71107fff1ffd218d552ede08c0393118345c052ef1540d2070221de
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/code/plugin.js
MD5: 6a3b1fa39f64d704ab9c8d8ffa3b85d5
SHA1: 2acb5fbaec43ab35346e8a564fb3104f197086bd
SHA256:bb6ada6875a1d6432000990c110825e5c12cc9d13a33dc1fc215c199f96c27e4
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/codesample/plugin.js

MD5: 2f0097d95781f1a4d2711d9f8fc5c334

SHA1: e181f02bd7bfcf5816508dde0b0ad1c99d9c40c9

SHA256: 8a19cde548a1dd6b0970a24eead3e04e85e69a3117642891a42d7b7b5361495d

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/colorpicker/plugin.js

MD5: fb7f0cac79b75d40a9ec81581acf75e7

SHA1: 0ed6610a578326d03411345bf8027c443cd7d105

SHA256: b7ff65effc877a633ad79dfc82ef0b3cd6c6c16107cd03580479b1239006091b

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/contextmenu/plugin.js

MD5: 63f32e24fb0dd17b1fe982314c29b55a

SHA1: 42b09e6b0cc5674ec3497c9c4d4c4d3de6a39047

SHA256: e7070041c1a1edfa77a48438ef4294f8da38caeb50411c25207e16316cd0c889

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/directionality/plugin.js

MD5: b73632a4533311d6dfca1b3841534ebc

SHA1: 0c6aef806245b102e3332080c811d3375337a662

SHA256: 2e201c96ce771956becaf72e4f2d4abf67d4941e5735f5d0dce965d5150a5ed5

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/plugin.js

MD5: ff191fd241bd1933c67f5fea4a52107b

SHA1: 7a9cbb74716ce1e0e86d90690f7de79162c60db3

SHA256: 374fb04498849e7e18bc5a698387055dbe1de48ff78f7fc8bd5668c73b73d54

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/fullpage/plugin.js

MD5: 3c14f849d19f550aaf23f9e4bc2b647b

SHA1: 5e95acd51eb15d13129fab8bca354ca5aa440c52

SHA256: b6a5c94a76cf5fb719b6455c239d39e678e3fbb7c053e049103d2d02bbd2ea04

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars

/tinymce/5.10.9/plugins/fullscreen/plugin.js

MD5: 2227d3ff362f92145a0d66ba1bf68f1e

SHA1: 37fbe66ad5aa755498bc8ceb5e421b56df27539f

SHA256: 197cc4190c8782e40dfca6b28225cb4766c1ab0b1bf60cc445fe024265d18db2

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller
/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars
/tinymce/5.10.9/plugins/help/plugin.js

MD5: 667d246d02a71436f2f4a4fb80f720ab

SHA1: 0691382a7959a2ce6fe97b92bc08d737d8fb385b

SHA256: 35d0d9f12208794695c9e3594e309feb53af67897d9a31ce0eb85d06f17e9953

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller
/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars
/tinymce/5.10.9/plugins/hr/plugin.js

MD5: 70b7ff4273d8b9374b7d35a570e60eff

SHA1: ec2f770c33132f6aa30982fc444d56da76ffe337

SHA256: e11ffde0e9f4d65d0ce9214df8176401176b795d5fa15e95d00458e39328ffef

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/image/plugin.js

MD5: 25e0f52ab1477d0d8d7eb7500760cb50

SHA1: 75de5182c87d9ea18ef952ee17fa0d7131128973

SHA256: 47fa10a331f5515c0d838a0f33d6b5447a55e32342351fd20c95b00c4265e6bc

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/imagetools/plugin.js

MD5: a0523d774ffc8fc8cd0049100a2336e2

SHA1: ce5fe228f3eaecace4cff2459dac6d430311903b

SHA256: cd6286fa790dcb7351a562f856620986a8a2d68f7095c1a3aad5a4f2d96887ff

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/importcss/plugin.js
MD5: 6142b879008bd87224ca38716e663f4e
SHA1: a9296ae9c5141bfbeffe856412663f7aaf1ec9a1
SHA256: e7d53d5e29ff44e1505671f160bf2c300864e7b8de6ef937661af0e77fd15067
Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/insertdatetime/plugin.js
MD5: 8d40733352776d516145934e3afc7bff
SHA1: 9bf39632e2eb45d37130f66081589ec5ada617fd
SHA256: 6d5492320474868f5ec67e14057819a762c46f8962726b307eb3d26d011c49f9
Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/legacyoutput/plugin.js

MD5: acac6af2d9e273f2b23a63a08dd3c558

SHA1: c07692391443114f0d7e0b4a6aa521007e3bd8df

SHA256: 5ba6ccaa7469904d908818b1dd6c5331c643b586f9489987411faecaccae6de6

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/link/plugin.js

MD5: 584389affa07184e25c194a8fdabb9d5

SHA1: 10746d4434b26d0ae62fd1e3b3d538b6aaf67e94

SHA256: 34de8ceb8abf707ad68cdcde8a7d0aa174f0814891be74edf444fee067a2b855

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/lists/plugin.js

MD5: 37f5953ed2ff9078029c1a7259991b9f

SHA1: ecd87c0474db0e683895008b64b0813603e32e96
SHA256: c9b0aa3c06581904734ac6b8b3fb4aea155e39d1e91f1f039bb338a5b9e72b01
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/media/plugin.js
MD5: 9099b48009886ed8e16a4c118f5238d3
SHA1: c3ea8c6ca9bd1d99f11b849f809548139473a928
SHA256: c7e3539ab59b62e06199f97fa9f24b57810a1089419ae10b4120be59d1ef1e73
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/nonbreaking/plugin.js
MD5: 749eb6330381762948b2f20a202bdbc8
SHA1: 734c7fc31992486d576ddf4cf2be102364eb269d
SHA256: db5d0af653b72f4eed01361aadbdb8d6156166764a6560f26094bb8af4b1dd0
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/noneditable/plugin.js
MD5: 0cd8420a08e51a6933403f015aaa3411
SHA1: f134de62fb37750ba86539b494fb2d1a4a8c3375
SHA256:b744c8b53bfd3743261cdf34c97adcc906ee0e8bb4d6e5f678ec17aa94ace620
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/pagebreak/plugin.js
MD5: 7c4ccd64b6155d8214b5b1a3f73f3b7b
SHA1: 0a4109c7fd5c0e8c3fc0ed4c5a0327d89127eb33
SHA256:428ed1c11ed3db50d423675174945be116a37f9f0272962ee963c5761e46ee53
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/paste/plugin.js
MD5: cfdc8703816a9737a79ae9ed7beabf8d
SHA1: efd58468ce97492f8ea66bed478b128ba718c6f6
SHA256: 3707fd09dec450191849481685e06a0f772fdb864ecc65ea7d44408bb5eda060
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/preview/plugin.js
MD5: 155059d4164fa84a11a8fcf832c167ef
SHA1: 4e9f13defe9e7105e46f8c5abd3dcd90f72884de
SHA256: bea49d22120d6084722e0622159923503c64ef38381627ba59453315c79899fe
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/print/plugin.js
MD5: 512f5958e5be1292e0b40b81acb3961b
SHA1: a593a69a04d2ee2d87500e43b22887a79d1cc0ab
SHA256: c2ed0f9eb835dbe6dbc07720f357d305d6d92f5f3b3f6c93582a08913f071a38
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/quickbars/plugin.js
MD5: 2a2749604c1d1c01d6449640386921a4
SHA1: 700d9a8bdb922519681b7066110d8ffbfb6d35af
SHA256: edc7cac600a5a192dd9631e1ce4486a9b2a4cf57130a854f95ed14407957a7ed
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/save/plugin.js
MD5: 1c596c6695f6fb677724104a5cb6ef09

SHA1: 1ab96f1ecc15c8464f4a21e6d87a8abfc5b6301f
SHA256: b1ceb34483e8524a67f86f0fafa3a4912b9cdbc459edd836d7d68782278929aa
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/searchreplace/plugin.js
MD5: d3638fa2fe4ff0254d106f74919fd5ba
SHA1: 7a97e21f55ddb50bebe88e7d1eb87961592238
SHA256: 352556506ab24dcc232614318170876cbfb89cdf3d4365b6b8b7768c9d10048b
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/spellchecker/plugin.js
MD5: 5c3a67b4eabdcdb17750b9515bf92835
SHA1: c3de092a25b1f541d896740a2d63ba1198376712
SHA256: a4a22a608a50d5674a7e92f3c9049eb69932b9641f8356f4ce200b38c38f29d3
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/tabfocus/plugin.js
MD5: 548f7a6c2fbfb65617f46ab7fe2bfd2e
SHA1: 74d5dfb9f0338becd85ce7c5333ff8cdca2e1160
SHA256:f5b1882e884a14b216bc1d7edd8a61e1b50161cf5010dca09566d35aa53a6c0e
Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/table/plugin.js
MD5: e1ea98e3eca4999c14dc0951b666d993
SHA1: 6a09bb055bdaa37a0b45ce400f928b80b675c26d
SHA256:858bd022fa57b3d57340a2c87a58f8ef7e653e866f1cc22b0123391a0fb11977
Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/template/plugin.js
MD5: 47caf788dd51be3ebcf03d4eaa0d50f1
SHA1: e271f8d918420b03bb2a07510fb96eb51363ee
SHA256: 339a4e659e0647090aee2bc5fc343479303dea8e928cac3c5ede9f1584ea61d0
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/textcolor/plugin.js
MD5: aa12124c60995407172b2ae1fa8206cd
SHA1: 09b8f038908b04a597a16cbcb1ab7fc50b77e2ad
SHA256: 09c4059de65cd8ce14bb8fc927787e77ec90d4daaa0160fd0e21002b8078171
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/textpattern/plugin.js
MD5: 215e9c4d9865b6321a969f773e0a7193
SHA1: 8ffc9ff16531e40c2bd3cf614c8019a3a52caff6
SHA256: 8dd84aec717ae70a619ad5f4d3f3be4119ff590884537d47d4225aa7b5ab460
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/toc/plugin.js
MD5: 78afdf32c32fcd51a56fe5ce479238f
SHA1: 874e7bd351c0928cd7346816f3cf18a323d5436f
SHA256: 4d27f86380b38c414e7b626863811d39bc6a3a1e7ab47e253259dadaca3a2830
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/visualblocks/plugin.js
MD5: 89774b121e225bb29c44c53f47e2a183

SHA1: 6069c8d84a6dcf9c2f92864d6d1758510ef8b4d9
SHA256:33e5237bfeffe2ed9eb14a2418ebe6be1baf4395465661f66c3f9ca00bdc72cb
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller
/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars
/tinymce/5.10.9/plugins/visualchars/plugin.js
MD5: b85145891b077f3216852bc21e7677c1
SHA1: f3ceee80fa4bbc6d0205e610ed39688d4fa65d66
SHA256:5be2c7c5ad1025ad62c0e89d39bf6b8ee44c97e21d2f30e21ca13794e1cd7bdc
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller
/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars
/tinymce/5.10.9/plugins/wordcount/plugin.js
MD5: d1c1769efd1232e07105603c1032e43d
SHA1: a2d9f7f149ad34bedecdb6bb5cad1ae4a4b5c0d8
SHA256:d3c70ee49b0f099523d93bcf93f9e37d6a248c35c960f49a76085b17e5fb0958
Referenced In Project/Scope: server


Evidence



| Type | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers | | | | |
| • None | | | | |

remotegui.zip: tinymce.jar: plugin.min.js


File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/advlist/plugin.min.js
MD5: 202d95b04d93c98fa6faea3b20ee2ac4
SHA1: 0107c4ede81a2681847699b607b0f5d4a8e9dcfa
SHA256:d30b35f56c2366c7e0a291f1be18171851d412d926ea4b91784d212101e36cde
Referenced In Project/Scope: server

| Evidence  | | | | |
|--|--------|------|-------|------------|
| Type | Source | Name | Value | Confidence |

| | | | | |
|-------------|--|--|--|--|
| Identifiers | | | | |
| • None | | | | |

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/anchor/plugin.min.js
MD5: 3112de0d66e518fc6e87e5b4bc54ff4b
SHA1: 022a805c78fe6f3c5c5b8a91125d98fb54b1d15e
SHA256:cf1e93f7be5e348ee4776f6e65f54298aef6b6fca5d44aa24997b9d4b9d7212e
Referenced In Project/Scope: server

| Evidence  | | | | |
|--|--------|------|-------|------------|
| Type | Source | Name | Value | Confidence |

| | | | | |
|-------------|--|--|--|--|
| Identifiers | | | | |
|-------------|--|--|--|--|

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autolink/plugin.min.js
MD5: edc2ccc56661043eb8418dfd9703b5e
SHA1: ee1a580f7c7f1281e770e7d9c34123b59e59178b
SHA256: 309c10e01eb2a9d35f84ed872ccbacbef6d5c4d2f5f2d8355bc9ec2bf44eb346
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autoresize/plugin.min.js
MD5: ae63cbe86bfd1dcffa4b04660f28aaa0
SHA1: f9a63a98a97eab4d781ca01f71cc1addc3c5c56e
SHA256: 8ac4ad0984018281d653b8ba59747a797d7d8cf9ad2c6d4097f626686d75f7ed
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autosave/plugin.min.js
MD5: e2a4aacd72790b6845b73b65a11c6b3b
SHA1: 2733e8839d95a76fb62e9cf2ef3cb299c2842fa9
SHA256: 6e409f97910c72655fd039e18989d8014b12e78bdb05857e8d6c7bbe54aac446
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/bbcode/plugin.min.js
MD5: d1562b4cfafdf0f1ba200fea776bd78a
SHA1: eacba8561e2fdec7c46448aa157a67b382731363
SHA256: 74a9c60d78820683b8ce5aab6ca007bf4272c79365cc3e38c76c15b32707c7f3
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/charmap/plugin.min.js
MD5: 329bc956fdd115d17a570e1c012aa29b

SHA1: d8c16a0341fb4bf0a68bdda349854578ac7930c9
SHA256:f02db784fa9fbff1ad2c355d51b7f5ac1eb88f66323d88d6ab7a9de24ca40941
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/code/plugin.min.js
MD5: 16a00a8a00e7bedfb8eca0b51cf91582
SHA1: ffe9b8ffe7ce4697a1dc933df3df85babceea49d
SHA256:2bd8c63c4d6361b92ce0babc4926c162dc03af995d9e4d16f3ee7a04719840f0
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/codesample/plugin.min.js
MD5: 1b42aad83df23dddcdb3eb08051adad4
SHA1: 6e51ce3687f2c008d37e1697107d4e3512fbc54e
SHA256:2259133ad05e1690cb479fd270193fa560462ac382ddddd37059f5fa9260802
Referenced In Project/Scope: server


Evidence



| Type | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers | | | | |
| • None | | | | |

remotegui.zip: tinymce.jar: plugin.min.js


File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/colorpicker/plugin.min.js
MD5: f2f33bb1a07f8fde712895df570c6dfa
SHA1: c3e7bc5ba0f4b176c86d0f71edbe598584ec10e4
SHA256:5a00b7584123d24eebedd3b90ba83e82eb3d92e6b25b308138e85b2b1ca9dcf3
Referenced In Project/Scope: server

| Evidence  | | | | |
|--|--------|------|-------|------------|
| Type | Source | Name | Value | Confidence |

| | | | | |
|-------------|--|--|--|--|
| Identifiers | | | | |
| • None | | | | |

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/contextmenu/plugin.min.js
MD5: 742eaeecaa0020e9bdf8d3e1727f4dfd
SHA1: 4a58d3d2bc2d4b0497c3bc849841ee6071dd9d92
SHA256:a5ac1a81055ca6448c15958011faeba3c194fc1b9028336a13d50dd121abf4e7
Referenced In Project/Scope: server

| Evidence  | | | | |
|--|--------|------|-------|------------|
| Type | Source | Name | Value | Confidence |

| | | | | |
|-------------|--|--|--|--|
| Identifiers | | | | |
|-------------|--|--|--|--|

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/directionality/plugin.min.js
MD5: 88407de4bae634b4b861f1784d6765ee
SHA1: d6cb3dd73846f0ebc118ee4e191261416b65f8ec
SHA256: f6c7d021ff2c3298dd324d3de5d468a37aedd3919fdfa04738c38878ad43f64f
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/plugin.min.js
MD5: 8e3a6564df728a54bbfc2007d35dd2fc
SHA1: 2bc65bce44cebef706234bddaa3fef61fddc2791
SHA256: 4ee4a74d6b13afa099bc6dd48f7a240219b87a24626d25a80cdf06f3535b840
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/fullpage/plugin.min.js
MD5: 12f9d416422e0984dfb0ad3c124a30e8
SHA1: 4c0cfd1305cd1b0b8373bbf11342e7c494cac4f8
SHA256: 3563499ed8b42c6d986ed4f805de9066a7a04f99d3343e2123369491fb6daa6c
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/fullscreen/plugin.min.js
MD5: 28c6f465baeeeba5f7711483c4a0e426
SHA1: 09ad73eeb65c59def15937ea120b3ed6682b6513
SHA256: 72033751454cb26f52d9981653f49b2eb2b727e500b8a6ac941cebe0c6287c10
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/help/plugin.min.js
MD5: c1cf37a849f126f10d8ac2b826aa39ce

SHA1: b7ddc1cfab6f87604bb7aa4577eb2b3812297340
SHA256: 611e336e89f80588550f49e8c15ba06bafba2902af4f81dbd63193548f18cfb1
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/hr/plugin.min.js
MD5: 25feedf184858ee3d71823eaf4990e0
SHA1: ade2fbb0b51b6d889b2a768e556cf96815bac0e1
SHA256: ee59ded600aa421083e0787156220364a82df074ef9b325c3238440404fb2c81
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/image/plugin.min.js
MD5: a1410f44dc4dae7dde1ad1b37cfcf5c2
SHA1: 794592d3040282761a5a3c186558f5edc87c40ea
SHA256: b0b7035786562496f47ccc7f69e2917966d1227a9f405f67e5e61d75deb619a3
Referenced In Project/Scope: server


Evidence



| Type | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers | | | | |
| • None | | | | |

remotegui.zip: tinymce.jar: plugin.min.js


File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/imagetools/plugin.min.js
MD5: bf4eeab4ff114a3ca465e2e00e0ed817
SHA1: 7c4796ab1f08d4a30fa1ea15734af2c89d33b673
SHA256:d6993e4195cf8098114f3024c8c556a9aaee2ad2249150ac84d9b5230f076dbb
Referenced In Project/Scope: server

| Evidence  | | | | |
|--|--------|------|-------|------------|
| Type | Source | Name | Value | Confidence |

| | | | | |
|-------------|--|--|--|--|
| Identifiers | | | | |
| • None | | | | |

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/importcss/plugin.min.js
MD5: 4dfbf3010085640e499ffa4ed53f3e9f
SHA1: 806b76dbeef2d9c4fd1aa243d1af03bba35b555e
SHA256:3c92a77bb7032d571c3c6c0a18123891e06bb40ae4498f137743d25ee6414ea8
Referenced In Project/Scope: server

| Evidence  | | | | |
|--|--------|------|-------|------------|
| Type | Source | Name | Value | Confidence |

| | | | | |
|-------------|--|--|--|--|
| Identifiers | | | | |
|-------------|--|--|--|--|

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/insertdatetime/plugin.min.js
MD5: 5a27df4fa9592be99446da8e6d67a2cf
SHA1: a031aff6bf079251c757636841a29b2e9d6a8b1c
SHA256: 321c0a514308e5c84257d8cdd3969e350486a6db0978e0e5ad143c0bc6a4ce0c
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/legacyoutput/plugin.min.js
MD5: 5516e774422ea64df103c3c2234a4ec6
SHA1: 657da397fb739dd03cb8aafa7177716b40f9d45b
SHA256: 57c72a86b59964c2b67e744ae14557c3eeb3839eed6bca42883e3190dc2620eb
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/link/plugin.min.js
MD5: d7059f353e02e66f01aa09b0fb193b61
SHA1: 5d94fa0eed6547f0bbd61c15bb0b9fd66ee095fc
SHA256: d539e25d6b9b7c1d912d731846be75285fd7813e9d23e6868a0fd602ed4d9bfe
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/lists/plugin.min.js
MD5: 153f9440390dfd0852bc13b37e4a99cf
SHA1: 098629a46a42755f921a2a6a8d2eee46dbbd6254
SHA256: 2e7d9385c8fd8248220ff2c5f34b30ad92a6bf34e65f05b611f24c9fd820a2a2
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/media/plugin.min.js
MD5: bff1f8494661523d9d921dd568dea68f

SHA1: 47b1e97c66ac4532a1cc0cdc213e84b2e1e5cb3d
SHA256:c4ddc7ef78871c0e384b32eede7953b391f1ebfab367fd6e38cd24aacb74808b
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/nonbreaking/plugin.min.js
MD5: 22cec5d1cd67de1710ac237a51b1eff2
SHA1: b78369ddc84f703ff894b59a951eb8713fbb0eaf
SHA256:9bb250342be2c9a4b71b46f553e5700b958b90356796f9d136c2d30cf51613af
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/noneditable/plugin.min.js
MD5: b559bf0c485035ccc5adc2cc5d27edc2
SHA1: d9535a360c55123550f45d2a13112e5c54613b09
SHA256:a3dcfa365c12b7cdc0102e3a3ba5f139cffbcb58c93de5cfd1cfd6758787e3f8
Referenced In Project/Scope: server


Evidence



| Type | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers | | | | |
| • None | | | | |

remotegui.zip: tinymce.jar: plugin.min.js


File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/pagebreak/plugin.min.js
MD5: 2e7175073fbd4c9d0d41a620b87f47c8
SHA1: c3808c1045cf485075c41586755b610a5e56f2c3
SHA256:e8796cc7df647c286d04bca204e397e9f77e274aa31a982196424842284dc11f
Referenced In Project/Scope: server

| Evidence  | | | | |
|--|--------|------|-------|------------|
| Type | Source | Name | Value | Confidence |

| | | | | |
|-------------|--|--|--|--|
| Identifiers | | | | |
| • None | | | | |

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/paste/plugin.min.js
MD5: e6ceced2c0b57ae7a093c250025d4b93
SHA1: 83000fb948b32522f4c391a21deca3c6ab3a41cd
SHA256:02f6cf2f00a0470edc2ce45521fe9e7ef083f1c0315558ee42c0f8c90d5059b8
Referenced In Project/Scope: server

| Evidence  | | | | |
|--|--------|------|-------|------------|
| Type | Source | Name | Value | Confidence |

| | | | | |
|-------------|--|--|--|--|
| Identifiers | | | | |
|-------------|--|--|--|--|

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/preview/plugin.min.js
MD5: 3662f07953f093e774ef09cd282aa456
SHA1: 995e14b009b09f1eb9f8a6694f2a63d3f03b28cc
SHA256: c56fdc4fc82a79bdcfaffa7173b9d73eb4ece00386a1cd6a3cf08441eaeca800
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/print/plugin.min.js
MD5: 779799d120a0e0ad3822f9e54640cf19
SHA1: d5848caf54e8617ad251491c9251d8f339a216e3
SHA256: b4dd176e085a39bddd30362cc503b757e8648fa763374927cc1f771032f2c432
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/quickbars/plugin.min.js
MD5: cf09c9aca413bc4fbb19c1b8db79bd2a
SHA1: f540a233d19ab3f34123e7dd97d09a12c0946139
SHA256:4f0a83cc96e7e818d2ee734b8dabcb31e2de69516c2f6a3338cc412d53795ab5
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/save/plugin.min.js
MD5: 1d255a40141338ace9a468f382ebc116
SHA1: 0f0dcf709e333cdd51f50dbffaa8249cb46ab218
SHA256:887deb37b92ba8b6aff6e65565fd22e338d267622e308d30c768cc5b1d11527e
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/searchreplace/plugin.min.js
MD5: ac0e1a41a7ac38053f65df3d3e899d50

SHA1: 2e7f1c6e0210b98b18cd48cc7a79ebd5ff9bf7bc
SHA256:2c00411b358e2836734b729c7dd85155c7398086f52be27124b314536d1ced65
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller
/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars
/tinymce/5.10.9/plugins/spellchecker/plugin.min.js
MD5: ba970e24a9000a62537e9a61dc67af21
SHA1: 975d4817120905cdba5d2f3c41c8d40548c79b15
SHA256:4e7e4741970c39f8c2e10f4b9375e2841ef82520e2f092daabfdec68bcd72c50
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller
/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars
/tinymce/5.10.9/plugins/tabfocus/plugin.min.js
MD5: b3ed291355f244a08de7c6cdd28bdc24
SHA1: be298bad6688fb4979fe9acb1949ea89c4afa36b
SHA256:13c873fca170d4949c38b556f8d76c09abfedb4c4a01b4e056a2d1ddaeaf915f
Referenced In Project/Scope: server


Evidence



| Type | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers | | | | |
| • None | | | | |

remotegui.zip: tinymce.jar: plugin.min.js


File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/table/plugin.min.js
MD5: e49127ac5d6d510bcfee6d834109d7d9
SHA1: 3e845f3a31bc77ff139f6c738afc05eddaee9573
SHA256:9130f4972ccd49565986d6e624d3a70109de6b5dfd56a9e0ff23954f17877e6d
Referenced In Project/Scope: server

| Evidence  | | | | |
|--|--------|------|-------|------------|
| Type | Source | Name | Value | Confidence |

| | | | | |
|-------------|--|--|--|--|
| Identifiers | | | | |
| • None | | | | |

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/template/plugin.min.js
MD5: f5d5437a7c23a78a945a8db00bae1dc5
SHA1: ec33f38e54858e4f4282fc27f8e635fa8d054701
SHA256:9bb402bbdba8a4d4b5a73a9f91d8150ef2805dda6ed96fd393c11e369c92a8ac
Referenced In Project/Scope: server

| Evidence  | | | | |
|--|--------|------|-------|------------|
| Type | Source | Name | Value | Confidence |

| | | | | |
|-------------|--|--|--|--|
| Identifiers | | | | |
|-------------|--|--|--|--|

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/textcolor/plugin.min.js
MD5: c423242c5a16c97be3b9a24d6b4f1062
SHA1: d50ad5bd7ea69a614899837e4cd3ecace1df2621
SHA256: 1a882eb097c9d69037a035c897a63cbbad1bd3b59cf5d22bacb4784d8994a3c1
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/textpattern/plugin.min.js
MD5: 4d23619babf8fc972428cfe3dd010411
SHA1: f57a6cebae882fb8d9c3a507de83d9b1fdb3a1a8
SHA256: 166cbcd9d86dce2a0890c62f6757500d3d4212a26c39757d9921f9e2615ba948
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/toc/plugin.min.js
MD5: 13707deaf5f0430745e57d913ea31257
SHA1: 2d23b19db8821b9910ba04c34d8bc1d4800e90b0
SHA256: 3a2df41858244f3207c16189f0eb78079e3da18d1151fe2a99c1adab3f117331
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/visualblocks/plugin.min.js
MD5: 9c96006cef6c3ac93b762398112b4855
SHA1: f9ec40c80b863f409947844e841cc0037b379657
SHA256: 0f1e3d314633726deea43eff70a76e1308fcc6d85570aa4cf6392abaa7d81e78
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/visualchars/plugin.min.js
MD5: 9869c6e0ff649172df808ed22c7b9a08

SHA1: 592dc0de3aa1d7e3a7f572a8d51e67fe3b2c7a43
SHA256: 469be54f8ba9ddbb9c8020d65aae0521d43f05a9197b8412e0247501f8da4490
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/wordcount/plugin.min.js
MD5: ca6ae0cddf594fd58d16eedfbf25e5a2
SHA1: da6fa1c97cb33defad55c1767e08f40b4955aa66
SHA256: 7b59f6d1fd0047cf530d9358dcbb7af7cc8982ab52642d230e10b0534ef1480e
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: theme.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/mobile/theme.js
MD5: bf71e3c8a676f9f33cae81ef702d5077
SHA1: cd57219abb6d0a23e19a100979d353f2ef5d98c1
SHA256: a0ca0d72dd1b77c66cbcd1eab25daa174ed8048507027218477bacf04e4cef11
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: theme.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/silver/theme.js

MD5: b99cdf5dcb718bb3d31d6c8667ae2462

SHA1: 26d8486e0ec39d27e79b0b37965b28e2b45afb6d

SHA256: 0147750f4214d0acd55cadda52809ac73766443333bb65947c7fe1e0684d85c7

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|---------|--------|---------|-----------|------------|
| Vendor | file | name | DOMPurify | High |
| Product | file | name | DOMPurify | High |
| Version | file | version | 2.3.8 | High |

Identifiers

- [pkg:javascript/DOMPurify@2.3.8](#) (*Confidence: Highest*)

remotegui.zip: tinymce.jar: theme.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/mobile/theme.min.js

MD5: 16cae3454aa3d42affaa77affd250d0f

SHA1: d1aabb81b26a0cea4f2463fc3834e19b96577db

SHA256: 41c734ae3943763aa08ab0b42b85aa755621e26124f15a7a0708ccb8b3ae3c63

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: theme.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/silver/theme.min.js

MD5: 9f7fbf793a00485e1943e7270b1194b2

SHA1: 2dbf1744e59360da304128ddd7cc25476e376af5

SHA256: 05f5cf013cd5b6c793f9d5f745350088d3c5686ba001197b7ce2e1cb8c961f99

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: tinymce.jar: tinymce.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/tinymce.js

MD5: f7a8350f10f92d58a952e1feb0d28f2c

SHA1: d3ecc2861e41722d51e1ede38da5ead47a530c14

SHA256: a78ee6bd10002d050a314768a523533144228f654d80571a8ed28ff3011208a1

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|--------|---------|---------|------------|
| Vendor | file | name | tinyMCE | High |
| Product | file | name | tinyMCE | High |
| Version | file | version | 5.10.9 | High |

Identifiers

- [pkg:javascript/tinyMCE@5.10.9](#) (*Confidence:High*est)

remotegui.zip: tinymce.jar: tinymce.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/tinymce.min.js

MD5: 10df005254d5668ccedbdba2614354acd

SHA1: fbcd5a3f14b7c3dd8a9d203b9b30acfba49a38f4

SHA256: 3c3041cb95a1c979ee2205901cf1c670a36c192ef089e6f63b94beabef386c30

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|---------|--------|---------|---------|------------|
| Vendor | file | name | tinyMCE | High |
| Product | file | name | tinyMCE | High |
| Version | file | version | 5.10.9 | High |

Identifiers

- [pkg:javascript/tinyMCE@5.10.9](#) (*Confidence:High*est)

remotegui.zip: twemoji.jar

License:

MIT

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/twemoji.jar

MD5: af9b535ef495075dfb0a7d5bec95eee6

SHA1: 0a559adee289b6b855ad1294b17dd71d9f3d21eb

SHA256: 9ce4f61ef563851b37c3918c54a876a865d2f66fda5f80dd2bfecebb2d7e386f

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|--------|--------|------|---------|------------|
| Vendor | file | name | twemoji | High |

| | | | | |
|---------|----------|------------|--|---------|
| Vendor | Manifest | url | https://github.com/twitter/twemoji/blob/master/LICENSE | Low |
| Vendor | pom | artifactid | twemoji-null | Low |
| Vendor | pom | groupid | lib | Highest |
| Vendor | pom | url | twitter/twemoji/blob/master/LICENSE | Highest |
| Product | file | name | twemoji | High |
| Product | Manifest | url | https://github.com/twitter/twemoji/blob/master/LICENSE | Low |
| Product | pom | artifactid | twemoji-null | Highest |
| Product | pom | groupid | lib | Highest |
| Product | pom | url | twitter/twemoji/blob/master/LICENSE | High |
| Version | pom | version | 1.0 | Highest |

Identifiers

- [pkg:maven/lib/twemoji-null@1.0](#) (*Confidence*:High)

reporting.zip: jcommon.jar

Description:

JCommon is a free general purpose Java class library that is used in several projects at www.jfree.org, including JFreeChart and JFreeReport.

License:

GNU Lesser General Public Licence: <http://www.gnu.org/licenses/lgpl.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/jcommon.jar

MD5: 3872e82627df950d40a949144a93e491

SHA1: d5016f7703896c38f9e511f8a9edda2585cbac8b

SHA256: 13e2596044935f76694cce65a22d1df908907ddcba0da2b49ff030930262d417

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|--------|--------|--------------|---------|------------|
| Vendor | file | name | jcommon | High |
| Vendor | jar | package name | jcommon | Highest |
| Vendor | jar | package name | jfree | Highest |
| Vendor | jar | package name | jfree | Low |

| | | | | |
|---------|------|-------------------|--------------------------------|---------|
| Vendor | jar | package name | library | Highest |
| Vendor | jar | package name | ui | Low |
| Vendor | pom | artifactid | jcommon | Low |
| Vendor | pom | developer email | dave@jfree.org | Low |
| Vendor | pom | developer name | David Gilbert | Medium |
| Vendor | pom | developer org | Object Refinery Limited | Medium |
| Vendor | pom | developer org URL | http://www.object-refinery.com | Medium |
| Vendor | pom | groupid | org.jfree | Highest |
| Vendor | pom | name | JCommon | High |
| Vendor | pom | organization name | JFree.org | High |
| Vendor | pom | organization url | http://www.jfree.org/ | Medium |
| Vendor | pom | url | http://www.jfree.org/jcommon/ | Highest |
| Product | file | name | jcommon | High |
| Product | jar | package name | jcommon | Highest |
| Product | jar | package name | jfree | Highest |
| Product | jar | package name | library | Highest |
| Product | jar | package name | ui | Low |
| Product | pom | artifactid | jcommon | Highest |
| Product | pom | developer email | dave@jfree.org | Low |
| Product | pom | developer name | David Gilbert | Low |
| Product | pom | developer org | Object Refinery Limited | Low |
| Product | pom | developer org URL | http://www.object-refinery.com | Low |
| Product | pom | groupid | org.jfree | Highest |
| Product | pom | name | JCommon | High |
| Product | pom | organization name | JFree.org | Low |
| Product | pom | organization url | http://www.jfree.org/ | Low |
| Product | pom | url | http://www.jfree.org/jcommon/ | Medium |
| Version | pom | version | 1.0.24 | Highest |

Identifiers

- pkg:maven/org.jfree/jcommon@1.0.24 (*Confidence:High*)

reporting.zip: jfreechartCC.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/jfreechartCC.jar

MD5: 346ba1ed5f23feef033a0d2b7167144b

SHA1: 1c08affc47641df3cd2ec88898a76f144d1f3e48

SHA256: 0af3da3f5c411a0784b79da486015a572b2fa110342d73535e8e45bfde589ef6

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor | file | name | jfreechartCC | High |
| Vendor | jar | package name | chart | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | jfree | Low |
| Vendor | Manifest | built-date | 2025-05-01 12:32 | Low |
| Vendor | Manifest | implementation-group | reporting | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | jfreechartCC | High |
| Product | jar | package name | chart | Low |
| Product | jar | package name | jfree | Low |
| Product | Manifest | built-date | 2025-05-01 12:32 | Low |
| Product | Manifest | implementation-group | reporting | Low |
| Product | Manifest | Implementation-Title | jfreechartCC | High |
| Product | Manifest | specification-title | jfreechartCC | Medium |
| Version | Manifest | Implementation-Version | 25.4.227 | High |

Identifiers

- None

reporting.zip: reporting-javadoc.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar

MD5: a70c598b93f13506ccd858927c86833b

SHA1: b35e8b5d7298bc7e8522e6600aea9fd5aa3b7781

SHA256: 08937ef204e344f061c13c6d8fb74c272ce29920fa79c16370a5bc18403b22ad

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|--------|------|-------------------|------------|
| Vendor | file | name | reporting-javadoc | High |
| Product | file | name | reporting-javadoc | High |

Identifiers

- None

reporting.zip: reporting-javadoc.jar: member-search-index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/member-search-index.js

MD5: ccdea62d223965e04e37be8ff2061293

SHA1: 784facf0ae891194a75af49a380ab6c335f23e92

SHA256: 209d7f53759f9789d1dc0513dc7e27d85892bd80ba12c0e03ebb952fa8ed6e0a

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

reporting.zip: reporting-javadoc.jar: package-search-index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/package-search-index.js

MD5: 2c0f8742f3f9b12b580ebbb1d05b246c

SHA1: 4ab261d1781d9f77c131e641ec031d38e39a0444

SHA256:40e580f6c42f5eaad108580601b9279ee0d06eb1b35574573d0d2a3798580d82

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

reporting.zip: reporting-javadoc.jar: type-search-index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/type-search-index.js

MD5: 8008687a1ad6ed821adc84cca8826520

SHA1: a21713c3a63548a6651afc41259760ad85b6226d

SHA256:a9e4cb81069076017cfaf4566173432128024441225b5c4d9bc20a04637f5416

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

reporting.zip: reporting.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar

MD5: 8f73f3478730dae3dac36e9355196398

SHA1: 65d331aa7ddc77f7b86ecab1f8edc35a975c4f3b
SHA256:710cdc204cce42b28e3360d1717b168bd86a57b088a8adae7de1f12d4a3fab44
Referenced In Project/Scope: server

Evidence +

| Type | Source | Name | Value | Confidence |
|---------|----------|--|--------------------------------------|------------|
| Vendor | file | name | reporting | High |
| Vendor | jar | package name | i | Highest |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | report | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2025-05-01 12:35 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | reporting | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | reporting | High |
| Product | jar | package name | permissions | Highest |
| Product | jar | package name | report | Low |
| Product | jar | package name | reporting | Highest |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2025-05-01 12:35 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | reporting | Low |
| Product | Manifest | Implementation-Title | reporting | High |

| | | | | |
|---------|----------|------------------------|-----------------|---------|
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | reporting | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | permissions | Highest |
| Version | jar | package name | reporting | Highest |
| Version | Manifest | Implementation-Version | 25.4.227 | High |

Identifiers

- None

reporting.zip: reporting.jar: events.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/events.js

MD5: 867af7b9527093452195d3057166a9ca

SHA1: e4856efc3e95a20f25beff5da4ce9b907c3a1575

SHA256: c342986741d1c87b03bfc899d7640ab9267f3e95c5a744e75c5ee12c321f2408

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

reporting.zip: reporting.jar: export.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/export.js

MD5: af5776d1f4c0f90fdda642460095cb85

SHA1: c2dc9db0273b351d4b598e0f72638148752fd650

SHA256: 10c81c741c713864819c8304285dd6394c841b37469652f4f72d716237c9a401

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

reporting.zip: reporting.jar: functions.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/functions.js

MD5: 3a126ddb2c4899eaa005990077cbaad0

SHA1: d5ba743c6d9c6743664ad4fb213876000f8ba125

SHA256: 839f1199523c7f48011c7a023fc938cbe07d13041507fe68a77d58ea909b029b

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

reporting.zip: reporting.jar: generator.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/generator.js

MD5: d98c2ca06a72837183dc17a3eeec0039

SHA1: cfa6d7f381d3cb43b6702884df53b0fa08149fc8

SHA256: b865ad0a07fa5779ed8ae8610cf3129c95c79337b20cbe479477b13d2c83d876

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

reporting.zip: reporting.jar: grouptree.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/grouptree.js

MD5: 73664ae0ed6a804d29957e83068ffc60

SHA1: 747d0a84b6d98c8a252cb9476d2ec689396f7d86

SHA256: b38e7787f6690520e1c2cc297e569e6941b6c3da97fdeba4ce044f7b4a17e114

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

reporting.zip: reporting.jar: htmlreportextension.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/plugins/drive/client/js/htmlreportextension.js

MD5: 4a91827e853ef0bf19cf06f343e18e98

SHA1: fda14009355a1098b25c75a307900e27d43a5e09

SHA256: 004b3358d2bc621a7bb7c3b3f7e350876ed7904cd41c4d51d88533babf4cf590

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

reporting.zip: reporting.jar: jstorage.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/jstorage.js

MD5: 8078b278235f9eb8cf63b1474a1362db

SHA1: feb74af17fb5ba7b01c4ad997759ec21ac685ad5

SHA256: 9d86bf1ad26f873ca615b15fc8cab964e332fa363317b8569c3f624fc947d8a8

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

reporting.zip: reporting.jar: keylistener.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/keylistener.js

MD5: 54d50496c4b43d4c78c30facfd01809d

SHA1: 9e29b6d13b0478339596ac131e214c605e10fa0d

SHA256: 29f7a3a51b8d139109d0165111d062e6e9ecd2c2d90de1e99b539da6c2e966bf

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

reporting.zip: reporting.jar: menubar.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html

/viewer/modules/menubar.js

MD5: 9da058e8a7ffde691780207953d63b52

SHA1: e6306c9b5ce0b1ab552b72cd203055f10c8e9707

SHA256: 6d223deb0ff80c9cf56a50eacc728c36440bbffc82a8cd5ee38e10fd6317482e

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

reporting.zip: reporting.jar: page.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/page.js

MD5: 214a1cd3653bb9aa3cec9078e6ee3316

SHA1: edb8d66493699591d0202d1a14b8f34af49daa75

SHA256: c559154fab98f5343d44cb8c02a2203f800eabd9e13d1fd9dd926440ee5fe825

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

reporting.zip: reporting.jar: pagecount.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/pagecount.js

MD5: c6823ab782e12fa9e9c0325321ab0011

SHA1: facbdd75d7176e5809cebd5d5702cfbb0bf677ac

SHA256: 5d189f3efc0e10f5c5e85964e89ffde18c81a1279c9132c64453f2a149423a5e

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

reporting.zip: reporting.jar: popup.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/popup.js

MD5: c3941efe0d33e1e9b046fccd239033cb

SHA1: 53951b79a3c0e93768dd4043b3d16d884fc2c7ca

SHA256: 0ed137328526d278076dcab6bfac9792717dadda6c0776cc839710fa0f1e49a3

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

reporting.zip: reporting.jar: print.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/print.js

MD5: f8fec5b39e4c5055f35e01c926e8b959

SHA1: b4f6666f078b60a130ec12b993d2884b2d3f81e7

SHA256: 2e3276591241b179642f2159147f317f020fc03df408dfbe6f8d370cd04f5824

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

reporting.zip: reporting.jar: prompts.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/prompts.js

MD5: 3b849b5bb11227c5ac033e504ed6aff0

SHA1: 98bdf6eb30305508d86670957ee0b52685fa37ce

SHA256: 34222344e247919691862f921320cae83bb6a658f4259412117b489cfa0097ee

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

reporting.zip: reporting.jar: prototype.array.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.array.js

MD5: c69ba575e53ba415b800f18386ce2d65

SHA1: 968d437fa28bd784a3dac6a58d090027bf8e0563

SHA256: 6dcde95b98fa808923a311e7b4a345da4c1b3df17ea2554294d6ef47e871dad5

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

reporting.zip: reporting.jar: prototype.element.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.element.js

MD5: b51b2dd46fafbff64c30ff2e731c814d

SHA1: ea525bae8dd23860d1b8202869a316626af91c26

SHA256: bd28001d8f95e450a5aed4bcd72851bbc126f9f5efb13feba698c034774a06ff

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

reporting.zip: reporting.jar: prototype.string.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.string.js

MD5: f0bb166a036ca364a6c047d345fc9a0e

SHA1: d491f3851e9aa5d8fd70d4139669635eb5cdd1b0

SHA256: fd0fc8d93a6bce3d07ec8a7db922110e3d15f5f0a7a66562599f9b369b6f6f30

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

reporting.zip: reporting.jar: renderreportextension.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/plugins/drive/client/js/renderreportextension.js

MD5: e4f2d17c10a193f2e46e30c80de52d09

SHA1: d37d5dc99e12ada04ae0737c180ced7fef7450c7
SHA256:ddf8e053d7cd180056fdd26cd15e3e269b917ce948d11b7a487dd6d000dc5051
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

reporting.zip: reporting.jar: reorder.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/reorder.js
MD5: c2f6f517d3d3f572c54fe096339ff49d
SHA1: a429dd95146869f4ab9b00c3611947ddf6b91d1a
SHA256:d4dbc3e3b8d16c84dc14e11b1e02ed413473d7d8da48b2c733f8c7024179f7fd
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

reporting.zip: reporting.jar: report.export.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/exportwebui/js/report.export.js
MD5: 11b5592b08b3a2f21b98843222cb5c99
SHA1: d2b4b4fd948c46fbb8d18d5f26ddbdfc243b676d
SHA256:95bfb6ccb730c142642ebafe6267fb4f2d94703b26c26084ac9073d75f14ebed
Referenced In Project/Scope: server


Evidence



| Type | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers | | | | |
| • None | | | | |


reporting.zip: reporting.jar: report.exportdialog.controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/exportwebui/js/report.exportdialog.controller.js
MD5: 33165ad89f5e1337a51632847b2d0e27
SHA1: 5d2c08233db36cafec84fdf42311ea706c186980
SHA256: 2e5f124cbc095e6af716907a4f7a2222563c5f198f7b80c115807d3dd20293a5
Referenced In Project/Scope: server

| Evidence  | | | | |
|--|--------|------|-------|------------|
| Type | Source | Name | Value | Confidence |
| Identifiers | | | | |
| • None | | | | |

reporting.zip: reporting.jar: report.exportdialog.service.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/exportwebui/js/report.exportdialog.service.js
MD5: e0c64da7a618e8b61743ab3f796e480f
SHA1: b3f3b1820ac805200784c2a04a8e9e0c5c6a773d
SHA256: e57c19851718e326461b09834966d70d0de3d3ce09f1656d16afe7f88f2807e7
Referenced In Project/Scope: server

| Evidence  | | | | |
|--|--------|------|-------|------------|
| Type | Source | Name | Value | Confidence |
| Identifiers | | | | |

- None

reporting.zip: reporting.jar: report.exportframe.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/exportwebui/js/report.exportframe.js

MD5: 2c9f57a3ef5d760bc9f1fe6d344384da

SHA1: a2562e63bc825ea8eeaaea75a98e09c2a6be7186

SHA256: f4417bf8d9d1430364d95d6e8eebffa28cc97c6cb34346e78d0612d5842d02a

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

reporting.zip: reporting.jar: script.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/script.js

MD5: 9237075ecd44006d5ab48177001c5314

SHA1: fe08bb48bf207cdcf0ff4e2d776b59672f965518

SHA256: bf5ee8cda7861d90ae35343c6233ccb210da8860285def9b47d20057685f97ba

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

reporting.zip: reporting.jar: search.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/search.js
MD5: faa3f4fb9604ed70bec53256b055ffa6
SHA1: 892688617be684946fa39098413d0c55d9e769cc
SHA256: ea1c42a5640880562ea7639e1c6ff2bb1af2496964ce572c64fa7735b51a5f6f
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

reporting.zip: reporting.jar: serverping.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/serverping.js
MD5: 6124f0f67286f7e3fbf239bdc4988d95
SHA1: aa0bb794c4e5c40bf4a7e580e251c2d15ae09e1d
SHA256: f688956f4c5cba792d04903423d249f8eeeaaffe37e3537b723f10572cf0d66d8
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

reporting.zip: reporting.jar: stacktrace.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/stacktrace.js
MD5: e9687f11beba8f607c0c98af4eb0cc94

SHA1: f92f65d1f27fad2febcc8ad23824f10f51cc722b

SHA256: 0b4e8ce367ded3ec4d68ff2fa931958f8e3d99d649e7175b4a1e62f27cf15701

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

reporting.zip: reporting.jar: tabbar.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/tabbar.js

MD5: fdb707b4dc212e365bff1fa637bbfa32

SHA1: 14e364be23b61f3f94427a79ce8c0f87bb186c04

SHA256: f9e18e41672898499dd50f0e802618952e153ddb40c052148dff9edce742a0ba

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

sampleapplication.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/CurrentTimePlugin/src/com/inet/application/currenttime/sampleapplication.js

MD5: a0b6ce01eb88d27464c409bd56d4fa65

SHA1: c23569535b8a3fb31880228a5e8c3efd42555175

SHA256: 8d80f1c43ca8a4dba57c52e977bd61d92acae6cfdb8655b68fbc7102b021905

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Related Dependencies

- application.currenttime.zip: sampleapplication.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/CurrentTimePlugin/application.currenttime.zip/src/com/inet/application/currenttime/sampleapplication.js
 - MD5: a0b6ce01eb88d27464c409bd56d4fa65
 - SHA1: c23569535b8a3fb31880228a5e8c3efd42555175
 - SHA256: 8d80f1c43ca8a4dba57c52e977bd61d92acae6cfdbe8655b68fbc7102b021905

Identifiers

- None

search-worker.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/search-worker.js

MD5: 5e2f2f2ecf39ab1197fa1f33bb73dce9

SHA1: fdf200a9954128e900e26e11749fc5c9250ba4eb

SHA256:422e115f5fd7829299546902847141ff52b972eca6c6b040bc7dbb81dcc79b89

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Related Dependencies

- search-worker.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/nunit - API Doc/styles/search-worker.js
 - MD5: 5e2f2f2ecf39ab1197fa1f33bb73dce9
 - SHA1: fdf200a9954128e900e26e11749fc5c9250ba4eb
 - SHA256: 422e115f5fd7829299546902847141ff52b972eca6c6b040bc7dbb81dcc79b89

Identifiers

- None

security.zip: security.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/security.zip/security.jar

MD5: 511bc7605d29c6e5ac0870b0aeb260fd

SHA1: dae6845a1d1d17d5535c1a15c4a57d92b7e8309b

SHA256: c3a6a06662a2428df7afa8edea3b531d82bdeb4873f4b4f1e1c2bd9fe92127cc

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor | file | name | security | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | security | Low |
| Vendor | jar | package name | server | Low |
| Vendor | Manifest | built-date | 2025-05-01 11:45 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | security | High |
| Product | jar | package name | security | Highest |
| Product | jar | package name | security | Low |
| Product | jar | package name | server | Low |
| Product | Manifest | built-date | 2025-05-01 11:45 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | security | High |
| Product | Manifest | specification-title | security | Medium |
| Version | Manifest | Implementation-Version | 25.4.227 | High |

Identifiers

- None

setuplauncher.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/java/setuplauncher.jar

MD5: a288e685b16fd9ecfdb835c7c6f0f7f0

SHA1: 36253a46f8c1263930bce237b5c72cee35ca79e6

SHA256: 2c8841b3a792d29218c122a8a6dcff7071deec88c8ef8cf4729a221164c59765

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor | file | name | setuplauncher | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | setuplauncher | Low |
| Vendor | Manifest | built-date | 2025-05-01 11:32 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | setuplauncher | High |
| Product | jar | package name | setuplauncher | Highest |
| Product | jar | package name | setuplauncher | Low |
| Product | Manifest | built-date | 2025-05-01 11:32 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | setuplauncher | High |
| Product | Manifest | specification-title | setuplauncher | Medium |
| Version | Manifest | Implementation-Version | 25.4.227 | High |

Identifiers

- None

slf4j-api-2.0.16.jar

Description:

The slf4j API

License:

<http://www.opensource.org/licenses/mit-license.php>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.slf4j/slf4j-api/2.0.16/172931663a09a1fa515567af5fbef00897d3c04/slf4j-api-2.0.16.jar

MD5: c8de8f5d740584cb24b5652cfba8b3c4

SHA1: 0172931663a09a1fa515567af5fbef00897d3c04

SHA256: a12578dde1ba00bd9b816d388a0b879928d00bab3c83c240f7013bf4196c579a

Referenced In Projects/Scopes:

- server
- server:inetPlugin

Included by: pkg:maven/pdfc/server@25.4

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|---------------------|---|------------|
| Vendor | file | name | slf4j-api | High |
| Vendor | gradle | artifactid | slf4j-api | Highest |
| Vendor | gradle | groupid | org.slf4j | Highest |
| Vendor | jar | package name | slf4j | Highest |
| Vendor | Manifest | build-jdk-spec | 21 | Low |
| Vendor | Manifest | bundle-docurl | http://www.slf4j.org | Low |
| Vendor | Manifest | bundle-symbolicname | slf4j.api | Medium |
| Vendor | Manifest | multi-release | true | Low |
| Vendor | pom | artifactid | slf4j-api | Low |
| Vendor | pom | groupid | org.slf4j | Highest |
| Vendor | pom | name | SLF4J API Module | High |
| Vendor | pom | parent-artifactid | slf4j-parent | Low |
| Vendor | pom | url | http://www.slf4j.org | Highest |
| Product | file | name | slf4j-api | High |
| Product | gradle | artifactid | slf4j-api | Highest |

| | | | | |
|---------|----------|------------------------|----------------------|---------|
| Product | jar | package name | slf4j | Highest |
| Product | Manifest | build-jdk-spec | 21 | Low |
| Product | Manifest | bundle-docurl | http://www.slf4j.org | Low |
| Product | Manifest | Bundle-Name | SLF4J API Module | Medium |
| Product | Manifest | bundle-symbolicname | slf4j.api | Medium |
| Product | Manifest | Implementation-Title | slf4j-api | High |
| Product | Manifest | multi-release | true | Low |
| Product | pom | artifactid | slf4j-api | Highest |
| Product | pom | groupid | org.slf4j | Highest |
| Product | pom | name | SLF4J API Module | High |
| Product | pom | parent-artifactid | slf4j-parent | Medium |
| Product | pom | url | http://www.slf4j.org | Medium |
| Version | file | version | 2.0.16 | High |
| Version | gradle | version | 2.0.16 | Highest |
| Version | Manifest | Bundle-Version | 2.0.16 | High |
| Version | Manifest | Implementation-Version | 2.0.16 | High |
| Version | pom | version | 2.0.16 | Highest |

Related Dependencies



- slf4j-api.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/java/slf4j-api.jar
 - MD5: c8de8f5d740584cb24b5652cfba8b3c4
 - SHA1: 0172931663a09a1fa515567af5fbef00897d3c04
 - SHA256: a12578dde1ba00bd9b816d388a0b879928d00bab3c83c240f7013bf4196c579a

Identifiers

- [pkg:maven/org.slf4j/slf4j-api@2.0.16](#) (*Confidence:High*)

taskplanner.logaction.zip: taskplanner.logaction.sample.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/TaskPlanner

/LogActionPlugin/taskplanner.logaction.zip/taskplanner.logaction.sample.jar
MD5: a728305022975405db19d4052c8042e0
SHA1: 8cef19d4ebc3e9d68d0057a1c83070011006c85b
SHA256:4433dedb026b6790037f4a67be368b938e6bc84ffc466c272c35a21e19bf9438
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor | file | name | taskplanner.logaction.sample | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | logaction | Low |
| Vendor | jar | package name | taskplanner | Low |
| Vendor | Manifest | built-date | 2025-05-01 11:43 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | taskplanner.logaction.sample | High |
| Product | jar | package name | logaction | Highest |
| Product | jar | package name | logaction | Low |
| Product | jar | package name | taskplanner | Highest |
| Product | jar | package name | taskplanner | Low |
| Product | Manifest | built-date | 2025-05-01 11:43 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | taskplanner.logaction | High |
| Product | Manifest | specification-title | taskplanner.logaction | Medium |
| Version | Manifest | Implementation-Version | 25.4.227 | High |

Identifiers

- None

taskplanner.openweathermap.zip: taskplanner.openweathermap.sample.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller
/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/TaskPlanner
/OpenWeatherMapPlugin/taskplanner.openweathermap.zip/taskplanner.openweathermap.sample.jar

MD5: c6ba6c15fdf16dddd374d91c2d040494

SHA1: c23ccb8886c2bf76d725f5c68b16376ccaf49951

SHA256: aed2c99f1f74206e6fc44397de8bb7b034587eb372e98faabdd0a85ff531bb8b

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor | file | name | taskplanner.openweathermap.sample | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | openweathermap | Low |
| Vendor | jar | package name | taskplanner | Low |
| Vendor | Manifest | built-date | 2025-05-01 11:43 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | taskplanner.openweathermap.sample | High |
| Product | jar | package name | openweathermap | Highest |
| Product | jar | package name | openweathermap | Low |
| Product | jar | package name | taskplanner | Highest |
| Product | jar | package name | taskplanner | Low |
| Product | Manifest | built-date | 2025-05-01 11:43 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | taskplanner.openweathermap | High |
| Product | Manifest | specification-title | taskplanner.openweathermap | Medium |
| Version | Manifest | Implementation-Version | 25.4.227 | High |

Identifiers

- None

taskplanner.pdf.zip: taskplanner.pdf.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller
/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.pdf.zip/taskplanner.pdf.jar

MD5: f356fcee81d7a23d2d413cae04ca8d0a

SHA1: a492924ad1ea9ab321f7af5a812bc7755f959590

SHA256: f13a78c6ebf65f33908429017d13a3a66350e24b764d0f12d2ec8cbf62701283

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor | file | name | taskplanner.pdfc | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | jar | package name | taskplanner | Low |
| Vendor | Manifest | built-date | 2025-05-06 07:17 | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | taskplanner.pdfc | High |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | jar | package name | taskplanner | Highest |
| Product | jar | package name | taskplanner | Low |
| Product | Manifest | built-date | 2025-05-06 07:17 | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | taskplanner.pdfc | High |
| Product | Manifest | specification-title | taskplanner.pdfc | Medium |

| | | | | |
|---------|----------|------------------------|----------|---------|
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 25.4.232 | High |

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.232:*:*:*:*:* (*Confidence:Low*)

suppress

taskplanner.zip: commons-cli.jar

Description:

Apache Commons CLI provides a simple API for presenting, processing, and validating a Command Line Interface.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/commons-cli.jar

MD5: ef66360f30909f8372d6358dfc5d1b6c

SHA1: e1cdfa8bf40ccbb7440b2d1232f9f45bb20a1844

SHA256: d3d530d0f28fd0fbbffe2b0b338f70e8cb96f1605579e2e3abd4db29cac24e69

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|--------|----------|--------------------------|---|------------|
| Vendor | file | name | commons-cli | High |
| Vendor | jar | package name | apache | Highest |
| Vendor | jar | package name | cli | Highest |
| Vendor | jar | package name | commons | Highest |
| Vendor | Manifest | build-jdk-spec | 17 | Low |
| Vendor | Manifest | bundle-docurl | https://commons.apache.org/proper/commons-cli/ | Low |
| Vendor | Manifest | bundle-symbolicname | org.apache.commons.cli | Medium |
| Vendor | Manifest | Implementation-Vendor | The Apache Software Foundation | High |
| Vendor | Manifest | Implementation-Vendor-Id | org.apache | Medium |
| Vendor | Manifest | multi-release | true | Low |

| | | | | |
|--------|----------|----------------------|---|---------|
| Vendor | Manifest | specification-vendor | The Apache Software Foundation | Low |
| Vendor | pom | artifactid | commons-cli | Low |
| Vendor | pom | developer email | bob@werken.com | Low |
| Vendor | pom | developer email | chtompki@apache.org | Low |
| Vendor | pom | developer email | ebourg@apache.org | Low |
| Vendor | pom | developer email | ggregory at apache.org | Low |
| Vendor | pom | developer email | jbjk@mac.com | Low |
| Vendor | pom | developer email | jstrachan@apache.org | Low |
| Vendor | pom | developer email | roxspring@imapmail.org | Low |
| Vendor | pom | developer email | tn@apache.org | Low |
| Vendor | pom | developer id | bob | Medium |
| Vendor | pom | developer id | chtompki | Medium |
| Vendor | pom | developer id | ebourg | Medium |
| Vendor | pom | developer id | ggregory | Medium |
| Vendor | pom | developer id | jkeyes | Medium |
| Vendor | pom | developer id | jstrachan | Medium |
| Vendor | pom | developer id | roxspring | Medium |
| Vendor | pom | developer id | tn | Medium |
| Vendor | pom | developer name | Bob McWhirter | Medium |
| Vendor | pom | developer name | Emmanuel Bourg | Medium |
| Vendor | pom | developer name | Gary Gregory | Medium |
| Vendor | pom | developer name | James Strachan | Medium |
| Vendor | pom | developer name | John Keyes | Medium |
| Vendor | pom | developer name | Rob Oxspring | Medium |
| Vendor | pom | developer name | Rob Tompkins | Medium |
| Vendor | pom | developer name | Thomas Neidhart | Medium |
| Vendor | pom | developer org | Ariane Software | Medium |
| Vendor | pom | developer org | Indigo Stone | Medium |
| Vendor | pom | developer org | integral Source | Medium |
| Vendor | pom | developer org | SpiritSoft, Inc. | Medium |
| Vendor | pom | developer org | The Apache Software Foundation | Medium |
| Vendor | pom | developer org | Werken | Medium |
| Vendor | pom | developer org URL | https://www.apache.org/ | Medium |
| Vendor | pom | groupid | commons-cli | Highest |
| | | | | |

| | | | | |
|---------|----------|----------------------|--|---------|
| Vendor | pom | name | Apache Commons CLI | High |
| Vendor | pom | parent-artifactid | commons-parent | Low |
| Vendor | pom | parent-groupid | org.apache.commons | Medium |
| Vendor | pom | url | https://commons.apache.org/proper/commons-cli/ | Highest |
| Product | file | name | commons-cli | High |
| Product | jar | package name | apache | Highest |
| Product | jar | package name | cli | Highest |
| Product | jar | package name | commons | Highest |
| Product | Manifest | build-jdk-spec | 17 | Low |
| Product | Manifest | bundle-docurl | https://commons.apache.org/proper/commons-cli/ | Low |
| Product | Manifest | Bundle-Name | Apache Commons CLI | Medium |
| Product | Manifest | bundle-symbolicname | org.apache.commons.cli | Medium |
| Product | Manifest | Implementation-Title | Apache Commons CLI | High |
| Product | Manifest | multi-release | true | Low |
| Product | Manifest | specification-title | Apache Commons CLI | Medium |
| Product | pom | artifactid | commons-cli | Highest |
| Product | pom | developer email | bob@werken.com | Low |
| Product | pom | developer email | chtompki@apache.org | Low |
| Product | pom | developer email | ebourg@apache.org | Low |
| Product | pom | developer email | ggregory at apache.org | Low |
| Product | pom | developer email | jbjk@mac.com | Low |
| Product | pom | developer email | jstrachan@apache.org | Low |
| Product | pom | developer email | roxspring@imapmail.org | Low |
| Product | pom | developer email | tn@apache.org | Low |
| Product | pom | developer id | bob | Low |
| Product | pom | developer id | chtompki | Low |
| Product | pom | developer id | ebourg | Low |
| Product | pom | developer id | ggregory | Low |
| Product | pom | developer id | jkeyes | Low |
| Product | pom | developer id | jstrachan | Low |
| Product | pom | developer id | roxspring | Low |
| Product | pom | developer id | tn | Low |
| Product | pom | developer name | Bob McWhirter | Low |

| | | | | |
|---------|----------|------------------------|---|---------|
| Product | pom | developer name | Emmanuel Bourg | Low |
| Product | pom | developer name | Gary Gregory | Low |
| Product | pom | developer name | James Strachan | Low |
| Product | pom | developer name | John Keyes | Low |
| Product | pom | developer name | Rob Oxspring | Low |
| Product | pom | developer name | Rob Tompkins | Low |
| Product | pom | developer name | Thomas Neidhart | Low |
| Product | pom | developer org | Ariane Software | Low |
| Product | pom | developer org | Indigo Stone | Low |
| Product | pom | developer org | integral Source | Low |
| Product | pom | developer org | SpiritSoft, Inc. | Low |
| Product | pom | developer org | The Apache Software Foundation | Low |
| Product | pom | developer org | Werken | Low |
| Product | pom | developer org URL | https://www.apache.org/ | Low |
| Product | pom | groupid | commons-cli | Highest |
| Product | pom | name | Apache Commons CLI | High |
| Product | pom | parent-artifactid | commons-parent | Medium |
| Product | pom | parent-groupid | org.apache.commons | Medium |
| Product | pom | url | https://commons.apache.org/proper/commons-cli/ | Medium |
| Version | Manifest | Bundle-Version | 1.9.0 | High |
| Version | Manifest | Implementation-Version | 1.9.0 | High |
| Version | pom | parent-version | 1.9.0 | Low |
| Version | pom | version | 1.9.0 | Highest |

Identifiers

- <pkg:maven/commons-cli/commons-cli@1.9.0> (*Confidence:High*)

taskplanner.zip: cron-utils.jar

Description:

A Java library to parse, migrate and validate crons as well as describe them in human readable language

License:

Apache 2.0: <http://www.apache.org/licenses/LICENSE-2.0.html>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/cron-utils.jar

MD5: 4c27537eecc6fa37ed5740b5383643c8

SHA1: 5d3738bc7a2eaa45a94a76c6e87af54a95414637

SHA256: 02af0e8b2fe93c9fa6eef97b53b39faae14c5b996356edb132e9fe620013744

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|-----------------------|---|------------|
| Vendor | file | name | cron-utils | High |
| Vendor | jar | package name | cron | Highest |
| Vendor | jar | package name | cronutils | Highest |
| Vendor | jar | package name | utils | Highest |
| Vendor | Manifest | automatic-module-name | com.cronutils | Medium |
| Vendor | Manifest | build-jdk-spec | 1.8 | Low |
| Vendor | Manifest | bundle-symbolicname | com.cronutils.cron-utils | Medium |
| Vendor | pom | artifactid | cron-utils | Low |
| Vendor | pom | developer id | jmrozanec | Medium |
| Vendor | pom | groupid | com.cronutils | Highest |
| Vendor | pom | name | cron-utils | High |
| Vendor | pom | url | http://cron-parser.com/ | Highest |
| Product | file | name | cron-utils | High |
| Product | jar | package name | cron | Highest |
| Product | jar | package name | cronutils | Highest |
| Product | jar | package name | utils | Highest |
| Product | Manifest | automatic-module-name | com.cronutils | Medium |
| Product | Manifest | build-jdk-spec | 1.8 | Low |
| Product | Manifest | Bundle-Name | cron-utils | Medium |
| Product | Manifest | bundle-symbolicname | com.cronutils.cron-utils | Medium |
| Product | pom | artifactid | cron-utils | Highest |
| Product | pom | developer id | jmrozanec | Low |

| | | | | |
|---------|----------|----------------|-------------------------|---------|
| Product | pom | groupid | com.cronutils | Highest |
| Product | pom | name | cron-utils | High |
| Product | pom | url | http://cron-parser.com/ | Medium |
| Version | Manifest | Bundle-Version | 9.2.1 | High |
| Version | pom | version | 9.2.1 | Highest |

Identifiers

- [pkg:maven/com.cronutils/cron-utils@9.2.1](#) (*Confidence:High*)
- [cpe:2.3:a:cron-utils_project:cron-utils:9.2.1:*:*:*:*:*](#) (*Confidence:Highest*) suppress
- [cpe:2.3:a:utils_project:utils:9.2.1:*:*:*:*:*](#) (*Confidence:Highest*) suppress

taskplanner.zip: taskplanner-javadoc.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar

MD5: 5606188603a136e2493c2425f82a885d

SHA1: 37e4454fea14f40d86d93a22ae58f67e89bf5196

SHA256: f1aaf72022a6e6f8cd6c9a7c646d94e21bfc9d3532989891a4d7981be60ffc83

Referenced In Project/Scope: server

Evidence +

| Type | Source | Name | Value | Confidence |
|---------|--------|------|---------------------|------------|
| Vendor | file | name | taskplanner-javadoc | High |
| Product | file | name | taskplanner-javadoc | High |

Identifiers

- None

taskplanner.zip: taskplanner-javadoc.jar: member-search-index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/member-search-index.js

MD5: 89033498326fab816297572664f5cf6d

SHA1: 0ca5f98a2dcd54fb148595401f471de2bbd0250f

SHA256:c94e33bae41613b39a252e5a6ec781e44f14fdc3cf9b815117d0c99f2b92851f
Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

taskplanner.zip: taskplanner-javadoc.jar: package-search-index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/package-search-index.js
MD5: 664e97ca24dfa41c9d227a21aa0d43c5
SHA1: 4594dfafaa4e3780974c8476ea5a1ea1b9898f41
SHA256:d5638352f038b195118792e06962bd06f15b8ca6ebd6df9db669aa096012ec0d
Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

taskplanner.zip: taskplanner-javadoc.jar: type-search-index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/type-search-index.js
MD5: d4cdbbc6c76d43ead6c21a98fcbe5e61
SHA1: df7c0c10fdb529b9419bd2a38286160b47eda99c
SHA256:7c7aa1396f244a9a3375bbda8e04124171c29b5858c2847f548cd0b4c3361427
Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

taskplanner.zip: taskplanner.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar

MD5: 9579f0ef2067560fc42a4e3d9f170752

SHA1: 80da22167ac637f18a1db4cd02515a8a6f1bc6e0

SHA256: d26d5b8747ed20982f5adee4f76525a82d5ac919f171658cf67a5d821f101593

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor | file | name | taskplanner | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | server | Low |
| Vendor | jar | package name | taskplanner | Low |
| Vendor | Manifest | built-date | 2025-05-01 11:20 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | taskplanner | High |
| Product | jar | package name | api | Low |
| Product | jar | package name | server | Low |
| Product | jar | package name | taskplanner | Highest |
| Product | jar | package name | taskplanner | Low |
| Product | Manifest | built-date | 2025-05-01 11:20 | Low |
| Product | Manifest | implementation-group | shared | Low |

| | | | | |
|---------|----------|------------------------|-------------|--------|
| Product | Manifest | Implementation-Title | taskplanner | High |
| Product | Manifest | specification-title | taskplanner | Medium |
| Version | Manifest | Implementation-Version | 25.4.227 | High |

Identifiers

- None

taskplanner.zip: taskplanner.jar: app.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/app.js

MD5: 22be8e86a9121096b162ff523e37842e

SHA1: cc6010fdc028f0b9c5c95def16c69e3bab116bf0

SHA256: 511c001c378b9f9e28f261cafaa88892acb5a29743c50d5daf15dd869357bc0c

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

taskplanner.zip: taskplanner.jar: boolean.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/boolean.directive.js

MD5: 8dcbd2299e9082c7d30047c62d84fa7d

SHA1: 46e20aa1bd139542182a754edf0eaa8fa8684782

SHA256: f28e377c325d8ac419426606ae56bbb78e523210087910b9a595d87235d4eed0

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

taskplanner.zip: taskplanner.jar: colorField.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/colorField.directive.js

MD5: 6befac83d2b0754235fb738ada07b8db

SHA1: fa581823e83812639dd7a834b580619472492cff

SHA256: 299ff7b917c507bb852d4c8f7a305e545c214806ae816b47aa9f2b37928a5154

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

taskplanner.zip: taskplanner.jar: controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/controller.js

MD5: 517f2fee6b44d05a1c7cf14aa5403b4f

SHA1: 9408064531c8eb0a3bc248f9cfcc8b2c0e0aff34

SHA256: d0d94c33ddbca3323fc50c1832481e43d6d4786e35b4da44a329a7b6a2adb463

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

taskplanner.zip: taskplanner.jar: factory.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/factory.js

MD5: 65a0e2a58b46b6bf17b8a6cb4fa3be15

SHA1: cab237a6e2092eb72ce73d77a47114eb3d2ce4b3

SHA256: b45ec15f580b0d9f02a31c366f6656130361fa1b95f798fa0066d1ab9f5a2488

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

taskplanner.zip: taskplanner.jar: filechooserAddonButton.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/filechooserAddonButton.directive.js

MD5: 1dbc17a2a4e1fc7930dda7d5d3e4630a

SHA1: 350be18d05b89c69fa3167a09822876d21a42143

SHA256: 140100d27da0900d67a30dadcf9971ed9eff5c2787aa5814b930f986615c6abb

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

taskplanner.zip: taskplanner.jar: model.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/model.js
MD5: 97d28d6942b4bc22b121b554b5b9d36f
SHA1: 25ad1c5dac475ab3a13df6e6a2792d52e9fd29ca
SHA256: 7bdd9f9c01104aa2dec6ba649ad42a0617e31cdb655b1a5920934fdd0a75519b
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

taskplanner.zip: taskplanner.jar: numberRange.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/numberRange.directive.js
MD5: e98f0aec3fd059575c390f4488396764
SHA1: 5fb36b30f1022112f5da2a9373fa562859a8f05d
SHA256: 2164d0a1c06a1750c41b3be860ade120946d0091f3f6c512241235601c3f74b6
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

taskplanner.zip: taskplanner.jar: numberWrapper.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/numberWrapper.directive.js
MD5: c71128c3dac942fc1d5d488562b727a0
SHA1: 51e1419abd22f7f48debceb976752bfec46e36f4
SHA256: 3c3f6b8e5bcc8bf32a3cf2192a10de8472100d195cc2b08c4ff860a0dcb9bacf
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

taskplanner.zip: taskplanner.jar: passwordTextField.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/passwordTextField.directive.js

MD5: 3c1bcad68930caf2fa88697134624473

SHA1: 6c25ac7bd32b0c40b2202c9dc43f83842c55f846

SHA256: 4620ce8c28a46c1675c50490a25f14d481e8910a7b3687a4bb712d73c80f3d73

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

taskplanner.zip: taskplanner.jar: renderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/renderer.directive.js

MD5: 3e232b940bcd532e99c88f5b95bf60b2

SHA1: a051ce6df82ad9673fc1b23bafc3670d70bb4cac

SHA256: b930dc86802f4307b5f6d4671f27dac5bd85d5766f32567f5479ecc9077bf5a3

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleCurrencyField.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleCurrencyField.directive.js

MD5: 54ae56c2f76e7b601b9e9785dc51a623

SHA1: af05845b893807b4460bc65fa189700abcb4dc82

SHA256: 847d6da58f5887edac53896e6bec4dde5b293a08a8ac6e421aa2847991f3b877

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleDateTimeField.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleDateTimeField.directive.js

MD5: 53d33b9956ea6ffea7cb1fef5e878961

SHA1: 2388423f76a1b38cb2e5729e57a113245e1d3f2d

SHA256: 7cbb2507fe22dfec607af8d76d85317a395c3ebb98e31ec9be26e73350dbcd9f

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleFileFolderField.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleFileFolderField.directive.js

MD5: f5286e610a6bb3285e052f2e91efb466

SHA1: 71fbce03897306e305f9e7763076f6cdf1d23ef

SHA256: f0b62fb39485c6232a6ca1373326e0bdd6485c6b7a9b6e1d7d263f2bceba3aad

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleGroup.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleGroup.directive.js

MD5: d69a3c1dd5569172999325602506517f

SHA1: 780808312f5a19e0b6726453655b1911dde585bc

SHA256: 4eada3908c9db4213e058eb378f9f7f28e7e96e0ee3de2817f5d408b88176dc5

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleLabel.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleLabel.directive.js
MD5: ecbe7da1cc7d51e0bd4e73e7c2fad4df
SHA1: d16a32bb34f1ff4d0f4740a06660ed72f4eca1fc
SHA256: 2b533fa13f74789de6b02fb037bfd7eae3b8b6e7d0f851a66f57739f565fd453
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleLink.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleLink.directive.js
MD5: 525dc45cb1886c4808186e1094480bba
SHA1: 7198a40b645128e0495d6d04c008b31b37faf827
SHA256: 7f2b60bda8c8e3938f9e8762c000606909ba0411aa784a202c93a1b2371cd82e
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleSelect.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleSelect.directive.js
MD5: e54a750acec037585e380229a6b74b39
SHA1: a6323f355bb4da4cdcac24be2572fec96332bfa8
SHA256: 39d6b66fe24beb027a1445157af449f17a51069e0887603b4eaf624474b5ee6c
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleTextField.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleTextField.directive.js

MD5: 998a4b2340386c5ff39fd74451642547

SHA1: b0025705125d1a18bec3624d0eb34176bb332c9d

SHA256: 8a7ad2a61dbd1c78565a7626a8c100523c97984be77d431929041f19e2f24c1c

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

taskplanner.zip: taskplanner.jar: stringTable.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/stringTable.directive.js

MD5: 2731ad8625d24769bc3f9727361b4d6f

SHA1: d0c7a2e05d815252c80a51064ffe4d66f0d18843

SHA256: db785a8486fd5f45ef2a56d1d977afa0b445bf4491e1b429a9863c46e5a2d35a

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

taskplanner.zip: taskplanner.jar: taskplanner_maintenance.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/maintenance/taskplanner_maintenance.js

MD5: e17e990210a0b6ccd25d7aa85efdb501

SHA1: 783e33954dbca62f5eee8e905260273716633edf

SHA256: aad4ed23724cab1efe4abcf2672f64149c007b0aff1ce93d621b8080fcbfcae3

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

taskplanner.zip: taskplanner.jar: textAreaField.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/textAreaField.directive.js

MD5: 46bf6266b3aa8c7d331c34aa58185b2d

SHA1: f6348f31ef689122ec81b2dac2455e15f4b561e6

SHA256: 4f679ccc7d9fdb172764575fb3e9fdffb3cb21d370b3adcf06b17fd7326f877b

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

theme.zip: theme.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/theme.jar

MD5: 7616ccefb0898bfc47e0346b8140d3f0

SHA1: 21cbe492a81d8208a4a488b483b921e55d2f0e0a

SHA256: 78bcf9a92ef21c06c34e82e34e815fba16d49d65914874aa64e61627dab108bf

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor | file | name | theme | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | server | Low |
| Vendor | jar | package name | theme | Low |
| Vendor | Manifest | built-date | 2025-05-01 11:14 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | theme | High |
| Product | jar | package name | server | Low |
| Product | jar | package name | theme | Highest |
| Product | jar | package name | theme | Low |
| Product | Manifest | built-date | 2025-05-01 11:14 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | theme | High |
| Product | Manifest | specification-title | theme | Medium |
| Version | Manifest | Implementation-Version | 25.4.227 | High |

Identifiers

- None

urlcookie.zip: urlcookie.sample.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Authentication/UrlCookiePlugin/urlcookie.zip/urlcookie.sample.jar

MD5: 179f65ce6858361d5fe26056c5d0f968

SHA1: 5a6300891a8153d8b48f4ad1d1db22725b60d978

SHA256: 36e2eb20d7e309eb8e925a7b776880b67fd94b2b86f89adf68709c1fd806cd8e

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor | file | name | urlcookie.sample | High |
| Vendor | jar | package name | authentication | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | urlcookie | Low |
| Vendor | Manifest | built-date | 2025-05-01 11:43 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | urlcookie.sample | High |
| Product | jar | package name | authentication | Low |
| Product | jar | package name | urlcookie | Highest |
| Product | jar | package name | urlcookie | Low |
| Product | Manifest | built-date | 2025-05-01 11:43 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | urlcookie | High |
| Product | Manifest | specification-title | urlcookie | Medium |
| Version | Manifest | Implementation-Version | 25.4.227 | High |

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar
MD5: df706999eebfd67ca67dfce2b0e34878
SHA1: 5fded43f8a55c458eb9e040a10502d80a93509ff
SHA256: e6ea0ff8ad06bc8f1cf2a40e65d26445d5f32b6fa454f2c7fb681672dd4d87bb
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor | file | name | usersandgroupsmanager | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | server | Low |
| Vendor | jar | package name | usersandgroupsmanager | Low |
| Vendor | Manifest | built-date | 2025-05-01 11:38 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | usersandgroupsmanager | High |
| Product | jar | package name | server | Low |
| Product | jar | package name | usersandgroupsmanager | Highest |
| Product | jar | package name | usersandgroupsmanager | Low |
| Product | Manifest | built-date | 2025-05-01 11:38 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | usersandgroupsmanager | High |

| | | | | |
|---------|----------|------------------------|-----------------------|--------|
| Product | Manifest | specification-title | usersandgroupsmanager | Medium |
| Version | Manifest | Implementation-Version | 25.4.227 | High |

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeAccountSettingsRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeAccountSettingsRenderer.directive.js

MD5: 136a634e0236a238529acf990312d10e

SHA1: 75518847c3c3aa3737e31149c6834bb6c40f4606

SHA256: 9901a11fad82515fe2425d4f07163b716e8dfa8233196e7fcdc8f21b3aca6817

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeBooleanRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeBooleanRenderer.directive.js

MD5: e6bb2b0218c39ede42d1779e09d0b306

SHA1: bfedb33d3a2d6896458956fdc4209692d43e0d02

SHA256: 7e4281e4831ef87da9cf9e032009349bcf48c35a0b2769e742a978cdda8de750

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeCommaSeparatedRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeCommaSeparatedRenderer.directive.js
MD5: c951e088eb99044087cb876a2ad80f5c
SHA1: f2b74d24949b8a35f38a36bbff7f12a73c939305
SHA256: fffae5f607dd4f6b565ae943bb15075423a58f6601346c1fc670985cd1da7f9b
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeCurrencyRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeCurrencyRenderer.directive.js
MD5: 64550819586104467e438b403590e32a
SHA1: e6c4957a7648c8baa484227d04cad8a186aac008
SHA256: e8d9d2cffbcd1355ea33fe7d3615a95c3cef34b5be3445be5fe9bddd1b54b38f
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeDateRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeDateRenderer.directive.js

MD5: 44f37b8866281fc7c293da24a2c85a70

SHA1: 90bf5ee3414c0b14352fece7ff49252f0993ee34

SHA256: 3cd49a8b48976c1456092476ff9e09678ade7ec6909c5e0f59f6f570b92c4256

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeDoubleRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeDoubleRenderer.directive.js

MD5: 65ddc17ce6fe22f66db3066174836be4

SHA1: a6f9bedc7c489f3e0f3b4ff366e2f892a08bf29c

SHA256: ec52f2531296ff86fda9a20858daf87e52ac3dfaf1bc942daae33c7513fac7e4

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeHintRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeHintRenderer.directive.js

MD5: 9c0f5b5dde50569ef2e9efb5feef050

SHA1: 3793878df0a194ac7445ae9076fd1f235cf26a42

SHA256: d4a42152b9ce8527dc853e66f110464f038f4c885cf1df7fe415203dbcb8148b

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeIntegerRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeIntegerRenderer.directive.js

MD5: fb567b3054e16ecd92115183e677f194

SHA1: a956bb37b828d2b0016c3e63df573291cf3a65c1

SHA256: a25204639ecdb47cfdeaaba8461fe9caedc30b4fa3afa5865b502880c4c3fb80

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeLinkRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeLinkRenderer.directive.js
MD5: b4e5347a3fc15cee057d292ac2fe7d91
SHA1: 70fba39954e7947be220792ce9d792ecfec06748
SHA256: 33ad47fd4a0e7943e9a39fdf239becc5fd54c4a1b9be4c727c27daf720b0d1e7
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeLoginsRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeLoginsRenderer.directive.js
MD5: 77e510f9e074e3104df3096deb39cd91
SHA1: 68e57a5859aa1073fdb62dd1102867d0c7db3c9f
SHA256: 70fdfe453166ed5a8bae30f56d71e5e52c58c98db676853519a0d35dd71de650
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|


Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeMembersRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeMembersRenderer.directive.js
MD5: 110c0a60b3a8824c7cf38b3cfd38423b
SHA1: b130d47d83af3073663f95cfe0392d9c055d06cd

SHA256:e34d1d921aada8085754efea61b320506608504a2332d0b186031e7beba524f2
Referenced In Project/Scope: server

Evidence 


| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:
fieldtypeMultilineRenderer.directive.js**

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeMultilineRenderer.directive.js
MD5: 5b24949676b9be3413f73641882f7125
SHA1: 1b5266b7516f4a6f4e1b25dc128969f10b0a8c09
SHA256:698d88b748ec45a4e7bdd87b1c97472d8868165551ae5ecf7d0159925c92ed71
Referenced In Project/Scope: server

Evidence 


| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:
fieldtypePermissionRenderer.directive.js**

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypePermissionRenderer.directive.js
MD5: cf56b95e7c81bb7bb0027f214dde9847
SHA1: b098c8143c168614aac2a46fda4bf02078b31f9e
SHA256:c8f403974591a2b05c630a7117596fd64540d53205808bee40d6ede27a166790
Referenced In Project/Scope: server

Evidence 

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeSelectRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeSelectRenderer.directive.js

MD5: eff35ed2335d82f48e0f301bbe002c13

SHA1: 33c6717aeac4415d8fd2b3e573c2c4c067344351

SHA256:ff2a7f5c982515dbdf6a16e2205866e1b5a8f45df37e0297357daf27aa4ac042

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeStayLoggedInSessionsRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeStayLoggedInSessionsRenderer.directive.js

MD5: 8f7246a8c4620515a714dd858c7b0847

SHA1: bab49440daa202026ce7fdb25d3c3ab7d0ac2473

SHA256:85a66f84209b323ddf4e87ee26891210234ea42bfc20d6befdc3074cde326595

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeStringListRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeStringListRenderer.directive.js

MD5: ecfa08e9586484891e935de461582539

SHA1: 128276640372b4e442f5c63c643c908710c7fedf

SHA256: aff8a656bfc2d940c02a861b600e4a95cefa61453508fb2b8659fe42582bccea

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeStringRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeStringRenderer.directive.js

MD5: 6e46d5a536692ff278cf276eeb7151bb

SHA1: 11b326f65d25098d5d02c6077e20b867d5c331ec

SHA256: b2158332ea8f76ceee5435e803e4def4b559a3216ce6eae90e0385d1554d3924

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeTimeRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeTimeRenderer.directive.js
MD5: 8513454094f6efb43b4257acfab955f
SHA1: 56784b3ea31cc21416f65da1661b7c18b8e9eb5e
SHA256: 3758a9259a963b155469b4d6b979fd30fee14edcaca155910f20b33b7d2a9d7f
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeTimerangeRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeTimerangeRenderer.directive.js
MD5: 8ca11f921f530ae3c6d14011f1026be2
SHA1: 123f12b6375637b6819435453cbfc089589514d6
SHA256: 3e31b81046fd3a24c691fc82c45f4779912d02b3bad3ca52366670c31042edfe
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: membershipentry.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/membershipentry.directive.js

MD5: 44b5a1bc9d21d123546c077cc5ee0273

SHA1: a662eed543d97810f0150150724386a00d4cd140

SHA256: 593b7224b59ecc7b59b3ea52f23ba1ffd60a7b0dc9075c47106d48d062da6e7a

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: membershiplist.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/membershiplist.directive.js

MD5: 9de8f2f539c79244aa95473d497004db

SHA1: dab0863017fbaf80d7da94770dbb17d87cff3a80

SHA256: 2939b841bcd7d14e9874e99c72e4c0f58e7c8f5b485fe04158782c2b0d3cdcd1

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: nonmembershiplist.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/nonmembership.directive.js
MD5: 22269c6c1e32356a15788a694358c895
SHA1: c4909db34c175ff0621e17f241f66994e0516bc6
SHA256: 1f276cac3365d03c06572f9325217ffc7c65db411b5d40035f818c4890e66ffc
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: permissionCheckboxRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/permissionCheckboxRenderer.directive.js
MD5: f43b62e6ec19922b603e65ac0d9811bc
SHA1: b82e36201fade72e6423ba980d5351e13c657bbb
SHA256: e3d32df00dc3c4d43110a9a8f277ce1383c133b6912f0154626190931c6daff7
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: permissionRadiobuttonRenderer.directive.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/permissionRadiobuttonRenderer.directive.js
MD5: b2674a06f9cfb8cab9196229817a52c

SHA1: 2816becffb93dad552e07d80fb7e5042e13f1d26
SHA256: 07270db8fca85c74ed49ae3f2345692c66443c01ef0be67234cc3d01e0873675
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagercontroller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller
/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.
jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagercontroller.js

MD5: 3966dde5288327ce4a7664ffa146425f

SHA1: 9f1156c2c726e731d362aff1b4bf1f611da47c70

SHA256: bf3ede557a367f1cca803b9a259d1cc6c8f4109e6b381d08ea43c1360e7f9598

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdetailscontroller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller
/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.
jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerdetailscontroller.js

MD5: cd4b90a897c42eb0c1a38f660153f739

SHA1: c582f35a31ed251b2b02456bf79fcb8e6edbf9dc

SHA256: 656c50c31f9f812740468c695b10f58d1e54b770765a25e7be047e661e305870

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdialogcontroller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerdialogcontroller.js
MD5: e35a43fa1eb935369c4e018ff1ee7640
SHA1: d239261c725a4ba6e6efa911b48e4909c5372d69
SHA256: 3625665593e42ba14b5b40999ac21bdaeaea0baa80831182e221207a5019b541
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdirectives.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerdirectives.js
MD5: e9dc4bc3ba3fd9f9adf5de4a8617ed4c
SHA1: ac32c4a6c290226d25046f3d824109ace6801dbf
SHA256: 89db6ce36a44feba7b3cb9557170fc002549b6357e38b520102ec0eada56f661
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagereffectivepermissionscontroller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagereffectivepermissionscontroller.js
MD5: e38beee6d03d93074acba84010e4c176
SHA1: d27284aae10d28fac162196094e0196c7c2486cf
SHA256: c2c9dd56c576d23e8038048090751071a5b29f53bb9fbbba03d42cedb31d927d0
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerfactory.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerfactory.js
MD5: dc8c0a6680f31ab372911a958ba66b98
SHA1: f9f73f7ae49f35bea16b6ad67b5f70cf30361692
SHA256: 296a2f8f249c84716c1085a55767e813d7333bad64db7233333c98e5c3a3cb25
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:
usersandgroupsmanagermodel.js**

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagermodel.js
MD5: 78fa68eb33bb346554c0e6c6d9c899da
SHA1: 51ddb1f42d082d80f29f683114a9392a751dc361
SHA256: 9bd38ddc3c2f13b295438b16555afe7407a4a56d535e0b512be540164beefa0e
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:
usersandgroupsmanagerpredeletionwarning.js**

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerpredeletionwarning.js
MD5: 2e963c8f1de1c02f2a9c062f03aff6a5
SHA1: 1f5065e679fefcb1e927248cecf615950df2d1f
SHA256: 8cea620f3d0600315b5b8296a91d5b5826093ee4c728d432dd1f00460347aff5
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:
usersandgroupsmanagerrenderer.js**

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerrenderer.js

MD5: 66a9eef845301ec92243566a8a8a5fd0

SHA1: 07cdb6a5a6e3d559c7e69fc37aeb1261d9e8c54b

SHA256: b8aba3f0ce4c611245296998ca48c1ba116b76a9aedef381e7ccfa69411b8b4bc

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:
usersandgroupsmanagerstatisticscontroller.js**

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerstatisticscontroller.js

MD5: 15db7d8e1d9c9102dff09a6540eacfdc

SHA1: 0ca6006da11c419453850c3ec9ec855c42e7b58b

SHA256: 6d215333ea6f212da404f333e073a3ca4ab48c921f75f159950694913b1b17bf

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:
usersandgroupsmanagertakeoutcontroller.js**

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller /server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagertakeoutcontroller.js
MD5: aecb7916c7ddc1ab36bb620e0bba61aa
SHA1: e98561144eeaf1048f88096ef4adeb4de63d971f
SHA256:cdb865f01764972194727fb6a715369b4353c620ecfdbeeadc40021144b7361c
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

webapi.core.zip: swagger-models.jar

Description:

swagger-models

License:

"Apache License 2.0";link="http://www.apache.org/licenses/LICENSE-2.0.html"

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller /server/build/tmp/dependencies/i-net PDFC/plugins/webapi.core.zip/swagger-models.jar
MD5: f17667842889d8671d785b92e248a76e
SHA1: 00b7e1973dee1b69f8df24013c7468b830a42dec
SHA256:25ee351c9646ba391167a88b15c2214a6c29cf4bcebeafa52ea93dd79a13759e
Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|--------|----------|-----------------------|--------------------------------------|------------|
| Vendor | file | name | swagger-models | High |
| Vendor | jar | package name | io | Highest |
| Vendor | jar | package name | oas | Highest |
| Vendor | jar | package name | swagger | Highest |
| Vendor | jar | package name | v3 | Highest |
| Vendor | Manifest | automatic-module-name | io.swagger.v3.oas.models | Medium |
| Vendor | Manifest | build-jdk-spec | 11 | Low |
| Vendor | Manifest | bundle- | frantuma;email="frantuma@yahoo.com"; | Low |

| | | | | |
|---------|----------|----------------------------|---|---------|
| | | developers | name="Francesco Tumanischvili",fehgyu; email="fehgyu@gmail.com";name="Tony Tam",webron;email="webron@gmail.com"; name="Ron Ratovsky" | |
| Vendor | Manifest | bundle-docurl | https://github.com/swagger-api/swagger-core /modules/swagger-models | Low |
| Vendor | Manifest | bundle- symbolicname | io.swagger.core.v3.swagger-models | Medium |
| Vendor | Manifest | mode | development | Low |
| Vendor | Manifest | url | https://github.com/swagger-api/swagger-core /modules/swagger-models | Low |
| Vendor | pom | artifactid | swagger-models | Low |
| Vendor | pom | groupid | io.swagger.core.v3 | Highest |
| Vendor | pom | name | swagger-models | High |
| Vendor | pom | parent-artifactid | swagger-project | Low |
| Product | file | name | swagger-models | High |
| Product | jar | package name | io | Highest |
| Product | jar | package name | oas | Highest |
| Product | jar | package name | swagger | Highest |
| Product | jar | package name | v3 | Highest |
| Product | Manifest | automatic- module-name | io.swagger.v3.oas.models | Medium |
| Product | Manifest | build-jdk-spec | 11 | Low |
| Product | Manifest | bundle- developers | frantuma;email="frantuma@yahoo.com"; name="Francesco Tumanischvili",fehgyu; email="fehgyu@gmail.com";name="Tony Tam",webron;email="webron@gmail.com"; name="Ron Ratovsky" | Low |
| Product | Manifest | bundle-docurl | https://github.com/swagger-api/swagger-core /modules/swagger-models | Low |
| Product | Manifest | Bundle-Name | swagger-models | Medium |
| Product | Manifest | bundle- symbolicname | io.swagger.core.v3.swagger-models | Medium |
| Product | Manifest | mode | development | Low |
| Product | Manifest | url | https://github.com/swagger-api/swagger-core /modules/swagger-models | Low |
| Product | pom | artifactid | swagger-models | Highest |
| Product | pom | groupid | io.swagger.core.v3 | Highest |
| Product | pom | name | swagger-models | High |
| Product | pom | parent-artifactid | swagger-project | Medium |
| Version | Manifest | Bundle-Version | 2.2.27 | High |
| Version | Manifest | implementation- version | 2.2.27 | High |

Versionpomversion2.2.27Highest

Related Dependencies

- webapi.core.zip: swagger-annotations.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webapi.core.zip/swagger-annotations.jar
 - MD5: b4bb05bf9161df53de9e26ef05f21a64
 - SHA1: 4e37522be663224e6a7ed22e49e889bac0be3f16
 - SHA256: 3a7317e9b44f1517df5ce8b66db5ee54e9b4e28668059e76388d4a910f19e21e
 - [pkg:maven/io.swagger.core.v3/swagger-annotations@2.2.27](#)

Identifiers

- [pkg:maven/io.swagger.core.v3/swagger-models@2.2.27](#) (Confidence:High)
- cpe:2.3:a:http-swagger_project:http-swagger:2.2.27:*:*:*:*:* (Confidence:Low)

suppress

webapi.core.zip: webapi.core.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webapi.core.zip/webapi.core.jar

MD5: 52bc7a629f9e97983cb6b997c5156383

SHA1: 976092da6b9b1c8ff98bacfee0b9c9b22edf5f96

SHA256:132f1e5c8c80cbb1b6ed953f6af4c25b8e115794d60e836b282961a8bdcd0548

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|--------|----------|--------------------------|------------------|------------|
| Vendor | file | name | webapi.core | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | plugin | Low |
| Vendor | jar | package name | webapi | Low |
| Vendor | Manifest | built-date | 2025-05-01 11:16 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| | | | | |

| | | | | |
|---------|----------|------------------------|--------------------------------------|---------|
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | webapi.core | High |
| Product | jar | package name | plugin | Low |
| Product | jar | package name | webapi | Highest |
| Product | jar | package name | webapi | Low |
| Product | Manifest | built-date | 2025-05-01 11:16 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | webapi.core | High |
| Product | Manifest | specification-title | webapi.core | Medium |
| Version | Manifest | Implementation-Version | 25.4.227 | High |

Identifiers

- None

webapi.core.zip: webapi.core.jar: shared.factory.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webapi.core.zip/webapi.core.jar/com/inet/plugin/webapi/client/shared.factory.js

MD5: 71ebae03129e5cfe9a365b5e720e3490

SHA1: ea9693443bf3c22859304d80e0211f93bf497cae

SHA256: 241a674b73b581ebcf526dec899352c4c538d0d7fd8f70cf9d4e8e9090ed889e

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

webapi.core.zip: webapi.core.jar: webapi.codemirror.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webapi.core.zip/webapi.core.jar/com/inet/plugin/webapi/client/webapi.codemirror.js

MD5: e37705cda1cd7e6eb4408e5d4fe774fa

SHA1: 1c74dd696c40608ba0a369d96c27365c327b64a2

SHA256: 4cb0f58de26541e79a05e5c326492f4650175cebd514d7fb797acd90c89b6e0e

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

webapi.core.zip: webapi.core.jar: webapi.core.editor.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webapi.core.zip/webapi.core.jar/com/inet/plugin/webapi/client/webapi.core.editor.js

MD5: 0f186644fa1082401ecc910c0be91f51

SHA1: 569dbaab077a37a1ea1121afa06aeefac2c945e3

SHA256: fb23237975712b0dc682ec16c872107c0f3226cfc1872bda4c8da6e4a010b560

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

webapi.core.zip: webapi.core.jar: webapi.core.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webapi.core.zip/webapi.core.jar/com/inet/plugin/webapi/client/webapi.core.js

MD5: c25f5c090e5cca1e39283dfc02028601

SHA1: ebf77254b4aa4834bfbd419e9b273a10656c984f
SHA256:108e39514adbff024753ad60e1481f65d0037feb1ff203067f58d06ab61227c0
Referenced In Project/Scope: server

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

webserver.defender.zip: webserver.defender.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.defender.zip/webserver.defender.jar
MD5: 94197d60783bed6645db85f376aa9cc8
SHA1: 9552d8052f82a5316749456e0ebde75fe4ba2750
SHA256:a2d7d76472a7fe5095bc6730a623005b437144027ec7b2dba2de3a725489d39f
Referenced In Project/Scope: server

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

| | | | | |
|---------|----------|--------------------------|--------------------------------------|--------|
| Vendor | file | name | webserver.defender | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | webserverdefender | Low |
| Vendor | Manifest | built-date | 2025-05-01 11:45 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | webserver.defender | High |
| Product | jar | package name | webserverdefender | Low |
| Product | Manifest | built-date | 2025-05-01 11:45 | Low |
| Product | Manifest | implementation- | shared | Low |

| | | group | | |
|---------|----------|------------------------|--------------------|--------|
| Product | Manifest | Implementation-Title | webserver.defender | High |
| Product | Manifest | specification-title | webserver.defender | Medium |
| Version | Manifest | Implementation-Version | 25.4.227 | High |

Identifiers

- None

webserver.zip: acme4j-client.jar

Description:

ACME client for Java

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/acme4j-client.jar

MD5: 6a777e9a2790f92e3ca84ab3f670372a

SHA1: 2fc4db562eb89dd97d01efbd66498af44f010fc5

SHA256: 3fc818cdf24695c427dd85aa62c6510fb488602618272935c61a7525e47fdd8a

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|-------------------|----------------------|------------|
| Vendor | file | name | acme4j-client | High |
| Vendor | jar | package name | acme4j | Highest |
| Vendor | jar | package name | shredzone | Highest |
| Vendor | Manifest | build-jdk-spec | 17 | Low |
| Vendor | pom | artifactid | acme4j-client | Low |
| Vendor | pom | groupid | org.shredzone.acme4j | Highest |
| Vendor | pom | name | acme4j Client | High |
| Vendor | pom | parent-artifactid | acme4j | Low |
| Product | file | name | acme4j-client | High |
| Product | jar | package name | acme4j | Highest |
| Product | jar | package name | shredzone | Highest |
| Product | Manifest | build-jdk-spec | 17 | Low |
| Product | pom | artifactid | acme4j-client | Highest |

| | | | | |
|---------|-----|-------------------|----------------------|---------|
| Product | pom | groupid | org.shredzone.acme4j | Highest |
| Product | pom | name | acme4j Client | High |
| Product | pom | parent-artifactid | acme4j | Medium |
| Version | pom | version | 2.16 | Highest |

Identifiers

- [pkg:maven/org.shredzone.acme4j/acme4j-client@2.16](https://maven.org.shredzone.acme4j/acme4j-client@2.16) (*Confidence:High*)

webserver.zip: jetty-websocket-core-client.jar

Description:

Jetty module for Core :: Websocket :: Client

License:

EPL-2.0 OR Apache-2.0

<https://www.eclipse.org/legal/epl-2.0/>, <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-websocket-core-client.jar

MD5: 89b79d4b92bc54ebd1dbff12dca7d94c

SHA1: ab0040f5331831417a8ef920242c40404167b9f8

SHA256: 0ee04f306ac0759980f8b81e2585ad1caa4aead7df22f1a5277264b2d5ad6431

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|--------|----------|-----------------------|--|------------|
| Vendor | file | name | jetty-websocket-core-client | High |
| Vendor | jar | package name | core | Highest |
| Vendor | jar | package name | eclipse | Highest |
| Vendor | jar | package name | jetty | Highest |
| Vendor | jar | package name | websocket | Highest |
| Vendor | Manifest | build-jdk-spec | 22 | Low |
| Vendor | Manifest | bundle-copyright | Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others. | Low |
| Vendor | Manifest | bundle-docurl | https://jetty.org/ | Low |
| Vendor | Manifest | bundle-symbolicname | org.eclipse.jetty.websocket.core.client | Medium |
| Vendor | Manifest | Implementation-Vendor | Eclipse Jetty Project | High |
| | | | | |

| | | | | |
|---------|----------|------------------------|--|---------|
| Vendor | Manifest | url | https://jetty.org/ | Low |
| Vendor | pom | artifactid | jetty-websocket-core-client | Low |
| Vendor | pom | groupid | org.eclipse.jetty.websocket | Highest |
| Vendor | pom | name | Core :: Websocket :: Client | High |
| Vendor | pom | parent-artifactid | jetty-websocket | Low |
| Product | file | name | jetty-websocket-core-client | High |
| Product | jar | package name | core | Highest |
| Product | jar | package name | eclipse | Highest |
| Product | jar | package name | jetty | Highest |
| Product | jar | package name | websocket | Highest |
| Product | Manifest | build-jdk-spec | 22 | Low |
| Product | Manifest | bundle-copyright | Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others. | Low |
| Product | Manifest | bundle-docurl | https://jetty.org/ | Low |
| Product | Manifest | Bundle-Name | Core :: Websocket :: Client | Medium |
| Product | Manifest | bundle-symbolicname | org.eclipse.jetty.websocket.core.client | Medium |
| Product | Manifest | url | https://jetty.org/ | Low |
| Product | pom | artifactid | jetty-websocket-core-client | Highest |
| Product | pom | groupid | org.eclipse.jetty.websocket | Highest |
| Product | pom | name | Core :: Websocket :: Client | High |
| Product | pom | parent-artifactid | jetty-websocket | Medium |
| Version | Manifest | Bundle-Version | 12.0.16 | High |
| Version | Manifest | Implementation-Version | 12.0.16 | High |
| Version | pom | version | 12.0.16 | Highest |

Related Dependencies



- webserver.zip: jetty-client.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-client.jar
 - MD5: 9ae45a77f4a0643f10381c9bb9d4ad82
 - SHA1: 5107a785b8c102eb92325afc01a8386256391282
 - SHA256: 0d5375c83a60362f2225ae06d4837463942f39c5bc6bd83172b4ad2aef28df29
 - [pkg:maven/org.eclipse.jetty/jetty-client@12.0.16](https://mvnrepository.com/artifact/org.eclipse.jetty/jetty-client/12.0.16)
- webserver.zip: jetty-ee10-servlet.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-ee10-servlet.jar
 - MD5: baf3dbe9ee077d04df134c78e4bfa7ae
 - SHA1: 022a746c00b1ac5c790fee65a398c707160a46d8

- SHA256: 18a6c41074061a0ff440d618b43e7ab328e81226ec21c4d6a4d53b90b2c94a55
- pkg:maven/org.eclipse.jetty.ee10/jetty-ee10-servlet@12.0.16
- webserver.zip: jetty-ee10-servlets.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-ee10-servlets.jar
 - MD5: f291d63b180d59ed1cd1c3969b68fa20
 - SHA1: cab66998f9fe91e4c097641005b634d88da0373e
 - SHA256: c5a750269f66300183dc4ea7ae158a20b933e7733f7718d4b3b7d037c08e56f1
 - pkg:maven/org.eclipse.jetty.ee10/jetty-ee10-servlets@12.0.16
- webserver.zip: jetty-ee10-websocket-jakarta-client.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-ee10-websocket-jakarta-client.jar
 - MD5: 792343c085cedff98b24d0e316cc3e8f
 - SHA1: 449a9ce343582735625b4011e4d8e25de9e3a8f8
 - SHA256: 2cf2e4e450a28a64b496730bdc65ae6aad41407fb4ab1bf195c4b829d18b1dcd
 - pkg:maven/org.eclipse.jetty.ee10.websocket/jetty-ee10-websocket-jakarta-client@12.0.16
- webserver.zip: jetty-ee10-websocket-jakarta-common.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-ee10-websocket-jakarta-common.jar
 - MD5: d408cd9ae11058fdb732d929f16155cf
 - SHA1: 5b76d970f502c4f428096b06dbe521319bc9b649
 - SHA256: b015a32840876ab5a772c2db14bd6a6c7e568eebcefd3e0c6c5d84e6bf9a3ca2
 - pkg:maven/org.eclipse.jetty.ee10.websocket/jetty-ee10-websocket-jakarta-common@12.0.16
- webserver.zip: jetty-ee10-websocket-servlet.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-ee10-websocket-servlet.jar
 - MD5: ca31dd05159b245852d29fc1de3d761f
 - SHA1: 8c0da42377b7e69b5c51eeba8323575b95044d9c
 - SHA256: 979376b6bc583fa670bd200be77f04f6bce0945d2e61378c04f4f9163624ede2
 - pkg:maven/org.eclipse.jetty.ee10.websocket/jetty-ee10-websocket-servlet@12.0.16
- webserver.zip: jetty-http.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-http.jar
 - MD5: 97fbad480f90455582cefadd2b030332
 - SHA1: 68019fa90e8420ae15c109bd8c8611cacbaf43e5
 - SHA256: b0751b3dd9a8abc79ba0c5061613843dba1d2ce231057f53ad3d038ca888dfb0
 - pkg:maven/org.eclipse.jetty/jetty-http@12.0.16
- webserver.zip: jetty-http2-common.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-http2-common.jar
 - MD5: a7b42a203fbc4e41ab41bbe18b34445c
 - SHA1: da74b966122d797583a8b58db4f81272f2865cb4
 - SHA256: eb74c664c0b39dcbab5c4b2d98133f0c273bea0ec8495ab00a8e6a209809ed1
 - pkg:maven/org.eclipse.jetty.http2/jetty-http2-common@12.0.16
- webserver.zip: jetty-http2-hpack.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-http2-hpack.jar
 - MD5: 2d0e11fbc69fc4087320f09371e04c31
 - SHA1: 09c742fd760f447177d725e7eee61d960b3c8f43
 - SHA256: 2a8f1c8c258389fde1c4939758d8322e6cfd6a00fd9e722556f48058d0780bd5
 - pkg:maven/org.eclipse.jetty.http2/jetty-http2-hpack@12.0.16
- webserver.zip: jetty-io.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-io.jar

- MD5: ae480591a63c1b212f4c7911349761a4
- SHA1: 7a162c537a99bbaf35a074fec9a50815e6c81d9d
- SHA256: c8dfd2d88d34be5461417f2256be0cc868865c45815f7ee0e409ddd872f0e84f
- pkg:maven/org.eclipse.jetty/jetty-io@12.0.16
- webserver.zip: jetty-security.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-security.jar
 - MD5: 255464da6183b5c0148887757273e23f
 - SHA1: 23b1a3abecf9d6f5498064a32d9145ae1d8330f9
 - SHA256: 7a6d5b2d0edb1b5012b5510a80411c7fb4b9844b3879938d3b6e9ace3b9b6876
 - pkg:maven/org.eclipse.jetty/jetty-security@12.0.16
- webserver.zip: jetty-session.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-session.jar
 - MD5: 3eab34dcfbee6e4210e23c654a543b6
 - SHA1: 79cdedc7afebbdba4453f603dfe2f970baa35cc3
 - SHA256: 5d7dfd24c94472c368441488791412a31ea476ad4f1d9286b4f5802c5d85514b
 - pkg:maven/org.eclipse.jetty/jetty-session@12.0.16
- webserver.zip: jetty-util.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-util.jar
 - MD5: b3c132eb692790fe9b29bb03ee52003e
 - SHA1: e262e505363e5925df15618622d9888aefc1b0d0
 - SHA256: a03d43c194993ebb4d51fbfe7fe29134d7863b28708380eedd11797c83543cf
 - pkg:maven/org.eclipse.jetty/jetty-util@12.0.16
- webserver.zip: jetty-websocket-core-common.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-websocket-core-common.jar
 - MD5: 4ed47b2a59d30ecae35aca39ead29435
 - SHA1: dcb9deb8e5fbff3654b4e6abc99f3e16eddb3ba3
 - SHA256: bebe6fac6ddd4047bd7334bf43362c7f5d1404282ef866ca6b092950f6c1fa91
 - pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-common@12.0.16
- webserver.zip: jetty-websocket-jetty-api.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-websocket-jetty-api.jar
 - MD5: 6ff3f94a36e47ff5623e64983f732551
 - SHA1: 6f9daad7d609bf04622b2d36bba7dce90dcc20e1
 - SHA256: 4d4b7f0a0848be5df55c99fec923202d5c117b60d7b9d9642b09534e3274477d
 - pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-jetty-api@12.0.16

Identifiers

- pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-client@12.0.16 (Confidence:High)
- cpe:2.3:a:eclipse:jetty:12.0.16:****:* (Confidence:High) suppress
- cpe:2.3:a:jetty:jetty:12.0.16:****:* (Confidence:High) suppress
- cpe:2.3:a:mortbay:jetty:jetty:12.0.16:****:* (Confidence:High) suppress

Description:

Jetty module for Core :: Websocket :: Server

License:

EPL-2.0 OR Apache-2.0

<https://www.eclipse.org/legal/epl-2.0/>, <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-websocket-core-server.jar

MD5: 618fdd3dc45292ed17c8a887c8b574d1

SHA1: 5a45294e7ade2ffc2f1928cd3175db7b913c09bf

SHA256: 03ae2eef7ba6ddbc9906a570a7d6cbac9bf243aa189f0793ecf1dd42711b2c91

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|---------|----------|-----------------------|--|------------|
| Vendor | file | name | jetty-websocket-core-server | High |
| Vendor | jar | package name | core | Highest |
| Vendor | jar | package name | eclipse | Highest |
| Vendor | jar | package name | jetty | Highest |
| Vendor | jar | package name | websocket | Highest |
| Vendor | Manifest | build-jdk-spec | 22 | Low |
| Vendor | Manifest | bundle-copyright | Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others. | Low |
| Vendor | Manifest | bundle-docurl | https://jetty.org/ | Low |
| Vendor | Manifest | bundle-symbolicname | org.eclipse.jetty.websocket.core.server | Medium |
| Vendor | Manifest | Implementation-Vendor | Eclipse Jetty Project | High |
| Vendor | Manifest | url | https://jetty.org/ | Low |
| Vendor | pom | artifactid | jetty-websocket-core-server | Low |
| Vendor | pom | groupid | org.eclipse.jetty.websocket | Highest |
| Vendor | pom | name | Core :: Websocket :: Server | High |
| Vendor | pom | parent-artifactid | jetty-websocket | Low |
| Product | file | name | jetty-websocket-core-server | High |
| Product | jar | package name | core | Highest |
| Product | jar | package name | eclipse | Highest |
| Product | jar | package name | jetty | Highest |
| Product | jar | package name | websocket | Highest |
| Product | Manifest | build-jdk-spec | 22 | Low |
| Product | Manifest | bundle-copyright | Copyright (c) 1995 Mort Bay Consulting Pty | Low |

Ltd and others.

| | | | | |
|---------|----------|------------------------|---|---------|
| Product | Manifest | bundle-docurl | https://jetty.org/ | Low |
| Product | Manifest | Bundle-Name | Core :: Websocket :: Server | Medium |
| Product | Manifest | bundle-symbolicname | org.eclipse.jetty.websocket.core.server | Medium |
| Product | Manifest | url | https://jetty.org/ | Low |
| Product | pom | artifactid | jetty-websocket-core-server | Highest |
| Product | pom | groupid | org.eclipse.jetty.websocket | Highest |
| Product | pom | name | Core :: Websocket :: Server | High |
| Product | pom | parent-artifactid | jetty-websocket | Medium |
| Version | Manifest | Bundle-Version | 12.0.16 | High |
| Version | Manifest | Implementation-Version | 12.0.16 | High |
| Version | pom | version | 12.0.16 | Highest |

Related Dependencies



- webserver.zip: jetty-alpn-java-server.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-alpn-java-server.jar
 - MD5: 7ac4ca72e4dc9fe02bed049f900f800f
 - SHA1: 49ea9f19f4b6852b6fb99591e686d6923d82d7d8
 - SHA256: 6ee5093ae33dc0e4f3517d6cf1a14ada7a4c77239815fdb809082e97c47641be
 - pkg:maven/org.eclipse.jetty/jetty-alpn-java-server@12.0.16
- webserver.zip: jetty-alpn-server.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-alpn-server.jar
 - MD5: 4123211945cd974b14e8122e028714
 - SHA1: c6de38985b73448453b99233fcec8439587ee43c
 - SHA256: 9c57b57c808fbb765295028349e3781cb39f264a21b7903735d67162d4b33bbd
 - pkg:maven/org.eclipse.jetty/jetty-alpn-server@12.0.16
- webserver.zip: jetty-ee10-websocket-jakarta-server.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-ee10-websocket-jakarta-server.jar
 - MD5: b9eb00aafd14bb1b263807135e677bc8
 - SHA1: bf4f44d5a56280739d946a98f075a50b163a7e9f
 - SHA256: b9182cd571fca83e55c5c9ea2e95ec24472a3961bbeb530f03ccc28f4acd2ba
 - pkg:maven/org.eclipse.jetty.ee10.websocket/jetty-ee10-websocket-jakarta-server@12.0.16
- webserver.zip: jetty-ee10-websocket-jetty-server.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-ee10-websocket-jetty-server.jar
 - MD5: e2ffe9c1a0e3adffce119ee3c98cbe00
 - SHA1: 252d08c79e13adcbd067ad691f2ead59fab5f9d3
 - SHA256: 0b401f758638220ef1b7f898c5c8c8dc969ccc2bf3918e086b1cc9ae16bf7239
 - pkg:maven/org.eclipse.jetty.ee10.websocket/jetty-ee10-websocket-jetty-server@12.0.16
- webserver.zip: jetty-http2-server.jar

- File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-http2-server.jar
- MD5: 88e6ec842e5b68ba66ffefb7c8c49093
- SHA1: ef14dad1c484bc2e1d0a6a886dab7a8fcc8af21f
- SHA256: 8f41ddce65f14e09c54f97e854d09739410a84ba1349efdf04132566e7fea5a8
- [pkg:maven/org.eclipse.jetty.http2/jetty-http2-server@12.0.16](https://maven.org/eclipse/jetty/http2/jetty-http2-server@12.0.16)
- webserver.zip: jetty-server.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-server.jar
 - MD5: 8bc8e31a2ebea7cb185fd188e5b4b5ca
 - SHA1: 3e3638b4bfbee04c27b3ae68e4949fc43b40a042
 - SHA256: 9e3f17ca732154ee2c67cc2bc340f322b29335f74d65f7cc0104c2e9cdc6640e
 - [pkg:maven/org.eclipse.jetty/jetty-server@12.0.16](https://maven.org/eclipse/jetty/jetty-server@12.0.16)

Identifiers

- [pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-server@12.0.16](https://maven.org/eclipse/jetty.websocket/jetty-websocket-core-server@12.0.16) (*Confidence:High*)
- [cpe:2.3:a:eclipse:jetty:12.0.16:****:*](https://cpe2.3.a:eclipse:jetty:12.0.16:****:*) (*Confidence:Highest*) suppress
- [cpe:2.3.a:jetty:jetty:12.0.16:****:*](https://cpe2.3.a:jetty:jetty:12.0.16:****:*) (*Confidence:Highest*) suppress
- [cpe:2.3.a:jetty:jetty_http_server:12.0.16:****:*](https://cpe2.3.a:jetty:jetty_http_server:12.0.16:****:*) (*Confidence:Low*) suppress
- [cpe:2.3.a:mortbay_jetty:jetty:12.0.16:****:*](https://cpe2.3.a:mortbay_jetty:jetty:12.0.16:****:*) (*Confidence:Highest*) suppress

webserver.zip: jose4j.jar

Description:

The jose.4.j library is a robust and easy to use open source implementation of JSON Web Token (JWT) and the JOSE specification suite (JWS, JWE, and JWK).

It is written in Java and relies solely on the JCA APIs for cryptography.

Please see https://bitbucket.org/b_c/jose4j/wiki/Home for more info, examples, etc..

License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jose4j.jar

MD5: f57cb91efc5beaa940029f5515a888c2

SHA1: 357a3836bb5da16f314f3a1e954518e5468cd915

SHA256: 7314af50cde9c99e8eaf43eee617a23edcc6bb43036221064355094999d837ef

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|--------|--------|--------------|--------|------------|
| Vendor | file | name | jose4j | High |
| Vendor | jar | package name | jca | Highest |

| | | | | |
|---------|----------|-----------------------|-----------------------------------|---------|
| Vendor | jar | package name | jose4j | Highest |
| Vendor | jar | package name | json | Highest |
| Vendor | jar | package name | jwe | Highest |
| Vendor | jar | package name | jwk | Highest |
| Vendor | jar | package name | jws | Highest |
| Vendor | jar | package name | jwt | Highest |
| Vendor | jar | package name | use | Highest |
| Vendor | Manifest | automatic-module-name | org.jose4j | Medium |
| Vendor | Manifest | bundle-symbolicname | org.bitbucket.b_c.jose4j | Medium |
| Vendor | pom | artifactid | jose4j | Low |
| Vendor | pom | developer email | brian.d.campbell@gmail.com | Low |
| Vendor | pom | developer name | Brian Campbell | Medium |
| Vendor | pom | groupid | org.bitbucket.b_c | Highest |
| Vendor | pom | name | jose4j | High |
| Vendor | pom | url | https://bitbucket.org/b_c/jose4j/ | Highest |
| Product | file | name | jose4j | High |
| Product | jar | package name | jca | Highest |
| Product | jar | package name | jose4j | Highest |
| Product | jar | package name | json | Highest |
| Product | jar | package name | jwe | Highest |
| Product | jar | package name | jwk | Highest |
| Product | jar | package name | jws | Highest |
| Product | jar | package name | jwt | Highest |
| Product | jar | package name | use | Highest |
| Product | Manifest | automatic-module-name | org.jose4j | Medium |
| Product | Manifest | Bundle-Name | jose4j | Medium |
| Product | Manifest | bundle-symbolicname | org.bitbucket.b_c.jose4j | Medium |
| Product | pom | artifactid | jose4j | Highest |
| Product | pom | developer email | brian.d.campbell@gmail.com | Low |
| Product | pom | developer name | Brian Campbell | Low |
| Product | pom | groupid | org.bitbucket.b_c | Highest |
| Product | pom | name | jose4j | High |
| Product | pom | url | https://bitbucket.org/b_c/jose4j/ | Medium |

| | | | | |
|---------|----------|----------------|-------|---------|
| Version | Manifest | Bundle-Version | 0.9.6 | High |
| Version | pom | version | 0.9.6 | Highest |

Identifiers

- [pkg:maven/org.bitbucket.b_c/jose4j@0.9.6](#) (*Confidence:High*)
- [cpe:2.3:a:jose4j_project:jose4j:0.9.6:*:*:*:*:*](#) (*Confidence:Highest*) suppress

webserver.zip: webserver.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/webserver.jar

MD5: 017fc7751d2ca07d752bb431bae8ca16

SHA1: 12d9d67fb9afbe56134b555ada85a078a1e2041a

SHA256: 7e277edd90a3735e455d14f0206d7166194e3dfa163e7f9aa916e40409cb445d

Referenced In Project/Scope: server

Evidence +

| Type | Source | Name | Value | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor | file | name | webserver | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | webserver | Low |
| Vendor | Manifest | built-date | 2025-05-01 11:27 | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | webserver | High |
| Product | jar | package name | webserver | Highest |
| Product | jar | package name | webserver | Low |
| Product | Manifest | built-date | 2025-05-01 11:27 | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation- | webserver | High |

| | | Title | | |
|---------|----------|------------------------|-----------|--------|
| Product | Manifest | specification-title | webserver | Medium |
| Version | Manifest | Implementation-Version | 25.4.227 | High |

Identifiers

- None

Suppressed Vulnerabilities



docfx.vendor.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/docfx.vendor.js

MD5: e546d4a3ac43d85422e9c43bf9488c88

SHA1: 7387f5bf1a3382308d646560039243629968f137

SHA256: 4dfa2ef41a41c02b0cd0cb18b5c3ee71dd40cdc060271f0d832235e7a1c72c34

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|--------|---------|-----------|------------|
| Vendor | file | name | bootstrap | High |
| Product | file | name | bootstrap | High |
| Version | file | version | 3.4.1 | High |

Related Dependencies



- docfx.vendor.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/nunit - API Doc/styles/docfx.vendor.js
 - MD5: e546d4a3ac43d85422e9c43bf9488c88
 - SHA1: 7387f5bf1a3382308d646560039243629968f137
 - SHA256: 4dfa2ef41a41c02b0cd0cb18b5c3ee71dd40cdc060271f0d832235e7a1c72c34

Suppressed Identifiers

- None

Suppressed Vulnerabilities

CVE-2024-6484 (RETIREJS)

suppressed

Notes: file name: docfx.vendor.js This is a dependency by a third-party that can not be updated.

- Unscored:
- Severity: medium

- References:
- info - <https://github.com/advisories/GHSA-9mvj-f7w8-pvh2>
 - info - <https://github.com/rubysec/ruby-advisory-db/blob/master/gems/bootstrap-sass/CVE-2024-6484.yml>
 - info - <https://github.com/rubysec/ruby-advisory-db/blob/master/gems/bootstrap/CVE-2024-6484.yml>
 - info - <https://github.com/twbs/bootstrap>
 - info - <https://nvd.nist.gov/vuln/detail/CVE-2024-6484>
 - info - <https://www.herodevs.com/vulnerability-directory/cve-2024-6484>

Vulnerable Software & Versions (RETIREJS):

Bootstrap before 4.0.0 is end-of-life and no longer maintained. (RETIREJS)

suppressed

Bootstrap before 4.0.0 is end-of-life and no longer maintained.

Notes: file name: docfx.vendor.js This is a dependency by a third-party that can not be updated.

- Unscored:
- Severity: low

- References:
- info - <https://github.com/twbs/bootstrap/issues/20631>
 - retid - 72

Vulnerable Software & Versions (RETIREJS):

maintenance.zip: maintenance-javadoc.jar: jquery-ui.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/script-dir/jquery-ui.min.js
MD5: 32059df39c14a910ccc2325f6a3cd62f
SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|---------|--------|---------|-----------|------------|
| Vendor | file | name | jquery-ui | High |
| Product | file | name | jquery-ui | High |
| Version | file | version | 1.13.1 | High |

Related Dependencies



- pdfc.zip: pdfc-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/script-dir/jquery-ui.min.js
 - MD5: 32059df39c14a910ccc2325f6a3cd62f
 - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
 - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
- reporting.zip: reporting-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/script-dir/jquery-ui.min.js
 - MD5: 32059df39c14a910ccc2325f6a3cd62f
 - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
 - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
- taskplanner.zip: taskplanner-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/script-dir/jquery-ui.min.js
 - MD5: 32059df39c14a910ccc2325f6a3cd62f
 - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
 - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424

Suppressed Identifiers

- None

Suppressed Vulnerabilities



[CVE-2022-31160](#) suppressed

jQuery UI is a curated set of user interface interactions, effects, widgets, and themes built on top of jQuery. Versions prior to 1.13.2 are potentially vulnerable to cross-site scripting. Initializing a checkboxradio widget on an input enclosed within a label makes that parent label contents considered as the input label. Calling `.checkboxradio("refresh")` on such a widget and the initial HTML contained encoded HTML entities will make them erroneously get decoded. This can lead to potentially executing JavaScript code. The bug has been patched in jQuery UI 1.13.2. To remediate the issue, someone who can change the initial HTML can wrap all the non-input contents of the `label` in a `span`.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-h6gj-6jjq-h8g9>
- info - <https://github.com/jquery/jquery-ui/commit/8cc5bae1caa1fc96bf5862c5646c787020ba3f9>
- info - <https://github.com/jquery/jquery-ui/issues/2101>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2022-31160>

- security-advisories@github.com - [EXPLOIT,MITIGATION,RELEASE_NOTES,THIRD_PARTY_ADVISORY](#)
- security-advisories@github.com - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)
- security-advisories@github.com - [PATCH,THIRD_PARTY_ADVISORY](#)
- security-advisories@github.com - [RELEASE_NOTES,VENDOR_ADVISORY](#)
- security-advisories@github.com - [THIRD_PARTY_ADVISORY](#)
- security-advisories@github.com - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.0:*:*:*:*:drupal:*:*
- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.1:*:*:*:*:drupal:*:*
- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.2:*:*:*:*:drupal:*:*
- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.3:*:*:*:*:drupal:*:*
- cpe:2.3:a:jqueryui:jquery_ui:*:*:*:*:jquery:*:* versions up to (excluding) 1.13.2
- cpe:2.3:a:netapp:oncommand_insight:-:*:*:*:*:*

remotegui.zip: angular-animate.jar: angular-animate.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/angular-animate.js

MD5: 31312b87e7226c8bf0714fcef0ea5d18

SHA1: dc9fb55f2c7f922c5ba83449266239ba1353db45

SHA256: 58e79e0e7cbb1e1502d216701e1fae41c405d92320aea1b68a223054096fda93

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|---------|--------|---------|-----------|------------|
| Vendor | file | name | angularjs | High |
| Product | file | name | angularjs | High |
| Version | file | version | 1.8.3 | High |

Suppressed Identifiers

- None

Suppressed Vulnerabilities

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value.
Note: 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT_THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT_THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT_THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT_THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT_THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:-:*:*:*:*:*

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT_THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:node.js:*:* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2qqx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT_THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT_THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT_THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT_THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST_THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here <https://docs.angularjs.org/misc/version-support-status> .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT_THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT_THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:*:*:*:*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:*:*:*:*

[CVE-2024-8373](#) suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqgm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions up to (excluding) 1.9.6

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: angular-animate.jar: angular-animate.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/angular-animate.min.js

MD5: 5d2d0f42bb7e1b5503e914674f59dad0

SHA1: 4c15a58541e53c451c6f946d2048104f88b833c7

Evidence

| Type | Source | Name | Value | Confidence |
|---------|--------|---------|-----------|------------|
| Vendor | file | name | angularjs | High |
| Product | file | name | angularjs | High |
| Version | file | version | 1.8.3 | High |

Suppressed Identifiers

- None

Suppressed Vulnerabilities

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value.
Note: 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT_THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT_THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT_THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT_THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT_THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:-:*:*:*:*:*

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of

service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to `@angular/core` (<https://www.npmjs.com/package/@angular/core>).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT_THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:node.js:* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of `<textarea>` elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN_LINK](#)
- report@snyk.io - [EXPLOIT_THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT_THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT_THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT_THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the `angular.copy()` utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2gqx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:*:*:*:*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:*:*:*:*

[CVE-2024-8373](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>

- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions up to (excluding) 1.9.6

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: angular-cookies.jar: angular-cookies.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.js

MD5: e17187aea1f0e6dbd25722e34b754915

SHA1: 20f43f716b9fef7d72537bc1b0e5aa2bc480cee5

SHA256: f3291c552042f6d0c500167769912a78ab3ecec9917128b2d6ea8e7c6714bb97

Referenced In Project/Scope: server

Evidence +

| Type | Source | Name | Value | Confidence |
|---------|--------|---------|-----------|------------|
| Vendor | file | name | angularjs | High |
| Product | file | name | angularjs | High |
| Version | file | version | 1.8.3 | High |

Suppressed Identifiers

- None

Suppressed Vulnerabilities -

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in

posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value.
Note: 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:-:*:*:*:*:

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [@angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:node.js:* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2qqx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)

- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here <https://docs.angularjs.org/misc/version-support-status> .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:*:*:*:*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:*:*:*:*

[CVE-2024-8373](#) suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions up to (excluding) 1.9.6

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: angular-cookies.jar: angular-cookies.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources

/webjars/angular-cookies/1.8.3/angular-cookies.min.js
MD5: c41aff8423276d46f0d02de6dcb71524
SHA1: 7dc53f75d5bf7dd2c770cb50f31242c70193c086
SHA256: 926509b494009bea03288bba191a2b238032188e9112377e50fbfe7814c6639b
Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|---------|--------|---------|-----------|------------|
| Vendor | file | name | angularjs | High |
| Product | file | name | angularjs | High |
| Version | file | version | 1.8.3 | High |

Suppressed Identifiers

- None

Suppressed Vulnerabilities

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value.
****Note:**** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:*:*:*:*:*:

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:node.js:* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)

- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2qgx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)

- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:*:*:*:*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:*:*:*:*

[CVE-2024-8373](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>

- info - <https://github.com/advisories/GHSA-mqmq9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions up to (excluding) 1.9.6

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: angular-sanitize.jar: angular-sanitize.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.js

MD5: 0127d7a139abfc8bd45875a9c8ea6348

SHA1: 197aea2acc25a0fa821766400950cac58a3627a5

SHA256: c84c65250afe5a1265f36a7e16c6010652e55c2ae3a779c351fb68536c42bf64

Referenced In Project/Scope: server

Evidence +

| Type | Source | Name | Value | Confidence |
|---------|--------|---------|-----------|------------|
| Vendor | file | name | angularjs | High |
| Product | file | name | angularjs | High |
| Version | file | version | 1.8.3 | High |

Suppressed Identifiers

- None

Suppressed Vulnerabilities -

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value. **Note:** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT_THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT_THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT_THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT_THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT_THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:-:*:*:*:*:*

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT_THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:node.js:* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2qqx-w9hr-q5gx>

- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here <https://docs.angularjs.org/misc/version-support-status> .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>

- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:*:*:*:*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:*:*:*:*

[CVE-2024-8373](#) suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqmq9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions up to (excluding) 1.9.6

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: angular-sanitize.jar: angular-sanitize.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.min.js
MD5: f3c62abeec216e9431e7d5b22d8e813b
SHA1: 21355ef18c5e1ce2b2c711b9dba21cbea0655646
SHA256: cc80a30ad0439c2e9c209b3d7fcffb1d10e6007fd1d00c9cc144f393664a7045
Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|---------|--------|---------|-----------|------------|
| Vendor | file | name | angularjs | High |
| Product | file | name | angularjs | High |
| Version | file | version | 1.8.3 | High |

Suppressed Identifiers

- None

Suppressed Vulnerabilities

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value.
****Note:**** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:-:*:*:*:*:*:

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to `@angular/core` (<https://www.npmjs.com/package/@angular/core>).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:node.js:* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of `<textarea>` elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the `angular.copy()` utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2qqx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>

- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:*:*:*:*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:*:*:*:*

[CVE-2024-8373](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions up to (excluding) 1.9.6

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: angular.jar

Description:

WebJar for angular

License:

MIT

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular.jar

MD5: f339a9a66a64c67eebb21ec3b251dfc6

SHA1: cff4aee339a9ca4ae2f095079930edeaad6a94ee

SHA256: a997eb40987ddb5d3bf64adf3d33afcff3ac2b1eb2e7255b5203a387f8097cd0

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|--------|--------|--------------|-----------------|------------|
| Vendor | file | name | angular | High |
| Vendor | pom | artifactid | angular | Low |
| Vendor | pom | developer id | webjars | Medium |
| Vendor | pom | groupid | org.webjars.npm | Highest |
| | | | | |

| | | | | |
|---------|------|--------------|-------------------------|---------|
| Vendor | pom | name | angular | High |
| Vendor | pom | url | https://www.webjars.org | Highest |
| Product | file | name | angular | High |
| Product | pom | artifactid | angular | Highest |
| Product | pom | developer id | webjars | Low |
| Product | pom | groupid | org.webjars.npm | Highest |
| Product | pom | name | angular | High |
| Product | pom | url | https://www.webjars.org | Medium |
| Version | pom | version | 1.8.3 | Highest |

Suppressed Identifiers

- None

Suppressed Vulnerabilities



CVE-2022-25844 (OSSINDEX) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value.
Note: 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2022-25844> for details

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

References:

- OSSINDEX - [\[CVE-2022-25844\] CWE-1333](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2022-25844>
- OSSIndex - <https://www.tenable.com/cve/CVE-2022-25844>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.npm:angular:1.8.3:*.***.*.*.*

CVE-2021-4231 (OSSINDEX) suppressed

A vulnerability was found in Angular up to 11.0.4/11.1.0-next.2. It has been classified as problematic. Affected is the handling of comments. The manipulation leads to cross site scripting. It is possible to launch the attack remotely but it might require an authentication first. Upgrading to version 11.0.5 and 11.1.0-next.3 is able to address this issue. The name of the patch is ba8da742e3b243e8f43d4c63aa842b44e14f2b09. It is recommended to upgrade the affected component.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2021-4231> for details

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.400000095367432)
- CVSS:3.1/AV:N/AC:L/PR:L/UI:R/S:C/C:L/I:L/A:N

References:

- OSSINDEX - [\[CVE-2021-4231\] CWE-79: Improper Neutralization of Input During Web Page Generation \('Cross-site Scripting'\)](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2021-4231>
- OSSIndex - <https://github.com/angular/angular/pull/40136>
- OSSIndex - <https://github.com/angular/angular/pull/40525>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.npm:angular:1.8.3:*:*:*:*:*

CVE-2023-26116 (OSSINDEX) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.300000190734863)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:

- OSSINDEX - [\[CVE-2023-26116\] CWE-1333](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2023-26116>
- OSSIndex - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- OSSIndex - <https://stackblitz.com/edit/angularjs-vulnerability-angular-copy-redos?file=index.js>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.npm:angular:1.8.3:*:*:*:*:*

CVE-2023-26118 (OSSINDEX) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2023-26118> for details

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.300000190734863)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:

- OSSINDEX - [\[CVE-2023-26118\] CWE-1333](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2023-26118>
- OSSIndex - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- OSSIndex - <https://stackblitz.com/edit/angularjs-vulnerability-inpur-url-validation-redos?file=index.js>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.npm:angular:1.8.3:*.~*~*~*~*~*

remotegui.zip: angular.jar: angular.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/angular.js

MD5: e09f650a016c24bc1b5a1edc93bfbade

SHA1: 0f1f7445b761b9bbd5385f9f0b316dbf1ca48696

SHA256: fdca889e76f55fdee7ab661920f37ce19233563bf7f4ac8120f8ebc2ac768768

Referenced In Project/Scope: server

Evidence

| Type | Source | Name | Value | Confidence |
|---------|--------|---------|-----------|------------|
| Vendor | file | name | angularjs | High |
| Product | file | name | angularjs | High |
| Version | file | version | 1.8.3 | High |

Suppressed Identifiers

- None

Suppressed Vulnerabilities

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value.
Note: 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)

- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:-:*:*:*:*:*

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to `@angular/core` (<https://www.npmjs.com/package/@angular/core>).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:node.js:* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of `<textarea>` elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN_LINK](#)

- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*.*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*.* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2qqx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*.* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-gwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:* node.js:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here <https://docs.angularjs.org/misc/version-support-status> .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:*:*:*:*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:*:*:*:*

[CVE-2024-8373](#) suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqgm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions up to (excluding) 1.9.6

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: angular.jar: angular.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/angular.min.js

MD5: 967a32633fa8f38f4ac3376c1a37b992

SHA1: b53b74d8e0b732dcdb98f521146b88299ea2f1

SHA256: 396dc1a03d6cc02e9c51a80246e0db53c5c8df9bd07287e3b51bce4a29dab355

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|--------|---------|-----------|------------|
| Vendor | file | name | angularjs | High |
| Product | file | name | angularjs | High |
| Version | file | version | 1.8.3 | High |

Suppressed Identifiers

- None

Suppressed Vulnerabilities



[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value.
Note: 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:*:*:*:*:*

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [@angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:*:*:*:*:node.js:*:* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2gqx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:*:*:*:*:node.js:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing

https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:*:*:*:*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:*:*:*:*

[CVE-2024-8373](#) suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions up to (excluding) 1.9.6

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: jquery.jar

Description:

WebJar for jQuery

License:

MIT License: <https://github.com/jquery/jquery/blob/master/MIT-LICENSE.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/jquery.jar

MD5: 4af65e569248d8a2411f66498d720280

SHA1: c3dc40b1b5f24c56afa36fd9a463bb9f378ac4ab

SHA256: de28c4da0ea9f16101352dd3582ec8021ee5e2de5f45104ca171876003d54db6

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|--------|-----------------|---------------------|------------|
| Vendor | file | name | jquery | High |
| Vendor | pom | artifactid | jquery | Low |
| Vendor | pom | developer email | james@jamesward.org | Low |
| Vendor | pom | developer id | jamesward | Medium |
| Vendor | pom | developer name | James Ward | Medium |
| Vendor | pom | groupid | org.webjars | Highest |
| Vendor | pom | name | jquery | High |
| Vendor | pom | url | http://webjars.org | Highest |
| Product | file | name | jquery | High |
| Product | pom | artifactid | jquery | Highest |
| Product | pom | developer email | james@jamesward.org | Low |
| Product | pom | developer id | jamesward | Low |
| Product | pom | developer name | James Ward | Low |

| | | | | |
|---------|-----|---------|--------------------|---------|
| Product | pom | groupid | org.webjars | Highest |
| Product | pom | name | jquery | High |
| Product | pom | url | http://webjars.org | Medium |
| Version | pom | version | 2.2.4 | Highest |

Suppressed Identifiers

- None

Suppressed Vulnerabilities



CVE-2016-10707 (OSSINDEX) suppressed

jquery - Uncontrolled Resource Consumption

The software does not properly restrict the size or amount of resources that are requested or influenced by an actor, which can be used to consume more resources than intended.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2016-10707> for details

CWE-400 Uncontrolled Resource Consumption

Notes: file name: remotegui.jar: jquery.min.js - We can not yet upgrade to a newer version due to dependencies. We do, however, not directly use the functionality that is being CVEd

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

References:

- OSSINDEX - [\[CVE-2016-10707\] CWE-400: Uncontrolled Resource Consumption \('Resource Exhaustion'\)](#)
- OSSIndex - <https://github.com/advisories/GHSA-mhpp-875w-9cpv>
- OSSIndex - <https://github.com/jquery/jquery/issues/3133>
- OSSIndex - <https://github.com/jquery/jquery/issues/3371>
- OSSIndex - <https://github.com/jquery/jquery/pull/2916>
- OSSIndex - <https://github.com/jquery/jquery/pull/3134>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars:jquery:2.2.4:*.~*~*~*~*~*

CVE-2019-11358 (OSSINDEX) suppressed

jQuery before 3.4.0, as used in Drupal, Backdrop CMS, and other products, mishandles jQuery.extend(true, {}, ...) because of Object.prototype pollution. If an unsanitized source object contained an enumerable __proto__ property, it could extend the native Object.prototype.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2019-11358> for details

CWE-1321 Improperly Controlled Modification of Object Prototype Attributes ('Prototype Pollution')

Notes: file name: remotegui.jar: jquery.min.js - We can not yet upgrade to a newer version due to dependencies. We do, however, not directly use the functionality that is being CVEd

CVSSv3:

- MEDIUM (6.099999904632568)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- OSSINDEX - [\[CVE-2019-11358\] CWE-1321](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2019-11358>
- OSSIndex - <https://blog.jquery.com/2019/04/10/jquery-3-4-0-released/>
- OSSIndex - <https://github.com/cbeust/testng/issues/2150>
- OSSIndex - <https://github.com/jquery/jquery/pull/4333>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars:jquery:2.2.4:*:*:*:*:*

CVE-2020-11023 (OSSINDEX) suppressed

In jQuery versions greater than or equal to 1.0.3 and before 3.5.0, passing HTML containing <option> elements from untrusted sources - even after sanitizing it - to one of jQuery's DOM manipulation methods (i.e. .html(), .append(), and others) may execute untrusted code. This problem is patched in jQuery 3.5.0.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: file name: remotegui.jar: jquery.min.js - We can not yet upgrade to a newer version due to dependencies. We do, however, not directly use the functionality that is being CVEd

CVSSv3:

- MEDIUM (6.099999904632568)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- OSSINDEX - [\[CVE-2020-11023\] CWE-79: Improper Neutralization of Input During Web Page Generation \('Cross-site Scripting'\)](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2020-11023>
- OSSIndex - <https://github.com/advisories/GHSA-jpcq-cgw6-v4j6>
- OSSIndex - <https://jquery.com/upgrade-guide/3.5/>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars:jquery:2.2.4:*:*:*:*:*

remotegui.zip: tinymce.jar

Description:

WebJar for tinymce

License:

LGPL-2.1

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar

MD5: fd9f87ce352ee6c8d270db931c0e6026

SHA1: 9174bcf85629c63f7cc55439ff890bb7893fe451

SHA256: 26c357c95e53e0d99f3e2b840194cc7d170a31c85de15c6017de976f60919cd7

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|--------|--------------|-------------------------|------------|
| Vendor | file | name | tinymce | High |
| Vendor | pom | artifactid | tinymce | Low |
| Vendor | pom | developer id | webjars | Medium |
| Vendor | pom | groupid | org.webjars.bower | Highest |
| Vendor | pom | name | tinymce | High |
| Vendor | pom | url | https://www.webjars.org | Highest |
| Product | file | name | tinymce | High |
| Product | pom | artifactid | tinymce | Highest |
| Product | pom | developer id | webjars | Low |
| Product | pom | groupid | org.webjars.bower | Highest |
| Product | pom | name | tinymce | High |
| Product | pom | url | https://www.webjars.org | Medium |
| Version | pom | version | 5.10.9 | Highest |

Related Dependencies



- remotegui.zip: tinymce-languages.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar
 - MD5: 47bff91bb6cd602682ddc705ba5872fb
 - SHA1: 06c508488e5d6f2ce5c92aa8b3fa165ca871d597
 - SHA256: fa2ecf575248fc802677c26f54fd5f23a636d496223e1a654f5d6540f6c36200

Suppressed Identifiers

- None

Suppressed Vulnerabilities



CVE-2024-38356 (OSSINDEX) suppressed

TinyMCE is an open source rich text editor. A cross-site scripting (XSS) vulnerability was discovered in TinyMCE’s content extraction code. When using the `noneditable_regexp` option, specially crafted HTML attributes containing malicious code were able to be executed when content was extracted from the editor. This vulnerability has been patched in TinyMCE 7.2.0, TinyMCE 6.8.4 and TinyMCE 5.11.0 LTS by ensuring that, when using the `noneditable_regexp` option, any content within an attribute is properly verified to match the configured regular expression before being added. Users are advised to upgrade. There are no known workarounds for this vulnerability.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2024-38356> for details

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

CVSSv2:

- Base Score: MEDIUM (5.099999904632568)
- Vector: CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:A/VC:N/VI:N/VA:N/SC:L/SI:L/SA:N

References:

- OSSINDEX - [\[CVE-2024-38356\] CWE-79: Improper Neutralization of Input During Web Page Generation \('Cross-site Scripting'\)](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2024-38356>
- OSSIndex - <https://github.com/tinymce/tinymce/security/advisories/GHSA-9hcv-j9pv-gmph>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.bower:tinymce:5.10.9:*.~*~*~*~*~*~*

CVE-2024-38357 (OSSINDEX) suppressed

TinyMCE is an open source rich text editor. A cross-site scripting (XSS) vulnerability was discovered in TinyMCE's content parsing code. This allowed specially crafted noscript elements containing malicious code to be executed when that content was loaded into the editor. This vulnerability has been patched in TinyMCE 7.2.0, TinyMCE 6.8.4 and TinyMCE 5.11.0 LTS by ensuring that content within noscript elements are properly parsed. Users are advised to upgrade. There are no known workarounds for this vulnerability.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

CVSSv2:

- Base Score: MEDIUM (5.099999904632568)
- Vector: CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:A/VC:N/VI:N/VA:N/SC:L/SI:L/SA:N

References:

- OSSINDEX - [\[CVE-2024-38357\] CWE-79: Improper Neutralization of Input During Web Page Generation \('Cross-site Scripting'\)](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2024-38357>
- OSSIndex - <https://github.com/tinymce/tinymce/security/advisories/GHSA-w9jx-4g6g-rp7x>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.bower:tinymce:5.10.9:*.~*~*~*~*~*~*

remotegui.zip: tinymce.jar: theme.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/silver/theme.js

MD5: b99cdf5dcb718bb3d31d6c8667ae2462

SHA1: 26d8486e0ec39d27e79b0b37965b28e2b45afb6d

SHA256: 0147750f4214d0acd55cadda52809ac7376644333bb65947c7fe1e0684d85c7

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|--------|---------|-----------|------------|
| Vendor | file | name | DOMPurify | High |
| Product | file | name | DOMPurify | High |
| Version | file | version | 2.3.8 | High |

Suppressed Identifiers

- None

Suppressed Vulnerabilities



CVE-2024-45801 (RETIREJS) suppressed

Notes: DOMPurify can not be updated due to tinyMCE this time. However, there are plans to fully update tinyMCE in the future.

Unscored:

- Severity: high

References:

- info - <https://github.com/advisories/GHSA-mmhx-hmjr-r674>
- info - <https://github.com/cure53/DOMPurify>
- info - <https://github.com/cure53/DOMPurify/commit/1e520262bf4c66b5efda49e2316d6d1246ca7b21>
- info - <https://github.com/cure53/DOMPurify/commit/26e1d69ca7f769f5c558619d644d90dd8bf26ebc>
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-mmhx-hmjr-r674>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-45801>

Vulnerable Software & Versions (RETIREJS):

CVE-2024-47875 (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: high

References:

- info - <https://github.com/advisories/GHSA-gx9m-whjm-85jf>
- info - <https://github.com/cure53/DOMPurify>
- info - <https://github.com/cure53/DOMPurify/blob/0ef5e537a514f904b6aa1d7ad9e749e365d7185f/test/test-suite.js#L2098>
- info - <https://github.com/cure53/DOMPurify/commit/0ef5e537a514f904b6aa1d7ad9e749e365d7185f>
- info - <https://github.com/cure53/DOMPurify/commit/6ea80cd8b47640c20f2f230c7920b1f4ce4fdf7a>
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-gx9m-whjm-85jf>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-47875>

Vulnerable Software & Versions (RETIREJS):

CVE-2024-48910 (RETIREJS) suppressed

Notes: DOMPurify can not be updated due to tinyMCE this time. However, there are plans to fully update tinyMCE in the future.

Unscored:

- Severity: high

References:

- info - <https://github.com/advisories/GHSA-p3vf-v8qc-cwcr>
- info - <https://github.com/cure53/DOMPurify>
- info - <https://github.com/cure53/DOMPurify/commit/d1dd0374caef2b4c56c3bd09fe1988c3479166dc>
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-p3vf-v8qc-cwcr>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-48910>

Vulnerable Software & Versions (RETIREJS):

CVE-2025-26791 (RETIREJS) suppressed

Notes: DOMPurify can not be updated due to tinyMCE this time. However, there are plans to fully update tinyMCE in the future.

Unscored:

- Severity: medium

References:

- info - <https://ensy.zip/posts/dompurify-323-bypass>
- info - <https://github.com/advisories/GHSA-vhxf-7vqr-mrjg>
- info - <https://github.com/cure53/DOMPurify>
- info - <https://github.com/cure53/DOMPurify/commit/d18ffcb554e0001748865da03ac75dd7829f0f02>
- info - <https://github.com/cure53/DOMPurify/releases/tag/3.2.4>
- info - <https://nsysean.github.io/posts/dompurify-323-bypass>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-26791>

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: tinymce.jar: tinymce.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/tinymce.js

MD5: f7a8350f10f92d58a952e1feb0d28f2c

SHA1: d3ecc2861e41722d51e1ede38da5ead47a530c14

SHA256: a78ee6bd10002d050a314768a523533144228f654d80571a8ed28ff3011208a1

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|--------|------|---------|------------|
| Vendor | file | name | tinyMCE | High |
| Product | file | name | tinyMCE | High |

| | | | | |
|---------|------|---------|--------|------|
| Version | file | version | 5.10.9 | High |
|---------|------|---------|--------|------|

Suppressed Identifiers

- None

Suppressed Vulnerabilities

CVE-2024-29203 (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: medium

References:

- info - <https://github.com/advisories/GHSA-438c-3975-5x3f>
- info - <https://github.com/tinymce/tinymce>
- info - <https://github.com/tinymce/tinymce/commit/bcdea2ad14e3c2cea40743fb48c63bba067ae6d1>
- info - <https://github.com/tinymce/tinymce/security/advisories/GHSA-438c-3975-5x3f>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-29203>
- info - https://www.tiny.cloud/docs/tinymce/6/6.8.1-release-notes/#new-convert_unsafe_embeds-option-that-controls-whether-object-and-embed-elements-will-be-converted-to-more-restrictive-alternatives-namely-img-for-image-mime-types-video-for-video-mime-types-audio-audio-mime-types-or-iframe-for-other-or-unspecified-mime-types
- info - https://www.tiny.cloud/docs/tinymce/7/7.0-release-notes/#sandbox_iframes-editor-option-is-now-defaulted-to-true

Vulnerable Software & Versions (RETIREJS):

CVE-2024-29881 (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: medium

References:

- info - <https://github.com/advisories/GHSA-5359-pvf2-pw78>
- info - <https://github.com/tinymce/tinymce>
- info - <https://github.com/tinymce/tinymce/commit/bcdea2ad14e3c2cea40743fb48c63bba067ae6d1>
- info - <https://github.com/tinymce/tinymce/security/advisories/GHSA-5359-pvf2-pw78>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-29881>
- info - https://www.tiny.cloud/docs/tinymce/6/6.8.1-release-notes/#new-convert_unsafe_embeds-option-that-controls-whether-object-and-embed-elements-will-be-converted-to-more-restrictive-alternatives-namely-img-for-image-mime-types-video-for-video-mime-types-audio-audio-mime-types-or-iframe-for-other-or-unspecified-mime-types
- info - https://www.tiny.cloud/docs/tinymce/7/7.0-release-notes/#convert_unsafe_embeds-editor-option-is-now-defaulted-to-true

Vulnerable Software & Versions (RETIREJS):

CVE-2024-38356 (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: medium

References:

- info - <https://github.com/advisories/GHSA-9hcv-j9pv-qmph>
- info - <https://github.com/tinymce/tinymce>
- info - <https://github.com/tinymce/tinymce/commit/5acb741665a98e83d62b91713c800abbff43b00d>
- info - <https://github.com/tinymce/tinymce/commit/a9fb858509f86dacfa8b01cfd34653b408983ac0>
- info - <https://github.com/tinymce/tinymce/security/advisories/GHSA-9hcv-j9pv-qmph>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-38356>
- info - <https://owasp.org/www-community/attacks/xss>
- info - <https://www.tiny.cloud/docs/tinymce/6/6.8.4-release-notes/#overview>
- info - <https://www.tiny.cloud/docs/tinymce/7/7.2-release-notes/#overview>
- info - <https://www.tiny.cloud/docs/tinymce/latest/7.2-release-notes/#overview>

Vulnerable Software & Versions (RETIREJS):

CVE-2024-38357 (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: medium

References:

- info - <https://github.com/advisories/GHSA-w9jx-4g6g-rp7x>
- info - <https://github.com/tinymce/tinymce>
- info - <https://github.com/tinymce/tinymce/commit/5acb741665a98e83d62b91713c800abbff43b00d>
- info - <https://github.com/tinymce/tinymce/commit/a9fb858509f86dacfa8b01cfd34653b408983ac0>
- info - <https://github.com/tinymce/tinymce/security/advisories/GHSA-w9jx-4g6g-rp7x>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-38357>
- info - <https://owasp.org/www-community/attacks/xss>
- info - <https://www.tiny.cloud/docs/tinymce/6/6.8.4-release-notes/#overview>
- info - <https://www.tiny.cloud/docs/tinymce/7/7.2-release-notes/#overview>

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: tinymce.jar: tinymce.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/tinymce.min.js

MD5: 10df005254d5668ccedbda2614354acd

SHA1: fbcd5a3f14b7c3dd8a9d203b9b30acfa49a38f4

SHA256: 3c3041cb95a1c979ee2205901cf1c670a36c192ef089e6f63b94beabef386c30

Referenced In Project/Scope: server

Evidence



| Type | Source | Name | Value | Confidence |
|---------|--------|---------|---------|------------|
| Vendor | file | name | tinyMCE | High |
| Product | file | name | tinyMCE | High |
| Version | file | version | 5.10.9 | High |

Suppressed Identifiers

- None

Suppressed Vulnerabilities

CVE-2024-29203 (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: medium

References:

- info - <https://github.com/advisories/GHSA-438c-3975-5x3f>
- info - <https://github.com/tinymce/tinymce>
- info - <https://github.com/tinymce/tinymce/commit/bcdea2ad14e3c2cea40743fb48c63bba067ae6d1>
- info - <https://github.com/tinymce/tinymce/security/advisories/GHSA-438c-3975-5x3f>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-29203>
- info - https://www.tiny.cloud/docs/tinymce/6/6.8.1-release-notes/#new-convert_unsafe_embeds-option-that-controls-whether-object-and-embed-elements-will-be-converted-to-more-restrictive-alternatives-namely-img-for-image-mime-types-video-for-video-mime-types-audio-audio-mime-types-or-iframe-for-other-or-unspecified-mime-types
- info - https://www.tiny.cloud/docs/tinymce/7/7.0-release-notes/#sandbox_iframes-editor-option-is-now-defaulted-to-true

Vulnerable Software & Versions (RETIREJS):

CVE-2024-29881 (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: medium

References:

- info - <https://github.com/advisories/GHSA-5359-pvf2-pw78>
- info - <https://github.com/tinymce/tinymce>
- info - <https://github.com/tinymce/tinymce/commit/bcdea2ad14e3c2cea40743fb48c63bba067ae6d1>
- info - <https://github.com/tinymce/tinymce/security/advisories/GHSA-5359-pvf2-pw78>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-29881>

- info - https://www.tiny.cloud/docs/tinymce/6/6.8.1-release-notes/#new-convert_unsafe_embeds-option-that-controls-whether-object-and-embed-elements-will-be-converted-to-more-restrictive-alternatives-namely-img-for-image-mime-types-video-for-video-mime-types-audio-audio-mime-types-or-iframe-for-other-or-unspecified-mime-types
- info - https://www.tiny.cloud/docs/tinymce/7/7.0-release-notes/#convert_unsafe_embeds-editor-option-is-now-defaulted-to-true

Vulnerable Software & Versions (RETIREJS):

CVE-2024-38356 (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: medium

References:

- info - <https://github.com/advisories/GHSA-9hcv-j9pv-qmph>
- info - <https://github.com/tinymce/tinymce>
- info - <https://github.com/tinymce/tinymce/commit/5acb741665a98e83d62b91713c800abbff43b00d>
- info - <https://github.com/tinymce/tinymce/commit/a9fb858509f86dacf8b01cfd34653b408983ac0>
- info - <https://github.com/tinymce/tinymce/security/advisories/GHSA-9hcv-j9pv-qmph>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-38356>
- info - <https://owasp.org/www-community/attacks/xss>
- info - <https://www.tiny.cloud/docs/tinymce/6/6.8.4-release-notes/#overview>
- info - <https://www.tiny.cloud/docs/tinymce/7/7.2-release-notes/#overview>
- info - <https://www.tiny.cloud/docs/tinymce/latest/7.2-release-notes/#overview>

Vulnerable Software & Versions (RETIREJS):

CVE-2024-38357 (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: medium

References:

- info - <https://github.com/advisories/GHSA-w9jx-4g6g-rp7x>
- info - <https://github.com/tinymce/tinymce>
- info - <https://github.com/tinymce/tinymce/commit/5acb741665a98e83d62b91713c800abbff43b00d>
- info - <https://github.com/tinymce/tinymce/commit/a9fb858509f86dacf8b01cfd34653b408983ac0>
- info - <https://github.com/tinymce/tinymce/security/advisories/GHSA-w9jx-4g6g-rp7x>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-38357>
- info - <https://owasp.org/www-community/attacks/xss>
- info - <https://www.tiny.cloud/docs/tinymce/6/6.8.4-release-notes/#overview>
- info - <https://www.tiny.cloud/docs/tinymce/7/7.2-release-notes/#overview>

Vulnerable Software & Versions (RETIREJS):

This report may contain data retrieved from the [Github Advisory Database \(via NPM Audit API\)](#).
This report may contain data retrieved from [RetireJS](#).
This report may contain data retrieved from the [Sonatype OSS Index](#).