

Dependency-Check is an open source tool performing a best effort analysis of 3rd party dependencies; false positives and false negatives may exist in the analysis performed by the tool. Use of the tool and the reporting provided constitutes acceptance for use in an AS IS condition, and there are NO warranties, implied or otherwise, with regard to the analysis or its use. Any use of the tool and the reporting provided is at the user's risk. In no event shall the copyright holder or OWASP be held liable for any damages whatsoever arising out of or in connection with the use of this tool, the analysis performed, or the resulting report.

How to read the report | Suppressing false positives | Getting Help: github issues

# Project: project ':standalone'

**pdfc:standalone:26.10**

Scan Information (show all):

- *dependency-check version*: 13.0.0
- *Report Generated On*: Thu, 15 Oct 2026 20:04:40 +0200
- *Dependencies Scanned*: 135 (135 unique)
- *Vulnerable Dependencies*: 0
- *Vulnerabilities Found*: 0
- *Vulnerabilities Suppressed*: 9 (show)
- ...
- *NVD API Last Checked*: 2026-10-15T18:01:59Z
- *NVD API Last Modified*: 2026-10-14T22:17:23Z
- *NVD Cache Last Checked*: 2026-10-15T18:01:59Z
- *NVD Cache Last Modified*: 2026-10-14T22:17:23Z

## Summary

Summary of Vulnerable Dependencies (click to show all)

| Dependency | Vulnerability IDs | Package | Highest Severity | CVE Cou |
|---|---|---|---|---|
| Merlia-0.jar | | pkg:maven/lib/Merlia@0 | | 0 |
| analysis.language.zip: analysis.language.jar | cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* | | | 0 |
| analysis.language.zip: guava.jar | cpe:2.3:a:google:guava:33.5.0:*:*:*:*:*:*:* | pkg:maven/com.google.guava/guava@33.5.0-jre | | 0 |
| analysis.language.zip: jsonic.jar | | | | 0 |
| analysis.language.zip: language-detector.jar | | pkg:maven/com.optimaize.languagedetector/language-detector@0.6 | | 0 |
| annotations-3.0.1.jar (shaded: com.google.code.findbugs:jsr305:3.0.1) | | pkg:maven/com.google.code.findbugs/jsr305@3.0.1 | | 0 |

| | | | | |
|---|---|---|---|---|
| annotations-3.0.1.jar | | pkg:maven/com.google.code.findbugs/annotations@3.0.1 | | 0 |
| command.jsonexport.zip: command.jsonexport.jar | cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* | | | 0 |
| comparison.api.zip: comparison.api.jar | cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* | | | 0 |
| comparison.rpc.zip: comparison.rpc.jar | cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* | | | 0 |
| comparison.webgui.zip: comparison.webgui.jar | cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* | | | 0 |
| comparison.webgui.zip: comparison.webgui.jar: app.js | | | | 0 |
| comparison.webgui.zip: comparison.webgui.jar: compare.js | | | | 0 |
| comparison.webgui.zip: comparison.webgui.jar: contextmenuextension.js | | | | 0 |
| comparison.webgui.zip: comparison.webgui.jar: contingent.js | | | | 0 |
| comparison.webgui.zip: comparison.webgui.jar: controller.js | | | | 0 |
| comparison.webgui.zip: comparison.webgui.jar: descriptionarea.js | | | | 0 |
| comparison.webgui.zip: comparison.webgui.jar: dropzone.js | | | | 0 |
| comparison.webgui.zip: comparison.webgui.jar: export.js | | | | 0 |
| comparison.webgui.zip: comparison.webgui.jar: factory.js | | | | 0 |
| comparison.webgui.zip: comparison.webgui.jar: layout-utils.js | | | | 0 |
| comparison.webgui.zip: comparison.webgui.jar: model.js | | | | 0 |

| | | | | |
|---|---|---|---|---|
| comparison.webgui.zip: comparison.webgui.jar: multipasswordpanel.js | | | | 0 |
| comparison.webgui.zip: comparison.webgui.jar: mycomparisons.js | | | | 0 |
| comparison.webgui.zip: comparison.webgui.jar: passwordpanel.js | | | | 0 |
| comparison.webgui.zip: comparison.webgui.jar: pdfc-profile-service.js | | | | 0 |
| comparison.webgui.zip: comparison.webgui.jar: pdfc-viewer-overlay.js | | | | 0 |
| comparison.webgui.zip: comparison.webgui.jar: pdfcconfig.js | | | | 0 |
| comparison.webgui.zip: comparison.webgui.jar: profileentry.js | | | | 0 |
| comparison.webgui.zip: comparison.webgui.jar: publishdialog.js | | | | 0 |
| comparison.webgui.zip: comparison.webgui.jar: publishprofiledialog.js | | | | 0 |
| comparison.webgui.zip: comparison.webgui.jar: report.js | | | | 0 |
| comparison.webgui.zip: comparison.webgui.jar: scroller.js | | | | 0 |
| comparison.webgui.zip: comparison.webgui.jar: searchcomponent.js | | | | 0 |
| comparison.webgui.zip: comparison.webgui.jar: ui-pdfc-checkbox.js | | | | 0 |
| comparison.webgui.zip: comparison.webgui.jar: ui-pdfc-list.js | | | | 0 |
| comparison.webgui. | | | | 0 |

| | | | | |
|---|---|---|---|---|
| zip: comparison.webgui.jar: ui-pdfc-profile-actions.js | | | | |
| comparison.webgui.zip: comparison.webgui.jar: ui-pdfc-profile-description.js | | | | 0 |
| comparison.webgui.zip: comparison.webgui.jar: ui-pdfc-property-renderer.js | | | | 0 |
| comparison.webgui.zip: comparison.webgui.jar: ui-pdfc-property.js | | | | 0 |
| comparison.webgui.zip: comparison.webgui.jar: ui-pdfc-select-profile.js | | | | 0 |
| comparison.webgui.zip: comparison.webgui.jar: ui-pdfc-select.js | | | | 0 |
| comparison.webgui.zip: comparison.webgui.jar: ui-pdfc-slider.js | | | | 0 |
| comparison.webgui.zip: comparison.webgui.jar: userlist.js | | | | 0 |
| comparison.webgui.zip: comparison.webgui.jar: visibilitysettings.js | | | | 0 |
| comparison.webgui.zip: comparison.webgui.jar: zoomer.js | | | | 0 |
| filter.area.zip: filter.area.jar | cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* | | | 0 |
| filter.area.zip: filter.area.jar: ui-pdfc-area-filter.js | | | | 0 |
| filter.baselinetable.zip: filter.baselinetable.jar | cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* | | | 0 |
| filter.cmappatch.zip: filter.cmappatch.jar | cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* | | | 0 |
| filter.headerfooter.zip: filter.headerfooter.jar | cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* | | | 0 |
| filter.headerfooter.zip: filter.headerfooter.jar: ui-pdfc-header-footer-slider.js | | | | 0 |
| filter.hiderotation.zip: | cpe:2.3:a:inetsoftware:pdfc:26.10.216: | | | 0 |

| | | | | |
|---|---|---|---|---|
| filter.hiderotation.jar | *:*:*:*:*:*:* | | | |
| filter.invisibleelements.zip: filter.invisibleelements.jar | cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* | | | 0 |
| filter.multicolumn.zip: filter.multicolumn.jar | cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* | | | 0 |
| filter.ocr.zip: filter.ocr.jar | cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* | | | 0 |
| filter.pagerange.zip: filter.pagerange.jar | cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* | | | 0 |
| filter.regex.zip: filter.regex.jar | cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* | | | 0 |
| filter.texttransform.zip: filter.texttransform.jar | cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* | | | 0 |
| filter.urllookup.zip: filter.urllookup.jar | cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* | | | 0 |
| hamcrest-3.0.jar | | pkg:maven/org.hamcrest/hamcrest@3.0 | | 0 |
| inetcore-26.10-tools.jar | | pkg:maven/shared/inetcore@26.10 | | 0 |
| inetcore-26.10.jar (shaded: com.inet.shared:inetcore:null) | | | | 0 |
| inetcore-26.10.jar | | pkg:maven/shared/inetcore@26.10 | | 0 |
| java-25-jre-x64-linux.tar.gz: java-25-jre-x64-linux.tar: jrt-fs.jar | cpe:2.3:a:eclipse:platform:25.0.4:*:*:*:*:*:*:* | | | 0 |
| jcip-annotations-1.0.jar | | pkg:maven/net.jcip/jcip-annotations@1.0 | | 0 |
| jlessc-1.16.jar | | pkg:maven/de.inetsoftware/jlessc@1.16 | | 0 |
| jsr305-3.0.2.jar | | pkg:maven/com.google.code.findbugs/jsr305@3.0.2 | | 0 |
| junit-4.13.2.jar | cpe:2.3:a:junit:junit4:4.13.2:*:*:*:*:*:*:* | pkg:maven/junit/junit@4.13.2 | | 0 |
| junit-jupiter-6.1.3.jar | | pkg:maven/org.junit.jupiter/junit-jupiter@6.1.3 | | 0 |
| junit-jupiter-api-6.1.3.jar | | pkg:maven/org.junit.jupiter/junit-jupiter-api@6.1.3 | | 0 |
| junit-jupiter-engine-6.1.3.jar | | pkg:maven/org.junit.jupiter/junit-jupiter-engine@6. | | 0 |

| | | | | |
|---|---|---|---|---|
| | | 1.3 | | |
| junit-jupiter-params-6.1.3.jar | | pkg:maven/org.junit.jupiter/junit-jupiter-params@6.1.3 | | 0 |
| junit-platform-commons-6.1.3.jar | cpe:2.3:a:fan_platform_project:fan_platform:6.1.3:*:*:*:*:*:*:* | pkg:maven/org.junit.platform/junit-platform-commons@6.1.3 | | 0 |
| junit-platform-engine-6.1.3.jar | cpe:2.3:a:fan_platform_project:fan_platform:6.1.3:*:*:*:*:*:*:* | pkg:maven/org.junit.platform/junit-platform-engine@6.1.3 | | 0 |
| junit-platform-launcher-6.1.3.jar | cpe:2.3:a:fan_platform_project:fan_platform:6.1.3:*:*:*:*:*:*:* | pkg:maven/org.junit.platform/junit-platform-launcher@6.1.3 | | 0 |
| junit-platform-suite-6.1.3.jar | cpe:2.3:a:fan_platform_project:fan_platform:6.1.3:*:*:*:*:*:*:* | pkg:maven/org.junit.platform/junit-platform-suite@6.1.3 | | 0 |
| junit-platform-suite-api-6.1.3.jar | cpe:2.3:a:fan_platform_project:fan_platform:6.1.3:*:*:*:*:*:*:* | pkg:maven/org.junit.platform/junit-platform-suite-api@6.1.3 | | 0 |
| junit-platform-suite-engine-6.1.3.jar | cpe:2.3:a:fan_platform_project:fan_platform:6.1.3:*:*:*:*:*:*:* | pkg:maven/org.junit.platform/junit-platform-suite-engine@6.1.3 | | 0 |
| junit-vintage-engine-6.1.3.jar | cpe:2.3:a:fan_platform_project:fan_platform:6.1.3:*:*:*:*:*:*:* | pkg:maven/org.junit.vintage/junit-vintage-engine@6.1.3 | | 0 |
| maintenance.pdfc.zip: maintenance.pdfc.jar | cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* | | | 0 |
| maintenance.pdfc.zip: maintenance.pdfc.jar: app.js | | | | 0 |
| maintenance.pdfc.zip: maintenance.pdfc.jar: comparisons.js | | | | 0 |
| ocr.tesseract.zip: jai-imageio-core.jar | | pkg:maven/com.github.jai-imageio/jai-imageio-core@1.4.0 | | 0 |
| ocr.tesseract.zip: jna.jar | cpe:2.3:a:oracle:java_se:5.18.1:*:*:*:*:*:*:*<br>cpe:2.3:a:sun:java_se:5.18.1:*:*:*:*:*:*:* | | | 0 |
| ocr.tesseract.zip: jna.jar: jnidispatch.dll | | | | 0 |
| ocr.tesseract.zip: jna.jar: jnidispatch.dll | | | | 0 |

| | | | | |
|---|---|---|---|---|
| ocr.tesseract.zip: jna.jar: jnidispatch.dll | | | | 0 |
| ocr.tesseract.zip: lept4j.jar | | pkg:maven/net.sourceforge.lept4j/lept4j@1.24.0 | | 0 |
| ocr.tesseract.zip: lept4j.jar: libleptonica1870.dll | | | | 0 |
| ocr.tesseract.zip: lept4j.jar: libleptonica1870.dll | | | | 0 |
| ocr.tesseract.zip: ocr.tesseract.jar | cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* | | | 0 |
| ocr.tesseract.zip: tess4j.jar | | pkg:maven/net.sourceforge.tess4j/tess4j@5.19.0 | | 0 |
| ocr.tesseract.zip: tess4j.jar: libtesseract552.dll | | | | 0 |
| ocr.tesseract.zip: tess4j.jar: libtesseract552.dll | | | | 0 |
| opentest4j-1.3.0.jar | | pkg:maven/org.opentest4j/opentest4j@1.3.0 | | 0 |
| parser.image.zip: parser.image.jar | cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* | | | 0 |
| parser.pdf.config.zip: parser.pdf.config.jar | cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* | | | 0 |
| parser.text.zip: parser.text.jar | cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* | | | 0 |
| pdfc.standalone.zip: pdfc.standalone.jar | cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* | | | 0 |
| pdfc.standalone.zip: pdfc.standalone.jar: bridge.js | | | | 0 |
| pdfc.standalone.zip: pdfc.standalone.jar: bridgeConfig.js | | | | 0 |
| pdfc.standalone.zip: pdfc.standalone.jar: bridgePDFC.js | | | | 0 |
| pdfc.standalone.zip: pdfc.standalone.jar: extraMenu.js | | | | 0 |
| pdfc.standalone.zip: pdfc.standalone.jar: removeHeader.js | | | | 0 |
| pdfc.standalone.zip: pdfc.standalone.jar: removePDFCElements.js | | | | 0 |

| | | | | |
|---|---|---|---|---|
| pdfc.standalone.zip: pdfc.standalone.jar: theme.js | | | | 0 |
| pdfc.standalone.zip: pdfc.standalone.jar: translation.js | | | | 0 |
| pdfc.zip: icu4j.jar (shaded: com.ibm.icu: collate:78.3) | | pkg:maven/com.ibm.icu/collate@78.3 | | 0 |
| pdfc.zip: icu4j.jar (shaded: com.ibm.icu: core:78.3) | | pkg:maven/com.ibm.icu/core@78.3 | | 0 |
| pdfc.zip: icu4j.jar (shaded: com.ibm.icu: currdata:78.3) | | pkg:maven/com.ibm.icu/currdata@78.3 | | 0 |
| pdfc.zip: icu4j.jar (shaded: com.ibm.icu: langdata:78.3) | | pkg:maven/com.ibm.icu/langdata@78.3 | | 0 |
| pdfc.zip: icu4j.jar (shaded: com.ibm.icu: regiondata:78.3) | | pkg:maven/com.ibm.icu/regiondata@78.3 | | 0 |
| pdfc.zip: icu4j.jar (shaded: com.ibm.icu: tools_taglets:78.3) | | pkg:maven/com.ibm.icu/tools_taglets@78.3 | | 0 |
| pdfc.zip: icu4j.jar (shaded: com.ibm.icu: translit:78.3) | | pkg:maven/com.ibm.icu/translit@78.3 | | 0 |
| pdfc.zip: icu4j.jar | cpe:2.3:a:icu-project: international_components_for_unicode: 78.3:*:*:*:*:*:*:* cpe:2.3:a:unicode: international_components_for_unicode: 78.3:*:*:*:*:*:*:* | pkg:maven/com.ibm.icu/icu4j@78.3 | | 0 |
| pdfc.zip: pdfc-javadoc.jar | | | | 0 |
| pdfc.zip: pdfc-javadoc.jar: jquery-3.7.1.min.js | | | | 0 |
| pdfc.zip: pdfc-javadoc.jar: jquery-ui.min.js | | | | 0 |
| pdfc.zip: pdfc-javadoc.jar: member-search-index.js | | | | 0 |
| pdfc.zip: pdfc-javadoc.jar: module-search-index.js | | | | 0 |
| pdfc.zip: pdfc-javadoc.jar: package-search-index.js | | | | 0 |
| pdfc.zip: pdfc-javadoc.jar: script.js | | | | 0 |
| | | | | |

| | | | | |
|---|---|---|---|---|
| pdfc.zip: pdfc-javadoc.jar: search-page.js | | | | 0 |
| pdfc.zip: pdfc-javadoc.jar: search.js | | | | 0 |
| pdfc.zip: pdfc-javadoc.jar: tag-search-index.js | | | | 0 |
| pdfc.zip: pdfc-javadoc.jar: type-search-index.js | | | | 0 |
| pdfc.zip: pdfc.jar | cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* | | | 0 |
| pdfcserver.zip: pdfcserver.jar | cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* | | | 0 |
| pdfcserver.zip: pdfcserver.jar: compareconfigrenderer.js | | | | 0 |
| pdfcsetupwizard.zip: pdfcsetupwizard.jar | cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* | | | 0 |
| pdfcsetupwizard.zip: pdfcsetupwizard.jar: controller.js | | | | 0 |
| processbridge.pdfc.zip: processbridge.pdfc.jar | cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* | | | 0 |
| slf4j-api-2.0.18.jar | | pkg:maven/org.slf4j/slf4j-api@2.0.18 | | 0 |
| taskplanner.pdfc.zip: taskplanner.pdfc.jar | cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* | | | 0 |

## Dependencies (vulnerable)

### Merlia-0.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/lib/Merlia/0/8da583715e01eb78ad3ac4429d29b2ebf22320ef/Merlia-0.jar
**MD5:** a88e12c6800256f5456e0689cf30d5ed
**SHA1:** 8da583715e01eb78ad3ac4429d29b2ebf22320ef
**SHA256:**591c0a816ff070cb07d55743c3f147b42ed1a1d900b2c9cc75893b5d38f4dba1
**Referenced In Project/Scope:** standalone:inetPlugin
**Included by:** pkg:maven/pdfc/standalone@26.10

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | Merlia-0 | High |
| Vendor | gradle | artifactid | Merlia | Highest |
| Vendor | gradle | groupid | lib | Highest |

| | | | | |
|---|---|---|---|---|
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | tds | Low |
| Product | file | name | Merlia-0 | High |
| Product | gradle | artifactid | Merlia | Highest |
| Product | jar | package name | tds | Low |
| Version | file | name | Merlia-0 | Medium |
| Version | file | version | 0 | Medium |
| Version | gradle | version | 0 | Highest |
| Version | Manifest | driver-version | 8.14.01 | Medium |

**Identifiers**

- pkg:maven/lib/Merlia@0 (*Confidence*:Highest)

## analysis.language.zip: analysis.language.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/analysis.language.zip/analysis.language.jar
**MD5:** 4a10a730cd7ac3d3088b5f4367d66bc6
**SHA1:** b4eadb182dc1fe661d002642f38e6be23202c4f8
**SHA256:**752fb6609ca07990608dac673e64c3826f52d57ed68ee6a7745fa1d879b17473
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | analysis.language | High |
| Vendor | jar | package name | analysis | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2026-10-15 19:39 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |

| | | | | |
|---|---|---|---|---|
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | analysis.language | High |
| Product | jar | package name | analysis | Highest |
| Product | jar | package name | analysis | Low |
| Product | jar | package name | language | Highest |
| Product | jar | package name | language | Low |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2026-10-15 19:39 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | analysis.language | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | analysis.language | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 26.10.216 | High |

**Identifiers**

- cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* (*Confidence*:Low) suppress

## analysis.language.zip: guava.jar

**Description:**

Guava is a suite of core and expanded libraries that include utility classes, Google's collections, I/O classes, and much more.

**License:**

http://www.apache.org/licenses/LICENSE-2.0.txt

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/analysis.language.zip/guava.jar
**MD5:** d9fbf39a41a5bab891348f07668e18c5
**SHA1:** 8699de25f2f979108d6c1b804a7ba38cda1116bc
**SHA256:**1e301f0c52ac248b0b14fdc3d12283c77252d4d6f48521d572e7d8c4c2cc4ac7
**Referenced In Project/Scope:** standalone

### Evidence

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | guava | High |
| Vendor | jar | package name | google | Highest |
| Vendor | Manifest | build-jdk-spec | 11 | Low |
| Vendor | Manifest | bundle-docurl | https://github.com/google/guava/ | Low |
| Vendor | Manifest | bundle-symbolicname | com.google.guava | Medium |
| Vendor | Manifest | multi-release | true | Low |
| Vendor | pom | artifactid | guava | Low |
| Vendor | pom | groupid | com.google.guava | Highest |
| Vendor | pom | name | Guava: Google Core Libraries for Java | High |
| Vendor | pom | parent-artifactid | guava-parent | Low |
| Vendor | pom | url | google/guava | Highest |
| Product | file | name | guava | High |
| Product | jar | package name | google | Highest |
| Product | Manifest | build-jdk-spec | 11 | Low |
| Product | Manifest | bundle-docurl | https://github.com/google/guava/ | Low |
| Product | Manifest | Bundle-Name | Guava: Google Core Libraries for Java | Medium |
| Product | Manifest | bundle-symbolicname | com.google.guava | Medium |
| Product | Manifest | multi-release | true | Low |
| Product | pom | artifactid | guava | Highest |
| Product | pom | groupid | com.google.guava | Highest |

| | | | | |
|---|---|---|---|---|
| Product | pom | name | Guava: Google Core Libraries for Java | High |
| Product | pom | parent-artifactid | guava-parent | Medium |
| Product | pom | url | google/guava | High |
| Version | pom | version | 33.5.0-jre | Highest |

**Identifiers**

- pkg:maven/com.google.guava/guava@33.5.0-jre (*Confidence*:High)
- cpe:2.3:a:google:guava:33.5.0:*:*:*:*:*:*:* (*Confidence*:Highest) suppress

## analysis.language.zip: jsonic.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/analysis.language.zip/jsonic.jar
**MD5:** 504496d0069da0121c059c219147e90c
**SHA1:** 98e8a1f25aa40ed92ff2ecca4d1301d48b552452
**SHA256:**150e3ac24b103cb0cd50595018dbe3c8ba4b3dee81a76eb4b987607f96e9602b
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | jsonic | High |
| Vendor | jar | package name | arnx | Low |
| Vendor | jar | package name | jsonic | Low |
| Vendor | jar | package name | net | Low |
| Product | file | name | jsonic | High |
| Product | jar | package name | arnx | Low |
| Product | jar | package name | jsonic | Low |

**Identifiers**

- **None**

## analysis.language.zip: language-detector.jar

**Description:**

Language Detection Library for Java.

**License:**

Apache 2: http://www.apache.org/licenses/LICENSE-2.0

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/analysis.language.zip/language-detector.jar
**MD5:** e5475d5cabd54e5ddf6428d63864888f
**SHA1:** 52fee1eaa101f8d3e30b7095e1b6e0054d514dde
**SHA256:**f53ecc3d71da9ebc82edd10fb35638d32e8b9d849273dd717a021eca02f2278d
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | language-detector | High |
| Vendor | jar | package name | langdetect | Low |
| Vendor | jar | package name | languagedetector | Highest |
| Vendor | jar | package name | optimaize | Highest |
| Vendor | jar | package name | optimaize | Low |
| Vendor | pom | artifactid | language-detector | Low |
| Vendor | pom | developer name | Fabian Kessler | Medium |
| Vendor | pom | developer name | François ROLAND | Medium |
| Vendor | pom | developer name | Nakatani Shuyo | Medium |
| Vendor | pom | developer name | Robert Theis | Medium |
| Vendor | pom | groupid | com.optimaize.languagedetector | Highest |
| Vendor | pom | name | language-detector | High |
| Vendor | pom | url | optimaize/language-detector | Highest |
| Product | file | name | language-detector | High |
| Product | jar | package name | langdetect | Low |
| Product | jar | package name | languagedetector | Highest |
| Product | jar | package name | optimaize | Highest |
| Product | pom | artifactid | language-detector | Highest |
| Product | pom | developer name | Fabian Kessler | Low |
| Product | pom | developer name | François ROLAND | Low |
| Product | pom | developer name | Nakatani Shuyo | Low |
| Product | pom | developer name | Robert Theis | Low |
| Product | pom | groupid | com.optimaize.languagedetector | Highest |
| Product | pom | name | language-detector | High |

| | | | | |
|---|---|---|---|---|
| Product | pom | url | optimaize/language-detector | High |
| Version | pom | version | 0.6 | Highest |

**Identifiers**

- pkg:maven/com.optimaize.languagedetector/language-detector@0.6 (*Confidence*:High)

## annotations-3.0.1.jar (shaded: com.google.code.findbugs:jsr305:3.0.1)

**Description:**

JSR305 Annotations for Findbugs

**License:**

The Apache Software License, Version 2.0: http://www.apache.org/licenses/LICENSE-2.0.txt

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/com.google.code.findbugs/annotations/3.0.1/fc019a2216218990d64dfe756e7aa20f0069dea2/annotations-3.0.1.jar/META-INF/maven/com.google.code.findbugs/jsr305/pom.xml
**MD5:** d08567d16867a0b79bc8149683918452
**SHA1:** d04690f71f3393e23f30998d9534365274fa5f9f
**SHA256:**4170a761dc5bfd3981a8e6f7aab9e2acdce82d34fd5aa9bb11e3c090d25314ce
**Referenced In Project/Scope:** standalone:inetPlugin

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | pom | artifactid | jsr305 | Low |
| Vendor | pom | groupid | com.google.code.findbugs | Highest |
| Vendor | pom | name | FindBugs-jsr305 | High |
| Vendor | pom | url | http://findbugs.sourceforge.net/ | Highest |
| Product | pom | artifactid | jsr305 | Highest |
| Product | pom | groupid | com.google.code.findbugs | Highest |
| Product | pom | name | FindBugs-jsr305 | High |
| Product | pom | url | http://findbugs.sourceforge.net/ | Medium |
| Version | pom | version | 3.0.1 | Highest |

**Identifiers**

- pkg:maven/com.google.code.findbugs/jsr305@3.0.1 (*Confidence*:High)

## annotations-3.0.1.jar

**Description:**

Annotation the FindBugs tool supports

**License:**

GNU Lesser Public License: http://www.gnu.org/licenses/lgpl.html

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/com.google.code.findbugs/annotations/3.0.1/fc019a2216218990d64dfe756e7aa20f0069dea2/annotations-3.0.1.jar
**MD5:** fc4f102f22ba4f1df3f1d7cc6b202152
**SHA1:** fc019a2216218990d64dfe756e7aa20f0069dea2
**SHA256:**6b47ff0a6de0ce17cbedc3abb0828ca5bce3009d53ea47b3723ff023c4742f79
**Referenced In Project/Scope:** standalone:inetPlugin
**Included by:** pkg:maven/de.inetsoftware/jlessc@1.16

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | annotations | High |
| Vendor | gradle | artifactid | annotations | Highest |
| Vendor | gradle | groupid | com.google.code.findbugs | Highest |
| Vendor | jar | package name | annotation | Highest |
| Vendor | jar | package name | annotations | Highest |
| Vendor | jar | package name | findbugs | Highest |
| Vendor | Manifest | bundle-requiredexecution | J2SE-1.5 | Low |
| Vendor | Manifest | bundle-symbolicname | findbugsAnnotations | Medium |
| Vendor | pom | artifactid | annotations | Low |
| Vendor | pom | developer email | Loskutov@gmx.de | Low |
| Vendor | pom | developer email | pugh at cs.umd.edu | Low |
| Vendor | pom | developer id | al | Medium |
| Vendor | pom | developer id | bp | Medium |
| Vendor | pom | developer name | Andrey Loskutov | Medium |
| Vendor | pom | developer name | Bill Pugh | Medium |
| Vendor | pom | developer name | Keith Lea | Medium |
| Vendor | pom | groupid | com.google.code.findbugs | Highest |
| Vendor | pom | name | FindBugs-Annotations | High |
| Vendor | pom | url | http://findbugs.sourceforge.net/ | Highest |

| | | | | |
|---|---|---|---|---|
| Product | file | name | annotations | High |
| Product | gradle | artifactid | annotations | Highest |
| Product | jar | package name | annotation | Highest |
| Product | jar | package name | annotations | Highest |
| Product | jar | package name | findbugs | Highest |
| Product | Manifest | Bundle-Name | FindBugs-Annotations | Medium |
| Product | Manifest | bundle-requiredexecution | J2SE-1.5 | Low |
| Product | Manifest | bundle-symbolicname | findbugsAnnotations | Medium |
| Product | pom | artifactid | annotations | Highest |
| Product | pom | developer email | Loskutov@gmx.de | Low |
| Product | pom | developer email | pugh at cs.umd.edu | Low |
| Product | pom | developer id | al | Low |
| Product | pom | developer id | bp | Low |
| Product | pom | developer name | Andrey Loskutov | Low |
| Product | pom | developer name | Bill Pugh | Low |
| Product | pom | developer name | Keith Lea | Low |
| Product | pom | groupid | com.google.code.findbugs | Highest |
| Product | pom | name | FindBugs-Annotations | High |
| Product | pom | url | http://findbugs.sourceforge.net/ | Medium |
| Version | file | version | 3.0.1 | High |
| Version | gradle | version | 3.0.1 | Highest |
| Version | Manifest | Bundle-Version | 3.0.1 | High |
| Version | pom | version | 3.0.1 | Highest |

**Identifiers**

- pkg:maven/com.google.code.findbugs/annotations@3.0.1 (*Confidence*:High)

## command.jsonexport.zip: command.jsonexport.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/command.jsonexport.zip/command.jsonexport.jar
**MD5:** a0a733db9953311927c3ffdf2edc438e

**SHA1:** df705d1abcfb34b4b1c7aed8174d6cfca86e0ed9
**SHA256:**bf4b21dba2955ef4ddeca29d17b237ca8c373efa14c727fd08d050ba5d6185ea
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | command.jsonexport | High |
| Vendor | jar | package name | command | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2026-10-15 19:38 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | command.jsonexport | High |
| Product | jar | package name | command | Highest |
| Product | jar | package name | command | Low |
| Product | jar | package name | json | Low |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2026-10-15 19:38 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation- | pdfc | Low |

| | | | | |
|---|---|---|---|---|
| | | group | | |
| Product | Manifest | Implementation-Title | command.jsonexport | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | command.jsonexport | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 26.10.216 | High |

**Identifiers**

- cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* (*Confidence*:Low) suppress

## comparison.api.zip: comparison.api.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.api.zip/comparison.api.jar
**MD5:** ec60c599e8fb54bfbf308b194611a19b
**SHA1:** e9e864017de066e694b55d4af5f645834616cfd1
**SHA256:**f2825cce64dac20da034b120890d66ec4b06ca0984e1c4704af0b43702b34b7e
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | comparison.api | High |
| Vendor | jar | package name | comparisonapi | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2026-10-15 19:30 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation- | i-net software | High |

| | | | | |
|---|---|---|---|---|
| | | Vendor | | |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | comparison.api | High |
| Product | jar | package name | comparisonapi | Low |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2026-10-15 19:30 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | comparison.api | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | comparison.api | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 26.10.216 | High |

**Identifiers**

- cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* (*Confidence*:Low) suppress

## comparison.rpc.zip: comparison.rpc.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.rpc.zip/comparison.rpc.jar
**MD5:** 5227b72bf2a370680e2114cc086a226d
**SHA1:** 0da752dff7cbfdebc89d023327c5a2da9d085952
**SHA256:**3813d285f7ab0ef46fd805bf05c5feb18edd753e99eca955fd0a0e32ad1a7c9d
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | comparison.rpc | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | jar | package name | rpc | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2026-10-15 19:30 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | comparison.rpc | High |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | jar | package name | rpc | Highest |
| Product | jar | package name | rpc | Low |
| Product | jar | package name | websocket | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2026-10-15 19:30 | Low |

| | | | | |
|---|---|---|---|---|
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | comparison.rpc | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | comparison.rpc | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 26.10.216 | High |

**Identifiers**

- cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* (*Confidence*:Low) suppress

## comparison.webgui.zip: comparison.webgui.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar
**MD5:** eda576cfa550aba25bc48aab701c366c
**SHA1:** 99c3f2ebfca6618f42a845307d1ed0f875f056da
**SHA256:**41e8bc66efcb2992f8c8e602fc9ad36e332eb351c298322fb6839a197c938a60
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | comparison.webgui | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | jar | package name | webgui | Low |
| Vendor | Manifest | built-date | 2026-10-15 19:31 | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |

| | | | | |
|---|---|---|---|---|
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | comparison.webgui | High |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | jar | package name | server | Low |
| Product | jar | package name | webgui | Highest |
| Product | jar | package name | webgui | Low |
| Product | Manifest | built-date | 2026-10-15 19:31 | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | comparison.webgui | High |
| Product | Manifest | specification-title | comparison.webgui | Medium |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 26.10.216 | High |

**Identifiers**

- cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* (*Confidence*:Low) suppress

## comparison.webgui.zip: comparison.webgui.jar: app.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/app.js
**MD5:** 2e4ad8b6a0f9a76284c281df29d4ae4d
**SHA1:** c715d01b3797ea1cc4e3615d97412a8d2cf8a067
**SHA256:**c1ace93a6f794644bab65004932e9335d040e375a3d93c6ca4f7029bc5e06e59
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## comparison.webgui.zip: comparison.webgui.jar: compare.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/compare.js
**MD5:** 47c11703777970b5340fdde9e5c2a007
**SHA1:** 837d4158d8d2fd861a51eb47deab684afe88d900
**SHA256:**b87646b5df0c4bf504ea6bc21081883f471f32405b377281e6f70648d2ca88bc
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## comparison.webgui.zip: comparison.webgui.jar: contextmenuextension.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/drive/contextmenuextension.js
**MD5:** d9d6be66ab50e6a39377bac88512c3b5
**SHA1:** 7c067f63b2c1fbce9f9950180afe529e45972ebd
**SHA256:**5644fcbcb6b5ca4e2f893b986baaa4cbf2a257b04803b68ac3c7f25fef8b5b57
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## comparison.webgui.zip: comparison.webgui.jar: contingent.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/contingent.js
**MD5:** 10782a90b423f2db0450adaa8944f25a
**SHA1:** 8d7242260155b1bc6cbca8cd0fa034c3be0c021b
**SHA256:**c54c35e7c00b764c4e9b7511916a30510158e88b8c8e5ee4d61c7302a7d87295
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## comparison.webgui.zip: comparison.webgui.jar: controller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/controller.js
**MD5:** 2cf680bfe38c8b2530290f7774aa4f05
**SHA1:** fce11729ea18b46f24493bd606a855019dacbd65
**SHA256:**e27e00f38e124535b48342a658e269ab9a84288bf520ca86fab02d8271ae4e99
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## comparison.webgui.zip: comparison.webgui.jar: descriptionarea.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/descriptionarea.js
**MD5:** 1d29817212fdb43d9846ae06fa18f6e6

**SHA1:** a764b901342ac8c0ec221bb7ace50dc9ceb8f829
**SHA256:**810608ed7b36cf99f1f4d130e3fa2d35435b30bf7d67405e767acdd0cdf9c299
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## comparison.webgui.zip: comparison.webgui.jar: dropzone.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/dropzone.js
**MD5:** ba3a4f6f44543acfba96dc86daf71924
**SHA1:** b87d741b57a46bd3a5b1905bef06513200972c29
**SHA256:**4d3c417d1633eb2f89af86982877e0127cc9aa43f0ed40d44a7fa80bf4dfe8ec
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## comparison.webgui.zip: comparison.webgui.jar: export.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/export.js
**MD5:** e1a2cc48050ef9b378b8a53a081d082a
**SHA1:** 5cd7fe1140bd00b2f6db400724b659ae7abbadd9
**SHA256:**17fe08df83d82b913f8d1416e4ce5c2530ee55f4a35348f6c9dad90fde158ec7
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## comparison.webgui.zip: comparison.webgui.jar: factory.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/factory.js
**MD5:** 08aae6c0d1a07c1fff9e1d1b5c28baff
**SHA1:** 49e06732d3cee2843737f87bfcbdd6930137932e
**SHA256:**9091827abfef06bb1bc04270d60851c53be7764bb9ae1c8824db6c4899a586ed
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## comparison.webgui.zip: comparison.webgui.jar: layout-utils.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/layout-utils.js
**MD5:** 398e0278b5725b9bf1f2ddf95f33b901
**SHA1:** e227fc7a21eb9fa4f9cac2ee6fd0b94d6f38df29
**SHA256:**8b6aeca0e30fb508dbf55832766239fd62ef793e1b4769ca9accb479efa7f985
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## comparison.webgui.zip: comparison.webgui.jar: model.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/model.js
**MD5:** 8d9b4a7ebe13aadfb4940a828bdbc1d2
**SHA1:** c2201645e497ca3a4d01249625f9bf6ce371678d
**SHA256:**2c6264a8211d5819f66ebfa99adf1d8a593994ca06336ad181387b762b09ef67
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## comparison.webgui.zip: comparison.webgui.jar: multipasswordpanel.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/multipasswordpanel.js
**MD5:** 34d4d5fd0cf1fa77d569e928af1a00aa
**SHA1:** 230e35fe5f8f5a48ccd930cee3c79f16df858b97
**SHA256:**28be5c583ef3c82dca061d79f33a43f3672421b6a1b42e460a444f296d49a79a
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## comparison.webgui.zip: comparison.webgui.jar: mycomparisons.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/mycomparisons.js
**MD5:** 65ecc6d948cb7189567f2b69ddcb036b
**SHA1:** f5abb2d2ab6527b7449c02383e497078b7af77c6
**SHA256:**88cf1150d8fa5c54d71fc181b4a0c6e07ae57dd1d03a8c009b3e5c17b5abac86
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## comparison.webgui.zip: comparison.webgui.jar: passwordpanel.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/passwordpanel.js
**MD5:** 4e69b1954226ce194fd836df7ad77e35
**SHA1:** 6e79c7f2354f08c8effe8adfd66c6dcaff4bdb8c
**SHA256:**6078c754f425f4087a05cf8e6aca77ab5b6c9df996e5143d730f32bd8f46ca21
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## comparison.webgui.zip: comparison.webgui.jar: pdfc-profile-service.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/kytos/pdfc-profile-service.js
**MD5:** 38df1ceb5c55b221bc58fce38d085d68

**SHA1:** b534683e6338bb04f42994b8af7a4ca8167a788c
**SHA256:**7afec69fbdbd9226ea2b948b2146149604dc279d1fd1fec08c1702d74a072aaf
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## comparison.webgui.zip: comparison.webgui.jar: pdfc-viewer-overlay.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/kytos/pdfc-viewer-overlay.js
**MD5:** 1ea5f41751e83336bc5787b6c520bb0a
**SHA1:** f57f865f189f42bf7a5944a1e3e1cb28c08b6c37
**SHA256:**6cbafa06cf0f237b8b8e06ad4883a6adb14123fd20b083cdfca0fce3700a5b1c
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## comparison.webgui.zip: comparison.webgui.jar: pdfcconfig.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/pdfcconfig.js
**MD5:** 676338e9e274fd0d9ab59db49e3ea86f
**SHA1:** 5c8a910bd5453a9e9ff6163db9f760533e9db5b6
**SHA256:**3cbb5959eb832a0c7880d2a0c58a4f82cc6e66b177b4aeeef49a87540265b96f
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## comparison.webgui.zip: comparison.webgui.jar: profileentry.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/profileentry.js
**MD5:** 70fba9a0806250f9fc3f559012ebdfc5
**SHA1:** 911155de0ffa9aff766b028eff7d2a74557da44c
**SHA256:**7dc35ebc9b13805fc2160bd904bea53c880ab49854079e55e4f141984b6ab075
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## comparison.webgui.zip: comparison.webgui.jar: publishdialog.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/publishdialog.js
**MD5:** 3c6b3557cb70409b766dcadc7593ef40
**SHA1:** 15ab54e19f4ed112a10fc9bb380d5613f4c9e10f
**SHA256:**bc6ff09abcaa54afd0b07b558cec428824f5e1b157a5459e3eb2308802eca100
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## comparison.webgui.zip: comparison.webgui.jar: publishprofiledialog.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/publishprofiledialog.js
**MD5:** 15cb57cdb21d62986b893e35495ac8d0
**SHA1:** 060e44459b5a3e7b684be7a9faaefd5683a22ea9
**SHA256:**c1ce1c1ef7c98cb682a6844bec27307b2e7aee3403b607ce6743394984d5f481
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## comparison.webgui.zip: comparison.webgui.jar: report.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/report.js
**MD5:** cafb8b7fee4fcb9192f84e74eacc84bc
**SHA1:** 9c1f8db9c4c82df2c4bb46eb16aa9dc94a002368
**SHA256:**8ec83f80699f3aab21614b57bd57b94cfe7092ca4586dcf5c5f45ed56cc69687
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## comparison.webgui.zip: comparison.webgui.jar: scroller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/scroller.js
**MD5:** a2b4509a0fe651d06956089f90c5fd67
**SHA1:** f783f1a2c13d219a0f80145125dc8eb9c013b3a8
**SHA256:**202dd97f6be7a14b6533543770139897c651b3213cace2881bf8176a9ff8e4eb
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## comparison.webgui.zip: comparison.webgui.jar: searchcomponent.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/searchcomponent.js
**MD5:** 1c55168ecb6c17797a987610a1e14270
**SHA1:** c4e47ec0041b2d8dd322d6e4ceb4b83205e7d4c9
**SHA256:**edb4595f497e59962e184f77a83e2a5fb4f14fdc2cbb6d7d5402ae8d84b5cd50
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## comparison.webgui.zip: comparison.webgui.jar: ui-pdfc-checkbox.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/kytos/ui-pdfc-checkbox.js
**MD5:** d97141cb4a20e4a8c64702507d898fa9

**SHA1:** c5301a5cc3adfdac04b7727e5d0c508b3ae825e7
**SHA256:**3475d30796ada2166eff37435f3a8953b615dc4ee9a58eb5470cab248fc28171
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## comparison.webgui.zip: comparison.webgui.jar: ui-pdfc-list.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/kytos/ui-pdfc-list.js
**MD5:** 4fafffbe87689a5d25d3244d02253178
**SHA1:** d79ac6bfad969d6c56b519820f72dc1290d19f87
**SHA256:**6a6acbed2800c1c5d7c6889e2cd8539efcd01ac8e11fde327f1d1d598c91301f
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## comparison.webgui.zip: comparison.webgui.jar: ui-pdfc-profile-actions.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/kytos/ui-pdfc-profile-actions.js
**MD5:** 86b0a46ed912142e6ca520a30f4b547c
**SHA1:** 728280629f6574199194b83061847d1e601b0bb0
**SHA256:**34f63eb635abfec84c60929d8e6088c31e068694a82176062a786261fd27bf1c
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## comparison.webgui.zip: comparison.webgui.jar: ui-pdfc-profile-description.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/kytos/ui-pdfc-profile-description.js
**MD5:** 5ee49ce6b37a1e1809f970519a6a5c9a
**SHA1:** c699e3862c6ac9f76a0a7e09d4b0e1034d453bb9
**SHA256:**2361fe046d0af0a328a9097dfc5f769f2ff338f56494c20444ce5d0e54675d6e
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## comparison.webgui.zip: comparison.webgui.jar: ui-pdfc-property-renderer.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/kytos/ui-pdfc-property-renderer.js
**MD5:** dd58fcfee9cde8e1b0de5afce15e48a9
**SHA1:** 1a79119836a1420fe720838c5f3a12a35b16c24f
**SHA256:**e48894fabcf105da56da1053a8ba1e0eb130dcdd1a39d76b2980fc7c9a7cc55c
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## comparison.webgui.zip: comparison.webgui.jar: ui-pdfc-property.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/kytos/ui-pdfc-property.js
**MD5:** 5141fee6996863095afd1a461ed06dd7
**SHA1:** 6472f9ef392615f37817bbdef0c2fd81f31306f1
**SHA256:**d0d349925542d97cecdfba13279958bf7dae7a784c646cc1efc33ab8fc36134d
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## comparison.webgui.zip: comparison.webgui.jar: ui-pdfc-select-profile.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/kytos/ui-pdfc-select-profile.js
**MD5:** 9507d9d02aa788a9ad6d877959410ce9
**SHA1:** b4853ad2cdbf05d4fcedf1668247a94a6462d039
**SHA256:**dea1203f5a46552747b345d224a740543564855053d5a8968c0dde235edd6d20
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## comparison.webgui.zip: comparison.webgui.jar: ui-pdfc-select.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/kytos/ui-pdfc-select.js
**MD5:** 0ca7a2647b61a06a06e7bb91b1ccf62e
**SHA1:** b8b9f90d4b6e5cc58840fc175a3d0f3bc9629c27
**SHA256:**ebfbf35d8222510469ec7a9b637803dc29f66f60840d96902448f56b90f76dd8
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## comparison.webgui.zip: comparison.webgui.jar: ui-pdfc-slider.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/kytos/ui-pdfc-slider.js
**MD5:** a7a360ab40cfcb66d678a9d218150e6a
**SHA1:** 7ef4f800ab6416e3dc9c2cab6276e6a948555731
**SHA256:**c54a39de0c1523f455cb3f48804ac46de9eda8640fedb542d4a81bc9f1d43193
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## comparison.webgui.zip: comparison.webgui.jar: userlist.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/userlist.js
**MD5:** f0280a91fc83e571ef486c22a7f93ef7

**SHA1:** 68abf77cf988cad21dd9dad06a89175f906b1d9e
**SHA256:**1b0b6bc3b19aa7a697b17a94c617ad8e1807b10ac7de9d9292bfdc3f929c41cb
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## comparison.webgui.zip: comparison.webgui.jar: visibilitysettings.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/visibilitysettings.js
**MD5:** 8296228065aaa84f528fedf4371c248a
**SHA1:** 7569e1d8fafe4cf2264b5c15a3744f67200751f3
**SHA256:**24141775d9fa3bf3dd36fdc112c28f6cacf5053ddf0d4e9fdb6d396176620a85
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## comparison.webgui.zip: comparison.webgui.jar: zoomer.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/zoomer.js
**MD5:** 9292c505ec54cc329a2c2f0dc6612a43
**SHA1:** 724665a18dfc42d5fb8ba99a8010022de75bfccd
**SHA256:**d9d4db5a4a662a0887793825308e350047a54dc41810200c7ffb732c57a61f1c
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## filter.area.zip: filter.area.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/filter.area.zip/filter.area.jar
**MD5:** 8c15e81dbade071ea0b55a6269eb0710
**SHA1:** 538582207d0a839ac81e8b2cb8d18c05e5dce1e4
**SHA256:**7dc330336b42252ff3abe21e9ea1a5a490adb857012abee978534d7e79e4acf5
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | filter.area | High |
| Vendor | jar | package name | filter | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2026-10-15 19:37 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | filter.area | High |

| | | | | |
|---|---|---|---|---|
| Product | jar | package name | area | Highest |
| Product | jar | package name | area | Low |
| Product | jar | package name | filter | Highest |
| Product | jar | package name | filter | Low |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2026-10-15 19:37 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | filter.area | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | filter.area | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 26.10.216 | High |

**Identifiers**

- cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* (*Confidence*:Low) suppress

## filter.area.zip: filter.area.jar: ui-pdfc-area-filter.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/filter.area.zip/filter.area.jar/com/inet/pdfc/filter/area/client/kytos/ui-pdfc-area-filter.js
**MD5:** 96ea23f63cca912cd069b7ee9f7327eb
**SHA1:** 2d7046f4d651e9cb9d2c6ee7cedb863ed910f449
**SHA256:**66b84960bf9ab698f5c652e1e791e55bd46e6049bd2946e211df7734473838c7
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## filter.baselinetable.zip: filter.baselinetable.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/filter.baselinetable.zip/filter.baselinetable.jar
**MD5:** 80cdd9b9a02b6ca76cbb61c648fef132
**SHA1:** ecc42249f1d9a4fad9600b98043ea7037ee52b4f
**SHA256:**62e7fee8b61778526175dacba0d85cf249081b9f6d04e718ab087d985840d8cd
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | filter.baselinetable | High |
| Vendor | jar | package name | filter | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2026-10-15 19:37 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | filter.baselinetable | High |

| | | | | |
|---|---|---|---|---|
| Product | jar | package name | baselinetable | Highest |
| Product | jar | package name | baselinetable | Low |
| Product | jar | package name | filter | Highest |
| Product | jar | package name | filter | Low |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2026-10-15 19:37 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | filter.baselinetable | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | filter.baselinetable | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 26.10.216 | High |

**Identifiers**

- cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* (*Confidence*:Low) suppress

## filter.cmappatch.zip: filter.cmappatch.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/filter.cmappatch.zip/filter.cmappatch.jar
**MD5:** ec0a91f2a47e495cf0b612292687190d
**SHA1:** 752a2c4a5a04813a718783880c4bc1a6cb229ef3
**SHA256:**29d31bd34c49430c10cdb8cfe6a66ddb6a6bb5c900492832b9f6d658c7a344cf
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | filter.cmappatch | High |
| Vendor | jar | package name | filter | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2026-10-15 19:32 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | filter.cmappatch | High |
| Product | jar | package name | cmappatch | Highest |
| Product | jar | package name | cmappatch | Low |
| Product | jar | package name | filter | Highest |
| Product | jar | package name | filter | Low |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2026-10-15 19:32 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | filter.cmappatch | High |
| Product | Manifest | permissions | all-permissions | Low |

| | | | | |
|---|---|---|---|---|
| Product | Manifest | specification-title | filter.cmappatch | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 26.10.216 | High |

**Identifiers**

- cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* (*Confidence*:Low) suppress

## filter.headerfooter.zip: filter.headerfooter.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/filter.headerfooter.zip/filter.headerfooter.jar
**MD5:** 59b864aa330f238c78975429f88fad6c
**SHA1:** fa5502563f03ea8d9cb819d0fc6ede9cd5fc295e
**SHA256:**3cd5e1fbbd5c59eb3c6b7907858ca902b5fb54987ef36a1f686c490c7e1af9ec
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | filter.headerfooter | High |
| Vendor | jar | package name | filter | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2026-10-15 19:34 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |

| | | | | |
|---|---|---|---|---|
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | filter.headerfooter | High |
| Product | jar | package name | filter | Highest |
| Product | jar | package name | filter | Low |
| Product | jar | package name | headerfooter | Highest |
| Product | jar | package name | headerfooter | Low |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2026-10-15 19:34 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | filter.headerfooter | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | filter.headerfooter | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 26.10.216 | High |

**Identifiers**

- cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* (*Confidence*:Low) suppress

## filter.headerfooter.zip: filter.headerfooter.jar: ui-pdfc-header-footer-slider.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/filter.headerfooter.zip/filter.headerfooter.jar/com

/inet/pdfc/filter/headerfooter/client/kytos/ui-pdfc-header-footer-slider.js
**MD5:** 1741dbcb786b121aa6c769411bd61a88
**SHA1:** 766844f23bd3b9dd88a9032082e7d5a80509301c
**SHA256:**9f214deeb99a0dda5d88e25856e025e95d802c27432f4e155c0f674371853d90
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## filter.hiderotation.zip: filter.hiderotation.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/filter.hiderotation.zip/filter.hiderotation.jar
**MD5:** 9c2aa317db816472c26d235e1120cb77
**SHA1:** 3d11ad680b66a62cddaff4ef39f67810cd28c529
**SHA256:**cd305fce4f2cbd5b0a06da5dd63f1f6724a73f149b54c02b57e00866ceff4f55
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | filter.hiderotation | High |
| Vendor | jar | package name | filter | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2026-10-15 19:31 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |

| | | | | |
|---|---|---|---|---|
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | filter.hiderotation | High |
| Product | jar | package name | filter | Highest |
| Product | jar | package name | filter | Low |
| Product | jar | package name | hiderotation | Highest |
| Product | jar | package name | hiderotation | Low |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2026-10-15 19:31 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | filter.hiderotation | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | filter.hiderotation | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 26.10.216 | High |

**Identifiers**

- cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* (*Confidence*:Low) suppress

## filter.invisibleelements.zip: filter.invisibleelements.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/filter.invisibleelements.zip/filter.invisibleelements.jar
**MD5:** 995e0616dfcd59d55ce8127fb6e0e087
**SHA1:** 7c0a5e94461f071cf6ab39619559aa9497a7e13f
**SHA256:**b19683548c8b80296e8ffb49ceba267ceb891b1a7800fd97f5f06a78a4c2ac6d
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | filter.invisibleelements | High |
| Vendor | jar | package name | filter | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2026-10-15 19:31 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | filter.invisibleelements | High |
| Product | jar | package name | filter | Highest |
| Product | jar | package name | filter | Low |
| Product | jar | package name | invisibleelements | Highest |
| Product | jar | package name | invisibleelements | Low |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | Manifest | application-library-allowable- | * | Low |

| | | | | |
|---|---|---|---|---|
| | | codebase | | |
| Product | Manifest | built-date | 2026-10-15 19:31 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | filter.invisibleelements | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | filter.invisibleelements | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 26.10.216 | High |

**Identifiers**

- cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* (*Confidence*:Low) suppress

## filter.multicolumn.zip: filter.multicolumn.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/filter.multicolumn.zip/filter.multicolumn.jar
**MD5:** d8b825f1091a288b2ee472f50c515d63
**SHA1:** a780c6d38d3254e4a8a99ae4d01148306189fe4e
**SHA256:**c4b255c1dd6138524ef7ab0d27815a21a8005bc7d86de4f3e5fd19fc54f347a1
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | filter.multicolumn | High |
| Vendor | jar | package name | filter | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2026-10-15 19:31 | Low |

| | | | | |
|---|---|---|---|---|
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | filter.multicolumn | High |
| Product | jar | package name | filter | Highest |
| Product | jar | package name | filter | Low |
| Product | jar | package name | multicolumn | Highest |
| Product | jar | package name | multicolumn | Low |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2026-10-15 19:31 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | filter.multicolumn | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | filter.multicolumn | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 26.10.216 | High |

**Identifiers**

- cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* (*Confidence*:Low) suppress

## filter.ocr.zip: filter.ocr.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/filter.ocr.zip/filter.ocr.jar
**MD5:** bc811d6ef1605aeef3e9f7c29142f203
**SHA1:** 7c7957ee8558ab72290f4e6e44331bc9bfce1a78
**SHA256:**7fbf37b8ec10cdafbc093f5624d6938c010ea4328e70c4825f2ca3459b1f54f8
**Referenced In Project/Scope:** standalone

### Evidence

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | filter.ocr | High |
| Vendor | jar | package name | filter | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2026-10-15 19:31 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | filter.ocr | High |
| Product | jar | package name | filter | Highest |
| Product | jar | package name | filter | Low |
| Product | jar | package name | ocr | Highest |

| | | | | |
|---|---|---|---|---|
| Product | jar | package name | ocr | Low |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2026-10-15 19:31 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | filter.ocr | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | filter.ocr | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 26.10.216 | High |

**Identifiers**

- cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* (*Confidence*:Low) suppress

## filter.pagerange.zip: filter.pagerange.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/filter.pagerange.zip/filter.pagerange.jar
**MD5:** c7ae1af39672e4fb6a50fb0806a05c93
**SHA1:** 8851bc673fc4b05de86368c4d7e5c921b4b0deb7
**SHA256:**e41cb89118390ae11468fdf6ce39f669d22d5b57516e2551c78eca0cc337dd11
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | filter.pagerange | High |
| Vendor | jar | package name | filter | Low |
| Vendor | jar | package name | inet | Low |

| | | | | |
|---|---|---|---|---|
| Vendor | jar | package name | pdfc | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2026-10-15 19:37 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | filter.pagerange | High |
| Product | jar | package name | filter | Highest |
| Product | jar | package name | filter | Low |
| Product | jar | package name | page | Low |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2026-10-15 19:37 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | filter.pagerange | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | filter.pagerange | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation- | 26.10.216 | High |

Version

**Identifiers**

- cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* (*Confidence*:Low) suppress

## filter.regex.zip: filter.regex.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/filter.regex.zip/filter.regex.jar
**MD5:** bf8e3d7b9ddd74d2395dd7daff969915
**SHA1:** fd17056619709a6d1329ba1dc229900fc3fc2502
**SHA256:**d76f8af9625ca667346b38fa3444cca4d31aac001e85fadc76b107e8171d0067
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | filter.regex | High |
| Vendor | jar | package name | filter | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2026-10-15 19:34 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |

| | | | | |
|---|---|---|---|---|
| Product | file | name | filter.regex | High |
| Product | jar | package name | filter | Highest |
| Product | jar | package name | filter | Low |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | jar | package name | regex | Highest |
| Product | jar | package name | regex | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2026-10-15 19:34 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | filter.regex | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | filter.regex | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 26.10.216 | High |

**Identifiers**

- cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* (*Confidence*:Low) suppress

## filter.texttransform.zip: filter.texttransform.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/filter.texttransform.zip/filter.texttransform.jar
**MD5:** 329cdd3213ceaa1cd5ace27199c10b90
**SHA1:** fbb918654ab5856f9500942ba043bbd579675bf1
**SHA256:**f7b721c44b0d4b641bba95fd3cb2b38ba69c5e3709a571867815ba53018014d1
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | filter.texttransform | High |
| Vendor | jar | package name | filter | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2026-10-15 19:35 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | filter.texttransform | High |
| Product | jar | package name | filter | Highest |
| Product | jar | package name | filter | Low |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | jar | package name | texttransform | Highest |
| Product | jar | package name | texttransform | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2026-10-15 19:35 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | filter.texttransform | High |
| Product | Manifest | permissions | all-permissions | Low |

| | | | | |
|---|---|---|---|---|
| Product | Manifest | specification-title | filter.texttransform | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 26.10.216 | High |

**Identifiers**

- cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* (*Confidence*:Low) suppress

## filter.urllookup.zip: filter.urllookup.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/filter.urllookup.zip/filter.urllookup.jar
**MD5:** 9eedb2b90461052f3eccb5fac0a637ed
**SHA1:** 39dc4d4887dbf79ed059ca1e06c2e6eb4019d36a
**SHA256:**ac375ce73e8a9a639b5d6a3be420888b17f6caab47f832f56324193793ddb6c6
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | filter.urllookup | High |
| Vendor | jar | package name | filter | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2026-10-15 19:38 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |

| | | | | |
|---|---|---|---|---|
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | filter.urllookup | High |
| Product | jar | package name | filter | Highest |
| Product | jar | package name | filter | Low |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | jar | package name | urllookup | Highest |
| Product | jar | package name | urllookup | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2026-10-15 19:38 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | filter.urllookup | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | filter.urllookup | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 26.10.216 | High |

**Identifiers**

- cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* (*Confidence*:Low) suppress

## hamcrest-3.0.jar

**Description:**

Core API and libraries of hamcrest matcher framework.

**License:**

BSD-3-Clause: https://raw.githubusercontent.com/hamcrest/JavaHamcrest/master/LICENSE

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.hamcrest/hamcrest/3.0/8fd9b78a8e6a6510a078a9e30e9e86a6035cfaf7/hamcrest-3.0.jar
**MD5:** 781023c38b054e9cf1c818c77895e1eb
**SHA1:** 8fd9b78a8e6a6510a078a9e30e9e86a6035cfaf7
**SHA256:**5d66b6a4a680755cb6ed7cb104fa7835ef644667586ff0737adeb977c39ecdbc
**Referenced In Project/Scope:** standalone:inetPlugin
**Included by:** pkg:maven/pdfc/standalone@26.10

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | hamcrest | High |
| Vendor | gradle | artifactid | hamcrest | Highest |
| Vendor | gradle | groupid | org.hamcrest | Highest |
| Vendor | jar | package name | hamcrest | Highest |
| Vendor | jar | package name | hamcrest | Low |
| Vendor | Manifest | automatic-module-name | org.hamcrest | Medium |
| Vendor | Manifest | bundle-symbolicname | org.hamcrest | Medium |
| Vendor | Manifest | Implementation-Vendor | hamcrest.org | High |
| Vendor | pom | artifactid | hamcrest | Low |
| Vendor | pom | developer id | joewalnes | Medium |
| Vendor | pom | developer id | npryce | Medium |
| Vendor | pom | developer id | sf105 | Medium |
| Vendor | pom | developer name | Joe Walnes | Medium |
| Vendor | pom | developer name | Nat Pryce | Medium |
| Vendor | pom | developer name | Steve Freeman | Medium |
| Vendor | pom | groupid | org.hamcrest | Highest |
| Vendor | pom | name | Hamcrest | High |
| Vendor | pom | url | http://hamcrest.org/JavaHamcrest/ | Highest |
| Product | file | name | hamcrest | High |
| Product | gradle | artifactid | hamcrest | Highest |
| Product | jar | package name | hamcrest | Highest |
| Product | Manifest | automatic-module-name | org.hamcrest | Medium |
| Product | Manifest | Bundle-Name | org.hamcrest | Medium |

| | | | | |
|---|---|---|---|---|
| Product | Manifest | bundle-symbolicname | org.hamcrest | Medium |
| Product | Manifest | Implementation-Title | hamcrest | High |
| Product | pom | artifactid | hamcrest | Highest |
| Product | pom | developer id | joewalnes | Low |
| Product | pom | developer id | npryce | Low |
| Product | pom | developer id | sf105 | Low |
| Product | pom | developer name | Joe Walnes | Low |
| Product | pom | developer name | Nat Pryce | Low |
| Product | pom | developer name | Steve Freeman | Low |
| Product | pom | groupid | org.hamcrest | Highest |
| Product | pom | name | Hamcrest | High |
| Product | pom | url | http://hamcrest.org/JavaHamcrest/ | Medium |
| Version | file | version | 3.0 | High |
| Version | gradle | version | 3.0 | Highest |
| Version | Manifest | Implementation-Version | 3.0 | High |
| Version | pom | version | 3.0 | Highest |

**Identifiers**

- pkg:maven/org.hamcrest/hamcrest@3.0 (*Confidence*:High)

## inetcore-26.10-tools.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/26.10/7a6a28c4a2d3452dc516b0c808363c1004fc8486/inetcore-26.10-tools.jar
**MD5:** ab32bedcda969ba8e0d76d8225f357dc
**SHA1:** 7a6a28c4a2d3452dc516b0c808363c1004fc8486
**SHA256:**73124c6bb1787e96c9db9d02c98fc15638809808653f6a37b6c04537b723a405
**Referenced In Project/Scope:** standalone:inetPlugin
**Included by:** pkg:maven/pdfc/standalone@26.10

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | inetcore | High |
| Vendor | gradle | artifactid | inetcore | Highest |

| | | | | |
|---|---|---|---|---|
| Vendor | gradle | groupid | shared | Highest |
| Vendor | jar | package name | test | Low |
| Vendor | Manifest | classifier | tools | Low |
| Product | file | name | inetcore | High |
| Product | gradle | artifactid | inetcore | Highest |
| Product | jar | package name | tools | Highest |
| Product | Manifest | classifier | tools | Low |
| Version | file | name | inetcore | Medium |
| Version | file | version | 26.10 | High |
| Version | gradle | version | 26.10 | Highest |
| Version | jar | package name | tools | Highest |
| Version | Manifest | specification-version | 26.10.216 | High |

**Identifiers**

- pkg:maven/shared/inetcore@26.10 (*Confidence*:Highest)

## inetcore-26.10.jar (shaded: com.inet.shared:inetcore:null)

**Description:**

A blend composite defines the rule according to which a drawing primitive (known as the source) is mixed with existing graphics (know as the destination.)

ColorUtilities contains a set of tools to perform common color operations easily.

**License:**

LGPL: http://www.gnu.org/licenses/lgpl.txt

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/26.10/16befc04cf8a1eebd78c1200a8ec79ee097f422/inetcore-26.10.jar/META-INF/com/inet/shared/utils/BlendComposite/pom.xml
**MD5:** 15e3963148212192804e2b1a2b73ad1c
**SHA1:** 1095ba4522949a04590ab9c98b7f684e92579ef9
**SHA256:**e5556987ad0b1ede84a994741147dadf6de0cb7d80b845f530e2a96505b79151
**Referenced In Project/Scope:** standalone:inetPlugin

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | pom | artifactid | inetcore | Low |
| Vendor | pom | developer email | contact@inetsoftware.de | Low |

| | | | | |
|---|---|---|---|---|
| Vendor | pom | developer email | morgand@apache.org | Low |
| Vendor | pom | developer id | inetsoftware | Medium |
| Vendor | pom | developer id | romainguy | Medium |
| Vendor | pom | developer id | sun | Medium |
| Vendor | pom | developer name | i-net /// software | Medium |
| Vendor | pom | developer name | Romain Guy | Medium |
| Vendor | pom | developer name | Sun | Medium |
| Vendor | pom | developer org | Sun | Medium |
| Vendor | pom | groupid | com.inet.shared | Highest |
| Vendor | pom | name | BlendComposite and ColorUtilities | High |
| Vendor | pom (hint) | developer id | oracle | Medium |
| Vendor | pom (hint) | developer name | oracle | Medium |
| Vendor | pom (hint) | developer org | oracle | Medium |
| Product | pom | artifactid | inetcore | Highest |
| Product | pom | developer email | contact@inetsoftware.de | Low |
| Product | pom | developer email | morgand@apache.org | Low |
| Product | pom | developer id | inetsoftware | Low |
| Product | pom | developer id | romainguy | Low |
| Product | pom | developer id | sun | Low |
| Product | pom | developer name | i-net /// software | Low |
| Product | pom | developer name | Romain Guy | Low |
| Product | pom | developer name | Sun | Low |
| Product | pom | developer org | Sun | Low |
| Product | pom | groupid | com.inet.shared | Highest |
| Product | pom | name | BlendComposite and ColorUtilities | High |

**Identifiers**

- **None**

## inetcore-26.10.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/26.10/16befc04cf8a1eebd78c1200a8ec79ee097f422/inetcore-26.10.jar
**MD5:** 03ac4f1761862488655bce5b774f3ed7
**SHA1:** 016befc04cf8a1eebd78c1200a8ec79ee097f422
**SHA256:**18f93357d145c4ed7dbd9d08a9142b50d4540ca4e9d59d77c27164f936ef65fc
**Referenced In Project/Scope:** standalone:inetPlugin
**Included by:** pkg:maven/pdfc/standalone@26.10

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | inetcore | High |
| Vendor | gradle | artifactid | inetcore | Highest |
| Vendor | gradle | groupid | shared | Highest |
| Vendor | jar | package name | i | Highest |
| Vendor | jar | package name | inet | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2026-10-15 16:03 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | inetcore | High |
| Product | gradle | artifactid | inetcore | Highest |
| Product | jar | package name | permissions | Highest |
| Product | jar | package name | shared | Highest |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2026-10-15 16:03 | Low |
| Product | Manifest | codebase | * | Low |

| | | | | |
|---|---|---|---|---|
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | inetcore | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | inetcore | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | file | name | inetcore | Medium |
| Version | file | version | 26.10 | High |
| Version | gradle | version | 26.10 | Highest |
| Version | jar | package name | permissions | Highest |
| Version | jar | package name | shared | Highest |
| Version | Manifest | Implementation-Version | 26.10.216 | High |

**Identifiers**

- pkg:maven/shared/inetcore@26.10 (*Confidence*:Highest)

## java-25-jre-x64-linux.tar.gz: java-25-jre-x64-linux.tar: jrt-fs.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/java-25-jre-x64-linux.tar.gz/java-25-jre-x64-linux.tar/jre-11/lib/jrt-fs.jar
**MD5:** 790d688cfe7f5ac37258fbf8083eb266
**SHA1:** 5d0b6d8366c9396dc1f759a3470c156d1608ef94
**SHA256:**2bd8b0fb53c9d0e240128953e6145e0bbe230168a3444c89fff81002beb60c14
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | jrt-fs | High |
| Vendor | jar | package name | internal | Low |
| Vendor | jar | package name | jdk | Low |
| Vendor | jar | package name | jimage | Low |
| Vendor | Manifest | Implementation-Vendor | Eclipse Adoptium | High |
| Vendor | Manifest | specification-vendor | Oracle Corporation | Low |

| | | | | |
|---|---|---|---|---|
| Product | file | name | jrt-fs | High |
| Product | jar | package name | internal | Low |
| Product | jar | package name | jimage | Low |
| Product | Manifest | Implementation-Title | Java Runtime Environment | High |
| Product | Manifest | specification-title | Java Platform API Specification | Medium |
| Version | Manifest | Implementation-Version | 25.0.4 | High |

**Identifiers**

- cpe:2.3:a:eclipse:platform:25.0.4:*:*:*:*:*:*:* (*Confidence*:Medium) suppress

## jcip-annotations-1.0.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/net.jcip/jcip-annotations/1.0/afba4942caaeaf46aab0b976afd57cc7c181467e/jcip-annotations-1.0.jar
**MD5:** 9d5272954896c5a5d234f66b7372b17a
**SHA1:** afba4942caaeaf46aab0b976afd57cc7c181467e
**SHA256:**be5805392060c71474bf6c9a67a099471274d30b83eef84bfc4e0889a4f1dcc0
**Referenced In Project/Scope:** standalone:inetPlugin
**Included by:** pkg:maven/de.inetsoftware/jlessc@1.16

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | jcip-annotations | High |
| Vendor | gradle | artifactid | jcip-annotations | Highest |
| Vendor | gradle | groupid | net.jcip | Highest |
| Vendor | jar | package name | annotations | Low |
| Vendor | jar | package name | jcip | Low |
| Vendor | jar | package name | net | Low |
| Vendor | pom | artifactid | jcip-annotations | Low |
| Vendor | pom | groupid | net.jcip | Highest |
| Vendor | pom | name | "Java Concurrency in Practice" book annotations | High |
| Vendor | pom | url | http://jcip.net/ | Highest |
| Product | file | name | jcip-annotations | High |

| | | | | |
|---|---|---|---|---|
| Product | gradle | artifactid | jcip-annotations | Highest |
| Product | jar | package name | annotations | Low |
| Product | jar | package name | jcip | Low |
| Product | pom | artifactid | jcip-annotations | Highest |
| Product | pom | groupid | net.jcip | Highest |
| Product | pom | name | "Java Concurrency in Practice" book annotations | High |
| Product | pom | url | http://jcip.net/ | Medium |
| Version | file | version | 1.0 | High |
| Version | gradle | version | 1.0 | Highest |
| Version | pom | version | 1.0 | Highest |

**Identifiers**

- pkg:maven/net.jcip/jcip-annotations@1.0 (*Confidence*:High)

## jlessc-1.16.jar

**Description:**

A Less CSS compiler written completely in Java (pure Java).

**License:**

MIT License: http://www.opensource.org/licenses/mit-license.php

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/de.inetsoftware/jlessc/1.16/d2d7a35fe5daa804be79c9e77073d9b941c28a94/jlessc-1.16.jar
**MD5:** 0f7350b2bb443d0f0b9a8039fff69261
**SHA1:** d2d7a35fe5daa804be79c9e77073d9b941c28a94
**SHA256:**1d188752d493662c97496c178b5a6405e8168133ce7d343f4dd2f3eab470b922
**Referenced In Project/Scope:** standalone:inetPlugin
**Included by:** pkg:maven/pdfc/standalone@26.10

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | jlessc | High |
| Vendor | gradle | artifactid | jlessc | Highest |
| Vendor | gradle | groupid | de.inetsoftware | Highest |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | less | Low |

| | | | | |
|---|---|---|---|---|
| Vendor | jar | package name | lib | Low |
| Vendor | Manifest | automatic-module-name | de.inetsoftware.jlessc | Medium |
| Vendor | Manifest | bundle-symbolicname | de.inetsoftware.jlessc | Medium |
| Vendor | Manifest | Implementation-Vendor | i-net software GmbH, Berlin, Germany | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | pom | artifactid | jlessc | Low |
| Vendor | pom | developer email | vberlin@inetsoftware.de | Low |
| Vendor | pom | developer id | vberlin | Medium |
| Vendor | pom | developer name | Volker Berlin | Medium |
| Vendor | pom | developer org | i-net software | Medium |
| Vendor | pom | developer org URL | https://www.inetsoftware.de/ | Medium |
| Vendor | pom | groupid | de.inetsoftware | Highest |
| Vendor | pom | name | JLessC | High |
| Vendor | pom | url | i-net-software/jlessc | Highest |
| Product | file | name | jlessc | High |
| Product | gradle | artifactid | jlessc | Highest |
| Product | jar | package name | less | Low |
| Product | jar | package name | lib | Low |
| Product | Manifest | automatic-module-name | de.inetsoftware.jlessc | Medium |
| Product | Manifest | bundle-symbolicname | de.inetsoftware.jlessc | Medium |
| Product | Manifest | Implementation-Title | JLessC, a Less CSS compiler | High |
| Product | pom | artifactid | jlessc | Highest |
| Product | pom | developer email | vberlin@inetsoftware.de | Low |
| Product | pom | developer id | vberlin | Low |
| Product | pom | developer name | Volker Berlin | Low |
| Product | pom | developer org | i-net software | Low |
| Product | pom | developer org URL | https://www.inetsoftware.de/ | Low |
| Product | pom | groupid | de.inetsoftware | Highest |
| Product | pom | name | JLessC | High |
| Product | pom | url | i-net-software/jlessc | High |
| Version | file | version | 1.16 | High |

| | | | | |
|---|---|---|---|---|
| Version | gradle | version | 1.16 | Highest |
| Version | Manifest | Bundle-Version | 1.16 | High |
| Version | Manifest | Implementation-Version | 1.16 | High |
| Version | pom | version | 1.16 | Highest |

**Identifiers**

- pkg:maven/de.inetsoftware/jlessc@1.16 (*Confidence*:High)

## jsr305-3.0.2.jar

**Description:**

JSR305 Annotations for Findbugs

**License:**

The Apache Software License, Version 2.0: http://www.apache.org/licenses/LICENSE-2.0.txt

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/com.google.code.findbugs/jsr305/3.0.2/25ea2e8b0c338a877313bd4672d3fe056ea78f0d/jsr305-3.0.2.jar
**MD5:** dd83accb899363c32b07d7a1b2e4ce40
**SHA1:** 25ea2e8b0c338a877313bd4672d3fe056ea78f0d
**SHA256:**766ad2a0783f2687962c8ad74ceecc38a28b9f72a2d085ee438b7813e928d0c7
**Referenced In Project/Scope:** standalone:inetPlugin
**Included by:** pkg:maven/de.inetsoftware/jlessc@1.16

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | jsr305 | High |
| Vendor | gradle | artifactid | jsr305 | Highest |
| Vendor | gradle | groupid | com.google.code.findbugs | Highest |
| Vendor | Manifest | bundle-symbolicname | org.jsr-305 | Medium |
| Vendor | pom | artifactid | jsr305 | Low |
| Vendor | pom | groupid | com.google.code.findbugs | Highest |
| Vendor | pom | name | FindBugs-jsr305 | High |
| Vendor | pom | url | http://findbugs.sourceforge.net/ | Highest |
| Product | file | name | jsr305 | High |
| Product | gradle | artifactid | jsr305 | Highest |

| | | | | |
|---|---|---|---|---|
| Product | Manifest | Bundle-Name | FindBugs-jsr305 | Medium |
| Product | Manifest | bundle-symbolicname | org.jsr-305 | Medium |
| Product | pom | artifactid | jsr305 | Highest |
| Product | pom | groupid | com.google.code.findbugs | Highest |
| Product | pom | name | FindBugs-jsr305 | High |
| Product | pom | url | http://findbugs.sourceforge.net/ | Medium |
| Version | file | version | 3.0.2 | High |
| Version | gradle | version | 3.0.2 | Highest |
| Version | Manifest | Bundle-Version | 3.0.2 | High |
| Version | pom | version | 3.0.2 | Highest |

**Identifiers**

- pkg:maven/com.google.code.findbugs/jsr305@3.0.2 (*Confidence*:High)

## junit-4.13.2.jar

**Description:**

JUnit is a unit testing framework for Java, created by Erich Gamma and Kent Beck.

**License:**

Eclipse Public License 1.0: http://www.eclipse.org/legal/epl-v10.html

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/junit/junit/4.13.2/8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12/junit-4.13.2.jar
**MD5:** d98a9a02a99a9acd22d7653cbcc1f31f
**SHA1:** 8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12
**SHA256:**8e495b634469d64fb8acfa3495a065cbacc8a0fff55ce1e31007be4c16dc57d3
**Referenced In Project/Scope:** standalone:inetPlugin
**Included by:** pkg:maven/pdfc/standalone@26.10

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | junit | High |
| Vendor | gradle | artifactid | junit | Highest |
| Vendor | gradle | groupid | junit | Highest |
| Vendor | jar | package name | junit | Highest |
| Vendor | jar | package name | junit | Low |

| | | | | |
|---|---|---|---|---|
| Vendor | Manifest | automatic-module-name | junit | Medium |
| Vendor | Manifest | implementation-url | http://junit.org | Low |
| Vendor | Manifest | Implementation-Vendor | JUnit | High |
| Vendor | Manifest | Implementation-Vendor-Id | junit | Medium |
| Vendor | pom | artifactid | junit | Low |
| Vendor | pom | developer email | david@saff.net | Low |
| Vendor | pom | developer email | kcooney@google.com | Low |
| Vendor | pom | developer email | mail@marcphilipp.de | Low |
| Vendor | pom | developer email | mail@stefan-birkner.de | Low |
| Vendor | pom | developer id | dsaff | Medium |
| Vendor | pom | developer id | kcooney | Medium |
| Vendor | pom | developer id | marcphilipp | Medium |
| Vendor | pom | developer id | stefanbirkner | Medium |
| Vendor | pom | developer name | David Saff | Medium |
| Vendor | pom | developer name | Kevin Cooney | Medium |
| Vendor | pom | developer name | Marc Philipp | Medium |
| Vendor | pom | developer name | Stefan Birkner | Medium |
| Vendor | pom | groupid | junit | Highest |
| Vendor | pom | name | JUnit | High |
| Vendor | pom | organization name | JUnit | High |
| Vendor | pom | organization url | http://www.junit.org | Medium |
| Vendor | pom | url | http://junit.org | Highest |
| Product | file | name | junit | High |
| Product | gradle | artifactid | junit | Highest |
| Product | jar | package name | junit | Highest |
| Product | Manifest | automatic-module-name | junit | Medium |
| Product | Manifest | Implementation-Title | JUnit | High |
| Product | Manifest | implementation-url | http://junit.org | Low |
| Product | pom | artifactid | junit | Highest |
| Product | pom | developer email | david@saff.net | Low |
| Product | pom | developer email | kcooney@google.com | Low |

| | | | | |
|---|---|---|---|---|
| Product | pom | developer email | mail@marcphilipp.de | Low |
| Product | pom | developer email | mail@stefan-birkner.de | Low |
| Product | pom | developer id | dsaff | Low |
| Product | pom | developer id | kcooney | Low |
| Product | pom | developer id | marcphilipp | Low |
| Product | pom | developer id | stefanbirkner | Low |
| Product | pom | developer name | David Saff | Low |
| Product | pom | developer name | Kevin Cooney | Low |
| Product | pom | developer name | Marc Philipp | Low |
| Product | pom | developer name | Stefan Birkner | Low |
| Product | pom | groupid | junit | Highest |
| Product | pom | name | JUnit | High |
| Product | pom | organization name | JUnit | Low |
| Product | pom | organization url | http://www.junit.org | Low |
| Product | pom | url | http://junit.org | Medium |
| Version | file | version | 4.13.2 | High |
| Version | gradle | version | 4.13.2 | Highest |
| Version | Manifest | Implementation-Version | 4.13.2 | High |
| Version | pom | version | 4.13.2 | Highest |

**Identifiers**

- pkg:maven/junit/junit@4.13.2 (*Confidence*:High)
- cpe:2.3:a:junit:junit4:4.13.2:*:*:*:*:*:*:* (*Confidence*:Low) suppress

## junit-jupiter-6.1.3.jar

**Description:**

Module "junit-jupiter" of JUnit

**License:**

Eclipse Public License v2.0: https://www.eclipse.org/legal/epl-v20.html

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter/6.1.3/cd72619e9eb4cf64e30a87615a4f9b50a80ce103/junit-jupiter-6.1.3.jar
**MD5:** ce9a15168b49704e731f11120d5dc1b9

**SHA1:** cd72619e9eb4cf64e30a87615a4f9b50a80ce103
**SHA256:**6b0a14075c74221de53047e363860b7d19fce802bebc152df2c35c4089c6c379
**Referenced In Project/Scope:** standalone:inetPlugin
**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@6.1.3
- pkg:maven/org.junit.jupiter/junit-jupiter@6.1.3
- pkg:maven/org.junit.platform/junit-platform-suite@6.1.3
- pkg:maven/pdfc/standalone@26.10

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | junit-jupiter | High |
| Vendor | gradle | artifactid | junit-jupiter | Highest |
| Vendor | gradle | groupid | org.junit.jupiter | Highest |
| Vendor | jar | package name | module-info | Low |
| Vendor | Manifest | build-date | 2026-08-07 | Low |
| Vendor | Manifest | build-revision | f59f60d2cebdf2224235d81f781b1f310cbc8138 | Low |
| Vendor | Manifest | build-time | 14:25:13.673+0200 | Low |
| Vendor | Manifest | bundle-symbolicname | junit-jupiter | Medium |
| Vendor | Manifest | Implementation-Vendor | junit.org | High |
| Vendor | Manifest | specification-vendor | junit.org | Low |
| Vendor | pom | artifactid | junit-jupiter | Low |
| Vendor | pom | developer email | business@johanneslink.net | Low |
| Vendor | pom | developer email | derancourt.juliette@gmail.com | Low |
| Vendor | pom | developer email | mail@marcphilipp.de | Low |
| Vendor | pom | developer email | matthias.merdes@heidelpay.com | Low |
| Vendor | pom | developer email | mpkorstanje@junit.org | Low |
| Vendor | pom | developer email | sam@sambrannen.com | Low |
| Vendor | pom | developer email | sormuras@gmail.com | Low |
| Vendor | pom | developer email | stefan.bechtold@me.com | Low |
| Vendor | pom | developer id | bechte | Medium |
| Vendor | pom | developer id | jlink | Medium |
| Vendor | pom | developer id | juliette-derancourt | Medium |
| Vendor | pom | developer id | marcphilipp | Medium |
| Vendor | pom | developer id | mmerdes | Medium |
| Vendor | pom | developer id | mpkorstanje | Medium |
| Vendor | pom | developer id | sbrannen | Medium |

| | | | | |
|---|---|---|---|---|
| Vendor | pom | developer id | sormuras | Medium |
| Vendor | pom | developer name | Christian Stein | Medium |
| Vendor | pom | developer name | Johannes Link | Medium |
| Vendor | pom | developer name | Juliette de Rancourt | Medium |
| Vendor | pom | developer name | M.P. Korstanje | Medium |
| Vendor | pom | developer name | Marc Philipp | Medium |
| Vendor | pom | developer name | Matthias Merdes | Medium |
| Vendor | pom | developer name | Sam Brannen | Medium |
| Vendor | pom | developer name | Stefan Bechtold | Medium |
| Vendor | pom | groupid | org.junit.jupiter | Highest |
| Vendor | pom | name | JUnit Jupiter (Aggregator) | High |
| Vendor | pom | url | https://junit.org/ | Highest |
| Product | file | name | junit-jupiter | High |
| Product | gradle | artifactid | junit-jupiter | Highest |
| Product | Manifest | build-date | 2026-08-07 | Low |
| Product | Manifest | build-revision | f59f60d2cebdf2224235d81f781b1f310cbc8138 | Low |
| Product | Manifest | build-time | 14:25:13.673+0200 | Low |
| Product | Manifest | Bundle-Name | JUnit Jupiter (Aggregator) | Medium |
| Product | Manifest | bundle-symbolicname | junit-jupiter | Medium |
| Product | Manifest | Implementation-Title | junit-jupiter | High |
| Product | Manifest | specification-title | junit-jupiter | Medium |
| Product | pom | artifactid | junit-jupiter | Highest |
| Product | pom | developer email | business@johanneslink.net | Low |
| Product | pom | developer email | derancourt.juliette@gmail.com | Low |
| Product | pom | developer email | mail@marcphilipp.de | Low |
| Product | pom | developer email | matthias.merdes@heidelpay.com | Low |
| Product | pom | developer email | mpkorstanje@junit.org | Low |
| Product | pom | developer email | sam@sambrannen.com | Low |
| Product | pom | developer email | sormuras@gmail.com | Low |
| Product | pom | developer email | stefan.bechtold@me.com | Low |
| Product | pom | developer id | bechte | Low |
| Product | pom | developer id | jlink | Low |
| Product | pom | developer id | juliette-derancourt | Low |
| Product | pom | developer id | marcphilipp | Low |

| | | | | |
|---|---|---|---|---|
| Product | pom | developer id | mmerdes | Low |
| Product | pom | developer id | mpkorstanje | Low |
| Product | pom | developer id | sbrannen | Low |
| Product | pom | developer id | sormuras | Low |
| Product | pom | developer name | Christian Stein | Low |
| Product | pom | developer name | Johannes Link | Low |
| Product | pom | developer name | Juliette de Rancourt | Low |
| Product | pom | developer name | M.P. Korstanje | Low |
| Product | pom | developer name | Marc Philipp | Low |
| Product | pom | developer name | Matthias Merdes | Low |
| Product | pom | developer name | Sam Brannen | Low |
| Product | pom | developer name | Stefan Bechtold | Low |
| Product | pom | groupid | org.junit.jupiter | Highest |
| Product | pom | name | JUnit Jupiter (Aggregator) | High |
| Product | pom | url | https://junit.org/ | Medium |
| Version | file | version | 6.1.3 | High |
| Version | gradle | version | 6.1.3 | Highest |
| Version | Manifest | Bundle-Version | 6.1.3 | High |
| Version | Manifest | Implementation-Version | 6.1.3 | High |
| Version | pom | version | 6.1.3 | Highest |

**Identifiers**

- pkg:maven/org.junit.jupiter/junit-jupiter@6.1.3 (*Confidence*:High)

## junit-jupiter-api-6.1.3.jar

**Description:**

Module "junit-jupiter-api" of JUnit

**License:**

Eclipse Public License v2.0: https://www.eclipse.org/legal/epl-v20.html

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-api/6.1.3/6a57f0ce4d6bfe9784d103077055ba39f3e6f638/junit-jupiter-api-6.1.3.jar
**MD5:** 662a5b10a1bbb2e3192790351d67d269
**SHA1:** 6a57f0ce4d6bfe9784d103077055ba39f3e6f638

**SHA256:**555d6cf20fa1710884dd01b86cc5785397ba73e21ada2d4b784f5f1a14dcafc4
**Referenced In Project/Scope:** standalone:inetPlugin
**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@6.1.3
- pkg:maven/org.junit.jupiter/junit-jupiter@6.1.3
- pkg:maven/org.junit.platform/junit-platform-suite@6.1.3

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | junit-jupiter-api | High |
| Vendor | gradle | artifactid | junit-jupiter-api | Highest |
| Vendor | gradle | groupid | org.junit.jupiter | Highest |
| Vendor | jar | package name | api | Highest |
| Vendor | jar | package name | api | Low |
| Vendor | jar | package name | junit | Highest |
| Vendor | jar | package name | junit | Low |
| Vendor | jar | package name | jupiter | Highest |
| Vendor | jar | package name | jupiter | Low |
| Vendor | Manifest | build-date | 2026-08-07 | Low |
| Vendor | Manifest | build-revision | f59f60d2cebdf2224235d81f781b1f310cbc8138 | Low |
| Vendor | Manifest | build-time | 14:25:13.673+0200 | Low |
| Vendor | Manifest | bundle-symbolicname | junit-jupiter-api | Medium |
| Vendor | Manifest | Implementation-Vendor | junit.org | High |
| Vendor | Manifest | specification-vendor | junit.org | Low |
| Vendor | pom | artifactid | junit-jupiter-api | Low |
| Vendor | pom | developer email | business@johanneslink.net | Low |
| Vendor | pom | developer email | derancourt.juliette@gmail.com | Low |
| Vendor | pom | developer email | mail@marcphilipp.de | Low |
| Vendor | pom | developer email | matthias.merdes@heidelpay.com | Low |
| Vendor | pom | developer email | mpkorstanje@junit.org | Low |
| Vendor | pom | developer email | sam@sambrannen.com | Low |
| Vendor | pom | developer email | sormuras@gmail.com | Low |
| Vendor | pom | developer email | stefan.bechtold@me.com | Low |
| Vendor | pom | developer id | bechte | Medium |
| Vendor | pom | developer id | jlink | Medium |
| Vendor | pom | developer id | juliette-derancourt | Medium |

| | | | | |
|---|---|---|---|---|
| Vendor | pom | developer id | marcphilipp | Medium |
| Vendor | pom | developer id | mmerdes | Medium |
| Vendor | pom | developer id | mpkorstanje | Medium |
| Vendor | pom | developer id | sbrannen | Medium |
| Vendor | pom | developer id | sormuras | Medium |
| Vendor | pom | developer name | Christian Stein | Medium |
| Vendor | pom | developer name | Johannes Link | Medium |
| Vendor | pom | developer name | Juliette de Rancourt | Medium |
| Vendor | pom | developer name | M.P. Korstanje | Medium |
| Vendor | pom | developer name | Marc Philipp | Medium |
| Vendor | pom | developer name | Matthias Merdes | Medium |
| Vendor | pom | developer name | Sam Brannen | Medium |
| Vendor | pom | developer name | Stefan Bechtold | Medium |
| Vendor | pom | groupid | org.junit.jupiter | Highest |
| Vendor | pom | name | JUnit Jupiter API | High |
| Vendor | pom | url | https://junit.org/ | Highest |
| Product | file | name | junit-jupiter-api | High |
| Product | gradle | artifactid | junit-jupiter-api | Highest |
| Product | jar | package name | api | Highest |
| Product | jar | package name | api | Low |
| Product | jar | package name | junit | Highest |
| Product | jar | package name | jupiter | Highest |
| Product | jar | package name | jupiter | Low |
| Product | Manifest | build-date | 2026-08-07 | Low |
| Product | Manifest | build-revision | f59f60d2cebdf2224235d81f781b1f310cbc8138 | Low |
| Product | Manifest | build-time | 14:25:13.673+0200 | Low |
| Product | Manifest | Bundle-Name | JUnit Jupiter API | Medium |
| Product | Manifest | bundle-symbolicname | junit-jupiter-api | Medium |
| Product | Manifest | Implementation-Title | junit-jupiter-api | High |
| Product | Manifest | specification-title | junit-jupiter-api | Medium |
| Product | pom | artifactid | junit-jupiter-api | Highest |
| Product | pom | developer email | business@johanneslink.net | Low |
| Product | pom | developer email | derancourt.juliette@gmail.com | Low |
| Product | pom | developer email | mail@marcphilipp.de | Low |

| | | | | |
|---|---|---|---|---|
| Product | pom | developer email | matthias.merdes@heidelpay.com | Low |
| Product | pom | developer email | mpkorstanje@junit.org | Low |
| Product | pom | developer email | sam@sambrannen.com | Low |
| Product | pom | developer email | sormuras@gmail.com | Low |
| Product | pom | developer email | stefan.bechtold@me.com | Low |
| Product | pom | developer id | bechte | Low |
| Product | pom | developer id | jlink | Low |
| Product | pom | developer id | juliette-derancourt | Low |
| Product | pom | developer id | marcphilipp | Low |
| Product | pom | developer id | mmerdes | Low |
| Product | pom | developer id | mpkorstanje | Low |
| Product | pom | developer id | sbrannen | Low |
| Product | pom | developer id | sormuras | Low |
| Product | pom | developer name | Christian Stein | Low |
| Product | pom | developer name | Johannes Link | Low |
| Product | pom | developer name | Juliette de Rancourt | Low |
| Product | pom | developer name | M.P. Korstanje | Low |
| Product | pom | developer name | Marc Philipp | Low |
| Product | pom | developer name | Matthias Merdes | Low |
| Product | pom | developer name | Sam Brannen | Low |
| Product | pom | developer name | Stefan Bechtold | Low |
| Product | pom | groupid | org.junit.jupiter | Highest |
| Product | pom | name | JUnit Jupiter API | High |
| Product | pom | url | https://junit.org/ | Medium |
| Version | file | version | 6.1.3 | High |
| Version | gradle | version | 6.1.3 | Highest |
| Version | Manifest | Bundle-Version | 6.1.3 | High |
| Version | Manifest | Implementation-Version | 6.1.3 | High |
| Version | pom | version | 6.1.3 | Highest |

**Identifiers**

- pkg:maven/org.junit.jupiter/junit-jupiter-api@6.1.3 (*Confidence*:High)

## junit-jupiter-engine-6.1.3.jar

**Description:**

Module "junit-jupiter-engine" of JUnit

**License:**

Eclipse Public License v2.0: https://www.eclipse.org/legal/epl-v20.html

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-engine/6.1.3/3778a548f15693db463c3d090b419c64b486b848/junit-jupiter-engine-6.1.3.jar
**MD5:** ecb46f02088bb27be8ae3a7f51eded39
**SHA1:** 3778a548f15693db463c3d090b419c64b486b848
**SHA256:**414559e78bbfa3bdb2eab009ac3ab1e22369ac31117c270a0bd666da115c5c6c
**Referenced In Project/Scope:** standalone:inetPlugin
**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@6.1.3
- pkg:maven/org.junit.jupiter/junit-jupiter@6.1.3
- pkg:maven/org.junit.platform/junit-platform-suite@6.1.3
- pkg:maven/pdfc/standalone@26.10

### Evidence

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | junit-jupiter-engine | High |
| Vendor | gradle | artifactid | junit-jupiter-engine | Highest |
| Vendor | gradle | groupid | org.junit.jupiter | Highest |
| Vendor | jar | package name | engine | Highest |
| Vendor | jar | package name | engine | Low |
| Vendor | jar | package name | junit | Highest |
| Vendor | jar | package name | junit | Low |
| Vendor | jar | package name | jupiter | Highest |
| Vendor | jar | package name | jupiter | Low |
| Vendor | Manifest | build-date | 2026-08-07 | Low |
| Vendor | Manifest | build-revision | f59f60d2cebdf2224235d81f781b1f310cbc8138 | Low |
| Vendor | Manifest | build-time | 14:25:13.673+0200 | Low |
| Vendor | Manifest | bundle-symbolicname | junit-jupiter-engine | Medium |
| Vendor | Manifest | Implementation-Vendor | junit.org | High |
| Vendor | Manifest | provide-capability | org.junit.platform.engine;org.junit.platform.engine=junit-jupiter;version:Version="6.1.3" | Low |
| Vendor | Manifest | specification-vendor | junit.org | Low |
| Vendor | pom | artifactid | junit-jupiter-engine | Low |

| | | | | |
|---|---|---|---|---|
| Vendor | pom | developer email | business@johanneslink.net | Low |
| Vendor | pom | developer email | derancourt.juliette@gmail.com | Low |
| Vendor | pom | developer email | mail@marcphilipp.de | Low |
| Vendor | pom | developer email | matthias.merdes@heidelpay.com | Low |
| Vendor | pom | developer email | mpkorstanje@junit.org | Low |
| Vendor | pom | developer email | sam@sambrannen.com | Low |
| Vendor | pom | developer email | sormuras@gmail.com | Low |
| Vendor | pom | developer email | stefan.bechtold@me.com | Low |
| Vendor | pom | developer id | bechte | Medium |
| Vendor | pom | developer id | jlink | Medium |
| Vendor | pom | developer id | juliette-derancourt | Medium |
| Vendor | pom | developer id | marcphilipp | Medium |
| Vendor | pom | developer id | mmerdes | Medium |
| Vendor | pom | developer id | mpkorstanje | Medium |
| Vendor | pom | developer id | sbrannen | Medium |
| Vendor | pom | developer id | sormuras | Medium |
| Vendor | pom | developer name | Christian Stein | Medium |
| Vendor | pom | developer name | Johannes Link | Medium |
| Vendor | pom | developer name | Juliette de Rancourt | Medium |
| Vendor | pom | developer name | M.P. Korstanje | Medium |
| Vendor | pom | developer name | Marc Philipp | Medium |
| Vendor | pom | developer name | Matthias Merdes | Medium |
| Vendor | pom | developer name | Sam Brannen | Medium |
| Vendor | pom | developer name | Stefan Bechtold | Medium |
| Vendor | pom | groupid | org.junit.jupiter | Highest |
| Vendor | pom | name | JUnit Jupiter Engine | High |
| Vendor | pom | url | https://junit.org/ | Highest |
| Product | file | name | junit-jupiter-engine | High |
| Product | gradle | artifactid | junit-jupiter-engine | Highest |
| Product | jar | package name | engine | Highest |
| Product | jar | package name | engine | Low |
| Product | jar | package name | junit | Highest |
| Product | jar | package name | jupiter | Highest |
| Product | jar | package name | jupiter | Low |
| Product | Manifest | build-date | 2026-08-07 | Low |
| | | | | |

| | | | | |
|---|---|---|---|---|
| Product | Manifest | build-revision | f59f60d2cebdf2224235d81f781b1f310cbc8138 | Low |
| Product | Manifest | build-time | 14:25:13.673+0200 | Low |
| Product | Manifest | Bundle-Name | JUnit Jupiter Engine | Medium |
| Product | Manifest | bundle-symbolicname | junit-jupiter-engine | Medium |
| Product | Manifest | Implementation-Title | junit-jupiter-engine | High |
| Product | Manifest | provide-capability | org.junit.platform.engine;org.junit.platform.engine=junit-jupiter;version:Version="6.1.3" | Low |
| Product | Manifest | specification-title | junit-jupiter-engine | Medium |
| Product | pom | artifactid | junit-jupiter-engine | Highest |
| Product | pom | developer email | business@johanneslink.net | Low |
| Product | pom | developer email | derancourt.juliette@gmail.com | Low |
| Product | pom | developer email | mail@marcphilipp.de | Low |
| Product | pom | developer email | matthias.merdes@heidelpay.com | Low |
| Product | pom | developer email | mpkorstanje@junit.org | Low |
| Product | pom | developer email | sam@sambrannen.com | Low |
| Product | pom | developer email | sormuras@gmail.com | Low |
| Product | pom | developer email | stefan.bechtold@me.com | Low |
| Product | pom | developer id | bechte | Low |
| Product | pom | developer id | jlink | Low |
| Product | pom | developer id | juliette-derancourt | Low |
| Product | pom | developer id | marcphilipp | Low |
| Product | pom | developer id | mmerdes | Low |
| Product | pom | developer id | mpkorstanje | Low |
| Product | pom | developer id | sbrannen | Low |
| Product | pom | developer id | sormuras | Low |
| Product | pom | developer name | Christian Stein | Low |
| Product | pom | developer name | Johannes Link | Low |
| Product | pom | developer name | Juliette de Rancourt | Low |
| Product | pom | developer name | M.P. Korstanje | Low |
| Product | pom | developer name | Marc Philipp | Low |
| Product | pom | developer name | Matthias Merdes | Low |
| Product | pom | developer name | Sam Brannen | Low |
| Product | pom | developer name | Stefan Bechtold | Low |
| Product | pom | groupid | org.junit.jupiter | Highest |
| Product | pom | name | JUnit Jupiter Engine | High |

| | | | | |
|---|---|---|---|---|
| Product | pom | url | https://junit.org/ | Medium |
| Version | file | version | 6.1.3 | High |
| Version | gradle | version | 6.1.3 | Highest |
| Version | Manifest | Bundle-Version | 6.1.3 | High |
| Version | Manifest | Implementation-Version | 6.1.3 | High |
| Version | pom | version | 6.1.3 | Highest |

**Identifiers**

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@6.1.3 (*Confidence*:High)

## junit-jupiter-params-6.1.3.jar

**Description:**

Module "junit-jupiter-params" of JUnit

**License:**

Eclipse Public License v2.0: https://www.eclipse.org/legal/epl-v20.html

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-params/6.1.3/435fa4ec654c11fb82e666a47d9baefcee3f8df6/junit-jupiter-params-6.1.3.jar
**MD5:** e0b4bd2b6ae43ccb74acccc2b007cf6e
**SHA1:** 435fa4ec654c11fb82e666a47d9baefcee3f8df6
**SHA256:**05c51cedba2c06a9770707391e006cee825876937dea580b94a265ce145d4939
**Referenced In Project/Scope:** standalone:inetPlugin
**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@6.1.3
- pkg:maven/org.junit.jupiter/junit-jupiter@6.1.3
- pkg:maven/org.junit.platform/junit-platform-suite@6.1.3

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | junit-jupiter-params | High |
| Vendor | gradle | artifactid | junit-jupiter-params | Highest |
| Vendor | gradle | groupid | org.junit.jupiter | Highest |
| Vendor | jar | package name | junit | Highest |
| Vendor | jar | package name | junit | Low |
| Vendor | jar | package name | jupiter | Highest |
| Vendor | jar | package name | jupiter | Low |

| | | | | |
|---|---|---|---|---|
| Vendor | jar | package name | params | Highest |
| Vendor | jar | package name | params | Low |
| Vendor | Manifest | build-date | 2026-08-07 | Low |
| Vendor | Manifest | build-revision | f59f60d2cebdf2224235d81f781b1f310cbc8138 | Low |
| Vendor | Manifest | build-time | 14:25:13.673+0200 | Low |
| Vendor | Manifest | bundle-symbolicname | junit-jupiter-params | Medium |
| Vendor | Manifest | Implementation-Vendor | junit.org | High |
| Vendor | Manifest | specification-vendor | junit.org | Low |
| Vendor | pom | artifactid | junit-jupiter-params | Low |
| Vendor | pom | developer email | business@johanneslink.net | Low |
| Vendor | pom | developer email | derancourt.juliette@gmail.com | Low |
| Vendor | pom | developer email | mail@marcphilipp.de | Low |
| Vendor | pom | developer email | matthias.merdes@heidelpay.com | Low |
| Vendor | pom | developer email | mpkorstanje@junit.org | Low |
| Vendor | pom | developer email | sam@sambrannen.com | Low |
| Vendor | pom | developer email | sormuras@gmail.com | Low |
| Vendor | pom | developer email | stefan.bechtold@me.com | Low |
| Vendor | pom | developer id | bechte | Medium |
| Vendor | pom | developer id | jlink | Medium |
| Vendor | pom | developer id | juliette-derancourt | Medium |
| Vendor | pom | developer id | marcphilipp | Medium |
| Vendor | pom | developer id | mmerdes | Medium |
| Vendor | pom | developer id | mpkorstanje | Medium |
| Vendor | pom | developer id | sbrannen | Medium |
| Vendor | pom | developer id | sormuras | Medium |
| Vendor | pom | developer name | Christian Stein | Medium |
| Vendor | pom | developer name | Johannes Link | Medium |
| Vendor | pom | developer name | Juliette de Rancourt | Medium |
| Vendor | pom | developer name | M.P. Korstanje | Medium |
| Vendor | pom | developer name | Marc Philipp | Medium |
| Vendor | pom | developer name | Matthias Merdes | Medium |
| Vendor | pom | developer name | Sam Brannen | Medium |
| Vendor | pom | developer name | Stefan Bechtold | Medium |
| Vendor | pom | groupid | org.junit.jupiter | Highest |

| | | | | |
|---|---|---|---|---|
| Vendor | pom | name | JUnit Jupiter Params | High |
| Vendor | pom | url | https://junit.org/ | Highest |
| Product | file | name | junit-jupiter-params | High |
| Product | gradle | artifactid | junit-jupiter-params | Highest |
| Product | jar | package name | junit | Highest |
| Product | jar | package name | jupiter | Highest |
| Product | jar | package name | jupiter | Low |
| Product | jar | package name | params | Highest |
| Product | jar | package name | params | Low |
| Product | Manifest | build-date | 2026-08-07 | Low |
| Product | Manifest | build-revision | f59f60d2cebdf2224235d81f781b1f310cbc8138 | Low |
| Product | Manifest | build-time | 14:25:13.673+0200 | Low |
| Product | Manifest | Bundle-Name | JUnit Jupiter Params | Medium |
| Product | Manifest | bundle-symbolicname | junit-jupiter-params | Medium |
| Product | Manifest | Implementation-Title | junit-jupiter-params | High |
| Product | Manifest | specification-title | junit-jupiter-params | Medium |
| Product | pom | artifactid | junit-jupiter-params | Highest |
| Product | pom | developer email | business@johanneslink.net | Low |
| Product | pom | developer email | derancourt.juliette@gmail.com | Low |
| Product | pom | developer email | mail@marcphilipp.de | Low |
| Product | pom | developer email | matthias.merdes@heidelpay.com | Low |
| Product | pom | developer email | mpkorstanje@junit.org | Low |
| Product | pom | developer email | sam@sambrannen.com | Low |
| Product | pom | developer email | sormuras@gmail.com | Low |
| Product | pom | developer email | stefan.bechtold@me.com | Low |
| Product | pom | developer id | bechte | Low |
| Product | pom | developer id | jlink | Low |
| Product | pom | developer id | juliette-derancourt | Low |
| Product | pom | developer id | marcphilipp | Low |
| Product | pom | developer id | mmerdes | Low |
| Product | pom | developer id | mpkorstanje | Low |
| Product | pom | developer id | sbrannen | Low |
| Product | pom | developer id | sormuras | Low |
| Product | pom | developer name | Christian Stein | Low |

| | | | | |
|---|---|---|---|---|
| Product | pom | developer name | Johannes Link | Low |
| Product | pom | developer name | Juliette de Rancourt | Low |
| Product | pom | developer name | M.P. Korstanje | Low |
| Product | pom | developer name | Marc Philipp | Low |
| Product | pom | developer name | Matthias Merdes | Low |
| Product | pom | developer name | Sam Brannen | Low |
| Product | pom | developer name | Stefan Bechtold | Low |
| Product | pom | groupid | org.junit.jupiter | Highest |
| Product | pom | name | JUnit Jupiter Params | High |
| Product | pom | url | https://junit.org/ | Medium |
| Version | file | version | 6.1.3 | High |
| Version | gradle | version | 6.1.3 | Highest |
| Version | Manifest | Bundle-Version | 6.1.3 | High |
| Version | Manifest | Implementation-Version | 6.1.3 | High |
| Version | pom | version | 6.1.3 | Highest |

**Identifiers**

- pkg:maven/org.junit.jupiter/junit-jupiter-params@6.1.3 (*Confidence*:High)

## junit-platform-commons-6.1.3.jar

**Description:**

Module "junit-platform-commons" of JUnit

**License:**

Eclipse Public License v2.0: https://www.eclipse.org/legal/epl-v20.html

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-commons/6.1.3/acb99d3482ea51fcbcc4f6ea8672761e2b3d5bb7/junit-platform-commons-6.1.3.jar
**MD5:** 481a56275fe36dc163df005113a39f44
**SHA1:** acb99d3482ea51fcbcc4f6ea8672761e2b3d5bb7
**SHA256:**a4774ae923c109544034aeae7c762cf017fbcdd1342403ba90e0921984b608c3
**Referenced In Project/Scope:** standalone:inetPlugin
**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@6.1.3
- pkg:maven/org.junit.jupiter/junit-jupiter@6.1.3
- pkg:maven/org.junit.platform/junit-platform-suite@6.1.3

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | junit-platform-commons | High |
| Vendor | gradle | artifactid | junit-platform-commons | Highest |
| Vendor | gradle | groupid | org.junit.platform | Highest |
| Vendor | jar | package name | commons | Highest |
| Vendor | jar | package name | commons | Low |
| Vendor | jar | package name | junit | Highest |
| Vendor | jar | package name | junit | Low |
| Vendor | jar | package name | platform | Highest |
| Vendor | jar | package name | platform | Low |
| Vendor | Manifest | build-date | 2026-08-07 | Low |
| Vendor | Manifest | build-revision | f59f60d2cebdf2224235d81f781b1f310cbc8138 | Low |
| Vendor | Manifest | build-time | 14:25:13.673+0200 | Low |
| Vendor | Manifest | bundle-symbolicname | junit-platform-commons | Medium |
| Vendor | Manifest | Implementation-Vendor | junit.org | High |
| Vendor | Manifest | specification-vendor | junit.org | Low |
| Vendor | pom | artifactid | junit-platform-commons | Low |
| Vendor | pom | developer email | business@johanneslink.net | Low |
| Vendor | pom | developer email | derancourt.juliette@gmail.com | Low |
| Vendor | pom | developer email | mail@marcphilipp.de | Low |
| Vendor | pom | developer email | matthias.merdes@heidelpay.com | Low |
| Vendor | pom | developer email | mpkorstanje@junit.org | Low |
| Vendor | pom | developer email | sam@sambrannen.com | Low |
| Vendor | pom | developer email | sormuras@gmail.com | Low |
| Vendor | pom | developer email | stefan.bechtold@me.com | Low |
| Vendor | pom | developer id | bechte | Medium |
| Vendor | pom | developer id | jlink | Medium |
| Vendor | pom | developer id | juliette-derancourt | Medium |
| Vendor | pom | developer id | marcphilipp | Medium |
| Vendor | pom | developer id | mmerdes | Medium |
| Vendor | pom | developer id | mpkorstanje | Medium |
| Vendor | pom | developer id | sbrannen | Medium |
| Vendor | pom | developer id | sormuras | Medium |

| | | | | |
|---|---|---|---|---|
| Vendor | pom | developer name | Christian Stein | Medium |
| Vendor | pom | developer name | Johannes Link | Medium |
| Vendor | pom | developer name | Juliette de Rancourt | Medium |
| Vendor | pom | developer name | M.P. Korstanje | Medium |
| Vendor | pom | developer name | Marc Philipp | Medium |
| Vendor | pom | developer name | Matthias Merdes | Medium |
| Vendor | pom | developer name | Sam Brannen | Medium |
| Vendor | pom | developer name | Stefan Bechtold | Medium |
| Vendor | pom | groupid | org.junit.platform | Highest |
| Vendor | pom | name | JUnit Platform Commons | High |
| Vendor | pom | url | https://junit.org/ | Highest |
| Product | file | name | junit-platform-commons | High |
| Product | gradle | artifactid | junit-platform-commons | Highest |
| Product | jar | package name | commons | Highest |
| Product | jar | package name | commons | Low |
| Product | jar | package name | junit | Highest |
| Product | jar | package name | platform | Highest |
| Product | jar | package name | platform | Low |
| Product | Manifest | build-date | 2026-08-07 | Low |
| Product | Manifest | build-revision | f59f60d2cebdf2224235d81f781b1f310cbc8138 | Low |
| Product | Manifest | build-time | 14:25:13.673+0200 | Low |
| Product | Manifest | Bundle-Name | JUnit Platform Commons | Medium |
| Product | Manifest | bundle-symbolicname | junit-platform-commons | Medium |
| Product | Manifest | Implementation-Title | junit-platform-commons | High |
| Product | Manifest | specification-title | junit-platform-commons | Medium |
| Product | pom | artifactid | junit-platform-commons | Highest |
| Product | pom | developer email | business@johanneslink.net | Low |
| Product | pom | developer email | derancourt.juliette@gmail.com | Low |
| Product | pom | developer email | mail@marcphilipp.de | Low |
| Product | pom | developer email | matthias.merdes@heidelpay.com | Low |
| Product | pom | developer email | mpkorstanje@junit.org | Low |
| Product | pom | developer email | sam@sambrannen.com | Low |
| Product | pom | developer email | sormuras@gmail.com | Low |
| Product | pom | developer email | stefan.bechtold@me.com | Low |

| | | | | |
|---|---|---|---|---|
| Product | pom | developer id | bechte | Low |
| Product | pom | developer id | jlink | Low |
| Product | pom | developer id | juliette-derancourt | Low |
| Product | pom | developer id | marcphilipp | Low |
| Product | pom | developer id | mmerdes | Low |
| Product | pom | developer id | mpkorstanje | Low |
| Product | pom | developer id | sbrannen | Low |
| Product | pom | developer id | sormuras | Low |
| Product | pom | developer name | Christian Stein | Low |
| Product | pom | developer name | Johannes Link | Low |
| Product | pom | developer name | Juliette de Rancourt | Low |
| Product | pom | developer name | M.P. Korstanje | Low |
| Product | pom | developer name | Marc Philipp | Low |
| Product | pom | developer name | Matthias Merdes | Low |
| Product | pom | developer name | Sam Brannen | Low |
| Product | pom | developer name | Stefan Bechtold | Low |
| Product | pom | groupid | org.junit.platform | Highest |
| Product | pom | name | JUnit Platform Commons | High |
| Product | pom | url | https://junit.org/ | Medium |
| Version | file | version | 6.1.3 | High |
| Version | gradle | version | 6.1.3 | Highest |
| Version | Manifest | Bundle-Version | 6.1.3 | High |
| Version | Manifest | Implementation-Version | 6.1.3 | High |
| Version | pom | version | 6.1.3 | Highest |

**Identifiers**

- pkg:maven/org.junit.platform/junit-platform-commons@6.1.3 (*Confidence*:High)
- cpe:2.3:a:fan_platform_project:fan_platform:6.1.3:*:*:*:*:*:*:* (*Confidence*:Low)

suppress

## junit-platform-engine-6.1.3.jar

**Description:**

Module "junit-platform-engine" of JUnit

**License:**

Eclipse Public License v2.0: https://www.eclipse.org/legal/epl-v20.html

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-engine/6.1.3/e48a6061b576ebe36eac3b518dc917c23d119a91/junit-platform-engine-6.1.3.jar
**MD5:** a8f3d8fb44590fdee64b1b56b004f45a
**SHA1:** e48a6061b576ebe36eac3b518dc917c23d119a91
**SHA256:**21ad7ad3a35beda16387979317be1833a72a71d812f9a66ee4b9a7bafb56334c
**Referenced In Project/Scope:** standalone:inetPlugin
**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@6.1.3
- pkg:maven/org.junit.jupiter/junit-jupiter@6.1.3
- pkg:maven/org.junit.platform/junit-platform-suite@6.1.3

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | junit-platform-engine | High |
| Vendor | gradle | artifactid | junit-platform-engine | Highest |
| Vendor | gradle | groupid | org.junit.platform | Highest |
| Vendor | jar | package name | engine | Highest |
| Vendor | jar | package name | engine | Low |
| Vendor | jar | package name | junit | Highest |
| Vendor | jar | package name | junit | Low |
| Vendor | jar | package name | platform | Highest |
| Vendor | jar | package name | platform | Low |
| Vendor | Manifest | build-date | 2026-08-07 | Low |
| Vendor | Manifest | build-revision | f59f60d2cebdf2224235d81f781b1f310cbc8138 | Low |
| Vendor | Manifest | build-time | 14:25:13.673+0200 | Low |
| Vendor | Manifest | bundle-symbolicname | junit-platform-engine | Medium |
| Vendor | Manifest | Implementation-Vendor | junit.org | High |
| Vendor | Manifest | specification-vendor | junit.org | Low |
| Vendor | pom | artifactid | junit-platform-engine | Low |
| Vendor | pom | developer email | business@johanneslink.net | Low |
| Vendor | pom | developer email | derancourt.juliette@gmail.com | Low |
| Vendor | pom | developer email | mail@marcphilipp.de | Low |
| Vendor | pom | developer email | matthias.merdes@heidelpay.com | Low |
| Vendor | pom | developer email | mpkorstanje@junit.org | Low |
| Vendor | pom | developer email | sam@sambrannen.com | Low |

| | | | | |
|---|---|---|---|---|
| Vendor | pom | developer email | sormuras@gmail.com | Low |
| Vendor | pom | developer email | stefan.bechtold@me.com | Low |
| Vendor | pom | developer id | bechte | Medium |
| Vendor | pom | developer id | jlink | Medium |
| Vendor | pom | developer id | juliette-derancourt | Medium |
| Vendor | pom | developer id | marcphilipp | Medium |
| Vendor | pom | developer id | mmerdes | Medium |
| Vendor | pom | developer id | mpkorstanje | Medium |
| Vendor | pom | developer id | sbrannen | Medium |
| Vendor | pom | developer id | sormuras | Medium |
| Vendor | pom | developer name | Christian Stein | Medium |
| Vendor | pom | developer name | Johannes Link | Medium |
| Vendor | pom | developer name | Juliette de Rancourt | Medium |
| Vendor | pom | developer name | M.P. Korstanje | Medium |
| Vendor | pom | developer name | Marc Philipp | Medium |
| Vendor | pom | developer name | Matthias Merdes | Medium |
| Vendor | pom | developer name | Sam Brannen | Medium |
| Vendor | pom | developer name | Stefan Bechtold | Medium |
| Vendor | pom | groupid | org.junit.platform | Highest |
| Vendor | pom | name | JUnit Platform Engine API | High |
| Vendor | pom | url | https://junit.org/ | Highest |
| Product | file | name | junit-platform-engine | High |
| Product | gradle | artifactid | junit-platform-engine | Highest |
| Product | jar | package name | engine | Highest |
| Product | jar | package name | engine | Low |
| Product | jar | package name | junit | Highest |
| Product | jar | package name | platform | Highest |
| Product | jar | package name | platform | Low |
| Product | jar | package name | support | Low |
| Product | Manifest | build-date | 2026-08-07 | Low |
| Product | Manifest | build-revision | f59f60d2cebdf2224235d81f781b1f310cbc8138 | Low |
| Product | Manifest | build-time | 14:25:13.673+0200 | Low |
| Product | Manifest | Bundle-Name | JUnit Platform Engine API | Medium |
| Product | Manifest | bundle-symbolicname | junit-platform-engine | Medium |
| Product | Manifest | Implementation- | junit-platform-engine | High |

| | | Title | | |
|---|---|---|---|---|
| Product | Manifest | specification-title | junit-platform-engine | Medium |
| Product | pom | artifactid | junit-platform-engine | Highest |
| Product | pom | developer email | business@johanneslink.net | Low |
| Product | pom | developer email | derancourt.juliette@gmail.com | Low |
| Product | pom | developer email | mail@marcphilipp.de | Low |
| Product | pom | developer email | matthias.merdes@heidelpay.com | Low |
| Product | pom | developer email | mpkorstanje@junit.org | Low |
| Product | pom | developer email | sam@sambrannen.com | Low |
| Product | pom | developer email | sormuras@gmail.com | Low |
| Product | pom | developer email | stefan.bechtold@me.com | Low |
| Product | pom | developer id | bechte | Low |
| Product | pom | developer id | jlink | Low |
| Product | pom | developer id | juliette-derancourt | Low |
| Product | pom | developer id | marcphilipp | Low |
| Product | pom | developer id | mmerdes | Low |
| Product | pom | developer id | mpkorstanje | Low |
| Product | pom | developer id | sbrannen | Low |
| Product | pom | developer id | sormuras | Low |
| Product | pom | developer name | Christian Stein | Low |
| Product | pom | developer name | Johannes Link | Low |
| Product | pom | developer name | Juliette de Rancourt | Low |
| Product | pom | developer name | M.P. Korstanje | Low |
| Product | pom | developer name | Marc Philipp | Low |
| Product | pom | developer name | Matthias Merdes | Low |
| Product | pom | developer name | Sam Brannen | Low |
| Product | pom | developer name | Stefan Bechtold | Low |
| Product | pom | groupid | org.junit.platform | Highest |
| Product | pom | name | JUnit Platform Engine API | High |
| Product | pom | url | https://junit.org/ | Medium |
| Version | file | version | 6.1.3 | High |
| Version | gradle | version | 6.1.3 | Highest |
| Version | Manifest | Bundle-Version | 6.1.3 | High |
| Version | Manifest | Implementation-Version | 6.1.3 | High |
| Version | pom | version | 6.1.3 | Highest |

**Identifiers**

- pkg:maven/org.junit.platform/junit-platform-engine@6.1.3 (*Confidence*:High)
- cpe:2.3:a:fan_platform_project:fan_platform:6.1.3:*:*:*:*:*:*:* (*Confidence*:Low)

suppress

## junit-platform-launcher-6.1.3.jar

**Description:**

Module "junit-platform-launcher" of JUnit

**License:**

Eclipse Public License v2.0: https://www.eclipse.org/legal/epl-v20.html

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-launcher/6.1.3/dad54f7f53b702e6e6f873bc19903dfec870bf1b/junit-platform-launcher-6.1.3.jar
**MD5:** 3e91902f4602a4674f9eab70dcaa7d7a
**SHA1:** dad54f7f53b702e6e6f873bc19903dfec870bf1b
**SHA256:**1dec64b1fc0b7c47a11302aa5b4d37d8160c041b396e27067709ce775601a7b6
**Referenced In Project/Scope:** standalone:inetPlugin
**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@6.1.3
- pkg:maven/org.junit.jupiter/junit-jupiter@6.1.3
- pkg:maven/org.junit.platform/junit-platform-suite@6.1.3

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | junit-platform-launcher | High |
| Vendor | gradle | artifactid | junit-platform-launcher | Highest |
| Vendor | gradle | groupid | org.junit.platform | Highest |
| Vendor | jar | package name | junit | Highest |
| Vendor | jar | package name | junit | Low |
| Vendor | jar | package name | launcher | Highest |
| Vendor | jar | package name | launcher | Low |
| Vendor | jar | package name | platform | Highest |
| Vendor | jar | package name | platform | Low |
| Vendor | Manifest | build-date | 2026-08-07 | Low |
| Vendor | Manifest | build-revision | f59f60d2cebdf2224235d81f781b1f310cbc8138 | Low |
| Vendor | Manifest | build-time | 14:25:13.673+0200 | Low |

| | | | | |
|---|---|---|---|---|
| Vendor | Manifest | bundle-symbolicname | junit-platform-launcher | Medium |
| Vendor | Manifest | Implementation-Vendor | junit.org | High |
| Vendor | Manifest | provide-capability | org.junit.platform.launcher;org.junit.platform.launcher=junit-platform-launcher;version:Version="6.1.3" | Low |
| Vendor | Manifest | specification-vendor | junit.org | Low |
| Vendor | pom | artifactid | junit-platform-launcher | Low |
| Vendor | pom | developer email | business@johanneslink.net | Low |
| Vendor | pom | developer email | derancourt.juliette@gmail.com | Low |
| Vendor | pom | developer email | mail@marcphilipp.de | Low |
| Vendor | pom | developer email | matthias.merdes@heidelpay.com | Low |
| Vendor | pom | developer email | mpkorstanje@junit.org | Low |
| Vendor | pom | developer email | sam@sambrannen.com | Low |
| Vendor | pom | developer email | sormuras@gmail.com | Low |
| Vendor | pom | developer email | stefan.bechtold@me.com | Low |
| Vendor | pom | developer id | bechte | Medium |
| Vendor | pom | developer id | jlink | Medium |
| Vendor | pom | developer id | juliette-derancourt | Medium |
| Vendor | pom | developer id | marcphilipp | Medium |
| Vendor | pom | developer id | mmerdes | Medium |
| Vendor | pom | developer id | mpkorstanje | Medium |
| Vendor | pom | developer id | sbrannen | Medium |
| Vendor | pom | developer id | sormuras | Medium |
| Vendor | pom | developer name | Christian Stein | Medium |
| Vendor | pom | developer name | Johannes Link | Medium |
| Vendor | pom | developer name | Juliette de Rancourt | Medium |
| Vendor | pom | developer name | M.P. Korstanje | Medium |
| Vendor | pom | developer name | Marc Philipp | Medium |
| Vendor | pom | developer name | Matthias Merdes | Medium |
| Vendor | pom | developer name | Sam Brannen | Medium |
| Vendor | pom | developer name | Stefan Bechtold | Medium |
| Vendor | pom | groupid | org.junit.platform | Highest |
| Vendor | pom | name | JUnit Platform Launcher | High |
| Vendor | pom | url | https://junit.org/ | Highest |
| Product | file | name | junit-platform-launcher | High |

| | | | | |
|---|---|---|---|---|
| Product | gradle | artifactid | junit-platform-launcher | Highest |
| Product | jar | package name | junit | Highest |
| Product | jar | package name | launcher | Highest |
| Product | jar | package name | launcher | Low |
| Product | jar | package name | platform | Highest |
| Product | jar | package name | platform | Low |
| Product | Manifest | build-date | 2026-08-07 | Low |
| Product | Manifest | build-revision | f59f60d2cebdf2224235d81f781b1f310cbc8138 | Low |
| Product | Manifest | build-time | 14:25:13.673+0200 | Low |
| Product | Manifest | Bundle-Name | JUnit Platform Launcher | Medium |
| Product | Manifest | bundle-symbolicname | junit-platform-launcher | Medium |
| Product | Manifest | Implementation-Title | junit-platform-launcher | High |
| Product | Manifest | provide-capability | org.junit.platform.launcher;org.junit.platform.launcher=junit-platform-launcher;version:Version="6.1.3" | Low |
| Product | Manifest | specification-title | junit-platform-launcher | Medium |
| Product | pom | artifactid | junit-platform-launcher | Highest |
| Product | pom | developer email | business@johanneslink.net | Low |
| Product | pom | developer email | derancourt.juliette@gmail.com | Low |
| Product | pom | developer email | mail@marcphilipp.de | Low |
| Product | pom | developer email | matthias.merdes@heidelpay.com | Low |
| Product | pom | developer email | mpkorstanje@junit.org | Low |
| Product | pom | developer email | sam@sambrannen.com | Low |
| Product | pom | developer email | sormuras@gmail.com | Low |
| Product | pom | developer email | stefan.bechtold@me.com | Low |
| Product | pom | developer id | bechte | Low |
| Product | pom | developer id | jlink | Low |
| Product | pom | developer id | juliette-derancourt | Low |
| Product | pom | developer id | marcphilipp | Low |
| Product | pom | developer id | mmerdes | Low |
| Product | pom | developer id | mpkorstanje | Low |
| Product | pom | developer id | sbrannen | Low |
| Product | pom | developer id | sormuras | Low |
| Product | pom | developer name | Christian Stein | Low |
| Product | pom | developer name | Johannes Link | Low |

| | | | | |
|---|---|---|---|---|
| Product | pom | developer name | Juliette de Rancourt | Low |
| Product | pom | developer name | M.P. Korstanje | Low |
| Product | pom | developer name | Marc Philipp | Low |
| Product | pom | developer name | Matthias Merdes | Low |
| Product | pom | developer name | Sam Brannen | Low |
| Product | pom | developer name | Stefan Bechtold | Low |
| Product | pom | groupid | org.junit.platform | Highest |
| Product | pom | name | JUnit Platform Launcher | High |
| Product | pom | url | https://junit.org/ | Medium |
| Version | file | version | 6.1.3 | High |
| Version | gradle | version | 6.1.3 | Highest |
| Version | Manifest | Bundle-Version | 6.1.3 | High |
| Version | Manifest | Implementation-Version | 6.1.3 | High |
| Version | pom | version | 6.1.3 | Highest |

**Identifiers**

- pkg:maven/org.junit.platform/junit-platform-launcher@6.1.3 (*Confidence*:High)
- cpe:2.3:a:fan_platform_project:fan_platform:6.1.3:*:*:*:*:*:*:* (*Confidence*:Low)

suppress

## junit-platform-suite-6.1.3.jar

**Description:**

Module "junit-platform-suite" of JUnit

**License:**

Eclipse Public License v2.0: https://www.eclipse.org/legal/epl-v20.html

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite/6.1.3/26278be7c21f6f64ca35e601267b68ac1f6959f2/junit-platform-suite-6.1.3.jar
**MD5:** 832f48fe2b81ef051c3060aae74d9994
**SHA1:** 26278be7c21f6f64ca35e601267b68ac1f6959f2
**SHA256:**cf282810206f63c6382eb3d2ff98bbfcfc31412db55397ac642849aae31e5be6
**Referenced In Project/Scope:** standalone:inetPlugin
**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@6.1.3
- pkg:maven/org.junit.jupiter/junit-jupiter@6.1.3
- pkg:maven/org.junit.platform/junit-platform-suite@6.1.3
- pkg:maven/pdfc/standalone@26.10

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | junit-platform-suite | High |
| Vendor | gradle | artifactid | junit-platform-suite | Highest |
| Vendor | gradle | groupid | org.junit.platform | Highest |
| Vendor | jar | package name | module-info | Low |
| Vendor | Manifest | build-date | 2026-08-07 | Low |
| Vendor | Manifest | build-revision | f59f60d2cebdf2224235d81f781b1f310cbc8138 | Low |
| Vendor | Manifest | build-time | 14:25:13.673+0200 | Low |
| Vendor | Manifest | bundle-symbolicname | junit-platform-suite | Medium |
| Vendor | Manifest | Implementation-Vendor | junit.org | High |
| Vendor | Manifest | specification-vendor | junit.org | Low |
| Vendor | pom | artifactid | junit-platform-suite | Low |
| Vendor | pom | developer email | business@johanneslink.net | Low |
| Vendor | pom | developer email | derancourt.juliette@gmail.com | Low |
| Vendor | pom | developer email | mail@marcphilipp.de | Low |
| Vendor | pom | developer email | matthias.merdes@heidelpay.com | Low |
| Vendor | pom | developer email | mpkorstanje@junit.org | Low |
| Vendor | pom | developer email | sam@sambrannen.com | Low |
| Vendor | pom | developer email | sormuras@gmail.com | Low |
| Vendor | pom | developer email | stefan.bechtold@me.com | Low |
| Vendor | pom | developer id | bechte | Medium |
| Vendor | pom | developer id | jlink | Medium |
| Vendor | pom | developer id | juliette-derancourt | Medium |
| Vendor | pom | developer id | marcphilipp | Medium |
| Vendor | pom | developer id | mmerdes | Medium |
| Vendor | pom | developer id | mpkorstanje | Medium |
| Vendor | pom | developer id | sbrannen | Medium |
| Vendor | pom | developer id | sormuras | Medium |
| Vendor | pom | developer name | Christian Stein | Medium |
| Vendor | pom | developer name | Johannes Link | Medium |
| Vendor | pom | developer name | Juliette de Rancourt | Medium |
| Vendor | pom | developer name | M.P. Korstanje | Medium |

| | | | | |
|---|---|---|---|---|
| Vendor | pom | developer name | Marc Philipp | Medium |
| Vendor | pom | developer name | Matthias Merdes | Medium |
| Vendor | pom | developer name | Sam Brannen | Medium |
| Vendor | pom | developer name | Stefan Bechtold | Medium |
| Vendor | pom | groupid | org.junit.platform | Highest |
| Vendor | pom | name | JUnit Platform Suite (Aggregator) | High |
| Vendor | pom | url | https://junit.org/ | Highest |
| Product | file | name | junit-platform-suite | High |
| Product | gradle | artifactid | junit-platform-suite | Highest |
| Product | Manifest | build-date | 2026-08-07 | Low |
| Product | Manifest | build-revision | f59f60d2cebdf2224235d81f781b1f310cbc8138 | Low |
| Product | Manifest | build-time | 14:25:13.673+0200 | Low |
| Product | Manifest | Bundle-Name | JUnit Platform Suite (Aggregator) | Medium |
| Product | Manifest | bundle-symbolicname | junit-platform-suite | Medium |
| Product | Manifest | Implementation-Title | junit-platform-suite | High |
| Product | Manifest | specification-title | junit-platform-suite | Medium |
| Product | pom | artifactid | junit-platform-suite | Highest |
| Product | pom | developer email | business@johanneslink.net | Low |
| Product | pom | developer email | derancourt.juliette@gmail.com | Low |
| Product | pom | developer email | mail@marcphilipp.de | Low |
| Product | pom | developer email | matthias.merdes@heidelpay.com | Low |
| Product | pom | developer email | mpkorstanje@junit.org | Low |
| Product | pom | developer email | sam@sambrannen.com | Low |
| Product | pom | developer email | sormuras@gmail.com | Low |
| Product | pom | developer email | stefan.bechtold@me.com | Low |
| Product | pom | developer id | bechte | Low |
| Product | pom | developer id | jlink | Low |
| Product | pom | developer id | juliette-derancourt | Low |
| Product | pom | developer id | marcphilipp | Low |
| Product | pom | developer id | mmerdes | Low |
| Product | pom | developer id | mpkorstanje | Low |
| Product | pom | developer id | sbrannen | Low |
| Product | pom | developer id | sormuras | Low |
| Product | pom | developer name | Christian Stein | Low |

| | | | | |
|---|---|---|---|---|
| Product | pom | developer name | Johannes Link | Low |
| Product | pom | developer name | Juliette de Rancourt | Low |
| Product | pom | developer name | M.P. Korstanje | Low |
| Product | pom | developer name | Marc Philipp | Low |
| Product | pom | developer name | Matthias Merdes | Low |
| Product | pom | developer name | Sam Brannen | Low |
| Product | pom | developer name | Stefan Bechtold | Low |
| Product | pom | groupid | org.junit.platform | Highest |
| Product | pom | name | JUnit Platform Suite (Aggregator) | High |
| Product | pom | url | https://junit.org/ | Medium |
| Version | file | version | 6.1.3 | High |
| Version | gradle | version | 6.1.3 | Highest |
| Version | Manifest | Bundle-Version | 6.1.3 | High |
| Version | Manifest | Implementation-Version | 6.1.3 | High |
| Version | pom | version | 6.1.3 | Highest |

**Identifiers**

- pkg:maven/org.junit.platform/junit-platform-suite@6.1.3 (*Confidence*:High)
- cpe:2.3:a:fan_platform_project:fan_platform:6.1.3:*:*:*:*:*:*:* (*Confidence*:Low)
  suppress

## junit-platform-suite-api-6.1.3.jar

**Description:**

Module "junit-platform-suite-api" of JUnit

**License:**

Eclipse Public License v2.0: https://www.eclipse.org/legal/epl-v20.html

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-api/6.1.3/6b6577612ce5f0c11ca66db60552552fb1ea6971/junit-platform-suite-api-6.1.3.jar
**MD5:** d297860b330eb291100ab6b04ff4103e
**SHA1:** 6b6577612ce5f0c11ca66db60552552fb1ea6971
**SHA256:**55ee464c0846fa4a695e5c2fc8d8ea8f16fb3d92b04746831b7a428519436c11
**Referenced In Project/Scope:** standalone:inetPlugin
**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@6.1.3
- pkg:maven/org.junit.jupiter/junit-jupiter@6.1.3
- pkg:maven/org.junit.platform/junit-platform-suite@6.1.3

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | junit-platform-suite-api | High |
| Vendor | gradle | artifactid | junit-platform-suite-api | Highest |
| Vendor | gradle | groupid | org.junit.platform | Highest |
| Vendor | jar | package name | api | Highest |
| Vendor | jar | package name | junit | Highest |
| Vendor | jar | package name | junit | Low |
| Vendor | jar | package name | platform | Highest |
| Vendor | jar | package name | platform | Low |
| Vendor | jar | package name | suite | Highest |
| Vendor | jar | package name | suite | Low |
| Vendor | Manifest | build-date | 2026-08-07 | Low |
| Vendor | Manifest | build-revision | f59f60d2cebdf2224235d81f781b1f310cbc8138 | Low |
| Vendor | Manifest | build-time | 14:25:13.673+0200 | Low |
| Vendor | Manifest | bundle-symbolicname | junit-platform-suite-api | Medium |
| Vendor | Manifest | Implementation-Vendor | junit.org | High |
| Vendor | Manifest | specification-vendor | junit.org | Low |
| Vendor | pom | artifactid | junit-platform-suite-api | Low |
| Vendor | pom | developer email | business@johanneslink.net | Low |
| Vendor | pom | developer email | derancourt.juliette@gmail.com | Low |
| Vendor | pom | developer email | mail@marcphilipp.de | Low |
| Vendor | pom | developer email | matthias.merdes@heidelpay.com | Low |
| Vendor | pom | developer email | mpkorstanje@junit.org | Low |
| Vendor | pom | developer email | sam@sambrannen.com | Low |
| Vendor | pom | developer email | sormuras@gmail.com | Low |
| Vendor | pom | developer email | stefan.bechtold@me.com | Low |
| Vendor | pom | developer id | bechte | Medium |
| Vendor | pom | developer id | jlink | Medium |
| Vendor | pom | developer id | juliette-derancourt | Medium |
| Vendor | pom | developer id | marcphilipp | Medium |
| Vendor | pom | developer id | mmerdes | Medium |
| Vendor | pom | developer id | mpkorstanje | Medium |

| | | | | |
|---|---|---|---|---|
| Vendor | pom | developer id | sbrannen | Medium |
| Vendor | pom | developer id | sormuras | Medium |
| Vendor | pom | developer name | Christian Stein | Medium |
| Vendor | pom | developer name | Johannes Link | Medium |
| Vendor | pom | developer name | Juliette de Rancourt | Medium |
| Vendor | pom | developer name | M.P. Korstanje | Medium |
| Vendor | pom | developer name | Marc Philipp | Medium |
| Vendor | pom | developer name | Matthias Merdes | Medium |
| Vendor | pom | developer name | Sam Brannen | Medium |
| Vendor | pom | developer name | Stefan Bechtold | Medium |
| Vendor | pom | groupid | org.junit.platform | Highest |
| Vendor | pom | name | JUnit Platform Suite API | High |
| Vendor | pom | url | https://junit.org/ | Highest |
| Product | file | name | junit-platform-suite-api | High |
| Product | gradle | artifactid | junit-platform-suite-api | Highest |
| Product | jar | package name | api | Highest |
| Product | jar | package name | api | Low |
| Product | jar | package name | junit | Highest |
| Product | jar | package name | platform | Highest |
| Product | jar | package name | platform | Low |
| Product | jar | package name | suite | Highest |
| Product | jar | package name | suite | Low |
| Product | Manifest | build-date | 2026-08-07 | Low |
| Product | Manifest | build-revision | f59f60d2cebdf2224235d81f781b1f310cbc8138 | Low |
| Product | Manifest | build-time | 14:25:13.673+0200 | Low |
| Product | Manifest | Bundle-Name | JUnit Platform Suite API | Medium |
| Product | Manifest | bundle-symbolicname | junit-platform-suite-api | Medium |
| Product | Manifest | Implementation-Title | junit-platform-suite-api | High |
| Product | Manifest | specification-title | junit-platform-suite-api | Medium |
| Product | pom | artifactid | junit-platform-suite-api | Highest |
| Product | pom | developer email | business@johanneslink.net | Low |
| Product | pom | developer email | derancourt.juliette@gmail.com | Low |
| Product | pom | developer email | mail@marcphilipp.de | Low |
| Product | pom | developer email | matthias.merdes@heidelpay.com | Low |

| | | | | |
|---|---|---|---|---|
| Product | pom | developer email | mpkorstanje@junit.org | Low |
| Product | pom | developer email | sam@sambrannen.com | Low |
| Product | pom | developer email | sormuras@gmail.com | Low |
| Product | pom | developer email | stefan.bechtold@me.com | Low |
| Product | pom | developer id | bechte | Low |
| Product | pom | developer id | jlink | Low |
| Product | pom | developer id | juliette-derancourt | Low |
| Product | pom | developer id | marcphilipp | Low |
| Product | pom | developer id | mmerdes | Low |
| Product | pom | developer id | mpkorstanje | Low |
| Product | pom | developer id | sbrannen | Low |
| Product | pom | developer id | sormuras | Low |
| Product | pom | developer name | Christian Stein | Low |
| Product | pom | developer name | Johannes Link | Low |
| Product | pom | developer name | Juliette de Rancourt | Low |
| Product | pom | developer name | M.P. Korstanje | Low |
| Product | pom | developer name | Marc Philipp | Low |
| Product | pom | developer name | Matthias Merdes | Low |
| Product | pom | developer name | Sam Brannen | Low |
| Product | pom | developer name | Stefan Bechtold | Low |
| Product | pom | groupid | org.junit.platform | Highest |
| Product | pom | name | JUnit Platform Suite API | High |
| Product | pom | url | https://junit.org/ | Medium |
| Version | file | version | 6.1.3 | High |
| Version | gradle | version | 6.1.3 | Highest |
| Version | Manifest | Bundle-Version | 6.1.3 | High |
| Version | Manifest | Implementation-Version | 6.1.3 | High |
| Version | pom | version | 6.1.3 | Highest |

**Identifiers**

- pkg:maven/org.junit.platform/junit-platform-suite-api@6.1.3 (*Confidence*:High)
- cpe:2.3:a:fan_platform_project:fan_platform:6.1.3:*:*:*:*:*:*:* (*Confidence*:Low)

suppress

## junit-platform-suite-engine-6.1.3.jar

**Description:**

Module "junit-platform-suite-engine" of JUnit

**License:**

Eclipse Public License v2.0: https://www.eclipse.org/legal/epl-v20.html

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-engine/6.1.3/720da7199a4e5766daf6e6fb4e4f2a8fdfb6e098/junit-platform-suite-engine-6.1.3.jar
**MD5:** 7d7a675f6b06ffe1b1bd07f3373f1578
**SHA1:** 720da7199a4e5766daf6e6fb4e4f2a8fdfb6e098
**SHA256:**6334e2ca2ac26febda4f72b1ae739661124a6cc3396448a43e72334841843e2d
**Referenced In Project/Scope:** standalone:inetPlugin
**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@6.1.3
- pkg:maven/org.junit.jupiter/junit-jupiter@6.1.3
- pkg:maven/org.junit.platform/junit-platform-suite@6.1.3

### Evidence

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | junit-platform-suite-engine | High |
| Vendor | gradle | artifactid | junit-platform-suite-engine | Highest |
| Vendor | gradle | groupid | org.junit.platform | Highest |
| Vendor | jar | package name | engine | Highest |
| Vendor | jar | package name | junit | Highest |
| Vendor | jar | package name | junit | Low |
| Vendor | jar | package name | platform | Highest |
| Vendor | jar | package name | platform | Low |
| Vendor | jar | package name | suite | Highest |
| Vendor | jar | package name | suite | Low |
| Vendor | Manifest | build-date | 2026-08-07 | Low |
| Vendor | Manifest | build-revision | f59f60d2cebdf2224235d81f781b1f310cbc8138 | Low |
| Vendor | Manifest | build-time | 14:25:13.673+0200 | Low |
| Vendor | Manifest | bundle-symbolicname | junit-platform-suite-engine | Medium |
| Vendor | Manifest | Implementation-Vendor | junit.org | High |
| Vendor | Manifest | specification-vendor | junit.org | Low |
| Vendor | pom | artifactid | junit-platform-suite-engine | Low |
| Vendor | pom | developer email | business@johanneslink.net | Low |

| | | | | |
|---|---|---|---|---|
| Vendor | pom | developer email | derancourt.juliette@gmail.com | Low |
| Vendor | pom | developer email | mail@marcphilipp.de | Low |
| Vendor | pom | developer email | matthias.merdes@heidelpay.com | Low |
| Vendor | pom | developer email | mpkorstanje@junit.org | Low |
| Vendor | pom | developer email | sam@sambrannen.com | Low |
| Vendor | pom | developer email | sormuras@gmail.com | Low |
| Vendor | pom | developer email | stefan.bechtold@me.com | Low |
| Vendor | pom | developer id | bechte | Medium |
| Vendor | pom | developer id | jlink | Medium |
| Vendor | pom | developer id | juliette-derancourt | Medium |
| Vendor | pom | developer id | marcphilipp | Medium |
| Vendor | pom | developer id | mmerdes | Medium |
| Vendor | pom | developer id | mpkorstanje | Medium |
| Vendor | pom | developer id | sbrannen | Medium |
| Vendor | pom | developer id | sormuras | Medium |
| Vendor | pom | developer name | Christian Stein | Medium |
| Vendor | pom | developer name | Johannes Link | Medium |
| Vendor | pom | developer name | Juliette de Rancourt | Medium |
| Vendor | pom | developer name | M.P. Korstanje | Medium |
| Vendor | pom | developer name | Marc Philipp | Medium |
| Vendor | pom | developer name | Matthias Merdes | Medium |
| Vendor | pom | developer name | Sam Brannen | Medium |
| Vendor | pom | developer name | Stefan Bechtold | Medium |
| Vendor | pom | groupid | org.junit.platform | Highest |
| Vendor | pom | name | JUnit Platform Suite Engine | High |
| Vendor | pom | url | https://junit.org/ | Highest |
| Product | file | name | junit-platform-suite-engine | High |
| Product | gradle | artifactid | junit-platform-suite-engine | Highest |
| Product | jar | package name | engine | Highest |
| Product | jar | package name | engine | Low |
| Product | jar | package name | junit | Highest |
| Product | jar | package name | platform | Highest |
| Product | jar | package name | platform | Low |
| Product | jar | package name | suite | Highest |
| Product | jar | package name | suite | Low |

| | | | | |
|---|---|---|---|---|
| Product | Manifest | build-date | 2026-08-07 | Low |
| Product | Manifest | build-revision | f59f60d2cebdf2224235d81f781b1f310cbc8138 | Low |
| Product | Manifest | build-time | 14:25:13.673+0200 | Low |
| Product | Manifest | Bundle-Name | JUnit Platform Suite Engine | Medium |
| Product | Manifest | bundle-symbolicname | junit-platform-suite-engine | Medium |
| Product | Manifest | Implementation-Title | junit-platform-suite-engine | High |
| Product | Manifest | specification-title | junit-platform-suite-engine | Medium |
| Product | pom | artifactid | junit-platform-suite-engine | Highest |
| Product | pom | developer email | business@johanneslink.net | Low |
| Product | pom | developer email | derancourt.juliette@gmail.com | Low |
| Product | pom | developer email | mail@marcphilipp.de | Low |
| Product | pom | developer email | matthias.merdes@heidelpay.com | Low |
| Product | pom | developer email | mpkorstanje@junit.org | Low |
| Product | pom | developer email | sam@sambrannen.com | Low |
| Product | pom | developer email | sormuras@gmail.com | Low |
| Product | pom | developer email | stefan.bechtold@me.com | Low |
| Product | pom | developer id | bechte | Low |
| Product | pom | developer id | jlink | Low |
| Product | pom | developer id | juliette-derancourt | Low |
| Product | pom | developer id | marcphilipp | Low |
| Product | pom | developer id | mmerdes | Low |
| Product | pom | developer id | mpkorstanje | Low |
| Product | pom | developer id | sbrannen | Low |
| Product | pom | developer id | sormuras | Low |
| Product | pom | developer name | Christian Stein | Low |
| Product | pom | developer name | Johannes Link | Low |
| Product | pom | developer name | Juliette de Rancourt | Low |
| Product | pom | developer name | M.P. Korstanje | Low |
| Product | pom | developer name | Marc Philipp | Low |
| Product | pom | developer name | Matthias Merdes | Low |
| Product | pom | developer name | Sam Brannen | Low |
| Product | pom | developer name | Stefan Bechtold | Low |
| Product | pom | groupid | org.junit.platform | Highest |
| Product | pom | name | JUnit Platform Suite Engine | High |

| | | | | |
|---|---|---|---|---|
| Product | pom | url | https://junit.org/ | Medium |
| Version | file | version | 6.1.3 | High |
| Version | gradle | version | 6.1.3 | Highest |
| Version | Manifest | Bundle-Version | 6.1.3 | High |
| Version | Manifest | Implementation-Version | 6.1.3 | High |
| Version | pom | version | 6.1.3 | Highest |

**Identifiers**

- pkg:maven/org.junit.platform/junit-platform-suite-engine@6.1.3 (*Confidence*:High)
- cpe:2.3:a:fan_platform_project:fan_platform:6.1.3:*:*:*:*:*:*:* (*Confidence*:Low)

suppress

## junit-vintage-engine-6.1.3.jar

**Description:**

Module "junit-vintage-engine" of JUnit

**License:**

Eclipse Public License v2.0: https://www.eclipse.org/legal/epl-v20.html

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.vintage/junit-vintage-engine/6.1.3/ee2e019c662152a8cc983bbe0db119a5fae632b9/junit-vintage-engine-6.1.3.jar
**MD5:** 56538b449a01fcc6803af296edc7ae84
**SHA1:** ee2e019c662152a8cc983bbe0db119a5fae632b9
**SHA256:**37a1e6ade75c09c5385c2830b7cda21c4b1f24a5f36ed7cd7397bc40f7dc71bc
**Referenced In Project/Scope:** standalone:inetPlugin
**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@6.1.3
- pkg:maven/org.junit.jupiter/junit-jupiter@6.1.3
- pkg:maven/org.junit.platform/junit-platform-suite@6.1.3
- pkg:maven/pdfc/standalone@26.10

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | junit-vintage-engine | High |
| Vendor | gradle | artifactid | junit-vintage-engine | Highest |
| Vendor | gradle | groupid | org.junit.vintage | Highest |
| Vendor | jar | package name | engine | Highest |
| Vendor | jar | package name | engine | Low |
| Vendor | jar | package name | junit | Highest |

| | | | | |
|---|---|---|---|---|
| Vendor | jar | package name | junit | Low |
| Vendor | jar | package name | vintage | Highest |
| Vendor | jar | package name | vintage | Low |
| Vendor | Manifest | build-date | 2026-08-07 | Low |
| Vendor | Manifest | build-revision | f59f60d2cebdf2224235d81f781b1f310cbc8138 | Low |
| Vendor | Manifest | build-time | 14:25:13.673+0200 | Low |
| Vendor | Manifest | bundle-symbolicname | junit-vintage-engine | Medium |
| Vendor | Manifest | Implementation-Vendor | junit.org | High |
| Vendor | Manifest | provide-capability | org.junit.platform.engine;org.junit.platform.engine=junit-vintage;version:Version="6.1.3" | Low |
| Vendor | Manifest | specification-vendor | junit.org | Low |
| Vendor | pom | artifactid | junit-vintage-engine | Low |
| Vendor | pom | developer email | business@johanneslink.net | Low |
| Vendor | pom | developer email | derancourt.juliette@gmail.com | Low |
| Vendor | pom | developer email | mail@marcphilipp.de | Low |
| Vendor | pom | developer email | matthias.merdes@heidelpay.com | Low |
| Vendor | pom | developer email | mpkorstanje@junit.org | Low |
| Vendor | pom | developer email | sam@sambrannen.com | Low |
| Vendor | pom | developer email | sormuras@gmail.com | Low |
| Vendor | pom | developer email | stefan.bechtold@me.com | Low |
| Vendor | pom | developer id | bechte | Medium |
| Vendor | pom | developer id | jlink | Medium |
| Vendor | pom | developer id | juliette-derancourt | Medium |
| Vendor | pom | developer id | marcphilipp | Medium |
| Vendor | pom | developer id | mmerdes | Medium |
| Vendor | pom | developer id | mpkorstanje | Medium |
| Vendor | pom | developer id | sbrannen | Medium |
| Vendor | pom | developer id | sormuras | Medium |
| Vendor | pom | developer name | Christian Stein | Medium |
| Vendor | pom | developer name | Johannes Link | Medium |
| Vendor | pom | developer name | Juliette de Rancourt | Medium |
| Vendor | pom | developer name | M.P. Korstanje | Medium |
| Vendor | pom | developer name | Marc Philipp | Medium |
| Vendor | pom | developer name | Matthias Merdes | Medium |

| | | | | |
|---|---|---|---|---|
| Vendor | pom | developer name | Sam Brannen | Medium |
| Vendor | pom | developer name | Stefan Bechtold | Medium |
| Vendor | pom | groupid | org.junit.vintage | Highest |
| Vendor | pom | name | JUnit Vintage Engine | High |
| Vendor | pom | url | https://junit.org/ | Highest |
| Product | file | name | junit-vintage-engine | High |
| Product | gradle | artifactid | junit-vintage-engine | Highest |
| Product | jar | package name | engine | Highest |
| Product | jar | package name | engine | Low |
| Product | jar | package name | junit | Highest |
| Product | jar | package name | vintage | Highest |
| Product | jar | package name | vintage | Low |
| Product | Manifest | build-date | 2026-08-07 | Low |
| Product | Manifest | build-revision | f59f60d2cebdf2224235d81f781b1f310cbc8138 | Low |
| Product | Manifest | build-time | 14:25:13.673+0200 | Low |
| Product | Manifest | Bundle-Name | JUnit Vintage Engine | Medium |
| Product | Manifest | bundle-symbolicname | junit-vintage-engine | Medium |
| Product | Manifest | Implementation-Title | junit-vintage-engine | High |
| Product | Manifest | provide-capability | org.junit.platform.engine;org.junit.platform.engine=junit-vintage;version:Version="6.1.3" | Low |
| Product | Manifest | specification-title | junit-vintage-engine | Medium |
| Product | pom | artifactid | junit-vintage-engine | Highest |
| Product | pom | developer email | business@johanneslink.net | Low |
| Product | pom | developer email | derancourt.juliette@gmail.com | Low |
| Product | pom | developer email | mail@marcphilipp.de | Low |
| Product | pom | developer email | matthias.merdes@heidelpay.com | Low |
| Product | pom | developer email | mpkorstanje@junit.org | Low |
| Product | pom | developer email | sam@sambrannen.com | Low |
| Product | pom | developer email | sormuras@gmail.com | Low |
| Product | pom | developer email | stefan.bechtold@me.com | Low |
| Product | pom | developer id | bechte | Low |
| Product | pom | developer id | jlink | Low |
| Product | pom | developer id | juliette-derancourt | Low |
| Product | pom | developer id | marcphilipp | Low |
| Product | pom | developer id | mmerdes | Low |

| | | | | |
|---|---|---|---|---|
| Product | pom | developer id | mpkorstanje | Low |
| Product | pom | developer id | sbrannen | Low |
| Product | pom | developer id | sormuras | Low |
| Product | pom | developer name | Christian Stein | Low |
| Product | pom | developer name | Johannes Link | Low |
| Product | pom | developer name | Juliette de Rancourt | Low |
| Product | pom | developer name | M.P. Korstanje | Low |
| Product | pom | developer name | Marc Philipp | Low |
| Product | pom | developer name | Matthias Merdes | Low |
| Product | pom | developer name | Sam Brannen | Low |
| Product | pom | developer name | Stefan Bechtold | Low |
| Product | pom | groupid | org.junit.vintage | Highest |
| Product | pom | name | JUnit Vintage Engine | High |
| Product | pom | url | https://junit.org/ | Medium |
| Version | file | version | 6.1.3 | High |
| Version | gradle | version | 6.1.3 | Highest |
| Version | Manifest | Bundle-Version | 6.1.3 | High |
| Version | Manifest | Implementation-Version | 6.1.3 | High |
| Version | pom | version | 6.1.3 | Highest |

**Identifiers**

- pkg:maven/org.junit.vintage/junit-vintage-engine@6.1.3 (*Confidence*:High)
- cpe:2.3:a:fan_platform_project:fan_platform:6.1.3:*:*:*:*:*:*:* (*Confidence*:Low)

suppress

## maintenance.pdfc.zip: maintenance.pdfc.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/maintenance.pdfc.zip/maintenance.pdfc.jar
**MD5:** 2eb3f6338df94c67365caaea24ef0a06
**SHA1:** 33f554f2357837d45c24a78ce2155980c18d7ac6
**SHA256:**a98ed48bc94e642ece2ada762e16cc52c50253d4ccd791f84374b5c32b08a34d
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | maintenance.pdfc | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | jar | package name | plugins | Low |
| Vendor | Manifest | built-date | 2026-10-15 19:31 | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | maintenance.pdfc | High |
| Product | jar | package name | maintenance | Highest |
| Product | jar | package name | maintenance | Low |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | jar | package name | plugins | Low |
| Product | Manifest | built-date | 2026-10-15 19:31 | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | maintenance.pdfc | High |
| Product | Manifest | specification-title | maintenance.pdfc | Medium |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 26.10.216 | High |

**Identifiers**

- cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* (*Confidence*:Low) suppress

## maintenance.pdfc.zip: maintenance.pdfc.jar: app.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/maintenance.pdfc.zip/maintenance.pdfc.jar/com/inet/pdfc/plugins/maintenance/server/comparisons/js/app.js
**MD5:** 5e534fcce6f689d176c6f3b40fc4454f
**SHA1:** e5f82942adf62444636d28e904add7c61a18ea32
**SHA256:**d08c1c9da221cbd9c38a26e0235b0da7c3bed4ab30f504aa741d4085a42f7294
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## maintenance.pdfc.zip: maintenance.pdfc.jar: comparisons.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/maintenance.pdfc.zip/maintenance.pdfc.jar/com/inet/pdfc/plugins/maintenance/server/comparisons/js/comparisons.js
**MD5:** dc34a947f1122f6f845deb82b822f15c
**SHA1:** 7a1528b00bb5229be98689b8c465b37c39bfa0ff
**SHA256:**27b0ebba3a0c757e921cb562be691ee971fa06d1247423ff2c16f71d87d51bee
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## ocr.tesseract.zip: jai-imageio-core.jar

**Description:**

Java Advanced Imaging Image I/O Tools API core, but without the classes involved with javax.media.jai dependencies, JPEG2000 or codecLibJIIO, meaning that this library can be distributed under the modified BSD license and should be GPL compatible.

**License:**

BSD 3-clause License w/nuclear disclaimer: LICENSE.txt

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jai-imageio-core.jar
**MD5:** 6978d733bfb55c0a82639f724fe5f3bb
**SHA1:** fb6d79b929556362a241b2f65a04e538062f0077
**SHA256:**8ad3c68e9efffb10ac87ff8bc589adf64b04a729c5194c079efd0643607fd72a
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | jai-imageio-core | High |
| Vendor | jar | package name | github | Highest |
| Vendor | Manifest | bundle-docurl | https://github.com/jai-imageio/ | Low |
| Vendor | Manifest | bundle-symbolicname | jai-imageio-core | Medium |
| Vendor | Manifest | extension-name | com.github.jai-imageio-jai-imageio-core | Medium |
| Vendor | Manifest | Implementation-Vendor | https://github.com/jai-imageio/ jai-imageio GitHub group | High |
| Vendor | Manifest | specification-vendor | Sun Microsystems, Inc. | Low |
| Vendor | Manifest | url | https://github.com/jai-imageio/jai-imageio-core | Low |
| Vendor | pom | artifactid | jai-imageio-core | Low |
| Vendor | pom | developer email | stian@s11.no | Low |
| Vendor | pom | developer name | Stian Soiland-Reyes | Medium |
| Vendor | pom | developer org | s11 | Medium |
| Vendor | pom | developer org URL | http://s11.no/ | Medium |
| Vendor | pom | groupid | com.github.jai-imageio | Highest |
| Vendor | pom | name | Java Advanced Imaging Image I/O Tools API core (standalone) | High |
| Vendor | pom | organization name | jai-imageio GitHub group | High |
| Vendor | pom | organization url | jai-imageio/ | Medium |
| Vendor | pom | url | jai-imageio/jai-imageio-core | Highest |
| Product | file | name | jai-imageio-core | High |
| Product | jar | package name | github | Highest |
| Product | Manifest | bundle-docurl | https://github.com/jai-imageio/ | Low |
| Product | Manifest | Bundle-Name | Java Advanced Imaging Image I/O Tools API core (standalone) | Medium |

| | | | | |
|---|---|---|---|---|
| Product | Manifest | bundle-symbolicname | jai-imageio-core | Medium |
| Product | Manifest | extension-name | com.github.jai-imageio-jai-imageio-core | Medium |
| Product | Manifest | Implementation-Title | Java Advanced Imaging Image I/O Tools API core (standalone) | High |
| Product | Manifest | specification-title | Java Advanced Imaging | Medium |
| Product | Manifest | url | https://github.com/jai-imageio/jai-imageio-core | Low |
| Product | pom | artifactid | jai-imageio-core | Highest |
| Product | pom | developer email | stian@s11.no | Low |
| Product | pom | developer name | Stian Soiland-Reyes | Low |
| Product | pom | developer org | s11 | Low |
| Product | pom | developer org URL | http://s11.no/ | Low |
| Product | pom | groupid | com.github.jai-imageio | Highest |
| Product | pom | name | Java Advanced Imaging Image I/O Tools API core (standalone) | High |
| Product | pom | organization name | jai-imageio GitHub group | Low |
| Product | pom | url | jai-imageio/ | High |
| Product | pom | url | jai-imageio/jai-imageio-core | High |
| Version | Manifest | Bundle-Version | 1.4.0 | High |
| Version | Manifest | Implementation-Version | 1.4.0 | High |
| Version | pom | version | 1.4.0 | Highest |

**Identifiers**

- pkg:maven/com.github.jai-imageio/jai-imageio-core@1.4.0 (*Confidence*:High)

## ocr.tesseract.zip: jna.jar

**Description:**

JNA Library

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jna.jar
**MD5:** 97fcb12698f8c1e4eed897e5c490e098
**SHA1:** 50c5b36af5dfd16cab07a1616046a50ec52d1e32
**SHA256:**9e5cdb5ff4ad07bf116cb2b37b2b84987041d79a8991766a08b79b085c6bb6c2
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | jna | High |
| Vendor | jar | package name | jna | Highest |
| Vendor | jar | package name | jna | Low |
| Vendor | jar | package name | sun | Highest |
| Vendor | jar | package name | sun | Low |
| Vendor | jar (hint) | package name | oracle | Highest |
| Vendor | jar (hint) | package name | oracle | Low |
| Vendor | Manifest | automatic-module-name | com.sun.jna | Medium |
| Vendor | Manifest | bundle-activationpolicy | lazy | Low |
| Vendor | Manifest | bundle-category | jni | Low |
| Vendor | Manifest | bundle-nativecode | com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win32, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win32, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64; osname=win32, com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64;osname=win, com/sun/jna/w32ce-arm/jnidispatch.dll; processor=arm;osname=wince, com/sun/jna/sunos-x86/libjnidispatch.so; processor=x86; osname=sunos, com/sun/jna/sunos-x86-64/libjnidispatch.so; processor=x86-64; osname=sunos, com/sun/jna/sunos-sparc/libjnidispatch.so; processor=sparc; osname=sunos, com/sun/jna/sunos-sparcv9/libjnidispatch.so; processor=sparcv9; osname=sunos, com/sun/jna/aix-ppc/libjnidispatch.a; processor=ppc; osname=aix, com/sun/jna/aix-ppc64/libjnidispatch.a; processor=ppc64; osname=aix, com/sun/jna/linux-ppc/libjnidispatch.so; processor=ppc; osname=linux, com/sun/jna/linux-ppc64/libjnidispatch.so; processor=ppc64; osname=linux, com/sun/jna/linux-ppc64le/libjnidispatch.so; processor=ppc64le; osname=linux, com/sun/jna/linux-x86/libjnidispatch.so; processor=x86; osname=linux, com/sun/jna/linux-x86-64/libjnidispatch.so; processor=x86-64; osname=linux, com/sun/jna/linux-arm/libjnidispatch.so; processor=arm; osname=linux, com/sun/jna/linux-arm/libjnidispatch.so; processor=arm_le; | Low |

| | | | | |
|---|---|---|---|---|
| | | | osname=linux, com/sun/jna/linux-armel /libjnidispatch.so; processor=armel; osname=linux, com/sun/jna/linux-aarch64 /libjnidispatch.so; processor=aarch64; osname=linux, com/sun/jna/linux-ia64 /libjnidispatch.so; processor=ia64; osname=linux, com/sun/jna/linux-sparcv9 /libjnidispatch.so; processor=sparcv9; osname=linux, com/sun/jna/linux-mips64el /libjnidispatch.so; processor=mips64el; osname=linux, com/sun/jna/linux-s390x /libjnidispatch.so; processor=S390x; osname=linux, com/sun/jna/linux-loongarch64/libjnidispatch.so; processor=loongarch64;osname=linux, com /sun/jna/linux-riscv64/libjnidispatch.so; processor=riscv64;osname=linux, com/sun /jna/dragonflybsd-x86-64/libjnidispatch.so; processor=x86-64;osname=dragonflybsd, com/sun/jna/freebsd-x86/libjnidispatch.so; processor=x86;osname=freebsd, com/sun /jna/freebsd-x86-64/libjnidispatch.so; processor=x86-64;osname=freebsd, com /sun/jna/freebsd-aarch64/libjnidispatch.so; processor=aarch64;osname=freebsd, com /sun/jna/freebsd-ppc64le/libjnidispatch.so; processor=ppc64le;osname=freebsd, com /sun/jna/freebsd-ppc64/libjnidispatch.so; processor=ppc64;osname=freebsd, com/sun /jna/openbsd-x86/libjnidispatch.so; processor=x86;osname=openbsd, com/sun /jna/openbsd-x86-64/libjnidispatch.so; processor=x86-64;osname=openbsd, com /sun/jna/darwin-ppc/libjnidispatch.jnilib; osname=macosx;processor=ppc, com/sun /jna/darwin-ppc64/libjnidispatch.jnilib; osname=macosx;processor=ppc64, com/sun /jna/darwin-x86/libjnidispatch.jnilib; osname=macosx;processor=x86, com/sun /jna/darwin-x86-64/libjnidispatch.jnilib; osname=macosx;processor=x86-64, com /sun/jna/darwin-aarch64/libjnidispatch.jnilib; osname=macosx;processor=aarch64 | |
| Vendor | Manifest | bundle-requiredexecution | JavaSE-1.6 | Low |
| Vendor | Manifest | bundle-symbolicname | com.sun.jna | Medium |
| Vendor | Manifest | Implementation-Vendor | JNA Development Team | High |
| Vendor | Manifest | specification-vendor | JNA Development Team | Low |
| Product | file | name | jna | High |
| Product | jar | package name | jna | Highest |
| Product | jar | package name | jna | Low |
| Product | jar | package name | library | Highest |
| Product | jar | package name | native | Highest |
| Product | jar | package name | sun | Highest |

| | | | | |
|---|---|---|---|---|
| Product | jar | package name | win32 | Highest |
| Product | Manifest | automatic-module-name | com.sun.jna | Medium |
| Product | Manifest | bundle-activationpolicy | lazy | Low |
| Product | Manifest | bundle-category | jni | Low |
| Product | Manifest | Bundle-Name | jna | Medium |
| Product | Manifest | bundle-nativecode | com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win32, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win32, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64; osname=win32, com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64;osname=win, com/sun/jna/w32ce-arm/jnidispatch.dll; processor=arm;osname=wince, com/sun/jna/sunos-x86/libjnidispatch.so; processor=x86; osname=sunos, com/sun/jna/sunos-x86-64/libjnidispatch.so; processor=x86-64; osname=sunos, com/sun/jna/sunos-sparc/libjnidispatch.so; processor=sparc; osname=sunos, com/sun/jna/sunos-sparcv9/libjnidispatch.so; processor=sparcv9; osname=sunos, com/sun/jna/aix-ppc/libjnidispatch.a; processor=ppc; osname=aix, com/sun/jna/aix-ppc64/libjnidispatch.a; processor=ppc64; osname=aix, com/sun/jna/linux-ppc/libjnidispatch.so; processor=ppc; osname=linux, com/sun/jna/linux-ppc64/libjnidispatch.so; processor=ppc64; osname=linux, com/sun/jna/linux-ppc64le/libjnidispatch.so; processor=ppc64le; osname=linux, com/sun/jna/linux-x86/libjnidispatch.so; processor=x86; osname=linux, com/sun/jna/linux-x86-64/libjnidispatch.so; processor=x86-64; osname=linux, com/sun/jna/linux-arm/libjnidispatch.so; processor=arm; osname=linux, com/sun/jna/linux-arm/libjnidispatch.so; processor=arm_le; osname=linux, com/sun/jna/linux-armel/libjnidispatch.so; processor=armel; osname=linux, com/sun/jna/linux-aarch64/libjnidispatch.so; processor=aarch64; osname=linux, com/sun/jna/linux-ia64/libjnidispatch.so; processor=ia64; osname=linux, com/sun/jna/linux-sparcv9/libjnidispatch.so; processor=sparcv9; osname=linux, com/sun/jna/linux-mips64el/libjnidispatch.so; processor=mips64el; osname=linux, com/sun/jna/linux-s390x/libjnidispatch.so; processor=S390x; osname=linux, com/sun/jna/linux-loongarch64/libjnidispatch.so; processor=loongarch64;osname=linux, com/sun/jna/linux-riscv64/libjnidispatch.so; processor=riscv64;osname=linux, com/sun/jna/dragonflybsd-x86-64/libjnidispatch.so; | Low |

| | | | | |
|---|---|---|---|---|
| | | | processor=x86-64;osname=dragonflybsd, com/sun/jna/freebsd-x86/libjnidispatch.so; processor=x86;osname=freebsd, com/sun /jna/freebsd-x86-64/libjnidispatch.so; processor=x86-64;osname=freebsd, com /sun/jna/freebsd-aarch64/libjnidispatch.so; processor=aarch64;osname=freebsd, com /sun/jna/freebsd-ppc64le/libjnidispatch.so; processor=ppc64le;osname=freebsd, com /sun/jna/freebsd-ppc64/libjnidispatch.so; processor=ppc64;osname=freebsd, com/sun /jna/openbsd-x86/libjnidispatch.so; processor=x86;osname=openbsd, com/sun /jna/openbsd-x86-64/libjnidispatch.so; processor=x86-64;osname=openbsd, com /sun/jna/darwin-ppc/libjnidispatch.jnilib; osname=macosx;processor=ppc, com/sun /jna/darwin-ppc64/libjnidispatch.jnilib; osname=macosx;processor=ppc64, com/sun /jna/darwin-x86/libjnidispatch.jnilib; osname=macosx;processor=x86, com/sun /jna/darwin-x86-64/libjnidispatch.jnilib; osname=macosx;processor=x86-64, com /sun/jna/darwin-aarch64/libjnidispatch.jnilib; osname=macosx;processor=aarch64 | |
| Product | Manifest | bundle-requiredexecution | JavaSE-1.6 | Low |
| Product | Manifest | bundle-symbolicname | com.sun.jna | Medium |
| Product | Manifest | Implementation-Title | com.sun.jna | High |
| Product | Manifest | specification-title | Java Native Access (JNA) | Medium |
| Version | jar | package name | jna | Highest |
| Version | jar | package name | sun | Highest |
| Version | jar | package name | win32 | Highest |
| Version | Manifest | Bundle-Version | 5.18.1 | High |
| Version | Manifest | Implementation-Version | 5.18.1 (b0) | High |

**Identifiers**

- cpe:2.3:a:oracle:java_se:5.18.1:*:*:*:*:*:*:* (*Confidence*:Low) suppress
- cpe:2.3:a:sun:java_se:5.18.1:*:*:*:*:*:*:* (*Confidence*:Low) suppress

## ocr.tesseract.zip: jna.jar: jnidispatch.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller /standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jna.jar/com/sun/jna/win32-

aarch64/jnidispatch.dll
**MD5:** 302945a811fd8e21bcdd5226c73b6f74
**SHA1:** 6b05e299ff2b3eb3b7b7aeac44263f715693607c
**SHA256:**b8f98be314234cf12b5b46c29652f70c0f6abb93ae19b63d3fe2692062aa699d
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | jnidispatch | High |
| Product | file | name | jnidispatch | High |

**Identifiers**

- **None**

## ocr.tesseract.zip: jna.jar: jnidispatch.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jna.jar/com/sun/jna/win32-x86-64/jnidispatch.dll
**MD5:** 2d2475f1f026dd54e9f3e787ae4f81da
**SHA1:** 27ff882ac271db547aee520b38e3ba9aa91e136c
**SHA256:**5a7ff949f6d93d86491eb5b26b1cfc60051168a60622650224b89995ac420023
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | jnidispatch | High |
| Product | file | name | jnidispatch | High |

**Identifiers**

- **None**

## ocr.tesseract.zip: jna.jar: jnidispatch.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jna.jar/com/sun/jna/win32-x86

/jnidispatch.dll
**MD5:** 0caa1ef75a807f9dde05084fa2219a5c
**SHA1:** 2f5e1cd82cde192905c7510ce99037b67d980640
**SHA256:**752d597cee7e95cb517327146bf42f124c0d6c0bc48b3ecc3b1b3b0531a52f44
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | jnidispatch | High |
| Product | file | name | jnidispatch | High |

**Identifiers**

- **None**

## ocr.tesseract.zip: lept4j.jar

**Description:**

# Lept4J

## Description:

A Java JNA wrapper for Leptonica Image Processing library.

Lept4J is released and distributed under the Apache License, v2.0.

**License:**

Apache License 2.0: http://www.apache.org/licenses/LICENSE-2.0.txt

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/lept4j.jar
**MD5:** 64619a02b548575d87f241f1a435d24f
**SHA1:** 1b5bc3b955456035c413a4b650ce9b8c55769921
**SHA256:**0e188426eb57662fe5c40ee5942b24403fcacbb7290dbe6fd215229c0ef91269
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | lept4j | High |
| Vendor | jar | package name | lept4j | Highest |
| Vendor | jar | package name | leptonica | Highest |
| Vendor | jar | package name | net | Highest |

| | | | | |
|---|---|---|---|---|
| Vendor | jar | package name | sourceforge | Highest |
| Vendor | Manifest | build-jdk-spec | 1.8 | Low |
| Vendor | pom | artifactid | lept4j | Low |
| Vendor | pom | developer email | nguyenq@users.sf.net | Low |
| Vendor | pom | developer name | Quan Nguyen | Medium |
| Vendor | pom | groupid | net.sourceforge.lept4j | Highest |
| Vendor | pom | name | Lept4J - Leptonica for Java | High |
| Vendor | pom | url | nguyenq/lept4j | Highest |
| Product | file | name | lept4j | High |
| Product | jar | package name | lept4j | Highest |
| Product | jar | package name | leptonica | Highest |
| Product | jar | package name | net | Highest |
| Product | jar | package name | sourceforge | Highest |
| Product | Manifest | build-jdk-spec | 1.8 | Low |
| Product | pom | artifactid | lept4j | Highest |
| Product | pom | developer email | nguyenq@users.sf.net | Low |
| Product | pom | developer name | Quan Nguyen | Low |
| Product | pom | groupid | net.sourceforge.lept4j | Highest |
| Product | pom | name | Lept4J - Leptonica for Java | High |
| Product | pom | url | nguyenq/lept4j | High |
| Version | pom | version | 1.24.0 | Highest |

**Identifiers**

- pkg:maven/net.sourceforge.lept4j/lept4j@1.24.0 (*Confidence*:High)

## ocr.tesseract.zip: lept4j.jar: libleptonica1870.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/lept4j.jar/win32-x86-64/libleptonica1870.dll
**MD5:** dfd26dacd5dea3a0982584868cc162d9
**SHA1:** e87e790b699fc8bde5a1d982536763a2668c53ae
**SHA256:**3d24c8274beff05dcac0118439361d3695c1e5ee14790f58e39f27e3c91be8e4
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | libleptonica1870 | High |
| Product | file | name | libleptonica1870 | High |
| Version | file | name | libleptonica1870 | Medium |
| Version | file | version | 1870 | Medium |

**Identifiers**

- **None**

## ocr.tesseract.zip: lept4j.jar: libleptonica1870.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/lept4j.jar/win32-x86/libleptonica1870.dll
**MD5:** 460c9d022616eba684bb42436bb4877a
**SHA1:** 023b51e3aa635122587aa35d79a61a4408d4fa3a
**SHA256:**60d54f54ac00fd3c8b287ccb17897c4905d4f49a6935f0a8c017b8b8febb882d
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | libleptonica1870 | High |
| Product | file | name | libleptonica1870 | High |
| Version | file | name | libleptonica1870 | Medium |
| Version | file | version | 1870 | Medium |

**Identifiers**

- **None**

## ocr.tesseract.zip: ocr.tesseract.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/ocr.tesseract.jar
**MD5:** aba1ccb3e611379f1470189d31bbb351
**SHA1:** c25ab694f9c5564887f472b8e57b4758f11dce2e

**SHA256:**c3840aef2d460fc8066c9f6927d86058ff3a31a4e5b56415e6410deab0731340
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | ocr.tesseract | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | ocr | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2026-10-15 19:31 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | ocr.tesseract | High |
| Product | jar | package name | ocr | Highest |
| Product | jar | package name | ocr | Low |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | jar | package name | tesseract | Highest |
| Product | jar | package name | tesseract | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2026-10-15 19:31 | Low |
| Product | Manifest | codebase | * | Low |

| | | | | |
|---|---|---|---|---|
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | ocr.tesseract | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | ocr.tesseract | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 26.10.216 | High |

**Identifiers**

- cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* (*Confidence*:Low) suppress

## ocr.tesseract.zip: tess4j.jar

**Description:**

# Tess4J

## Description:

A Java JNA wrapper for Tesseract OCR API.

Tess4J is released and distributed under the Apache License, v2.0.

## Features:

The library provides optical character recognition (OCR) support for:

TIFF, JPEG, GIF, PNG, and BMP image formats
Multi-page TIFF images
PDF document format

**License:**

Apache License 2.0: http://www.apache.org/licenses/LICENSE-2.0.txt

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/tess4j.jar
**MD5:** 0b9b2c14a72bbfa7c6688e2fcc276840
**SHA1:** aa6165e8c794d588513ca3242bb55a0d836d3f67
**SHA256:**7e4774dc38fa596c9f8f7d67c24c9ba101ce9a468c8ad00ba805db9672582a46
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | tess4j | High |
| Vendor | jar | package name | net | Highest |
| Vendor | jar | package name | recognition | Highest |
| Vendor | jar | package name | sourceforge | Highest |
| Vendor | jar | package name | tess4j | Highest |
| Vendor | jar | package name | tesseract | Highest |
| Vendor | Manifest | build-jdk-spec | 1.8 | Low |
| Vendor | Manifest | implementation-url | http://tess4j.sourceforge.net | Low |
| Vendor | Manifest | Implementation-Vendor | Tess4J | High |
| Vendor | Manifest | specification-vendor | Tess4J | Low |
| Vendor | pom | artifactid | tess4j | Low |
| Vendor | pom | developer email | nguyenq@users.sf.net | Low |
| Vendor | pom | developer email | osoriojaques@gmail.com | Low |
| Vendor | pom | developer name | O.J. Sousa Rodrigues | Medium |
| Vendor | pom | developer name | Quan Nguyen | Medium |
| Vendor | pom | groupid | net.sourceforge.tess4j | Highest |
| Vendor | pom | name | Tess4J - Tesseract for Java | High |
| Vendor | pom | organization name | Tess4J | High |
| Vendor | pom | organization url | http://tess4j.sourceforge.net | Medium |
| Vendor | pom | url | http://tess4j.sourceforge.net | Highest |
| Product | file | name | tess4j | High |
| Product | jar | package name | net | Highest |
| Product | jar | package name | recognition | Highest |
| Product | jar | package name | sourceforge | Highest |
| Product | jar | package name | tess4j | Highest |
| Product | jar | package name | tesseract | Highest |
| Product | Manifest | build-jdk-spec | 1.8 | Low |
| Product | Manifest | Implementation-Title | Tess4J - Tesseract for Java | High |
| Product | Manifest | implementation-url | http://tess4j.sourceforge.net | Low |
| Product | Manifest | specification-title | Tess4J - Tesseract for Java | Medium |
| Product | pom | artifactid | tess4j | Highest |

| | | | | |
|---|---|---|---|---|
| Product | pom | developer email | nguyenq@users.sf.net | Low |
| Product | pom | developer email | osoriojaques@gmail.com | Low |
| Product | pom | developer name | O.J. Sousa Rodrigues | Low |
| Product | pom | developer name | Quan Nguyen | Low |
| Product | pom | groupid | net.sourceforge.tess4j | Highest |
| Product | pom | name | Tess4J - Tesseract for Java | High |
| Product | pom | organization name | Tess4J | Low |
| Product | pom | organization url | http://tess4j.sourceforge.net | Low |
| Product | pom | url | http://tess4j.sourceforge.net | Medium |
| Version | Manifest | Implementation-Version | 5.19.0 | High |
| Version | pom | version | 5.19.0 | Highest |

**Identifiers**

- pkg:maven/net.sourceforge.tess4j/tess4j@5.19.0 (*Confidence*:High)

## ocr.tesseract.zip: tess4j.jar: libtesseract552.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/tess4j.jar/win32-x86-64/libtesseract552.dll
**MD5:** 61bb2c6da960c233ff76c8a67e46d7a9
**SHA1:** ceee0fbaddf8cfa3dd3f6af611e00d93a5651eeb
**SHA256:**6f36fe9fff185c93533f8b688fcb52164b72fbf0a2d9c561b65585ddfe3d20ed
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | libtesseract552 | High |
| Product | file | name | libtesseract552 | High |
| Version | file | name | libtesseract552 | Medium |
| Version | file | version | 552 | Medium |

**Identifiers**

- **None**

## ocr.tesseract.zip: tess4j.jar: libtesseract552.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/tess4j.jar/win32-x86/libtesseract552.dll
**MD5:** e383288b5540938f826789aa4d604ac3
**SHA1:** fa541e1fad41ac8d9cd7be1a39eb7202d9f922ae
**SHA256:**6a738b89b2d19018e39aa283552a3f97bc54c2a5efd70009663f41bb1f185aa4
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | libtesseract552 | High |
| Product | file | name | libtesseract552 | High |
| Version | file | name | libtesseract552 | Medium |
| Version | file | version | 552 | Medium |

**Identifiers**

- **None**

## opentest4j-1.3.0.jar

**Description:**

Open Test Alliance for the JVM

**License:**

The Apache License, Version 2.0: https://www.apache.org/licenses/LICENSE-2.0.txt

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.opentest4j/opentest4j/1.3.0/152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e/opentest4j-1.3.0.jar
**MD5:** 03c404f727531f3fd3b4c73997899327
**SHA1:** 152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e
**SHA256:**48e2df636cab6563ced64dcdff8abb2355627cb236ef0bf37598682ddf742f1b
**Referenced In Project/Scope:** standalone:inetPlugin
**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@6.1.3
- pkg:maven/org.junit.jupiter/junit-jupiter@6.1.3
- pkg:maven/org.junit.platform/junit-platform-suite@6.1.3

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | opentest4j | High |
| Vendor | gradle | artifactid | opentest4j | Highest |
| Vendor | gradle | groupid | org.opentest4j | Highest |
| Vendor | jar | package name | opentest4j | Highest |
| Vendor | jar | package name | opentest4j | Low |
| Vendor | Manifest | build-date | 2023-07-06 | Low |
| Vendor | Manifest | build-revision | 214973bfa4e7e9be7d04e623202cc4147c7036 | Low |
| Vendor | Manifest | build-time | 14:25:06.116+0200 | Low |
| Vendor | Manifest | bundle-symbolicname | org.opentest4j | Medium |
| Vendor | Manifest | Implementation-Vendor | opentest4j.org | High |
| Vendor | Manifest | specification-vendor | opentest4j.org | Low |
| Vendor | pom | artifactid | opentest4j | Low |
| Vendor | pom | developer email | business@johanneslink.net | Low |
| Vendor | pom | developer email | mail@marcphilipp.de | Low |
| Vendor | pom | developer email | matthias.merdes@heidelpay.com | Low |
| Vendor | pom | developer email | sam@sambrannen.com | Low |
| Vendor | pom | developer email | stefan.bechtold@me.com | Low |
| Vendor | pom | developer id | bechte | Medium |
| Vendor | pom | developer id | jlink | Medium |
| Vendor | pom | developer id | marcphilipp | Medium |
| Vendor | pom | developer id | mmerdes | Medium |
| Vendor | pom | developer id | sbrannen | Medium |
| Vendor | pom | developer name | Johannes Link | Medium |
| Vendor | pom | developer name | Marc Philipp | Medium |
| Vendor | pom | developer name | Matthias Merdes | Medium |
| Vendor | pom | developer name | Sam Brannen | Medium |
| Vendor | pom | developer name | Stefan Bechtold | Medium |
| Vendor | pom | groupid | org.opentest4j | Highest |
| Vendor | pom | name | org.opentest4j:opentest4j | High |
| Vendor | pom | url | ota4j-team/opentest4j | Highest |
| Product | file | name | opentest4j | High |
| Product | gradle | artifactid | opentest4j | Highest |

| | | | | |
|---|---|---|---|---|
| Product | jar | package name | opentest4j | Highest |
| Product | Manifest | build-date | 2023-07-06 | Low |
| Product | Manifest | build-revision | 214973bfa4e7e9be7d04e623202cc4147c7036 | Low |
| Product | Manifest | build-time | 14:25:06.116+0200 | Low |
| Product | Manifest | Bundle-Name | opentest4j | Medium |
| Product | Manifest | bundle-symbolicname | org.opentest4j | Medium |
| Product | Manifest | Implementation-Title | opentest4j | High |
| Product | Manifest | specification-title | opentest4j | Medium |
| Product | pom | artifactid | opentest4j | Highest |
| Product | pom | developer email | business@johanneslink.net | Low |
| Product | pom | developer email | mail@marcphilipp.de | Low |
| Product | pom | developer email | matthias.merdes@heidelpay.com | Low |
| Product | pom | developer email | sam@sambrannen.com | Low |
| Product | pom | developer email | stefan.bechtold@me.com | Low |
| Product | pom | developer id | bechte | Low |
| Product | pom | developer id | jlink | Low |
| Product | pom | developer id | marcphilipp | Low |
| Product | pom | developer id | mmerdes | Low |
| Product | pom | developer id | sbrannen | Low |
| Product | pom | developer name | Johannes Link | Low |
| Product | pom | developer name | Marc Philipp | Low |
| Product | pom | developer name | Matthias Merdes | Low |
| Product | pom | developer name | Sam Brannen | Low |
| Product | pom | developer name | Stefan Bechtold | Low |
| Product | pom | groupid | org.opentest4j | Highest |
| Product | pom | name | org.opentest4j:opentest4j | High |
| Product | pom | url | ota4j-team/opentest4j | High |
| Version | file | version | 1.3.0 | High |
| Version | gradle | version | 1.3.0 | Highest |
| Version | Manifest | Bundle-Version | 1.3.0 | High |
| Version | Manifest | Implementation-Version | 1.3.0 | High |
| Version | pom | version | 1.3.0 | Highest |

**Identifiers**

- pkg:maven/org.opentest4j/opentest4j@1.3.0 (*Confidence*:High)

## parser.image.zip: parser.image.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/parser.image.zip/parser.image.jar
**MD5:** 4efb17e20e7d35ecdd7b70506baa03fe
**SHA1:** 741a785676829ce3f72f730c25e2decc0a5cfa7d
**SHA256:**31eb27865669152db0e56fb1c0875d7aaa3ed9f986b3a37d29d93ec74d7cfbb2
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | parser.image | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | jar | package name | plugin | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2026-10-15 19:30 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | parser.image | High |
| Product | jar | package name | imageparser | Low |
| Product | jar | package name | pdfc | Highest |

| | | | | |
|---|---|---|---|---|
| Product | jar | package name | pdfc | Low |
| Product | jar | package name | plugin | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2026-10-15 19:30 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | parser.image | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | parser.image | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 26.10.216 | High |

**Identifiers**

- cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* (*Confidence*:Low) suppress

## parser.pdf.config.zip: parser.pdf.config.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/parser.pdf.config.zip/parser.pdf.config.jar
**MD5:** 5e6774bca63c17ef3f733b56698302e0
**SHA1:** f6c0865b305d1784a0f8b531599933b5dbb7e8c8
**SHA256:**2e5c3e52b045fff9a59fa04584afb3f0cb20e46c2e2e29f10c94fd5285fba3ee
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | parser.pdf.config | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | jar | package name | plugin | Low |

| | | | | |
|---|---|---|---|---|
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2026-10-15 19:30 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | parser.pdf.config | High |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | jar | package name | pdfparserconfig | Low |
| Product | jar | package name | plugin | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2026-10-15 19:30 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | parser.pdf.config | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | parser.pdf.config | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 26.10.216 | High |

**Identifiers**

- cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* (*Confidence*:Low) suppress

## parser.text.zip: parser.text.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/parser.text.zip/parser.text.jar
**MD5:** baccd65419d74505d87ab43ed3f9b81a
**SHA1:** 9aa5af5248a14a6b8dcfd4d48e1f2fbf9ed0fe81
**SHA256:**8cf1fb4398b1da3e1cb6db78ca0a351a546fb40159c078f0e5c523adbd68dc54
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | parser.text | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | jar | package name | plugin | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2026-10-15 19:30 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | parser.text | High |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |

| | | | | |
|---|---|---|---|---|
| Product | jar | package name | plugin | Low |
| Product | jar | package name | textparser | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2026-10-15 19:30 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | parser.text | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | parser.text | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 26.10.216 | High |

**Identifiers**

- cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* (*Confidence*:Low) suppress

## pdfc.standalone.zip: pdfc.standalone.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar
**MD5:** 71980cabf79fa996805fa5100faa235f
**SHA1:** 45469bdb72a6dd9dc99efe9d9698738f17913b67
**SHA256:**f3f0179cba73a15610380c88e0f3ee35932d502036353fe56f57dbcb34d0f74d
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | pdfc.standalone | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |

| | | | | |
|---|---|---|---|---|
| Vendor | jar | package name | standalone | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2026-10-15 19:38 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | pdfc.standalone | High |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | jar | package name | standalone | Highest |
| Product | jar | package name | standalone | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2026-10-15 19:38 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | pdfc.standalone | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | pdfc.standalone | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 26.10.216 | High |

**Identifiers**

- cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* (*Confidence*:Low) suppress

## pdfc.standalone.zip: pdfc.standalone.jar: bridge.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/bridge.js
**MD5:** 93a24df267249dca305f5af83c047f48
**SHA1:** 2690836189ad0dd3715568d15b8bba5a3a9fbc93
**SHA256:**b17c61dcfca7e59009ebe3e57ec254ad68c2dc080d9a194d867a185902e6a433
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## pdfc.standalone.zip: pdfc.standalone.jar: bridgeConfig.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/bridgeConfig.js
**MD5:** 50c7b33549870b71c25e22443829ba78
**SHA1:** 0a50eb333055885b58537a1463009c6d321ca110
**SHA256:**7ba9c85404a965c72b736350b26b97bef813b9e523081ed2bf1f9b7303ba0ce4
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## pdfc.standalone.zip: pdfc.standalone.jar: bridgePDFC.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/bridgePDFC.js
**MD5:** 918410e4e9590ab87b5ca1ea983ebdf1
**SHA1:** 422e9fa020147687e2c79fa87f8d7ac23d964df1
**SHA256:**3d95bb11030e08751e23f02d299b19e2c8db823a14217bdc0cea034a1e23199d
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## pdfc.standalone.zip: pdfc.standalone.jar: extraMenu.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/extraMenu.js
**MD5:** 76f716ef25759cac5242607c7d46afab
**SHA1:** ffd9728b1116de8148c96cb1aac069abc994692f
**SHA256:**0f2b1cc0136aacbc57993ce598a490e36849a34cdaccea15f213b1f2410fc002
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## pdfc.standalone.zip: pdfc.standalone.jar: removeHeader.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/removeHeader.js
**MD5:** 6155f56ea46454fd9b26ec029b07cb4c
**SHA1:** fdbb377d77e7a33fccd3e56eda617da18a45af3c
**SHA256:**7f74294ea3dd2d4561aadf5deb9e1436af5cd08d3f53754b8c2e2321ddad3687
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## pdfc.standalone.zip: pdfc.standalone.jar: removePDFCElements.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/removePDFCElements.js
**MD5:** cf23507d05d2a8f690f9489d131e7de7
**SHA1:** bff6a66569787ecf08f314c176220be0ef16f86c
**SHA256:**3d2d7526c75020284374f9298157f8fb7d0c37d38d079cffda17b94f9b73690a
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## pdfc.standalone.zip: pdfc.standalone.jar: theme.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/theme.js
**MD5:** 9ee2557b2355cd5367ad7b7cdf3505e2
**SHA1:** 6a8e3c4a8964395018faac989bbbd37abf148cd3
**SHA256:**0acc32f71a37d0f0f7485be6746f688e449df07e6db3b5ad01973ad7fc3aa53a
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## pdfc.standalone.zip: pdfc.standalone.jar: translation.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/translation.js
**MD5:** 087098ce4993357914ab7ee2ca130bc0
**SHA1:** b77b0d98a5a98b3a5c9317333f29c0c18d36d86e
**SHA256:**26eb8ace7faad440f3aedd47c1c3f6c1603fe7b150213ad32a4251d1226a3895
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## pdfc.zip: icu4j.jar (shaded: com.ibm.icu:collate:78.3)

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar/META-INF/maven/com.ibm.icu/collate/pom.xml
**MD5:** 910df4a35d3fade41f8598c87b85edf3
**SHA1:** 48a13c14be4e30e471d420da9557564c2a13cc4f
**SHA256:**080d1d17e071cd803fc32efc746d179dfe53bbd67588ee9281c245d5497e5eb6
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | pom | artifactid | collate | Low |

| | | | | |
|---|---|---|---|---|
| Vendor | pom | groupid | com.ibm.icu | Highest |
| Vendor | pom | parent-artifactid | icu4j-root | Low |
| Product | pom | artifactid | collate | Highest |
| Product | pom | groupid | com.ibm.icu | Highest |
| Product | pom | parent-artifactid | icu4j-root | Medium |
| Version | pom | version | 78.3 | Highest |

**Identifiers**

- pkg:maven/com.ibm.icu/collate@78.3 (*Confidence*:High)

## pdfc.zip: icu4j.jar (shaded: com.ibm.icu:core:78.3)

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar/META-INF/maven/com.ibm.icu/core/pom.xml
**MD5:** ecd94a7a426426f3209fd1d442f70016
**SHA1:** 007903c282db60a9be4d35a986f66a750ba7e5ff
**SHA256:**aef900e5538ebba37697fc7d972e546b6539319e533190a87b599e2c367a63ff
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | pom | artifactid | core | Low |
| Vendor | pom | groupid | com.ibm.icu | Highest |
| Vendor | pom | parent-artifactid | icu4j-root | Low |
| Product | pom | artifactid | core | Highest |
| Product | pom | groupid | com.ibm.icu | Highest |
| Product | pom | parent-artifactid | icu4j-root | Medium |
| Version | pom | version | 78.3 | Highest |

**Identifiers**

- pkg:maven/com.ibm.icu/core@78.3 (*Confidence*:High)

## pdfc.zip: icu4j.jar (shaded: com.ibm.icu:currdata:78.3)

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar/META-INF/maven/com.ibm.icu/currdata/pom.xml
**MD5:** 578ed0a2d235d5c68b6c6ec04d020894
**SHA1:** e9ab6976fe1449269e73774af30fbbac10a45c10
**SHA256:**1b7a0f7386356a5402c6a9521d7887a09e63b9c5429bb93d4e7c382a4430f0f8
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | pom | artifactid | currdata | Low |
| Vendor | pom | groupid | com.ibm.icu | Highest |
| Vendor | pom | parent-artifactid | icu4j-root | Low |
| Product | pom | artifactid | currdata | Highest |
| Product | pom | groupid | com.ibm.icu | Highest |
| Product | pom | parent-artifactid | icu4j-root | Medium |
| Version | pom | version | 78.3 | Highest |

**Identifiers**

- pkg:maven/com.ibm.icu/currdata@78.3 (*Confidence*:High)

## pdfc.zip: icu4j.jar (shaded: com.ibm.icu:langdata:78.3)

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar/META-INF/maven/com.ibm.icu/langdata/pom.xml
**MD5:** 7729ab4b00061d4f5ff9f26d843430dc
**SHA1:** 3b9cf91784d0cf93c07308357c2f8a4ab4e2dd61
**SHA256:**909c1f5e15bcb06e5fa2f01a231b4db5f54bbc91e25f91dc668ed95fbc051d62
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | pom | artifactid | langdata | Low |
| Vendor | pom | groupid | com.ibm.icu | Highest |
| Vendor | pom | parent-artifactid | icu4j-root | Low |
| Product | pom | artifactid | langdata | Highest |

| | | | | |
|---|---|---|---|---|
| Product | pom | groupid | com.ibm.icu | Highest |
| Product | pom | parent-artifactid | icu4j-root | Medium |
| Version | pom | version | 78.3 | Highest |

**Identifiers**

- pkg:maven/com.ibm.icu/langdata@78.3 (*Confidence*:High)

## pdfc.zip: icu4j.jar (shaded: com.ibm.icu:regiondata:78.3)

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar/META-INF/maven/com.ibm.icu/regiondata/pom.xml
**MD5:** 04e8971b37d8fcdf5aff596a3eac3e85
**SHA1:** d0f578aec007d88b97b15995e6b0f1edb1964875
**SHA256:**4b9dfa6054b05f85514b4875da0070f132cb86dd46b319a7ce87bf3e8b68754a
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | pom | artifactid | regiondata | Low |
| Vendor | pom | groupid | com.ibm.icu | Highest |
| Vendor | pom | parent-artifactid | icu4j-root | Low |
| Product | pom | artifactid | regiondata | Highest |
| Product | pom | groupid | com.ibm.icu | Highest |
| Product | pom | parent-artifactid | icu4j-root | Medium |
| Version | pom | version | 78.3 | Highest |

**Identifiers**

- pkg:maven/com.ibm.icu/regiondata@78.3 (*Confidence*:High)

## pdfc.zip: icu4j.jar (shaded: com.ibm.icu:tools_taglets:78.3)

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar/META-INF/maven/com.ibm.icu

/tools_taglets/pom.xml
**MD5:** 88a3f1d53541d244826480bf7850a153
**SHA1:** eba98ecd9bcafe3ca6b9470dd6085fe4e3c734f3
**SHA256:**2cc2173fa7bcd07e6dc59dfee43b01dee144740dee76f685ec765af6acc37c47
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | pom | artifactid | tools_taglets | Low |
| Vendor | pom | groupid | com.ibm.icu | Highest |
| Vendor | pom | parent-artifactid | icu4j-root | Low |
| Product | pom | artifactid | tools_taglets | Highest |
| Product | pom | groupid | com.ibm.icu | Highest |
| Product | pom | parent-artifactid | icu4j-root | Medium |
| Version | pom | version | 78.3 | Highest |

**Identifiers**

- pkg:maven/com.ibm.icu/tools_taglets@78.3 (*Confidence*:High)

## pdfc.zip: icu4j.jar (shaded: com.ibm.icu:translit:78.3)

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar/META-INF/maven/com.ibm.icu/translit/pom.xml
**MD5:** b112a2c0be2cff950e81f4284fc6d45b
**SHA1:** a5494d4f54c1dbaa2a98d731838576c98fea25a3
**SHA256:**237b421df54c6f00a1b69962f397f0ec2b8ff53ec757be185f2572b843ca44a6
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | pom | artifactid | translit | Low |
| Vendor | pom | groupid | com.ibm.icu | Highest |
| Vendor | pom | parent-artifactid | icu4j-root | Low |
| Product | pom | artifactid | translit | Highest |
| Product | pom | groupid | com.ibm.icu | Highest |
| Product | pom | parent-artifactid | icu4j-root | Medium |
| Version | pom | version | 78.3 | Highest |

**Identifiers**

- pkg:maven/com.ibm.icu/translit@78.3 (*Confidence*:High)

## pdfc.zip: icu4j.jar

**Description:**

International Components for Unicode for Java (ICU4J) is a mature, widely used Java library providing Unicode and Globalization support

**License:**

Unicode-3.0: https://raw.githubusercontent.com/unicode-org/icu/maint/maint-78/LICENSE

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar
**MD5:** 4f59018dcfd3b739b755e8408be926a2
**SHA1:** 6a851a53bb1f25689fc418dcc8935b0d93580adf
**SHA256:**e962c1758d9659ea1e1fbab99c58683f654d304e1126ace19aaabfe39e0edb25
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | icu4j | High |
| Vendor | file (hint) | name | icu-project | High |
| Vendor | file (hint) | name | unicode | High |
| Vendor | jar | package name | ibm | Highest |
| Vendor | jar | package name | icu | Highest |
| Vendor | Manifest | automatic-module-name | com.ibm.icu | Medium |
| Vendor | Manifest | build-jdk-spec | 11 | Low |
| Vendor | Manifest | bundle-copyright | © 2016 and later: Unicode, Inc. and others. License & terms of use: http://www.unicode.org/copyright.html | Low |
| Vendor | Manifest | bundle-requiredexecution | JavaSE-1.8 | Low |
| Vendor | Manifest | bundle-symbolicname | com.ibm.icu | Medium |
| Vendor | Manifest | Implementation-Vendor | Unicode, Inc. | High |

| | | | | |
|---|---|---|---|---|
| Vendor | Manifest | Implementation-Vendor-Id | org.unicode | Medium |
| Vendor | pom | artifactid | icu4j | Low |
| Vendor | pom | developer id | markusicu | Medium |
| Vendor | pom | developer id | richgillam | Medium |
| Vendor | pom | developer name | Markus Scherer | Medium |
| Vendor | pom | developer name | Richard Gillam | Medium |
| Vendor | pom | developer org | Google | Medium |
| Vendor | pom | groupid | com.ibm.icu | Highest |
| Vendor | pom | name | ICU4J | High |
| Vendor | pom | url | https://icu.unicode.org/ | Highest |
| Vendor | pom (hint) | artifactid | icu-project | Low |
| Vendor | pom (hint) | artifactid | unicode | Low |
| Vendor | pom (hint) | name | icu-project | High |
| Vendor | pom (hint) | name | unicode | High |
| Product | file | name | icu4j | High |
| Product | hint analyzer | product | international_components_for_unicode | Highest |
| Product | jar | package name | ibm | Highest |
| Product | jar | package name | icu | Highest |
| Product | Manifest | automatic-module-name | com.ibm.icu | Medium |
| Product | Manifest | build-jdk-spec | 11 | Low |
| Product | Manifest | bundle-copyright | © 2016 and later: Unicode, Inc. and others. License & terms of use: http://www.unicode.org/copyright.html | Low |
| Product | Manifest | Bundle-Name | ICU4J | Medium |
| Product | Manifest | bundle-requiredexecution | JavaSE-1.8 | Low |
| Product | Manifest | bundle-symbolicname | com.ibm.icu | Medium |
| Product | Manifest | Implementation-Title | International Components for Unicode for Java | High |
| Product | Manifest | specification-title | International Components for Unicode for Java | Medium |
| Product | pom | artifactid | icu4j | Highest |
| Product | pom | developer id | markusicu | Low |
| Product | pom | developer id | richgillam | Low |

| | | | | |
|---|---|---|---|---|
| Product | pom | developer name | Markus Scherer | Low |
| Product | pom | developer name | Richard Gillam | Low |
| Product | pom | developer org | Google | Low |
| Product | pom | groupid | com.ibm.icu | Highest |
| Product | pom | name | ICU4J | High |
| Product | pom | url | https://icu.unicode.org/ | Medium |
| Version | Manifest | Bundle-Version | 78.3 | High |
| Version | Manifest | Implementation-Version | 78.3 | High |
| Version | pom | version | 78.3 | Highest |

**Identifiers**

- pkg:maven/com.ibm.icu/icu4j@78.3 (*Confidence*:High)
- cpe:2.3:a:icu-project:international_components_for_unicode:78.3:*:*:*:*:*:*:* (*Confidence*:Low) suppress
- cpe:2.3:a:unicode:international_components_for_unicode:78.3:*:*:*:*:*:*:* (*Confidence*:Low) suppress

## pdfc.zip: pdfc-javadoc.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar
**MD5:** eca05986bce1449f0fed94eaa78f8845
**SHA1:** d7c97341a7c96c4fe91019c0dedf0750eb234a4b
**SHA256:**086ad3966e95cc686e1c7c7e2b91192102d7387afd5082cd7f0388f3fedb864a
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | pdfc-javadoc | High |
| Product | file | name | pdfc-javadoc | High |

**Identifiers**

- **None**

## pdfc.zip: pdfc-javadoc.jar: jquery-3.7.1.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/script-files/jquery-3.7.1.min.js
**MD5:** 2c872dbe60f4ba70fb85356113d8b35e
**SHA1:** ee48592d1fff952fcf06ce0b666ed4785493afdc
**SHA256:**fc9a93dd241f6b045cbff0481cf4e1901becd0e12fb45166a8f17f95823f0b1a
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## pdfc.zip: pdfc-javadoc.jar: jquery-ui.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/script-files/jquery-ui.min.js
**MD5:** ab481ee8cd3ebac4edfcbd2cae5b0dde
**SHA1:** a3df331b23b1dc7d01d219cf426ff3148da3ac33
**SHA256:**4c0b2b6513452adf188402da32faea446b326e0a3362eda6fa8603e73594a567
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## pdfc.zip: pdfc-javadoc.jar: member-search-index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/member-search-index.js
**MD5:** 75e6209da6a219aa0c11dc659bbc68d3

**SHA1:** a128c1a6cb93597fef59f99ff8b5d62427844068
**SHA256:**e39482d68ef656cea565d74687a4b10a5c9617aa7cfc393409efbaa0416ec36b
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## pdfc.zip: pdfc-javadoc.jar: module-search-index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/module-search-index.js
**MD5:** a33da0f469acbd03f77bf407bac505f5
**SHA1:** 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
**SHA256:**814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## pdfc.zip: pdfc-javadoc.jar: package-search-index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/package-search-index.js
**MD5:** e8d43516ba9ee9dcd2899b83aedb3825
**SHA1:** a7e2eda4e97a4e984bea608b0d27475c7b0e3741
**SHA256:**3c19f50455b2b5de577fdf3463d89a66966957b54cebf78aa9a9ebe487c06f63
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## pdfc.zip: pdfc-javadoc.jar: script.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/script-files/script.js
**MD5:** 14f041a73b41a06e14ae5119bf58a412
**SHA1:** 3bde180527bb365eea5f582d8fa6c08270c9b745
**SHA256:**795ddba417f4a106bbfae3c84cb2c61363e0ce9b29163eaefdc9c334db1f9b2d
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## pdfc.zip: pdfc-javadoc.jar: search-page.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/script-files/search-page.js
**MD5:** 91487edb9c0528bb329ed378cd74987f
**SHA1:** 001ab7444e3ba1252d4daf7f870d51bb287cd4e7
**SHA256:**3bd59d168258fa81f6ffe473feec32bae0e0a5d571ecc89a1eb4fc04defed1b7
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## pdfc.zip: pdfc-javadoc.jar: search.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/script-files/search.js
**MD5:** e1bbc8e050e9e3033a72b1e719fc3957
**SHA1:** 01e8b1cc5816ddc972f7e6e4dc28bf14a1dcc21c
**SHA256:**fb8492aa12ea5e8c74045f0f909c7f9afc12cb44ce165e1b18a4d0cd1c49908c
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## pdfc.zip: pdfc-javadoc.jar: tag-search-index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/tag-search-index.js
**MD5:** d15c346e935323a56c21555879f3d43f
**SHA1:** a5a163ac6438235738dd8b58195f76425f01b8fd
**SHA256:**2c68a7d29a049af9aca94ce6d94e50402908947084df988d3e2b783338eaf480
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## pdfc.zip: pdfc-javadoc.jar: type-search-index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/type-search-index.js
**MD5:** ecd8cad7c6630d199c0aae05c5f2f261
**SHA1:** 7a9e897d8b081754a3b89168ac340ffaad2f509d

**SHA256:**8926c9b4a72ca5bd361c58ddc6bdb452441e2ce161125cb1af00665a7c7aa192
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## pdfc.zip: pdfc.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc.jar
**MD5:** 0a5904c066b3cb0eb3cd3ff935f7940b
**SHA1:** ff18902f287dea122539bd18a25ea6029bff488a
**SHA256:**eb0b9a9aafc4e44ba7513d6c21114e1b0d3ef249e17bc944372b84cce282650c
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | pdfc | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2026-10-15 19:20 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |

| | | | | |
|---|---|---|---|---|
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | pdfc | High |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | jar | package name | permissions | Highest |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2026-10-15 19:20 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | pdfc | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | pdfc | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | jar | package name | permissions | Highest |
| Version | Manifest | Implementation-Version | 26.10.216 | High |

**Identifiers**

- cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* (*Confidence*:Low) suppress

## pdfcserver.zip: pdfcserver.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfcserver.zip/pdfcserver.jar
**MD5:** b1a1b26515e9d72a4a92b94a5d299a37
**SHA1:** 36e2b444dd13a4980912ad4916e385559a3e5c59
**SHA256:**c9c332e0eba12bf9ae0c9a9a519d8d6c572e57124fdf8b16f548e5887b9c4986
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | pdfcserver | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | jar | package name | server | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2026-10-15 19:20 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | pdfcserver | High |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | jar | package name | persistence | Low |
| Product | jar | package name | server | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2026-10-15 19:20 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | pdfcserver | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | pdfcserver | Medium |
| Product | Manifest | trusted-library | false | Low |

| | | | | |
|---|---|---|---|---|
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 26.10.216 | High |

**Identifiers**

- cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* (*Confidence*:Low) suppress

## pdfcserver.zip: pdfcserver.jar: compareconfigrenderer.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfcserver.zip/pdfcserver.jar/com/inet/pdfc/server/structure/compareconfigrenderer.js
**MD5:** ca54201f240ce7fea03db4f46ecd818a
**SHA1:** 420f31523aa51830c134d193dae0a692eff5b4da
**SHA256:**0aa678824bea93ed82b1747fc75512915488e2d65b5f11c9c22d4214bb129cec
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## pdfcsetupwizard.zip: pdfcsetupwizard.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfcsetupwizard.zip/pdfcsetupwizard.jar
**MD5:** d97cf67744b378e319e269c714f909ad
**SHA1:** 13da1d84c044f71a36fb15e7def4ea9aec3eca82
**SHA256:**6fc5b3cd69896f64a63d9f6d525dc54101298b3fc496a10d6de55ba57cb5b730
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | pdfcsetupwizard | High |

| | | | | |
|---|---|---|---|---|
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | jar | package name | setupwizard | Low |
| Vendor | Manifest | built-date | 2026-10-15 19:31 | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | pdfcsetupwizard | High |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | jar | package name | setupwizard | Low |
| Product | jar | package name | steps | Low |
| Product | Manifest | built-date | 2026-10-15 19:31 | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | pdfcsetupwizard | High |
| Product | Manifest | specification-title | pdfcsetupwizard | Medium |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 26.10.216 | High |

**Identifiers**

- cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* (*Confidence*:Low) suppress

## pdfcsetupwizard.zip: pdfcsetupwizard.jar: controller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfcsetupwizard.zip/pdfcsetupwizard.jar/com/inet/pdfc/setupwizard/steps/license/controller.js
**MD5:** b21c2ee13289577d98bbb1687726af34
**SHA1:** 9032230fff5222847734d3cb4723103733f88e92

**SHA256:**6c1d316ea3da704c21cc9e3fa2426863fa173c3d44a212506fc4bc1e187991e9
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|

**Identifiers**

- **None**

## processbridge.pdfc.zip: processbridge.pdfc.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/processbridge.pdfc.zip/processbridge.pdfc.jar
**MD5:** ddcce26e769d85a985f1b6adfbc50e3a
**SHA1:** ee216d55c6f4b05b51b85d9f16b0df289dc90133
**SHA256:**3d95e84a44b66571d238dcec8d432929c76daf77510d05021923da10e1d689c4
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | processbridge.pdfc | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | jar | package name | processbridge | Low |
| Vendor | Manifest | built-date | 2026-10-15 19:35 | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | processbridge.pdfc | High |
| Product | jar | package name | api | Low |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |

| | | | | |
|---|---|---|---|---|
| Product | jar | package name | processbridge | Highest |
| Product | jar | package name | processbridge | Low |
| Product | Manifest | built-date | 2026-10-15 19:35 | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | processbridge.pdfc | High |
| Product | Manifest | specification-title | processbridge.pdfc | Medium |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 26.10.216 | High |

**Identifiers**

- cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* (*Confidence*:Low) suppress

## slf4j-api-2.0.18.jar

**Description:**

The slf4j API

**License:**

https://opensource.org/license/mit

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.slf4j/slf4j-api/2.0.18/78a9e7a37cd6360e0b818e86341b24123d28d4df/slf4j-api-2.0.18.jar
**MD5:** fe2837bd49bfb76657419002fed20ca9
**SHA1:** 78a9e7a37cd6360e0b818e86341b24123d28d4df
**SHA256:**44508fd1576500688c790b190acdd16fec4f8c79a3e0b900afd70503cf055f55
**Referenced In Project/Scope:** standalone:inetPlugin
**Included by:** pkg:maven/pdfc/standalone@26.10

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | slf4j-api | High |
| Vendor | gradle | artifactid | slf4j-api | Highest |
| Vendor | gradle | groupid | org.slf4j | Highest |
| Vendor | jar | package name | slf4j | Highest |
| Vendor | Manifest | build-jdk-spec | 21 | Low |

| | | | | |
|---|---|---|---|---|
| Vendor | Manifest | bundle-docurl | http://www.slf4j.org | Low |
| Vendor | Manifest | bundle-symbolicname | slf4j.api | Medium |
| Vendor | Manifest | multi-release | true | Low |
| Vendor | pom | artifactid | slf4j-api | Low |
| Vendor | pom | groupid | org.slf4j | Highest |
| Vendor | pom | name | SLF4J API Module | High |
| Vendor | pom | parent-artifactid | slf4j-parent | Low |
| Vendor | pom | url | http://www.slf4j.org | Highest |
| Product | file | name | slf4j-api | High |
| Product | gradle | artifactid | slf4j-api | Highest |
| Product | jar | package name | slf4j | Highest |
| Product | Manifest | build-jdk-spec | 21 | Low |
| Product | Manifest | bundle-docurl | http://www.slf4j.org | Low |
| Product | Manifest | Bundle-Name | SLF4J API Module | Medium |
| Product | Manifest | bundle-symbolicname | slf4j.api | Medium |
| Product | Manifest | Implementation-Title | slf4j-api | High |
| Product | Manifest | multi-release | true | Low |
| Product | pom | artifactid | slf4j-api | Highest |
| Product | pom | groupid | org.slf4j | Highest |
| Product | pom | name | SLF4J API Module | High |
| Product | pom | parent-artifactid | slf4j-parent | Medium |
| Product | pom | url | http://www.slf4j.org | Medium |
| Version | file | version | 2.0.18 | High |
| Version | gradle | version | 2.0.18 | Highest |
| Version | Manifest | Bundle-Version | 2.0.18 | High |
| Version | Manifest | Implementation-Version | 2.0.18 | High |
| Version | pom | version | 2.0.18 | Highest |

**Identifiers**

- pkg:maven/org.slf4j/slf4j-api@2.0.18 (*Confidence*:High)

## taskplanner.pdfc.zip: taskplanner.pdfc.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.pdfc.zip/taskplanner.pdfc.jar
**MD5:** 261f3a2b972706cde0fabdde6d5abda3
**SHA1:** 2313ec9cdf4bca92a9c5dd193fb842ae8996cac0
**SHA256:**57af4ef50a28f6c3b404da13d87c1984013d4c8a516323d592a9b5d5b20d3e1a
**Referenced In Project/Scope:** standalone

### Evidence

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | taskplanner.pdfc | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | jar | package name | taskplanner | Low |
| Vendor | Manifest | built-date | 2026-10-15 19:35 | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | taskplanner.pdfc | High |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | jar | package name | taskplanner | Highest |
| Product | jar | package name | taskplanner | Low |
| Product | Manifest | built-date | 2026-10-15 19:35 | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | taskplanner.pdfc | High |
| Product | Manifest | specification-title | taskplanner.pdfc | Medium |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 26.10.216 | High |

**Identifiers**

- cpe:2.3:a:inetsoftware:pdfc:26.10.216:*:*:*:*:*:*:* (*Confidence*:Low) suppress

## Suppressed Vulnerabilities

### ocr.tesseract.zip: jna.jar

**Description:**

JNA Library

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jna.jar
**MD5:** 97fcb12698f8c1e4eed897e5c490e098
**SHA1:** 50c5b36af5dfd16cab07a1616046a50ec52d1e32
**SHA256:** 9e5cdb5ff4ad07bf116cb2b37b2b84987041d79a8991766a08b79b085c6bb6c2
**Referenced In Project/Scope:** standalone

**Evidence**

| Type | Source | Name | Value | Confidence |
|---|---|---|---|---|
| Vendor | file | name | jna | High |
| Vendor | jar | package name | jna | Highest |
| Vendor | jar | package name | jna | Low |
| Vendor | jar | package name | sun | Highest |
| Vendor | jar | package name | sun | Low |
| Vendor | jar (hint) | package name | oracle | Highest |
| Vendor | jar (hint) | package name | oracle | Low |
| Vendor | Manifest | automatic-module-name | com.sun.jna | Medium |
| Vendor | Manifest | bundle-activationpolicy | lazy | Low |
| Vendor | Manifest | bundle-category | jni | Low |
| Vendor | Manifest | bundle-nativecode | com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win32, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win32, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64; osname=win32, com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64;osname=win, com/sun | Low |

/jna/w32ce-arm/jnidispatch.dll;
processor=arm;osname=wince, com/sun/jna
/sunos-x86/libjnidispatch.so; processor=x86;
osname=sunos, com/sun/jna/sunos-x86-64
/libjnidispatch.so; processor=x86-64;
osname=sunos, com/sun/jna/sunos-sparc
/libjnidispatch.so; processor=sparc;
osname=sunos, com/sun/jna/sunos-sparcv9
/libjnidispatch.so; processor=sparcv9;
osname=sunos, com/sun/jna/aix-ppc
/libjnidispatch.a; processor=ppc;
osname=aix, com/sun/jna/aix-ppc64
/libjnidispatch.a; processor=ppc64;
osname=aix, com/sun/jna/linux-ppc
/libjnidispatch.so; processor=ppc;
osname=linux, com/sun/jna/linux-ppc64
/libjnidispatch.so; processor=ppc64;
osname=linux, com/sun/jna/linux-ppc64le
/libjnidispatch.so; processor=ppc64le;
osname=linux, com/sun/jna/linux-x86
/libjnidispatch.so; processor=x86;
osname=linux, com/sun/jna/linux-x86-64
/libjnidispatch.so; processor=x86-64;
osname=linux, com/sun/jna/linux-arm
/libjnidispatch.so; processor=arm;
osname=linux, com/sun/jna/linux-arm
/libjnidispatch.so; processor=arm_le;
osname=linux, com/sun/jna/linux-armel
/libjnidispatch.so; processor=armel;
osname=linux, com/sun/jna/linux-aarch64
/libjnidispatch.so; processor=aarch64;
osname=linux, com/sun/jna/linux-ia64
/libjnidispatch.so; processor=ia64;
osname=linux, com/sun/jna/linux-sparcv9
/libjnidispatch.so; processor=sparcv9;
osname=linux, com/sun/jna/linux-mips64el
/libjnidispatch.so; processor=mips64el;
osname=linux, com/sun/jna/linux-s390x
/libjnidispatch.so; processor=S390x;
osname=linux, com/sun/jna/linux-
loongarch64/libjnidispatch.so;
processor=loongarch64;osname=linux, com
/sun/jna/linux-riscv64/libjnidispatch.so;
processor=riscv64;osname=linux, com/sun
/jna/dragonflybsd-x86-64/libjnidispatch.so;
processor=x86-64;osname=dragonflybsd,
com/sun/jna/freebsd-x86/libjnidispatch.so;
processor=x86;osname=freebsd, com/sun
/jna/freebsd-x86-64/libjnidispatch.so;
processor=x86-64;osname=freebsd, com
/sun/jna/freebsd-aarch64/libjnidispatch.so;
processor=aarch64;osname=freebsd, com
/sun/jna/freebsd-ppc64le/libjnidispatch.so;
processor=ppc64le;osname=freebsd, com
/sun/jna/freebsd-ppc64/libjnidispatch.so;
processor=ppc64;osname=freebsd, com/sun
/jna/openbsd-x86/libjnidispatch.so;
processor=x86;osname=openbsd, com/sun
/jna/openbsd-x86-64/libjnidispatch.so;
processor=x86-64;osname=openbsd, com
/sun/jna/darwin-ppc/libjnidispatch.jnilib;
osname=macosx;processor=ppc, com/sun
/jna/darwin-ppc64/libjnidispatch.jnilib;
osname=macosx;processor=ppc64, com/sun
/jna/darwin-x86/libjnidispatch.jnilib;
osname=macosx;processor=x86, com/sun
/jna/darwin-x86-64/libjnidispatch.jnilib;
osname=macosx;processor=x86-64, com

| | | | | |
|---|---|---|---|---|
| | | | /sun/jna/darwin-aarch64/libjnidispatch.jnilib; osname=macosx;processor=aarch64 | |
| Vendor | Manifest | bundle-requiredexecution | JavaSE-1.6 | Low |
| Vendor | Manifest | bundle-symbolicname | com.sun.jna | Medium |
| Vendor | Manifest | Implementation-Vendor | JNA Development Team | High |
| Vendor | Manifest | specification-vendor | JNA Development Team | Low |
| Product | file | name | jna | High |
| Product | jar | package name | jna | Highest |
| Product | jar | package name | jna | Low |
| Product | jar | package name | library | Highest |
| Product | jar | package name | native | Highest |
| Product | jar | package name | sun | Highest |
| Product | jar | package name | win32 | Highest |
| Product | Manifest | automatic-module-name | com.sun.jna | Medium |
| Product | Manifest | bundle-activationpolicy | lazy | Low |
| Product | Manifest | bundle-category | jni | Low |
| Product | Manifest | Bundle-Name | jna | Medium |
| Product | Manifest | bundle-nativecode | com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win32, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win32, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64; osname=win32, com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64;osname=win, com/sun/jna/w32ce-arm/jnidispatch.dll; processor=arm;osname=wince, com/sun/jna/sunos-x86/libjnidispatch.so; processor=x86; osname=sunos, com/sun/jna/sunos-x86-64/libjnidispatch.so; processor=x86-64; osname=sunos, com/sun/jna/sunos-sparc/libjnidispatch.so; processor=sparc; osname=sunos, com/sun/jna/sunos-sparcv9/libjnidispatch.so; processor=sparcv9; osname=sunos, com/sun/jna/aix-ppc/libjnidispatch.a; processor=ppc; osname=aix, com/sun/jna/aix-ppc64/libjnidispatch.a; processor=ppc64; osname=aix, com/sun/jna/linux-ppc/libjnidispatch.so; processor=ppc; osname=linux, com/sun/jna/linux-ppc64/libjnidispatch.so; processor=ppc64; osname=linux, com/sun/jna/linux-ppc64le/libjnidispatch.so; processor=ppc64le; | Low |

| | | | | |
|---|---|---|---|---|
| | | | osname=linux, com/sun/jna/linux-x86 /libjnidispatch.so; processor=x86; osname=linux, com/sun/jna/linux-x86-64 /libjnidispatch.so; processor=x86-64; osname=linux, com/sun/jna/linux-arm /libjnidispatch.so; processor=arm; osname=linux, com/sun/jna/linux-arm /libjnidispatch.so; processor=arm_le; osname=linux, com/sun/jna/linux-armel /libjnidispatch.so; processor=armel; osname=linux, com/sun/jna/linux-aarch64 /libjnidispatch.so; processor=aarch64; osname=linux, com/sun/jna/linux-ia64 /libjnidispatch.so; processor=ia64; osname=linux, com/sun/jna/linux-sparcv9 /libjnidispatch.so; processor=sparcv9; osname=linux, com/sun/jna/linux-mips64el /libjnidispatch.so; processor=mips64el; osname=linux, com/sun/jna/linux-s390x /libjnidispatch.so; processor=S390x; osname=linux, com/sun/jna/linux-loongarch64/libjnidispatch.so; processor=loongarch64;osname=linux, com /sun/jna/linux-riscv64/libjnidispatch.so; processor=riscv64;osname=linux, com/sun /jna/dragonflybsd-x86-64/libjnidispatch.so; processor=x86-64;osname=dragonflybsd, com/sun/jna/freebsd-x86/libjnidispatch.so; processor=x86;osname=freebsd, com/sun /jna/freebsd-x86-64/libjnidispatch.so; processor=x86-64;osname=freebsd, com /sun/jna/freebsd-aarch64/libjnidispatch.so; processor=aarch64;osname=freebsd, com /sun/jna/freebsd-ppc64le/libjnidispatch.so; processor=ppc64le;osname=freebsd, com /sun/jna/freebsd-ppc64/libjnidispatch.so; processor=ppc64;osname=freebsd, com/sun /jna/openbsd-x86/libjnidispatch.so; processor=x86;osname=openbsd, com/sun /jna/openbsd-x86-64/libjnidispatch.so; processor=x86-64;osname=openbsd, com /sun/jna/darwin-ppc/libjnidispatch.jnilib; osname=macosx;processor=ppc, com/sun /jna/darwin-ppc64/libjnidispatch.jnilib; osname=macosx;processor=ppc64, com/sun /jna/darwin-x86/libjnidispatch.jnilib; osname=macosx;processor=x86, com/sun /jna/darwin-x86-64/libjnidispatch.jnilib; osname=macosx;processor=x86-64, com /sun/jna/darwin-aarch64/libjnidispatch.jnilib; osname=macosx;processor=aarch64 | |
| Product | Manifest | bundle-requiredexecution | JavaSE-1.6 | Low |
| Product | Manifest | bundle-symbolicname | com.sun.jna | Medium |
| Product | Manifest | Implementation-Title | com.sun.jna | High |
| Product | Manifest | specification-title | Java Native Access (JNA) | Medium |
| Version | jar | package name | jna | Highest |
| Version | jar | package name | sun | Highest |
| Version | jar | package name | win32 | Highest |

| | | | | |
|---|---|---|---|---|
| Version | Manifest | Bundle-Version | 5.18.1 | High |
| Version | Manifest | Implementation-Version | 5.18.1 (b0) | High |

**Suppressed Identifiers**

- **None**

**Suppressed Vulnerabilities**

**CVE-2009-2476** suppressed

The Java Management Extensions (JMX) implementation in Sun Java SE 6 before Update 15, and OpenJDK, does not properly enforce OpenType checks, which allows context-dependent attackers to bypass intended access restrictions by leveraging finalizer resurrection to obtain a reference to a privileged object.

CWE-264 Permissions, Privileges, and Access Controls

Notes: file name: authentication.pam.zip: jna.jar False positive match of JNA due to updated NVM matching rules

CVSSv2:

- Base Score: HIGH (10.0)
- Vector: /AV:N/AC:L/Au:N/C:C/I:C/A:C

References:

- af854a3a-2127-422b-91ae-364da2661108 - http://lists.apple.com/archives/security-announce/2009/Sep/msg00000.html
- af854a3a-2127-422b-91ae-364da2661108 - http://lists.opensuse.org/opensuse-security-announce/2009-10/msg00001.html
- af854a3a-2127-422b-91ae-364da2661108 - http://secunia.com/advisories/37386
- af854a3a-2127-422b-91ae-364da2661108 - http://security.gentoo.org/glsa/glsa-200911-02.xml
- af854a3a-2127-422b-91ae-364da2661108 - http://www.mandriva.com/security/advisories?name=MDVSA-2009:209
- af854a3a-2127-422b-91ae-364da2661108 - http://www.vupen.com/english/advisories/2009/2543
- af854a3a-2127-422b-91ae-364da2661108 - https://bugzilla.redhat.com/show_bug.cgi?id=513220
- af854a3a-2127-422b-91ae-364da2661108 - https://oval.cisecurity.org/repository/search/definition/oval%3Aorg.mitre.oval%3Adef%3A10381
- af854a3a-2127-422b-91ae-364da2661108 - https://rhn.redhat.com/errata/RHSA-2009-1200.html
- af854a3a-2127-422b-91ae-364da2661108 - https://rhn.redhat.com/errata/RHSA-2009-1201.html
- af854a3a-2127-422b-91ae-364da2661108 - https://www.redhat.com/archives/fedora-package-announce/2009-August/msg00310.html
- af854a3a-2127-422b-91ae-364da2661108 - https://www.redhat.com/archives/fedora-package-announce/2009-August/msg00325.html
- af854a3a-2127-422b-91ae-364da2661108 - PATCH,VENDOR_ADVISORY
- af854a3a-2127-422b-91ae-364da2661108 - VENDOR_ADVISORY
- af854a3a-2127-422b-91ae-364da2661108 - VENDOR_ADVISORY
- af854a3a-2127-422b-91ae-364da2661108 - VENDOR_ADVISORY
- af854a3a-2127-422b-91ae-364da2661108 - VENDOR_ADVISORY
- secalert@redhat.com - http://lists.apple.com/archives/security-announce/2009/Sep/msg00000.html
- secalert@redhat.com - http://lists.opensuse.org/opensuse-security-announce/2009-10/msg00001.html

- secalert@redhat.com - http://secunia.com/advisories/37386
- secalert@redhat.com - http://security.gentoo.org/glsa/glsa-200911-02.xml
- secalert@redhat.com - http://www.mandriva.com/security/advisories?name=MDVSA-2009:209
- secalert@redhat.com - http://www.vupen.com/english/advisories/2009/2543
- secalert@redhat.com - https://bugzilla.redhat.com/show_bug.cgi?id=513220
- secalert@redhat.com - https://oval.cisecurity.org/repository/search/definition/oval%3Aorg.mitre.oval%3Adef%3A10381
- secalert@redhat.com - https://rhn.redhat.com/errata/RHSA-2009-1200.html
- secalert@redhat.com - https://rhn.redhat.com/errata/RHSA-2009-1201.html
- secalert@redhat.com - https://www.redhat.com/archives/fedora-package-announce/2009-August/msg00310.html
- secalert@redhat.com - https://www.redhat.com/archives/fedora-package-announce/2009-August/msg00325.html
- secalert@redhat.com - PATCH,VENDOR_ADVISORY
- secalert@redhat.com - VENDOR_ADVISORY
- secalert@redhat.com - VENDOR_ADVISORY
- secalert@redhat.com - VENDOR_ADVISORY
- secalert@redhat.com - VENDOR_ADVISORY

Vulnerable Software & Versions: (show all)

- cpe:2.3:a:sun:java_se:*:14:*:*:*:*:*:* versions up to (including) 6
- ...
- cpe:2.3:a:sun:java_se:*:14:*:*:*:*:*:* versions up to (including) 6
- cpe:2.3:a:sun:openjdk:*:*:*:*:*:*:*:*

**CVE-2009-2689** suppressed

JDK13Services.getProviders in Sun Java SE 5.0 before Update 20 and 6 before Update 15, and OpenJDK, grants full privileges to instances of unspecified object types, which allows context-dependent attackers to bypass intended access restrictions via an untrusted (1) applet or (2) application.

CWE-264 Permissions, Privileges, and Access Controls

Notes: file name: authentication.pam.zip: jna.jar False positive match of JNA due to updated NVM matching rules

CVSSv2:

- Base Score: HIGH (10.0)
- Vector: /AV:N/AC:L/Au:N/C:C/I:C/A:C

References:

- af854a3a-2127-422b-91ae-364da2661108 - http://java.sun.com/javase/6/webnotes/6u15.html
- af854a3a-2127-422b-91ae-364da2661108 - http://lists.apple.com/archives/security-announce/2009/Sep/msg00000.html
- af854a3a-2127-422b-91ae-364da2661108 - http://lists.opensuse.org/opensuse-security-announce/2009-10/msg00001.html
- af854a3a-2127-422b-91ae-364da2661108 - http://secunia.com/advisories/37386
- af854a3a-2127-422b-91ae-364da2661108 - http://security.gentoo.org/glsa/glsa-200911-02.xml
- af854a3a-2127-422b-91ae-364da2661108 - http://www.mandriva.com/security/advisories?name=MDVSA-2009:209
- af854a3a-2127-422b-91ae-364da2661108 - http://www.vupen.com/english/advisories/2009/2543
- af854a3a-2127-422b-91ae-364da2661108 - https://bugzilla.redhat.com/show_bug.cgi?id=513222
- af854a3a-2127-422b-91ae-364da2661108 - https://oval.cisecurity.org/repository/search/definition/oval%3Aorg.mitre.oval%3Adef%3A9603
- af854a3a-2127-422b-91ae-364da2661108 - https://rhn.redhat.com/errata/RHSA-2009-1199.html
- af854a3a-2127-422b-91ae-364da2661108 - https://rhn.redhat.com/errata/RHSA-2009-1201.html
- af854a3a-2127-422b-91ae-364da2661108 - https://www.redhat.com/archives/fedora-package-announce/2009-August/msg00310.html

- af854a3a-2127-422b-91ae-364da2661108 - https://www.redhat.com/archives/fedora-package-announce/2009-August/msg00325.html
- af854a3a-2127-422b-91ae-364da2661108 - PATCH
- af854a3a-2127-422b-91ae-364da2661108 - PATCH
- af854a3a-2127-422b-91ae-364da2661108 - PATCH
- af854a3a-2127-422b-91ae-364da2661108 - VENDOR_ADVISORY
- af854a3a-2127-422b-91ae-364da2661108 - VENDOR_ADVISORY
- af854a3a-2127-422b-91ae-364da2661108 - VENDOR_ADVISORY
- cve@mitre.org - http://java.sun.com/javase/6/webnotes/6u15.html
- cve@mitre.org - http://lists.apple.com/archives/security-announce/2009/Sep/msg00000.html
- cve@mitre.org - http://lists.opensuse.org/opensuse-security-announce/2009-10/msg00001.html
- cve@mitre.org - http://secunia.com/advisories/37386
- cve@mitre.org - http://security.gentoo.org/glsa/glsa-200911-02.xml
- cve@mitre.org - http://www.mandriva.com/security/advisories?name=MDVSA-2009:209
- cve@mitre.org - http://www.vupen.com/english/advisories/2009/2543
- cve@mitre.org - https://bugzilla.redhat.com/show_bug.cgi?id=513222
- cve@mitre.org - https://oval.cisecurity.org/repository/search/definition/oval%3Aorg.mitre.oval%3Adef%3A9603
- cve@mitre.org - https://rhn.redhat.com/errata/RHSA-2009-1199.html
- cve@mitre.org - https://rhn.redhat.com/errata/RHSA-2009-1201.html
- cve@mitre.org - https://www.redhat.com/archives/fedora-package-announce/2009-August/msg00310.html
- cve@mitre.org - https://www.redhat.com/archives/fedora-package-announce/2009-August/msg00325.html
- cve@mitre.org - PATCH
- cve@mitre.org - PATCH
- cve@mitre.org - PATCH
- cve@mitre.org - VENDOR_ADVISORY
- cve@mitre.org - VENDOR_ADVISORY
- cve@mitre.org - VENDOR_ADVISORY

Vulnerable Software & Versions: (show all)

- cpe:2.3:a:sun:java_se:*:14:*:*:*:*:*:* versions up to (including) 6
- ...
- cpe:2.3:a:sun:java_se:*:14:*:*:*:*:*:* versions up to (including) 6
- cpe:2.3:a:sun:java_se:*:20:*:*:*:*:*:* versions up to (including) 5.0
- cpe:2.3:a:sun:openjdk:*:*:*:*:*:*:*:*

**CVE-2009-2475** suppressed

Sun Java SE 5.0 before Update 20 and 6 before Update 15, and OpenJDK, might allow context-dependent attackers to obtain sensitive information via vectors involving static variables that are declared without the final keyword, related to (1) LayoutQueue, (2) Cursor.predefined, (3) AccessibleResourceBundle.getContents, (4) ImageReaderSpi.STANDARD_INPUT_TYPE, (5) ImageWriterSpi.STANDARD_OUTPUT_TYPE, (6) the imageio plugins, (7) DnsContext.debug, (8) RmfFileReader/StandardMidiFileWriter.types, (9) AbstractSaslImpl.logger, (10) Synth.Region.uiToRegionMap/lowerCaseNameMap, (11) the Introspector class and a cache of BeanInfo, and (12) JAX-WS, a different vulnerability than CVE-2009-2673.

CWE-200 Exposure of Sensitive Information to an Unauthorized Actor

Notes: file name: authentication.pam.zip: jna.jar False positive match of JNA due to updated NVM matching rules

CVSSv2:

- Base Score: HIGH (7.8)
- Vector: /AV:N/AC:L/Au:N/C:C/I:N/A:N

References:

- af854a3a-2127-422b-91ae-364da2661108 - http://java.sun.com/javase/6/webnotes/6u15.html
- af854a3a-2127-422b-91ae-364da2661108 - http://lists.apple.com/archives/security-announce/2009/Sep/msg00000.html

- af854a3a-2127-422b-91ae-364da2661108 - http://lists.opensuse.org/opensuse-security-announce/2009-10/msg00001.html
- af854a3a-2127-422b-91ae-364da2661108 - http://secunia.com/advisories/37386
- af854a3a-2127-422b-91ae-364da2661108 - http://security.gentoo.org/glsa/glsa-200911-02.xml
- af854a3a-2127-422b-91ae-364da2661108 - http://www.mandriva.com/security/advisories?name=MDVSA-2009:209
- af854a3a-2127-422b-91ae-364da2661108 - http://www.vupen.com/english/advisories/2009/2543
- af854a3a-2127-422b-91ae-364da2661108 - https://bugzilla.redhat.com/show_bug.cgi?id=513215
- af854a3a-2127-422b-91ae-364da2661108 - https://oval.cisecurity.org/repository/search/definition/oval%3Aorg.mitre.oval%3Adef%3A10221
- af854a3a-2127-422b-91ae-364da2661108 - https://rhn.redhat.com/errata/RHSA-2009-1199.html
- af854a3a-2127-422b-91ae-364da2661108 - https://rhn.redhat.com/errata/RHSA-2009-1200.html
- af854a3a-2127-422b-91ae-364da2661108 - https://rhn.redhat.com/errata/RHSA-2009-1201.html
- af854a3a-2127-422b-91ae-364da2661108 - https://www.redhat.com/archives/fedora-package-announce/2009-August/msg00310.html
- af854a3a-2127-422b-91ae-364da2661108 - https://www.redhat.com/archives/fedora-package-announce/2009-August/msg00325.html
- af854a3a-2127-422b-91ae-364da2661108 - PATCH
- af854a3a-2127-422b-91ae-364da2661108 - PATCH,VENDOR_ADVISORY
- af854a3a-2127-422b-91ae-364da2661108 - VENDOR_ADVISORY
- af854a3a-2127-422b-91ae-364da2661108 - VENDOR_ADVISORY
- af854a3a-2127-422b-91ae-364da2661108 - VENDOR_ADVISORY
- af854a3a-2127-422b-91ae-364da2661108 - VENDOR_ADVISORY
- af854a3a-2127-422b-91ae-364da2661108 - VENDOR_ADVISORY
- secalert@redhat.com - http://java.sun.com/javase/6/webnotes/6u15.html
- secalert@redhat.com - http://lists.apple.com/archives/security-announce/2009/Sep/msg00000.html
- secalert@redhat.com - http://lists.opensuse.org/opensuse-security-announce/2009-10/msg00001.html
- secalert@redhat.com - http://secunia.com/advisories/37386
- secalert@redhat.com - http://security.gentoo.org/glsa/glsa-200911-02.xml
- secalert@redhat.com - http://www.mandriva.com/security/advisories?name=MDVSA-2009:209
- secalert@redhat.com - http://www.vupen.com/english/advisories/2009/2543
- secalert@redhat.com - https://bugzilla.redhat.com/show_bug.cgi?id=513215
- secalert@redhat.com - https://oval.cisecurity.org/repository/search/definition/oval%3Aorg.mitre.oval%3Adef%3A10221
- secalert@redhat.com - https://rhn.redhat.com/errata/RHSA-2009-1199.html
- secalert@redhat.com - https://rhn.redhat.com/errata/RHSA-2009-1200.html
- secalert@redhat.com - https://rhn.redhat.com/errata/RHSA-2009-1201.html
- secalert@redhat.com - https://www.redhat.com/archives/fedora-package-announce/2009-August/msg00310.html
- secalert@redhat.com - https://www.redhat.com/archives/fedora-package-announce/2009-August/msg00325.html
- secalert@redhat.com - PATCH
- secalert@redhat.com - PATCH,VENDOR_ADVISORY
- secalert@redhat.com - VENDOR_ADVISORY
- secalert@redhat.com - VENDOR_ADVISORY
- secalert@redhat.com - VENDOR_ADVISORY
- secalert@redhat.com - VENDOR_ADVISORY
- secalert@redhat.com - VENDOR_ADVISORY

Vulnerable Software & Versions: (show all)

- cpe:2.3:a:sun:java_se:*:14:*:*:*:*:*:* versions up to (including) 6
- ...
- cpe:2.3:a:sun:java_se:*:14:*:*:*:*:*:* versions up to (including) 6
- cpe:2.3:a:sun:java_se:*:20:*:*:*:*:*:* versions up to (including) 5.0
- cpe:2.3:a:sun:openjdk:*:*:*:*:*:*:*:*

**CVE-2009-2716** suppressed

The plugin functionality in Sun Java SE 6 before Update 15 does not properly implement version selection, which allows context-dependent attackers to leverage vulnerabilities in "old zip and certificate handling" and have unspecified other impact via unknown vectors.

NVD-CWE-noinfo

Notes: file name: authentication.pam.zip: jna.jar False positive match of JNA due to updated NVM matching rules

CVSSv2:

- Base Score: HIGH (7.5)
- Vector: /AV:N/AC:L/Au:N/C:P/I:P/A:P

References:

- af854a3a-2127-422b-91ae-364da2661108 - http://secunia.com/advisories/37386
- af854a3a-2127-422b-91ae-364da2661108 - http://secunia.com/advisories/37460
- af854a3a-2127-422b-91ae-364da2661108 - http://security.gentoo.org/glsa/glsa-200911-02.xml
- af854a3a-2127-422b-91ae-364da2661108 - http://www.securityfocus.com/archive/1/507985/100/0/threaded
- af854a3a-2127-422b-91ae-364da2661108 - http://www.vmware.com/security/advisories/VMSA-2009-0016.html
- af854a3a-2127-422b-91ae-364da2661108 - http://www.vupen.com/english/advisories/2009/3316
- af854a3a-2127-422b-91ae-364da2661108 - VENDOR_ADVISORY
- cve@mitre.org - http://secunia.com/advisories/37386
- cve@mitre.org - http://secunia.com/advisories/37460
- cve@mitre.org - http://security.gentoo.org/glsa/glsa-200911-02.xml
- cve@mitre.org - http://www.securityfocus.com/archive/1/507985/100/0/threaded
- cve@mitre.org - http://www.vmware.com/security/advisories/VMSA-2009-0016.html
- cve@mitre.org - http://www.vupen.com/english/advisories/2009/3316
- cve@mitre.org - VENDOR_ADVISORY

Vulnerable Software & Versions:

- cpe:2.3:a:sun:java_se:*:14:*:*:*:*:*:* versions up to (including) 6

**CVE-2009-2676** suppressed

Unspecified vulnerability in JNLPAppletlauncher in Sun Java SE, and SE for Business, in JDK and JRE 6 Update 14 and earlier and JDK and JRE 5.0 Update 19 and earlier; and Java SE for Business in SDK and JRE 1.4.2_21 and earlier; allows remote attackers to create or modify arbitrary files via vectors involving an untrusted Java applet that accesses an old version of JNLPAppletLauncher.

NVD-CWE-noinfo

Notes: file name: authentication.pam.zip: jna.jar False positive match of JNA due to updated NVM matching rules

CVSSv2:

- Base Score: MEDIUM (6.8)
- Vector: /AV:N/AC:M/Au:N/C:P/I:P/A:P

References:

- af854a3a-2127-422b-91ae-364da2661108 - http://lists.opensuse.org/opensuse-security-announce/2009-08/msg00003.html
- af854a3a-2127-422b-91ae-364da2661108 - http://lists.opensuse.org/opensuse-security-announce/2009-11/msg00002.html
- af854a3a-2127-422b-91ae-364da2661108 - http://marc.info/?l=bugtraq&m=125787273209737&w=2
- af854a3a-2127-422b-91ae-364da2661108 - http://osvdb.org/56789
- af854a3a-2127-422b-91ae-364da2661108 - http://security.gentoo.org/glsa/glsa-200911-02.xml
- af854a3a-2127-422b-91ae-364da2661108 - http://www.oracle.com/technetwork/topics/security/cpuoct2009-096303.html

- af854a3a-2127-422b-91ae-364da2661108 - http://www.securityfocus.com/archive/1/507985/100/0/threaded
- af854a3a-2127-422b-91ae-364da2661108 - http://www.securityfocus.com/bid/35946
- af854a3a-2127-422b-91ae-364da2661108 - http://www.securitytracker.com/id?1022657
- af854a3a-2127-422b-91ae-364da2661108 - http://www.vmware.com/security/advisories/VMSA-2009-0016.html
- af854a3a-2127-422b-91ae-364da2661108 - https://oval.cisecurity.org/repository/search/definition/oval%3Aorg.mitre.oval%3Adef%3A8453
- af854a3a-2127-422b-91ae-364da2661108 - https://rhn.redhat.com/errata/RHSA-2009-1199.html
- af854a3a-2127-422b-91ae-364da2661108 - https://rhn.redhat.com/errata/RHSA-2009-1200.html
- af854a3a-2127-422b-91ae-364da2661108 - PATCH
- af854a3a-2127-422b-91ae-364da2661108 - PATCH,VENDOR_ADVISORY
- af854a3a-2127-422b-91ae-364da2661108 - US_GOVERNMENT_RESOURCE
- af854a3a-2127-422b-91ae-364da2661108 - VENDOR_ADVISORY
- af854a3a-2127-422b-91ae-364da2661108 - VENDOR_ADVISORY
- af854a3a-2127-422b-91ae-364da2661108 - VENDOR_ADVISORY
- af854a3a-2127-422b-91ae-364da2661108 - VENDOR_ADVISORY
- af854a3a-2127-422b-91ae-364da2661108 - VENDOR_ADVISORY
- af854a3a-2127-422b-91ae-364da2661108 - VENDOR_ADVISORY
- af854a3a-2127-422b-91ae-364da2661108 - VENDOR_ADVISORY
- cve@mitre.org - http://lists.opensuse.org/opensuse-security-announce/2009-08/msg00003.html
- cve@mitre.org - http://lists.opensuse.org/opensuse-security-announce/2009-11/msg00002.html
- cve@mitre.org - http://marc.info/?l=bugtraq&m=125787273209737&w=2
- cve@mitre.org - http://osvdb.org/56789
- cve@mitre.org - http://security.gentoo.org/glsa/glsa-200911-02.xml
- cve@mitre.org - http://www.oracle.com/technetwork/topics/security/cpuoct2009-096303.html
- cve@mitre.org - http://www.securityfocus.com/archive/1/507985/100/0/threaded
- cve@mitre.org - http://www.securityfocus.com/bid/35946
- cve@mitre.org - http://www.securitytracker.com/id?1022657
- cve@mitre.org - http://www.vmware.com/security/advisories/VMSA-2009-0016.html
- cve@mitre.org - https://oval.cisecurity.org/repository/search/definition/oval%3Aorg.mitre.oval%3Adef%3A8453
- cve@mitre.org - https://rhn.redhat.com/errata/RHSA-2009-1199.html
- cve@mitre.org - https://rhn.redhat.com/errata/RHSA-2009-1200.html
- cve@mitre.org - PATCH
- cve@mitre.org - PATCH,VENDOR_ADVISORY
- cve@mitre.org - US_GOVERNMENT_RESOURCE
- cve@mitre.org - VENDOR_ADVISORY
- cve@mitre.org - VENDOR_ADVISORY
- cve@mitre.org - VENDOR_ADVISORY
- cve@mitre.org - VENDOR_ADVISORY
- cve@mitre.org - VENDOR_ADVISORY
- cve@mitre.org - VENDOR_ADVISORY
- cve@mitre.org - VENDOR_ADVISORY

Vulnerable Software & Versions: (show all)

- cpe:2.3:a:sun:java_se:*:*:*:*:*:*:*:*
- ...
- cpe:2.3:a:sun:java_se:*:*:*:*:*:*:*:*
- cpe:2.3:a:sun:java_se:*:*:business:*:*:*:*:*
- cpe:2.3:a:sun:jdk:*:update19:*:*:*:*:*:* versions up to (including) 1.5.0
- cpe:2.3:a:sun:jdk:*:update_14:*:*:*:*:*:* versions up to (including) 1.6.0
- cpe:2.3:a:sun:jdk:1.5.0:*:*:*:*:*:*:*
- cpe:2.3:a:sun:jdk:1.5.0:update1:*:*:*:*:*:*
- cpe:2.3:a:sun:jdk:1.5.0:update10:*:*:*:*:*:*
- cpe:2.3:a:sun:jdk:1.5.0:update11:*:*:*:*:*:*
- cpe:2.3:a:sun:jdk:1.5.0:update11_b03:*:*:*:*:*:*
- cpe:2.3:a:sun:jdk:1.5.0:update12:*:*:*:*:*:*
- cpe:2.3:a:sun:jdk:1.5.0:update13:*:*:*:*:*:*
- cpe:2.3:a:sun:jdk:1.5.0:update14:*:*:*:*:*:*
- cpe:2.3:a:sun:jdk:1.5.0:update15:*:*:*:*:*:*
- cpe:2.3:a:sun:jdk:1.5.0:update16:*:*:*:*:*:*

- cpe:2.3:a:sun:jdk:1.5.0:update17:*:*:*:*:*:*
- cpe:2.3:a:sun:jdk:1.5.0:update18:*:*:*:*:*:*
- cpe:2.3:a:sun:jdk:1.5.0:update2:*:*:*:*:*:*
- cpe:2.3:a:sun:jdk:1.5.0:update3:*:*:*:*:*:*
- cpe:2.3:a:sun:jdk:1.5.0:update4:*:*:*:*:*:*
- cpe:2.3:a:sun:jdk:1.5.0:update5:*:*:*:*:*:*
- cpe:2.3:a:sun:jdk:1.5.0:update6:*:*:*:*:*:*
- cpe:2.3:a:sun:jdk:1.5.0:update7:*:*:*:*:*:*
- cpe:2.3:a:sun:jdk:1.5.0:update8:*:*:*:*:*:*
- cpe:2.3:a:sun:jdk:1.5.0:update9:*:*:*:*:*:*
- cpe:2.3:a:sun:jdk:1.6.0:update1:*:*:*:*:*:*
- cpe:2.3:a:sun:jdk:1.6.0:update2:*:*:*:*:*:*
- cpe:2.3:a:sun:jdk:1.6.0:update_10:*:*:*:*:*:*
- cpe:2.3:a:sun:jdk:1.6.0:update_11:*:*:*:*:*:*
- cpe:2.3:a:sun:jdk:1.6.0:update_12:*:*:*:*:*:*
- cpe:2.3:a:sun:jdk:1.6.0:update_13:*:*:*:*:*:*
- cpe:2.3:a:sun:jdk:1.6.0:update_3:*:*:*:*:*:*
- cpe:2.3:a:sun:jdk:1.6.0:update_4:*:*:*:*:*:*
- cpe:2.3:a:sun:jdk:1.6.0:update_5:*:*:*:*:*:*
- cpe:2.3:a:sun:jdk:1.6.0:update_6:*:*:*:*:*:*
- cpe:2.3:a:sun:jdk:1.6.0:update_7:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:*:*:*:*:*:*:*:* versions up to (including) 1.4.2_21
- cpe:2.3:a:sun:jre:*:update19:*:*:*:*:*:* versions up to (including) 1.5.0
- cpe:2.3:a:sun:jre:*:update_14:*:*:*:*:*:* versions up to (including) 1.6.0
- cpe:2.3:a:sun:jre:1.4.0:*:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.4.0_01:*:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.4.0_02:*:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.4.0_03:*:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.4.0_04:*:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.4.1:*:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.4.1:update1:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.4.1:update2:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.4.1:update3:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.4.1:update4:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.4.1:update5:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.4.1:update6:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.4.1:update7:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.4.2:*:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.4.2:update16:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.4.2:update17:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.4.2:update18:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.4.2:update19:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.4.2:update20:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.4.2_1:*:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.4.2_2:*:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.4.2_3:*:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.4.2_4:*:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.4.2_5:*:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.4.2_6:*:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.4.2_7:*:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.4.2_8:*:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.4.2_9:*:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.4.2_10:*:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.4.2_11:*:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.4.2_12:*:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.4.2_13:*:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.4.2_14:*:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.4.2_15:*:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.5.0:*:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.5.0:update1:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.5.0:update10:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.5.0:update11:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.5.0:update12:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.5.0:update13:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.5.0:update14:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.5.0:update15:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.5.0:update16:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.5.0:update17:*:*:*:*:*:*

- cpe:2.3:a:sun:jre:1.5.0:update18:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.5.0:update2:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.5.0:update3:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.5.0:update4:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.5.0:update5:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.5.0:update6:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.5.0:update7:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.5.0:update8:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.5.0:update9:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.6.0:update_1:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.6.0:update_10:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.6.0:update_11:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.6.0:update_12:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.6.0:update_13:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.6.0:update_2:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.6.0:update_3:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.6.0:update_4:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.6.0:update_5:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.6.0:update_6:*:*:*:*:*:*
- cpe:2.3:a:sun:jre:1.6.0:update_7:*:*:*:*:*:*
- cpe:2.3:a:sun:sdk:*:*:*:*:*:*:*:* versions up to (including) 1.4.2_21
- cpe:2.3:a:sun:sdk:1.4.0:*:*:*:*:*:*:*
- cpe:2.3:a:sun:sdk:1.4.0_01:*:*:*:*:*:*:*
- cpe:2.3:a:sun:sdk:1.4.0_02:*:*:*:*:*:*:*
- cpe:2.3:a:sun:sdk:1.4.0_03:*:*:*:*:*:*:*
- cpe:2.3:a:sun:sdk:1.4.0_04:*:*:*:*:*:*:*
- cpe:2.3:a:sun:sdk:1.4.1:*:*:*:*:*:*:*
- cpe:2.3:a:sun:sdk:1.4.1_01:*:*:*:*:*:*:*
- cpe:2.3:a:sun:sdk:1.4.1_02:*:*:*:*:*:*:*
- cpe:2.3:a:sun:sdk:1.4.1_03:*:*:*:*:*:*:*
- cpe:2.3:a:sun:sdk:1.4.1_04:*:*:*:*:*:*:*
- cpe:2.3:a:sun:sdk:1.4.1_05:*:*:*:*:*:*:*
- cpe:2.3:a:sun:sdk:1.4.1_06:*:*:*:*:*:*:*
- cpe:2.3:a:sun:sdk:1.4.1_07:*:*:*:*:*:*:*
- cpe:2.3:a:sun:sdk:1.4.2:*:*:*:*:*:*:*
- cpe:2.3:a:sun:sdk:1.4.2_1:*:*:*:*:*:*:*
- cpe:2.3:a:sun:sdk:1.4.2_2:*:*:*:*:*:*:*
- cpe:2.3:a:sun:sdk:1.4.2_3:*:*:*:*:*:*:*
- cpe:2.3:a:sun:sdk:1.4.2_4:*:*:*:*:*:*:*
- cpe:2.3:a:sun:sdk:1.4.2_5:*:*:*:*:*:*:*
- cpe:2.3:a:sun:sdk:1.4.2_6:*:*:*:*:*:*:*
- cpe:2.3:a:sun:sdk:1.4.2_7:*:*:*:*:*:*:*
- cpe:2.3:a:sun:sdk:1.4.2_8:*:*:*:*:*:*:*
- cpe:2.3:a:sun:sdk:1.4.2_9:*:*:*:*:*:*:*
- cpe:2.3:a:sun:sdk:1.4.2_10:*:*:*:*:*:*:*
- cpe:2.3:a:sun:sdk:1.4.2_11:*:*:*:*:*:*:*
- cpe:2.3:a:sun:sdk:1.4.2_12:*:*:*:*:*:*:*
- cpe:2.3:a:sun:sdk:1.4.2_13:*:*:*:*:*:*:*
- cpe:2.3:a:sun:sdk:1.4.2_14:*:*:*:*:*:*:*
- cpe:2.3:a:sun:sdk:1.4.2_15:*:*:*:*:*:*:*
- cpe:2.3:a:sun:sdk:1.4.2_16:*:*:*:*:*:*:*
- cpe:2.3:a:sun:sdk:1.4.2_17:*:*:*:*:*:*:*
- cpe:2.3:a:sun:sdk:1.4.2_18:*:*:*:*:*:*:*
- cpe:2.3:a:sun:sdk:1.4.2_19:*:*:*:*:*:*:*
- cpe:2.3:a:sun:sdk:1.4.2_20:*:*:*:*:*:*:*

**CVE-2009-2717** suppressed

The Abstract Window Toolkit (AWT) implementation in Sun Java SE 6 before Update 15 on Windows 2000 Professional does not provide a Security Warning Icon, which makes it easier for context-dependent attackers to trick a user into interacting unsafely with an untrusted applet.

CWE-264 Permissions, Privileges, and Access Controls

Notes: file name: authentication.pam.zip: jna.jar False positive match of JNA due to updated NVM matching rules

CVSSv2:

- Base Score: MEDIUM (6.8)
- Vector: /AV:N/AC:M/Au:N/C:P/I:P/A:P

References:
- af854a3a-2127-422b-91ae-364da2661108 - VENDOR_ADVISORY
- cve@mitre.org - VENDOR_ADVISORY

Vulnerable Software & Versions:

- cpe:2.3:a:sun:java_se:*:14:*:*:*:*:*:* versions up to (including) 6

**CVE-2009-2690** suppressed

The encoder in Sun Java SE 6 before Update 15, and OpenJDK, grants read access to private variables with unspecified names, which allows context-dependent attackers to obtain sensitive information via an untrusted (1) applet or (2) application.

CWE-264 Permissions, Privileges, and Access Controls

Notes: file name: authentication.pam.zip: jna.jar False positive match of JNA due to updated NVM matching rules

CVSSv2:
- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:P/I:N/A:N

References:
- af854a3a-2127-422b-91ae-364da2661108 - http://lists.apple.com/archives/security-announce/2009/Sep/msg00000.html
- af854a3a-2127-422b-91ae-364da2661108 - http://lists.opensuse.org/opensuse-security-announce/2009-10/msg00001.html
- af854a3a-2127-422b-91ae-364da2661108 - http://secunia.com/advisories/37386
- af854a3a-2127-422b-91ae-364da2661108 - http://security.gentoo.org/glsa/glsa-200911-02.xml
- af854a3a-2127-422b-91ae-364da2661108 - http://www.mandriva.com/security/advisories?name=MDVSA-2009:209
- af854a3a-2127-422b-91ae-364da2661108 - http://www.vupen.com/english/advisories/2009/2543
- af854a3a-2127-422b-91ae-364da2661108 - https://bugzilla.redhat.com/show_bug.cgi?id=513223
- af854a3a-2127-422b-91ae-364da2661108 - https://oval.cisecurity.org/repository/search/definition/oval%3Aorg.mitre.oval%3Adef%3A9443
- af854a3a-2127-422b-91ae-364da2661108 - https://rhn.redhat.com/errata/RHSA-2009-1200.html
- af854a3a-2127-422b-91ae-364da2661108 - https://rhn.redhat.com/errata/RHSA-2009-1201.html
- af854a3a-2127-422b-91ae-364da2661108 - https://www.redhat.com/archives/fedora-package-announce/2009-August/msg00310.html
- af854a3a-2127-422b-91ae-364da2661108 - https://www.redhat.com/archives/fedora-package-announce/2009-August/msg00325.html
- af854a3a-2127-422b-91ae-364da2661108 - PATCH
- af854a3a-2127-422b-91ae-364da2661108 - VENDOR_ADVISORY
- af854a3a-2127-422b-91ae-364da2661108 - VENDOR_ADVISORY
- af854a3a-2127-422b-91ae-364da2661108 - VENDOR_ADVISORY
- af854a3a-2127-422b-91ae-364da2661108 - VENDOR_ADVISORY
- cve@mitre.org - http://lists.apple.com/archives/security-announce/2009/Sep/msg00000.html
- cve@mitre.org - http://lists.opensuse.org/opensuse-security-announce/2009-10/msg00001.html
- cve@mitre.org - http://secunia.com/advisories/37386
- cve@mitre.org - http://security.gentoo.org/glsa/glsa-200911-02.xml
- cve@mitre.org - http://www.mandriva.com/security/advisories?name=MDVSA-2009:209
- cve@mitre.org - http://www.vupen.com/english/advisories/2009/2543
- cve@mitre.org - https://bugzilla.redhat.com/show_bug.cgi?id=513223
- cve@mitre.org - https://oval.cisecurity.org/repository/search/definition/oval%3Aorg.mitre.oval%3Adef%3A9443
- cve@mitre.org - https://rhn.redhat.com/errata/RHSA-2009-1200.html

- cve@mitre.org - https://rhn.redhat.com/errata/RHSA-2009-1201.html
- cve@mitre.org - https://www.redhat.com/archives/fedora-package-announce/2009-August/msg00310.html
- cve@mitre.org - https://www.redhat.com/archives/fedora-package-announce/2009-August/msg00325.html
- cve@mitre.org - PATCH
- cve@mitre.org - VENDOR_ADVISORY
- cve@mitre.org - VENDOR_ADVISORY
- cve@mitre.org - VENDOR_ADVISORY
- cve@mitre.org - VENDOR_ADVISORY

Vulnerable Software & Versions: (show all)

- cpe:2.3:a:sun:java_se:*:14:*:*:*:*:*:* versions up to (including) 6
- ...
- cpe:2.3:a:sun:java_se:*:14:*:*:*:*:*:* versions up to (including) 6
- cpe:2.3:a:sun:openjdk:*:*:*:*:*:*:*:*

**CVE-2009-2719** suppressed

The Java Web Start implementation in Sun Java SE 6 before Update 15 allows context-dependent attackers to cause a denial of service (NullPointerException) via a crafted .jnlp file, as demonstrated by the jnlp_file/appletDesc/index.html#misc test in the Technology Compatibility Kit (TCK) for the Java Network Launching Protocol (JNLP).

CWE-119 Improper Restriction of Operations within the Bounds of a Memory Buffer

Notes: file name: authentication.pam.zip: jna.jar False positive match of JNA due to updated NVM matching rules

CVSSv2:
- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

References:
- af854a3a-2127-422b-91ae-364da2661108 - http://secunia.com/advisories/37386
- af854a3a-2127-422b-91ae-364da2661108 - http://secunia.com/advisories/37460
- af854a3a-2127-422b-91ae-364da2661108 - http://security.gentoo.org/glsa/glsa-200911-02.xml
- af854a3a-2127-422b-91ae-364da2661108 - http://www.securityfocus.com/archive/1/507985/100/0/threaded
- af854a3a-2127-422b-91ae-364da2661108 - http://www.vmware.com/security/advisories/VMSA-2009-0016.html
- af854a3a-2127-422b-91ae-364da2661108 - http://www.vupen.com/english/advisories/2009/3316
- af854a3a-2127-422b-91ae-364da2661108 - VENDOR_ADVISORY
- cve@mitre.org - http://secunia.com/advisories/37386
- cve@mitre.org - http://secunia.com/advisories/37460
- cve@mitre.org - http://security.gentoo.org/glsa/glsa-200911-02.xml
- cve@mitre.org - http://www.securityfocus.com/archive/1/507985/100/0/threaded
- cve@mitre.org - http://www.vmware.com/security/advisories/VMSA-2009-0016.html
- cve@mitre.org - http://www.vupen.com/english/advisories/2009/3316
- cve@mitre.org - VENDOR_ADVISORY

Vulnerable Software & Versions:

- cpe:2.3:a:sun:java_se:*:14:*:*:*:*:*:* versions up to (including) 6

**CVE-2009-2720** suppressed

Unspecified vulnerability in the javax.swing.plaf.synth.SynthContext.isSubregion method in the Swing implementation in Sun Java SE 6 before Update 15 allows context-dependent attackers to cause a denial of service (NullPointerException in the Jemmy library) via unknown vectors.

NVD-CWE-noinfo

Notes: file name: authentication.pam.zip: jna.jar False positive match of JNA due to updated NVM matching rules

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

References:

- af854a3a-2127-422b-91ae-364da2661108 - http://secunia.com/advisories/37386
- af854a3a-2127-422b-91ae-364da2661108 - http://secunia.com/advisories/37460
- af854a3a-2127-422b-91ae-364da2661108 - http://security.gentoo.org/glsa/glsa-200911-02.xml
- af854a3a-2127-422b-91ae-364da2661108 - http://www.securityfocus.com/archive/1/507985/100/0/threaded
- af854a3a-2127-422b-91ae-364da2661108 - http://www.vmware.com/security/advisories/VMSA-2009-0016.html
- af854a3a-2127-422b-91ae-364da2661108 - http://www.vupen.com/english/advisories/2009/3316
- af854a3a-2127-422b-91ae-364da2661108 - PATCH,VENDOR_ADVISORY
- cve@mitre.org - http://secunia.com/advisories/37386
- cve@mitre.org - http://secunia.com/advisories/37460
- cve@mitre.org - http://security.gentoo.org/glsa/glsa-200911-02.xml
- cve@mitre.org - http://www.securityfocus.com/archive/1/507985/100/0/threaded
- cve@mitre.org - http://www.vmware.com/security/advisories/VMSA-2009-0016.html
- cve@mitre.org - http://www.vupen.com/english/advisories/2009/3316
- cve@mitre.org - PATCH,VENDOR_ADVISORY

Vulnerable Software & Versions:

- cpe:2.3:a:sun:java_se:*:14:*:*:*:*:*:* versions up to (including) 6

This report contains data retrieved from the National Vulnerability Database.
This report may contain data retrieved from the CISA Known Exploited Vulnerability Catalog.
This report may contain data retrieved from the Github Advisory Database (via NPM Audit API).
This report may contain data retrieved from RetireJS.
This report may contain data retrieved from the Sonatype Guide OSS Index API.