



Dependency-Check is an open source tool performing a best effort analysis of 3rd party dependencies; false positives and false negatives may exist in the analysis performed by the tool. Use of the tool and the reporting provided constitutes acceptance for use in an AS IS condition, and there are NO warranties, implied or otherwise, with regard to the analysis or its use. Any use of the tool and the reporting provided is at the user's risk. In no event shall the copyright holder or OWASP be held liable for any damages whatsoever arising out of or in connection with the use of this tool, the analysis performed, or the resulting report.

[How to read the report](#) | [Suppressing false positives](#) | [Getting Help: github issues](#)

 [Sponsor](#)

## Project: project ':server'

clear-reports:server:24.10

Scan Information ([show all](#)):

- *dependency-check version:* 10.0.3
- *Report Generated On:* Tue, 3 Dec 2024 17:39:56 +0100
- *Dependencies Scanned:* 1525 (1376 unique)
- *Vulnerable Dependencies:* 0
- *Vulnerabilities Found:* 0
- *Vulnerabilities Suppressed:* 104 ([show](#))
- ...
- *NVD API Last Checked:* 2024-12-03T16:36:34Z
- *NVD API Last Modified:* 2024-09-18T11:15:10Z
- *NVD Cache Last Checked:* 2024-12-03T16:36:34Z
- *NVD Cache Last Modified:* 2024-09-18T11:15:10Z

## Summary

Display: [Showing Vulnerable Dependencies \(click to show all\)](#)

Dependency	Vulnerability IDs	Package	Highest Se
<a href="#">BarcodePDF417Bean.jar</a>			
<a href="#">Fositex.jar</a>			
<a href="#">ICSharpCode.SharpZipLib.dll</a>			
<a href="#">JBarcodeBean.jar</a>			
<a href="#">JGaugeBean.jar</a>			
<a href="#">LayoutJDBCdriver.jar</a>			
<a href="#">Merlia-0.jar</a>		<a href="#">pkg:maven/lib/Merlia@0</a>	
<a href="#">Oranxo.jar</a>			
<a href="#">ReportViewer.jar</a>	<a href="#">cpe:2.3:a:inetsoftware:clear_reports:24.10.238:*****</a>		

[cpe:2.3:a:inetsoftware:  
i-net\\_clear\\_reports:  
24.10.238:\\*\\*\\*\\*\\*](#)

<a href="#">ReportViewerWinForms.csproj</a>			
<a href="#">ReportViewerWinFormsTests.csproj</a>			
<a href="#">Syto.jar</a>			
<a href="#">ZxingBarCodes.jar</a>			
<a href="#">adhoc.zip: adhoc.jar</a>			
<a href="#">adhoc.zip: adhoc.jar: adhocmodule.js</a>			
<a href="#">adhoc.zip: adhocClient.jar</a>			
<a href="#">application.currenttime.zip: application.currenttime. sample.jar</a>			
<a href="#">application.currenttime.zip: application.currenttime. sample.jar: sampleapplication.js</a>			
<a href="#">application.embedded.zip: application.embedded. sample.jar</a>			
<a href="#">application.embedded.zip: application.embedded. sample.jar: embeddedMode.js</a>			
<a href="#">application.googleanalytics.zip: application. googleanalytics.sample.jar</a>			
<a href="#">application.googleanalytics.zip: application. googleanalytics.sample.jar: googleanalytics.js</a>			
<a href="#">application.googleanalytics.zip: application. googleanalytics.sample.jar: jquery.cookiebar.js</a>			
<a href="#">application.helloworld.zip: application.helloworld. sample.jar</a>			
<a href="#">authentication.ldap.zip: authentication.ldap.jar</a>			
<a href="#">authentication.oauth.ex.zip: authentication.oauth.ex. sample.jar</a>			
<a href="#">authentication.oauth.zip: authentication.oauth-javadoc. jar</a>			
<a href="#">authentication.oauth.zip: authentication.oauth-javadoc. jar: jquery-3.6.1.min.js</a>			
<a href="#">authentication.oauth.zip: authentication.oauth-javadoc. jar: jquery-ui.min.js</a>		<a href="#">pkg:javascript /jquery-ui@1.13.1</a>	
<a href="#">authentication.oauth.zip: authentication.oauth-javadoc. jar: member-search-index.js</a>			
<a href="#">authentication.oauth.zip: authentication.oauth-javadoc. jar: module-search-index.js</a>			
<a href="#">authentication.oauth.zip: authentication.oauth-javadoc. jar: package-search-index.js</a>			
<a href="#">authentication.oauth.zip: authentication.oauth-javadoc. jar: script.js</a>			
<a href="#">authentication.oauth.zip: authentication.oauth-javadoc.</a>			

<a href="#">jar: search.js</a>			
<a href="#">authentication.oauth.zip: authentication.oauth-javadoc.jar: tag-search-index.js</a>			
<a href="#">authentication.oauth.zip: authentication.oauth-javadoc.jar: type-search-index.js</a>			
<a href="#">authentication.oauth.zip: authentication.oauth.jar</a>			
<a href="#">authentication.oauth.zip: jjwt-api.jar</a>		<a href="#">pkg:maven/io.jsonwebtoken/jjwt-api@0.12.6</a>	
<a href="#">authentication.oauth.zip: jjwt-impl.jar</a>		<a href="#">pkg:maven/io.jsonwebtoken/jjwt-impl@0.12.6</a>	
<a href="#">authentication.pam.zip: authentication.pam.jar</a>			
<a href="#">authentication.passwordfile.zip: authentication.passwordfile.sample.jar</a>			
<a href="#">authentication.product.zip: authentication.product.jar</a>			
<a href="#">authentication.token.zip: authentication.token.jar</a>			
<a href="#">authentication.token.zip: authentication.token.jar: tokenauthentication.js</a>			
<a href="#">authentication.windows.zip: authentication.windows.jar</a>			
<a href="#">authentication.windows.zip: caffeine.jar</a>			
<a href="#">authentication.windows.zip: jna-platform.jar</a>			
<a href="#">authentication.windows.zip: waffle-jna.jar</a>		<a href="#">pkg:maven/com.github.waffle/waffle-jna@3.4.0</a>	
<a href="#">collation.zip: collation.sample.jar</a>			
<a href="#">commons-logging.jar</a>		<a href="#">pkg:maven/commons-logging/commons-logging@1.3.3</a>	
<a href="#">configuration.automaticconfigrestore.zip: configuration.automaticconfigrestore.sample.jar</a>			
<a href="#">configuration.zip: configuration.jar</a>			
<a href="#">configuration.zip: configuration.jar: authentication.js</a>			
<a href="#">configuration.zip: configuration.jar: boolean.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: booleanButton.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: colorInput.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: controller.js</a>			
<a href="#">configuration.zip: configuration.jar: datafactory.js</a>			
<a href="#">configuration.zip: configuration.jar: fileUploadRenderer.directive.js</a>			
<a href="#">configuration.zip: configuration.jar:</a>			

<a href="#">filesystemInputButton.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: filesystemInputDirectory.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: filesystemInputFile.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: iconDropRenderer.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: inlinerenderer.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: keyLabelText.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: labelLink.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: labelText.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: licensekey.js</a>			
<a href="#">configuration.zip: configuration.jar: list.js</a>			
<a href="#">configuration.zip: configuration.jar: logopreview.js</a>			
<a href="#">configuration.zip: configuration.jar: multiLineText.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: multiLingualTextRenderer.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: passwordText.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: reloadSelectInputsTrigger.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: renderer.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: repository.js</a>			
<a href="#">configuration.zip: configuration.jar: selectEditText.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: selectFilteredText.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: selectLanguageChooserRenderer.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: selectSimpleText.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: simpleDate.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: simpleSlider.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: simpleText.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: table.js</a>			
<a href="#">configuration.zip: configuration.jar: tree.js</a>			
<a href="#">configuration.zip: configuration.jar:</a>			

<a href="#">userandgroupselect.js</a>			
<a href="#">core.jar</a>		<a href="#">pkg:maven/com.google.zxing/core@3.5.3</a>	
<a href="#">crsetupwizard.zip: crsetupwizard.jar</a>			
<a href="#">customformulas.zip: customformulas.sample.jar</a>			
<a href="#">datasource.cassandra.zip: config.jar</a>			
<a href="#">datasource.cassandra.zip: datasource.cassandra.jar</a>			
<a href="#">datasource.cassandra.zip: java-driver-core.jar</a>	<a href="#">cpe:2.3:a:apache:cassandra:4.17.0:*:*:*:*:*:*:*</a>	<a href="#">pkg:maven/com.datastax.oss/java-driver-core@4.17.0</a>	
<a href="#">datasource.cassandra.zip: java-driver-shaded-guava.jar</a>	<a href="#">cpe:2.3:a:apache:cassandra:25.1:*:*:*:*:*:*</a>	<a href="#">pkg:maven/com.datastax.oss/java-driver-shaded-guava@25.1-jre-graal-sub-1</a>	
<a href="#">datasource.cassandra.zip: native-protocol.jar</a>		<a href="#">pkg:maven/com.datastax.oss/native-protocol@1.5.1</a>	
<a href="#">datasource.cassandra.zip: netty-common.jar (shaded: org.jctools:jctools-core:4.0.5)</a>		<a href="#">pkg:maven/org.jctools/jctools-core@4.0.5</a>	
<a href="#">datasource.cassandra.zip: netty-transport.jar</a>	<a href="#">cpe:2.3:a:netty:netty:4.1.115:*:*:*:*:*</a>	<a href="#">pkg:maven/io.netty/netty-transport@4.1.115.Final</a>	
<a href="#">datasource.mongodb.zip: datasource.mongodb.jar</a>			
<a href="#">datasource.mongodb.zip: mongo-java-driver.jar</a>	<a href="#">cpe:2.3:a:mongodb:java_driver:3.12.14:*:*:*:*</a>		
<a href="#">datasource.zip: datasource.jar</a>			
<a href="#">datasource.zip: datasource.jar: datasources-edit-controller.js</a>			
<a href="#">datasource.zip: datasource.jar: datasources-main-controller.js</a>			
<a href="#">datasource.zip: datasource.jar: factory.js</a>			
<a href="#">datasource.zip: datasource.jar: model.js</a>			
<a href="#">datasource.zip: datasource.jar: renderer-permissions.js</a>			
<a href="#">datasource.zip: datasource.jar: renderer.js</a>			
<a href="#">decoder.docx.zip: DocxParser.jar</a>			
<a href="#">decoder.docx.zip: EmfParser.jar</a>			
<a href="#">decoder.docx.zip: SparseBitSet.jar</a>	<a href="#">cpe:2.3:a:bit_project:bit:1.3:*:*:*:*:*</a>	<a href="#">pkg:maven/com.zaxxer/SparseBitSet@1.3</a>	
<a href="#">decoder.docx.zip: commons-codec.jar</a>		<a href="#">pkg:maven/commons-codec/commons-</a>	

[codec@1.17.1](#)

<a href="#">decoder.docx.zip: commons-collections4.jar</a>	<a href="#">cpe:2.3:a:apache:commons_collections:4.4.*.*.*.*.*</a>	<a href="#">pkg:maven/org.apache.commons/commons-collections4@4.4</a>	
<a href="#">decoder.docx.zip: commons-compress.jar</a>	<a href="#">cpe:2.3:a:apache:commons_compress:1.26.2.*.*.*.*.*</a>	<a href="#">pkg:maven/org.apache.commons/commons-compress@1.26.2</a>	
<a href="#">decoder.docx.zip: commons-io.jar</a>	<a href="#">cpe:2.3:a:apache:commons_io:2.16.1.*.*.*.*.*</a>	<a href="#">pkg:maven/commons-io/commons-io@2.16.1</a>	
<a href="#">decoder.docx.zip: commons-math3.jar</a>		<a href="#">pkg:maven/org.apache.commons/commons-math3@3.6.1</a>	
<a href="#">decoder.docx.zip: curvesapi.jar</a>		<a href="#">pkg:maven/com.github.virtuald/curvesapi@1.08</a>	
<a href="#">decoder.docx.zip: decoder.docx.jar</a>			
<a href="#">decoder.docx.zip: log4j-api.jar</a>	<a href="#">cpe:2.3:a:apache:log4j:2.23.1.*.*.*.*.*</a>	<a href="#">pkg:maven/org.apache.logging.log4j/log4j-api@2.23.1</a>	
<a href="#">decoder.docx.zip: poi.jar</a>	<a href="#">cpe:2.3:a:apache:poi:5.2.3.*.*.*.*.*</a>		
<a href="#">decoder.docx.zip: xmlbeans.jar</a>	<a href="#">cpe:2.3:a:apache:xmlbeans:5.2.1.*.*.*.*.*</a>	<a href="#">pkg:maven/org.apache.xmlbeans/xmlbeans@5.2.1</a>	
<a href="#">decoder.svg.zip: batik-anim-inet_patched.jar</a>			
<a href="#">decoder.svg.zip: batik-awt-util-inet_patched.jar</a>			
<a href="#">decoder.svg.zip: batik-bridge-inet_patched.jar</a>			
<a href="#">decoder.svg.zip: batik-codec-inet_patched.jar</a>			
<a href="#">decoder.svg.zip: batik-constants-inet_patched.jar</a>			
<a href="#">decoder.svg.zip: batik-css-inet_patched.jar</a>			
<a href="#">decoder.svg.zip: batik-dom-inet_patched.jar</a>			
<a href="#">decoder.svg.zip: batik-ext-inet_patched.jar</a>			
<a href="#">decoder.svg.zip: batik-extension-inet_patched.jar</a>			
<a href="#">decoder.svg.zip: batik-gui-util-inet_patched.jar</a>			
<a href="#">decoder.svg.zip: batik-gvt-inet_patched.jar</a>			
<a href="#">decoder.svg.zip: batik-i18n-inet_patched.jar</a>	<a href="#">cpe:2.3:a:inet:inet:18.*.*.*.*.*</a>		
<a href="#">decoder.svg.zip: batik-parser-inet_patched.jar</a>			
<a href="#">decoder.svg.zip: batik-script-inet_patched.jar</a>			

<a href="#">decoder.svg.zip: batik-slideshow-inet_patched.jar</a>			
<a href="#">decoder.svg.zip: batik-svg-dom-inet_patched.jar</a>			
<a href="#">decoder.svg.zip: batik-svggen-inet_patched.jar</a>			
<a href="#">decoder.svg.zip: batik-svgpp-inet_patched.jar</a>			
<a href="#">decoder.svg.zip: batik-swing-inet_patched.jar</a>			
<a href="#">decoder.svg.zip: batik-transcoder-inet_patched.jar</a>			
<a href="#">decoder.svg.zip: batik-ttf2svg-inet_patched.jar</a>	<a href="#">cpe:2.3:a:inet:inet:2.*.*.*.*.*.*.*.*.*.*</a>		
<a href="#">decoder.svg.zip: batik-util-inet_patched.jar</a>			
<a href="#">decoder.svg.zip: batik-xml-inet_patched.jar</a>			
<a href="#">decoder.svg.zip: decoder.svg.jar</a>			
<a href="#">decoder.svg.zip: jsvg.jar</a>			
<a href="#">decoder.svg.zip: xml-apis-ext.jar</a>			
<a href="#">decoder.svg.zip: xmlgraphics-commons.jar</a>	<a href="#">cpe:2.3:a:apache:xmlgraphics_commons:2.7.*.*.*.*.*.*.*.*.*.*</a>		
<a href="#">designer.zip: JnlpDesigner.jar</a>			
<a href="#">designer.zip: SBSTutorial.jar</a>			
<a href="#">designer.zip: TableLayout.jar</a>			
<a href="#">designer.zip: adhoc.jar</a>			
<a href="#">designer.zip: adhocClient.jar</a>			
<a href="#">designer.zip: designer.jar</a>			
<a href="#">designer.zip: designer.jar: app.js</a>			
<a href="#">designer.zip: designer.jar: opendesignerextension.js</a>			
<a href="#">designer.zip: designer.jar: remotedesigner.js</a>			
<a href="#">designer.zip: inetswingcore.jar</a>			
<a href="#">diagnostics.reporting.zip: diagnostics.reporting.jar</a>			
<a href="#">diagnostics.reporting.zip: diagnostics.reporting.jar: connectionPool.js</a>			
<a href="#">diagnostics.reporting.zip: diagnostics.reporting.jar: reportcache.js</a>			
<a href="#">diagnostics.reporting.zip: diagnostics.reporting.jar: server-datasource.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar</a>			
<a href="#">diagnostics.zip: diagnostics.jar: MemoryPieChart.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: MemoryUsageChart.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: WebServerErrorChart.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: benchmarkCtrl.js</a>			

<a href="#">diagnostics.zip: diagnostics.jar: client-server.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: controller.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: cpu.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: cpuspeed.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: directives.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: errorHistoryChart.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: flotr2.min.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: global.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: hddisk.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: heapdumpCtrl.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: informationCtrl.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: intArrayUtils.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: iospeed.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: jobs.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: logging.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: memory.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: overviewCtrl.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: pde.diagnostics.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: timeformat.js</a>			
<a href="#">docfx.js</a>			
<a href="#">docfx.vendor.js</a>		<a href="#">pkg:javascript /bootstrap@3.4.1</a>	
<a href="#">drive.zip: drive.jar</a>			
<a href="#">drive.zip: drive.jar: actions.js</a>			
<a href="#">drive.zip: drive.jar: actions.service.js</a>			
<a href="#">drive.zip: drive.jar: contentextension.js</a>			
<a href="#">drive.zip: drive.jar: controller.js</a>			
<a href="#">drive.zip: drive.jar: drivecleanup.js</a>			
<a href="#">drive.zip: drive.jar: drivecontroller.js</a>			
<a href="#">drive.zip: drive.jar: drivefactory.js</a>			
<a href="#">drive.zip: drive.jar: drivemodel.js</a>			
<a href="#">drive.zip: drive.jar: dropzone.directive.js</a>			
<a href="#">drive.zip: drive.jar: entryactions.directive.js</a>			
<a href="#">drive.zip: drive.jar: folderlist.directive.js</a>			
<a href="#">drive.zip: drive.jar: linkdialog.js</a>			
<a href="#">drive.zip: drive.jar: locationchooser.js</a>			

<a href="#">drive.zip: drive.jar: mountdialog.js</a>			
<a href="#">drive.zip: drive.jar: permissionsextension.js</a>			
<a href="#">drive.zip: drive.jar: progress.service.js</a>			
<a href="#">drive.zip: drive.jar: progresspanel.directive.js</a>			
<a href="#">drive.zip: drive.jar: resolve.service.js</a>			
<a href="#">drive.zip: drive.jar: responsivetoolbar.directive.js</a>			
<a href="#">drive.zip: drive.jar: selectedextension.js</a>			
<a href="#">drive.zip: drive.jar: thumbnailextension.js</a>			
<a href="#">drive.zip: drive.jar: toolbaraction.directive.js</a>			
<a href="#">drive.zip: drive.jar: unzipextension.js</a>			
<a href="#">drive.zip: drive.jar: zipextension.js</a>			
<a href="#">embeddedMode.js</a>			
<a href="#">enginefactory.zip: enginefactory.sample.jar</a>			
<a href="#">errorhandler.zip: errorhandler.jar</a>			
<a href="#">exceljconnect.jar</a>			
<a href="#">extension.js</a>			
<a href="#">extension.js</a>			
<a href="#">facturx.zip: Saxon-HE.jar</a>			
<a href="#">facturx.zip: facturx.jar</a>			
<a href="#">facturx.zip: istack-commons-runtime.jar</a>		<a href="#">pkg:maven/com.sun.istack/istack-commons-runtime@4.2.0</a>	
<a href="#">facturx.zip: jakarta.activation-api.jar</a>		<a href="#">pkg:maven/jakarta.activation/jakarta.activation-api@2.1.2</a>	
<a href="#">facturx.zip: jakarta.xml.bind-api.jar</a>		<a href="#">pkg:maven/jakarta.xml.bind/jakarta.xml.bind-api@4.0.2</a>	
<a href="#">facturx.zip: jaxb-core.jar</a>		<a href="#">pkg:maven/org.glassfish.jaxb/jaxb-core@4.0.5</a>	
<a href="#">facturx.zip: jaxb-runtime.jar</a>		<a href="#">pkg:maven/org.glassfish.jaxb/jaxb-runtime@4.0.5</a>	
<a href="#">facturx.zip: ph-collection.jar</a>		<a href="#">pkg:maven/com.helger.commons/ph-collection@11.1.6</a>	
<a href="#">facturx.zip: ph-commons.jar</a>		<a href="#">pkg:maven/com.helger.commons/ph-commons@11.1.6</a>	

<a href="#">facturx.zip: ph-jaxb.jar</a>		<a href="#">pkg:maven/com.helger.commons/ph-jaxb@11.1.6</a>	
<a href="#">facturx.zip: ph-schematron-api.jar</a>		<a href="#">pkg:maven/com.helger.schematron/ph-schematron-api@8.0.1</a>	
<a href="#">facturx.zip: ph-schematron-pure.jar</a>		<a href="#">pkg:maven/com.helger.schematron/ph-schematron-pure@8.0.1</a>	
<a href="#">facturx.zip: ph-schematron-schxslt.jar</a>		<a href="#">pkg:maven/com.helger.schematron/ph-schematron-schxslt@8.0.1</a>	
<a href="#">facturx.zip: ph-schematron-validator.jar</a>		<a href="#">pkg:maven/com.helger.schematron/ph-schematron-validator@8.0.1</a>	
<a href="#">facturx.zip: ph-schematron-xslt.jar</a>		<a href="#">pkg:maven/com.helger.schematron/ph-schematron-xslt@8.0.1</a>	
<a href="#">facturx.zip: ph-xml.jar</a>		<a href="#">pkg:maven/com.helger.commons/ph-xml@11.1.6</a>	
<a href="#">facturx.zip: ph-xsds-xml.jar</a>		<a href="#">pkg:maven/com.helger.xsd/ph-xsds-xml@3.0.0</a>	
<a href="#">facturx.zip: txw2.jar</a>		<a href="#">pkg:maven/org.glassfish.jaxb/txw2@4.0.5</a>	
<a href="#">facturx.zip: xmlresolver.jar</a>			
<a href="#">googleanalytics.js</a>			
<a href="#">hamcrest-2.2.jar</a>		<a href="#">pkg:maven/org.hamcrest/hamcrest/hamcrest@2.2</a>	
<a href="#">help.zip: commons-beanutils.jar</a>	<a href="#">cpe:2.3:a:apache:commons_beanutils:1.9.4:*****.*</a>	<a href="#">pkg:maven/commons-beanutils/commons-beanutils@1.9.4</a>	
<a href="#">help.zip: commons-digester3.jar</a>		<a href="#">pkg:maven/org.apache.commons/commons-digester3@3.2</a>	
<a href="#">help.zip: help.jar</a>			
<a href="#">help.zip: help.jar: app.js</a>			
<a href="#">help.zip: help.jar: controller.js</a>			
<a href="#">help.zip: help.jar: shared.factory.js</a>			
<a href="#">help.zip: help.jar: shared.highlighter.js</a>			

<a href="#">help.zip: jsoup.jar</a>	<a href="#">cpe:2.3:a:jsoup:jsoup:1.16.2:*.***.***.*</a>	<a href="#">pkg:maven/org.jsoup/jsoup@1.16.2</a>	
<a href="#">htmlengine.zip: JWebEngine.jar</a>			
<a href="#">htmlengine.zip: htmlengine.jar</a>			
<a href="#">htmlviewer.printpdf.zip: htmlviewer.printpdf.sample.jar</a>			
<a href="#">htmlviewer.printpdf.zip: htmlviewer.printpdf.sample.jar: extension.js</a>			
<a href="#">htmlviewer.toolbar.zip: htmlviewer.toolbar.jar</a>			
<a href="#">htmlviewer.toolbar.zip: htmlviewer.toolbar.jar: htmlviewer.angular.js</a>			
<a href="#">htmlviewerextension.zip: htmlviewerextension.sample.jar</a>			
<a href="#">htmlviewerextension.zip: htmlviewerextension.sample.jar: extension.js</a>			
<a href="#">inetcore-24.10-tools.jar</a>		<a href="#">pkg:maven/shared/inetcore@24.10</a>	
<a href="#">inetcore-24.10.jar (shaded: com.inet.shared:inetcore:null)</a>			
<a href="#">inetcore-24.10.jar</a>		<a href="#">pkg:maven/shared/inetcore@24.10</a>	
<a href="#">inetloggeradapter.jar</a>			
<a href="#">inetsoftware.Reporting.dll</a>			
<a href="#">inetsoftware.Reporting.dll</a>			
<a href="#">jakarta.servlet-api.jar</a>	<a href="#">cpe:2.3:a:oracle:projects:4.0.4:*.***.***.*</a>	<a href="#">pkg:maven/jakarta.servlet/jakarta.servlet-api@4.0.4</a>	
<a href="#">jakarta.websocket-api.jar</a>		<a href="#">pkg:maven/jakarta.websocket/jakarta.websocket-api@1.1.2</a>	
<a href="#">java-21-jre-x64-linux.tar.gz: java-21-jre-x64-linux.tar: jrt-fs.jar</a>	<a href="#">cpe:2.3:a:eclipse:platform:21.0.5:*.***.***.*</a>		
<a href="#">javase.jar</a>		<a href="#">pkg:maven/com.google.zxing/javase@3.5.3</a>	
<a href="#">jeuclid-core.jar</a>		<a href="#">pkg:maven/net.sourceforge.jeuclid/jeuclid-core@3.0.3</a>	
<a href="#">jlessc-1.12.jar</a>		<a href="#">pkg:maven/de.inetsoftware/jlessc@1.12</a>	
<a href="#">jna.jar</a>	<a href="#">cpe:2.3:a:oracle:java_se:5.14.0:*.***.***.*</a>		
<a href="#">jna.jar: jnidispatch.dll</a>			

<a href="#">jna.jar: jnidispatch.dll</a>			
<a href="#">jna.jar: jnidispatch.dll</a>			
<a href="#">jpeg2000.zip: asm.jar</a>			
<a href="#">jpeg2000.zip: concrt140.dll</a>			
<a href="#">jpeg2000.zip: imageio-openjpeg.jar</a>		<a href="#">pkg:maven/de.digitalcollections.imageio/imageio-openjpeg@0.6.8</a>	
<a href="#">jpeg2000.zip: jffi-native.jar</a>			
<a href="#">jpeg2000.zip: jffi-native.jar: jffi-1.2.dll</a>			
<a href="#">jpeg2000.zip: jffi-native.jar: jffi-1.2.dll</a>			
<a href="#">jpeg2000.zip: jffi-native.jar: jffi-1.2.dll</a>			
<a href="#">jpeg2000.zip: jffi.jar</a>		<a href="#">pkg:maven/com.github.jnr/jffi@1.3.13</a>	
<a href="#">jpeg2000.zip: jnr-ffi.jar</a>		<a href="#">pkg:maven/com.github.jnr/jnr-ffi@2.2.16</a>	
<a href="#">jpeg2000.zip: jpeg2000.jar</a>			
<a href="#">jpeg2000.zip: msvcp140.dll</a>			
<a href="#">jpeg2000.zip: msvcp140_1.dll</a>			
<a href="#">jpeg2000.zip: msvcp140_2.dll</a>			
<a href="#">jpeg2000.zip: msvcp140_atomic_wait.dll</a>			
<a href="#">jpeg2000.zip: msvcp140_codecvt_ids.dll</a>	<a href="#">cpe:2.3:a:ids:ids:140:*:*:*:*:*</a>		
<a href="#">jpeg2000.zip: openjp2.dll</a>			
<a href="#">jpeg2000.zip: vcruntime140.dll</a>			
<a href="#">jpeg2000.zip: vcruntime140_1.dll</a>			
<a href="#">jquery.cookiebar.js</a>			
<a href="#">junit-4.13.2.jar</a>	<a href="#">cpe:2.3:a:junit:junit4:4.13.2:*:*:*:*:*</a>	<a href="#">pkg:maven/junit/junit@4.13.2</a>	
<a href="#">junit-jupiter-5.10.3.jar</a>		<a href="#">pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3</a>	
<a href="#">junit-jupiter-api-5.10.3.jar</a>		<a href="#">pkg:maven/org.junit.jupiter/junit-jupiter-api@5.10.3</a>	
<a href="#">junit-jupiter-engine-5.10.3.jar</a>		<a href="#">pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.10.3</a>	
<a href="#">junit-jupiter-params-5.10.3.jar</a>		<a href="#">pkg:maven/org.junit.jupiter/junit-jupiter-params@5.10.3</a>	
<a href="#">junit-platform-commons-1.10.3.jar</a>		<a href="#">pkg:maven/org.junit.</a>	

		<a href="#">platform/junit-platform-commons@1.10.3</a>	
<a href="#">junit-platform-engine-1.10.3.jar</a>		<a href="#">pkg:maven/org.junit.platform/junit-platform-engine@1.10.3</a>	
<a href="#">junit-platform-launcher-1.10.3.jar</a>		<a href="#">pkg:maven/org.junit.platform/junit-platform-launcher@1.10.3</a>	
<a href="#">junit-platform-suite-1.10.3.jar</a>		<a href="#">pkg:maven/org.junit.platform/junit-platform-suite@1.10.3</a>	
<a href="#">junit-platform-suite-api-1.10.3.jar</a>		<a href="#">pkg:maven/org.junit.platform/junit-platform-suite-api@1.10.3</a>	
<a href="#">junit-platform-suite-commons-1.10.3.jar</a>		<a href="#">pkg:maven/org.junit.platform/junit-platform-suite-commons@1.10.3</a>	
<a href="#">junit-platform-suite-engine-1.10.3.jar</a>		<a href="#">pkg:maven/org.junit.platform/junit-platform-suite-engine@1.10.3</a>	
<a href="#">junit-vintage-engine-5.10.3.jar</a>		<a href="#">pkg:maven/org.junit.vintage/junit-vintage-engine@5.10.3</a>	
<a href="#">lang-css.js</a>			
<a href="#">linenumber.js</a>			
<a href="#">lunr.js</a>			
<a href="#">lunr.min.js</a>			
<a href="#">mail.zip: bc-fips.jar</a>			
<a href="#">mail.zip: bcmail-fips.jar</a>			
<a href="#">mail.zip: bcpkg-fips.jar</a>	<a href="#">cpe:2.3:a:openpgp:openpgp:1.0.7.1:****.*.*.*</a>		
<a href="#">mail.zip: bcpkix-fips.jar</a>			
<a href="#">mail.zip: jakarta.activation.jar</a>		<a href="#">pkg:maven/com.sun.activation/jakarta.activation@1.2.2</a>	
<a href="#">mail.zip: jakarta.mail.jar</a>		<a href="#">pkg:maven/com.sun.mail/jakarta.mail@1.6.7</a>	
<a href="#">mail.zip: mail.jar</a>			
<a href="#">mail.zip: mail.jar: smimeconfig.js</a>			

<a href="#">main.js</a>			
<a href="#">maintenance.reporting.zip: maintenance.reporting.jar</a>			
<a href="#">maintenance.zip: maintenance-javadoc.jar</a>			
<a href="#">maintenance.zip: maintenance-javadoc.jar: member-search-index.js</a>			
<a href="#">maintenance.zip: maintenance-javadoc.jar: package-search-index.js</a>			
<a href="#">maintenance.zip: maintenance-javadoc.jar: tag-search-index.js</a>			
<a href="#">maintenance.zip: maintenance-javadoc.jar: type-search-index.js</a>			
<a href="#">maintenance.zip: maintenance.jar</a>			
<a href="#">maintenance.zip: maintenance.jar: controller.js</a>			
<a href="#">maintenance.zip: maintenance.jar: controller.js</a>			
<a href="#">maintenance.zip: maintenance.jar: controller.js</a>			
<a href="#">maintenance.zip: maintenance.jar: controller.js</a>			
<a href="#">maintenance.zip: maintenance.jar: controller.js</a>			
<a href="#">maintenance.zip: maintenance.jar: controller.js</a>			
<a href="#">maintenance.zip: maintenance.jar: filechooser.js</a>			
<a href="#">maintenance.zip: maintenance.jar: multieditusers.js</a>			
<a href="#">mariadb-java-client.jar</a>		<a href="#">pkg:maven/org.mariadb.jdbc/mariadb-java-client@3.4.1</a>	
<a href="#">mysql-connector-j.jar</a>	<a href="#">cpe:2.3:a:mysql:mysql:8.2.0:*****</a> <a href="#">cpe:2.3:a:oracle:connectorVj:8.2.0:*****</a> <a href="#">cpe:2.3:a:oracle:jdbc:8.2.0:*****</a> <a href="#">cpe:2.3:a:oracle:mysql_connectorVj:8.2.0:*****</a> <a href="#">cpe:2.3:a:oracle:mysql_connectors:8.2.0:*****</a>		
<a href="#">notification.zip: notification.jar</a>			
<a href="#">notification.zip: notification.jar: notification.js</a>			
<a href="#">notification.zip: notification.jar: notification_config.js</a>			
<a href="#">notification.zip: notification.jar: notification_taskplanner.js</a>			
<a href="#">notification.zip: notification.jar: targetrender.js</a>			
<a href="#">odbc.jar</a>			
<a href="#">opentest4j-1.3.0.jar</a>		<a href="#">pkg:maven/org.opentest4j/opentest4j@1.3.0</a>	

<a href="#">parser.pdf.zip: PDFParser.jar</a>			
<a href="#">parser.pdf.zip: jbig2.jar</a>			
<a href="#">parser.pdf.zip: parser.pdf.jar</a>			
<a href="#">pdfviewer.zip: pdfjs-dist.jar</a>		<a href="#">pkg:maven/org.webjars/npm/pdfjs-dist@4.4.168</a>	
<a href="#">pdfviewer.zip: pdfjs-dist.jar: package.json</a>			
<a href="#">pdfviewer.zip: pdfviewer.jar</a>			
<a href="#">pdfviewer.zip: pdfviewer.jar: drive.js</a>			
<a href="#">pdfviewer.zip: pdfviewer.jar: pdfviewer.angular.js</a>			
<a href="#">pdfviewer.zip: pdfviewer.jar: pdfviewer.factory.js</a>			
<a href="#">pdfviewer.zip: pdfviewer.jar: pdfviewer.model.js</a>			
<a href="#">pdfviewer.zip: pdfviewer.jar: pdfviewer.renderer.js</a>			
<a href="#">persistence.jar</a>			
<a href="#">pluginstore.client.zip: pluginstore.client.jar</a>			
<a href="#">pluginstore.client.zip: pluginstore.client.jar: controller.js</a>			
<a href="#">pluginstore.client.zip: pluginstore.client.jar: pluginstorehelpcontroller.js</a>			
<a href="#">pluginstore.client.zip: pluginstore.client.jar: publicstoreconfig.js</a>			
<a href="#">pluginstore.client.zip: pluginstore.client.jar: storecontroller.js</a>			
<a href="#">pluginstore.client.zip: pluginstore.client.jar: storedirectives.js</a>			
<a href="#">pluginstore.client.zip: pluginstore.client.jar: storemodel.js</a>			
<a href="#">postgresql.jar</a>	cpe:2.3:a:postgresql:postgresql:42.7.3:*:*:*:*:* cpe:2.3:a:postgresql:postgresql_jdbc_driver:42.7.3:*:*:*:*:*		
<a href="#">prettify.js</a>			
<a href="#">processbridge.reporting.zip: processbridge.reporting.jar</a>			
<a href="#">processbridge.zip: processbridge.jar</a>			
<a href="#">promptdialog.zip: promptdialog.jar</a>			
<a href="#">promptdialog.zip: promptdialog.jar: promptcontroller.js</a>			
<a href="#">promptdialog.zip: promptdialog.jar: promptcustomrenderer.js</a>			
<a href="#">promptdialog.zip: promptdialog.jar: promptfactory.js</a>			
<a href="#">promptdialog.zip: promptdialog.jar: promptpanel.js</a>			

<a href="#">promptdialog.zip: promptdialog.jar: promptrenderer.js</a>			
<a href="#">propertieschecker.zip: propertieschecker.sample.jar</a>			
<a href="#">remotegui.zip: Echo2-FileTransfer_App.jar</a>	<a href="#">cpe:2.3:a:file-transfer:file_transfer:2:*****.*</a>		
<a href="#">remotegui.zip: Echo2-FileTransfer_WebContainer.jar</a>	<a href="#">cpe:2.3:a:file-transfer:file_transfer:2:*****.*</a> <a href="#">cpe:2.3:a:web_project:web:2:*****.*</a>		
<a href="#">remotegui.zip: Echo2-FileTransfer_WebContainer.jar: Download.js</a>			
<a href="#">remotegui.zip: Echo2-FileTransfer_WebContainer.jar: Upload.js</a>			
<a href="#">remotegui.zip: angular-animate.jar</a>		<a href="#">pkg:maven/org.webjars.npm/angular-animate@1.8.3</a>	
<a href="#">remotegui.zip: angular-animate.jar: angular-animate.js</a>		<a href="#">pkg:javascript/angularjs@1.8.3</a>	
<a href="#">remotegui.zip: angular-animate.jar: angular-animate.min.js</a>		<a href="#">pkg:javascript/angularjs@1.8.3</a>	
<a href="#">remotegui.zip: angular-animate.jar: index.js</a>			
<a href="#">remotegui.zip: angular-animate.jar: package.json</a>			
<a href="#">remotegui.zip: angular-cookies.jar</a>		<a href="#">pkg:maven/org.webjars.npm/angular-cookies@1.8.3</a>	
<a href="#">remotegui.zip: angular-cookies.jar: angular-cookies.js</a>		<a href="#">pkg:javascript/angularjs@1.8.3</a>	
<a href="#">remotegui.zip: angular-cookies.jar: angular-cookies.min.js</a>		<a href="#">pkg:javascript/angularjs@1.8.3</a>	
<a href="#">remotegui.zip: angular-cookies.jar: index.js</a>			
<a href="#">remotegui.zip: angular-cookies.jar: package.json</a>			
<a href="#">remotegui.zip: angular-sanitize.jar</a>		<a href="#">pkg:maven/org.webjars.npm/angular-sanitize@1.8.3</a>	
<a href="#">remotegui.zip: angular-sanitize.jar: angular-sanitize.js</a>		<a href="#">pkg:javascript/angularjs@1.8.3</a>	
<a href="#">remotegui.zip: angular-sanitize.jar: angular-sanitize.min.js</a>		<a href="#">pkg:javascript/angularjs@1.8.3</a>	
<a href="#">remotegui.zip: angular-sanitize.jar: index.js</a>			
<a href="#">remotegui.zip: angular-sanitize.jar: package.json</a>			
<a href="#">remotegui.zip: angular.jar</a>		<a href="#">pkg:maven/org.webjars.npm/angular@1.8.3</a>	

<a href="#">remotegui.zip: angular.jar: angular.js</a>		<a href="#">pkg:javascript/angularjs@1.8.3</a>	
<a href="#">remotegui.zip: angular.jar: angular.min.js</a>		<a href="#">pkg:javascript/angularjs@1.8.3</a>	
<a href="#">remotegui.zip: angular.jar: index.js</a>			
<a href="#">remotegui.zip: angular.jar: package.json</a>			
<a href="#">remotegui.zip: bootstrap.jar</a>		<a href="#">pkg:javascript/bootstrap@3.4.1</a> <a href="#">pkg:maven/org.webjars/bootstrap@3.4.1</a>	
<a href="#">remotegui.zip: bootstrap.jar: affix.js</a>			
<a href="#">remotegui.zip: bootstrap.jar: alert.js</a>			
<a href="#">remotegui.zip: bootstrap.jar: button.js</a>			
<a href="#">remotegui.zip: bootstrap.jar: carousel.js</a>			
<a href="#">remotegui.zip: bootstrap.jar: collapse.js</a>			
<a href="#">remotegui.zip: bootstrap.jar: dropdown.js</a>			
<a href="#">remotegui.zip: bootstrap.jar: modal.js</a>			
<a href="#">remotegui.zip: bootstrap.jar: npm.js</a>			
<a href="#">remotegui.zip: bootstrap.jar: popover.js</a>			
<a href="#">remotegui.zip: bootstrap.jar: scrollspy.js</a>			
<a href="#">remotegui.zip: bootstrap.jar: tab.js</a>			
<a href="#">remotegui.zip: bootstrap.jar: tooltip.js</a>			
<a href="#">remotegui.zip: bootstrap.jar: transition.js</a>			
<a href="#">remotegui.zip: bootstrap.jar: webjars-requirejs.js</a>			
<a href="#">remotegui.zip: codemirror.jar</a>	<a href="#">cpe:2.3:a:codemirror:codemirror:6.65.7:*:*:*:*:*</a>	<a href="#">pkg:maven/org.webjars.npm/codemirror@6.65.7</a>	
<a href="#">remotegui.zip: codemirror.jar: CodeMirror.js</a>			
<a href="#">remotegui.zip: codemirror.jar: ContentEditableInput.js</a>			
<a href="#">remotegui.zip: codemirror.jar: Display.js</a>			
<a href="#">remotegui.zip: codemirror.jar: Doc.js</a>			
<a href="#">remotegui.zip: codemirror.jar: StringStream.js</a>			
<a href="#">remotegui.zip: codemirror.jar: TextareaInput.js</a>			
<a href="#">remotegui.zip: codemirror.jar: active-line.js</a>			
<a href="#">remotegui.zip: codemirror.jar: annotatescrollbar.js</a>			
<a href="#">remotegui.zip: codemirror.jar: anyword-hint.js</a>			
<a href="#">remotegui.zip: codemirror.jar: apl.js</a>			
<a href="#">remotegui.zip: codemirror.jar: asciarmor.js</a>			

[remotegui.zip: codemirror.jar: asn.1.js](#)

[remotegui.zip: codemirror.jar: asterisk.js](#)

[remotegui.zip: codemirror.jar: autorefresh.js](#)

[remotegui.zip: codemirror.jar: bidi.js](#)

[remotegui.zip: codemirror.jar: brace-fold.js](#)

[remotegui.zip: codemirror.jar: brainfuck.js](#)

[remotegui.zip: codemirror.jar: browser.js](#)

[remotegui.zip: codemirror.jar: change\\_measurement.js](#)

[remotegui.zip: codemirror.jar: changes.js](#)

[remotegui.zip: codemirror.jar: chunk.js](#)

[remotegui.zip: codemirror.jar: clike.js](#)

[remotegui.zip: codemirror.jar: clojure.js](#)

[remotegui.zip: codemirror.jar: closebrackets.js](#)

[remotegui.zip: codemirror.jar: closetag.js](#)

[remotegui.zip: codemirror.jar: cmake.js](#)

[remotegui.zip: codemirror.jar: cobol.js](#)

[remotegui.zip: codemirror.jar: codemirror-standalone.js](#)

[remotegui.zip: codemirror.jar: codemirror.js](#)

[remotegui.zip: codemirror.jar: codemirror.js](#)

[remotegui.zip: codemirror.jar: codemirror.node.js](#)

[remotegui.zip: codemirror.jar: coffeescript-lint.js](#)

[remotegui.zip: codemirror.jar: coffeescript.js](#)

[remotegui.zip: codemirror.jar: colorize.js](#)

[remotegui.zip: codemirror.jar: commands.js](#)

[remotegui.zip: codemirror.jar: comment-fold.js](#)

[remotegui.zip: codemirror.jar: comment.js](#)

[remotegui.zip: codemirror.jar: commonlisp.js](#)

[remotegui.zip: codemirror.jar: continuecomment.js](#)

[remotegui.zip: codemirror.jar: continuelist.js](#)

[remotegui.zip: codemirror.jar: crystal.js](#)

[remotegui.zip: codemirror.jar: css-hint.js](#)

[remotegui.zip: codemirror.jar: css-lint.js](#)

[remotegui.zip: codemirror.jar: css.js](#)

[remotegui.zip: codemirror.jar: cypher.js](#)

[remotegui.zip: codemirror.jar: d.js](#)

<a href="#">remotegui.zip: codemirror.jar: dart.js</a>			
<a href="#">remotegui.zip: codemirror.jar: deleteNearSelection.js</a>			
<a href="#">remotegui.zip: codemirror.jar: dialog.js</a>			
<a href="#">remotegui.zip: codemirror.jar: diff.js</a>			
<a href="#">remotegui.zip: codemirror.jar: django.js</a>			
<a href="#">remotegui.zip: codemirror.jar: dockerfile.js</a>			
<a href="#">remotegui.zip: codemirror.jar: document_data.js</a>			
<a href="#">remotegui.zip: codemirror.jar: dom.js</a>			
<a href="#">remotegui.zip: codemirror.jar: drop_events.js</a>			
<a href="#">remotegui.zip: codemirror.jar: dtd.js</a>			
<a href="#">remotegui.zip: codemirror.jar: dylan.js</a>			
<a href="#">remotegui.zip: codemirror.jar: ebnf.js</a>			
<a href="#">remotegui.zip: codemirror.jar: ecl.js</a>			
<a href="#">remotegui.zip: codemirror.jar: eiffel.js</a>			
<a href="#">remotegui.zip: codemirror.jar: elm.js</a>			
<a href="#">remotegui.zip: codemirror.jar: emacs.js</a>			
<a href="#">remotegui.zip: codemirror.jar: erlang.js</a>			
<a href="#">remotegui.zip: codemirror.jar: event.js</a>			
<a href="#">remotegui.zip: codemirror.jar: factor.js</a>			
<a href="#">remotegui.zip: codemirror.jar: fcl.js</a>			
<a href="#">remotegui.zip: codemirror.jar: feature_detection.js</a>			
<a href="#">remotegui.zip: codemirror.jar: focus.js</a>			
<a href="#">remotegui.zip: codemirror.jar: foldcode.js</a>			
<a href="#">remotegui.zip: codemirror.jar: foldgutter.js</a>			
<a href="#">remotegui.zip: codemirror.jar: forth.js</a>			
<a href="#">remotegui.zip: codemirror.jar: fortran.js</a>			
<a href="#">remotegui.zip: codemirror.jar: fromTextArea.js</a>			
<a href="#">remotegui.zip: codemirror.jar: fullscreen.js</a>			
<a href="#">remotegui.zip: codemirror.jar: gas.js</a>			
<a href="#">remotegui.zip: codemirror.jar: gfm.js</a>			
<a href="#">remotegui.zip: codemirror.jar: gherkin.js</a>			
<a href="#">remotegui.zip: codemirror.jar: global_events.js</a>			
<a href="#">remotegui.zip: codemirror.jar: go.js</a>			
<a href="#">remotegui.zip: codemirror.jar: groovy.js</a>			
<a href="#">remotegui.zip: codemirror.jar: gutters.js</a>			

[remotegui.zip: codemirror.jar: haml.js](#)

[remotegui.zip: codemirror.jar: handlebars.js](#)

[remotegui.zip: codemirror.jar: hardwrap.js](#)

[remotegui.zip: codemirror.jar: haskell-literate.js](#)

[remotegui.zip: codemirror.jar: haskell.js](#)

[remotegui.zip: codemirror.jar: haxe.js](#)

[remotegui.zip: codemirror.jar: highlight.js](#)

[remotegui.zip: codemirror.jar: highlight\\_worker.js](#)

[remotegui.zip: codemirror.jar: history.js](#)

[remotegui.zip: codemirror.jar: html-hint.js](#)

[remotegui.zip: codemirror.jar: html-lint.js](#)

[remotegui.zip: codemirror.jar: htmlembedded.js](#)

[remotegui.zip: codemirror.jar: htmlmixed.js](#)

[remotegui.zip: codemirror.jar: http.js](#)

[remotegui.zip: codemirror.jar: idl.js](#)

[remotegui.zip: codemirror.jar: indent-fold.js](#)

[remotegui.zip: codemirror.jar: indent.js](#)

[remotegui.zip: codemirror.jar: input.js](#)

[remotegui.zip: codemirror.jar: javascript-hint.js](#)

[remotegui.zip: codemirror.jar: javascript-lint.js](#)

[remotegui.zip: codemirror.jar: javascript.js](#)

[remotegui.zip: codemirror.jar: jinja2.js](#)

[remotegui.zip: codemirror.jar: json-lint.js](#)

[remotegui.zip: codemirror.jar: jsx.js](#)

[remotegui.zip: codemirror.jar: julia.js](#)

[remotegui.zip: codemirror.jar: jump-to-line.js](#)

[remotegui.zip: codemirror.jar: key\\_events.js](#)

[remotegui.zip: codemirror.jar: keymap.js](#)

[remotegui.zip: codemirror.jar: keynames.js](#)

[remotegui.zip: codemirror.jar: legacy.js](#)

[remotegui.zip: codemirror.jar: line\\_data.js](#)

[remotegui.zip: codemirror.jar: line\\_numbers.js](#)

[remotegui.zip: codemirror.jar: line\\_widget.js](#)

[remotegui.zip: codemirror.jar: lint.js](#)

[remotegui.zip: codemirror.jar: livescript.js](#)

<a href="#">remotegui.zip: codemirror.jar: loadmode.js</a>			
<a href="#">remotegui.zip: codemirror.jar: lua.js</a>			
<a href="#">remotegui.zip: codemirror.jar: main.js</a>			
<a href="#">remotegui.zip: codemirror.jar: mark-selection.js</a>			
<a href="#">remotegui.zip: codemirror.jar: mark_text.js</a>			
<a href="#">remotegui.zip: codemirror.jar: markdown-fold.js</a>			
<a href="#">remotegui.zip: codemirror.jar: markdown.js</a>			
<a href="#">remotegui.zip: codemirror.jar: match-highlighter.js</a>			
<a href="#">remotegui.zip: codemirror.jar: matchbrackets.js</a>			
<a href="#">remotegui.zip: codemirror.jar: matchesonscrollbar.js</a>			
<a href="#">remotegui.zip: codemirror.jar: matchtags.js</a>			
<a href="#">remotegui.zip: codemirror.jar: mathematica.js</a>			
<a href="#">remotegui.zip: codemirror.jar: mbox.js</a>			
<a href="#">remotegui.zip: codemirror.jar: merge.js</a>			
<a href="#">remotegui.zip: codemirror.jar: meta.js</a>			
<a href="#">remotegui.zip: codemirror.jar: methods.js</a>			
<a href="#">remotegui.zip: codemirror.jar: mirc.js</a>			
<a href="#">remotegui.zip: codemirror.jar: misc.js</a>			
<a href="#">remotegui.zip: codemirror.jar: mllike.js</a>			
<a href="#">remotegui.zip: codemirror.jar: mode_state.js</a>			
<a href="#">remotegui.zip: codemirror.jar: modelica.js</a>			
<a href="#">remotegui.zip: codemirror.jar: modes.js</a>			
<a href="#">remotegui.zip: codemirror.jar: mouse_events.js</a>			
<a href="#">remotegui.zip: codemirror.jar: movement.js</a>			
<a href="#">remotegui.zip: codemirror.jar: mscgen.js</a>			
<a href="#">remotegui.zip: codemirror.jar: multiplex.js</a>			
<a href="#">remotegui.zip: codemirror.jar: multiplex_test.js</a>			
<a href="#">remotegui.zip: codemirror.jar: mumps.js</a>			
<a href="#">remotegui.zip: codemirror.jar: nginx.js</a>			
<a href="#">remotegui.zip: codemirror.jar: nsis.js</a>			
<a href="#">remotegui.zip: codemirror.jar: ntriples.js</a>			
<a href="#">remotegui.zip: codemirror.jar: octave.js</a>			
<a href="#">remotegui.zip: codemirror.jar: operation_group.js</a>			
<a href="#">remotegui.zip: codemirror.jar: operations.js</a>			
<a href="#">remotegui.zip: codemirror.jar: options.js</a>			

[remotegui.zip: codemirror.jar: overlay.js](#)

[remotegui.zip: codemirror.jar: oz.js](#)

[remotegui.zip: codemirror.jar: package.json](#)

[remotegui.zip: codemirror.jar: panel.js](#)

[remotegui.zip: codemirror.jar: pascal.js](#)

[remotegui.zip: codemirror.jar: pegjs.js](#)

[remotegui.zip: codemirror.jar: perl.js](#)

[remotegui.zip: codemirror.jar: php.js](#)

[remotegui.zip: codemirror.jar: pig.js](#)

[remotegui.zip: codemirror.jar: placeholder.js](#)

[remotegui.zip: codemirror.jar: pos.js](#)

[remotegui.zip: codemirror.jar: position\\_measurement.js](#)

[remotegui.zip: codemirror.jar: powershell.js](#)

[remotegui.zip: codemirror.jar: properties.js](#)

[remotegui.zip: codemirror.jar: protobuf.js](#)

[remotegui.zip: codemirror.jar: pug.js](#)

[remotegui.zip: codemirror.jar: puppet.js](#)

[remotegui.zip: codemirror.jar: python.js](#)

[remotegui.zip: codemirror.jar: q.js](#)

[remotegui.zip: codemirror.jar: r.js](#)

[remotegui.zip: codemirror.jar: rollup.config.js](#)

[remotegui.zip: codemirror.jar: rpm.js](#)

[remotegui.zip: codemirror.jar: rst.js](#)

[remotegui.zip: codemirror.jar: ruby.js](#)

[remotegui.zip: codemirror.jar: rulers.js](#)

[remotegui.zip: codemirror.jar: runmode-standalone.js](#)

[remotegui.zip: codemirror.jar: runmode-standalone.js](#)

[remotegui.zip: codemirror.jar: runmode.js](#)

[remotegui.zip: codemirror.jar: runmode.node.js](#)

[remotegui.zip: codemirror.jar: runmode.node.js](#)

[remotegui.zip: codemirror.jar: rust.js](#)

[remotegui.zip: codemirror.jar: sas.js](#)

[remotegui.zip: codemirror.jar: sass.js](#)

[remotegui.zip: codemirror.jar: saw\\_special\\_spans.js](#)

[remotegui.zip: codemirror.jar: scheme.js](#)

<a href="#">remotegui.zip: codemirror.jar: scroll_events.js</a>			
<a href="#">remotegui.zip: codemirror.jar: scrollbar.js</a>			
<a href="#">remotegui.zip: codemirror.jar: scrolling.js</a>			
<a href="#">remotegui.zip: codemirror.jar: scrollpastend.js</a>			
<a href="#">remotegui.zip: codemirror.jar: search.js</a>			
<a href="#">remotegui.zip: codemirror.jar: searchcursor.js</a>			
<a href="#">remotegui.zip: codemirror.jar: selection-pointer.js</a>			
<a href="#">remotegui.zip: codemirror.jar: selection.js</a>			
<a href="#">remotegui.zip: codemirror.jar: selection.js</a>			
<a href="#">remotegui.zip: codemirror.jar: selection_updates.js</a>			
<a href="#">remotegui.zip: codemirror.jar: shell.js</a>			
<a href="#">remotegui.zip: codemirror.jar: show-hint.js</a>			
<a href="#">remotegui.zip: codemirror.jar: sieve.js</a>			
<a href="#">remotegui.zip: codemirror.jar: simple.js</a>			
<a href="#">remotegui.zip: codemirror.jar: simplescrollbars.js</a>			
<a href="#">remotegui.zip: codemirror.jar: slim.js</a>			
<a href="#">remotegui.zip: codemirror.jar: smalltalk.js</a>			
<a href="#">remotegui.zip: codemirror.jar: smarty.js</a>			
<a href="#">remotegui.zip: codemirror.jar: solr.js</a>			
<a href="#">remotegui.zip: codemirror.jar: soy.js</a>			
<a href="#">remotegui.zip: codemirror.jar: spans.js</a>			
<a href="#">remotegui.zip: codemirror.jar: sparql.js</a>			
<a href="#">remotegui.zip: codemirror.jar: spreadsheet.js</a>			
<a href="#">remotegui.zip: codemirror.jar: sql-hint.js</a>			
<a href="#">remotegui.zip: codemirror.jar: sql.js</a>			
<a href="#">remotegui.zip: codemirror.jar: stex.js</a>			
<a href="#">remotegui.zip: codemirror.jar: stylus.js</a>			
<a href="#">remotegui.zip: codemirror.jar: sublime.js</a>			
<a href="#">remotegui.zip: codemirror.jar: swift.js</a>			
<a href="#">remotegui.zip: codemirror.jar: tcl.js</a>			
<a href="#">remotegui.zip: codemirror.jar: tern.js</a>			
<a href="#">remotegui.zip: codemirror.jar: textile.js</a>			
<a href="#">remotegui.zip: codemirror.jar: tiddlywiki.js</a>			
<a href="#">remotegui.zip: codemirror.jar: tiki.js</a>			
<a href="#">remotegui.zip: codemirror.jar: toml.js</a>			

<a href="#">remotegui.zip: codemirror.jar: tornado.js</a>			
<a href="#">remotegui.zip: codemirror.jar: trailingspace.js</a>			
<a href="#">remotegui.zip: codemirror.jar: troff.js</a>			
<a href="#">remotegui.zip: codemirror.jar: ttcn-cfg.js</a>			
<a href="#">remotegui.zip: codemirror.jar: ttcn.js</a>			
<a href="#">remotegui.zip: codemirror.jar: turtle.js</a>			
<a href="#">remotegui.zip: codemirror.jar: twig.js</a>			
<a href="#">remotegui.zip: codemirror.jar: update_display.js</a>			
<a href="#">remotegui.zip: codemirror.jar: update_line.js</a>			
<a href="#">remotegui.zip: codemirror.jar: update_lines.js</a>			
<a href="#">remotegui.zip: codemirror.jar: utils.js</a>			
<a href="#">remotegui.zip: codemirror.jar: utils_line.js</a>			
<a href="#">remotegui.zip: codemirror.jar: vb.js</a>			
<a href="#">remotegui.zip: codemirror.jar: vbscript.js</a>			
<a href="#">remotegui.zip: codemirror.jar: velocity.js</a>			
<a href="#">remotegui.zip: codemirror.jar: verilog.js</a>			
<a href="#">remotegui.zip: codemirror.jar: vhdl.js</a>			
<a href="#">remotegui.zip: codemirror.jar: view_tracking.js</a>			
<a href="#">remotegui.zip: codemirror.jar: vim.js</a>			
<a href="#">remotegui.zip: codemirror.jar: vue.js</a>			
<a href="#">remotegui.zip: codemirror.jar: wast.js</a>			
<a href="#">remotegui.zip: codemirror.jar: webidl.js</a>			
<a href="#">remotegui.zip: codemirror.jar: widgets.js</a>			
<a href="#">remotegui.zip: codemirror.jar: worker.js</a>			
<a href="#">remotegui.zip: codemirror.jar: xml-fold.js</a>			
<a href="#">remotegui.zip: codemirror.jar: xml-hint.js</a>			
<a href="#">remotegui.zip: codemirror.jar: xml.js</a>			
<a href="#">remotegui.zip: codemirror.jar: xquery.js</a>			
<a href="#">remotegui.zip: codemirror.jar: yacas.js</a>			
<a href="#">remotegui.zip: codemirror.jar: yaml-frontmatter.js</a>			
<a href="#">remotegui.zip: codemirror.jar: yaml-lint.js</a>			
<a href="#">remotegui.zip: codemirror.jar: yaml.js</a>			
<a href="#">remotegui.zip: codemirror.jar: z80.js</a>			
<a href="#">remotegui.zip: commons-fileupload.jar</a>	<a href="#">cpe:2.3:a:apache:commons_fileupload:1.5:*:*:*:*:*</a>	<a href="#">pkg:maven/commons-</a>	

		<a href="#">fileupload/commons-fileupload@1.5</a>	
<a href="#">remotegui.zip: crypto-js.jar</a>		<a href="#">pkg:maven/org.webjars.bower/crypto-js@4.1.1</a>	
<a href="#">remotegui.zip: crypto-js.jar: aes.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: cipher-core.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: core.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: crypto-js.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: enc-base64.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: enc-base64url.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: enc-hex.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: enc-latin1.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: enc-utf16.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: enc-utf8.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: evpkdf.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: format-hex.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: format-openssl.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: hmac-md5.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: hmac-ripemd160.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: hmac-sha1.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: hmac-sha224.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: hmac-sha256.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: hmac-sha3.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: hmac-sha384.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: hmac-sha512.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: hmac.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: index.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: lib-typedarrays.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: md5.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: mode-cfb.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: mode-ctr-gladman.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: mode-ctr.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: mode-ecb.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: mode-ofb.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: package.json</a>			

<a href="#">remotegui.zip: crypto-js.jar: pad-ansix923.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: pad-iso10126.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: pad-iso97971.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: pad-nopadding.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: pad-pkcs7.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: pad-zeropadding.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: pbkdf2.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: rabbit-legacy.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: rabbit.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: rc4.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: ripemd160.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: sha1.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: sha224.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: sha256.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: sha3.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: sha384.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: sha512.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: tripledes.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: x64-core.js</a>			
<a href="#">remotegui.zip: echo2-app.jar</a>	<a href="#">cpe:2.3:a:nextapp:echo:2.*.*.*.*.*.*</a>		
<a href="#">remotegui.zip: echo2-webcontainer.jar: BrowserCommand.js</a>			
<a href="#">remotegui.zip: echo2-webcontainer.jar: Button.js</a>			
<a href="#">remotegui.zip: echo2-webcontainer.jar: ContentPane.js</a>			
<a href="#">remotegui.zip: echo2-webcontainer.jar: ListComponent.js</a>			
<a href="#">remotegui.zip: echo2-webcontainer.jar: SplitPane.js</a>			
<a href="#">remotegui.zip: echo2-webcontainer.jar: Table.js</a>			
<a href="#">remotegui.zip: echo2-webcontainer.jar: TextComponent.js</a>			
<a href="#">remotegui.zip: echo2-webcontainer.jar: WebContainer.js</a>			
<a href="#">remotegui.zip: echo2-webcontainer.jar: WindowPane.js</a>			
<a href="#">remotegui.zip: echo2-webrender.jar: ClientEngine.js</a>			
<a href="#">remotegui.zip: echo2extras-app.jar</a>	<a href="#">cpe:2.3:a:nextapp:echo:2.*.*.*.*.*.*</a>		
<a href="#">remotegui.zip: echo2extras-webcontainer.jar: AccordionPane.js</a>			

[remotegui.zip: echo2extras-webcontainer.jar: CalendarSelect.js](#)

[remotegui.zip: echo2extras-webcontainer.jar: ColorSelect.js](#)

[remotegui.zip: echo2extras-webcontainer.jar: DND.js](#)

[remotegui.zip: echo2extras-webcontainer.jar: ExtrasUtil.js](#)

[remotegui.zip: echo2extras-webcontainer.jar: Menu.js](#)

[remotegui.zip: echo2extras-webcontainer.jar: TabPane.js](#)

[remotegui.zip: echo2extras-webcontainer.jar: TransitionPane.js](#)

[remotegui.zip: echopointng.jar](#)

[remotegui.zip: echopointng.jar: blankcanvas.js](#)

[remotegui.zip: echopointng.jar: button.js](#)

[remotegui.zip: echopointng.jar: calculator.js](#)

[remotegui.zip: echopointng.jar: colorchooser.js](#)

[remotegui.zip: echopointng.jar: combobox.js](#)

[remotegui.zip: echopointng.jar: command.js](#)

[remotegui.zip: echopointng.jar: containerex.js](#)

[remotegui.zip: echopointng.jar: csscommand.js](#)

[remotegui.zip: echopointng.jar: datechooser.js](#)

[remotegui.zip: echopointng.jar: directhtml.js](#)

[remotegui.zip: echopointng.jar: ep.js](#)

[remotegui.zip: echopointng.jar: epdrag.js](#)

[remotegui.zip: echopointng.jar: epfx.js](#)

[remotegui.zip: echopointng.jar: epstretch.js](#)

[remotegui.zip: echopointng.jar: expandablesection.js](#)

[remotegui.zip: echopointng.jar: flyoutpane.js](#)

[remotegui.zip: echopointng.jar: historymonitor.js](#)

[remotegui.zip: echopointng.jar: keystroke.js](#)

[remotegui.zip: echopointng.jar: labelex.js](#)

[remotegui.zip: echopointng.jar: lightbox.js](#)

[remotegui.zip: echopointng.jar: livetable.js](#)

[remotegui.zip: echopointng.jar: lookupcache.js](#)

[remotegui.zip: echopointng.jar: menu.js](#)

[remotegui.zip: echopointng.jar: nativewindow.js](#)

<a href="#">remotegui.zip: echopointng.jar: popup.js</a>			
<a href="#">remotegui.zip: echopointng.jar: rta.js</a>			
<a href="#">remotegui.zip: echopointng.jar: slider.js</a>			
<a href="#">remotegui.zip: echopointng.jar: stackedpaneex.js</a>			
<a href="#">remotegui.zip: echopointng.jar: tableex.js</a>			
<a href="#">remotegui.zip: echopointng.jar: templatepanel.js</a>			
<a href="#">remotegui.zip: echopointng.jar: textfieldex.js</a>			
<a href="#">remotegui.zip: echopointng.jar: titlebar.js</a>			
<a href="#">remotegui.zip: echopointng.jar: tree.js</a>			
<a href="#">remotegui.zip: jquery-ui.jar</a>		<a href="#">pkg:maven/org.webjars/jquery-ui@1.13.3</a>	
<a href="#">remotegui.zip: jquery-ui.jar: jquery-ui.js</a>			
<a href="#">remotegui.zip: jquery-ui.jar: jquery-ui.min.js</a>			
<a href="#">remotegui.zip: jquery-ui.jar: package.json</a>			
<a href="#">remotegui.zip: jquery-ui.jar: webjars-requirejs.js</a>			
<a href="#">remotegui.zip: jquery.jar</a>		<a href="#">pkg:javascript/jquery@2.2.4</a> <a href="#">pkg:maven/org.webjars/jquery@2.2.4</a>	
<a href="#">remotegui.zip: jquery.jar: webjars-requirejs.js</a>			
<a href="#">remotegui.zip: moment-timezone.jar</a>		<a href="#">pkg:maven/org.webjars.npm/moment-timezone@0.5.45</a>	
<a href="#">remotegui.zip: moment-timezone.jar: index.js</a>			
<a href="#">remotegui.zip: moment-timezone.jar: moment-timezone-utils.js</a>			
<a href="#">remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.js</a>			
<a href="#">remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.min.js</a>			
<a href="#">remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.js</a>			
<a href="#">remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.min.js</a>			
<a href="#">remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.js</a>			
<a href="#">remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.min.js</a>			
<a href="#">remotegui.zip: moment-timezone.jar: moment-timezone-with-data.js</a>			
<a href="#">remotegui.zip: moment-timezone.jar: moment-</a>			

[timezone-with-data.min.js](#)

[remotegui.zip: moment-timezone.jar: moment-timezone.js](#)

[remotegui.zip: moment-timezone.jar: moment-timezone.min.js](#)

[remotegui.zip: moment-timezone.jar: package.json](#)

[remotegui.zip: momentjs.jar](#)

[pkg:maven/org.webjars/momentjs@2.29.4](#)

[remotegui.zip: momentjs.jar: af.js](#)

[remotegui.zip: momentjs.jar: ar-dz.js](#)

[remotegui.zip: momentjs.jar: ar-kw.js](#)

[remotegui.zip: momentjs.jar: ar-ly.js](#)

[remotegui.zip: momentjs.jar: ar-ma.js](#)

[remotegui.zip: momentjs.jar: ar-sa.js](#)

[remotegui.zip: momentjs.jar: ar-tn.js](#)

[remotegui.zip: momentjs.jar: ar.js](#)

[remotegui.zip: momentjs.jar: az.js](#)

[remotegui.zip: momentjs.jar: be.js](#)

[remotegui.zip: momentjs.jar: bg.js](#)

[remotegui.zip: momentjs.jar: bm.js](#)

[remotegui.zip: momentjs.jar: bn-bd.js](#)

[remotegui.zip: momentjs.jar: bn.js](#)

[remotegui.zip: momentjs.jar: bo.js](#)

[remotegui.zip: momentjs.jar: br.js](#)

[remotegui.zip: momentjs.jar: bs.js](#)

[remotegui.zip: momentjs.jar: ca.js](#)

[remotegui.zip: momentjs.jar: cs.js](#)

[remotegui.zip: momentjs.jar: cv.js](#)

[remotegui.zip: momentjs.jar: cy.js](#)

[remotegui.zip: momentjs.jar: da.js](#)

[remotegui.zip: momentjs.jar: de-at.js](#)

[remotegui.zip: momentjs.jar: de-ch.js](#)

[remotegui.zip: momentjs.jar: de.js](#)

[remotegui.zip: momentjs.jar: dv.js](#)

[remotegui.zip: momentjs.jar: el.js](#)

[remotegui.zip: momentjs.jar: en-au.js](#)

<a href="#">remotegui.zip: momentjs.jar: en-ca.js</a>			
<a href="#">remotegui.zip: momentjs.jar: en-gb.js</a>			
<a href="#">remotegui.zip: momentjs.jar: en-ie.js</a>			
<a href="#">remotegui.zip: momentjs.jar: en-il.js</a>			
<a href="#">remotegui.zip: momentjs.jar: en-in.js</a>			
<a href="#">remotegui.zip: momentjs.jar: en-nz.js</a>			
<a href="#">remotegui.zip: momentjs.jar: en-sg.js</a>			
<a href="#">remotegui.zip: momentjs.jar: eo.js</a>			
<a href="#">remotegui.zip: momentjs.jar: es-do.js</a>			
<a href="#">remotegui.zip: momentjs.jar: es-mx.js</a>			
<a href="#">remotegui.zip: momentjs.jar: es-us.js</a>			
<a href="#">remotegui.zip: momentjs.jar: es.js</a>			
<a href="#">remotegui.zip: momentjs.jar: et.js</a>			
<a href="#">remotegui.zip: momentjs.jar: eu.js</a>			
<a href="#">remotegui.zip: momentjs.jar: fa.js</a>			
<a href="#">remotegui.zip: momentjs.jar: fi.js</a>			
<a href="#">remotegui.zip: momentjs.jar: fil.js</a>			
<a href="#">remotegui.zip: momentjs.jar: fo.js</a>			
<a href="#">remotegui.zip: momentjs.jar: fr-ca.js</a>			
<a href="#">remotegui.zip: momentjs.jar: fr-ch.js</a>			
<a href="#">remotegui.zip: momentjs.jar: fr.js</a>			
<a href="#">remotegui.zip: momentjs.jar: fy.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ga.js</a>			
<a href="#">remotegui.zip: momentjs.jar: gd.js</a>			
<a href="#">remotegui.zip: momentjs.jar: gl.js</a>			
<a href="#">remotegui.zip: momentjs.jar: gom-deva.js</a>			
<a href="#">remotegui.zip: momentjs.jar: gom-latn.js</a>			
<a href="#">remotegui.zip: momentjs.jar: gu.js</a>			
<a href="#">remotegui.zip: momentjs.jar: he.js</a>			
<a href="#">remotegui.zip: momentjs.jar: hi.js</a>			
<a href="#">remotegui.zip: momentjs.jar: hr.js</a>			
<a href="#">remotegui.zip: momentjs.jar: hu.js</a>			
<a href="#">remotegui.zip: momentjs.jar: hy-am.js</a>			
<a href="#">remotegui.zip: momentjs.jar: id.js</a>			
<a href="#">remotegui.zip: momentjs.jar: is.js</a>			

[remotegui.zip: momentjs.jar: it-ch.js](#)

[remotegui.zip: momentjs.jar: it.js](#)

[remotegui.zip: momentjs.jar: ja.js](#)

[remotegui.zip: momentjs.jar: jv.js](#)

[remotegui.zip: momentjs.jar: ka.js](#)

[remotegui.zip: momentjs.jar: kk.js](#)

[remotegui.zip: momentjs.jar: km.js](#)

[remotegui.zip: momentjs.jar: kn.js](#)

[remotegui.zip: momentjs.jar: ko.js](#)

[remotegui.zip: momentjs.jar: ku.js](#)

[remotegui.zip: momentjs.jar: ky.js](#)

[remotegui.zip: momentjs.jar: lb.js](#)

[remotegui.zip: momentjs.jar: lo.js](#)

[remotegui.zip: momentjs.jar: locales.js](#)

[remotegui.zip: momentjs.jar: locales.min.js](#)

[remotegui.zip: momentjs.jar: lt.js](#)

[remotegui.zip: momentjs.jar: lv.js](#)

[remotegui.zip: momentjs.jar: me.js](#)

[remotegui.zip: momentjs.jar: mi.js](#)

[remotegui.zip: momentjs.jar: mk.js](#)

[remotegui.zip: momentjs.jar: ml.js](#)

[remotegui.zip: momentjs.jar: mn.js](#)

[remotegui.zip: momentjs.jar: moment-with-locales.js](#)

[remotegui.zip: momentjs.jar: moment-with-locales.min.js](#)

[remotegui.zip: momentjs.jar: moment.js](#)

[remotegui.zip: momentjs.jar: moment.min.js](#)

[remotegui.zip: momentjs.jar: mr.js](#)

[remotegui.zip: momentjs.jar: ms-my.js](#)

[remotegui.zip: momentjs.jar: ms.js](#)

[remotegui.zip: momentjs.jar: mt.js](#)

[remotegui.zip: momentjs.jar: my.js](#)

[remotegui.zip: momentjs.jar: nb.js](#)

[remotegui.zip: momentjs.jar: ne.js](#)

[remotegui.zip: momentjs.jar: nl-be.js](#)

[remotegui.zip: momentjs.jar: nl.js](#)

<a href="#">remotegui.zip: momentjs.jar: nn.js</a>			
<a href="#">remotegui.zip: momentjs.jar: oc-lnc.js</a>			
<a href="#">remotegui.zip: momentjs.jar: pa-in.js</a>			
<a href="#">remotegui.zip: momentjs.jar: package.js</a>			
<a href="#">remotegui.zip: momentjs.jar: package.json</a>			
<a href="#">remotegui.zip: momentjs.jar: pl.js</a>			
<a href="#">remotegui.zip: momentjs.jar: pt-br.js</a>			
<a href="#">remotegui.zip: momentjs.jar: pt.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ro.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ru.js</a>			
<a href="#">remotegui.zip: momentjs.jar: sd.js</a>			
<a href="#">remotegui.zip: momentjs.jar: se.js</a>			
<a href="#">remotegui.zip: momentjs.jar: si.js</a>			
<a href="#">remotegui.zip: momentjs.jar: sk.js</a>			
<a href="#">remotegui.zip: momentjs.jar: sl.js</a>			
<a href="#">remotegui.zip: momentjs.jar: sq.js</a>			
<a href="#">remotegui.zip: momentjs.jar: sr-cyrl.js</a>			
<a href="#">remotegui.zip: momentjs.jar: sr.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ss.js</a>			
<a href="#">remotegui.zip: momentjs.jar: sv.js</a>			
<a href="#">remotegui.zip: momentjs.jar: sw.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ta.js</a>			
<a href="#">remotegui.zip: momentjs.jar: te.js</a>			
<a href="#">remotegui.zip: momentjs.jar: tests.js</a>			
<a href="#">remotegui.zip: momentjs.jar: tet.js</a>			
<a href="#">remotegui.zip: momentjs.jar: tg.js</a>			
<a href="#">remotegui.zip: momentjs.jar: th.js</a>			
<a href="#">remotegui.zip: momentjs.jar: tk.js</a>			
<a href="#">remotegui.zip: momentjs.jar: tl-ph.js</a>			
<a href="#">remotegui.zip: momentjs.jar: tlh.js</a>			
<a href="#">remotegui.zip: momentjs.jar: tr.js</a>			
<a href="#">remotegui.zip: momentjs.jar: tzl.js</a>			
<a href="#">remotegui.zip: momentjs.jar: tzm-latn.js</a>			
<a href="#">remotegui.zip: momentjs.jar: tzm.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ug-cn.js</a>			

[remotegui.zip: momentjs.jar: uk.js](#)

[remotegui.zip: momentjs.jar: ur.js](#)

[remotegui.zip: momentjs.jar: uz-latn.js](#)

[remotegui.zip: momentjs.jar: uz.js](#)

[remotegui.zip: momentjs.jar: vi.js](#)

[remotegui.zip: momentjs.jar: webjars-requirejs.js](#)

[remotegui.zip: momentjs.jar: x-pseudo.js](#)

[remotegui.zip: momentjs.jar: yo.js](#)

[remotegui.zip: momentjs.jar: zh-cn.js](#)

[remotegui.zip: momentjs.jar: zh-hk.js](#)

[remotegui.zip: momentjs.jar: zh-mo.js](#)

[remotegui.zip: momentjs.jar: zh-tw.js](#)

[remotegui.zip: remotegui.jar](#)

[remotegui.zip: remotegui.jar: DbClickButton.js](#)

[remotegui.zip: remotegui.jar: DbClickDragSource.js](#)

[remotegui.zip: remotegui.jar: DbClickTable.js](#)

[remotegui.zip: remotegui.jar: HeightDetermineButton.js](#)

[remotegui.zip: remotegui.jar: InetContentPane.js](#)

[remotegui.zip: remotegui.jar: MouseOverTarget.js](#)

[remotegui.zip: remotegui.jar: PreventSelectionSplitPane.js](#)

[remotegui.zip: remotegui.jar: ScrollEventWindow.js](#)

[remotegui.zip: remotegui.jar: SortDbClickTable.js](#)

[remotegui.zip: remotegui.jar: angular-websocket.js](#)

[remotegui.zip: remotegui.jar: app.js](#)

[remotegui.zip: remotegui.jar: app.js](#)

[remotegui.zip: remotegui.jar: app.js](#)

[remotegui.zip: remotegui.jar: app.js](#)

[remotegui.zip: remotegui.jar: appbadge.service.js](#)

[remotegui.zip: remotegui.jar: authInterceptor.service.js](#)

[remotegui.zip: remotegui.jar: avatarcard.directive.js](#)

[remotegui.zip: remotegui.jar: avatardetails.directive.js](#)

[remotegui.zip: remotegui.jar: avatarimage.directive.js](#)

[remotegui.zip: remotegui.jar: avatarimagedetails.directive.js](#)

[remotegui.zip: remotegui.jar: basic.js](#)

[remotegui.zip: remotegui.jar: bootstrap-colorpicker.js](#)

[remotegui.zip: remotegui.jar: bootstrap-datetimepicker.js](#)

[remotegui.zip: remotegui.jar: browsercheck.js](#)

[remotegui.zip: remotegui.jar: changeavatar.js](#)

[remotegui.zip: remotegui.jar: changeavatarcontroller.controller.js](#)

[remotegui.zip: remotegui.jar: changeavatar.service.js](#)

[remotegui.zip: remotegui.jar: clearreports.controller.js](#)

[remotegui.zip: remotegui.jar: collapse.directive.js](#)

[remotegui.zip: remotegui.jar: colorPicker.directive.js](#)

[remotegui.zip: remotegui.jar: connectionstate.js](#)

[remotegui.zip: remotegui.jar: controller.js](#)

[remotegui.zip: remotegui.jar: controller.js](#)

[remotegui.zip: remotegui.jar: controller.js](#)

[remotegui.zip: remotegui.jar: controllerAbout.js](#)

[remotegui.zip: remotegui.jar: controllerShortcuts.controller.js](#)

[remotegui.zip: remotegui.jar: controllerUserTheme.controller.js](#)

[remotegui.zip: remotegui.jar: controllers.js](#)

[remotegui.zip: remotegui.jar: controllers.js](#)

[remotegui.zip: remotegui.jar: controllers.js](#)

[remotegui.zip: remotegui.jar: controllers.js](#)

[remotegui.zip: remotegui.jar: controllers.js](#)

[remotegui.zip: remotegui.jar: controllers.js](#)

[remotegui.zip: remotegui.jar: controllers.js](#)

[remotegui.zip: remotegui.jar: controllers.js](#)

[remotegui.zip: remotegui.jar: currencyNumber.directive.js](#)

[remotegui.zip: remotegui.jar: currencyValidator.directive.js](#)

[remotegui.zip: remotegui.jar: customEmojiUploadConfigItemRenderer.directive.js](#)

[remotegui.zip: remotegui.jar: customEmojiUploadConfigRenderer.directive.js](#)

[remotegui.zip: remotegui.jar: customemojiupload.js](#)

[remotegui.zip: remotegui.jar: dataservice.service.js](#)

[remotegui.zip: remotegui.jar: datepicker-de.js](#)

<a href="#">remotegui.zip: remotegui.jar: debug.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: dialogservice.service.js</a>			
<a href="#">remotegui.zip: remotegui.jar: directives.js</a>			
<a href="#">remotegui.zip: remotegui.jar: emojiModel.service.js</a>			
<a href="#">remotegui.zip: remotegui.jar: emojiselector.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: errorservice.service.js</a>			
<a href="#">remotegui.zip: remotegui.jar: filechooser.service.js</a>			
<a href="#">remotegui.zip: remotegui.jar: fixNumber.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: fixNumberValidator.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: floatNumber.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: floatNumberValidator.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: globalactionservice.service.js</a>			
<a href="#">remotegui.zip: remotegui.jar: hdField.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: hdMandatory.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: hdNeedchange.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: hdValidate.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: hdattachment.js</a>			
<a href="#">remotegui.zip: remotegui.jar: hdfileupload.js</a>			
<a href="#">remotegui.zip: remotegui.jar: hsimp.min.js</a>			
<a href="#">remotegui.zip: remotegui.jar: hsimp.renderer.js</a>			
<a href="#">remotegui.zip: remotegui.jar: html5modeurls.js</a>			
<a href="#">remotegui.zip: remotegui.jar: htmleditor.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: htmleditorFactory.service.js</a>			
<a href="#">remotegui.zip: remotegui.jar: htmleditorModel.service.js</a>			
<a href="#">remotegui.zip: remotegui.jar: icons.js</a>			
<a href="#">remotegui.zip: remotegui.jar: initUsernameField.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: introduction.js</a>			
<a href="#">remotegui.zip: remotegui.jar: jquery.fileupload.js</a>			
<a href="#">remotegui.zip: remotegui.jar: keyservice.service.js</a>			
<a href="#">remotegui.zip: remotegui.jar: locationservice.service.js</a>			
<a href="#">remotegui.zip: remotegui.jar: modalservice.service.js</a>			
<a href="#">remotegui.zip: remotegui.jar: moduledragdrop.js</a>			

<a href="#">remotegui.zip: remotegui.jar: navtaboverflow.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: ng-tinymce.js</a>			
<a href="#">remotegui.zip: remotegui.jar: numberUtil.js</a>			
<a href="#">remotegui.zip: remotegui.jar: ocLazyLoad.min.js</a>			
<a href="#">remotegui.zip: remotegui.jar: pageablenavbaractiondropdown.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: paged.filter.js</a>			
<a href="#">remotegui.zip: remotegui.jar: pagination.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: piechart.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: popover.js</a>			
<a href="#">remotegui.zip: remotegui.jar: pwa-service-worker.js</a>			
<a href="#">remotegui.zip: remotegui.jar: pwa.js</a>			
<a href="#">remotegui.zip: remotegui.jar: qrcode.min.js</a>			
<a href="#">remotegui.zip: remotegui.jar: rangeSlider.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: resizableDivider.js</a>			
<a href="#">remotegui.zip: remotegui.jar: scrollabledropdownmenu.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: search-panel.js</a>			
<a href="#">remotegui.zip: remotegui.jar: selectInput.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: shadowLogger.factory.js</a>			
<a href="#">remotegui.zip: remotegui.jar: sidenavigation.js</a>			
<a href="#">remotegui.zip: remotegui.jar: takeoutDataController.controller.js</a>			
<a href="#">remotegui.zip: remotegui.jar: takeoutDataFactory.factory.js</a>			
<a href="#">remotegui.zip: remotegui.jar: takeoutDataModel.service.js</a>			
<a href="#">remotegui.zip: remotegui.jar: timeInput.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: timeInputContainer.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: timeInputUtil.js</a>			
<a href="#">remotegui.zip: remotegui.jar: timeMeridiemContainer.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: translate.js</a>			
<a href="#">remotegui.zip: remotegui.jar: unitFixNumber.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: unitFloatNumber.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: userservice.js</a>			
<a href="#">remotegui.zip: remotegui.jar: usersorgroupsselection.js</a>			

<a href="#">remotegui.zip: remotegui.jar: usestrict.js</a>			
<a href="#">remotegui.zip: remotegui.jar: websitedownload.renderer.js</a>			
<a href="#">remotegui.zip: remotegui.jar: websocketdataservice.js</a>			
<a href="#">remotegui.zip: remotegui.jar: websocketkeepaliveworker.js</a>			
<a href="#">remotegui.zip: remotegui.jar: windowdatastore.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: ar.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: bg_BG.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: ca.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: cs.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: cy.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: da.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: de.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: el.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: eo.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: es.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: es_ES.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: es_MX.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: eu.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: fa.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: fa_IR.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: fi.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: fr_FR.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: gl.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: he_IL.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: hr.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: hu_HU.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: id.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: it.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: it_IT.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: ja.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: kk.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: ko_KR.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: lt.js</a>			
<a href="#">remotegui.zip: tinymce-languages.jar: nb_NO.js</a>			

[illegible]

[remotegui.zip: tinymce.jar: index.js](#)

[illegible]

[illegible]

remotegui.zip: tinymce.jar: plugin.js

[illegible]

remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: plugin.min.js			
remotegui.zip: tinymce.jar: theme.js			
remotegui.zip: tinymce.jar: theme.js		pkg:javascript / <a href="#">DOMPurify@2.3.8</a>	
remotegui.zip: tinymce.jar: theme.min.js			
remotegui.zip: tinymce.jar: theme.min.js			
remotegui.zip: tinymce.jar: tinyMCE.js		pkg:javascript / <a href="#">tinyMCE@5.10.9</a>	
remotegui.zip: tinymce.jar: tinyMCE.min.js		pkg:javascript / <a href="#">tinyMCE@5.10.9</a>	
remotegui.zip: twemoji.jar		pkg:maven/lib / <a href="#">twemoji-null@1.0</a>	
remoteprinting.zip: remoteprinting.jar			
remoteprinting.zip: remoteprinting.jar: RemotePrintingRenderer.js			

<a href="#">remoteprinting.zip: remoteprinting.jar: app.js</a>			
<a href="#">remoteprinting.zip: remoteprinting.jar: htmlviewer.js</a>			
<a href="#">remoteprinting.zip: remoteprinting.jar: pdfviewer.angular.js</a>			
<a href="#">remoteprinting.zip: remoteprinting.jar: remoteprinting.factory.js</a>			
<a href="#">remoteprinting.zip: remoteprinting.jar: remoteprinting.js</a>			
<a href="#">remoteprinting.zip: remoteprinting.jar: remoteprinting.model.js</a>			
<a href="#">remoteprinting.zip: remoteprinting.jar: remoteprinting.renderer.js</a>			
<a href="#">reporting.zip: jcommon.jar</a>		<a href="#">pkg:maven/org.jfree/jcommon@1.0.24</a>	
<a href="#">reporting.zip: jfreechartCC.jar</a>			
<a href="#">reporting.zip: reporting-javadoc.jar</a>			
<a href="#">reporting.zip: reporting-javadoc.jar: member-search-index.js</a>			
<a href="#">reporting.zip: reporting-javadoc.jar: package-search-index.js</a>			
<a href="#">reporting.zip: reporting-javadoc.jar: type-search-index.js</a>			
<a href="#">reporting.zip: reporting.jar</a>			
<a href="#">reporting.zip: reporting.jar: events.js</a>			
<a href="#">reporting.zip: reporting.jar: export.js</a>			
<a href="#">reporting.zip: reporting.jar: functions.js</a>			
<a href="#">reporting.zip: reporting.jar: generator.js</a>			
<a href="#">reporting.zip: reporting.jar: grouptree.js</a>			
<a href="#">reporting.zip: reporting.jar: htmlreportextension.js</a>			
<a href="#">reporting.zip: reporting.jar: jstorage.js</a>			
<a href="#">reporting.zip: reporting.jar: keylistener.js</a>			
<a href="#">reporting.zip: reporting.jar: menubar.js</a>			
<a href="#">reporting.zip: reporting.jar: page.js</a>			
<a href="#">reporting.zip: reporting.jar: pagecount.js</a>			
<a href="#">reporting.zip: reporting.jar: popup.js</a>			
<a href="#">reporting.zip: reporting.jar: print.js</a>			
<a href="#">reporting.zip: reporting.jar: prompts.js</a>			
<a href="#">reporting.zip: reporting.jar: prototype.array.js</a>			
<a href="#">reporting.zip: reporting.jar: prototype.element.js</a>			
<a href="#">reporting.zip: reporting.jar: prototype.string.js</a>			

<a href="#">reporting.zip: reporting.jar: renderreportextension.js</a>			
<a href="#">reporting.zip: reporting.jar: reorder.js</a>			
<a href="#">reporting.zip: reporting.jar: script.js</a>			
<a href="#">reporting.zip: reporting.jar: search.js</a>			
<a href="#">reporting.zip: reporting.jar: serverping.js</a>			
<a href="#">reporting.zip: reporting.jar: stacktrace.js</a>			
<a href="#">reporting.zip: reporting.jar: tabbar.js</a>			
<a href="#">sampleapplication.js</a>			
<a href="#">sampledatabase.zip: sampledatabase.jar</a>			
<a href="#">sampledatabase.zip: smallsql.jar</a>			
<a href="#">samplereports.zip: samplereports.jar</a>			
<a href="#">search-worker.js</a>			
<a href="#">security.zip: security.jar</a>			
<a href="#">sessiondatasource.zip: sessiondatasource.sample.jar</a>			
<a href="#">setuplauncher.jar</a>			
<a href="#">slf4j-api-2.0.13.jar</a>		<a href="#">pkg:maven/org.slf4j/slf4j-api@2.0.13</a>	
<a href="#">statistics.reporting.zip: statistics.reporting.jar</a>			
<a href="#">statistics.zip: statistics.jar</a>			
<a href="#">statistics.zip: statistics.jar: controller.js</a>			
<a href="#">statistics.zip: statistics.jar: embeddedstatisticsapp.js</a>			
<a href="#">statistics.zip: statistics.jar: flotr2.min.js</a>			
<a href="#">statistics.zip: statistics.jar: rendererstatistics.js</a>			
<a href="#">statistics.zip: statistics.jar: statisticsFactory.js</a>			
<a href="#">svgSalamander.jar</a>	cpe:2.3:a:kitfox: svg_salamander:1.1.3: *****	<a href="#">pkg:maven/guru.nidi.com:kitfox/svgSalamander@1.1.3</a>	
<a href="#">taskplanner.logaction.zip: taskplanner.logaction.sample.jar</a>			
<a href="#">taskplanner.openweathermap.zip: taskplanner.openweathermap.sample.jar</a>			
<a href="#">taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar</a>			
<a href="#">taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: member-search-index.js</a>			
<a href="#">taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: package-search-index.js</a>			
<a href="#">taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: type-search-index.js</a>			

<a href="#">taskplanner.reporting.zip: taskplanner.reporting.jar</a>			
<a href="#">taskplanner.reporting.zip: taskplanner.reporting.jar: crtaskplanner.js</a>			
<a href="#">taskplanner.zip: commons-cli.jar</a>		<a href="#">pkg:maven/commons-cli/commons-cli@1.8.0</a>	
<a href="#">taskplanner.zip: cron-utils.jar</a>	<a href="#">cpe:2.3:a:cron-utils_project:cron-utils:9.2.1:*:*:*:*:*</a> <a href="#">cpe:2.3:a:utils_project:utils:9.2.1:*:*:*:*:*</a>	<a href="#">pkg:maven/com.cronutils/cron-utils@9.2.1</a>	
<a href="#">taskplanner.zip: guava.jar</a>	<a href="#">cpe:2.3:a:google:guava:33.2.1:*:*:*:*:*</a>	<a href="#">pkg:maven/com.google.guava/guava@33.2.1-jre</a>	
<a href="#">taskplanner.zip: taskplanner-javadoc.jar</a>			
<a href="#">taskplanner.zip: taskplanner-javadoc.jar: member-search-index.js</a>			
<a href="#">taskplanner.zip: taskplanner-javadoc.jar: package-search-index.js</a>			
<a href="#">taskplanner.zip: taskplanner-javadoc.jar: type-search-index.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar</a>			
<a href="#">taskplanner.zip: taskplanner.jar: app.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: boolean.directive.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: colorField.directive.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: controller.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: factory.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: filechooserAddonButton.directive.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: model.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: numberRange.directive.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: numberWrapper.directive.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: passwordTextField.directive.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: renderer.directive.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: simpleCurrencyField.directive.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: simpleDateTimeField.directive.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: simpleFileFolderField.directive.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: simpleGroup.directive.</a>			

<a href="#">js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: simpleLabel.directive.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: simpleLink.directive.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: simpleSelect.directive.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: simpleTextField.directive.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: stringTable.directive.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: taskplanner_maintenance.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: textAreaField.directive.js</a>			
<a href="#">theme.zip: bootstrap.jar: bootstrap.js</a>		<a href="#">pkg:javascript /bootstrap@3.4.1</a>	
<a href="#">theme.zip: bootstrap.jar: bootstrap.min.js</a>		<a href="#">pkg:javascript /bootstrap@3.4.1</a>	
<a href="#">theme.zip: theme.jar</a>			
<a href="#">urlcookie.zip: urlcookie.sample.jar</a>			
<a href="#">usersandgroupsmanager.zip: usersandgroupsmanager.jar</a>			
<a href="#">usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagercontroller.js</a>			
<a href="#">usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdetailscontroller.js</a>			
<a href="#">usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdialogcontroller.js</a>			
<a href="#">usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdirectives.js</a>			
<a href="#">usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagereffectivepermissionscontroller.js</a>			
<a href="#">usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerfactory.js</a>			
<a href="#">usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagermodel.js</a>			
<a href="#">usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerpredeletionwarning.js</a>			
<a href="#">usersandgroupsmanager.zip: usersandgroupsmanager.jar:</a>			

<a href="#">usersandgroupsmanagerrenderer.js</a>			
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar:</a> <a href="#">usersandgroupsmanagerstatisticscontroller.js</a>			
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar:</a> <a href="#">usersandgroupsmanagertakeoutcontroller.js</a>			
<a href="#">webapi.core.zip: webapi.core.jar</a>			
<a href="#">webapi.core.zip: webapi.core.jar: shared.factory.js</a>			
<a href="#">webapi.core.zip: webapi.core.jar: webapi.codemirror.js</a>			
<a href="#">webapi.core.zip: webapi.core.jar: webapi.core.editor.js</a>			
<a href="#">webapi.core.zip: webapi.core.jar: webapi.core.js</a>			
<a href="#">webserver.defender.zip: webserver.defender.jar</a>			
<a href="#">webserver.zip: acme4j-client.jar</a>		<a href="#">pkg:maven/org.shredzone.acme4j/acme4j-client@2.16</a>	
<a href="#">webserver.zip: jetty-websocket-core-client.jar</a>	<a href="#">cpe:2.3:a:eclipse:jetty:12.0.12:*****</a> <a href="#">cpe:2.3:a:jetty:jetty:12.0.12:*****</a> <a href="#">cpe:2.3:a:mortbay_jetty:jetty:12.0.12:*****</a>	<a href="#">pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-client@12.0.12</a>	
<a href="#">webserver.zip: jetty-websocket-core-server.jar</a>	<a href="#">cpe:2.3:a:eclipse:jetty:12.0.12:*****</a> <a href="#">cpe:2.3:a:jetty:jetty:12.0.12:*****</a> <a href="#">cpe:2.3:a:jetty:jetty_http_server:12.0.12:*****</a> <a href="#">cpe:2.3:a:mortbay_jetty:jetty:12.0.12:*****</a>	<a href="#">pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-server@12.0.12</a>	
<a href="#">webserver.zip: jose4j.jar</a>	<a href="#">cpe:2.3:a:jose4j_project:jose4j:0.9.6:*****</a>	<a href="#">pkg:maven/org.bitbucket.b_c/jose4j@0.9.6</a>	
<a href="#">webserver.zip: webserver.jar</a>			

## Dependencies (vulnerable)

### BarcodePDF417Bean.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/beans/BarcodePDF417Bean.jar

**MD5:** 5c40a6e1e535afc13e672648e30ecbcc

**SHA1:** 254905db326b63b3e983035c737cc5e61dcc662

**SHA256:** 44d6ddd9a61a3aa0a21daa8716444d6739efb8deedeed141dd734aed06e5a94

**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	BarcodePDF417Bean	High
Vendor	jar	package name	beans	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdf417	Low
Vendor	Manifest	built-date	2024-12-03 17:16	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	BarcodePDF417Bean	High
Product	jar	package name	beans	Low
Product	jar	package name	pdf417	Low
Product	Manifest	built-date	2024-12-03 17:16	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	BarcodePDF417Bean	High
Product	Manifest	specification-title	BarcodePDF417Bean	Medium
Version	file	name	BarcodePDF417Bean	Medium
Version	file	version	417	Medium
Version	Manifest	Implementation-Version	24.10.238	High

#### Identifiers

- None

## Fositex.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/Fositex.jar  
**MD5:** e5bf2cbb470365b512dac891b5ccb197

**SHA1:** dfac509b508c61e71d8691850c1c731b35d0a87e

**SHA256:** 904e90056e83854788de56832aa73a3744832852d25e189d748ff91996871577

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	Fositex	High
Vendor	jar	package name	csv	Low
Vendor	jar	package name	inet	Low
Product	file	name	Fositex	High
Product	jar	package name	csv	Low

#### Identifiers

- None

### ICSharpCode.SharpZipLib.dll

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/ReportViewer - WindowsForms .NET/lib/ICSharpCode.SharpZipLib.dll

**MD5:** 9e9e0a210297968aaf2e00d13958c0b4

**SHA1:** a32d2dbeac852718f285e26e3d9436a97879e55c

**SHA256:** cb9c05b5a1e1db26ff43490ee26f2e02abae3f321d2dd5ddd43a68da48eab83d

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ICSharpCode.SharpZipLib	High
Product	file	name	ICSharpCode.SharpZipLib	High

#### Related Dependencies



- ICSharpCode.SharpZipLib.dll
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Java - Samples/viewer\_.net/WindowsForms/ReportViewer/lib/ICSharpCode.SharpZipLib.dll
  - MD5: 9e9e0a210297968aaf2e00d13958c0b4
  - SHA1: a32d2dbeac852718f285e26e3d9436a97879e55c
  - SHA256: cb9c05b5a1e1db26ff43490ee26f2e02abae3f321d2dd5ddd43a68da48eab83d

### Identifiers

- None

## JBarcodeBean.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/beans/JBarcodeBean.jar

**MD5:** c650fda9e7f38dd5059e775f67e4c738

**SHA1:** fd113b0c0b4f4e5a90c59b95504b6255a466c566

**SHA256:** 6a876a81e622477c2dfc059f95411bd02109c418a471a497917b89e4ff7bf551

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	JBarcodeBean	High
Vendor	jar	package name	jbarcodebean	Low
Product	file	name	JBarcodeBean	High

### Identifiers

- None

## JGaugeBean.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/beans/JGaugeBean.jar

**MD5:** 126df2fe432bc48ac7d512e1640e49e7

**SHA1:** b3db3482a0cb89591e1093725db156c7eddecba9

**SHA256:** 06cbc645b90cd04a5a77288095232b38392d831d911ee3b87310cbd07c074c27

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	JGaugeBean	High
Vendor	jar	package name	beans	Low

Vendor	jar	package name	gauge	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2024-12-03 17:16	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	JGaugeBean	High
Product	jar	package name	beans	Low
Product	jar	package name	gauge	Low
Product	Manifest	built-date	2024-12-03 17:16	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	JGaugeBean	High
Product	Manifest	specification-title	JGaugeBean	Medium
Version	Manifest	Implementation-Version	24.10.238	High

Identifiers

- None

LayoutJDBCDriver.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/LayoutJDBCDriver.jar  
**MD5:** 30cc29f53ddfc5c1d8c4d60506105970  
**SHA1:** 05b9252e47f0bf9af726dd994571375b9ab480fc  
**SHA256:** 94e7d2fa612603737191486d74c726aa0e6ecd9603ffa8277abfdb131d727891  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	LayoutJDBCDriver	High

Vendor	jar	package name	designer	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	layout	Low
Vendor	Manifest	Implementation-Vendor	i-net software GmbH	High
Product	file	name	LayoutJDBCDriver	High
Product	jar	package name	designer	Low
Product	jar	package name	jdbc	Highest
Product	jar	package name	jdbc	Low
Product	jar	package name	layout	Highest
Product	jar	package name	layout	Low
Product	Manifest	Implementation-Title	layout jdbc driver	High
Version	Manifest	Implementation-Version	1.0	High

#### Identifiers

- None

## Merlia-0.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/lib/Merlia/0/a6d457a3b6469de885ef03655d1216936ef43f1b/Merlia-0.jar

**MD5:** 0cd5423a663f69dd7875b0c82304cc3b

**SHA1:** a6d457a3b6469de885ef03655d1216936ef43f1b

**SHA256:** 08cbc9ffcc7c98eb772c900ec406f6be93f48ccc819c22ef8522bbc45b326057

**Referenced In Projects/Scopes:**

- server
- server:inetPlugin

**Included by:** pkg:maven/clear-reports/server@24.10

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	Merlia-0	High
Vendor	gradle	artifactid	Merlia	Highest
Vendor	gradle	groupid	lib	Highest
Vendor	jar	package name	inet	Low

Vendor	jar	package name	tds	Low
Product	file	name	Merlia-0	High
Product	gradle	artifactid	Merlia	Highest
Product	jar	package name	tds	Low
Version	file	name	Merlia-0	Medium
Version	file	version	0	Medium
Version	gradle	version	0	Highest
Version	Manifest	driver-version	8.13	Medium

#### Related Dependencies

- Merlia.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/Merlia.jar
  - MD5: 0cd5423a663f69dd7875b0c82304cc3b
  - SHA1: a6d457a3b6469de885ef03655d1216936ef43f1b
  - SHA256: 08cbc9ffcc7c98eb772c900ec406f6be93f48ccc819c22ef8522bbc45b326057

#### Identifiers

- [pkg:maven/lib/Merlia@0](#) (*Confidence*:Highest)

## Oranxo.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/Oranxo.jar

**MD5:** aa2c4d389e7b6e2d5b1981198b81dba0

**SHA1:** 19a376ee0883503d1a4d1ed03c20ca6fe3615ca6

**SHA256:** 12c84442d532b0338430adedadaae7fa003c3662d4d286547b4f7667e3238d8d

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	Oranxo	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	ora	Low
Product	file	name	Oranxo	High
Product	jar	package name	ora	Low

Identifiers

- None

ReportViewer.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Java - Samples/ReportViewer.jar  
**MD5:** 20a5e59c24a56caff9054131c0dee2af  
**SHA1:** 1c21d3fe252591458574be5d0570f93798253b09  
**SHA256:**f98abc0f5ef4225e9f83b39522d87f51f6894f9c7655baee07e65f84fb3cda99  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ReportViewer	High
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	viewer	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	i-net Clear Reports	Medium
Vendor	Manifest	built-date	2024-12-03 16:45	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low

Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	ReportViewer	High
Product	jar	package name	i	Highest
Product	jar	package name	reportviewer	Highest
Product	jar	package name	viewer	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	i-net Clear Reports	Medium
Product	Manifest	built-date	2024-12-03 16:45	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	ReportViewer	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	ReportViewer	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	24.10.238	High

### Related Dependencies



- ReportViewer.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/ReportViewer.jar
  - MD5: 20a5e59c24a56caff9054131c0dee2af
  - SHA1: 1c21d3fe252591458574be5d0570f93798253b09
  - SHA256: f98abc0f5ef4225e9f83b39522d87f51f6894f9c7655baee07e65f84fb3cda99

### Identifiers

- [cpe:2.3:a:inetsoftware:clear\\_reports:24.10.238:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Medium*)

suppress
- [cpe:2.3:a:inetsoftware:i-net\\_clear\\_reports:24.10.238:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Medium*)

suppress

## ReportViewerWinForms.csproj

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/ReportViewer - WindowsForms .NET /ReportViewerWinForms.csproj

**MD5:** 6461eb9c75fbd531e3a8571dc4da4ce

**SHA1:** 18b8709f159bbddca04bfd2043f7718bfd364168

**SHA256:** d89d6f94d27dc30be63126f4e4e75d900168377e99b413a26ae6b9be49a20e25

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	ReportViewerWinForms	High
Product	file	name	ReportViewerWinForms	High

### Related Dependencies

- ReportViewerWinForms.csproj
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Java - Samples/viewer\_.net/WindowsForms/ReportViewer /ReportViewerWinForms.csproj
  - MD5: 6461eb9c75fbd531e3a8571dc4da4ce
  - SHA1: 18b8709f159bbddca04bfd2043f7718bfd364168
  - SHA256: d89d6f94d27dc30be63126f4e4e75d900168377e99b413a26ae6b9be49a20e25

### Identifiers

- None

## ReportViewerWinFormsTests.csproj

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/ReportViewer - WindowsForms .NET /ReportViewerWinFormsTests.csproj

**MD5:** 668406baec4c761e2302676f4a7b88d7

**SHA1:** 23bbcd2cfc57c661aaefc24bb0ab360b402f45b

**SHA256:** 30a3bcf624662bfd75afc4302f034cfa5640a457b35bf0de05f52b531d73f2b5

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	ReportViewerWinFormsTests	High

Product

file

name

ReportViewerWinFormsTests

High

Related Dependencies

- ReportViewerWinFormsTests.csproj
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Java - Samples/viewer\_.net/WindowsForms/ReportViewer /ReportViewerWinFormsTests.csproj
  - MD5: 668406baec4c761e2302676f4a7b88d7
  - SHA1: 23bbbed2cfc57c661aaeafc24bb0ab360b402f45b
  - SHA256: 30a3bcf624662bfd75afc4302f034cfa5640a457b35bf0de05f52b531d73f2b5

Identifiers

- None

Syto.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/lib/driver/Syto.jar  
**MD5:** 62a8cd327489a2594a5d5cae627d5742  
**SHA1:** 2b28e808d0b71585e4bc154fc7bd495595b895ef  
**SHA256:**d0924747503b5ce3f77e3bf047118df29602192998bb34624fe5870f60e4b037  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	Syto	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pool	Low
Product	file	name	Syto	High
Product	jar	package name	pool	Low

Identifiers

- None

ZxingBarCodes.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/beans/ZxingBarCodes.jar  
**MD5:** 600c0f4a3885e14f3d23906265888ffd  
**SHA1:** 855e104ac063a8eb8c3fe385eb70dbf4a01efe95  
**SHA256:**6461b2081ace509c3293c43c2d9005de0f6d25799c73221a3553b5547b24bda2  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ZxingBarCodes	High
Vendor	jar	package name	beans	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	zxing	Low
Vendor	Manifest	built-date	2024-12-03 17:16	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	ZxingBarCodes	High
Product	jar	package name	beans	Low
Product	jar	package name	zxing	Low
Product	jar	package name	zxingbarcodes	Highest
Product	Manifest	built-date	2024-12-03 17:16	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	ZxingBarCodes	High
Product	Manifest	specification-title	ZxingBarCodes	Medium
Version	Manifest	Implementation-Version	24.10.238	High

Identifiers

- None

adhoc.zip: adhoc.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar  
**MD5:** 618f79e5d3b93783bc7cdd1771c5cac8  
**SHA1:** f8393efeaf6aef233ad79d436b80942d692ff38c  
**SHA256:**91d49760c510f636fade28450dbd31a76b58fb1cd9af7b9b16da62d449dc65a9  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	adhoc	High
Vendor	jar	package name	gui	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	remote	Low
Vendor	Manifest	built-date	2024-12-03 17:11	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	adhoc	High
Product	jar	package name	adhoc	Highest
Product	jar	package name	gui	Low
Product	jar	package name	modules	Low
Product	jar	package name	remote	Low
Product	Manifest	built-date	2024-12-03 17:11	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	adhoc	High
Product	Manifest	specification-title	adhoc	Medium
Version	Manifest	Implementation-Version	24.10.238	High

### Identifiers

- None

## adhoc.zip: adhoc.jar: adhocmodule.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/remote/gui/modules/adhoc/adhocmodule.js

**MD5:** e3ba97da1119b592c496af42ffc21f5

**SHA1:** 5ea07dccea534e3fb002c2a73a56348dfb0c7865

**SHA256:** 9d9098877dca876c869511dcee7afdf7693d67b0af234d0a3938da6a15884764

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Related Dependencies



- designer.zip: adhoc.jar: adhocmodule.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/adhoc.jar/com/inet/remote/gui/modules/adhoc/adhocmodule.js
  - MD5: e3ba97da1119b592c496af42ffc21f5
  - SHA1: 5ea07dccea534e3fb002c2a73a56348dfb0c7865
  - SHA256: 9d9098877dca876c869511dcee7afdf7693d67b0af234d0a3938da6a15884764

### Identifiers

- None

## adhoc.zip: adhocClient.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhocClient.jar

**MD5:** 0c1c9a5b368ab1138509ffde84787ce9

**SHA1:** 4dd9e98016a1bdd8b804d572ccceeeafc11ba493

**SHA256:** 63744cf3c1e6881df6b1d05db34c09e75f528edaf53767f4403601ad4f256667

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	adhocClient	High
Vendor	jar	package name	adhoc	Low
Vendor	jar	package name	client	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-12-03 17:10	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	adhocClient	High
Product	jar	package name	adhoc	Low
Product	jar	package name	client	Low
Product	jar	package name	page	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-12-03 17:10	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	adhocClient	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	adhocClient	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low

Version	Manifest	Implementation-Version	24.10.238	High
---------	----------	------------------------	-----------	------

### Identifiers

- None

## application.currenttime.zip: application.currenttime.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/CurrentTimePlugin/application.currenttime.zip/application.currenttime.sample.jar

**MD5:** 0cc387506240825032a8b43aac715b82

**SHA1:** 31eec48d5e53badc53e577f7a3325f037b4d2cf5

**SHA256:** 4cac84744c30f528d14c725d2a0fc505ed2904f846fdadc43cdf296dfd1070fd

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	application.currenttime.sample	High
Vendor	jar	package name	application	Low
Vendor	jar	package name	currenttime	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2024-12-03 15:53	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	application.currenttime.sample	High
Product	jar	package name	application	Highest
Product	jar	package name	application	Low
Product	jar	package name	currenttime	Highest
Product	jar	package name	currenttime	Low
Product	Manifest	built-date	2024-12-03 15:53	Low

Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	application.currenttime	High
Product	Manifest	specification-title	application.currenttime	Medium
Version	Manifest	Implementation-Version	24.10.238	High

#### Identifiers

- None

### application.currenttime.zip: application.currenttime.sample.jar: sampleapplication.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/CurrentTimePlugin/application.currenttime.zip/application.currenttime.sample.jar/com/inet/application/currenttime/sampleapplication.js

**MD5:** 62b73d66b3a5d99c2d5f9370514ce5c7

**SHA1:** 3edcc5ec1862d2da8872f35b2290be8babb7f94c

**SHA256:** 522c5f97270c0dff35ba66fbb4ff31b14220051c8fc948e82f4bbdf07cd86749

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### application.embedded.zip: application.embedded.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/Embedded/application.embedded.zip/application.embedded.sample.jar

**MD5:** f2aa8488b6659ad1c67fb204894ff7e4

**SHA1:** cb85cdd1ff2fc5342f000aae0b0f1ef2ecb9f506

**SHA256:** af56084a5ab3f082647972349c1f3ed37cb77f8e3e056d31124ca04b9de8b38a

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	application.embedded.sample	High
Vendor	jar	package name	application	Low
Vendor	jar	package name	embedded	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2024-12-03 15:53	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	application.embedded.sample	High
Product	jar	package name	application	Highest
Product	jar	package name	application	Low
Product	jar	package name	embedded	Highest
Product	jar	package name	embedded	Low
Product	jar	package name	embeddedserverplugin	Low
Product	Manifest	built-date	2024-12-03 15:53	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	application.embedded	High
Product	Manifest	specification-title	application.embedded	Medium
Version	Manifest	Implementation-Version	24.10.238	High

#### Identifiers

- None

application.embedded.zip: application.embedded.sample.jar: embeddedMode.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/Embedded/application.embedded.zip/application.embedded.sample.jar/com/inet/application/embedded/webgui/embeddedMode.js  
**MD5:** 0dd2944e9ebe2d6dc36b7d76761b5710  
**SHA1:** ab849acd19da6478b94d58b1b00d474c179af217  
**SHA256:**3a692f43f8c80fb469146b5bc3ab738f5676e0809052735384cc0c631ed18a30  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

application.googleanalytics.zip: application.googleanalytics.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/application.googleanalytics.zip/application.googleanalytics.sample.jar  
**MD5:** 0c030e1907e0fd5cedd920853190dbb3  
**SHA1:** 8218d44d2d5d04e022f4006bc68b30d145060620  
**SHA256:**cce1196fccd4fa482ba7ff776193c723f71ed5ed3ba98767377de66999afebb3  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	application.googleanalytics.sample	High
Vendor	jar	package name	application	Low
Vendor	jar	package name	googleanalytics	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2024-12-03 15:53	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low

Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	application.googleanalytics.sample	High
Product	jar	package name	application	Highest
Product	jar	package name	application	Low
Product	jar	package name	googleanalytics	Highest
Product	jar	package name	googleanalytics	Low
Product	Manifest	built-date	2024-12-03 15:53	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	application.googleanalytics	High
Product	Manifest	specification-title	application.googleanalytics	Medium
Version	Manifest	Implementation-Version	24.10.238	High

#### Identifiers

- None

### application.googleanalytics.zip: application.googleanalytics.sample.jar: googleanalytics.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/application.googleanalytics.zip/application.googleanalytics.sample.jar/com/inet/application/googleanalytics/client/js/googleanalytics.js

**MD5:** 7512e030d793b3d3ee264e270c6a47cb

**SHA1:** c36576229b9b35b5b6892ce20a84fe961d466e92

**SHA256:**ac96d6524d82404729e9b24d67d1dc257ffdacb01b63c9515654a832947dd842

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

application.googleanalytics.zip: application.googleanalytics.sample.jar: jquery.cookiebar.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/application.googleanalytics.zip/application.googleanalytics.sample.jar/com/inet/application/googleanalytics/client/js/jquery.cookiebar.js  
**MD5:** efe0003d931bfaea2d955f97ff5ff7b5  
**SHA1:** 5e22051adbdf7c4d5a2f659c5bb398d75c25e33b  
**SHA256:**2570f2de5f332317e33e462949ba947dd8082bc9028785b172ea7a9e7e8fc4fe  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

application.helloworld.zip: application.helloworld.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/HelloWorld/application.helloworld.zip/application.helloworld.sample.jar  
**MD5:** 13ea42feb996cab8fb27be625306a534  
**SHA1:** 1dc184fecb6fa7016771e39605e1b875e9d571dc  
**SHA256:**bc3e0d39d052d71ec2f95a70dc04f8f3b6b84ac2fd54724f6818b20d6c4f65c6  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	application.helloworld.sample	High
Vendor	jar	package name	application	Low
Vendor	jar	package name	helloworld	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2024-12-03 15:53	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium

Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	application.helloworld.sample	High
Product	jar	package name	application	Highest
Product	jar	package name	application	Low
Product	jar	package name	helloworld	Highest
Product	jar	package name	helloworld	Low
Product	Manifest	built-date	2024-12-03 15:53	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	application.helloworld	High
Product	Manifest	specification-title	application.helloworld	Medium
Version	Manifest	Implementation-Version	24.10.238	High

#### Identifiers

- None

### authentication.ldap.zip: authentication.ldap.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.ldap.zip/authentication.ldap.jar

**MD5:** 17a5baf08d979dbc075c9e58e2e15acb

**SHA1:** 3737111fabfb265810bf05fe74d5f1516cca4784

**SHA256:**6679d6e0657269d4bbd7dfedd66f7e11702dcc3c8964584c9418451a536ac715

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.ldap	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	ldap	Low
Vendor	Manifest	built-date	2024-12-03 15:39	Low
Vendor	Manifest	implementation-	shared	Low

group				
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication ldap	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	ldap	Highest
Product	jar	package name	ldap	Low
Product	Manifest	built-date	2024-12-03 15:39	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication ldap	High
Product	Manifest	specification-title	authentication ldap	Medium
Version	Manifest	Implementation-Version	24.10.238	High

Identifiers

- None

authentication.oauth.ex.zip: authentication.oauth.ex.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Authentication/OAuth/authentication.oauth.ex.zip/authentication.oauth.ex.sample.jar  
**MD5:** 1dceb267da5e7556eda5ec85412ca4ed  
**SHA1:** 2207210b0578d2cbe259d92cc5f8e2edea23e0b5  
**SHA256:** 7aacbe2012416c871296729b9949191eddfbd643d8450245b291fa164882f420  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.oauth.ex.sample	High
Vendor	jar	package name	authentication	Low

Vendor	jar	package name	inet	Low
Vendor	jar	package name	oauth	Low
Vendor	Manifest	built-date	2024-12-03 15:53	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.oauth.ex.sample	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	ex	Highest
Product	jar	package name	ex	Low
Product	jar	package name	oauth	Highest
Product	jar	package name	oauth	Low
Product	Manifest	built-date	2024-12-03 15:53	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.oauth.ex	High
Product	Manifest	specification-title	authentication.oauth.ex	Medium
Version	Manifest	Implementation-Version	24.10.238	High

#### Identifiers

- None

### authentication.oauth.zip: authentication.oauth-javadoc.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar

**MD5:** 51f3c9747bea3c6143a70863d2b40d3e

**SHA1:** baf3c8d3cdf8dfc091cb0dfee79b9e866b53c7f8  
**SHA256:**9b2bc706882f1639997b41d6fcddd2ef49d5124e17cfa842d85fca59883b501b  
**Referenced In Project/Scope:** server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.oauth-javadoc	High
Product	file	name	authentication.oauth-javadoc	High

Identifiers

- None

authentication.oauth.zip: authentication.oauth-javadoc.jar: jquery-3.6.1.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/script-dir/jquery-3.6.1.min.js  
**MD5:** 00727d1d5d9c90f7de826f1a4a9cc632  
**SHA1:** ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2  
**SHA256:**a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74  
**Referenced In Project/Scope:** server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- maintenance.zip: maintenance-javadoc.jar: jquery-3.6.1.min.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/script-dir/jquery-3.6.1.min.js
  - MD5: 00727d1d5d9c90f7de826f1a4a9cc632
  - SHA1: ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2
  - SHA256: a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74
- reporting.zip: reporting-javadoc.jar: jquery-3.6.1.min.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/script-dir/jquery-3.6.1.min.js
  - MD5: 00727d1d5d9c90f7de826f1a4a9cc632
  - SHA1: ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2
  - SHA256: a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: jquery-3.6.1.min.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins

/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/script-dir/jquery-3.6.1.min.js

- MD5: 00727d1d5d9c90f7de826f1a4a9cc632
- SHA1: ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2
- SHA256: a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74
- taskplanner.zip: taskplanner-javadoc.jar: jquery-3.6.1.min.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/script-dir/jquery-3.6.1.min.js
  - MD5: 00727d1d5d9c90f7de826f1a4a9cc632
  - SHA1: ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2
  - SHA256: a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74

#### Identifiers

- None

### authentication.oauth.zip: authentication.oauth-javadoc.jar: jquery-ui.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/script-dir/jquery-ui.min.js

**MD5:** 32059df39c14a910ccc2325f6a3cd62f

**SHA1:** d3289f1b527a3f054d303ec769402e037fbfcf4b

**SHA256:** 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jquery-ui	High
Product	file	name	jquery-ui	High
Version	file	version	1.13.1	High

#### Related Dependencies

- maintenance.zip: maintenance-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/script-dir/jquery-ui.min.js
  - MD5: 32059df39c14a910ccc2325f6a3cd62f
  - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
  - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
  - [pkg:javascript/jquery-ui@1.13.1](#)
- reporting.zip: reporting-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/script-dir/jquery-ui.min.js
  - MD5: 32059df39c14a910ccc2325f6a3cd62f

- SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
- SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
- [pkg:javascript/jquery-ui@1.13.1](#)
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/script-dir/jquery-ui.min.js
  - MD5: 32059df39c14a910ccc2325f6a3cd62f
  - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
  - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
  - [pkg:javascript/jquery-ui@1.13.1](#)
- taskplanner.zip: taskplanner-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/script-dir/jquery-ui.min.js
  - MD5: 32059df39c14a910ccc2325f6a3cd62f
  - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
  - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
  - [pkg:javascript/jquery-ui@1.13.1](#)

#### Identifiers

- [pkg:javascript/jquery-ui@1.13.1](#) (*Confidence: Highest*)

### authentication.oauth.zip: authentication.oauth-javadoc.jar: member-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/member-search-index.js

**MD5:** ad4d8ae56efc00d35f1387fde1b8b0d7

**SHA1:** 622dc313112441ff81389bd51b54836121975fe3

**SHA256:** a4dfe725eba1a4e4a2c602c9f0f34152c57eda9c2cf47ff0c7320d1a5424bed4

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### authentication.oauth.zip: authentication.oauth-javadoc.jar: module-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/module-search-index.js  
**MD5:** a33da0f469acbd03f77bf407bac505f5  
**SHA1:** 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8  
**SHA256:** 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- maintenance.zip: maintenance-javadoc.jar: module-search-index.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/module-search-index.js
  - MD5: a33da0f469acbd03f77bf407bac505f5
  - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
  - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18
- reporting.zip: reporting-javadoc.jar: module-search-index.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/module-search-index.js
  - MD5: a33da0f469acbd03f77bf407bac505f5
  - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
  - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: module-search-index.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/module-search-index.js
  - MD5: a33da0f469acbd03f77bf407bac505f5
  - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
  - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18
- taskplanner.zip: taskplanner-javadoc.jar: module-search-index.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/module-search-index.js
  - MD5: a33da0f469acbd03f77bf407bac505f5
  - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
  - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18

Identifiers

- None

authentication.oauth.zip: authentication.oauth-javadoc.jar: package-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-

javadoc.jar/package-search-index.js

**MD5:** b295c5518a8e2f5d9e58b02a178812eb

**SHA1:** 0b387a2d57725d3e9ad8f547eba5128793ecfec6

**SHA256:** bee1ad51546e55d3937c545e9a1169d5e470c1d38528e5f974d845863b6e891e

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### authentication.oauth.zip: authentication.oauth-javadoc.jar: script.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/script.js

**MD5:** baf9d9e16237acbdce975a33c54ee8ae

**SHA1:** cc6a3c8d72f17eff0d613ddfcf7c1095535573f7

**SHA256:** 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- maintenance.zip: maintenance-javadoc.jar: script.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/script.js
  - MD5: baf9d9e16237acbdce975a33c54ee8ae
  - SHA1: cc6a3c8d72f17eff0d613ddfcf7c1095535573f7
  - SHA256: 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975
- reporting.zip: reporting-javadoc.jar: script.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/script.js
  - MD5: baf9d9e16237acbdce975a33c54ee8ae
  - SHA1: cc6a3c8d72f17eff0d613ddfcf7c1095535573f7
  - SHA256: 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: script.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/script.js
  - MD5: baf9d9e16237acbdce975a33c54ee8ae

- SHA1: cc6a3c8d72f17eff0d613ddfc7c1095535573f7
- SHA256: 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975
- taskplanner.zip: taskplanner-javadoc.jar: script.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/script.js
  - MD5: baf9d9e16237acbdce975a33c54ee8ae
  - SHA1: cc6a3c8d72f17eff0d613ddfc7c1095535573f7
  - SHA256: 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975

#### Identifiers

- None

### authentication.oauth.zip: authentication.oauth-javadoc.jar: search.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/search.js

**MD5:** cb277f670590ffec20a12745260518dc

**SHA1:** 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca

**SHA256:** 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence

#### Related Dependencies

- maintenance.zip: maintenance-javadoc.jar: search.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/search.js
  - MD5: cb277f670590ffec20a12745260518dc
  - SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
  - SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f
- reporting.zip: reporting-javadoc.jar: search.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/search.js
  - MD5: cb277f670590ffec20a12745260518dc
  - SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
  - SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: search.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/search.js
  - MD5: cb277f670590ffec20a12745260518dc
  - SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
  - SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f

- taskplanner.zip: taskplanner-javadoc.jar: search.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/search.js
  - MD5: cb277f670590ffec20a12745260518dc
  - SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
  - SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f

#### Identifiers

- None

### authentication.oauth.zip: authentication.oauth-javadoc.jar: tag-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/tag-search-index.js

**MD5:** 95810a7878ddd3f49d938eb6b5c0f1b2

**SHA1:** 4d0358e131242bfb1a29d1db368e9e24381ad979

**SHA256:** e31bd7c6847cd8b49a884fe01244f740ad184cdb7aa6449830be21985158f0d9

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence

#### Related Dependencies

- reporting.zip: reporting-javadoc.jar: tag-search-index.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/tag-search-index.js
  - MD5: 95810a7878ddd3f49d938eb6b5c0f1b2
  - SHA1: 4d0358e131242bfb1a29d1db368e9e24381ad979
  - SHA256: e31bd7c6847cd8b49a884fe01244f740ad184cdb7aa6449830be21985158f0d9
- taskplanner.zip: taskplanner-javadoc.jar: tag-search-index.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/tag-search-index.js
  - MD5: 95810a7878ddd3f49d938eb6b5c0f1b2
  - SHA1: 4d0358e131242bfb1a29d1db368e9e24381ad979
  - SHA256: e31bd7c6847cd8b49a884fe01244f740ad184cdb7aa6449830be21985158f0d9

#### Identifiers

- None

authentication.oauth.zip: authentication.oauth-javadoc.jar: type-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/type-search-index.js  
**MD5:** c5cf5d9f662e5d0fb1fbe03c620a9e3c  
**SHA1:** 4cff882ae583b06340823df524526241504fa320  
**SHA256:**84e8a0f0eaf62268a0904f400e6d146858ec764b1d8e107e11dfd6da3d4419aa  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

authentication.oauth.zip: authentication.oauth.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth.jar  
**MD5:** 96672782d5b5e27c3f1c5df2831ef5c1  
**SHA1:** 5643cc7869aa5171bee315328da61f6c20d41d49  
**SHA256:**81ebe96d935c50222845de1399c4b9a7d4166b859e867b7abf5145ff1dda4524  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.oauth	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	oauth2	Low
Vendor	Manifest	built-date	2024-12-03 15:53	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium

Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.oauth	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	internal	Low
Product	jar	package name	oauth2	Low
Product	Manifest	built-date	2024-12-03 15:53	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.oauth	High
Product	Manifest	specification-title	authentication.oauth	Medium
Version	Manifest	Implementation-Version	24.10.238	High

Identifiers

- None

authentication.oauth.zip: jjwt-api.jar

Description:

JSON Web Token support for the JVM and Android

License:

<https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/jjwt-api.jar

**MD5:** 995d2066feaa206de5e880045c9407d4

**SHA1:** 478886a888f6add04937baf0361144504a024967

**SHA256:**8fabe0be1dfad1c823dc43137453e017d2c83f376422c83e017d9dd1043e6984

**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jjwt-api	High
Vendor	jar	package name	io	Highest

Vendor	jar	package name	jsonwebtoken	Highest
Vendor	Manifest	build-jdk-spec	1.7	Low
Vendor	Manifest	bundle-docurl	<a href="https://github.com/jwt/jwt">https://github.com/jwt/jwt</a>	Low
Vendor	Manifest	bundle-symbolicname	io.jsonwebtoken.jjwt-api	Medium
Vendor	Manifest	implementation-url	<a href="https://github.com/jwt/jwt/jwt-api">https://github.com/jwt/jwt/jwt-api</a>	Low
Vendor	Manifest	Implementation-Vendor	jsonwebtoken.io	High
Vendor	Manifest	Implementation-Vendor-Id	io.jsonwebtoken	Medium
Vendor	Manifest	specification-vendor	jsonwebtoken.io	Low
Vendor	pom	artifactid	jjwt-api	Low
Vendor	pom	groupid	io.jsonwebtoken	Highest
Vendor	pom	name	JJWT :: API	High
Vendor	pom	parent-artifactid	jjwt-root	Low
Product	file	name	jjwt-api	High
Product	jar	package name	io	Highest
Product	jar	package name	jsonwebtoken	Highest
Product	Manifest	build-jdk-spec	1.7	Low
Product	Manifest	bundle-docurl	<a href="https://github.com/jwt/jwt">https://github.com/jwt/jwt</a>	Low
Product	Manifest	Bundle-Name	JJWT :: API	Medium
Product	Manifest	bundle-symbolicname	io.jsonwebtoken.jjwt-api	Medium
Product	Manifest	Implementation-Title	JJWT :: API	High
Product	Manifest	implementation-url	<a href="https://github.com/jwt/jwt/jwt-api">https://github.com/jwt/jwt/jwt-api</a>	Low
Product	Manifest	specification-title	JJWT :: API	Medium
Product	pom	artifactid	jjwt-api	Highest
Product	pom	groupid	io.jsonwebtoken	Highest
Product	pom	name	JJWT :: API	High
Product	pom	parent-artifactid	jjwt-root	Medium
Version	Manifest	Bundle-Version	0.12.6	High
Version	Manifest	Implementation-Version	0.12.6	High
Version	pom	version	0.12.6	Highest

## Identifiers

- [pkg:maven/io.jsonwebtoken/jjwt-api@0.12.6](https://maven.io.jsonwebtoken/jjwt-api@0.12.6) (*Confidence:High*)

## authentication.oauth.zip: jjwt-impl.jar

### Description:

JSON Web Token support for the JVM and Android

### License:

<https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/jjwt-impl.jar

**MD5:** e96f699bad6353508953424e82e5de45

**SHA1:** ac23673a84b6089e0369fb8ab2c69edd91cd6eb0

**SHA256:** ad80ceda467ddab64f0e729257dd5f72f61487cc3b92e696270e620f0d88168f

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jjwt-impl	High
Vendor	jar	package name	impl	Highest
Vendor	jar	package name	io	Highest
Vendor	jar	package name	jsonwebtoken	Highest
Vendor	Manifest	build-jdk-spec	1.7	Low
Vendor	Manifest	bundle-docurl	<a href="https://github.com/jwt/jwt">https://github.com/jwt/jwt</a>	Low
Vendor	Manifest	bundle-symbolicname	io.jsonwebtoken.jjwt-impl	Medium
Vendor	Manifest	fragment-host	io.jsonwebtoken.jjwt-api	Low
Vendor	Manifest	implementation-url	<a href="https://github.com/jwt/jwt/jjwt-impl">https://github.com/jwt/jwt/jjwt-impl</a>	Low
Vendor	Manifest	Implementation-Vendor	jsonwebtoken.io	High
Vendor	Manifest	Implementation-Vendor-Id	io.jsonwebtoken	Medium
Vendor	Manifest	specification-vendor	jsonwebtoken.io	Low
Vendor	pom	artifactid	jjwt-impl	Low
Vendor	pom	groupid	io.jsonwebtoken	Highest
Vendor	pom	name	JJWT :: Impl	High

Vendor	pom	parent-artifactid	jjwt-root	Low
Product	file	name	jjwt-impl	High
Product	jar	package name	impl	Highest
Product	jar	package name	io	Highest
Product	jar	package name	jsonwebtoken	Highest
Product	Manifest	build-jdk-spec	1.7	Low
Product	Manifest	bundle-docurl	https://github.com/jwt/jwt	Low
Product	Manifest	Bundle-Name	JJWT :: Impl	Medium
Product	Manifest	bundle-symbolicname	io.jsonwebtoken.jjwt-impl	Medium
Product	Manifest	fragment-host	io.jsonwebtoken.jjwt-api	Low
Product	Manifest	Implementation-Title	JJWT :: Impl	High
Product	Manifest	implementation-url	https://github.com/jwt/jwt/jjwt-impl	Low
Product	Manifest	specification-title	JJWT :: Impl	Medium
Product	pom	artifactid	jjwt-impl	Highest
Product	pom	groupid	io.jsonwebtoken	Highest
Product	pom	name	JJWT :: Impl	High
Product	pom	parent-artifactid	jjwt-root	Medium
Version	Manifest	Bundle-Version	0.12.6	High
Version	Manifest	Implementation-Version	0.12.6	High
Version	pom	version	0.12.6	Highest

#### Identifiers

- [pkg:maven/io.jsonwebtoken/jjwt-impl@0.12.6](https://maven.io/jsonwebtoken/jjwt-impl@0.12.6) (*Confidence:High*)

### authentication.pam.zip: authentication.pam.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.pam.zip/authentication.pam.jar

**MD5:** 542b60de4627e2068b5fc6cd19eb6251

**SHA1:** 93149e63a9eea38209f65cab740c80d8e2e6033d

**SHA256:** 2e74df1693d4fab8512580b7068a9382808927ae378ccf46ca4c5f79fe66516c

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.pam	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pam	Low
Vendor	Manifest	built-date	2024-12-03 15:40	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.pam	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	libpam	Low
Product	jar	package name	pam	Highest
Product	jar	package name	pam	Low
Product	Manifest	built-date	2024-12-03 15:40	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.pam	High
Product	Manifest	specification-title	authentication.pam	Medium
Version	Manifest	Implementation-Version	24.10.238	High

#### Identifiers

- None

authentication.passwordfile.zip: authentication.passwordfile.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Authentication/PasswordFile/authentication.passwordfile.zip/authentication.passwordfile.sample.jar  
**MD5:** fca25e1482c006d4dd3513cf0b2747c6  
**SHA1:** ef1646cc551a1e427b09d7da725d3f81d9bac509  
**SHA256:** 6f0c4d031a03878b69940ae695d92b4b72be7ceda559f9524a6baea22a8d679a  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.passwordfile.sample	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	passwordfile	Low
Vendor	Manifest	built-date	2024-12-03 15:53	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.passwordfile.sample	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	passwordfile	Highest
Product	jar	package name	passwordfile	Low
Product	Manifest	built-date	2024-12-03 15:53	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.passwordfile	High
Product	Manifest	specification-title	authentication.passwordfile	Medium
Version	Manifest	Implementation-Version	24.10.238	High

Identifiers

- None

authentication.product.zip: authentication.product.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.product.zip/authentication.product.jar  
**MD5:** 9c1e826dd71d4e0a200fc54f4b81e00a  
**SHA1:** 760c589661eb018ebe6b82d562a7436f17362e37  
**SHA256:**ac8ded87c78d32062eb7ffca6ead61d40536b147f6f50819174b73891c53910e  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.product	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	product	Low
Vendor	Manifest	built-date	2024-12-03 15:44	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.product	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	product	Highest
Product	jar	package name	product	Low
Product	Manifest	built-date	2024-12-03 15:44	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.product	High
Product	Manifest	specification-title	authentication.product	Medium
Version	Manifest	Implementation-Version	24.10.238	High

Identifiers

- None

authentication.token.zip: authentication.token.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.token.zip/authentication.token.jar  
**MD5:** b0e0f538cae38d4e0d51ce58d5073fb7  
**SHA1:** 980f930a3aa09bb2055cbe6d92efe2a13663c420  
**SHA256:** 7abea11a0f0bfa044740660967e1781c3bd38f568d4387acdfd3eaf2bbbb8087  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.token	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	token	Low
Vendor	Manifest	built-date	2024-12-03 15:53	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.token	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	server	Low
Product	jar	package name	token	Highest
Product	jar	package name	token	Low
Product	Manifest	built-date	2024-12-03 15:53	Low
Product	Manifest	implementation-group	shared	Low

Product	Manifest	Implementation-Title	authentication.token	High
Product	Manifest	specification-title	authentication.token	Medium
Version	Manifest	Implementation-Version	24.10.238	High

#### Identifiers

- None

### authentication.token.zip: authentication.token.jar: tokenauthentication.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.token.zip/authentication.token.jar  
/com/inet/authentication/token/client/js/tokenauthentication.js

**MD5:** 698a0b4ba4441ffc56ad4244b76b9a5c

**SHA1:** cd95571ec027020528d40bcb093a7363c66afae9

**SHA256:** ccad3627bc2a5675f050b7ba2a3aa069b6d5419e15c80c0c127a70308b19da70

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### authentication.windows.zip: authentication.windows.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.windows.zip/authentication.windows.jar

**MD5:** 58c1fdd701a5642c44f2a3c2d42ada7f

**SHA1:** cf37b2a709b9b43a1e0cf2949ed640dc30a06bb2

**SHA256:** 1aa4966b8e324a34d489f9b2ace52fb7a9ec5902c532f3ff524cd9e621ba2bf6

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	authentication.windows	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	windows	Low
Vendor	Manifest	built-date	2024-12-03 15:40	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.windows	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	windows	Highest
Product	jar	package name	windows	Low
Product	Manifest	built-date	2024-12-03 15:40	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.windows	High
Product	Manifest	specification-title	authentication.windows	Medium
Version	Manifest	Implementation-Version	24.10.238	High

**Identifiers**

- None

**authentication.windows.zip: caffeine.jar**

**Description:**

A high performance caching library

**License:**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.windows.zip/caffeine.jar

**MD5:** 7661b25999918646ec802846cc4c16bc

**SHA1:** 3646a0d1b1abe6a31f72f2237d9004d10a5be91d

**SHA256:** 0311f9d5d9750aa2a1c11cbdba5a5cb7fec91c8870d6f179f324b3f5295b87dd

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	caffeine	High
Vendor	jar	package name	benmanes	Highest
Vendor	jar	package name	benmanes	Low
Vendor	jar	package name	caffeine	Highest
Vendor	jar	package name	caffeine	Low
Vendor	jar	package name	github	Highest
Vendor	jar	package name	github	Low
Vendor	Manifest	automatic-module-name	com.github.benmanes.caffeine	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-symbolicname	com.github.ben-manes.caffeine	Medium
Product	file	name	caffeine	High
Product	jar	package name	benmanes	Highest
Product	jar	package name	benmanes	Low
Product	jar	package name	cache	Low
Product	jar	package name	caffeine	Highest
Product	jar	package name	caffeine	Low
Product	jar	package name	github	Highest
Product	Manifest	automatic-module-name	com.github.benmanes.caffeine	Medium
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	Bundle-Name	com.github.ben-manes.caffeine	Medium
Product	Manifest	bundle-symbolicname	com.github.ben-manes.caffeine	Medium
Product	Manifest	Implementation-Title	A high performance caching library	High
Version	Manifest	build-jdk-spec	11	Low
Version	Manifest	Bundle-Version	3.1.6	High
Version	Manifest	Implementation-	3.1.6	High

Version

## Identifiers

- None

## authentication.windows.zip: jna-platform.jar

### Description:

JNA Platform Library

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.windows.zip/jna-platform.jar

**MD5:** 3bc3f09a698e6ad250dd093f64fbb8a7

**SHA1:** 28934d48aed814f11e4c584da55c49fa7032b31b

**SHA256:** ae4caceb3840730c2537f9b7fb55a01baba580286b4122951488bcee558c2449

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jna-platform	High
Vendor	jar	package name	jna	Highest
Vendor	jar	package name	jna	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	sun	Highest
Vendor	jar	package name	sun	Low
Vendor	jar (hint)	package name	oracle	Highest
Vendor	jar (hint)	package name	oracle	Low
Vendor	Manifest	automatic-module-name	com.sun.jna.platform	Medium
Vendor	Manifest	bundle-category	jni	Low
Vendor	Manifest	bundle-requiredexecution	J2SE-1.4	Low
Vendor	Manifest	bundle-symbolicname	com.sun.jna.platform	Medium
Vendor	Manifest	Implementation-Vendor	JNA Development Team	High

Vendor	Manifest	require-bundle	com.sun.jna;bundle-version="5.14.0"	Low
Vendor	Manifest	specification-vendor	JNA Development Team	Low
Product	file	name	jna-platform	High
Product	jar	package name	jna	Highest
Product	jar	package name	jna	Low
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	sun	Highest
Product	jar	package name	win32	Low
Product	Manifest	automatic-module-name	com.sun.jna.platform	Medium
Product	Manifest	bundle-category	jni	Low
Product	Manifest	Bundle-Name	jna-platform	Medium
Product	Manifest	bundle-requiredexecution	J2SE-1.4	Low
Product	Manifest	bundle-symbolicname	com.sun.jna.platform	Medium
Product	Manifest	Implementation-Title	com.sun.jna	High
Product	Manifest	require-bundle	com.sun.jna;bundle-version="5.14.0"	Low
Product	Manifest	specification-title	Java Native Access (JNA)	Medium
Version	jar	package name	jna	Highest
Version	jar	package name	sun	Highest
Version	Manifest	Bundle-Version	5.14.0	High
Version	Manifest	Implementation-Version	5.14.0 (b0)	High

#### Identifiers

- None

## authentication.windows.zip: waffle-jna.jar

### Description:

WAFFLE JNA implementation

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.windows.zip/waffle-jna.jar  
**MD5:** 72644924463cce2b4a2bbb8969a60345  
**SHA1:** a1836f06f9728e1c126064c5fd8e747507edbd5e  
**SHA256:**9797c878bc7b4142b8967265a5aa76969dfd0341f49b016a097c0ca034aaeaa0  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	waffle-jna	High
Vendor	jar	package name	waffle	Highest
Vendor	Manifest	automatic-module-name	waffle.jna	Medium
Vendor	Manifest	build-jdk-spec	22	Low
Vendor	Manifest	copyright	2024	Low
Vendor	Manifest	git-revision	894fadbe03fa86dc0880e3b27b2ea1798e3525	Low
Vendor	Manifest	Implementation-Vendor	com.github.waffle	High
Vendor	Manifest	specification-vendor	com.github.waffle	Low
Vendor	pom	artifactid	waffle-jna	Low
Vendor	pom	groupid	com.github.waffle	Highest
Vendor	pom	name	waffle-jna	High
Vendor	pom	parent-artifactid	waffle	Low
Vendor	pom	url	https://waffle.github.io/waffle/	Highest
Product	file	name	waffle-jna	High
Product	jar	package name	waffle	Highest
Product	Manifest	automatic-module-name	waffle.jna	Medium
Product	Manifest	build-jdk-spec	22	Low
Product	Manifest	copyright	2024	Low
Product	Manifest	git-revision	894fadbe03fa86dc0880e3b27b2ea1798e3525	Low
Product	Manifest	Implementation-Title	waffle-jna	High
Product	Manifest	specification-title	waffle-jna	Medium
Product	pom	artifactid	waffle-jna	Highest
Product	pom	groupid	com.github.waffle	Highest
Product	pom	name	waffle-jna	High
Product	pom	parent-artifactid	waffle	Medium

Product	pom	url	https://waffle.github.io/waffle/	Medium
Version	Manifest	Implementation-Version	3.4.0	High
Version	pom	version	3.4.0	Highest

#### Identifiers

- <pkg:maven/com.github.waffle/waffle-jna@3.4.0> (*Confidence:High*)

### collation.zip: collation.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/collation.zip/collation.sample.jar

**MD5:** 8cf3089da58e11077d4818e3ba856634

**SHA1:** 7ce05b6b3ab0de6ec1cb0271dce230de558722f6

**SHA256:**e28f9cd1d06aedc7a8511a0ffd853dde4e06ca0b9c74c10f141f20b590e79e7d

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	collation.sample	High
Vendor	jar	package name	collation	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	samples	Low
Vendor	Manifest	built-date	2024-12-03 16:51	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	collation.sample	High
Product	jar	package name	collation	Highest
Product	jar	package name	collation	Low
Product	jar	package name	collationserverplugin	Low
Product	jar	package name	samples	Low

Product	Manifest	built-date	2024-12-03 16:51	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	collation	High
Product	Manifest	specification-title	collation	Medium
Version	Manifest	Implementation-Version	24.10.238	High

#### Related Dependencies

- collation.zip: collation.sample.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Plugin - Samples/CollationServerPlugin/collation.zip/collation.sample.jar
  - MD5: 8cf3089da58e11077d4818e3ba856634
  - SHA1: 7ce05b6b3ab0de6ec1cb0271dce230de558722f6
  - SHA256: e28f9cd1d06aedc7a8511a0ffd853dde4e06ca0b9c74c10f141f20b590e79e7d

#### Identifiers

- None

## commons-logging.jar

### Description:

Apache Commons Logging is a thin adapter allowing configurable bridging to other, well-known logging systems.

### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/core/commons-logging.jar

**MD5:** 62de1aea096b3ac52e46b908dac4ac97

**SHA1:** 580ad1a4f34876c4f964c083361de31b3d60be68

**SHA256:** 5828f96c09d886f9b1a0993c7804b27cf4fcec8534517164f5137ac8b67ea9b9

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	commons-logging	High
Vendor	jar	package name	apache	Highest

Vendor	jar	package name	commons	Highest
Vendor	jar	package name	logging	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.logging	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-logging/">https://commons.apache.org/proper/commons-logging/</a>	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-logging	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-logging	Low
Vendor	pom	developer email	baliuka@apache.org	Low
Vendor	pom	developer email	costin@apache.org	Low
Vendor	pom	developer email	craigmcc@apache.org	Low
Vendor	pom	developer email	dennisl@apache.org	Low
Vendor	pom	developer email	donaldp@apache.org	Low
Vendor	pom	developer email	gggregory at apache.org	Low
Vendor	pom	developer email	morgand@apache.org	Low
Vendor	pom	developer email	rdonkin@apache.org	Low
Vendor	pom	developer email	rsitze@apache.org	Low
Vendor	pom	developer email	rwaldhoff@apache.org	Low
Vendor	pom	developer email	sanders@apache.org	Low
Vendor	pom	developer email	skitching@apache.org	Low
Vendor	pom	developer email	tn@apache.org	Low
Vendor	pom	developer id	baliuka	Medium
Vendor	pom	developer id	bstansberry	Medium
Vendor	pom	developer id	costin	Medium
Vendor	pom	developer id	craigmcc	Medium
Vendor	pom	developer id	dennisl	Medium
Vendor	pom	developer id	donaldp	Medium
Vendor	pom	developer id	gggregory	Medium
Vendor	pom	developer id	morgand	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	rsitze	Medium

Vendor	pom	developer id	rwaldhoff	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	skitching	Medium
Vendor	pom	developer id	tn	Medium
Vendor	pom	developer name	Brian Stansberry	Medium
Vendor	pom	developer name	Costin Manolache	Medium
Vendor	pom	developer name	Craig McClanahan	Medium
Vendor	pom	developer name	Dennis Lundberg	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Juozas Baliuka	Medium
Vendor	pom	developer name	Morgan Delagrange	Medium
Vendor	pom	developer name	Peter Donald	Medium
Vendor	pom	developer name	Richard Sitze	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Rodney Waldhoff	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Simon Kitching	Medium
Vendor	pom	developer name	Thomas Neidhart	Medium
Vendor	pom	developer org	Apache	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	<a href="https://www.apache.org/">https://www.apache.org/</a>	Medium
Vendor	pom	groupid	commons-logging	Highest
Vendor	pom	name	Apache Commons Logging	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	<a href="https://commons.apache.org/proper/commons-logging/">https://commons.apache.org/proper/commons-logging/</a>	Highest
Product	file	name	commons-logging	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	logging	Highest
Product	Manifest	automatic-module-name	org.apache.commons.logging	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-logging/">https://commons.apache.org/proper/commons-logging/</a>	Low

Product	Manifest	Bundle-Name	Apache Commons Logging	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-logging	Medium
Product	Manifest	Implementation-Title	Apache Commons Logging	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Apache Commons Logging	Medium
Product	pom	artifactid	commons-logging	Highest
Product	pom	developer email	baliuka@apache.org	Low
Product	pom	developer email	costin@apache.org	Low
Product	pom	developer email	craigmcc@apache.org	Low
Product	pom	developer email	dennisl@apache.org	Low
Product	pom	developer email	donaldp@apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	morgand@apache.org	Low
Product	pom	developer email	rdonkin@apache.org	Low
Product	pom	developer email	rsitze@apache.org	Low
Product	pom	developer email	rwaldhoff@apache.org	Low
Product	pom	developer email	sanders@apache.org	Low
Product	pom	developer email	skitching@apache.org	Low
Product	pom	developer email	tn@apache.org	Low
Product	pom	developer id	baliuka	Low
Product	pom	developer id	bstansberry	Low
Product	pom	developer id	costin	Low
Product	pom	developer id	craigmcc	Low
Product	pom	developer id	dennisl	Low
Product	pom	developer id	donaldp	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	morgand	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	rsitze	Low
Product	pom	developer id	rwaldhoff	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	skitching	Low
Product	pom	developer id	tn	Low
Product	pom	developer name	Brian Stansberry	Low

Product	pom	developer name	Costin Manolache	Low
Product	pom	developer name	Craig McClanahan	Low
Product	pom	developer name	Dennis Lundberg	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Juozas Baliuka	Low
Product	pom	developer name	Morgan Delagrang	Low
Product	pom	developer name	Peter Donald	Low
Product	pom	developer name	Richard Sitze	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Rodney Waldhoff	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Simon Kitching	Low
Product	pom	developer name	Thomas Neidhart	Low
Product	pom	developer org	Apache	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	https://www.apache.org/	Low
Product	pom	groupid	commons-logging	Highest
Product	pom	name	Apache Commons Logging	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper/commons-logging/	Medium
Version	Manifest	Bundle-Version	1.3.3	High
Version	Manifest	Implementation-Version	1.3.3	High
Version	pom	parent-version	1.3.3	Low
Version	pom	version	1.3.3	Highest

#### Identifiers

- [pkg:maven/commons-logging/commons-logging@1.3.3](https://maven.apache.org/commons-logging/commons-logging@1.3.3) (*Confidence:High*)

**configuration.automaticconfigstore.zip: configuration.automaticconfigstore.sample.jar**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Configuration/AutomaticConfigRestore/configuration.automaticconfigrestore.zip/configuration.automaticconfigrestore.sample.jar  
**MD5:** c1cf86b702a5644e546c11d75d1e84e8  
**SHA1:** 05f0e4f2fcd2599f146e0fdd146596d2158cac9b  
**SHA256:**445595ffab8c23145db9a2d191bdcd529b18f740ae41ae1ed6ca55dbd388b1bf  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	configuration.automaticconfigrestore.sample	High
Vendor	jar	package name	automaticconfigrestore	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2024-12-03 15:53	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	configuration.automaticconfigrestore.sample	High
Product	jar	package name	automaticconfigrestore	Highest
Product	jar	package name	automaticconfigrestore	Low
Product	Manifest	built-date	2024-12-03 15:53	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	configuration.automaticconfigrestore	High
Product	Manifest	specification-title	configuration.automaticconfigrestore	Medium
Version	Manifest	Implementation-Version	24.10.238	High

Identifiers

- None

configuration.zip: configuration.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar  
**MD5:** 30db5090c168bf5cb5bc0afc92f63045  
**SHA1:** f31fee421b03f091f51468114983eb4f9da42a2a  
**SHA256:**d94bb89bb30c21299e1cd0c7016cccad1c9b7977bef381643a939399d0539af5  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	configuration	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2024-12-03 15:45	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	configuration	High
Product	jar	package name	config	Low
Product	jar	package name	plugins	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2024-12-03 15:45	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	configuration	High
Product	Manifest	specification-title	configuration	Medium
Version	Manifest	Implementation-Version	24.10.238	High

Identifiers

- None

### configuration.zip: configuration.jar: authentication.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/authentication.js

**MD5:** 32ddfe3c441b22f84dcc1898413ea55

**SHA1:** 77d3f3ea6c58e3c215ac86777ee25b0b8004bc7b

**SHA256:** 818c4819e64813929560eee3008b485c637a80725488cbb3b9627983f8bc9e3f

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: boolean.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/boolean.directive.js

**MD5:** e155af571b4efd086c739fd329edd72f

**SHA1:** e744f3d28b6acc4d597b224624309e38bdfc1d8

**SHA256:** df48567df109fb82d1717821e737691ce7fec882706819667acd78d18b7b63e

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: booleanButton.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/booleanButton.directive.js  
**MD5:** c241b163692b903546728aaffff56b4b  
**SHA1:** bf6d026e12d320d169e1ffb3395ad3db12034c26  
**SHA256:** 9cbc71701e24de928f61a38d03145a74b5a9dd28a350551401f9bda81207a1ff  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: colorInput.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/colorInput.directive.js  
**MD5:** 58e908e9ef96d3bcd1131d61d874217c  
**SHA1:** 99397bcc5aded52857da548839a5499075ce1263  
**SHA256:** f8d8afc3d949399b38a1f2393044ad00fecad4dd65ef4c077565610cd18fb768  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/controller.js  
**MD5:** c94ecf184500c119c4c14f420da1639a  
**SHA1:** 6b23d960301fed13feffdba715d1c8d78e617f5b  
**SHA256:** cc1cf1a093bd14390d50467fb6ac075ffeeea1c20defb7b23a6e3d82241b6e54  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## configuration.zip: configuration.jar: datafactory.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/datafactory.js

**MD5:** 82981086799b82a43914933c55726077

**SHA1:** 4c7a01134e474a05e2b585153c404c8a5d2e398a

**SHA256:** e4df2f34d78e5c98a049903ddd37ea2c8fab0f57913ec2cca63b35b52c6748f2

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## configuration.zip: configuration.jar: fileUploadRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/fileUploadRenderer.directive.js

**MD5:** 85d08433c73dac44667b1676da1751df

**SHA1:** 314d18af752a74666d8cd2b1638f5b117bc8eb13

**SHA256:** 74777f865fedb0c9c34912e94ae05282fa95d19db7dd504f92cf91ecadd3664

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## configuration.zip: configuration.jar: filesystemInputButton.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/filesystemInputButton.directive.js

**MD5:** 3c06874891ddcf135375de6930eb2972

**SHA1:** f3f8ebcb367f1c4fcc299b1c9283dd45104629c4

**SHA256:** 1622147d4e44563556ecf8497149f63940e54c8e8ad154911e647f1ca6fc85b9

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## configuration.zip: configuration.jar: filesystemInputDirectory.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/filesystemInputDirectory.directive.js

**MD5:** 464b7aad35c25f84dc7e308a1fe6a722

**SHA1:** 5fc9baf862f3ca082c6c155db16d624bf719f5be

**SHA256:** 47d0025e066bd0d1e6f1fb735b492b74a83b23965439b7535a8ac463a47c786c

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### configuration.zip: configuration.jar: filesystemInputFile.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/filesystemInputFile.directive.js

**MD5:** 75c2038e7e6b1f9dc84d3b8c0da844c0

**SHA1:** 4cdc8f450f07880a55c2e7bdb85a7bce91b967d3

**SHA256:** 7af905ffb59a3346c2b2d9fc8e44860ff5d48a993c6054e6b41a092505c00384

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: iconDropRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/iconDropRenderer.directive.js

**MD5:** dcf87cadacb90bd6e699be6fd8ccb1ed

**SHA1:** b8e2d814a43645560caa81da45a3b8983f63acf0

**SHA256:** 1bb2fa796d6965a6bc2f9d06dc81b72dd8d54eca1cc37d053cc80a5a5d6a5e43

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: inlinerenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet

/report/plugins/config/client/js/renderer/inlinerenderer.directive.js

**MD5:** f688e91a43726306b599b1305cf3e8ef

**SHA1:** 1f1070b374c15f053320172897cb24c8da3aceb5

**SHA256:** 23a9a23e577a3819d3a06c015ab483cd48bc6f4af28ec01caac32fe5d0cb0fe8

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: keyLabelText.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet  
/report/plugins/config/client/js/renderer/keyLabelText.directive.js

**MD5:** aae3ab4eeda740d7d15ddef1c828db3b

**SHA1:** abdc48d7145e6d4dbf8b5a48a66d371539969197

**SHA256:** ef01886de025e76cb0e1701d67e6b8d869a4094d64392544a135be20010a6ea3

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: labelLink.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet  
/report/plugins/config/client/js/renderer/labelLink.directive.js

**MD5:** 71d23ea76be9b9ec2cea163bc32ad083

**SHA1:** 503e26b0f8ca5b5b3917ebac0c98a6d34bbcb438

**SHA256:** 057367f35129b73dfaecbe928def62aa8e9ec18a4264d8d878783674c277a7b7

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: labelText.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/labelText.directive.js

**MD5:** 18e1f8fac9693e53597d2e3bb8694fca

**SHA1:** cfa806fe980c7ed1e542c690acd70301919d3e58

**SHA256:** c63fb2c0b52c28a949125b15795221bd4b8da8081d010f9f24632888d1664ebb

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: licensekey.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/licensekey.js

**MD5:** 6e9886fe0ffdc7a3f09b795b08c04f7a

**SHA1:** f72bc4783d6ce165c80850580d704b7129365454

**SHA256:** d6046640dca6ae3ff00226f96ef5e004abc5668554e001e9504edf3c631aa00b

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: list.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/list.js

**MD5:** a836484a595c5d6c6449f038258df4e5

**SHA1:** 00645dd0c191b9dc14914d3545aa2766e667e43a

**SHA256:** 8043edb5edb0de6b1ce449c935f8f2763a27b05e15425a982552a1775d5f45fe

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: logopreview.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/logopreview.js

**MD5:** d17d19917c5f2d8623d48e8b29d736b7

**SHA1:** 76c40068fcec7c2dcc10f296fe5b01eaabdb4cc3

**SHA256:** 70d01317b11a922e3c32c8f66746570b73a8a2a4de51d9c2dc23fddae00fd7bf

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: multiLineText.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/multiLineText.directive.js

**MD5:** 48640b97e578b7a0f7f7dde48bb644ba

**SHA1:** bfadc5063ee207897ece27d2a2845bbb8e88a9fa

**SHA256:** d48311d3bb4afd93126cca8a7e868e54f66a0fdb3bc893ffeb20e819f96f745d

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: multiLingualTextRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/multiLingualTextRenderer.directive.js

**MD5:** 3495c2a8f809eb949a3237f33b1c7f31

**SHA1:** 6c774480a0b9fdf9766de6a29fa09c945d42b592

**SHA256:** ae2d68ba82c2ee734d84a36fd23b6041d2e287995759eb8779e04236db74fd56

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: passwordText.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/passwordText.directive.js

**MD5:** 54fcdb4fce63f0170cb34f1eeaf8ddcd

**SHA1:** 6fac78e6e5880df10a6d0c98f1cdb03a233f65bf

**SHA256:**486cbf613d304295084a004076fd9c09a041ce36e31f85eeee8fa67ccc5fcb85

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: reloadSelectInputsTrigger.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/reloadSelectInputsTrigger.directive.js

**MD5:** 2b65f41ff8971b50599781ed7f6f1b9c

**SHA1:** b7a5e4e76d95c5f96453a3575b3809b705dca42f

**SHA256:**704980a404d603911917a43262e9a4eed8f8b6f157800b8d7596e7094f326ef7

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: renderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/renderer.directive.js

**MD5:** 263d5878b3b00e3de3a6faedbd460e84

**SHA1:** e1a40b927f1b13b0d228d06c91a2fb05917eec07

**SHA256:**748a2d88fd4e366a306e1b62f0f6bd046ae05b5238330b48376449ddf01e874c

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## configuration.zip: configuration.jar: repository.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/repository.js  
**MD5:** baedc19f91eab554dca893cb4388b2e4  
**SHA1:** e2a4899a91ce2813a147c8d9ef15a00ff973c080  
**SHA256:**81e835deda02b4a0b9aae45e7e7a018c08761ebc710ca53fb742b62ac56bb065  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## configuration.zip: configuration.jar: selectEditText.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectEditText.directive.js  
**MD5:** 1a61bac200dea54f8eb9d9921681e5eb  
**SHA1:** 6dbd0bcd00cb2578923b81550bf53a41df913362  
**SHA256:**b8a181150c341024f59852828b84e69e756debc3bf0ea47c2ab19ffd6c712a72  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### configuration.zip: configuration.jar: selectFilteredText.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectFilteredText.directive.js

**MD5:** 7b58d68dc3a35304dc78fee8d4ccaf6c

**SHA1:** cb18981f11083c559b202e9192f33afe65af6873

**SHA256:** 294ca27a4b15d42a525a5e5e306dd8a4bba38c8d620f39b87a75cd1f90072ee7

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### configuration.zip: configuration.jar: selectLanguageChooserRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectLanguageChooserRenderer.directive.js

**MD5:** a0d2d369508b0efdded68fb3f063a8fd

**SHA1:** d1fab8af7e386206b0ccd790a22869003470af9a

**SHA256:** b45062353d252f869be07fb2a81814bf14b6117103466f948fa419615f5174cd

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### configuration.zip: configuration.jar: selectSimpleText.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectSimpleText.directive.js  
**MD5:** f847feb7c380b15f650e9c557d8c28c8  
**SHA1:** 6c862eb40e515e329c0734b281ebaa686291eca6  
**SHA256:** 7c48f1f408923db44696e2cb46f622b319a99c55a3347a486013850165f6bfb8  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: simpleDate.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/simpleDate.directive.js  
**MD5:** 84b924c4d2de15ff64fea4260894d4b6  
**SHA1:** 2cbf856da10bf3a9d879c5bb77c077bc3d9cf7de  
**SHA256:** a51408c5ae46df303a8cfea7c2b9af411aeee1f13e960868c44454d3872d024e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: simpleSlider.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/simpleSlider.directive.js  
**MD5:** b1fe4875ba680fe6af9cdaaf163f22e7

**SHA1:** d39121dc651a4a559b3bfe6a5bf978467bf77ff5  
**SHA256:** f95956394c8a2beede215ab8da75b2ad9f5b8173efc191709ae34549946d7924  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: simpleText.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/simpleText.directive.js

**MD5:** 33c94b7ec8d613fcfe3dfd5b1a43b193

**SHA1:** cbb60f6da1447f14dc1cb5da735f99f028a666a3

**SHA256:** f2d82ae8ac664b0b76fcee6f324b63285cd7ab38f3d976085ef9f13c9b77f5b9

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: table.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/table.js

**MD5:** 2c157de784e3eec579cd51152f0dfb43

**SHA1:** cedb0262a4f9f5ae7b56c3ed44f87138bbd4e575

**SHA256:** 84bd10f7ab5957c5f7b40784a77c2896e50fc0f4f433c11a81ec07b749e8a12e

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## configuration.zip: configuration.jar: tree.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/tree.js  
**MD5:** a8ffdd7b210ce889d5f5d0573d1c856d  
**SHA1:** a2abe4e4790d1e1a223815493184cc6b198bbe0e  
**SHA256:**3ac39fa4b58becc837930f692e807a43921a8fd338e75ba0245eecb872ec0b88  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## configuration.zip: configuration.jar: userandgroupselect.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/userandgroupselect.js  
**MD5:** bb0a3c1cabd58185c8795a27ed408e95  
**SHA1:** 112c3a781cc72c8accad43d0e5207c7cb464885e  
**SHA256:**a495983186ba7dc1cf3a3041cdfee1ad3790c008856e51252c78460e3ba57bd5  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## core.jar

### Description:

Core barcode encoding/decoding library

### License:

"The Apache Software License, Version 2.0";link="https://www.apache.org/licenses/LICENSE-2.0.txt"

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/beans/zxing/core.jar

**MD5:** b5269d7bf1eea1d064240c342829b117

**SHA1:** ca1349214a356cd7958651b2d5a0e1f3811a9c4b

**SHA256:** 8d8064c1636fdaef7189dd9055c7d59950a8940a12f2293956446ec3c109fd82

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	core	High
Vendor	jar	package name	google	Highest
Vendor	jar	package name	zxing	Highest
Vendor	Manifest	automatic-module-name	com.google.zxing	Medium
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-developers	zxing-authors;name="ZXing Authors"	Low
Vendor	Manifest	bundle-docurl	https://github.com/zxing/zxing/core	Low
Vendor	Manifest	bundle-symbolicname	com.google.zxing.core	Medium
Vendor	pom	artifactid	core	Low
Vendor	pom	groupid	com.google.zxing	Highest
Vendor	pom	name	ZXing Core	High
Vendor	pom	parent-artifactid	zxing-parent	Low
Product	file	name	core	High
Product	jar	package name	google	Highest
Product	jar	package name	zxing	Highest
Product	Manifest	automatic-module-name	com.google.zxing	Medium
Product	Manifest	build-jdk-spec	1.8	Low

Product	Manifest	bundle-developers	zxing-authors;name="ZXing Authors"	Low
Product	Manifest	bundle-docurl	https://github.com/zxing/zxing/core	Low
Product	Manifest	Bundle-Name	ZXing Core	Medium
Product	Manifest	bundle-symbolicname	com.google.zxing.core	Medium
Product	pom	artifactid	core	Highest
Product	pom	groupid	com.google.zxing	Highest
Product	pom	name	ZXing Core	High
Product	pom	parent-artifactid	zxing-parent	Medium
Version	Manifest	Bundle-Version	3.5.3	High
Version	pom	version	3.5.3	Highest

### Identifiers

- [pkg:maven/com.google.zxing/core@3.5.3](#) (Confidence:High)

## crsetupwizard.zip: crsetupwizard.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/crsetupwizard.zip/crsetupwizard.jar

**MD5:** 79c9f32742674dabcd79759d1eccc413

**SHA1:** 9af5ef130b60dd681bbdbb6f368d78428bd4d12a

**SHA256:**a513ead9d5d7bc0daa8477c9bafba0bb95d16bc46bffe41e3e3d95af85d66330

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	crsetupwizard	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	jar	package name	setupwizard	Low
Vendor	Manifest	built-date	2024-12-03 17:22	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium

Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	crsetupwizard	High
Product	jar	package name	report	Low
Product	jar	package name	setupwizard	Low
Product	jar	package name	steps	Low
Product	Manifest	built-date	2024-12-03 17:22	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	crsetupwizard	High
Product	Manifest	specification-title	crsetupwizard	Medium
Version	Manifest	Implementation-Version	24.10.238	High

### Identifiers

- None

## customformulas.zip: customformulas.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/customformulas.zip/customformulas.sample.jar  
**MD5:** 616490ceeddac7070980a41f81ab682c  
**SHA1:** 639cd04afa830b7bd9399d31ead66ce82239e27d  
**SHA256:** 27ba0b8d7b2795cfef869b1645574fca49303c4d2c1a82429d0aa4a3e769c10b  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	customformulas.sample	High
Vendor	jar	package name	formula	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	samples	Low
Vendor	Manifest	built-date	2024-12-03 16:51	Low
Vendor	Manifest	implementation-group	reporting	Low

Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	customformulas.sample	High
Product	jar	package name	formula	Low
Product	jar	package name	samples	Low
Product	Manifest	built-date	2024-12-03 16:51	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	customformulas	High
Product	Manifest	specification-title	customformulas	Medium
Version	Manifest	Implementation-Version	24.10.238	High

#### Related Dependencies



- customformulas.zip: customformulas.sample.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Plugin - Samples/UserdefinedFormula/customformulas.zip/customformulas.sample.jar
  - MD5: 616490ceeddac7070980a41f81ab682c
  - SHA1: 639cd04afa830b7bd9399d31ead66ce82239e27d
  - SHA256: 27ba0b8d7b2795cfef869b1645574fca49303c4d2c1a82429d0aa4a3e769c10b

#### Identifiers

- None

## datasource.cassandra.zip: config.jar

### Description:

configuration library for JVM languages using HOCON files

### License:

<https://www.apache.org/licenses/LICENSE-2.0;description=Apache-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/config.jar  
**MD5:** 1c5702a33999ed337c9b256a4d68eee7  
**SHA1:** b57e0fbdc7270d8ea59c1ba367457a5cc7ba0e98  
**SHA256:** 8ada4c185ce72416712d63e0b5afdc5f009c0cdf405e5f26efecdf156aa5dfb6  
**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	config	High
Vendor	jar	package name	config	Highest
Vendor	jar	package name	config	Low
Vendor	jar	package name	impl	Low
Vendor	jar	package name	typesafe	Highest
Vendor	jar	package name	typesafe	Low
Vendor	Manifest	automatic-module-name	typesafe.config	Medium
Vendor	Manifest	bundle-symbolicname	com.typesafe.config	Medium
Vendor	Manifest	implementation-url	<a href="https://github.com/lightbend/config">https://github.com/lightbend/config</a>	Low
Vendor	Manifest	Implementation-Vendor	com.typesafe	High
Vendor	Manifest	Implementation-Vendor-Id	com.typesafe	Medium
Vendor	Manifest	specification-vendor	com.typesafe	Low
Product	file	name	config	High
Product	jar	package name	config	Highest
Product	jar	package name	config	Low
Product	jar	package name	impl	Low
Product	jar	package name	typesafe	Highest
Product	Manifest	automatic-module-name	typesafe.config	Medium
Product	Manifest	Bundle-Name	config	Medium
Product	Manifest	bundle-symbolicname	com.typesafe.config	Medium
Product	Manifest	Implementation-Title	config	High
Product	Manifest	implementation-url	<a href="https://github.com/lightbend/config">https://github.com/lightbend/config</a>	Low
Product	Manifest	specification-title	config	Medium

Version	jar	package name	config	Highest
Version	Manifest	Bundle-Version	1.4.3	High
Version	Manifest	Implementation-Version	1.4.3	High

#### Identifiers

- None

### datasource.cassandra.zip: datasource.cassandra.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/datasource.cassandra.jar

**MD5:** 37929af53d246a8b3573ac36400be544

**SHA1:** 9c474c4c0d1b722e2b9b75f267c0ff431691132e

**SHA256:** 7e502612bb4a23fc603cd997866b445b48087eff507b2edf671a957a659c617c

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	datasource.cassandra	High
Vendor	jar	package name	cassandra	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2024-12-03 17:15	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	datasource.cassandra	High
Product	jar	package name	cassandra	Highest
Product	jar	package name	cassandra	Low
Product	jar	package name	report	Low

Product	Manifest	built-date	2024-12-03 17:15	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	datasource.cassandra	High
Product	Manifest	specification-title	datasource.cassandra	Medium
Version	Manifest	Implementation-Version	24.10.238	High

#### Identifiers

- None

### datasource.cassandra.zip: java-driver-core.jar

#### Description:

A driver for Apache Cassandra(R) 2.1+ that works exclusively with the Cassandra Query Language version 3 (CQL3) and Cassandra's native protocol versions 3 and above.

#### License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/java-driver-core.jar

**MD5:** 22ea44c19ec6538456500a991e61ecfb

**SHA1:** 3d619c4ecb214ac091006ff06ab32198a260f977

**SHA256:** 445e1c91e3f7512c1c0686700ec1e3d77d89131a2711ce66062909a7d88e8cd3

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	java-driver-core	High
Vendor	jar	package name	datastax	Highest
Vendor	jar	package name	driver	Highest
Vendor	jar	package name	oss	Highest
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	com.datastax.oss.driver.core	Medium
Vendor	pom	artifactid	java-driver-core	Low
Vendor	pom	groupid	com.datastax.oss	Highest
Vendor	pom	name	DataStax Java driver for Apache Cassandra	High

			(R) - core	
Vendor	pom	parent-artifactid	java-driver-parent	Low
Product	file	name	java-driver-core	High
Product	jar	package name	datastax	Highest
Product	jar	package name	driver	Highest
Product	jar	package name	oss	Highest
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	DataStax Java driver for Apache Cassandra (R) - core	Medium
Product	Manifest	bundle-symbolicname	com.datastax.oss.driver.core	Medium
Product	pom	artifactid	java-driver-core	Highest
Product	pom	groupid	com.datastax.oss	Highest
Product	pom	name	DataStax Java driver for Apache Cassandra (R) - core	High
Product	pom	parent-artifactid	java-driver-parent	Medium
Version	Manifest	Bundle-Version	4.17.0	High
Version	pom	version	4.17.0	Highest

#### Identifiers

- [pkg:maven/com.datastax.oss/java-driver-core@4.17.0](#) (*Confidence:High*)
- [cpe:2.3:a:apache:cassandra:4.17.0:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*) suppress

## datasource.cassandra.zip: java-driver-shaded-guava.jar

### Description:

Shaded Guava artifact for use in the DataStax Java driver for Apache Cassandra®

### License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/java-driver-shaded-guava.jar

**MD5:** b7b9ffdbca6117c0aaa13787da02f96d

**SHA1:** 522771d14d6b7dba67056a39db33f205ffbed6a4

**SHA256:** 8d1e57ab48ff4cc09b1a1f033218ad50f96cf92922f732cf333ec386c9e5c9ae

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	java-driver-shaded-guava	High
Vendor	jar	package name	datastax	Highest
Vendor	jar	package name	driver	Highest
Vendor	jar	package name	oss	Highest
Vendor	jar	package name	shaded	Highest
Vendor	Manifest	bundle-symbolicname	com.datastax.oss.driver.shaded.guava	Medium
Vendor	Manifest	originally-created-by	Apache Maven 3.6.2	Low
Vendor	pom	artifactid	java-driver-shaded-guava	Low
Vendor	pom	developer name	Various	Medium
Vendor	pom	developer org	DataStax	Medium
Vendor	pom	groupid	com.datastax.oss	Highest
Vendor	pom	name	Shaded Guava artifact for use in the DataStax Java driver for Apache Cassandra®	High
Vendor	pom	url	datastax/java-driver-shaded-guava	Highest
Product	file	name	java-driver-shaded-guava	High
Product	jar	package name	datastax	Highest
Product	jar	package name	driver	Highest
Product	jar	package name	oss	Highest
Product	jar	package name	shaded	Highest
Product	Manifest	Bundle-Name	Shaded Guava artifact for use in the DataStax Java driver for Apache Cassandra®	Medium
Product	Manifest	bundle-symbolicname	com.datastax.oss.driver.shaded.guava	Medium
Product	Manifest	originally-created-by	Apache Maven 3.6.2	Low
Product	pom	artifactid	java-driver-shaded-guava	Highest
Product	pom	developer name	Various	Low
Product	pom	developer org	DataStax	Low
Product	pom	groupid	com.datastax.oss	Highest
Product	pom	name	Shaded Guava artifact for use in the DataStax Java driver for Apache Cassandra®	High
Product	pom	url	datastax/java-driver-shaded-guava	High
Version	pom	version	25.1-jre-graal-sub-1	Highest

## Identifiers

- [pkg:maven/com.datastax.oss/java-driver-shaded-guava@25.1-jre-graal-sub-1](#) ( *Confidence:High* )
- [cpe:2.3:a:apache:cassandra:25.1:\\*:\\*:\\*:\\*:\\*](#) ( *Confidence:Low* ) suppress

## datasource.cassandra.zip: native-protocol.jar

### Description:

A set of Java types representing the frames and messages of the Apache Cassandra® native protocol, with the associated serialization and deserialization logic (this is a third-party implementation, not related to the Apache Cassandra project)

### License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/native-protocol.jar

**MD5:** 3c4bf24fd592b01cff5234428080230d

**SHA1:** 97e812373a5fe7667384e7ad67819d2c71878bf8

**SHA256:** 955120805ddadd0771b36124679e337a20959c5639bc5de82bb8bce96b10441e

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	native-protocol	High
Vendor	jar	package name	datastax	Highest
Vendor	jar	package name	oss	Highest
Vendor	jar	package name	protocol	Highest
Vendor	Manifest	automatic-module-name	com.datastax.oss.protocol	Medium
Vendor	Manifest	bundle-symbolicname	com.datastax.oss.protocol	Medium
Vendor	pom	artifactid	native-protocol	Low
Vendor	pom	developer name	Various	Medium
Vendor	pom	developer org	DataStax	Medium
Vendor	pom	groupid	com.datastax.oss	Highest
Vendor	pom	name	An implementation of the Apache Cassandra® native protocol	High
Vendor	pom	url	datastax/native-protocol	Highest

Product	file	name	native-protocol	High
Product	jar	package name	datastax	Highest
Product	jar	package name	oss	Highest
Product	jar	package name	protocol	Highest
Product	Manifest	automatic-module-name	com.datastax.oss.protocol	Medium
Product	Manifest	Bundle-Name	An implementation of the Apache Cassandra® native protocol	Medium
Product	Manifest	bundle-symbolicname	com.datastax.oss.protocol	Medium
Product	pom	artifactid	native-protocol	Highest
Product	pom	developer name	Various	Low
Product	pom	developer org	DataStax	Low
Product	pom	groupid	com.datastax.oss	Highest
Product	pom	name	An implementation of the Apache Cassandra® native protocol	High
Product	pom	url	datastax/native-protocol	High
Version	Manifest	Bundle-Version	1.5.1	High
Version	pom	version	1.5.1	Highest

#### Identifiers

- [pkg:maven/com.datastax.oss/native-protocol@1.5.1](https://pkg:maven/com.datastax.oss/native-protocol@1.5.1) (*Confidence:High*)

### datasource.cassandra.zip: netty-common.jar (shaded: org.jctools:jctools-core:4.0.5)

#### Description:

Java Concurrency Tools Core Library

#### License:

Apache License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/netty-common.jar  
/META-INF/maven/org.jctools/jctools-core/pom.xml

**MD5:** 5d5135397b920a7dcbca5c1fb0576cf2

**SHA1:** eaa05d6ad937464312a2681a3236c0e06602bbb7

**SHA256:** a69897b8ff0c2198b4b8cd7d4f93fde6d42b8e9dbfc95553585e27587b24e211

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	jctools-core	Low
Vendor	pom	groupid	org.jctools	Highest
Vendor	pom	name	Java Concurrency Tools Core Library	High
Vendor	pom	url	JCTools	Highest
Product	pom	artifactid	jctools-core	Highest
Product	pom	groupid	org.jctools	Highest
Product	pom	name	Java Concurrency Tools Core Library	High
Product	pom	url	JCTools	High
Version	pom	version	4.0.5	Highest

#### Identifiers

- [pkg:maven/org.jctools/jctools-core@4.0.5](https://maven.org/jctools/jctools-core@4.0.5) (Confidence:High)

## datasource.cassandra.zip: netty-transport.jar

#### Description:

Netty is an asynchronous event-driven network application framework for rapid development of maintainable high performance protocol servers and clients.

#### License:

<https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/netty-transport.jar

**MD5:** c2da3befce20eaf33fa8005e0797e03a

**SHA1:** 39cef77c1a25908ac1abf4960c2e789f0bf70ff9

**SHA256:** c3d71faaa736ffd2c9260ab0b498024b814c39c7d764bea8113fa98de6e2bdd2

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	netty-transport	High
Vendor	jar	package name	io	Highest
Vendor	jar	package name	netty	Highest
Vendor	Manifest	automatic-module-name	io.netty.transport	Medium
Vendor	Manifest	build-jdk-spec	1.8	Low

Vendor	Manifest	bundle-docurl	https://netty.io/	Low
Vendor	Manifest	bundle-symbolicname	io.netty.transport	Medium
Vendor	Manifest	implementation-url	https://netty.io/netty-transport/	Low
Vendor	Manifest	Implementation-Vendor	The Netty Project	High
Vendor	Manifest	Implementation-Vendor-Id	io.netty	Medium
Vendor	Manifest	specification-vendor	The Netty Project	Low
Vendor	pom	artifactid	netty-transport	Low
Vendor	pom	groupid	io.netty	Highest
Vendor	pom	name	Netty/Transport	High
Vendor	pom	parent-artifactid	netty-parent	Low
Product	file	name	netty-transport	High
Product	jar	package name	io	Highest
Product	jar	package name	netty	Highest
Product	Manifest	automatic-module-name	io.netty.transport	Medium
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	bundle-docurl	https://netty.io/	Low
Product	Manifest	Bundle-Name	Netty/Transport	Medium
Product	Manifest	bundle-symbolicname	io.netty.transport	Medium
Product	Manifest	Implementation-Title	Netty/Transport	High
Product	Manifest	implementation-url	https://netty.io/netty-transport/	Low
Product	Manifest	specification-title	Netty/Transport	Medium
Product	pom	artifactid	netty-transport	Highest
Product	pom	groupid	io.netty	Highest
Product	pom	name	Netty/Transport	High
Product	pom	parent-artifactid	netty-parent	Medium
Version	Manifest	Bundle-Version	4.1.115.Final	High
Version	Manifest	Implementation-Version	4.1.115.Final	High
Version	pom	version	4.1.115.Final	Highest

## Related Dependencies

- datasource.cassandra.zip: netty-buffer.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/netty-buffer.jar
  - MD5: c4ddfa85fddc7cdd84ef38c87c036010
  - SHA1: d5daf1030e5c36d198caf7562da2441a97ec0df6
  - SHA256: 4a7b331d3770c566ab70eb02a0d1feed63b95cf6e4d68c8fe778c4c9de2d116d
  - [pkg:maven/io.netty/netty-buffer@4.1.115.Final](#)
- datasource.cassandra.zip: netty-codec.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/netty-codec.jar
  - MD5: 5391594c6f5bbdd944e3e8bcecf3d9ea
  - SHA1: d326bf3a4c785b272da3db6941779a1bd5448378
  - SHA256: cd189afb70ec6eacfcfd3a5f472b4e705a5c91d5bd3ef0386421f2ae15ec77
  - [pkg:maven/io.netty/netty-codec@4.1.115.Final](#)
- datasource.cassandra.zip: netty-common.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/netty-common.jar
  - MD5: 6241a4cfb9c478bbd7aa12512b90735d
  - SHA1: 9da10a9f72e3f87e181d91b525174007a6fc4f11
  - SHA256: 39f1b5a2aaa4eab5d036dfd0486e35a4276df412e092d36b2d88b494705a134d
  - [pkg:maven/io.netty/netty-common@4.1.115.Final](#)
- datasource.cassandra.zip: netty-handler.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/netty-handler.jar
  - MD5: 2a752fae3646b70f7bd17a2265c788ed
  - SHA1: d54dbf68b9d88a98240107758c6b63da5e46e23a
  - SHA256: 5972028cc863b74927ce0d11fb8d58f65da2560bef5602fe8ce8903bd306ca07
  - [pkg:maven/io.netty/netty-handler@4.1.115.Final](#)
- datasource.cassandra.zip: netty-resolver.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/netty-resolver.jar
  - MD5: e133793fdcb3ea2846693f1de1d31906
  - SHA1: e33b4d476c03975957f5d8d0319d592bf2bc5e96
  - SHA256: 7b3455d14f59828765a00573bc3967dc59379e874bd62a67eb1926d6512109d1
  - [pkg:maven/io.netty/netty-resolver@4.1.115.Final](#)

## Identifiers

- [pkg:maven/io.netty/netty-transport@4.1.115.Final](#) (*Confidence:High*)
- [cpe:2.3:a:netty:netty:4.1.115:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*) suppress

## datasource.mongodb.zip: datasource.mongodb.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.mongodb.zip/datasource.mongodb.jar

**MD5:** 975b2d3b99e7581170cc5df8a9625137

**SHA1:** 50e906f48256fc73eb20ec3a30edf6f5d27215f0

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	datasource.mongodb	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	mongodb	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2024-12-03 17:16	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	datasource.mongodb	High
Product	jar	package name	mongodb	Highest
Product	jar	package name	mongodb	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2024-12-03 17:16	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	datasource.mongodb	High
Product	Manifest	specification-title	datasource.mongodb	Medium
Version	Manifest	Implementation-Version	24.10.238	High

Identifiers

- None

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.mongodb.zip/mongo-java-driver.jar  
**MD5:** b507109fd6a0b6ead4972e9554f09fc4  
**SHA1:** 850383a126cdc5b363fa9ffc780037f6eb704  
**SHA256:** 7e6b2b9bbf24859db4bc00dd647090e21fe02e1fee9e8566918649d8356dfa3f  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	mongo-java-driver	High
Vendor	jar	package name	mongodb	Highest
Vendor	jar	package name	mongodb	Low
Vendor	Manifest	bundle-symbolicname	org.mongodb.mongo-java-driver	Medium
Product	file	name	mongo-java-driver	High
Product	jar	package name	mongo	Highest
Product	jar	package name	mongodb	Highest
Product	Manifest	Bundle-Name	mongo-java-driver	Medium
Product	Manifest	bundle-symbolicname	org.mongodb.mongo-java-driver	Medium
Version	Manifest	build-version	3.12.14	Medium
Version	Manifest	Bundle-Version	3.12.14	High

Related Dependencies

- mongo-java-driver.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/persistence/mongo-java-driver.jar
  - MD5: b507109fd6a0b6ead4972e9554f09fc4
  - SHA1: 850383a126cdc5b363fa9ffc780037f6eb704
  - SHA256: 7e6b2b9bbf24859db4bc00dd647090e21fe02e1fee9e8566918649d8356dfa3f

Identifiers

- [cpe:2.3:a:mongodb:java\\_driver:3.12.14:\\*.~\\*~\\*~\\*~\\*~\\*](#) (Confidence:High) suppress

datasource.zip: datasource.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.zip/datasource.jar  
**MD5:** b10fda21bdc5e253135b571dd55c8b21  
**SHA1:** d15f28abfe24a8b398ceb2fd7b6d8c6e36b4260e  
**SHA256:**1931ae3d0b941c0a6a5b4cfb0588131438758a069f47ea7ee692dcb3aa703928  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	datasource	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2024-12-03 17:10	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	datasource	High
Product	jar	package name	datasources	Low
Product	jar	package name	plugins	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2024-12-03 17:10	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	datasource	High
Product	Manifest	specification-title	datasource	Medium
Version	Manifest	Implementation-Version	24.10.238	High

Identifiers

- None

### datasource.zip: datasource.jar: datasources-edit-controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/datasources-edit-controller.js

**MD5:** 460e29948d2793d2dc39dfd89c0058be

**SHA1:** 581ea6bb157bef0d160e6ded782dac3dd2b729b1

**SHA256:** e7606a5c8a1935575ce3fee61fbeac51bbf2890c9c6bfb5bda5517af762ac151

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### datasource.zip: datasource.jar: datasources-main-controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/datasources-main-controller.js

**MD5:** 00abdd799b2069f1cbc5520a8c4afea3

**SHA1:** 094097eb0c0067a1e7b7b47a6da82693e3dd90b5

**SHA256:** 40528ddb0dbc7ed3622e9e8eeb60c46de32b46d7ae5d65c87b59972fab74880f

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### datasource.zip: datasource.jar: factory.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.zip/datasource.jar/com/inet/report

/plugins/datasources/client/js/factory.js

**MD5:** ff59c4c2beaeda2e97fce9fd37845d2d

**SHA1:** d2cd9e3e2ea2b5c88f649c79651e1f08cd98780b

**SHA256:** b290f73f3577c1369549707c127f041cd42a969c21eaea023106ed013a3e3f8a

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### datasource.zip: datasource.jar: model.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/model.js

**MD5:** 2e4e31cce671768a6582e295151db12c

**SHA1:** 335bfd88e6e12b315385f8566c3fb00107a2a461

**SHA256:** 3fb0c8696d30bdc390428647a939582455ab5b83a2f8a01e09013e7521f883ce

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### datasource.zip: datasource.jar: renderer-permissions.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/renderer-permissions.js

**MD5:** 9d1d72d60966148d1bec25c3a0a4621f

**SHA1:** 2cc1ebb4288911395560cc038d18e2b0bbd335c4

**SHA256:** 6c7bfa9944c8c9ac0c40fe220836a3e7c7454f8d4516a17e985085015ec88080

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

datasource.zip: datasource.jar: renderer.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/renderer.js

**MD5:** f32d6382e368fcbc52848e8239bb4615

**SHA1:** 4ffd69eabd14bef8a792515fd927e96e46c57aa7

**SHA256:** ad806dd66480f7929ba9c31b1cd29252fd3f74a658d6fec9c7deec41ac82a232

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

decoder.docx.zip: DocxParser.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.docx.zip/DocxParser.jar

**MD5:** 4db18189aad231fc65220d4183fc3218

**SHA1:** a07cddc890afcc8f01beed1c4eaf9774bf3bb311

**SHA256:** 20b74855af770b8c2502fd9a025416029d57ebfdea38cabe3b08c8876de24d30

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	DocxParser	High
Vendor	jar	package name	docx	Low
Vendor	jar	package name	inet	Low

Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-12-03 15:37	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	DocxParser	High
Product	jar	package name	docx	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-12-03 15:37	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	DocxParser	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	DocxParser	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	24.10.238	High

## Identifiers

- None

decoder.docx.zip: EmfParser.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.docx.zip/EmfParser.jar

**MD5:** cfb537e61afde2f3828deb0f056d1a9

**SHA1:** 82da5f8199487144c93537f0e9c09ebdc6c511f0

**SHA256:**f64eea745b1812b962a68563cd836224eec52e3f75d3f1e743920e6f58d03e7d

**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	EmfParser	High
Vendor	jar	package name	emf	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	records	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-12-03 15:37	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	EmfParser	High
Product	jar	package name	emf	Low
Product	jar	package name	records	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-12-03 15:37	Low
Product	Manifest	codebase	*	Low

Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	EmfParser	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	EmfParser	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	24.10.238	High

#### Identifiers

- None

### decoder.docx.zip: SparseBitSet.jar

#### Description:

An efficient sparse bitset implementation for Java

#### License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.docx.zip/SparseBitSet.jar

**MD5:** fbe27bb4c05e8719b7fff5aa71a57364

**SHA1:** 533eac055afe3d5f614ea95e333afd6c2bde8f26

**SHA256:** f76b85adb0c00721ae267b7cfde4da7f71d3121cc2160c9fc00c0c89f8c53c8a

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	SparseBitSet	High
Vendor	jar	package name	sparsebitset	Highest
Vendor	jar	package name	zaxxer	Highest
Vendor	Manifest	automatic-module-name	com.zaxxer.sparsebitset	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	pom	artifactid	SparseBitSet	Low
Vendor	pom	developer email	brett.wooldridge@gmail.com	Low

Vendor	pom	developer name	Brett Wooldridge	Medium
Vendor	pom	groupid	com.zaxxer	Highest
Vendor	pom	name	SparseBitSet	High
Vendor	pom	organization name	Zaxxer.com	High
Vendor	pom	organization url	brettwooldridge/SparseBitSet	Medium
Vendor	pom	url	brettwooldridge/SparseBitSet	Highest
Product	file	name	SparseBitSet	High
Product	jar	package name	sparsebitset	Highest
Product	jar	package name	zaxxer	Highest
Product	Manifest	automatic-module-name	com.zaxxer.sparsebitset	Medium
Product	Manifest	build-jdk-spec	11	Low
Product	pom	artifactid	SparseBitSet	Highest
Product	pom	developer email	brett.wooldridge@gmail.com	Low
Product	pom	developer name	Brett Wooldridge	Low
Product	pom	groupid	com.zaxxer	Highest
Product	pom	name	SparseBitSet	High
Product	pom	organization name	Zaxxer.com	Low
Product	pom	url	brettwooldridge/SparseBitSet	High
Version	pom	version	1.3	Highest

### Identifiers

- [pkg:maven/com.zaxxer/SparseBitSet@1.3](#) (*Confidence:High*)
- [cpe:2.3:a:bit\\_project:bit:1.3:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*) suppress

## decoder.docx.zip: commons-codec.jar

### Description:

The Apache Commons Codec component contains encoders and decoders for various formats such as Base16, Base32, Base64, digest, and Hexadecimal. In addition to these widely used encoders and decoders, the codec package also maintains a collection of phonetic encoding utilities.

### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.docx.zip/commons-codec.jar

**MD5:** 7b3438ab4c6d91e0066d410947e43f3e

**SHA1:** 973638b7149d333563584137ebf13a691bb60579

**SHA256:** f9f6cb103f2ddc3c99a9d80ada2ae7bf0685111fd6bffcbb72033d1da4e6ff23

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-codec	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	codec	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	digest	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.codec	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-codec/">https://commons.apache.org/proper/commons-codec/</a>	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-codec	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-codec	Low
Vendor	pom	developer email	bayard@apache.org	Low
Vendor	pom	developer email	chtompki@apache.org	Low
Vendor	pom	developer email	dgraham@apache.org	Low
Vendor	pom	developer email	dlr@finemaltcoding.com	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	jon@collab.net	Low
Vendor	pom	developer email	julius@apache.org	Low
Vendor	pom	developer email	mattsicker@apache.org	Low
Vendor	pom	developer email	rwaldhoff@apache.org	Low
Vendor	pom	developer email	sanders@totalsync.com	Low
Vendor	pom	developer email	tn@apache.org	Low
Vendor	pom	developer email	tobrien@apache.org	Low

Vendor	pom	developer id	bayard	Medium
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	dgraham	Medium
Vendor	pom	developer id	dlr	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jon	Medium
Vendor	pom	developer id	julius	Medium
Vendor	pom	developer id	mattsicker	Medium
Vendor	pom	developer id	rwaldhoff	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	tn	Medium
Vendor	pom	developer id	tobrien	Medium
Vendor	pom	developer name	Daniel Rall	Medium
Vendor	pom	developer name	David Graham	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Henri Yandell	Medium
Vendor	pom	developer name	Jon S. Stevens	Medium
Vendor	pom	developer name	Julius Davies	Medium
Vendor	pom	developer name	Matt Sicker	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Rodney Waldhoff	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Thomas Neidhart	Medium
Vendor	pom	developer name	Tim OBrien	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	<a href="http://juliustdavies.ca/">http://juliustdavies.ca/</a>	Medium
Vendor	pom	developer org URL	<a href="https://www.apache.org/">https://www.apache.org/</a>	Medium
Vendor	pom	groupid	commons-codec	Highest
Vendor	pom	name	Apache Commons Codec	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	<a href="https://commons.apache.org/proper/commons-codec/">https://commons.apache.org/proper/commons-codec/</a>	Highest
Product	file	name	commons-codec	High
Product	jar	package name	apache	Highest

Product	jar	package name	codec	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	digest	Highest
Product	Manifest	automatic-module-name	org.apache.commons.codec	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-codec/">https://commons.apache.org/proper/commons-codec/</a>	Low
Product	Manifest	Bundle-Name	Apache Commons Codec	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-codec	Medium
Product	Manifest	Implementation-Title	Apache Commons Codec	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Apache Commons Codec	Medium
Product	pom	artifactid	commons-codec	Highest
Product	pom	developer email	bayard@apache.org	Low
Product	pom	developer email	chtompki@apache.org	Low
Product	pom	developer email	dgraham@apache.org	Low
Product	pom	developer email	dlr@finemaltcoding.com	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	jon@collab.net	Low
Product	pom	developer email	julius@apache.org	Low
Product	pom	developer email	mattsicker@apache.org	Low
Product	pom	developer email	rwaldhoff@apache.org	Low
Product	pom	developer email	sanders@totalsync.com	Low
Product	pom	developer email	tn@apache.org	Low
Product	pom	developer email	tobrien@apache.org	Low
Product	pom	developer id	bayard	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	dgraham	Low
Product	pom	developer id	dlr	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jon	Low
Product	pom	developer id	julius	Low
Product	pom	developer id	mattsicker	Low
Product	pom	developer id	rwaldhoff	Low

Product	pom	developer id	sanders	Low
Product	pom	developer id	tn	Low
Product	pom	developer id	tobrien	Low
Product	pom	developer name	Daniel Rall	Low
Product	pom	developer name	David Graham	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Henri Yandell	Low
Product	pom	developer name	Jon S. Stevens	Low
Product	pom	developer name	Julius Davies	Low
Product	pom	developer name	Matt Sicker	Low
Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Rodney Waldhoff	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Thomas Neidhart	Low
Product	pom	developer name	Tim OBrien	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	http://juliusdavies.ca/	Low
Product	pom	developer org URL	https://www.apache.org/	Low
Product	pom	groupid	commons-codec	Highest
Product	pom	name	Apache Commons Codec	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper/commons-codec/	Medium
Version	Manifest	Bundle-Version	1.17.1	High
Version	Manifest	Implementation-Version	1.17.1	High
Version	pom	parent-version	1.17.1	Low
Version	pom	version	1.17.1	Highest

## Identifiers

- [pkg:maven/commons-codec/commons-codec@1.17.1](https://maven.apache.org/commons-codec/commons-codec@1.17.1) (Confidence:High)

## decoder.docx.zip: commons-collections4.jar

### Description:

The Apache Commons Collections package contains types that extend and augment the Java Collections Framework.

### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.docx.zip/commons-collections4.jar

**MD5:** 4a37023740719b391f10030362c86be6

**SHA1:** 62ebe7544cb7164d87e0637a2a6a2bdc981395e8

**SHA256:** 1df8b9430b5c8ed143d7815e403e33ef5371b2400aadbe9bda0883762e0846d1

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-collections4	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	collections4	Highest
Vendor	jar	package name	commons	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.collections4	Medium
Vendor	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-collections/">https://commons.apache.org/proper/commons-collections/</a>	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-collections4	Medium
Vendor	Manifest	implementation-url	<a href="https://commons.apache.org/proper/commons-collections/">https://commons.apache.org/proper/commons-collections/</a>	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache.commons	Medium
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-collections4	Low
Vendor	pom	developer id	adriannistor	Medium
Vendor	pom	developer id	amamment	Medium
Vendor	pom	developer id	bayard	Medium
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	craigmcc	Medium
Vendor	pom	developer id	dlaha	Medium

Vendor	pom	developer id	geirm	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jcarman	Medium
Vendor	pom	developer id	luc	Medium
Vendor	pom	developer id	matth	Medium
Vendor	pom	developer id	mbenson	Medium
Vendor	pom	developer id	morgand	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	rwaldhoff	Medium
Vendor	pom	developer id	scolebourne	Medium
Vendor	pom	developer id	tn	Medium
Vendor	pom	developer name	Adrian Nistor	Medium
Vendor	pom	developer name	Arun M. Thomas	Medium
Vendor	pom	developer name	Craig McClanahan	Medium
Vendor	pom	developer name	Dipanjan Laha	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Geir Magnusson	Medium
Vendor	pom	developer name	Henri Yandell	Medium
Vendor	pom	developer name	James Carman	Medium
Vendor	pom	developer name	Luc Maisonobe	Medium
Vendor	pom	developer name	Matt Benson	Medium
Vendor	pom	developer name	Matthew Hawthorne	Medium
Vendor	pom	developer name	Morgan Delagrange	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Rodney Waldhoff	Medium
Vendor	pom	developer name	Stephen Colebourne	Medium
Vendor	pom	developer name	Thomas Neidhart	Medium
Vendor	pom	groupid	org.apache.commons	Highest
Vendor	pom	name	Apache Commons Collections	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	url	<a href="https://commons.apache.org/proper/commons-collections/">https://commons.apache.org/proper/commons-collections/</a>	Highest
Product	file	name	commons-collections4	High
Product	jar	package name	apache	Highest
Product	jar	package name	collections4	Highest

Product	jar	package name	commons	Highest
Product	Manifest	automatic-module-name	org.apache.commons.collections4	Medium
Product	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-collections/">https://commons.apache.org/proper/commons-collections/</a>	Low
Product	Manifest	Bundle-Name	Apache Commons Collections	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-collections4	Medium
Product	Manifest	Implementation-Title	Apache Commons Collections	High
Product	Manifest	implementation-url	<a href="https://commons.apache.org/proper/commons-collections/">https://commons.apache.org/proper/commons-collections/</a>	Low
Product	Manifest	specification-title	Apache Commons Collections	Medium
Product	pom	artifactid	commons-collections4	Highest
Product	pom	developer id	adriannistor	Low
Product	pom	developer id	amamment	Low
Product	pom	developer id	bayard	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	craigmcc	Low
Product	pom	developer id	dlaha	Low
Product	pom	developer id	geirm	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jcarman	Low
Product	pom	developer id	luc	Low
Product	pom	developer id	matth	Low
Product	pom	developer id	mbenson	Low
Product	pom	developer id	morgand	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	rwaldhoff	Low
Product	pom	developer id	scolebourne	Low
Product	pom	developer id	tn	Low
Product	pom	developer name	Adrian Nistor	Low
Product	pom	developer name	Arun M. Thomas	Low
Product	pom	developer name	Craig McClanahan	Low
Product	pom	developer name	Dipanjan Laha	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Geir Magnusson	Low
Product	pom	developer name	Henri Yandell	Low

Product	pom	developer name	James Carman	Low
Product	pom	developer name	Luc Maisonobe	Low
Product	pom	developer name	Matt Benson	Low
Product	pom	developer name	Matthew Hawthorne	Low
Product	pom	developer name	Morgan Delagrangre	Low
Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Rodney Waldhoff	Low
Product	pom	developer name	Stephen Colebourne	Low
Product	pom	developer name	Thomas Neidhart	Low
Product	pom	groupid	org.apache.commons	Highest
Product	pom	name	Apache Commons Collections	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	url	<a href="https://commons.apache.org/proper/commons-collections/">https://commons.apache.org/proper/commons-collections/</a>	Medium
Version	Manifest	Implementation-Version	4.4	High
Version	pom	parent-version	4.4	Low
Version	pom	version	4.4	Highest

### Identifiers

- [pkg:maven/org.apache.commons/commons-collections4@4.4](#) (*Confidence:High*)
- [cpe:2.3:a:apache:commons\\_collections:4.4:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*) suppress

## decoder.docx.zip: commons-compress.jar

### Description:

Apache Commons Compress defines an API for working with compression and archive formats. These include bzip2, gzip, pack200, LZMA, XZ, Snappy, traditional Unix Compress, DEFLATE, DEFLATE64, LZ4, Brotli, Zstandard and ar, cpio, jar, tar, zip, dump, 7z, arj.

### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.docx.zip/commons-compress.jar

**MD5:** d2c5abbd0a822c0b79cf4f03ead483ee

**SHA1:** eb1f823447af685208e684fce84783b43517960c

**SHA256:** 9168a03141d8fc7eda21a2360d83cc0412bcb1d6204d992bd48c2573cb3c6b8

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-compress	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	compress	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.compress	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-compress/">https://commons.apache.org/proper/commons-compress/</a>	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-compress	Medium
Vendor	Manifest	extension-name	org.apache.commons.compress	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	originally-created-by	Apache Maven Bundle Plugin 5.1.9	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-compress	Low
Vendor	pom	developer email	bodewig at apache.org	Low
Vendor	pom	developer email	chtompki at apache.org	Low
Vendor	pom	developer email	damjan at apache.org	Low
Vendor	pom	developer email	ebourg at apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	grobmeier at apache.org	Low
Vendor	pom	developer email	julius at apache.org	Low
Vendor	pom	developer email	peterlee at apache.org	Low
Vendor	pom	developer email	sebb at apache.org	Low
Vendor	pom	developer email	tcurdt at apache.org	Low
Vendor	pom	developer id	bodewig	Medium

Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	damjan	Medium
Vendor	pom	developer id	ebourg	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	grobmeier	Medium
Vendor	pom	developer id	julius	Medium
Vendor	pom	developer id	peterlee	Medium
Vendor	pom	developer id	sebb	Medium
Vendor	pom	developer id	tcurdt	Medium
Vendor	pom	developer name	Christian Grobmeier	Medium
Vendor	pom	developer name	Damjan Jovanovic	Medium
Vendor	pom	developer name	Emmanuel Bourg	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Julius Davies	Medium
Vendor	pom	developer name	Peter Alfred Lee	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Sebastian Bazley	Medium
Vendor	pom	developer name	Stefan Bodewig	Medium
Vendor	pom	developer name	Torsten Curdt	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	<a href="https://www.apache.org/">https://www.apache.org/</a>	Medium
Vendor	pom	groupid	org.apache.commons	Highest
Vendor	pom	name	Apache Commons Compress	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	url	<a href="https://commons.apache.org/proper/commons-compress/">https://commons.apache.org/proper/commons-compress/</a>	Highest
Product	file	name	commons-compress	High
Product	jar	package name	9	Highest
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	compress	Highest
Product	Manifest	automatic-module-name	org.apache.commons.compress	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-compress/">https://commons.apache.org/proper/commons-compress/</a>	Low

Product	Manifest	Bundle-Name	Apache Commons Compress	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-compress	Medium
Product	Manifest	extension-name	org.apache.commons.compress	Medium
Product	Manifest	Implementation-Title	Apache Commons Compress	High
Product	Manifest	multi-release	true	Low
Product	Manifest	originally-created-by	Apache Maven Bundle Plugin 5.1.9	Low
Product	Manifest	specification-title	Apache Commons Compress	Medium
Product	pom	artifactid	commons-compress	Highest
Product	pom	developer email	bodewig at apache.org	Low
Product	pom	developer email	chtompki at apache.org	Low
Product	pom	developer email	damjan at apache.org	Low
Product	pom	developer email	ebourg at apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	grobmeier at apache.org	Low
Product	pom	developer email	julius at apache.org	Low
Product	pom	developer email	peterlee at apache.org	Low
Product	pom	developer email	sebb at apache.org	Low
Product	pom	developer email	tcurdt at apache.org	Low
Product	pom	developer id	bodewig	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	damjan	Low
Product	pom	developer id	ebourg	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	grobmeier	Low
Product	pom	developer id	julius	Low
Product	pom	developer id	peterlee	Low
Product	pom	developer id	sebb	Low
Product	pom	developer id	tcurdt	Low
Product	pom	developer name	Christian Grobmeier	Low
Product	pom	developer name	Damjan Jovanovic	Low
Product	pom	developer name	Emmanuel Bourg	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Julius Davies	Low
Product	pom	developer name	Peter Alfred Lee	Low

Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Sebastian Bazley	Low
Product	pom	developer name	Stefan Bodewig	Low
Product	pom	developer name	Torsten Curdt	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	https://www.apache.org/	Low
Product	pom	groupid	org.apache.commons	Highest
Product	pom	name	Apache Commons Compress	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	url	https://commons.apache.org/proper/commons-compress/	Medium
Version	Manifest	Bundle-Version	1.26.2	High
Version	Manifest	Implementation-Version	1.26.2	High
Version	pom	parent-version	1.26.2	Low
Version	pom	version	1.26.2	Highest

#### Identifiers

- [pkg:maven/org.apache.commons/commons-compress@1.26.2](#) (*Confidence:High*)
- [cpe:2.3:a:apache:commons\\_compress:1.26.2:\\*.\\*\\*\\*.\\*\\*\\*.\\*](#) (*Confidence:Highest*)

suppress

## decoder.docx.zip: commons-io.jar

### Description:

The Apache Commons IO library contains utility classes, stream implementations, file filters, file comparators, endian transformation classes, and much more.

### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.docx.zip/commons-io.jar

**MD5:** ed8191a5a217940140001b0acfed18d9

**SHA1:** 377d592e740dc77124e0901291dbfaa6810a200e

**SHA256:** f41f7baacd716896447ace9758621f62c1c6b0a91d89acee488da26fc477c84f

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-io	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	file	Highest
Vendor	jar	package name	io	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.io	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-io/">https://commons.apache.org/proper/commons-io/</a>	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-io	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-io	Low
Vendor	pom	developer email	bayard@apache.org	Low
Vendor	pom	developer email	dion@apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	jeremias@apache.org	Low
Vendor	pom	developer email	jochen.wiedmann@gmail.com	Low
Vendor	pom	developer email	krosenvold@apache.org	Low
Vendor	pom	developer email	martinc@apache.org	Low
Vendor	pom	developer email	matth@apache.org	Low
Vendor	pom	developer email	nicolaken@apache.org	Low
Vendor	pom	developer email	roxspring@apache.org	Low
Vendor	pom	developer email	sanders@apache.org	Low
Vendor	pom	developer id	bayard	Medium
Vendor	pom	developer id	dion	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jeremias	Medium
Vendor	pom	developer id	jochen	Medium
Vendor	pom	developer id	jukka	Medium
Vendor	pom	developer id	krosenvold	Medium

Vendor	pom	developer id	martinc	Medium
Vendor	pom	developer id	matth	Medium
Vendor	pom	developer id	niallp	Medium
Vendor	pom	developer id	nicolaken	Medium
Vendor	pom	developer id	roxspring	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	scolebourne	Medium
Vendor	pom	developer name	dlon Gillard	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Henri Yandell	Medium
Vendor	pom	developer name	Jeremias Maerki	Medium
Vendor	pom	developer name	Jochen Wiedmann	Medium
Vendor	pom	developer name	Jukka Zitting	Medium
Vendor	pom	developer name	Kristian Rosenvold	Medium
Vendor	pom	developer name	Martin Cooper	Medium
Vendor	pom	developer name	Matthew Hawthorne	Medium
Vendor	pom	developer name	Niall Pemberton	Medium
Vendor	pom	developer name	Nicola Ken Barozzi	Medium
Vendor	pom	developer name	Rob Oxspring	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Stephen Colebourne	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	<a href="https://www.apache.org/">https://www.apache.org/</a>	Medium
Vendor	pom	groupid	commons-io	Highest
Vendor	pom	name	Apache Commons IO	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	<a href="https://commons.apache.org/proper/commons-io/">https://commons.apache.org/proper/commons-io/</a>	Highest
Product	file	name	commons-io	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	file	Highest
Product	jar	package name	io	Highest
Product	Manifest	automatic-	org.apache.commons.io	Medium

		module-name		
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-io/">https://commons.apache.org/proper/commons-io/</a>	Low
Product	Manifest	Bundle-Name	Apache Commons IO	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-io	Medium
Product	Manifest	Implementation-Title	Apache Commons IO	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Apache Commons IO	Medium
Product	pom	artifactid	commons-io	Highest
Product	pom	developer email	bayard@apache.org	Low
Product	pom	developer email	dion@apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	jeremias@apache.org	Low
Product	pom	developer email	jochen.wiedmann@gmail.com	Low
Product	pom	developer email	krosenvold@apache.org	Low
Product	pom	developer email	martinc@apache.org	Low
Product	pom	developer email	matth@apache.org	Low
Product	pom	developer email	nicolaken@apache.org	Low
Product	pom	developer email	roxspring@apache.org	Low
Product	pom	developer email	sanders@apache.org	Low
Product	pom	developer id	bayard	Low
Product	pom	developer id	dion	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jeremias	Low
Product	pom	developer id	jochen	Low
Product	pom	developer id	jukka	Low
Product	pom	developer id	krosenvold	Low
Product	pom	developer id	martinc	Low
Product	pom	developer id	matth	Low
Product	pom	developer id	niallp	Low
Product	pom	developer id	nicolaken	Low
Product	pom	developer id	roxspring	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	scolebourne	Low

Product	pom	developer name	dlon Gillard	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Henri Yandell	Low
Product	pom	developer name	Jeremias Maerki	Low
Product	pom	developer name	Jochen Wiedmann	Low
Product	pom	developer name	Jukka Zitting	Low
Product	pom	developer name	Kristian Rosenvold	Low
Product	pom	developer name	Martin Cooper	Low
Product	pom	developer name	Matthew Hawthorne	Low
Product	pom	developer name	Niall Pemberton	Low
Product	pom	developer name	Nicola Ken Barozzi	Low
Product	pom	developer name	Rob Oxspring	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Stephen Colebourne	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	https://www.apache.org/	Low
Product	pom	groupid	commons-io	Highest
Product	pom	name	Apache Commons IO	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper/commons-io/	Medium
Version	Manifest	Bundle-Version	2.16.1	High
Version	Manifest	Implementation-Version	2.16.1	High
Version	pom	parent-version	2.16.1	Low
Version	pom	version	2.16.1	Highest

## Related Dependencies



- remotegui.zip: commons-io.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/commons-io.jar
  - MD5: ed8191a5a217940140001b0acfed18d9
  - SHA1: 377d592e740dc77124e0901291dbfaa6810a200e
  - SHA256: f41f7baacd716896447ace9758621f62c1c6b0a91d89acee488da26fc477c84f
  - [pkg:maven/commons-io/commons-io@2.16.1](https://mvnrepository.com/artifact/commons-io/commons-io/2.16.1)

## Identifiers

- [pkg:maven/commons-io/commons-io@2.16.1](#) (*Confidence:High*)
- [cpe:2.3:a:apache:commons\\_io:2.16.1:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*) suppress

## decoder.docx.zip: commons-math3.jar

### Description:

The Apache Commons Math project is a library of lightweight, self-contained mathematics and statistics components addressing the most common practical problems not immediately available in the Java programming language or commons-lang.

### License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.docx.zip/commons-math3.jar

**MD5:** 5b730d97e4e6368069de1983937c508e

**SHA1:** e4ba98f1d4b3c80ec46392f25e094a6a2e58fcfb

**SHA256:** 1e56d7b058d28b65abd256b8458e3885b674c1d588fa43cd7d1cbb9c7ef2b308

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-math3	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	math3	Highest
Vendor	Manifest	bundle-docurl	<a href="http://commons.apache.org/proper/commons-math/">http://commons.apache.org/proper/commons-math/</a>	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.math3	Medium
Vendor	Manifest	implementation-build	16abfe5de688cc52fb0396e0609cb33044b1569-2016-03-17 13:30:43-0400	Low
Vendor	Manifest	implementation-url	<a href="http://commons.apache.org/proper/commons-math/">http://commons.apache.org/proper/commons-math/</a>	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-math3	Low

Vendor	pom	developer email	achou at apache dot org	Low
Vendor	pom	developer email	billbarker at apache dot org	Low
Vendor	pom	developer email	brentworden at apache dot org	Low
Vendor	pom	developer email	celestin at apache dot org	Low
Vendor	pom	developer email	dimpbx at apache dot org	Low
Vendor	pom	developer email	erans at apache dot org	Low
Vendor	pom	developer email	evanward at apache dot org	Low
Vendor	pom	developer email	gregs at apache dot org	Low
Vendor	pom	developer email	j3322ptm at yahoo dot de	Low
Vendor	pom	developer email	luc at apache dot org	Low
Vendor	pom	developer email	mdiggory at apache dot org	Low
Vendor	pom	developer email	mikl at apache dot org	Low
Vendor	pom	developer email	oertl at apache dot org	Low
Vendor	pom	developer email	rdonkin at apache dot org	Low
Vendor	pom	developer email	tn at apache dot org	Low
Vendor	pom	developer email	tobrien at apache dot org	Low
Vendor	pom	developer id	achou	Medium
Vendor	pom	developer id	billbarker	Medium
Vendor	pom	developer id	brentworden	Medium
Vendor	pom	developer id	celestin	Medium
Vendor	pom	developer id	dimpbx	Medium
Vendor	pom	developer id	erans	Medium
Vendor	pom	developer id	evanward	Medium
Vendor	pom	developer id	gregs	Medium
Vendor	pom	developer id	luc	Medium
Vendor	pom	developer id	mdiggory	Medium
Vendor	pom	developer id	mikl	Medium
Vendor	pom	developer id	oertl	Medium
Vendor	pom	developer id	pietsch	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	tn	Medium
Vendor	pom	developer id	tobrien	Medium
Vendor	pom	developer name	Albert Davidson Chou	Medium
Vendor	pom	developer name	Bill Barker	Medium
Vendor	pom	developer name	Brent Worden	Medium

Vendor	pom	developer name	Dimitri Pourbaix	Medium
Vendor	pom	developer name	Evan Ward	Medium
Vendor	pom	developer name	Gilles Sadowski	Medium
Vendor	pom	developer name	Greg Sterijevski	Medium
Vendor	pom	developer name	J. Pietschmann	Medium
Vendor	pom	developer name	Luc Maisonobe	Medium
Vendor	pom	developer name	Mark Diggory	Medium
Vendor	pom	developer name	Mikkel Meyer Andersen	Medium
Vendor	pom	developer name	Otmar Ertl	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	S&#233;bastien Brisard	Medium
Vendor	pom	developer name	Thomas Neidhart	Medium
Vendor	pom	developer name	Tim O'Brien	Medium
Vendor	pom	groupid	org.apache.commons	Highest
Vendor	pom	name	Apache Commons Math	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	url	http://commons.apache.org/proper/commons-math/	Highest
Product	file	name	commons-math3	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	math3	Highest
Product	Manifest	bundle-docurl	http://commons.apache.org/proper/commons-math/	Low
Product	Manifest	Bundle-Name	Apache Commons Math	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.math3	Medium
Product	Manifest	implementation-build	16abfe5de688cc52fb0396e0609cb33044b156f2016-03-17 13:30:43-0400	Low
Product	Manifest	Implementation-Title	Apache Commons Math	High
Product	Manifest	implementation-url	http://commons.apache.org/proper/commons-math/	Low
Product	Manifest	specification-title	Apache Commons Math	Medium
Product	pom	artifactid	commons-math3	Highest
Product	pom	developer email	achou at apache dot org	Low
Product	pom	developer email	billbarker at apache dot org	Low
Product	pom	developer email	brentworden at apache dot org	Low

Product	pom	developer email	celestin at apache dot org	Low
Product	pom	developer email	dimpbx at apache dot org	Low
Product	pom	developer email	erans at apache dot org	Low
Product	pom	developer email	evanward at apache dot org	Low
Product	pom	developer email	gregs at apache dot org	Low
Product	pom	developer email	j3322ptm at yahoo dot de	Low
Product	pom	developer email	luc at apache dot org	Low
Product	pom	developer email	mdiggory at apache dot org	Low
Product	pom	developer email	mikl at apache dot org	Low
Product	pom	developer email	oertl at apache dot org	Low
Product	pom	developer email	rdonkin at apache dot org	Low
Product	pom	developer email	tn at apache dot org	Low
Product	pom	developer email	tobrien at apache dot org	Low
Product	pom	developer id	achou	Low
Product	pom	developer id	billbarker	Low
Product	pom	developer id	brentworden	Low
Product	pom	developer id	celestin	Low
Product	pom	developer id	dimpbx	Low
Product	pom	developer id	erans	Low
Product	pom	developer id	evanward	Low
Product	pom	developer id	gregs	Low
Product	pom	developer id	luc	Low
Product	pom	developer id	mdiggory	Low
Product	pom	developer id	mikl	Low
Product	pom	developer id	oertl	Low
Product	pom	developer id	pietsch	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	tn	Low
Product	pom	developer id	tobrien	Low
Product	pom	developer name	Albert Davidson Chou	Low
Product	pom	developer name	Bill Barker	Low
Product	pom	developer name	Brent Worden	Low
Product	pom	developer name	Dimitri Pourbaix	Low
Product	pom	developer name	Evan Ward	Low
Product	pom	developer name	Gilles Sadowski	Low

Product	pom	developer name	Greg Sterijevski	Low
Product	pom	developer name	J. Pietschmann	Low
Product	pom	developer name	Luc Maisonobe	Low
Product	pom	developer name	Mark Diggory	Low
Product	pom	developer name	Mikkel Meyer Andersen	Low
Product	pom	developer name	Otmar Ertl	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	S&#233;bastien Brisard	Low
Product	pom	developer name	Thomas Neidhart	Low
Product	pom	developer name	Tim O'Brien	Low
Product	pom	groupid	org.apache.commons	Highest
Product	pom	name	Apache Commons Math	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	url	http://commons.apache.org/proper/commons-math/	Medium
Version	Manifest	Bundle-Version	3.6.1	High
Version	Manifest	Implementation-Version	3.6.1	High
Version	pom	parent-version	3.6.1	Low
Version	pom	version	3.6.1	Highest

#### Identifiers

- [pkg:maven/org.apache.commons/commons-math3@3.6.1](http://pkg:maven/org.apache.commons/commons-math3@3.6.1) (*Confidence:High*)

## decoder.docx.zip: curvesapi.jar

### Description:

Implementation of various mathematical curves that define themselves over a set of control points. The API is written in Java. The curves supported are: Bezier, B-Spline, Cardinal Spline, Catmull-Rom Spline, Lagrange, Natural Cubic Spline, and NURBS.

### License:

BSD License: <http://opensource.org/licenses/BSD-3-Clause>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.docx.zip/curvesapi.jar

**MD5:** fc3aed90346691e7c79da06bb6606beb

**SHA1:** 3d3d36568154059825089b289dcfca481fe44e2c

**SHA256:**ad95b08b8bbf9d7d17e5e00814898fa23324f32bc5b62f1a37801e6a56ce0079

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	curvesapi	High
Vendor	Manifest	automatic-module-name	com.github.virtuald.curvesapi	Medium
Vendor	pom	artifactid	curvesapi	Low
Vendor	pom	developer id	stormdollar	Medium
Vendor	pom	developer id	virtuald	Medium
Vendor	pom	developer name	Dustin Spicuzza	Medium
Vendor	pom	developer name	stormdollar	Medium
Vendor	pom	groupid	com.github.virtuald	Highest
Vendor	pom	name	curvesapi	High
Vendor	pom	url	virtuald/curvesapi	Highest
Product	file	name	curvesapi	High
Product	Manifest	automatic-module-name	com.github.virtuald.curvesapi	Medium
Product	pom	artifactid	curvesapi	Highest
Product	pom	developer id	stormdollar	Low
Product	pom	developer id	virtuald	Low
Product	pom	developer name	Dustin Spicuzza	Low
Product	pom	developer name	stormdollar	Low
Product	pom	groupid	com.github.virtuald	Highest
Product	pom	name	curvesapi	High
Product	pom	url	virtuald/curvesapi	High
Version	pom	version	1.08	Highest

## Identifiers

- [pkg:maven/com.github.virtuald/curvesapi@1.08](https://maven.com.github.virtuald/curvesapi@1.08) (*Confidence:*High)

**decoder.docx.zip:** decoder.docx.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.docx.zip/decoder.docx.jar

**MD5:** c820c845b51350e51f88e6a0bb245166

**SHA1:** 49705fedb73a0f0fb49dac3596cddeac205a060e

**SHA256:** 5ca50bc080c73d437a391bfc8b04a64c4d86ae243971f1bc4131aa8f2a01b41

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	decoder.docx	High
Vendor	jar	package name	encode	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-12-03 17:09	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	decoder.docx	High
Product	jar	package name	docx	Highest
Product	jar	package name	docx	Low
Product	jar	package name	encode	Low
Product	jar	package name	report	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-12-03 17:09	Low
Product	Manifest	codebase	*	Low

Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	decoder.docx	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	decoder.docx	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	24.10.238	High

#### Identifiers

- None

### decoder.docx.zip: log4j-api.jar

#### Description:

The Apache Log4j API

#### License:

Apache-2.0: <https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.docx.zip/log4j-api.jar

**MD5:** bee2e2dcbeeb983bdb6b71c9c3476b6a

**SHA1:** 9c15c29c526d9c6783049c0a77722693c66706e1

**SHA256:** 92ec1fd36ab3bc09de6198d2d7c0914685c0f7127ea931acc32fd2ecdd82ea89

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	log4j-api	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	log4j	Highest
Vendor	jar	package name	logging	Highest
Vendor	jar	package name	org	Highest
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-activationpolicy	lazy	Low

Vendor	Manifest	bundle-symbolicname	org.apache.logging.log4j.api	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	provide-capability	osgi.service;objectClass:List="org.apache.logging.log4j.util.PropertySource";effective:=active,osgi.serviceloader;osgi.serviceloader="org.apache.logging.log4j.util.PropertySource";register="org.apache.logging.log4j.util.EnvironmentPropertySource",osgi.serviceloader;osgi.serviceloader="org.apache.logging.log4j.util.PropertySource";register="org.apache.logging.log4j.util.SystemPropertiesPropertySource"	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	log4j-api	Low
Vendor	pom	groupid	org.apache.logging.log4j	Highest
Vendor	pom	name	Apache Log4j API	High
Vendor	pom	parent-artifactid	log4j	Low
Product	file	name	log4j-api	High
Product	jar	package name	apache	Highest
Product	jar	package name	log4j	Highest
Product	jar	package name	logging	Highest
Product	jar	package name	org	Highest
Product	jar	package name	util	Highest
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-activationpolicy	lazy	Low
Product	Manifest	Bundle-Name	Apache Log4j API	Medium
Product	Manifest	bundle-symbolicname	org.apache.logging.log4j.api	Medium
Product	Manifest	Implementation-Title	Apache Log4j API	High
Product	Manifest	multi-release	true	Low
Product	Manifest	provide-capability	osgi.service;objectClass:List="org.apache.logging.log4j.util.PropertySource";effective:=active,osgi.serviceloader;osgi.serviceloader="org.apache.logging.log4j.util.PropertySource";register="org.apache.logging.log4j.util.EnvironmentPropertySource",osgi.serviceloader;osgi.serviceloader="org.apache.logging.log4j.util.PropertySource";register="org.apache.logging.log4j.util.SystemPropertiesPropertySource"	Low

Product	Manifest	specification-title	Apache Log4j API	Medium
Product	pom	artifactid	log4j-api	Highest
Product	pom	groupid	org.apache.logging.log4j	Highest
Product	pom	name	Apache Log4j API	High
Product	pom	parent-artifactid	log4j	Medium
Version	Manifest	Bundle-Version	2.23.1	High
Version	Manifest	Implementation-Version	2.23.1	High
Version	pom	version	2.23.1	Highest

### Identifiers

- [pkg:maven/org.apache.logging.log4j/log4j-api@2.23.1](#) (*Confidence:High*)
- [cpe:2.3:a:apache:log4j:2.23.1:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*)

suppress

## decoder.docx.zip: poi.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.docx.zip/poi.jar

**MD5:** d4b21c2109d83abb8e93ba4bcfbdeb3a

**SHA1:** 2fb22ae74ad5aea6af1a9c64b9542f2ccf348604

**SHA256:** 1d4c81a283e127693db89e85df45119d9d312d5686d2439b5be9445c2c649155

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	poi	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	apache	Low
Vendor	jar	package name	poi	Highest
Vendor	jar	package name	poi	Low
Vendor	Manifest	automatic-module-name	org.apache.poi.poi	Medium
Vendor	Manifest	Implementation-Vendor	org.apache.poi	High
Vendor	Manifest	Implementation-Vendor-Id	The Apache Software Foundation	Medium
Vendor	Manifest	multi-release	true	Low

Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Product	file	name	poi	High
Product	jar	package name	apache	Highest
Product	jar	package name	poi	Highest
Product	jar	package name	poi	Low
Product	Manifest	automatic-module-name	org.apache.poi.poi	Medium
Product	Manifest	Implementation-Title	Apache POI	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Apache POI	Medium
Version	Manifest	Implementation-Version	5.2.3	High

## Related Dependencies



- decoder.docx.zip: poi-ooxml-full.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.docx.zip/poi-ooxml-full.jar
  - MD5: 12cee970c8c7143c8d5ff643e1599bd8
  - SHA1: 339a05530a7076e8a86b88253a48a44e0144ce25
  - SHA256: 0484b712eb63a8872723cafb88004be60f47187baccacddaee12712a1ad2e7b5
- decoder.docx.zip: poi-ooxml.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.docx.zip/poi-ooxml.jar
  - MD5: 4874ead60c5e3aa7fcf29d3ad351eefa
  - SHA1: 02efd11c940adb18c03eb9ce7ad88fc40ee6a196
  - SHA256: 9b8ff6ecf562836299ce15997796e3d47fe063a5956c1c7d3f6e2a4bf6e60b79
- decoder.docx.zip: poi-scratchpad.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.docx.zip/poi-scratchpad.jar
  - MD5: 760ac0bcd0f4877fb57b134fc7e79fb4
  - SHA1: 2a7fce47e22b7fedb1b277347ff4fe36d6eda50d
  - SHA256: f0a98ad2a2a8c2863135357224fe8ffb2b4e7bb121d75aff59750eb671451aed

## Identifiers

- [cpe:2.3:a:apache:poi:5.2.3:\\*:\\*:\\*:\\*:\\*](#) (Confidence: Highest) suppress

decoder.docx.zip: xmlbeans.jar

**Description:**

XmlBeans main jar

**License:**

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.docx.zip/xmlbeans.jar

**MD5:** 48f887315aeea29588550b86aada1068

**SHA1:** e16ddf17fe181c202b097e0dcc0ee2fed91cb7da

**SHA256:** eff1746a43780845d625a3ceb137976d4665d01a71209507dc383c6f43ab288a

**Referenced In Project/Scope:** server

**Evidence**

Type	Source	Name	Value	Confidence
Vendor	file	name	xmlbeans	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	org	Highest
Vendor	jar	package name	xmlbeans	Highest
Vendor	Manifest	multi-release	true	Low
Vendor	manifest org /apache /xmlbear	Implementation- Vendor	org.apache.xmlbeans	Medium
Vendor	pom	artifactid	xmlbeans	Low
Vendor	pom	developer email	user@poi.apache.org	Low
Vendor	pom	developer id	poi	Medium
Vendor	pom	developer name	POI Team	Medium
Vendor	pom	developer org	Apache POI	Medium
Vendor	pom	groupid	org.apache.xmlbeans	Highest
Vendor	pom	name	XmlBeans	High
Vendor	pom	organization name	XmlBeans	High
Vendor	pom	organization url	<a href="https://xmlbeans.apache.org/">https://xmlbeans.apache.org/</a>	Medium
Vendor	pom	url	<a href="https://xmlbeans.apache.org/">https://xmlbeans.apache.org/</a>	Highest
Product	file	name	xmlbeans	High
Product	jar	package name	apache	Highest
Product	jar	package name	org	Highest
Product	jar	package name	xmlbeans	Highest
Product	Manifest	multi-release	true	Low
Product	manifest org	Implementation- Title	Apache XmlBeans	Medium

/apache  
/xmlbear

Product	manifest org /apache /xmlbear	Specification- Title	Apache XmlBeans	Medium
Product	pom	artifactid	xmlbeans	Highest
Product	pom	developer email	user@poi.apache.org	Low
Product	pom	developer id	poi	Low
Product	pom	developer name	POI Team	Low
Product	pom	developer org	Apache POI	Low
Product	pom	groupid	org.apache.xmlbeans	Highest
Product	pom	name	XmlBeans	High
Product	pom	organization name	XmlBeans	Low
Product	pom	organization url	https://xmlbeans.apache.org/	Low
Product	pom	url	https://xmlbeans.apache.org/	Medium
Version	manifest org /apache /xmlbear	Implementation- Version	5.2.1	Medium
Version	pom	version	5.2.1	Highest

#### Identifiers

- [pkg:maven/org.apache.xmlbeans/xmlbeans@5.2.1](#) (*Confidence:High*)
- [cpe:2.3:a:apache:xmlbeans:5.2.1:\\*\\*\\*\\*:\\*](#) (*Confidence:Highest*) suppress

### decoder.svg.zip: batik-anim-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-anim-inet\_patched.jar

**MD5:** ca9b7e3470ec4fae98f63e1176598fd8

**SHA1:** df67336085c962bf3974ae7c8e0684ede311b1c6

**SHA256:** 76906fb573f46895285d778672f5cc6bf866f75697ffe58eee83b01d1e09d871

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-anim-inet_patched	High

Vendor	jar	package name	anim	Low
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Product	file	name	batik-anim-inet_patched	High
Product	jar	package name	anim	Low
Product	jar	package name	batik	Low
Product	jar	package name	dom	Low

#### Identifiers

- None

### decoder.svg.zip: batik-awt-util-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-awt-util-inet\_patched.jar

**MD5:** 78d0f951cf21d193bb3019ced508670f

**SHA1:** 9a5dc6cea00c6f1dfe375fd0b6a6f5fd68f03920

**SHA256:** c235d7d09615f88df71d682442247725cdd17dac6be7bfe679ffeacfc218824b

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-awt-util-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	ext	Low
Product	file	name	batik-awt-util-inet_patched	High
Product	jar	package name	awt	Low
Product	jar	package name	batik	Low
Product	jar	package name	ext	Low

#### Identifiers

- None

## decoder.svg.zip: batik-bridge-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-bridge-inet\_patched.jar

**MD5:** cd9b26662448c977f32a01ae076153ec

**SHA1:** 69eb5e16d985e4b3e145ad2020346d9371c4112d

**SHA256:** 3529283783068bd71b6932333dc30d45fb7f7de665731cab47d5a148e7f0ed04

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-bridge-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	bridge	Low
Product	file	name	batik-bridge-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	bridge	Low

### Identifiers

- None

## decoder.svg.zip: batik-codec-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-codec-inet\_patched.jar

**MD5:** 5e9f873b4c078f8e4129966c1db692bc

**SHA1:** 009427d5c286ce0ea63eaea73f678e6e1316d114

**SHA256:** b1359159577318d3793f46d9661b680edec76a936f6143bda670dc4c4b106542

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-codec-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	ext	Low

Product	file	name	batik-codec-inet_patched	High
Product	jar	package name	awt	Low
Product	jar	package name	batik	Low
Product	jar	package name	ext	Low

#### Identifiers

- None

### decoder.svg.zip: batik-constants-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-constants-inet\_patched.jar

**MD5:** 7ab5c8bdd3bffd8080327304340f808f

**SHA1:** 3d7521c16503666312e5ab3dda04e42040813ae8

**SHA256:**400ad29a7300f5d71b765e9248bce8ce7e18ee77d02a07957ce977ff03e71284

**Referenced In Project/Scope:** server

#### Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-constants-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	constants	Low
Product	file	name	batik-constants-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	constants	Low
Product	jar	package name	xmlconstants	Low

#### Identifiers

- None

### decoder.svg.zip: batik-css-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-css-inet\_patched.jar  
**MD5:** efe6d51256dfe90595905b466f50cb1d  
**SHA1:** 59720f3521ef86920b1bee7ecad8f774b0291a00  
**SHA256:** f9eeb49d41a69114371bbc4ce585e54e4b4de2b529bcb406f44e14e4a01d8dc8  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-css-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	css	Low
Product	file	name	batik-css-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	css	Low
Product	jar	package name	engine	Low

#### Identifiers

- None

### decoder.svg.zip: batik-dom-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-dom-inet\_patched.jar  
**MD5:** 20ea7779e512f8c4bfa6531e062efd48  
**SHA1:** 836eabda80a9a6b924aea09b9493c44e3bb413b6  
**SHA256:** dcf5a79d65a595a73d17b6fb0339f9ac0248da957d311960fcedd33ae4cefe1d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-dom-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	dom	Low
Product	file	name	batik-dom-inet_patched	High

Product	jar	package name	batik	Low
Product	jar	package name	dom	Low

#### Identifiers

- None

### decoder.svg.zip: batik-ext-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-ext-inet\_patched.jar

**MD5:** 91711138884f8af1a08990da41b61af5

**SHA1:** 8195fd069a560ad76239f1d9fd803a4d39f7f1f3

**SHA256:** cd7a2cc67f833586efd1026651f2a66b608d32e6d0a2a9875fce05b998a35afe

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-ext-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	w3c	Low
Product	file	name	batik-ext-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	dom	Low
Product	jar	package name	w3c	Low

#### Identifiers

- None

### decoder.svg.zip: batik-extension-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-extension-inet\_patched.jar

**MD5:** 04d7a025623894e24609572a4a95c827

**SHA1:** 254337ea5358ce3660ce8063bf576ddfcafd828c

**SHA256:** a67c190c69325fdd4f0afd147fac54734540659ec2b70061609d779a8b434c07

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-extension-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	extension	Low
Product	file	name	batik-extension-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	extension	Low
Product	jar	package name	svg	Low

#### Identifiers

- None

### decoder.svg.zip: batik-gui-util-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-gui-util-inet\_patched.jar

**MD5:** d4f5c11c2ef0e885edf427ba341bb43a

**SHA1:** e3d52600773e327e718226ba885ba4240d1f5708

**SHA256:** de10ba6c89374b3bbcb0391808c9a52343ed1f9341a979d9c5d29acb6a2a4ae35

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-gui-util-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	util	Low
Product	file	name	batik-gui-util-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	gui	Low

Product	jar	package name	util	Low
---------	-----	--------------	------	-----

#### Identifiers

- None

### decoder.svg.zip: batik-gvt-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-gvt-inet\_patched.jar  
**MD5:** 531c7350c3df1c016703d2f26d4656f5  
**SHA1:** bbbfd0825b068e7a5636505c9d3ed2c1803c1f44  
**SHA256:** d933774b59c569e30989072a6df247d28e639a1d206a530bc24f89b9162d133a  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-gvt-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	gvt	Low
Product	file	name	batik-gvt-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	gvt	Low

#### Identifiers

- None

### decoder.svg.zip: batik-i18n-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-i18n-inet\_patched.jar  
**MD5:** 1650351fc520b589f64f25bbb10014eb  
**SHA1:** e20373bfbefb8e38c877ba55da0fd6f88b1a898c  
**SHA256:** 87af44a58672b07600aea66ac280ac68d60d7a8edbc9bd855bd5d06242af357b  
**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-i18n-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	i18n	Low
Product	file	name	batik-i18n-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	i18n	Low
Version	file	name	batik-i18n-inet_patched	Medium
Version	file	version	18	Medium

## Identifiers

- [cpe:2.3:a:inet:inet:18:\\*:\\*:\\*:\\*:\\*](#) (Confidence:High) suppress

## decoder.svg.zip: batik-parser-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-parser-inet\_patched.jar  
**MD5:** ec8662e2761223a07c1c5cd352760762  
**SHA1:** c93a4fa23c50b6fc598c196bf818ae990b33c8f9  
**SHA256:** ad5e96d9367b6a100f42dfef99b9e81f23bbd74d881f098eb6d448fdcf62d331  
**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-parser-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	parser	Low
Product	file	name	batik-parser-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	parser	Low

### Identifiers

- None

## decoder.svg.zip: batik-script-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-script-inet\_patched.jar

**MD5:** ed9d79818286c08b981f7e735f2ebbf2

**SHA1:** fe5fbc17f4d45b81fa8c888458e48538f46dfb90

**SHA256:** defa2b26e8f7ffd05b58e544b4f66d34a79a3b8b0d92970742db0015cdb9d074

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-script-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	script	Low
Product	file	name	batik-script-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	script	Low

### Identifiers

- None

## decoder.svg.zip: batik-slideshow-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-slideshow-inet\_patched.jar

**MD5:** 4d7ff121bc7e6740a613f240cc0777de

**SHA1:** 20d91541127828edfc0b6ee7dd0252002f87c4ea

**SHA256:** aeacbbf5eacd1ba408cd72a363204c5430161a1d3a687b7c6b117845d3f99c79

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-slideshow-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	apps	Low
Vendor	jar	package name	batik	Low
Product	file	name	batik-slideshow-inet_patched	High
Product	jar	package name	apps	Low
Product	jar	package name	batik	Low
Product	jar	package name	slideshow	Low

#### Identifiers

- None

### decoder.svg.zip: batik-svg-dom-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-svg-dom-inet\_patched.jar  
**MD5:** b20d5f86935e8dd59d3fb3f5708cac47  
**SHA1:** 2e031b04335b7e61b0de6fedd5533037123ce81d  
**SHA256:** 680d15d7d60f06bcfa0b04ef41b3141114bf5f7915f2160db2c80ad3cb067da9  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-svg-dom-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	dom	Low
Product	file	name	batik-svg-dom-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	dom	Low
Product	jar	package name	svg	Low

#### Identifiers

- None

### decoder.svg.zip: batik-svggen-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-svggen-inet\_patched.jar  
**MD5:** 6d9a3465bc61d02429b4eb0c65c770e7  
**SHA1:** f8c3849db028b84c4e82d0adbcd54bf24b8eb67  
**SHA256:** bb6afbba9cf1ac7d72abaef461aec401251cfb80690ebebdb47f3371840866  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-svggen-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	svggen	Low
Product	file	name	batik-svggen-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	svggen	Low

#### Identifiers

- None

### decoder.svg.zip: batik-svgpp-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-svgpp-inet\_patched.jar  
**MD5:** 2ce45f43360285cfee6f2f3061af1bab  
**SHA1:** 521eac762ffb626752a4f606b23f9d5c934c4ec0  
**SHA256:** 1c5bddd5d34b87ddb29bf314963b6d73b50ce177071907ec9fc27ebffda235cb  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-svgpp-inet_patched	High

Vendor	jar	package name	apache	Low
Vendor	jar	package name	apps	Low
Vendor	jar	package name	batik	Low
Product	file	name	batik-svgpp-inet_patched	High
Product	jar	package name	apps	Low
Product	jar	package name	batik	Low
Product	jar	package name	svgpp	Low

#### Identifiers

- None

### decoder.svg.zip: batik-swing-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-swing-inet\_patched.jar

**MD5:** 17abc0c5ca14b602d7ed885527fc829c

**SHA1:** 6d37ed715d5842e3754dada7a67325b654fd42bd

**SHA256:** d160b143743345ce02e9d62e45ff883f0677af8e702eefce4e8105411e52482c

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-swing-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	swing	Low
Product	file	name	batik-swing-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	svg	Low
Product	jar	package name	swing	Low

#### Identifiers

- None

## decoder.svg.zip: batik-transcoder-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-transcoder-inet\_patched.jar

**MD5:** 0cdad6039646ea411d4510d8a20507fa

**SHA1:** e0546ab18ed8343e039e4ccf1b88c34dfe6c1b7d

**SHA256:**bbcb22884bf981fe96b6653951a882cd1e7ba073193242aaf58d1d31c2c1d27c

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-transcoder-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	transcoder	Low
Product	file	name	batik-transcoder-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	transcoder	Low

### Identifiers

- None

## decoder.svg.zip: batik-ttf2svg-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-ttf2svg-inet\_patched.jar

**MD5:** 6f0b1bf368468dc8a8227b3f401afa52

**SHA1:** ba2b2e3d95123857e71c60d49a9a221b4fc36db3

**SHA256:**1de125604d22826d9e5d3868d95e57ee4c8fa010ee528200cd18c52cf5a5e54e

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-ttf2svg-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	apps	Low

Vendor	jar	package name	batik	Low
Product	file	name	batik-ttf2svg-inet_patched	High
Product	jar	package name	apps	Low
Product	jar	package name	batik	Low
Product	jar	package name	ttf2svg	Low
Version	file	name	batik-ttf2svg-inet_patched	Medium
Version	file	version	2	Medium

#### Identifiers

- [cpe:2.3:a:inet:inet:2:\\*:\\*:\\*:\\*:\\*](#) (Confidence:High) suppress

### decoder.svg.zip: batik-util-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-util-inet\_patched.jar

**MD5:** 183dac6411b205b38957a11d234906ca

**SHA1:** 86236e20930356d458ddd067c8c4308dc5932e56

**SHA256:** 2268de559d12e0cbaad3019318d86d8e312fbf48508aa4c6dfb5f3dadc20b442

**Referenced In Project/Scope:** server

#### Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-util-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	util	Low
Product	file	name	batik-util-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	util	Low

#### Identifiers

- None

## decoder.svg.zip: batik-xml-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-xml-inet\_patched.jar

**MD5:** 2ee7b66eaa72669fdbbdc1ccf5a532cf

**SHA1:** c81c9b2f41a01688c55ea47d7add3789bdc9f71d

**SHA256:** fa08baff608e74d3a721fcf42e334c53a864b027def7a1307837b790a8f65783

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-xml-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	xml	Low
Product	file	name	batik-xml-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	xml	Low

### Identifiers

- None

## decoder.svg.zip: decoder.svg.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/decoder.svg.jar

**MD5:** c36151da6d0ae907395aecfdc01d406a

**SHA1:** f0ccf81a83d918fdf15e8205dda6756c8c84ea74

**SHA256:** d6da509d8925b545d0b21167ebd79f61856e6092df4186cd4a6be903b9e69f50

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	decoder.svg	High
Vendor	jar	package name	encode	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low

Vendor	Manifest	built-date	2024-12-03 17:09	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	decoder.svg	High
Product	jar	package name	encode	Low
Product	jar	package name	report	Low
Product	jar	package name	svg	Highest
Product	jar	package name	svg	Low
Product	Manifest	built-date	2024-12-03 17:09	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	decoder.svg	High
Product	Manifest	specification-title	decoder.svg	Medium
Version	Manifest	Implementation-Version	24.10.238	High

Identifiers

- None

decoder.svg.zip: jsvg.jar

License:

MIT

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/jsvg.jar

**MD5:** be6ca7686f4ca1320fec8b22762805a3

**SHA1:** cff25678c920dbd657bce96e9245e4fb54f852e6

**SHA256:**a215cf2a11dca182da9bc578ca6ab7c3e1728282df3a56f39ec8302f2c7895ef

**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jsvg	High
Vendor	jar	package name	github	Highest
Vendor	jar	package name	github	Low
Vendor	jar	package name	jsvg	Highest
Vendor	jar	package name	jsvg	Low
Vendor	jar	package name	weisj	Highest
Vendor	jar	package name	weisj	Low
Vendor	Manifest	Implementation-Vendor	JSVG	High
Vendor	Manifest	Implementation-Vendor-Id	com.github.weisj	Medium
Vendor	Manifest	specification-vendor	JSVG	Low
Product	file	name	jsvg	High
Product	jar	package name	jsvg	Highest
Product	jar	package name	jsvg	Low
Product	jar	package name	weisj	Low
Product	Manifest	Implementation-Title	jsvg	High
Product	Manifest	specification-title	JSVG	Medium
Version	Manifest	Implementation-Version	1.3.0	High

#### Identifiers

- None

### decoder.svg.zip: xml-apis-ext.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/xml-apis-ext.jar

**MD5:** bcb07d3b8d2397db7a3013b6465d347b

**SHA1:** 41a8b86b358e87f3f13cf46069721719105aff66

**SHA256:** d0b4887dc34d57de49074a58affad439a013d0baffa1a8034f8ef2a5ea191646

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	xml-apis-ext	High
Vendor	jar	package name	dom	Low
Vendor	jar	package name	svg	Low
Vendor	jar	package name	w3c	Low
Vendor	manifest org /w3c /css /sac/	Implementation- Vendor	World Wide Web Consortium	Medium
Vendor	manifest org /w3c /dom /smil/	Implementation- Vendor	World Wide Web Consortium	Medium
Vendor	manifest org /w3c /dom /svg/	Implementation- Vendor	World Wide Web Consortium	Medium
Product	file	name	xml-apis-ext	High
Product	jar	package name	css	Highest
Product	jar	package name	dom	Highest
Product	jar	package name	dom	Low
Product	jar	package name	sac	Highest
Product	jar	package name	smil	Highest
Product	jar	package name	svg	Highest
Product	jar	package name	svg	Low
Product	jar	package name	w3c	Highest
Product	manifest org /w3c /css /sac/	Implementation- Title	org.w3c.css.sac	Medium
Product	manifest org /w3c /css /sac/	Specification- Title	Simple API for CSS	Medium
Product	manifest org /w3c /dom /smil/	Implementation- Title	org.w3c.dom.smil	Medium
Product	manifest org /w3c /dom /smil/	Specification- Title	Document Object Model (DOM) for Synchronized Multimedia Integration Language (SMIL)	Medium

Product	manifest org /w3c /dom /svg/	Implementation- Title	org.w3c.dom.svg	Medium
Product	manifest org /w3c /dom /svg/	Specification- Title	Document Object Model (DOM) for Scalable Vector Graphics (SVG)	Medium
Version	manifest org /w3c /css /sac/	Implementation- Version	1.3	Medium
Version	manifest org /w3c /dom /svg/	Implementation- Version	1.1	Medium

#### Identifiers

- None

### decoder.svg.zip: xmlgraphics-commons.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/xmlgraphics-commons.jar

**MD5:** ec712218e2391e64672fd8ed1e9e1d71

**SHA1:** 336ddd6d0a244cdebf26a298fb7c3a5fd45449db

**SHA256:** 1fe37a1927bdd699730f0ad39f50a699c9ab4dff0ad047dff1e846cb120ae2b1

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	xmlgraphics-commons	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	apache	Low
Vendor	jar	package name	xmlgraphics	Highest
Vendor	jar	package name	xmlgraphics	Low
Vendor	Manifest	Implementation- Vendor	The Apache Software Foundation (http://xmlgraphics.apache.org/)	High
Product	file	name	xmlgraphics-commons	High

Product	jar	package name	apache	Highest
Product	jar	package name	xmlgraphics	Low
Product	Manifest	Implementation-Title	Apache XML Graphics Commons	High
Version	Manifest	build-id	20220112-112401-GMT	Medium
Version	Manifest	Implementation-Version	2.7	High

### Identifiers

- cpe:2.3:a:apache:xmlgraphics\_commons:2.7:\*:\*:\*:\*:\* ( *Confidence:Low* ) suppress

## designer.zip: JnlpDesigner.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/JnlpDesigner.jar

**MD5:** 220c308e411573d21501a830c9d55f70

**SHA1:** 4e8b9f6ff30ea9c119b1b6e80e04accc19fe290e

**SHA256:**ba7ecc409b3f33f8d95bfd19f9c8f2e7856e8214cd1c8c5069d40c263c701f7

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	JnlpDesigner	High
Vendor	jar	package name	designer	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	loader	Low
Vendor	jar	package name	shared	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	i-net Remote Designer	Medium
Vendor	Manifest	built-date	2024-12-03 17:13	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High

Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	JnlpDesigner	High
Product	jar	package name	designer	Highest
Product	jar	package name	jnlpdesigner	Highest
Product	jar	package name	loader	Low
Product	jar	package name	shared	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	i-net Remote Designer	Medium
Product	Manifest	built-date	2024-12-03 17:13	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	JnlpDesigner	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	JnlpDesigner	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	24.10.238	High

#### Identifiers

- None

designer.zip: SBSTutorial.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/SBSTutorial.jar  
**MD5:** 5e2a9290c88fe830cd909e96f5c799d9  
**SHA1:** 542d34a9c34bbedb395963cdbad5a9bd0efcf9b9  
**SHA256:** b995e7ba1765952b44fc3802ca5fe6c9debf4d571c9cc85de8e895420d984307  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	SBSTutorial	High
Vendor	jar	package name	anormalmedia	Low
Vendor	jar	package name	de	Low
Vendor	jar	package name	sbstutorial	Low
Product	file	name	SBSTutorial	High
Product	jar	package name	anormalmedia	Low
Product	jar	package name	gui	Low
Product	jar	package name	sbstutorial	Low

#### Identifiers

- None

### designer.zip: TableLayout.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/TableLayout.jar  
**MD5:** 1e432e776e18d71f12dd72b7d235a965  
**SHA1:** 62ffa1cca3e71f94d0bdce85ea97ea7083fdb1b  
**SHA256:** 13e73cf77a93f0c52184e5a5557d7dbba081bf54904edfdb84645b5daf7dd18  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	TableLayout	High
Vendor	jar	package name	clearthought	Low
Vendor	jar	package name	info	Low
Vendor	jar	package name	layout	Low
Product	file	name	TableLayout	High
Product	jar	package name	clearthought	Low

Product	jar	package name	layout	Low
---------	-----	--------------	--------	-----

#### Identifiers

- None

### designer.zip: adhoc.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/adhoc.jar  
**MD5:** 3a7dcf2191f1971fe95623a3d450c3db  
**SHA1:** 33650a390652be79102cc74fa3d11dd70aac6edf  
**SHA256:** 894641f7c9b15b1b17aed0a9e5e703be70db8f724669e19b0519801d45c10ec8  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	adhoc	High
Vendor	jar	package name	gui	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	remote	Low
Vendor	Manifest	built-date	2024-11-16 14:24	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	adhoc	High
Product	jar	package name	adhoc	Highest
Product	jar	package name	gui	Low
Product	jar	package name	modules	Low
Product	jar	package name	remote	Low
Product	Manifest	built-date	2024-11-16 14:24	Low
Product	Manifest	implementation-	reporting	Low

		group		
Product	Manifest	Implementation-Title	adhoc	High
Product	Manifest	specification-title	adhoc	Medium
Version	Manifest	Implementation-Version	24.10.221	High

#### Identifiers

- None

### designer.zip: adhocClient.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/adhocClient.jar

**MD5:** e5c6193251ef8862156981dd7d502a06

**SHA1:** 96d8730b2a698d1a6e2d9ac43af3116f666ffa3e

**SHA256:** 166ea368bf1d5fac63058fd30696a0ba4beac51724e38c5f3d473d2da6846514

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	adhocClient	High
Vendor	jar	package name	adhoc	Low
Vendor	jar	package name	client	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-11-16 14:23	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low

Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	adhocClient	High
Product	jar	package name	adhoc	Low
Product	jar	package name	client	Low
Product	jar	package name	page	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-11-16 14:23	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	adhocClient	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	adhocClient	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	24.10.221	High

Identifiers

- None

designer.zip: designer.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/designer.jar  
**MD5:** a13804886bee354fde81eb83f4249fec  
**SHA1:** ee8c40b56215b85e6c62bc9e95a4a5cc8b7df9d3  
**SHA256:** cf7fbe8e174478ce3f80b1c01e31021748e6aa4ca9953cd097e85a7b726abc02  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	designer	High
Vendor	jar	package name	designer	Low
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2024-12-03 17:12	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	designer	High
Product	jar	package name	designer	Highest
Product	jar	package name	designer	Low
Product	Manifest	built-date	2024-12-03 17:12	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	designer	High
Product	Manifest	specification-title	designer	Medium
Version	Manifest	Implementation-Version	24.10.238	High

#### Identifiers

- None

### designer.zip: designer.jar: app.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/designer.jar/com/inet/designer/plugin/module/js/app.js

**MD5:** bef1414c98319cd01072c0250d024d82

**SHA1:** c0d7139fe534898ee3b5ffe2cae0f9a58a59c7e5

**SHA256:** 41cba0c410b230a5bbcafd6a434b03f24750ab9008a3601c2fd01dd57eb27be7

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

designer.zip: designer.jar: opendesignerextension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/designer.jar/com/inet/designer/plugin/repository/drive/client/js/opendesignerextension.js

**MD5:** 4fdc8b5b6663572e9ecc988b9f1a5413

**SHA1:** a313ad410e16cc402c2f642c119641e40c40b2a8

**SHA256:**26eb6a271aeea74be552f810811307cba7135f28a44fc6090b9f8781cd4a4231

**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

designer.zip: designer.jar: remotedesigner.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/designer.jar/com/inet/designer/plugin/module/js/remotedesigner.js

**MD5:** f0878203858ebc63a1c907df9cf5c2e7

**SHA1:** 9e082aa6a3e0cd9ad97b0927a4c07783d16a2368

**SHA256:**b04f7fdf26e617b2c8b7762e8b08d90d3321ac3864826806d26b9b317df468da

**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

## designer.zip: inetswingcore.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/inetswingcore.jar

**MD5:** a52192db840b772c316d6cbf033347b8

**SHA1:** 92812250c166e187e323d808eafc38a197dd329d

**SHA256:** affd9aeae63e232e53af272e7fd31c9c3d8cd7a703dfc96c4e27583a2d517ce7

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	inetswingcore	High
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	swing	Low
Vendor	Manifest	built-date	2024-12-03 15:38	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	inetswingcore	High
Product	jar	package name	swing	Low
Product	Manifest	built-date	2024-12-03 15:38	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	inetswingcore	High
Product	Manifest	specification-title	inetswingcore	Medium
Version	Manifest	Implementation-Version	24.10.238	High

Identifiers

- None

diagnostics.reporting.zip: diagnostics.reporting.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.reporting.zip/diagnostics.reporting.jar

**MD5:** f1c8a25fdfe999514011118f01e5b2e8

**SHA1:** d9962437c266a3e38ff2d08f234cc590e5b3392f

**SHA256:**03aa425485a634f7d13abd0be81f04b60b5782d41da518c9c726e7baf55d7bce

**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	diagnostics.reporting	High
Vendor	jar	package name	diagnostics	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2024-12-03 17:10	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	diagnostics.reporting	High
Product	jar	package name	diagnostics	Highest
Product	jar	package name	diagnostics	Low
Product	jar	package name	report	Low
Product	jar	package name	widgets	Low
Product	Manifest	built-date	2024-12-03 17:10	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	diagnostics.reporting	High

Product	Manifest	specification-title	diagnostics.reporting	Medium
Version	Manifest	Implementation-Version	24.10.238	High

#### Identifiers

- None

### diagnostics.reporting.zip: diagnostics.reporting.jar: connectionPool.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.reporting.zip/diagnostics.reporting.jar/com/inet/report/diagnostics/widgets/connectionpool/resources/connectionPool.js

**MD5:** d2265e01795b8cc905909cec6066d54d

**SHA1:** 0267230cc5c09f4b0aa21c2fd7f8ea46f8c65dff

**SHA256:** 06a2990dbb4ed24f6c6d8c4cd7f0cf22ec3634436cd56554f4f7ecac7dcda0c3

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.reporting.zip: diagnostics.reporting.jar: reportcache.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.reporting.zip/diagnostics.reporting.jar/com/inet/report/diagnostics/widgets/reportcache/resources/reportcache.js

**MD5:** 153a5e9e133c2840303d9f3e1ae5876f

**SHA1:** 5dd04ef59fe3d4ea75b1d700aa578f674088e6be

**SHA256:** 97398f1657e15070641fc579e844266bcd51cc9971442b43324d19ca9926d62a

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.reporting.zip: diagnostics.reporting.jar: server-datasource.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.reporting.zip/diagnostics.reporting.jar/com/inet/report/diagnostics/widgets/benchmark/datasource/server-datasource.js  
**MD5:** dcc7cb153b98c98a9284b8355fe059f3  
**SHA1:** a2b9c989ecd08ecf852b254abb88ce4994b28e94  
**SHA256:**53d10a9c4356d0339a94952cb656230a9e2c73dbdb2501dfa68f2fa761436d71  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar  
**MD5:** 4b8ace305298161f28883dc613c9cdf9  
**SHA1:** 2cfc40ad916877b8f423f77fb67ca025a07bb01a  
**SHA256:**45d6423edbd9be306924b1246e094d9039b41158848002bbbacde46e20772005  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	diagnostics	High
Vendor	jar	package name	diagnostics	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	shared	Low
Vendor	Manifest	built-date	2024-12-03 15:56	Low
Vendor	Manifest	implementation-group	shared	Low

Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	diagnostics	High
Product	jar	package name	diagnostics	Highest
Product	jar	package name	diagnostics	Low
Product	jar	package name	shared	Highest
Product	jar	package name	shared	Low
Product	jar	package name	widgets	Low
Product	Manifest	built-date	2024-12-03 15:56	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	diagnostics	High
Product	Manifest	specification-title	diagnostics	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	24.10.238	High

Identifiers

- None

diagnostics.zip: diagnostics.jar: MemoryPieChart.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/information/resources/MemoryPieChart.js  
**MD5:** 42626a4c9ca338a4fcab2f76023b3066  
**SHA1:** eb0f8d225202d92c5eb85fa4280223bf13556bb3  
**SHA256:** 745789d5c53cb94947ce85fd4a0db43b1551b479217aface82a44d58001f5377  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: MemoryUsageChart.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/information/resources/MemoryUsageChart.js

**MD5:** b79e192fd1f5ea3d4f9be1dcc001d1a

**SHA1:** 1dcbddea47f2917610777a5220510b75e2145fe4

**SHA256:** 8ef4ff98ec97575059f8b76c80e660c9451b654faa4bc4096db04f3041f41a9b

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: WebServerErrorChart.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/webserver/resources/WebServerErrorChart.js

**MD5:** 4934e98916d9180d7713313276bd51b0

**SHA1:** a97ee17d4f0c0be6de32add6f433a0253e7baf60

**SHA256:** b493af38d4b841a79beffd85e99cdf23fda5eb7b3bc810ba2956a75905600054

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: benchmarkCtrl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/resources/benchmarkCtrl.js

**MD5:** b9bdb18908cc80ce56da5cdaeee67466

**SHA1:** 90ca53aaae57cf06537d9bb37eaf7787452431ac

**SHA256:** 52ced4ea204372bec8672a726612cec4fc3973db7e5fa10438bd9416875ad1b3

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: client-server.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/clientserver/client-server.js

**MD5:** 9775c53615ccd0633dc879e29740d1d7

**SHA1:** 235fb16ef3b9c8ca2d35c383fc7ea7ccd0fbe35a

**SHA256:** b3e66a6f53af1654e7c444678e571870b4e96d48f2bb30a15a315eb8568ff8af

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/controller.js  
**MD5:** 9c44be81e0e4ab33d11335181b5c5050  
**SHA1:** a46ec4fdb6040d7b22c9676e439bd7323c5d2dd  
**SHA256:** 12062f4ac444c0d35b0f4540c25666ef8f21eff25f56afde8b7435abddde2ea9  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: cpu.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/cpu/cpu.js  
**MD5:** efc8a1bacfb8abea4c10226fef04dde  
**SHA1:** 125b6c7b2803418a18b0991129aadcc9274b3abc  
**SHA256:** 7c6656ce270748b123397d36aebc01cedc7f19ce8000840f9eb3e1782548dadb  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: cpuspeed.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/cpuspeed/cpuspeed.js  
**MD5:** e6773bb5fcc69118e1f9fc5d97d29ed9  
**SHA1:** 4b76e6970f1a54c296f68631ed4631dc8be5a9ac  
**SHA256:** 72f628d2b4ac181a67b1deb3fbb35f65ee9da07b998a07582433637ef90d9bcd  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## diagnostics.zip: diagnostics.jar: directives.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/directives.js

**MD5:** 75a66dfaec3f8a8d22ba5189f7d333b2

**SHA1:** b1513528d04cba4f2d55b6cb48f0d3fd64ffbe54

**SHA256:** 6da91d6fd4de0e0e30b050cdef3f1b654d3862fc280d76c2bcf64742dd693d3b

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## diagnostics.zip: diagnostics.jar: errorHistoryChart.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/logging/resources/errorHistoryChart.js

**MD5:** 7db1c5d1ff857966be61bb2f1f7ae6a8

**SHA1:** a4844b6cf9ae6ccfcb17b1796276fc6f05593946

**SHA256:** 29b643d551eb9a16c5efa6836a3e505699a5085da1228ff5d0279125f7150223

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## diagnostics.zip: diagnostics.jar: flotr2.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/flotr2.min.js

**MD5:** 0b7015815b97473a69b1917da6dc9c7c

**SHA1:** d23aa3eb0326ea5ae26e4d98383e80f3f63a05de

**SHA256:** 8e91d325cb89a573c87ec87930a17a0dd4e16b59926d4bcc06691c26e37ab9fc

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## diagnostics.zip: diagnostics.jar: global.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/global.js

**MD5:** 18534cf8124e29a00282ed71477686f7

**SHA1:** 5adadf64dae9d41f975a75cfbaba4d02b6f943eb

**SHA256:** ba0e9b50f542cff2f0ee14105970cb6551d58367e4d4af7384717dc046cf438f

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### diagnostics.zip: diagnostics.jar: hddisk.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/hddisk/hddisk.js

**MD5:** 8455e549f56617f12154038a8f83662d

**SHA1:** 5c534bed65bb8ce9e652f2a9fb7248f098b69782

**SHA256:** fcd4d80fb7abbcc8882f12e5000b5230b03788bc358b3e2fa17666833f434344

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: heapdumpCtrl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/dump/resources/heapdumpCtrl.js

**MD5:** 210e1e95e6e689731e7d2699982fe594

**SHA1:** 0dcfb258e6458141cf7280821d6ad465f1335563

**SHA256:** eeb11a6c813f787e527db15712d25bd6c6521dd12a491038d5c7c9731ace36a2

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: informationCtrl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/information/resources/informationCtrl.js  
**MD5:** feaacfee3731e1867feb8317e33bd58  
**SHA1:** ccce0ab7f6e6726bb3ec13a0af239231716409db  
**SHA256:** c7f15cdb740db3f48bf013b2f15eb263072512714b8cb1cf5ea656aad4d59be  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: intArrayUtils.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/intArrayUtils.js  
**MD5:** 79a290bdef5c5e77f5d3bdfd8e3c957d  
**SHA1:** f9c1a98a645712d8ee60897d29d634eca8888e1a  
**SHA256:** 1fa5d253aa76306556a34f27144c0a2549fb10741c3b2dfece3a5135c85058f6  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: iospeed.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/iospeed/iospeed.js  
**MD5:** 9513a5cc6db5b11ac8ccec13ebc66cf4  
**SHA1:** 77dca27656bc1f6302f35d56f7c1d0fa08383de1  
**SHA256:** 111f6477977551d4f341f5e495bb47a0cd4e34b8af74cda2b7a60006da45dce3  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## diagnostics.zip: diagnostics.jar: jobs.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/jobs/resources/jobs.js

**MD5:** b78864906d5e65d639ce619c3b78dc57

**SHA1:** dad23495bc8488158dcd7cc5c6532a88097050f9

**SHA256:** c0b0df3fd4e121d3f248c92014e41459ab2cfcc23af039b9fa6271a8db326e3d

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## diagnostics.zip: diagnostics.jar: logging.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/logging/resources/logging.js

**MD5:** 69b1212755915952c874044cf173e8f5

**SHA1:** 3c8ddbcca0058c420b2ce85abee5f5281195b826

**SHA256:** c4080e6e0fe9cd1f0ffc5d52ad660ead4b434afdc9d7c8b4859b3fa1a34ef053

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## diagnostics.zip: diagnostics.jar: memory.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/memory/memory.js

**MD5:** a8e6f6a6db1d1d5642d9660c410ef86a

**SHA1:** e77983c1ac1019e864eb9e6a80693bf5672882

**SHA256:** 97f74086b8273426e3c9b5550fc07624ab60f585a46d1a1218793b7e78da0d88

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## diagnostics.zip: diagnostics.jar: overviewCtrl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/overview/resources/overviewCtrl.js

**MD5:** e5b43d270ebf9a9ad22979995dd75aba

**SHA1:** 7bef88b1bb39b0c83bfec6937ee39e63c5618aa

**SHA256:** b8302f76b57f0af058b713eda0ffaae316c7948c193814e2bc36f4db06828f65

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## diagnostics.zip: diagnostics.jar: pde.diagnostics.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/webserver/resources/pde.diagnostics.js

**MD5:** e1cafa8fcb3e071eec07859c25e18992

**SHA1:** 3ba533c28f4cb5977be5b98ecf9ca77e0e97339c

**SHA256:** c71bb9125ac341046d989d319686118882eb5b2d661db86383e611b23c8ff7af

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## diagnostics.zip: diagnostics.jar: timeformat.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/timeformat.js

**MD5:** d8d84b44477ea45bab0f78152b2f4c49

**SHA1:** 625f35b9aca48a8eafc02a4acbecf41aca1caa88

**SHA256:** daae300534ae12d16f3d88482713f677a14074940450f80c293f917e2da47d71

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## docfx.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/docfx.js  
**MD5:** 8d6c494b74e6c47ae0eb2e20c5c528f8  
**SHA1:** 65e3447fe91b30ebb4c4863adbe13f20c4cc81b0  
**SHA256:**c210b0b1dc0081355faa906b4239e82f670c0ed7b49b31c9de2161cceed3e7f  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### docfx.vendor.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/docfx.vendor.js  
**MD5:** e546d4a3ac43d85422e9c43bf9488c88  
**SHA1:** 7387f5bf1a3382308d646560039243629968f137  
**SHA256:**4dfa2ef41a41c02b0cd0cb18b5c3ee71dd40cdc060271f0d832235e7a1c72c34  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	bootstrap	High
Product	file	name	bootstrap	High
Version	file	version	3.4.1	High

#### Identifiers

- [pkg:javascript/bootstrap@3.4.1](#) (*Confidence:Highest*)

### drive.zip: drive.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar  
**MD5:** 987bd474587408c2fa5006cbd87454c7  
**SHA1:** 9161a27dadf522b45295a51c16164058dc03db91  
**SHA256:**4037b91106a12bd65f666b6f494dba059e7029aa758ab190cf7dc99560868b0b  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	drive	High
Vendor	jar	package name	drive	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2024-12-03 15:58	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	drive	High
Product	jar	package name	drive	Highest
Product	jar	package name	drive	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2024-12-03 15:58	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	drive	High
Product	Manifest	specification-title	drive	Medium
Version	Manifest	Implementation-Version	24.10.238	High

Identifiers

- None

### drive.zip: drive.jar: actions.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/actions.js

**MD5:** 3d3d275eb30155df30871bc783487824

**SHA1:** 9dec3b2b822aa5debb1a8fdd1d0affb059628e9f

**SHA256:** fc0489129d314a1ebdc7ce3b7f263f0dea6976f14cb69a217b858698bf9483fc

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### drive.zip: drive.jar: actions.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/service/actions.service.js

**MD5:** 06585f1a62539e4ef0e60612a18f934b

**SHA1:** 6f0d6a23bb5490c21386a32b942f357ac64353a5

**SHA256:** 9c67d37be2ac7b8f2b14b5f20821b41a158337a3f5358ff6dc93c3d6b198a6b8

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### drive.zip: drive.jar: contentextension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/contentextension.js

**MD5:** 00689403c0e32161c56dc2a3ac908ba2

**SHA1:** ed1576fba1a3cb52d10859f4b58c90d4804ed058  
**SHA256:**70938fae8885f3e86daffd98e970b07f2e494518d63d79b3534c7523b4897cd6  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/setup/controller.js  
**MD5:** 9b84367746009eef398d77d884b154a6  
**SHA1:** 1cef8b024cf08eaf0d0a526778f5297635cdae1e  
**SHA256:**2ef8f14ee5aa793584e5ffdf6df7701877b7f97a6db04f12733129cfb8c3612b  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

drive.zip: drive.jar: drivecleanup.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/server/maintenance/js/drivecleanup.js  
**MD5:** 26ac230e5c14e92eddfef4fddb5052a8f  
**SHA1:** a550d9e0c198f15d2327587c32bcc7667b5987ff  
**SHA256:**b17f17d04eec7b77450e7084f3a0a5e3a6b50f751821e1f88e6cc574b3fa18ec  
**Referenced In Project/Scope:** server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

**drive.zip: drive.jar: drivecontroller.js**


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/drivecontroller.js  
**MD5:** 859cc56e871db4de1bfafeb2f9e6fde7  
**SHA1:** 98bef5d44b75233c7226ae3c01b48a834a7e6b89  
**SHA256:**b1f049a2d9f7d740f6a7a02df593551f4d88b0cdf49110a18ed56cc54db34dae  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

**drive.zip: drive.jar: drivefactory.js**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/drivefactory.js  
**MD5:** de20ba216ff35e80247d2070266aa284  
**SHA1:** 6e48d074248f1400009d5ae48846f44f4d8aac97  
**SHA256:**96bd4b1aa30978f549c701c3111477af0e2efd6c86036159ca517c3cf811009d  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

#### drive.zip: drive.jar: drivemodel.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/drivemodel.js

**MD5:** e6a270a8460c988b8328ee291e867388

**SHA1:** b5c130c1a3ec4ead3c26afcc1a6a4b3aa5287cf6

**SHA256:** f5780833532de8fd96c44471bc9a27d261ea56aa559293758a88741af3c1d0a3

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### drive.zip: drive.jar: dropzone.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/dropzone.directive.js

**MD5:** 1e5fb3262ff7f502260fd1b571271d2a

**SHA1:** 7140a1e8d0604fe5e8f64c89e769dad5db447aac

**SHA256:** 0e74e1cad3ddcc0c6f90c42aa57a9ea518ed0f9b89cb8b346915b271e9a736fe

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### drive.zip: drive.jar: entryactions.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/entryactions.directive.js  
**MD5:** c03cc53b5e6e9197aade6ea4f5bc88f6  
**SHA1:** 524bd245e11acca716f021350181192e09423b44  
**SHA256:** f0d31214592e0c0e125a93267738b9f2df9827d51326768cb40a8952a8ff8d4c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### drive.zip: drive.jar: folderlist.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/folderlist.directive.js  
**MD5:** 876291e76208fd3ed602ad4ea188af73  
**SHA1:** 309fe9358bb6816e07a9f9f68c5f5da60aa4bbf5  
**SHA256:** 588f904947b4f78f28d444d71b15db3a0ceeffdaa1469af9a66bc91c206cbaab  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### drive.zip: drive.jar: linkdialog.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/linkdialog.js  
**MD5:** 8bd554613d9aefe7707adae374579d3b

**SHA1:** 4e87ed3c9497de78e7b46d506de9a4b15e0d21d3  
**SHA256:**6902f24c66660d5b1aa440c595337753ad8b5e2dc75a1fc565c4504aaf2377c4  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### drive.zip: drive.jar: locationchooser.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/locationchooser.js

**MD5:** e1bde8bc9a2ec6b100d2a26c2dc100ac

**SHA1:** 27abe39821d30f33418291d0947cf46abd2c9bc8

**SHA256:**69c9f894195902c5b696692e4999534f90e7b56abb7e82ebf5c0c5494b64a755

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### drive.zip: drive.jar: mountdialog.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/mountdialog.js

**MD5:** 9ddcc359d4872a789dd6971dfbd0f15c

**SHA1:** 0487f52f87d2b8082db8b5b1fbaa3b6adbfddaf

**SHA256:**9f333799e177a1b89585045bb59435c968666209b928c4b11ab2e0b9c1f7e716

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
<ul style="list-style-type: none"> <li>None</li> </ul>				

drive.zip: drive.jar: permissionsextension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/extensions/permissionsextension.js  
**MD5:** 82d7f1629df1bf988dee79b94e66367a  
**SHA1:** 30c32d7ab81d96f93122dbfdd9bb7ae27a4d6b0f  
**SHA256:**76ddeaceaacd69a0ddba037162649d6367460635703e867275c4a95c2e7f4acd  
**Referenced In Project/Scope:** server

Evidence <span>+</span>				
Type	Source	Name	Value	Confidence

Identifiers				
<ul style="list-style-type: none"> <li>None</li> </ul>				

drive.zip: drive.jar: progress.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/service/progress.service.js  
**MD5:** 61378778da59a5e5fb1db5eb5a6b1dac  
**SHA1:** f074907898f0e77690ea39a1c0a916cbf3f009ba  
**SHA256:**7a942ab911d7c7b291a2c5131f531115afda27e1519b2bd1b1cfb5dde8ffdbaf  
**Referenced In Project/Scope:** server

Evidence <span>+</span>				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

### drive.zip: drive.jar: progresspanel.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/progresspanel.directive.js

**MD5:** f63b2bcfbea6800b8e7d065bc4c7ef83

**SHA1:** e128d09bd1e3445ec18290ea55286ab9514b0b07

**SHA256:** 8c8ac2b1c3db7703f39ae301b3c212970d558eac38c818012b2c9ef8b3e23026

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### drive.zip: drive.jar: resolve.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/service/resolve.service.js

**MD5:** ba3326c0013f1ad827eac7b43babb1bd

**SHA1:** 36b3d94acffa898b9aa05bb5b86976ebb8cc4276

**SHA256:** 1ddd89ff0b52ef4b757f1fdd6803c94e3a2b8dda40c218600d8f1c9174fc8879

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### drive.zip: drive.jar: responsivetoolbar.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/responsivetoolbar.directive.js  
**MD5:** 0514676eab5c3cbb605cdc725cf6e0a2  
**SHA1:** 51755caa7e7cda9c1df5f51ff4541a51f8de3190  
**SHA256:** 8b3f3f6111e191d4225716e470f593fb41d86e826a9a78d7310392decb1476f8  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### drive.zip: drive.jar: selectedextension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/selectedextension.js  
**MD5:** def7dd4baa75fb99d6f028cf593c89f2  
**SHA1:** 4ae31c010fa7eeebf0c6581c42df0065f5002594  
**SHA256:** be162be53153d56b8b410e8a0b2b215e4571eb3883eb30c2cdd83d44b5ee6702  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### drive.zip: drive.jar: thumbnailextension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/thumbnailextension.js  
**MD5:** 481c6a02104bcd6dcf1017a1b9c43bb2

**SHA1:** f8fa4fed16c5975ee116eacd49d95f962a46d5b7  
**SHA256:** 9e535930662b6aebaa92f5c8ea8e94d1721e9b9650137394294208c8acb23f52  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### drive.zip: drive.jar: toolbaraction.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/toolbaraction.directive.js  
**MD5:** fb68211b153024df5d5df904a849ed05  
**SHA1:** a08e0aeb010a782a76679870cfb6d0b6856de793  
**SHA256:** 79e1a51f62975ae7ef7429e2640ef031ad705f07f5e701c3262618cb83172b10  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### drive.zip: drive.jar: unzipextension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/extensions/unzipextension.js  
**MD5:** 82fbfeb109964349d67ae99c5641b0f2  
**SHA1:** 4007f9daf1f9734fd0b68646180def84cf7d56c6  
**SHA256:** bf3c8f846f5e97a14ff48f38631f8927831b8643bddf05e9b8deea3f01da65a1  
**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

drive.zip: drive.jar: zipextension.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/extensions/zipextension.js  
**MD5:** b7b6cf212e939bf91700f83e735a8893  
**SHA1:** 5911e53cc6dad277cc78bb5972ba189f610d4640  
**SHA256:**a1b81ac11c19a5c8f61a1bb01f419cb7c86f666970d1dd6d50492e278d51d2d5  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

embeddedMode.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/Embedded/src/com/inet/application/embedded/webgui/embeddedMode.js  
**MD5:** 92314f8cc3acd209a1f91a13fc50a2fb  
**SHA1:** dadaca7712877d347c6052a89d3ac5bcc796ebab  
**SHA256:**4ed3dd2cdd5ef6552ed5af7ccc9dc6bd3622dd717d63b4a75631234ecf3186ae  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Related Dependencies 				
--	--	--	--	--

- application.embedded.zip: embeddedMode.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Plugin - Samples/Application/Embedded/application.embedded.zip/src/com/inet /application/embedded/webgui/embeddedMode.js
  - MD5: 92314f8cc3acd209a1f91a13fc50a2fb
  - SHA1: dadaca7712877d347c6052a89d3ac5bcc796ebab
  - SHA256: 4ed3dd2cdd5ef6552ed5af7ccc9dc6bd3622dd717d63b4a75631234ecf3186ae

#### Identifiers

- None

### enginefactory.zip: enginefactory.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/enginefactory.zip/enginefactory.sample.jar

**MD5:** 4aac5358d5c703ae1243a95377448504

**SHA1:** 64a8bd56ee991821997879e2c86df0238fdbb1c9

**SHA256:** 71d2bba6138c72f21fa8726aec3e2aa431045178145833d2774b4080a8badc55

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	enginefactory.sample	High
Vendor	jar	package name	factory	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	samples	Low
Vendor	Manifest	built-date	2024-12-03 16:51	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	enginefactory.sample	High
Product	jar	package name	factory	Low
Product	jar	package name	samples	Low
Product	Manifest	built-date	2024-12-03 16:51	Low

Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	enginefactory	High
Product	Manifest	specification-title	enginefactory	Medium
Version	Manifest	Implementation-Version	24.10.238	High

#### Related Dependencies

- enginefactory.zip: enginefactory.sample.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Plugin - Samples/EngineFactory/enginefactory.zip/enginefactory.sample.jar
  - MD5: 4aac5358d5c703ae1243a95377448504
  - SHA1: 64a8bd56ee991821997879e2c86df0238fdbb1c9
  - SHA256: 71d2bba6138c72f21fa8726aec3e2aa431045178145833d2774b4080a8badc55

#### Identifiers

- None

### errorhandler.zip: errorhandler.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/errorhandler.zip/errorhandler.jar  
**MD5:** 6dcd2f37d35e1625964651499e6c37ca  
**SHA1:** 447a4c9e96be6d4460705b227382244ac38cad1e  
**SHA256:** 608b772cdc66768381063c797cfbf6d4ecdec6862432172441ac854974ac4cc2  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	errorhandler	High
Vendor	jar	package name	error	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2024-12-03 15:51	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-	i-net software	High

		Vendor		
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	errorhandler	High
Product	jar	package name	error	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2024-12-03 15:51	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	errorhandler	High
Product	Manifest	specification-title	errorhandler	Medium
Version	Manifest	Implementation-Version	24.10.238	High

Identifiers

- None

exceljconnect.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/exceljconnect.jar  
**MD5:** b982d56a619863a31f4f3a348934940d  
**SHA1:** 35253a9b22fe561d9d7e3b3c656e82b0e6358b32  
**SHA256:** 6293004aa0862e83901e33bd661d811af96fefb6a7d38b2663eb24cba346131c  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	exceljconnect	High
Vendor	jar	package name	excel	Low
Vendor	jar	package name	inet	Low
Product	file	name	exceljconnect	High
Product	jar	package name	excel	Low

## Identifiers

- None

## extension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/HtmlViewerExtensionPlugin/src/com/inet/samples/htmlviewer/extension.js

**MD5:** bdd6fdaab122479103c1bcba3692f01e

**SHA1:** 72aa61085dce74ce094f905354878ce744caede8

**SHA256:** 3c52759a05de925fb38d7aec3875b55a1a1ed6ce7f3b88044a96e527d9e4204a

**Referenced In Project/Scope:** server

## Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Related Dependencies

- htmlviewerextension.zip: extension.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/HtmlViewerExtensionPlugin/htmlviewerextension.zip/src/com/inet/samples/htmlviewer/extension.js
  - MD5: bdd6fdaab122479103c1bcba3692f01e
  - SHA1: 72aa61085dce74ce094f905354878ce744caede8
  - SHA256: 3c52759a05de925fb38d7aec3875b55a1a1ed6ce7f3b88044a96e527d9e4204a
- htmlviewerextension.zip: extension.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlviewerextension.zip/src/com/inet/samples/htmlviewer/extension.js
  - MD5: bdd6fdaab122479103c1bcba3692f01e
  - SHA1: 72aa61085dce74ce094f905354878ce744caede8
  - SHA256: 3c52759a05de925fb38d7aec3875b55a1a1ed6ce7f3b88044a96e527d9e4204a

## Identifiers

- None

## extension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/HtmlViewerPrintViaPDFPlugin/src/com/inet/htmlviewer/printpdf/extension.js  
**MD5:** 7d8be1ef58947852666766c1db348644  
**SHA1:** 26c37af43002d8764dbd80914476c548ce2354a5  
**SHA256:**c1500120eb6dca3b71c481ec3f9d66367e13a10c755306f58a449a0f648d2696  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- htmlviewer.printpdf.zip: extension.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/HtmlViewerPrintViaPDFPlugin/htmlviewer.printpdf.zip/src/com/inet/htmlviewer/printpdf/extension.js
  - MD5: 7d8be1ef58947852666766c1db348644
  - SHA1: 26c37af43002d8764dbd80914476c548ce2354a5
  - SHA256: c1500120eb6dca3b71c481ec3f9d66367e13a10c755306f58a449a0f648d2696
- htmlviewer.printpdf.zip: extension.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlviewer.printpdf.zip/src/com/inet/htmlviewer/printpdf/extension.js
  - MD5: 7d8be1ef58947852666766c1db348644
  - SHA1: 26c37af43002d8764dbd80914476c548ce2354a5
  - SHA256: c1500120eb6dca3b71c481ec3f9d66367e13a10c755306f58a449a0f648d2696

Identifiers

- None

facturx.zip: Saxon-HE.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/Saxon-HE.jar  
**MD5:** 39b53a0dcd01522e79223e2506061d44  
**SHA1:** 57c007520e2879387b8d13d0a512e9566eeffa73  
**SHA256:**98c3a91e6e5aaf9b3e2b37601e04b214a6e67098493cdd8232fcb705fddcb674  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	Saxon-HE	High
--------	------	------	----------	------

Vendor	jar	package name	net	Low
Vendor	jar	package name	saxon	Highest
Vendor	jar	package name	saxon	Low
Vendor	jar	package name	sf	Low
Vendor	Manifest	project-name	Saxon-HE	Medium
Product	file	name	Saxon-HE	High
Product	jar	package name	saxon	Highest
Product	jar	package name	saxon	Low
Product	jar	package name	sf	Low
Product	Manifest	project-name	Saxon-HE	Medium

#### Identifiers

- None

### facturx.zip: facturx.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/facturx.jar

**MD5:** 5e7f55ddccdfb9879d9b62b0c8447dc6

**SHA1:** 2c3b4b223ff07417ccd5e5b0f85ae6194bb85468

**SHA256:** ed53f7c5d4f60b4ab8d1f6fb26c7556de097cd10b879026b632e0c3414bc2cfe

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	facturx	High
Vendor	jar	package name	facturx	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	profiles	Low
Vendor	Manifest	built-date	2024-12-03 17:14	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-	i-net software	Low

		vendor		
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	facturx	High
Product	jar	package name	facturx	Highest
Product	jar	package name	facturx	Low
Product	jar	package name	profiles	Low
Product	Manifest	built-date	2024-12-03 17:14	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	facturx	High
Product	Manifest	specification-title	facturx	Medium
Version	Manifest	Implementation-Version	24.10.238	High

#### Identifiers

- None

### facturx.zip: istack-commons-runtime.jar

#### Description:

istack common utility code

#### License:

<http://www.eclipse.org/org/documents/edl-v10.php>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/istack-commons-runtime.jar

**MD5:** 669f50fb835d86fcb3a9523a729f4d5e

**SHA1:** 131351109ff27c4aa0958a988bb273e879687232

**SHA256:** 21025b7a096ef93f74de659c1be5990fa0c24e59a0f98a706e392e7088725ff6

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	istack-commons-runtime	High
Vendor	jar	package name	istack	Highest
Vendor	jar	package name	sun	Highest
Vendor	jar	package name	oracle	Highest

(hint)

Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	com.sun.istack.commons-runtime	Medium
Vendor	Manifest	implementation-build-id	4.2.0 - 19e68d9	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	com.sun.istack	Medium
Vendor	pom	artifactid	istack-commons-runtime	Low
Vendor	pom	groupid	com.sun.istack	Highest
Vendor	pom	name	istack common utility code runtime	High
Vendor	pom	parent-artifactid	istack-commons	Low
Product	file	name	istack-commons-runtime	High
Product	jar	package name	istack	Highest
Product	jar	package name	sun	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	istack common utility code runtime	Medium
Product	Manifest	bundle-symbolicname	com.sun.istack.commons-runtime	Medium
Product	Manifest	implementation-build-id	4.2.0 - 19e68d9	Low
Product	pom	artifactid	istack-commons-runtime	Highest
Product	pom	groupid	com.sun.istack	Highest
Product	pom	name	istack common utility code runtime	High
Product	pom	parent-artifactid	istack-commons	Medium
Version	Manifest	Bundle-Version	4.2.0	High
Version	Manifest	implementation-build-id	4.2.0	Low
Version	pom	version	4.2.0	Highest

#### Identifiers

- [pkg:maven/com.sun.istack/istack-commons-runtime@4.2.0](#) (*Confidence:High*)

**Description:**

Specification

**License:**

EDL 1.0: <http://www.eclipse.org/org/documents/edl-v10.php>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/jakarta.activation-api.jar

**MD5:** 1af11450fafc7ee26c633d940286bc16

**SHA1:** 640c0d5aff45dbff1e1a1bc09673ff3a02b1ba12

**SHA256:** f53f578dd0eb4170c195a4e215c59a38abfb4123dcb95dd902fef92876499fbb

**Referenced In Project/Scope:** server

**Evidence**

Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.activation-api	High
Vendor	jar	package name	activation	Highest
Vendor	jar	package name	jakarta	Highest
Vendor	Manifest	bundle-docurl	<a href="https://www.eclipse.org">https://www.eclipse.org</a>	Low
Vendor	Manifest	bundle-symbolicname	jakarta.activation-api	Medium
Vendor	Manifest	extension-name	jakarta.activation	Medium
Vendor	Manifest	implementation-build-id	0750e49	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.activation-api	Low
Vendor	pom	developer email	bill.shannon@oracle.com	Low
Vendor	pom	developer id	shannon	Medium
Vendor	pom	developer name	Bill Shannon	Medium
Vendor	pom	developer org	Oracle	Medium
Vendor	pom	groupid	jakarta.activation	Highest
Vendor	pom	name	Jakarta Activation API	High
Vendor	pom	parent-artifactid	project	Low
Vendor	pom	parent-groupid	org.eclipse.ee4j	Medium
Vendor	pom	url	<a href="https://jakarta.ee/jaf-api">jakartaee/jaf-api</a>	Highest
Vendor	pom (hint)	developer org	sun	Medium
Product	file	name	jakarta.activation-api	High

Product	jar	package name	activation	Highest
Product	jar	package name	jakarta	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta Activation API	Medium
Product	Manifest	bundle-symbolicname	jakarta.activation-api	Medium
Product	Manifest	extension-name	jakarta.activation	Medium
Product	Manifest	implementation-build-id	0750e49	Low
Product	Manifest	Implementation-Title	Jakarta Activation API	High
Product	Manifest	specification-title	Jakarta Activation Specification	Medium
Product	pom	artifactid	jakarta.activation-api	Highest
Product	pom	developer email	bill.shannon@oracle.com	Low
Product	pom	developer id	shannon	Low
Product	pom	developer name	Bill Shannon	Low
Product	pom	developer org	Oracle	Low
Product	pom	groupid	jakarta.activation	Highest
Product	pom	name	Jakarta Activation API	High
Product	pom	parent-artifactid	project	Medium
Product	pom	parent-groupid	org.eclipse.ee4j	Medium
Product	pom	url	jakartaee/jaf-api	High
Version	Manifest	Bundle-Version	2.1.2	High
Version	pom	parent-version	2.1.2	Low
Version	pom	version	2.1.2	Highest

#### Identifiers

- [pkg:maven/jakarta.activation/jakarta.activation-api@2.1.2](https://maven.apache.org/artifacts/jakarta/activation/jakarta.activation-api/2.1.2/) (*Confidence:High*)

## facturx.zip: jakarta.xml.bind-api.jar

### Description:

Jakarta XML Binding API 4.0 Design Specification

### License:

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/jakarta.xml.bind-api.jar

**MD5:** 0c8f9991081def819435c3ff36e4d93f

**SHA1:** 6cd5a999b834b63238005b7144136379dc36cad2

**SHA256:**0d6bcfe47763e85047acf7c398336dc84ff85ebcad0a7cb6f3b9d3e981245406

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.xml.bind-api	High
Vendor	jar	package name	bind	Highest
Vendor	jar	package name	jakarta	Highest
Vendor	jar	package name	xml	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	jakarta.xml.bind-api	Medium
Vendor	Manifest	extension-name	jakarta.xml.bind	Medium
Vendor	Manifest	implementation-build-id	ca43d8b	Low
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.xml.bind-api	Low
Vendor	pom	groupid	jakarta.xml.bind	Highest
Vendor	pom	name	Jakarta XML Binding API	High
Vendor	pom	parent-artifactid	jakarta.xml.bind-api-parent	Low
Product	file	name	jakarta.xml.bind-api	High
Product	jar	package name	bind	Highest
Product	jar	package name	jakarta	Highest
Product	jar	package name	xml	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta XML Binding API	Medium
Product	Manifest	bundle-symbolicname	jakarta.xml.bind-api	Medium
Product	Manifest	extension-name	jakarta.xml.bind	Medium
Product	Manifest	implementation-build-id	ca43d8b	Low
Product	pom	artifactid	jakarta.xml.bind-api	Highest
Product	pom	groupid	jakarta.xml.bind	Highest
Product	pom	name	Jakarta XML Binding API	High

Product	pom	parent-artifactid	jakarta.xml.bind-api-parent	Medium
Version	Manifest	Bundle-Version	4.0.2	High
Version	Manifest	Implementation-Version	4.0.2	High
Version	pom	version	4.0.2	Highest

#### Identifiers

- [pkg:maven/jakarta.xml.bind/jakarta.xml.bind-api@4.0.2](https://maven.apache.org/artifacts/jakarta/xml/bind/jakarta.xml.bind-api/4.0.2/) (Confidence:High)

## facturx.zip: jaxb-core.jar

### Description:

JAXB Core module. Contains sources required by XJC, JXC and Runtime modules.

### License:

<http://www.eclipse.org/org/documents/edl-v10.php>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/jaxb-core.jar

**MD5:** ab09aef6bebd4438b0a02707881801e4

**SHA1:** 007b4b11ea5542eea4ad55e1080b23be436795b3

**SHA256:** ad3fd9bf00de3eda9859f70b6cfb011e2fe9904804e16a2665092888ece0fdca

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jaxb-core	High
Vendor	jar	package name	core	Highest
Vendor	jar	package name	glassfish	Highest
Vendor	jar	package name	jaxb	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	org.glassfish.jaxb.core	Medium
Vendor	Manifest	git-revision	cb19596	Low
Vendor	Manifest	implementation-build-id	4.0.5 - cb19596	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.glassfish.jaxb	Medium

Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jaxb-core	Low
Vendor	pom	groupid	org.glassfish.jaxb	Highest
Vendor	pom	name	JAXB Core	High
Vendor	pom	parent-artifactid	jaxb-parent	Low
Vendor	pom	parent-groupid	com.sun.xml.bind.mvn	Medium
Vendor	pom	url	https://eclipse-ee4j.github.io/jaxb-ri/	Highest
Product	file	name	jaxb-core	High
Product	jar	package name	core	Highest
Product	jar	package name	glassfish	Highest
Product	jar	package name	jaxb	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	JAXB Core	Medium
Product	Manifest	bundle-symbolicname	org.glassfish.jaxb.core	Medium
Product	Manifest	git-revision	cb19596	Low
Product	Manifest	implementation-build-id	4.0.5 - cb19596	Low
Product	Manifest	Implementation-Title	Eclipse Implementation of JAXB	High
Product	Manifest	specification-title	Jakarta XML Binding	Medium
Product	pom	artifactid	jaxb-core	Highest
Product	pom	groupid	org.glassfish.jaxb	Highest
Product	pom	name	JAXB Core	High
Product	pom	parent-artifactid	jaxb-parent	Medium
Product	pom	parent-groupid	com.sun.xml.bind.mvn	Medium
Product	pom	url	https://eclipse-ee4j.github.io/jaxb-ri/	Medium
Version	Manifest	build-version	4.0.5	Medium
Version	Manifest	Bundle-Version	4.0.5	High
Version	Manifest	implementation-build-id	4.0.5	Low
Version	pom	version	4.0.5	Highest

## Identifiers

- [pkg:maven/org.glassfish.jaxb/jaxb-core@4.0.5](https://maven.org.glassfish.jaxb/jaxb-core@4.0.5) (*Confidence:High*)

## facturx.zip: jaxb-runtime.jar

### Description:

JAXB (JSR 222) Reference Implementation

### License:

<http://www.eclipse.org/org/documents/edl-v10.php>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/jaxb-runtime.jar

**MD5:** c7384f1f95b8a8e15291485ff9dbe4f3

**SHA1:** ca84c2a7169b5293e232b9d00d1e4e36d4c3914a

**SHA256:** 485d8940e76373a7f300815ea5504bf5b726c234425ad30971019d133124cca4

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jaxb-runtime	High
Vendor	jar	package name	glassfish	Highest
Vendor	jar	package name	jaxb	Highest
Vendor	jar	package name	runtime	Highest
Vendor	Manifest	bundle-docurl	<a href="https://www.eclipse.org">https://www.eclipse.org</a>	Low
Vendor	Manifest	bundle-symbolicname	org.glassfish.jaxb.runtime	Medium
Vendor	Manifest	git-revision	cb19596	Low
Vendor	Manifest	implementation-build-id	4.0.5 - cb19596	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.glassfish.jaxb	Medium
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="jakarta.xml.bind.JAXBContextFactory"	Low
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jaxb-runtime	Low
Vendor	pom	groupid	org.glassfish.jaxb	Highest
Vendor	pom	name	JAXB Runtime	High
Vendor	pom	parent-artifactid	jaxb-runtime-parent	Low
Vendor	pom	parent-groupid	com.sun.xml.bind.mvn	Medium
Vendor	pom	url	<a href="https://eclipse-ee4j.github.io/jaxb-ri/">https://eclipse-ee4j.github.io/jaxb-ri/</a>	Highest

Product	file	name	jaxb-runtime	High
Product	jar	package name	glassfish	Highest
Product	jar	package name	jaxb	Highest
Product	jar	package name	runtime	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	JAXB Runtime	Medium
Product	Manifest	bundle-symbolicname	org.glassfish.jaxb.runtime	Medium
Product	Manifest	git-revision	cb19596	Low
Product	Manifest	implementation-build-id	4.0.5 - cb19596	Low
Product	Manifest	Implementation-Title	Eclipse Implementation of JAXB	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="jakarta.xml.bind.JAXBContextFactory"	Low
Product	Manifest	specification-title	Jakarta XML Binding	Medium
Product	pom	artifactid	jaxb-runtime	Highest
Product	pom	groupid	org.glassfish.jaxb	Highest
Product	pom	name	JAXB Runtime	High
Product	pom	parent-artifactid	jaxb-runtime-parent	Medium
Product	pom	parent-groupid	com.sun.xml.bind.mvn	Medium
Product	pom	url	https://eclipse-ee4j.github.io/jaxb-ri/	Medium
Version	Manifest	build-version	4.0.5	Medium
Version	Manifest	Bundle-Version	4.0.5	High
Version	Manifest	implementation-build-id	4.0.5	Low
Version	pom	version	4.0.5	Highest

#### Identifiers

- [pkg:maven/org.glassfish.jaxb/jaxb-runtime@4.0.5](https://maven.org/glassfish/jaxb/jaxb-runtime@4.0.5) (*Confidence:High*)

## facturx.zip: ph-collection.jar

### Description:

Special Java 1.8+ Library with extended collection related functionality

**License:**

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-collection.jar

**MD5:** 5b20f474de08b57e9e3f67fe794c8fa0

**SHA1:** 9791cb0863efdd045be886c66d429fce413cc1cf

**SHA256:** 763f82f1573903d8114b4e021f84d18589a11d42c29dd853c507a7dbb79c8b35

**Referenced In Project/Scope:** server

**Evidence**

Type	Source	Name	Value	Confidence
Vendor	file	name	ph-collection	High
Vendor	jar	package name	collection	Highest
Vendor	jar	package name	helger	Highest
Vendor	Manifest	automatic-module-name	com.helger.collection	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	<a href="https://www.helger.com">https://www.helger.com</a>	Low
Vendor	Manifest	bundle-symbolicname	com.helger.commons.ph-collection	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	pom	artifactid	ph-collection	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.commons	Highest
Vendor	pom	name	ph-collection	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	<a href="https://www.helger.com">https://www.helger.com</a>	Medium
Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-collection	Highest
Product	file	name	ph-collection	High
Product	jar	package name	collection	Highest
Product	jar	package name	helger	Highest
Product	Manifest	automatic-module-name	com.helger.collection	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	<a href="https://www.helger.com">https://www.helger.com</a>	Low

Product	Manifest	Bundle-Name	ph-collection	Medium
Product	Manifest	bundle-symbolicname	com.helger.commons.ph-collection	Medium
Product	Manifest	Implementation-Title	ph-collection	High
Product	pom	artifactid	ph-collection	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.commons	Highest
Product	pom	name	ph-collection	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-commons-parent-pom	Medium
Product	pom	url	phax/ph-commons/ph-collection	High
Version	Manifest	Bundle-Version	11.1.6	High
Version	Manifest	Implementation-Version	11.1.6	High
Version	pom	version	11.1.6	Highest

#### Identifiers

- [pkg:maven/com.helger.commons/ph-collection@11.1.6](https://maven.com.helger.commons/ph-collection@11.1.6) (*Confidence:High*)

## facturx.zip: ph-commons.jar

### Description:

Java 1.8+ Library with tons of utility classes required in all projects

### License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-commons.jar

**MD5:** 4fcfa71f9cb21e440a176f15ede59c6c

**SHA1:** c23ab3acd1e8dc7f73ceab9a609e8f434f0bb

**SHA256:** 60a743bb9159806320fcae5903723ef44f2e69d8da8a0208168f6810518e7761

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-commons	High
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	helger	Highest
Vendor	Manifest	automatic-module-name	com.helger.commons	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.commons.ph-commons	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.commons.equals.IEqualsImplementationRegistrarSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.hashcode.IHashCodeImplementationRegistrarSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.serialize.convert.ISerializationConverterRegistrarSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.thirdparty.IThirdPartyModuleProviderSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.typeconvert.ITypeConverterRegistrarSPI"	Low
Vendor	pom	artifactid	ph-commons	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.commons	Highest
Vendor	pom	name	ph-commons	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-commons	Highest
Product	file	name	ph-commons	High
Product	jar	package name	commons	Highest
Product	jar	package name	convert	Highest
Product	jar	package name	equals	Highest
Product	jar	package name	hashCode	Highest

Product	jar	package name	helger	Highest
Product	jar	package name	iequalsimplementationregistrarspi	Highest
Product	jar	package name	ihashcodeimplementationregistrarspi	Highest
Product	jar	package name	ithirdpartymoduleproviderspi	Highest
Product	jar	package name	itypeconverterregistrarspi	Highest
Product	jar	package name	serialize	Highest
Product	jar	package name	thirdparty	Highest
Product	jar	package name	typeconvert	Highest
Product	Manifest	automatic-module-name	com.helger.commons	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	<a href="https://www.helger.com">https://www.helger.com</a>	Low
Product	Manifest	Bundle-Name	ph-commons	Medium
Product	Manifest	bundle-symbolicname	com.helger.commons.ph-commons	Medium
Product	Manifest	Implementation-Title	ph-commons	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.commons.equals.IEqualsImplementationRegistrarSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.hashcode.IHashCodeImplementationRegistrarSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.serialize.convert.ISerializationConverterRegistrarSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.thirdparty.IThirdPartyModuleProviderSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.typeconvert.ITypeConverterRegistrarSPI"	Low
Product	pom	artifactid	ph-commons	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.commons	Highest
Product	pom	name	ph-commons	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	<a href="https://www.helger.com">https://www.helger.com</a>	Low
Product	pom	parent-artifactid	ph-commons-parent-pom	Medium
Product	pom	url	phax/ph-commons/ph-commons	High
Version	Manifest	Bundle-Version	11.1.6	High

Version	Manifest	Implementation-Version	11.1.6	High
Version	pom	version	11.1.6	Highest

#### Identifiers

- [pkg:maven/com.helger.commons/ph-commons@11.1.6](https://maven.com.helger.commons/ph-commons@11.1.6) (Confidence:High)

## facturx.zip: ph-jaxb.jar

### Description:

Special Java 1.8+ Library with extended JAXB support

### License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-jaxb.jar

**MD5:** 93e5d1cd88aedb237e5510bfc8320359

**SHA1:** 704596aa8cdc51b92012fdce9ee88e58d46c4289

**SHA256:** 5f76336775f6fe7cb3533ff106de917e197be3dedf03eca6ef33b0a33961545d

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-jaxb	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	jaxb	Highest
Vendor	Manifest	automatic-module-name	com.helger.jaxb	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	<a href="https://www.helger.com">https://www.helger.com</a>	Low
Vendor	Manifest	bundle-symbolicname	com.helger.commons.ph-jaxb	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	pom	artifactid	ph-jaxb	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium

Vendor	pom	groupid	com.helger.commons	Highest
Vendor	pom	name	ph-jaxb	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-jaxb	Highest
Product	file	name	ph-jaxb	High
Product	jar	package name	helger	Highest
Product	jar	package name	jaxb	Highest
Product	Manifest	automatic-module-name	com.helger.jaxb	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-jaxb	Medium
Product	Manifest	bundle-symbolicname	com.helger.commons.ph-jaxb	Medium
Product	Manifest	Implementation-Title	ph-jaxb	High
Product	pom	artifactid	ph-jaxb	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.commons	Highest
Product	pom	name	ph-jaxb	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-commons-parent-pom	Medium
Product	pom	url	phax/ph-commons/ph-jaxb	High
Version	Manifest	Bundle-Version	11.1.6	High
Version	Manifest	Implementation-Version	11.1.6	High
Version	pom	version	11.1.6	Highest

## Identifiers

- [pkg:maven/com.helger.commons/ph-jaxb@11.1.6](https://maven.com.helger.commons/ph-jaxb@11.1.6) (Confidence:High)

## facturx.zip: ph-schematron-api.jar

### Description:

Base API for the library for validating XML documents with Schematron

### License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-schematron-api.jar

**MD5:** 24c8500ad0584e6df95b3127b6e73ec7

**SHA1:** 73bcd9437b7501afc549036d070ae9a41b2bc8c3

**SHA256:** f8bfc8bc092c5b53e48e640c4655e4d7ed4c0b58967ab3c18801249210ba79e2

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-schematron-api	High
Vendor	jar	package name	api	Highest
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	schematron	Highest
Vendor	Manifest	automatic-module-name	com.helger.schematron	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	<a href="https://www.helger.com">https://www.helger.com</a>	Low
Vendor	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-api	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.commons.thirdparty.IThirdPartyModuleProviderSPI"	Low
Vendor	pom	artifactid	ph-schematron-api	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.schematron	Highest
Vendor	pom	name	ph-schematron-api	High
Vendor	pom	organization name	Philip Helger	High

Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-schematron-parent-pom	Low
Vendor	pom	url	phax/ph-schematron/ph-schematron-api	Highest
Product	file	name	ph-schematron-api	High
Product	jar	package name	api	Highest
Product	jar	package name	helger	Highest
Product	jar	package name	schematron	Highest
Product	Manifest	automatic-module-name	com.helger.schematron	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-schematron-api	Medium
Product	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-api	Medium
Product	Manifest	Implementation-Title	ph-schematron-api	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.commons.thirdparty.IThirdPartyModuleProviderSPI"	Low
Product	pom	artifactid	ph-schematron-api	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.schematron	Highest
Product	pom	name	ph-schematron-api	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-schematron-parent-pom	Medium
Product	pom	url	phax/ph-schematron/ph-schematron-api	High
Version	Manifest	Bundle-Version	8.0.1	High
Version	Manifest	Implementation-Version	8.0.1	High
Version	pom	version	8.0.1	Highest

## Identifiers

- [pkg:maven/com.helger.schematron/ph-schematron-api@8.0.1](https://maven.com.helger.schematron/ph-schematron-api@8.0.1) (*Confidence:High*)

## facturx.zip: ph-schematron-pure.jar

### Description:

This package contains the 'Pure' Schematron implementation

### License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-schematron-pure.jar

**MD5:** b84cd61e8be857675dff02086d7e9866

**SHA1:** 485a9b563703701c518dfe0f469ff5299f66a30e

**SHA256:** df44818d506b1631ac1614df2d4502fa7ab4fd1259899c00b5e32ec69373b86f

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-schematron-pure	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	pure	Highest
Vendor	jar	package name	schematron	Highest
Vendor	Manifest	automatic-module-name	com.helger.schematron.pure	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	<a href="https://www.helger.com">https://www.helger.com</a>	Low
Vendor	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-pure	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	pom	artifactid	ph-schematron-pure	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.schematron	Highest
Vendor	pom	name	ph-schematron-pure	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	<a href="https://www.helger.com">https://www.helger.com</a>	Medium
Vendor	pom	parent-artifactid	ph-schematron-parent-pom	Low
Vendor	pom	url	phax/ph-schematron/ph-schematron-pure	Highest

Product	file	name	ph-schematron-pure	High
Product	jar	package name	helger	Highest
Product	jar	package name	pure	Highest
Product	jar	package name	schematron	Highest
Product	Manifest	automatic-module-name	com.helger.schematron.pure	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-schematron-pure	Medium
Product	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-pure	Medium
Product	Manifest	Implementation-Title	ph-schematron-pure	High
Product	pom	artifactid	ph-schematron-pure	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.schematron	Highest
Product	pom	name	ph-schematron-pure	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-schematron-parent-pom	Medium
Product	pom	url	phax/ph-schematron/ph-schematron-pure	High
Version	Manifest	Bundle-Version	8.0.1	High
Version	Manifest	Implementation-Version	8.0.1	High
Version	pom	version	8.0.1	Highest

#### Identifiers

- [pkg:maven/com.helger.schematron/ph-schematron-pure@8.0.1](https://maven.com.helger.schematron/ph-schematron-pure@8.0.1) (*Confidence:High*)

**facturx.zip: ph-schematron-schxslt.jar**

**Description:**

**License:**Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-schematron-schxslt.jar**MD5:** d950c715faca2efdf1e6bef94153e278**SHA1:** 909c4eeb0abe7cdbc2d8772dafd44acada79f630**SHA256:** 94f1ba6337d8d5c42c0fc052561704c820e5c6ab16f392e7538a48d5556d615b**Referenced In Project/Scope:** server**Evidence**

Type	Source	Name	Value	Confidence
Vendor	file	name	ph-schematron-schxslt	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	schematron	Highest
Vendor	jar	package name	schxslt	Highest
Vendor	Manifest	automatic-module-name	com.helger.schematron.schxslt	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	<a href="https://www.helger.com">https://www.helger.com</a>	Low
Vendor	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-schxslt	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.commons.thirdparty.IThirdPartyModuleProviderSPI"	Low
Vendor	pom	artifactid	ph-schematron-schxslt	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.schematron	Highest
Vendor	pom	name	ph-schematron-schxslt	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	<a href="https://www.helger.com">https://www.helger.com</a>	Medium
Vendor	pom	parent-artifactid	ph-schematron-parent-pom	Low
Vendor	pom	url	phax/ph-schematron/ph-schematron-schxslt	Highest
Product	file	name	ph-schematron-schxslt	High
Product	jar	package name	helger	Highest

Product	jar	package name	schematron	Highest
Product	jar	package name	schxslt	Highest
Product	Manifest	automatic-module-name	com.helger.schematron.schxslt	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-schematron-schxslt	Medium
Product	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-schxslt	Medium
Product	Manifest	Implementation-Title	ph-schematron-schxslt	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.commons.thirdparty.IThirdPartyModuleProviderSPI"	Low
Product	pom	artifactid	ph-schematron-schxslt	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.schematron	Highest
Product	pom	name	ph-schematron-schxslt	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-schematron-parent-pom	Medium
Product	pom	url	phax/ph-schematron/ph-schematron-schxslt	High
Version	Manifest	Bundle-Version	8.0.1	High
Version	Manifest	Implementation-Version	8.0.1	High
Version	pom	version	8.0.1	Highest

#### Identifiers

- [pkg:maven/com.helger.schematron/ph-schematron-schxslt@8.0.1](https://maven.com.helger.schematron/ph-schematron-schxslt@8.0.1) (*Confidence:High*)

**facturx.zip: ph-schematron-validator.jar**

**Description:**

Base POM to build the ph-schematron projects

**License:**

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-schematron-validator.jar

**MD5:** 779103d1e0040a55650345ac15a4d9f8

**SHA1:** 4cfd762446510a6f7d1697344254971f8109464e

**SHA256:** e27f69395c9ae52d4fbe46351f6484f0be4053e9f27df1723a35f0225273f0e5

**Referenced In Project/Scope:** server

**Evidence**



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-schematron-validator	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	schematron	Highest
Vendor	jar	package name	validator	Highest
Vendor	Manifest	automatic-module-name	com.helger.schematron.validator	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	<a href="https://www.helger.com">https://www.helger.com</a>	Low
Vendor	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-validator	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	pom	artifactid	ph-schematron-validator	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.schematron	Highest
Vendor	pom	name	ph-schematron-validator	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	<a href="https://www.helger.com">https://www.helger.com</a>	Medium
Vendor	pom	parent-artifactid	ph-schematron-parent-pom	Low
Vendor	pom	url	phax/ph-schematron/ph-schematron-validator	Highest
Product	file	name	ph-schematron-validator	High
Product	jar	package name	helger	Highest
Product	jar	package name	schematron	Highest
Product	jar	package name	validator	Highest

Product	Manifest	automatic-module-name	com.helger.schematron.validator	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-schematron-validator	Medium
Product	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-validator	Medium
Product	Manifest	Implementation-Title	ph-schematron-validator	High
Product	pom	artifactid	ph-schematron-validator	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.schematron	Highest
Product	pom	name	ph-schematron-validator	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-schematron-parent-pom	Medium
Product	pom	url	phax/ph-schematron/ph-schematron-validator	High
Version	Manifest	Bundle-Version	8.0.1	High
Version	Manifest	Implementation-Version	8.0.1	High
Version	pom	version	8.0.1	Highest

#### Identifiers

- [pkg:maven/com.helger.schematron/ph-schematron-validator@8.0.1](https://maven.com.helger.schematron/ph-schematron-validator@8.0.1) (*Confidence:High*)

## facturx.zip: ph-schematron-xslt.jar

### Description:

Library for validating XML documents using the original Schematron implementation

### License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-schematron-xslt.jar  
**MD5:** 3f6250129401256b8a3e820f03fe792e  
**SHA1:** cf8015cbd01c61380fc9399cfb6da59886804e4a  
**SHA256:** ffe00741ab4fac245b7215a01154ad5526aa22d196929956498df115789d339d  
**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-schematron-xslt	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	schematron	Highest
Vendor	jar	package name	xslt	Highest
Vendor	Manifest	automatic-module-name	com.helger.schematron.xslt	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-xslt	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	pom	artifactid	ph-schematron-xslt	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.schematron	Highest
Vendor	pom	name	ph-schematron-xslt	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-schematron-parent-pom	Low
Vendor	pom	url	phax/ph-schematron/ph-schematron-xslt	Highest
Product	file	name	ph-schematron-xslt	High
Product	jar	package name	helger	Highest
Product	jar	package name	schematron	Highest
Product	jar	package name	xslt	Highest
Product	Manifest	automatic-module-name	com.helger.schematron.xslt	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low

Product	Manifest	Bundle-Name	ph-schematron-xslt	Medium
Product	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-xslt	Medium
Product	Manifest	Implementation-Title	ph-schematron-xslt	High
Product	pom	artifactid	ph-schematron-xslt	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.schematron	Highest
Product	pom	name	ph-schematron-xslt	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-schematron-parent-pom	Medium
Product	pom	url	phax/ph-schematron/ph-schematron-xslt	High
Version	Manifest	Bundle-Version	8.0.1	High
Version	Manifest	Implementation-Version	8.0.1	High
Version	pom	version	8.0.1	Highest

#### Identifiers

- [pkg:maven/com.helger.schematron/ph-schematron-xslt@8.0.1](https://maven.com.helger.schematron/ph-schematron-xslt@8.0.1) (*Confidence:High*)

## facturx.zip: ph-xml.jar

### Description:

Java 1.8+ Library with XML handling routines

### License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-xml.jar

**MD5:** 183dd41c0a02718301661c4a9b8afebf

**SHA1:** 001608cab9840831840214dedb69fac618158f93

**SHA256:** 26f3505c54da7bbd4fcacf8b120d2ee9b19cbb562f969484799d7842d2a126fc

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-xml	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	xml	Highest
Vendor	Manifest	automatic-module-name	com.helger.xml	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.commons.ph-xml	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.xml.microdom.convert.IMicroTypeConverterRegistrarSPI"	Low
Vendor	pom	artifactid	ph-xml	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.commons	Highest
Vendor	pom	name	ph-xml	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-xml	Highest
Product	file	name	ph-xml	High
Product	jar	package name	convert	Highest
Product	jar	package name	helger	Highest
Product	jar	package name	microdom	Highest
Product	jar	package name	xml	Highest
Product	Manifest	automatic-module-name	com.helger.xml	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-xml	Medium
Product	Manifest	bundle-symbolicname	com.helger.commons.ph-xml	Medium

Product	Manifest	Implementation-Title	ph-xml	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.xml.microdom.convert.IMicroTypeConverterRegistrarSPI"	Low
Product	pom	artifactid	ph-xml	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.commons	Highest
Product	pom	name	ph-xml	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-commons-parent-pom	Medium
Product	pom	url	phax/ph-commons/ph-xml	High
Version	Manifest	Bundle-Version	11.1.6	High
Version	Manifest	Implementation-Version	11.1.6	High
Version	pom	version	11.1.6	Highest

#### Identifiers

- [pkg:maven/com.helger.commons/ph-xml@11.1.6](#) (*Confidence:High*)

## facturx.zip: ph-xsds-xml.jar

### Description:

XML.xsd wrapped in JAXB

### License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-xsds-xml.jar

**MD5:** f5d0d9170cce23fc050a0cb8e2fc8b94

**SHA1:** e1f471db4b77cb7c5804129746fcbad2dd57a28a

**SHA256:** de03d6b1d320e851d0f8a664346799447a5ec2163395a324c13a059d664e0c73

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-xsds-xml	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	xml	Highest
Vendor	jar	package name	xsds	Highest
Vendor	Manifest	automatic-module-name	com.helger.xsds.xml	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	http://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.xsd.ph-xsds-xml	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	pom	artifactid	ph-xsds-xml	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.xsd	Highest
Vendor	pom	name	ph-xsds-xml	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	http://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-xsds-parent-pom	Low
Vendor	pom	url	phax/ph-xsds/ph-xsds-xml	Highest
Product	file	name	ph-xsds-xml	High
Product	jar	package name	helger	Highest
Product	jar	package name	xml	Highest
Product	jar	package name	xsds	Highest
Product	Manifest	automatic-module-name	com.helger.xsds.xml	Medium
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	http://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-xsds-xml	Medium
Product	Manifest	bundle-symbolicname	com.helger.xsd.ph-xsds-xml	Medium
Product	Manifest	Implementation-Title	ph-xsds-xml	High
Product	pom	artifactid	ph-xsds-xml	Highest

Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.xsd	Highest
Product	pom	name	ph-xsds-xml	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	http://www.helger.com	Low
Product	pom	parent-artifactid	ph-xsds-parent-pom	Medium
Product	pom	url	phax/ph-xsds/ph-xsds-xml	High
Version	Manifest	Bundle-Version	3.0.0	High
Version	Manifest	Implementation-Version	3.0.0	High
Version	pom	version	3.0.0	Highest

#### Identifiers

- [pkg:maven/com.helger.xsd/ph-xsds-xml@3.0.0](#) (*Confidence:High*)

## facturx.zip: txw2.jar

### Description:

TXW is a library that allows you to write XML documents.

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/txw2.jar

**MD5:** 2f5aa7dbd5e326562cff6ce720a1485a

**SHA1:** f36a4ef12120a9bb06d766d6a0e54b144fd7ed98

**SHA256:** 917355bc451481f30d043b24d123110517966af34383901773882810dca480e5

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	txw2	High
Vendor	jar	package name	sun	Highest
Vendor	jar	package name	txw	Highest
Vendor	jar	package name	txw2	Highest
Vendor	jar	package name	xml	Highest

Vendor	jar (hint)	package name	oracle	Highest
Vendor	Manifest	git-revision	cb19596	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.eclipse	Medium
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	txw2	Low
Vendor	pom	groupid	org.glassfish.jaxb	Highest
Vendor	pom	name	TXW2 Runtime	High
Vendor	pom	parent-artifactid	jaxb-txw-parent	Low
Vendor	pom	parent-groupid	com.sun.xml.bind.mvn	Medium
Vendor	pom	url	<a href="https://eclipse-ee4j.github.io/jaxb-ri/">https://eclipse-ee4j.github.io/jaxb-ri/</a>	Highest
Product	file	name	txw2	High
Product	jar	package name	sun	Highest
Product	jar	package name	txw	Highest
Product	jar	package name	txw2	Highest
Product	jar	package name	xml	Highest
Product	Manifest	git-revision	cb19596	Low
Product	Manifest	Implementation-Title	Eclipse Implementation of JAXB	High
Product	Manifest	specification-title	Jakarta XML Binding	Medium
Product	pom	artifactid	txw2	Highest
Product	pom	groupid	org.glassfish.jaxb	Highest
Product	pom	name	TXW2 Runtime	High
Product	pom	parent-artifactid	jaxb-txw-parent	Medium
Product	pom	parent-groupid	com.sun.xml.bind.mvn	Medium
Product	pom	url	<a href="https://eclipse-ee4j.github.io/jaxb-ri/">https://eclipse-ee4j.github.io/jaxb-ri/</a>	Medium
Version	Manifest	build-version	4.0.5	Medium
Version	pom	version	4.0.5	Highest

### Identifiers

- [pkg:maven/org.glassfish.jaxb/txw2@4.0.5](#) (*Confidence:High*)

## facturx.zip: xmlresolver.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/xmlresolver.jar

**MD5:** 50bdca48c60958d11fc228113d3e6874

**SHA1:** ffde9ff1a059542ddde356fe5177e4d036281d1a

**SHA256:** 0011e478a6ecaabaf4f8fa5637cddc5e772d7bfdc2cb4a6863209110ead9378c

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	xmlresolver	High
Vendor	jar	package name	xmlresolver	Highest
Vendor	jar	package name	xmlresolver	Low
Vendor	Manifest	automatic-module-name	org.xmlresolver.xmlresolver	Medium
Vendor	Manifest	Implementation-Vendor	Norman Walsh	High
Product	file	name	xmlresolver	High
Product	jar	package name	resolver	Highest
Product	jar	package name	xmlresolver	Highest
Product	Manifest	automatic-module-name	org.xmlresolver.xmlresolver	Medium
Product	Manifest	Implementation-Title	XML Resolver	High
Version	Manifest	Implementation-Version	6.0.4	High

### Identifiers

- None

## googleanalytics.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/src/com/inet/application/googleanalytics/client/js/googleanalytics.js

**MD5:** 2d80a02a8a912b832b3fd044f985011b

**SHA1:** a1fdc1c0ff040b9b2cce863058e8ef63b94a160f

**SHA256:** 99ec57bd66db3cfd2f65e9b2bc0ccd0c01a659945f206d8f3240294c6fac281a

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Related Dependencies



- application.googleanalytics.zip: googleanalytics.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Plugin - Samples/Application/GoogleAnalytics/application.googleanalytics.zip/src /com/inet/application/googleanalytics/client/js/googleanalytics.js
  - MD5: 2d80a02a8a912b832b3fd044f985011b
  - SHA1: a1fdc1c0ff040b9b2cce863058e8ef63b94a160f
  - SHA256: 99ec57bd66db3cfd2f65e9b2bc0ccd0c01a659945f206d8f3240294c6fac281a

### Identifiers

- None

## hamcrest-2.2.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.hamcrest/hamcrest/2.2/1820c0968dba3a11a1b30669bb1f01978a91dedc/hamcrest-2.2.jar

**MD5:** 10b47e837f271d0662f28780e60388e8

**SHA1:** 1820c0968dba3a11a1b30669bb1f01978a91dedc

**SHA256:** 5e62846a89f05cd78cd9c1a553f340d002458380c320455dd1f8fc5497a8a1c1

**Referenced In Project/Scope:** server:inetPlugin

**Included by:** pkg:maven/clear-reports/server@24.10

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	hamcrest	High
--------	------	------	----------	------

Vendor	gradle	artifactid	hamcrest	Highest
--------	--------	------------	----------	---------

Vendor	gradle	groupid	org.hamcrest	Highest
--------	--------	---------	--------------	---------

Vendor	jar	package name	hamcrest	Highest
--------	-----	--------------	----------	---------

Vendor	jar	package name	hamcrest	Low
--------	-----	--------------	----------	-----

Vendor	Manifest	automatic-module-name	org.hamcrest	Medium
--------	----------	-----------------------	--------------	--------

Vendor	Manifest	bundle-symbolicname	org.hamcrest	Medium
--------	----------	---------------------	--------------	--------

Vendor	Manifest	Implementation-	hamcrest.org	High
--------	----------	-----------------	--------------	------

## Vendor

Product	file	name	hamcrest	High
Product	gradle	artifactid	hamcrest	Highest
Product	jar	package name	hamcrest	Highest
Product	Manifest	automatic-module-name	org.hamcrest	Medium
Product	Manifest	Bundle-Name	hamcrest	Medium
Product	Manifest	bundle-symbolicname	org.hamcrest	Medium
Product	Manifest	Implementation-Title	hamcrest	High
Version	file	version	2.2	High
Version	Manifest	Implementation-Version	2.2	High

## Identifiers

- [pkg:maven/org.hamcrest/hamcrest@2.2](https://maven.org/hamcrest/hamcrest@2.2) (*Confidence*:Highest)

## help.zip: commons-beanutils.jar

## Description:

Apache Commons BeanUtils provides an easy-to-use but flexible wrapper around reflection and introspection.

## License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/help.zip/commons-beanutils.jar

**MD5:** 07dc532ee316fe1f2f0323e9bd2f8df4

**SHA1:** d52b9abcd97f38c81342bb7e7ae1eee9b73cba51

**SHA256:** 7d938c81789028045c08c065e94be75fc280527620d5bd62b519d5838532368a

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-beanutils	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	beanutils	Highest
Vendor	jar	package name	commons	Highest

Vendor	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-beanutils/">https://commons.apache.org/proper/commons-beanutils/</a>	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-beanutils	Medium
Vendor	Manifest	implementation-build	UNKNOWN_BRANCH@r??????; 2019-07-28 22:14:44+0000	Low
Vendor	Manifest	implementation-url	<a href="https://commons.apache.org/proper/commons-beanutils/">https://commons.apache.org/proper/commons-beanutils/</a>	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-beanutils	Low
Vendor	pom	developer email	britter@apache.org	Low
Vendor	pom	developer email	chtompki@apache.org	Low
Vendor	pom	developer email	craigmcc@apache.org	Low
Vendor	pom	developer email	dion@apache.org	Low
Vendor	pom	developer email	epugh@apache.org	Low
Vendor	pom	developer email	geirm@apache.org	Low
Vendor	pom	developer email	ggregory@apache.org	Low
Vendor	pom	developer email	jcarman@apache.org	Low
Vendor	pom	developer email	jconlon@apache.org	Low
Vendor	pom	developer email	jstrachan@apache.org	Low
Vendor	pom	developer email	morgand@apache.org	Low
Vendor	pom	developer email	mvdb@apache.org	Low
Vendor	pom	developer email	niallp@apache.org	Low
Vendor	pom	developer email	rdonkin@apache.org	Low
Vendor	pom	developer email	rwaldhoff@apache.org	Low
Vendor	pom	developer email	sanders@apache.org	Low
Vendor	pom	developer email	scolebourne@apache.org	Low
Vendor	pom	developer email	skitching@apache.org	Low
Vendor	pom	developer email	stain@apache.org	Low
Vendor	pom	developer email	tobrien@apache.org	Low
Vendor	pom	developer email	yoavs@apache.org	Low
Vendor	pom	developer id	britter	Medium
Vendor	pom	developer id	chtompki	Medium

Vendor	pom	developer id	craigmcc	Medium
Vendor	pom	developer id	dion	Medium
Vendor	pom	developer id	epugh	Medium
Vendor	pom	developer id	geirm	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jcarman	Medium
Vendor	pom	developer id	jconlon	Medium
Vendor	pom	developer id	jstrachan	Medium
Vendor	pom	developer id	morgand	Medium
Vendor	pom	developer id	mvdb	Medium
Vendor	pom	developer id	niallp	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	rwaldhoff	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	scolebourne	Medium
Vendor	pom	developer id	skitching	Medium
Vendor	pom	developer id	stain	Medium
Vendor	pom	developer id	tobrien	Medium
Vendor	pom	developer id	yoavs	Medium
Vendor	pom	developer name	Benedikt Ritter	Medium
Vendor	pom	developer name	Craig McClanahan	Medium
Vendor	pom	developer name	David Eric Pugh	Medium
Vendor	pom	developer name	Dion Gillard	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Geir Magnusson Jr.	Medium
Vendor	pom	developer name	James Carman	Medium
Vendor	pom	developer name	James Strachan	Medium
Vendor	pom	developer name	John E. Conlon	Medium
Vendor	pom	developer name	Martin van den Bemt	Medium
Vendor	pom	developer name	Morgan James Delagrangre	Medium
Vendor	pom	developer name	Niall Pemberton	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Rodney Waldhoff	Medium
Vendor	pom	developer name	Scott Sanders	Medium

Vendor	pom	developer name	Simon Kitching	Medium
Vendor	pom	developer name	Stephen Colebourne	Medium
Vendor	pom	developer name	Stian Soiland-Reyes	Medium
Vendor	pom	developer name	Tim O'Brien	Medium
Vendor	pom	developer name	Yoav Shapira	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	groupid	commons-beanutils	Highest
Vendor	pom	name	Apache Commons BeanUtils	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	<a href="https://commons.apache.org/proper/commons-beanutils/">https://commons.apache.org/proper/commons-beanutils/</a>	Highest
Product	file	name	commons-beanutils	High
Product	jar	package name	apache	Highest
Product	jar	package name	beanutils	Highest
Product	jar	package name	commons	Highest
Product	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-beanutils/">https://commons.apache.org/proper/commons-beanutils/</a>	Low
Product	Manifest	Bundle-Name	Apache Commons BeanUtils	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-beanutils	Medium
Product	Manifest	implementation-build	UNKNOWN_BRANCH@r??????; 2019-07-28 22:14:44+0000	Low
Product	Manifest	Implementation-Title	Apache Commons BeanUtils	High
Product	Manifest	implementation-url	<a href="https://commons.apache.org/proper/commons-beanutils/">https://commons.apache.org/proper/commons-beanutils/</a>	Low
Product	Manifest	specification-title	Apache Commons BeanUtils	Medium
Product	pom	artifactid	commons-beanutils	Highest
Product	pom	developer email	britter@apache.org	Low
Product	pom	developer email	chtompki@apache.org	Low
Product	pom	developer email	craigmcc@apache.org	Low
Product	pom	developer email	dion@apache.org	Low
Product	pom	developer email	epugh@apache.org	Low
Product	pom	developer email	geirm@apache.org	Low
Product	pom	developer email	ggregory@apache.org	Low
Product	pom	developer email	jcarman@apache.org	Low
Product	pom	developer email	jconlon@apache.org	Low

Product	pom	developer email	jstrachan@apache.org	Low
Product	pom	developer email	morgand@apache.org	Low
Product	pom	developer email	mvdb@apache.org	Low
Product	pom	developer email	niallp@apache.org	Low
Product	pom	developer email	rdonkin@apache.org	Low
Product	pom	developer email	rwaldhoff@apache.org	Low
Product	pom	developer email	sanders@apache.org	Low
Product	pom	developer email	scolebourne@apache.org	Low
Product	pom	developer email	skitching@apache.org	Low
Product	pom	developer email	stain@apache.org	Low
Product	pom	developer email	tobrien@apache.org	Low
Product	pom	developer email	yoavs@apache.org	Low
Product	pom	developer id	britter	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	craigmcc	Low
Product	pom	developer id	dion	Low
Product	pom	developer id	epugh	Low
Product	pom	developer id	geirm	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jcarman	Low
Product	pom	developer id	jconlon	Low
Product	pom	developer id	jstrachan	Low
Product	pom	developer id	morgand	Low
Product	pom	developer id	mvdb	Low
Product	pom	developer id	niallp	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	rwaldhoff	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	scolebourne	Low
Product	pom	developer id	skitching	Low
Product	pom	developer id	stain	Low
Product	pom	developer id	tobrien	Low
Product	pom	developer id	yoavs	Low
Product	pom	developer name	Benedikt Ritter	Low
Product	pom	developer name	Craig McClanahan	Low

Product	pom	developer name	David Eric Pugh	Low
Product	pom	developer name	Dion Gillard	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Geir Magnusson Jr.	Low
Product	pom	developer name	James Carman	Low
Product	pom	developer name	James Strachan	Low
Product	pom	developer name	John E. Conlon	Low
Product	pom	developer name	Martin van den Bemt	Low
Product	pom	developer name	Morgan James Delagrange	Low
Product	pom	developer name	Niall Pemberton	Low
Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Rodney Waldhoff	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Simon Kitching	Low
Product	pom	developer name	Stephen Colebourne	Low
Product	pom	developer name	Stian Soiland-Reyes	Low
Product	pom	developer name	Tim O'Brien	Low
Product	pom	developer name	Yoav Shapira	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	groupid	commons-beanutils	Highest
Product	pom	name	Apache Commons BeanUtils	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper/commons-beanutils/	Medium
Version	Manifest	Bundle-Version	1.9.4	High
Version	Manifest	Implementation-Version	1.9.4	High
Version	pom	parent-version	1.9.4	Low
Version	pom	version	1.9.4	Highest

## Identifiers

- [pkg:maven/commons-beanutils/commons-beanutils@1.9.4](#) (*Confidence:High*)
- [cpe:2.3:a:apache:commons\\_beanutils:1.9.4:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*) suppress

## help.zip: commons-digester3.jar

### Description:

The Apache Commons Digester package lets you configure an XML to Java object mapping module which triggers certain actions called rules whenever a particular pattern of nested XML elements is recognized.

### License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/help.zip/commons-digester3.jar

**MD5:** 41d2c62c7aedafa7a3627794abc83f71

**SHA1:** c3f68c5ff25ec5204470fd8fdf4cb8feff5e8a79

**SHA256:** 1c150e3d2df4b4237b47e28fea2079fb0da324578d5cca6a5fed2e37a62082ec

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-digester3	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	digester	Highest
Vendor	jar	package name	digester3	Highest
Vendor	jar	package name	rules	Highest
Vendor	Manifest	bundle-docurl	http://commons.apache.org/digester/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.digester	Medium
Vendor	Manifest	implementation-build	tags/DIGESTER3_3_2_RC2@r1212807; 2011-12-10 15:57:06+0100	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-digester3	Low
Vendor	pom	developer email	craigmcc@apache.org	Low
Vendor	pom	developer email	jfarvand@apache.org	Low
Vendor	pom	developer email	jstrachan@apache.org	Low

Vendor	pom	developer email	jvanzyl@apache.org	Low
Vendor	pom	developer email	mbenson AT apache DOT org	Low
Vendor	pom	developer email	rahul AT apache DOT org	Low
Vendor	pom	developer email	rdonkin@apache.org	Low
Vendor	pom	developer email	sanders@totalsync.com	Low
Vendor	pom	developer email	simonetripodi AT apache DOT org	Low
Vendor	pom	developer email	skitching@apache.org	Low
Vendor	pom	developer email	tobrien@apache.org	Low
Vendor	pom	developer id	craigmcc	Medium
Vendor	pom	developer id	jfarcand	Medium
Vendor	pom	developer id	jstrachan	Medium
Vendor	pom	developer id	jvanzyl	Medium
Vendor	pom	developer id	mbenson	Medium
Vendor	pom	developer id	rahul	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	simonetripodi	Medium
Vendor	pom	developer id	skitching	Medium
Vendor	pom	developer id	tobrien	Medium
Vendor	pom	developer name	Craig McClanahan	Medium
Vendor	pom	developer name	James Strachan	Medium
Vendor	pom	developer name	Jason van Zyl	Medium
Vendor	pom	developer name	Jean-Francois Arcand	Medium
Vendor	pom	developer name	Matt Benson	Medium
Vendor	pom	developer name	Rahul Akolkar	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Simon Kitching	Medium
Vendor	pom	developer name	Simone Tripodi	Medium
Vendor	pom	developer name	Tim OBrien	Medium
Vendor	pom	groupid	org.apache.commons	Highest
Vendor	pom	name	Apache Commons Digester	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	url	http://commons.apache.org/digester/	Highest
Product	file	name	commons-digester3	High

Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	digester	Highest
Product	jar	package name	digester3	Highest
Product	jar	package name	rules	Highest
Product	Manifest	bundle-docurl	http://commons.apache.org/digester/	Low
Product	Manifest	Bundle-Name	Apache Commons Digester	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.digester	Medium
Product	Manifest	implementation-build	tags/DIGESTER3_3_2_RC2@r1212807; 2011-12-10 15:57:06+0100	Low
Product	Manifest	Implementation-Title	Apache Commons Digester	High
Product	Manifest	specification-title	Apache Commons Digester	Medium
Product	pom	artifactid	commons-digester3	Highest
Product	pom	developer email	craigmcc@apache.org	Low
Product	pom	developer email	jfarcand@apache.org	Low
Product	pom	developer email	jstrachan@apache.org	Low
Product	pom	developer email	jvanzyl@apache.org	Low
Product	pom	developer email	mbenson AT apache DOT org	Low
Product	pom	developer email	rahul AT apache DOT org	Low
Product	pom	developer email	rdonkin@apache.org	Low
Product	pom	developer email	sanders@totalsync.com	Low
Product	pom	developer email	simonetripodi AT apache DOT org	Low
Product	pom	developer email	skitching@apache.org	Low
Product	pom	developer email	tobrien@apache.org	Low
Product	pom	developer id	craigmcc	Low
Product	pom	developer id	jfarcand	Low
Product	pom	developer id	jstrachan	Low
Product	pom	developer id	jvanzyl	Low
Product	pom	developer id	mbenson	Low
Product	pom	developer id	rahul	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	simonetripodi	Low
Product	pom	developer id	skitching	Low
Product	pom	developer id	tobrien	Low

Product	pom	developer name	Craig McClanahan	Low
Product	pom	developer name	James Strachan	Low
Product	pom	developer name	Jason van Zyl	Low
Product	pom	developer name	Jean-Francois Arcand	Low
Product	pom	developer name	Matt Benson	Low
Product	pom	developer name	Rahul Akolkar	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Simon Kitching	Low
Product	pom	developer name	Simone Tripodi	Low
Product	pom	developer name	Tim OBrien	Low
Product	pom	groupid	org.apache.commons	Highest
Product	pom	name	Apache Commons Digester	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	url	http://commons.apache.org/digester/	Medium
Version	Manifest	Implementation-Version	3.2	High
Version	pom	parent-version	3.2	Low
Version	pom	version	3.2	Highest

#### Identifiers

- <pkg:maven/org.apache.commons/commons-digester3@3.2> (*Confidence:High*)

## help.zip: help.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/help.zip/help.jar

**MD5:** 1927b9449e6991cbfb6afa83c288d82c

**SHA1:** 5151cde1ab2c87ab94431737d1185e34453f64a1

**SHA256:** 8b557482492f8a41901a736022581b686f80cf11991f8f284a496865050e9dbe

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	help	High
Vendor	jar	package name	help	Low

Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2024-12-03 15:49	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	help	High
Product	jar	package name	help	Highest
Product	jar	package name	help	Low
Product	Manifest	built-date	2024-12-03 15:49	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	help	High
Product	Manifest	specification-title	help	Medium
Version	Manifest	Implementation-Version	24.10.238	High

Identifiers

- None

help.zip: help.jar: app.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/help.zip/help.jar/com/inet/help/resources/js/app.js

**MD5:** 33e7e0d008199ab0d98395ed9868abc4

**SHA1:** b062faef11230309ec707c5cdc18976822367f0d

**SHA256:**44fd1156cbace5a1e53a2bd9147db3858861e9fc8c51c81410f44d34a6cb022

**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## help.zip: help.jar: controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/help.zip/help.jar/com/inet/help/resources/js/controller.js

**MD5:** 2794600b6f3e7f2d77dbc49daec3dc4f

**SHA1:** 81eb1b85dbee3683e1efb2782f43902e8432886e

**SHA256:** 9de6c152ae6c3bb23e422cf5281c55dd17d13326979c2fddf540304d2e06554

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## help.zip: help.jar: shared.factory.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/help.zip/help.jar/com/inet/help/resources/js/shared.factory.js

**MD5:** d9560114c61a027daa602124caa8f0bd

**SHA1:** a5199190b480c68dbd769d4186ed73b24849d83e

**SHA256:** 94a69c6c0d5950ecb14d3bb24e8ecc1a6bea836b79c165714257631fda39bf51

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## help.zip: help.jar: shared.highlighter.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/help.zip/help.jar/com/inet/help/resources/js/shared.highlighter.js

**MD5:** 89519d94e7239a3edb9aa847dc4ad933

**SHA1:** f85c6f02a034326315b2e4a71eff5baac51e601f

**SHA256:** d962320ae6469953d5c64d0fb6527a5d45d7ac7176f36bbd9b1524dc68af1f74

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## help.zip: jsoup.jar

### Description:

jsoup is a Java library for working with real-world HTML. It provides a very convenient API for fetching URLs and extracting and manipulating data, using the best of HTML5 DOM methods and CSS selectors. jsoup implements the WHATWG HTML5 specification, and parses HTML to the same DOM as modern browsers do.

### License:

The MIT License: <https://jsoup.org/license>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/help.zip/jsoup.jar

**MD5:** 9d8108ff1fa767c93cb67267ec8c7542

**SHA1:** 5d39ff6d1b8331c376a04c50c6716afbcdfe567d

**SHA256:** a73a1eb5d02b51490547c46485e30f4f14e68af3624840b57abe8c4580a00b83

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jsoup	High
Vendor	jar	package name	jsoup	Highest
Vendor	jar	package name	parser	Highest
Vendor	Manifest	automatic-module-name	org.jsoup	Medium

Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	https://jsoup.org/	Low
Vendor	Manifest	bundle-symbolicname	org.jsoup	Medium
Vendor	Manifest	Implementation-Vendor	Jonathan Hedley	High
Vendor	pom	artifactid	jsoup	Low
Vendor	pom	developer email	jonathan@hedley.net	Low
Vendor	pom	developer id	jhy	Medium
Vendor	pom	developer name	Jonathan Hedley	Medium
Vendor	pom	groupid	org.jsoup	Highest
Vendor	pom	name	jsoup Java HTML Parser	High
Vendor	pom	organization name	Jonathan Hedley	High
Vendor	pom	organization url	https://jhy.io/	Medium
Vendor	pom	url	https://jsoup.org/	Highest
Product	file	name	jsoup	High
Product	jar	package name	jsoup	Highest
Product	jar	package name	parser	Highest
Product	Manifest	automatic-module-name	org.jsoup	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	https://jsoup.org/	Low
Product	Manifest	Bundle-Name	jsoup Java HTML Parser	Medium
Product	Manifest	bundle-symbolicname	org.jsoup	Medium
Product	Manifest	Implementation-Title	jsoup Java HTML Parser	High
Product	pom	artifactid	jsoup	Highest
Product	pom	developer email	jonathan@hedley.net	Low
Product	pom	developer id	jhy	Low
Product	pom	developer name	Jonathan Hedley	Low
Product	pom	groupid	org.jsoup	Highest
Product	pom	name	jsoup Java HTML Parser	High
Product	pom	organization name	Jonathan Hedley	Low
Product	pom	organization url	https://jhy.io/	Low
Product	pom	url	https://jsoup.org/	Medium

Version	Manifest	Bundle-Version	1.16.2	High
Version	Manifest	Implementation-Version	1.16.2	High
Version	pom	version	1.16.2	Highest

### Identifiers

- [pkg:maven/org.jsoup/jsoup@1.16.2](#) (Confidence:High)
- [cpe:2.3:a:jsoup:jsoup:1.16.2:\\*\\*\\*\\*:\\*:\\*](#) (Confidence:Highest) suppress

## htmlengine.zip: JWebEngine.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlengine.zip/JWebEngine.jar  
**MD5:** 633c0184dddae46aaf90f5321abc5e6a  
**SHA1:** 9964b518b65dfc6be19674bcea1a70a95123b4b1  
**SHA256:** c5a1f24241034b34167c1bf60c9fc77f3243f895ae3d0ac69c0a298b328cc747  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	JWebEngine	High
Vendor	jar	package name	html	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-12-03 01:23	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	lib	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low

Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	JWebEngine	High
Product	jar	package name	html	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-12-03 01:23	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	lib	Low
Product	Manifest	Implementation-Title	JWebEngine	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	JWebEngine	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	1.13.1485	High

### Identifiers

- None

## htmlengine.zip: htmlengine.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlengine.zip/htmlengine.jar

**MD5:** 4581bf659e5ef7423379bb01e0d4752b

**SHA1:** 4824d30ba1a8d55b6dd17b7cf26757f60759f8e4

**SHA256:** 01d4cb2d7c06b35c5379903dea6f0297d5b4e2bf2c1ce26194a7b305d4ac04e9

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	htmlengine	High
Vendor	jar	package name	htmlengine	Low
Vendor	jar	package name	inet	Low

Vendor	Manifest	built-date	2024-12-03 15:57	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	htmlengine	High
Product	jar	package name	hmtlengineserverplugin	Low
Product	jar	package name	htmlengine	Highest
Product	jar	package name	htmlengine	Low
Product	Manifest	built-date	2024-12-03 15:57	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	htmlengine	High
Product	Manifest	specification-title	htmlengine	Medium
Version	Manifest	Implementation-Version	24.10.238	High

#### Identifiers

- None

### htmlviewer.printpdf.zip: htmlviewer.printpdf.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlviewer.printpdf.zip/htmlviewer.printpdf.sample.jar

**MD5:** 1accd5456300e1297998c3859ea7fd0d

**SHA1:** 9649f0c76f89112a6ff7f0c4dda5e99dc030cbb7

**SHA256:**d279da44dfa2a5ef38a4ed4d8b50255a12e9e751f57d753433a7c264251b435f

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	htmlviewer.printpdf.sample	High

Vendor	jar	package name	htmlviewer	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	printpdf	Low
Vendor	Manifest	built-date	2024-12-03 16:51	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	htmlviewer.printpdf.sample	High
Product	jar	package name	htmlviewer	Highest
Product	jar	package name	htmlviewer	Low
Product	jar	package name	htmlviewerprintviapdfplugin	Low
Product	jar	package name	printpdf	Highest
Product	jar	package name	printpdf	Low
Product	Manifest	built-date	2024-12-03 16:51	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	htmlviewer.printpdf	High
Product	Manifest	specification-title	htmlviewer.printpdf	Medium
Version	Manifest	Implementation-Version	24.10.238	High

### Related Dependencies



- htmlviewer.printpdf.zip: htmlviewer.printpdf.sample.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Plugin - Samples/HtmlViewerPrintViaPDFPlugin/htmlviewer.printpdf.zip/htmlviewer.printpdf.sample.jar
  - MD5: 1accd5456300e1297998c3859ea7fd0d
  - SHA1: 9649f0c76f89112a6ff7f0c4dda5e99dc030cbb7
  - SHA256: d279da44dfa2a5ef38a4ed4d8b50255a12e9e751f57d753433a7c264251b435f

### Identifiers

- None

## htmlviewer.printpdf.zip: htmlviewer.printpdf.sample.jar: extension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlviewer.printpdf.zip/htmlviewer.printpdf.sample.jar/com/inet/htmlviewer/printpdf/extension.js

**MD5:** 6acd647a1c8e76ce288ea5bc648fe7ff

**SHA1:** ca08f75aa6267e5a5a020439e93569bde8f89b90

**SHA256:**abb13c8bbc2cdefabce3cc24b80bee4393f9e28a452389e7abfdae9592568934

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Related Dependencies

- htmlviewer.printpdf.zip: htmlviewer.printpdf.sample.jar: extension.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/HtmlViewerPrintViaPDFPlugin/htmlviewer.printpdf.zip/htmlviewer.printpdf.sample.jar/com/inet/htmlviewer/printpdf/extension.js
  - MD5: 6acd647a1c8e76ce288ea5bc648fe7ff
  - SHA1: ca08f75aa6267e5a5a020439e93569bde8f89b90
  - SHA256: abb13c8bbc2cdefabce3cc24b80bee4393f9e28a452389e7abfdae9592568934

### Identifiers

- None

## htmlviewer.toolbar.zip: htmlviewer.toolbar.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlviewer.toolbar.zip/htmlviewer.toolbar.jar

**MD5:** 7d98d62f41e894fdf133ebc8d522e5a0

**SHA1:** 31ad28f1609b304e2476e64c441f1bdf85698975

**SHA256:**1e90bdaf254fab966b304a65c4c6d8b5d7515cb282741b4263c68c14936facd6

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	htmlviewer.toolbar	High

Vendor	jar	package name	htmlviewer	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2024-12-03 17:14	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	htmlviewer.toolbar	High
Product	jar	package name	htmlviewer	Highest
Product	jar	package name	htmlviewer	Low
Product	Manifest	built-date	2024-12-03 17:14	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	htmlviewer.toolbar	High
Product	Manifest	specification-title	htmlviewer.toolbar	Medium
Version	Manifest	Implementation-Version	24.10.238	High

Identifiers

- None

htmlviewer.toolbar.zip: htmlviewer.toolbar.jar: htmlviewer.angular.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlviewer.toolbar.zip/htmlviewer.toolbar.jar/com/inet/htmlviewer/client/htmlviewer.angular.js

**MD5:** 91217e8c67fba6941bf2d0ab48ba2395

**SHA1:** fa39a89c256a3c0fb4898e0c22bea108b86f46d0

**SHA256:**e3aa6737380008451dcacf400959fe23fc34901d74aa11a90d51121800306797

**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

htmlviewerextension.zip: htmlviewerextension.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlviewerextension.zip/htmlviewerextension.sample.jar

**MD5:** f932f223956b42cb13f4450175ca8670

**SHA1:** 416dc9e73e112dabdec05c130155f3f52e29c77b

**SHA256:**4175e8bc244ad209c24f8ea3d5891d9feaf859192448e0668bf8144ccdef95a9

**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	htmlviewerextension.sample	High
Vendor	jar	package name	htmlviewer	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	samples	Low
Vendor	Manifest	built-date	2024-12-03 16:51	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	htmlviewerextension.sample	High
Product	jar	package name	htmlviewer	Low
Product	jar	package name	htmlviewerextensionplugin	Low
Product	jar	package name	samples	Low
Product	Manifest	built-date	2024-12-03 16:51	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	htmlviewerextension	High

Product	Manifest	specification-title	htmlviewerextension	Medium
Version	Manifest	Implementation-Version	24.10.238	High

#### Related Dependencies

- htmlviewerextension.zip: htmlviewerextension.sample.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Plugin - Samples/HtmlViewerExtensionPlugin/htmlviewerextension.zip /htmlviewerextension.sample.jar
  - MD5: f932f223956b42cb13f4450175ca8670
  - SHA1: 416dc9e73e112dabdec05c130155f3f52e29c77b
  - SHA256: 4175e8bc244ad209c24f8ea3d5891d9feaf859192448e0668bf8144ccdef95a9

#### Identifiers

- None

### htmlviewerextension.zip: htmlviewerextension.sample.jar: extension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlviewerextension.zip/htmlviewerextension.sample.jar/com/inet/samples/htmlviewer/extension.js

**MD5:** d5cfbcaea8c127118769cd47eac8f79d

**SHA1:** a270f777e85e4e3c6aef999a28772502961e05b1

**SHA256:** e17df4a8a810c44520630741e780dc1abf9ede140dc6d66438cb1741bb5edb1c

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- htmlviewerextension.zip: htmlviewerextension.sample.jar: extension.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Plugin - Samples/HtmlViewerExtensionPlugin/htmlviewerextension.zip /htmlviewerextension.sample.jar/com/inet/samples/htmlviewer/extension.js
  - MD5: d5cfbcaea8c127118769cd47eac8f79d
  - SHA1: a270f777e85e4e3c6aef999a28772502961e05b1
  - SHA256: e17df4a8a810c44520630741e780dc1abf9ede140dc6d66438cb1741bb5edb1c

#### Identifiers

- None

## inetcore-24.10-tools.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/24.10

/a364140e3008cb0f187cc06084b02ef48a2d3656/inetcore-24.10-tools.jar

**MD5:** abf56af3d0cc6860cb5d4243cc52a692

**SHA1:** a364140e3008cb0f187cc06084b02ef48a2d3656

**SHA256:** d9446208344c069f83a25aa374f0f50cf0bb3fa0a212a93d1f8f7dc9c938a0ef

**Referenced In Project/Scope:** server:inetPlugin

**Included by:** pkg:maven/clear-reports/server@24.10

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	inetcore	High
Vendor	gradle	artifactid	inetcore	Highest
Vendor	gradle	groupid	shared	Highest
Vendor	jar	package name	test	Low
Product	file	name	inetcore	High
Product	gradle	artifactid	inetcore	Highest
Version	file	name	inetcore	Medium
Version	file	version	24.10	High
Version	gradle	version	24.10	Highest

### Identifiers

- [pkg:maven/shared/inetcore@24.10](#) (*Confidence:*Highest)

## inetcore-24.10.jar (shaded: com.inet.shared:inetcore:null)

### Description:

A blend composite defines the rule according to which a drawing primitive (known as the source) is mixed with existing graphics (known as the destination.)

ColorUtilities contains a set of tools to perform common color operations easily.

### License:

LGPL: <http://www.gnu.org/licenses/lgpl.txt>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/24.10/989777f087328fcab19886f06a5ce2e29abe05a1/inetcore-24.10.jar/META-INF/com/inet/shared/utils/BlendComposite/pom.xml

**MD5:** b7bc59004e73f85cce4369bc5e034e6b

**SHA1:** 9caff88589bdd8fdc3c3f320340b76830f3818de

**SHA256:** aab973b164e2d64808cd34c47b78399c4f016ec308900f5393733d3bc5c706bc

**Referenced In Projects/Scopes:**

- server
- server:inetPlugin

**Evidence**



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	inetcore	Low
Vendor	pom	developer email	contact@inetsoftware.de	Low
Vendor	pom	developer email	morgand@apache.org	Low
Vendor	pom	developer id	inetsoftware	Medium
Vendor	pom	developer id	romainguy	Medium
Vendor	pom	developer id	sun	Medium
Vendor	pom	developer name	i-net /// software	Medium
Vendor	pom	developer name	Romain Guy	Medium
Vendor	pom	developer name	Sun	Medium
Vendor	pom	developer org	Sun	Medium
Vendor	pom	groupid	com.inet.shared	Highest
Vendor	pom	name	BlendComposite and ColorUtils	High
Vendor	pom (hint)	developer id	oracle	Medium
Vendor	pom (hint)	developer name	oracle	Medium
Vendor	pom (hint)	developer org	oracle	Medium
Product	pom	artifactid	inetcore	Highest
Product	pom	developer email	contact@inetsoftware.de	Low
Product	pom	developer email	morgand@apache.org	Low
Product	pom	developer id	inetsoftware	Low
Product	pom	developer id	romainguy	Low
Product	pom	developer id	sun	Low
Product	pom	developer name	i-net /// software	Low
Product	pom	developer name	Romain Guy	Low
Product	pom	developer name	Sun	Low

Product	pom	developer org	Sun	Low
Product	pom	groupid	com.inet.shared	Highest
Product	pom	name	BlendComposite and ColorUtils	High

### Identifiers

- None

## inetcore-24.10.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/24.10/989777f087328fcab19886f06a5ce2e29abe05a1/inetcore-24.10.jar

**MD5:** afe1139d1ae27f4902bb578ee89b9880

**SHA1:** 989777f087328fcab19886f06a5ce2e29abe05a1

**SHA256:** ab9642ad3d3f7f31211d87d8d3c6d293fc459a2a187a1e0361e3ca694da4079b

### Referenced In Projects/Scopes:

- server
- server:inetPlugin

**Included by:** pkg:maven/clear-reports/server@24.10

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	inetcore	High
Vendor	gradle	artifactid	inetcore	Highest
Vendor	gradle	groupid	shared	Highest
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-12-03 15:05	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium

Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	inetcore	High
Product	gradle	artifactid	inetcore	Highest
Product	jar	package name	permissions	Highest
Product	jar	package name	shared	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-12-03 15:05	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	inetcore	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	inetcore	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	file	name	inetcore	Medium
Version	file	version	24.10	High
Version	gradle	version	24.10	Highest
Version	jar	package name	permissions	Highest
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	24.10.238	High

### Related Dependencies



- inetcore.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/core/inetcore.jar
  - MD5: afe1139d1ae27f4902bb578ee89b9880
  - SHA1: 989777f087328fcab19886f06a5ce2e29abe05a1
  - SHA256: ab9642ad3d3f7f31211d87d8d3c6d293fc459a2a187a1e0361e3ca694da4079b

Identifiers

- [pkg:maven/shared/inetcore@24.10](#) (Confidence: Highest)

inetloggeradapter.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/core/inetloggeradapter.jar  
**MD5:** 89a5c47c1bd0b4d3ddda3a96ac8ffad3  
**SHA1:** c8b97be4cb4c94a01ece825ebcad8c3c65adc208  
**SHA256:** a655b5b389a1ad673f1e11c71bea518f94c6c5fd1c70cf3fc1da42360dff7339  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	inetloggeradapter	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	slf4j	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-12-03 15:37	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	inetloggeradapter	High
Product	jar	package name	slf4j	Low
Product	Manifest	application-library-	*	Low

		allowable-codebase		
Product	Manifest	built-date	2024-12-03 15:37	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	i-net Logger Adapter	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	inetloggeradapter	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	24.10.238	High

Identifiers

- None

inetsoftware.Reporting.dll

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports .NET Bridge/inetsoftware.Reporting.dll  
**MD5:** 12e8d1be92c0fb4d3701acaefd155916  
**SHA1:** 2d38a609d51341f887717dab271f4a948e9a8b8a  
**SHA256:** 13908dfd382ed2470b3f0b620d0d672f1228559a5f0e5c87f7b6183438facb11  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	inetsoftware.Reporting	High
Product	file	name	inetsoftware.Reporting	High

Identifiers

- None

## inetsoftware.Reporting.dll

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports .NET Bridge/strongly named/inetsoftware.Reporting.dll  
**MD5:** 14720ba7a25643cc442e8a0f2c1125ab  
**SHA1:** 3931dd71b454f8082dd221fa142fe3344749ab0d  
**SHA256:** 35d5d7fe51e192d0f5f4a92439e65b7bf834385d83692357c935e8579777a5c6  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	inetsoftware.Reporting	High
Product	file	name	inetsoftware.Reporting	High

### Identifiers

- None

## jakarta.servlet-api.jar

### Description:

Jakarta Servlet 4.0

### License:

EPL 2.0: <http://www.eclipse.org/legal/epl-2.0>  
GPL2 w/ CPE: <https://www.gnu.org/software/classpath/license.html>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/core/jakarta.servlet-api.jar  
**MD5:** f5d1d7a29978e4ae0be5a456ee1c65c3  
**SHA1:** b8a1142e04838fe54194049c6e7a18dae8f9b960  
**SHA256:** 586e27706c21258f5882f43be06904f49b02db9ac54e345d393fe4a32494d127  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.servlet-api	High
Vendor	jar	package name	javax	Highest
Vendor	jar	package name	servlet	Highest
Vendor	Manifest	automatic-module-name	java.servlet	Medium

Vendor	Manifest	bundle-docurl	<a href="https://www.eclipse.org">https://www.eclipse.org</a>	Low
Vendor	Manifest	bundle-symbolicname	jakarta.servlet-api	Medium
Vendor	Manifest	extension-name	javax.servlet	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.eclipse	Medium
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.servlet-api	Low
Vendor	pom	developer id	yaminikb	Medium
Vendor	pom	developer name	Yamini K B	Medium
Vendor	pom	developer org	Oracle Corporation	Medium
Vendor	pom	developer org URL	<a href="http://www.oracle.com/">http://www.oracle.com/</a>	Medium
Vendor	pom	groupid	jakarta.servlet	Highest
Vendor	pom	name	Jakarta Servlet	High
Vendor	pom	parent-artifactid	project	Low
Vendor	pom	parent-groupid	org.eclipse.ee4j	Medium
Vendor	pom	url	<a href="https://projects.eclipse.org/projects/ee4j.servlet">https://projects.eclipse.org/projects/ee4j.servlet</a>	Highest
Product	file	name	jakarta.servlet-api	High
Product	jar	package name	javax	Highest
Product	jar	package name	servlet	Highest
Product	Manifest	automatic-module-name	java.servlet	Medium
Product	Manifest	bundle-docurl	<a href="https://www.eclipse.org">https://www.eclipse.org</a>	Low
Product	Manifest	Bundle-Name	Jakarta Servlet	Medium
Product	Manifest	bundle-symbolicname	jakarta.servlet-api	Medium
Product	Manifest	extension-name	javax.servlet	Medium
Product	pom	artifactid	jakarta.servlet-api	Highest
Product	pom	developer id	yaminikb	Low
Product	pom	developer name	Yamini K B	Low
Product	pom	developer org	Oracle Corporation	Low
Product	pom	developer org URL	<a href="http://www.oracle.com/">http://www.oracle.com/</a>	Low
Product	pom	groupid	jakarta.servlet	Highest
Product	pom	name	Jakarta Servlet	High

Product	pom	parent-artifactid	project	Medium
Product	pom	parent-groupid	org.eclipse.ee4j	Medium
Product	pom	url	https://projects.eclipse.org/projects/ee4j.servlet	Medium
Version	Manifest	Implementation-Version	4.0.4	High
Version	pom	parent-version	4.0.4	Low
Version	pom	version	4.0.4	Highest

### Identifiers

- [pkg:maven/jakarta.servlet/jakarta.servlet-api@4.0.4](#) (*Confidence:High*)
- [cpe:2.3:a:oracle:projects:4.0.4:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*) suppress

## jakarta.websocket-api.jar

### Description:

Jakarta WebSocket - Server API

### License:

<https://projects.eclipse.org/license/epl-2.0>, <https://projects.eclipse.org/license/secondary-gpl-2.0-cp>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/core/jakarta.websocket-api.jar

**MD5:** 60cc2e06d3a1e5ea820f8aed5cdb1728

**SHA1:** 69c2fd7b75081cc935bc9d6c5616d12b0b73815f

**SHA256:** e2f4e99e04130a29fc8e57e334fa029e96e2ca6672ba0166585c59d19798904c

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.websocket-api	High
Vendor	jar	package name	javax	Highest
Vendor	jar	package name	server	Highest
Vendor	jar	package name	websocket	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	javax.websocket-api	Medium
Vendor	Manifest	extension-name	javax.websocket	Medium

Vendor	pom	artifactid	jakarta.websocket-api	Low
Vendor	pom	groupid	jakarta.websocket	Highest
Vendor	pom	name	Jakarta WebSocket - Server API	High
Vendor	pom	parent-artifactid	jakarta.websocket-all	Low
Vendor	pom	url	https://projects.eclipse.org/projects/ee4j.websocket	Highest
Product	file	name	jakarta.websocket-api	High
Product	jar	package name	javax	Highest
Product	jar	package name	server	Highest
Product	jar	package name	websocket	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta WebSocket - Server API	Medium
Product	Manifest	bundle-symbolicname	javax.websocket-api	Medium
Product	Manifest	extension-name	javax.websocket	Medium
Product	pom	artifactid	jakarta.websocket-api	Highest
Product	pom	groupid	jakarta.websocket	Highest
Product	pom	name	Jakarta WebSocket - Server API	High
Product	pom	parent-artifactid	jakarta.websocket-all	Medium
Product	pom	url	https://projects.eclipse.org/projects/ee4j.websocket	Medium
Version	Manifest	Bundle-Version	1.1.2	High
Version	Manifest	Implementation-Version	1.1.2	High
Version	pom	version	1.1.2	Highest

#### Identifiers

- <pkg:maven/jakarta.websocket/jakarta.websocket-api@1.1.2> (Confidence:High)

#### java-21-jre-x64-linux.tar.gz: java-21-jre-x64-linux.tar: jrt-fs.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/java-21-jre-x64-linux.tar.gz/java-21-jre-x64-linux.tar/jre-11/lib/jrt-fs.jar

**MD5:** e2138468a2337af9f0acf041d47ae631

**SHA1:** 8ef69b54cab31de533182a0d3ec4e7d6f9207016

**SHA256:** 644d3383b1bacc328b0f3e6676abfe32b2af105c0c6177b34eaa7fb6bba9f7a0

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jrt-fs	High
Vendor	jar	package name	internal	Low
Vendor	jar	package name	jdk	Low
Vendor	jar	package name	jimage	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Adoptium	High
Vendor	Manifest	specification-vendor	Oracle Corporation	Low
Product	file	name	jrt-fs	High
Product	jar	package name	internal	Low
Product	jar	package name	jimage	Low
Product	Manifest	Implementation-Title	Java Runtime Environment	High
Product	Manifest	specification-title	Java Platform API Specification	Medium
Version	Manifest	Implementation-Version	21.0.5	High

## Identifiers

- [cpe:2.3:a:eclipse:platform:21.0.5:\\*:\\*:\\*:\\*:\\*](#) (Confidence:Medium) suppress

## javase.jar

## Description:

Java SE-specific extensions to core ZXing library

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/beans/zxing/javase.jar

**MD5:** 1a5b45e1a7235398bdccfbc94a287d0c

**SHA1:** 55d93bb3ffee425a7be56cd6ff572fb64ac84593

**SHA256:** d65795b789efac8a2156cb2a4b648d20e58bfe03613165bb5dce6870ecef798e

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	javase	High

Vendor	jar	package name	google	Highest
Vendor	jar	package name	zxing	Highest
Vendor	Manifest	automatic-module-name	com.google.zxing.javase	Medium
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	pom	artifactid	javase	Low
Vendor	pom	groupid	com.google.zxing	Highest
Vendor	pom	name	ZXing Java SE extensions	High
Vendor	pom	parent-artifactid	zxing-parent	Low
Product	file	name	javase	High
Product	jar	package name	google	Highest
Product	jar	package name	zxing	Highest
Product	Manifest	automatic-module-name	com.google.zxing.javase	Medium
Product	Manifest	build-jdk-spec	1.8	Low
Product	pom	artifactid	javase	Highest
Product	pom	groupid	com.google.zxing	Highest
Product	pom	name	ZXing Java SE extensions	High
Product	pom	parent-artifactid	zxing-parent	Medium
Version	pom	version	3.5.3	Highest

#### Identifiers

- [pkg:maven/com.google.zxing/javase@3.5.3](https://pkg:maven/com.google.zxing/javase@3.5.3) (*Confidence:High*)

## jeuclid-core.jar

### Description:

This is the core module containing the basic JEuclid rendering and document handling classes.

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/beans/jeuclid-core.jar

**MD5:** 4d3b8aeb80327b2b8ae74c32b7c77432

**SHA1:** df34d11b83e17a5eec1d922e55f8283a1c531fd9

**SHA256:** 3157e56f8fe47b051a5902d52976e7929eadf97f4d5d93cdac8433054ad026ef

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jeuclid-core	High
Vendor	jar	package name	jeuclid	Highest
Vendor	jar	package name	net	Highest
Vendor	jar	package name	sourceforge	Highest
Vendor	Manifest	Implementation-Vendor	The JEuclid project	High
Vendor	Manifest	Implementation-Vendor-Id	net.sourceforge.jeuclid	Medium
Vendor	Manifest	specification-vendor	The JEuclid project	Low
Vendor	pom	artifactid	jeuclid-core	Low
Vendor	pom	groupid	net.sourceforge.jeuclid	Highest
Vendor	pom	name	JEuclid Core Module	High
Vendor	pom	parent-artifactid	jeuclid-parent	Low
Product	file	name	jeuclid-core	High
Product	jar	package name	jeuclid	Highest
Product	jar	package name	net	Highest
Product	jar	package name	sourceforge	Highest
Product	Manifest	Implementation-Title	JEuclid Core Module	High
Product	Manifest	specification-title	JEuclid Core Module	Medium
Product	pom	artifactid	jeuclid-core	Highest
Product	pom	groupid	net.sourceforge.jeuclid	Highest
Product	pom	name	JEuclid Core Module	High
Product	pom	parent-artifactid	jeuclid-parent	Medium
Version	Manifest	Implementation-Version	3.0.3	High
Version	pom	version	3.0.3	Highest

#### Identifiers

- [pkg:maven/net.sourceforge.jeuclid/jeuclid-core@3.0.3](https://maven.apache.org/repositories/net/sourceforge/jeuclid/jeuclid-core@3.0.3) (*Confidence:High*)

**jlessc-1.12.jar**

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/de.inetsoftware/jlessc/1.12/8ea5dba973ee8e969a243e08e47a27ca48121b5c/jlessc-1.12.jar  
**MD5:** 8e0d57ed6e6809be8002db58024c370e  
**SHA1:** 8ea5dba973ee8e969a243e08e47a27ca48121b5c  
**SHA256:** 0969bc655eba47f824791ef12ed90c96baac2238a775b0ceaa0921deeb6681f8  
**Referenced In Projects/Scopes:**

- server
- server:inetPlugin

**Included by:** pkg:maven/clear-reports/server@24.10

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jlessc	High
Vendor	gradle	artifactid	jlessc	Highest
Vendor	gradle	groupid	de.inetsoftware	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	less	Low
Vendor	jar	package name	lib	Low
Vendor	Manifest	automatic-module-name	de.inetsoftware.jlessc	Medium
Vendor	Manifest	bundle-symbolicname	de.inetsoftware.jlessc	Medium
Vendor	Manifest	Implementation-Vendor	i-net software GmbH, Berlin, Germany	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Product	file	name	jlessc	High
Product	gradle	artifactid	jlessc	Highest
Product	jar	package name	less	Low
Product	jar	package name	lib	Low
Product	Manifest	automatic-module-name	de.inetsoftware.jlessc	Medium
Product	Manifest	bundle-symbolicname	de.inetsoftware.jlessc	Medium
Product	Manifest	Implementation-Title	JLessC, a Less CSS compiler	High
Version	file	version	1.12	High
Version	Manifest	Implementation-Version	1.12	High

## Related Dependencies



- theme.zip: jlessc.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/jlessc.jar
  - MD5: 8e0d57ed6e6809be8002db58024c370e
  - SHA1: 8ea5dba973ee8e969a243e08e47a27ca48121b5c
  - SHA256: 0969bc655eba47f824791ef12ed90c96baac2238a775b0ceaa0921deeb6681f8

## Identifiers

- [pkg:maven/de.inetsoftware/jlessc@1.12](https://maven.de.inetsoftware/jlessc@1.12) (Confidence: Highest)

## jna.jar

### Description:

JNA Library

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/jna.jar

**MD5:** 9bb1338e58031463c300f643cb3c41fa

**SHA1:** d9c6794f22c2e3c846b02d51c6a95c304e8e056b

**SHA256:** 336f2ae25222389eb9f3c90f8f7c3a6258c33581964b2338bf836b3b865b049e

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jna	High
Vendor	jar	package name	jna	Highest
Vendor	jar	package name	jna	Low
Vendor	jar	package name	sun	Highest
Vendor	jar	package name	sun	Low
Vendor	jar (hint)	package name	oracle	Highest
Vendor	jar (hint)	package name	oracle	Low
Vendor	Manifest	automatic-module-name	com.sun.jna	Medium
Vendor	Manifest	bundle-activationpolicy	lazy	Low
Vendor	Manifest	bundle-category	jni	Low
Vendor	Manifest	bundle-nativecode	com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win32, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-	Low

64;osname=win32, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64; osname=win32, com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64;osname=win, com/sun/jna/w32ce-arm/jnidispatch.dll; processor=arm;osname=wince, com/sun/jna/sunos-x86/libjniidispach.so; processor=x86; osname=sunos, com/sun/jna/sunos-x86-64/libjniidispach.so; processor=x86-64; osname=sunos, com/sun/jna/sunos-sparc/libjniidispach.so; processor=sparc; osname=sunos, com/sun/jna/sunos-sparcv9/libjniidispach.so; processor=sparcv9; osname=sunos, com/sun/jna/aix-ppc/libjniidispach.a; processor=ppc; osname=aix, com/sun/jna/aix-ppc64/libjniidispach.a; processor=ppc64; osname=aix, com/sun/jna/linux-ppc/libjniidispach.so; processor=ppc; osname=linux, com/sun/jna/linux-ppc64/libjniidispach.so; processor=ppc64; osname=linux, com/sun/jna/linux-ppc64le/libjniidispach.so; processor=ppc64le; osname=linux, com/sun/jna/linux-x86/libjniidispach.so; processor=x86; osname=linux, com/sun/jna/linux-x86-64/libjniidispach.so; processor=x86-64; osname=linux, com/sun/jna/linux-arm/libjniidispach.so; processor=arm; osname=linux, com/sun/jna/linux-arm/libjniidispach.so; processor=arm\_le; osname=linux, com/sun/jna/linux-armel/libjniidispach.so; processor=armel; osname=linux, com/sun/jna/linux-aarch64/libjniidispach.so; processor=aarch64; osname=linux, com/sun/jna/linux-ia64/libjniidispach.so; processor=ia64; osname=linux, com/sun/jna/linux-sparcv9/libjniidispach.so; processor=sparcv9; osname=linux, com/sun/jna/linux-mips64el/libjniidispach.so; processor=mips64el; osname=linux, com/sun/jna/linux-s390x/libjniidispach.so; processor=S390x; osname=linux, com/sun/jna/linux-loongarch64/libjniidispach.so; processor=loongarch64;osname=linux, com/sun/jna/freebsd-x86/libjniidispach.so; processor=x86;osname=freebsd, com/sun/jna/freebsd-x86-64/libjniidispach.so; processor=x86-64;osname=freebsd, com/sun/jna/openbsd-x86/libjniidispach.so; processor=x86;osname=openbsd, com/sun/jna/openbsd-x86-64/libjniidispach.so; processor=x86-64;osname=openbsd, com/sun/jna/darwin-ppc/libjniidispach.jnilib; osname=macosx;processor=ppc, com/sun/jna/darwin-ppc64/libjniidispach.jnilib; osname=macosx;processor=ppc64, com/sun/jna/darwin-x86/libjniidispach.jnilib; osname=macosx;processor=x86, com/sun/jna/darwin-x86-64/libjniidispach.jnilib; osname=macosx;processor=x86-64, com/sun/jna/darwin-aarch64/libjniidispach.jnilib; osname=macosx;processor=aarch64

Vendor	Manifest	bundle-requiredexecution	JavaSE-1.6	Low
Vendor	Manifest	bundle-symbolicname	com.sun.jna	Medium
Vendor	Manifest	Implementation-Vendor	JNA Development Team	High
Vendor	Manifest	specification-vendor	JNA Development Team	Low
Product	file	name	jna	High
Product	jar	package name	jna	Highest
Product	jar	package name	jna	Low
Product	jar	package name	library	Highest
Product	jar	package name	native	Highest
Product	jar	package name	sun	Highest
Product	jar	package name	win32	Highest
Product	Manifest	automatic-module-name	com.sun.jna	Medium
Product	Manifest	bundle-activationpolicy	lazy	Low
Product	Manifest	bundle-category	jni	Low
Product	Manifest	Bundle-Name	jna	Medium
Product	Manifest	bundle-nativecode	com/sun/jna/win32-x86/jnidispach.dll; processor=x86;osname=win32, com/sun/jna/win32-x86-64/jnidispach.dll; processor=x86-64;osname=win32, com/sun/jna/win32-aarch64/jnidispach.dll; processor=aarch64; osname=win32, com/sun/jna/win32-x86/jnidispach.dll; processor=x86;osname=win, com/sun/jna/win32-x86-64/jnidispach.dll; processor=x86-64;osname=win, com/sun/jna/win32-aarch64/jnidispach.dll; processor=aarch64;osname=win, com/sun/jna/w32ce-arm/jnidispach.dll; processor=arm;osname=wince, com/sun/jna/sunos-x86/libjniidispach.so; processor=x86; osname=sunos, com/sun/jna/sunos-x86-64/libjniidispach.so; processor=x86-64; osname=sunos, com/sun/jna/sunos-sparc/libjniidispach.so; processor=sparc; osname=sunos, com/sun/jna/sunos-sparcv9/libjniidispach.so; processor=sparcv9; osname=sunos, com/sun/jna/aix-ppc/libjniidispach.a; processor=ppc; osname=aix, com/sun/jna/aix-ppc64/libjniidispach.a; processor=ppc64; osname=aix, com/sun/jna/linux-ppc/libjniidispach.so; processor=ppc; osname=linux, com/sun/jna/linux-ppc64/libjniidispach.so; processor=ppc64; osname=linux, com/sun/jna/linux-ppc64le/libjniidispach.so; processor=ppc64le; osname=linux, com/sun/jna/linux-x86/libjniidispach.so; processor=x86;	Low

			osname=linux, com/sun/jna/linux-x86-64 /libjnidispatch.so; processor=x86-64; osname=linux, com/sun/jna/linux-arm /libjnidispatch.so; processor=arm; osname=linux, com/sun/jna/linux-arm /libjnidispatch.so; processor=arm_le; osname=linux, com/sun/jna/linux-armel /libjnidispatch.so; processor=armel; osname=linux, com/sun/jna/linux-aarch64 /libjnidispatch.so; processor=aarch64; osname=linux, com/sun/jna/linux-ia64 /libjnidispatch.so; processor=ia64; osname=linux, com/sun/jna/linux-sparcv9 /libjnidispatch.so; processor=sparcv9; osname=linux, com/sun/jna/linux-mips64el /libjnidispatch.so; processor=mips64el; osname=linux, com/sun/jna/linux-s390x /libjnidispatch.so; processor=S390x; osname=linux, com/sun/jna/linux- loongarch64/libjnidispatch.so; processor=loongarch64;osname=linux, com /sun/jna/freebsd-x86/libjnidispatch.so; processor=x86;osname=freebsd, com/sun /jna/freebsd-x86-64/libjnidispatch.so; processor=x86-64;osname=freebsd, com /sun/jna/openbsd-x86/libjnidispatch.so; processor=x86;osname=openbsd, com/sun /jna/openbsd-x86-64/libjnidispatch.so; processor=x86-64;osname=openbsd, com /sun/jna/darwin-ppc/libjnidispatch.jnilib; osname=macosx;processor=ppc, com/sun /jna/darwin-ppc64/libjnidispatch.jnilib; osname=macosx;processor=ppc64, com/sun /jna/darwin-x86/libjnidispatch.jnilib; osname=macosx;processor=x86, com/sun /jna/darwin-x86-64/libjnidispatch.jnilib; osname=macosx;processor=x86-64, com /sun/jna/darwin-aarch64/libjnidispatch.jnilib; osname=macosx;processor=aarch64	
--	--	--	--	--

Product	Manifest	bundle-requiredexecution	JavaSE-1.6	Low
Product	Manifest	bundle-symbolicname	com.sun.jna	Medium
Product	Manifest	Implementation-Title	com.sun.jna	High
Product	Manifest	specification-title	Java Native Access (JNA)	Medium
Version	jar	package name	jna	Highest
Version	jar	package name	sun	Highest
Version	jar	package name	win32	Highest
Version	Manifest	Bundle-Version	5.14.0	High
Version	Manifest	Implementation-Version	5.14.0 (b0)	High

## Related Dependencies



- authentication.pam.zip: jna.jar

- File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.pam.zip/jna.jar
- MD5: 9bb1338e58031463c300f643cb3c41fa
- SHA1: d9c6794f22c2e3c846b02d51c6a95c304e8e056b
- SHA256: 336f2ae25222389eb9f3c90f8f7c3a6258c33581964b2338bf836b3b865b049e
- authentication.windows.zip: jna.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.windows.zip/jna.jar
  - MD5: 9bb1338e58031463c300f643cb3c41fa
  - SHA1: d9c6794f22c2e3c846b02d51c6a95c304e8e056b
  - SHA256: 336f2ae25222389eb9f3c90f8f7c3a6258c33581964b2338bf836b3b865b049e

## Identifiers

- cpe:2.3:a:oracle:java\_se:5.14.0:\*:\*:\*:\*:\* (Confidence:Low) suppress

## jna.jar: jnidispatch.dll

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/jna.jar/com/sun/jna/win32-aarch64/jnidispatch.dll

**MD5:** f6bef568e690d361a5dcc165f5ad4b1f

**SHA1:** 05638a4aaafa689a6c246530823afdc18d3fd438

**SHA256:** b9d1479b9619b7ece4a36b6ae31365ffaf15a1355d4f6da02f8b5f09df2fa82f

**Referenced In Project/Scope:** server

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jnidispatch	High
Product	file	name	jnidispatch	High

## Related Dependencies

- authentication.pam.zip: jna.jar: jnidispatch.dll
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.pam.zip/jna.jar/com/sun/jna/win32-aarch64/jnidispatch.dll
  - MD5: f6bef568e690d361a5dcc165f5ad4b1f
  - SHA1: 05638a4aaafa689a6c246530823afdc18d3fd438
  - SHA256: b9d1479b9619b7ece4a36b6ae31365ffaf15a1355d4f6da02f8b5f09df2fa82f
- authentication.windows.zip: jna.jar: jnidispatch.dll
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.windows.zip/jna.jar/com/sun/jna/win32-aarch64/jnidispatch.dll
  - MD5: f6bef568e690d361a5dcc165f5ad4b1f
  - SHA1: 05638a4aaafa689a6c246530823afdc18d3fd438

- SHA256: b9d1479b9619b7ece4a36b6ae31365ffaf15a1355d4f6da02f8b5f09df2fa82f

#### Identifiers

- None

### jna.jar: jnidispatch.dll

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/jna.jar/com/sun/jna/win32-x86-64/jnidispatch.dll

**MD5:** 719d6ba1946c25aa61ce82f90d77ffd5

**SHA1:** 94d2191378cac5719daecc826fc116816284c406

**SHA256:** 69c45175ecfd25af023f96ac0bb2c45e6a95e3ba8a5a50ee7969ccab14825c44

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jnidispatch	High
Product	file	name	jnidispatch	High

#### Related Dependencies

- authentication.pam.zip: jna.jar: jnidispatch.dll
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.pam.zip/jna.jar/com/sun/jna/win32-x86-64/jnidispatch.dll
  - MD5: 719d6ba1946c25aa61ce82f90d77ffd5
  - SHA1: 94d2191378cac5719daecc826fc116816284c406
  - SHA256: 69c45175ecfd25af023f96ac0bb2c45e6a95e3ba8a5a50ee7969ccab14825c44
- authentication.windows.zip: jna.jar: jnidispatch.dll
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.windows.zip/jna.jar/com/sun/jna/win32-x86-64/jnidispatch.dll
  - MD5: 719d6ba1946c25aa61ce82f90d77ffd5
  - SHA1: 94d2191378cac5719daecc826fc116816284c406
  - SHA256: 69c45175ecfd25af023f96ac0bb2c45e6a95e3ba8a5a50ee7969ccab14825c44

#### Identifiers

- None

## jna.jar: jnidispatch.dll

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/jna.jar/com/sun/jna/win32-x86/jnidispatch.dll

**MD5:** e15183ef9c6c255b76fda73d01ca7ecb

**SHA1:** f816f998c43204230d9ea3eecffb5f8372a32c2e

**SHA256:** 38650a0612730c52580c9f32ff766b44b1c5a426d52e7dd7a53687bf3389ac2c

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jnidispatch	High
Product	file	name	jnidispatch	High

### Related Dependencies

- authentication.pam.zip: jna.jar: jnidispatch.dll
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.pam.zip/jna.jar/com/sun/jna/win32-x86/jnidispatch.dll
  - MD5: e15183ef9c6c255b76fda73d01ca7ecb
  - SHA1: f816f998c43204230d9ea3eecffb5f8372a32c2e
  - SHA256: 38650a0612730c52580c9f32ff766b44b1c5a426d52e7dd7a53687bf3389ac2c
- authentication.windows.zip: jna.jar: jnidispatch.dll
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.windows.zip/jna.jar/com/sun/jna/win32-x86/jnidispatch.dll
  - MD5: e15183ef9c6c255b76fda73d01ca7ecb
  - SHA1: f816f998c43204230d9ea3eecffb5f8372a32c2e
  - SHA256: 38650a0612730c52580c9f32ff766b44b1c5a426d52e7dd7a53687bf3389ac2c

### Identifiers

- None

## jpeg2000.zip: asm.jar

### License:

BSD-3-Clause;link=https://asm.ow2.io/LICENSE.txt

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/asm.jar

**MD5:** c76436b7c772de70844f55ca8e07840f

**SHA1:** bb4f81ca78df888662e7c53f84b3b4198bf20a93

**SHA256:** 2ed855412515e9cbc7c33bd986551deb587912310e945523927db7a74073ae15

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	asm	High
Vendor	jar	package name	asm	Highest
Vendor	jar	package name	asm	Low
Vendor	jar	package name	objectweb	Highest
Vendor	jar	package name	objectweb	Low
Vendor	Manifest	bundle-docurl	http://asm.ow2.org	Low
Vendor	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Vendor	Manifest	bundle-symbolicname	org.objectweb.asm	Medium
Product	file	name	asm	High
Product	jar	package name	asm	Highest
Product	jar	package name	asm	Low
Product	jar	package name	objectweb	Highest
Product	Manifest	bundle-docurl	http://asm.ow2.org	Low
Product	Manifest	Bundle-Name	org.objectweb.asm	Medium
Product	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Product	Manifest	bundle-symbolicname	org.objectweb.asm	Medium
Product	Manifest	Implementation-Title	ASM, a very small and fast Java bytecode manipulation framework	High
Version	jar	package name	asm	Highest
Version	Manifest	Bundle-Version	9.7	High
Version	Manifest	Implementation-Version	9.7	High

## Identifiers

- None

jpeg2000.zip: con crt140.dll

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/openjpeg/windows/concrt140.dll  
**MD5:** b7ff8e74ab911b76f4fe2fbd2c3cea1  
**SHA1:** 7ca4395c9083838052677ca55af0c15bc7f6c94d  
**SHA256:** d1a9b1a0ebe71e886b42a59faa67d4bf7646c3f46e0153dd2519b0e77ebbc5dc5  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	concrt140	High
Product	file	name	concrt140	High
Version	file	name	concrt140	Medium
Version	file	version	140	Medium

#### Identifiers

- None

### jpeg2000.zip: imageio-openjpeg.jar

#### Description:

ImageIO plugin for reading and writing JPEG2000 images via OpenJPEG.  
Requires the OpenJPEG shared native library to be installed on the system.

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/imageio-openjpeg.jar  
**MD5:** f37f190aa85f29f14e64215a5381dea9  
**SHA1:** 550cae0c1b7c33ff64a6dc269cb40e3f9ea1206c  
**SHA256:** a979e7a9b8483b35f9f2b8776654a01a0366bc51d5795e13f449938a12620294  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	imageio-openjpeg	High
Vendor	jar	package name	de	Highest
Vendor	jar	package name	de	Low
Vendor	jar	package name	digitalcollections	Highest
Vendor	jar	package name	digitalcollections	Low
Vendor	jar	package name	imageio	Highest

Vendor	jar	package name	openjpeg	Highest
Vendor	jar	package name	openjpeg	Low
Vendor	pom	artifactid	imageio-openjpeg	Low
Vendor	pom	groupid	de.digitalcollections.imageio	Highest
Vendor	pom	name	MDZ/Bayerische Staatsbibliothek :: ImageIO :: OpenJPEG/JPEG2000 plugin	High
Vendor	pom	parent-artifactid	imageio-jnr	Low
Product	file	name	imageio-openjpeg	High
Product	jar	package name	de	Highest
Product	jar	package name	digitalcollections	Highest
Product	jar	package name	digitalcollections	Low
Product	jar	package name	imageio	Highest
Product	jar	package name	lib	Low
Product	jar	package name	openjpeg	Highest
Product	jar	package name	openjpeg	Low
Product	pom	artifactid	imageio-openjpeg	Highest
Product	pom	groupid	de.digitalcollections.imageio	Highest
Product	pom	name	MDZ/Bayerische Staatsbibliothek :: ImageIO :: OpenJPEG/JPEG2000 plugin	High
Product	pom	parent-artifactid	imageio-jnr	Medium
Version	pom	version	0.6.8	Highest

#### Identifiers

- [pkg:maven/de.digitalcollections.imageio/imageio-openjpeg@0.6.8](https://pkg:maven/de.digitalcollections.imageio/imageio-openjpeg@0.6.8) (*Confidence:High*)

## jpeg2000.zip: jffi-native.jar

### Description:

Java Foreign Function Interface - Native Libraries

### License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>, <https://www.gnu.org/licenses/lgpl-3.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/jffi-native.jar

**MD5:** 4e850a527254a1fdd43d412fdef9bd78

**SHA1:** 88b48186f7a9cc31a6f1ce3e31a8d93e481d877b

**SHA256:**80468870214821a17c637292cf2bf566b477d7d538012d69b6ec2658385dac6d

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jffi-native	High
Vendor	Manifest	automatic-module-name	org.jnrproject.jffi.nativelibs	Medium
Vendor	Manifest	bundle-symbolicname	com.github.jnr.jffi.native	Medium
Product	file	name	jffi-native	High
Product	Manifest	automatic-module-name	org.jnrproject.jffi.nativelibs	Medium
Product	Manifest	Bundle-Name	jffi	Medium
Product	Manifest	bundle-symbolicname	com.github.jnr.jffi.native	Medium
Version	Manifest	Bundle-Version	1.3.13	High

#### Identifiers

- None

### jpeg2000.zip: jffi-native.jar: jffi-1.2.dll

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/jffi-native.jar/jni/aarch64-Windows/jffi-1.2.dll

**MD5:** 2c0b62583a6446ca74c26dd356a6efc8

**SHA1:** 97d03509897bb23ab808c232fe0fa3240e91d52d

**SHA256:**a4e7cb99d84f2a3b195fabcc4a6c59ab48e9eb25ddf58284b26d068163c9e505

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jffi	High
Product	file	name	jffi	High
Version	file	name	jffi	Medium
Version	file	version	1.2	High

### Identifiers

- None

## jpeg2000.zip: jffi-native.jar: jffi-1.2.dll

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/jffi-native.jar/jni/i386-Windows/jffi-1.2.dll

**MD5:** 841e60814ed6b2971a47b267aef1c58a

**SHA1:** 07d30c6407fefad8df4b6afc4d85f83e547975ca

**SHA256:** d63b0ec9a7cc75c26fa951928bf550c0e9a5e6c195a3de94a9c24995206bbfd2

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jffi	High
Product	file	name	jffi	High
Version	file	name	jffi	Medium
Version	file	version	1.2	High

### Identifiers

- None

## jpeg2000.zip: jffi-native.jar: jffi-1.2.dll

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/jffi-native.jar/jni/x86\_64-Windows/jffi-1.2.dll

**MD5:** 5d80b61c1f9e31860c17b3a410948e7e

**SHA1:** 5ca292116336ee4ceed00d10e756afea580e62cf

**SHA256:** 58398ba5cda1b7cb89ad4e03dd4a658006956f81acfef4efb4e7dd934e2733ef

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jffi	High

Product	file	name	jffi	High
Version	file	name	jffi	Medium
Version	file	version	1.2	High

#### Identifiers

- None

## jpeg2000.zip: jffi.jar

### Description:

Java Foreign Function Interface

### License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>  
 GNU Lesser General Public License version 3: <https://www.gnu.org/licenses/lgpl-3.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/jffi.jar

**MD5:** 9ccf8c0b543b2f955aed9cb1fb303dde

**SHA1:** e867f0d8a795967e67fd69a51579d37b537f19b2

**SHA256:** da562c3ac192451d641ee16a4cdec0f916e79920b410c99909bfaa94af503e3b

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jffi	High
Vendor	jar	package name	foreign	Highest
Vendor	jar	package name	function	Highest
Vendor	jar	package name	jffi	Highest
Vendor	Manifest	automatic-module-name	org.jnrproject.jffi	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	pom	artifactid	jffi	Low
Vendor	pom	developer email	wmeissner@gmail.com	Low
Vendor	pom	developer id	wmeissner	Medium
Vendor	pom	developer name	Wayne Meissner	Medium
Vendor	pom	groupid	com.github.jnr	Highest
Vendor	pom	name	jffi	High

Vendor	pom	url	http://github.com/jnr/jffi	Highest
Product	file	name	jffi	High
Product	jar	package name	foreign	Highest
Product	jar	package name	function	Highest
Product	jar	package name	jffi	Highest
Product	Manifest	automatic-module-name	org.jnrproject.jffi	Medium
Product	Manifest	build-jdk-spec	11	Low
Product	pom	artifactid	jffi	Highest
Product	pom	developer email	wmeissner@gmail.com	Low
Product	pom	developer id	wmeissner	Low
Product	pom	developer name	Wayne Meissner	Low
Product	pom	groupid	com.github.jnr	Highest
Product	pom	name	jffi	High
Product	pom	url	http://github.com/jnr/jffi	Medium
Version	pom	version	1.3.13	Highest

#### Identifiers

- [pkg:maven/com.github.jnr/jffi@1.3.13](https://maven.com.github.jnr/jffi@1.3.13) (*Confidence:High*)

## jpeg2000.zip: jnr-ffi.jar

### Description:

A library for invoking native functions from java

### License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/jnr-ffi.jar

**MD5:** 883f4d18a1c0701a2910a885670f7a3d

**SHA1:** 856e80b541207e70ed54ac792ffa8b4caa524225

**SHA256:** 1484bd86591b7fde05e0c3a2149000aa30a48160f8911778c7cd8c1f7c0019ba

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jnr-ffi	High

Vendor	jar	package name	ffi	Highest
Vendor	jar	package name	jnr	Highest
Vendor	jar	package name	library	Highest
Vendor	Manifest	automatic-module-name	org.jnrproject.ffi	Medium
Vendor	Manifest	bundle-symbolicname	com.github.jnr.ffi	Medium
Vendor	pom	artifactid	jnr-ffi	Low
Vendor	pom	developer email	headius@headius.com	Low
Vendor	pom	developer email	wmeissner@gmail.com	Low
Vendor	pom	developer id	headius	Medium
Vendor	pom	developer id	wmeissner	Medium
Vendor	pom	developer name	Charles Oliver Nutter	Medium
Vendor	pom	developer name	Wayne Meissner	Medium
Vendor	pom	groupid	com.github.jnr	Highest
Vendor	pom	name	jnr-ffi	High
Vendor	pom	url	http://github.com/jnr/jnr-ffi	Highest
Product	file	name	jnr-ffi	High
Product	jar	package name	ffi	Highest
Product	jar	package name	jnr	Highest
Product	jar	package name	library	Highest
Product	Manifest	automatic-module-name	org.jnrproject.ffi	Medium
Product	Manifest	Bundle-Name	jnr-ffi	Medium
Product	Manifest	bundle-symbolicname	com.github.jnr.ffi	Medium
Product	pom	artifactid	jnr-ffi	Highest
Product	pom	developer email	headius@headius.com	Low
Product	pom	developer email	wmeissner@gmail.com	Low
Product	pom	developer id	headius	Low
Product	pom	developer id	wmeissner	Low
Product	pom	developer name	Charles Oliver Nutter	Low
Product	pom	developer name	Wayne Meissner	Low
Product	pom	groupid	com.github.jnr	Highest
Product	pom	name	jnr-ffi	High
Product	pom	url	http://github.com/jnr/jnr-ffi	Medium
Version	Manifest	Bundle-Version	2.2.16	High

Version	pom	version	2.2.16	Highest
---------	-----	---------	--------	---------

Identifiers

- [pkg:maven/com.github.jnr/jnr-ffi@2.2.16](#) (*Confidence:High*)

jpeg2000.zip: jpeg2000.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/jpeg2000.jar

**MD5:** eefa184e90b06072f6df7b6f8cc205e3

**SHA1:** b6562622bad5dd7117c72f81ce2ea3ff58ef75b2

**SHA256:**71692de6128b966020dd9bbd9a9bf7370b117cecc8753acf8415ead017804799

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jpeg2000	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	jpeg2000	Low
Vendor	Manifest	built-date	2024-12-03 15:43	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	jpeg2000	High
Product	jar	package name	jpeg2000	Highest
Product	jar	package name	jpeg2000	Low
Product	jar	package name	jpeg2000serverplugin	Low
Product	Manifest	built-date	2024-12-03 15:43	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	jpeg2000	High

Product	Manifest	specification-title	jpeg2000	Medium
Version	file	name	jpeg2000	Medium
Version	file	version	2000	Medium
Version	Manifest	Implementation-Version	24.10.238	High

#### Identifiers

- None

### jpeg2000.zip: msvcp140.dll

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/openjpeg/windows/msvc140.dll  
**MD5:** 0d89995cc45c7eb40e5a7e287506c1e9  
**SHA1:** 096c27b06ee7fff2bcd290af0264cdafd04cded9  
**SHA256:** e0a22a594e148fa55ceef3e49969bfa77011a801267a0bd7805b681b593c9d0b  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	msvc140	High
Product	file	name	msvc140	High
Version	file	name	msvc140	Medium
Version	file	version	140	Medium

#### Identifiers

- None

### jpeg2000.zip: msvcp140\_1.dll

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/openjpeg/windows/msvc140\_1.dll  
**MD5:** c060bb176a671f068362db2673a08c5e

**SHA1:** 1d6b4ae5e778f1daf3573d4817777a51c35cbac4

**SHA256:** 768e0829decea713afb35a7de07e276f051581c8ff2c17e1bae9b07dd1445dd0

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	msvc140_1	High
Product	file	name	msvc140_1	High

#### Identifiers

- None

### jpeg2000.zip: msvc140\_2.dll

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/openjpeg/windows/msvc140\_2.dll

**MD5:** 94bc7a22ec7308f851cc58fd6de90b2d

**SHA1:** cb4d8dcd2c8e9bbf049c1628246cb12cdd34b353

**SHA256:** 5c12eaef6db18b168f712bff9b55793e0effddf15b89552e7f5ca4f8f1887b9b

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	msvc140_2	High
Product	file	name	msvc140_2	High

#### Identifiers

- None

### jpeg2000.zip: msvc140\_atomic\_wait.dll

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/openjpeg/windows/msvc140\_atomic\_wait.dll

**MD5:** 6407c40330e6081689bb702daa5aacac

**SHA1:** 24126ff2ddd568a6ed17134e539cad94e22152a7  
**SHA256:**0193cdcff562f12218ecab5841fd6bbc4d24295cd8e4dcae960e2fb47cceb662  
**Referenced In Project/Scope:** server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	msvcvp140_atomic_wait	High
Product	file	name	msvcvp140_atomic_wait	High
Version	file	name	msvcvp140_atomic_wait	Medium
Version	file	version	140	Medium

Identifiers

- None

jpeg2000.zip: msvcvp140\_codecvt\_ids.dll

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/openjpeg/windows/msvcvp140\_codecvt\_ids.dll

**MD5:** 23efa781b89641f24c17592de857bb40

**SHA1:** fd537ff2cf7d09701baf6550640d6cc96bd5d284

**SHA256:**9c6c0d8fa51ecca5e274295cbd72d45be474f3c6ce1070ec5e90f70242ae7185

**Referenced In Project/Scope:** server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	msvcvp140_codecvt_ids	High
Product	file	name	msvcvp140_codecvt_ids	High
Version	file	name	msvcvp140_codecvt_ids	Medium
Version	file	version	140	Medium

Identifiers

- [cpe:2.3:a:ids:ids:140:\\*:\\*:\\*:\\*:\\*](#) (Confidence:High) suppress

## jpeg2000.zip: openjp2.dll

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/openjpeg/windows/openjp2.dll

**MD5:** a068a39973dbe3f985f9a3c2e06f2d27

**SHA1:** 2f726c784e92d68084b4e293664710e1389c6564

**SHA256:** 0e5682e82f3cee9d23c56259bfae7b0bcd8fab2d117e3832ac2308b96ae87585

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	openjp2	High
Product	file	name	openjp2	High
Version	file	name	openjp2	Medium
Version	file	version	2	Medium

### Identifiers

- None

## jpeg2000.zip: vcruntime140.dll

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/openjpeg/windows/vcruntime140.dll

**MD5:** a4cf5c1f71c540c69371c861abe57726

**SHA1:** f272b34182db8a78ffc71755b46a57a253fcd384

**SHA256:** c179d8914ba8e57b2f8f4d6c101c2c550c7c6712a7f0f9920a97db340f9d9574

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	vcruntime140	High
Product	file	name	vcruntime140	High
Version	file	name	vcruntime140	Medium
Version	file	version	140	Medium

### Identifiers

- None

## jpeg2000.zip: vcruntime140\_1.dll

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/openjpeg/windows/vcruntime140\_1.dll

**MD5:** 9f4eac207cb58e8d110477e7fd19d565

**SHA1:** 687051b863f7a7178cabf9c06ab3b534b1e23dd3

**SHA256:** 7cf38d20d00b6640d510eab70171e1c6f8fa2e42040832e17c7433ab61d94a8e

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	vcruntime140_1	High
Product	file	name	vcruntime140_1	High

### Identifiers

- None

## jquery.cookiebar.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/src/com/inet/application/googleanalytics/client/js/jquery.cookiebar.js

**MD5:** 35bdd1bde2d5eefde68b90c95580dcbb

**SHA1:** 1e82ddc04aedccb5ba4c90239c0d60188c7c7b6e

**SHA256:** bc3199c6d3de4c4c93746de532f5bd208b0c48c8ecf9f2b7fa3bb5f67be53556

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Related Dependencies

- application.googleanalytics.zip: jquery.cookiebar.js

- File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Plugin - Samples/Application/GoogleAnalytics/application.googleanalytics.zip/src /com/inet/application/googleanalytics/client/js/jquery.cookiebar.js
- MD5: 35bdd1bde2d5eefde68b90c95580dcbb
- SHA1: 1e82ddc04aedccb5ba4c90239c0d60188c7c7b6e
- SHA256: bc3199c6d3de4c4c93746de532f5bd208b0c48c8ecf9f2b7fa3bb5f67be53556

#### Identifiers

- None

### junit-4.13.2.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/junit/junit/4.13.2/8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12/junit-4.13.2.jar

**MD5:** d98a9a02a99a9acd22d7653cbcc1f31f

**SHA1:** 8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12

**SHA256:** 8e495b634469d64fb8acfa3495a065cbacc8a0fff55ce1e31007be4c16dc57d3

**Referenced In Project/Scope:** server:inetPlugin

**Included by:** pkg:maven/clear-reports/server@24.10

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	junit	High
Vendor	gradle	artifactid	junit	Highest
Vendor	gradle	groupid	junit	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	Manifest	automatic-module-name	junit	Medium
Vendor	Manifest	implementation-url	http://junit.org	Low
Vendor	Manifest	Implementation-Vendor	JUnit	High
Vendor	Manifest	Implementation-Vendor-Id	junit	Medium
Product	file	name	junit	High
Product	gradle	artifactid	junit	Highest
Product	jar	package name	junit	Highest
Product	Manifest	automatic-module-name	junit	Medium

Product	Manifest	Implementation-Title	JUnit	High
Product	Manifest	implementation-url	http://junit.org	Low
Version	file	version	4.13.2	High
Version	Manifest	Implementation-Version	4.13.2	High

### Identifiers

- [pkg:maven/junit/junit@4.13.2](#) (*Confidence: Highest*)
- [cpe:2.3:a:junit:junit4:4.13.2:\\*:\\*:\\*:\\*:\\*](#) (*Confidence: Highest*) suppress

## junit-jupiter-5.10.3.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter/5.10.3/6686d8bf251f9bf8ecba413cab57b9e00f9134d/junit-jupiter-5.10.3.jar

**MD5:** 8312d239f10b3aaa94c3dc69f84a250f

**SHA1:** 6686d8bf251f9bf8ecba413cab57b9e00f9134d

**SHA256:** e6fc09f881eba8b8d8a7660a6c7f4d582fa7881f306136afe2d82964a2e7c22f

**Referenced In Project/Scope:** server:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3
- pkg:maven/clear-reports/server@24.10

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter	High
Vendor	gradle	artifactid	junit-jupiter	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	module-info	Low
Vendor	Manifest	build-date	2024-06-27	Low
Vendor	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Vendor	Manifest	build-time	16:07:04.699+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low

Product	file	name	junit-jupiter	High
Product	gradle	artifactid	junit-jupiter	Highest
Product	Manifest	build-date	2024-06-27	Low
Product	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Product	Manifest	build-time	16:07:04.699+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter (Aggregator)	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter	Medium
Product	Manifest	Implementation-Title	junit-jupiter	High
Product	Manifest	specification-title	junit-jupiter	Medium
Version	file	version	5.10.3	High
Version	Manifest	Implementation-Version	5.10.3	High

#### Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3](https://maven.org/junit/jupiter/junit-jupiter@5.10.3) (Confidence: Highest)

### junit-jupiter-api-5.10.3.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-api/5.10.3/a22aa91d1d6c69b2020a9aeb6d095ea81132bfa5/junit-jupiter-api-5.10.3.jar

**MD5:** 9c5af4543b8784a55eab254418cc367b

**SHA1:** a22aa91d1d6c69b2020a9aeb6d095ea81132bfa5

**SHA256:** 6efe6e01ca1ff79b7bf4c6f1eed0b29292e166c27eaf7b00ac981a14d4de61aa

**Referenced In Project/Scope:** server:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter-api	High
Vendor	gradle	artifactid	junit-jupiter-api	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	api	Highest
Vendor	jar	package name	api	Low

Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	Manifest	build-date	2024-06-27	Low
Vendor	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Vendor	Manifest	build-time	16:07:04.699+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-api	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-jupiter-api	High
Product	gradle	artifactid	junit-jupiter-api	Highest
Product	jar	package name	api	Highest
Product	jar	package name	api	Low
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	Manifest	build-date	2024-06-27	Low
Product	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Product	Manifest	build-time	16:07:04.699+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter API	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-api	Medium
Product	Manifest	Implementation-Title	junit-jupiter-api	High
Product	Manifest	specification-title	junit-jupiter-api	Medium
Version	file	version	5.10.3	High
Version	Manifest	Implementation-Version	5.10.3	High

## Identifiers

- <pkg:maven/org.junit.jupiter/junit-jupiter-api@5.10.3> (*Confidence: Highest*)

## junit-jupiter-engine-5.10.3.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-engine/5.10.3/48c14e866bb1a87ca35d24ff068463bb202ada24/junit-jupiter-engine-5.10.3.jar

**MD5:** c87ca6659d594120a6030a2760bcd14

**SHA1:** 48c14e866bb1a87ca35d24ff068463bb202ada24

**SHA256:** bbd3ce8dc11e9925071ef9691d68af1ab6e712faa6851f7c5275bc8aafc88673

**Referenced In Project/Scope:** server:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter-engine	High
Vendor	gradle	artifactid	junit-jupiter-engine	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	Manifest	build-date	2024-06-27	Low
Vendor	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Vendor	Manifest	build-time	16:07:04.699+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-jupiter;version:Version="5.10.3"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-jupiter-engine	High
Product	gradle	artifactid	junit-jupiter-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest

Product	jar	package name	jupiter	Low
Product	Manifest	build-date	2024-06-27	Low
Product	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Product	Manifest	build-time	16:07:04.699+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter Engine	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-engine	Medium
Product	Manifest	Implementation-Title	junit-jupiter-engine	High
Product	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-jupiter;version:Version="5.10.3"	Low
Product	Manifest	specification-title	junit-jupiter-engine	Medium
Version	file	version	5.10.3	High
Version	Manifest	Implementation-Version	5.10.3	High

Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.10.3](https://maven.org/junit.jupiter/junit-jupiter-engine@5.10.3) (Confidence: Highest)

junit-jupiter-params-5.10.3.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-params/5.10.3/4852f4e4af9074d9214213b199751f99efeab8b9/junit-jupiter-params-5.10.3.jar

**MD5:** 8c0d875131fa73e688df785a3b2f338d

**SHA1:** 4852f4e4af9074d9214213b199751f99efeab8b9

**SHA256:** 7c3ed8cefb12496b76c53c3da986ea8f0bf3f426781869475551ae3a506c1ad8

**Referenced In Project/Scope:** server:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter-params	High
Vendor	gradle	artifactid	junit-jupiter-params	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low

Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	jar	package name	params	Highest
Vendor	jar	package name	params	Low
Vendor	Manifest	build-date	2024-06-27	Low
Vendor	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Vendor	Manifest	build-time	16:07:04.699+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-params	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-jupiter-params	High
Product	gradle	artifactid	junit-jupiter-params	Highest
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	jar	package name	params	Highest
Product	jar	package name	params	Low
Product	jar	package name	shadow	Low
Product	Manifest	build-date	2024-06-27	Low
Product	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Product	Manifest	build-time	16:07:04.699+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter Params	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-params	Medium
Product	Manifest	Implementation-Title	junit-jupiter-params	High
Product	Manifest	specification-title	junit-jupiter-params	Medium
Version	file	version	5.10.3	High
Version	Manifest	Implementation-Version	5.10.3	High

## Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter-params@5.10.3](https://pkg:maven/org.junit.jupiter/junit-jupiter-params@5.10.3) (Confidence: Highest)

## junit-platform-commons-1.10.3.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-commons/1.10.3/a353d42a2f13343a7cb80c5228ae66ff64495481/junit-platform-commons-1.10.3.jar

**MD5:** 83ff374dd428b03f1cf70d0143259f01

**SHA1:** a353d42a2f13343a7cb80c5228ae66ff64495481

**SHA256:** 9787f04d49db59397cdd7555d421a5bd2d1445666997d327b94f85e38bed57f1

**Referenced In Project/Scope:** server:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-commons	High
Vendor	gradle	artifactid	junit-platform-commons	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	commons	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	org	Highest
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2024-06-27	Low
Vendor	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Vendor	Manifest	build-time	16:07:04.699+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-commons	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-commons	High
Product	gradle	artifactid	junit-platform-commons	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	commons	Low
Product	jar	package name	junit	Highest

Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	util	Low
Product	Manifest	build-date	2024-06-27	Low
Product	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bc4c39ade5	Low
Product	Manifest	build-time	16:07:04.699+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Commons	Medium
Product	Manifest	bundle-symbolicname	junit-platform-commons	Medium
Product	Manifest	Implementation-Title	junit-platform-commons	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	junit-platform-commons	Medium
Version	file	version	1.10.3	High
Version	Manifest	Implementation-Version	1.10.3	High

Identifiers

- [pkg:maven/org.junit.platform/junit-platform-commons@1.10.3](#) (*Confidence*:Highest)

junit-platform-engine-1.10.3.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-engine/1.10.3/365a320c3cfd47f3346625e541e424e35dc75c42/junit-platform-engine-1.10.3.jar

**MD5:** 8fe56ec6a59c1e208e8ba0def9e47bf3

**SHA1:** 365a320c3cfd47f3346625e541e424e35dc75c42

**SHA256:**df7c32bf75cf47c4c8ddd1942091027947a7d765d30b731fe00830115fafa133

**Referenced In Project/Scope:** server:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-engine	High
Vendor	gradle	artifactid	junit-platform-engine	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	engine	Highest

Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2024-06-27	Low
Vendor	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Vendor	Manifest	build-time	16:07:04.699+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-engine	High
Product	gradle	artifactid	junit-platform-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	support	Low
Product	Manifest	build-date	2024-06-27	Low
Product	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Product	Manifest	build-time	16:07:04.699+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Engine API	Medium
Product	Manifest	bundle-symbolicname	junit-platform-engine	Medium
Product	Manifest	Implementation-Title	junit-platform-engine	High
Product	Manifest	specification-title	junit-platform-engine	Medium
Version	file	version	1.10.3	High
Version	Manifest	Implementation-Version	1.10.3	High

## Identifiers

- [pkg:maven/org.junit.platform/junit-platform-engine@1.10.3](https://pkg:maven/org.junit.platform/junit-platform-engine@1.10.3) (*Confidence*:Highest)

junit-platform-launcher-1.10.3.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-launcher/1.10.3/2e07e6389624f3e93fb2e87aec2fdc30cc84b069/junit-platform-launcher-1.10.3.jar  
**MD5:** 2bc703d74e40b64a2c7964e3ef4da945  
**SHA1:** 2e07e6389624f3e93fb2e87aec2fdc30cc84b069  
**SHA256:** deaeede2f011eaf94f5bc681e04eee2f4a0f6d69771e1a79aa950d898b405d8d  
**Referenced In Project/Scope:** server:inetPlugin  
**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-launcher	High
Vendor	gradle	artifactid	junit-platform-launcher	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	launcher	Highest
Vendor	jar	package name	launcher	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2024-06-27	Low
Vendor	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Vendor	Manifest	build-time	16:07:04.699+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-launcher	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.launcher;org.junit.platform.launcher=junit-platform-launcher;version:Version="1.10.3"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-launcher	High
Product	gradle	artifactid	junit-platform-launcher	Highest
Product	jar	package name	junit	Highest

Product	jar	package name	launcher	Highest
Product	jar	package name	launcher	Low
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	Manifest	build-date	2024-06-27	Low
Product	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Product	Manifest	build-time	16:07:04.699+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Launcher	Medium
Product	Manifest	bundle-symbolicname	junit-platform-launcher	Medium
Product	Manifest	Implementation-Title	junit-platform-launcher	High
Product	Manifest	provide-capability	org.junit.platform.launcher;org.junit.platform.launcher=junit-platform-launcher;version:Version="1.10.3"	Low
Product	Manifest	specification-title	junit-platform-launcher	Medium
Version	file	version	1.10.3	High
Version	Manifest	Implementation-Version	1.10.3	High

Identifiers

- [pkg:maven/org.junit.platform/junit-platform-launcher@1.10.3](https://pkg:maven/org.junit.platform/junit-platform-launcher@1.10.3) (*Confidence: Highest*)

junit-platform-suite-1.10.3.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite/1.10.3/48ea585d380c250428cd440b354e344461a887b4/junit-platform-suite-1.10.3.jar  
**MD5:** d508bda8927cf328d45dc2a128f073c1  
**SHA1:** 48ea585d380c250428cd440b354e344461a887b4  
**SHA256:** 17f9384f40dcb480784277b2d1a96e560d69936eda6296c15c68c209e476828b  
**Referenced In Project/Scope:** server:inetPlugin  
**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3
- pkg:maven/clear-reports/server@24.10

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite	High

Vendor	gradle	artifactid	junit-platform-suite	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	module-info	Low
Vendor	Manifest	build-date	2024-06-27	Low
Vendor	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Vendor	Manifest	build-time	16:07:04.699+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-suite	High
Product	gradle	artifactid	junit-platform-suite	Highest
Product	Manifest	build-date	2024-06-27	Low
Product	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Product	Manifest	build-time	16:07:04.699+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite (Aggregator)	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite	Medium
Product	Manifest	Implementation-Title	junit-platform-suite	High
Product	Manifest	specification-title	junit-platform-suite	Medium
Version	file	version	1.10.3	High
Version	Manifest	Implementation-Version	1.10.3	High

Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite@1.10.3](#) (*Confidence: Highest*)

junit-platform-suite-api-1.10.3.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-api/1.10.3/8358a40913929201e7ba817ca7a66456165fa7eb/junit-platform-suite-api-1.10.3.jar  
**MD5:** 689122f3641d81b7756fec816e79a6f9  
**SHA1:** 8358a40913929201e7ba817ca7a66456165fa7eb  
**SHA256:** bdb1de13d1a86a17a8093f2612014cd3271a1625b46fedee01c9982a3b4287af  
**Referenced In Project/Scope:** server:inetPlugin  
**Included by:**  
.....

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite-api	High
Vendor	gradle	artifactid	junit-platform-suite-api	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	api	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2024-06-27	Low
Vendor	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Vendor	Manifest	build-time	16:07:04.699+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-api	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-suite-api	High
Product	gradle	artifactid	junit-platform-suite-api	Highest
Product	jar	package name	api	Highest
Product	jar	package name	api	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2024-06-27	Low
Product	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Product	Manifest	build-time	16:07:04.699+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite API	Medium

Product	Manifest	bundle-symbolicname	junit-platform-suite-api	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-api	High
Product	Manifest	specification-title	junit-platform-suite-api	Medium
Version	file	version	1.10.3	High
Version	Manifest	Implementation-Version	1.10.3	High

### Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite-api@1.10.3](https://maven.org/junit.platform/junit-platform-suite-api@1.10.3) (*Confidence: Highest*)

## junit-platform-suite-commons-1.10.3.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-commons/1.10.3/e184697bc6e8d96072815df8ca40eaed940c3fd8/junit-platform-suite-commons-1.10.3.jar

**MD5:** 4218be8526eab4fdb25437440a1225d5

**SHA1:** e184697bc6e8d96072815df8ca40eaed940c3fd8

**SHA256:** da51c58786762602848f38bcf45d9d18387ed10d030308ebd8d4989cfaf7fd59

**Referenced In Project/Scope:** server:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite-commons	High
Vendor	gradle	artifactid	junit-platform-suite-commons	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2024-06-27	Low
Vendor	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bc39ade5	Low

Vendor	Manifest	build-time	16:07:04.699+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-commons	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-suite-commons	High
Product	gradle	artifactid	junit-platform-suite-commons	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	commons	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2024-06-27	Low
Product	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bc39ade5	Low
Product	Manifest	build-time	16:07:04.699+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite Commons	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-commons	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-commons	High
Product	Manifest	specification-title	junit-platform-suite-commons	Medium
Version	file	version	1.10.3	High
Version	Manifest	Implementation-Version	1.10.3	High

#### Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite-commons@1.10.3](https://pkg:maven/org.junit.platform/junit-platform-suite-commons@1.10.3) (*Confidence*:Highest)

### junit-platform-suite-engine-1.10.3.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-engine/1.10.3/a3585e7639577aa12b24e90f2ab7f0433997b5e0/junit-platform-suite-engine-1.10.3.jar  
**MD5:** 1f4805e105121cea17015917c1411ace

SHA1: a3585e7639577aa12b24e90f2ab7f0433997b5e0  
SHA256:65887849bc0ae1e11f19500116e1c1a68bfb101813bfc4c63e72225cf3354340  
Referenced In Project/Scope: server:inetPlugin  
Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite-engine	High
Vendor	gradle	artifactid	junit-platform-suite-engine	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2024-06-27	Low
Vendor	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Vendor	Manifest	build-time	16:07:04.699+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-suite-engine	High
Product	gradle	artifactid	junit-platform-suite-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2024-06-27	Low

Product	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcdc39ade5	Low
Product	Manifest	build-time	16:07:04.699+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite Engine	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-engine	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-engine	High
Product	Manifest	specification-title	junit-platform-suite-engine	Medium
Version	file	version	1.10.3	High
Version	Manifest	Implementation-Version	1.10.3	High

#### Identifiers

- <pkg:maven/org.junit.platform/junit-platform-suite-engine@1.10.3> (*Confidence: Highest*)

### junit-vintage-engine-5.10.3.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.vintage/junit-vintage-engine/5.10.3/18ddfc904011b7b8ab7bcf606ca77b7469c05f48/junit-vintage-engine-5.10.3.jar

**MD5:** 794a99a9431931e019e4fe9ea5b06bd5

**SHA1:** 18ddfc904011b7b8ab7bcf606ca77b7469c05f48

**SHA256:** d60288d3e850ba9f2af4701203a5171ef30634efd34da40ab47facebd2c65d6c

**Referenced In Project/Scope:** server:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3
- pkg:maven/clear-reports/server@24.10

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-vintage-engine	High
Vendor	gradle	artifactid	junit-vintage-engine	Highest
Vendor	gradle	groupid	org.junit.vintage	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	vintage	Highest

Vendor	jar	package name	vintage	Low
Vendor	Manifest	build-date	2024-06-27	Low
Vendor	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Vendor	Manifest	build-time	16:07:04.699+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-vintage-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-vintage;version:Version="5.10.3"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-vintage-engine	High
Product	gradle	artifactid	junit-vintage-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	vintage	Highest
Product	jar	package name	vintage	Low
Product	Manifest	build-date	2024-06-27	Low
Product	Manifest	build-revision	55d12321315b11eaf6ed87e73c47bcd39ade5	Low
Product	Manifest	build-time	16:07:04.699+0200	Low
Product	Manifest	Bundle-Name	JUnit Vintage Engine	Medium
Product	Manifest	bundle-symbolicname	junit-vintage-engine	Medium
Product	Manifest	Implementation-Title	junit-vintage-engine	High
Product	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-vintage;version:Version="5.10.3"	Low
Product	Manifest	specification-title	junit-vintage-engine	Medium
Version	file	version	5.10.3	High
Version	Manifest	Implementation-Version	5.10.3	High

## Identifiers

- [pkg:maven/org.junit.vintage/junit-vintage-engine@5.10.3](https://maven.org/junit.vintage/junit-vintage-engine@5.10.3) (*Confidence:High*est)

## lang-css.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/ReportViewer - HTML API Doc/scripts/prettify/lang-css.js

**MD5:** 914365fa44cd3c094afc7c0de229e29e

**SHA1:** 0a6564da73538b95de1d787c36347f63595891b4

**SHA256:**9b6ac483033b02572714eb4d37ee199185c41008eb2b3f46a00ab0ebce6a20c5

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## linenumber.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/ReportViewer - HTML API Doc/scripts/linenumber.js

**MD5:** 8520038fe7381ba8119956a342d21580

**SHA1:** ccbf2747b02c5204bf135f3b48fcfb74540c62e8

**SHA256:**bcc1057a550d0865cd8fceb0e7531b76226d25d42ebdfa8cab11f2314c3787

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## lunr.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/lunr.js

**MD5:** da4f3703ce0083f8050d00e900aac7b0  
**SHA1:** ae614550091dd5ea4b432d94fa4e286b2c91278d  
**SHA256:** f9671350512fd9359469b1a2113ed3134e7b007fa0041e8e1cfe006de3d7f6f6  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### lunr.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/lunr.min.js

**MD5:** 323b7324b0cd0280e1d33689fd88e70a  
**SHA1:** f44691b6ed6e0cd684175f7779eea8fc4a2a5015  
**SHA256:** 447b131dc7c9500a8fb188bc88271941b88805d610a60a0c953c482d69abdf2b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### mail.zip: bc-fips.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/bc-fips.jar

**MD5:** 6dbb5bd5f7ba5e2827d845556e85f868  
**SHA1:** 704e65f7e4fe679e5ab2aa8a840f27f8ced4c522  
**SHA256:** 50e4c7a0d0c68413d3d8587560d56945ac09e7c89c41bd971cd22d76be6f1085  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	bc-fips	High
Vendor	jar	package name	bc	Highest
Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	fips	Highest
Vendor	jar	package name	provider	Highest
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle FIPS Provider	Medium
Vendor	Manifest	automatic-module-name	org.bouncycastle.fips.core	Medium
Vendor	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Vendor	Manifest	bundle-symbolicname	bc-fips	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcfips	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Product	file	name	bc-fips	High
Product	jar	package name	bc	Highest
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	fips	Highest
Product	jar	package name	permissions	Highest
Product	jar	package name	provider	Highest
Product	Manifest	application-library-allowable-codebase	*	Low

Product	Manifest	application-name	Bouncy Castle FIPS Provider	Medium
Product	Manifest	automatic-module-name	org.bouncycastle.fips.core	Medium
Product	Manifest	Bundle-Name	bc-fips	Medium
Product	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Product	Manifest	bundle-symbolicname	bc-fips	Medium
Product	Manifest	caller-allowable-codebase	*	Low
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcfips	Medium
Product	Manifest	multi-release	true	Low
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Version	jar	package name	permissions	Highest
Version	Manifest	Bundle-Version	1.0.2.5	High
Version	Manifest	Implementation-Version	1.0.2.5	High

#### Related Dependencies



- webserver.zip: bc-fips.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/bc-fips.jar
  - MD5: 6dbb5bd5f7ba5e2827d845556e85f868
  - SHA1: 704e65f7e4fe679e5ab2aa8a840f27f8ced4c522
  - SHA256: 50e4c7a0d0c68413d3d8587560d56945ac09e7c89c41bd971cd22d76be6f1085

#### Identifiers

- None

### mail.zip: bcmail-fips.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/bcmail-fips.jar  
**MD5:** 933222383d59e919cef64e1db42b6eb1

**SHA1:** e93795499065ef7fd43df063e68ee474b03c4fbc

**SHA256:** f50bddd7e4cfa88dd8afddf07d0ed86e76bf26d2e1b96dc124410947a555e06

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	bcmail-fips	High
Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	mail	Highest
Vendor	jar	package name	mail	Low
Vendor	jar	package name	smime	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle FIPS S/MIME API	Medium
Vendor	Manifest	automatic-module-name	org.bouncycastle.fips.mail	Medium
Vendor	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Vendor	Manifest	bundle-symbolicname	bcmail-fips	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcfips.mail	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Product	file	name	bcmail-fips	High
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	mail	Highest
Product	jar	package name	mail	Low
Product	jar	package name	smime	Low

Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle FIPS S/MIME API	Medium
Product	Manifest	automatic-module-name	org.bouncycastle.fips.mail	Medium
Product	Manifest	Bundle-Name	bcmail-fips	Medium
Product	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Product	Manifest	bundle-symbolicname	bcmail-fips	Medium
Product	Manifest	caller-allowable-codebase	*	Low
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcfips.mail	Medium
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Version	Manifest	Bundle-Version	1.0.4	High
Version	Manifest	Implementation-Version	1.0.4	High

#### Identifiers

- None

### mail.zip: bcpfg-fips.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/bcpfg-fips.jar

**MD5:** d5dbb089be98a4c7b4bb5b78d6b2d629

**SHA1:** 5e1952428655ea822066f86df2e3ecda8fa0ba2b

**SHA256:** fea1a096c098395eb67d48700c349d5f75321ef0c7c6af9198bc38f4cc836622

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	bcpfg-fips	High
Vendor	jar	package name	bcpfg	Highest
Vendor	jar	package name	bouncycastle	Highest

Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	openpgp	Highest
Vendor	jar	package name	openpgp	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle FIPS OpenPGP API	Medium
Vendor	Manifest	automatic-module-name	org.bouncycastle.fips.pg	Medium
Vendor	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Vendor	Manifest	bundle-symbolicname	bcpg-fips	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcfips.pg	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Product	file	name	bcpg-fips	High
Product	jar	package name	bcpg	Highest
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	openpgp	Highest
Product	jar	package name	openpgp	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle FIPS OpenPGP API	Medium
Product	Manifest	automatic-module-name	org.bouncycastle.fips.pg	Medium
Product	Manifest	Bundle-Name	bcpg-fips	Medium
Product	Manifest	bundle-requiredexecution	J2SE-1.5	Low

Product	Manifest	bundle-symbolicname	bcpkg-fips	Medium
Product	Manifest	caller-allowable-codebase	*	Low
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcfix.pg	Medium
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Version	Manifest	Bundle-Version	1.0.7.1	High
Version	Manifest	Implementation-Version	1.0.7.1	High

### Identifiers

- [cpe:2.3:a:openpgp:openpgp:1.0.7.1:\\*\\*\\*\\*:\\*](#) (*Confidence: Highest*) suppress

## mail.zip: bcpkix-fips.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/bcpkix-fips.jar

**MD5:** 5eb817346ccced24509b5b18d49b44e1

**SHA1:** fe07959721cfa2156be9722ba20fdfee2b5441b0

**SHA256:** 2f6a0e9edf56f815f7771f91e7a099fa2a73642e92345fd05a25ee3a036dc664

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	bcpkix-fips	High
Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	pkix	Highest
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle FIPS PKIX API	Medium
Vendor	Manifest	automatic-module-name	org.bouncycastle.fips.pkix	Medium
Vendor	Manifest	bundle-	J2SE-1.5	Low

## requiredexecution

Vendor	Manifest	bundle-symbolicname	bcpkix-fips	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcfips.pkix	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Product	file	name	bcpkix-fips	High
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	pkix	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle FIPS PKIX API	Medium
Product	Manifest	automatic-module-name	org.bouncycastle.fips.pkix	Medium
Product	Manifest	Bundle-Name	bcpkix-fips	Medium
Product	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Product	Manifest	bundle-symbolicname	bcpkix-fips	Medium
Product	Manifest	caller-allowable-codebase	*	Low
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcfips.pkix	Medium
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Version	Manifest	Bundle-Version	1.0.7	High
Version	Manifest	Implementation-Version	1.0.7	High

## Related Dependencies

- webserver.zip: bcpkix-fips.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/bcpkix-fips.jar
  - MD5: 5eb817346ccced24509b5b18d49b44e1
  - SHA1: fe07959721cfa2156be9722ba20fdfee2b5441b0
  - SHA256: 2f6a0e9edf56f815f7771f91e7a099fa2a73642e92345fd05a25ee3a036dc664

## Identifiers

- None

## mail.zip: jakarta.activation.jar

### Description:

Jakarta Activation

### License:

<http://www.eclipse.org/org/documents/edl-v10.php>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/jakarta.activation.jar

**MD5:** 0b8bee3bf29b9a015f8b992035581a7c

**SHA1:** 74548703f9851017ce2f556066659438019e7eb5

**SHA256:** 02156773e4ae9d048d14a56ad35d644bee9f1052a791d072df3ded3c656e6e1a

**Referenced In Project/Scope:** server

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.activation	High
Vendor	jar	package name	activation	Highest
Vendor	jar	package name	sun	Highest
Vendor	jar (hint)	package name	oracle	Highest
Vendor	Manifest	bundle-docurl	<a href="https://www.eclipse.org">https://www.eclipse.org</a>	Low
Vendor	Manifest	bundle-symbolicname	com.sun.activation.jakarta.activation	Medium
Vendor	Manifest	extension-name	jakarta.activation	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	com.sun	Medium

Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.activation	Low
Vendor	pom	groupid	com.sun.activation	Highest
Vendor	pom	name	Jakarta Activation	High
Vendor	pom	parent-artifactid	all	Low
Product	file	name	jakarta.activation	High
Product	jar	package name	activation	Highest
Product	jar	package name	javax	Highest
Product	jar	package name	sun	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta Activation	Medium
Product	Manifest	bundle-symbolicname	com.sun.activation.jakarta.activation	Medium
Product	Manifest	extension-name	jakarta.activation	Medium
Product	Manifest	Implementation-Title	javax.activation	High
Product	Manifest	specification-title	Jakarta Activation Specification	Medium
Product	pom	artifactid	jakarta.activation	Highest
Product	pom	groupid	com.sun.activation	Highest
Product	pom	name	Jakarta Activation	High
Product	pom	parent-artifactid	all	Medium
Version	Manifest	Bundle-Version	1.2.2	High
Version	Manifest	Implementation-Version	1.2.2	High
Version	pom	version	1.2.2	Highest

#### Identifiers

- <pkg:maven/com.sun.activation/jakarta.activation@1.2.2> (*Confidence:High*)

**mail.zip: jakarta.mail.jar**

#### Description:

Jakarta Mail API

#### License:

<http://www.eclipse.org/legal/epl-2.0>, <https://www.gnu.org/software/classpath/license.html>, <http://www.eclipse.org/org/documents/edl-v10.php>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/jakarta.mail.jar

**MD5:** 17eb378c9dd574be23e71014ce9d5d30

**SHA1:** 319df0e9d536c1a01acdfc49b6e82b97d2393073

**SHA256:** 1b258ef45fae93059b65d0a0dd109e59ab93e8cd8a735ff66b2ba85f870d5150

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.mail	High
Vendor	jar	package name	javax	Highest
Vendor	jar	package name	mail	Highest
Vendor	jar	package name	provider	Highest
Vendor	jar	package name	sun	Highest
Vendor	jar (hint)	package name	oracle	Highest
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	<a href="http://www.oracle.com">http://www.oracle.com</a>	Low
Vendor	Manifest	bundle-symbolicname	com.sun.mail.jakarta.mail	Medium
Vendor	Manifest	extension-name	javax.mail	Medium
Vendor	Manifest	Implementation-Vendor	Oracle	High
Vendor	Manifest	Implementation-Vendor-Id	com.sun	Medium
Vendor	Manifest	probe-provider-xml-file-names	META-INF/gfprobe-provider.xml	Medium
Vendor	Manifest	specification-vendor	Oracle	Low
Vendor	Manifest (hint)	Implementation-Vendor	sun	High
Vendor	Manifest (hint)	specification-vendor	sun	Low
Vendor	pom	artifactid	jakarta.mail	Low
Vendor	pom	groupid	com.sun.mail	Highest
Vendor	pom	name	Jakarta Mail API	High
Vendor	pom	parent-artifactid	all	Low
Product	file	name	jakarta.mail	High
Product	jar	package name	javax	Highest
Product	jar	package name	mail	Highest

Product	jar	package name	provider	Highest
Product	jar	package name	sun	Highest
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	http://www.oracle.com	Low
Product	Manifest	Bundle-Name	Jakarta Mail API	Medium
Product	Manifest	bundle-symbolicname	com.sun.mail.jakarta.mail	Medium
Product	Manifest	extension-name	javax.mail	Medium
Product	Manifest	Implementation-Title	javax.mail	High
Product	Manifest	probe-provider-xml-file-names	META-INF/gfprobe-provider.xml	Medium
Product	Manifest	specification-title	Jakarta Mail API Design Specification	Medium
Product	pom	artifactid	jakarta.mail	Highest
Product	pom	groupid	com.sun.mail	Highest
Product	pom	name	Jakarta Mail API	High
Product	pom	parent-artifactid	all	Medium
Version	Manifest	Bundle-Version	1.6.7	High
Version	Manifest	Implementation-Version	1.6.7	High
Version	pom	version	1.6.7	Highest

#### Identifiers

- <pkg:maven/com.sun.mail/jakarta.mail@1.6.7> (*Confidence:High*)

### mail.zip: mail.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/mail.jar

**MD5:** 2935415a7eb0a0b4170d8d882fa4a7ce

**SHA1:** cafefdee5a3fd3bb07f5e7b47ebac29a225b9e62

**SHA256:** 9e23af754e5b23b079f22144ab53934dd10d3fd2a7fbe2ef865cca5799826109

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	mail	High

Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	mail	Low
Vendor	Manifest	built-date	2024-12-03 15:57	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	mail	High
Product	jar	package name	mail	Highest
Product	jar	package name	mail	Low
Product	jar	package name	shared	Highest
Product	Manifest	built-date	2024-12-03 15:57	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	mail	High
Product	Manifest	specification-title	mail	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	24.10.238	High

#### Identifiers

- None

### mail.zip: mail.jar: smimeconfig.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/mail.jar/com/inet/mail/structure/smimeconfig.js

**MD5:** f2b5d666d67cf13f7ab451cf08b4629f

**SHA1:** 6c308ede709181fe63c6e00140c661ad35bdfc0d

**SHA256:** 68015cd2a0a4bba7d3d9853b9f2c00029d0549093b58993e998cb5f220791b96

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## main.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/main.js

**MD5:** d79b7693c3fedef6d2701f98bd63395e

**SHA1:** dcb11c632f69f2a29632327c71ce2b36f0ed2da0

**SHA256:** 8c8530e356505da9f829ef1cf582c79f20fdd14cf1bb8491abc354d5e6882334

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## maintenance.reporting.zip: maintenance.reporting.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.reporting.zip/maintenance.reporting.jar

**MD5:** 6bbde8f6dc56342cd531c5a8ae99feee

**SHA1:** 95b066e5fe615d973b8590bebc66034ef1b87578

**SHA256:** d4edc5eed5068a3e668bc0d1147a5111222f8668aaf35cf5b942dd1ba373ab69

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	maintenance.reporting	High
--------	------	------	-----------------------	------

Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2024-12-03 17:09	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	maintenance.reporting	High
Product	jar	package name	maintenance	Highest
Product	jar	package name	maintenance	Low
Product	jar	package name	plugins	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2024-12-03 17:09	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	maintenance.reporting	High
Product	Manifest	specification-title	maintenance.reporting	Medium
Version	Manifest	Implementation-Version	24.10.238	High

#### Identifiers

- None

### maintenance.zip: maintenance-javadoc.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar

**MD5:** 11ea8ea5fd652bdc153d70daa0d000e7

**SHA1:** 92ba88928a3fd67219c99b6d668c4a5419928a34

**SHA256:** 609a1a3985f2ce46342ee869d5ca0c0fde509d9ec5d0a28f443c7104ed11be1b

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	maintenance-javadoc	High
Product	file	name	maintenance-javadoc	High

## Identifiers

- None

## maintenance.zip: maintenance-javadoc.jar: member-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/member-search-index.js

**MD5:** 93b51609403fe383f95ae75000fd9e09

**SHA1:** 32a7d291fa90846ef3a1b919485866573b8bd07b

**SHA256:**5902db037c53061d68cc19ef2af2e3578c16ce0ec0397438e34dd8119c609087

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Identifiers

- None

## maintenance.zip: maintenance-javadoc.jar: package-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/package-search-index.js

**MD5:** e89f47c422716f6284a74cd96ed0cd3f

**SHA1:** 658d9c6eebf7c62d01f7808a26b6024b8c39ecf4

**SHA256:**9687f5061532bbd21fa8c795aca6a657bdac71e356eb43f7103a1cd02bd9306d

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## maintenance.zip: maintenance-javadoc.jar: tag-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/tag-search-index.js

**MD5:** 3236248138000d701400e0346999c1a8

**SHA1:** 565146643a30712208f9299bd94a37566eab76b8

**SHA256:** 72960c457566fe509fb1610d2612152b3f78b15485c891197f1053febdf8f8d1

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Related Dependencies



- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: tag-search-index.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/tag-search-index.js
  - MD5: 3236248138000d701400e0346999c1a8
  - SHA1: 565146643a30712208f9299bd94a37566eab76b8
  - SHA256: 72960c457566fe509fb1610d2612152b3f78b15485c891197f1053febdf8f8d1

### Identifiers

- None

## maintenance.zip: maintenance-javadoc.jar: type-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/type-search-index.js

**MD5:** 4fc01a884f0b77974cfda0ecd2b9008f

**SHA1:** d9610bba6879a5a4f88fb61427b75cd69bce1546

**SHA256:** cb975e5713d5cd570800e6107aceaa23f53deee11f68222408fec819358da987

**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.zip: maintenance.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance.jar  
**MD5:** d4f7bbad359e2e053f6450b518e0a158  
**SHA1:** 857afa22e6e753ddf1bb302b8355613391cdea90  
**SHA256:**ea95e0053bd47aa9b2ac9f03b2a515904f58bf4a95eb4aaf0e636eb4db993cc3  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	maintenance	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	maintenance	Low
Vendor	jar	package name	server	Low
Vendor	Manifest	built-date	2024-12-03 15:38	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	maintenance	High
Product	jar	package name	maintenance	Highest
Product	jar	package name	maintenance	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2024-12-03 15:38	Low

Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	maintenance	High
Product	Manifest	specification-title	maintenance	Medium
Version	Manifest	Implementation-Version	24.10.238	High

#### Identifiers

- None

### maintenance.zip: maintenance.jar: controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/backup/js/controller.js  
**MD5:** 6c7bc118d5a12ff0137c9081e4b3e4d8  
**SHA1:** eeb2db5c7dba407c1c63273a08d36425effb5283  
**SHA256:**551c7731ef6ec5fe0ae46a06851d481b56ad4c0dee13b4f8edcc37da421e620a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### maintenance.zip: maintenance.jar: controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/cache/js/controller.js  
**MD5:** 75a2a467d59514437fe8d40d7c759ab3  
**SHA1:** 5c1142a7bb98e8e80e42c0f969b4efb54db8b0b7  
**SHA256:**c404cedb100ab444adacbfcf48eb3ddafb2ee13793af5f4f1b7e5eb8e441515f  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

**maintenance.zip: maintenance.jar: controller.js**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/main/js/controller.js

**MD5:** 55014fba3d1f72a4197c2d3079557108

**SHA1:** 69c7a58b818cdfcb5149482b60463a8971a79a5c

**SHA256:**a109462f5780c90bba9589fdc18018c8a47ae5045ba5b94ddd4de9b8177557f0

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

**maintenance.zip: maintenance.jar: controller.js**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/programdata/js/controller.js

**MD5:** e9102b50be7a4c99936f78f337122fcc

**SHA1:** ceffe7a5a653bc9c1ed03fc866b7eef1de8a07be

**SHA256:**d1be524371b0378c644e2ac040712dcb9356a4956f5ad2c9d425c53b43e26b48

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

#### maintenance.zip: maintenance.jar: controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/usercleanup/js/controller.js

**MD5:** 13b062f030afac2de064955c790e8205

**SHA1:** a46f83d0ec22734fe9d3f2ca5d66feaa34f96a7e

**SHA256:** aa29fef4c672581ac659925321e6e6206d1861647510cb643bcc6180d0452c59

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### maintenance.zip: maintenance.jar: filechooser.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/main/js/filechooser.js

**MD5:** 52060fad0a0e317f59c61d2e3bfbdeb5

**SHA1:** 3129730f85be06fd1eed6847e458000844da3491

**SHA256:** f3e8211c1c4548989d34b0365366acdbe66f41ace7fe764dcfb261e070810da3

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### maintenance.zip: maintenance.jar: multieditusers.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/usercleanup/js/multieditusers.js  
**MD5:** 4fb706fcdf12a1ea85ca0be863b60859  
**SHA1:** a2e696a0927f0027f95bf3c8ce08f3f64e117e23  
**SHA256:** 834e075ae9681fbc5332f1575cf178b5994ed4698849010b618552eaa4c90c8e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## mariadb-java-client.jar

#### Description:

JDBC driver for MariaDB and MySQL

#### License:

LGPL-2.1

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/mariadb-java-client.jar  
**MD5:** 8baa1ac1429d446905206d09e5866f3a  
**SHA1:** 7599bff3a38ae943d8e055848b3fe943772b12c9  
**SHA256:** f60e4b282f1f4bdb74f0a26436ba7078a5e480b6f6702f6a7b45d9ba5e604a24  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	mariadb-java-client	High
Vendor	jar	package name	client	Highest
Vendor	jar	package name	driver	Highest
Vendor	jar	package name	jdbc	Highest
Vendor	jar	package name	mariadb	Highest
Vendor	jar	package name	org	Highest
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-	mariadbJdbcDevelopers;name="mariadb	Low

		developers	jdbc developers"	
Vendor	Manifest	bundle-docurl	<a href="https://mariadb.com/kb/en/mariadb/about-mariadb-connector-j/">https://mariadb.com/kb/en/mariadb/about-mariadb-connector-j/</a>	Low
Vendor	Manifest	bundle-symbolicname	mariadb-java-client	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	pom	artifactid	mariadb-java-client	Low
Vendor	pom	developer id	mariadbJdbcDevelopers	Medium
Vendor	pom	developer name	mariadb jdbc developers	Medium
Vendor	pom	groupid	org.mariadb.jdbc	Highest
Vendor	pom	name	mariadb-java-client	High
Vendor	pom	organization name	mariadb.com	High
Vendor	pom	organization url	<a href="https://mariadb.com">https://mariadb.com</a>	Medium
Vendor	pom	url	<a href="https://mariadb.com/kb/en/mariadb/about-mariadb-connector-j/">https://mariadb.com/kb/en/mariadb/about-mariadb-connector-j/</a>	Highest
Product	file	name	mariadb-java-client	High
Product	jar	package name	11	Highest
Product	jar	package name	client	Highest
Product	jar	package name	driver	Highest
Product	jar	package name	jdbc	Highest
Product	jar	package name	mariadb	Highest
Product	jar	package name	org	Highest
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-developers	mariadbJdbcDevelopers;name="mariadb jdbc developers"	Low
Product	Manifest	bundle-docurl	<a href="https://mariadb.com/kb/en/mariadb/about-mariadb-connector-j/">https://mariadb.com/kb/en/mariadb/about-mariadb-connector-j/</a>	Low
Product	Manifest	Bundle-Name	mariadb-java-client	Medium
Product	Manifest	bundle-symbolicname	mariadb-java-client	Medium
Product	Manifest	multi-release	true	Low
Product	pom	artifactid	mariadb-java-client	Highest
Product	pom	developer id	mariadbJdbcDevelopers	Low
Product	pom	developer name	mariadb jdbc developers	Low
Product	pom	groupid	org.mariadb.jdbc	Highest
Product	pom	name	mariadb-java-client	High
Product	pom	organization name	mariadb.com	Low

Product	pom	organization url	https://mariadb.com	Low
Product	pom	url	https://mariadb.com/kb/en/mariadb/about-mariadb-connector-j/	Medium
Version	Manifest	Bundle-Version	3.4.1	High
Version	pom	version	3.4.1	Highest

## Identifiers

- <pkg:maven/org.mariadb.jdbc/mariadb-java-client@3.4.1> (Confidence:High)

## mysql-connector-j.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/mysql-connector-j.jar

**MD5:** a331817ab5c572777e25539a70b51bb6

**SHA1:** 56d34aea30915904b1c883f1cfae731dd2df6029

**SHA256:** 06f14fbd664d0e382347489e66495ca27ab7e6c2e1d9969a496931736197465f

**Referenced In Project/Scope:** server

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	mysql-connector-j	High
Vendor	hint analyzer	vendor	oracle	Highest
Vendor	hint analyzer (hint)	vendor	sun	Highest
Vendor	jar	package name	cj	Highest
Vendor	jar	package name	cj	Low
Vendor	jar	package name	mysql	Highest
Vendor	jar	package name	mysql	Low
Vendor	Manifest	bundle-symbolicname	com.mysql.cj	Medium
Vendor	Manifest	Implementation-Vendor	Oracle	High
Vendor	Manifest	Implementation-Vendor-Id	com.mysql	Medium
Vendor	Manifest	specification-vendor	Oracle Corporation	Low
Vendor	Manifest (hint)	Implementation-Vendor	sun	High

Product	file	name	mysql-connector-j	High
Product	hint analyzer	product	mysql_connector/j	Highest
Product	hint analyzer	product	mysql_connector_j	Highest
Product	hint analyzer	product	mysql_connectors	Highest
Product	jar	package name	cj	Highest
Product	jar	package name	cj	Low
Product	jar	package name	driver	Highest
Product	jar	package name	jdbc	Highest
Product	jar	package name	mysql	Highest
Product	jar	package name	xdevapi	Highest
Product	Manifest	Bundle-Name	Oracle Corporation's JDBC and XDevAPI Driver for MySQL	Medium
Product	Manifest	bundle-symbolicname	com.mysql.cj	Medium
Product	Manifest	Implementation-Title	MySQL Connector/J	High
Product	Manifest	specification-title	JDBC	Medium
Version	Manifest	Bundle-Version	8.2.0	High
Version	Manifest	Implementation-Version	8.2.0	High

## Identifiers

- [cpe:2.3:a:mysql:mysql:8.2.0:\\*:\\*:\\*:\\*:\\*](#) (*Confidence: Highest*) suppress
- [cpe:2.3:a:oracle:connectorVj:8.2.0:\\*:\\*:\\*:\\*:\\*](#) (*Confidence: Highest*) suppress
- [cpe:2.3:a:oracle:jdbc:8.2.0:\\*:\\*:\\*:\\*:\\*](#) (*Confidence: Highest*) suppress
- [cpe:2.3:a:oracle:mysql\\_connectorVj:8.2.0:\\*:\\*:\\*:\\*:\\*](#) (*Confidence: Highest*) suppress
- [cpe:2.3:a:oracle:mysql\\_connectors:8.2.0:\\*:\\*:\\*:\\*:\\*](#) (*Confidence: Highest*) suppress

**notification.zip: notification.jar**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/notification.zip/notification.jar  
**MD5:** 3a8310fca228c6749681f129ddb0f2d

SHA1: 3d0f889a865eeb1e03a3c5d2bdbd9f799d584cfd  
SHA256:865e1028f63c3d89a89bd983ba1ba202e40560b17429cd4e20cd55e97d7d35f7  
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	notification	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	notificationui	Low
Vendor	jar	package name	server	Low
Vendor	Manifest	built-date	2024-12-03 15:53	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	notification	High
Product	jar	package name	notificationui	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2024-12-03 15:53	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	notification	High
Product	Manifest	specification-title	notification	Medium
Version	Manifest	Implementation-Version	24.10.238	High

Identifiers

- None

notification.zip: notification.jar: notification.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/notification.js  
**MD5:** f8387cffb5164fff66a86ded1d486990  
**SHA1:** 945ef321d19796c37f81d45e7e8f331214b5419c  
**SHA256:** b6aa1532919a6c4dd50967c51c715e9b1d80ab27a34c73163089b3a52d805bca  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### notification.zip: notification.jar: notification\_config.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/notification\_config.js  
**MD5:** 8099d9e9137b19562db90c54b7f751a4  
**SHA1:** cbb5313de5b113e7e00433bce106a009a6271e0b  
**SHA256:** 5278757870dbe3ee393df0bf18ecb468539c9f96971cc134b8fe9c800f357f4d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### notification.zip: notification.jar: notification\_taskplanner.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/notification\_taskplanner.js  
**MD5:** 1fd307d62ba19fbdc038c44cd72b62d2  
**SHA1:** 1952936593bdbea48df6a9a9e3fb0915be76f188  
**SHA256:** 6c0ced9e67d00af753087cf43514b7dbf029727aa5177bbfd69b5b3c17bc0d51  
**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Identifiers

- None

## notification.zip: notification.jar: targetrender.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/targetrender.js

**MD5:** 94d7d514f946077f0c8acc5797a372ef

**SHA1:** d7fbcfb1863ebea41303cce8c7ba15488e7678c

**SHA256:** 0e7851f6b57913d9a8042927978c4f8d501a5285e0574f13ebd5a29360b42a7e

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Identifiers

- None

## odbc.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/odbc.jar

**MD5:** f633114e085fdb90dfc693cadccc9190

**SHA1:** 4ac12dc234b22614c5a6a2e84ad9a7a0a4830dd0

**SHA256:** 09f8cb6c8cec042361360be8d768ea7156701561fd54ccb1bef33ca6e1501792

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	odbc	High
--------	------	------	------	------

Vendor	jar	package name	inet	Low
--------	-----	--------------	------	-----

Vendor	jar	package name	odbc	Low
Vendor	Manifest	Implementation-Vendor	i-net software GmbH, Berlin, Germany	High
Vendor	Manifest	specification-vendor	i-net software GmbH, Berlin, Germany	Low
Product	file	name	odbc	High
Product	jar	package name	odbc	Highest
Product	jar	package name	odbc	Low
Product	Manifest	Implementation-Title	odbc	High
Product	Manifest	specification-title	odbc	Medium
Version	Manifest	Implementation-Version	5.0.168	High

#### Identifiers

- None

## opentest4j-1.3.0.jar

#### License:

The Apache License, Version 2.0

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.opentest4j/opentest4j/1.3.0/152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e/opentest4j-1.3.0.jar

**MD5:** 03c404f727531f3fd3b4c73997899327

**SHA1:** 152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e

**SHA256:** 48e2df636cab6563ced64dcdf8abb2355627cb236ef0bf37598682ddf742f1b

**Referenced In Project/Scope:** server:inetPlugin

#### Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.3
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.3

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	opentest4j	High
Vendor	gradle	artifactid	opentest4j	Highest
Vendor	gradle	groupid	org.opentest4j	Highest
Vendor	jar	package name	opentest4j	Highest
Vendor	jar	package name	opentest4j	Low

Vendor	Manifest	build-date	2023-07-06	Low
Vendor	Manifest	build-revision	214973bfa4e7e9be7d04e623202cc4147c7036	Low
Vendor	Manifest	build-time	14:25:06.116+0200	Low
Vendor	Manifest	bundle-symbolicname	org.opentest4j	Medium
Vendor	Manifest	Implementation-Vendor	opentest4j.org	High
Vendor	Manifest	specification-vendor	opentest4j.org	Low
Product	file	name	opentest4j	High
Product	gradle	artifactid	opentest4j	Highest
Product	jar	package name	opentest4j	Highest
Product	Manifest	build-date	2023-07-06	Low
Product	Manifest	build-revision	214973bfa4e7e9be7d04e623202cc4147c7036	Low
Product	Manifest	build-time	14:25:06.116+0200	Low
Product	Manifest	Bundle-Name	opentest4j	Medium
Product	Manifest	bundle-symbolicname	org.opentest4j	Medium
Product	Manifest	Implementation-Title	opentest4j	High
Product	Manifest	specification-title	opentest4j	Medium
Version	file	version	1.3.0	High
Version	Manifest	Implementation-Version	1.3.0	High

#### Identifiers

- <pkg:maven/org.opentest4j/opentest4j@1.3.0> (Confidence: Highest)

### parser.pdf.zip: PDFParser.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/parser.pdf.zip/PDFParser.jar

**MD5:** 5ab4bd42dd4c95cb3acc3758daaf5997

**SHA1:** 72687d6a7d09854995a6d6e40e6228b2cd42e67a

**SHA256:** 4b7a371fce24d0e394e2c45f3522e89dde5caf1cf7b5e244e3466ee242b8fca9

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	PDFParser	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfview	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-12-03 15:37	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	PDFParser	High
Product	jar	package name	pdfparser	Highest
Product	jar	package name	pdfview	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-12-03 15:37	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	PDFParser	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	PDFParser	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	24.10.238	High

### Identifiers

- None

## parser.pdf.zip: jbig2.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/parser.pdf.zip/jbig2.jar

**MD5:** ab5dd1acc5e6c85903e342dac7998ce7

**SHA1:** a3f4214b62615d4456de761cce1136cba65a663

**SHA256:** 93e79e795182b4b6e12991046e489c2c0780e867d3e18e4e7ee20973316930d4

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jbig2	High
Vendor	jar	package name	jbig2	Low
Vendor	jar	package name	jpegal	Low
Product	file	name	jbig2	High
Product	jar	package name	jbig2	Low
Version	file	name	jbig2	Medium
Version	file	version	2	Medium

### Identifiers

- None

## parser.pdf.zip: parser.pdf.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/parser.pdf.zip/parser.pdf.jar

**MD5:** b971cb82d4635892e9738b4ab27402d4

**SHA1:** 5cd0e0609277ba701b45675cfe9b08d198eb836e

**SHA256:** 74f47452ba61eb86b8a5f9c6342c55bff7ffca484a3fbc230df4caf779775f15

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	parser.pdf	High
Vendor	jar	package name	encoder	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdf	Low
Vendor	Manifest	built-date	2024-12-03 15:57	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	parser.pdf	High
Product	jar	package name	encoder	Low
Product	jar	package name	pdf	Highest
Product	jar	package name	pdf	Low
Product	Manifest	built-date	2024-12-03 15:57	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	parser.pdf	High
Product	Manifest	specification-title	parser.pdf	Medium
Version	Manifest	Implementation-Version	24.10.238	High

#### Identifiers

- None

## pdfviewer.zip: pdfjs-dist.jar

#### Description:

WebJar for pdfjs-dist

#### License:

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pdfviewer.zip/pdfjs-dist.jar

**MD5:** 8a3a36f556f971d9aba4bc2069ddcf52

**SHA1:** d3d23e9d05cb08b9693591260971884963374fe7

**SHA256:** 45e6ab30b4688bc7b259b6841b38a35247ea6d2e5432b102a3adfb7c72b608551

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	pdfjs-dist	High
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	org.webjars.npm.pdfjs-dist	Medium
Vendor	pom	artifactid	pdfjs-dist	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	pdfjs-dist	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	pdfjs-dist	High
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	pdfjs-dist	Medium
Product	Manifest	bundle-symbolicname	org.webjars.npm.pdfjs-dist	Medium
Product	pom	artifactid	pdfjs-dist	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	pdfjs-dist	High
Product	pom	url	https://www.webjars.org	Medium
Version	Manifest	Bundle-Version	4.4.168	High
Version	pom	version	4.4.168	Highest

#### Identifiers

- [pkg:maven/org.webjars.npm/pdfjs-dist@4.4.168](#) (Confidence:High)

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pdfviewer.zip/pdfjs-dist.jar/META-INF/resources/webjars/pdfjs-dist/4.4.168/package.json  
**MD5:** 605de233fcb483d2ea6702c5d2874ee4  
**SHA1:** 464a579f8e7fe8d7935b25f90194a4e96512e657  
**SHA256:**16bf677c80e30a147c23518be6e3ebe2344b67c8e103ec88fc9bdcf68234b80f  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfviewer.zip: pdfviewer.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pdfviewer.zip/pdfviewer.jar  
**MD5:** 1d96823a7743382d5841632b296c2622  
**SHA1:** bbdb82f6e88494fbbd984fddd1043a2e097355cb  
**SHA256:**2753713caac24d8867c58b87ab41318901313567806039d544730a6b1a5d6ae6  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	pdfviewer	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdf	Low
Vendor	jar	package name	viewer	Low
Vendor	Manifest	built-date	2024-12-03 17:15	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium

Product	file	name	pdfviewer	High
Product	jar	package name	pdf	Low
Product	jar	package name	viewer	Low
Product	Manifest	built-date	2024-12-03 17:15	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	pdfviewer	High
Product	Manifest	specification-title	pdfviewer	Medium
Version	Manifest	Implementation-Version	24.10.238	High

#### Identifiers

- None

### pdfviewer.zip: pdfviewer.jar: drive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/drive/js/drive.js

**MD5:** 872ee34fbcc718214a90b24f91a81f7d

**SHA1:** 520b471c5f91a5b94f08bc9120f97b47412fd708

**SHA256:** 3bcfb5cb5d2b6aa168cf59cb805d2f56011a0b7065f0ce29f9ada72c5103bd1c

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### pdfviewer.zip: pdfviewer.jar: pdfviewer.angular.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.angular.js

**MD5:** c1b5de42e459ee7e0ce8a54acfd5f864  
**SHA1:** 48348931bb0fe437f6398c846b9e4d3961c98881  
**SHA256:** a7384212fb8e49f43fd9049a7b4983d5a5907316aebee5cdcdb5e1df071aba31  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### pdfviewer.zip: pdfviewer.jar: pdfviewer.factory.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.factory.js

**MD5:** 81070f9c2408f843b9efe88cb420f0f7  
**SHA1:** 192cbe69979f5fb32b448b3e9608f7f38fec395d  
**SHA256:** a656af04cf38b30f256b4a5f57ee5a6b31e4bbd6d04763075cc6545cbc7752d8  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### pdfviewer.zip: pdfviewer.jar: pdfviewer.model.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.model.js

**MD5:** 667f1194aa6d4a773eaae968cc6be927  
**SHA1:** aba9547b0342ada01d521d4f66829a065f3b5357  
**SHA256:** e66c21ae7e55a1217c3b354315aaeaf69d6df57553bcbe3b4b298404e9f97df6  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfviewer.zip: pdfviewer.jar: pdfviewer.renderer.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.renderer.js

**MD5:** 92a3089cdcdf4f10a8c055b64e305186

**SHA1:** 04a2c0c79e945201dc00633fc11cf1cc892384b0

**SHA256:**f7b4ae373d7348799db640f996353f4418fa2b4631358a27dc8a4c9d0855683b

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

persistence.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/persistence/persistence.jar

**MD5:** e2bdc852a6b4079a9d9689191988b5c9

**SHA1:** 1cb7a9b0ac84f49a0ac0d7875b0ab9c8120c052a

**SHA256:**84ee961ad90265c793aa0c709b72ec57ff7a57fa475e36c6f6e767473c758051

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	persistence	High
--------	------	------	-------------	------

Vendor	jar	package name	inet	Low
--------	-----	--------------	------	-----

Vendor	jar	package name	persistence	Low
--------	-----	--------------	-------------	-----

Vendor	Manifest	built-date	2024-12-03 15:45	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	persistence	High
Product	jar	package name	persistence	Highest
Product	jar	package name	persistence	Low
Product	Manifest	built-date	2024-12-03 15:45	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	persistence	High
Product	Manifest	specification-title	persistence	Medium
Version	Manifest	Implementation-Version	24.10.238	High

Identifiers

- None

pluginstore.client.zip: pluginstore.client.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pluginstore.client.zip/pluginstore.client.jar  
**MD5:** 6c1ae14e5c5e0dfce1ba4d86a1f4975f  
**SHA1:** 2540c13a56f7925b4d9571b6ab0e9398f719f5a2  
**SHA256:** 6dbfee3795df990f59a6478ea59aea4525a568b7baff34c209d501cbebc171d  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	pluginstore.client	High
Vendor	jar	package name	client	Low
Vendor	jar	package name	inet	Low

Vendor	jar	package name	store	Low
Vendor	Manifest	built-date	2024-12-03 15:58	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pluginstore.client	High
Product	jar	package name	client	Highest
Product	jar	package name	client	Low
Product	jar	package name	shared	Highest
Product	jar	package name	store	Low
Product	Manifest	built-date	2024-12-03 15:58	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	pluginstore.client	High
Product	Manifest	specification-title	pluginstore.client	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	24.10.238	High

### Identifiers

- None

### pluginstore.client.zip: pluginstore.client.jar: controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/setup/controller.js

**MD5:** bae377e07f3c94980792a3cb0a3777e6

**SHA1:** c7766396cbe87781ad46c96d70b7195c0a92dc68

**SHA256:** 94beaf8244f013ef5d078cc7e91b1220066099c5cdbc4e0cc5071e8dae13e038

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## pluginstore.client.zip: pluginstore.client.jar: pluginstorehelpcontroller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/plugin/help/js/pluginstorehelpcontroller.js

**MD5:** c3dc92673a48896ebd4b078a9f8bc3f5

**SHA1:** cfaaee1a9ccf2f87f04e65a6b307ec87a113d4a4

**SHA256:** 9c5e2c5e0ef86786d4510659545eca13d7c295c8bcdd05b1007e432bf8a06770

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## pluginstore.client.zip: pluginstore.client.jar: publicstoreconfig.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/publicstoreconfig.js

**MD5:** 3a2e6acd20c105a43ac4619718c827d0

**SHA1:** 1bf76948f8a34e8dfd05727bcb0c9ca296fba5d1

**SHA256:** dea50e7705e039c90045df2de735fa73dafaf495f15d8340b6ba20a73b7ba8c3

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## pluginstore.client.zip: pluginstore.client.jar: storecontroller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/storecontroller.js

**MD5:** af556d7e2c4bae9776d437cd93eea551

**SHA1:** a98fce8a180acbe1dfd71d39e35ed0e1f0f4089b

**SHA256:** a9bc78c775062341636bc3078ff6855f52fc9780bbda8a113c5580c2a074ac20

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## pluginstore.client.zip: pluginstore.client.jar: storedirectives.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/storedirectives.js

**MD5:** 6cffae155ded574b03d1f692d68557f0

**SHA1:** 6930db09754b3772d66f1b772a79e6d9fbf48cfd

**SHA256:** 51ed09643a2160292a878c8fec7d341ffd1d2c16122b3256768fecf58da0c2c6

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## pluginstore.client.zip: pluginstore.client.jar: storemodel.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/storemodel.js

**MD5:** a78920788d8a75fb41bd9078799b0788

**SHA1:** 4b992085177ea0c322466734d28a70a288d6fa9f

**SHA256:** 8e1f6274d60360a99a77414d2295db4eb3891a3edd2c51cea24fb91d28cdd463

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## postgresql.jar

### Description:

Java JDBC driver for PostgreSQL database

### License:

BSD-2-Clause

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/postgresql.jar

**MD5:** f52f459fe317bf7e22327b72b381fc8a

**SHA1:** 24f3e9f7231428cd20eb4dde00dd3fce44e05464

**SHA256:** a2644cbfba1baa145ff7e8c8ef582a6eed7a7ec4ca792f7f054122bdec756268

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	postgresql	High
Vendor	jar	package name	jdbc	Highest
Vendor	jar	package name	postgresql	Highest
Vendor	jar	package name	postgresql	Low
Vendor	Manifest	automatic-module-name	org.postgresql.jdbc	Medium
Vendor	Manifest	bundle-copyright	Copyright (c) 2003-2020, PostgreSQL Global Development Group	Low

Vendor	Manifest	bundle-docurl	<a href="https://jdbc.postgresql.org/">https://jdbc.postgresql.org/</a>	Low
Vendor	Manifest	bundle-symbolicname	org.postgresql.jdbc	Medium
Vendor	Manifest	Implementation-Vendor	PostgreSQL Global Development Group	High
Vendor	Manifest	Implementation-Vendor-Id	org.postgresql	Medium
Vendor	Manifest	provide-capability	osgi.service;effective:=active;objectClass="org.osgi.service.jdbc.DataSourceFactory";osgi.jdbc.driver.class="org.postgresql.Driver";osgi.jdbc.driver.name="PostgreSQL JDBC Driver"	Low
Vendor	Manifest	specification-vendor	Oracle Corporation	Low
Product	file	name	postgresql	High
Product	hint analyzer	product	pgjdbc	Highest
Product	hint analyzer	product	postgresql_jdbc_driver	Highest
Product	jar	package name	driver	Highest
Product	jar	package name	jdbc	Highest
Product	jar	package name	osgi	Highest
Product	jar	package name	postgresql	Highest
Product	Manifest	automatic-module-name	org.postgresql.jdbc	Medium
Product	Manifest	bundle-copyright	Copyright (c) 2003-2020, PostgreSQL Global Development Group	Low
Product	Manifest	bundle-docurl	<a href="https://jdbc.postgresql.org/">https://jdbc.postgresql.org/</a>	Low
Product	Manifest	Bundle-Name	PostgreSQL JDBC Driver	Medium
Product	Manifest	bundle-symbolicname	org.postgresql.jdbc	Medium
Product	Manifest	Implementation-Title	PostgreSQL JDBC Driver	High
Product	Manifest	provide-capability	osgi.service;effective:=active;objectClass="org.osgi.service.jdbc.DataSourceFactory";osgi.jdbc.driver.class="org.postgresql.Driver";osgi.jdbc.driver.name="PostgreSQL JDBC Driver"	Low
Product	Manifest	specification-title	JDBC	Medium
Version	jar	package name	driver	Highest
Version	jar	package name	jdbc	Highest
Version	jar	package name	osgi	Highest
Version	jar	package name	postgresql	Highest
Version	Manifest	Bundle-Version	42.7.3	High

Version	Manifest	Implementation-Version	42.7.3	High
---------	----------	------------------------	--------	------

Identifiers

- cpe:2.3:a:postgresql:postgresql:42.7.3:\*:\*:\*:\*:\* (Confidence:Low) suppress
- cpe:2.3:a:postgresql:postgresql\_jdbc\_driver:42.7.3:\*:\*:\*:\*:\* (Confidence:Low) suppress

prettify.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/ReportViewer - HTML API Doc/scripts/prettify/prettify.js  
**MD5:** 709bfcc456c694bfe8ee86d184a1c360  
**SHA1:** a4e5934397f97f79b8066984475c90af8a970a36  
**SHA256:** e2e576e3bc607cd179ff511947010f645d3441a35313aec0dbd06c4437f83b77  
**Referenced In Project/Scope:** server

Evidence <span>+</span>				
Type	Source	Name	Value	Confidence

Identifiers

- None

processbridge.reporting.zip: processbridge.reporting.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/processbridge.reporting.zip/processbridge.reporting.jar  
**MD5:** 9c10701f452235097e7e75b4dc213172  
**SHA1:** c109b84e73d43ce95c48d9483da30c93de3091e2  
**SHA256:** 90b0a38c9e02af1e5f7afcaea65774997097b8e68ec47cc8e86b33e056c64758  
**Referenced In Project/Scope:** server

Evidence <span>+</span>				
Type	Source	Name	Value	Confidence

Vendor	file	name	processbridge.reporting	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	processbridge	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2024-12-03 17:14	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	processbridge.reporting	High
Product	jar	package name	api	Low
Product	jar	package name	processbridge	Highest
Product	jar	package name	processbridge	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2024-12-03 17:14	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	processbridge.reporting	High
Product	Manifest	specification-title	processbridge.reporting	Medium
Version	Manifest	Implementation-Version	24.10.238	High

#### Identifiers

- None

### processbridge.zip: processbridge.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/processbridge.zip/processbridge.jar

**MD5:** 5be57c5012d73f5728b0b4b170461eb0

**SHA1:** 91db37629d934700050c485955fbaa0e46b03525

**SHA256:** 283e4f00b63960a03fdc59cc582eb063ff2749d3508778fec4785db4b424ea61

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	processbridge	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	processbridge	Low
Vendor	Manifest	built-date	2024-12-03 15:52	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	processbridge	High
Product	jar	package name	processbridge	Highest
Product	jar	package name	processbridge	Low
Product	Manifest	built-date	2024-12-03 15:52	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	processbridge	High
Product	Manifest	specification-title	processbridge	Medium
Version	Manifest	Implementation-Version	24.10.238	High

## Identifiers

- None

## promptdialog.zip: promptdialog.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/promptdialog.zip/promptdialog.jar

**MD5:** b356aba403edd9636c2272b257b111ff

**SHA1:** 3afce29d76b68821da9f133d2977195a28b3eb6b

**SHA256:** 201d9e2485d8a5a4993e9e06393396ef6ff4b7d2dea16989f56ba01daaddcd0c

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	promptdialog	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	promptdialog	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2024-12-03 17:15	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	promptdialog	High
Product	jar	package name	promptdialog	Highest
Product	jar	package name	promptdialog	Low
Product	jar	package name	report	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2024-12-03 17:15	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	promptdialog	High
Product	Manifest	specification-title	promptdialog	Medium
Version	Manifest	Implementation-Version	24.10.238	High

## Identifiers

- None

promptdialog.zip: promptdialog.jar: promptcontroller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptcontroller.js  
**MD5:** 346d17a50af0c06df6ba0de6b150cf88  
**SHA1:** 8066ab29b7eb73a7e41ac6eb4b4cbd11be48665f  
**SHA256:** dd12baf52fe0bdb46c44a615c0742d4f5fba1089f1e748f5dab4ade4b0f69ed9  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### promptdialog.zip: promptdialog.jar: promptcustomrenderer.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptcustomrenderer.js  
**MD5:** 903f55fd1cf6d194702b6c44da232fe7  
**SHA1:** a9a51b7d73abff23bde49251e5d665ffd53616ec  
**SHA256:** d9e704c473ef407691db2c72cb7724901a9bcb981dbb69df4eed1f3037cbc1c3  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### promptdialog.zip: promptdialog.jar: promptfactory.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptfactory.js  
**MD5:** d1ad03b4146d9531ad016232cfdb53f7  
**SHA1:** a6e10201c62f2da9c3e8050818466091f8ecac4b  
**SHA256:** 16bea0fa17b79ef9fcb5ac3acc0719b71ef2e6607a4b18e12ebd6dfcc600b13  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## promptdialog.zip: promptdialog.jar: promptpanel.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptpanel.js

**MD5:** f9a2de239e8ef965a691f174f070b58e

**SHA1:** c56971b402f4d3d74aa2cb61cd94e911f936c63a

**SHA256:** 933f511bf8aa53c1ee9201730a12f4ac8f00245481f9cbc498a399b3631387b0

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## promptdialog.zip: promptdialog.jar: promptrenderer.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptrenderer.js

**MD5:** 4cae959715306b53c9c3bdbab13ae5b6

**SHA1:** 939efedb917cc7f65f48599194db8b949c506e28

**SHA256:** a1e386842ee09abf460ce97cb21598376fea0ed45449ce936db041d48cce5ce7

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

propertieschecker.zip: propertieschecker.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/propertieschecker.zip/propertieschecker.sample.jar

**MD5:** ae4c17243117fd696e4bbdd447361148

**SHA1:** b556d11d725317aa87d7b61debf63fcb6ac72fee

**SHA256:** be7831ca35aa672b6c358b979c16afeba0df3703d1e9c4c7b21315d41b16a2a0

**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	propertieschecker.sample	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	propertieschecker	Low
Vendor	jar	package name	samples	Low
Vendor	Manifest	built-date	2024-12-03 16:51	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	propertieschecker.sample	High
Product	jar	package name	propertieschecker	Highest
Product	jar	package name	propertieschecker	Low
Product	jar	package name	samples	Low
Product	Manifest	built-date	2024-12-03 16:51	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	propertieschecker	High
Product	Manifest	specification-title	propertieschecker	Medium

Version	Manifest	Implementation-Version	24.10.238	High
---------	----------	------------------------	-----------	------

#### Related Dependencies

- propertieschecker.zip: propertieschecker.sample.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Plugin - Samples/PropertiesChecker/propertieschecker.zip/propertieschecker.sample.jar
  - MD5: ae4c17243117fd696e4bbdd447361148
  - SHA1: b556d11d725317aa87d7b61debf63fcb6ac72fee
  - SHA256: be7831ca35aa672b6c358b979c16afeba0df3703d1e9c4c7b21315d41b16a2a0

#### Identifiers

- None

### remotegui.zip: Echo2-FileTransfer\_App.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/Echo2-FileTransfer\_App.jar  
**MD5:** 6fd2b10e224c844ed153e2b22c15e55c  
**SHA1:** cdcf0ec282bca45eacbf90358ddfb78fcbd87b06  
**SHA256:** cd6ef6577f47dad417e9cdea6c5a7bd07b01ae02fffc189c1096c8297a7aee0f  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	Echo2-FileTransfer_App	High
Vendor	jar	package name	app	Low
Vendor	jar	package name	echo2	Low
Vendor	jar	package name	nextapp	Low
Product	file	name	Echo2-FileTransfer_App	High
Product	jar	package name	app	Low
Product	jar	package name	echo2	Low
Product	jar	package name	filetransfer	Low
Version	file	name	Echo2-FileTransfer_App	Medium
Version	file	version	2	Medium

## Identifiers

- [cpe:2.3:a:file-transfer:file\\_transfer:2.\\*.\\*.\\*.\\*.\\*](#) (Confidence:High) suppress

## remotegui.zip: Echo2-FileTransfer\_WebContainer.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/Echo2-FileTransfer\_WebContainer.jar

**MD5:** 92dbd034fab7348d296ac68e4db7a08

**SHA1:** cbf567ae2536ccfb7d131381e39418db16a202db

**SHA256:** 6e4917ed3243e589d12be95a22679b53293477a86ead9341c7bf6fe6baf8e9a3

**Referenced In Project/Scope:** server

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	Echo2-FileTransfer_WebContainer	High
Vendor	jar	package name	echo2	Low
Vendor	jar	package name	nextapp	Low
Vendor	jar	package name	webcontainer	Low
Product	file	name	Echo2-FileTransfer_WebContainer	High
Product	jar	package name	echo2	Low
Product	jar	package name	filetransfer	Low
Product	jar	package name	webcontainer	Low
Version	file	name	Echo2-FileTransfer_WebContainer	Medium
Version	file	version	2	Medium

## Identifiers

- [cpe:2.3:a:file-transfer:file\\_transfer:2.\\*.\\*.\\*.\\*.\\*](#) (Confidence:High) suppress
- [cpe:2.3:a:web\\_project:web:2.\\*.\\*.\\*.\\*.\\*](#) (Confidence:High) suppress

## remotegui.zip: Echo2-FileTransfer\_WebContainer.jar: Download.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/Echo2-FileTransfer\_WebContainer.jar/nextapp/echo2/webcontainer/filetransfer/resource/js/Download.js  
**MD5:** 69ff0dd778973ed673d040ea99553c6d  
**SHA1:** 2f6f79a0fac16ba28942b9bf70c460ca317c81be  
**SHA256:** eae8dd34aedd905956fb2fbfdd023015eec242b1f0969f8340e1ce445bad5863  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: Echo2-FileTransfer\_WebContainer.jar: Upload.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/Echo2-FileTransfer\_WebContainer.jar/nextapp/echo2/webcontainer/filetransfer/resource/js/Upload.js  
**MD5:** a7717a7b4972a81a08cf43f074c34dc8  
**SHA1:** 7504304ad8e1d53035726c91f2630d21f38ddb88  
**SHA256:** c69ec375cc81b5fba88b087c20377fd71b4b226780a2496adf145fb5177ddfb2  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: angular-animate.jar

#### Description:

WebJar for angular-animate

#### License:

MIT

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-animate.jar  
**MD5:** 1dcc988a8392618e7c5127f57b3453d1  
**SHA1:** 7ea94213dad8a46ab088e1a3dd6a5def2ecf8e78  
**SHA256:** dbbce06145963ef7bfd197c1646722fedfe76a9b54b01f1b6dc7ccf7e8b51163  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angular-animate	High
Vendor	pom	artifactid	angular-animate	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	angular-animate	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	angular-animate	High
Product	pom	artifactid	angular-animate	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	angular-animate	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	1.8.3	Highest

#### Identifiers

- [pkg:maven/org.webjars.npm/angular-animate@1.8.3](https://mvnrepository.com/artifact/org.webjars.npm/angular-animate/1.8.3) (Confidence:High)

### remotegui.zip: angular-animate.jar: angular-animate.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/angular-animate.js  
**MD5:** 31312b87e7226c8bf0714fcef0ea5d18  
**SHA1:** dc9fb55f2c7f922c5ba83449266239ba1353db45  
**SHA256:** 58e79e0e7cbb1e1502d216701e1fae41c405d92320aea1b68a223054096fda93  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

#### Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence: Highest*)

### remotegui.zip: angular-animate.jar: angular-animate.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/angular-animate.min.js

**MD5:** 5d2d0f42bb7e1b5503e914674f59dad0

**SHA1:** 4c15a58541e53c451c6f946d2048104f88b833c7

**SHA256:** 8e6202b1330a469a61ccdeebbd1cb3a20d0ecd8d106f68da5b85e9b67a1cd5

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

#### Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence: Highest*)

### remotegui.zip: angular-animate.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/index.js

**MD5:** eca59ea32960ae595dd18ad9480185b1

**SHA1:** b8fe1c0a06b723a75c7e596fd8a86d91965f681c

**SHA256:** 7f2f9350e5624bf86e8760d1deae03fae4477949284b49471eb67e2b6498cb7d

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: angular-animate.jar: package.json

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/package.json

**MD5:** 13957f0482b591f50a2e9528a5b84330

**SHA1:** 16ec0d9e9e70f179261a1bd672e610b159876ff5

**SHA256:** e2fcb9c9996d890ec0c6601b2c9176a1ada7806e1dcd6eca8549bba9022235877

**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: angular-cookies.jar

Description:

WebJar for angular-cookies

License:

MIT

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-cookies.jar

**MD5:** 5d743cd15e44b5a942478abaa3a008ae

**SHA1:** 2ebe196f9032e261a470467b5a14632d81d3d4f9

**SHA256:** 0809dd125183f03e6682985208de5f1221478221ed41667545133f7e729dd000

**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angular-cookies	High
Vendor	pom	artifactid	angular-cookies	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	angular-cookies	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	angular-cookies	High
Product	pom	artifactid	angular-cookies	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	angular-cookies	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	1.8.3	Highest

#### Identifiers

- <pkg:maven/org.webjars.npm/angular-cookies@1.8.3> (*Confidence:High*)

### remotegui.zip: angular-cookies.jar: angular-cookies.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.js

**MD5:** e17187aea1f0e6dbd25722e34b754915

**SHA1:** 20f43f716b9fef7d72537bc1b0e5aa2bc480cee5

**SHA256:** f3291c552042f6d0c500167769912a78ab3eccec9917128b2d6ea8e7c6714bb97

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

#### Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence: Highest*)

## remotegui.zip: angular-cookies.jar: angular-cookies.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.min.js

**MD5:** c41aff8423276d46f0d02de6dcb71524

**SHA1:** 7dc53f75d5bf7dd2c770cb50f31242c70193c086

**SHA256:** 926509b494009bea03288bba191a2b238032188e9112377e50fbfe7814c6639b

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

### Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence: Highest*)

## remotegui.zip: angular-cookies.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/index.js

**MD5:** 88188b8869bb0cbae63eb86aa6c1059a

**SHA1:** ce388b565b0d0392802138b2a7d4bf393c3d49f9

**SHA256:** b1b8d54ed8400d4f997da0f2fa672e8728d4771a77028d9f495cf1732fcb1e6f

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: angular-cookies.jar: package.json

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/package.json

**MD5:** 6785fbb341602e147af808078db0d42b

**SHA1:** a30ac55dae62b1a7c8921c7687a3276dbeeed564

**SHA256:** 81847196d700fe42834ebf82cb0c68267d9c237134566556a466e070659c7222

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: angular-sanitize.jar

### Description:

WebJar for angular-sanitize

### License:

MIT

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-sanitize.jar

**MD5:** f47ca0f7e843acea25d245b34ce30feb

**SHA1:** 8050e163f66fb899645cc67ffa67d92a25096902

**SHA256:** 4de072c9e746b2bf70aee70cc1c9b61350e017002dd71089e5f66a587f7ed92f

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angular-sanitize	High
Vendor	pom	artifactid	angular-sanitize	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	angular-sanitize	High

Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	angular-sanitize	High
Product	pom	artifactid	angular-sanitize	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	angular-sanitize	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	1.8.3	Highest

#### Identifiers

- [pkg:maven/org.webjars.npm/angular-sanitize@1.8.3](#) (*Confidence:High*)

### remotegui.zip: angular-sanitize.jar: angular-sanitize.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.js

**MD5:** 0127d7a139abfc8bd45875a9c8ea6348

**SHA1:** 197aea2acc25a0fa821766400950cac58a3627a5

**SHA256:**c84c65250afe5a1265f36a7e16c6010652e55c2ae3a779c351fb68536c42bf64

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

#### Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence:Highest*)

### remotegui.zip: angular-sanitize.jar: angular-sanitize.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.min.js  
**MD5:** f3c62abeec216e9431e7d5b22d8e813b  
**SHA1:** 21355ef18c5e1ce2b2c711b9dba21cbea0655646  
**SHA256:** cc80a30ad0439c2e9c209b3d7fcffb1d10e6007fd1d00c9cc144f393664a7045  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

#### Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence:*Highest)

### remotegui.zip: angular-sanitize.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/index.js  
**MD5:** 796078246b8e97f002ea5c97c4c7de54  
**SHA1:** 0ce03000a4c04ae0a8b4353715bda54b8a8e8c69  
**SHA256:** 44cbd8c36c3e2818d011eb0dc7d95293730667fa5a98a23449e9b4add369f65b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: angular-sanitize.jar: package.json

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-sanitize.jar/META-INF

/resources/webjars/angular-sanitize/1.8.3/package.json

**MD5:** 515d23261280a10a4d84ed267c425880

**SHA1:** 84d37bbaefc2117ac59c79b0d87a953a1abd4911

**SHA256:** 5e5c191e41b4e9902cfaeb95878d5b92333585e6dad936588fe1adfd1445af86

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: angular.jar

#### Description:

WebJar for angular

#### License:

MIT

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular.jar

**MD5:** f339a9a66a64c67eebb21ec3b251dfc6

**SHA1:** cff4aee339a9ca4ae2f095079930edead6a94ee

**SHA256:** a997eb40987ddb5d3bf64adf3d33afc3ac2b1eb2e7255b5203a387f8097cd0

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	angular	High
--------	------	------	---------	------

Vendor	pom	artifactid	angular	Low
--------	-----	------------	---------	-----

Vendor	pom	developer id	webjars	Medium
--------	-----	--------------	---------	--------

Vendor	pom	groupid	org.webjars.npm	Highest
--------	-----	---------	-----------------	---------

Vendor	pom	name	angular	High
--------	-----	------	---------	------

Vendor	pom	url	https://www.webjars.org	Highest
--------	-----	-----	-------------------------	---------

Product	file	name	angular	High
---------	------	------	---------	------

Product	pom	artifactid	angular	Highest
---------	-----	------------	---------	---------

Product	pom	developer id	webjars	Low
---------	-----	--------------	---------	-----

Product	pom	groupid	org.webjars.npm	Highest
---------	-----	---------	-----------------	---------

Product	pom	name	angular	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	1.8.3	Highest

#### Identifiers

- [pkg:maven/org.webjars/npm/angular@1.8.3](https://pkg:maven/org.webjars/npm/angular@1.8.3) (*Confidence:High*)

### remotegui.zip: angular.jar: angular.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/angular.js

**MD5:** e09f650a016c24bc1b5a1edc93bfbade

**SHA1:** 0f1f7445b761b9bbd5385f9f0b316dbf1ca48696

**SHA256:** fdca889e76f55fdee7ab661920f37ce19233563bf7f4ac8120f8ebc2ac768768

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

#### Identifiers

- [pkg:javascript/angularjs@1.8.3](https://pkg:javascript/angularjs@1.8.3) (*Confidence:Highest*)

### remotegui.zip: angular.jar: angular.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/angular.min.js

**MD5:** 967a32633fa8f38f4ac3376c1a37b992

**SHA1:** b53b74d8e0b732dcdb98fbe521146b88299ea2f1

**SHA256:** 396dc1a03d6cc02e9c51a80246e0db53c5c8df9bd07287e3b51bce4a29dab355

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

#### Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence*:Highest)

### remotegui.zip: angular.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/index.js

**MD5:** 0d848853205d22ab8be985876aec948a

**SHA1:** a2bfe847bea879ad2775509c4421291c404d8c21

**SHA256:**d469f8e93a4c345f01d81d162a803116de1bc6afd4bfeba8b45951449956b686

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: angular.jar: package.json

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/package.json

**MD5:** c5e0d73dc5121cf479c775248d2ca497

**SHA1:** bc29d1f7c080dfb1f701ad4f1c4ff548916f28e5

**SHA256:**95ad7872af90c37e7a5597581f5bb2362d59c49fc3f2766dd9f2568a041cf10a

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Identifiers

- None

## remotegui.zip: bootstrap.jar

### Description:

WebJar for Bootstrap

### License:

Apache License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar

**MD5:** ba2f9fda2c1fece5ff121e8abc385475

**SHA1:** 2c6a8508a4f1484abcaf334cf2fe3df97cf93eac

**SHA256:** 90fdaa23fb3a9cbce04f4c51699312ab1f1fae2d70c0d1a84541b7e9a76e6e54

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	bootstrap	High
Vendor	pom	artifactid	bootstrap	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	Bootstrap	High
Vendor	pom	url	<a href="http://webjars.org">http://webjars.org</a>	Highest
Product	file	name	bootstrap	High
Product	pom	artifactid	bootstrap	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	Bootstrap	High
Product	pom	url	<a href="http://webjars.org">http://webjars.org</a>	Medium

Version	pom	version	3.4.1	Highest
---------	-----	---------	-------	---------

Related Dependencies

- theme.zip: bootstrap.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar
  - MD5: ba2f9fda2c1fece5ff121e8abc385475
  - SHA1: 2c6a8508a4f1484abcaf334cf2fe3df97cf93eac
  - SHA256: 90fdaa23fb3a9cbce04f4c51699312ab1f1fae2d70c0d1a84541b7e9a76e6e54
  - [pkg:maven/org.webjars/bootstrap@3.4.1](#)

Identifiers

- [pkg:javascript/bootstrap@3.4.1](#) (Confidence: Highest)
- [pkg:maven/org.webjars/bootstrap@3.4.1](#) (Confidence: High)

remotegui.zip: bootstrap.jar: affix.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/affix.js

**MD5:** 235b2a9f9be29d377cadbe6d09823d9f

**SHA1:** 69a480bef250eabc4226f378b70792fd47560e2e

**SHA256:** 9a9859329afe1518320c8d730c0585199c3792009cb4307bd8a33b1040a67331

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: bootstrap.jar: affix.js.gz: affix.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/affix.js.gz/affix.js
  - MD5: 235b2a9f9be29d377cadbe6d09823d9f
  - SHA1: 69a480bef250eabc4226f378b70792fd47560e2e
  - SHA256: 9a9859329afe1518320c8d730c0585199c3792009cb4307bd8a33b1040a67331
- theme.zip: bootstrap.jar: affix.js.gz: affix.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/affix.js.gz/affix.js
  - MD5: 235b2a9f9be29d377cadbe6d09823d9f

- SHA1: 69a480bef250eabc4226f378b70792fd47560e2e
- SHA256: 9a9859329afe1518320c8d730c0585199c3792009cb4307bd8a33b1040a67331
- theme.zip: bootstrap.jar: affix.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/affix.js
  - MD5: 235b2a9f9be29d377cadbe6d09823d9f
  - SHA1: 69a480bef250eabc4226f378b70792fd47560e2e
  - SHA256: 9a9859329afe1518320c8d730c0585199c3792009cb4307bd8a33b1040a67331

#### Identifiers

- None

### remotegui.zip: bootstrap.jar: alert.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/alert.js

**MD5:** 2be558ae78dedb0556f8c7bd632c1204

**SHA1:** 1e3fa67e881909a71bf98ef37a4d3c013888d33b

**SHA256:** 1ec1bacee3ed0bb73aa9a799d4e07376b0f9356d093f2f343f7fad07fd7844b4

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence

#### Related Dependencies

- remotegui.zip: bootstrap.jar: alert.js.gz: alert.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/alert.js.gz/alert.js
  - MD5: 2be558ae78dedb0556f8c7bd632c1204
  - SHA1: 1e3fa67e881909a71bf98ef37a4d3c013888d33b
  - SHA256: 1ec1bacee3ed0bb73aa9a799d4e07376b0f9356d093f2f343f7fad07fd7844b4
- theme.zip: bootstrap.jar: alert.js.gz: alert.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/alert.js.gz/alert.js
  - MD5: 2be558ae78dedb0556f8c7bd632c1204
  - SHA1: 1e3fa67e881909a71bf98ef37a4d3c013888d33b
  - SHA256: 1ec1bacee3ed0bb73aa9a799d4e07376b0f9356d093f2f343f7fad07fd7844b4
- theme.zip: bootstrap.jar: alert.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/alert.js
  - MD5: 2be558ae78dedb0556f8c7bd632c1204

- SHA1: 1e3fa67e881909a71bf98ef37a4d3c013888d33b
- SHA256: 1ec1bacee3ed0bb73aa9a799d4e07376b0f9356d093f2f343f7fad07fd7844b4

#### Identifiers

- None

### remotegui.zip: bootstrap.jar: button.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/button.js

**MD5:** 28900c815e911dbbae28594126e66fb4

**SHA1:** 2cc97dd04216865ef67fbec9b54040eaf83dd9f2

**SHA256:** fa31bcbae72f8f82c2b25ec0421917b1c3a9cd60e7c03baca7429f44ec693f04

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: bootstrap.jar: button.js.gz: button.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/button.js.gz/button.js
  - MD5: 28900c815e911dbbae28594126e66fb4
  - SHA1: 2cc97dd04216865ef67fbec9b54040eaf83dd9f2
  - SHA256: fa31bcbae72f8f82c2b25ec0421917b1c3a9cd60e7c03baca7429f44ec693f04
- theme.zip: bootstrap.jar: button.js.gz: button.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/button.js.gz/button.js
  - MD5: 28900c815e911dbbae28594126e66fb4
  - SHA1: 2cc97dd04216865ef67fbec9b54040eaf83dd9f2
  - SHA256: fa31bcbae72f8f82c2b25ec0421917b1c3a9cd60e7c03baca7429f44ec693f04
- theme.zip: bootstrap.jar: button.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/button.js
  - MD5: 28900c815e911dbbae28594126e66fb4
  - SHA1: 2cc97dd04216865ef67fbec9b54040eaf83dd9f2
  - SHA256: fa31bcbae72f8f82c2b25ec0421917b1c3a9cd60e7c03baca7429f44ec693f04

#### Identifiers

- None

## remotegui.zip: bootstrap.jar: carousel.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/carousel.js

**MD5:** a8188dce14f888a29886bff2559dce10

**SHA1:** 146b160152d3f0740590fc575f82f2653ca54626

**SHA256:** 20dc2395e0d21da3776db73634934a69b9a7dd4770c24757ef26bd60a287d857

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Related Dependencies

- remotegui.zip: bootstrap.jar: carousel.js.gz: carousel.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/carousel.js.gz/carousel.js
  - MD5: a8188dce14f888a29886bff2559dce10
  - SHA1: 146b160152d3f0740590fc575f82f2653ca54626
  - SHA256: 20dc2395e0d21da3776db73634934a69b9a7dd4770c24757ef26bd60a287d857
- theme.zip: bootstrap.jar: carousel.js.gz: carousel.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/carousel.js.gz/carousel.js
  - MD5: a8188dce14f888a29886bff2559dce10
  - SHA1: 146b160152d3f0740590fc575f82f2653ca54626
  - SHA256: 20dc2395e0d21da3776db73634934a69b9a7dd4770c24757ef26bd60a287d857
- theme.zip: bootstrap.jar: carousel.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/carousel.js
  - MD5: a8188dce14f888a29886bff2559dce10
  - SHA1: 146b160152d3f0740590fc575f82f2653ca54626
  - SHA256: 20dc2395e0d21da3776db73634934a69b9a7dd4770c24757ef26bd60a287d857

### Identifiers

- None

## remotegui.zip: bootstrap.jar: collapse.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/collapse.js

**MD5:** 5f3ce339f7a59b240fa9ede502c2bcaa

**SHA1:** 5b0dd11d3cd7a230f41c521a6c04256fbd34e984

**SHA256:** 407419f6c4ea29e13ada7134380a0fcb10d38e9e8611db54f60cb6278a424a70

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Related Dependencies

- remotegui.zip: bootstrap.jar: collapse.js.gz: collapse.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/collapse.js.gz/collapse.js
  - MD5: 5f3ce339f7a59b240fa9ede502c2bcaa
  - SHA1: 5b0dd11d3cd7a230f41c521a6c04256fbd34e984
  - SHA256: 407419f6c4ea29e13ada7134380a0fcb10d38e9e8611db54f60cb6278a424a70
- theme.zip: bootstrap.jar: collapse.js.gz: collapse.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/collapse.js.gz/collapse.js
  - MD5: 5f3ce339f7a59b240fa9ede502c2bcaa
  - SHA1: 5b0dd11d3cd7a230f41c521a6c04256fbd34e984
  - SHA256: 407419f6c4ea29e13ada7134380a0fcb10d38e9e8611db54f60cb6278a424a70
- theme.zip: bootstrap.jar: collapse.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/collapse.js
  - MD5: 5f3ce339f7a59b240fa9ede502c2bcaa
  - SHA1: 5b0dd11d3cd7a230f41c521a6c04256fbd34e984
  - SHA256: 407419f6c4ea29e13ada7134380a0fcb10d38e9e8611db54f60cb6278a424a70

### Identifiers

- None

## remotegui.zip: bootstrap.jar: dropdown.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/dropdown.js

**MD5:** 953819e6d09848299341fcd7ff93d1d4  
**SHA1:** 72fe5a40eef90daa254dbb15d46e033cda2f6e9e  
**SHA256:** 0261c06fcfe41df6cca79148c3b4f2cd7e6966ce61c93ea325b6c8f2295e8904  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: bootstrap.jar: dropdown.js.gz: dropdown.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/dropdown.js.gz/dropdown.js
  - MD5: 953819e6d09848299341fcd7ff93d1d4
  - SHA1: 72fe5a40eef90daa254dbb15d46e033cda2f6e9e
  - SHA256: 0261c06fcfe41df6cca79148c3b4f2cd7e6966ce61c93ea325b6c8f2295e8904
- theme.zip: bootstrap.jar: dropdown.js.gz: dropdown.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/dropdown.js.gz/dropdown.js
  - MD5: 953819e6d09848299341fcd7ff93d1d4
  - SHA1: 72fe5a40eef90daa254dbb15d46e033cda2f6e9e
  - SHA256: 0261c06fcfe41df6cca79148c3b4f2cd7e6966ce61c93ea325b6c8f2295e8904
- theme.zip: bootstrap.jar: dropdown.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/dropdown.js
  - MD5: 953819e6d09848299341fcd7ff93d1d4
  - SHA1: 72fe5a40eef90daa254dbb15d46e033cda2f6e9e
  - SHA256: 0261c06fcfe41df6cca79148c3b4f2cd7e6966ce61c93ea325b6c8f2295e8904

Identifiers

- None

remotegui.zip: bootstrap.jar: modal.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/modal.js  
**MD5:** d73745175d40f05b339406f168bfd100  
**SHA1:** 16ff1ea73c055e81d65a44a509e67669dd351862  
**SHA256:** 102481f4363d9070b4bf992b3c1d6c4d3e59f41e1a5384eb7cc56b2fa0a03da2  
**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Related Dependencies



- remotegui.zip: bootstrap.jar: modal.js.gz: modal.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/modal.js.gz/modal.js
  - MD5: d73745175d40f05b339406f168bfd100
  - SHA1: 16ff1ea73c055e81d65a44a509e67669dd351862
  - SHA256: 102481f4363d9070b4bf992b3c1d6c4d3e59f41e1a5384eb7cc56b2fa0a03da2
- theme.zip: bootstrap.jar: modal.js.gz: modal.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/modal.js.gz/modal.js
  - MD5: d73745175d40f05b339406f168bfd100
  - SHA1: 16ff1ea73c055e81d65a44a509e67669dd351862
  - SHA256: 102481f4363d9070b4bf992b3c1d6c4d3e59f41e1a5384eb7cc56b2fa0a03da2
- theme.zip: bootstrap.jar: modal.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/modal.js
  - MD5: d73745175d40f05b339406f168bfd100
  - SHA1: 16ff1ea73c055e81d65a44a509e67669dd351862
  - SHA256: 102481f4363d9070b4bf992b3c1d6c4d3e59f41e1a5384eb7cc56b2fa0a03da2

## Identifiers

- None

## remotegui.zip: bootstrap.jar: npm.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/npm.js

**MD5:** ccb7f3909e30b1eb8f65a24393c6e12b

**SHA1:** e2b7590d6ec1fdac66b01fdf66ae0879f53b1262

**SHA256:** c7aa82a1aa7d45224a38d926d2adaff7fe4aef5bcdafa2a47bdac057f4422c2d

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Related Dependencies



- remotegui.zip: bootstrap.jar: npm.js.gz: npm.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/npm.js.gz/npm.js
  - MD5: ccb7f3909e30b1eb8f65a24393c6e12b
  - SHA1: e2b7590d6ec1fdac66b01fdf66ae0879f53b1262
  - SHA256: c7aa82a1aa7d45224a38d926d2adaff7fe4aef5bcdafa2a47bdac057f4422c2d
- theme.zip: bootstrap.jar: npm.js.gz: npm.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/npm.js.gz/npm.js
  - MD5: ccb7f3909e30b1eb8f65a24393c6e12b
  - SHA1: e2b7590d6ec1fdac66b01fdf66ae0879f53b1262
  - SHA256: c7aa82a1aa7d45224a38d926d2adaff7fe4aef5bcdafa2a47bdac057f4422c2d
- theme.zip: bootstrap.jar: npm.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/npm.js
  - MD5: ccb7f3909e30b1eb8f65a24393c6e12b
  - SHA1: e2b7590d6ec1fdac66b01fdf66ae0879f53b1262
  - SHA256: c7aa82a1aa7d45224a38d926d2adaff7fe4aef5bcdafa2a47bdac057f4422c2d

## Identifiers

- None

## remotegui.zip: bootstrap.jar: popover.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/popover.js

**MD5:** 3782df41a2ebe1257eded4e19f39ca02

**SHA1:** 38b589512e09181dba3ad56caca00199c9cd20c3

**SHA256:** 415e3c557d74388c551d77497112a216601c88025d95e3c28b3fad4082d8863e

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Related Dependencies



- remotegui.zip: bootstrap.jar: popover.js.gz: popover.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/popover.js.gz/popover.js

- MD5: 3782df41a2ebe1257eded4e19f39ca02
- SHA1: 38b589512e09181dba3ad56caca00199c9cd20c3
- SHA256: 415e3c557d74388c551d77497112a216601c88025d95e3c28b3fad4082d8863e
- theme.zip: bootstrap.jar: popover.js.gz: popover.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/popover.js.gz/popover.js
  - MD5: 3782df41a2ebe1257eded4e19f39ca02
  - SHA1: 38b589512e09181dba3ad56caca00199c9cd20c3
  - SHA256: 415e3c557d74388c551d77497112a216601c88025d95e3c28b3fad4082d8863e
- theme.zip: bootstrap.jar: popover.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/popover.js
  - MD5: 3782df41a2ebe1257eded4e19f39ca02
  - SHA1: 38b589512e09181dba3ad56caca00199c9cd20c3
  - SHA256: 415e3c557d74388c551d77497112a216601c88025d95e3c28b3fad4082d8863e

#### Identifiers

- None

### remotegui.zip: bootstrap.jar: scrollspy.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/scrollspy.js

**MD5:** 86ed481e7ffa3549beb6108a5ad1e4d5

**SHA1:** 73f97f2354272103cc030712a317260e7126a445

**SHA256:** 7d2c33a3ec324089813056cf4a8120db1db77f9ff620fa55c38de06ac417fed7

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence

#### Related Dependencies

- remotegui.zip: bootstrap.jar: scrollspy.js.gz: scrollspy.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/scrollspy.js.gz/scrollspy.js
  - MD5: 86ed481e7ffa3549beb6108a5ad1e4d5
  - SHA1: 73f97f2354272103cc030712a317260e7126a445
  - SHA256: 7d2c33a3ec324089813056cf4a8120db1db77f9ff620fa55c38de06ac417fed7
- theme.zip: bootstrap.jar: scrollspy.js.gz: scrollspy.js

- File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/scrollspy.js.gz/scrollspy.js
- MD5: 86ed481e7ffa3549beb6108a5ad1e4d5
- SHA1: 73f97f2354272103cc030712a317260e7126a445
- SHA256: 7d2c33a3ec324089813056cf4a8120db1db77f9ff620fa55c38de06ac417fed7
- theme.zip: bootstrap.jar: scrollspy.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/scrollspy.js
  - MD5: 86ed481e7ffa3549beb6108a5ad1e4d5
  - SHA1: 73f97f2354272103cc030712a317260e7126a445
  - SHA256: 7d2c33a3ec324089813056cf4a8120db1db77f9ff620fa55c38de06ac417fed7

#### Identifiers

- None

### remotegui.zip: bootstrap.jar: tab.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/tab.js  
**MD5:** a19cc7ef41a2f9683a10c8d29f1e1241  
**SHA1:** b8bd432a8ada22a323df822fe1e77028130f100d  
**SHA256:** d41c1f213273a374add7c9a4fb57798812d5d3472cd961237a1782998e7be82e  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: bootstrap.jar: tab.js.gz: tab.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/tab.js.gz/tab.js
  - MD5: a19cc7ef41a2f9683a10c8d29f1e1241
  - SHA1: b8bd432a8ada22a323df822fe1e77028130f100d
  - SHA256: d41c1f213273a374add7c9a4fb57798812d5d3472cd961237a1782998e7be82e
- theme.zip: bootstrap.jar: tab.js.gz: tab.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/tab.js.gz/tab.js
  - MD5: a19cc7ef41a2f9683a10c8d29f1e1241
  - SHA1: b8bd432a8ada22a323df822fe1e77028130f100d

- SHA256: d41c1f213273a374add7c9a4fb57798812d5d3472cd961237a1782998e7be82e
- theme.zip: bootstrap.jar: tab.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/tab.js
  - MD5: a19cc7ef41a2f9683a10c8d29f1e1241
  - SHA1: b8bd432a8ada22a323df822fe1e77028130f100d
  - SHA256: d41c1f213273a374add7c9a4fb57798812d5d3472cd961237a1782998e7be82e

#### Identifiers

- None

### remotegui.zip: bootstrap.jar: tooltip.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/tooltip.js

**MD5:** 6ae9dc400f463921e1ded65db0556dfc

**SHA1:** 0001130406c5f241ba069035dc380f3579ba24eb

**SHA256:** efef210198a75adacd0d3e726500fde192fc94320e4acbf90eb3a4d877215a2d

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence

#### Related Dependencies

- remotegui.zip: bootstrap.jar: tooltip.js.gz: tooltip.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/tooltip.js.gz/tooltip.js
  - MD5: 6ae9dc400f463921e1ded65db0556dfc
  - SHA1: 0001130406c5f241ba069035dc380f3579ba24eb
  - SHA256: efef210198a75adacd0d3e726500fde192fc94320e4acbf90eb3a4d877215a2d
- theme.zip: bootstrap.jar: tooltip.js.gz: tooltip.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/tooltip.js.gz/tooltip.js
  - MD5: 6ae9dc400f463921e1ded65db0556dfc
  - SHA1: 0001130406c5f241ba069035dc380f3579ba24eb
  - SHA256: efef210198a75adacd0d3e726500fde192fc94320e4acbf90eb3a4d877215a2d
- theme.zip: bootstrap.jar: tooltip.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/tooltip.js
  - MD5: 6ae9dc400f463921e1ded65db0556dfc
  - SHA1: 0001130406c5f241ba069035dc380f3579ba24eb

- SHA256: efef210198a75adacd0d3e726500fde192fc94320e4acbf90eb3a4d877215a2d

#### Identifiers

- None

### remotegui.zip: bootstrap.jar: transition.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/transition.js

**MD5:** 0a47aaff7afca3b3485a6a845782947f

**SHA1:** 91c2a7be5c53a856679830e0681a31d57395bf28

**SHA256:** dfd38a036a1ed2f6362413696c71555c108aa06b2ffef68577705df1b1983bc2

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: bootstrap.jar: transition.js.gz: transition.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/transition.js.gz/transition.js
  - MD5: 0a47aaff7afca3b3485a6a845782947f
  - SHA1: 91c2a7be5c53a856679830e0681a31d57395bf28
  - SHA256: dfd38a036a1ed2f6362413696c71555c108aa06b2ffef68577705df1b1983bc2
- theme.zip: bootstrap.jar: transition.js.gz: transition.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/transition.js.gz/transition.js
  - MD5: 0a47aaff7afca3b3485a6a845782947f
  - SHA1: 91c2a7be5c53a856679830e0681a31d57395bf28
  - SHA256: dfd38a036a1ed2f6362413696c71555c108aa06b2ffef68577705df1b1983bc2
- theme.zip: bootstrap.jar: transition.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/transition.js
  - MD5: 0a47aaff7afca3b3485a6a845782947f
  - SHA1: 91c2a7be5c53a856679830e0681a31d57395bf28
  - SHA256: dfd38a036a1ed2f6362413696c71555c108aa06b2ffef68577705df1b1983bc2

#### Identifiers

- None

## remotegui.zip: bootstrap.jar: webjars-requirejs.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/webjars-requirejs.js

**MD5:** 66507db20354e58b4c9ba7ab8f9ce714

**SHA1:** 80f18f9b3ec47cf5854cb30dcd6b9548c32b9567

**SHA256:** b9a900c1c14f8b4980d34de9f2787b0bac576efc4f176aa70433a71950a14b26

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Related Dependencies

- remotegui.zip: bootstrap.jar: webjars-requirejs.js.gz: webjars-requirejs.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/webjars-requirejs.js.gz/webjars-requirejs.js
  - MD5: 66507db20354e58b4c9ba7ab8f9ce714
  - SHA1: 80f18f9b3ec47cf5854cb30dcd6b9548c32b9567
  - SHA256: b9a900c1c14f8b4980d34de9f2787b0bac576efc4f176aa70433a71950a14b26
- theme.zip: bootstrap.jar: webjars-requirejs.js.gz: webjars-requirejs.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/webjars-requirejs.js.gz/webjars-requirejs.js
  - MD5: 66507db20354e58b4c9ba7ab8f9ce714
  - SHA1: 80f18f9b3ec47cf5854cb30dcd6b9548c32b9567
  - SHA256: b9a900c1c14f8b4980d34de9f2787b0bac576efc4f176aa70433a71950a14b26
- theme.zip: bootstrap.jar: webjars-requirejs.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/webjars-requirejs.js
  - MD5: 66507db20354e58b4c9ba7ab8f9ce714
  - SHA1: 80f18f9b3ec47cf5854cb30dcd6b9548c32b9567
  - SHA256: b9a900c1c14f8b4980d34de9f2787b0bac576efc4f176aa70433a71950a14b26

### Identifiers

- None

## remotegui.zip: codemirror.jar

### Description:

WebJar for codemirror

### License:

MIT

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar

**MD5:** 669061572ba6292cc848f48535366409

**SHA1:** c1c5b1fda926e89ab3204a2b4d2871078ce6d448

**SHA256:** b5f4ff56ec0eb788f4c150fc67b7a127e189e555e2438318742003e01c78282c

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	codemirror	High
Vendor	pom	artifactid	codemirror	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	codemirror	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	codemirror	High
Product	pom	artifactid	codemirror	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	codemirror	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	6.65.7	Highest

### Identifiers

- [pkg:maven/org.webjars.npm/codemirror@6.65.7](#) (Confidence:High)
- [cpe:2.3:a:codemirror:codemirror:6.65.7:\\*\\*\\*\\*:\\*](#) (Confidence:High)

suppress

## remotegui.zip: codemirror.jar: CodeMirror.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/CodeMirror.js  
**MD5:** d154477df9eebe156a1a493731acb01d  
**SHA1:** 69efd74f28f36317a2bb9101dbbaec73f5ca3735  
**SHA256:** 258db73a89eb6d88475013d38f4e0e01cc1476788f931058bf470db1ee26ca53  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: ContentEditableInput.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/ContentEditableInput.js  
**MD5:** 40e61dbb4388425c66403ecd7e9a5a10  
**SHA1:** 70cfc8bedef61e8d2f6cbb85ee41d65088d44c53  
**SHA256:** 5c07c3caef1fc6122ef3ce8d681afb87d65f86aaead8db5d1ca3466803b57da8  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: Display.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/Display.js  
**MD5:** bb05006cf414f786e21cdb02b443aac  
**SHA1:** 6bcab3100f9fd46d39f5c47d78b6ad9ad863b464  
**SHA256:** 6e26756a9ae829558cf81a83fd9d48dd0f605241c7c7e8028a8bcf94bfa7a9d4  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: Doc.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/Doc.js

**MD5:** 66f02c635454d1ae55f7472709417566

**SHA1:** 8799d7becd0b3ee9bfd397c157c43ca6ebb264d0

**SHA256:** 32bf377fa99365b49732f69c5e565c61995fefdf8d0bc6f3404d4fc00ed8ac7f

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: StringStream.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/StringStream.js

**MD5:** d187f08909bf9bb188d04c79f089c26a

**SHA1:** f5c4fc956b8b4de762087204024eb625cb00a790

**SHA256:** 9f1ab50bba4ae102fa5c611d4ef5b056d063a63a7f20cfef59eea64e93c3e04e

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: TextareaInput.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/TextareaInput.js

**MD5:** 87e959dd1978b0e022083d3e5ad65158

**SHA1:** d08b9e7e675368968faf8e93bb1dbaddf9996410

**SHA256:** 48684a26a28a3fd1793a80aa67509c4281b56d6924d25511540a1d19aed72eb9

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: active-line.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/selection/active-line.js

**MD5:** 774e515fe054cbcd6cc869bfd550b17d

**SHA1:** 3d950f5055286088e93e0ee4c8a1d62eaf8aedac

**SHA256:** 3afbcf78835c9bdc342e3992c53d9b74286722613bb1a8adc9d140edc8737ee8

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: codemirror.jar: annotatescrollbar.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/scroll/annotatescrollbar.js

**MD5:** a9dfd7f9d78bd36c617429ed88cb67e5

**SHA1:** ad1133e5432a7c65881747c87c84529fed297ecb

**SHA256:** 9041e8d81e3cebc481cabfae90d3b80596f3194de75d98e5526d3bfa44ae3bbc

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: anyword-hint.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/anyword-hint.js

**MD5:** ba7fa17b24f0937d9431f93b9de2da37

**SHA1:** a87db7c6de5231a1bfd702e26ecf4aa76d822a0a

**SHA256:** e834ad178bd23449476e29179e8cb9f0c1ebaed35dab9059ed9a46b388271f3e

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: apl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF

/resources/webjars/codemirror/6.65.7/mode/apl/apl.js

**MD5:** c0d55e310ae0a4290d3fcca84bff448

**SHA1:** 006c98d2b17e85168065eebf44c3fdd91b9ff874

**SHA256:** 47e0fdac0a39e0186019064e13b674dda4223b03b2748d34cccc09489fde2674

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: asciiarmor.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF  
/resources/webjars/codemirror/6.65.7/mode/asciiarmor/asciiarmor.js

**MD5:** 42e5c7f3f48fa085f63bd7708bb204fd

**SHA1:** b15cdadbf5a869d06a79e6a9e187d0509dca1239

**SHA256:** bdcdb68c4b0c9dc53b2af587673461a495f123a5b9da8f6be79d97fee2790f9ae

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: asn.1.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF  
/resources/webjars/codemirror/6.65.7/mode/asn.1/asn.1.js

**MD5:** a928fdb102ef88113a9d1c0d9e520114

**SHA1:** f293930644bd6093dbb02475e8b409fe9794f437

**SHA256:** 5b50cca4b34820cb3d57c218945ff2d870d57eba83e13c2c66590063e2a23acc

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: asterisk.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/asterisk/asterisk.js

**MD5:** 2f4e25e805d878f43b8568609c48dba8

**SHA1:** 109a76d631e43dd32c13cbb0c23ad83e1851ad0a

**SHA256:**0849e3a141e967559d752de2205956cb690f1d4ba0a5ace5481c6c565db9b674

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: autorefresh.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/autorefresh.js

**MD5:** 16b07faa9ef79a1fb79432fb4f4a9e3a

**SHA1:** 091a2b17758e7c3182542314256139a2247b508c

**SHA256:**2ec9d5585bd24d7611f30ebbb1cd8fedf79747cf89c1f83852dd1dd9981f10bd

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: bidi.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/bidi.js

**MD5:** 22a12be2f1e24a9bfddc5c3b0d187ede

**SHA1:** ab735d3376e0040172b6dc972f97df663f231dc4

**SHA256:** 0a4646d7a1214acfc71ad351d021f31795b056ce7a08f80d29857aeca1a5163b

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: brace-fold.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/brace-fold.js

**MD5:** d56849bd7cce8a10ccb842d50f0de179

**SHA1:** 4103103f28436925442d5397c24425fbaf660fce

**SHA256:** 2907087538a295e5b4f084f8c5ee7eba35cc973db194cbf596ab13a6c97a6834

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## remotegui.zip: codemirror.jar: brainfuck.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/brainfuck/brainfuck.js

**MD5:** f3ff733b3609dfb34a49652f6a4a2d09

**SHA1:** 41a8164ddba5e25fe2401265eb9fd4222e415549

**SHA256:** 67496a83fe1ea3304a3f65a8f8196f3a4a40060ea4febcb60a82c7657205abd

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: browser.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/browser.js

**MD5:** 564eafde7c1566f1b9b0d976cc3ace2f

**SHA1:** 2c592606b3242ac9cf080d138aae3516cc2ef05d

**SHA256:** de647094595511fabe9d548d9e45dacf746d7b83a198cb69b5b8859fa3eccb30

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: change\_measurement.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/change\_measurement.js

**MD5:** 39707c0eb637648efc07d95bb60253d3

**SHA1:** 025a52f620cc5b6edee8fb9c63a3f6ecf4c2284c

**SHA256:** 1d1648706bf317acc33a64673cb4fbc2d2a7db8205bcc1cd9fe52819c13b87f0

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: changes.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/changes.js

**MD5:** 822465b81d600e9a703579605e2147bc

**SHA1:** 1b77f1034de1cac51a8ff50e48f9604bc62556e5

**SHA256:** 13b0b2c417e0181ec9cb012932c1fa167c50171133391c00582e2939206362a0

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: chunk.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/chunk.js

**MD5:** 7dd1b45f75341b5a03a01f6607da69a4

**SHA1:** 89dfb21758e8a384033d09678a8d5b1ce8983e6f

**SHA256:** 18f55da6b39c1b12fb5406c7962a88884e00d2122566622784720cbe612fc676

**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: clike.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/clike/clike.js  
**MD5:** 145b41ea6cde47e8889ef8b2214eecde  
**SHA1:** d0ae7cc4040a57a76b86265f492f87e251d1cc9d  
**SHA256:**a1ff458a030f8b1db2d901811344f3e178eaceb19b598277d054bf83dacfecd2  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: codemirror.jar: clojure.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/clojure/clojure.js  
**MD5:** 7f3277e322bd000aefbfb172d3edf7e6  
**SHA1:** e701f8e843e3390a0a411700d3c8989dc147780c  
**SHA256:**86b7b779ab84fa77bc6e461a05fd0887d85a3c8cd42a96576cad973b355bb1b8  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

#### remotegui.zip: codemirror.jar: closebrackets.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/closebrackets.js

**MD5:** 667059f346609f6ad778936b17c43824

**SHA1:** 248b45be826a8856a0ed0733c8511d9d0c595507

**SHA256:** 143c3014c29254f3531cc30be6d90205084bcfc36cfa6f9b2a46fd42a40be20

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: closetag.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/closetag.js

**MD5:** 744876ab906996c429eef7654278f514

**SHA1:** 0e0e10e59f93f87c9bc35247b14831091113adb4

**SHA256:** 6fbe2b93cc1744d9e14ad1d613449f7e16df4c2aa2842f658efc17abf662f850

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: cmake.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/cmake/cmake.js  
**MD5:** fc204bb5f2393f59bcd34a860f1e1a57  
**SHA1:** 73985b80cdb80d12831a7476b740733e3fdd065d  
**SHA256:** 6379ded0f75af38659031d1eaa803d2bd5be0fa7cebc216e55ca65d01a35bf1a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: cobol.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/cobol/cobol.js  
**MD5:** d8a271c0bf27ef5cc2dd8ea19886aa75  
**SHA1:** 93072b3c895318fc58f8ed16d68cc213ac7910de  
**SHA256:** 0cecf82da2915c20187ab4e29cfc4abbb0078536874b27978726d48371487e4c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: codemirror-standalone.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/codemirror-standalone.js  
**MD5:** f1f47322e6af5937de4a14fb10863e3e

**SHA1:** 843d01e1379550e5fed3e64aba1af1a359441e7a  
**SHA256:**a18754c4ae17e27b7bba46b338c404d28804e237f41425aed96904c0aa1f49f2  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: codemirror.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF  
/resources/webjars/codemirror/6.65.7/lib/codemirror.js  
**MD5:** 15fc3cdf569fa38b1f91d86ebbea13d  
**SHA1:** c5f9252d9467c2af70c5e6fc579e696648ee242b  
**SHA256:**a4f1c30365d5f85951a22160b07a7ce34048cb640c283545c8192132b46efba8  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: codemirror.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF  
/resources/webjars/codemirror/6.65.7/src/codemirror.js  
**MD5:** 0d4d22de0bcd7f7afd8131d4e59f130  
**SHA1:** 819f8c37a4df0c61ef735d5b884c6c598bc0983e  
**SHA256:**b2a1b676605c6428b6dd7ce21a8a0d2509d4652ceb2297be93078ca6d66926dd  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: codemirror.node.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/codemirror.node.js  
**MD5:** a524724c274d1c038c7984e164428b3d  
**SHA1:** 18fd7183236cbf1437175c8d31509ffa6cd4ba64  
**SHA256:**fdc02024dc3845f85b38046ae842b0f572f91adc5f34a6979cd92ead0fe4a0a1  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: coffeescript-lint.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/coffeescript-lint.js  
**MD5:** e852ea5b9ebb97947ffd169523eca098  
**SHA1:** 58ec1f05cb6893a519fe2d7ad1b9716f15219b89  
**SHA256:**824caa68710a7f931ebd30491fec19dcd2c6fa166c21158f5ccd61321069da2d  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

#### remotegui.zip: codemirror.jar: coffeescript.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/coffeescript/coffeescript.js

**MD5:** 438a52e20ca46a26383d4eb6d33a5c6f

**SHA1:** 8dd398cbd2955bcffcd70180f9b560f56acf567

**SHA256:** 67792b36933d29b482307761ee03da520a19b3b30ca60f54df9cdef4051db628

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: colorize.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/colorize.js

**MD5:** 626a64f8687ca9576bb017843ab2c30b

**SHA1:** 4899e8d499849fb02f134afb39711d3ab2c28903

**SHA256:** 9d39f5267c05d930f079fc4f223b453e8f9fd54cae6cf52db9b5dc3a0b9dd694

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: commands.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/commands.js  
**MD5:** 9f984e904c9556f8e270502eaf1d5a5b  
**SHA1:** d16928b2cc389c46f7b77121beb7376a50f11c35  
**SHA256:** 5f23178d2f8f62f97af955560fb192e5aa898f81153b9c24cee8ed6ac567f658  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: comment-fold.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/comment-fold.js  
**MD5:** 3bf750756a24d5a0ba9cf16819bf5cfe  
**SHA1:** ad4d1534287f90692567139c0b007be29aac4a9d  
**SHA256:** a79d02eb1b425d8a4823f2d962b7b9f49af578fc9042b928b892417c00e7d13a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: comment.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/comment/comment.js  
**MD5:** 18fc449bec0798e43182173ba47455b9

**SHA1:** 29442cfbafce86a08679824a999b87ec1acdf567  
**SHA256:** a65c038258c6541658a0e9f24c56c78255e0e20d4cf06aa9ad83342069a589be  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: commonlisp.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/commonlisp/commonlisp.js  
**MD5:** 9449ffe942392a1ad14eaa723578b606  
**SHA1:** c734ecc91ff4949d4cac179a55bec5cee55da153  
**SHA256:** 0efe46913f843f5c335c79e05ae758e60212dde9cd3c45d99fae8066bd13c128  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: continuecomment.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/comment/continuecomment.js  
**MD5:** 174c186ec1902fdb1aa708a9dea1aa4  
**SHA1:** 7c3bb959b0c3befa4395c61ee8fba3f7f6c6033  
**SHA256:** eb64c50f80cb3080052971bc075bbbf421ab50287804af8ce47b0536da5365e9  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: continuelist.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/continuelist.js  
**MD5:** 630509c4379923d8c811b3f1acc931fc  
**SHA1:** 09118fd53589fe18289006df5cc57b4818321197  
**SHA256:**6ba9cd9528b74e7f76f4b9ce9ed0677bfed7057d1aade0050185368cfd0ea2e3  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: crystal.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/crystal/crystal.js  
**MD5:** ae980ca83523592958a2c7f8144bd365  
**SHA1:** b52f1f9ec7c854891491f792ae93aae419efd2ac  
**SHA256:**5e6e8458e3fa4079ff438060ac7f93b8b7a160212b1cce92516f1ea9680b57da  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: codemirror.jar: css-hint.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/css-hint.js

**MD5:** 55823389add79e8c52ffa7df6ba94515

**SHA1:** 59e0f4c17ecd9595fe88a84bc47fbb994803fab6

**SHA256:** 0e22d6efa1ea084e8316ec6d5e4c809534f0e36f363bbc4156609201d95c6601

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: css-lint.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/css-lint.js

**MD5:** e392cd5f86989535e38b3cbfb5134985

**SHA1:** 0986b3dc26b02d98a91b91bb38d46065b5c0214d

**SHA256:** f3fc7474cbefded7f1b06d63efe980d58970785831cb35f29874ec371cb4ece8

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: css.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/css/css.js  
**MD5:** 3675078ada8a185a353a6560bda2d5ac  
**SHA1:** 1045cdc88a58fb002511eb21db184ed242730f05  
**SHA256:**60f0689e5c6af7f36c341e8e1341a4f10b4f0a04cebf7341bcbdba9b572b32  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: cypher.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/cypher/cypher.js  
**MD5:** 0439f14eea37e69f9bd0af1b9c57e014  
**SHA1:** c65b82f89865edb564d52f00afddafc3d18a8d6b  
**SHA256:**6d8c9c8993fdeb724f1f68e9574fdab0001da1d31196e33ac6112303005d3f63  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: d.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/d/d.js  
**MD5:** 0632861907c7e77ea48e0952d2081136

**SHA1:** f000ac2fe16c377837034c69cdace651a45f4e7a  
**SHA256:** 8e3994ce4f507e692b65aa73ffbfd58112c4a22771b84b8ad86152578d4e8130  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: dart.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dart/dart.js  
**MD5:** 0bfa12b4210e1faba31c98d2fcbd226f  
**SHA1:** 4caa7d422c3c931f7df5b46e09c9596a9ca19ed0  
**SHA256:** b09be809dc1f9e3ad59374b198b0e5c4992788b9ff524765fccd0b84fde52212  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: deleteNearSelection.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/deleteNearSelection.js  
**MD5:** 813d638d2d4693bd14f7b6490445a417  
**SHA1:** eec62305710c8c0a032933bbee41c3fd45142669  
**SHA256:** dac971ad5b761896b830e95f5e2240e2748fb83c909ef4c5ea4fd1f60ae031fd  
**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: dialog.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/dialog/dialog.js  
**MD5:** 1b33c63e7d89d740d4738ce9766b19b0  
**SHA1:** 14cccbebfcb2f33d928c4a41d854237cda5dd97  
**SHA256:**fd8c925fcc25357617faff21220c026bb91a617b995268d96c5d39232fd42833  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: codemirror.jar: diff.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/diff/diff.js  
**MD5:** f80746d74770ee6dcf444e99f75d5537  
**SHA1:** 45f65817bf0cfe00f52a620c44e48031e926e5bc  
**SHA256:**3fd0e844e22f475503415744b7e7af24df4cd0670709c77e5e43e92185ba32fd  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

#### remotegui.zip: codemirror.jar: django.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/django/django.js

**MD5:** 3c02fcac64b6100a0f369edc8d145f97

**SHA1:** 9ab00e90ea9a3788178187e9451bdaf61bd311fe

**SHA256:** 71a3fa0ac63fe080a12097209e509c36abe0fde9c9709610be1656163d25a8bc

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: dockerfile.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dockerfile/dockerfile.js

**MD5:** 35fd7d7d73ad6c400c0afed686a383da

**SHA1:** b6574f6951c483c563456c9094178769ea733631

**SHA256:** fca390cea85e1b711389d1a91b99faeccf7b4df0f48e3ceaecf2e517982cb2b7

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: document\_data.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/document\_data.js

**MD5:** 86420f7d4afaa1aa00313618bff8292f

**SHA1:** c26428a7245c7ccbc2da6e15ea8071a308efe21e

**SHA256:** bded28025266e28229d4328e2a4ff6c829e26757b12861ec0c561c495d4b87e5

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: dom.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/dom.js

**MD5:** b56830faf8f75c5daea99bdc94508b38

**SHA1:** 6425ef8de5f6d50a057a5cdaced4da9ed166ddfe

**SHA256:** 20275e6018fa90811c51e20246d4803c01d7e744f64434bb9194c7b1df41d1b1

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: drop\_events.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/drop\_events.js

**MD5:** 940690e5c792ff535ef797090cb7ed5d

**SHA1:** 05108fb9bb15e761e86ef290e006cb7c620de955

**SHA256:**60fa1577514a516587de192c7c779b4447aff1b6d26de0498030340e12945390

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: dtd.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dtd/dtd.js

**MD5:** eb3e9b71c4e33120225df386c29a0b30

**SHA1:** c91a19fca8b5bb610ff35e8ea7c9190c9ef996f0

**SHA256:**3f04995b147addeee1637bbfd0054676e78d13f7accaf2f589c55837d70148c1

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: dylan.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dylan/dylan.js

**MD5:** 99e3fa83adb7b3af2e363942a5b720ac

**SHA1:** 795b6199d3643d0a9eb0b018a02357da66be8f3d

**SHA256:**999b862ebc559366e71a731e2a28b2762ae4fe7c7882ba5f6bf20c33a2d737b7

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: ebnf.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ebnf/ebnf.js  
**MD5:** 8d8a62f6874e4e8378d16d02b09ada60  
**SHA1:** 84295b3d4f48cd3080508f3c5c12ecca2842dca4  
**SHA256:**1175e07f831fd02ccf09d4582351c5932a48fa03be5c0eb1028c8f96c051935f  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: ecl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ecl/ecl.js  
**MD5:** 04722d23df4c17765bb397d871875452  
**SHA1:** 63a19016bf2e53ba5c73fde154b9bbc19d96130d  
**SHA256:**c78998872dd14cdb356d5a9bd196f7d3525e3cb03a591133e0e904afaaec11b7  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

#### remotegui.zip: codemirror.jar: eiffel.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/eiffel/eiffel.js

**MD5:** d202831cfe3aa85bdedffd44534dc98e

**SHA1:** e5767dbfb329d8e3786acf893d038e1e4dd35c39

**SHA256:** 183e855f6474cc2c4cf0b6c5e5c40ea7821707d37ac414277dcda294ffae1721

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: elm.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/elm/elm.js

**MD5:** c37089c171d4384ec97f9af66d5ac972

**SHA1:** e28a667656ac12ff06766d2ee857962dcd9146e2

**SHA256:** e343ffaaff2dc6fd9c5923228b46c23723c396993459eca6217871f1c087ebc

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: emacs.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/keymap/emacs.js  
**MD5:** 258e09f1d4cdb812940d869afce12a11  
**SHA1:** fa3b963c38f809ab13c37fd7aa654ac46a39e740  
**SHA256:**af2f42c9f461951f13e9785f634cc9f8e5d63b0c5c2375b331105dea19a71fef  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: erlang.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/erlang/erlang.js  
**MD5:** 29f92a4be923242d30cf1f4288c89adc  
**SHA1:** 45f94b33af2bc74d8c5eed73de27eb8a4047c20  
**SHA256:**2ae29808247e9d6a58a83893b0e8b627c0ca337cfa541ef16fb506edfdb77e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: event.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/event.js  
**MD5:** b700f1676589e7f88e59c943cc209156

**SHA1:** 516c718a9b2f86f68127680267b92d10fbf5a579  
**SHA256:** 1b13113fab8763c3c9e2284d1b6bdf1f84ab3424999a2eacffbf771ea8b75513  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: factor.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/factor/factor.js  
**MD5:** d497dd1c4f0f85b83245bfb80943e5cc  
**SHA1:** ec2430a02377f3b14692370e329b8f83b017d1b9  
**SHA256:** baf7c16c387e7abfc308dfcb7fcc1ea9ae0a898d13455349083ea72c7bfa4c4a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: fcl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/fcl/fcl.js  
**MD5:** bfa4a30d52fa501346b203c8ab6aa0cc  
**SHA1:** 9befb1efc7f051c189e1c2c7cccd976576bcefc  
**SHA256:** 7c9d372be44c1c418a101885662d80d4bf6104e1b717d36cbdbd05a5956abc70  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: feature\_detection.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/feature\_detection.js  
**MD5:** 3b63813f217d9351f7a1d90edf345310  
**SHA1:** f236ad77f54768dfaf4b78905be71b6873691698  
**SHA256:**4aaef197f379b3450c8c297f23e449df3795a9954bec48cfcddf4b3615d5f371  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: focus.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/focus.js  
**MD5:** 307daeb9d6322c3905fc5b2ba846fa16  
**SHA1:** d1e1cceb41ec90a9b18fd25ae6cad9805e86811d  
**SHA256:**2f6ad1d093d5d933ad58ded481d34002320d2887b5d06badb35918289338757e  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

#### remotegui.zip: codemirror.jar: foldcode.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/foldcode.js

**MD5:** f520bc635201c451609403065b8bacfa

**SHA1:** 78958ff57ef86b84ac8a8085a4f0923433eea9d3

**SHA256:** 07f353e02abcc300739b09f31a9d32a958ebe5d2f76959291e5643c6e40a26a5

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: foldgutter.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/foldgutter.js

**MD5:** 9606e4f3ca8c5ac259c2cf703753017b

**SHA1:** 2f4f7e099042dcbde74bfd3a8f5856f595326ecd

**SHA256:** fc85fcd61894dc551a4c7c221ec41b7fa4007d1e33239b1cf8faf56ef1811727

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: forth.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/forth/forth.js  
**MD5:** 3e09048506ea36823a8a5e6ad244c7d5  
**SHA1:** ef3e2632de5a4c57f8b14225026940309167d270  
**SHA256:** 1c6c0a8fb3572fba544083795b3259f8a35cae81ec2ddb19b4fd7af2a91ab34a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: fortran.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/fortran/fortran.js  
**MD5:** acf9c5ff78882f6ee77416eb957e881e  
**SHA1:** 30130e625c08eedd8d62021c0dc77a71d066fd1d  
**SHA256:** b3351c6cd6e696c2ebf0e6ae1ff7925ed65add92947007402e0b3112634f6392  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: fromTextArea.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/fromTextArea.js  
**MD5:** a910ea4413c5f8fabb9be57bc80a7cc7

**SHA1:** c2bb053e04c5cc11df632ae7332863f5f0d30c70  
**SHA256:**796a25d1e7f2a7c35ac9289bdb21e9c56c1253779a71c1b9e8a8c04160829e2d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: fullscreen.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/fullscreen.js  
**MD5:** dffe3df188ef201ff7f04977d0ead894  
**SHA1:** 29d2bbd2368fb2dfc02a06aac6db6aa9691ab330  
**SHA256:**8e4a21aa77765df8893fc854c4b6be56279e12d9a70cbde913083c307ac769e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: gas.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/gas/gas.js  
**MD5:** 9403b8d57b58f52a0d02efd3d6d99571  
**SHA1:** afd8ef0502d68ba8020134c780ebce498f65ac9  
**SHA256:**414899aed81f9bdb726a6729047f1afb538679ee58623beb8fa51dc7412db6e9  
**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				


remotegui.zip: codemirror.jar: gfm.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/gfm/gfm.js  
**MD5:** da48b005ec4e651d019aa09b3d6d4aac  
**SHA1:** ea5f855ce519bf55f09cb2c968dce9660615c698  
**SHA256:** 1fcdbf9a611c238acf53f906126fba93ae0550d74858efad61d72b8b3ed6e0bc  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: gherkin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/gherkin/gherkin.js  
**MD5:** 3d87a67e559ce2d1851c4f1fcca83fe2  
**SHA1:** 289ab840bb7ad7d5cf292406eff4fb8e55ece301  
**SHA256:** 732eb81eccbef7db49729af3f23d477dc8f27a4d9bf2fb2c6bb520d8ec19bddb  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				

- None

#### remotegui.zip: codemirror.jar: global\_events.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/global\_events.js

**MD5:** 288615615004321c6abe2bf66842b8bc

**SHA1:** 858b4b90c061cf34960b0bd4231a2b7dd7ec5f3b

**SHA256:** fa803fc7e109d232afd12dfdf4d99adea71081cc4b71e547d4b1c2bf46cc9ca2

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: go.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/go/go.js

**MD5:** 51890857b15156f02106103dd73d2b0e

**SHA1:** ef0de14a73f6656facd0d7355a11b1d17df86b16

**SHA256:** 4e3b08bda2f85c9ef68c03f24c0c5ca3b8ba479127b6cbc50f33cb9593dbaf00

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: groovy.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/groovy/groovy.js  
**MD5:** d6ca518a6aa5ab5b420bbf21d65b2d05  
**SHA1:** 48fb64db46a7408334eeda329d755dd09aec41ec  
**SHA256:**6641a0b1555ee0f1bca36975a4fcadd43d512de7ca814328cc6402e1ce836b4c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: gutters.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/gutters.js  
**MD5:** af3de2621d2ef402646889be16bcde7b  
**SHA1:** 130d94f44dea7f614a15009677e496ad2b853025  
**SHA256:**2143db3d42d9a3408b556eb50068870d138041a9b98ab256d070d982e09346df  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: haml.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haml/haml.js  
**MD5:** 7d65bfd39de90f56597eb8e278a39af7

**SHA1:** 7bafda0fd81e500fb2f364d2e657fd9dec939505

**SHA256:** 9e9606fecf19869e51c32a84e18c4447c0d4ad2031730e5690b571f318409022

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: handlebars.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/handlebars/handlebars.js

**MD5:** efacd8d006bf9f83baec2fc5a8c71feb

**SHA1:** 7fefb944ec70e00d262252956fdc71f04c1046b2

**SHA256:** 60bac3d6993264e155b5a06f52cda56b7bab2fb5923f3d1cc7e8caf704fca724

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: hardwrap.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/wrap/hardwrap.js

**MD5:** 049ed63630662fcb8a977fa43f86e058

**SHA1:** 535a020f7839e52da6fc7b8af3d249f641c5e055

**SHA256:** beeb1aee6222a46b1aeb14d6fc738d3cc09a4e421f808e29b3c6989710ccbfc8

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: haskell-literate.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haskell-literate/haskell-literate.js  
**MD5:** f0bd7313413cdc35018db90a6522d1ef  
**SHA1:** 670b7735a8c85e5251aeadf51f5005d5cf45df44  
**SHA256:**7519d0b515603244f029c3031a4625fdccac88cb640fcb6e117718ec2c0b3c50  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: haskell.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haskell/haskell.js  
**MD5:** e4f82d95d10c028eebae3338e678be22  
**SHA1:** 30c46651b2b0b5a7fc70910b22e52e2d1d8687ff  
**SHA256:**4745a90832e950c9536f0bf498e5bf6fb3753a4a98bea09ec152b92354c0fdaa  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: codemirror.jar: haxe.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haxe/haxe.js

**MD5:** 13c21da31a992b536d4f37ee53e09605

**SHA1:** 6a694b4a0a68b148e0b2e0b761a521a5fa4a0296

**SHA256:** f3596c7efe948a3331bb1bea299f6fcb8e7733777dc2114a9f2147dfc1c69257

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: highlight.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/highlight.js

**MD5:** d7710bcd63c26c5fdc37c19b15e02d4e

**SHA1:** cc5bac275e64696339642c6f5a52c254f139fbfd

**SHA256:** ccf8b3a879acfa0013ee5b11e036b822b68ec5a136c218400775fe2e35a3fd9b

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: highlight\_worker.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/highlight\_worker.js  
**MD5:** fc6f314859dad397c1f867ed5d73205f  
**SHA1:** 80e56feeeffb3ad7b76e40dc4577962a60becc11  
**SHA256:** fc9d8bf90534b9a6c7d5a45e8f79a4f8827a661c4271f812776e7c3d2bdc09  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: history.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/history.js  
**MD5:** 34cb233d1bf8cc676a0c5fc9e9c24b04  
**SHA1:** 4c42d70f020d1fd9397fa16ea34f5cf54487e93d  
**SHA256:** 961d52432f8f463614f83e660c2945f9bfbbc9c8fb7767575b9221c3e88821a2  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: html-hint.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/html-hint.js  
**MD5:** 609fea85a7894f8098719813c58219c5

**SHA1:** f593de64cb802e0e456482b88959a68260e06bff  
**SHA256:** 64d3ef9293ed8917e40ed4e8196da6919379a3b4970c007785c7ed27ab9a0478  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: html-lint.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/html-lint.js  
**MD5:** 0844a30ecec022fb60101fc0cc6a5cfe  
**SHA1:** 3ed8b2f11d4c7462cf29fc93b58e579680bcc32f  
**SHA256:** ab7827913934f06a8b4d00e41d5954974c90d5085d1295fe02c484c782c75843  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: htmlembedded.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/htmlembedded/htmlembedded.js  
**MD5:** e7a464409318dee8c3c6e0b68225d461  
**SHA1:** 548ebed43650c26970abca5933aa237b4a1950c5  
**SHA256:** 8afc8da4e446322cf92d78bef9940f9444aee339f56c8b9af5452fadb867601  
**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				


remotegui.zip: codemirror.jar: htmlmixed.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/htmlmixed/htmlmixed.js  
**MD5:** 4c5a6f44d738b718d1f6164c1c8d6904  
**SHA1:** a4f9c3552740fb908e14fb0f47832d10a3f535d6  
**SHA256:** fe5912e1d10f8fecb98bd31e2f957c0bbc9abf6b505d11b6dbcd27542d0fdcad  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: http.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/http/http.js  
**MD5:** 42dcfb1c4b83e85eea0303f75a3f08e1  
**SHA1:** 7fa224e2e3ab674ca61cedd48fd430c5e62e1218  
**SHA256:** 89842864a707564a989a841ce934b61659f34b012f2349e5c4fd9a09c5982f6c  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				

- None

#### remotegui.zip: codemirror.jar: idl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/idl/idl.js

**MD5:** 1ae58242a3b61aae5bdc5665bd5fc2ed

**SHA1:** c25b0c5644c33ee3993ee3152df8f4c27235e172

**SHA256:** 7d45bc0899e019f558e68eca684ed84660bf4687cd64fb4ed2c959ad249b763d

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: indent-fold.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/indent-fold.js

**MD5:** 623d14360009d84560611f43b83e6759

**SHA1:** 731e1d84971dcafb20d1417761c18c55883c3d98

**SHA256:** a835ed1af176b96a1bf00379622e76573a1f6327bd76b583d9c4757a2c4a4194

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: indent.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/indent.js  
**MD5:** 835649b199c40a992e89a61de3514147  
**SHA1:** e3d98527805fcef17ac4f710d7600fe0da52db33  
**SHA256:**f28260cac8eba83de19891709eb8545ecaa6cfa3ec716e617992e14cd0112404  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: input.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/input.js  
**MD5:** 8347e0beb43b7f458587e94f323c58bd  
**SHA1:** 62cfb278476d7f293b853e92e35bd9221c6d1a1c  
**SHA256:**bbfc32c56077171637375314abe257f54f925e8142b3f3a9eb669296ec3f12ff  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: javascript-hint.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/javascript-hint.js  
**MD5:** de72c8e29800ee9ae93e5c8a43c6c6a4

**SHA1:** e348c54c78f75047c06629a13422c0aee0ee3253  
**SHA256:** e4dfa3414b3b9535514737074cec2fb0cbf0bfea7e765307122295c98c5137fb  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: javascript-lint.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/javascript-lint.js  
**MD5:** 55eb8a1558ef8c9da7d355a32334d62e  
**SHA1:** d452acc1222c992a222c6c4bc55c0546eb2a465f  
**SHA256:** 69906dbb83d60e0d104ddf395e29dcaf4a05063f24c085975b9c09693dc860c1  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: javascript.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/javascript/javascript.js  
**MD5:** 178dfcd5f64c97da22a3d3a62713b7a9  
**SHA1:** 969b4a80be53b334612b44a0cc6ef57cfe171a26  
**SHA256:** 21fa74c1638c7a4eb3e8cd04b5c8c997181394568330b341c83716da18ffad8e  
**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				


remotegui.zip: codemirror.jar: jinja2.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/jinja2/jinja2.js  
**MD5:** 82ad8f3f5eac62b4012d21c9deabfc69  
**SHA1:** f1b92b1cce15292571979194dc1331accc5fb2d9  
**SHA256:**b408eeadec21747f7c4ed41dcb9ec4e540aa1493d0a7971e74aa1eed05049b93  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: json-lint.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/json-lint.js  
**MD5:** b01056a065c6df2ed0f61038c88e5ecc  
**SHA1:** 8fcdcb87fd1c9f8fc04f3fc325fa590b27441183  
**SHA256:**cb3522e1bdffb075461c848ba2091cc781b52ef0e69cb39d9a33e1b74dc35ae2  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				

- None

#### remotegui.zip: codemirror.jar: jsx.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/jsx/jsx.js  
**MD5:** 5dcc6cfebb32872e929bee63d517295e  
**SHA1:** f22b5965deb7b3f6e434d6012b22af7a7ba4c9c6  
**SHA256:** c6babd67df23bb0278d432fba3d2dbd03bb1fb3862d4d70549cda1b0d9953abf  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: julia.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/julia/julia.js  
**MD5:** 544d9103cd9877e0a7dbb26dd5a34eea  
**SHA1:** 4d6fef3f38c3c9717b6ac72fa4fa3c6d48ca189f  
**SHA256:** 54d93c9a83269af3bd8bc6593be2368f07b4efa4223074b54f3aad44097a4d32  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: jump-to-line.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/jump-to-line.js

**MD5:** ae33156dd047f75a6d2539b21ac92df9

**SHA1:** 4b8098d4df0e0bdbda6b27961ffc7bdaac14e85a

**SHA256:** 39b7d80ee80cabe2f5936673b3cadbfd4d260dfe6dc6f936523a334044962ffa

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: key\_events.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/key\_events.js

**MD5:** c299e1b06d3f6ec725718c1dc60141c7

**SHA1:** 09df110e22b2eccc9f3deb5a2dbe0a6fa884d23

**SHA256:** f24d2b392714dc1fe63b23f79d45d01503a1a8860cb7b92dff6e5eb05e35cc69

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: keymap.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/keymap.js

**MD5:** 1c8d554d0dfbb08ac3b4ff11303f313a

**SHA1:** bcbddfc0d1411afa8455d75564758dacde1e15d5

**SHA256:** 9be4f88cba00a971a1a007ca4fcc56f244ac84fb8b24f165f6ce2793c2f83a95

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: keynames.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/keynames.js

**MD5:** e4ae7351260c5e7b9f2253e21b5ca9dd

**SHA1:** 9b6381177e6d4afdd03388c548a00bef7e101b0b

**SHA256:** 7054358c3e0ad3945e0c3c31fde7b77d1af78874a5fd436a908aa0e8eeab7b03

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: legacy.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/legacy.js

**MD5:** dfa5acb74b48161d442a6d83e1abbc03

**SHA1:** 70f5248919c6a806ec8da7a53b9167ea0d28f28e

**SHA256:** 663e30df9fb1f4994092c95d5a4a2a127d67d59896b4795807ac912773a759a4

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: line\_data.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/line\_data.js  
**MD5:** 0239405c8ea2b45a5a3a2de75bc481b7  
**SHA1:** 936ff2393f4614f8fb907274c896d2435d34250d  
**SHA256:**11203cf446205f30a8eb2f5633369c7a6c00cc778b3cdbf1da16570571937d92  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: line\_numbers.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/line\_numbers.js  
**MD5:** 22976744e5315917483bef53cab4d368  
**SHA1:** 32c75bf2e39c2315fd1a1d04cbcbddb666c998e0  
**SHA256:**2474c6d14659ccbd6664aa88eaac7f1bb5589cc44f5acff4c5d8a22ed5da5d4c  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

#### remotegui.zip: codemirror.jar: line\_widget.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/line\_widget.js

**MD5:** 2a58b1a6d7eadb596d3968096f1493e4

**SHA1:** e06ec6ee060c9b180dd6269107c1643618024acf

**SHA256:** 4557109a8ced89105c13e911cd0d4036a043ce83abcfaefe9b6889ea8d058b16

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: lint.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/lint.js

**MD5:** 7930c46b5411e82099bf4d021be44897

**SHA1:** 9d4fcf298565cd2e6b6234c331113e5ee80a996f

**SHA256:** 7c2e8241383104a6188c43b657b17ff7633e0de89d9b98f7d09df29570341e76

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: livescript.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/livescript/livescript.js  
**MD5:** 303cf9371fc666702d07b7892d4d69b8  
**SHA1:** cc1a29423cc292dab8ceccbe8d1d4995426ce11d  
**SHA256:**b9b5f3fca094c735f94174d463746bc39d0930dc42b70bf5004efaed96b080ea  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: loadmode.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/loadmode.js  
**MD5:** 43a51215f06278be12990128bf16cffa  
**SHA1:** 62a2787a4f3b623af185185edaedc7eaed7ffc08  
**SHA256:**be81c0312e7041f56c217430a177fea61e572bcb9579a39ca1922a2e4d51abec  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: lua.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/lua/lua.js  
**MD5:** ccf279dcbc882c0e99fc9dfda9dd734d

**SHA1:** 13ec1f41c7c723c70f185f6c22e116cdf532d8dd

**SHA256:** 5c702747f50d5d4158ab8c096b33a7e0092529d5682a728a20624b01dfd86e2a

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: main.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/main.js

**MD5:** cc33d6b2c4f87f24fe91b103cfee3da7

**SHA1:** 7a267e163871e4d9c505a7dbda69289619573e76

**SHA256:** 2644139a384fcda2ff3bcb59fad7a45a3faa166c443cd2d05315558dc7d1f99

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: mark-selection.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/selection/mark-selection.js

**MD5:** f2b8639c24afc6cc370f4097eb6bb217

**SHA1:** 62883a7928526106b19fa78a1195fadf463550b4

**SHA256:** 5b9c6a0031fe895641f2eb2198df2592ec769a6685d6bb10f3f9b92a7822e286

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: mark\_text.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/mark\_text.js  
**MD5:** 7611054f886606aed04a7a3f3c4d5a78  
**SHA1:** 3e6ac9ae6a89f720e9c148d25746ff37f9207d07  
**SHA256:**b17ada4f3979fa8170a4abc071035badcddd87870a212cd92dc5b0a70fac19e0  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: markdown-fold.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/markdown-fold.js  
**MD5:** e9844099dad7cf95607a804988677f22  
**SHA1:** 400fdaaf493a4d15e10b397553549b6b4e09dc92  
**SHA256:**6a81721447c7260578e8e306c89b33a49e98edc1c2cb0c52a18ca0e913684d96  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: codemirror.jar: markdown.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/markdown/markdown.js

**MD5:** a7326be775e85028373f9236c26a572e

**SHA1:** c7dda08f12cf129cba6b317f70ee7ce0abf775b9

**SHA256:** 8fe7b11848f79cc9119b2a239f38a00944f6f2bb764a00bc837ecf8d34cf7690

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: match-highlighter.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/match-highlighter.js

**MD5:** d7d3dd2592e2df81c743b86a46ccc555

**SHA1:** 21bd58338eb506c53cd367b4e30c6aefa2e7edee

**SHA256:** 8c3e196f9a5f9e5cf9d7e71751132a05293e7cdb180defacf28be9fe919682cb

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: matchbrackets.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/matchbrackets.js  
**MD5:** 2d2902edcfd32a8f481124c0957889ff  
**SHA1:** 1555a87118f8082edd03c7b7c1363ebd1daaea45  
**SHA256:** 9d0e5ee4c199fcb487a901860c2cf7d007263852677dd5858098fcaa8580f1e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: matchesonscrollbar.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/matchesonscrollbar.js  
**MD5:** e005f8b0c7cedc509a29ea1a517cc829  
**SHA1:** 73a8bbcf26072f44bc7003faea790d1f3d59096f  
**SHA256:** a2deca7f8ca380dc7772929cc7c23b6737109f3cf0a55e7e18832808d98530c8  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: matchtags.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/matchtags.js  
**MD5:** 6e8c7c68653d8d6b912138fe6f155e1f

**SHA1:** 99f7135d209eb1da2c326486eb53ecdd330f0f2c  
**SHA256:** 263d752f850b20890f0506fcb277b094b474138692a58b45d7b9bb03e20aa00c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: mathematica.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mathematica/mathematica.js  
**MD5:** a8c37dcebeb98162e29e9d1483edf7c4  
**SHA1:** 82d9653bf7ca5b228759c5ad53845a8237625792  
**SHA256:** a301011fbb5d9ea4f39fc574718c2d27afd9425e31a1a5bf9005617603b45c0a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: mbox.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mbox/mbox.js  
**MD5:** 9ce449eaeef8f2c3e6253bb202a3da0d0  
**SHA1:** 6848c5a33d4ea2c76fc6abb4fdc3c9253eedbc9b  
**SHA256:** 9affa80931d9bb09746d08b9b0f90286d2b47f5b16a0bd8a1a06227b496c4b07  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: merge.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/merge/merge.js  
**MD5:** d2a6bc0c40e52723665afdc3b17ab226  
**SHA1:** c2c82dc8159b4d4b38ac4e74d88b513cae40be01  
**SHA256:**916279b765e93236826a1aa71f96924084707d50486739e9b4524a3f773d41ae  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: meta.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/meta.js  
**MD5:** 11f14aa114ed56768aa48301be3b9f03  
**SHA1:** 516781b99334a9aeaed0d9f1b9463d8330d00ab2  
**SHA256:**f95786f9c83e631225fe7866f39892f808aeb015e80ce9d8a58d5a1d4e9c4bb6  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: codemirror.jar: methods.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/methods.js

**MD5:** e0aee4bf62e8df22b1edf8c98171c1ff

**SHA1:** ec9e2b700a1252d5787249b1c8046b5fb0df6073

**SHA256:** 80aa117e54c13edec48656384e623b81f8ae5ecece3f426ba9b4638872fd88e6

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: mirc.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mirc/mirc.js

**MD5:** 23555fdd21b7305d57c24d1378a03754

**SHA1:** 373c327846304793f8016feaa0164226d6fd5020

**SHA256:** ac173799c5f81a8c8813a5b0c20b700b27a1f571d1e70132e67d8451c3efaa5e

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: misc.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/misc.js  
**MD5:** e94bdb7dadf69d57a0baf64df69e7780  
**SHA1:** 7d04fd04c64f91033740df1756ceb180fe1ec38b  
**SHA256:** dec9a3df5d525da109210c8f63bc47ef6270de5d0336e446c54d6c490f45bbfd  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: mllike.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mllike/mllike.js  
**MD5:** b30e7da7837eee7a5966685fa03522f0  
**SHA1:** 648a539e28df2714182163665b797d783cd47d80  
**SHA256:** a887947e50c37db0215fa4076c3b211093dd9abf643518a2f304677bef848211  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: mode\_state.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/mode\_state.js  
**MD5:** ffc05060eaa3b3d89beaaaae86b0483a

**SHA1:** ad4db1fa999cdec7dca274bc0d440b9817706fcb  
**SHA256:** 7d986b2f9cea39f7829ffd57fe70a6d891afb68bda46557f3d361fce6abddedb  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: modelica.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/modelica/modelica.js  
**MD5:** 9d173268d73ae885e07741f6a60913ef  
**SHA1:** 2cebfe05d43ff1b9a4608bde365d0e340b9e2b08  
**SHA256:** 96befada89421de8d32f6355c326510128e429167390c60ba81d93dfce4b360a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: modes.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/modes.js  
**MD5:** bcf367e11e7fac26e7f1668e8f1d1968  
**SHA1:** 26c51a0d675e8420deabe41af39537b98b494f6a  
**SHA256:** faf6b57425b7b95a14650da5da6a488cde013e23c1ca57e4223146ccd369230b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: mouse\_events.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/mouse\_events.js  
**MD5:** 9a8c2a4f4b71ceb0d641c905ea325dfa  
**SHA1:** 88d8b3f37ba37358b2f270ac184852f0f53c4e8d  
**SHA256:**17a6d6d77b3607cfd0ba1d551fef84d161747a62b42ecd9454d7427a1c3da610  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: movement.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/movement.js  
**MD5:** 386a27ecd12315f9eff836ce5ab2091f  
**SHA1:** 3170cd5a925774250a79d9e1c9130040e89a6be8  
**SHA256:**45f4ab6d34f817b4d945449664a35848a252a87f7aa7e917cbefd5710cc06334  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: codemirror.jar: mscgen.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mscgen/mscgen.js

**MD5:** 8e06dd81adc9a26c6c708d253868c290

**SHA1:** d44dd69d6fe4e456417da210928371090d426921

**SHA256:** 91eff4cccc80f0048d1f7efce0197be483a013dd299e2718b49315639a3d4885

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: multiplex.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/multiplex.js

**MD5:** 0bdb637f0ca08689fe55e572cc10ab16

**SHA1:** c1eb99a3fdd03722c84c78cb9351791428ff0bbe

**SHA256:** 09ec21386de4e951c1eefe0f1db478a9f57701b202ce18424f2b89d4f74aeff5

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: multiplex\_test.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/multiplex\_test.js  
**MD5:** 8a377bbbcf33896551524b1cceb823f  
**SHA1:** bf15c3dc16b8de593577266b9ef1f5625d67a0ea  
**SHA256:** 73e22c6765036bce1db37e31f8c46d62a56ca232840fb4fb968d17c24c3e8f74  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: mumps.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mumps/mumps.js  
**MD5:** 8e0c6375b6bbe74f633feed856f4283c  
**SHA1:** 6944b10c9a28d7097d90291dcae08e9924461140  
**SHA256:** 1455108cba483e767bc5072ebda6c4c219395adb574aa70f7d7ec856225c3d42  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: nginx.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/nginx/nginx.js  
**MD5:** 63e717882de52ba3a4bb62c9e7bef83d

**SHA1:** f008d01cd0b803de9bd5bf1088feec56c6eac9c5  
**SHA256:** e35111d1834678cd34bfec04abe169cb11739f39750d1c41ab57c8f2524748fe  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: nsis.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/nsis/nsis.js  
**MD5:** 4851ad88c595ddafbe3979f2e47b4d0a  
**SHA1:** c27aea13ecb53b8797926e831d8730099a585d42  
**SHA256:** 5f9aab831632e1de8d8a4f6fcf52dcd75eb704ab8fe47e2c76aac24c8c30fbd7  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: ntriples.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ntriples/ntriples.js  
**MD5:** a21f011183564e5725ea16a6ca11b089  
**SHA1:** 62d7d39e91ecca5bad75c91241aa31421a303ba4  
**SHA256:** d7a1fd7fba26679ecb0a6ac0b67164ed12a37db25d32ece3472920c6f25a74cd  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: octave.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/octave/octave.js  
**MD5:** d830f31f1647efb252a53d0cb1f18aa1  
**SHA1:** 1abba38966f306c238e8f9cf168f95db0e16d5a5  
**SHA256:**b6c6966b9a564ceafa2b2c5dde2f2efb0349cacdab3f61d90fce2544ece8615  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: operation\_group.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/operation\_group.js  
**MD5:** 72f0c675f45f87c9a45b5f5784212fa9  
**SHA1:** 8ca609f3cf238954efccc55c720e733a56f5029d  
**SHA256:**aaa9c34bd1240b164897a412a257d2e693d2ad35bec219cf8959561de6559edb  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

#### remotegui.zip: codemirror.jar: operations.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/operations.js

**MD5:** f2e13ff94b86a05aa5daff82022da8d2

**SHA1:** dbbbc8bf0cd26ed344d48e6be8ba83d3a3ad983a

**SHA256:** 6570698684e4da9507306248649b72c362cb918b63180b3b3571d91ffed78f83

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: options.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/options.js

**MD5:** feecb2723f03f979c8b8c9a85c553a1d

**SHA1:** 99d3d0aa7ab678573f2970b2273404ed4c7cc73b

**SHA256:** feb45909b7d01751e0edd20b7156ad016ec045cb2eea8e92b96b1505bf6e2159

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: overlay.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/overlay.js

**MD5:** 3cb76447dd1f64cc2bb037f3ec8c88a9

**SHA1:** 1ad72da6c675d9b6074f69404c66118ff24389c7

**SHA256:**1b44334e2a04d90f2b473c26847798859039190142e53f72f3b7de0f82696d0e

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: oz.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/oz/oz.js

**MD5:** a097901a9fe996b190b9103a64ace0c6

**SHA1:** d49b86c59bab331924fc03e3f680af92a6bd79d5

**SHA256:**641554f9736e5260ff1aea064749a590cba2a854bad6fc334db8ffa2bc1a6892

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: package.json

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/package.json

**MD5:** e2faa7704d8de49e9d70e7a834d83ae8

**SHA1:** cab269db696fc76be4a9c83dc82f287546253792  
**SHA256:** 352f4e90706a839430cb2cee1a2080b0c1a0660243d4d2a544e81a57cf8c006a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: panel.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/panel.js  
**MD5:** f647c5e58b5c032c1691693333104941  
**SHA1:** 5c8285f946d9888b499ae0266e8e165696947074  
**SHA256:** 2b137f8e8631c717d2af81edc341d436cd3a6debb8e9fdfdc20630296685d3cb  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: pascal.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pascal/pascal.js  
**MD5:** bdc6c5432f1408c29254a933f45ca2e7  
**SHA1:** 541ec18ed0863a528118a8026b6a5aa11a9c5918  
**SHA256:** 5eaac022259857d3b9b127ac0deb76c84d2523dee102d203738293f95ce5086c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: pegjs.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pegjs/pegjs.js  
**MD5:** ad4350eff079b204cd634114959c0904  
**SHA1:** 978baa600d3539e1eb05834fd0b7d659f0fed792  
**SHA256:**8cc7fe980c79a1ded9265d338062c8ecdfe6e0d044fb795bf11eb8d9813dc492  
**Referenced In Project/Scope:** server

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: perl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/perl/perl.js  
**MD5:** c6a3b40a8b2971690ff06860516bd140  
**SHA1:** 08bb3e219af9990114dda08e2ad935c5992dd39f  
**SHA256:**a614830dc6e71770cb4feabc487dfa1b72e29444789b94d1bcad62490827ca1e  
**Referenced In Project/Scope:** server

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				

- None

### remotegui.zip: codemirror.jar: php.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/php/php.js

**MD5:** f2f1668dbc8a4b0fd9f031dceda0e4ab

**SHA1:** 31d6961d6d4cbe7bf5deb2f0b5ba099c49e5c962

**SHA256:** 07819ae34d5830a3cf040e1904d4b641cb70142845394211f7fb63c891d80945

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: pig.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pig/pig.js

**MD5:** 40f967482626259f7cdfb972548743cd

**SHA1:** bd2d7d6522d69e9849f8a6cf3b631ddaf50a091e

**SHA256:** e9a9ec475aeee8b2f75fd1c8a58ea0a2d0cffd383b1a3fb8bdc460881d612352

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: placeholder.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/placeholder.js  
**MD5:** b5b4d8391f1b94044cda61cc979cc772  
**SHA1:** af7eaa5519c4e0fa823224593b0ae0b7fda73a23  
**SHA256:** 44619626e2301fc16ebade252564e2c064113483e02f2fc8d8d262aed2485b9c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: pos.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/pos.js  
**MD5:** d1fc4bdcc5a93ac92f4c3c9cb34bd220  
**SHA1:** 810afb684197135ac8ac6626a4a7eebef9ad5cc3  
**SHA256:** b708bfbb9ce809d5ce2d1490d806933fad9b471ac63e0f4c72a31ada57e05f9b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: position\_measurement.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/measurement/position\_measurement.js  
**MD5:** 6c17908c000f5a7beb67e75b1340c3ef

**SHA1:** c5dd40151e773a61694906cf92f941fe27ce51de  
**SHA256:** c5c488b91320e33d6e25fbb8ce4fbd3c28621511328b48e9690f797b81d51c32  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: powershell.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/powershell/powershell.js  
**MD5:** cf3b0559e54ae537a420d86a07b441a5  
**SHA1:** 992cbac5ee6c618eab5f646438ba5fb54f66cfe1  
**SHA256:** 9530fdf52d164be6d021a87de567acb8738f86f6fd98577533a9db3545e873c8  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: properties.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/properties/properties.js  
**MD5:** fdca15c3c811413459ed12fce119db54  
**SHA1:** 715881cc0ccd13302e302dade67f675d37cfdbd4  
**SHA256:** 3f85f36e32edf82eba526ad56edadf04c33864d72bf0cfae2592a490530a4966  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: protobuf.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/protobuf/protobuf.js  
**MD5:** 3e57a349742d01647347b7339572d9fe  
**SHA1:** 909346135655b3aacdb909a19acb59876e2810dd  
**SHA256:**93d1459ed6cc4e2a4701fc17959fe7f56b797d1d35b47f44b8030c0d19adf5b3  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: pug.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pug/pug.js  
**MD5:** 63473aabe4ad7435cc804132bf743ec3  
**SHA1:** 4e624a3174fd238241f692c1f935ae75d41269f4  
**SHA256:**1f9e975ab889f6dd9183758bc7b454224dd11859b8e045ce5b98e2c4a05bcf9b  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: codemirror.jar: puppet.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/puppet/puppet.js

**MD5:** be03e9aad763ae4b5ee3d6a226aa8c78

**SHA1:** 7dae96b96e285c5e747624c864be8f1b0cb61e5e

**SHA256:** 237b966a50a514c6beabddfb83649797f764a29f7f2c7100dac1f411709040af

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: python.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/python/python.js

**MD5:** 9b50648e6f546e4f63f1a8eb25adb039

**SHA1:** b178c4d31cc4eeefe58e97a60723d47af96b79ed

**SHA256:** ec56443dfebe73f332cc639289ad2de6921560c8952a3e2127397a0849882657

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: q.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/q/q.js  
**MD5:** ec0a69917f7ff85ef3c89ab34cbd0ee9  
**SHA1:** c52261047f62fbf5a52a2fb36e0e926859505ac3  
**SHA256:** 1fecda8902c9c63fa36833c073370e479c7b8def1b883147c364f81cc6ac9171  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: r.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/r/r.js  
**MD5:** 32999ceba0af47e9e6b4042314e2cdc0  
**SHA1:** f044c32fe6998d6c6fbf774910766fca456273d5  
**SHA256:** d4b1d1ad4275187d4f371fb61ca77ec10f63deba233644c484667750f934b23c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: rollup.config.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/rollup.config.js  
**MD5:** 73a1da56a828ad2854d28749fc155632

**SHA1:** 48bed29223b72a22a9939b57333c2d6e58bdfd39  
**SHA256:** 8c887c6ebd69fc77f4d1690cc0eb5afaaad25f0e18baaa5c7fdb16a6618ee08  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: rpm.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/rpm/rpm.js  
**MD5:** 5fbb2d4919f2d396e78074f4c98812c0  
**SHA1:** 719d22639e2bbb16d80df811da20013f3998c42b  
**SHA256:** 5e8a8253eb986b58fb170e2d58bdd134b05fc7dc02a456374a034d7564f77fcb  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: rst.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/rst/rst.js  
**MD5:** bd89a589282ae08505026ef31cd4c6ad  
**SHA1:** bfc1dea7ab7b49ed20e4127add87019c8dc56850  
**SHA256:** b50d542cf38074c392f7fde44ef2cbab24b45bbfd178c426cfef6848d6d3e90d  
**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: ruby.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ruby/ruby.js  
**MD5:** b0b2ef072186390edb0444a0eb2e315f  
**SHA1:** d63568f7de026f9c17e0a4124161ad5007c0c709  
**SHA256:** 953daad8a24225d56733f77c0c4451cf05436f70ad00e5dd1618486a1d5e01b9  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: codemirror.jar: rulers.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/rulers.js  
**MD5:** 267bb54847534c8bfb41dcf227f7aeb0  
**SHA1:** ef8505818354f0e8e79d6ef7a902ec0feaaa0ed7  
**SHA256:** 175d32d6794e2d917f446c4bcc8053c9a9e69eb9fcb3b805daaf015189b6ec03  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

#### remotegui.zip: codemirror.jar: runmode-standalone.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/runmode-standalone.js

**MD5:** 51867497bb73c2eba5e2e6cd1352f29d

**SHA1:** 591c22764dd7599a2d443c593bd5d4fd77928e65

**SHA256:** c1c9bc16a627699da49d9733f93d75963603175081a540b276f11c604739abc9

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: runmode-standalone.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/runmode-standalone.js

**MD5:** 8bb22c65e3d5cb3b6466654c7c6ec4c8

**SHA1:** 942779dcd636d8372e9d8c9949858ea5b68bfdcf

**SHA256:** 8a06491ff4969718a7bbe2f8ae9d380e9f05f0947d7f5e0d940930e5a929e469

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: runmode.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/runmode.js  
**MD5:** 6b9c51f3ec2f5a79c75836a0f75569c0  
**SHA1:** 88d7a8053ef7fe9996f63800076992a5f65c4dba  
**SHA256:** 920d8eee55e987468236ba7ed2886de0bb8b2fed9d7060383a39ea29924ae885  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: runmode.node.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/runmode.node.js  
**MD5:** 3847af673a6ae44d53fa8d697df2b8e0  
**SHA1:** 91e688f6fc356c47f9bea928ea3768b7c7a57693  
**SHA256:** 0d796745f8db549e4ade4132025a45994f45dd6f4765402ee75e4113019edea6  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: runmode.node.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/runmode.node.js  
**MD5:** fe41270e99f973a568d5a823cd6e2bfe

**SHA1:** c78b8d45e3db1891ad28f93b64ebd5ec6d0b9c98

**SHA256:** 016bd87dc725d65c80cfa58d2e58033e013e703878cc05f322f938d58ddbcf9e

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: rust.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/rust/rust.js

**MD5:** bfb43032004a8d5d115c6b817cbbe2ba

**SHA1:** af76d8276b553e168b5fab49108e715452cff07e

**SHA256:** 797a9abcf8581f192bc49b11434346d3f8014763f4967ae260fbe31f25b2bdfb

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: sas.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sas/sas.js

**MD5:** 46f6d321e806768f9ebbc0155a5f9807

**SHA1:** 441d94bf2da7c5299662ba76dba352aac7df705a

**SHA256:** b69f2877e395b89682a4066f62f686c12cb66eac441b6c1d3ee15d5004859f43

**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				


remotegui.zip: codemirror.jar: sass.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sass/sass.js  
**MD5:** 0067718b0d6fa922bcf032b58966c3fa  
**SHA1:** 1dbee553e6dfa3d57a3aa6548b43a753ccdb7380  
**SHA256:**01ba99f4a91e70d2a5d3ef881c542f14a1f59f3ded58672484bcd56b41921866  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: saw\_special\_spans.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/saw\_special\_spans.js  
**MD5:** 72b6184ab657ca37a0d984dc73e7088c  
**SHA1:** d84fccefe8c3cd0f1a0b5b2f388de87e57503df3  
**SHA256:**fb122060ec500dd99a179c002fbb6a8709eba030bf8f7695d868109b470b31ff  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				

- None

#### remotegui.zip: codemirror.jar: scheme.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/scheme/scheme.js

**MD5:** a64f664dcef608b26dea48b1ea52b622

**SHA1:** 1e90715a9ecc9c8cc9500e9b064ffe0defc60b9c

**SHA256:** 0bc81b318e12c7c5bbd94943d9d64cf1a64674c3bcc7057788ed1ade8701ab80

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: scroll\_events.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/scroll\_events.js

**MD5:** 8c96ad450d94581a7a461c44fa1e7cfd

**SHA1:** c92034958533fbaa6512c99d715a6032d43355b0

**SHA256:** b0472dfdc7a904f6a082f064c9384dde3ce1ec95953d9c276216424da03ffa01

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: scrollbars.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/scrollbars.js  
**MD5:** f06876b47feef8deb64e7cd59d76ab1f  
**SHA1:** 73c1a417818efb800852fec0742136fb1c891c1f  
**SHA256:** 11cdf1fc628da528adf11b23bf19cc06072bb573cde470669343d27be9b0ab4  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: scrolling.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/scrolling.js  
**MD5:** 104c04ec259e68a53516216e4947e9b1  
**SHA1:** 54446fd791e3331041e6e9a0874fa66d4794bcb4  
**SHA256:** 07f6964d12cb85a698967bcfeca73824a7b602475d488ed6f57e2981879e7487  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: scrollpastend.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/scroll/scrollpastend.js  
**MD5:** 74be53ff23fb5eda7725c96f1ff683b2

**SHA1:** 1aec49fd4f7f5571fac13fddaad9eb1705cd522d

**SHA256:** 6cd389df1da1ff9ba25728e03afb7f47df3162c3d9bdb5cedd06fc91c6199479

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: search.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/search.js

**MD5:** aee5a4efc34387df3d1974e09cd2965e

**SHA1:** aa36dc4a27460ccc0b4b40ee643907303b64a880

**SHA256:** 4949580371fcd81c0ad70164b169dd8bcab2bd9869eddaa0d7e295508bec7a04

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: searchcursor.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/searchcursor.js

**MD5:** ca8612c41c44b87a10703ffe71d4f750

**SHA1:** 6bc4c36ea23ce7bf583f95ba4ad49e599bc646a1

**SHA256:** 2c0b8cd8fe7ca5ca2253f4aacc914b390bff5b3cac3475df66c43a9ea8c8ccbe

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: selection-pointer.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/selection/selection-pointer.js  
**MD5:** 3ea743f9f1b458692e5258bcd8c8afb8d8  
**SHA1:** 4306383d109eb987ee62a6e2defa8926dec870ba  
**SHA256:**fdd7ff53d0ca796c5e3792ceb5063c84d0735bcaf198a1c06c78880f1c664a22  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: selection.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/selection.js  
**MD5:** 34d76a4a0d6602f8d4ff937e499f7906  
**SHA1:** c759ce0c87a62abdd8916125e3bad601e4ce4efe  
**SHA256:**ca2d26085ea9380b686c57d5ef8789e3c3032ed8c5d90ae0e1c9dba69635a89f  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: codemirror.jar: selection.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/selection.js

**MD5:** 8f89f30a603010383e7c118550697100

**SHA1:** da2d4548c10827c45fd625bdfd1ffdf0e28e0c30

**SHA256:** 03cb03c86030e258ed013dc958cab854e2978893145cb096468ff8149417502f

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: selection\_updates.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/selection\_updates.js

**MD5:** 252e2ea7a38323b8d82902e6595d23ae

**SHA1:** 27719d66e1ff98e650abbc5b48f2f4635f65df13

**SHA256:** a285a62ec8522c5d8271505b1438dddaf39c3dbfd4dec5ac01971728e21a765

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: shell.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/shell/shell.js  
**MD5:** ab0fc779b5fb9bdc1310a28d7dcd379  
**SHA1:** ece7e7661886871cc46ef71248c67ea53a61ac7d  
**SHA256:** 24f77cb162ea9d9e9fc79b95ba547a7cc10a0767e3a5a52c786d4c24253736fe  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: show-hint.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/show-hint.js  
**MD5:** c9e3db9bd2540c05ac67b249f8122387  
**SHA1:** e8092d9477bb1ad4d17d44522d99cc67ead53b16  
**SHA256:** 28d2123fd1c9cf197651c2a0b3cb65762ba06dc073e023c75ec05b1f139b0af5  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: sieve.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sieve/sieve.js  
**MD5:** 88c6148d955c6542b3f10482b736e553

**SHA1:** 72627a945e27e3044717e5b8db378f3d776ad0fc  
**SHA256:** c233866cf4990e2f28f11c96ecedc7e7dc465c19c5b445b30bdc037118f7b65d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: simple.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/simple.js  
**MD5:** 282f2d54ca2c7b60ab4bc0cd762b943d  
**SHA1:** f08a5e5394568164edb85911dfc452f433bb2483  
**SHA256:** 400f49309b31197c0c4ec76519c93647b494ab80f59f96d7f051463e0aa37eb0  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: simplescrollbars.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/scroll/simplescrollbars.js  
**MD5:** 34d6903cded2822fb2261678e1a479cc  
**SHA1:** 0707d27834fdde0fe2c32935af79d4575cf9f1ad  
**SHA256:** 62b48bff43436bfb8ecc5e3273e6047f0b934c1d873c81e863e13bb462d1e1ab  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: slim.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/slim/slim.js  
**MD5:** 447874e5c5dd225949004c357d17ffe2  
**SHA1:** 2cdc3263aa6d9766131d73157afb05fc6767b50  
**SHA256:**a8d555221c610512119f2107d58bb1c57d294cebc91f82638ea6e235286b5c15  
**Referenced In Project/Scope:** server

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: smalltalk.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/smalltalk/smalltalk.js  
**MD5:** f6e7ef04f9f907a13604ea5b1938d3d7  
**SHA1:** 57f009cf2b2147f14c530f697fd3ac493e053  
**SHA256:**9f649668162a61cfa6a3528dbe513d012162932c742c7b0696078bd2a6d3b190  
**Referenced In Project/Scope:** server

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				

- None

#### remotegui.zip: codemirror.jar: smarty.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/smarty/smarty.js

**MD5:** 3ccd6f2129ee79c85ef96a8237f1de7a

**SHA1:** 5fc274f49b704c0a99e0f0b9030c90f56fc7c1f7

**SHA256:** 9e95bcd71635efe200c3871c57cbb1c07edc1f8206d173f4552fd2dfbcf9e9af

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: solr.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/solr/solr.js

**MD5:** df4ba46ed00e24c144deaef9a817d024

**SHA1:** c880da8431afd54034ae7fbfedb45d94966638b7

**SHA256:** 17f16060f00cd932914722bf2cd1a01318c402503b62f3bd2bda09bab6b42b85

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: soy.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/soy/soy.js  
**MD5:** 1db8a99a573b2ab07cf30cc58da1bb2a  
**SHA1:** 7c0a178caed0b849f140d0b21de6548a0355f9c1  
**SHA256:** 358a1861e92366d238eb240fd5d5cf8ea6f5fe219f389667d277031c0a1a47c5  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: spans.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/spans.js  
**MD5:** 52150a5a01dd7c56de003aa132f71e25  
**SHA1:** 92cc8b4ab38a103a106f574c40d25d16e97d48eb  
**SHA256:** 719ad01e720518e7594a76ed4dc4904fec7c495b12d87fc4599b40032975789  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: sparql.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sparql/sparql.js  
**MD5:** 856d73e41310b4dd6a18f13d64fec0be

**SHA1:** 1669e717cbfb9fa9b30e99415a6e5f7a66feb286  
**SHA256:** e646ae1e2796c936a8760af321089f5814d0158ef72aa3f3efb60765430a2e6b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: spreadsheet.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/spreadsheet/spreadsheet.js  
**MD5:** 370c01bed3c433131f942ef7e6f69187  
**SHA1:** 94b3e4c80f954a378ab94f13068d879e9ab3394b  
**SHA256:** 0807dd557c55f5b6d8579c5c9019c5eddcda9c56ce559190e5f2985b156a00da  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: sql-hint.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/sql-hint.js  
**MD5:** 8d41549d89ca9bfa3ef068190df379ca  
**SHA1:** 6a2cbde78c9311f75509d3350877a8018499e8c7  
**SHA256:** 60703945eb6cc93d4f47d70b65f955e66ae8a22c0cb1ceefa69cf0890564544d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: sql.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sql/sql.js  
**MD5:** b48a3934b20b392ae812b17df05355f4  
**SHA1:** 40d1a558afba1f5043b23131e496de37d8e2dfb4  
**SHA256:**ac23d3f196deb9be25cfcecb966bdc1789b9e177aac683ddccde1420670c4d8a  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: stex.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/stex/stex.js  
**MD5:** c7ef8ac785ee813860cc414ea17dbf6d  
**SHA1:** 3e46d97b4e694c7389cd0df4d13b914697d28c8f  
**SHA256:**edc1f57c69920967a31defb66954aa29f5751fdb2f7ed8e52fa08978ff890e3b  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: codemirror.jar: stylus.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/stylus/stylus.js

**MD5:** 7e6d36c0cc269b4e518bd48b9b6342d6

**SHA1:** ea339b15b178a1082a2acdadae82ef1f4a599f32

**SHA256:** 85683adfef4f0129670fc2e5ee9148ad956213f5fa0c8dd05ac7970ad7f0b337

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: sublime.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/keymap/sublime.js

**MD5:** 1d7ea7f929183e76740bd9d98e9cac41

**SHA1:** 84a64b60b5802e86b0689ccfa95665339347f0c7

**SHA256:** 1d532a67594845cb7163b090a06da9287b896944ab5f22df67f14e176bd434e5

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: swift.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/swift/swift.js  
**MD5:** bf859160b6f348fc2d72673fc40b9da9  
**SHA1:** c6b46b402c9b1fc3166712d68eb10ad29c5d01f9  
**SHA256:** 939dc67bbef9f0f6847f5bc2a89b0c8f4b411d57fbed4f9d5cc21fabd7e191c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: tcl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tcl/tcl.js  
**MD5:** 28a739b5550bd5ad13b47dbec84a9716  
**SHA1:** 2ce8afb99f36fece39e1b3df7be02509f77b19ee  
**SHA256:** 98552bab94ce9adc9fcef5658da2965994a84e852c83098e94564884815b3026  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: tern.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/tern/tern.js  
**MD5:** b9418efb9c0d90a3432dff86169fd293

**SHA1:** e4d1225e756d51fcb69c2f14ddce1b09fa2a23b7  
**SHA256:** 1ebb5ad38f72115c49865b5537fd9c77da506b7ed2be38bd310306af3c698e44  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: textile.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/textile/textile.js  
**MD5:** d3923b19d37114a9e2a346c191c318e1  
**SHA1:** 979b17e6363d63ac2d1b3a6854ba6196564fc5d4  
**SHA256:** c121fcf3e641a7433b9e328c76aa0b1755aa4c0412e4f59a1d8d6ac24b36df06  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: tiddlywiki.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tiddlywiki/tiddlywiki.js  
**MD5:** 3e4fb7a08d9df5cbe9822cb1756bec86  
**SHA1:** 84885a1cb7be096c19a3dfddd70252efcc83960e  
**SHA256:** 4b62acf34df4acb1a4bc1a2729edaf221583679761d35e0e9077883810fccbfe  
**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: tiki.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tiki/tiki.js  
**MD5:** 6e4bd43879571d0fdfa79714f550a3bf  
**SHA1:** 6fd2ece4b20160c1859f34cb245b173459c21163  
**SHA256:**af92cd0858a99f3c5cacf240874db7eac2704a7b193a3cdfddfc5ba70382a293  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: codemirror.jar: toml.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/toml/toml.js  
**MD5:** dc2ba16cf830b53759b71306e9473ed5  
**SHA1:** 1a394f9f45c508febc270b7c0a1f72460fc897d9  
**SHA256:**67bbbc2696788633071f2a2b8a1cf6ca4f4ac82213e3d85b7cd183d60b117679  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

### remotegui.zip: codemirror.jar: tornado.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tornado/tornado.js

**MD5:** f45c2ec37cc008dc5dbd5f9c077ba666

**SHA1:** 8b55c6a85279c8f7d6b3f539fa097fed877c16b9

**SHA256:** d006020d7d093cb4f5ed5088ed151d4c45417fe5ccde69d960eb82cfcb9e0ecc

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: trailingspace.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/trailingspace.js

**MD5:** 43599469275c2b662b7907971147c978

**SHA1:** de4d3ee3d32f01f94921b8b3944c7383da7ba970

**SHA256:** a0d2c0196d8f4991cd58f320498f7aece971e502e4811ecf58cb5af8e83007c6

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: troff.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/troff/troff.js  
**MD5:** e7f5f0a2bf68a81f0f3e547ab5640627  
**SHA1:** f59246b4ff5ce93afc87a4ed30a0cba0e6ba4775  
**SHA256:** f7714fdc46774467c168e75fc36eca90e6df16e27afd0b608b882b2df769b8c3  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: ttcn-cfg.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ttcn-cfg/ttcn-cfg.js  
**MD5:** d847dacea4534ee2841f01f5ac419060  
**SHA1:** 0df7a9b8f5e91e2ae8d5a8a02c99bf779e221743  
**SHA256:** 22983894e4a3794c9bcf396e7a4119efa5ea07a4f97e060e15f3c13ec2c1a01b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: ttcn.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ttcn/ttcn.js  
**MD5:** f94e618b386e8bfd0ffa2252482e9c84

**SHA1:** a463a8817c26dcec47a7d006aa097dacf74b28d1  
**SHA256:**10be6704eac48032ce00890bdfffa03d445aae18e3ef7bd74eb14a26e5867a28  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: turtle.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/turtle/turtle.js  
**MD5:** f36ec21c639822b370b87c63415533f1  
**SHA1:** 9b6341bdf7330b71a5959cde815241b6e7deaf05  
**SHA256:**0f82b51ecc43b95e55a752f80f719f8a39b607697b86d3fa4523a5e8280d3520  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: twig.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/twig/twig.js  
**MD5:** 09ab2491f1056e9d142e233dbc9dc1de  
**SHA1:** 4cb5eb7c9bf77dce80f92f2498d83af92f3398b8  
**SHA256:**72b6e091bbd6a7c6eb786db2591c1f6f59c7880ef224ce5365ed39ec786d583b  
**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				


remotegui.zip: codemirror.jar: update\_display.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/update\_display.js  
**MD5:** 8a51230ca1be6a91aebe25d4d0f7b55a  
**SHA1:** 79b7a1faa3bfaa65f28ab4e324fa88b485ed21e2  
**SHA256:**cf96f09d7f210f2cbf0c1912058eca1f96b51e63b1bf7b39016c0156c2b9ffc6  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: update\_line.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/update\_line.js  
**MD5:** b9b8f3c5e697e33d73d1044eaaa86dc9  
**SHA1:** 4f7c764ac36b54c918f06b68129b8835b22b55f4  
**SHA256:**5fafd013fc16591f0c978c6a4bacb3cf054d52f5051becd4325de8c21ba07f7d  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				

- None

#### remotegui.zip: codemirror.jar: update\_lines.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/update\_lines.js

**MD5:** c864b2f05d2101a47c52b9c01aad5b47

**SHA1:** c63e8555c30976387f5904fda11fb55174743a88

**SHA256:** 80e80a6c8ad664587c2f01128e85c5c931f29cd021381584e2195073a53df45b

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: utils.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/utils.js

**MD5:** 4e9e033cb9daa0702d84b88dfcebae20

**SHA1:** 8e5257ed7b93a00cb5eccbf544d6a1043f2edac7

**SHA256:** 06220f9e424434492b73e0aea65bebbba1fe74fc3002f8b3672d1d0d3a445f20d

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: utils\_line.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/utils\_line.js  
**MD5:** 0f6f365b60c1688d8f0fcb8d57a9d9d4  
**SHA1:** 574435cdc400815c829db19a67652b7077b00433  
**SHA256:**a8b39ff57b6d43dfceda786380d6dacef7b1738a81fb6033e7573502501d4b6e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: vb.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vb/vb.js  
**MD5:** fa430588a34292ebd66e33fa60217b4a  
**SHA1:** a89cb1b315fbed1886d709d921ae95b216d89fc9  
**SHA256:**e8f8e4496baed70b1e6ff44979382bad81b921b9570b7da1a377835e973f28f6  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: vbscript.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vbscript/vbscript.js  
**MD5:** 2da61e304ec310d9291e372c53c6b06a

**SHA1:** 9c582c79ac9ef6d1c08850c180f988bf974aedb5  
**SHA256:** 77109e0c2218502dac03b5bc3b290cfe0b46ea00f4d267f3dc4378d9abe1bdc9  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: velocity.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/velocity/velocity.js  
**MD5:** be30a2a88271b692c85d7de9744f7c16  
**SHA1:** d45880a6f5d3d4840ed1297d7b3f14ba4c9a4be7  
**SHA256:** 3c076c7bdb1e2d3d25bffa1a682556ae449f1545c3731935306333b5831aa951  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: verilog.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/verilog/verilog.js  
**MD5:** a79b1a94e41866ba625c37e77a76ba16  
**SHA1:** 4818788973bd3f66d3b9e14992710d96a7ec18d4  
**SHA256:** ae7c58b13650019ca08760e04f3ece3315e889eb5aa849a34400f16542610eb1  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: vhd1.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vhdl/vhd1.js  
**MD5:** 4f804b6884d0d7c233a0acc15fdab384  
**SHA1:** d30d775adce22818b6e3955fae1d653028abb5dc  
**SHA256:** da078efdda01a1245fb8ed5a16cffe0a51823e5917e3802457041dc48243539  
**Referenced In Project/Scope:** server

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: view\_tracking.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/view\_tracking.js  
**MD5:** a26525bd629440e84b02128d6eb323b4  
**SHA1:** 2cb6103f9dad13f5ee416f272cc9f8f14084ffc6  
**SHA256:** 077f385b690f0c7af9976cb7b6d2b60a175f762753a77b3060a6db2686a5ee81  
**Referenced In Project/Scope:** server

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				

- None

### remotegui.zip: codemirror.jar: vim.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/keymap/vim.js

**MD5:** 3a5542b6dabf86e3983f29c5c5a184b6

**SHA1:** b8afaac94045745d4517c9635a5d0c1c266db7ca

**SHA256:** c8124370e0ba7e76d5cde3c18d257c5c99e5578d6505f0eeaab5c791673c40e8

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: vue.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vue/vue.js

**MD5:** 9e7dbdd0bcaee6279ed4e77f5ebc36ad

**SHA1:** dc5c50230fdd556f9c3530f781b7a2b16ad30a20

**SHA256:** 8b9c4f59c1230c537f44f593f5d608a81604e4b3dfd345ea938939d0d62f668e

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: wast.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/wast/wast.js  
**MD5:** fb1f6ce81911f07db605e2e5ccf41cf2  
**SHA1:** be86e08e18cc74130b483022c355846d72116c20  
**SHA256:** 8e8ae8ab4475c66d2f05960ffda597af6279c8c93f62cdab443407bea74c0091  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: webidl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/webidl/webidl.js  
**MD5:** f31e84cde3fcc1fa2efec9889038d7e5  
**SHA1:** 0757847217a95faf4defc9685f6821acdb9d8988  
**SHA256:** a12293542727a69514ae5477a65e33eed4f871fc207c6b275c9d8be1f2177062  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: widgets.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/measurement/widgets.js  
**MD5:** 675098b5f0aea0bf351a1b5762febfa6

**SHA1:** c922dccdf98c79f92fa086bc2a36d970c76b56df

**SHA256:** 09874ad13a856fad11b3afd084e58411741ee2735e61b4d95fec060b60bfd65

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: worker.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/tern/worker.js

**MD5:** c6d16e68bc203e9489fbbd11b5b100ef

**SHA1:** f8adb9ac9944f88bf6e69048c001f89537f32198

**SHA256:** 80c0e9bc4e2ef9ca9c97199818318429d26fae0d2452a20547b1e458eccf794d

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: xml-fold.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/xml-fold.js

**MD5:** bcfaae27958026e83cd442b5df731da4

**SHA1:** 7ad4740f2ecbaa3869b066156b19401075a0315f

**SHA256:** 4ad0fdc2f93882174c9071e9a3c2324d15d4deb0c43fe607f9efe01dda1af9b4

**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: xml-hint.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/xml-hint.js  
**MD5:** f2651770cad286ae58d12e9f5c4e9e6f  
**SHA1:** 17bce6be75e45d7a291a32d0c1e346e4818296db  
**SHA256:** 6b78f04d2137358d5a01e9fa2b3a8f069acc70f925cc7efc39448ebe9599a805  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: codemirror.jar: xml.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/xml/xml.js  
**MD5:** c93fe254ef100aeb5c9dfcda4c91d27f  
**SHA1:** 510c71566cf81560cb5bd1bb25287ed6502dde75  
**SHA256:** dc7e44d410399326f802e2924573cbf6f942a79f647fd0b97f0b607973bc9a09  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

#### remotegui.zip: codemirror.jar: xquery.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/xquery/xquery.js

**MD5:** 56cd9562591919c15b7610f13cd112be

**SHA1:** b294546669da04806196e6aca774914a30a0b3f8

**SHA256:** 618685277efde78e0e48fd5cf95948ae32a4d57de942038ed0579415f3f2f9dc

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: yacas.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/yacas/yacas.js

**MD5:** a70c01cdbc7d4311d4dda287ace27a79

**SHA1:** e853bda930d5fed1db0bd56ab9426612e759f9b3

**SHA256:** edab39fac054aaee5ea8ad3d09e0d38f57d5b24f826df7561526b5efb229fc72

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: yaml-frontmatter.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/yaml-frontmatter/yaml-frontmatter.js  
**MD5:** c2dc6071833d8d9bf02d81244403cbd6  
**SHA1:** 212780f18d78644233eb826c8c660eee51b6ac70  
**SHA256:** 98baa91eee7ba77aaf150a59d7e5146d4964ddb271076cd963cce43f9928b3f8  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: yaml-lint.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/yaml-lint.js  
**MD5:** 925332d44aefcb89b106d4fe9b32e93d  
**SHA1:** 19221be874d11d57582a77dd08fd2f244e9b5500  
**SHA256:** ee7249600f6b395c302b24054060f8abe87cbaa68a9f426593ca5e5f3748bbf9  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: yaml.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/yaml/yaml.js  
**MD5:** 77fd959da1bbaeff5cdd97689da94570

**SHA1:** 9b206b33cc7b2b5e1e21d39bd177b1c6500e9722

**SHA256:** 3256b4e40302d4488834925a990edb32cef7d431f70a40917c1c5398468d861b

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: z80.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/z80/z80.js

**MD5:** 85b28ee5eafe8552bf842eeba91325f7

**SHA1:** 34971fc9b5ed5aa2f8714030186cd3e0056cb2ac

**SHA256:** 0f501d7b8c9c48942900b4d7131f5bb18130395024e66ea5d98aea480f845e2e

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: commons-fileupload.jar

#### Description:

The Apache Commons FileUpload component provides a simple yet flexible means of adding support for multipart file upload functionality to servlets and web applications.

#### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/commons-fileupload.jar  
**MD5:** e57ac8a1a6412886a133a2fa08b89735  
**SHA1:** ad4ad2ab2961b4e1891472bd1a33fabefb0385f3  
**SHA256:** 51f7b3dcb4e50c7662994da2f47231519ff99707a5c7fb7b05f4c4d3a1728c14  
**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-fileupload	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	fileupload	Highest
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-fileupload/">https://commons.apache.org/proper/commons-fileupload/</a>	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-fileupload	Medium
Vendor	Manifest	implementation-build	UNKNOWN@r\${buildNumber}; 2023-02-01 12:39:33+0000	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-fileupload	Low
Vendor	pom	developer email	chtompki@apache.org	Low
Vendor	pom	developer email	dion@apache.org	Low
Vendor	pom	developer email	dlr@finemaltcoding.com	Low
Vendor	pom	developer email	ggregory@apache.org	Low
Vendor	pom	developer email	jason@zenplex.com	Low
Vendor	pom	developer email	jmcnally@collab.net	Low
Vendor	pom	developer email	jochen.wiedmann@gmail.com	Low
Vendor	pom	developer email	martinc@apache.org	Low
Vendor	pom	developer email	rdonkin@apache.org	Low
Vendor	pom	developer email	sean [at] seansullivan [dot] com	Low
Vendor	pom	developer email	simonetripodi@apache.org	Low
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	dion	Medium

Vendor	pom	developer id	dlr	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jmcnally	Medium
Vendor	pom	developer id	jochen	Medium
Vendor	pom	developer id	jvanzyl	Medium
Vendor	pom	developer id	martinc	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	simonetripodi	Medium
Vendor	pom	developer id	sullis	Medium
Vendor	pom	developer name	Daniel Rall	Medium
Vendor	pom	developer name	dlon Gillard	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Jason van Zyl	Medium
Vendor	pom	developer name	Jochen Wiedmann	Medium
Vendor	pom	developer name	John McNally	Medium
Vendor	pom	developer name	Martin Cooper	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Sean C. Sullivan	Medium
Vendor	pom	developer name	Simone Tripodi	Medium
Vendor	pom	developer org	Adobe	Medium
Vendor	pom	developer org	CollabNet	Medium
Vendor	pom	developer org	Multitask Consulting	Medium
Vendor	pom	developer org	Yahoo!	Medium
Vendor	pom	developer org	Zenplex	Medium
Vendor	pom	groupid	commons-fileupload	Highest
Vendor	pom	name	Apache Commons FileUpload	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	<a href="https://commons.apache.org/proper/commons-fileupload/">https://commons.apache.org/proper/commons-fileupload/</a>	Highest
Product	file	name	commons-fileupload	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	fileupload	Highest
Product	Manifest	build-jdk-spec	1.8	Low

Product	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-fileupload/">https://commons.apache.org/proper/commons-fileupload/</a>	Low
Product	Manifest	Bundle-Name	Apache Commons FileUpload	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-fileupload	Medium
Product	Manifest	implementation-build	UNKNOWN@r\${buildNumber}; 2023-02-01 12:39:33+0000	Low
Product	Manifest	Implementation-Title	Apache Commons FileUpload	High
Product	Manifest	specification-title	Apache Commons FileUpload	Medium
Product	pom	artifactid	commons-fileupload	Highest
Product	pom	developer email	chtompki@apache.org	Low
Product	pom	developer email	dion@apache.org	Low
Product	pom	developer email	dlr@finemaltcoding.com	Low
Product	pom	developer email	ggregory@apache.org	Low
Product	pom	developer email	jason@zenplex.com	Low
Product	pom	developer email	jmcnally@collab.net	Low
Product	pom	developer email	jochen.wiedmann@gmail.com	Low
Product	pom	developer email	martinc@apache.org	Low
Product	pom	developer email	rdonkin@apache.org	Low
Product	pom	developer email	sean [at] seansullivan [dot] com	Low
Product	pom	developer email	simonetripodi@apache.org	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	dion	Low
Product	pom	developer id	dlr	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jmcnally	Low
Product	pom	developer id	jochen	Low
Product	pom	developer id	jvanzyl	Low
Product	pom	developer id	martinc	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	simonetripodi	Low
Product	pom	developer id	sullis	Low
Product	pom	developer name	Daniel Rall	Low
Product	pom	developer name	dlon Gillard	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Jason van Zyl	Low

Product	pom	developer name	Jochen Wiedmann	Low
Product	pom	developer name	John McNally	Low
Product	pom	developer name	Martin Cooper	Low
Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Sean C. Sullivan	Low
Product	pom	developer name	Simone Tripodi	Low
Product	pom	developer org	Adobe	Low
Product	pom	developer org	CollabNet	Low
Product	pom	developer org	Multitask Consulting	Low
Product	pom	developer org	Yahoo!	Low
Product	pom	developer org	Zenplex	Low
Product	pom	groupid	commons-fileupload	Highest
Product	pom	name	Apache Commons FileUpload	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper/commons-fileupload/	Medium
Version	Manifest	Implementation-Version	1.5	High
Version	pom	parent-version	1.5	Low
Version	pom	version	1.5	Highest

#### Identifiers

- [pkg:maven/commons-fileupload/commons-fileupload@1.5](#) (Confidence:High)
- [cpe:2.3:a:apache:commons\\_fileupload:1.5:\\*:\\*:\\*:\\*:\\*](#) (Confidence:Highest)

suppress

## remotegui.zip: crypto-js.jar

### Description:

WebJar for crypto-js

### License:

MIT

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar

**MD5:** d612eb229d3193ec311013353dcc81c2

**SHA1:** 0d834be82064934dd3cf5b6ebc0bbfef1638302f

**SHA256:** 6a5e4423940162b371d78d923924acd9ae692e33ce5c23a89c531a140a85b73a

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	crypto-js	High
Vendor	pom	artifactid	crypto-js	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.bower	Highest
Vendor	pom	name	crypto-js	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	crypto-js	High
Product	pom	artifactid	crypto-js	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.bower	Highest
Product	pom	name	crypto-js	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	4.1.1	Highest

#### Identifiers

- [pkg:maven/org.webjars.bower/crypto-js@4.1.1](#) (*Confidence:High*)

### remotegui.zip: crypto-js.jar: aes.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/aes.js

**MD5:** da81b91b1b57c279c29b3469649d9b86

**SHA1:** 5441866409bd32d32331c4b4b652057fb90bc298

**SHA256:** d6bb48feacbd63fd455becce7a5528877242f70e73ba1f7838c186ed8f35fd3c

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: crypto-js.jar: cipher-core.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/cipher-core.js

**MD5:** dfddc0e33faf7a794e0c3c140544490e

**SHA1:** f3a446e5a4f8afea7f841e64f351d47b4af433c6

**SHA256:** bce5bc055bee363d142f0a717d4a4cf2fe1af648cc0dc65bb43d4d376cfbaf12

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: crypto-js.jar: core.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/core.js

**MD5:** b55ae8027253d4d54c4f1ef3b6254646

**SHA1:** 06951bbea3ba1ca54de91f0feefc13fb62b66f38

**SHA256:** 2638bdd7224472f801890636d42df16c144ca46c84229ef3087190d21f935daf

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: crypto-js.jar: crypto-js.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/crypto-js.js

**MD5:** f716a02969e459fdc8f37dee235e925

**SHA1:** 6f2bb245feaa0997fa30b085af0e8990d21395cc

**SHA256:** f0bdf25fda8f9af5920c82070775864c7e1166eb31540d030e6b80a382e39ce1

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: crypto-js.jar: enc-base64.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/enc-base64.js

**MD5:** f551ce1340a86e5edbfef4a6aefa798f

**SHA1:** 9e1b1bf75f35833ca2480ee401b4cff8b7eb1fe3

**SHA256:** 84b69d1625474179d55622a8333c3aac376dd8bc77de7b06c21695762cb69cab

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: crypto-js.jar: enc-base64url.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources

/webjars/crypto-js/4.1.1/enc-base64url.js

**MD5:** 2aaf8cb964cbe7c2650fddaa2fe53de9

**SHA1:** 411a390b33297c971db47026af8806cc60d166ea

**SHA256:** 8177807d1e08a925e69470a8dc485d6a0d02992a064fda93dce0fff8fa18c24a

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: enc-hex.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/enc-hex.js

**MD5:** efb02f85686d948c69ad13ec6a7d479c

**SHA1:** 27f6a54ae346ef0a9a63084990591e0f986bea38

**SHA256:** c7dad9931250921c24508ba9949abb818745b38891da44693359249b11ed143d

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: enc-latin1.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/enc-latin1.js

**MD5:** a8c77d13f48479c2f76678c6e7f06ca8

**SHA1:** 9753af5959867f998f0feffd6f1699e88c92f39e

**SHA256:** 24dfce2cc51ec0481aad1f62933bd0ae1238c34c5b0e73aeb1729027c913a26b

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: enc-utf16.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/enc-utf16.js

**MD5:** e24e079fb22a2f7063cb9f856bdf10b

**SHA1:** 01f29539d0bc1e2c10638d0f3b9af99d978e15f7

**SHA256:**c35339900b45fa701c390c924009a95270b4b4d91b427e40984f117c2f7ec67d

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: enc-utf8.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/enc-utf8.js

**MD5:** 5a9aaa6b97e87bf258edf26223bdcf61

**SHA1:** 16bab2dd76daec10b9b3e2569f3fc1a207b5f726

**SHA256:**8c7e44dc2d49b20fd78a44827fa962a28a5e22e0adfe036aa0fdcfc7adb89984

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

### remotegui.zip: crypto-js.jar: evpkdf.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/evpkdf.js

**MD5:** 7106e06bc97d1f59a9324ef5ef9c14c2

**SHA1:** 89cccca6c0e5261d31302cb4726a26f21a84ef39

**SHA256:** 03a8ec00db105b3b813902400ed65169d12ecd382fa13402fd62c55e251caacc

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: format-hex.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/format-hex.js

**MD5:** e2f78f02b844140cb8763fa7cd8daa45

**SHA1:** a359182575c8d43c6e5381209472f8954e4d5496

**SHA256:** 040a2918bec8cb8ba0a6303fa3c1bbfd899bc8644643e8ac493e3c08a0c09097

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## remotegui.zip: crypto-js.jar: format-openssl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/format-openssl.js

**MD5:** 502d6df5aa16084bf5abb0f3077c13b5

**SHA1:** 7507a0c1ccf7049a8a10bf2ed73f24af5ed00aa3

**SHA256:** 1ffa86862e66b6c0fff35cb96875e97a793aaf86ca749b29381cbc67a0877bba

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: crypto-js.jar: hmac-md5.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/hmac-md5.js

**MD5:** 95b2fb61fbadc00bb3dce9098e37256a

**SHA1:** 143d92d0c7d56bc57036c318cf78dc50cd72b557

**SHA256:** d3072014eb4186d02e335c511b3cc6e163a5cfebaa8c4ae13634af24887078e6

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: crypto-js.jar: hmac-ripemd160.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/hmac-ripemd160.js

**MD5:** 6d51886c1d976bc143c790593cdc0920

**SHA1:** 29a848612a72b95abd8d8a9ee8d4874939fac6f0  
**SHA256:** 28e2bdcb143840e4e01eff312a728e0f652d7dcb0d1bbdceab0bf48ff5cae8ac  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: hmac-sha1.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/hmac-sha1.js  
**MD5:** 4acf006c1688cf4513ed375d7a94f86e  
**SHA1:** 8fbe2fbecb2caa64f74c0393f9f6641f78e3b732  
**SHA256:** e104acb7379b834bd9249e3cfc2196acbf90a22bb10947feb2a1fbe30ded105  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: hmac-sha224.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/hmac-sha224.js  
**MD5:** 875a7a330903a92828b279818e6b06b8  
**SHA1:** 586cc496e368eb6f6119e0a6089ef7f8f421dee6  
**SHA256:** 35208e1e4631ff5f9bd83220dbfbef63290eb93e914055b35583fbf19eb76693  
**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: crypto-js.jar: hmac-sha256.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/hmac-sha256.js  
**MD5:** 69817fc0da86033d4ef559f0febd3d32  
**SHA1:** 84c60e2a1dce8f06c1e4340542199cc9cc9a3454  
**SHA256:**11d26c11f858b74bf0f106c74ddb579a112d3e7321fd684365a77ba2a7a5dffc  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: crypto-js.jar: hmac-sha3.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/hmac-sha3.js  
**MD5:** ea6cba03f7c6b257b70c1497022b5514  
**SHA1:** 0d8f8002491a9311c7035aaf07d4a0329f38ced0  
**SHA256:**bc63c36741416fb55fbb3c7c4a78b5e056d9b902a471bb16b6f5672fbbacbf8  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

### remotegui.zip: crypto-js.jar: hmac-sha384.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/hmac-sha384.js  
**MD5:** 7afbdf157b81970eb00a50bc421e7ce1  
**SHA1:** 9196d839c46163f6e51c63410ba0076a09ccf178  
**SHA256:** 93494b918b2eb79cd1be66145a41137ac0d65739ed6cb9e04f82bf1d7cdc7019  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: hmac-sha512.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/hmac-sha512.js  
**MD5:** 5d3e9930daf490e45b446cb42b31833e  
**SHA1:** 4b07089a6c56852d15ec948b58408d5b5d32cafd  
**SHA256:** 6c2b59ac5e27099986b28d32e425ed3d65a4621c1c6512d03d40b336c6e88a2d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: hmac.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/hmac.js  
**MD5:** ee162ca0ed3b55dd9b2fe74a3464bb74  
**SHA1:** d68f1ed4e3aed7807fe17a8193fca4775221dfa3  
**SHA256:** c89f8f08ae06990edbc0763cd46853d16c70eaf513de8592b1ffb74a2ad2f7da  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/index.js  
**MD5:** cb562c09323e042b35ca6e5335579542  
**SHA1:** 8ec84f102ee7cce9d370ac4bdbe29aca1c07968  
**SHA256:** 6f82946296b10ccf775008877319312b9785c616301d4d773cb9d700510c79e8  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: lib-typedarrays.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/lib-typedarrays.js  
**MD5:** b8bac2e22a7a589167e014be77736c72

**SHA1:** 622fc0f297b3799ff91b08469989e6fe113cbda4

**SHA256:** a5875f287e6cc6dea0ab64024db32783229a7db55f74deccf6566973bbd76ec9

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: md5.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/md5.js

**MD5:** 349498f298a6e6e6a85789d637e89109

**SHA1:** e626c530154c07527abcfb1f83b9ec578a81b234

**SHA256:** 97dc67431dbd3360ea838fecad611a30f540f8389bbd15b89a1e14ba8dbb54aa

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: mode-cfb.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/mode-cfb.js

**MD5:** 5847dafc1beecdcd23925f9f4989b2

**SHA1:** c9972596e02db6c6221ae019dcf1498d30e9ffb4

**SHA256:** a3626b78fe53d7d32fbcaeaeb92750db305e84e2ccb84e61d735ac7a4dc7345c

**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: crypto-js.jar: mode-ctr-gladman.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/mode-ctr-gladman.js  
**MD5:** c4bd3b4755cf275747f8e68b0eed7995  
**SHA1:** cabbcc4100b4d363f1b55d42b930ec547ad67dd1  
**SHA256:**fcd6166981435cc01bdfd2fb8f9e2773acfb144ab8c47e0c71473d9bdee755b0  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: crypto-js.jar: mode-ctr.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/mode-ctr.js  
**MD5:** 6cec0458e4e62c1ff8b534e59f9132ff  
**SHA1:** 591484053ed26919fa6e4cecf7aa723dcade4bb6  
**SHA256:**9e67161f61922a475b142b2e18cb4470ed7860ef61bc6e7a41f327f7a59be96f  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

#### remotegui.zip: crypto-js.jar: mode-ecb.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/mode-ecb.js  
**MD5:** 3a84195b8427195dd9c345a0f3aa2313  
**SHA1:** fe621e95709e31a5289c78d114aad4a920f14923  
**SHA256:** 4f563373ba4af442e1b425b7b7dd1030ed84b9babe9821949922d9677bf14701  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: crypto-js.jar: mode-ofb.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/mode-ofb.js  
**MD5:** 48f5529799d5eac8fa9f855ba1402737  
**SHA1:** 4e97befa1e4d0003cd2fe9d21d85d6636513fdb4  
**SHA256:** b49077bf4bf5e8f2cbb2de0e2d48c4d941a3feba2bc7c629abd51fe2ac8bdb2f  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: crypto-js.jar: package.json

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/package.json  
**MD5:** 061334ee463d77ae9f4cbd513f19671e  
**SHA1:** e9cfcdf1705722502212095c9aa76bfc82ddd834  
**SHA256:** 6d39bc6ae898b85aba801a99ed4d6c79a6b5d9d3a56a1df9343f5d3d4e487072  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: pad-ansix923.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/pad-ansix923.js  
**MD5:** ca8ab3266976ddad6e811577212b8c88  
**SHA1:** 505018913484e110aa81842a4511a2a52cbf2231  
**SHA256:** 7d950bc42f262159a2786eea30d1153a3d0bca9aab9acdbcc1a981a8d2854ef7  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: pad-iso10126.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/pad-iso10126.js  
**MD5:** b1c4aa95c8bc79280076e66352b6c219

**SHA1:** 9c081665a8d0f4399c5f3874f38f811932900d54  
**SHA256:**d3695304e8e7a001cc6e1b84d4b58abd429dd7e3f09514c260bcd3122a3aa685  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: pad-iso97971.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/pad-iso97971.js  
**MD5:** 4027c92ac1ed3c95f39e8e2a391500d3  
**SHA1:** b7034e19bcb012cf7549baea65a70d25b8e71480  
**SHA256:**f7f7179b8bea5b6ef4f0891f23b563db8aa530376795cd99ef84942cfc62d328  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: pad-nopadding.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/pad-nopadding.js  
**MD5:** e288e14e2cd299c3247120114e1178e6  
**SHA1:** af4df0df185ab10e12fe8c01f885027eabe3c8f3  
**SHA256:**a722d1f11486b807b34076ec3277ea3a65f21837db2d9f76eb5daa7de312479a6  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: pad-pkcs7.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/pad-pkcs7.js  
**MD5:** 23c101a5a832bfa8a894b9813323044c  
**SHA1:** d21f12b724eccd65c9f20503bdac2c41eb8ce985  
**SHA256:**9a3c909e8c3b6604bfd7a48a3c7e61504292744d894bce1266b44691b857c1bc  
**Referenced In Project/Scope:** server

Evidence 

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: pad-zeropadding.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/pad-zeropadding.js  
**MD5:** 23b4116306620a01bed22b52014c7c65  
**SHA1:** 34360c2d2f9a38e5c3d197223a2f5b6777cbc1e9  
**SHA256:**d99e781985e817da7c6af30d957c45419b1a7e176bf52160424ebbbf970df906  
**Referenced In Project/Scope:** server

Evidence 

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

### remotegui.zip: crypto-js.jar: pbkdf2.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/pbkdf2.js  
**MD5:** b9511c07dfe692c2fd7a9ecd3f27650e  
**SHA1:** d9383ee2dc36eb56abadba701c3168d2556a7d8d  
**SHA256:** 77a10ae4b1d93686539ea2d37a837d56e6f9e8cd3ce49d782a4cbbf34094e800  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: rabbit-legacy.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/rabbit-legacy.js  
**MD5:** 8fdb6b7d8bcf3aef27398d47d13dacb9  
**SHA1:** 23dc78f4b418c296ffc166bbcad8c678d6ab2efa  
**SHA256:** cf9afefa87b216dd4d8be00524f8904bba1147fbb90273e5e6a7b2824b52e56f  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: rabbit.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/rabbit.js  
**MD5:** b3bae9fc93314924cbd6c4283c1e91ef  
**SHA1:** 4bd339e3a9e954c2766a07a96cf7ec2547e76cab  
**SHA256:** dc93dba650db41783f8a3faba6ba17ad82cb0eb1b6fa84df406f71d520d84b42  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: rc4.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/rc4.js  
**MD5:** 846a99f1e90dbcbb5773793c3fe8aa5c  
**SHA1:** fbb684811bde18ce2faad2ffbda3aa9c00939e90  
**SHA256:** 571eca05c055a26c729f757f83b9f849968ae0dc0ba9870e5be9526019c53a33  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: ripemd160.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/ripemd160.js  
**MD5:** 1d13fd2d4858d87c36c43a0a6436f0d4

**SHA1:** 9187ea140085390e357f1e7804f95e7a5812d494

**SHA256:** 3d7eea732acb8f27ba7be5ec54cc1c5ea198be2f7b12ae78cf03ce3b87d78da1

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: sha1.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/sha1.js

**MD5:** 5fbc23cf1d5cf34e9f7798650d07b333

**SHA1:** 7401e77dccaff4ecaab8e57fd11fccfaf5f33c75

**SHA256:** fca2d5560acb8de760ebc94679ff210056722af8193871e75176a61a977ac30f

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: sha224.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/sha224.js

**MD5:** bd908518f276d2df58277bb38185b307

**SHA1:** b10b13e02fadeea29119f6976b346d9b06c84342

**SHA256:** 542ddc722d9711595c11d57caa9424beca928b3553747a51e3f1c57c2c08ec16

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: crypto-js.jar: sha256.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/sha256.js  
**MD5:** 561d24c90633fb34c13537a330d12786  
**SHA1:** 7593f14b59ba2099cbb4ffb806e75758fdeb12f5  
**SHA256:**d8074f23cbd27aa6c2f231b8bdad34bbd8d49c7e47ffa0d7cd07a2c4d1d3c798  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: crypto-js.jar: sha3.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/sha3.js  
**MD5:** 6fe2614bbdfb802fa873f118621c7fb8  
**SHA1:** d977f518e609149d1b51932648669a4be7a97f27  
**SHA256:**6ee08cd3d69b181cb735011acd0a0d57b6a4a071baf8ecbbbb9aa18cf1e4d6ac  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: crypto-js.jar: sha384.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/sha384.js  
**MD5:** 6ae085f20325eb927ff673ef20568137  
**SHA1:** 8d7bb4a99b713d53723f8f1ad3442cf9e9edf9a4  
**SHA256:** 8d902216aef6840bb9951117bdd3aa6331078e68ee04987aa1d59c73b5ff3066  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: sha512.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/sha512.js  
**MD5:** 0e5e8946947671eefe910c58f1272c48  
**SHA1:** 7b4efa121b30865b12f7546f1e99e22c6c2a3c40  
**SHA256:** 986ca486a1c9e58e9d8fc38d1db4e652e14c751ba1a6a15fd81439d261efe2b0  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: tripledes.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/tripledes.js  
**MD5:** fcd80fd597ef5e6a0fe34cdf484a8825  
**SHA1:** 94c5615ac7a0f2ee61bb5325e46d61151893dfa6  
**SHA256:** 8d8de06235e08f38ddc855070ef8cb86d7c69a67b3a5278f8cbf2af64b55122d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: x64-core.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.1.1/x64-core.js  
**MD5:** 677577ca38d04508f116ebc977dcb11b  
**SHA1:** 966f596f1adb7e7780021ae463a62890de8b19fc  
**SHA256:** c54130dcd19ae2c7f8c4b4a69cb2038a65d363899cddf7ebaae0102bfc8fe086  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echo2-app.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2-app.jar  
**MD5:** 6524d488cd7402977af43d02a32e52ce  
**SHA1:** b4445286d07023c764ed9d02092fd76733f19fe4  
**SHA256:** 8cebf7a13bdc5a671d1b659ff05faed1e1d68e95813ad52597718fef38746556  
**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	echo2-app	High
Vendor	jar	package name	app	Low
Vendor	jar	package name	echo2	Low
Vendor	jar	package name	nextapp	Low
Product	file	name	echo2-app	High
Product	jar	package name	app	Low
Product	jar	package name	echo2	Low
Version	file	name	echo2-app	Medium
Version	file	version	2	Medium

## Related Dependencies



- remotegui.zip: echo2-webcontainer.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2-webcontainer.jar
  - MD5: 783b5f05163587c4d19ce43977f564ec
  - SHA1: e401d4249ef1bdd399f6fee652bf1120a48b5882
  - SHA256: 4b4e1d96c4b304d6bbbfefbd4ccdb85bc7c05070a93388e652d7331bc72d9119
- remotegui.zip: echo2-webrenderer.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2-webrenderer.jar
  - MD5: cf2fcfc745ac1f7374007788b8fb30e3
  - SHA1: 8c912e8ce2e23407058bf8f55a6d68e2d4737f7d
  - SHA256: 72851edfb13406ec61dee6eeb347c5c8640244b80a89f3ed75a15d925caaad2c

## Identifiers

- [cpe:2.3:a:nextapp:echo2:\\*\\*\\*\\*\\*](#) (Confidence:Low) suppress

## remotegui.zip: echo2-webcontainer.jar: BrowserCommand.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/BrowserCommand.js  
**MD5:** cec5ed45ed5d929439b2ae615b645097

**SHA1:** aeea282f11788e5be7dafd78adb833e539ab75f4

**SHA256:** dcdc9a977d80f20f45d9f487692b7d5ba9dcc538da5b4a750b7ba03ee852f5af

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echo2-webcontainer.jar: Button.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/Button.js

**MD5:** 81215c8587cea98fc2c9f41d81e99386

**SHA1:** 4cc203b7f5b48a3672447f13dc333af29a02cb1c

**SHA256:** e6639e7a2eee92dd4c86c1a548ce8106d7358d8c7dea7c747e6fc2377050d138

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echo2-webcontainer.jar: ContentPane.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/ContentPane.js

**MD5:** 6da93a27f5afe89ad3dc8161cc60450

**SHA1:** 2a715f6111f70e16c1baab3b9960b9af31ff9409

**SHA256:** 830454078b8dca968b15c1b002066c6c7c21da19b3e2e0b87afeea17e07b562b

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: echo2-webcontainer.jar: ListComponent.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/ListComponent.js  
**MD5:** 3baac4b4c7d7570210bc70337f079511  
**SHA1:** 2b40df2cc63611728d0154fb9a1f0ff5590e268e  
**SHA256:**64a4f73273b6e27fa3641d23fc15a230f07e059aa3e37e2fa11466359dfed721  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: echo2-webcontainer.jar: SplitPane.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/SplitPane.js  
**MD5:** 73030d7f65e69b1963de89475dfca752  
**SHA1:** e6f525f36c46d3e9581c786d16ce4e59dac0260c  
**SHA256:**8f2ae429c270a4ae095f2aaa3cdddb5adb6249a61d35defbe6079d01f37872b4  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: echo2-webcontainer.jar: Table.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/Table.js

**MD5:** 83c78e8bfb81930f1c4646b765ef01c9

**SHA1:** 8a900c967b2ee0bb2abb2244075734f4907da416

**SHA256:** 1fb14e2d9998d1cc09ef9bbb94c7492f27418e6cd23c82606041554bcd48be1a

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: echo2-webcontainer.jar: TextComponent.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/TextComponent.js

**MD5:** 44c40be87a258f223636a3b1e81223be

**SHA1:** a46b2983414fd8bf6873bcd7155c1b226f46df37

**SHA256:** 78d3b72d552e28209db2b832cff0fd0e4ec0848ba43d5b4ecd8d4c3f76b3d2f9

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: echo2-webcontainer.jar: WebContainer.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/WebContainer.js

**MD5:** 3187e8b29a8357e96be24bde33f479dc

**SHA1:** 4208f56c5424a86cbf114d4638c068446baa31f8

**SHA256:** a303d0bd198f7590a251d6485cce0d34855ac9485d97d7d5880aab1ec72aa088

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echo2-webcontainer.jar: WindowPane.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/WindowPane.js

**MD5:** c9446071fff586f20e7f677e5dbb8597

**SHA1:** 58915a592236e816dd9f83eefc0977b542262d32

**SHA256:** da1fc1c3e27e3ce28847e410e51e66dc33f1f744650d9051afbaebe92f032977

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echo2-webrenderer.jar: ClientEngine.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2-webrenderer.jar/nextapp/echo2/webrenderer/resource/ClientEngine.js

**MD5:** b97d4b63d35a8f8a9cb5a99b720215de

**SHA1:** 4a2124b33e4d7e9db720d92924905aa1e7297378  
**SHA256:**57e9f7be3af39ba8f736cc97efa958335463959271b0885c74ee668f41b5f4a5  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2extras-app.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2extras-app.jar  
**MD5:** e1ba37ba20c3021c38e362cac081d986  
**SHA1:** 64e7748149ca2af54ee693c8e232343d64c1b966  
**SHA256:**ad4489475b3c77aeeb62ec1c1bc211c8659b84649fdb1e72f4ee6e005b21e37b  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	echo2extras-app	High
Vendor	jar	package name	echo2	Low
Vendor	jar	package name	extras	Low
Vendor	jar	package name	nextapp	Low
Product	file	name	echo2extras-app	High
Product	jar	package name	app	Low
Product	jar	package name	echo2	Low
Product	jar	package name	extras	Low
Version	file	name	echo2extras-app	Medium
Version	file	version	2	Medium

Related Dependencies



- remotegui.zip: echo2extras-webcontainer.jar

- File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2extras-webcontainer.jar
- MD5: df488c27f775875afc2efa1ba1a14778
- SHA1: 8b9c1d082e3baac3daea4821cd6fb56116c44c7a
- SHA256: 50dabd57f50caf8df7d1fced59f7285d7b6179c47bf9b22aae7e7ee1d62e62c0

Identifiers

- [cpe:2.3:a:nextapp:echo:2.\\*.\\*.\\*.\\*.\\*](#) (Confidence:Low) suppress

remotegui.zip: echo2extras-webcontainer.jar: AccordionPane.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2extras-webcontainer.jar/nextapp/echo2/extras/webcontainer/resource/js/AccordionPane.js  
**MD5:** 5e2309292be34670965e17a63f3d67e2  
**SHA1:** 136a82463b674894191f92a08a7fb2c127728e68  
**SHA256:**2b02ad757a502013be2834c414c90832cce07e657f9c8fe4823f94351429aa4a  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2extras-webcontainer.jar: CalendarSelect.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2extras-webcontainer.jar/nextapp/echo2/extras/webcontainer/resource/js/CalendarSelect.js  
**MD5:** ee105b17e6a49ca6894f6a89b93038ca  
**SHA1:** deb92e218480368f3d1e1b4471fa716e615d2694  
**SHA256:**333078b2953145f5c2798ec878ff5f7859cb7c73e5383b5f04e0641377dd882a  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: echo2extras-webcontainer.jar: ColorSelect.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2extras-webcontainer.jar/nextapp/echo2/extras/webcontainer/resource/js/ColorSelect.js

**MD5:** bb2817813b145fb047035165f4609e11

**SHA1:** 60ed59f4adf34e81089e8a6ed835a52952186b1f

**SHA256:** 154ab0e5af207065ae91524a90a06acecd3c88d914c541ed19f6f0e15e10170a

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: echo2extras-webcontainer.jar: DND.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2extras-webcontainer.jar/nextapp/echo2/extras/webcontainer/resource/js/DND.js

**MD5:** c3190a4d76a03ff134dbe71d572d6093

**SHA1:** 29d971a57365ecd29d6233f6be54cd5e638cad5f

**SHA256:** 052a40f554e33a722e4e157a1f9c1dfb8bd26160ac98f5036ddf5cb594cb44bd

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: echo2extras-webcontainer.jar: ExtrasUtil.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2extras-webcontainer.jar/nextapp/echo2/extras/webcontainer/resource/js/ExtrasUtil.js

**MD5:** bb41e331c7cda7542545723669087b7d

**SHA1:** 94b6f7023b77af6bab7942d71edaa0a317a18741

**SHA256:** 27f7d1bc497b52e3c81cad90d7f8857d86534389649c01f58455d6e506e065d9

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echo2extras-webcontainer.jar: Menu.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2extras-webcontainer.jar/nextapp/echo2/extras/webcontainer/resource/js/Menu.js

**MD5:** dff4844bd2e7e0ace646cfc026a22e2b

**SHA1:** 14a08892f49057de2266a978d3df2ba62ca6f0af

**SHA256:** 9955938b46227d85dc73b917640bc28c5c02ffddeb4b2d0b727a2527293d14b1

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echo2extras-webcontainer.jar: TabPane.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2extras-webcontainer.jar/nextapp/echo2/extras/webcontainer/resource/js/TabPane.js  
**MD5:** 7203f99e669e30e5bf1278610d799c25  
**SHA1:** 6e706337109b8bc1931bfd90cd02051168617261  
**SHA256:** 1b484543b2a8a9a473d7cdb39d8c939a8320f21b73cfd70f3fae4d43688435db  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echo2extras-webcontainer.jar: TransitionPane.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2extras-webcontainer.jar/nextapp/echo2/extras/webcontainer/resource/js/TransitionPane.js  
**MD5:** 52cfea31f2f87e072ff5b0a826655658  
**SHA1:** 798043e69001103030dcb146240e387e77d2e587  
**SHA256:** 18fd61e5fbf3dd6b5d63b1916714fb4a0239f7d9a9f4ec1411bfe41d70e954f3  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echopointng.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar  
**MD5:** b97311541ad7a3a8d9bce707c0b5ae81  
**SHA1:** 9da2843de342b6195589687135c44a1327ff494a  
**SHA256:** fb4297263e65a013f39d2b2982343736476f22cd9b4bd2bafd1ac195a39efe8c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	echopointng	High
Vendor	jar	package name	echopointng	Low
Product	file	name	echopointng	High

#### Identifiers

- None

### remotegui.zip: echopointng.jar: blankcanvas.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/blankcanvas.js

**MD5:** af461ae7fcc7c2982dc7a2c9d66db238

**SHA1:** bbb3c48fedb35f63655e6604a7e2303077e0457a

**SHA256:** d402afcceaa4f1e5efaf55009c56886cd53c86d880a6b03e608d79ded024ee45

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echopointng.jar: button.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/button.js

**MD5:** 8531b2c1536e2d30e3df983e2c7a2217

**SHA1:** c7ed360795011104ccf8c63338ed8e06e923797f

**SHA256:** 77646e360a21f4294cf45d839366dbc1a91b69573c87ba7234f2d09f7f0c7724

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: calculator.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/calculator.js

**MD5:** c1585b51055b1631271c922d5555daad

**SHA1:** 3f285a1af63b444cbbb9361792b71a0ff16345f6

**SHA256:**1475ac04db0d45f0b1b6e5de7355c73b61934207eea96dc1239ae8e1261f3f4f

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: colorchooser.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/colorchooser.js

**MD5:** 76363342cd06ffe0e205fca9110d902c

**SHA1:** 77f2ba109f495b87b6224ef890ae08ab577561e4

**SHA256:**a1fec15a23c349ded1cbe91f0ad252d07086b75a9a0a6cf411a39208fb56418

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

### remotegui.zip: echopointng.jar: combobox.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/combobox.js

**MD5:** bc172893359138d97f3ccdda6b51c32b

**SHA1:** 4ebac02f8d296eebbbe9f1bb44a1c0d0a5f2acf0

**SHA256:** f6d39c6d806bfff5b67a76f89b5fef3ffa4f542a38282e9b23c9838bbbefa770

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echopointng.jar: command.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/command.js

**MD5:** 22524ba396f3b6193c57855db5041085

**SHA1:** 62dc2c5692866d1222946c225c00d1aeedf154b8

**SHA256:** 3c55d005e1dd2f2723e2ce7c9cb906ccc99753230882f671e08e3f4196a9a842

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echopointng.jar: containerex.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/containerex.js

**MD5:** b080ee991e18c93e892ed63a43299893

**SHA1:** fe5ed5851f627cee32c72bad88351e25689a18f1

**SHA256:** b1b2a5b2daf9d4d22c646d4caeb0d9cfe33eecde3a89910e0b6c511b9164583d

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echopointng.jar: csscommand.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/csscommand.js

**MD5:** dc731de6fea7b372aad1676f4f188c11

**SHA1:** 292d006070a00a557aca505771fccf3b15d819c4

**SHA256:** 3720eb758aa628f0817484a4c8dea8c26da92a6bd44612e2794ad1b8f9d18b04

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echopointng.jar: datechooser.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/datechooser.js

**MD5:** 03360772d464936c4db0853af7f293ac

**SHA1:** 9ca7aa251deb9d6bfa224de421b405a77ceaab76  
**SHA256:**beb9c8189e4a2ecb449b025fdce8a5af22e6fbd705f908ebe38970be44e2cae5  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echopointng.jar: directhtml.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/directhtml.js

**MD5:** 67fe6a6d53c7f7a31ec424cca0cb113c

**SHA1:** 176ab2c18503d4f6f09e7939987ef9bbda793f50

**SHA256:**e98b3372e5a1dcbd3df5c922e05d738344f4078f09236f335bf5cc1097429af4

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echopointng.jar: ep.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/ep.js

**MD5:** 909939bf59b597cb43bab18b58915d45

**SHA1:** 1eb058d7ec9e90df36cee746342423df26cfdeb1

**SHA256:**2310adacdc07bdc68bc04f67b438385735ddd2f7b8c094363061743e550eb3bd

**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				


remotegui.zip: echopointng.jar: epdrag.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/epdrag.js  
**MD5:** 9b2e790d15782ac504510920b8047dcd  
**SHA1:** 7165f0c117bff0d7d58de91811f865fef0115b32  
**SHA256:**738d39774c0bc2b962b78d3aae1b64beb832d0197b9c6daa9b68750757041518  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: echopointng.jar: epfx.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/epfx.js  
**MD5:** 4e3b34df6d6fd962bee24cc944307e6d  
**SHA1:** d8e0b8b1ed022c29c93d8aba4f00f79243f62d3d  
**SHA256:**2e0466c152814468619f3008887429aaef26139f41adbd74dd18ee83f17fb6b5  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				

- None

#### remotegui.zip: echopointng.jar: epstretch.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/epstretch.js

**MD5:** c06366200854d236a636ca39933736a6

**SHA1:** 39cbb54acbcc28878997d30c13e80ff868267b64

**SHA256:** 56e934dbaca23f709e52c48d3894207f4d89b7275aa33d44a1a7464d85e20e98

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: echopointng.jar: expandablesection.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/expandablesection.js

**MD5:** 9ddcbeef2af11dd42386e18db317d250

**SHA1:** 86dd0803c2361c4e70d99c4f6f1836320dabc9b7

**SHA256:** 9e107c496ba94ece3ca6e4d8b4849bcdce46c05ce481b5c28ca40840354cb1e8

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: echopointng.jar: flyoutpane.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/flyoutpane.js

**MD5:** d56994dc24bf63ff67511e059ac153b8

**SHA1:** 3f36629e0fd1e7aa2806c177a593e74fa0840ab1

**SHA256:** a12d2eb0d62b961ae4866d040e86c3a991b9c75bbd052cb8ab980f8db4232a69

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echopointng.jar: historymonitor.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/historymonitor.js

**MD5:** a021bbe0a65436f4d5b0fada7f7a2e95

**SHA1:** bcc78b12603aaf90eef91e06041bfb00950ed5b1

**SHA256:** 6e2ffa35896b2c08cedf06ead4d6c2b39f9ce848ae138d68cf211f17f94188cc

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echopointng.jar: keystroke.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/keystroke.js

**MD5:** 2abc4444f27c24f3250735d0e24dd929

**SHA1:** 0165ba94e6678efe34006b14257abd8ab5f59b70

**SHA256:** 75cb2b3ec2ef321babcb2c9d048a26090138205cf8aa8b072bc432e496e1959f

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echopointng.jar: labelex.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/labelex.js

**MD5:** 5e68e9198394e79d5344002a5c0ca388

**SHA1:** a46e072aa92701659c8961718c64de8cabb05672

**SHA256:** 2e8ebe8b669daefe4675d3fe025cef8bccefebae3360f36bd443a3a9e09b00bf

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echopointng.jar: lightbox.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/lightbox.js

**MD5:** 1da8a9321b1a9537e9db1633be4e93ff

**SHA1:** 4acc96a88fd3711611a5479883fec0c577e61278

**SHA256:** 68cb57c9cbfa41837b0b8e0a297ff5f63ed2e3dbcdcc99ddb327e6eb2c344fa7

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: echopointng.jar: livetable.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/livetable.js  
**MD5:** e3d9068b389a26b6dc20cf8f649d6728  
**SHA1:** dd4d66ee287098de8c3e310633fcef522bb6b38a  
**SHA256:**9940cbf5b950edb0d00334bdb02edd45a9656a619bed29a6e14bfacc941db9f6  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: echopointng.jar: lookupcache.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/lookupcache.js  
**MD5:** d396ded32ccfc4c0eb7ea8d620f95c6b  
**SHA1:** 5b0f6d8dc50f2e66bba7b6dfa816243a9564c13f  
**SHA256:**2b8fbdcc66a72a3ab518039278db8b86ad0f3cd43545c3e2fb2dcc88c076e075  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: echopointng.jar: menu.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/menu.js

**MD5:** ceb33b1b06161e20409918ac849ecc3a

**SHA1:** 2da105247ee62c35765d686a545486b0fc0c7e17

**SHA256:** aefb0d8e30e6c56e52ce37a9f2cf6a1561477e23c4f2a0c8137b8452f445418d

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echopointng.jar: nativewindow.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/nativewindow.js

**MD5:** 21205429823868aed449bbef8866781e

**SHA1:** d4e0c7cfce3fa5a642b2cf4e19330f8f7dd60923

**SHA256:** 11e864c5e9349791fc04530b21860d5a5189cfbebf8c61749723bfe40d152a3

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echopointng.jar: popup.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/popup.js  
**MD5:** 526c00e6fd13059fe0e1d0e27e00ee6b  
**SHA1:** 44d553436551d74f1e0b4d5b4beba24ad8619970  
**SHA256:** 48e5e3afa1f17d32392c4d87336f0aa593fdd6a434d347cbcb74a7383256d8e6  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echopointng.jar: rta.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/rta.js  
**MD5:** a3b886886418bad087f21cb3e41246f3  
**SHA1:** 3d5230d844995ea50b3e79875f051de5c2b585d6  
**SHA256:** 58ce95bc3f07abfd9c8e13a1837ff7eabd766f57fc220396d5c4755da3a22706  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echopointng.jar: slider.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/slider.js  
**MD5:** 09c92eedaa0aa605eafc7c933ca451c1

**SHA1:** 339e0448113b76695bfeb102d2e5194766676763  
**SHA256:** d36f46f7fc6e97a81417c6c67490bab3755092070689d390b211e7112c834182  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echopointng.jar: stackedpaneex.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/stackedpaneex.js  
**MD5:** a9be9e800bb757b5173b2b33d26b36d9  
**SHA1:** 8191a7c71fc4deea30a836cfde3e425e4cc41984  
**SHA256:** 61793aba49962d4477232f8577c3208d1ec89cd76f02a61b0164df69adad71d8  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echopointng.jar: tableex.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/tableex.js  
**MD5:** ed81c9b7a76bc66c2865d09c5603fe95  
**SHA1:** c896c1b21be028b1a27af5ab129e74279b22d718  
**SHA256:** 069ffd460c63e5b3bb788f723cd9bcd16c3e97e083a2068f0300da8038af5d97  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echopointng.jar: templatepanel.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/templatepanel.js

**MD5:** 5323649865617422da0db27f9314834f

**SHA1:** 0510c58e3e49d4ed459b9154d508f67bb7dc458a

**SHA256:** ef8da75ec048040e466e45d48a774b2a0eabd54b50eeb3aae6195742fa8eeac5

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echopointng.jar: textfieldex.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/textfieldex.js

**MD5:** 72dbe933a2629cbced5859f30899435c

**SHA1:** 16f3d36326cf6c168d85cf9327258b2cab5ba42f

**SHA256:** ab7a0b4d02015202f5abe9b33fb286deab007a42ee9adff2dd025482b6df802a

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

#### remotegui.zip: echopointng.jar: titlebar.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/titlebar.js

**MD5:** e44b0a7d883fa295f513ae66e8baf3b6

**SHA1:** a73818b6bee622a8c949bc6f0ada96ac29527075

**SHA256:**08457a169a8298c85215704f8e3acadd29ef4f01f7a07decdefcc520540d5f4c

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: echopointng.jar: tree.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/tree.js

**MD5:** 9657b74610592c6e68183de9a17a8014

**SHA1:** 663ca96d35d89bdf25b2eff628d7a1d854a68ff3

**SHA256:**dde9bc5bda4b2e85e21e69367624fb98b30de5af452a7ede67c4cc6a3afdc597

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: jquery-ui.jar

**Description:**

WebJar for jQuery UI

**License:**

MIT License: <https://github.com/jquery/jquery-ui/blob/master/MIT-LICENSE.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/jquery-ui.jar

**MD5:** cbaf1cfaeb0fc89be26e397b6e51e32c

**SHA1:** bb7f2842643efa3a4212b96cb8b755377f61acfe

**SHA256:** 1c22db2906fa807f551ddf3a18092ea0939a517a6ff57618aef3d09b632c7e59

**Referenced In Project/Scope:** server

**Evidence**

Type	Source	Name	Value	Confidence
Vendor	file	name	jquery-ui	High
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	pom	artifactid	jquery-ui	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	jQuery UI	High
Vendor	pom	url	<a href="http://webjars.org">http://webjars.org</a>	Highest
Product	file	name	jquery-ui	High
Product	Manifest	build-jdk-spec	1.8	Low
Product	pom	artifactid	jquery-ui	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	jQuery UI	High
Product	pom	url	<a href="http://webjars.org">http://webjars.org</a>	Medium
Version	pom	version	1.13.3	Highest

**Identifiers**

- [pkg:maven/org.webjars/jquery-ui@1.13.3](https://mvnrepository.com/artifact/org.webjars/jquery-ui/1.13.3) (Confidence:High)

### remotegui.zip: jquery-ui.jar: jquery-ui.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.13.3/jquery-ui.js

**MD5:** c0267985b7818a95c73695dc59f76190

**SHA1:** 63d570e6878bec574b7efe72dcb4018d97619072

**SHA256:** 27c6b2f3873315acc9f70713b920cba4f9b0a4c5ce9b9ef7394b591cf42aa445

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: jquery-ui.jar: jquery-ui.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.13.3/jquery-ui.min.js

**MD5:** 3305041b1dff2ada01dd1f54417f300

**SHA1:** aa006fccf39c5fe50d87f0596f6c5c437588dae2

**SHA256:** b30d2234d5e63896d085816e0bd385da43a50f929029ed72e657c19f80bd4a38

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: jquery-ui.jar: package.json

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.13.3/package.json  
**MD5:** 645d09e57f82c95d14c163a16e4eebfa  
**SHA1:** b3d04f70205a16221ea9986d7876c3ed71770fea  
**SHA256:** 06186eb9102592a39fae3fff136074462dbe9d7bd97364ad01af5dae95c8bc00  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: jquery-ui.jar: webjars-requirejs.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.13.3/webjars-requirejs.js  
**MD5:** 2b45f24ce91f8c0d5c764e705b1eed88  
**SHA1:** 03056311ea772e4b7b09a70f108cb2733ae13766  
**SHA256:** a0f18ed7e4b55b53dcf2752e99573c9f7363fd4ba7d98f14a65c36cf34fe1ec3  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: jquery.jar

#### Description:

WebJar for jQuery

#### License:

MIT License: <https://github.com/jquery/jquery/blob/master/MIT-LICENSE.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/jquery.jar  
**MD5:** 4af65e569248d8a2411f66498d720280  
**SHA1:** c3dc40b1b5f24c56afa36fd9a463bb9f378ac4ab  
**SHA256:** de28c4da0ea9f16101352dd3582ec8021ee5e2de5f45104ca171876003d54db6  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jquery	High
Vendor	pom	artifactid	jquery	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	jquery	High
Vendor	pom	url	http://webjars.org	Highest
Product	file	name	jquery	High
Product	pom	artifactid	jquery	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	jquery	High
Product	pom	url	http://webjars.org	Medium
Version	pom	version	2.2.4	Highest

#### Identifiers

- [pkg:javascript/jquery@2.2.4](#) (*Confidence:*Highest)
- [pkg:maven/org.webjars/jquery@2.2.4](#) (*Confidence:*High)

### remotegui.zip: jquery.jar: webjars-requirejs.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/jquery.jar/META-INF/resources/webjars/jquery/2.2.4/webjars-requirejs.js  
**MD5:** 30e1a7f167b667001f50e32ea87bf7b5  
**SHA1:** d18dc733350ad3549af2df096599e824c10f777e

**SHA256:**daca7b23bc4d8302a8961373b92b78d36d5c85d730fc14130e29d55d976aa420  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: moment-timezone.jar

#### Description:

WebJar for moment-timezone

#### License:

MIT

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar

**MD5:** 04a64de4a96254db675bbbed71644d071

**SHA1:** 4e3e19133400f6385d843657a50922eefcb70542

**SHA256:**9f779d557eddeb5696301b0e24a0e59d3796d8a56a29b36092dd3a6be8a43925

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	moment-timezone	High
--------	------	------	-----------------	------

Vendor	pom	artifactid	moment-timezone	Low
--------	-----	------------	-----------------	-----

Vendor	pom	developer id	webjars	Medium
--------	-----	--------------	---------	--------

Vendor	pom	groupid	org.webjars.npm	Highest
--------	-----	---------	-----------------	---------

Vendor	pom	name	moment-timezone	High
--------	-----	------	-----------------	------

Vendor	pom	url	https://www.webjars.org	Highest
--------	-----	-----	-------------------------	---------

Product	file	name	moment-timezone	High
---------	------	------	-----------------	------

Product	pom	artifactid	moment-timezone	Highest
---------	-----	------------	-----------------	---------

Product	pom	developer id	webjars	Low
---------	-----	--------------	---------	-----

Product	pom	groupid	org.webjars.npm	Highest
---------	-----	---------	-----------------	---------

Product	pom	name	moment-timezone	High
---------	-----	------	-----------------	------

Product	pom	url	https://www.webjars.org	Medium
---------	-----	-----	-------------------------	--------

Version	pom	version	0.5.45	Highest
---------	-----	---------	--------	---------

#### Identifiers

- <pkg:maven/org.webjars.npm/moment-timezone@0.5.45> (*Confidence*:High)

### remotegui.zip: moment-timezone.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.45/index.js

**MD5:** 16b10b9be0471f35921bc17b645c6fcd

**SHA1:** 7e9c41f04cff37b876169e1e5108b5b757305822

**SHA256:**b93bc1a0ab15d56e12f0e281bf005d39166952d9208b828e8d056563f3ff1fd1

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: moment-timezone.jar: moment-timezone-utils.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.45/moment-timezone-utils.js

**MD5:** 579107755699fb6b30aa384f2caeb848

**SHA1:** 487ebe0e9964b41caa2ada9507850a010a225bd2

**SHA256:**19f7fc016c96cc5b892236a74f0450afeb9e267710d21dfaf9e1c46618b97a28

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.45/builds/moment-timezone-with-data-10-year-range.js

**MD5:** b9d422d23f9f0b0dee8eae34d982d08c

**SHA1:** f705e45b1914b7aac459f29da8e099db045dd0a5

**SHA256:** a7b718fada1280623b213df574645975dde05171ca2a02a2755aa93221caf20

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.45/builds/moment-timezone-with-data-10-year-range.min.js

**MD5:** abfffa6339038e5d81a2fa555cf255cf

**SHA1:** be0fa5bca6e3fdb691cc79f53e41bd88dd

**SHA256:** e63db076f981057ebc2c875905f3ef76117054049b23f4f2d8508186978c180d

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.45/builds/moment-timezone-with-data-1970-2030.js

**MD5:** f42eae0bfdddf30780220b75022b63e1

**SHA1:** 571756c350bad85b0ed39de3dbf9c101a2958e56

**SHA256:** 2e1eeb37b1804f4497545a6be95e98fc6b0f8f4d11bda4e2a5dc65571b9063b4

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.45/builds/moment-timezone-with-data-1970-2030.min.js

**MD5:** 0bce06bb915d4d8fac04746f9aa0ee2e

**SHA1:** 93f8dce379f6f44b5995e28d2de7b2b16256bf9f

**SHA256:** f0cb10986aed10cfa09926282d243fa40b58c154776629c721c4ca9a30547ee3

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.45/builds/moment-timezone-with-data-2012-2022.js

**MD5:** b150e9de1d3919dd2060d006fd802cf6

**SHA1:** dfc034d914212af50361bc33ce5ca90db4516d2f  
**SHA256:** 517518bf7a55901c2d178da889d536c328993fa792cf2d8cc83db639af2f1f7c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.45/builds/moment-timezone-with-data-2012-2022.min.js  
**MD5:** 361d8db01726bfe6840af8224cab1962  
**SHA1:** 7bd627c40d22f4106f161fed80c12942483fc9c0  
**SHA256:** fca1ff8c91bceaeda54cef4ee36388b2fa7f9a1724738315719bfd400ffbda1e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: moment-timezone.jar: moment-timezone-with-data.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.45/builds/moment-timezone-with-data.js  
**MD5:** 80966a6123064683d43c677d618784ac  
**SHA1:** 74f6c5dc19fb20f0a7da9fc1acba9e119a9457cf  
**SHA256:** c05c6086aa185613925f46feab5418c68255c0825c661fd9dd38a27a711070ca  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: moment-timezone.jar: moment-timezone-with-data.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.45/builds/moment-timezone-with-data.min.js  
**MD5:** 7dd827ed873b280985ea8b75f0014f97  
**SHA1:** 37b954c6e1985fc9fb2258902d64889f1ffdee80  
**SHA256:**2404ed433c928ea23b184f4edcfa63563c1c1a423c372ec44b1f4fba27f43586  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: moment-timezone.jar: moment-timezone.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.45/moment-timezone.js  
**MD5:** 6f4c3207902f923e882074c916143539  
**SHA1:** 0f6b6111f209443eb3b11dac95e04f9a5ac821d9  
**SHA256:**0c9a4268aa9cd624f8c7ff72240984c55fb0122d5f013afe22b1e04f6cdc6880  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: moment-timezone.jar: moment-timezone.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.45/builds/moment-timezone.min.js

**MD5:** cec638fb4c4f4c65c140088d6ba7b4c2

**SHA1:** 654ce0ea1d64cc03630288dcaabf8532e9253e7b

**SHA256:** fd83b6ec6339eab2299d706b656c15f6d12c7fce7aca613d8769f41195473354

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: moment-timezone.jar: package.json

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.45/package.json

**MD5:** ea548430d41ba9d916ddee742457b950

**SHA1:** de4da1797956ae35e9c0460568b3eb9a43c81ea6

**SHA256:** d8fdb9a79b5404ab290a253d3115d0c18fc1da7895ee71b539e6e332a1afe5ed

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: momentjs.jar

**Description:**

WebJar for Moment.js

**License:**

MIT License: <http://opensource.org/licenses/MIT>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar

**MD5:** 72ad6b420b3b741d7def80f4837682f5

**SHA1:** 6087f9eb29294249887afa1eb4ec8308657c35f1

**SHA256:** 71f0cbc7e4d2c943077dc758f7c8f0c7d48e1ddc7f9e7cfd27aecbc12712cfdc

**Referenced In Project/Scope:** server

**Evidence**

Type	Source	Name	Value	Confidence
Vendor	file	name	momentjs	High
Vendor	pom	artifactid	momentjs	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	Moment.js	High
Vendor	pom	url	<a href="http://webjars.org">http://webjars.org</a>	Highest
Product	file	name	momentjs	High
Product	pom	artifactid	momentjs	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	Moment.js	High
Product	pom	url	<a href="http://webjars.org">http://webjars.org</a>	Medium
Version	pom	version	2.29.4	Highest

**Identifiers**

- <pkg:maven/org.webjars/momentjs@2.29.4> (*Confidence:High*)

### remotegui.zip: momentjs.jar: af.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/af.js

**MD5:** abbd3f78270e280c248535ca3e3b3e3b

**SHA1:** 489ddba9b2a2f15e2a8d59d751a45c5ed7041f14

**SHA256:** c59e2f2d09098829d00f5dab85e6ec623f6aa9e70285ec2aac12030a014e4161

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ar-dz.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-dz.js

**MD5:** 10e8f6da8f425e389f9dd462018dcece

**SHA1:** d638dc753916f10981ce562c7e7543944aa5755e

**SHA256:** 2fcf1465ad9fcb33a1ee00188d0d8cb19e0d9094da9e27f56444b67e50c6810c

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ar-kw.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-kw.js

**MD5:** 5ad9681e194f33543d33a588e2a21f09

**SHA1:** da190c4671145eb702d41ee980b985a9816bc9c5  
**SHA256:**ebcd2afd129890e49aa91cbd6718916ceb743122a4d264c681a533d8066de673  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ar-ly.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-ly.js  
**MD5:** 293c5c572f1e70336fb5a5cab29faded  
**SHA1:** d969dc63c258a2c5587efa0cb2ac80034c44a5f3  
**SHA256:**0a70bf3f66b074d68453af125059d60f1ce4d5a96d3401b0bb7f013fb7a56696  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ar-ma.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-ma.js  
**MD5:** 6f5179b883bce68003df4d2c99caa156  
**SHA1:** 3af849ad551cc126ea26fe472770b0f2c86363b2  
**SHA256:**ae28a7c4d994a1d4059f2dc1e6385182f3d5aab262d637a6bdfc80f3e3f5471e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ar-sa.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-sa.js  
**MD5:** 92455d26a00821fe9aba7ea8e23ec89c  
**SHA1:** 18d22d6e22b460fb0d248426001e4cbfd9a69393  
**SHA256:**4913900a380ed33b662fc5299fda05cfba74367870ba23f3d9db5dfd0775c876  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ar-tn.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-tn.js  
**MD5:** bf6b33329fd589f8b3b393f6e64717d4  
**SHA1:** adf2dc833a46ad99f030b5761a7e6a97497ca764  
**SHA256:**2b6a611f7d21a0752d9101347b22943dcdd91293f7e09ac11c3b04cee41f594f  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

### remotegui.zip: momentjs.jar: ar.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar.js  
**MD5:** b0110c65e23d25860762820db7d2150e  
**SHA1:** 249cc300a99b9cdc47ff3fd70c9b4cb22f0aed61  
**SHA256:** 73485f16cb9317f156bab05ba8a3233fa87513cf1cb52728fetc53703ffd5b3e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: az.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/az.js  
**MD5:** ec1a4acd4aa555dd71722c2639df4db6  
**SHA1:** 49b4198f1b008f9deeb9aa5d33e27647e812f0df  
**SHA256:** 21cfe14e920b3edc4bc394709929f61aa5f2f9e51d3ca0c6edd1e51f29d7e3c9  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: be.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/be.js  
**MD5:** 5c38f8d3d5da2b1b930f109553918781  
**SHA1:** 181a1762773de78de3e2d21696e77a49a9e188a5  
**SHA256:** aa0657f4f1e9f9ef3a3ce289bc882f5971195e4681499f02409486ed985e1407  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: bg.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bg.js  
**MD5:** ebd43c527dac81f273926142beec5553  
**SHA1:** 46101d46348f560c622895e9e65465dd26e92d6a  
**SHA256:** 0d034309eedbd03f17e22dbd963c8cc8d490c8e877f39c6c4081636d1cd28fca  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: bm.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bm.js  
**MD5:** 2ef1c37399931e14e2a4471ebc57bd21

**SHA1:** 1e10777797f13333027873cf0a1e05e52c2a9264  
**SHA256:** 1f3217d69f6512ea3984fb7428e1afe0c7779cf3822582c52e6eaa8982ac23b1  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: bn-bd.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bn-bd.js  
**MD5:** f2988fa9e29bc5573603a8140b321051  
**SHA1:** ddca0b09ab220aa3e7d8b6d01e98b06071942e4a  
**SHA256:** 87296cd8b904b633d89b0a72b779aaf04e8d625fd8ed772e3227046b3a3acf80  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: bn.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bn.js  
**MD5:** f5037a3495a3febf37d9456b6745537a  
**SHA1:** 5d8e28e5703371e674a9b2947426e23a1429455a  
**SHA256:** a43f974ec15f638e67cec9d73cb33c339ce7cb35bb7041b478a930197977a890  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: bo.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bo.js  
**MD5:** 7dc25ead6d51909386b03c060b891690  
**SHA1:** 5b47f8a1cd1b1dad8e8ae1c6f408dadda7cd6983  
**SHA256:**dbf83d196ab69149d5f056a2b44e06441626f1e5d3c3aa1a300e64dc5150565f  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: br.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/br.js  
**MD5:** 65949057a5632b430fce65f65c89ace7  
**SHA1:** eda5bd14e942c85896b263b137e2e14f161836e6  
**SHA256:**35b4113f7552400639dc76ea40d55f1be6f44af2eaf4289e7c37e4e657522ba4  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: momentjs.jar: bs.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bs.js

**MD5:** fac80361cb7d5e0c44f8956063e8eb07

**SHA1:** e0f831af87ad28205b93fbe4d7ef9001227eb1e4

**SHA256:** 1d185f2b71c18bb14d0e5db063d59912396d42a04aec97cfbbec19a5bb8bb5ec

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ca.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ca.js

**MD5:** 9c6c8738154552a40a29505cf41311af

**SHA1:** 65eee9703d130c7a90d085214ee60c4e087b9d1d

**SHA256:** c0ebe3bb033ce8f82c66a46dd297c19b30c80ba64036c721aca36a7f86f1b234

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: cs.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/cs.js  
**MD5:** 8f0a7bef088e6698b6a090a6f6fe22de  
**SHA1:** b137a5adfe662d0b1c258fe7bb2b73b971e2268e  
**SHA256:**0dcf511c06f565a917e4718cce467392bf898ba60af2b3fdb032b1910599ebc5  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: cv.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/cv.js  
**MD5:** baf681a1e97ac68186325a98d5ef1861  
**SHA1:** c0433a02791baf8efe6945a4ae0370c6d8d55b6  
**SHA256:**231b3a65bc4beb4d6f0920962dafc82611403df4979655cea53d9740d2986904  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: cy.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/cy.js  
**MD5:** 868cca92c4392ae5b0627f305f9633b4

**SHA1:** 9c0f75132a2eaa3fdf0631a08f210f0e29208501

**SHA256:** 05d100692e8cdd4a6b3b0eb56eb37c9c64dacab3254aaeba18c24689b18a6cf8

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: da.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/da.js

**MD5:** 47fe4d0a5079542391abdc125b4cb60

**SHA1:** 423a66383275eaf3f441f384c69b2d6e2cf905d1

**SHA256:** 891e90544d1061ea578b51173a2dc4638c0e9af95cc2986f1f89ad5008e301e7

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: de-at.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/de-at.js

**MD5:** c2df366205b041e50b0dc27fe427c54d

**SHA1:** c52be9218cfbe8ae8d51f78af3494d3a2ed5d35f

**SHA256:** 0575c8ba66974f2eb3d7d74e16a265c40dbfe7802cefdecc9f196f92c0ecee97

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: de-ch.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/de-ch.js  
**MD5:** 1f9bf40d5d392a14bb758de02e9d98df  
**SHA1:** 838d95c91f39f7e28483c660e6f5005921d3da11  
**SHA256:**b3c3d71abc98200d579cbbef89d470a6cbb272c4faa71e31232a68ef6451edd4  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: de.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/de.js  
**MD5:** 260cdaa4a123af8e02f5aa4001cceaac  
**SHA1:** b928a076571a81fde7fc1fd4a2adb45d9a9a2279  
**SHA256:**20fb0d0967e2720d135a6894165bf96e327b42bdedcbf45a9b2f9e44da7986dc  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: momentjs.jar: dv.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/dv.js

**MD5:** b3ac7e877fac1116b8759c6e7384e86d

**SHA1:** 3321dfc6f7147d148167b23a3642212fb10b1b89

**SHA256:** 94a1563faab9fe61f359a515042f56e2672886200e084de98bbd98769f71ba69

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: el.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/el.js

**MD5:** 7a1966e1fd7848aabcbeafa28ff2a445e

**SHA1:** 29af743b2dd9c09d9962080c3a5b4cdac2b09409

**SHA256:** a73fa8b59dd099d28a7824980577379437273f6ef35a90409cf36492bc2b3600

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: en-au.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-au.js  
**MD5:** fc0b9a852c77ef21ee6deb24d95769f8  
**SHA1:** 829e7b64e421cc91fbb306243b31d71f06fabdc2  
**SHA256:** 6a84d80e99d57f1ca1faa1dcca9f48e9925de4013ac5ceab52cbf20b059cff8c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: en-ca.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-ca.js  
**MD5:** b6f095c75787cb0eb2421b32b2e9ea14  
**SHA1:** 415ffbaa1c99a53d233979f5e907e83b59d54c9a  
**SHA256:** d7b47d71cd5b63a0cd7bc3945ca1799d9345ba9dc3e85356231dbb4f6becdd01  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: en-gb.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-gb.js  
**MD5:** 5ebfadfe47485b65c484822391d0aad1

**SHA1:** 4154fff794c0118f1c280d4e3c222b0b3f96a6eb

**SHA256:**46e86bfd873ce2ba61885faa9e0ba2ae1a510574f698d6a3aba7da49d1505eb9

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: en-ie.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-ie.js

**MD5:** f5175b64f4c382500e7a00ed4113c3a3

**SHA1:** 12cf24c0dcfa4f82be14783a2889022043fe1f80

**SHA256:**41a3d03fb561db37dc1e3a63cba10467c0bcabb2ab7e788329f86b6be6f72d9e

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: en-il.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-il.js

**MD5:** 8f131247f11cf746d1b477c75de2e0a2

**SHA1:** f1fbc068a029ca0fcb5755fc5211ae43c9b2dd00

**SHA256:**494c5f26d0a16c8c1645d70cfc327e19086831ce78bc98599f4e5abc321db7d7

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: en-in.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-in.js  
**MD5:** 2d5a9ac86d2a83833aec6a68bc8947ae  
**SHA1:** 64d4492b47eac3212f09a9dd1fdfe2afc9721142  
**SHA256:**290dd53cb6262cfc22c961faf969851adfa8c38b30c80c496b8c8f19232a13e8  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: en-nz.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-nz.js  
**MD5:** 3a68b41d7982ae7bbc8a396d23e9d1a1  
**SHA1:** 0c30117c176ae1c60d35e54c3c0cd47b5104e28e  
**SHA256:**9590cf61d2ab1b83f793be9f074340397e639fbb112a80c8bb7d2e3a77c45448  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: momentjs.jar: en-sg.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-sg.js

**MD5:** d32a209c24b07b617c68fb03e081061c

**SHA1:** 34729febed76ec17cccafdc06ce4f51902daaf42

**SHA256:** e3b29449d67e5d53d3420b5f4ec207dbd70f651380573b59f39aee2b1b9ca52d

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: eo.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/eo.js

**MD5:** f19d7f5dae34785b6ffd82971ff01712

**SHA1:** 8a6937235d4219a192ae127506cca9479097abdf

**SHA256:** 823d3e21f85f9d3801f7004cc5cde82d5f45d98e977979322543a65908411e4c

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: es-do.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es-do.js  
**MD5:** 3f09c253c2e7ed72706b062bdb3ecee6  
**SHA1:** 3bcd2f7f697c4241a5f47985835b0190a643630a  
**SHA256:**a1d29019dcff0ce2a11cdf97018c20e99fbc739163c059ad8bf2408f77d3161  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: es-mx.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es-mx.js  
**MD5:** d16f10cddba51c3467b316318e592f22  
**SHA1:** 4cc238005f4d59b4e3877449babf5cc8b3595f38  
**SHA256:**a233573f641cc9c93c87b555fc5564c2e5ebb97e251338e971ba76e74d512646  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: es-us.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es-us.js  
**MD5:** 276e7c3c7756f9e962f6141f5048894d

**SHA1:** bab0d54cfa34f527dcf6960f5379aeef05cc66c8  
**SHA256:**3923c6bd6137387d5edc62f6dc0174cc9eef8363238c16eef78bd9d9c69bfafc  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: es.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es.js  
**MD5:** 0e92f45548e01672fc6a2f73979c397e  
**SHA1:** 6e6385cb5f6e39ed9ba95ebc1fb66526e2c3371a  
**SHA256:**2a8f1790d492fc338933a032a862f99998f31bcaf7a0e4fc298b6a3cb04cdf7e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: et.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/et.js  
**MD5:** 8b5c6c8136c1bcb3dd35ff204c28b1fc  
**SHA1:** 82ecebf743869c8231a6ef06cf5959e5cdb7fc9  
**SHA256:**95c974679dba419b7d835fa51340c430bd0066bdc38a7a139caa575b67389d7e  
**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				


remotegui.zip: momentjs.jar: eu.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/eu.js  
**MD5:** 1f0f32ac558d6bf2591f0e7c59b09e88  
**SHA1:** e8989f9da9ff458c51d7d4c21f9bfc99ddcd72a7  
**SHA256:** ecbc07cdb215cf9996405fa56ef306761ec6a9383e19a53c2b45d6a1c5c4dc68  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: momentjs.jar: fa.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fa.js  
**MD5:** bad9e9e51e7cd982360114a2d6b9a03a  
**SHA1:** 7285494b159552cdee8bb7050d1278144da80b04  
**SHA256:** 15ca66ce1faa865c68998fcc8ab1160207636b9161ad76f7cf7acd0d7c0ebd1f  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				

- None

#### remotegui.zip: momentjs.jar: fi.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fi.js  
**MD5:** 08d74def02ac724471fce607ab87f4af  
**SHA1:** 7f40cb04e95803f706af5caf5a983f7aa3f2365b  
**SHA256:** 1339d4170019588a6764a56236c2a7c5b2389ace52a9ec5e8c09f1997935741f  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: momentjs.jar: fil.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fil.js  
**MD5:** fbc9e6bd5b49897ba8503d27e2d061ec  
**SHA1:** 2121d4a7333acb3b7b120c1580a809a8a5927dc6  
**SHA256:** d24cac0d0069d89c48b4c8cee34cddcb7e39892c91f07b884574fe0cafb66ef7  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: momentjs.jar: fo.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fo.js  
**MD5:** 85d4a1a25dd5c3fa021f9e6f63fd01ac  
**SHA1:** 95d11e45e86f344a148706df7f5c86019e02ae30  
**SHA256:** 6338de573601e330030918569b8d2f80f98a57754e748a03ff56e3672fa25be7  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: fr-ca.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fr-ca.js  
**MD5:** c0ef60f7029fe6ab773c090320f0a66e  
**SHA1:** 8970ff163faa9c8702be24f65f95e94b962d8622  
**SHA256:** 59c5acfb5605fa641721bf16123300164ccc043f4bad6009aa8d880b159124a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: fr-ch.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fr-ch.js  
**MD5:** 3345c9d13645ae5fb2964c17559326f5

**SHA1:** d0cd4c6466797300434db0d6c8028bf46fe35bc0  
**SHA256:** b32f50aa3d147ba5441d7728a45bce592125fd0a97117ca4b93b32c6393d847d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: fr.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fr.js  
**MD5:** 775f1eb59d6f597b1c398036002ae329  
**SHA1:** e6f1741f5598b62a83bb071459d9e8cae4b3a127  
**SHA256:** d87b4eb850bc7742c104557450d0a70d18a48a917335221af08d23850667523e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: fy.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fy.js  
**MD5:** a54d9827ca1a619a839a15c94b7893a0  
**SHA1:** 66863e3aaff531e89e83acd8844ca87f8516cf38  
**SHA256:** c33ae59d9a05aca0dbe86d74bff25eb44d04ee97b738034fcb72a21b73ec1cf1  
**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: momentjs.jar: ga.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ga.js  
**MD5:** 264a960fc2850670387b1cc90dc29dbb  
**SHA1:** ddd261054362b16567ba858afae968cf2380bb6c  
**SHA256:** fc6d5d441553b23b5ebc3c79896499a093a3285f1e6134a680b8899b5cca4c86  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: momentjs.jar: gd.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gd.js  
**MD5:** 0f3b98fcc8a06995436819446130320f  
**SHA1:** 0050fa33180aa1f35c739cecb397846bff7d24e4  
**SHA256:** efa1d779f65671809a63f900479c69bed19c262f2fe7936076793bd13deda080  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

#### remotegui.zip: momentjs.jar: gl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gl.js

**MD5:** 0d346a7ad989c39c04631e181056acb5

**SHA1:** 74c436284f15589fd53c9d4c090a4f75ff8376aa

**SHA256:** 825e6fad55094c13118d2cada0b6c5945a97ea9b647686c2b00dc6980bea4608

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: momentjs.jar: gom-deva.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gom-deva.js

**MD5:** 6d2091e4ba1b31399eb4f1f3d92acaa2

**SHA1:** 9e27b24c4f8ff43da0373ca75738e0322cc1bd77

**SHA256:** ff5ebf00d100f610caa956ea22c45584e34067f762c2e9811326d5903ccd819c

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: momentjs.jar: gom-latn.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gom-latn.js  
**MD5:** 45f0c567784f534e16f304dd625682ad  
**SHA1:** fc4b281f7d57696decbf3bd5e8c572f4191c9289  
**SHA256:** caa6b3cafb8d463c7cb0b47783b84d7f7637f685b8d33d1224548f7f9a124cd5  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: gu.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gu.js  
**MD5:** e108958bf473fcc52349ecba7dcff10e  
**SHA1:** 977667ee217d20d2ff2338dfa6ea9bda2e0c13d5  
**SHA256:** 5155f3aa5fe43b18c7b06cf02ff6e9d6c157d7da822c658fbd8e2f0edceef161  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: he.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/he.js  
**MD5:** f5e7fb20bbb7618d95e4928fee094f7e

**SHA1:** cbc69bf9fa2cc2493d086af3a5cb15e893c7d64

**SHA256:** 93b540d4f1bc21d5668854475e8efd2d6fcaa2f596704752a586ce07d471d475

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: hi.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hi.js

**MD5:** 10451c28a31c032807f1fbf1bea5c32f

**SHA1:** 8ab3e8fd6823a63a2348cca98ca4eba215ad01a9

**SHA256:** 482f9289851cc5add17895787d427259acf8d9467db37000d383021aa097a1e3

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: hr.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hr.js

**MD5:** bfeb6da022ce8f5d4610a485f6063935

**SHA1:** 0e475a985f8f3612c397a07781933bc4235be646

**SHA256:** 4af37cc6b498a4c3418f0b5d90efe5354422b3d158681454dc2eedee31ce1469

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: hu.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hu.js  
**MD5:** d485a763ba31196c55bafddc763cf98e  
**SHA1:** 83c283112870db2a37b8d6a96e2ff423f27addac  
**SHA256:**518c3c1b849d41be9ef9673726ac3c71290096a727ff29c9edfb0f7489e3253f  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: hy-am.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hy-am.js  
**MD5:** 8fedcd99fde263a8a5a906b27de70605  
**SHA1:** 3fbec521a9f7cddb7576fb37a3f35ba2705e88  
**SHA256:**2c3bf5ef8c5162c7c4ed0ce4b144fad24eefd691911d7c8b86c21cab84f3bfe6  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: momentjs.jar: id.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/id.js  
**MD5:** 3000b8d8d73e16384fd2a13aa7259d3e  
**SHA1:** 1bcd369482f53edce0c1d34aeb15a918f3c7af7c  
**SHA256:** 036154641aa4cba94ac8a65b98af75d2fa0ec29156674947d1148fa146689dc3  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: momentjs.jar: is.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/is.js  
**MD5:** 0f5a457d3457dfb1c5d256436b5e442  
**SHA1:** af0c0c6573bb9628ee8c97479651f65571d6a56e  
**SHA256:** 6943c853ee0ad65ad2e3e38baecc90dc8088071f10406ee8a5ad995d7cf5f6e6  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: momentjs.jar: it-ch.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/it-ch.js  
**MD5:** 0c0cd69247909aeca5d78d255b30a617  
**SHA1:** 71631e4e4ce3a8466d80d4960a86605634a713dd  
**SHA256:** 9670e2244dd63556408fc20671fd763fb91be52041eee92934710e75e2b3b7fa  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: it.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/it.js  
**MD5:** 1abd9a8f32e7930bbdebd23a2bfa4afb  
**SHA1:** 40cc21bf11475c48c1681ebc18a63a2bea4b8962  
**SHA256:** 2fe7346bd6fdf02aee19fde76bd2ca0b5e65903ddd45d097be2342ee7b0b9470  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ja.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ja.js  
**MD5:** f39b4bc3b33715242a84fed53b50d596

**SHA1:** 8bebb66d25df95fc67d48f4ebc4b519fbc7d9482

**SHA256:** 9720de4592dd94861f2fabb51110533fe44620f517e50448dd828a7f2eef7009

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: jv.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/jv.js

**MD5:** 307628de0dbfe42c1aedc98c3afc1aae

**SHA1:** 7620cfee82f0241100b34de89cefd40412456ef6

**SHA256:** 707617feaac7459e5d5c39ff3ea4a5e5da0cf398384902c1cd5975cbd1a113cd

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ka.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ka.js

**MD5:** 629be6bde33738ff66f7119b3b617798

**SHA1:** 02209d78bf7dfa3b5e585e64ebfc61ce561e5f3d

**SHA256:** 2c15068d2ceb1f34e4b92f95710b181bd1034410b8a96ae15dd11ee24d0ff0fa

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: kk.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/kk.js  
**MD5:** 4532f947979a50597d1c82a42f0facb8  
**SHA1:** 9a8cad32d8e4350e40184813f4d19aa05882a8c9  
**SHA256:**430c86f6c0ea0199d8622045883048b35875bea37b44424663bbe573056ec981  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: km.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/km.js  
**MD5:** f73d0c92be21341d171e019c00173f3d  
**SHA1:** 6adb747842bb733d90ce2b7dcf4963f1d62a7a4b  
**SHA256:**01b837409a1ee03d8269886915f10ae1b9460b2cc42cc5f6fac862f7360ba103  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: momentjs.jar: kn.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/kn.js

**MD5:** 72e237c519a91674447b268b61983bbe

**SHA1:** d72624462d7dbcf362ccc15385d5cb5a124304c2

**SHA256:** 9673f6d7a10086cda8228f1c080ec032e8f34e3a3de2f1413582e0a6cc6f2128

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ko.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ko.js

**MD5:** 14369b837e9e15378938754b04bd2189

**SHA1:** 9c886434ef46530e25cea737272027ac505b6adc

**SHA256:** f15f592b5d7d5bbbd061c5ad31d4c45f462ad43acad74808c6a7105b108ec0eb

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ku.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ku.js  
**MD5:** ba513eb127fa22206ca1a67ad8467da2  
**SHA1:** 45c0c079a209932f8a8be25a94f0fb97be8ebf84  
**SHA256:** 816c9c27f4237f1fa595c5be0a60b7e5c58ec0336d5a908e03f73fd8596e1caf  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ky.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ky.js  
**MD5:** 68f9c0556546367a8c25903bb8348b80  
**SHA1:** 5bc99ba86f969c07cd1b0dc62510c572707adb64  
**SHA256:** d3c35f2c47610c7c921268cb98cf398599068d24d51e7a89167707130c85ad59  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: lb.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lb.js  
**MD5:** 474c1a2279d961b67a8329372fb54367

**SHA1:** c6acf49c446bb128ce8aa5f980664107e92523cd  
**SHA256:** cecd52da4e3f3a7a69d4cde1692c90d000a3726772f8e00a9c232faf4d6ff985  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: lo.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lo.js  
**MD5:** 629f0195acb5feb16432ffc78b6418d0  
**SHA1:** 10730e85c79a5c325f30a5f0fd1b83928918cde2  
**SHA256:** 83c284d16d40e861cd01c28683acf77475813993b2a17201f17127e238e5bcd6  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: locales.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/locales.js  
**MD5:** 3aabc3a57ff7796110a9d427e6e61280  
**SHA1:** 59155d41e1b7a2f651f26f8db2768c42206bc4b7  
**SHA256:** a6d8d341af2a118463f8dbec697f3b5210552997ef51e0d9a77c84235f2eb2dd  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: locales.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/locales.min.js  
**MD5:** 5d62f0a64211c2d3e0d009cc69c48202  
**SHA1:** 4c6bb9ae2e43259229cc16e9eb7ef70f3c8cea12  
**SHA256:**1a3224b3cabca0fa92ca56e14da46d7f209ed28ce68ed50940b4fa6ed2ffd254  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: lt.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lt.js  
**MD5:** fc931f5db9a4d5b832e7c53985cfb233  
**SHA1:** 6d5575d2ab06036bb29e50e7b4607985b0c10aec  
**SHA256:**a02ce50203e4cc9e85db77632d41f489f14c893f986199c8dd04191199924094  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

### remotegui.zip: momentjs.jar: lv.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lv.js

**MD5:** bc6f1396c4b85e2b01b4b2fca550c0b7

**SHA1:** a18e4175ecd49b5e3382dac1bbcdc48c3279c60f

**SHA256:** e4f68dbe7147bdc76d7614102eb525f9a5d8dacc690dd661091412b0c9505cb1

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: me.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/me.js

**MD5:** 4b76ccc2617dfc9bd6a54643659bec05

**SHA1:** 924aea795ae1a9581ed184b384806891ce336e27

**SHA256:** 24103df1e95500b3fdc4aa60b933c66d2cf33aa4ff8d2401ae847c516285679e

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: mi.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mi.js  
**MD5:** 89179085b30d2752584c4f4e9c3ac04a  
**SHA1:** dbf999f790c8e7f99c27c55d8184cb46d1f0ee85  
**SHA256:**9cc67dce66cf3f0f9a57ce732af6878cc23fedcf256fd5302c6cf57df87eac3a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: mk.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mk.js  
**MD5:** 7a6a2a4ae623481704f78bb0ed6e1968  
**SHA1:** 3d984281f4acbb38920919c47916a0ecc46d8d82  
**SHA256:**c38140b5408a91d9632765d23f4368f0cc98dfb6aafb0fcce452b6b4bfa93efd  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ml.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ml.js  
**MD5:** adaeaf5c9b5995567c7723ded581c647

**SHA1:** 3cbb01a59dbfdd3b86caf1b30938598c52e1dac8  
**SHA256:**d45ac595a918393ae8f76838688fcd569c917b945e9c53861ec4a1f11f20aed2  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: mn.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mn.js  
**MD5:** 2229e9c27b35b688a4211bad4d7574eb  
**SHA1:** 7fb0c3b04afb903aaa0a3a1b4b478a8b2d9d6bf3  
**SHA256:**0f1f5bbc9eaf020931f8cb54ae085e51c41c0761ffc7fd265dbb60cbe7d84076  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: moment-with-locales.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/moment-with-locales.js  
**MD5:** d07131713d356424c14481ed9e77ced2  
**SHA1:** 6ef93c81041412f1b60d1254595cb04b53f8ec39  
**SHA256:**f37cad4429c2815e53699ca98abd4e8773737f696fff554c63a58f4d6589200b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: momentjs.jar: moment-with-locales.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/moment-with-locales.min.js  
**MD5:** d458b68730a7330653700489333a7837  
**SHA1:** 4059aeca1d0b99aec8006b37a927f09d9c0e794d  
**SHA256:**430725b95468277dcbccc27e08e3d873276c0082737310b0b1ad330392511847  
**Referenced In Project/Scope:** server

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: momentjs.jar: moment.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/moment.js  
**MD5:** 6e5aa6783efbeff584f4292398326b32  
**SHA1:** 450696675b814c89ec016901b570c05891ca2c04  
**SHA256:**c33f09a4e1230f3075be8d2a94081108d52f62d3c30b9a238941fe80790267c6  
**Referenced In Project/Scope:** server

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				

- None

#### remotegui.zip: momentjs.jar: moment.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/moment.min.js

**MD5:** 6c0a2330b0d8d6ea185d4669a0eddeab

**SHA1:** d4f50308961144876b2b5fa57684b737694a4b04

**SHA256:** f343aa319a17a3fc372ee6ad5af482b9bf6a298cb22652b4aa7502604821071f

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: momentjs.jar: mr.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mr.js

**MD5:** cd715ac0f919538bf79acdb4a477763e

**SHA1:** 467bc9f9b59ee399af6ef3f89886c150f74ae52a

**SHA256:** f6347f442281844a205245620f9e469f52cacb7dd41640ef67d32a94f2c583d0

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: momentjs.jar: ms-my.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ms-my.js  
**MD5:** cb7a91cedb211e85abf06a4683d39800  
**SHA1:** 05754f446f94d9b0d34885bdb0dd40d08df23295  
**SHA256:** fa77f6b23884ace43199d189a596c8cd436ab20b2b6966599dd9fd589e51548f  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ms.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ms.js  
**MD5:** 3f2df63e4e8e99e5f3a23b44e135f90a  
**SHA1:** 7e8563a8e513fb32f711395992fb34d6039e841  
**SHA256:** 6b6301d42544281a07e51e517a1acd2e498e6289b29e74817433a86751761f71  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: mt.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mt.js  
**MD5:** 3cc610e1a28bb045e3f21adfa96614ce

**SHA1:** f22377dc419295b8cf22ca6459df3f834475ddf9  
**SHA256:** 6af1d3643bd218941f30da0f6ba7bd64d4c2d0c49336876308af3af0387b0440  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: my.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/my.js  
**MD5:** 1de06907d41a2fbf6861958ee0eaaba6  
**SHA1:** 1b5eaf3d04d7a45a9e93db791963bfa0cf999383  
**SHA256:** 92732cb26a774bc3e049c7e212d8ef1425413d63522ccca1fb1b0696854da4ad  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: nb.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nb.js  
**MD5:** ee293037089769cbdbbf9f2dba3e01e6  
**SHA1:** bfed5520bb401c83f0b391cf09ab1907e4362f2e  
**SHA256:** 36f088dce675389ff1b12afe35703b6d166cef8df8a24e1e1d6ecfcf7be84fd5  
**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				


remotegui.zip: momentjs.jar: ne.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ne.js  
**MD5:** f09e1496b96096e594254145053e777d  
**SHA1:** 601e6b5e8ead8fac21d661c4cb1f5aee22c96755  
**SHA256:** 804bbd6c30dc3b74de711a44f9019db06210323a0db31e53ce730feab5ea6275  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: momentjs.jar: nl-be.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nl-be.js  
**MD5:** e50c24ded5247900814470d1a6cc8854  
**SHA1:** 73d12dfe3645a5ea9e0b6c4d5b2a5f28ac022af2  
**SHA256:** 2bd27e18811c7363a1b46b815173d626102523a2f76854792885166f4a99eb5f  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				

- None

### remotegui.zip: momentjs.jar: nl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nl.js  
**MD5:** 843085f588379356ba9556d93aa9ccdb  
**SHA1:** afe70913ffce08e256c3c9ffe350272bcb791a0  
**SHA256:** 037e055b18b4376112d853e3d357b217dcc0bfd3990e0155b980ff622b4ff8d9  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: nn.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nn.js  
**MD5:** 7c29b42f21ff6b7e0b1f16ebb20d2a5a  
**SHA1:** 9464502746665d34779fd3e7c9c05212db534556  
**SHA256:** 66007f84c945a3475100a3024d5fa3d430d6e11e64de81849e50ea73e3f390be  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: oc-lnc.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/oc-lnc.js  
**MD5:** 16a8d7288d0007906a6ebb39fd954265  
**SHA1:** 5442e9e7ee72e6f2ed438139d5779ddcfaaf471c  
**SHA256:** 1e03cd598c495e4dca3bae56e3822cacde57333ab5a85f555c582e104f54261c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: pa-in.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pa-in.js  
**MD5:** 8247ac1929cfdcc902a77542e9fa470c  
**SHA1:** a0270710978d4f03b32a4d5cd38065d6d274729a  
**SHA256:** 5ba548ba7844a1c5c4a7f003337237f940b5e8aa67254fb90e1a05a66f2b43ac  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: package.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/package.js  
**MD5:** a26087930b5278aa21fd79491b952ac0

**SHA1:** ea880b139fa5aad30129356d4c2b61c7acad7452  
**SHA256:**6334f70497c6d8fd22adb3089eec30bf1e2b3dacf92508df52eaa7a8aee12bba  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: package.json

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/package.json  
**MD5:** f1965dc95e9d5ef4816ffbb597d484ab  
**SHA1:** fa7b033b3a1adcb85370480289e6a60cfd21ac89  
**SHA256:**25f5d25a676dda5763fea169d93a31dc12bd0a6d5d7f352379c8afcb1e3d794e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: pl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pl.js  
**MD5:** ea2f9b5ff7c97f62603f1e8786708d7a  
**SHA1:** a9b097f9c1dfe0872befdf47995602029bbd22c9  
**SHA256:**5435a1265dacc269403f275095e24a63ff3b8bb0f95908f7a2a987fbe2ab9e43  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: momentjs.jar: pt-br.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pt-br.js  
**MD5:** b70a96c3353ca41f14b5628aaeef6461  
**SHA1:** 02e3841b0ed1fbf086a5b8bc1be8cf835cc9d8c2  
**SHA256:**8a8b165be42795d9e945e7494f38ea353ee2f7eee7eab123073f3a42ce755687  
**Referenced In Project/Scope:** server

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: momentjs.jar: pt.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pt.js  
**MD5:** 71f120e6f7682b0e80a9d5982b8a4711  
**SHA1:** 49494f7c1cdb36294b6d640a524c2cf19eed12b5  
**SHA256:**89e4c2f2d351ad7e2fefec9332778b16cd4a31858ded9ad6fece12fd9db94ac2  
**Referenced In Project/Scope:** server

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				

- None

### remotegui.zip: momentjs.jar: ro.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ro.js

**MD5:** 84b1a53a794d8749061a53eb558110f3

**SHA1:** c2241e36357a248cdc870a8f83c19d12a031b479

**SHA256:** f66bcaadde14018ffb3bce26ea8ffc3ce36cc65c4c1e9ef9ed6cb321b7ae9481

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ru.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ru.js

**MD5:** c66d22693e1e950330471ed9de408aaa

**SHA1:** 3f4b2156029a26bc408cdfccf5812bd125c760cd

**SHA256:** 47b9c98d906dc3d7b7f40e604d793fff2e142f7d788f6ac0deac5030458ef5

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: sd.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sd.js  
**MD5:** 115132c218de16cbea034b2762b9df9d  
**SHA1:** ff940a6362744a8258e15cb09c4e4b46c48f3ec9  
**SHA256:** e5f27127927a41eb82e45491e52bd6a529d3db5e6cd519c48f7473268909f6c3  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: se.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/se.js  
**MD5:** d63f9c00eb2beeff26eabfea1406a3bc  
**SHA1:** 8fc07d6276adf84ab94a1d352d55c105769f9017  
**SHA256:** 424ed10805d004f217b44ff6a0da5bad51d8f3b25577306f6e1f59c387525da2  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: si.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/si.js  
**MD5:** 0bdd326bd6fe7e94a1c3fed06cf79cdb

**SHA1:** 6dc83c8bee2af014c11994abd5f0718ed9c4dc64  
**SHA256:** 8e7582efb99ff00bb7aeb6de0bfa65792592a5b4e81ae6caa7bf8cd8cb3180de  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: sk.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sk.js  
**MD5:** 0d4c93cc1adf0c2fe5bdcde7b1cca213  
**SHA1:** 17c72fd3b31573f097f962b851fc82db22f217c1  
**SHA256:** 7685c076b71fd8e36c2cb84c645bb3a75d84566f26c3682a2792f0113b4d9b16  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: sl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sl.js  
**MD5:** 11bbdf40343f7ee615144b2c3df93d54  
**SHA1:** 853a6dcfaa15df6205729d754739633de7e3f667  
**SHA256:** ff2e8352962c2d13d114356c863701f2473651f6491639e1826ab417d0377f90  
**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				


remotegui.zip: momentjs.jar: sq.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sq.js  
**MD5:** f5c6cad85947f97d184ce17397145e3c  
**SHA1:** 1817cdeeb3261b7f03f13902a7d8adfe46c36a65  
**SHA256:** 9d7d061c245349d6897732c90ad57841c9132b9b556be07a24dc76ff17cf75a0  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: momentjs.jar: sr-cyrl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sr-cyrl.js  
**MD5:** 403a704d0b31d44f5d43a05f060f879d  
**SHA1:** fe545c0831b16a2393a771221f2daf3f8af50cf8  
**SHA256:** e62567ebcb6434f8652b1867386d7324c06d1f226fe9fad0517e658503ab496a  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				

- None

### remotegui.zip: momentjs.jar: sr.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sr.js  
**MD5:** b5752681e826802ad4578a65d446d2ab  
**SHA1:** 18c79b7064d378b578c83facf15be80314e34581  
**SHA256:** 307eb8be823a2997ce88c5ad8c3ca19e7a6345f116331fe3856659665de0d453  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ss.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ss.js  
**MD5:** e61a001b0c3ea5bebde2d4d96d7c19c6  
**SHA1:** a26e124883144d6ac990722d7915ceb80a44f7c8  
**SHA256:** 0d8a08574cc28602738aca72bed6364e88dd93fb2131a20c06630e3dd7565945  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: sv.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sv.js  
**MD5:** a276c85890a03d5a55715768969516fc  
**SHA1:** 135396ef7e63b71af3df1cbafc5b060a32aaea4e  
**SHA256:** 08f8dbba970b89522adaabe609f47a3f20857c0985967888124f9204f4c3e2f0  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: sw.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sw.js  
**MD5:** b9e0ae98f621d6f9a622fe09225978cf  
**SHA1:** 42f76f09c8d7049758fcf8f78e30881e6681c40e  
**SHA256:** d6056ac79071a9f60793825357dac3ecf35c43acf10e02a65f1892f1fd9cc0c1  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ta.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ta.js  
**MD5:** 2b48e3a057ec1ecf49d4e16d56263ed8

**SHA1:** 94a700dff6eda352ad3a2c4d7f5a4dc5e6219321  
**SHA256:** 2dae88a3138adda69fdec54914461ec28d4fa5e720d7626ddb3fb91a74a2ab6b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: te.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/te.js  
**MD5:** 39e36c17c46798dfdcf0ddae92610807  
**SHA1:** 1168038e9d7c735ac44fc0eca95796067ca7b51b  
**SHA256:** 2cc07292a2ab5702d8e1e849ae3b28cca5c6194d0d150ec637c6289d9d864e32  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: tests.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/tests.js  
**MD5:** d39f31787b27fc1bb028ef80e699cd7c  
**SHA1:** 4c0335c7f8c19e26ecdd2f9f0ed08323507031d7  
**SHA256:** 895d3ab9bb945f1f86903438a18c9fb308e84a912e4859da39fd1bb08da63e44  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: tet.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tet.js  
**MD5:** 0a6f7fbd649b280c8fff433d32591867  
**SHA1:** 15f108397be93776a1c232f3de813e27f305550e  
**SHA256:**d80dcb236c671594af031c93d32ed883c322a6f32bd25637d454d7b9d9e81593  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: tg.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tg.js  
**MD5:** 83e93f32f7f488c26def6938e280b716  
**SHA1:** 59886e50e9d7e53beb111b317d5195ee0382050e  
**SHA256:**24c8928619c471831467afc05aca6f0299e40b418b78bb30b4d66942d872d2bb  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: momentjs.jar: th.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/th.js

**MD5:** e14a3488b2c85b54f65262d6fcc6b1b5

**SHA1:** 7697e04cbe08eefdc5ad4cefca7ea7ef42cac791

**SHA256:** 9911634c353a7ce63a81139f914552fc80a499029a803ced8b32b6af88c53bf4

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: tk.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tk.js

**MD5:** c01b5d264b1cfa34c4723e995439ebb9

**SHA1:** 8445ede8c1ce77556495f9a5469ead5d3b2b3ee8

**SHA256:** fc6654229cf3f6e6bb2aeb5b70dc4e6adf7f307575af9d15b7a31aab897a9988

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: tl-ph.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tl-ph.js  
**MD5:** aefa584c5d3e7690a710b144fc505a7d  
**SHA1:** ccc8535e56aeb0b2c2991ec7c2c232a16334f09b  
**SHA256:** e324f1791432534af3ada36c185637db02eaf3d3ed8f88ddf143538dc484cc3a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: tlh.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tlh.js  
**MD5:** 59508c37879615bd0a0beee8f69a28da  
**SHA1:** 15324b9edf1a3e7bbc52b1e510ac53def8ce02ef  
**SHA256:** dccea1319a2e92d9bf373e1d8dadcd4a130e1fa2457d7a66dd035c3cb93601cd  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: tr.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tr.js  
**MD5:** 0cf5765f4f245b2cd8a21dee0c3c92ba

**SHA1:** 7eb8afffa83fb85eba987c80a934c6ad30a23b23

**SHA256:** e8af125b0bdb3c15ff5ef2eb171bfe698507a026a9cab54bedb0770cdca34fb2

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: tzl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tzl.js

**MD5:** a2587bce05b5fa3015dce4ccedbd802

**SHA1:** b9c4bb7a9f9ad9dd515bb9de82be90d0d4932fe6

**SHA256:** 393e6424d498fd2abbf646217a197b61c4c57706e6b29ec2873ab20e7bdf6970

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: tzm-latn.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tzm-latn.js

**MD5:** 582198d314e9ced1007620d4e7701734

**SHA1:** 17859d3345ae82ce39d5d036649c1976b9e4474a

**SHA256:** 7909cef0eb3080599c24794c079e05ba07af565f198450df0ad411c85be45030

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: tzm.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tzm.js  
**MD5:** 69d71f7f7674fd7f8b35f14dc179339b  
**SHA1:** b5166e0443eb54c38185227e954cd5cc2b1f589b  
**SHA256:**e6f3a2e2e3ca86953e2c06ca562607a95d2b5129e751e5e0905270f3e56a1f52  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: ug-cn.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ug-cn.js  
**MD5:** aad8845e8fb63517d21b322fef4a3545  
**SHA1:** aff6b2361311a6475b9fd755bf63d23e3e6132b1  
**SHA256:**58de2ad653876b1eb27ceaffb0037ddb0e4fb7917e111fa7a88ef8ab01fd041d  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: momentjs.jar: uk.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/uk.js

**MD5:** fbe69f339b236b654b3e41d8d8b56536

**SHA1:** d9fdc9224f535c1338048858a9e457558f95349e

**SHA256:** 725764b2851d3db79d8fb20b96ce7708cd1dc60c6ca6f37bac4df2350f3ccbf4

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ur.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ur.js

**MD5:** 3da71179953500680163984295abe43d

**SHA1:** 2fdee5b33f8d29a565d84927fd333a2d9d41e5b2

**SHA256:** c89fc485a14cb20c0576ff20bc3d157e1296f2b2ddfa8035f71e8b58f61a29a4

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: uz-latn.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/uz-latn.js  
**MD5:** 75ce0ce4c28806c32575c4f28ded6185  
**SHA1:** 2648a6adc3ebb4dc12b070a5cc0a126050cf685a  
**SHA256:**3943e946fcad9c965f147c50e08da71d3270239175de530d1f48be6fb44956ed  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: uz.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/uz.js  
**MD5:** 3d11efeaad9c7b7f344eb8beb691a2d3  
**SHA1:** 73ce197519648ecb5e6756bb2fb953688b42af2a  
**SHA256:**9f22344f9ff69b1cf5546c975fd8847884bb032216d15054ea267cb964a09b08  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: vi.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/vi.js  
**MD5:** 28c7ec0c4bf82120245da0d15112f4b0

**SHA1:** 1470d1969733e49331f2e435910b045e6a0a518b  
**SHA256:** c5db03ae438e4c55a6edfa004540aaf1def14fe0968f9ed3e03fe7dd7c3faf03  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: webjars-requirejs.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/webjars-requirejs.js  
**MD5:** 34b1a7dcca0ee03eed1432670ed9c472  
**SHA1:** 9de80e951270f04bbafd39d9d7822df4f7d08839  
**SHA256:** 197295e6af66b25f2aaa0909c6911f7c1c76e24eaf170d9cba2d84644146bfeb  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: x-pseudo.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/x-pseudo.js  
**MD5:** 18b5b8d8f2f327f6d5ec947e550f35e0  
**SHA1:** acc470244b95f709e4b68e7ab94b2c645f929f47  
**SHA256:** ca8ab052a09b2f320574c71c472609e026b4aa72c87a06f204ff33670249e2bf  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: yo.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/yo.js  
**MD5:** 42b28f7a2ea67c7b5a342c87ef0a5771  
**SHA1:** 84f6d714e3aadf74ab8a755b465df7ec8215fada  
**SHA256:**d80655b604558af2855f5b67b21b28ec5770985b67fde59e94e1168e5f4795c8  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: zh-cn.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-cn.js  
**MD5:** 49fa27dd7c374122f336369f30a87973  
**SHA1:** 768eeb42e5372200634e8825680c6e18b0c8db8d  
**SHA256:**53138532aad7c571af10cf6b17a678552e9a9e7ef5014d250f97af8dc61ae6e1  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: momentjs.jar: zh-hk.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-hk.js  
**MD5:** 9338eb6ad8e887a63be4fbaa05cab197  
**SHA1:** 92340e4f48872df241a47bf9bd13647092fd25c9  
**SHA256:** c6d7de0d1f5544a1d3bb64c7eb27481b30316766f1214fbb5b1c6be358a4b921  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: momentjs.jar: zh-mo.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-mo.js  
**MD5:** a986f68bda18d9751f6bedd7356e6e7c  
**SHA1:** 6cac0e5b7b9e15ea799ce6a1575be93df4832c87  
**SHA256:** 874ca3806f556c5809842613ba410c965111ea9441fb949a32abe2a7c3bf7f8a  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: momentjs.jar: zh-tw.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-tw.js  
**MD5:** 94fb46a7c1ce21f0a91512b170d4fdea  
**SHA1:** cb69c6ca687ace454432d994ae5b624ba9011b62  
**SHA256:**62fb1b36d24050120cadf807b975ffe9d7986aeb41a0f4ac218c3ad23a1c9b1a  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar  
**MD5:** 5d3ebbc528da900f71d89c6147010162  
**SHA1:** cdd781b022b43097887a850c5145c5b5a49d52af  
**SHA256:**779a69ae129b3dcf9976d258fe3c631d72ed4494866434e2aeb628888756f503  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	remotegui	High
Vendor	jar	package name	gui	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	remote	Low
Vendor	Manifest	built-date	2024-12-03 15:23	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium

Product	file	name	remotegui	High
Product	jar	package name	gui	Low
Product	jar	package name	remote	Low
Product	jar	package name	shared	Highest
Product	Manifest	built-date	2024-12-03 15:23	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	remotegui	High
Product	Manifest	specification-title	remotegui	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	24.10.238	High

Identifiers

- None

remotegui.zip: remotegui.jar: DblClickButton.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/DblClickButton.js  
**MD5:** c35cd6abda035a7828fad8a14272397a  
**SHA1:** 65385b9909c63a872d6a2fe776b2e05bffd029bc  
**SHA256:** daa55ecad70e86d0ff8182c9193cd0e9ba9fd0d627632109caf441ddf984b709  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: DblClickDragSource.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/DbClickDragSource.js  
**MD5:** b9f567f02c81be5c2f843f6e38aa894a  
**SHA1:** 5136acd6b661d044d804e9075d286f0db02bc380  
**SHA256:** 736fd4a9a895d5388b84bad8f3a6b9b9bd54120fff2e9a86d583a7a7a72e8e49  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: DbClickTable.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/DbClickTable.js  
**MD5:** b5ac6f4dd2ae20f04e66f4384127629b  
**SHA1:** fa13ae5a5dfa28c5608f82a6a60efc6ed89b319f  
**SHA256:** 42b699f934a4f02836b0d8f168b210e1d6c1b4502e2fcf8ba7bc385d5b0eb7b4  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: HeightDetermineButton.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/HeightDetermineButton.js  
**MD5:** abd8bb7d4d3390b42e7d292435e79584  
**SHA1:** aa34d0ec2c59d29e1e07fa92074913df1f9c4974  
**SHA256:** 345d53ff522d1d288a06c1ce4be2fc7b7310cb25946366df704836a6fbd65606  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: InetContentPane.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/InetContentPane.js

**MD5:** d92edf895b367267a18b164461f7450a

**SHA1:** e8024cc29237e47f8e635125073cb13d0ad2a4ff

**SHA256:** b3e4706e5af04905f36bf92cd50c159d92248cbd01051320fbb84acb48a69ea3

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: MouseOverTarget.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/MouseOverTarget.js

**MD5:** 0a897d206c56960e7839e11480367771

**SHA1:** 3766f3e726b8ed774c85a1591878d430d846f97c

**SHA256:** 48b3c5e519a54b4c43292470ededa7a21c9ab836b34a9dab6e84280ed7e07a27

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: PreventSelectionSplitPane.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/PreventSelectionSplitPane.js

**MD5:** 5b86b53aada37ddc636b5a0a1884ae66

**SHA1:** dc90617fb1c00b4f53e74202adbcc543bc75003f

**SHA256:** 294120a9528e6dfd99a1eed73f3ef53be16d71e73cdc51648840ac7cbaa64534

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: ScrollEventWindow.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/ScrollEventWindow.js

**MD5:** 8f8242238182a1beac5f5c64f600ae6a

**SHA1:** bc28865113709558b01ba63b49831aa940f18349

**SHA256:** 9b68c31583e928ef7f79e3bc75cd162c21a8ae81a8b6d790bff3075d532f3ee4

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: remotegui.jar: SortDbClickTable.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/SortDbClickTable.js

**MD5:** e2e630e3637693634dda02f4dab7f5ef

**SHA1:** dbd89c0ef9cd8321e46aa55a331419fd2b4ccf2f

**SHA256:** 5f535d195fd0e603255eb4ef18f9c2127bc4f4338b2e138f11d9e1f7ec2d4c65

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: angular-websocket.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/angularwebsocket/angular-websocket.js

**MD5:** 3f86ccf4a10e6badf8742df346ba50d0

**SHA1:** 78b01247a82172c53701ab5056d999fd884d8788

**SHA256:** cee290dab1dfa96a8353cbbd27c783964862299fb03094f07a1a6d9785479d25

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: app.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui

/angular/template/js/app.js

**MD5:** 5c38f06f9aabeb99bd5fc8518de5d3d6

**SHA1:** c2bb6f8e58bbd39980d007af801dce7f2a0a9a96

**SHA256:** 27571139c971b40e378d135cb1fde1f5e758c17be6a8f17630d30251919d8999

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: app.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/login/js/app.js

**MD5:** 5c9a07ad00aa493976b33fe9a25fc49e

**SHA1:** cdaafd6cc723c95ce2483b92b6863c31c929951a

**SHA256:** 14b0bb8264d77d914174be291932c419fdf34be10ae054464f69c90ccfe5e681

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: remotegui.jar: app.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/logout/js/app.js
  - MD5: 5c9a07ad00aa493976b33fe9a25fc49e
  - SHA1: cdaafd6cc723c95ce2483b92b6863c31c929951a
  - SHA256: 14b0bb8264d77d914174be291932c419fdf34be10ae054464f69c90ccfe5e681
- remotegui.zip: remotegui.jar: app.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/masterlogin/js/app.js
  - MD5: 5c9a07ad00aa493976b33fe9a25fc49e
  - SHA1: cdaafd6cc723c95ce2483b92b6863c31c929951a
  - SHA256: 14b0bb8264d77d914174be291932c419fdf34be10ae054464f69c90ccfe5e681
- remotegui.zip: remotegui.jar: app.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/passwordreset/js/app.js
  - MD5: 5c9a07ad00aa493976b33fe9a25fc49e

- SHA1: cdaafd6cc723c95ce2483b92b6863c31c929951a
- SHA256: 14b0bb8264d77d914174be291932c419fdf34be10ae054464f69c90ccfe5e681
- remotegui.zip: remotegui.jar: app.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signup/js/app.js
  - MD5: 5c9a07ad00aa493976b33fe9a25fc49e
  - SHA1: cdaafd6cc723c95ce2483b92b6863c31c929951a
  - SHA256: 14b0bb8264d77d914174be291932c419fdf34be10ae054464f69c90ccfe5e681
- remotegui.zip: remotegui.jar: app.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signupbasic/js/app.js
  - MD5: 5c9a07ad00aa493976b33fe9a25fc49e
  - SHA1: cdaafd6cc723c95ce2483b92b6863c31c929951a
  - SHA256: 14b0bb8264d77d914174be291932c419fdf34be10ae054464f69c90ccfe5e681

#### Identifiers

- None

### remotegui.zip: remotegui.jar: app.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/reporterror/js/app.js

**MD5:** d44f777bda98c2575c0fd09b0fed6365

**SHA1:** e9a9d78155906a6701e6651297d5938b30783ac6

**SHA256:** dde14cae0d8536b58b9231cdb02116c3913e24001aeb11e7c69cf1b867ca1c27

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: app.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/start/js/app.js

**MD5:** c5a25c30b25493ddba670b39a30fb2ec

**SHA1:** 818255f797fadc160ac04bf5bc006795f1ddbe2  
**SHA256:** c8376d288d31f979994d422e0f9adc8cdaff08c40a7ec3e5187f573363e4f1d0  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: appbadge.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/appbadge.service.js  
**MD5:** 972c23014cebfa2b2d70c29f9b40301d  
**SHA1:** a787173bae8c89a77b0362f4b249d05878c12060  
**SHA256:** ac37dc5111bef5fdd39faed0fe8c617c01759e8f60c1b0a2aad623d4477e227e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: authInterceptor.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/authInterceptor.service.js  
**MD5:** af8f02f6ad340927c21ce655cf258248  
**SHA1:** a3f84bac4f7a9abd8730199949c5be016ece4b7f  
**SHA256:** f3fd2795c125a72579fececc03b6685d2c4d6ebfc034314b7bba2ec4a397c333  
**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: avatarcard.directive.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatarcard.directive.js  
**MD5:** e5a03411e6902f6c977982d411eb38fb  
**SHA1:** 2aed1a0da4c20568a5e9107f811f83f522599933  
**SHA256:**c278c755858a96f159658670fd4d441b8373cf2cf878aa3d3d906be6a0ec9ee6  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: remotegui.jar: avatardetails.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatardetails.directive.js  
**MD5:** 7e62c6d3e57a23a175f1bb87e5c5b415  
**SHA1:** da38a8275289aab5dbb842c525da24711e9fd25c  
**SHA256:**81301bcba85d66a11853cdaff4e09aaae57eb3a7d4333e672688a10ada169f1c  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

#### remotegui.zip: remotegui.jar: avatarimage.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatarimage.directive.js  
**MD5:** 82978a2f8971f9bf3ddf556dcfd32f3a  
**SHA1:** 3459940aae24e5890b32d423e6c31bae9451a7c6  
**SHA256:**ba811ab159edc428cfc8db17f43e374ee6bf5f72b64388b74b32e72aa45e016e  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: avatarimagedetails.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatarimagedetails.directive.js  
**MD5:** 905d2a497e6ed8997df0e99deddd4559  
**SHA1:** cf8401a401619f010afad2e1a37650df433ad544  
**SHA256:**1b96348942ce42790d9b00e07e14f2e4376d871befb506b3a5ab160fb5401e54  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: basic.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/basic.js  
**MD5:** 10fbd668e22541d20ab33438566547e3  
**SHA1:** af1162e3d994efe285c738295fe8f4bd34730901  
**SHA256:** efa6257a997e3c57adfd095580cd7e3065239750146ddb13d8c04e1f2c4d9274  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: bootstrap-colorpicker.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/colorpicker/bootstrap-colorpicker.js  
**MD5:** 38a888ab6355c15700e39fda8851c719  
**SHA1:** a2af9a785f593166a5423658cf538be030893351  
**SHA256:** afd393ba344c3e45d53ec3a472194b22222a2d2188429f0049b74fd87d2e30d8  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: bootstrap-datetimepicker.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/datetimepicker/js/bootstrap-datetimepicker.js  
**MD5:** 660b0d1aaaec63a24899af6ab6cafa00

**SHA1:** 0bf9628c8b8d5b1d180dd51df71d5107b374846a

**SHA256:** 785a0b48dd539cd5b0fb890d114f56f45ab464bc78a5812afcea49bc514584b1

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: browsercheck.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/browsercheck.js

**MD5:** 0757d9ff2514240f35f22ff5b4bd76d1

**SHA1:** 75c63027cab5857414d60d3720419e065f632432

**SHA256:** 31ae343e89fec66445b23bf0e4d124c374927ea4596199fab0ab451ffefc6d17

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: changeavatar.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/changeavatar/changeavatar.js

**MD5:** 8befaf77b8b0a9433cf48b8d0b81a259

**SHA1:** 12a3dcee0541ac0cd4f4683f298ec6893d5b2f06

**SHA256:** f17ced7cbe05239ae76bcfef5771ea1bdc12ca9997f4986fa51deedb6b88b72e

**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				


remotegui.zip: remotegui.jar: changeavatarcontroller.controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/changeavatar/changeavatarcontroller.controller.js  
**MD5:** 499e90268582c3b3f845528b67e3497e  
**SHA1:** f7442696ad9c959cc2506116c96f7b7bc2f67c2c  
**SHA256:**5aba7e5c2ed387ef7931624f7fcaef909ab3ffa37cf02af6ccb898b3b4055bf2  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: changeavatar.service.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/changeavatar/changeavatar.service.service.js  
**MD5:** fe5e6f25a784d065b7878064fcf50538  
**SHA1:** 0b3bdb359d4cfc20115209168feb2f8441d49e7a  
**SHA256:**4d7246d1c83272fe99d27d13ab3a93bcbf169de5dbfa4686327dda4c142c9154  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				

- None

#### remotegui.zip: remotegui.jar: clearreports.controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/clearreports.controller.js  
**MD5:** 570f37323d279636982e30499154fb74  
**SHA1:** 074675d5534e73ff5acf1ffb9259f58385e71715  
**SHA256:** 607d498713d1d37e1044f2ac9e938604178bcfaee1e7967f1d3b20458a71455d  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: collapse.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/collapse.directive.js  
**MD5:** b5a0a930afa2a472aecac76fdf7dbb26  
**SHA1:** 353dfe5129d32b4e7980a4add00a039877f3b631  
**SHA256:** 14875f54306512d11d46ebeca561f837d49217353deb6450b0081b4eb89cdc9d  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: colorPicker.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/colorPicker.directive.js  
**MD5:** 6e50ccf1829e11bb6b28095a001da6c1  
**SHA1:** bb615fc7432b151b2ea2118d6017dc9475658d9b  
**SHA256:** b74ba64710291260135de1a9377a54ac5a3f7c43ba8bba430c3a0181aa9ef268  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: connectionstate.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/connectionstate.js  
**MD5:** de6e3bd6cfcfb3c335c1f14d35a3791f  
**SHA1:** c658eac71cb8f96150f11beeb4acbf435cacdeea  
**SHA256:** 9ea2c586fd94a9a164b505ed6e072b323b1a3937699fc2c8741aab0465bdc7e5  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/controller.js  
**MD5:** 0f514365f507a235ae17a7a6b8c8e61d

**SHA1:** 2e2309c306686d270cfb274ed2acf9a27bd64f40  
**SHA256:** 5dd8138aae2e85b33914a6103df028146a1d5c5e646ddd6cb891c27b01f1fe30  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/invalidlicense/js/controller.js  
**MD5:** 6a9c7da3b28e059445113ff0457a4109  
**SHA1:** 1a0145ed9606de216e01b300e65258628a045b41  
**SHA256:** e034a8a0023946b8ce43fe9f859934f50cfb0c5b99c9112a5cf6e2dae6643a86  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/vetomessage/js/controller.js  
**MD5:** 69828c190c9a3d68ec14a74b4ce6d5fe  
**SHA1:** b1c31c079bd5b13735b5de12dd2475430db211c1  
**SHA256:** a46821dc18ffe0a34e1d3ddb08f19e03667b6142a9e9122936b9e6d6c2e88727  
**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: controllerAbout.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/about/controllerAbout.js  
**MD5:** 35cded32079795971fb724b6d26735cc  
**SHA1:** 03289bf22bef143d9ad78851e1fc0ada0a3ef36a  
**SHA256:**f5b0244b69882e2da83b93969abb8310c342f0e53ce38c19996deb65391cf647  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: remotegui.jar: controllerShortcuts.controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/shortcuts/controllerShortcuts.controller.js  
**MD5:** 7e08d417343bb72558e38cf6f05b84ba  
**SHA1:** 48f2c68979f50ad77692888065084b4bc68cb6a9  
**SHA256:**93b106ce893bd88230ff821050e33d164def642890aefd5100a0dbdf0ba92eb4  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

#### remotegui.zip: remotegui.jar: controllerUserTheme.controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/usertheme/controllerUserTheme.controller.js

**MD5:** 2419e6bbca06ff5b9c17a728b2aff262

**SHA1:** f13e9d9759faef5ebf1aa54f0200aeeec1696a47b

**SHA256:** 0ed2c2d396972928c92b6276cfaa0a2d863fb132298bcb93a400e8f4e1bffce5

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/login/js/controllers.js

**MD5:** 9b566414fac0eced4b8841f4db83d8e0

**SHA1:** 53c6b5cab63a5cccb7bc17f4b2e902356efb39f0

**SHA256:** 309414a04de96d90e3867f80882c6f6e053c692de32153634b2edf3e87345bf3

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/logout/js/controllers.js  
**MD5:** 121869415ea7816bb918b9c68fe7bdbbc  
**SHA1:** c5d65e44689b950f60cdafdfb35d9952d85ab954  
**SHA256:** 753bb859f340c4661cc8dc52e8b9cff14c64b76fc11c293e43756b88d2645a3d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/masterlogin/js/controllers.js  
**MD5:** 462625767102cb7377da8be78dae903a  
**SHA1:** f5dc35669733dc62cbb0b42a7e5aa0361304ef43  
**SHA256:** b603ad6fe88b6c854a3bb987de4ce52d8c72879925ec044cdabd9abd647fb256  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/passwordreset/js/controllers.js  
**MD5:** 8d3baf10c981cf3ef2091887fc1a480f

**SHA1:** 58be4dbbd1c46f9b21cdef9390da9a76681a7fd5  
**SHA256:** ef1ae84002371512ac903a8ef6e32082f6993dd14f3913e63cbf617dd13894da  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/reporterror/js/controllers.js  
**MD5:** 6b359ae31904f03ac96f7f92dd242c30  
**SHA1:** a6d0b74ee7f74702eaae6920c15d3aeac157a845  
**SHA256:** b746e03e54a0e5ed0e0b0d4bf6e221197e2852b5da7d0a780cee0da6bf84dfa5  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signup/js/controllers.js  
**MD5:** 688d8965140b9c59317d9acfa14bf6b  
**SHA1:** c79713a9cc6ea4147cff0f2b232dbd027ac5da10  
**SHA256:** 2a50e2bda57fc853fab7190ed8968169465299194e2c56e2813f316529795881  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signupbasic/js/controllers.js

**MD5:** 4766cae43e55c5fd3e9e67b7459cffb3

**SHA1:** b8eb388c32b77a58874b0d5cc3a6402de717f33a

**SHA256:** dee426242e22731a4a42b29f187170c5db81030c9491b62eade40306d6e34668

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

• None

remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/start/js/controllers.js

**MD5:** ad69cde99b1307241b273905f4d0f9df

**SHA1:** f3ee193ed164808c0ff16881d8b89e22ef6cca8e

**SHA256:** c30bee314884174d4dd107284b7fbb1752919830bdc24b692e31a14d27b9324d

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

### remotegui.zip: remotegui.jar: currencyNumber.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/currencyNumber.directive.js

**MD5:** 84c1f2b0eb43d1e198e70233d831dbdb

**SHA1:** 28fecf0f626f8820482b1272d47195dd27844460

**SHA256:** fed16cd6195b7be36cdf911a263ccdca56ecee26d959f2b5326e09b724d24225

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: currencyValidator.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/currencyValidator.directive.js

**MD5:** 4670996c5b36afdf8a34c3e94e64cb38

**SHA1:** efeeb5e78c999fce3aed86dc03f0e837ba0789bd

**SHA256:** d54158b0a13b9db3712752bafd7274b43e787b8f5708f9ecd9b1453fbaaf0220

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: customEmojiUploadConfigItemRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/customEmojiUploadConfigItemRenderer.directive.js  
**MD5:** b7b88c52dac551c7746fca21a6019994  
**SHA1:** 3f319ac29a326cb6c80b62f320f8ccd0da1124c2  
**SHA256:** a2ab98032bdf293622028340940cd808fa08399503942e0eaa11b550d2724c44  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: customEmojiUploadConfigRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/customEmojiUploadConfigRenderer.directive.js  
**MD5:** 89bf8e753f5a791fdc4d2c15cf9e3573  
**SHA1:** 4786bbb83c90e38f01eafba11d444c242e08fc4b  
**SHA256:** 582e1f75192f8df57f94e7ba15590205ec8c8323057fb01262ceec36b5ba9537  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: customemojiupload.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/customemojiupload.js  
**MD5:** 44cabe61802b87ce058c07fe138d2fcf

**SHA1:** 730a519b12b6e984e2f9e081f3eb3fe988c3db78  
**SHA256:**d761c78e232d3679a269936f1c5fe238b0ce885c30e2e686f1d9545c365efee4  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: dataservice.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/dataservice.service.js  
**MD5:** ca2b9229f2663fa29bcd49387bac9017  
**SHA1:** c75eb0d4c29555370191b273e281aa2c3d123da6  
**SHA256:**0c3ffb95fde866543dad63f46e4b16b5025d778dc83b585035c5f376bdda889f  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: datepicker-de.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/jquery/i18n/datepicker-de.js  
**MD5:** d3355f1506a6f5cf222a7cb6b46037fe  
**SHA1:** 100a3ca249cc93a6eab6d1569d8f80bd28764802  
**SHA256:**bd2e4bfcebf6c88ce926e78b181dc56e649546f13f35bab1c0a31bb57dc6d6df  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: debug.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/debug.directive.js  
**MD5:** c118fc525f6b6f7124bba2d41c5f8189  
**SHA1:** 56fc9afe8f39c52e0a2dfb247229993702d9bf81  
**SHA256:**3cc717984e3be467497cf61fcd49f00374d82753b076d3a473adcc19e2d99829  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: dialogservice.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/dialogservice.service.js  
**MD5:** 003d20f66f36bbfa6e0d28c9eb26d6bd  
**SHA1:** a39e3e0e03b54ca573a499e5c25dd9e1419ceb1d  
**SHA256:**4d784121a75f717c4ee085ab4708540295f378db6698ff5957a2fa22edbd40f0  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: remotegui.jar: directives.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/directives.js  
**MD5:** 647946aa279661f6e0523740053c5adc  
**SHA1:** ed24248f5cbb57901326433c5f7585d767b80d0d  
**SHA256:** b5456966b7f862c95df2cc6d4f47f0444ca9450e72873fbb67e6ffee6160fb37  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: emojiModel.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/emojiModel.service.js  
**MD5:** 0178d406afdf93aae07ceef6a5c137d0  
**SHA1:** c548e1837375d598dc44e80a757e720032c6aa2c  
**SHA256:** 57597f5706b3e0e74966d2da6576d0e278fdda1613a86b434642c9ea18f62060  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: emojiselector.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/emojiselector.directive.js  
**MD5:** 0c135b17461c32042cb2c1c537e0bc07  
**SHA1:** 7cee6e9153d6a8ed9cfea9484a5f2303a2076d3c  
**SHA256:** 5c6dda1d48c214b6bac17c642e9df4fb7c3ee8cff604f9c8ca5fbc1ab391261  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: errorservice.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/errorservice.service.js  
**MD5:** 12808d1c097dfe1abaa51d4b3835af45  
**SHA1:** bbc42b93b80dfd42d70ddf55ea4f3132084cfd36  
**SHA256:** 8aa0a02ba4b9867d360fb7dc2c6a010c72e5de05fe02edc0ef94a42343dd2c27  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: filechooser.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/filechooser.service.js  
**MD5:** 1e0ad59c3868668240d931a55fa5e304

**SHA1:** 407d95d03a0512bf65f18374c53712e47fb5b04e  
**SHA256:**5dd7493048c88b622b477ac34d8596483de8752b81136d435393b5232f12acda  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: fixNumber.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/fixNumber.directive.js  
**MD5:** 0d490e8241a7067d2c32a16b2608f419  
**SHA1:** e2e8d4c2aa40297233791719784946b22041e311  
**SHA256:**f278c7400b8ea7f1ea4e6af57dc4d340ba81b6e00a7261efbaea1853c3dae53d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: fixNumberValidator.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/fixNumberValidator.directive.js  
**MD5:** 975c9166c7c681ef96345662bb55bb49  
**SHA1:** b4d51cdd3d97e274a15ba3f1a10d2bae2a19c376  
**SHA256:**381341642ccbe83afdb104904d9761c2b885d6de300b5fdd4af7a19b49e531fd  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: floatNumber.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/floatNumber.directive.js  
**MD5:** 2d4b2142d6c67326eed229f9aaff4393  
**SHA1:** 98f6a991a36437ba55e005a0144233eb03fc506b  
**SHA256:**f4dd76261d408567850a4861bb9597851920e45902a9279215114d1568c7262a  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: floatNumberValidator.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/floatNumberValidator.directive.js  
**MD5:** 8d0553f6288c3971f447c7456016dbe1  
**SHA1:** 49c8744f849875e3911cb7b2d1e641a6ebcc7065  
**SHA256:**2b3bc213487d4ef2929a5a841d53a1c7c0025134b4b0b31824eafa67a7d15b59  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: remotegui.jar: globalactionservice.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/globalactionservice.service.js

**MD5:** a9e7e389f95d95d455bae3e378d2e2c9

**SHA1:** 0ff96fb14eba73ae10f0e2569da6d6dd366b8f95

**SHA256:** 76d3db82466040c12a6c7534519cbd2e831095f8b22c49748c3d1bbb1c0b8cd5

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: hdField.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdField.directive.js

**MD5:** 42df5f488878bd827a995a300927a5f1

**SHA1:** 8517f66bd2b7bb48841a953c825e81a8de51d24b

**SHA256:** 71f7449ac8125372e1dc6c969ab5bce1c91fd3c77e1ef7fc56b1b7a2ab320a90

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: hdMandatory.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdMandatory.directive.js  
**MD5:** 13066a9536d97560903a35c06b9d62e4  
**SHA1:** 83f181828bfe9e43910852a2e09e85fe22cfd08  
**SHA256:**551bad1dd574976b0346f6f1e0e7b4920d3d0bd2b4a80bbb338610462c5f59c9  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: hdNeedchange.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdNeedchange.directive.js  
**MD5:** 5239a81e120888887704634c0ceb01f4  
**SHA1:** 8210293686bd9ed47448412c4721f39465e5e0de  
**SHA256:**e4532aaa760ec553636521e1247f2c2323785555a10e739848711b527a954eb8  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: hdValidate.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdValidate.directive.js  
**MD5:** 70f6e853f5be943600ff9713ef515404

**SHA1:** b4c72e6afe51f48776cfe4ebb4da0187480b439c  
**SHA256:** f8f4a528177d50b67143d77f60d7364410a757c50f93a61294de1922255bb237  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: hdattachment.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdattachment.js  
**MD5:** 1f09ae47da7013f08adadc844775cbe3  
**SHA1:** c9d174e04faf404e93e41969058419c32d23fffc  
**SHA256:** cd790ef6b7109253c5cb87808137d25df02920ca502816b32957ef3c16fbd28d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: hdfupload.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdfupload.js  
**MD5:** 4f50a72fb8ccb5ffbf7e4fbc2621ad43  
**SHA1:** 9e90c0d8d2fd0630710a64a6d557f6263553ba43  
**SHA256:** 8c059f37866135b1e77afd575619973967f8e3fc457739b381c8d4d0ca632ea8  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: hsimp.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/hsimp/js/hsimp.min.js  
**MD5:** 31da02c3356fe92d686f09c9e9a2d3b5  
**SHA1:** 77c9d1aae30a77bb4f4ff1015d9886a9fb2bad93  
**SHA256:**44cdb7ca377e6793dac301775332a628e89b3624b6330964a9e2592d1f5b0389  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: hsimp.renderer.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/hsimp/js/hsimp.renderer.js  
**MD5:** 145524977d38143d0d8feda731bbbb40  
**SHA1:** 330f0ed3b8bc30fa516fde8e9de35d5e6b0f334c  
**SHA256:**f9496f9d714ee4632e63bf04344ee2ba16ce23cc76e45c2ead2b17bac859d47f  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: remotegui.jar: html5modeurls.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/html5modeurls.js  
**MD5:** a58e0f5ab5e75fd4738493fb471f11eb  
**SHA1:** 945f1a10acd5202137ad6991a784667c1f1ae59a  
**SHA256:** cda6265dc9848b22a9d38fc76a030abae2b6c7f6c42ed18a26606ec3e8575d40  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: htmleditor.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/htmleditor.directive.js  
**MD5:** 36e007f8e87624dc0c93f5e0c0443184  
**SHA1:** f83d8d33d370297ecdede6a1eb6fb4496a478ea8  
**SHA256:** bff83e7b0dff55272890bc2d740becaf96d3408341e77d66736152f8e5be520  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: htmleditorFactory.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/htmleditorFactory.service.js  
**MD5:** 60afb054d2f87d5e2894cff959008704  
**SHA1:** ce78f82daea98bcfbf5a8b264290f69df2fbc063  
**SHA256:** 41ae8eabe8ea60d928c8d21addb357f3abf1d3d00ad2dcd64b81e8c3dd10cc32  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: htmleditorModel.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/htmleditorModel.service.js  
**MD5:** 07bbb19fede16469b98401455373a882  
**SHA1:** 66c15ae2d4b9d63c961710bc86e0da67b4ce6a6a  
**SHA256:** 2adb40a0401b9524b4c6d10d55bfe92f9059fdee378d29a2156723299d259d70  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: icons.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/customtinymce/icons/inet/icons.js  
**MD5:** be1529db0e0f990348104f5e10c63489

**SHA1:** 783305e7601e4b163f98770d53c28dc1b0ffd45c  
**SHA256:** e71d6ba9022259ce04226a84128038dc92bd2f648aa463b09954dec1237ffc8b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: initUsernameField.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/initUsernameField.directive.js  
**MD5:** e83a0f83b94932e21d0b675d2649f0ec  
**SHA1:** e0371c84a3750d1476292b4e5e9f0dcbff707e67  
**SHA256:** 1aede8b89590e2782d1c29f208579364f851778f652b298eac196d2c524dab4fc  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: introduction.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/introduction.js  
**MD5:** 4a44c1c75eac7fadf99edd2be27f5df9  
**SHA1:** 2382e9cbd377fcfe99d9a7adede421bf8e6a97c  
**SHA256:** 0217b44c41758f2d83518c55a60f10cd8ce0eec56a4b635e0d578a0c6aa9d3e6  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: jquery.fileupload.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/jquery.fileupload.js  
**MD5:** 015c382ec73373f5adeb299de71f986d  
**SHA1:** 587a3366d6c4e74ad0e30a2264b86bfa6e06a39a  
**SHA256:**4493d721690b35f554daebaa2d1cb0d642519211cff94f1d1f3e14fc7a78556b  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: keyservice.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/keyservice.service.js  
**MD5:** d409a33286c8275ecbf8bc8e40262977  
**SHA1:** 45969aebde921b9544cc2f726f1acc3392db90ef  
**SHA256:**9c83869fb06886a3b44cbae8067213a34a1d33f60b0c107ef7fad5b4c1a5b45d  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: remotegui.jar: locationservice.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/locationservice.service.js

**MD5:** 1dd077296104d0706de341b300bc1b9f

**SHA1:** 1bb5d8ca1fb5e96c0da53e2782a5bb56779c52da

**SHA256:** df1f45ba3a0020dd15aeb87ce716fc88db01447a18743adbcc7339d50e856ec8

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: modalservice.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/modalservice.service.js

**MD5:** 44b27ceaa66f08885acd3f6f7bea5a32

**SHA1:** 0b10e0d98e7998f0a68265f2c893585a2f4254aa

**SHA256:** 3aba2cf23556877fe65d313a92ed0f1032f11f1b833ebf5c31feb7010d0d6886

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: moduledragdrop.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/moduledragdrop.js  
**MD5:** f33abdb637c0db60e1d05ea891579e65  
**SHA1:** 4dd4b05fd62dfe236d540c16e7f250233b9afffb  
**SHA256:** 4575f0f735e9cd5309a486308f0f04ab41b3cfbafaa9e93ca6910a5a70fcc20d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: navtabsoverflow.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/navtabsoverflow.directive.js  
**MD5:** 5e2ecd2135858fd1fca074bd14577896  
**SHA1:** 2f2ced6f25612b3feda462f72ddb830843934ed0  
**SHA256:** 4d61532247516102b8ed61a658bbad21e166c1cc16f8d8d1ab57a4a10964a70e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: ng-tinymce.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/ngtinymce/ng-tinymce.js  
**MD5:** eff24233364fbe3aaed624713794f8e4

**SHA1:** f9c63cb4910a28597c5e3850b6bea363d535b192  
**SHA256:** 0d8792cbf77d3281afe7b229a3e42dcd56b97021648946de2f93b13c961a92e9  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: numberUtil.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/numberUtil.js  
**MD5:** 32abe159e5e48c514889bd8d2b896597  
**SHA1:** 297275901dbbd08ee1058f062637b62f39a1d37e  
**SHA256:** 40645f2d1c5858aca6a6f98e0a5b8f430ac454012dc521a4970d73c11ffb42e5  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: ocLazyLoad.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/ocLazyLoad.min.js  
**MD5:** f2d4908265b909369078aed0cfaffa3  
**SHA1:** 2d19edef03246ca520c6b3d658e75fad0d791695  
**SHA256:** a5f7c8f4292aba0f63174bbb86fef9e919d97ed72f80857e83065c66ddbc5a4  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: pageablenavbaractiondropdown.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/pageablenavbaractiondropdown.directive.js  
**MD5:** 0e891cb1efe8d7329586abc7a79b2091  
**SHA1:** 7eab2e0b6268c3cc513fde52d198b5d4543b3dce  
**SHA256:**db54aa685133a7b32a6020f94b561e3f0cefe9af09c92704bffd01c89b7173  
**Referenced In Project/Scope:** server

Evidence				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: remotegui.jar: paged.filter.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/paged.filter.js  
**MD5:** 4517ac89c1193aa004655d37534756d0  
**SHA1:** 8987e7b45fbad3a23c566f82b43b615d528a32fd  
**SHA256:**f8a3ba8d018a615e81511dff8c572c3f97e60fb339fd801673124b6b1ac06365  
**Referenced In Project/Scope:** server

Evidence				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

### remotegui.zip: remotegui.jar: pagination.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/pagination.directive.js  
**MD5:** 89b7e3878c21bee24c47f57630716850  
**SHA1:** 2ec014a73bc9ecb7f8d4a24145e8a1a38a0ff09a  
**SHA256:** 7e4f6b98b13aff0786071b8dbdb89c0e1afa7951efcda87cb5841775d47d7916  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: piechart.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/piechart.directive.js  
**MD5:** 9e310689849b1cf084faad9abaeffdd2  
**SHA1:** 0456656b2d9097dd03e38b9cf8b8efffed37f5f  
**SHA256:** 87ab77404d853f3ebcb2ed4df1898e5db294aad833e7426b12e58a914c111973  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: popover.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/popper.js  
**MD5:** cdc4db21d30d395a755e5ae3cf047c9a  
**SHA1:** 76d28eb50f3a6c643e69328a49e15107d2ec48db  
**SHA256:** 472771d51f26607c75fd52072b3c037e386dfa73f579d8f6711a4681f37bce05  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: pwa-service-worker.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/pwa/pwa-service-worker.js  
**MD5:** 95a33b245d3237810fe50090f6719728  
**SHA1:** 1092e1c782d256a86ba9034dfc86b2af50d3117  
**SHA256:** 933121280fca1f5ea88c243ffecbf998a62fdc3b62b5ca70875a990c18c9edd  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: pwa.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/pwa/pwa.js  
**MD5:** d5f6fdc8eb151d3a71ca5eefe74f6dd9

**SHA1:** e7e28c16da057e3d23295da872a11d99239f67cb  
**SHA256:** cd0a4ccc24239ef74ccf067d2eac8ac8989524fc41b0e7ce4946295f92a75b72  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: qrcode.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/reporterror/js/qrcode.min.js  
**MD5:** 4b36f8e71a871112384d908a90471a76  
**SHA1:** f103f61ed24f3dd86bbee1aecb91ad4ff0a15282  
**SHA256:** 6afbe1ebc2ba9b4bb0833f9f55c4eb80edb582903ea9611a9be49633a7aa3b09  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: rangeSlider.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/rangeSlider.directive.js  
**MD5:** 20376051d3ea2a6162db3ad58f076fa9  
**SHA1:** e47bf7c8863847aac27395ad204e978818b02d29  
**SHA256:** 394dace84214f70c8ffb4d86f4499bd0b0a5c909c1220255d203a21ad8ae9dd2  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: resizableDivider.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/resizableDivider.js  
**MD5:** 82f72e48f14e09943bc701a560208dd3  
**SHA1:** 0e7909ad9a6e89023e73c0f47093802a8ff0256c  
**SHA256:** adbee78b7f4d5266967c45a67dec85e13a1d83fdd14f8c4c2caf4aaec379f380  
**Referenced In Project/Scope:** server

Evidence				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: remotegui.jar: scrollabledropdownmenu.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/scrollabledropdownmenu.directive.js  
**MD5:** 37b89effd017ae7b70a657835a692cd6  
**SHA1:** 35113f4ae36e6b2bfeb53755969c8fa57e3d84d2  
**SHA256:** 058c0a6580a8472236e3e097695cd1a2da78169ce39d42e065c09c8710cae4e3  
**Referenced In Project/Scope:** server

Evidence				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

### remotegui.zip: remotegui.jar: search-panel.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/search-panel.js  
**MD5:** ec16e5fc794c4aeb3cc96fd398a4e50d  
**SHA1:** 48094431c7ca194a6f4f1290c05b6739c88e0bb4  
**SHA256:** 1b02efa4e69d42ff44c4a497af20905efa45165004d44eca096d02b2318f3354  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: selectInput.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/selectInput.directive.js  
**MD5:** 3e0b0207e32d810d2f2cc83e1810d1ce  
**SHA1:** 27d24f7499bf2e7ec318031f58c2f50f33648e32  
**SHA256:** 79525122156f759dc8deebbe92a444623f2d12ebcb367f3d277ec4487b3c0a24  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: shadowLogger.factory.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/shadowLogger.factory.js  
**MD5:** 7fb285ba68fd8f73752378984e7d64b3  
**SHA1:** 8c9a157918399ff6a7e161847985955118fed3e1  
**SHA256:** 2af095330d60bd76f3b0644e42d9ad3203184fc37897356e7fbbc38c27e85f18  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: sidenavigation.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/sidenavigation.js  
**MD5:** f7b0e471a51d333b6f6ad8a4758c3580  
**SHA1:** 1e6d16e56ababd657543dcd76835df4df31a3722  
**SHA256:** 1ba9a45faf6ce28dfe3b19c36f4129a3f5f56f04e0e2c4d3f1b8fa543a1cfbf2  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: takeoutDataController.controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/takeout/js/takeoutDataController.controller.js  
**MD5:** 2db0d42505769d9ad4488d61de46dc23

**SHA1:** 8334c9966238cd1744439982992440aa3dc9a392

**SHA256:** ec576037a423ef29d952d37e4a7f088e0ccb85b1a61a1fc581361679f3a75323

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: takeoutDataFactory.factory.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/takeout/js/takeoutDataFactory.factory.js

**MD5:** f0f7bf8b0db5939aa4f95efee40c9a7d

**SHA1:** 9d2bb947861af7eeeace922dac84caeb9dfc5fd4

**SHA256:** 61701863dd18ab12e3a4e8d1c748b2edaef7f1e72359e2e7507d9f779a35d450

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: takeoutDataModel.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/takeout/js/takeoutDataModel.service.js

**MD5:** 89340a5c50b020ccf235d29a59ba7aa1

**SHA1:** c04271bde4da616aa448ef3dcb220995ddf210d1

**SHA256:** 7d6d634870c9dc64b1798e78a6d240b31b07335478e5d374fc48e352f66b21e9

**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: timeInput.directive.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timeInput.directive.js  
**MD5:** 1acc1f70f51486a7069b687eb818e7e9  
**SHA1:** fd242d13a1648203f7223dd837304f183567881b  
**SHA256:** 7558ff325af4ebe198fd18db6b2f80ce97f4e0d26c167804638c623c8ad4ca3d  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: remotegui.jar: timeInputContainer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timeInputContainer.directive.js  
**MD5:** 38ebda66df735a153e899bdb455ba627  
**SHA1:** 6d76490fba423fbb26ad2e2379e0469e354bd8d7  
**SHA256:** 0505ad1f8c7b7c1502da18d67b80c5e1abdb4097082002223bfe0c65557fed7b  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

#### remotegui.zip: remotegui.jar: timeInputUtil.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timeInputUtil.js  
**MD5:** 6e6b983b79ecc163db62de048fad0bea  
**SHA1:** a04fbc0b3fb9e92c0548af34d256b1397ec57b6d  
**SHA256:** 9cfd6b9003b254130229958097af006a91232afae599a92b1b17341cfa40a4df  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: timeMeridiemContainer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timeMeridiemContainer.directive.js  
**MD5:** 793a2ad3d2499b3489eed22bf75dd074  
**SHA1:** 04d3cebd678f9c6a6341547c11c2e7849f444a06  
**SHA256:** 56e23ca00cbe13915bc605e8a8fa62bf7cb01652f1d7e0a696e7a4359e36fac5  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: translate.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/translate.js  
**MD5:** b8a0528dad77053405c013f8d3093688  
**SHA1:** f7efb58c31f4446a20da7228aa33290b0a731f6f  
**SHA256:** 39ca4976fe9345f0ca61017824798e5b0cfe45df53a2f0dcf0bf31bf453c58da  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: unitFixNumber.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/unitFixNumber.directive.js  
**MD5:** 2c99db1a894118323d3dc106a41d4c81  
**SHA1:** 1ad8472f6ac831b0c078cca7051d527e41497537  
**SHA256:** d449ce86b07059187db42b8d1b92cfd6bf8b53177904899d18e301f3eb720437  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: unitFloatNumber.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/unitFloatNumber.directive.js  
**MD5:** 71eee99887bff0e562cec97048d525a5

**SHA1:** a531c1cd9664d2b737ffe3d78ebf9c5cc6685171  
**SHA256:** 9edba0f7a5d1a5225b8176ca66b5b84ae36ea796cfc19a131692c934ec9ca22c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: userservice.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/userdetails/userservice.js  
**MD5:** 31ec7bb6ba4b2c54d81358431b0ce243  
**SHA1:** d233b2957563a31ad7ca112d91b7aba841a2ad38  
**SHA256:** 93a0b3747689d9bc27c0f56908c62f8c8079599e9402263e1e0df94fa031c4ea  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: usersorgroupsselection.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/usersorgroupsselection/usersorgroupsselection.js  
**MD5:** 573637af00a7f86d27f1321b1a6fc01e  
**SHA1:** e56f47b408517383abfcd1da6278dc20ad34da84  
**SHA256:** 5782af6078b195e4c2bc71cfc758bf94076ba7a1a6911b5a5e3a556be31e4a3b  
**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: usestrict.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/usestrict.js  
**MD5:** d41d8cd98f00b204e9800998ecf8427e  
**SHA1:** da39a3ee5e6b4b0d3255bfef95601890afd80709  
**SHA256:**e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: remotegui.jar: websitedownload.renderer.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/website/js/websitedownload.renderer.js  
**MD5:** d84df8cb02320562184713facc448e3  
**SHA1:** 463b4cef63842cb3677086c49abe33efcdd20937  
**SHA256:**f09a47bc77779cc93eb0554f787159f93a4b5c2eef4b94278ad064a6d579d11d  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

#### remotegui.zip: remotegui.jar: websocketdataservice.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/websocketdataservice.js  
**MD5:** a3bcb3515414d041649e01b0dd83bbc7  
**SHA1:** 2ef00c578f3c3c1826216dcb76fa3b9bdbcd3735  
**SHA256:** 3dfe4b0c83acfb560196389571f2daa4de562d3ea161349598fd6f6bc795ba53  
**Referenced In Project/Scope:** server

##### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: websocketkeepaliveworker.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/websocketkeepaliveworker.js  
**MD5:** 23dd8025d25c06b00bbb9d2f690e8c24  
**SHA1:** 1f8530d396532bf8a0d474fca70f42785edc5872  
**SHA256:** 765e139c05a131aae143639b5906986915d9031f47b0dee52e4b9b54e75b54b8  
**Referenced In Project/Scope:** server

##### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: windowdatarestore.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/windowdatastore.js  
**MD5:** 8509ee4c50d6ba4530a9d3c3975ef21f  
**SHA1:** 26c0406862209b38c67b931c13787a3c3c547710  
**SHA256:** 908719da1d0ac1d416ccd359fd6a8ff1bb5854b0f8ad0e4613392d0ca5d56e41  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: ar.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ar.js  
**MD5:** 0f886efdc70323a44979e1cefce05038  
**SHA1:** 9d6816b96f0b595631ec3f0a8ef095b79d2aad2  
**SHA256:** 7f3e6c66626d88d970c57d3883e155c93d97cf378b6e8b27c3e0294eaf1c3cd2  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: bg\_BG.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/bg\_BG.js  
**MD5:** 4e9304054a5dba87c44a97301ad66b18

**SHA1:** b4c2faa214f8b1439ad6fcbf25064557a609cdf

**SHA256:** b1430ba8c8ffca397dccb798611def8cec0ebd83965fff5fb0799090aa2c8f12

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: ca.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ca.js

**MD5:** 089ce05c476ac2670a3e7191e27cac9a

**SHA1:** 1e076c780755f0ca6dc33f275f615cd3bf4480ca

**SHA256:** 41d6c5ca9f26f3d51b65ec32dfc001eb5b31dba3b7ebe634fe722115ff449c94

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: cs.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/cs.js

**MD5:** d10d9585dcd93ae57323c6a655aa2c3d

**SHA1:** 9349c258353e88585b5400726f66d9d49b329f26

**SHA256:** f876fc46225f5d756b7c93868a122d13ee141f32b4083c7f7ef6592b9004a059

**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: tinymce-languages.jar: cy.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/cy.js  
**MD5:** 2a0728ef1086a55e02eb37af4eb5b0b1  
**SHA1:** d35bd8d1c3c3397fdec0db042d0c0c17ea7fdaf9  
**SHA256:**df7b1c6f8cedac1f23dd1ab8c9f180665d66c7325eba121dca192c18a06f58a9  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: tinymce-languages.jar: da.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/da.js  
**MD5:** 481aa7c5d1ceb5a94c54bd71af91b607  
**SHA1:** fa4a7ecb526f6b215f8da7853dd2326a99838c06  
**SHA256:**440828eeb73162291e2f8eee67763d7e34039e5b9fe4d4ad506a521e48fbd438  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

#### remotegui.zip: tinymce-languages.jar: de.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/de.js

**MD5:** 42f1476160d0c1c8da694470a77af56a

**SHA1:** 4862a9cb5f4ed83a312bcc769d520440f1f95a0a

**SHA256:** bd997ca871108f0124849619dc28981047f7e7a1ade9360e2d258a3a86ad02af

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce-languages.jar: el.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/el.js

**MD5:** 5416576d60c441187a77aae0846865ba

**SHA1:** 0f11a7714c7e4da72cd55dd70f5dbc2f0829f8fe

**SHA256:** 970b4322bdfe3fedb6e4544b65a9684099e82d208a6c2ad86e6550fe2d79543a

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce-languages.jar: eo.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/eo.js  
**MD5:** c1f238debe6f92e597d18890a9b9cf39  
**SHA1:** f10c044ef2e30b353442bc536c3c6302f83b42f4  
**SHA256:**c316804de553f2aaa5c7724f0e1a8e2f1aaf2b7342f236358a7e12365e212384  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: es.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/es.js  
**MD5:** 833bb31f5d452f0b036f558304f7bd43  
**SHA1:** 0c34ae192edba65fa21b762ddfd7226b129c8da  
**SHA256:**f020e09f41ca04101127c4236b44d0d5b4938587f7449421b38f666ba9159ed1  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: es\_ES.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/es\_ES.js  
**MD5:** f2bf4385f9ac938c22d699caa13805fd

**SHA1:** 08cd53fb716153b4a47d34b2181e53d49ea45a36  
**SHA256:** b2356afb30584c7359dd65ceffb42296b0e420650033e73422be09da30511cd0  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: es\_MX.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/es\_MX.js  
**MD5:** 0d9bd141cec3e0a3c3b32d6dcf0a1739  
**SHA1:** 976438b6d6a826cb437a4a7be47a6ba4c107be73  
**SHA256:** 8be7384d5888618e3ef7ea227c3f10cb0533db5f01fd8ecd75309cf0652008ec  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: eu.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/eu.js  
**MD5:** c674049d2a4b1c0c2bbedb9f5e519858  
**SHA1:** d8458d8d1c93154c51a0d724785d972506cdf2a1  
**SHA256:** 3942f6abba9679f58ccc36ba38a1f3fd6ec5a5824fb2910a3b3a922c740d1df7  
**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: tinymce-languages.jar: fa.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/fa.js  
**MD5:** f4242d89d4890093b57c6435a0feef5d  
**SHA1:** f84cbc6d12884492dcae0bb2fb25de3bd8a54fcf  
**SHA256:**1465f18074f43b691afb310e5dfdbb8f4f1d70f5817e5e26a1ddd23753ce962b  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: tinymce-languages.jar: fa\_IR.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/fa\_IR.js  
**MD5:** e2e4fffe84b41b1763eec91c0d41c879  
**SHA1:** df983f084fa4b2acbbaf8c2f42e2e9cb981645f8  
**SHA256:**019a970f6414584cd6e87515d3fe7dff153c9fc49dbc7a7bbc25b33803f19b32  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

### remotegui.zip: tinymce-languages.jar: fi.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/fi.js  
**MD5:** b5688fed7ee5c373ebb60f499959b374  
**SHA1:** 07eced4202e01f9fe821ff7a917b65917cd814f7  
**SHA256:** 1f1e100752101230f1b10717f8ea615f816388a79dd5ad1c47605c553f9ad935  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: fr\_FR.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/fr\_FR.js  
**MD5:** 39a6068252db59fd4692c3ddb15a5707  
**SHA1:** 8b7cfcf0ed4fccaf10ec9ead72c39ea6f566a4c9  
**SHA256:** 0eef8817097810e7cbfe4ca46e9347b2e14ba0d2c91bc02d0f217ac6a2bf6bdb  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: gl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/gl.js  
**MD5:** 4c87b5345d76e5fb9fa24d89824cbfda  
**SHA1:** 46bae6aaf29f1d534c0312c9e8c5f8934e9196bd  
**SHA256:** ae5a04893fc2f1900a2358fa8b43134f8f69bf72a4e7b2be58344296a788be38  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: he\_IL.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/he\_IL.js  
**MD5:** ab3335919ec5e713be56b82a8df6252f  
**SHA1:** 4b9a0a979384da17166919e5f584a59226244a97  
**SHA256:** c411d772751ae83c939e62ee23459abf33465b9f364b89ff5d1402591eee2a5  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: hr.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/hr.js  
**MD5:** ab6217dad69a25ec43e59f1a76b0c060

**SHA1:** 9e7f2bd0909ead0e63258d24b18cbe5c1d79c44a  
**SHA256:**02002bcccf9d9a73114794022ac7d48d0a4b9acb0ae1094b98a001cda06d9543  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: hu\_HU.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/hu\_HU.js  
**MD5:** 2afccb31e0cdea6f08c23750f5531a3e  
**SHA1:** 47b7ffbe8714c92446e18065bb622ffdabfca060  
**SHA256:**795f98a9f97ea2a3a0edf1056ab6dd697d9138a8cc7d6c0416a24b293c79751d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: id.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/id.js  
**MD5:** 804ca5c83b16e8aa31011340aa43cfde  
**SHA1:** d85239b65123d712897c0b9705b1d75140320b6a  
**SHA256:**ee0a95c92105fea050a683bc2b617332366e3f5ffda2f5b4a4df6b558ccf210e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce-languages.jar: it.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/it.js  
**MD5:** 2307d7e18f4d82323f8460b954366d6c  
**SHA1:** 2dd5945ec46a5fc412a03dfe3e706096169cb50a  
**SHA256:**853effa3129e6856e7c555788753721d89c48efa7f35536ef08fd9d5e2860b68  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce-languages.jar: it\_IT.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/it\_IT.js  
**MD5:** f5f75ba5738d186bea305abd351699d4  
**SHA1:** 80449c059f59ab177abe08deb15d2a0fd55b25f3  
**SHA256:**5bd51b8d9f3bb9fa4c44b54df600ba4468c16511f8272c5c30f816dea88cebd1  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: tinymce-languages.jar: ja.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ja.js  
**MD5:** 7199e3d236184cf0a06a219442b578c9  
**SHA1:** 16add7d88b9628d906e62a8b7d88e52057b93e29  
**SHA256:** f250108ef667f96cf5b0e8fd061e15306267a23d9f0d6d06ac3443e268a542d9  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce-languages.jar: kk.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/kk.js  
**MD5:** adf69e41309e0553b26d71ad07cfbb92  
**SHA1:** 6dad67ba7364db9096844dedf946a13d8e796109  
**SHA256:** 97e466a88551bac32d4ac08dd86dee6d8db34d763ec9c9c2db42044299f79280  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce-languages.jar: ko\_KR.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ko\_KR.js  
**MD5:** c60c7a4d77abf22380711ea8c1982bb1  
**SHA1:** 631fe4673b89932fc6855b13284f22febb9a1d41  
**SHA256:**66fb29bdfd16163298e024e448a6774d5ddc1b4fff7e6683173ad2e6f20f2dbd  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: lt.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/lt.js  
**MD5:** 2219c653129ccc476847f054786ec676  
**SHA1:** d6ef2ce6c2d82e07fe9e59cc2d22f3767ac94625  
**SHA256:**22195ef38c08fdbee31662434b50c6928b10e0adde3d0d86cd10a72230304e9b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: nb\_NO.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/nb\_NO.js  
**MD5:** 0a7352214f0ce32fcd9c1e6522df1bbe

**SHA1:** ee23293fd4b9972547400cf4a3249a2059b6b165  
**SHA256:**944131baab48a0af7fa0aed2c8bd2ebb3e9064b3772712f22e976909914971f0  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: nl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/nl.js  
**MD5:** 6f571210666a2f5e6337080e579baba6  
**SHA1:** 836f979abe265e75b745b723288058a708392756  
**SHA256:**7f5b894c53f3e6cdaac59ea898930837fd21369800ab6d16136427c7a773916e  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: pl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/pl.js  
**MD5:** e250adf7e075ad1f30905b07ad627631  
**SHA1:** 3c4f16669f023e06b0c6a3527b7465c67b57c90d  
**SHA256:**a22b468acd116dea2dea78bd49ea798fae8e5ca8c09af7afded580fb77a19171  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce-languages.jar: pt\_BR.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/pt\_BR.js  
**MD5:** cc070dfc893595619ae7c8e5349376ce  
**SHA1:** 147966d1e0e89574988c516b1debb37add6df970  
**SHA256:**dd8b585165d8ba7f896a08bf038278f0ca7bd9e4ecc80b9c1c7a8bcc2881df  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce-languages.jar: pt\_PT.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/pt\_PT.js  
**MD5:** 4dd1d7b30c2fd8e55f9880b7581977c5  
**SHA1:** 11642b53c34e4ca6a5062cd3077ed4f4bad123b7  
**SHA256:**de802efbfdcb321426edb9cde7e6422597bdf15c173b116afc097298e96bdfc4  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: tinymce-languages.jar: ro.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ro.js  
**MD5:** e23437166aef4c09b1b704399f8aba35  
**SHA1:** e9bdcf37aee82113f51cbe365ed71cf0b28b7b8b  
**SHA256:** f9337551af759ed5b346f36393b77800d9cfff670e830decdb3908027f49852c  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce-languages.jar: ro\_RO.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ro\_RO.js  
**MD5:** 3f2950ecf56ad7a4afda95cac7e2bb65  
**SHA1:** fa5af1a474a2b0e73af2dcf25d7b2446ccdacfbd  
**SHA256:** 2d4ed665899adbe9e64a5aff8a5d686a320935e0fcac8ad5d41e1061abb0343c  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce-languages.jar: ru.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ru.js  
**MD5:** 511a44e58e8fc2713a4544de603ab7bd  
**SHA1:** 06132cf2444c50c1b3910bbb82902444128f8ed  
**SHA256:** 3fc08c1c46f210eeca7a90d384b4ba7ebf4d9655beb3b7b87e597f1e9608043d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: sk.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/sk.js  
**MD5:** 1b3c7faef9a1e74b2b8f0543732da813  
**SHA1:** e9b96981febbd3d364add8502420c656621bebad  
**SHA256:** bcf6c8f5e62ee6dd60ebbd78fcb002ab1f93ba553d8e0fcd980c5559da6dc787  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: sl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/sl.js  
**MD5:** e70856ec865c4becf6af5ee48190ed91

**SHA1:** a0271f39bc7d4a46c9b5b5377ee4d1eae45c6518  
**SHA256:** 0917a76a02bd84a46cd31d22a4486fc15fc5217b0da405faa980d3b4513c12cf  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: sl\_SI.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/sl\_SI.js  
**MD5:** 3de18771671f7e28f3df9b68e53552ce  
**SHA1:** 1dd6b41b237df4033169ea3293fd15a36135fcef  
**SHA256:** 1e9ac60048fe7e452b59441876289e7a7a42a90820d7a8ef67ac1339e1b9dcee  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: sv\_SE.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/sv\_SE.js  
**MD5:** ed26794df73aa50316d1ffbbf86e51b  
**SHA1:** ba4720adf16d253917e5718508b9d261ff317d85  
**SHA256:** 9ddd42e6af9c413ef5e26c9b69b2f5620bf442c1cd7005bc56c1380e4b6ac7b9  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce-languages.jar: ta.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ta.js  
**MD5:** 28baeda3ba8aad2c457984c138420160  
**SHA1:** 8ecfbcc9693bef79e05fbde679c6576327bc1f55  
**SHA256:**ecb0d22d12a6262265057d41923a35430e18fe42f4b7f1d12e3fe3ec52cb7cfb  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce-languages.jar: ta\_IN.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ta\_IN.js  
**MD5:** c245824dc4a046048a23355d513b545b  
**SHA1:** 064cb44b3e558377efaaa14af781563e18d184e6  
**SHA256:**b601b126c40b5c19c89a4e7724ddad003a7db0f41357c12cbdb0be440ca6f8e5  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: tinymce-languages.jar: th\_TH.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/th\_TH.js  
**MD5:** 5f149677f7303a92c615738a19bd43cf  
**SHA1:** 3f4882111c0163aa3f1189ae12b9cbab25b9ff3c  
**SHA256:** 6d1838ea80df11333cb5844f5ca276ac6222481e4e9c4bf1d5c5484d8e05a67c  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce-languages.jar: tr.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/tr.js  
**MD5:** 1d942271407e5a9e69b3ec4ccb11ac50  
**SHA1:** 6eac1370cf372727316c7fb02d92cc6e5dd75b1d  
**SHA256:** 7e7130921470f315dd16d4cc12dc0ee7c1590671129d22fe5d663bd8b65b35b8  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce-languages.jar: tr\_TR.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/tr\_TR.js  
**MD5:** 21a6afe57b91f50fdc2a04d40330ae97  
**SHA1:** 2aa3e1a82924df177c986869e3eb2dbe9e5b33fc  
**SHA256:** ba178265ac4f4d1f4c4caba3d9b04f3c4a4254773dbde4228a68484715b300dc  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: uk.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/uk.js  
**MD5:** acb23eed47495327f505e52144615a23  
**SHA1:** 67d20eda3fa76c5327e39093ffc9de28b28e5a6a  
**SHA256:** a057713c5ba1ace10f76f58e4dd6dee88a84d2e78ca957480f5459b21cf5d94f  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: vi.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/vi.js  
**MD5:** 5dacd7e85f49ada603617302ff7571b0

**SHA1:** a1bb8e49ba273ec276154fe04cce93edec4d64e8  
**SHA256:**86da5c88594ba0b5377f5a7e20b04dae1251be817879a47645d60e25cf8e42d5  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: zh\_CN.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/zh\_CN.js  
**MD5:** c3ceccb2b20bc1c32a74b8ee394c399e  
**SHA1:** 970871e70fa9c310de345b1c590335c9a75adb52  
**SHA256:**bbf4bc7f799bd37f6a52eb032b1708583ca401e778a85c0e58cbeed4c71ef3c7  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: zh\_TW.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/zh\_TW.js  
**MD5:** 8b3673b738b3b96f90997fdf09121fff  
**SHA1:** 392e2f7e6a83c9c5f4c187f371f4d0fdafd239a6  
**SHA256:**7868b9dbbae773b768f477746f7d72383603963069426a6281c4d24298160ef1  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## remotegui.zip: tinymce.jar

### Description:

WebJar for tinymce

### License:

LGPL-2.1

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar

**MD5:** fd9f87ce352ee6c8d270db931c0e6026

**SHA1:** 9174bcf85629c63f7cc55439ff890bb7893fe451

**SHA256:**26c357c95e53e0d99f3e2b840194cc7d170a31c85de15c6017de976f60919cd7

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	tinymce	High
Vendor	pom	artifactid	tinymce	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.bower	Highest
Vendor	pom	name	tinymce	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	tinymce	High
Product	pom	artifactid	tinymce	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.bower	Highest
Product	pom	name	tinymce	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	5.10.9	Highest

### Related Dependencies

- remotegui.zip: tinymce-languages.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar
  - MD5: 47bff91bb6cd602682ddc705ba5872fb
  - SHA1: 06c508488e5d6f2ce5c92aa8b3fa165ca871d597
  - SHA256: fa2ecf575248fc802677c26f54fd5f23a636d496223e1a654f5d6540f6c36200
  - [pkg:maven/org.webjars.bower/tinymce-languages@5.10.9](https://pkg:maven/org.webjars.bower/tinymce-languages@5.10.9)

#### Identifiers

- [pkg:maven/org.webjars.bower/tinymce@5.10.9](https://pkg:maven/org.webjars.bower/tinymce@5.10.9) (Confidence:High)
- [cpe:2.3:a:tinymce:tinymce:5.10.9:\\*:\\*:\\*:\\*](https://cpe:2.3:a:tinymce:tinymce:5.10.9:*:*:*:*:*) (Confidence:High) suppress

### remotegui.zip: tinymce.jar: emojiimages.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/js/emojiimages.js

**MD5:** b7c1a7f3d27f00745fb752c8bcad1476

**SHA1:** 96af86fa69e17db88d8c1ddb8dd5af8f01aede1

**SHA256:** 498c4614b7363884c469599aed4290a30c8eb2eebbbf07d5bb16886d8090aa43

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence

#### Identifiers

- None

### remotegui.zip: tinymce.jar: emojiimages.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/js/emojiimages.min.js

**MD5:** cd8d1bac37c0a70d1d4d2005bf7c4e8e

**SHA1:** 29651e17ac1dd07e21f81edfaf56cdded37e8600

**SHA256:** 39ede17a1386121cbd7a543ab27a27f2b4dd79c7873377bea577fc0c9e942a8b

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: emojis.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/js/emojis.js

**MD5:** a64de2c5911dd74a7c8ce92819084843

**SHA1:** d9b37d490e6cf339e85f0bb008e673c823cc6cda

**SHA256:** 2f086a646d26f121f214f9de1df8c2ac45020e40dba0cbe4d8fd31b1df3381d7

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: emojis.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/js/emojis.min.js

**MD5:** 1f434c25c9c5ee365c94af299372298f

**SHA1:** 16d23948cbb0716178f14b58e7b50f3869d76307

**SHA256:** 57bb9d32b2a696c30269a8af59d2d13ca7724e501bd054986c9702069acb9b0b

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: icons.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/icons/default/icons.js

**MD5:** 9034bf9d33164db799056592af8f8041

**SHA1:** f48380a7f8ea48f94f20df7526a6dbc33aa802ee

**SHA256:** cddbc569467f55c984f4236d0e6b7a54b35006c47eb18813ad7ca367b14c45bb

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: icons.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/icons/default/icons.min.js

**MD5:** 18db240f0cf5635332dbadd948cc500

**SHA1:** 4421813e10fd371e67d15dbf74bf748a0a5c1794

**SHA256:** 6c5a69c090aa1418082e7ad5e707bbe6c531269607e080821a7089a16e0f2b61

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/icons/default/index.js

**MD5:** 9c5b7a740ca30e13e64b6a4de5b17c77

**SHA1:** cf4e63fb059346d52364a6e7592dfdd9b00eb0a8

**SHA256:** 772e5e2b50c2288b47f812cd3219901d992020c71940628b4cdd0ee23f3c8cc2

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/advlist/index.js

**MD5:** 344ca56d8dedfae33380a44b89dfdd1d

**SHA1:** 2ce6aeb71809802341499202ed673788fc04149

**SHA256:** 0e88dc5e755ed26a62535b443dc90fed27844b58677a97fb1ffa3ccdc6d410c

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/anchor/index.js

**MD5:** dd697e3891ed83de226860a7aa436b10

**SHA1:** 775e112dbcdb929e3c3ac944f65b91ad9b41dc35

**SHA256:**199df9a5149e52b35f0fad38f46eca0ccfc98e3c7b09de4a6e3562ed97f8190d

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autolink/index.js

**MD5:** fa84bd3bd42aeb01da94b784344d4d84

**SHA1:** 2f2169188eaa6ee85da0c015f878de6ee9bd34b4

**SHA256:**cf9dbb0d6d43ecab9faa41baf38db169f11d668573349d2d7f879be5868e8d43

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autolink/index.js

**MD5:** 00116480a9865b9b84937b8c6ec471ed

**SHA1:** 9d33c32c4cc484f5c7c011b16157b63f32004e7e

**SHA256:**f218e9db68e5e70965a405e2c2204ce9711067ae0c277f014844a40f7c7fee66

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autosave/index.js  
**MD5:** 8d9bb78be9ddbce43bfd7964b71678ae  
**SHA1:** e3695d2b623495a93594f23e4132f6226b309012  
**SHA256:**3b68f2f8049499f537ba66c2fa27aa9648aa93a43e81b977dac7ae20eeb803fe  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/bbcode/index.js  
**MD5:** bed89377ddde78f2d27067c6b3dcc633  
**SHA1:** e4d0c191e90df0249d2f50c12f9979902581ab1a  
**SHA256:**98fe74eb6872c6e65d9a400d9da7b9b77d6fc4cfbfd7acc0fb9bbe697e43c73c  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/charmap/index.js  
**MD5:** 18775f459a8bd073ba47b3ad3e2f6bdf  
**SHA1:** f991e9bd8cd4912b0cd28d806beb7c1a4ec6c8c0  
**SHA256:** 1701e8a9ccea8f198bf323636b8ceeb6dd8972625d07b466f92c65b16fc635bb  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/code/index.js  
**MD5:** d2db687200588ab654afd39728df329f  
**SHA1:** 55bfce05960107cf42e7d3687e330a3f42164c23  
**SHA256:** defd6476de2e2c8f411eed38d53a774d52c7408565280806bcba0bc32e98192f  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/codesample/index.js  
**MD5:** 23fdb57b1d401abe9ff929ab26ec394e  
**SHA1:** c3f3fc7e21c7627247fcd2069ebb3a36bc755c0c  
**SHA256:**60856a5c13ac87dcb4e3ecea3ce3eefd47e348c4b696b5b74f0be9766cbd1f08  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/colorpicker/index.js  
**MD5:** f1771fdd14cab627310b813da43fa5ba  
**SHA1:** 30f7ba13c981711ac0f84662dbf6c50e2af6c27c  
**SHA256:**15de4cb9a7437d15f6631509fd379df2fdf4cc6c6c35dfcaad47c87e899e96b0  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/contextmenu/index.js  
**MD5:** 92e19a31db91abb704ccaa13cc28b766

**SHA1:** 8fe36efc411a29d7579d3754f039ff35786c2e64  
**SHA256:**f24829122684173e779bcd89afb1736b6cad304d08b002698753504db32b80e  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources  
/webjars/tinymce/5.10.9/plugins/directionality/index.js  
**MD5:** cd2c90f18e8c7d1215bc4ede4a2ed3ff  
**SHA1:** f16e46d6103a081937651c9824bda91c37906e86  
**SHA256:**75a8d057b97663fbd36db445ac97baedc0d4ca3948f4ee6ee5a45ca56c6fc5f  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources  
/webjars/tinymce/5.10.9/plugins/emoticons/index.js  
**MD5:** 57e489f4ab69ca17dc7c95aef7052d88  
**SHA1:** b665f4f4f94b9a2aab91235965d594b8932e75be  
**SHA256:**5b3937add68158ae4add69fa47d2c47ae49ce17165a08dc7ce26f376979126a  
**Referenced In Project/Scope:** server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: tinymce.jar: index.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/fullpage/index.js  
**MD5:** f5837caffaa3ead2f0b68daa0463cac0  
**SHA1:** 6acc21854086d6155a19b3c1060ab5dbd98251b7  
**SHA256:**b1d2d7667f4be6d981f9fd5f58219a414d83c4068cd77c3b0c9d2fbac6ec90f1  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/fullscreen/index.js  
**MD5:** 2a071ce05b6865fc1a874f298b920e9e  
**SHA1:** 898dd0ec802d60ee716f9ab55401720dc05840d0  
**SHA256:**ecfc6baf3a081373dfc60f97efc1f14f7a6840f398ee8dee57502ed547370190  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/help/index.js  
**MD5:** b7c64e9d5f9003aacb929b6944987c2e  
**SHA1:** 92f87e4057b89c4faf476fc34898d688fea0b52a  
**SHA256:** 90ef3eb5f05933c63e52ac470156c1eee495583b1184ae9a6abc8702e9685b36  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/hr/index.js  
**MD5:** 95e49e5a2cd979c3e7345c78d2d15779  
**SHA1:** 48a187d6a5e4539029a140c36b3b1010d3473975  
**SHA256:** 1dbf6d7a4b2d4cea2135823eea377fd6052a510cca33935d23f4f58e3d49af98  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/image/index.js  
**MD5:** 27415d3d43098d4bdb48c6c45c15e08c  
**SHA1:** 5a081de74c9d2bf97decb82753cbdaad6366db76  
**SHA256:**ba0e02cc9a0a8ab32790d825b0711c27452e297c4c72c8479cfd00c00a228c36  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/imagetools/index.js  
**MD5:** 1fcdb4ed72eff27ef54bdd585e306d29  
**SHA1:** 00c9be7d060282e6d5ec5d0779b977275c28b8b5  
**SHA256:**3a075c96ab9819e53918f2fdf308f1390e339cee21755ea4112c71a9d012b53f  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/importcss/index.js  
**MD5:** 2409fda93c2625fad2c9dffe31b1473

**SHA1:** 39d57c8b02129997bf23302916dd7166c3726a43  
**SHA256:** da3a35bf760696421d5dee9795c287730c310cc56f2f955ef8d7418f243ea5ef  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/insertdatetime/index.js  
**MD5:** 4ece334f6233df3aa3e5becbfe1f9a8e  
**SHA1:** 6734731b620634cbfa9a06a57d3ce35f3c24296c  
**SHA256:** 6a58d89cb41c85fe3ec472376fcdaa55bb875b6397a054bf4a3d53e7734fd440  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/legacyoutput/index.js  
**MD5:** cddb9783bca4eebefc56e308b5fd8169  
**SHA1:** b1f84b1fa17eae3d22bb380a22eff3efea2e7fa3  
**SHA256:** a6ad834a6a462e968bdb77190a1d8660d3bccc4e5b55b905420d6c6a1707cbeb  
**Referenced In Project/Scope:** server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: tinymce.jar: index.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/link/index.js  
**MD5:** 5837f9d0ed7b2cc610dbffa6a7d7dafe  
**SHA1:** d3d6b6d764556d547dfe70694b8e26bbeabd4b8a  
**SHA256:**393a397a9577a880392172405182506aeabc1a368da461853f6fd98c19b96292  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/lists/index.js  
**MD5:** 959bf9c345e983ce032814178b94cb09  
**SHA1:** adc80fe2030cfe121d120440dcf49498f526c7af  
**SHA256:**8ca0f39fb279b30498948068be734b8a2a2178e32b094b98931622ee4c649ae5  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/media/index.js  
**MD5:** 22710d182e71e1bef50ee3838ac15b07  
**SHA1:** d8f008c3f8abebcf2efdce06032350e2a1b80fc7  
**SHA256:** 2cf1f01a424a6e9981e16a7c162bd51ecdf2785cd5d7e36d78edba78aa91b0c0  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/nonbreaking/index.js  
**MD5:** 851e4039437062e49d5729f1fe30cb40  
**SHA1:** a1acce39f47b74cb33d2e0c0070d8af323ca0018  
**SHA256:** ec23845a38bfd445146565839769274deb1c0d83adb74c8e464c2714f6509b87  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/noneditable/index.js  
**MD5:** 6f84addf13157d5abd4c1f2e9f1189f5  
**SHA1:** 974a855b957d74c47f1fca8b3582b6db5f562f51  
**SHA256:** 73b8c1e02264f43e6acd2d72b9882d87550b913c71b87a6ccd1caa2d88c0ee24  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/pagebreak/index.js  
**MD5:** b2ec3630c22897879bc089749ca3466e  
**SHA1:** eeef9066bc1642e349bbaf234f20bd363f89ef19  
**SHA256:** 3239c47c5ea169f05c26f2cb0726e85aa4a365a4e3cff8d16f79bec35d393ee4  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/paste/index.js  
**MD5:** cd72ad7d99e1849620ff535b4f64daed

**SHA1:** 2e48dacc929d42922ccb634392e26310531f1d83  
**SHA256:** ce91452b503e136d45e552ab157ab3f8b123530950cc02e7b778d04bcb6a0de0  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/preview/index.js  
**MD5:** ac924715206330e49ae83f0ce0a41a7c  
**SHA1:** b9fb134e272eaad188c9da26d8c6aa22621e6cdf  
**SHA256:** da5b43a242cf576435e63e27522182fe61afb1ea0d28aee116193c24d60c18f3  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/print/index.js  
**MD5:** 7f3c93e1e7cf55fb60d83431fbe0af2c  
**SHA1:** 77a64982ff692d12b1086a70ed0796bcf45c35c3  
**SHA256:** c54ff5c05b484d6eac7bb601ddd4bcf916faf8dbdbef65a707fa6f7510a99c52  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/quickbars/index.js  
**MD5:** 24942b053967586fefe96a215c44ae07  
**SHA1:** 4a72eaaeb0dbddb84dbb4268e618b4451a482670  
**SHA256:**a61d6bc69e64f107292c929d2ac70819a3970890e79c9895bc0fe0999803ce2d  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/save/index.js  
**MD5:** d2a87bcc64b326fc6dfa962fcbc662e8  
**SHA1:** dd1516808ce28ded9008890e2dac0b24d5a7dae0  
**SHA256:**bcda64c02c52e23430e42fd33907ffe16b02d163174a5896f6e9f96cc1b08411  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

#### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/searchreplace/index.js

**MD5:** 027916795b63233ba94d3938bc15cc28

**SHA1:** 61bdc3b8ffb05818fa9b91a399abeafb2a4fd8d8

**SHA256:** 7f93e70dba14735765044f7199ff8b24fcd517b285f806d34cefb0d2e55a098c

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/spellchecker/index.js

**MD5:** e22949d41a8208123a8694f0c8e6dec4

**SHA1:** 9d66cbf780b982f778e561ce35786b7589b8fa85

**SHA256:** bcb0b4911bd0fef17ee195fc758585e7717500248fafdc58f32c94f6a12f08bd

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/tabfocus/index.js  
**MD5:** c8dd5b7b07c3808712c5000e3b1d252a  
**SHA1:** c9e127134794c715139acb1bba1fc9a90541e7b5  
**SHA256:** 779f4c8d8f7804301d0d3d63c6f4d7d12e5a4f3fc409b6433aa465ce51309bad  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/table/index.js  
**MD5:** dc0a57cf52e5c96e8886974820620f30  
**SHA1:** 63b104aa10ee6b0e09f6beeb420028164214037a  
**SHA256:** d571c3bcfa2fb750545e52334325e494d60916f8db2504a8e64fbd421e901929  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/template/index.js  
**MD5:** 4629fcd244d51c5f71a77cca7a6f0b36

**SHA1:** d33e8183488bfd00554ccc12b63efdcc46acbf12  
**SHA256:** 07acf1abcbf6231d2ca53a091fa7cc1fb6206e4b268301750ef9020d6881425c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/textcolor/index.js  
**MD5:** ceb47c7e6b71b1089ec10b30a6aac374  
**SHA1:** 21d607e821838299375c0ed523bca0a33c0acc05  
**SHA256:** 4c54b2959afce4d61251463bbbd0d2e32dad074d3634192bce2bc937ee59633  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/textpattern/index.js  
**MD5:** 4ca571ec216214e68d950539134d2e66  
**SHA1:** 9ed373e0e6e173e7b1663344b83acd313d37cefd  
**SHA256:** 955780d950579ce70deeb8e7ba2ca04eff56e53fe983ce81e9bf932c69d7652c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/toc/index.js  
**MD5:** 4fb0e875239aec497c229dcaf18d7bb5  
**SHA1:** 1c9880a27fd0487d99bcbe666d90fde1c4fa41fa  
**SHA256:**2f3e63d7b8e0f9597a78fa84e92790bc91099fb7382037e870f06afc8e23d95f  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/visualblocks/index.js  
**MD5:** 1f348278fc3fa3ae9d560a2c6074537d  
**SHA1:** d55ebc12b7d22b21a6f06a7b1e8a4d869ddba0af  
**SHA256:**ac58944fdb4136e5d63fd08b6070d40a9c964ba2739ea46970f1c27464f0059f  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/visualchars/index.js

**MD5:** 01e4394764848c643482a4e060c3c16c

**SHA1:** fa3c991ab8a4b06d3022a1a9050d12f97eca084a

**SHA256:** 4cc095ed74a300b53b61907f46468821a3fd16e9abfd9b96157e72c5a6a4f901

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/wordcount/index.js

**MD5:** 8702637f4301b2c60b0d036a74a57952

**SHA1:** 10150542a5551da1d75408d86ba07b45d78a24cf

**SHA256:** ea19d7ceae4197532bdfdb08d97f4b64ff025cfd3016ec12428b81517f2e92fb

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/mobile/index.js  
**MD5:** a136bd2faba801a12080888b27e65afb  
**SHA1:** 58533b052ba5b2cbee9fe44e6a3cebd042efb7d1  
**SHA256:** e20188436d5d6ad6bd97a590c274fdb955fc83715e800509e4a61b25bda4e0e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/silver/index.js  
**MD5:** 7281b0268319c90508a1a300a7c06d97  
**SHA1:** 0e3a4056988e7a06c5f4ded3f30006f1be55d445  
**SHA256:** 3bc724f73bd41f1c6af41d5c08cd472a1da8ccf6db49c6fad853998a130231d6  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: jquery.tinymce.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/jquery.tinymce.js  
**MD5:** abc669a993b54748fbd9e3f1b04ab3bf

**SHA1:** edddd7e07aa9ace3afd2f3bc1579f7901708ce69  
**SHA256:**20e802d69c0fd9912eb39bfdaad9f85f089e383d415ef193ac6aaa2e108a8949  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- remotegui.zip: tinymce.jar: jquery.tinymce.min.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/jquery.tinymce.min.js
  - MD5: abc669a993b54748fbd9e3f1b04ab3bf
  - SHA1: edddd7e07aa9ace3afd2f3bc1579f7901708ce69
  - SHA256: 20e802d69c0fd9912eb39bfdaad9f85f089e383d415ef193ac6aaa2e108a8949

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/advlist/plugin.js

**MD5:** 9a469d4c30ceeb89187f85215a5e5161

**SHA1:** be1f2023c91a4fef2828a452272319447f80b786

**SHA256:**d9457557927bd306e2cd90b622494db6d36d346ffd04aa825e71d061c243f7d6

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/anchor/plugin.js  
**MD5:** e204923e44d53e7610828846fdb23722  
**SHA1:** 550446f55b597c4c376992addf459bf00fc2e0dc  
**SHA256:** 8bf2878b95bfbe4ddef911cfebb70a07815060a6c52d85227695267900a45085  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autolink/plugin.js  
**MD5:** f62ca8be62d1dbe910069c09b20b53a1  
**SHA1:** 9bc811f23db52d4081a089f9774fafd7e3f21f67  
**SHA256:** 2b218bd0095199604914b22b67b4b1a68fbc0fab309a734f2fae54496f734b9  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------


#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autoresize/plugin.js  
**MD5:** 3130530b80820d2fe333f0a434987ebc  
**SHA1:** 0c8b231c3d55b9724a4564ba02ad4be38c197293

**SHA256:**4c7802957b5f7ddc47a97d1cab371e7c0b39592f17fbb86103626762e593c872  
**Referenced In Project/Scope:** server

Evidence 


Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

**remotegui.zip: tinymce.jar: plugin.js**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autosave/plugin.js  
**MD5:** 78ae76cf436707ded3a0ae8cb1f8f4be  
**SHA1:** 2db5d96907012d7ad0c4c50abd11994a63637507  
**SHA256:**8739940eef76bbc0ad0ea5e4b6f7ded4e1ceda9aba15a52543fd00c180373756  
**Referenced In Project/Scope:** server

Evidence 


Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

**remotegui.zip: tinymce.jar: plugin.js**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/bbcode/plugin.js  
**MD5:** 5baedc3309a92d6d3b3fe7944984845f  
**SHA1:** c3bc65277f12b71bffab0ac04fe737deb6634b8c  
**SHA256:**960eb4c3c3d150b615d4ee81042b4a5f0616d876af4ca66d7841597192313ac1  
**Referenced In Project/Scope:** server

Evidence 

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/charmap/plugin.js

**MD5:** 132a6594d2c2580c00fe3fc881f64a3e

**SHA1:** d4a2ccf9d64dd6eeebbdbf4cbf9d4c2e2834737f

**SHA256:** 07beee90d71107fff1ffd218d552ede08c0393118345c052ef1540d2070221de

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/code/plugin.js

**MD5:** 6a3b1fa39f64d704ab9c8d8ffa3b85d5

**SHA1:** 2acb5fbaec43ab35346e8a564fb3104f197086bd

**SHA256:** bb6ada6875a1d6432000990c110825e5c12cc9d13a33dc1fc215c199f96c27e4

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/codesample/plugin.js

**MD5:** 2f0097d95781f1a4d2711d9f8fc5c334

**SHA1:** e181f02bd7bfcf5816508dde0b0ad1c99d9c40c9

**SHA256:** 8a19cde548a1dd6b0970a24eead3e04e85e69a3117642891a42d7b7b5361495d

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/colorpicker/plugin.js

**MD5:** fb7f0cac79b75d40a9ec81581acf75e7

**SHA1:** 0ed6610a578326d03411345bf8027c443cd7d105

**SHA256:** b7ff65effc877a633ad79dfc82ef0b3cd6c6c16107cd03580479b1239006091b

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/contextmenu/plugin.js  
**MD5:** 63f32e24fb0dd17b1fe982314c29b55a  
**SHA1:** 42b09e6b0cc5674ec3497c9c4d4c4d3de6a39047  
**SHA256:** e7070041c1a1edfa77a48438ef4294f8da38caeb50411c25207e16316cd0c889  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/directionality/plugin.js  
**MD5:** b73632a4533311d6dfca1b3841534ebc  
**SHA1:** 0c6aef806245b102e3332080c811d3375337a662  
**SHA256:** 2e201c96ce771956becaf72e4f2d4abf67d4941e5735f5d0dce965d5150a5ed5  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/plugin.js  
**MD5:** ff191fd241bd1933c67f5fea4a52107b  
**SHA1:** 7a9cbb74716ce1e0e86d90690f7de79162c60db3  
**SHA256:** 374fb04498849e7e18bc5a698387055dbe1de48ff78f7fc8bd5668c73b73d54  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/fullpage/plugin.js

**MD5:** 3c14f849d19f550aaf23f9e4bc2b647b

**SHA1:** 5e95acd51eb15d13129fab8bca354ca5aa440c52

**SHA256:** b6a5c94a76cf5fb719b6455c239d39e678e3fbb7c053e049103d2d02bbd2ea04

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/fullscreen/plugin.js

**MD5:** 2227d3ff362f92145a0d66ba1bf68f1e

**SHA1:** 37fbe66ad5aa755498bc8ceb5e421b56df27539f

**SHA256:** 197cc4190c8782e40dfca6b28225cb4766c1ab0b1bf60cc445fe024265d18db2

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/help/plugin.js

**MD5:** 667d246d02a71436f2f4a4fb80f720ab

**SHA1:** 0691382a7959a2ce6fe97b92bc08d737d8fb385b

**SHA256:** 35d0d9f12208794695c9e3594e309feb53af67897d9a31ce0eb85d06f17e9953

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/hr/plugin.js

**MD5:** 70b7ff4273d8b9374b7d35a570e60eff

**SHA1:** ec2f770c33132f6aa30982fc444d56da76ffe337

**SHA256:** e11ffde0e9f4d65d0ce9214df8176401176b795d5fa15e95d00458e39328ffef

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/image/plugin.js

**MD5:** 25e0f52ab1477d0d8d7eb7500760cb50

**SHA1:** 75de5182c87d9ea18ef952ee17fa0d7131128973

**SHA256:** 47fa10a331f5515c0d838a0f33d6b5447a55e32342351fd20c95b00c4265e6bc

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/imagetools/plugin.js

**MD5:** a0523d774ffc8fc8cd0049100a2336e2

**SHA1:** ce5fe228f3eaecace4cff2459dac6d430311903b

**SHA256:** cd6286fa790dcb7351a562f856620986a8a2d68f7095c1a3aad5a4f2d96887ff

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources

/webjars/tinymce/5.10.9/plugins/importcss/plugin.js

**MD5:** 6142b879008bd87224ca38716e663f4e

**SHA1:** a9296ae9c5141bfbeffe856412663f7aaf1ec9a1

**SHA256:** e7d53d5e29ff44e1505671f160bf2c300864e7b8de6ef937661af0e77fd15067

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources  
/webjars/tinymce/5.10.9/plugins/insertdatetime/plugin.js

**MD5:** 8d40733352776d516145934e3afc7bff

**SHA1:** 9bf39632e2eb45d37130f66081589ec5ada617fd

**SHA256:** 6d5492320474868f5ec67e14057819a762c46f8962726b307eb3d26d011c49f9

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources  
/webjars/tinymce/5.10.9/plugins/legacyoutput/plugin.js

**MD5:** acac6af2d9e273f2b23a63a08dd3c558

**SHA1:** c07692391443114f0d7e0b4a6aa521007e3bd8df

**SHA256:** 5ba6ccaa7469904d908818b1dd6c5331c643b586f9489987411faecaccae6de6

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/link/plugin.js  
**MD5:** 584389affa07184e25c194a8fdabb9d5  
**SHA1:** 10746d4434b26d0ae62fd1e3b3d538b6aaf67e94  
**SHA256:**34de8ceb8abf707ad68cdcde8a7d0aa174f0814891be74edf444fee067a2b855  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/lists/plugin.js  
**MD5:** 37f5953ed2ff9078029c1a7259991b9f  
**SHA1:** ecd87c0474db0e683895008b64b0813603e32e96  
**SHA256:**c9b0aa3c06581904734ac6b8b3fb4aea155e39d1e91f1f039bb338a5b9e72b01  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/media/plugin.js

**MD5:** 9099b48009886ed8e16a4c118f5238d3

**SHA1:** c3ea8c6ca9bd1d99f11b849f809548139473a928

**SHA256:** c7e3539ab59b62e06199f97fa9f24b57810a1089419ae10b4120be59d1ef1e73

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/nonbreaking/plugin.js

**MD5:** 749eb6330381762948b2f20a202bdbbc8

**SHA1:** 734c7fc31992486d576ddf4cf2be102364eb269d

**SHA256:** db5d0af653b72f4eed01361aadbdbb8d6156166764a6560f26094bb8af4b1dd0

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/noneditable/plugin.js

**MD5:** 0cd8420a08e51a6933403f015aaa3411

**SHA1:** f134de62fb37750ba86539b494fb2d1a4a8c3375

**SHA256:** b744c8b53bfd3743261cdf34c97adcc906ee0e8bb4d6e5f678ec17aa94ace620

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/pagebreak/plugin.js

**MD5:** 7c4ccd64b6155d8214b5b1a3f73f3b7b

**SHA1:** 0a4109c7fd5c0e8c3fc0ed4c5a0327d89127eb33

**SHA256:** 428ed1c11ed3db50d423675174945be116a37f9f0272962ee963c5761e46ee53

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/paste/plugin.js

**MD5:** cfdc8703816a9737a79ae9ed7beabf8d

**SHA1:** efd58468ce97492f8ea66bed478b128ba718c6f6  
**SHA256:**3707fd09dec450191849481685e06a0f772fdb864ecc65ea7d44408bb5eda060  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/preview/plugin.js  
**MD5:** 155059d4164fa84a11a8fcf832c167ef  
**SHA1:** 4e9f13defe9e7105e46f8c5abd3dcd90f72884de  
**SHA256:**bea49d22120d6084722e0622159923503c64ef38381627ba59453315c79899fe  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/print/plugin.js  
**MD5:** 512f5958e5be1292e0b40b81acb3961b  
**SHA1:** a593a69a04d2ee2d87500e43b22887a79d1cc0ab  
**SHA256:**c2ed0f9eb835dbe6dbc07720f357d305d6d92f5f3b3f6c93582a08913f071a38  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/quickbars/plugin.js

**MD5:** 2a2749604c1d1c01d6449640386921a4

**SHA1:** 700d9a8bdb922519681b7066110d8ffbfb6d35af

**SHA256:**edc7cac600a5a192dd9631e1ce4486a9b2a4cf57130a854f95ed14407957a7ed

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

• None

remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/save/plugin.js

**MD5:** 1c596c6695f6fb677724104a5cb6ef09

**SHA1:** 1ab96f1ecc15c8464f4a21e6d87a8abfc5b6301f

**SHA256:**b1ceb34483e8524a67f86f0fafe3a4912b9cdabc459edd836d7d68782278929aa

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

#### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/searchreplace/plugin.js  
**MD5:** d3638fa2fe4ff0254d106f74919fd5ba  
**SHA1:** 7a97e21f55ddb50bebe88e7d1eb87961592238  
**SHA256:** 352556506ab24dcc232614318170876cbfb89cdf3d4365b6b8b7768c9d10048b  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/spellchecker/plugin.js  
**MD5:** 5c3a67b4eabdcdb17750b9515bf92835  
**SHA1:** c3de092a25b1f541d896740a2d63ba1198376712  
**SHA256:** a4a22a608a50d5674a7e92f3c9049eb69932b9641f8356f4ce200b38c38f29d3  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/tabfocus/plugin.js  
**MD5:** 548f7a6c2fbfb65617f46ab7fe2bfd2e  
**SHA1:** 74d5dfb9f0338becd85ce7c5333ff8cdca2e1160  
**SHA256:**f5b1882e884a14b216bc1d7edd8a61e1b50161cf5010dca09566d35aa53a6c0e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/table/plugin.js  
**MD5:** e1ea98e3eca4999c14dc0951b666d993  
**SHA1:** 6a09bb055bdaa37a0b45ce400f928b80b675c26d  
**SHA256:**858bd022fa57b3d57340a2c87a58f8ef7e653e866f1cc22b0123391a0fb11977  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/template/plugin.js  
**MD5:** 47caf788dd51be3ebcf03d4eaa0d50f1

**SHA1:** e271f8d918420b03bb2a07510fb96eb51363ee  
**SHA256:**339a4e659e0647090aee2bc5fc343479303dea8e928cac3c5ede9f1584ea61d0  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources  
/webjars/tinymce/5.10.9/plugins/textcolor/plugin.js  
**MD5:** aa12124c60995407172b2ae1fa8206cd  
**SHA1:** 09b8f038908b04a597a16cbcb1ab7fc50b77e2ad  
**SHA256:**09c4059de65cd8ce14bb8fc927787e77ec90d4daaa0160fd0e21002b8078171  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources  
/webjars/tinymce/5.10.9/plugins/textpattern/plugin.js  
**MD5:** 215e9c4d9865b6321a969f773e0a7193  
**SHA1:** 8ffc9ff16531e40c2bd3cf614c8019a3a52caff6  
**SHA256:**8dd84aec717ae70a619ad5f4d3f3fbe4119ff590884537d47d4225aa7b5ab460  
**Referenced In Project/Scope:** server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: tinymce.jar: plugin.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/toc/plugin.js  
**MD5:** 78afdf32c32fcd51a56fe5ce479238f  
**SHA1:** 874e7bd351c0928cd7346816f3cf18a323d5436f  
**SHA256:**4d27f86380b38c414e7b626863811d39bc6a3a1e7ab47e253259dadaca3a2830  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/visualblocks/plugin.js  
**MD5:** 89774b121e225bb29c44c53f47e2a183  
**SHA1:** 6069c8d84a6dcf9c2f92864d6d1758510ef8b4d9  
**SHA256:**33e5237bfeffe2ed9eb14a2418ebe6be1baf4395465661f66c3f9ca00bdc72cb  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

#### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/visualchars/plugin.js

**MD5:** b85145891b077f3216852bc21e7677c1

**SHA1:** f3ceee80fa4bbc6d0205e610ed39688d4fa65d66

**SHA256:** 5be2c7c5ad1025ad62c0e89d39bf6b8ee44c97e21d2f30e21ca13794e1cd7bdc

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/wordcount/plugin.js

**MD5:** d1c1769efd1232e07105603c1032e43d

**SHA1:** a2d9f7f149ad34bedecdb6bb5cad1ae4a4b5c0d8

**SHA256:** d3c70ee49b0f099523d93bcf93f9e37d6a248c35c960f49a76085b17e5fb0958

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/advlist/plugin.min.js  
**MD5:** 202d95b04d93c98fa6faea3b20ee2ac4  
**SHA1:** 0107c4ede81a2681847699b607b0f5d4a8e9dcfa  
**SHA256:** d30b35f56c2366c7e0a291f1be18171851d412d926ea4b91784d212101e36cde  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/anchor/plugin.min.js  
**MD5:** 3112de0d66e518fc6e87e5b4bc54ff4b  
**SHA1:** 022a805c78fe6f3c5c5b8a91125d98fb54b1d15e  
**SHA256:** cf1e93f7be5e348ee4776f6e65f54298aef6b6fca5d44aa24997b9d4b9d7212e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autolink/plugin.min.js  
**MD5:** edc2ccc56661043eb8418fd9703b5e

**SHA1:** ee1a580f7c7f1281e770e7d9c34123b59e59178b  
**SHA256:**309c10e01eb2a9d35f84ed872ccbacbef6d5c4d2f5f2d8355bc9ec2bf44eb346  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources  
/webjars/tinymce/5.10.9/plugins/autoresize/plugin.min.js  
**MD5:** ae63cbe86bfd1dcffa4b04660f28aaa0  
**SHA1:** f9a63a98a97eab4d781ca01f71cc1addc3c5c56e  
**SHA256:**8ac4ad0984018281d653b8ba59747a797d7d8cf9ad2c6d4097f626686d75f7ed  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources  
/webjars/tinymce/5.10.9/plugins/autosave/plugin.min.js  
**MD5:** e2a4aacd72790b6845b73b65a11c6b3b  
**SHA1:** 2733e8839d95a76fb62e9cf2ef3cb299c2842fa9  
**SHA256:**6e409f97910c72655fd039e18989d8014b12e78bdb05857e8d6c7bbe54aac446  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/bbcode/plugin.min.js  
**MD5:** d1562b4cfafdf0f1ba200fea776bd78a  
**SHA1:** eacba8561e2fdec7c46448aa157a67b382731363  
**SHA256:** 74a9c60d78820683b8ce5aab6ca007bf4272c79365cc3e38c76c15b32707c7f3  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/charmap/plugin.min.js  
**MD5:** 329bc956fdd115d17a570e1c012aa29b  
**SHA1:** d8c16a0341fb4bf0a68bdda349854578ac7930c9  
**SHA256:** f02db784fa9fbff1ad2c355d51b7f5ac1eb88f66323d88d6ab7a9de24ca40941  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

#### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/code/plugin.min.js  
**MD5:** 16a00a8a00e7bedfb8eca0b51cf91582  
**SHA1:** ffe9b8ffe7ce4697a1dc933df3df85babceea49d  
**SHA256:** 2bd8c63c4d6361b92ce0babca926c162dc03af995d9e4d16f3ee7a04719840f0  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/codesample/plugin.min.js  
**MD5:** 1b42aad83df23dddcdb3eb08051adad4  
**SHA1:** 6e51ce3687f2c008d37e1697107d4e3512fbc54e  
**SHA256:** 2259133ad05e1690cb479fd270193fa560462ac382ddddd37059f5fa9260802  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/colorkicker/plugin.min.js  
**MD5:** f2f33bb1a07f8fde712895df570c6dfa  
**SHA1:** c3e7bc5ba0f4b176c86d0f71edbe598584ec10e4  
**SHA256:** 5a00b7584123d24eebedd3b90ba83e82eb3d92e6b25b308138e85b2b1ca9dcf3  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/contextmenu/plugin.min.js  
**MD5:** 742eaeecaa0020e9bdf8d3e1727f4dfd  
**SHA1:** 4a58d3d2bc2d4b0497c3bc849841ee6071dd9d92  
**SHA256:** a5ac1a81055ca6448c15958011faeba3c194fc1b9028336a13d50dd121abf4e7  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/directionality/plugin.min.js  
**MD5:** 88407de4bae634b4b861f1784d6765ee

**SHA1:** d6cb3dd73846f0ebc118ee4e191261416b65f8ec  
**SHA256:** f6c7d021ff2c3298dd324d3de5d468a37aedd3919fdfa04738c38878ad43f64f  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/plugin.min.js  
**MD5:** 8e3a6564df728a54bbfc2007d35dd2fc  
**SHA1:** 2bc65bce44cebef706234bddaa3fef61fddc2791  
**SHA256:** 4ee4a74d6b13afa099bc6dd48f7a240219b87a24626d25a80fcdf06f3535b840  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/fullpage/plugin.min.js  
**MD5:** 12f9d416422e0984dfb0ad3c124a30e8  
**SHA1:** 4c0cfd1305cd1b0b8373bbf11342e7c494cac4f8  
**SHA256:** 3563499ed8b42c6d986ed4f805de9066a7a04f99d3343e2123369491fb6daa6c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/fullscreen/plugin.min.js  
**MD5:** 28c6f465baeeeba5f7711483c4a0e426  
**SHA1:** 09ad73eeb65c59def15937ea120b3ed6682b6513  
**SHA256:**72033751454cb26f52d9981653f49b2eb2b727e500b8a6ac941cebe0c6287c10  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/help/plugin.min.js  
**MD5:** c1cf37a849f126f10d8ac2b826aa39ce  
**SHA1:** b7ddc1cfab6f87604bb7aa4577eb2b3812297340  
**SHA256:**611e336e89f80588550f49e8c15ba06bafba2902af4f81dbd63193548f18cfb1  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/hr/plugin.min.js  
**MD5:** 25ffeedf184858ee3d71823eaf4990e0  
**SHA1:** ade2fbb0b51b6d889b2a768e556cf96815bac0e1  
**SHA256:** ee59ded600aa421083e0787156220364a82df074ef9b325c3238440404fb2c81  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/image/plugin.min.js  
**MD5:** a1410f44dc4dae7dde1ad1b37cfcf5c2  
**SHA1:** 794592d3040282761a5a3c186558f5edc87c40ea  
**SHA256:** b0b7035786562496f47ccc7f69e2917966d1227a9f405f67e5e61d75deb619a3  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/imagetools/plugin.min.js  
**MD5:** bf4eeab4ff114a3ca465e2e00e0ed817  
**SHA1:** 7c4796ab1f08d4a30fa1ea15734af2c89d33b673  
**SHA256:** d6993e4195cf8098114f3024c8c556a9aaee2ad2249150ac84d9b5230f076dbb  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/importcss/plugin.min.js  
**MD5:** 4dfbf3010085640e499ffa4ed53f3e9f  
**SHA1:** 806b76dbeef2d9c4fd1aa243d1af03bba35b555e  
**SHA256:** 3c92a77bb7032d571c3c6c0a18123891e06bb40ae4498f137743d25ee6414ea8  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/insertdatetime/plugin.min.js  
**MD5:** 5a27df4fa9592be99446da8e6d67a2cf

**SHA1:** a031aff6bf079251c757636841a29b2e9d6a8b1c  
**SHA256:**321c0a514308e5c84257d8cdd3969e350486a6db0978e0e5ad143c0bc6a4ce0c  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources  
/webjars/tinymce/5.10.9/plugins/legacyoutput/plugin.min.js  
**MD5:** 5516e774422ea64df103c3c2234a4ec6  
**SHA1:** 657da397fb739dd03cb8aafa7177716b40f9d45b  
**SHA256:**57c72a86b59964c2b67e744ae14557c3eeb3839eed6bca42883e3190dc2620eb  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources  
/webjars/tinymce/5.10.9/plugins/link/plugin.min.js  
**MD5:** d7059f353e02e66f01aa09b0fb193b61  
**SHA1:** 5d94fa0eed6547f0bbd61c15bb0b9fd66ee095fc  
**SHA256:**d539e25d6b9b7c1d912d731846be75285fd7813e9d23e6868a0fd602ed4d9bfe  
**Referenced In Project/Scope:** server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: tinymce.jar: plugin.min.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/lists/plugin.min.js  
**MD5:** 153f9440390dfd0852bc13b37e4a99cf  
**SHA1:** 098629a46a42755f921a2a6a8d2eee46dbbd6254  
**SHA256:** 2e7d9385c8fd8248220ff2c5f34b30ad92a6bf34e65f05b611f24c9fd820a2a2  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/media/plugin.min.js  
**MD5:** bff1f8494661523d9d921dd568dea68f  
**SHA1:** 47b1e97c66ac4532a1cc0cdc213e84b2e1e5cb3d  
**SHA256:** c4ddc7ef78871c0e384b32eede7953b391f1ebfab367fd6e38cd24aacb74808b  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

#### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/nonbreaking/plugin.min.js  
**MD5:** 22cec5d1cd67de1710ac237a51b1eff2  
**SHA1:** b78369ddc84f703ff894b59a951eb8713fbb0eaf  
**SHA256:** 9bb250342be2c9a4b71b46f553e5700b958b90356796f9d136c2d30cf51613af  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/noneditable/plugin.min.js  
**MD5:** b559bf0c485035ccc5adc2cc5d27edc2  
**SHA1:** d9535a360c55123550f45d2a13112e5c54613b09  
**SHA256:** a3dcfa365c12b7cdc0102e3a3ba5f139cffbcb58c93de5cfd1cfd6758787e3f8  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/pagebreak/plugin.min.js  
**MD5:** 2e7175073fbd4c9d0d41a620b87f47c8  
**SHA1:** c3808c1045cf485075c41586755b610a5e56f2c3  
**SHA256:** e8796cc7df647c286d04bca204e397e9f77e274aa31a982196424842284dc11f  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/paste/plugin.min.js  
**MD5:** e6ceced2c0b57ae7a093c250025d4b93  
**SHA1:** 83000fb948b32522f4c391a21deca3c6ab3a41cd  
**SHA256:** 02f6cf2f00a0470edc2ce45521fe9e7ef083f1c0315558ee42c0f8c90d5059b8  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/preview/plugin.min.js  
**MD5:** 3662f07953f093e774ef09cd282aa456

**SHA1:** 995e14b009b09f1eb9f8a6694f2a63d3f03b28cc  
**SHA256:**c56fdc4fc82a79bdcfaffa7173b9d73eb4ece00386a1cd6a3cf08441eaeca800  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/print/plugin.min.js  
**MD5:** 779799d120a0e0ad3822f9e54640cf19  
**SHA1:** d5848caf54e8617ad251491c9251d8f339a216e3  
**SHA256:**b4dd176e085a39bddd30362cc503b757e8648fa763374927cc1f771032f2c432  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/quickbars/plugin.min.js  
**MD5:** cf09c9aca413bc4fbb19c1b8db79bd2a  
**SHA1:** f540a233d19ab3f34123e7dd97d09a12c0946139  
**SHA256:**4f0a83cc96e7e818d2ee734b8dabcb31e2de69516c2f6a3338cc412d53795ab5  
**Referenced In Project/Scope:** server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: tinymce.jar: plugin.min.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/save/plugin.min.js  
**MD5:** 1d255a40141338ace9a468f382ebc116  
**SHA1:** 0f0dcf709e333cdd51f50dbffaa8249cb46ab218  
**SHA256:**887deb37b92ba8b6aff6e65565fd22e338d267622e308d30c768cc5b1d11527e  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/searchreplace/plugin.min.js  
**MD5:** ac0e1a41a7ac38053f65df3d3e899d50  
**SHA1:** 2e7f1c6e0210b98b18cd48cc7a79ebd5ff9bf7bc  
**SHA256:**2c00411b358e2836734b729c7dd85155c7398086f52be27124b314536d1ced65  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

#### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/spellchecker/plugin.min.js

**MD5:** ba970e24a9000a62537e9a61dc67af21

**SHA1:** 975d4817120905cdba5d2f3c41c8d40548c79b15

**SHA256:** 4e7e4741970c39f8c2e10f4b9375e2841ef82520e2f092daabfdec68bcd72c50

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/tabfocus/plugin.min.js

**MD5:** b3ed291355f244a08de7c6cdd28bdc24

**SHA1:** be298bad6688fb4979fe9acb1949ea89c4afa36b

**SHA256:** 13c873fca170d4949c38b556f8d76c09abfedb4c4a01b4e056a2d1ddaeaf915f

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/table/plugin.min.js  
**MD5:** e49127ac5d6d510bcfee6d834109d7d9  
**SHA1:** 3e845f3a31bc77ff139f6c738afc05eddaee9573  
**SHA256:**9130f4972ccd49565986d6e624d3a70109de6b5dfd56a9e0ff23954f17877e6d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/template/plugin.min.js  
**MD5:** f5d5437a7c23a78a945a8db00bae1dc5  
**SHA1:** ec33f38e54858e4f4282fc27f8e635fa8d054701  
**SHA256:**9bb402bbdba8a4d4b5a73a9f91d8150ef2805dda6ed96fd393c11e369c92a8ac  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/textcolor/plugin.min.js  
**MD5:** c423242c5a16c97be3b9a24d6b4f1062

**SHA1:** d50ad5bd7ea69a614899837e4cd3ecace1df2621  
**SHA256:** 1a882eb097c9d69037a035c897a63cbbad1bd3b59cf5d22bacb4784d8994a3c1  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/textpattern/plugin.min.js  
**MD5:** 4d23619babf8fc972428cfe3dd010411  
**SHA1:** f57a6cebae882fb8d9c3a507de83d9b1fdb3a1a8  
**SHA256:** 166cbcd9d86dce2a0890c62f6757500d3d4212a26c39757d9921f9e2615ba948  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/toc/plugin.min.js  
**MD5:** 13707deaf5f0430745e57d913ea31257  
**SHA1:** 2d23b19db8821b9910ba04c34d8bc1d4800e90b0  
**SHA256:** 3a2df41858244f3207c16189f0eb78079e3da18d1151fe2a99c1adab3f117331  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/visualblocks/plugin.min.js  
**MD5:** 9c96006cef6c3ac93b762398112b4855  
**SHA1:** f9ec40c80b863f409947844e841cc0037b379657  
**SHA256:**0f1e3d314633726deea43eff70a76e1308fcc6d85570aa4cf6392abaa7d81e78  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/visualchars/plugin.min.js  
**MD5:** 9869c6e0ff649172df808ed22c7b9a08  
**SHA1:** 592dc0de3aa1d7e3a7f572a8d51e67fe3b2c7a43  
**SHA256:**469be54f8ba9ddb9c8020d65aae0521d43f05a9197b8412e0247501f8da4490  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/wordcount/plugin.min.js

**MD5:** ca6ae0cddf594fd58d16eedfbf25e5a2

**SHA1:** da6fa1c97cb33defad55c1767e08f40b4955aa66

**SHA256:** 7b59f6d1fd0047cf530d9358dcbb7af7cc8982ab52642d230e10b0534ef1480e

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: theme.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/mobile/theme.js

**MD5:** bf71e3c8a676f9f33cae81ef702d5077

**SHA1:** cd57219abb6d0a23e19a100979d353f2ef5d98c1

**SHA256:** a0ca0d72dd1b77c66cbcd1eab25daa174ed8048507027218477bacf04e4cef11

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: theme.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/silver/theme.js  
**MD5:** b99cdf5dcb718bb3d31d6c8667ae2462  
**SHA1:** 26d8486e0ec39d27e79b0b37965b28e2b45afb6d  
**SHA256:** 0147750f4214d0acd55cadda52809ac73766443333bb65947c7fe1e0684d85c7  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	DOMPurify	High
Product	file	name	DOMPurify	High
Version	file	version	2.3.8	High

#### Identifiers

- [pkg:javascript/DOMPurify@2.3.8](#) (*Confidence: Highest*)

### remotegui.zip: tinymce.jar: theme.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/mobile/theme.min.js  
**MD5:** 16cae3454aa3d42affaa77affd250d0f  
**SHA1:** d1aabb81b26a0cea4f2463fc3834e19b96577db  
**SHA256:** 41c734ae3943763aa08ab0b42b85aa755621e26124f15a7a0708ccb8b3ae3c63  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: theme.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/silver/theme.min.js  
**MD5:** 9f7fbf793a00485e1943e7270b1194b2  
**SHA1:** 2dbf1744e59360da304128ddd7cc25476e376af5  
**SHA256:** 05f5cf013cd5b6c793f9d5f745350088d3c5686ba001197b7ce2e1cb8c961f99  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: tinymce.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/tinymce.js  
**MD5:** f7a8350f10f92d58a952e1feb0d28f2c  
**SHA1:** d3ecc2861e41722d51e1ede38da5ead47a530c14  
**SHA256:** a78ee6bd10002d050a314768a523533144228f654d80571a8ed28ff3011208a1  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	tinyMCE	High
Product	file	name	tinyMCE	High
Version	file	version	5.10.9	High

#### Identifiers

- [pkg:javascript/tinyMCE@5.10.9](#) (*Confidence: Highest*)

### remotegui.zip: tinymce.jar: tinymce.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources

/webjars/tinymce/5.10.9/tinymce.min.js

**MD5:** 10df005254d5668ccedbdba2614354acd

**SHA1:** fbcd5a3f14b7c3dd8a9d203b9b30acfb49a38f4

**SHA256:** 3c3041cb95a1c979ee2205901cf1c670a36c192ef089e6f63b94beabef386c30

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	tinyMCE	High
Product	file	name	tinyMCE	High
Version	file	version	5.10.9	High

#### Identifiers

- [pkg:javascript/tinyMCE@5.10.9](#) (*Confidence:* Highest)

### remotegui.zip: twemoji.jar

#### License:

MIT

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/twemoji.jar

**MD5:** af9b535ef495075dfb0a7d5bec95eee6

**SHA1:** 0a559adee289b6b855ad1294b17dd71d9f3d21eb

**SHA256:** 9ce4f61ef563851b37c3918c54a876a865d2f66fda5f80dd2bfecebb2d7e386f

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	twemoji	High
Vendor	Manifest	url	<a href="https://github.com/twitter/twemoji/blob/master/LICENSE">https://github.com/twitter/twemoji/blob/master/LICENSE</a>	Low
Vendor	pom	artifactid	twemoji-null	Low
Vendor	pom	groupid	lib	Highest
Vendor	pom	url	<a href="https://github.com/twitter/twemoji/blob/master/LICENSE">twitter/twemoji/blob/master/LICENSE</a>	Highest
Product	file	name	twemoji	High
Product	Manifest	url	<a href="https://github.com/twitter/twemoji/blob/master/LICENSE">https://github.com/twitter/twemoji/blob/master/LICENSE</a>	Low
Product	pom	artifactid	twemoji-null	Highest

Product	pom	groupid	lib	Highest
Product	pom	url	twitter/twemoji/blob/master/LICENSE	High
Version	pom	version	1.0	Highest

#### Identifiers

- [pkg:maven/lib/twemoji-null@1.0](#) (Confidence:High)

### remoteprinting.zip: remoteprinting.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remoteprinting.zip/remoteprinting.jar

**MD5:** d96953d2affcf61bc9864df2151b456b

**SHA1:** a96e1f0526957dcda7a27a91e86675c0e794783a

**SHA256:** 157acb0f3ba139cc69ae187a29679de8501c636ddca299e8cbc4d1c4b5816bc9

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	remoteprinting	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	remoteprinting	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2024-12-03 17:10	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	remoteprinting	High
Product	jar	package name	remoteprinting	Highest
Product	jar	package name	remoteprinting	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2024-12-03 17:10	Low

Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	remoteprinting	High
Product	Manifest	specification-title	remoteprinting	Medium
Version	Manifest	Implementation-Version	24.10.238	High

#### Identifiers

- None

### remoteprinting.zip: remoteprinting.jar: RemotePrintingRenderer.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/usersandgroups/ui/RemotePrintingRenderer.js

**MD5:** e816754fa2c6fe3a7219b8709a5ea1d0

**SHA1:** d7974370a06688facd8b3ae8af91f6f74af6f67

**SHA256:** c33206af9597625b934ac4a08e75e5ab1852a2be264ec927ca21dc71dc00af84

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remoteprinting.zip: remoteprinting.jar: app.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/app.js

**MD5:** 57295bca2e13bd1a79d1718fe67a96ff

**SHA1:** 053da27ad7db4c7dde7c8e0fd9a3cfa74e86b35e

**SHA256:** cdebd14b5fd5ff72fac4bf8b53fa84c5dfc068a4067772ec4b0b951d51079c24

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remoteprinting.zip: remoteprinting.jar: htmlviewer.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/htmlviewer.js

**MD5:** 5ef047cff0a2ae8bba3c464b8ca0b554

**SHA1:** 3e735022b663115f93ef7705f1af52228ae9e119

**SHA256:**2925f857630e93865d906bd8cf920ed5db302330a91a91f683efaed18201c7b6

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remoteprinting.zip: remoteprinting.jar: pdfviewer.angular.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/pdfviewer.angular.js

**MD5:** 266420c959596225b3fc0014b41d631d

**SHA1:** 27a3bd4ed2937ae598b3afb2c290ae643f55acaa

**SHA256:**68f4900e0a0ec0b3a55611021e24aa42b4e5fc9ad869a4b40125c09047f5eaa7

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remoteprinting.zip: remoteprinting.jar: remoteprinting.factory.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/remoteprinting.factory.js

**MD5:** 53ce6060610cf62c5dae497924b78975

**SHA1:** dce234794ce082eeabe44262dfbcce6934218775

**SHA256:** fd8d006c6470977ea4d7249d4289d67337cbbd758b79a38bc74ea163f9f2f68b

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remoteprinting.zip: remoteprinting.jar: remoteprinting.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/remoteprinting.js

**MD5:** dc493fa664eb4fc9321f6ec47fa7a284

**SHA1:** 57c13fece9b7751ab9a0029b846cb09883881824

**SHA256:** 89db65297d0837de281111bc402b5ff23a4e5686b041ded271609d0eb8f2d6f2

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remoteprinting.zip: remoteprinting.jar: remoteprinting.model.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/remoteprinting.model.js

**MD5:** 0a7dc6be63811d015478b5936a6f36aa

**SHA1:** 62d29ec026a0f8238ee6e5cceda29daea0aa844b

**SHA256:** e15879e47240e283be4de1e49c528267267fdeadc57c3379d8de1d98d5c9b8c

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remoteprinting.zip: remoteprinting.jar: remoteprinting.renderer.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/remoteprinting.renderer.js

**MD5:** 16ba297bf877fe2b9b782308dc58073c

**SHA1:** c2b542114f99002ec13269c85c3c5c7efb744933

**SHA256:** 5d4a0b279ccecbaaec215361d763dddc119aaf12d02d1cf3870d300d569d1db4

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: jcommon.jar

#### Description:

JCommon is a free general purpose Java class library that is used in several projects at [www.jfree.org](http://www.jfree.org), including JFreeChart and JFreeReport.

**License:**

GNU Lesser General Public Licence: <http://www.gnu.org/licenses/lgpl.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/jcommon.jar

**MD5:** 3872e82627df950d40a949144a93e491

**SHA1:** d5016f7703896c38f9e511f8a9edda2585cbac8b

**SHA256:** 13e2596044935f76694cce65a22d1df908907ddcba0da2b49ff030930262d417

**Referenced In Project/Scope:** server

**Evidence**

Type	Source	Name	Value	Confidence
Vendor	file	name	jcommon	High
Vendor	jar	package name	jcommon	Highest
Vendor	jar	package name	jfree	Highest
Vendor	jar	package name	jfree	Low
Vendor	jar	package name	library	Highest
Vendor	jar	package name	ui	Low
Vendor	pom	artifactid	jcommon	Low
Vendor	pom	developer email	dave@jfree.org	Low
Vendor	pom	developer name	David Gilbert	Medium
Vendor	pom	developer org	Object Refinery Limited	Medium
Vendor	pom	developer org URL	<a href="http://www.object-refinery.com">http://www.object-refinery.com</a>	Medium
Vendor	pom	groupid	org.jfree	Highest
Vendor	pom	name	JCommon	High
Vendor	pom	organization name	JFree.org	High
Vendor	pom	organization url	<a href="http://www.jfree.org/">http://www.jfree.org/</a>	Medium
Vendor	pom	url	<a href="http://www.jfree.org/jcommon/">http://www.jfree.org/jcommon/</a>	Highest
Product	file	name	jcommon	High
Product	jar	package name	jcommon	Highest
Product	jar	package name	jfree	Highest
Product	jar	package name	library	Highest
Product	jar	package name	ui	Low
Product	pom	artifactid	jcommon	Highest
Product	pom	developer email	dave@jfree.org	Low
Product	pom	developer name	David Gilbert	Low
Product	pom	developer org	Object Refinery Limited	Low

Product	pom	developer org URL	http://www.object-refinery.com	Low
Product	pom	groupid	org.jfree	Highest
Product	pom	name	JCommon	High
Product	pom	organization name	JFree.org	Low
Product	pom	organization url	http://www.jfree.org/	Low
Product	pom	url	http://www.jfree.org/jcommon/	Medium
Version	pom	version	1.0.24	Highest

#### Identifiers

- [pkg:maven/org.jfree/jcommon@1.0.24](https://maven.org/jfree/jcommon@1.0.24) (*Confidence:High*)

## reporting.zip: jfreechartCC.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/jfreechartCC.jar

**MD5:** 8eef6ce5845d4d071a32dfc138ef174f

**SHA1:** 1cffd3420b4d8f96aebb1076567543449ce40133

**SHA256:** 5617a818e286b95c8171e62a4d541eef7cd39e766429fa29a40b50e92ba4f445

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jfreechartCC	High
Vendor	jar	package name	chart	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	jfree	Low
Vendor	Manifest	built-date	2024-12-03 16:49	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium

Product	file	name	jfreechartCC	High
Product	jar	package name	chart	Low
Product	jar	package name	jfree	Low
Product	Manifest	built-date	2024-12-03 16:49	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	jfreechartCC	High
Product	Manifest	specification-title	jfreechartCC	Medium
Version	Manifest	Implementation-Version	24.10.238	High

#### Identifiers

- None

### reporting.zip: reporting-javadoc.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar

**MD5:** b3cfa6716134c2cafd7a6dff67b37560

**SHA1:** c67274950e42ac6c7ea39209a5d20c549c52061e

**SHA256:** 243aabc6f5a9988a65c1cec91b862a4e0485eec52722f70faa2851d349a8ee40

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	reporting-javadoc	High
Product	file	name	reporting-javadoc	High

#### Identifiers

- None

### reporting.zip: reporting-javadoc.jar: member-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/member-search-index.js  
**MD5:** 8af27ece49893f09322fc2bdf2e8131  
**SHA1:** 59e5990f654f976ca57aa9b17a10b8e92f90ab98  
**SHA256:** bc3377b43159de04c5235b9b17bdf01639f77a2ece327a5acbddbed70e2af32c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting-javadoc.jar: package-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/package-search-index.js  
**MD5:** 2c0f8742f3f9b12b580ebbb1d05b246c  
**SHA1:** 4ab261d1781d9f77c131e641ec031d38e39a0444  
**SHA256:** 40e580f6c42f5eaad108580601b9279ee0d06eb1b35574573d0d2a3798580d82  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting-javadoc.jar: type-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/type-search-index.js  
**MD5:** 8008687a1ad6ed821adc84cca8826520  
**SHA1:** a21713c3a63548a6651afc41259760ad85b6226d  
**SHA256:** a9e4cb81069076017cfaf4566173432128024441225b5c4d9bc20a04637f5416  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar  
**MD5:** 39f89906b21190c64d49ecb27215a486  
**SHA1:** e61bb21a475c5af201dd0a64732ccbd6f96b99f6  
**SHA256:** 8c1491b87a7aaab58e8a213f75e581fbaf130cb98ec92a64da4c30539a963451  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	reporting	High
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-12-03 16:53	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low

Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	reporting	High
Product	jar	package name	permissions	Highest
Product	jar	package name	report	Low
Product	jar	package name	reporting	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-12-03 16:53	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	reporting	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	reporting	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	permissions	Highest
Version	jar	package name	reporting	Highest
Version	Manifest	Implementation-Version	24.10.238	High

Identifiers

- None

reporting.zip: reporting.jar: events.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/events.js

**MD5:** 3fc9838e053b31f8807cae4d3ec8af0e

**SHA1:** 2c49faf9585fe00cd134370a8f36129390838fcc

**SHA256:**562e707e5a6fc06e50bdbd6526050ce0b5a71c62839d1a6fce3b6b262904a1fa

**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: export.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/export.js

**MD5:** 746424b1fba005660a7543737f5703d7

**SHA1:** 5c1c20fbf6ee1d2bbbaeb1a71199142b9584da86

**SHA256:**f01740cc1eb338fbea1ddab973b535fb3295517e8717471370fcd9a28f438e28

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: functions.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/functions.js

**MD5:** c61acd956e7e6e92515853862714af13

**SHA1:** c9291385e7554de67b326a813b9132a242d95b7c

**SHA256:**54ebca9f31c4b878439b3dde01b4efd9652ec1a0ad1871dd2dcc767f81fa7b5d

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: generator.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/generator.js

**MD5:** 1e299743754f9f1d759bdd0159f8c4c8

**SHA1:** bf9ccac664dd094ccf0cd9ce4708709a6b84a198

**SHA256:** fb466011f0d2e7e592ddbdb1edf4bf6656b3c39abedcf17e5974983ead5bcc0a

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: grouptree.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/grouptree.js

**MD5:** 6a2aa37dcc827ae76a73fbb380bb9841

**SHA1:** 3491c58a0f544f3d322528aef0cf315170cb64d7

**SHA256:** 535046b4e6210984327183beea7f2a22eda39fa2d9aa71f385095cbf60f154f8

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: htmlreportextension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/plugins/drive/client/js/htmlreportextension.js  
**MD5:** 4a91827e853ef0bf19cf06f343e18e98  
**SHA1:** fda14009355a1098b25c75a307900e27d43a5e09  
**SHA256:** 004b3358d2bc621a7bb7c3b3f7e350876ed7904cd41c4d51d88533babf4cf590  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: jstorage.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/jstorage.js  
**MD5:** e3cf61a603c85bf3f8487da7e9548f71  
**SHA1:** 62f878b97e407836ac78c7f53e0dcc6dc253326c  
**SHA256:** 6d1e04ec7c76349ee41b892f465b8c0e110a6f5438da5cce419589a73d370cbc  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: keylistener.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/keylistener.js  
**MD5:** c5d832994dccb5bebc8f8bc39cf5daad

**SHA1:** c5f6f54e81c1d0d3386bbd47bbdc0f9ca0c33170  
**SHA256:** 9f415b33cfc34f2156906e04601fd9bd845bb992003f660737c0269c6e9ac9e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: menubar.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/menubar.js  
**MD5:** 84eac9769fcf64aac757adae2ae20b6b  
**SHA1:** c44fd0b0e9ffbc652c5a87c07422d8d2f9294d01  
**SHA256:** 35b71bf5c90a9c40f6080dd0721edfba6796582e66ddd86d6a620d6ffd5a7099  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: page.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/page.js  
**MD5:** 462d52c659dc09d5014cf48338eabd95  
**SHA1:** 7aab284e6c75d5b2f47b57fff793a0d7c2ee754e  
**SHA256:** 555c503389751372bc5d54cddbda777902740ce4b4fea22718cda901b66eb035c  
**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

reporting.zip: reporting.jar: pagecount.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/pagecount.js  
**MD5:** 24cfe9e8f48f278f1602d02864d58624  
**SHA1:** 2eddd3a44c190d4bdfe4be0c9326fcb2910760ea  
**SHA256:**c9ab8247c75b8a064609e6215bc095afaa2195537592e1dd33edfb1a1071ad90  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

reporting.zip: reporting.jar: popup.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/popup.js  
**MD5:** f3f883333f0bd365b876eb3239027ccc  
**SHA1:** 472c339e9c2fcc57ea152f0a7fd292cfaf8d5d94  
**SHA256:**b529ecd0c9c789d9927cc186a070f59185749ec3bec95485953ac5fad8ed4b1b  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

### reporting.zip: reporting.jar: print.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/print.js

**MD5:** 7b8d31c1093a5780e3456b1a89e5691d

**SHA1:** 92e65e0247c6a554b240fbd6ec9f765536971b4f

**SHA256:** 1bff0ec49ffd73d721476a42c7fdd790c11de9247708d0359634c5b1108a7454

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: prompts.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/prompts.js

**MD5:** 85a496ebe2cba4bc70869321d184d7f7

**SHA1:** 2b57162a46aaac6509d82d643a2b3cd2c0cff35d

**SHA256:** d881fb2545a4d0bd5deee4a5201d22ecfd71bfa516d8005b227882ae920753b1

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: prototype.array.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.array.js  
**MD5:** e7397419b474ed77e1919362d648e76e  
**SHA1:** d51d04cd807648ebbf8147fb35a372b1be405a0c  
**SHA256:**32757f40fca37f8e5fa83f29618e3d6193dbe2a87df85bdf4b01f804e5ee10fa  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: prototype.element.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.element.js  
**MD5:** 22a460c748d56bbf5abe35fd13fef26f  
**SHA1:** 5d0d84fb2fb8fc2e19b11b1ff02a40c78a496836  
**SHA256:**f29e8a4e3940edaf6a6dd88dfdd1dd683cf67289bfe5b078a0f54a98c0717d2b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: prototype.string.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.string.js  
**MD5:** df4a28167933f1a8e7c46a2764aa042e

**SHA1:** 34da7d4649052f159e8ce3cdb620575cc06851a5  
**SHA256:** 1b72a0129d32dd94172c575ab52a27f78f5083dded4a68a2a840c16a674d8376  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: renderreportextension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/plugins/drive/client/js/renderreportextension.js  
**MD5:** e67734f6f2305fbaf3c63dfb7d4b0600  
**SHA1:** 967bbcbcd0cb3711e63c889b7c45531dafcc9249  
**SHA256:** 859f4c56ecd9785d1b9323347f4763e5e80510783091c5e2b33b7a4214ba0994  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: reorder.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/reorder.js  
**MD5:** f69e929be3921597233d5f40cdb42d96  
**SHA1:** 34dbc14d130c63bf8bc084fd2e0738072ad7531c  
**SHA256:** bedbbe31cdf43b2581eb22c908587b90a090c8d3dec4f1f9473381f595cafcb5  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: script.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/script.js  
**MD5:** e587df16aef59326cd23dcf903f4f0a0  
**SHA1:** d6f93bbe5f92a93bcf505cdcc33265537c9ac1b4  
**SHA256:**af8ce5bb839284bf28ef6b7a534490e2f3e6679b6e381cef66332dd86ab6d776  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: search.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/search.js  
**MD5:** fc23b96b436d7e9cd6f6eaa37a8b4889  
**SHA1:** c3ebabfdf678fa695918802942aa1a31e35e12d5  
**SHA256:**e7c4c4ec44df06542deb241ce66375e83e38511cc3beb60eb9cdb712493aa3a8  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### reporting.zip: reporting.jar: serverping.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/serverping.js

**MD5:** cf0aa28426a5f0c3072bebe454ac51db

**SHA1:** d470b75dd064d62d773fcffa20de301811048660

**SHA256:** d78350702ac53e3094357533c45e45d6b0de57dfa8ce4a14045fbabc3c1e2496

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: stacktrace.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/stacktrace.js

**MD5:** 15af09e55c4ba39e41953f1a3e5a14c9

**SHA1:** 3c92835b1e605bca8aac7bd82d094c98ccbf79b

**SHA256:** 1133134ddfd7d0cab8d43b06e47825631b50d02cd54299c7dd80ff5a0d19457

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: tabbar.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/tabbar.js  
**MD5:** 491f95aea1cf85555dd3f39b6eeb667f  
**SHA1:** ce3c162c5224fa0224928c77ef243a60e7b00aed  
**SHA256:** ff58c9a193a7e9c38f46b120943ad919d22242b1b08710900db2028eb5d22f48  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### sampleapplication.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/CurrentTimePlugin/src/com/inet/application/currenttime/sampleapplication.js  
**MD5:** a0b6ce01eb88d27464c409bd56d4fa65  
**SHA1:** c23569535b8a3fb31880228a5e8c3efd42555175  
**SHA256:** 8d80f1c43ca8a4dba57c52e977bd61d92acae6cfdb8655b68fbc7102b021905  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- application.currenttime.zip: sampleapplication.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/CurrentTimePlugin/application.currenttime.zip/src/com/inet/application/currenttime/sampleapplication.js
  - MD5: a0b6ce01eb88d27464c409bd56d4fa65
  - SHA1: c23569535b8a3fb31880228a5e8c3efd42555175
  - SHA256: 8d80f1c43ca8a4dba57c52e977bd61d92acae6cfdb8655b68fbc7102b021905

#### Identifiers

- None

## sampledatabase.zip: sampledatabase.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/sampledatabase.zip/sampledatabase.jar

**MD5:** 3ad2ce9446fc01df68cff212055c07c

**SHA1:** 766e93138447e72f57151f103f31e92e9a5ca85d

**SHA256:** 59321fce6703605683ab95253bfd15f0e83e61080001c4a7526b7aef0ed9506c

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	sampledatabase	High
Vendor	jar	package name	designer	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	sampledatabase	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-12-03 17:09	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	sampledatabase	High
Product	jar	package name	designer	Low
Product	jar	package name	sampledatabase	Highest
Product	jar	package name	sampledatabase	Low
Product	jar	package name	sampledatabaseserverplugin	Low
Product	Manifest	application-	*	Low

		library-allowable-codebase		
Product	Manifest	built-date	2024-12-03 17:09	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	sampledatabase	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	sampledatabase	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	24.10.238	High

Identifiers

- None

sampledatabase.zip: smallsql.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/sampledatabase.zip/smallsql.jar  
**MD5:** a85e63aac9630d46b06baaf8e405085a  
**SHA1:** bc3097212ad32b21b2fd14ec0fa68e369a6e17f0  
**SHA256:** fdc0c0d1883046fd8b0b8155ce94b2e1d6642679d51842ccc1c5b5343f9519a4  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	smallsql	High
Vendor	jar	package name	database	Low
Vendor	jar	package name	smallsql	Low
Product	file	name	smallsql	High
Product	jar	package name	database	Low

Identifiers

• None

**samlereports.zip: samlereports.jar**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/samlereports.zip/samlereports.jar  
**MD5:** cde5c8f8361b852b96796759afd2bc43  
**SHA1:** f98ba41aafcb98a4a2dbdb5960ac201f695a8034  
**SHA256:** 1313f413078a911a5b542266e7fd0d4bd8d1aabbeeab9f442b6fbc9b5564c7a1  
**Referenced In Project/Scope:** server

**Evidence**



Type	Source	Name	Value	Confidence
Vendor	file	name	samlereports	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	jar	package name	samples	Low
Vendor	Manifest	built-date	2024-12-03 17:09	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	samlereports	High
Product	jar	package name	report	Low
Product	jar	package name	samples	Low
Product	Manifest	built-date	2024-12-03 17:09	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	samlereports	High
Product	Manifest	specification-title	samlereports	Medium
Version	Manifest	Implementation-Version	24.10.238	High

Identifiers

- None

search-worker.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/search-worker.js  
**MD5:** 5e2f2fecf39ab1197fa1f33bb73dce9  
**SHA1:** fdf200a9954128e900e26e11749fc5c9250ba4eb  
**SHA256:**422e115f5fd7829299546902847141ff52b972eca6c6b040bc7dbb81dcc79b89  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

security.zip: security.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/security.zip/security.jar  
**MD5:** 10a485d33f5129a0f6f0a1399989b1e8  
**SHA1:** c6a3d5be274c6c4c96ffea5821fc2d683c955ced  
**SHA256:**d4f6688e1e2f5ff2f49df1b97568199958646ce6ba1e0dc5b71ad10e74e27009  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	security	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	security	Low
Vendor	jar	package name	server	Low
Vendor	Manifest	built-date	2024-12-03 15:54	Low
Vendor	Manifest	implementation-group	shared	Low

Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	security	High
Product	jar	package name	security	Highest
Product	jar	package name	security	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2024-12-03 15:54	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	security	High
Product	Manifest	specification-title	security	Medium
Version	Manifest	Implementation-Version	24.10.238	High

Identifiers

- None

sessiondatasource.zip: sessiondatasource.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/sessiondatasource.zip/sessiondatasource.sample.jar

**MD5:** e1f1211ccbb85fc8632c269ac05f4447

**SHA1:** 1ed328d7ec6bf83dc82eb5e7bc2e6241d41494ea

**SHA256:**ebc28fd74c8da211363e57aaa4ed65fb9a161542833b8caf3a48d5f64d88a207

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	sessiondatasource.sample	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	samples	Low

Vendor	jar	package name	session	Low
Vendor	Manifest	built-date	2024-12-03 16:51	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	sessiondatasource.sample	High
Product	jar	package name	datasource	Low
Product	jar	package name	samples	Low
Product	jar	package name	session	Low
Product	Manifest	built-date	2024-12-03 16:51	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	sessiondatasource	High
Product	Manifest	specification-title	sessiondatasource	Medium
Version	Manifest	Implementation-Version	24.10.238	High

### Related Dependencies



- sessiondatasource.zip: sessiondatasource.sample.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Plugin - Samples/SessionDatasource/sessiondatasource.zip/sessiondatasource.sample.jar
  - MD5: e1f1211ccbb85fc8632c269ac05f4447
  - SHA1: 1ed328d7ec6bf83dc82eb5e7bc2e6241d41494ea
  - SHA256: ebc28fd74c8da211363e57aaa4ed65fb9a161542833b8caf3a48d5f64d88a207

### Identifiers

- None

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/core/setuplauncher.jar  
**MD5:** 74f91af9f60259632278961b3bea5f6b  
**SHA1:** 10b27546f9b87617734b8c37660397c6dfad80d3  
**SHA256:**d23a6b6aa02f0ed5ea39eeec1c0094fb303d77610185969ff763d6ed62144d0  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	setuplauncher	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	setuplauncher	Low
Vendor	Manifest	built-date	2024-12-03 15:38	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	setuplauncher	High
Product	jar	package name	setuplauncher	Highest
Product	jar	package name	setuplauncher	Low
Product	Manifest	built-date	2024-12-03 15:38	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	setuplauncher	High
Product	Manifest	specification-title	setuplauncher	Medium
Version	Manifest	Implementation-Version	24.10.238	High

Identifiers

- None

**Description:**

The slf4j API

**License:**

<http://www.opensource.org/licenses/mit-license.php>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.slf4j/slf4j-api/2.0.13/80229737f704b121a318bba5d5deacbcf395bc77/slf4j-api-2.0.13.jar

**MD5:** 7f4028aa04f75427327f3f30cd62ba4e

**SHA1:** 80229737f704b121a318bba5d5deacbcf395bc77

**SHA256:** e7c2a48e8515ba1f49fa637d57b4e2f590b3f5bd97407ac699c3aa5efb1204a9

**Referenced In Projects/Scopes:**

- server
- server:inetPlugin

**Included by:** pkg:maven/clear-reports/server@24.10

**Evidence**

Type	Source	Name	Value	Confidence
Vendor	file	name	slf4j-api	High
Vendor	gradle	artifactid	slf4j-api	Highest
Vendor	gradle	groupid	org.slf4j	Highest
Vendor	jar	package name	slf4j	Highest
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	http://www.slf4j.org	Low
Vendor	Manifest	bundle-symbolicname	slf4j.api	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	pom	artifactid	slf4j-api	Low
Vendor	pom	groupid	org.slf4j	Highest
Vendor	pom	name	SLF4J API Module	High
Vendor	pom	parent-artifactid	slf4j-parent	Low
Vendor	pom	url	http://www.slf4j.org	Highest
Product	file	name	slf4j-api	High
Product	gradle	artifactid	slf4j-api	Highest
Product	jar	package name	slf4j	Highest
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	http://www.slf4j.org	Low
Product	Manifest	Bundle-Name	SLF4J API Module	Medium
Product	Manifest	bundle-symbolicname	slf4j.api	Medium
Product	Manifest	Implementation-	slf4j-api	High

		Title		
Product	Manifest	multi-release	true	Low
Product	pom	artifactid	slf4j-api	Highest
Product	pom	groupid	org.slf4j	Highest
Product	pom	name	SLF4J API Module	High
Product	pom	parent-artifactid	slf4j-parent	Medium
Product	pom	url	http://www.slf4j.org	Medium
Version	file	version	2.0.13	High
Version	gradle	version	2.0.13	Highest
Version	Manifest	Bundle-Version	2.0.13	High
Version	Manifest	Implementation-Version	2.0.13	High
Version	pom	version	2.0.13	Highest

#### Related Dependencies



- facturx.zip: slf4j-api.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/slf4j-api.jar
  - MD5: 7f4028aa04f75427327f3f30cd62ba4e
  - SHA1: 80229737f704b121a318bba5d5deacbcf395bc77
  - SHA256: e7c2a48e8515ba1f49fa637d57b4e2f590b3f5bd97407ac699c3aa5efb1204a9
  - [pkg:maven/org.slf4j/slf4j-api@2.0.13](https://pkg:maven/org.slf4j/slf4j-api@2.0.13)
- slf4j-api.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/core/slf4j-api.jar
  - MD5: 7f4028aa04f75427327f3f30cd62ba4e
  - SHA1: 80229737f704b121a318bba5d5deacbcf395bc77
  - SHA256: e7c2a48e8515ba1f49fa637d57b4e2f590b3f5bd97407ac699c3aa5efb1204a9

#### Identifiers

- [pkg:maven/org.slf4j/slf4j-api@2.0.13](https://pkg:maven/org.slf4j/slf4j-api@2.0.13) (*Confidence:High*)

### statistics.reporting.zip: statistics.reporting.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/statistics.reporting.zip/statistics.reporting.jar  
**MD5:** 40d51cf1e53e82b838c7a0ef721710f7  
**SHA1:** 74cd553da241fe922e9b75b9e0912c5c8419ab34  
**SHA256:** 015e9f24b3cc76f3a6cc236d211a91d9450e4f8a72c98b41cfffbc299240ee2e  
**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	statistics.reporting	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	jar	package name	statistics	Low
Vendor	Manifest	built-date	2024-12-03 17:10	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	statistics.reporting	High
Product	jar	package name	report	Low
Product	jar	package name	reports	Low
Product	jar	package name	statistics	Highest
Product	jar	package name	statistics	Low
Product	Manifest	built-date	2024-12-03 17:10	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	statistics.reporting	High
Product	Manifest	specification-title	statistics.reporting	Medium
Version	Manifest	Implementation-Version	24.10.238	High

## Identifiers

- None

statistics.zip: statistics.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/statistics.zip/statistics.jar  
**MD5:** 1d8a7438fbccf11dbba8582979445ed6  
**SHA1:** 42221cd6fe748ee1de6d95c3eace5bf03e9d3d31  
**SHA256:** 7a60230c4429c47076ae3afcbf7521735ea14b366bb3f3910d263de68daa11dc  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	statistics	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	shared	Low
Vendor	jar	package name	statistics	Low
Vendor	Manifest	built-date	2024-12-03 15:49	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	statistics	High
Product	jar	package name	server	Low
Product	jar	package name	shared	Highest
Product	jar	package name	shared	Low
Product	jar	package name	statistics	Highest
Product	jar	package name	statistics	Low
Product	Manifest	built-date	2024-12-03 15:49	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	statistics	High
Product	Manifest	specification-title	statistics	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	24.10.238	High

Identifiers

- None

#### statistics.zip: statistics.jar: controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/statistics.zip/statistics.jar/com/inet/shared/statistics/resources/js/controller.js

**MD5:** c0e7d1bf8095778fdceb25239aec8b16

**SHA1:** a6413c9fc95565314832c1e71433969651f65caa

**SHA256:** bc10f410b7d7f915cdb62c964550b34c920cbef080d3cbda7c9fe5c90edfa257

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### statistics.zip: statistics.jar: embeddedstatisticsapp.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/statistics.zip/statistics.jar/com/inet/shared/statistics/server/embeddingapi/embeddedstatisticsapp.js

**MD5:** a317954d1fc60077ba63ec50877082e2

**SHA1:** 5dccd32bb9a34848bea70097f33b8c260440f467

**SHA256:** d2c09de924744c24918a7f4a1de18d568ac6afcf72a0b8563d876ab459ad21d

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### statistics.zip: statistics.jar: flotr2.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/statistics.zip/statistics.jar/com/inet/shared/statistics/resources/js/flotr2.min.js  
**MD5:** c55df5101903c061ab8d0d65a61cb89e  
**SHA1:** 08f86a4f4c443157e3428d2c0f1167d9ecc074b4  
**SHA256:** 3811dd70eb5d41c7b58c6f6493bbe5e236e53ee69e3e93f2a547f014e74f1698  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### statistics.zip: statistics.jar: rendererstatistics.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/statistics.zip/statistics.jar/com/inet/shared/statistics/resources/js/rendererstatistics.js  
**MD5:** 10d903956d3ac01114ae1202438a9371  
**SHA1:** 01969a2fdd0a29fdd87b8b680dd7fe12f639a546  
**SHA256:** 26bbb753f8721c0747e9fd93dff26784225da5f05ae527240dd73f76f8b4891c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### statistics.zip: statistics.jar: statisticsFactory.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/statistics.zip/statistics.jar/com/inet/shared/statistics/resources/js/statisticsFactory.js  
**MD5:** 0444ea0229f60bf3db85903af493cd7f

**SHA1:** c58568379038f651ab46c5e7b1bb7c29feada683  
**SHA256:** d15607ec397b2967954bb3dc702f9b0fd5b3ea48d7f5883175b53c9d95296547  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## svgSalamander.jar

#### Description:

A tool for displaying and playing SVG content using the Java2D.

#### License:

BSD License: <https://opensource.org/licenses/BSD-2-Clause>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/beans/svgSalamander.jar

**MD5:** ec89e47e9c1e331577b9f37132643030

**SHA1:** 2834461bf9d561fbf8b8531503e5718c582ae800

**SHA256:** ad12ea694ebec5b50b10322e72b7e2cfb6d1689f5ba0bcd58b08f02c1f50c765

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	svgSalamander	High
Vendor	jar	package name	a	Highest
Vendor	jar	package name	kitfox	Highest
Vendor	jar	package name	kitfox	Low
Vendor	jar	package name	svg	Highest
Vendor	jar	package name	svg	Low
Vendor	pom	artifactid	svgSalamander	Low
Vendor	pom	developer email	mark@kitfox.com	Low
Vendor	pom	developer name	Mark McKay	Medium
Vendor	pom	developer org	kitfox.com	Medium
Vendor	pom	developer org URL	<a href="http://www.kitfox.com">http://www.kitfox.com</a>	Medium

Vendor	pom	groupid	guru.nidi.com.kitfox	Highest
Vendor	pom	name	com.kitfox:svgSalamander	High
Vendor	pom	url	blackears/svgSalamander	Highest
Product	file	name	svgSalamander	High
Product	jar	package name	a	Highest
Product	jar	package name	kitfox	Highest
Product	jar	package name	svg	Highest
Product	jar	package name	svg	Low
Product	pom	artifactid	svgSalamander	Highest
Product	pom	developer email	mark@kitfox.com	Low
Product	pom	developer name	Mark McKay	Low
Product	pom	developer org	kitfox.com	Low
Product	pom	developer org URL	http://www.kitfox.com	Low
Product	pom	groupid	guru.nidi.com.kitfox	Highest
Product	pom	name	com.kitfox:svgSalamander	High
Product	pom	url	blackears/svgSalamander	High
Version	pom	version	1.1.3	Highest

### Identifiers

- [pkg:maven/guru.nidi.com.kitfox/svgSalamander@1.1.3](#) (*Confidence:High*)
- [cpe:2.3:a:kitfox:svg\\_salamander:1.1.3:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*) suppress

## taskplanner.logaction.zip: taskplanner.logaction.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/TaskPlanner/LogActionPlugin/taskplanner.logaction.zip/taskplanner.logaction.sample.jar

**MD5:** e6e6a5636369f986659e384ca32cba88

**SHA1:** e74b7890110284c085695c6ef5736b569a51da48

**SHA256:** 0b5ec3e392facaba7b89f13d071e5c4d903a3ff92eef276b6f8f31ee89ac7015

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner.logaction.sample	High

Vendor	jar	package name	inet	Low
Vendor	jar	package name	logaction	Low
Vendor	jar	package name	taskplanner	Low
Vendor	Manifest	built-date	2024-12-03 15:53	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner.logaction.sample	High
Product	jar	package name	logaction	Highest
Product	jar	package name	logaction	Low
Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low
Product	Manifest	built-date	2024-12-03 15:53	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	taskplanner.logaction	High
Product	Manifest	specification-title	taskplanner.logaction	Medium
Version	Manifest	Implementation-Version	24.10.238	High

#### Identifiers

- None

### taskplanner.openweathermap.zip: taskplanner.openweathermap.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/TaskPlanner/OpenWeatherMapPlugin/taskplanner.openweathermap.zip/taskplanner.openweathermap.sample.jar

**MD5:** 269d801bbe39e072878b3a7450708d53

**SHA1:** 86dd0f7db9fb2a454c3252775282c059a40ddef5

**SHA256:** 507de38ad5150133369c1469c43a3790a85936b25c7fd52bfed1ced850010ac5

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner.openweathermap.sample	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	openweathermap	Low
Vendor	jar	package name	taskplanner	Low
Vendor	Manifest	built-date	2024-12-03 15:53	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner.openweathermap.sample	High
Product	jar	package name	openweathermap	Highest
Product	jar	package name	openweathermap	Low
Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low
Product	Manifest	built-date	2024-12-03 15:53	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	taskplanner.openweathermap	High
Product	Manifest	specification-title	taskplanner.openweathermap	Medium
Version	Manifest	Implementation-Version	24.10.238	High

## Identifiers

- None

taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar  
**MD5:** 1b09da72cff8ef8c7b3365eddea57f42  
**SHA1:** 60ebcf3ff2030dc6d489085586832a0d56081dac  
**SHA256:**66a57e2b8f1fc0f24f1b41dd0b8ab5987ec6054939db44e9d5750ecfe782552f  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner.reporting-javadoc	High
Product	file	name	taskplanner.reporting-javadoc	High

#### Identifiers

- None

### taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: member-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/member-search-index.js  
**MD5:** 129109d2f67ec6f406b60107b610d11a  
**SHA1:** dc505388484f1177b6849c5ff60038a174b27cfb  
**SHA256:**ef24a0fcdafa687ed57452909bd0f7af891ca00d1214008edc2366815de0545  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: package-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/package-search-index.js

**MD5:** 53fb7ab8ab8de6b33f33254e2c32fbc9  
**SHA1:** f9bac0ca4dca6228416bed44f903f85acc19d969  
**SHA256:** 4dc686e5e4b0138073c3ffc1106bea2df96559da6d6e7d7ec2273bb12978c8ed  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: type-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/type-search-index.js

**MD5:** b0dcdeedc2201c62287cfb168bca35f5  
**SHA1:** aabb00fe2be134923fb716b9b6d1909e247d0dfa  
**SHA256:** c655265fb2ffb91913da0407621313cf8139ee6bf04a9374cde419395878e64e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.reporting.zip: taskplanner.reporting.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting.jar

**MD5:** 9fcab331d0c2e977352949965b2b5bb7  
**SHA1:** f6cd7cc31ba9d7e230ddab05c43b455b1576fa88  
**SHA256:** 0dcd640d7f9c22c50976aa9c3a9a6a73d37ef129dd44f9d6d1ac55ba07432f2d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner.reporting	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	jar	package name	taskplanner	Low
Vendor	Manifest	built-date	2024-12-03 17:10	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner.reporting	High
Product	jar	package name	report	Low
Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low
Product	Manifest	built-date	2024-12-03 17:10	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	taskplanner.reporting	High
Product	Manifest	specification-title	taskplanner.reporting	Medium
Version	Manifest	Implementation-Version	24.10.238	High

#### Identifiers

- None

**taskplanner.reporting.zip: taskplanner.reporting.jar: crttaskplanner.js**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting.jar/com/inet/report/taskplanner/client/crttaskplanner.js

**MD5:** 195a34cea815e3cc1ded3d994cee6a15

**SHA1:** f2050d0e60bff7b8f1c2b02256c4f6657ecd5391

**SHA256:**d09e2796c2d6e25dd9ae9e2b2781b005cd74025f995356b82f3332e4b914eec5  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

**taskplanner.zip: commons-cli.jar**

**Description:**

Apache Commons CLI provides a simple API for presenting, processing and validating a Command Line Interface.

**License:**

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/commons-cli.jar

**MD5:** 631937816bd22302ae49828e9b764313

**SHA1:** 41a4bff12057eecb6daaf9c7f36c237815be3da1

**SHA256:**f94c98bbcfaf1c1dac6956d6c3f494ec40265c67bf54ddefc95df4ffdd73ae6d5

**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-cli	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	cli	Highest
Vendor	jar	package name	commons	Highest
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-cli/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.cli	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-	org.apache	Medium

		Vendor-Id		
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-cli	Low
Vendor	pom	developer email	bob@werken.com	Low
Vendor	pom	developer email	chtompki@apache.org	Low
Vendor	pom	developer email	ebourg@apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	jbjk@mac.com	Low
Vendor	pom	developer email	jstrachan@apache.org	Low
Vendor	pom	developer email	roxspring@imapmail.org	Low
Vendor	pom	developer email	tn@apache.org	Low
Vendor	pom	developer id	bob	Medium
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	ebourg	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jkeyes	Medium
Vendor	pom	developer id	jstrachan	Medium
Vendor	pom	developer id	roxspring	Medium
Vendor	pom	developer id	tn	Medium
Vendor	pom	developer name	Bob McWhirter	Medium
Vendor	pom	developer name	Emmanuel Bourg	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	James Strachan	Medium
Vendor	pom	developer name	John Keyes	Medium
Vendor	pom	developer name	Rob Oxspring	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Thomas Neidhart	Medium
Vendor	pom	developer org	Ariane Software	Medium
Vendor	pom	developer org	Indigo Stone	Medium
Vendor	pom	developer org	integral Source	Medium
Vendor	pom	developer org	SpiritSoft, Inc.	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org	Werken	Medium
Vendor	pom	developer org	<a href="https://www.apache.org/">https://www.apache.org/</a>	Medium

		URL		
Vendor	pom	groupid	commons-cli	Highest
Vendor	pom	name	Apache Commons CLI	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	https://commons.apache.org/proper/commons-cli/	Highest
Product	file	name	commons-cli	High
Product	jar	package name	apache	Highest
Product	jar	package name	cli	Highest
Product	jar	package name	commons	Highest
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-cli/	Low
Product	Manifest	Bundle-Name	Apache Commons CLI	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.cli	Medium
Product	Manifest	Implementation-Title	Apache Commons CLI	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Apache Commons CLI	Medium
Product	pom	artifactid	commons-cli	Highest
Product	pom	developer email	bob@werken.com	Low
Product	pom	developer email	chtompki@apache.org	Low
Product	pom	developer email	ebourg@apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	jbjk@mac.com	Low
Product	pom	developer email	jstrachan@apache.org	Low
Product	pom	developer email	roxspring@imapmail.org	Low
Product	pom	developer email	tn@apache.org	Low
Product	pom	developer id	bob	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	ebourg	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jkeyes	Low
Product	pom	developer id	jstrachan	Low
Product	pom	developer id	roxspring	Low

Product	pom	developer id	tn	Low
Product	pom	developer name	Bob McWhirter	Low
Product	pom	developer name	Emmanuel Bourg	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	James Strachan	Low
Product	pom	developer name	John Keyes	Low
Product	pom	developer name	Rob Oxspring	Low
Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Thomas Neidhart	Low
Product	pom	developer org	Ariane Software	Low
Product	pom	developer org	Indigo Stone	Low
Product	pom	developer org	integral Source	Low
Product	pom	developer org	SpiritSoft, Inc.	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org	Werken	Low
Product	pom	developer org URL	<a href="https://www.apache.org/">https://www.apache.org/</a>	Low
Product	pom	groupid	commons-cli	Highest
Product	pom	name	Apache Commons CLI	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	<a href="https://commons.apache.org/proper/commons-cli/">https://commons.apache.org/proper/commons-cli/</a>	Medium
Version	Manifest	Bundle-Version	1.8.0	High
Version	Manifest	Implementation-Version	1.8.0	High
Version	pom	parent-version	1.8.0	Low
Version	pom	version	1.8.0	Highest

#### Identifiers

- <pkg:maven/commons-cli/commons-cli@1.8.0> (*Confidence:High*)

**taskplanner.zip: cron-utils.jar**

**Description:**

A Java library to parse, migrate and validate crons as well as describe them in human readable language

**License:**

Apache 2.0: <http://www.apache.org/licenses/LICENSE-2.0.html>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/cron-utils.jar

**MD5:** 4c27537eecc6fa37ed5740b5383643c8

**SHA1:** 5d3738bc7a2eaa45a94a76c6e87af54a95414637

**SHA256:** 02af0e8b2fe93c9fa6eef97b53b39faae14c5b996356edb132e9fe620013744

**Referenced In Project/Scope:** server

**Evidence**



Type	Source	Name	Value	Confidence
Vendor	file	name	cron-utils	High
Vendor	jar	package name	cron	Highest
Vendor	jar	package name	cronutils	Highest
Vendor	jar	package name	utils	Highest
Vendor	Manifest	automatic-module-name	com.cronutils	Medium
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	com.cronutils.cron-utils	Medium
Vendor	pom	artifactid	cron-utils	Low
Vendor	pom	developer id	jmrozanec	Medium
Vendor	pom	groupid	com.cronutils	Highest
Vendor	pom	name	cron-utils	High
Vendor	pom	url	<a href="http://cron-parser.com/">http://cron-parser.com/</a>	Highest
Product	file	name	cron-utils	High
Product	jar	package name	cron	Highest
Product	jar	package name	cronutils	Highest
Product	jar	package name	utils	Highest
Product	Manifest	automatic-module-name	com.cronutils	Medium
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	cron-utils	Medium
Product	Manifest	bundle-symbolicname	com.cronutils.cron-utils	Medium
Product	pom	artifactid	cron-utils	Highest
Product	pom	developer id	jmrozanec	Low

Product	pom	groupid	com.cronutils	Highest
Product	pom	name	cron-utils	High
Product	pom	url	http://cron-parser.com/	Medium
Version	Manifest	Bundle-Version	9.2.1	High
Version	pom	version	9.2.1	Highest

### Identifiers

- [pkg:maven/com.cronutils/cron-utils@9.2.1](#) (*Confidence:High*)
- [cpe:2.3:a:cron-utils\\_project:cron-utils:9.2.1:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*) suppress
- [cpe:2.3:a:utils\\_project:utils:9.2.1:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*) suppress

## taskplanner.zip: guava.jar

### Description:

Guava is a suite of core and expanded libraries that include utility classes, Google's collections, I/O classes, and much more.

### License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/guava.jar

**MD5:** 872309e5982530bdc7e68096c0d53cd2

**SHA1:** 818e780da2c66c63bbb6480fef1f3855eeafa3e4

**SHA256:** 452b2d9787b7d366fa8cf5ed9a1c40404542d05effa7a598da03bbbbb76d9f31

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	guava	High
Vendor	jar	package name	common	Highest
Vendor	jar	package name	google	Highest
Vendor	Manifest	automatic-module-name	com.google.common	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	https://github.com/google/guava/	Low
Vendor	Manifest	bundle-symbolicname	com.google.guava	Medium

Vendor	pom	artifactid	guava	Low
Vendor	pom	groupid	com.google.guava	Highest
Vendor	pom	name	Guava: Google Core Libraries for Java	High
Vendor	pom	parent-artifactid	guava-parent	Low
Vendor	pom	url	google/guava	Highest
Product	file	name	guava	High
Product	jar	package name	common	Highest
Product	jar	package name	google	Highest
Product	Manifest	automatic-module-name	com.google.common	Medium
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	https://github.com/google/guava/	Low
Product	Manifest	Bundle-Name	Guava: Google Core Libraries for Java	Medium
Product	Manifest	bundle-symbolicname	com.google.guava	Medium
Product	pom	artifactid	guava	Highest
Product	pom	groupid	com.google.guava	Highest
Product	pom	name	Guava: Google Core Libraries for Java	High
Product	pom	parent-artifactid	guava-parent	Medium
Product	pom	url	google/guava	High
Version	pom	version	33.2.1-jre	Highest

#### Identifiers

- [pkg:maven/com.google.guava/guava@33.2.1-jre](#) (*Confidence:High*)
- [cpe:2.3:a:google:guava:33.2.1:\\*\\*\\*\\*\\*](#) (*Confidence:Highest*) suppress

### taskplanner.zip: taskplanner-javadoc.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar

**MD5:** fa9e1b92d96c4923023c99991e2a9d0f

**SHA1:** 2bd2405453cac0bd82a4a2c89e0aca2666cbf007

**SHA256:** 73ca8a27df14e05b3e535a650cf8a279cfb1616304c44401e46aa62b7d875bf1

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner-javadoc	High
Product	file	name	taskplanner-javadoc	High

#### Identifiers

- None

### taskplanner.zip: taskplanner-javadoc.jar: member-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/member-search-index.js

**MD5:** 3c6738282cef47c985dd13f2bf8d550

**SHA1:** 5f57fac0d134067600a3700879a39a71ba68d945

**SHA256:** d98f0d17735d3c58c3b0af9b264b0c8d17b76453d634afcdbb44c2d450584a

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner-javadoc.jar: package-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/package-search-index.js

**MD5:** 664e97ca24dfa41c9d227a21aa0d43c5

**SHA1:** 4594dfafaa4e3780974c8476ea5a1ea1b9898f41

**SHA256:** d5638352f038b195118792e06962bd06f15b8ca6ebd6df9db669aa096012ec0d

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner-javadoc.jar: type-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/type-search-index.js

**MD5:** d4cdbbc6c76d43ead6c21a98fcbe5e61

**SHA1:** df7c0c10fdb529b9419bd2a38286160b47eda99c

**SHA256:**7c7aa1396f244a9a3375bbda8e04124171c29b5858c2847f548cd0b4c3361427

**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar

**MD5:** f427a581ae9cf28f42d77886d213d503

**SHA1:** c1e6849f217111a36acc9632356018d3c131cce8

**SHA256:**821af289a3b6c931f45135fa689d8c85b56a0f98416a916a574b202a625638b0

**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	server	Low
Vendor	jar	package name	taskplanner	Low
Vendor	Manifest	built-date	2024-12-03 15:27	Low
Vendor	Manifest	implementation-group	shared	Low

Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner	High
Product	jar	package name	api	Low
Product	jar	package name	server	Low
Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low
Product	Manifest	built-date	2024-12-03 15:27	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	taskplanner	High
Product	Manifest	specification-title	taskplanner	Medium
Version	Manifest	Implementation-Version	24.10.238	High

### Identifiers

- None

**taskplanner.zip: taskplanner.jar: app.js**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/app.js

**MD5:** e7b627af28a93866105b9b57aafc0679

**SHA1:** 402728104da80b566caf6f4674001072e563d911

**SHA256:** da6db86c4194737b7fdb2711a94e4d8cd69e9f1274d26faec3bbb615a12488da

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### taskplanner.zip: taskplanner.jar: boolean.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/boolean.directive.js

**MD5:** f531e8f8667e86c17cef683b1743260f

**SHA1:** 84b65d0f4fe2c374e6b46e82eaac428794992ca0

**SHA256:** 45bb097fc4aca863f20530b6bfca687d3fdd89c4f4a05424f080fbd5fab6ab8e

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: colorField.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/colorField.directive.js

**MD5:** b5da6d7c728f3f5308311693ad7fbf79

**SHA1:** 9a706740764283a49b2ebe8179ab7c399bf2b8b2

**SHA256:** 81de63033979d47a1cf4332821f31902a503640395534a366acd569999770c14

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## taskplanner.zip: taskplanner.jar: controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/controller.js

**MD5:** eb0875af8bf9bf8c352f6da8b630119c

**SHA1:** 1e1ead739c22751979af9e8d39e51ef4b09a885f

**SHA256:** 6261811a9bcec647a53455090be5b1763436925800cc3ea73a8878e57a379fed

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## taskplanner.zip: taskplanner.jar: factory.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/factory.js

**MD5:** 0dc2651090f757e675e2b5d76f0b9b56

**SHA1:** cc05ec55ba81c3351b7f44b94ba95c8105895c99

**SHA256:** 31211ba7ff692d1d259ed5ba8dc5fa0572ec581f6a9bffc36d8e0c8a7802dc38

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## taskplanner.zip: taskplanner.jar: filechooserAddonButton.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/filechooserAddonButton.directive.js

**MD5:** ae2be99ef1f5e3cbf7d7964e1cb81f85

**SHA1:** 5cfa5eff49baf4ad4a97c0637f1e51b74e68969a

**SHA256:** 03f55a5b7c5537061e2fef0b9cf3cd23bdb8cf5280b155d7b8a1c60306ec3360

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: model.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/model.js

**MD5:** b4b97107a6584246eafe1dd0aaf4a716

**SHA1:** 7ea27bc843a68b3db912e89de7f137cafeaf492d

**SHA256:** 04b44d0b7eb5a52d0f6a12d5f56d87dff2c477f8fc00482bfc1e0c83f9f70fef

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: numberRange.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/numberRange.directive.js

**MD5:** cb75296ed007746a29e5beeae1680307

**SHA1:** 9c64aa51d424760f5c5a0152cb245518ff3ba4f2

**SHA256:** eb920acf02ea30a8e0c58ff358ac403f90e4166fabcca78edf7480028499834a

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: numberWrapper.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/numberWrapper.directive.js  
**MD5:** 01558be43abbecea6a8a4dc5465564da  
**SHA1:** 76425827ef255a6691dfc76e09bec9c14741adef  
**SHA256:** cb32cf68353ba376be9b063109a9e4c6fb9ae669402001688528edf1235a93d1  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: passwordTextField.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/passwordTextField.directive.js  
**MD5:** 27d77b18f41b95941478ea6b72c0a47c  
**SHA1:** 63b78bacbd073ba1abcafdbc55006c90ae9053b4  
**SHA256:** 0a842ca033aa23d848437fb8012011200322b8a470e061250e7b25d6df2061c5  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

#### taskplanner.zip: taskplanner.jar: renderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/renderer.directive.js

**MD5:** 2642fb8ea6a297cf750b6a9398a1f204

**SHA1:** 8d41d76415639dc6765b5d090061cdaf46107ecd

**SHA256:** 4fabad86c05fe6b50644e1bcc9515dbf124d210fa4956caae4e1702dd0b4fa18

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### taskplanner.zip: taskplanner.jar: simpleCurrencyField.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleCurrencyField.directive.js

**MD5:** 4190e85221516e62be70113e2173523b

**SHA1:** f6bad86eca85fdc32cc3e5a6d6ac776f5113a7ee

**SHA256:** c3c6d4f9ab274d8df78e7cd25d9c9eaad65f36d706778846ace6a077d76f0614

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### taskplanner.zip: taskplanner.jar: simpleDateTimeField.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleDateTimeField.directive.js  
**MD5:** 9de7a6e7a496b3e3bef3df2b26d4e7c2  
**SHA1:** 051d92e8c3d56d9d01d9417abdfedb95afbb40f9  
**SHA256:** 87943d426a50cdccc995916dcbf4bcb4025ad19f4f7873456f8b48ac2d167dc8  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: simpleFileFolderField.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleFileFolderField.directive.js  
**MD5:** 9d25649fffb239e85236a847271bb73d  
**SHA1:** 39808e484449e303ec91ea2a807ee74b6a4c183a  
**SHA256:** df6e89174c5b419ff5443d9e1c52ea256c2b48d9f3975b2c53ac107d0464453d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: simpleGroup.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleGroup.directive.js  
**MD5:** 3b651cad87fb717564e40c13608b28cc

**SHA1:** 4a43a9443d46bdb0e9fe8be6c1d562556c73dfc8  
**SHA256:** 5273fe8d5e750006128f6d067ccd6772cb490d74b169e5766451cef6a53f05be  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: simpleLabel.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleLabel.directive.js  
**MD5:** ff52c05345b7217bd851e4411fb6054e  
**SHA1:** e22379a33c2eb2e439d1e49d86e94471076392e6  
**SHA256:** c67b03a8d7b878f7581ab867b06d327508d078d6d865201180465b6d33da299b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: simpleLink.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleLink.directive.js  
**MD5:** b4b3aeddcc0a895cd791acd470f6cb4d  
**SHA1:** bd7ffe21309f05d5fe9c01ba14d8a0821be63802  
**SHA256:** 2db5a71052dd2d4db296b71d5c1650cb8ed399ee696e3b8600bbefe89221acb6  
**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				


taskplanner.zip: taskplanner.jar: simpleSelect.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleSelect.directive.js  
**MD5:** ea64083ea7a066d09d3cb59c7a6f33fa  
**SHA1:** a1b6a6d66d644440216a6d550b347bb0633be4ce  
**SHA256:**a26d1ed5bfac8d5bc681af542708b7ed6f370341a83648f687f07b7dd3f19089  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

taskplanner.zip: taskplanner.jar: simpleTextField.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleTextField.directive.js  
**MD5:** 48d92cb780021dd4822c6e8740d26ce6  
**SHA1:** 654d1a8049b64f41362c0bbe3644e7206b151311  
**SHA256:**c4cc8ca624af917fef0c261d6aa82c806c29eb4fd796670b724c69a686c5b211  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				

- None

#### taskplanner.zip: taskplanner.jar: stringTable.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/stringTable.directive.js  
**MD5:** 37a1f354d71a7d60288652c206db7271  
**SHA1:** b37c87c654e8c12307c5b3126667142cf5d80a22  
**SHA256:** f6450635963e62bb85b83ea201b352c624dcc90a7cd452899aa0dc239d4bcd6d  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### taskplanner.zip: taskplanner.jar: taskplanner\_maintenance.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/maintenance/taskplanner\_maintenance.js  
**MD5:** 5945f5ec8198b3f4a2e005048f5a3492  
**SHA1:** 866b04e5046c38115c0cac54e7440ba6ceef3afc  
**SHA256:** 0f09a0d4a0b1210bd88ca8a59bb084d70aeb7347cfe830139ba0b5c056297eae  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### taskplanner.zip: taskplanner.jar: textAreaField.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/textAreaField.directive.js  
**MD5:** 5a75eb0d834b4b4f41702dbf6f1ce2ea  
**SHA1:** f438ca050ee2e69a73ada30726205d295f6546b1  
**SHA256:** 5e2ae08f0a40ba0da474e8dcc53d9dfcaf53b2727bace92d266f13aa9eda9b0c  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

theme.zip: bootstrap.jar: bootstrap.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/bootstrap.js  
**MD5:** 894d79839facf38d9fd672bdbe57443d  
**SHA1:** 11277f4e04cf070a350e566b053ef2215993720c  
**SHA256:** dbd2a35e72edc7d6bde483481a912f1c38aa57fab2747d9b071d317339ee03a2  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	bootstrap	High
Product	file	name	bootstrap	High
Version	file	version	3.4.1	High

Related Dependencies



- theme.zip: bootstrap.jar: bootstrap.js.gz: bootstrap.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/bootstrap.js.gz/bootstrap.js
  - MD5: 894d79839facf38d9fd672bdbe57443d
  - SHA1: 11277f4e04cf070a350e566b053ef2215993720c
  - SHA256: dbd2a35e72edc7d6bde483481a912f1c38aa57fab2747d9b071d317339ee03a2
  - [pkg:javascript/bootstrap@3.4.1](#)

## Identifiers

- [pkg:javascript/bootstrap@3.4.1](#) (*Confidence:High*est)

## theme.zip: bootstrap.jar: bootstrap.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/bootstrap.min.js

**MD5:** 2f34b630ffe30ba2ff2b91e3f3c322a1

**SHA1:** b16fd8226bd6bfb08e568f1b1d0a21d60247cefb

**SHA256:** 9ee2fcff6709e4d0d24b09ca0fc56aade12b4961ed9c43fd13b03248bfb57afe

**Referenced In Project/Scope:** server

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	bootstrap	High
Product	file	name	bootstrap	High
Version	file	version	3.4.1	High

## Related Dependencies

- theme.zip: bootstrap.jar: bootstrap.min.js.gz: bootstrap.min.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/bootstrap.min.js.gz/bootstrap.min.js
  - MD5: 2f34b630ffe30ba2ff2b91e3f3c322a1
  - SHA1: b16fd8226bd6bfb08e568f1b1d0a21d60247cefb
  - SHA256: 9ee2fcff6709e4d0d24b09ca0fc56aade12b4961ed9c43fd13b03248bfb57afe
  - [pkg:javascript/bootstrap@3.4.1](#)

## Identifiers

- [pkg:javascript/bootstrap@3.4.1](#) (*Confidence:High*est)

## theme.zip: theme.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/theme.jar  
**MD5:** 20361d3e473b43df2d94ab9ab771d8b4  
**SHA1:** 36d58ee079aeb95b91b89cdf2352574d35a23ea  
**SHA256:**55849e83512f9507f497183d440c56620f076dc7582ce25c75f24b185623f606  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	theme	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	jar	package name	shared	Low
Vendor	Manifest	built-date	2024-12-03 15:20	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	theme	High
Product	jar	package name	plugins	Low
Product	jar	package name	shared	Highest
Product	jar	package name	shared	Low
Product	jar	package name	theme	Highest
Product	jar	package name	theme	Low
Product	Manifest	built-date	2024-12-03 15:20	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	theme	High
Product	Manifest	specification-title	theme	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	24.10.238	High

Identifiers

- None

## urlcookie.zip: urlcookie.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Authentication/UrlCookiePlugin/urlcookie.zip/urlcookie.sample.jar

**MD5:** ad9ea24e778fb53e25248680e2c97822

**SHA1:** 7ef42b1bab43ecb48037664e38322c2f480edfef

**SHA256:** 0d9bef4e136480ebca5c4295d9dbcf737eedf7650733b7c30d2cf17c723bdba1

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	urlcookie.sample	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	urlcookie	Low
Vendor	Manifest	built-date	2024-12-03 15:53	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	urlcookie.sample	High
Product	jar	package name	authentication	Low
Product	jar	package name	urlcookie	Highest
Product	jar	package name	urlcookie	Low
Product	Manifest	built-date	2024-12-03 15:53	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	urlcookie	High
Product	Manifest	specification-title	urlcookie	Medium
Version	Manifest	Implementation-Version	24.10.238	High

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip  
/usersandgroupsmanager.jar  
**MD5:** 350c6a5edfb406a1663d4eb0177eadff  
**SHA1:** 2c77eaf324145482448e7dfb3cafbe1fb6a8a467  
**SHA256:** 77beca5f021d823064218615c3742ccf804dace8ad41447fedc401297ca1a262  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	usersandgroupsmanager	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	server	Low
Vendor	jar	package name	usersandgroupsmanager	Low
Vendor	Manifest	built-date	2024-12-03 15:45	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	usersandgroupsmanager	High
Product	jar	package name	server	Low
Product	jar	package name	usersandgroupsmanager	Highest
Product	jar	package name	usersandgroupsmanager	Low
Product	Manifest	built-date	2024-12-03 15:45	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-	usersandgroupsmanager	High

		Title		
Product	Manifest	specification-title	usersandgroupsmanager	Medium
Version	Manifest	Implementation-Version	24.10.238	High

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagercontroller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagercontroller.js

**MD5:** e33ff568b7c73c5f1abb3ce32dda999c

**SHA1:** 419c45b41bba6387ca0f285d401f560f16ac6573

**SHA256:** 136be2dd2f6ff6778d61a469ac2c99411b18ee2af84199a4eb70012456884e7a

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdetailscontroller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerdetailscontroller.js

**MD5:** 33ff1183867e15736260b3d557814fe5

**SHA1:** ca658bc7851b8210bbbe083fb7e48917da7e39f4

**SHA256:** 9e37107a2a5d60fb45a2b4d231232b07a4e5dce598e8750345e5097e1da92e32

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdialogcontroller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip  
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js  
/usersandgroupsmanagerdialogcontroller.js

**MD5:** 4c2dd6a9a916ab67961acdd215db6c22

**SHA1:** 6e0162dea0bf153797268a9607b23d88402bca05

**SHA256:** 7c5fa35b1f84fe4abafb31c017be1097385e4b1dff4415efe680bd0ae0db9fe

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdirectives.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip  
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js  
/usersandgroupsmanagerdirectives.js

**MD5:** e9d705382a8c25e3fa880cf01dd47fe8

**SHA1:** b1df9b1bd12830059242a5784eb23dd7ae339b31

**SHA256:** 5fd0624365290a710545e1f5a12297aa03a90f214375eeab12296bf35b04a74e

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagereffectivepermissionscontroller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip  
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js  
/usersandgroupsmanagereffectivepermissionscontroller.js  
**MD5:** 7b338f56899718ee4c730c7c30f8404d  
**SHA1:** 23d1599cd58231c6a42264202db54da541dbbc7f  
**SHA256:** faa1d67150e8577b35addb9f3807a4d76c3c7495475f2cbb65e550aaa3715d6  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerfactory.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip  
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerfactory.js  
**MD5:** dc86ea7fc3b4579c614e5ce9557a2456  
**SHA1:** d49390dbd903aae52de98406ed8b2604abb714b0  
**SHA256:** eb7f2d4a9b329354bf41b6805db98b4a8e1879cf318a8614a615af9fd7e91933  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagermodel.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip  
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagermodel.js  
**MD5:** f095a4c40f17b36318e13dd8534407e9  
**SHA1:** 4e289c1de0ccc482455b2da27234bf0f462c1a1d  
**SHA256:** c3beefef00e5dce1e9c97b5a354ffcd157896e50798c42c80f5685a028f8f7ee  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerpredeletionwarning.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip  
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js  
/usersandgroupsmanagerpredeletionwarning.js  
**MD5:** 15667e805ebd69d487e47139ed5239ec  
**SHA1:** 4508b2ad9e26e24978a0f1a1595b89e424692317  
**SHA256:** bdf7da184d1e951da787b3c0126d0f9ec5c3b329e676ea198aab91db3d9fa796  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:  
usersandgroupsmanagerrenderer.js**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip  
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerrenderer.  
js

**MD5:** 9e0409acea03c0d8c41e9b3155c5a562

**SHA1:** 351464447f2f774f2fcf09a726273e658283dce6

**SHA256:** 1236ec6336c420eadc68cd7fd44e384b88c2f8cd25463c93a6bbae0f4a29a616

**Referenced In Project/Scope:** server

**Evidence**



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

**Identifiers**

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:  
usersandgroupsmanagerstatisticscontroller.js**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip  
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js  
/usersandgroupsmanagerstatisticscontroller.js

**MD5:** 4b0ce9da268d3f965ddf8ddce6676daf

**SHA1:** d0ad859cb96083de8fabce54e8fd7fd5efe04b1a

**SHA256:** a2b6f180be1602c888c0505c88d03753332c48e57c9a524ed4b71f1eb401d28b

**Referenced In Project/Scope:** server

**Evidence**



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

**Identifiers**

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:  
usersandgroupsmanagertakeoutcontroller.js**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip  
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js  
/usersandgroupsmanagertakeoutcontroller.js

**MD5:** 9be90b79aa685d1d62933945b0e00860

**SHA1:** 29a9da8d0ee54fe21b4379ec1a36c192983108ce

**SHA256:**28ee9f9f2805e95af8c39b2bbbe5e94de14e8a1709ba6fd58e1e5a7dbab5555f

**Referenced In Project/Scope:** server

**Evidence**



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

**Identifiers**

- None

**webapi.core.zip: webapi.core.jar**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/webapi.core.zip/webapi.core.jar

**MD5:** 19db4022266d17b82e3917efb1f7a379

**SHA1:** 1b152b7d094f0f98c034ad5361fc5defc8f18477

**SHA256:**64de0a56f2605799a41e52e80669c47dd1797af15230c9cbde80f75b31046d0e

**Referenced In Project/Scope:** server

**Evidence**



Type	Source	Name	Value	Confidence
Vendor	file	name	webapi.core	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugin	Low
Vendor	jar	package name	webapi	Low
Vendor	Manifest	built-date	2024-12-03 15:22	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-	de.inetsoftware	Medium

## Vendor-Id

Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	webapi.core	High
Product	jar	package name	plugin	Low
Product	jar	package name	webapi	Highest
Product	jar	package name	webapi	Low
Product	Manifest	built-date	2024-12-03 15:22	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	webapi.core	High
Product	Manifest	specification-title	webapi.core	Medium
Version	Manifest	Implementation-Version	24.10.238	High

## Identifiers

- None

## webapi.core.zip: webapi.core.jar: shared.factory.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webapi.core.zip/webapi.core.jar/com/inet/plugin/webapi/client/shared.factory.js

**MD5:** 98dbfacd3d92ee8a82f37dc52e2e9ed2

**SHA1:** 79fc85b57bd34a34c3b3731b0675d978134d57d0

**SHA256:** 3109f49903cef95ddc213135a052165227410ca7f3a62101bf2ed7c8e7a880ce

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Identifiers

- None

## webapi.core.zip: webapi.core.jar: webapi.codemirror.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webapi.core.zip/webapi.core.jar/com/inet/plugin/webapi/client/webapi.codemirror.js

**MD5:** bb06c770ed20e0ea4f5b798dab4898bc

**SHA1:** 1fef3fa28aaa195dd178d26ee2223fa247689261

**SHA256:** c26a44389f5479e0f66ed560b6e4287c964d1266c3951c4dd039a653b4b863e9

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## webapi.core.zip: webapi.core.jar: webapi.core.editor.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webapi.core.zip/webapi.core.jar/com/inet/plugin/webapi/client/webapi.core.editor.js

**MD5:** d376d09bc6e1743680130afc3d32b351

**SHA1:** f76293956d6170059405b907e455352f6995aac0

**SHA256:** 28ab83ec598b777a432bae13025a8534cfc72f82f729bdcfee666f8fa671e1c5

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## webapi.core.zip: webapi.core.jar: webapi.core.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webapi.core.zip/webapi.core.jar/com/inet/plugin/webapi/client/webapi.core.js

**MD5:** 640fd5b6902bd92ae2e01e5bbaf2d104  
**SHA1:** 55f6454ef6516df96f65986ad17cf9983ccbf5c1  
**SHA256:**4b7129626b2401b89b2f3d8804160e298b9b5effdae742a1ea1cc8e4b2fd8ff2  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

webserver.defender.zip: webserver.defender.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.defender.zip/webserver.defender.jar  
**MD5:** ee74be081710ca23c253d7c3724d7706  
**SHA1:** 4da051ecd8da1ae7670224a7700c757bfd004c04  
**SHA256:**6e70e884d0fc27fcc65e2ffbad85fc4b23436e1abfed01ab71a0bbf404f7ff09  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	webserver.defender	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	webserverdefender	Low
Vendor	Manifest	built-date	2024-12-03 15:54	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	webserver.defender	High
Product	jar	package name	webserverdefender	Low
Product	Manifest	built-date	2024-12-03 15:54	Low

Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	webserver.defender	High
Product	Manifest	specification-title	webserver.defender	Medium
Version	Manifest	Implementation-Version	24.10.238	High

#### Identifiers

- None

### webserver.zip: acme4j-client.jar

#### Description:

ACME client for Java

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/acme4j-client.jar

**MD5:** 6a777e9a2790f92e3ca84ab3f670372a

**SHA1:** 2fc4db562eb89dd97d01efbd66498af44f010fc5

**SHA256:** 3fc818cdf24695c427dd85aa62c6510fb488602618272935c61a7525e47fdd8a

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	acme4j-client	High
Vendor	jar	package name	acme4j	Highest
Vendor	jar	package name	shredzone	Highest
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	pom	artifactid	acme4j-client	Low
Vendor	pom	groupid	org.shredzone.acme4j	Highest
Vendor	pom	name	acme4j Client	High
Vendor	pom	parent-artifactid	acme4j	Low
Product	file	name	acme4j-client	High
Product	jar	package name	acme4j	Highest
Product	jar	package name	shredzone	Highest
Product	Manifest	build-jdk-spec	17	Low
Product	pom	artifactid	acme4j-client	Highest

Product	pom	groupid	org.shredzone.acme4j	Highest
Product	pom	name	acme4j Client	High
Product	pom	parent-artifactid	acme4j	Medium
Version	pom	version	2.16	Highest

#### Identifiers

- <pkg:maven/org.shredzone.acme4j/acme4j-client@2.16> (*Confidence:High*)

## webserver.zip: jetty-websocket-core-client.jar

### Description:

Jetty module for Core :: Websocket :: Client

### License:

EPL-2.0 OR Apache-2.0

<https://www.eclipse.org/legal/epl-2.0/>, <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-websocket-core-client.jar

**MD5:** ede68759185a8e8641f752663ec15f03

**SHA1:** 217f26a2deb1686bb5398b143e9cd7f288fbc9f1

**SHA256:** eee0a03715c127f422a400419f5937f4165ffcff1f8ec886d36630d3fdc695f7

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jetty-websocket-core-client	High
Vendor	jar	package name	core	Highest
Vendor	jar	package name	eclipse	Highest
Vendor	jar	package name	jetty	Highest
Vendor	jar	package name	websocket	Highest
Vendor	Manifest	build-jdk-spec	22	Low
Vendor	Manifest	bundle-copyright	Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others.	Low
Vendor	Manifest	bundle-docurl	<a href="https://eclipse.dev/jetty/">https://eclipse.dev/jetty/</a>	Low
Vendor	Manifest	bundle-symbolicname	org.eclipse.jetty.websocket.core.client	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Jetty Project	High

Vendor	Manifest	url	https://eclipse.dev/jetty/	Low
Vendor	pom	artifactid	jetty-websocket-core-client	Low
Vendor	pom	groupid	org.eclipse.jetty.websocket	Highest
Vendor	pom	name	Core :: Websocket :: Client	High
Vendor	pom	parent-artifactid	jetty-websocket	Low
Product	file	name	jetty-websocket-core-client	High
Product	jar	package name	core	Highest
Product	jar	package name	eclipse	Highest
Product	jar	package name	jetty	Highest
Product	jar	package name	websocket	Highest
Product	Manifest	build-jdk-spec	22	Low
Product	Manifest	bundle-copyright	Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others.	Low
Product	Manifest	bundle-docurl	https://eclipse.dev/jetty/	Low
Product	Manifest	Bundle-Name	Core :: Websocket :: Client	Medium
Product	Manifest	bundle-symbolicname	org.eclipse.jetty.websocket.core.client	Medium
Product	Manifest	url	https://eclipse.dev/jetty/	Low
Product	pom	artifactid	jetty-websocket-core-client	Highest
Product	pom	groupid	org.eclipse.jetty.websocket	Highest
Product	pom	name	Core :: Websocket :: Client	High
Product	pom	parent-artifactid	jetty-websocket	Medium
Version	Manifest	Bundle-Version	12.0.12	High
Version	Manifest	Implementation-Version	12.0.12	High
Version	pom	version	12.0.12	Highest

## Related Dependencies



- webserver.zip: jetty-client.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-client.jar
  - MD5: 552a2b1ab07f9fd00e00c9e4346e9e21
  - SHA1: 38e3bc5b5023eca185622e5301f6755088cf1b4c
  - SHA256: d737d69d3500ac637fe1d8387e6c36e40e442bcb6ce2ba1f82587d57b8802161
  - [pkg:maven/org.eclipse.jetty/jetty-client@12.0.12](https://pkg:maven/org.eclipse.jetty/jetty-client@12.0.12)
- webserver.zip: jetty-ee8-nested.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-ee8-nested.jar
  - MD5: 7761f001b55c8416ab50200238b10f22
  - SHA1: 7d3821099b5fd57a37e66938e591dccc4ec8691

- SHA256: b51ad87fde8ddc9ca0e62feee7022431402d2effe9ef1e456be95c38debfc2d4
- [pkg:maven/org.eclipse.jetty.ee8/jetty-ee8-nested@12.0.12](https://pkg:maven/org.eclipse.jetty.ee8/jetty-ee8-nested@12.0.12)
- webserver.zip: jetty-ee8-security.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-ee8-security.jar
  - MD5: 76070871351f54aadeb61cf7e0a9a31a
  - SHA1: 36fec09a5c8c1eceba41b25c67875b4d6beba373
  - SHA256: f15732a71aae5f01813e753a1885068bf6c83600a8099af1deb81ac8d227c8a1
  - [pkg:maven/org.eclipse.jetty.ee8/jetty-ee8-security@12.0.12](https://pkg:maven/org.eclipse.jetty.ee8/jetty-ee8-security@12.0.12)
- webserver.zip: jetty-ee8-servlet.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-ee8-servlet.jar
  - MD5: 7c6ee2782bf7ebe542c66a01126b7668
  - SHA1: 3b32dd923925265ad59bd6c610e80e5403bf8260
  - SHA256: 5f10b3cb83d31de045fdc3e19063baa0d8288f868d2e2e6833ede44a20111335
  - [pkg:maven/org.eclipse.jetty.ee8/jetty-ee8-servlet@12.0.12](https://pkg:maven/org.eclipse.jetty.ee8/jetty-ee8-servlet@12.0.12)
- webserver.zip: jetty-ee8-servlets.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-ee8-servlets.jar
  - MD5: c7d03898519e46716063d7d4940b0a50
  - SHA1: db783b72f501a643c9073596bf7741ae9797bc9c
  - SHA256: 2f2e7b70519f681000190aeac716a620a94d917eecca53ffaeac1ce1f04e6c5e
  - [pkg:maven/org.eclipse.jetty.ee8/jetty-ee8-servlets@12.0.12](https://pkg:maven/org.eclipse.jetty.ee8/jetty-ee8-servlets@12.0.12)
- webserver.zip: jetty-ee8-websocket-javax-client.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-ee8-websocket-javax-client.jar
  - MD5: 8220a2d6f572ac828cb3d391bd2f158d
  - SHA1: d9fed25ad8d53db5d93b25b9c0b2a3bb170ce181
  - SHA256: 537d5fffbdb3f53fb7fcb93d85b25c705e72f35883b68477ac3ebce37de57e9
  - [pkg:maven/org.eclipse.jetty.ee8.websocket/jetty-ee8-websocket-javax-client@12.0.12](https://pkg:maven/org.eclipse.jetty.ee8.websocket/jetty-ee8-websocket-javax-client@12.0.12)
- webserver.zip: jetty-ee8-websocket-javax-common.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-ee8-websocket-javax-common.jar
  - MD5: 2a9b175ce93fd2a05572cc3812555e0f
  - SHA1: c36b41845d1931a2848c99d06dc185dfc45da5e9
  - SHA256: 2f178b102eedd8af7b978b4055b779e65974e2838c5dd80938c58d2f3e1a704b
  - [pkg:maven/org.eclipse.jetty.ee8.websocket/jetty-ee8-websocket-javax-common@12.0.12](https://pkg:maven/org.eclipse.jetty.ee8.websocket/jetty-ee8-websocket-javax-common@12.0.12)
- webserver.zip: jetty-ee8-websocket-jetty-api.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-ee8-websocket-jetty-api.jar
  - MD5: 1498107d193b2ae134e34f97c7e998ff
  - SHA1: a47f197740e48f2092ce228401dfe892cf38e118
  - SHA256: aaa6f7f7168ddcdcaa4bd649929dfe86096e606d642e61f6d8b9ece4b91ff4b6
  - [pkg:maven/org.eclipse.jetty.ee8.websocket/jetty-ee8-websocket-jetty-api@12.0.12](https://pkg:maven/org.eclipse.jetty.ee8.websocket/jetty-ee8-websocket-jetty-api@12.0.12)
- webserver.zip: jetty-ee8-websocket-jetty-common.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-ee8-websocket-jetty-common.jar
  - MD5: 93cf94c658d44bf8ebcef764ba33ef66
  - SHA1: 6e590c7c70be9f1f478c4d01981d3b339fdd24a0
  - SHA256: bf7331bd7e06a15a747e7ba47c8ac805ad8d5af2ff5fdde20ac8cba94e6affa2
  - [pkg:maven/org.eclipse.jetty.ee8.websocket/jetty-ee8-websocket-jetty-common@12.0.12](https://pkg:maven/org.eclipse.jetty.ee8.websocket/jetty-ee8-websocket-jetty-common@12.0.12)
- webserver.zip: jetty-ee8-websocket-servlet.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-ee8-websocket-servlet.jar

- MD5: 6835dae8a7859fd910f61a13b42d5016
- SHA1: 83ed6bcd986cccd6faef2b84c186de3c98761b87
- SHA256: 3a8b90883327d49dbc858cd7c168ed7e6c1faa47fb02374687f2db9e83075051
- [pkg:maven/org.eclipse.jetty.ee8.websocket/jetty-ee8-websocket-servlet@12.0.12](https://pkg:maven/org.eclipse.jetty.ee8.websocket/jetty-ee8-websocket-servlet@12.0.12)
- webserver.zip: jetty-http.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-http.jar
  - MD5: 6df36f430a5ff932095e56d9b1f814ff
  - SHA1: 549fe58ae50b9c061d09803fb0d2659a93ce0ecd
  - SHA256: 83a7d1b268f6a8dc87981caa96b4a87df6e7f6bd9d9315099aae7056e91b02ce
  - [pkg:maven/org.eclipse.jetty/jetty-http@12.0.12](https://pkg:maven/org.eclipse.jetty/jetty-http@12.0.12)
- webserver.zip: jetty-http2-common.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-http2-common.jar
  - MD5: 5e3937e8a072b3553f6327f95c38f5ce
  - SHA1: d6f8dc7d136b5eef3d97ca76caf770cb0bca1d64
  - SHA256: 18218a67571078a69567f49d3ad77d35dcc6f5f87a5ea7d7d56f0b909346ec26
  - [pkg:maven/org.eclipse.jetty.http2/jetty-http2-common@12.0.12](https://pkg:maven/org.eclipse.jetty.http2/jetty-http2-common@12.0.12)
- webserver.zip: jetty-http2-hpack.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-http2-hpack.jar
  - MD5: ef48f0ef588daca681aece801ae5c215
  - SHA1: 7e9a522f66c83a0870edd1f6d51542a986dcca50
  - SHA256: 65a0c38ec2e7b7897b6010a1f72875898441ad1bb26e35230a49ec8847fbdc80
  - [pkg:maven/org.eclipse.jetty.http2/jetty-http2-hpack@12.0.12](https://pkg:maven/org.eclipse.jetty.http2/jetty-http2-hpack@12.0.12)
- webserver.zip: jetty-io.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-io.jar
  - MD5: 2c2b6c2aa02d06eb806fcd02311d6fc6
  - SHA1: 4e2cd5c23e8ba550238f35c361c22ffb1e7bf00c
  - SHA256: 0187db0f7a994677ca44f8065f5a46ae405d6a4b7e91b74a50ca262ddccb39
  - [pkg:maven/org.eclipse.jetty/jetty-io@12.0.12](https://pkg:maven/org.eclipse.jetty/jetty-io@12.0.12)
- webserver.zip: jetty-security.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-security.jar
  - MD5: 8c267fa96178662b4accd8c6eefa660a
  - SHA1: 962d2c5748f750aae667399481915bd02a9746e0
  - SHA256: b5afc655e32b3e747098ef1a3f037454b1572d1ac94ff49832f635ec6aba253d
  - [pkg:maven/org.eclipse.jetty/jetty-security@12.0.12](https://pkg:maven/org.eclipse.jetty/jetty-security@12.0.12)
- webserver.zip: jetty-session.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-session.jar
  - MD5: 16ff3a3c6576c1e6585888d97856d83b
  - SHA1: fceae460fb4677a6cec80d3b70b1fc3ae2a114a7
  - SHA256: 89f6e4c09ce3572d49506b574d235b9b1cfec367de35dea7ce47a393ebe75cf6
  - [pkg:maven/org.eclipse.jetty/jetty-session@12.0.12](https://pkg:maven/org.eclipse.jetty/jetty-session@12.0.12)
- webserver.zip: jetty-util.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-util.jar
  - MD5: 5d734e1499a7edb8bebefbeacf13f3a6
  - SHA1: f7b1e4f835c38d12668b426d327118e767d2f1d4
  - SHA256: 6186c46baa8e236fdebedb26c6d2bfa10203908db08050d72425f5aca707c18d
  - [pkg:maven/org.eclipse.jetty/jetty-util@12.0.12](https://pkg:maven/org.eclipse.jetty/jetty-util@12.0.12)
- webserver.zip: jetty-websocket-core-common.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-websocket-core-common.jar
  - MD5: 20da832acd01e26b3c18118534edb9a2

## Identifiers

- [pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-client@12.0.12](#) (*Confidence:High*)
- [cpe:2.3:a:eclipse:jetty:12.0.12:\\*.~\\*.~\\*.~\\*.~\\*.~\\*](#) (*Confidence:Highest*) suppress
- [cpe:2.3:a:jetty:jetty:12.0.12:\\*.~\\*.~\\*.~\\*.~\\*.~\\*](#) (*Confidence:Highest*) suppress
- [cpe:2.3:a:mortbay:jetty:jetty:12.0.12:\\*.~\\*.~\\*.~\\*.~\\*.~\\*](#) (*Confidence:Highest*) suppress

**webserver.zip: jetty-websocket-core-server.jar**

**Description:**

## Jetty module for Core :: Websocket :: Server

**License:**

EPL-2.0 OR Apache-2.0

<https://www.eclipse.org/legal/epl-2.0/>, <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-websocket-core-server.jar

**MD5:** af6ab6286006ef413bb421c5622590d3

**SHA1:** 6a65999b7d381e82e1634620cda906b7a9d0d399

**SHA256:**b4fcc308c340e86da8a66962951a0fa77c6e43e601cac47657b3ce184779bf24

**Referenced In Project/Scope:** server

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jetty-websocket-core-server	High
Vendor	jar	package name	core	Highest
Vendor	jar	package name	eclipse	Highest
Vendor	jar	package name	jetty	Highest
Vendor	jar	package name	websocket	Highest
Vendor	Manifest	build-jdk-spec	22	Low
Vendor	Manifest	bundle-copyright	Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others.	Low
Vendor	Manifest	bundle-docurl	https://eclipse.dev/jetty/	Low
Vendor	Manifest	bundle-symbolicname	org.eclipse.jetty.websocket.core.server	Medium

Vendor	Manifest	Implementation-Vendor	Eclipse Jetty Project	High
Vendor	Manifest	url	<a href="https://eclipse.dev/jetty/">https://eclipse.dev/jetty/</a>	Low
Vendor	pom	artifactid	jetty-websocket-core-server	Low
Vendor	pom	groupid	org.eclipse.jetty.websocket	Highest
Vendor	pom	name	Core :: Websocket :: Server	High
Vendor	pom	parent-artifactid	jetty-websocket	Low
Product	file	name	jetty-websocket-core-server	High
Product	jar	package name	core	Highest
Product	jar	package name	eclipse	Highest
Product	jar	package name	jetty	Highest
Product	jar	package name	websocket	Highest
Product	Manifest	build-jdk-spec	22	Low
Product	Manifest	bundle-copyright	Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others.	Low
Product	Manifest	bundle-docurl	<a href="https://eclipse.dev/jetty/">https://eclipse.dev/jetty/</a>	Low
Product	Manifest	Bundle-Name	Core :: Websocket :: Server	Medium
Product	Manifest	bundle-symbolicname	org.eclipse.jetty.websocket.core.server	Medium
Product	Manifest	url	<a href="https://eclipse.dev/jetty/">https://eclipse.dev/jetty/</a>	Low
Product	pom	artifactid	jetty-websocket-core-server	Highest
Product	pom	groupid	org.eclipse.jetty.websocket	Highest
Product	pom	name	Core :: Websocket :: Server	High
Product	pom	parent-artifactid	jetty-websocket	Medium
Version	Manifest	Bundle-Version	12.0.12	High
Version	Manifest	Implementation-Version	12.0.12	High
Version	pom	version	12.0.12	Highest

## Related Dependencies



- webserver.zip: jetty-alpn-java-server.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-alpn-java-server.jar
  - MD5: 4f5f0577660d8c96f0ee16c54bf8511a
  - SHA1: 6662cc331cc2ea965a1bacb78a50a75cbaa3b8eb
  - SHA256: d2e1c26aaaf14b146016263c09daa9211ca7b7c92aa76910b8d33e906ed0f80e
  - [pkg:maven/org.eclipse.jetty/jetty-alpn-java-server@12.0.12](https://pkg:maven/org.eclipse.jetty/jetty-alpn-java-server@12.0.12)
- webserver.zip: jetty-alpn-server.jar

- File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-alpn-server.jar
- MD5: 2c9a20bf0156af39a799fd0ecde88420
- SHA1: 6d085e4184e529e6b754f867bfd701e8cb104c86
- SHA256: ba6189e0a8dac7bd4f6f9890182bde60081423de9cdbce60b4e8eace6bc70cba
- [pkg:maven/org.eclipse.jetty/jetty-alpn-server@12.0.12](https://pkg:maven/org.eclipse.jetty/jetty-alpn-server@12.0.12)
- webserver.zip: jetty-ee8-websocket-javax-server.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-ee8-websocket-javax-server.jar
  - MD5: 3e98eee51a960701b7c87564f229a436
  - SHA1: e57dbd4da3a12d77e9325eb8b5148a34231beae9
  - SHA256: 579db39444208632eb4d470ba119d262c78f933787475c8de1fbc16ed80776f9
  - [pkg:maven/org.eclipse.jetty.jetty-ee8.websocket/jetty-ee8-websocket-javax-server@12.0.12](https://pkg:maven/org.eclipse.jetty.jetty-ee8.websocket/jetty-ee8-websocket-javax-server@12.0.12)
- webserver.zip: jetty-ee8-websocket-jetty-server.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-ee8-websocket-jetty-server.jar
  - MD5: bba9b709fd47d2971fb6cce32e1773f3
  - SHA1: e9ecbeae29773aa48d0e276ea5366dbfd0e27484
  - SHA256: 9b8336fe6d7876e5273e70aac255f2882c61972e0c8330912836cfdeb0cb5117
  - [pkg:maven/org.eclipse.jetty.jetty-ee8.websocket/jetty-ee8-websocket-jetty-server@12.0.12](https://pkg:maven/org.eclipse.jetty.jetty-ee8.websocket/jetty-ee8-websocket-jetty-server@12.0.12)
- webserver.zip: jetty-http2-server.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-http2-server.jar
  - MD5: 5e82e0f6925d6c888ea54d64384ac50e
  - SHA1: faf5cb0fc244ea41ab003c9250093bcd4461b9d5
  - SHA256: 253782cd070553a7e97ba7e114ee9e7d9cf835ab0282ebca6c57d0465a4f60fa
  - [pkg:maven/org.eclipse.jetty.http2/jetty-http2-server@12.0.12](https://pkg:maven/org.eclipse.jetty.http2/jetty-http2-server@12.0.12)
- webserver.zip: jetty-server.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-server.jar
  - MD5: 015e76b0d3f29dc9a7f1d76da93f258a
  - SHA1: 77591ab10113d7de7eb8a01bb4d9d23b234aebd1
  - SHA256: 299b992e50c7d9871b450fa33aa0e36d5641218ae10ffbf4449f59d845fe2e22
  - [pkg:maven/org.eclipse.jetty/jetty-server@12.0.12](https://pkg:maven/org.eclipse.jetty/jetty-server@12.0.12)

## Identifiers

- [pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-server@12.0.12](https://pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-server@12.0.12) ( *Confidence:High* )
- [cpe:2.3:a:eclipse:jetty:12.0.12:\\*:\\*:\\*:\\*:\\*](https://cpe:2.3:a:eclipse:jetty:12.0.12:*:*:*:*:*) ( *Confidence:Highest* ) suppress
- [cpe:2.3:a:jetty:jetty:12.0.12:\\*:\\*:\\*:\\*:\\*](https://cpe:2.3:a:jetty:jetty:12.0.12:*:*:*:*:*) ( *Confidence:Highest* ) suppress
- [cpe:2.3:a:jetty:jetty\\_http\\_server:12.0.12:\\*:\\*:\\*:\\*:\\*](https://cpe:2.3:a:jetty:jetty_http_server:12.0.12:*:*:*:*:*) ( *Confidence:Low* ) suppress
- [cpe:2.3:a:mortbay:jetty:jetty:12.0.12:\\*:\\*:\\*:\\*:\\*](https://cpe:2.3:a:mortbay:jetty:jetty:12.0.12:*:*:*:*:*) ( *Confidence:Highest* ) suppress

webserver.zip: jose4j.jar

## Description:

The jose.4.j library is a robust and easy to use open source implementation of JSON Web Token (JWT) and the JOSE specification suite (JWS, JWE, and JWK).

It is written in Java and relies solely on the JCA APIs for cryptography.

Please see [https://bitbucket.org/b\\_c/jose4j/wiki/Home](https://bitbucket.org/b_c/jose4j/wiki/Home) for more info, examples, etc..

## License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jose4j.jar

**MD5:** f57cb91efc5beaa940029f5515a888c2

**SHA1:** 357a3836bb5da16f314f3a1e954518e5468cd915

**SHA256:** 7314af50cde9c99e8eaf43eee617a23edcc6bb43036221064355094999d837ef

**Referenced In Project/Scope:** server

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jose4j	High
Vendor	jar	package name	jca	Highest
Vendor	jar	package name	jose4j	Highest
Vendor	jar	package name	json	Highest
Vendor	jar	package name	jwe	Highest
Vendor	jar	package name	jwk	Highest
Vendor	jar	package name	jws	Highest
Vendor	jar	package name	jwt	Highest
Vendor	jar	package name	use	Highest
Vendor	Manifest	automatic-module-name	org.jose4j	Medium
Vendor	Manifest	bundle-symbolicname	org.bitbucket.b_c.jose4j	Medium
Vendor	pom	artifactid	jose4j	Low
Vendor	pom	developer email	brian.d.campbell@gmail.com	Low
Vendor	pom	developer name	Brian Campbell	Medium
Vendor	pom	groupid	org.bitbucket.b_c	Highest
Vendor	pom	name	jose4j	High
Vendor	pom	url	<a href="https://bitbucket.org/b_c/jose4j/">https://bitbucket.org/b_c/jose4j/</a>	Highest
Product	file	name	jose4j	High
Product	jar	package name	jca	Highest
Product	jar	package name	jose4j	Highest
Product	jar	package name	json	Highest

Product	jar	package name	jwe	Highest
Product	jar	package name	jwk	Highest
Product	jar	package name	jws	Highest
Product	jar	package name	jwt	Highest
Product	jar	package name	use	Highest
Product	Manifest	automatic-module-name	org.jose4j	Medium
Product	Manifest	Bundle-Name	jose4j	Medium
Product	Manifest	bundle-symbolicname	org.bitbucket.b_c.jose4j	Medium
Product	pom	artifactid	jose4j	Highest
Product	pom	developer email	brian.d.campbell@gmail.com	Low
Product	pom	developer name	Brian Campbell	Low
Product	pom	groupid	org.bitbucket.b_c	Highest
Product	pom	name	jose4j	High
Product	pom	url	https://bitbucket.org/b_c/jose4j/	Medium
Version	Manifest	Bundle-Version	0.9.6	High
Version	pom	version	0.9.6	Highest

### Identifiers

- [pkg:maven/org.bitbucket.b\\_c/jose4j@0.9.6](#) (Confidence:High)
- [cpe:2.3:a:jose4j\\_project:jose4j:0.9.6:\\*\\*\\*\\*.\\*.\\*](#) (Confidence:Highest)

suppress

## webserver.zip: webserver.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/webserver.jar

**MD5:** 343e062d6155150ab4647f99e58c6bf8

**SHA1:** e50f3084fb9baeceac9643418ff9aefcf3a4dc11

**SHA256:** bc6b3f9d3110617c7ff38d5b99ab5db5d93a215510fe6b2454cbb0d715b7c1e3

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	webserver	High
Vendor	jar	package name	inet	Low

Vendor	jar	package name	webserver	Low
Vendor	Manifest	built-date	2024-12-03 15:33	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	webserver	High
Product	jar	package name	webserver	Highest
Product	jar	package name	webserver	Low
Product	Manifest	built-date	2024-12-03 15:33	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	webserver	High
Product	Manifest	specification-title	webserver	Medium
Version	Manifest	Implementation-Version	24.10.238	High

### Identifiers

- None

## Suppressed Vulnerabilities



### authentication.oauth.zip: authentication.oauth-javadoc.jar: jquery-ui.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/script-dir/jquery-ui.min.js  
**MD5:** 32059df39c14a910ccc2325f6a3cd62f  
**SHA1:** d3289f1b527a3f054d303ec769402e037fbfcf4b  
**SHA256:** 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	jquery-ui	High
Product	file	name	jquery-ui	High
Version	file	version	1.13.1	High

## Related Dependencies

- maintenance.zip: maintenance-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/script-dir/jquery-ui.min.js
  - MD5: 32059df39c14a910ccc2325f6a3cd62f
  - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
  - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
- reporting.zip: reporting-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/script-dir/jquery-ui.min.js
  - MD5: 32059df39c14a910ccc2325f6a3cd62f
  - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
  - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/script-dir/jquery-ui.min.js
  - MD5: 32059df39c14a910ccc2325f6a3cd62f
  - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
  - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
- taskplanner.zip: taskplanner-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/script-dir/jquery-ui.min.js
  - MD5: 32059df39c14a910ccc2325f6a3cd62f
  - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
  - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424

## Suppressed Identifiers

- None

## Suppressed Vulnerabilities

[CVE-2022-31160](#) suppressed

jQuery UI is a curated set of user interface interactions, effects, widgets, and themes built on top of jQuery. Versions prior to 1.13.2 are potentially vulnerable to cross-site scripting. Initializing a checkboxradio widget on an input enclosed within a label makes that parent label contents considered as the input label. Calling `.checkboxradio("refresh")` on such a widget and the initial HTML contained encoded HTML entities will make them erroneously get decoded. This can lead to potentially executing JavaScript code. The bug has been patched in jQuery UI 1.13.2. To remediate the issue, someone who can change the initial HTML can wrap all the non-input contents of the `label` in a `span`.

## CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-h6gj-6jjq-h8g9>
- info - <https://github.com/jquery/jquery-ui/commit/8cc5bae1caa1fcf96bf5862c5646c787020ba3f9>
- info - <https://github.com/jquery/jquery-ui/issues/2101>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2022-31160>
- security-advisories@github.com - [EXPLOIT,MITIGATION,RELEASE\\_NOTES,THIRD\\_PARTY\\_ADVISORY](#)
- security-advisories@github.com - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- security-advisories@github.com - [PATCH,THIRD\\_PARTY\\_ADVISORY](#)
- security-advisories@github.com - [RELEASE\\_NOTES,VENDOR\\_ADVISORY](#)
- security-advisories@github.com - [THIRD\\_PARTY\\_ADVISORY](#)
- security-advisories@github.com - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:jquery\_ui\_checkboxradio:8.x-1.0:\*:\*:\*:\*:drupal:\*.\*
- cpe:2.3:a:drupal:jquery\_ui\_checkboxradio:8.x-1.1:\*:\*:\*:\*:drupal:\*.\*
- cpe:2.3:a:drupal:jquery\_ui\_checkboxradio:8.x-1.2:\*:\*:\*:\*:drupal:\*.\*
- cpe:2.3:a:drupal:jquery\_ui\_checkboxradio:8.x-1.3:\*:\*:\*:\*:drupal:\*.\*
- cpe:2.3:a:jqueryui:jquery\_ui:\*:\*:\*:\*:jquery:\*.\* versions up to (excluding) 1.13.2
- cpe:2.3:a:netapp:oncommand\_insight:\*:\*:\*:\*:\*.\*

## decoder.svg.zip: xmlgraphics-commons.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/xmlgraphics-commons.jar

**MD5:** ec712218e2391e64672fd8ed1e9e1d71

**SHA1:** 336ddd6d0a244cdebf26a298fb7c3a5fd45449db

**SHA256:** 1fe37a1927bdd699730f0ad39f50a699c9ab4dff0ad047dff1e846cb120ae2b1

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	xmlgraphics-commons	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	apache	Low
Vendor	jar	package name	xmlgraphics	Highest
Vendor	jar	package name	xmlgraphics	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation (http://xmlgraphics.apache.org/)	High
Product	file	name	xmlgraphics-commons	High
Product	jar	package name	apache	Highest

Product	jar	package name	xmlgraphics	Low
Product	Manifest	Implementation-Title	Apache XML Graphics Commons	High
Version	Manifest	build-id	20220112-112401-GMT	Medium
Version	Manifest	Implementation-Version	2.7	High

### Suppressed Identifiers

- [cpe:2.3:a:apache:commons\\_net:2.7:\\*:\\*:\\*:\\*:\\*](#) suppressed (*Confidence:Low*)
  - Notes: XML Graphics Common has a false positive match on Apache Commons Net

### Suppressed Vulnerabilities

#### [CVE-2021-37533](#) suppressed

Prior to Apache Commons Net 3.9.0, Net's FTP client trusts the host from PASV response by default. A malicious server can redirect the Commons Net code to use a different host, but the user has to connect to the malicious server in the first place. This may lead to leakage of information about services running on the private network of the client. The default in version 3.9.0 is now false to ignore such hosts, as cURL does. See <https://issues.apache.org/jira/browse/NET-711>.

CWE-20 Improper Input Validation

CVSSv3:

- MEDIUM (6.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:H/I:N/A:N/E:2.8/RC:R/MAV:A

References:

- security@apache.org - [ISSUE\\_TRACKING,MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- security@apache.org - [ISSUE\\_TRACKING,MAILING\\_LIST,VENDOR\\_ADVISORY](#)
- security@apache.org - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- security@apache.org - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions:

- [cpe:2.3:a:apache:commons\\_net:\\*:\\*:\\*:\\*:\\*](#) versions up to (excluding) 3.9.0

## docfx.vendor.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/docfx.vendor.js

**MD5:** e546d4a3ac43d85422e9c43bf9488c88

**SHA1:** 7387f5bf1a3382308d646560039243629968f137

**SHA256:** 4dfa2ef41a41c02b0cd0cb18b5c3ee71dd40cdc060271f0d832235e7a1c72c34

**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	bootstrap	High
Product	file	name	bootstrap	High
Version	file	version	3.4.1	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities



CVE-2024-6484 (RETIREJS) suppressed

Notes: file name: remotegui.zip: bootstrap.jar We are in the process of migrating required functions into a custom framework.

Unscored:

- Severity: medium

References:

- info - <https://github.com/advisories/GHSA-9mvj-f7w8-pvh2>
- info - <https://github.com/rubysec/ruby-advisory-db/blob/master/gems/bootstrap-sass/CVE-2024-6484.yml>
- info - <https://github.com/rubysec/ruby-advisory-db/blob/master/gems/bootstrap/CVE-2024-6484.yml>
- info - <https://github.com/twbs/bootstrap>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-6484>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-6484>

Vulnerable Software & Versions (RETIREJS):

Bootstrap before 4.0.0 is end-of-life and no longer maintained. (RETIREJS) suppressed

Bootstrap before 4.0.0 is end-of-life and no longer maintained.

Notes: file name: remotegui.zip: bootstrap.jar We are in the process of migrating required functions into a custom framework.

Unscored:

- Severity: low

References:

- info - <https://github.com/twbs/bootstrap/issues/20631>
- retid - 72

Vulnerable Software & Versions (RETIREJS):

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/angular-animate.js

**MD5:** 31312b87e7226c8bf0714fcef0ea5d18

**SHA1:** dc9fb55f2c7f922c5ba83449266239ba1353db45

**SHA256:** 58e79e0e7cbb1e1502d216701e1fae41c405d92320aea1b68a223054096fda93

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

#### Suppressed Identifiers

- None

#### Suppressed Vulnerabilities



[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in `posPre: ' '.repeat()` of `NUMBER_FORMATS.PATTERNS[1].posPre` with a very high value.  
**\*\*Note:\*\*** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap\_select\_deploy\_administration\_utility:\*:\*:\*:\*:\*:

#### [CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.3.0

#### [CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN\\_LINK](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\*

#### [CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

## CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

## CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2gqx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

## CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:\* versions from (including) 1.4.9; versions up to (including) 1.8.3

**CVE-2024-8372** suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

#### Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

#### References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:\*:\*:\*:\*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:\*:\*:\*:\*

**CVE-2024-8373** suppressed

Improper sanitization of the value of the '[srcset]' attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects all versions of AngularJS.

#### Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (4.3)

- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

#### References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions up to (excluding) 1.9.6

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS)** suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

#### Unscored:

- Severity: low

#### References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

#### Vulnerable Software & Versions (RETIREJS):

### remotegui.zip: angular-animate.jar: angular-animate.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/angular-animate.min.js

**MD5:** 5d2d0f42bb7e1b5503e914674f59dad0

**SHA1:** 4c15a58541e53c451c6f946d2048104f88b833c7

**SHA256:** 8e6202b1330a469a61ccdeebbd1cb3a20d0ecdfe8d106f68da5b85e9b67a1cd5

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

#### Suppressed Identifiers

- None

## Suppressed Vulnerabilities



### [CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER\_FORMATS.PATTERNS[1].posPre with a very high value. **Note:** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap\_select\_deploy\_administration\_utility:-:\*:\*:\*:\*:\*

### [CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.3.0

#### [CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN\\_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\*

#### [CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.2.21; versions up to (including) 1.8.3

#### [CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2qgx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)

- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

#### References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:\*:\*:\*:\*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:\*:\*:\*:\*

#### [CVE-2024-8373](#) suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects all versions of AngularJS.

#### Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

#### References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions up to (excluding) 1.9.6

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS)** suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

#### Unscored:

- Severity: low

#### References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

#### Vulnerable Software & Versions (RETIREJS):

## remotegui.zip: angular-cookies.jar: angular-cookies.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.js

**MD5:** e17187aea1f0e6dbd25722e34b754915

**SHA1:** 20f43f716b9fef7d72537bc1b0e5aa2bc480cee5

**SHA256:** f3291c552042f6d0c500167769912a78ab3ecec9917128b2d6ea8e7c6714bb97

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

### Suppressed Identifiers

- None

### Suppressed Vulnerabilities

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER\_FORMATS.PATTERNS[1].posPre with a very high value.  
\*\*Note:\*\* 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)

- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap\_select\_deploy\_administration\_utility:-:\*:\*:\*:\*:\*

#### [CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [[@angular/core](https://www.npmjs.com/package/@angular/core)](<https://www.npmjs.com/package/@angular/core>).

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

#### References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.3.0

#### [CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

#### CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

#### References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN\\_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\*

#### [CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2qgx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

#### References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:\* node.js:\*:\* versions from (including) 1.4.9; versions up to (including) 1.8.3

#### [CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

#### Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

#### References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:\*:\*:\*:\*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:\*:\*:\*:\*

#### [CVE-2024-8373](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects all versions of AngularJS.

#### Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions up to (excluding) 1.9.6

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS)** suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: angular-cookies.jar: angular-cookies.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.min.js

**MD5:** c41aff8423276d46f0d02de6dcb71524

**SHA1:** 7dc53f75d5bf7dd2c770cb50f31242c70193c086

**SHA256:** 926509b494009bea03288bba191a2b238032188e9112377e50fbfe7814c6639b

**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

## Suppressed Identifiers

- None

## Suppressed Vulnerabilities



### [CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER\_FORMATS.PATTERNS[1].posPre with a very high value. **Note:** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap\_select\_deploy\_administration\_utility:\*:\*:\*:\*:\*:

### [CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [@angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>

- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:\*:\*:\*:\*:node.js:\* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

#### References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN\\_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

#### References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression.

Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2qgx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

## CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:\*:\*:\*:\*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:\*:\*:\*:\*

[CVE-2024-8373](#) suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions up to (excluding) 1.9.6

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS)** suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

#### References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

### remotegui.zip: angular-sanitize.jar: angular-sanitize.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.js

**MD5:** 0127d7a139abfc8bd45875a9c8ea6348

**SHA1:** 197aea2acc25a0fa821766400950cac58a3627a5

**SHA256:** c84c65250afe5a1265f36a7e16c6010652e55c2ae3a779c351fb68536c42bf64

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

#### Suppressed Identifiers

- None

#### Suppressed Vulnerabilities

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER\_FORMATS.PATTERNS[1].posPre with a very high value.

**\*\*Note:\*\*** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

#### References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap\_select\_deploy\_administration\_utility:-:\*:\*:\*:\*:\*:

#### [CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [[@angular/core](https://www.npmjs.com/package/@angular/core)](<https://www.npmjs.com/package/@angular/core>).

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

#### References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.3.0

#### [CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

#### CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

#### References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN\\_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2qqx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:\* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here <https://docs.angularjs.org/misc/version-support-status> .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:\*:\*:\*:\*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:\*:\*:\*:\*

[CVE-2024-8373](#) suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions up to (excluding) 1.9.6

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS)** suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

## remotegui.zip: angular-sanitize.jar: angular-sanitize.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.min.js

**MD5:** f3c62abeec216e9431e7d5b22d8e813b

**SHA1:** 21355ef18c5e1ce2b2c711b9dba21cbea0655646

**SHA256:** cc80a30ad0439c2e9c209b3d7fcffb1d10e6007fd1d00c9cc144f393664a7045

**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

### Suppressed Identifiers

- None

### Suppressed Vulnerabilities

#### [CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER\_FORMATS.PATTERNS[1].posPre with a very high value.  
**Note:** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap\_select\_deploy\_administration\_utility:-:\*:\*:\*:\*:\*

#### [CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [@angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:\*:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN\\_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:\*:node.js:\*:\*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)

- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2qgx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.4.9; versions up to (including) 1.8.3

## [CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

### Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

### CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

### References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:\*:\*:\*:\*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:\*:\*:\*:\*

## [CVE-2024-8373](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects all versions of AngularJS.

### Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

### CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

### References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqgm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions up to (excluding) 1.9.6

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS)** suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

## remotegui.zip: angular.jar

### Description:

WebJar for angular

### License:

MIT

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular.jar

**MD5:** f339a9a66a64c67eebb21ec3b251dfc6

**SHA1:** cff4aee339a9ca4ae2f095079930edead6a94ee

**SHA256:** a997eb40987ddb5d3bf64adf3d33afc3ac2b1eb2e7255b5203a387f8097cd0

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angular	High
Vendor	pom	artifactid	angular	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	angular	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	angular	High
Product	pom	artifactid	angular	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	angular	High

Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	1.8.3	Highest

### Suppressed Identifiers

- None

### Suppressed Vulnerabilities

#### CVE-2021-4231 (OSSINDEX) suppressed

A vulnerability was found in Angular up to 11.0.4/11.1.0-next.2. It has been classified as problematic. Affected is the handling of comments. The manipulation leads to cross site scripting. It is possible to launch the attack remotely but it might require an authentication first. Upgrading to version 11.0.5 and 11.1.0-next.3 is able to address this issue. The name of the patch is ba8da742e3b243e8f43d4c63aa842b44e14f2b09. It is recommended to upgrade the affected component.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2021-4231> for details

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.400000095367432)
- CVSS:3.1/AV:N/AC:L/PR:L/UI:R/S:C/C:L/I:L/A:N

References:

- OSSINDEX - [\[CVE-2021-4231\] CWE-79: Improper Neutralization of Input During Web Page Generation \('Cross-site Scripting'\)](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2021-4231>
- OSSIndex - <https://github.com/angular/angular/pull/40136>
- OSSIndex - <https://github.com/angular/angular/pull/40525>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.npm:angular:1.8.3:\*.~\*~\*~\*~\*~\*~\*

#### CVE-2023-26116 (OSSINDEX) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.300000190734863)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:

- OSSINDEX - [\[CVE-2023-26116\] CWE-1333](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2023-26116>

- OSSIndex - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- OSSIndex - <https://stackblitz.com/edit/angularjs-vulnerability-angular-copy-redos?file=index.js>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.npm:angular:1.8.3:\*:\*:\*:\*:\*

**CVE-2023-26118** (OSSINDEX) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2023-26118> for details

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.300000190734863)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:

- OSSINDEX - [\[CVE-2023-26118\] CWE-1333](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2023-26118>
- OSSIndex - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- OSSIndex - <https://stackblitz.com/edit/angularjs-vulnerability-inpur-url-validation-redos?file=index.js>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.npm:angular:1.8.3:\*:\*:\*:\*:\*

## remotegui.zip: angular.jar: angular.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/angular.js

**MD5:** e09f650a016c24bc1b5a1edc93bfbade

**SHA1:** 0f1f7445b761b9bbd5385f9f0b316dbf1ca48696

**SHA256:** fdca889e76f55fdee7ab661920f37ce19233563bf7f4ac8120f8ebc2ac768768

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

## Suppressed Identifiers

- None

## Suppressed Vulnerabilities



### [CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER\_FORMATS.PATTERNS[1].posPre with a very high value. **Note:** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap\_select\_deploy\_administration\_utility:\*:\*:\*:\*:\*

### [CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [@angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>

- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:\*:\*:\*:\*:node.js:\* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

#### References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN\\_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

#### References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2qqx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-gwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:\*:\*:\*:\*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:\*:\*:\*:\*

[CVE-2024-8373](#) suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions up to (excluding) 1.9.6

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS)** suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

## remotegui.zip: angular.jar: angular.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/angular.min.js

**MD5:** 967a32633fa8f38f4ac3376c1a37b992

**SHA1:** b53b74d8e0b732dcdb98f5e21146b88299ea2f1

**SHA256:** 396dc1a03d6cc02e9c51a80246e0db53c5c8df9bd07287e3b51bce4a29dab355

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

### Suppressed Identifiers

- None

### Suppressed Vulnerabilities

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER\_FORMATS.PATTERNS[1].posPre with a very high value.  
**\*\*Note:\*\*** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

#### CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

#### References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap\_select\_deploy\_administration\_utility:-:\*:\*:\*:\*:\*

#### [CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [\[@angular/core\]](https://www.npmjs.com/package/@angular/core) (<https://www.npmjs.com/package/@angular/core>).

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

#### References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:\*:\*:\*:\*:node.js:\* versions from (including) 1.3.0

#### [CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

#### CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

#### References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN\\_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)

- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2qqx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-gwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:\* node.js:\*:\* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:\*:\*:\*:\*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:\*:\*:\*:\*

[CVE-2024-8373](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to

a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions up to (excluding) 1.9.6

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS)** suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

## remotegui.zip: bootstrap.jar

### Description:

WebJar for Bootstrap

### License:

Apache License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar

**MD5:** ba2f9fda2c1fece5ff121e8abc385475

**SHA1:** 2c6a8508a4f1484abcaf334cf2fe3df97cf93eac

**SHA256:** 90fdaa23fb3a9cbce04f4c51699312ab1f1fae2d70c0d1a84541b7e9a76e6e54

**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	bootstrap	High
Vendor	pom	artifactid	bootstrap	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	Bootstrap	High
Vendor	pom	url	http://webjars.org	Highest
Product	file	name	bootstrap	High
Product	pom	artifactid	bootstrap	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	Bootstrap	High
Product	pom	url	http://webjars.org	Medium
Version	pom	version	3.4.1	Highest

Related Dependencies



- theme.zip: bootstrap.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar
  - MD5: ba2f9fda2c1fece5ff121e8abc385475
  - SHA1: 2c6a8508a4f1484abcaf334cf2fe3df97cf93eac
  - SHA256: 90fdaa23fb3a9cbce04f4c51699312ab1f1fae2d70c0d1a84541b7e9a76e6e54

Suppressed Identifiers

- None

Suppressed Vulnerabilities



CVE-2024-6484 (OSSINDEX) suppressed

A vulnerability has been identified in Bootstrap that exposes users to Cross-Site Scripting (XSS) attacks. The issue is present in the carousel component, where the data-slide and data-slide-to attributes can be exploited through the href attribute of an <a> tag due to inadequate sanitization. This vulnerability could potentially enable attackers to execute arbitrary JavaScript within the victim's browser.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2024-6484> for details

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: file name: remotegui.zip: bootstrap.jar We are in the process of migrating required functions into a custom framework.

CVSSv2:

- Base Score: LOW (2.2999999952316284)
- Vector: CVSS:4.0/AV:N/AC:H/AT:N/PR:N/UI:P/VC:N/VI:N/VA:N/SC:L/SI:L/SA:N

References:

- OSSINDEX - [\[CVE-2024-6484\] CWE-79: Improper Neutralization of Input During Web Page Generation \('Cross-site Scripting'\)](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2024-6484>
- OSSIndex - <https://github.com/advisories/GHSA-9mvj-f7w8-pvh2>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars:bootstrap:3.4.1:\*\*\*\*.\*.\*.\*

**CVE-2024-6531** (OSSINDEX) suppressed

A vulnerability has been identified in Bootstrap that exposes users to Cross-Site Scripting (XSS) attacks. The issue is present in the carousel component, where the data-slide and data-slide-to attributes can be exploited through the href attribute of an <a> tag due to inadequate sanitization. This vulnerability could potentially enable attackers to execute arbitrary JavaScript within the victim's browser.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2024-6531> for details

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: file name: remotegui.zip: bootstrap.jar We are in the process of migrating required functions into a custom framework.

CVSSv2:

- Base Score: LOW (2.2999999952316284)
- Vector: CVSS:4.0/AV:N/AC:H/AT:N/PR:N/UI:P/VC:N/VI:N/VA:N/SC:L/SI:L/SA:N

References:

- OSSINDEX - [\[CVE-2024-6531\] CWE-79: Improper Neutralization of Input During Web Page Generation \('Cross-site Scripting'\)](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2024-6531>
- OSSIndex - <https://www.tenable.com/cve/CVE-2024-6531>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars:bootstrap:3.4.1:\*\*\*\*.\*.\*.\*

**CVE-2024-6485** (OSSINDEX) suppressed

A security vulnerability has been discovered in bootstrap that could enable Cross-Site Scripting (XSS) attacks. The vulnerability is associated with the data-loading-text attribute within the button plugin. This vulnerability can be exploited by injecting malicious JavaScript code into the attribute, which would then be executed when the button's loading state is triggered.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: file name: remotegui.zip: bootstrap.jar We are in the process of migrating required functions into a custom framework.

CVSSv2:

- Base Score: LOW (2.0999999046325684)
- Vector: CVSS:4.0/AV:N/AC:H/AT:N/PR:N/UI:A/VC:N/VI:N/VA:N/SC:L/SI:L/SA:N

References:

- OSSINDEX - [\[CVE-2024-6485\] CWE-79: Improper Neutralization of Input During Web Page Generation \('Cross-site Scripting'\)](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2024-6485>
- OSSIndex - <https://www.herodevs.com/vulnerability-directory/cve-2024-6485>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars:bootstrap:3.4.1:\*:\*:\*:\*:\*

remotegui.zip: echo2-app.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2-app.jar  
**MD5:** 6524d488cd7402977af43d02a32e52ce  
**SHA1:** b4445286d07023c764ed9d02092fd76733f19fe4  
**SHA256:** 8cebf7a13bdc5a671d1b659ff05faed1e1d68e95813ad52597718fef38746556  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	echo2-app	High
Vendor	jar	package name	app	Low
Vendor	jar	package name	echo2	Low
Vendor	jar	package name	nextapp	Low
Product	file	name	echo2-app	High
Product	jar	package name	app	Low
Product	jar	package name	echo2	Low
Version	file	name	echo2-app	Medium
Version	file	version	2	Medium

Related Dependencies

- remotegui.zip: echo2-webcontainer.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2-webcontainer.jar
  - MD5: 783b5f05163587c4d19ce43977f564ec
  - SHA1: e401d4249ef1bdd399f6fee652bf1120a48b5882

- SHA256: 4b4e1d96c4b304d6bbbbbfebd4ccdb85bc7c05070a93388e652d7331bc72d9119
- remotegui.zip: echo2-webrenderer.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2-webrenderer.jar
  - MD5: cf2fcfc745ac1f7374007788b8fb30e3
  - SHA1: 8c912e8ce2e23407058bf8f55a6d68e2d4737f7d
  - SHA256: 72851edfb13406ec61dee6eeb347c5c8640244b80a89f3ed75a15d925caaad2c

## Suppressed Identifiers

- None

## Suppressed Vulnerabilities

### [CVE-2009-5135](#) suppressed

The Java XML parser in Echo before 2.1.1 and 3.x before 3.0.b6 allows remote attackers to read arbitrary files via a request containing an external entity declaration in conjunction with an entity reference, related to an XML External Entity (XXE) issue.

CWE-20 Improper Input Validation

Notes: Ignore echo2 apps, because we are using v2.1.1 which is the latest applicable. But the official libs do not have version number.

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:P/I:N/A:N

References:

- psirt@us.ibm.com - [EXPLOIT](#)
- psirt@us.ibm.com - [EXPLOIT](#)
- psirt@us.ibm.com - [VENDOR\\_ADVISORY](#)
- psirt@us.ibm.com - [VENDOR\\_ADVISORY](#)

Vulnerable Software & Versions: ([show all](#))

- [cpe:2.3:a:nextapp:echo:\\*:rc5:\\*:\\*:\\*:\\* versions up to \(including\) 2.1.0](#)
- ...
- [cpe:2.3:a:nextapp:echo:\\*:rc5:\\*:\\*:\\*:\\* versions up to \(including\) 2.1.0](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha1:\\*:\\*:\\*:\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha10:\\*:\\*:\\*:\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha11:\\*:\\*:\\*:\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha12:\\*:\\*:\\*:\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha13:\\*:\\*:\\*:\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha14:\\*:\\*:\\*:\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha15:\\*:\\*:\\*:\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha16:\\*:\\*:\\*:\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha2:\\*:\\*:\\*:\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha3:\\*:\\*:\\*:\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha4:\\*:\\*:\\*:\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha5:\\*:\\*:\\*:\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha6:\\*:\\*:\\*:\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha7:\\*:\\*:\\*:\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha8:\\*:\\*:\\*:\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha9:\\*:\\*:\\*:\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:beta1:\\*:\\*:\\*:\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:beta2:\\*:\\*:\\*:\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:beta3:\\*:\\*:\\*:\\*](#)

- [cpe:2.3:a:nextapp:echo:2.0:beta4:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc1:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc2:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc3:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc4:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc5:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc6:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc7:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0.1:test1:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0.1:test2:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0.1:test3:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:beta1:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:beta2:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:beta3:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:beta4:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:beta5:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:rc1:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:rc2:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:rc3:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:rc4:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:3.0:beta1:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:3.0:beta2:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:3.0:beta3:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:3.0:beta4:\\*\\*\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:3.0:beta5:\\*\\*\\*\\*\\*](#)

## remotegui.zip: echo2extras-app.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2extras-app.jar

**MD5:** e1ba37ba20c3021c38e362cac081d986

**SHA1:** 64e7748149ca2af54ee693c8e232343d64c1b966

**SHA256:** ad4489475b3c77aeeb62ec1c1bc211c8659b84649fdb1e72f4ee6e005b21e37b

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	echo2extras-app	High
Vendor	jar	package name	echo2	Low
Vendor	jar	package name	extras	Low
Vendor	jar	package name	nextapp	Low
Product	file	name	echo2extras-app	High
Product	jar	package name	app	Low
Product	jar	package name	echo2	Low
Product	jar	package name	extras	Low
Version	file	name	echo2extras-app	Medium
Version	file	version	2	Medium

## Related Dependencies



- remotegui.zip: echo2extras-webcontainer.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2extras-webcontainer.jar
  - MD5: df488c27f775875afc2efa1ba1a14778
  - SHA1: 8b9c1d082e3baac3daea4821cd6fb56116c44c7a
  - SHA256: 50dabd57f50caf8df7d1fced59f7285d7b6179c47bf9b22aae7e7ee1d62e62c0

## Suppressed Identifiers

- None

## Suppressed Vulnerabilities



### [CVE-2009-5135](#) suppressed

The Java XML parser in Echo before 2.1.1 and 3.x before 3.0.b6 allows remote attackers to read arbitrary files via a request containing an external entity declaration in conjunction with an entity reference, related to an XML External Entity (XXE) issue.

CWE-20 Improper Input Validation

Notes: Ignore echo2 apps, because we are using v2.1.1 which is the latest applicable. But the official libs do not have version number.

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:P/I:N/A:N

References:

- psirt@us.ibm.com - [EXPLOIT](#)
- psirt@us.ibm.com - [EXPLOIT](#)
- psirt@us.ibm.com - [VENDOR\\_ADVISORY](#)
- psirt@us.ibm.com - [VENDOR\\_ADVISORY](#)

Vulnerable Software & Versions: ([show all](#))

- [cpe:2.3:a:nextapp:echo:\\*:rc5:\\*:\\*:\\*:\\* versions up to \(including\) 2.1.0](#)
- ...
- [cpe:2.3:a:nextapp:echo:\\*:rc5:\\*:\\*:\\*:\\* versions up to \(including\) 2.1.0](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha1:\\*:\\*:\\*:\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha10:\\*:\\*:\\*:\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha11:\\*:\\*:\\*:\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha12:\\*:\\*:\\*:\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha13:\\*:\\*:\\*:\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha14:\\*:\\*:\\*:\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha15:\\*:\\*:\\*:\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha16:\\*:\\*:\\*:\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha2:\\*:\\*:\\*:\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha3:\\*:\\*:\\*:\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha4:\\*:\\*:\\*:\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha5:\\*:\\*:\\*:\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha6:\\*:\\*:\\*:\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha7:\\*:\\*:\\*:\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha8:\\*:\\*:\\*:\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha9:\\*:\\*:\\*:\\*](#)

- [cpe:2.3:a:nextapp:echo:2.0:beta1:\\*.\\*\\*\\*.\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:beta2:\\*.\\*\\*\\*.\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:beta3:\\*.\\*\\*\\*.\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:beta4:\\*.\\*\\*\\*.\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc1:\\*.\\*\\*\\*.\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc2:\\*.\\*\\*\\*.\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc3:\\*.\\*\\*\\*.\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc4:\\*.\\*\\*\\*.\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc5:\\*.\\*\\*\\*.\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc6:\\*.\\*\\*\\*.\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc7:\\*.\\*\\*\\*.\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0.1:test1:\\*.\\*\\*\\*.\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0.1:test2:\\*.\\*\\*\\*.\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.0.1:test3:\\*.\\*\\*\\*.\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:beta1:\\*.\\*\\*\\*.\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:beta2:\\*.\\*\\*\\*.\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:beta3:\\*.\\*\\*\\*.\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:beta4:\\*.\\*\\*\\*.\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:beta5:\\*.\\*\\*\\*.\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:rc1:\\*.\\*\\*\\*.\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:rc2:\\*.\\*\\*\\*.\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:rc3:\\*.\\*\\*\\*.\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:rc4:\\*.\\*\\*\\*.\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:3.0:beta1:\\*.\\*\\*\\*.\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:3.0:beta2:\\*.\\*\\*\\*.\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:3.0:beta3:\\*.\\*\\*\\*.\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:3.0:beta4:\\*.\\*\\*\\*.\\*\\*\\*](#)
- [cpe:2.3:a:nextapp:echo:3.0:beta5:\\*.\\*\\*\\*.\\*\\*\\*](#)

## remotegui.zip: jquery.jar

### Description:

WebJar for jQuery

### License:

MIT License: <https://github.com/jquery/jquery/blob/master/MIT-LICENSE.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/jquery.jar

**MD5:** 4af65e569248d8a2411f66498d720280

**SHA1:** c3dc40b1b5f24c56afa36fd9a463bb9f378ac4ab

**SHA256:** de28c4da0ea9f16101352dd3582ec8021ee5e2de5f45104ca171876003d54db6

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jquery	High
Vendor	pom	artifactid	jquery	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium

Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	jquery	High
Vendor	pom	url	http://webjars.org	Highest
Product	file	name	jquery	High
Product	pom	artifactid	jquery	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	jquery	High
Product	pom	url	http://webjars.org	Medium
Version	pom	version	2.2.4	Highest

### Suppressed Identifiers

- None

### Suppressed Vulnerabilities



#### CVE-2016-10707 (OSSINDEX) suppressed

jquery - Uncontrolled Resource Consumption

The software does not properly restrict the size or amount of resources that are requested or influenced by an actor, which can be used to consume more resources than intended.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2016-10707> for details

CWE-400 Uncontrolled Resource Consumption

Notes: file name: remotegui.jar: jquery.min.js - We can not yet upgrade to a newer version due to dependencies. We do, however, not directly use the functionality that is being CVEd

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

References:

- OSSINDEX - [\[CVE-2016-10707\] CWE-400: Uncontrolled Resource Consumption \('Resource Exhaustion'\)](#)
- OSSIndex - <https://github.com/advisories/GHSA-mhpp-875w-9cpv>
- OSSIndex - <https://github.com/jquery/jquery/issues/3133>
- OSSIndex - <https://github.com/jquery/jquery/issues/3371>
- OSSIndex - <https://github.com/jquery/jquery/pull/2916>
- OSSIndex - <https://github.com/jquery/jquery/pull/3134>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars:jquery:2.2.4:\*\*\*\*\*

**CVE-2019-11358** (OSSINDEX) suppressed

jQuery before 3.4.0, as used in Drupal, Backdrop CMS, and other products, mishandles jQuery.extend(true, {}, ...) because of Object.prototype pollution. If an unsanitized source object contained an enumerable \_\_proto\_\_ property, it could extend the native Object.prototype.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2019-11358> for details

CWE-1321 Improperly Controlled Modification of Object Prototype Attributes ('Prototype Pollution')

Notes: file name: remotegui.jar: jquery.min.js - We can not yet upgrade to a newer version due to dependencies. We do, however, not directly use the functionality that is being CVEd

CVSSv3:

- MEDIUM (6.099999904632568)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- OSSINDEX - [\[CVE-2019-11358\] CWE-1321](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2019-11358>
- OSSIndex - <https://blog.jquery.com/2019/04/10/jquery-3-4-0-released/>
- OSSIndex - <https://github.com/cbeust/testng/issues/2150>
- OSSIndex - <https://github.com/jquery/jquery/pull/4333>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars:jquery:2.2.4:\*:\*:\*:\*:\*

**CVE-2020-11023** (OSSINDEX) suppressed

In jQuery versions greater than or equal to 1.0.3 and before 3.5.0, passing HTML containing <option> elements from untrusted sources - even after sanitizing it - to one of jQuery's DOM manipulation methods (i.e. .html(), .append(), and others) may execute untrusted code. This problem is patched in jQuery 3.5.0.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: file name: remotegui.jar: jquery.min.js - We can not yet upgrade to a newer version due to dependencies. We do, however, not directly use the functionality that is being CVEd

CVSSv3:

- MEDIUM (6.099999904632568)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- OSSINDEX - [\[CVE-2020-11023\] CWE-79: Improper Neutralization of Input During Web Page Generation \('Cross-site Scripting'\)](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2020-11023>
- OSSIndex - <https://github.com/advisories/GHSA-jpcq-cgw6-v4j6>
- OSSIndex - <https://jquery.com/upgrade-guide/3.5/>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars:jquery:2.2.4:\*:\*:\*:\*:\*

**remotegui.zip: tinymce.jar**

**Description:**

**License:**

LGPL-2.1

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar

**MD5:** fd9f87ce352ee6c8d270db931c0e6026

**SHA1:** 9174bcf85629c63f7cc55439ff890bb7893fe451

**SHA256:** 26c357c95e53e0d99f3e2b840194cc7d170a31c85de15c6017de976f60919cd7

**Referenced In Project/Scope:** server

**Evidence**

Type	Source	Name	Value	Confidence
Vendor	file	name	tinymce	High
Vendor	pom	artifactid	tinymce	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.bower	Highest
Vendor	pom	name	tinymce	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	tinymce	High
Product	pom	artifactid	tinymce	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.bower	Highest
Product	pom	name	tinymce	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	5.10.9	Highest

**Related Dependencies**

- remotegui.zip: tinymce-languages.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar
  - MD5: 47bff91bb6cd602682ddc705ba5872fb
  - SHA1: 06c508488e5d6f2ce5c92aa8b3fa165ca871d597
  - SHA256: fa2ecf575248fc802677c26f54fd5f23a636d496223e1a654f5d6540f6c36200

**Suppressed Identifiers**

- None

## CVE-2024-38356 (OSSINDEX) suppressed

TinyMCE is an open source rich text editor. A cross-site scripting (XSS) vulnerability was discovered in TinyMCE's content extraction code. When using the `noneditable\_regexp` option, specially crafted HTML attributes containing malicious code were able to be executed when content was extracted from the editor. This vulnerability has been patched in TinyMCE 7.2.0, TinyMCE 6.8.4 and TinyMCE 5.11.0 LTS by ensuring that, when using the `noneditable\_regexp` option, any content within an attribute is properly verified to match the configured regular expression before being added. Users are advised to upgrade. There are no known workarounds for this vulnerability.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2024-38356> for details

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

CVSSv2:

- Base Score: MEDIUM (5.099999904632568)
- Vector: CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:A/VC:N/VI:N/VA:N/SC:L/SI:L/SA:N

References:

- OSSINDEX - [\[CVE-2024-38356\] CWE-79: Improper Neutralization of Input During Web Page Generation \('Cross-site Scripting'\)](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2024-38356>
- OSSIndex - <https://github.com/tinymce/tinymce/security/advisories/GHSA-9hcv-j9pv-qmph>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.bower:tinymce:5.10.9:\*.~\*~\*~\*~\*~\*

## CVE-2024-38357 (OSSINDEX) suppressed

TinyMCE is an open source rich text editor. A cross-site scripting (XSS) vulnerability was discovered in TinyMCE's content parsing code. This allowed specially crafted noscript elements containing malicious code to be executed when that content was loaded into the editor. This vulnerability has been patched in TinyMCE 7.2.0, TinyMCE 6.8.4 and TinyMCE 5.11.0 LTS by ensuring that content within noscript elements are properly parsed. Users are advised to upgrade. There are no known workarounds for this vulnerability.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

CVSSv2:

- Base Score: MEDIUM (5.099999904632568)
- Vector: CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:A/VC:N/VI:N/VA:N/SC:L/SI:L/SA:N

References:

- OSSINDEX - [\[CVE-2024-38357\] CWE-79: Improper Neutralization of Input During Web Page Generation \('Cross-site Scripting'\)](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2024-38357>
- OSSIndex - <https://github.com/tinymce/tinymce/security/advisories/GHSA-w9jx-4g6g-rp7x>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.bower:tinymce:5.10.9:\*.~\*~\*~\*~\*~\*

remotegui.zip: tinymce.jar: theme.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/silver/theme.js  
**MD5:** b99cdf5dcb718bb3d31d6c8667ae2462  
**SHA1:** 26d8486e0ec39d27e79b0b37965b28e2b45afb6d  
**SHA256:** 0147750f4214d0acd55cadda52809ac7376644333bb65947c7fe1e0684d85c7  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	DOMPurify	High
Product	file	name	DOMPurify	High
Version	file	version	2.3.8	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities

CVE-2024-45801 (RETIREJS) suppressed

Notes: DOMPurify can not be updated due to tinyMCE this time. However, there are plans to fully update tinyMCE in the future.

Unscored:

- Severity: high

References:

- info - <https://github.com/advisories/GHSA-mmhx-hmjr-r674>
- info - <https://github.com/cure53/DOMPurify>
- info - <https://github.com/cure53/DOMPurify/commit/1e520262bf4c66b5efda49e2316d6d1246ca7b21>
- info - <https://github.com/cure53/DOMPurify/commit/26e1d69ca7f769f5c558619d644d90dd8bf26ebc>
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-mmhx-hmjr-r674>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-45801>

Vulnerable Software & Versions (RETIREJS):

CVE-2024-47875 (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: high

References:

- info - <https://github.com/advisories/GHSA-gx9m-whjm-85jf>
- info - <https://github.com/cure53/DOMPurify>
- info - <https://github.com/cure53/DOMPurify/blob/0ef5e537a514f904b6aa1d7ad9e749e365d7185f/test/test-suite.js#L2098>
- info - <https://github.com/cure53/DOMPurify/commit/0ef5e537a514f904b6aa1d7ad9e749e365d7185f>
- info - <https://github.com/cure53/DOMPurify/commit/6ea80cd8b47640c20f2f230c7920b1f4ce4fdf7a>
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-gx9m-whjm-85jf>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-47875>

Vulnerable Software & Versions (RETIREJS):

CVE-2024-48910 (RETIREJS) suppressed

Notes: DOMPurify can not be updated due to tinyMCE this time. However, there are plans to fully update tinyMCE in the future.

Unscored:

- Severity: high

References:

- info - <https://github.com/advisories/GHSA-p3vf-v8qc-cwcr>
- info - <https://github.com/cure53/DOMPurify>
- info - <https://github.com/cure53/DOMPurify/commit/d1dd0374caef2b4c56c3bd09fe1988c3479166dc>
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-p3vf-v8qc-cwcr>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-48910>

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: tinymce.jar: tinymce.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/tinymce.js

**MD5:** f7a8350f10f92d58a952e1feb0d28f2c

**SHA1:** d3ecc2861e41722d51e1ede38da5ead47a530c14

**SHA256:** a78ee6bd10002d050a314768a523533144228f654d80571a8ed28ff3011208a1

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	tinyMCE	High
Product	file	name	tinyMCE	High
Version	file	version	5.10.9	High

## Suppressed Identifiers

- None

## Suppressed Vulnerabilities



### CVE-2024-29203 (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: medium

References:

- info - <https://github.com/advisories/GHSA-438c-3975-5x3f>
- info - <https://github.com/tinymce/tinymce>
- info - <https://github.com/tinymce/tinymce/commit/bcdea2ad14e3c2cea40743fb48c63bba067ae6d1>
- info - <https://github.com/tinymce/tinymce/security/advisories/GHSA-438c-3975-5x3f>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-29203>
- info - [https://www.tiny.cloud/docs/tinymce/6/6.8.1-release-notes/#new-convert\\_unsafe\\_embeds-option-that-controls-whether-object-and-embed-elements-will-be-converted-to-more-restrictive-alternatives-namely-img-for-image-mime-types-video-for-video-mime-types-audio-audio-mime-types-or-iframe-for-other-or-unspecified-mime-types](https://www.tiny.cloud/docs/tinymce/6/6.8.1-release-notes/#new-convert_unsafe_embeds-option-that-controls-whether-object-and-embed-elements-will-be-converted-to-more-restrictive-alternatives-namely-img-for-image-mime-types-video-for-video-mime-types-audio-audio-mime-types-or-iframe-for-other-or-unspecified-mime-types)
- info - [https://www.tiny.cloud/docs/tinymce/7/7.0-release-notes/#sandbox\\_iframes-editor-option-is-now-defaulted-to-true](https://www.tiny.cloud/docs/tinymce/7/7.0-release-notes/#sandbox_iframes-editor-option-is-now-defaulted-to-true)

Vulnerable Software & Versions (RETIREJS):

### CVE-2024-29881 (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: medium

References:

- info - <https://github.com/advisories/GHSA-5359-pvf2-pw78>
- info - <https://github.com/tinymce/tinymce>
- info - <https://github.com/tinymce/tinymce/commit/bcdea2ad14e3c2cea40743fb48c63bba067ae6d1>
- info - <https://github.com/tinymce/tinymce/security/advisories/GHSA-5359-pvf2-pw78>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-29881>
- info - [https://www.tiny.cloud/docs/tinymce/6/6.8.1-release-notes/#new-convert\\_unsafe\\_embeds-option-that-controls-whether-object-and-embed-elements-will-be-converted-to-more-restrictive-alternatives-namely-img-for-image-mime-types-video-for-video-mime-types-audio-audio-mime-types-or-iframe-for-other-or-unspecified-mime-types](https://www.tiny.cloud/docs/tinymce/6/6.8.1-release-notes/#new-convert_unsafe_embeds-option-that-controls-whether-object-and-embed-elements-will-be-converted-to-more-restrictive-alternatives-namely-img-for-image-mime-types-video-for-video-mime-types-audio-audio-mime-types-or-iframe-for-other-or-unspecified-mime-types)
- info - [https://www.tiny.cloud/docs/tinymce/7/7.0-release-notes/#convert\\_unsafe\\_embeds-editor-option-is-now-defaulted-to-true](https://www.tiny.cloud/docs/tinymce/7/7.0-release-notes/#convert_unsafe_embeds-editor-option-is-now-defaulted-to-true)

Vulnerable Software & Versions (RETIREJS):

### CVE-2024-38356 (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: medium

References:

- info - <https://github.com/advisories/GHSA-9hcv-j9pv-qmph>
- info - <https://github.com/tinymce/tinymce>
- info - <https://github.com/tinymce/tinymce/commit/5acb741665a98e83d62b91713c800abbff43b00d>
- info - <https://github.com/tinymce/tinymce/commit/a9fb858509f86dacf8b01cfd34653b408983ac0>
- info - <https://github.com/tinymce/tinymce/security/advisories/GHSA-9hcv-j9pv-qmph>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-38356>
- info - <https://owasp.org/www-community/attacks/xss>
- info - <https://www.tiny.cloud/docs/tinymce/6/6.8.4-release-notes/#overview>
- info - <https://www.tiny.cloud/docs/tinymce/7/7.2-release-notes/#overview>
- info - <https://www.tiny.cloud/docs/tinymce/latest/7.2-release-notes/#overview>

Vulnerable Software & Versions (RETIREJS):

CVE-2024-38357 (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: medium

References:

- info - <https://github.com/advisories/GHSA-w9jx-4g6g-rp7x>
- info - <https://github.com/tinymce/tinymce>
- info - <https://github.com/tinymce/tinymce/commit/5acb741665a98e83d62b91713c800abbff43b00d>
- info - <https://github.com/tinymce/tinymce/commit/a9fb858509f86dacf8b01cfd34653b408983ac0>
- info - <https://github.com/tinymce/tinymce/security/advisories/GHSA-w9jx-4g6g-rp7x>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-38357>
- info - <https://owasp.org/www-community/attacks/xss>
- info - <https://www.tiny.cloud/docs/tinymce/6/6.8.4-release-notes/#overview>
- info - <https://www.tiny.cloud/docs/tinymce/7/7.2-release-notes/#overview>

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: tinymce.jar: tinymce.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/tinymce.min.js

**MD5:** 10df005254d5668ccedbdba2614354acd

**SHA1:** fbcd5a3f14b7c3dd8a9d203b9b30acfb8a49a38f4

**SHA256:** 3c3041cb95a1c979ee2205901cf1c670a36c192ef089e6f63b94beabef386c30

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	tinyMCE	High
Product	file	name	tinyMCE	High

Version	file	version	5.10.9	High
---------	------	---------	--------	------

Suppressed Identifiers

- None

Suppressed Vulnerabilities

CVE-2024-29203 (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: medium

References:

- info - <https://github.com/advisories/GHSA-438c-3975-5x3f>
- info - <https://github.com/tinymce/tinymce>
- info - <https://github.com/tinymce/tinymce/commit/bcdea2ad14e3c2cea40743fb48c63bba067ae6d1>
- info - <https://github.com/tinymce/tinymce/security/advisories/GHSA-438c-3975-5x3f>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-29203>
- info - [https://www.tiny.cloud/docs/tinymce/6/6.8.1-release-notes/#new-convert\\_unsafe\\_embeds-option-that-controls-whether-object-and-embed-elements-will-be-converted-to-more-restrictive-alternatives-namely-img-for-image-mime-types-video-for-video-mime-types-audio-audio-mime-types-or-iframe-for-other-or-unspecified-mime-types](https://www.tiny.cloud/docs/tinymce/6/6.8.1-release-notes/#new-convert_unsafe_embeds-option-that-controls-whether-object-and-embed-elements-will-be-converted-to-more-restrictive-alternatives-namely-img-for-image-mime-types-video-for-video-mime-types-audio-audio-mime-types-or-iframe-for-other-or-unspecified-mime-types)
- info - [https://www.tiny.cloud/docs/tinymce/7/7.0-release-notes/#sandbox\\_iframes-editor-option-is-now-defaulted-to-true](https://www.tiny.cloud/docs/tinymce/7/7.0-release-notes/#sandbox_iframes-editor-option-is-now-defaulted-to-true)

Vulnerable Software & Versions (RETIREJS):

CVE-2024-29881 (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: medium

References:

- info - <https://github.com/advisories/GHSA-5359-pvf2-pw78>
- info - <https://github.com/tinymce/tinymce>
- info - <https://github.com/tinymce/tinymce/commit/bcdea2ad14e3c2cea40743fb48c63bba067ae6d1>
- info - <https://github.com/tinymce/tinymce/security/advisories/GHSA-5359-pvf2-pw78>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-29881>
- info - [https://www.tiny.cloud/docs/tinymce/6/6.8.1-release-notes/#new-convert\\_unsafe\\_embeds-option-that-controls-whether-object-and-embed-elements-will-be-converted-to-more-restrictive-alternatives-namely-img-for-image-mime-types-video-for-video-mime-types-audio-audio-mime-types-or-iframe-for-other-or-unspecified-mime-types](https://www.tiny.cloud/docs/tinymce/6/6.8.1-release-notes/#new-convert_unsafe_embeds-option-that-controls-whether-object-and-embed-elements-will-be-converted-to-more-restrictive-alternatives-namely-img-for-image-mime-types-video-for-video-mime-types-audio-audio-mime-types-or-iframe-for-other-or-unspecified-mime-types)
- info - [https://www.tiny.cloud/docs/tinymce/7/7.0-release-notes/#convert\\_unsafe\\_embeds-editor-option-is-now-defaulted-to-true](https://www.tiny.cloud/docs/tinymce/7/7.0-release-notes/#convert_unsafe_embeds-editor-option-is-now-defaulted-to-true)

Vulnerable Software & Versions (RETIREJS):

CVE-2024-38356 (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: medium

References:

- info - <https://github.com/advisories/GHSA-9hcv-j9pv-qmph>
- info - <https://github.com/tinymce/tinymce>
- info - <https://github.com/tinymce/tinymce/commit/5acb741665a98e83d62b91713c800abbff43b00d>
- info - <https://github.com/tinymce/tinymce/commit/a9fb858509f86dacfa8b01cfd34653b408983ac0>
- info - <https://github.com/tinymce/tinymce/security/advisories/GHSA-9hcv-j9pv-qmph>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-38356>
- info - <https://owasp.org/www-community/attacks/xss>
- info - <https://www.tiny.cloud/docs/tinymce/6/6.8.4-release-notes/#overview>
- info - <https://www.tiny.cloud/docs/tinymce/7/7.2-release-notes/#overview>
- info - <https://www.tiny.cloud/docs/tinymce/latest/7.2-release-notes/#overview>

Vulnerable Software & Versions (RETIREJS):

**CVE-2024-38357 (RETIREJS)** suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: medium

References:

- info - <https://github.com/advisories/GHSA-w9jx-4g6g-rp7x>
- info - <https://github.com/tinymce/tinymce>
- info - <https://github.com/tinymce/tinymce/commit/5acb741665a98e83d62b91713c800abbff43b00d>
- info - <https://github.com/tinymce/tinymce/commit/a9fb858509f86dacfa8b01cfd34653b408983ac0>
- info - <https://github.com/tinymce/tinymce/security/advisories/GHSA-w9jx-4g6g-rp7x>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-38357>
- info - <https://owasp.org/www-community/attacks/xss>
- info - <https://www.tiny.cloud/docs/tinymce/6/6.8.4-release-notes/#overview>
- info - <https://www.tiny.cloud/docs/tinymce/7/7.2-release-notes/#overview>

Vulnerable Software & Versions (RETIREJS):

**theme.zip: bootstrap.jar: bootstrap.js**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/bootstrap.js

**MD5:** 894d79839facf38d9fd672bdbe57443d

**SHA1:** 11277f4e04cf070a350e566b053ef2215993720c

**SHA256:** dbd2a35e72edc7d6bde483481a912f1c38aa57fab2747d9b071d317339ee03a2

**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	bootstrap	High
Product	file	name	bootstrap	High
Version	file	version	3.4.1	High

#### Related Dependencies



- theme.zip: bootstrap.jar: bootstrap.js.gz: bootstrap.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/bootstrap.js.gz/bootstrap.js
  - MD5: 894d79839facf38d9fd672bdbe57443d
  - SHA1: 11277f4e04cf070a350e566b053ef2215993720c
  - SHA256: dbd2a35e72edc7d6bde483481a912f1c38aa57fab2747d9b071d317339ee03a2

#### Suppressed Identifiers

- None

#### Suppressed Vulnerabilities



##### CVE-2024-6484 (RETIREJS) suppressed

Notes: file name: remotegui.zip: bootstrap.jar We are in the process of migrating required functions into a custom framework.

Unscored:

- Severity: medium

References:

- info - <https://github.com/advisories/GHSA-9mvj-f7w8-pvh2>
- info - <https://github.com/rubysec/ruby-advisory-db/blob/master/gems/bootstrap-sass/CVE-2024-6484.yml>
- info - <https://github.com/rubysec/ruby-advisory-db/blob/master/gems/bootstrap/CVE-2024-6484.yml>
- info - <https://github.com/twbs/bootstrap>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-6484>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-6484>

Vulnerable Software & Versions (RETIREJS):

##### Bootstrap before 4.0.0 is end-of-life and no longer maintained. (RETIREJS) suppressed

Bootstrap before 4.0.0 is end-of-life and no longer maintained.

Notes: file name: remotegui.zip: bootstrap.jar We are in the process of migrating required functions into a custom framework.

Unscored:

- Severity: low

References:

- info - <https://github.com/twbs/bootstrap/issues/20631>
- retid - 72

Vulnerable Software & Versions (RETIREJS):

theme.zip: bootstrap.jar: bootstrap.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/bootstrap.min.js  
**MD5:** 2f34b630ffe30ba2ff2b91e3f3c322a1  
**SHA1:** b16fd8226bd6bfb08e568f1b1d0a21d60247cefb  
**SHA256:** 9ee2fcff6709e4d0d24b09ca0fc56aade12b4961ed9c43fd13b03248bfb57afe  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	bootstrap	High
Product	file	name	bootstrap	High
Version	file	version	3.4.1	High

Related Dependencies

- theme.zip: bootstrap.jar: bootstrap.min.js.gz: bootstrap.min.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/bootstrap.min.js.gz/bootstrap.min.js
  - MD5: 2f34b630ffe30ba2ff2b91e3f3c322a1
  - SHA1: b16fd8226bd6bfb08e568f1b1d0a21d60247cefb
  - SHA256: 9ee2fcff6709e4d0d24b09ca0fc56aade12b4961ed9c43fd13b03248bfb57afe

Suppressed Identifiers

- None

Suppressed Vulnerabilities

CVE-2024-6484 (RETIREJS) suppressed

Notes: file name: remotegui.zip: bootstrap.jar We are in the process of migrating required functions into a custom framework.

Unscored:

- Severity: medium

References:

- info - <https://github.com/advisories/GHSA-9mvj-f7w8-pvh2>
- info - <https://github.com/rubysec/ruby-advisory-db/blob/master/gems/bootstrap-sass/CVE-2024-6484.yml>
- info - <https://github.com/rubysec/ruby-advisory-db/blob/master/gems/bootstrap/CVE-2024-6484.yml>
- info - <https://github.com/twbs/bootstrap>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-6484>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-6484>

Vulnerable Software & Versions (RETIREJS):

**Bootstrap before 4.0.0 is end-of-life and no longer maintained.** (RETIREJS) suppressed

Bootstrap before 4.0.0 is end-of-life and no longer maintained.

Notes: file name: remotegui.zip: bootstrap.jar We are in the process of migrating required functions into a custom framework.

Unscored:

- Severity: low

References:

- info - <https://github.com/twbs/bootstrap/issues/20631>
- retid - 72

Vulnerable Software & Versions (RETIREJS):

This report contains data retrieved from the [National Vulnerability Database](#).

This report may contain data retrieved from the [CISA Known Exploited Vulnerability Catalog](#).

This report may contain data retrieved from the [Github Advisory Database \(via NPM Audit API\)](#).

This report may contain data retrieved from [RetireJS](#).

This report may contain data retrieved from the [Sonatype OSS Index](#).